
ANNUAL BOOK OF ASTM STANDARDS

2014

SECTION 00

Index



VOLUME **00.01**

Subject Index; Alphanumeric List

ASTM Stock Number: S000114



This volume includes only those standards available for publication at the time of this printing. Additional and more current versions of standards within this volume may be available. To identify or obtain the most current standards, visit the Standards page at www.astm.org.

ASTM INTERNATIONAL ■ 100 BARR HARBOR DRIVE, PO BOX C700, WEST CONSHOHOCKEN, PA 19428-2959
TEL: **610-832-9500** ■ FAX: **610-832-9555** ■ EMAIL: **service@astm.org** ■ WEBSITE: **www.astm.org**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST



Editorial Staff

Director:
Vernice A. Mayer

Manager:
Jessica L. Barrett

Editors:
Sean J. Bailey
Scott Emery
Joe Ermigiotti
Stephanie L. Heilman
Christine M. Leinweber
Emily Moore
Emilie A. Olcese
Felicia C. Otero
Kathleen A. Peters
Mark Rosborough
Todd J. Sandler
Julie Wright

Publishing Assistant Coordinator:
Nicholas Furcola

Publishing Technician:
Audrey Lewandowski

Library of Congress Catalog Card Number:

ISBN 978-1-6220-4467-2 (set)
ISBN 978-1-6220-4661-4 (volume)

Copyright ©2014 ASTM International, West Conshohocken, PA. Prior editions copyrighted 2013 and earlier, by the American Society for Testing and Materials. All rights reserved. This material may not be reproduced or copied, in whole or in part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of the publisher.

ORDER INFORMATION: Additional copies of this book in print, on CD-ROM, or reprints (single or multiple copies) of individual standards may be obtained by contacting ASTM International at 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, or at 610-832-9585 (phone), 610-832-9555 (fax), service@astm.org (email), or through www.astm.org (website).

Photocopy Rights

Authorization to photocopy items for internal, personal, or educational classroom use, or the internal, personal, or educational classroom use of specific clients, is granted by ASTM International provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, Tel: (978) 646-2600; http://www.copyright.com/

Printed in Eagan, MN, U.S.A.

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Foreword

Founded in 1898, ASTM International has grown into a globally recognized leader in the development and delivery of international voluntary consensus standards. Today, over 12,500 ASTM standards are used around the world to improve product quality, enhance safety, facilitate market access and trade, and build consumer confidence.

Through 143 technical standards-writing committees, ASTM serves many diverse industries providing a forum for producers, users, ultimate consumers, and those having a general interest (representatives of government and academia) to meet on common ground and write standards for materials, products, systems, and services. These standards and other related technical information are accepted and used throughout the world.

ASTM International Headquarters has no technical research or testing facilities; leadership in international standards development is driven by the contributions of its members: more than 30,000 of the world's top technical experts and business professionals representing 135 countries. Membership in the Society is open to all concerned with the fields in which ASTM International is active. To join ASTM, visit the website, www.astm.org under *Membership* or contact Member Services and Promotion, ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken PA 19428-2959; tel. 610-832-9535.

2014 Annual Book of ASTM Standards

The 2014 *Annual Book of ASTM Standards* consists of 82 volumes, divided among 16 sections, of which this volume is one. It contains approved ASTM standards and related material. These terms are defined as follows in the *Regulations Governing ASTM Technical Committees:*

Categories:

standard—as used in ASTM, a document that has been developed and established within the consensus principles of the Society and that meets the approval requirements of ASTM procedures and regulations.

standard—as used in ASTM, a descriptive used in titles of test methods, specifications, and other documents to indicate consensus approval in accordance with ASTM procedures and regulations.

Types:

The various types of ASTM documents are to provide a flexibility of form, communication, and usage for both the technical committees and the myriad users of ASTM documents. The type of ASTM document that is developed and titled is based on the technical content and intended use, not on the degree of consensus achieved. ASTM standards can be of the following forms and types:

classification—a systematic arrangement or division of materials, products, systems, or services into groups based on similar characteristics such as origin, composition, properties, or use.

guide—an organized collection of information or series of options that does not recommend a specific course of action.
Discussion—A guide increases the awareness of information and approaches in a given subject area.

practice—a set of instructions for performing one or more specific operations that does not produce a test result.
Discussion—Examples of practices include, but are not limited to: application, assessment, cleaning, collection, decontamination, inspection, installation, preparation, sampling, screening, and training.

specification—an explicit set of requirements to be satisfied by a material, product, system, or service.
Discussion—Examples of specifications include, but are not limited to, requirements for: physical, mechanical, or chemical properties, and safety, quality, or performance criteria. A specification identifies the test methods for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

determining whether each of the requirements is satisfied.

terminology—a document composed of terms, definitions of terms, descriptions of terms, nomenclature, and explanations of abbreviations, acronyms, and symbols.

test method—a definitive procedure that produces a test result.

Discussion—Examples of test methods include, but are not limited to: identification, measurement, and evaluation of one or more qualities, characteristics, or properties. A precision and bias statement shall be reported at the end of a test method. (See *Form and Style for ASTM Standards*, Section A21, Precision and Bias.)

A new edition of the *Book of Standards* is published annually because of additions of new standards and significant revisions to existing standards. Approximately 30 % of each volume is new or revised. New and revised standards approved by the Society between the annual editions of any given volume are made available on www.astm.org as separate copies. Users are cautioned to follow the most current issue of a standard, except when a specific edition of a standard is cited, for example, as in a contract.

Development and Use of ASTM Standards

ASTM International believes that technically competent standards result when a full consensus of all concerned parties is achieved and due process procedures are followed. This philosophy and standards development system ensure technically competent standards having the highest credibility when critically examined and used as the basis for commercial, legal, or regulatory actions.

ASTM standards are developed voluntarily and used voluntarily. Standards become legally binding only when a government body references them in regulations, or when they are cited in a contract. Any item that is produced and marked as conforming to an ASTM standard must meet all applicable requirements of that standard.

ASTM standards are used by thousands of individuals, companies, and agencies. Purchasers and sellers incorporate standards into contracts; scientists and engineers use them in laboratories; architects and designers use them in plans; government agencies reference them in codes, regulations, and laws; and many others refer to standards for guidance.

Citing Standards

When citing ASTM standards in other sources, the following format may be used: ASTM Standard C33, "Specification for Concrete Aggregates," ASTM International, West Conshohocken, PA, 2008, DOI: 10.1520/C33–08, www.astm.org. For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

Consideration of Comments on ASTM Standards

An ASTM standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of any standard or for the development of new standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959.

Using the Annual Book of ASTM Standards

The standards are assembled in each volume in alphanumeric sequence of their ASTM designation numbers. Volumes 05.05, 05.06, and 06.04 are assembled first by committee, then in alphanumeric sequence. Each volume has a table of contents, listing the standards in alphanumeric sequence by ASTM designation; and a list by subjects, categorizing the standards according to subject. A subject index of the standards in each volume appears at the back of each volume.

Availability of Individual Standards

Each ASTM standard is available as a separate copy from ASTM International. Standards can be downloaded or ordered directly from the ASTM website at www.astm.org. Standards can also be ordered from Customer Services at 610-832-9585, Monday through Friday, 8:30 AM to 4:30 PM Eastern Standard Time.

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

FOREWORD

Withdrawn standards shall be listed in the contents of the pertinent volumes of the *Annual Book of ASTM Standards* for three years. A single page for each standard will appear in those volumes providing the title, scope information, former committee jurisdiction, reason for withdrawal, any replacement, and the date of withdrawal. Standards that have been withdrawn may be separately available from the ASTM web site.

Caveat Statements and Policies in Standards

ASTM caveat statements on Safety Hazards and Fire Hazards are required to appear in standards where appropriate. They are located in the scope section of applicable standards. The caveats on General Statement of ASTM Policy and Patents are contained in all standards and located at the end of each standard. For more information on the caveats see Section F2 of the *Form and Style for ASTM Standards.*

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ANNUAL BOOK OF ASTM STANDARDS

Listed by Section and Volume

Section 1— Iron and Steel Products

Volume 01.01 Steel—Piping, Tubing, Fittings
Volume 01.02 Ferrous Castings; Ferroalloys
Volume 01.03 Steel—Plate, Sheet, Strip, Wire; Stainless Steel Bar
Volume 01.04 Steel—Structural, Reinforcing, Pressure Vessel, Railway
Volume 01.05 Steel—Bars, Forgings, Bearing, Chain, Tool
Volume 01.06 Coated Steel Products
Volume 01.07 Ships and Marine Technology
Volume 01.08 Fasteners; Rolling Element Bearings

Section 2 —Nonferrous Metal Products

Volume 02.01 Copper and Copper Alloys
Volume 02.02 Aluminum and Magnesium Alloys
Volume 02.03 Electrical Conductors
Volume 02.04 Nonferrous Metals—Nickel, Titanium, Lead, Tin, Zinc, Zirconium, Precious, Reactive, Refractory Metals and Alloys; Materials for Thermostats, Electrical Heating and Resistance Contacts, and Connectors
Volume 02.05 Metallic and Inorganic Coatings; Metal Powders and Metal Powder Products

Section 3—Metals Test Methods and Analytical Procedures

Volume 03.01 Metals—Mechanical Testing; Elevated and Low-Temperature Tests; Metallography
Volume 03.02 Corrosion of Metals; Wear and Erosion
Volume 03.03 Nondestructive Testing
Volume 03.04 Magnetic Properties
Volume 03.05 Analytical Chemistry for Metals, Ores, and Related Materials
Volume 03.06 Molecular Spectroscopy and Separation Science; Surface Analysis

Section 4—Construction

Volume 04.01 Cement; Lime; Gypsum
Volume 04.02 Concrete and Aggregates
Volume 04.03 Road and Paving Materials; Vehicle-Pavement Systems
Volume 04.04 Roofing and Waterproofing
Volume 04.05 Chemical-Resistant Nonmetallic Materials; Vitrified Clay Pipe; Concrete Pipe; Fiber-Reinforced Cement Products; Mortars and Grouts; Masonry; Precast Concrete
Volume 04.06 Thermal Insulation; Building and Environmental Acoustics
Volume 04.07 Building Seals and Sealants; Fire Standards; Dimension Stone
Volume 04.08 Soil and Rock (I): D420 – D5876
Volume 04.09 Soil and Rock (II): D5877 – latest
Volume 04.10 Wood
Volume 04.11 Building Constructions (I): E72 – E2110
Volume 04.12 Building Constructions (II): E2112 – latest; Sustainability; Asset Management; Technology and Underground Utilities
Volume 04.13 Geosynthetics

Section 5—Petroleum Products, Lubricants, and Fossil Fuels

Volume 05.01 Petroleum Products, Liquid Fuels, and Lubricants (I): C1234 – D3710
Volume 05.02 Petroleum Products, Liquid Fuels, and Lubricants (II): D3711 – D6122
Volume 05.03 Petroleum Products, Liquid Fuels, and Lubricants (III): D6138 – D6971
Volume 05.04 Petroleum Products, Liquid Fuels, and Lubricants (IV): D6973 – latest

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Volume 05.05 Combustion Characteristics; Manufactured Carbon and Graphite Products; Catalysts
Volume 05.06 Gaseous Fuels; Coal and Coke; Bioenergy and Industrial Chemicals from Biomass

Section 6—Paints, Related Coatings, and Aromatics
Volume 06.01 Paint—Tests for Chemical, Physical, and Optical Properties; Appearance
Volume 06.02 Paint—Products and Applications; Protective Coatings; Pipeline Coatings
Volume 06.03 Paint—Pigments, Polymers, Resins, Naval Stores, Cellulosic Esters, and Ink Vehicles
Volume 06.04 Paint—Solvents; Aromatic Hydrocarbons

Section 7— Textiles
Volume 07.01 Textiles (I): D76 – D4391
Volume 07.02 Textiles (II): D4393 – latest

Section 8 —Plastics
Volume 08.01 Plastics (I): C1147 – D3159
Volume 08.02 Plastics (II): D3222 – D5083
Volume 08.03 Plastics (III): D5117 – latest; Reinforced Plastic Piping Systems and Chemical Equipment; Plastic Building Products
Volume 08.04 Plastic Piping Systems

Section 9—Rubber
Volume 09.01 Rubber, Natural and Synthetic—General Test Methods; Carbon Black
Volume 09.02 Rubber Products, Industrial—Specifications and Related Test Methods; Gaskets; Tires

Section 10—Electrical Insulation and Electronics
Volume 10.01 Electrical Insulation (I): D69 – D2484
Volume 10.02 Electrical Insulation (II): D2518 – latest
Volume 10.03 Electrical Insulating Liquids and Gases; Electrical Protective Equipment
Volume 10.04 Electronics; Declarable Substances in Materials; 3D Imaging Systems; Additive Manufacturing Technologies

Section 11—Water and Environmental Technology
Volume 11.01 Water (I)
Volume 11.02 Water (II)
Volume 11.03 Occupational Health and Safety; Protective Clothing
Volume 11.04 Waste Management
Volume 11.05 Pesticides, Antimicrobials, and Alternative Control Agents; Environmental Assessment; Hazardous Substances and Oil Spill Response
Volume 11.06 Environmental Assessment, Risk Management and Corrective Action
Volume 11.07 Air Quality

Section 12—Nuclear, Solar, and Geothermal Energy
Volume 12.01 Nuclear Energy (I)
Volume 12.02 Nuclear (II), Solar and Geothermal Energy; Radiation Processing

Section 13—Medical Devices and Services
Volume 13.01 Medical and Surgical Materials and Devices (I): E667 – F2477
Volume 13.02 Medical and Surgical Materials and Devices (II): F2502 – latest; Emergency Medical Services; Search and Rescue; Anesthetic and Respiratory Equipment

Section 14—General Methods and Instrumentation
Volume 14.01 Healthcare Informatics

--`,,`,,`-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Volume 14.02 General Test Methods; Forensic Psychophysiology; Forensic Sciences; Conformity Assessment; Statistical Methods; Nanotechnology; Forensic Engineering; Manufacture of Pharmaceutical Products
Volume 14.03 Temperature Measurement
Volume 14.04 Laboratory Apparatus; Degradation of Materials; SI; Oxygen Fire Safety

Section 15—General Products, Chemical Specialties, and End Use Products
Volume 15.01 Refractories; Activated Carbon; Advanced Ceramics
Volume 15.02 Glass; Ceramic Whitewares
Volume 15.03 Space Simulation; Aerospace and Aircraft; Composite Materials
Volume 15.04 Soaps and Other Detergents; Polishes; Leather; Resilient Floor Coverings
Volume 15.05 Engine Coolants; Halogenated Organic Solvents and Fire Extinguishing Agents; Industrial and Specialty Chemicals
Volume 15.06 Adhesives
Volume 15.07 Sports Equipment and Facilities; Pedestrian/Walkway Safety and Footwear; Amusement Rides and Devices; Snow Skiing
Volume 15.08 Sensory Evaluation; Vacuum Cleaners; Security Systems and Equipment; Detention and Correctional Facilities; Homeland Security Applications
Volume 15.09 Paper and Paper Products; Business Imaging Products
Volume 15.10 Packaging; Flexible Barrier Packaging
Volume 15.11 Consumer Products; Light Sport Aircraft; Unmanned Aircraft Systems; Aircraft Systems; Unmanned Maritime Vehicle Systems (UMVS); Language Services and Products; General Aviation Aircraft
Volume 15.12 Livestock, Meat, and Poultry Evaluation Systems; Food Service Equipment

Section 00—Index
Volume 00.01 Subject Index; Alphanumeric List

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ANNUAL BOOK OF ASTM STANDARDS

Listed by Subjects

SUBJECTS	VOLUME
Acoustic, Building and Environmental	04.06
Activated Carbon	15.01
Additive Manufacturing Technologies	10.04
Adhesives	15.06
Advanced Ceramics	15.01
Aerosols	06.01
Aerospace and Aircraft	15.03
Aggregates	04.02, 04.03
Aircraft Systems	15.11
Aircraft Systems, Unmanned	15.11
Air Quality	11.07
Aluminum and Aluminum Alloys	02.02
Amusement Rides and Devices	15.07
Analytical Atomic Spectroscopy	03.05
Anesthetic and Respiratory Equipment	13.02
Antimicrobials	11.05
Appearance of Materials	06.01
Aromatic Hydrocarbons and Related Chemicals	06.04
Asset Management	04.12
Bioenergy and Industrial Chemicals from Biomass	05.06
Bituminous Materials	04.03
Building Constructions	04.11, 04.12
Building Seals and Sealants	04.07
Business Imaging Products	15.09
Carbon Black	09.01
Carbon Products, Manufactured	05.05
Cast Iron	01.02
Catalysts	05.05
Cellulose	06.03
Cement	04.01
Hydraulic	04.01
Rubber	09.01
Ceramic Materials	15.02
Advanced Ceramics	15.01
Ceramic Whitewares	15.02
Ceramics for Electronics	15.02
Porcelain Enamel	02.05
Chemical Analysis of Metals	03.05
Chemical-Resistant Nonmetallic Materials	04.05
Chemicals, Industrial	15.05
Closures	15.10
Coal and Coke	05.06
Combustion Characteristics	05.05
Compatibility and Sensitivity of Materials in Oxygen-Enriched Atmospheres	14.04
Composite Materials	15.03
Concrete and Concrete Aggregates	04.02
Concrete Pipe	04.05
Concrete Products, Precast	04.05
Concrete Reinforcing Steel	01.04
Conformity Assessment	14.02
Consumer Products	15.11
Containers:	
Aerosol	15.10, 15.11
Glass	15.02
Shipping	15.10, 15.11
Coolants, Engine	15.05
Copper and Copper Alloys	02.01
Corrosion, Metals	03.02
Corrugated Steel Pipe	01.06
Declarable Substances in Materials	10.04
Detention and Correctional Facilities	15.08
Die-Cast Metals	02.01, 02.02, 02.04
Dimension Stone	04.07
Dosimetry	12.02
Ductile Iron	01.02
Durability of Nonmetallic Materials:	
Pipeline Coatings	06.02
Electrical Conductors	02.03
Electrical Contacts and Connectors	02.04
Electrical Insulating Materials	10.01, 10.02, 10.03
Electrical Protective Equipment for Workers	10.03
Electronics	10.04
Emergency Medical Services	13.02
Emission Spectroscopy	03.05
Environmental Assessment	11.05, 11.06
Erosion and Wear	03.02
Exposure Tests	14.02
Fasteners	01.08
Fatigue	03.01
Fences	01.06
Ferroalloys	01.02
Ferrous Castings	01.02
Fiber-Reinforced Cement Products	04.05
Filtration	14.04
Fire Standards	04.07
Flexible Barrier Packaging	15.10
Food Service Equipment	15.12
Footwear, Pedestrian/Walkway Safety	15.07
Forensic Engineering	14.02
Forensic Sciences	14.02
Fracture Testing	03.01
Galvanized Hardware	01.06

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

LISTED BY SUBJECTS

SUBJECTS	VOLUME
Gaseous Fuels	05.06
Gaskets	09.02
General Aviation Aircraft	15.11
General Test Methods	14.02
Geosynthetics	04.13
Geothermal Resources and Energy	12.02
Glass	15.02
Graphite Products, Manufactured	05.05
Graphite Products, Nuclear	12.02
Grouts for Unit Masonry	04.05
Gypsum	04.01
Halogenated Organic Solvents and Fire Extinguishing Agents	15.05
Hazard Potential of Chemicals	14.02
Hazardous Substances and Oil Spill Response	11.05
Healthcare Informatics	14.01
Health Care Services and Equipment	13.01, 13.02
Homeland Security Applications	15.08
Imaging Products, Business	15.09
Imaging Systems, 3D	10.04
Index (for all volumes)	00.01
Industrial and Specialty Chemicals	15.05
Iron Castings	01.02
Laboratory Apparatus	14.04
Language Services and Products	15.11
Leather	15.04
Light Sport Aircraft	15.11
Lime	04.01
Livestock, Meat, and Poultry Evaluation Systems	15.12
Magnesium and Magnesium Alloys	02.02
Magnetic Properties	03.04
Malleable Iron	01.02
Marine Technology	01.07
Masonry Units	04.05
Medical and Surgical Materials and Devices	13.01, 13.02
Metallic and Inorganic Coatings	02.05
Metallic-Coated Steel	01.06
Metallic-Coated Wire	01.06
Metallography	03.01
Metal Powders and Metal Powder Products	02.05
Metals, Chemical Analysis	03.05
Metals, Effect of Temperature on Properties	03.01
Metals, Physical and Mechanical Testing	03.01
Molecular Spectroscopy and Separation Science	03.06
Mortars and Grouts for Unit Masonry	04.05
Nanotechnology	14.02
Naval Stores	06.03
Nickel and Nickel Alloys	02.04
Nondestructive Testing	03.03
Nonferrous Metals, General	02.04
Nuclear Materials	12.01, 12.02
Occupational Health and Safety	11.03
Oil Spill Response, Hazardous Substances	11.05
Ores, Metal Bearing, Sampling and Analysis	03.05
Orthotics, External Prosthetics, and Mobility Aids	13.01, 13.02
Packaging	15.10
Paint and Related Coatings and Materials:	
Pigments, Resins, and Polymers	06.03
Products and Applications	06.02
Solvents	06.04
Tests for Chemical, Physical, and Optical Properties	06.01
Paper and Paper Products	15.09
Particle and Spray Characterization	14.02
Pesticides, Antimicrobials, and Alternative Control Agents	11.05
Petroleum Products and Lubricants	05.01, 05.02, 05.03, 05.04, 05.05
Pharmaceutical Products, Manufacture of	14.02
Plastic Building Products	08.03
Plastic Piping Systems	08.04
Plastics	08.01, 08.02, 08.03
Polishes	15.04
Porcelain Enamel	02.05
Pressure Vessel Plate and Forgings	01.04
Products Liability Litigation, Technical Aspects of	14.02
Protective Clothing	11.03
Protective Coating and Lining Work for Power Generation Facilities	06.02
Protective Equipment, Electrical, for Workers	10.03
Quality and Statistics	14.02
Radiation Processing	12.02
Radioisotopes and Radiation Effects	12.02
Reactive and Refractory Metals	02.04
Refractories	15.01
Reinforced Plastic Piping Systems and Chemical Equipment	08.03
Resilient Floor Coverings	15.04
Road and Paving Materials	04.03
Robotics	14.01
Rolling Element Bearings	01.08
Roofing and Waterproofing	04.04
Rubber	09.01, 09.02
Search and Rescue	13.02
Security Systems and Equipment	15.08
Sensory Evaluation	15.08
Ships	01.07
SI Practice	14.04
Skiing, Snow	15.07
Soaps	15.04
Soil and Rock	04.08, 04.09
Solar Energy Conversion	12.02
Solvents	06.04
Space Simulation	15.03
Spectroscopy	03.06
Sports Equipment and Facilities	15.07
Statistical Methods	14.02
Steel:	

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

LISTED BY SUBJECTS

SUBJECTS	VOLUME
Bars	01.05
Bearing Steel	01.05
Bolting	01.01
Castings	01.02
Chain	01.05
Concrete Reinforcing Steel	01.04
Detention and Correctional Facilities	04.07
Fasteners	01.08
Forgings	01.04, 01.05
Galvanized	01.06
Piping, Tubing, and Fittings	01.01
Plate, Sheet, and Strip	01.03
Pressure Vessel Plate and Forgings	01.04
Rails, Wheels, and Tires	01.04
Stainless Steel	01.01, 01.02, 01.03, 01.04, 01.05
Structural Steel	01.04
Tool Steel	01.05
Wire	01.03
Surface Analysis	03.06
Surgical Materials and Devices	13.01, 13.02
Sustainability	04.12
Technology and Underground Utilities	04.12
Temperature Measurement	14.03
Textiles	07.01, 07.02
Thermal Insulation	04.06
Thermal Measurements	14.02
Thermocouples	14.03
Thermostats, Electrical Heating and Resistance Contacts, and Connectors	02.04
Tires	09.02
Traveled Surface Characteristics	04.03
Unmanned Maritime Vehicle Systems (UMVS)	15.11
Vacuum Cleaners	15.08
Vehicle-Pavement Systems	04.03
Vitrified Clay Pipe	04.05
Waste Management	11.04
Water	11.01, 11.02
Wear and Erosion	03.02
Weathering and Durability	14.04
Wire Gabions	01.06
Wood	04.10

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preface

The Combined Subject Index references only those standards published in each volume of the *2014 Annual Book of ASTM Standards*. New and revised standards approved after the closing dates for the volumes are available as separate reprints and will be listed in next year's index.

HOW TO USE THE SUBJECT INDEX

A. General Information

Main subject terms and index headings are taken directly from titles, scopes, and terminology and significance sections, as well as referencing materials, applications, and other information written into each document.

A delta ( ) preceding the ASTM designation indicates that adjunct material for the standard is available separately from ASTM Headquarters; the adjunct number is given in the standard.

B. Main Subject Headings

The Combined Subject Index has been restructured to reflect unitary and collective subject headings. The following are examples of unitary headings:

Gas chromatography
Gas chromatography (atmospheric analysis)
Sports equipment
Sports equipment—alpine skis

While most of the subject headings reflect divergent terminology in ASTM standards, there is a series of collective headings to display similar materials, properties, or tests. Following is a sample of these headings:

Gas chromatography—chemicals
Gas chromatography—atmospheric analysis
Gas chromatography—detergents
Gas chromatography—forensic sciences

Another method for organizing information about metals and alloys, in addition to specific metal/alloy headings, is through the *Unified Numbering System for Metals and Alloys* (UNS). The Subject Index offers retrieval capability for the following metals and alloys:

UNS A series–Aluminum
UNS C series–Copper
UNS K series–Miscellaneous Steels and Ferrous Alloys
UNS L series–Lead
UNS M series–Magnesium
UNS N series–Nickel
UNS P series–Precious Metals and Alloys
UNS R series–Reactive and Refractory Metals/Alloys
UNS S series–Heat and Corrosion Resistant Steels
UNS W series–Welding Filler Metals
UNS Z series–Zinc

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C. ASTM Designations

There are four types of ASTM designations connected to titles:

Inch-Pound Standards
SI Standards
Combined Standards
Provisional Standards

D. Subject Index Titles

In the Subject Index, alphanumeric titles have been rearranged into two parts: (*1*) subject title followed by (*2*) document type:

Steel Castings, Carbon, for General Application, Specification for, **A 27/A 27M (01.02)**

Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E 882 (03.06)**

Free–Cutting Copper Rod and Bar, Specification for, **B 301 (02.01)**

Free–Cutting Copper Rod and Bar [Metric], Specification for, **B 301M (02.01)**

Materials for Roads and Pavements, Terminology Relating to, **D 8 (04.03)**

Sampling and Testing Lac Resins, Test Methods for, **D 29 (06.03)**

Portable Escape Ladder for Residential Use, Provisional Specification for, **PS 117 (15.07)**

E. Alphabetization

Alphabetization for both headings and entries is letter-by-letter:

Construction materials
Construction materials—structural sandwich
Consumer products
Consumer safety specifications
Consumer safety specifications—bathrooms

F. Cross–References

In cross-referencing standards, the term "*See*" guides users from inverted, less familiar, or associated terms to preferred headings:

Antifreezes (engine)
See **Engine coolants**

Prussian blue
See **Pigments—iron blue**

See references are essential also in guiding users from specific terms to collective subject headings:

Atomic emission spectroscopy
See **Spectroscopy—atomic emission**

Disposable pipets
See **Laboratory apparatus—pipets**

A second type of cross-reference is the *Sa (See also)* reference, listing related subject headings:

Alloys
Sa **Chromium alloys/Copper alloys**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Contents

2014 ANNUAL BOOK OF ASTM STANDARDS, VOLUME 00.01

	Page
Subject Index	1
Alphanumeric List	1501
A. Ferrous Metals	1502
B. Nonferrous Metals	1515
C. Cementitious, Ceramic, Concrete, and Masonry materials	1526
D. Miscellaneous Materials	1545
E. Miscellaneous Subjects	1628
ES. Emergency Standards	1659
F. Materials for Specific Applications	1660
G. Corrosion, Deterioration, and Degradation of Materials	1691
ISO/ASTM STANDARDS	1694
P. Proposals	1695
PS. Provisional Standards	1697

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Subject Index

A

AACSR (aluminum-alloy conductors, steel reinforced)
Aluminum-Clad Steel Core Wire for Use in Overhead Electrical Aluminum Conductors, Specification for, **B502/B502M (02.03)**
Compact Round Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/COMP), Specification for, **B401 (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR), Specification for, **B232/B232M (02.03)**
Concentric-Lay-Stranded Aluminum-Alloy Conductors, Steel Reinforced (AACSR) (6201), Specification for, **B711 (02.03)**
Concentric-Lay-Stranded Self-Damping Aluminum Conductors, Steel Reinforced (ACSR/SD), Specification for, **B701/B701M (02.03)**
Copper Rod Drawing Stock for Electrical Purposes, Specification for, **B49 (02.01)**
Copper-Clad Stainless Steel Sheet and Strip for Building Construction, Specification for, **B506 (02.01)**
High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**
Metallic Coated or Aluminum Clad Stranded Steel Core for Use in Overhead Electrical Conductors, Specification for, **B500/B500M (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW), Specification for, **B779 (02.03)**
Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Specification for, **B802/B802M (02.03)**
Zinc-Coated (Galvanized) Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B498/B498M (02.03)**

AAS
See **Atomic absorption spectrometry (AAS)**

AAS—trace metals in paints
Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3717 (06.01)**
Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3718 (06.01)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3624 (06.01)**

Abandoned mine land
Minimum Geospatial Data for Abandoned Mine Land Problem Areas, Planning Units, Keyword Features, and Project Sites, Practice for, **D7699/D7699M (04.09)**

Abandoned Mine Land Inventory System (AMLIS)
Minimum Geospatial Data for Abandoned Mine Land Problem Areas, Planning Units, Keyword Features, and Project Sites, Practice for, **D7699/D7699M (04.09)**

Abandoned wells
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Locating Abandoned Wells, Guide for, **D6285 (04.09)**

Abatement
Determining the Amount of Volatile Organic Compound (VOC) Released From Waterborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D6266 (06.01)**
Selection of Lead Hazard Reduction Methods for Identified Risks in Residential Housing or Child Occupied Facilities, Practice for, **E2252 (04.12)**

Abatement activities/projects
Non-Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1795 (04.11)**
Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1797 (04.11)**
Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Guide for, **E1796 (04.11)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**

Abbé-Nelson illumination
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**

Abbreviated ratio tables
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Abbreviations
Abbreviated Terms Relating to Plastics, Terminology for, **D1600 (08.01)**
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Thermoplastic Elastomers—Terminology and Abbreviations, Practice for, **D5538 (09.01)**

Ablative antifouling paint systems
See **Antifouling coating system**

Ablative materials
Heat of Ablation, Test Method for, **E458 (15.03)**
Internal Temperature Measurements in Low-Conductivity Materials, Practice for, **E377 (15.03)**
Obtaining Char Density Profile of Ablative Materials by Machining and Weighing, Test Method for, **E471 (15.03)**
Oxyacetylene Ablation Testing of Thermal Insulation Materials, Test Method for, **E285 (15.03)**

ABMA tester
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**

Abnormally large grains
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**

Above-grade dry land disposal units
Sampling Waste Piles, Guide for, **D6009 (11.04)**

Aboveground drain/waste/vent pipe/fittings
Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground, Specification for, **C1460 (01.02)**

Aboveground storage tanks (AST)
Sa **Storage containers/tanks—specifications**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Examination of Liquid-Filled Atmospheric and Low-Pressure

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Metal Storage Tanks Using Acoustic Emission, Practice for, **E1930/E1930M (03.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Hydraulic Integrity of New, Repaired, or Reconstructed Aboveground Storage Tank Bottoms for Petroleum Service, Guide for, **E2256 (11.05)**

Abrading
Abrading Concrete, Practice for, **D4259 (06.02)**
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Rubber Property—Abrasion Resistance (Footwear Abrader), Test Method for, **D1630 (09.01)**

Abrading felt
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**

Abrasion
Abrasion Resistance of Leather (Rotary Platform, Abraser Method), Test Method for, **D7255 (15.04)**
Conducting Wear Tests Using a Rotary Platform Abraser, Guide for, **G195 (03.02)**
Determination of Attrition of FCC Catalysts by Air Jets, Test Method for, **D5757 (05.05)**
Determining Enamel Holdout, Test Method for, **D7786 (06.02)**
Determining Potential Resistance to Degradation of Pervious Concrete by Impact and Abrasion, Test Method for, **C1747/C1747M (04.02)**
Determining the Abrasion Resistance of Inks and Coatings on Membrane Switches Using the Norman Tool RCA Abrader, Test Method for, **F2357 (10.04)**
Granule Adhesion to Mineral Surfaced Roofing by Abrasion, Test Method for, **D4977/D4977M (04.04)**
Pile Fabric Abrasion, Test Method for, **D4685 (07.02)**
Pin Abrasion Testing, Test Method for, **G132 (03.02)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Abrasion—paints/related coatings
Determining the Abrasion Resistance of Inks and Coatings on Membrane Switches Using the Norman Tool RCA Abrader, Test Method for, **F2357 (10.04)**

Abrasion loss
Granule Cover of Mineral Surfaced Roofing, Test Method for, **D6225/D6225M (04.04)**

Abrasion resistance
Abrasion Resistance of Leather (Rotary Platform, Abraser Method), Test Method for, **D7255 (15.04)**
Abrasion Resistance of Organic Coatings by Falling Abrasive, Test Methods for, **D968 (06.01)**
Abrasion Resistance of Organic Coatings by the Taber Abraser, Test Method for, **D4060 (06.01)**
Abrasion Resistance of Pipeline Coatings, Test Method for, **G6 (06.02)**
Abrasion Resistance of Porcelain Enamels, Test Methods for, **C448 (02.05)**
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Abrasion Resistance of Refractory Materials at Room Temperature, Test Method for, **C704/C704M (15.01)**
Burnish Resistance of Latex Paints, Test Method for, **D6736 (06.02)**
Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe, Test Method for, **A926 (01.06)**
Conducting Wear Tests Using a Rotary Platform Abraser, Guide for, **G195 (03.02)**
Determining the High Stress Abrasion Resistance of Hard Materials, Test Method for, **B611 (03.02)**
Dry Abrasion Mar Resistance of High Gloss Coatings, Test Methods for, **D6037 (06.01)**
Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, Test Method for, **F1978 (13.01)**
Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, Test Method for, **C1243 (15.02)**
Resistance of Fine Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D7428 (04.03)**
Rub Abrasion Mar Resistance of High Gloss Coatings, Test Method for, **D6279 (06.02)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Scrub Resistance of Wall Paints, Test Methods for, **D2486 (06.02)**
Tumbler Test for Coke, Test Method for, **D3402/D3402M (05.06)**
Tumbling Friability of Preformed Block-Type and Preformed Pipe-Covering-Type Thermal Insulation, Test Method for, **C421 (04.06)**
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**

Abrasion resistance—aerospace materials
Abrasion Resistance of Transparent Plastics and Coatings Using the Oscillating Sand Method, Test Method for, **F735 (15.03)**

Abrasion resistance—ceramic materials
Determining Visible Abrasion Resistance of Glazed Ceramic Tile, Test Method for, **C1027 (15.02)**
Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, Test Method for, **C1243 (15.02)**
Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser, Test Method for, **C501 (15.02)**

Abrasion resistance—concrete/mortar/aggregate
Abrasion Resistance of Concrete (Underwater Method), Test Method for, **C1138M (04.02)**
Abrasion Resistance of Concrete by Sandblasting, Test Method for, **C418 (04.02)**
Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method, Test Method for, **C944/C944M (04.02)**
Abrasion Resistance of Horizontal Concrete Surfaces, Test Method for, **C779/C779M (04.02)**
Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D6928 (04.03)**

Abrasion resistance—copy materials/printed products
Abrasion and Scuff Resistance of Inkjet Media by the Sutherland Rub Tester, Practice for, **F2497 (15.09)**
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Office Products (GA-CAT Method), Practice for, **F1486 (15.09)**
Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), Test Method for, **F1478 (15.09)**

Abrasion resistance—floor coverings
Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method, Test Method for, **F510/F510M (15.04)**

Abrasion resistance—metals/metallic materials
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, Test Method for, **E279 (03.05)**
Determination of Slurry Abrasivity (Miller Number) and Slurry Abrasion Response of Materials (SAR Number), Test Method for, **G75 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Jaw Crusher Gouging Abrasion Test, Test Method for, **G81 (03.02)**
Measuring Abrasion Resistance of Materials by Abrasive Loop Contact, Test Method for, **G174 (03.02)**
Measuring Abrasion Using the Dry Sand/Rubber Wheel Apparatus, Test Method for, **G65 (03.02)**
Testing Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B201 (02.05)**

Abrasion resistance—paving materials
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, Test Method for, **C535 (04.02)**
Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, Test Method for, **C131/C131M (04.02)**

Abrasion resistance—petroleum products
Attrition and Abrasion of Catalysts and Catalyst Carriers, Test Method for, **D4058 (05.05)**

Abrasion resistance—plastics
Resistance of Transparent Plastics to Surface Abrasion, Test Method for, **D1044 (08.01)**

Abrasion resistance—rubber
Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), Test Method for, **D3389 (09.02)**
Rubber Property—Abrasion Resistance (Footwear Abrader), Test Method for, **D1630 (09.01)**
Rubber Property—Abrasion Resistance (Rotary Drum Abrader), Test Method for, **D5963 (09.01)**
Rubber Property—Relative Abrasion Resistance by Pico Abrader Method, Test Method for, **D2228 (09.01)**

Abrasion resistance—shipping materials
Evaluating Abrasion Resistance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5416 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**

Abrasion resistance—soil/rock/related materials
Abrasion Resistance of Dimension Stone Subjected to Foot Traffic Using a Rotary Platform, Double-Head Abraser, Test Method for, **C1353/C1353M (04.07)**
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**
Abrasion Resistance of Stone Subjected to Foot Traffic, Test Method for, **C241/C241M (04.07)**
Slake Durability of Shales and Similar Weak Rocks, Test Method for, **D4644 (04.08)**

Abrasion resistance—textile fabrics/fibers
Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method), Test Method for, **D3885 (07.01)**
Abrasion Resistance of Textile Fabrics (Inflated Diaphragm Apparatus), Test Method for, **D3886 (07.01)**
Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method), Test Method for, **D4966 (07.02)**
Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder Method), Test Method for, **D4157 (07.01)**
Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method), Guide for, **D3884 (07.01)**
Abrasion Resistance of Textile Fabrics (Uniform Abrasion), Guide for, **D4158 (07.01)**
Abrasion Resistance of Textile Webbing (Hex Bar Method), Test Method for, **D6770 (07.02)**
Wet and Dry Yarn-on-Yarn Abrasion Resistance, Test Method for, **D6611 (07.02)**
Woven Upholstery Fabrics—Plain, Tufted, or Flocked, Performance Specification for, **D3597 (07.01)**

Abrasion resistance—wood
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**

Abrasion resistant iron castings
Abrasion-Resistant Cast Irons, Specification for, **A532/A532M (01.02)**

Abrasion resistant roll shell
Centrifugally Cast White Iron/Gray Iron Dual Metal Abrasion-Resistant Roll Shells, Specification for, **A942/A942M (01.02)**

Abrasive blasting
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted, Practice for, **D5367 (06.02)**
Measurement of Surface Roughness of Abrasive Blast Cleaned Metal Surfaces Using a Portable Stylus Instrument, Test Method for, **D7127 (06.02)**
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Abrasive cleaning
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**
Indicating Oil in Abrasives, Practice for, **D7393 (06.02)**
Measurement of Surface Roughness of Abrasive Blast Cleaned Metal Surfaces Using a Portable Stylus Instrument, Test Method for, **D7127 (06.02)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**

Abrasive compounds
Vegetable Peeling Machines, Electric, Specification for, **F1371 (15.12)**

Abrasive conditions
Laboratory Determination of Abrasiveness of Rock Using the CERCHAR Method, Test Method for, **D7625 (04.09)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**

Abrasive (embedded) floor strips
Resilient Stair Treads, Specification for, **F2169 (15.04)**

Abrasive loop contact
Measuring Abrasion Resistance of Materials by Abrasive Loop Contact, Test Method for, **G174 (03.02)**

Abrasive particles
Estimation of Deleterious Particles in Lubricating Grease, Test Method for, **D1404/D1404M (05.01)**

Abrasives/abrasivity
Abrasion Resistance of Pipeline Coatings, Test Method for, **G6 (06.02)**
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Relative Abrasiveness of Synthetic Turf Playing Surfaces, Test Method for, **F1015 (15.07)**

Abrasive walkway surfaces
See **Pavement surfaces**

Abrasive wear testing
Sa **Wear testing**
Abrasiveness of Ink-Impregnated Fabric Printer Ribbons and Other Web Materials, Test Method for, **G56 (03.02)**
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser, Test Method for, **C501 (15.02)**

Abridged spectrophotometry method
Color and Color Difference of Whitewares by Abriged Spectrophotometry, Test Method for, **C1510 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ABS (acrylonitrile-butadiene-styrene) pipe/fittings
Sa **Acrylonitrile-butadiene-styrene (ABS) pipe/fittings—specifications**
Acrylonitrile-Butadiene-Styrene (ABS) IPS Dimensioned Pressure Pipe, Specification for, **F2969 (08.04)**
Absolute coil method
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Electromagnetic (Eddy Current) Sorting of Ferrous Metals, Practice for, **E566 (03.03)**
Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, Practice for, **E703 (03.03)**
Absolute eddy current probes
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Absolute hydrogen content
See **Hydrogen content**
Absolute luminance
Sa **Luminance**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Abson method
Recovery of Asphalt From Solution by Abson Method, Test Method for, **D1856 (04.03)**
Absorbable/resorbable biomaterials
Absorbable Plates and Screws for Internal Fixation Implants, Specification and Test Methods for, **F2502 (13.02)**
Assessment of Absorbable Polymeric Implants, Guide for, **F2902 (13.02)**
Assessment of Compatibility of Absorbable/Resorbable Biomaterials for Implant Applications, Practice for, **F1983 (13.01)**
Absorbable stents—testing
Testing Absorbable Stents, Guide for, **F3036 (13.02)**
Absorbance
Carbon Black Extractables – Absorbance of Cyclohexane Extract, Test Method for, **D7772 (09.01)**
Clarity and Yellowness of Liquid Water-Based Clear Floor Polishes, Test Method for, **D3430 (15.04)**
Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, Practice for, **D6805 (04.04)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Total Peroxides in Acrylonitrile, Test Method for, **E1784 (15.05)**
Absorbance and transmittance
Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, Test Method for, **D5263 (05.06)**
Absorbed current
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Absorbed radiation dose
Sa **Energy deposition**
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Calculating Absorbed Dose From Gamma or X Radiation, Practice for, **E666 (12.02)**
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 80 and 300 keV, Practice for, **ISO/ASTM51818 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Dosimetry in Radiation Processing, Practice for, **ISO/ASTM52628 (12.02)**
Dosimetry in Radiation Research on Food and Agricultural Products, Guide for, **ISO/ASTM51900 (12.02)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, Guide for, **F1355 (12.02)**
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Performance Characterization of Dosimeters and Dosimetry Systems for Use in Radiation Processing, Guide for, **ISO/ASTM52701 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
Using the Fricke Dosimetry System, Practice for, **E1026 (12.02)**
Absorbed radiation dose (by nuclear workers)
Nuclear Facility Transient Worker Records, Specification for, **E1034 (12.02)**
Absorbent materials/applications
Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, Test Methods for, **D4198 (11.02)**
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Absorption
Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C413 (06.02)**
Admixtures for Masonry Mortars, Specification for, **C1384 (04.05)**
Airflow Resistance of Acoustical Materials, Test Method for, **C522 (04.06)**
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Calcium Silicate Brick (Sand-Lime Brick), Specification for, **C73 (04.05)**
Chemical Resistance and Physical Properties of Carbon Brick,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Methods for, **C1106 (04.05)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Determination of One-Point, Bulk Water Sorption of Dried Concrete, Test Method for, **C1757 (04.02)**
Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, Test Method for, **D7370 (04.03)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, Test Method for, **C1262 (04.05)**
Examination of Electrical Insulating Oils by Infrared Absorption, Practices for, **D2144 (10.03)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**
Manufactured Concrete Masonry Lintels, Specification for, **C1623 (04.05)**
Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, Test Method for, **C1585 (04.02)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Rate of Water Absorption of Masonry Mortars, Test Method for, **C1403 (04.05)**
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Test Method for, **C373 (15.02)**

Absorption—asphalts
Asphalt Plank, Specification for, **D517 (04.03)**
Calculating Percent Asphalt Absorption by the Aggregate in an Asphalt Pavement Mixture, Practice for, **D4469 (04.03)**

Absorption—carbon black
Carbon Black—Oil Absorption Number (OAN), Test Method for, **D2414 (09.01)**
Carbon Black—Oil Absorption Number of Compressed Sample (COAN), Test Method for, **D3493 (09.01)**

Absorption—concrete/aggregates
Density, Absorption, and Voids in Hardened Concrete, Test Method for, **C642 (04.02)**
Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, Test Method for, **C127 (04.02)**
Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate, Test Method for, **C128 (04.02)**

Absorption—plastics
Absorbance of Polyethylene Due to Methyl Groups, Test Methods for, **D2238 (08.01)**
Plasticizer Sorption of Poly(Vinyl Chloride) Resins Under Applied Centrifugal Force, Test Method for, **D3367 (08.02)**
Poly(Vinyl Chloride) Resins, Specification for, **D1755 (08.01)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**

Absorption—soil/rock
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Absorption and Bulk Specific Gravity of Dimension Stone, Test Methods for, **C97/C97M (04.07)**
Specific Gravity And Absorption of Rock For Erosion Control, Test Method For, **D6473 (04.09)**

Absorption—solar materials
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, Test Method for, **E903 (12.02)**

Absorption—spectrochemical instrumentation
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**

Absorption—textiles
Conditioning, Chemical, and Thermal Properties, Terminology Relating to, **D4920 (07.02)**
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**

Absorption—water
Sa **Water absorption**
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**

Absorption and enhancement effects
Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, Test Method for, **B890 (02.05)**

Absorption cell constants
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**

Absorption coefficient
Absorption Coefficient of Ethylene Polymer Material Pigmented with Carbon Black, Test Method for, **D3349 (10.02)**
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Absorption isotherm
Determination of Iodine Number of Activated Carbon, Test Method for, **D4607 (15.01)**

Absorption methods
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**

Absorption power (in direct current magnetic fields)
See **D-c magnetic properties**

Absorption spectrophotometry
See **Spectrophotometry—absorption**

Absorption spectroscopy
Sa **Spectroscopy—atomic absorption**
Detection of Lead in Paint by Direct Aspiration Atomic Absorption Spectroscopy, Test Method for, **D4834 (06.01)**

Absorptive coatings
Assessing the Durability of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Methods for, **E2141 (04.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining the Relative Tinting Strength of Chromatic Paints, Test Method for, **D4838 (06.02)**

Absorptivity of rubber chemicals
Rubber Chemicals—Determination of Infrared Absorption Characteristics, Practice for, **D2702 (09.01)**

Abutment
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**

A-C (alternating-current) breakdown voltage
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**

A-C (alternating-current) impedance
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

A-C (alternating-current) loss characteristics
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**

A-C (alternating-current) magnetic properties
AC Magnetic Permeability of Materials Using Sinusoidal Current, Test Method for, **A772/A772M (03.04)**
Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, Test Method for, **A697/A697M (03.04)**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
Alternating-Current Magnetic Properties of Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A927/A927M (03.04)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**
Magnetic Particle Examination of Steel Forgings Using Alternating Current, Practice for, **A966/A966M (01.05)**

A-C (alternating-current) permeabilities
See **Electrical contact materials**
See **Magnetic properties**
See **Permeability**

A-C (alternating-current) proof test
Rubber Insulating Covers, Specification for, **D1049 (10.03)**

A-C (alternating-current)-proof voltage
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**

ACAR
See **Aluminum electrical conductors—specifications**

Accelerated aging/testing
Sa **Aging**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Accelerated Acid Etch Weathering of Automotive Clearcoats Using a Xenon-Arc Exposure Device, Test Method for, **D7356/D7356M (06.01)**
Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV), Practice for, **D6521 (04.03)**
Aging Effects of Artificial Weathering on Latex Sealants, Test Method for, **C732 (04.07)**
Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, Test Method for, **D6646 (15.01)**
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Engine Coolant Corrosion Protection Under Accelerated Thermal and Oxidizing Conditions Using a Rotating Pressure Vessel, Test Method for, **D7820 (15.05)**
Evaluating the Age Resistance of Polymeric Materials Used in Oxygen Service, Practices for, **G114 (14.04)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**
Laboratory Aging of Sandwich Constructions, Test Method for, **C481 (15.03)**
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Selecting and Characterizing Weathering Reference Materials, Practice for, **G156 (14.04)**
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**
Weight Loss After Heat Aging of Preformed Tape Sealants, Test Method for, **C771 (04.07)**

Accelerated aging/testing—adhesives
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**
Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**

Accelerated aging/testing—building materials
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), Practice for, **D4799/D4799M (04.04)**
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method), Practice for, **D4798/D4798M (04.04)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, Test Method for, **C793 (04.07)**
Failure End Point in Accelerated and Outdoor Weathering of Bi-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tuminous Materials, Test Method for, **D1670/D1670M (04.04)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**

Accelerated aging/testing—composites
Hot Water Accelerated Aging of Glass-Fiber Reinforced Cement-Based Composites, Test Method for, **C1560 (04.05)**

Accelerated aging/testing—concrete
Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), Test Method for, **C1567 (04.02)**
Hydraulic Activity of Slag Cement by Reaction with Alkali, Test Method for, **C1073 (04.02)**
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Resistance of Concrete to Rapid Freezing and Thawing, Test Method for, **C666/C666M (04.02)**

Accelerated aging/testing—copy materials
Accelerated Testing of the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting and WindowFiltered Daylight, Practice for, **F1946/F1946M (15.09)**
Determining the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting, Practice for, **F1945 (15.09)**

Accelerated aging/testing—corrosion
Conducting Exfoliation Corrosion Tests in Aluminum Alloys, Guide for, **G112 (03.02)**
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, Practice for, **G36 (03.02)**
Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
Operating the Severe Wastewater Analysis Testing Apparatus, Practice for, **G210 (03.02)**
Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, Practice for, **G129 (03.02)**
Use of Mattson's Solution of pH 7.2 to Evaluate the Stress-Corrosion Cracking Susceptibility of Copper-Zinc Alloys, Practice for, **G37 (03.02)**

Accelerated aging/testing—elastomeric sealants
Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle), Test Method for, **C719 (04.07)**
Aging Effects of Artificial Weathering on Latex Sealants, Test Method for, **C732 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, Test Method for, **C793 (04.07)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**

Accelerated aging/testing—electrical heating/contact materials
Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating, Test Method of, **B78 (02.04)**
Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, Test Method for, **B76 (02.04)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Mixed Flowing Gas (MFG) Tests for Electrical Contacts, Guide for, **B845 (02.04)**

Accelerated aging/testing—insulating oils
Oxidation Stability of Mineral Insulating Oil, Test Method for, **D2440 (10.03)**
Oxidative Aging of Electrical Insulating Petroleum Oils by Open-Beaker Method, Test Method for, **D1934 (10.03)**

Accelerated aging/testing—insulation
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, Specification for, **D4245 (10.02)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 90°C Operation, Specification for, **D6096 (10.02)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**

Accelerated aging/testing—metallic materials
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**

Accelerated aging/testing—paints/related coatings
Accelerated Acid Etch Weathering of Automotive Clearcoats Using a Xenon-Arc Exposure Device, Test Method for, **D7356/D7356M (06.01)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), Practice for, **D5894 (06.01)**
Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, Test Method for, **D2065 (06.02)**
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, Practice for, **D5722 (06.01)**
Salt-Accelerated Outdoor Cosmetic Corrosion Testing of Organic Coatings on Automotive Sheet Steel, Practice for, **D6675 (06.01)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Xenon Arc Exposure Test with Enhanced Light and Water Exposure for Transportation Coatings, Practice for, **D7869 (06.01)**

Accelerated aging/testing—paving materials
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**

Accelerated aging/testing—petroleum products
Determining the Leakage Tendencies of Automotive Wheel Bearing Grease Under Accelerated Conditions, Test Method for, **D4290 (05.02)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, Test Method for, **D6681 (05.03)**
Oxidation Stability of Distillate Fuel Oil (Accelerated Method), Test Method for, **D2274 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Accelerated aging/testing—pipeline coatings
Abrasion Resistance of Pipeline Coatings, Test Method for, **G6 (06.02)**
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Evaluating Pipeline Coating Patch Materials, Test Method for, **G55 (06.02)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Accelerated aging/testing—plastics
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Heat Aging of Plastics Without Load, Practice for, **D3045 (08.01)**
Linear Dimensional Changes of Plastics Caused by Exposure to Heat and Moisture, Test Method for, **D1042 (08.01)**
Outdoor Exposure Testing of Photodegradable Plastics, Practice for, **D5272 (08.03)**
Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, Practice for, **D4364 (08.02)**
Response of Rigid Cellular Plastics to Thermal and Humid Aging, Test Method for, **D2126 (08.01)**
Xenon-Arc Exposure of Plastics Intended for Indoor Applications, Practice for, **D4459 (08.02)**
Accelerated aging/testing—polishes
Accelerated Aging of Liquid Water-Emulsion Floor Polishes, Test Method for, **D1791 (15.04)**
Long-Term Removability Properties of Emulsion Floor Polishes, Test Method for, **D1792 (15.04)**
Accelerated aging/testing—preformed sealing tapes
Low-Temperature Flexibility of Preformed Tape Sealants, Test Method for, **C765 (04.07)**
Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants, Test Method for, **C772 (04.07)**
Accelerated aging/testing—pressure-sensitive tapes
Accelerated Aging of Pressure-Sensitive Tapes, Practice for, **D3611 (15.10)**
Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight, Practice for, **D5105 (15.10)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Accelerated aging/testing—refractories
Disintegration of Carbon Refractories by Alkali, Test Method for, **C454 (15.01)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Accelerated aging/testing—rubber/related materials
Coated Fabrics, Test Methods for, **D751 (09.02)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Rubber Deterioration by Heat and Air Pressure, Test Method for, **D454 (09.01)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Rubber Hose, Test Methods for, **D380 (09.02)**
Rubber Products in Automotive Applications, Classification System for, **D2000 (09.02)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Rubber Property—Hydrolytic Stability, Test Method for, **D3137 (09.01)**
Rubber Thread—Deterioration Due to Standard Washing Solution Treatment, Test Method for, **D3855 (09.02)**
Rubber Thread—Resistance to Dry Heat, Test Method for, **D3854 (09.02)**
RubberDeterioration by Heat and Oxygen, Test Method for, **D572 (09.01)**
Rubber—Deterioration by Heating in Air (Test Tube Enclosure), Test Method for, **D865 (09.01)**
Accelerated aging/testing—salt spray (fog) testing
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Modified Salt Spray (Fog) Testing, Practice for, **G85 (03.02)**
Operating Salt Spray (Fog) Apparatus, Practice for, **B117 (03.02)**
Resistance of Zippers to Salt Spray (Fog), Test Method for, **D2059/D2059M (07.01)**
Accelerated aging/testing—sealants
Durability of Sealants Exposed to Continuous Immersion in Liquids, Test Method for, **C1247 (04.07)**
Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, Test Method for, **C1519 (04.07)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**
Weight Loss After Heat Aging of Preformed Tape Sealants, Test Method for, **C771 (04.07)**
Accelerated aging/testing—surgical devices/applications
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**
Accelerated Aging of Sterile Barrier Systems for Medical Devices, Guide for, **F1980 (15.10)**
Accelerated Aging of Ultra-High Molecular Weight Polyethylene after Gamma Irradiation in Air, Practice for, **F2003 (13.01)**
Accelerated aging/testing—textiles
Accelerated Aging of Inflatable Restraint Fabrics, Practice for, **D5427 (07.02)**
Accelerated Soiling of Pile Yarn Floor Covering, Test Method for, **D6540 (07.02)**
Weight Loss After Heat Aging of Preformed Tape Sealants, Test Method for, **C771 (04.07)**
Accelerated aging/testing—tires
Accelerated Laboratory Roadwheel Generation of Belt Separation in Radial Passenger Car and Light Truck Tires through Load Range E, Test Method for, **F3015 (09.02)**
Accelerated aging/testing—vacuum cleaners
Motor Life Evaluation of a Built-In (Central Vacuum) Vacuum Cleaner, Test Method for, **F884 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle, Test Method for, **F922 (15.08)**
Motor Life Evaluation of an Upright Vacuum Cleaner, Test Method for, **F555 (15.08)**
Accelerated aging/testing—wood products
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Accelerated leach test
Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, Test Method for, **C1308 (12.01)**
Accelerated seam test
Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods, Test Method for, **D6214/D6214M (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Accelerated service life data
Statistical Analysis of Accelerated Service Life Data, Guide for, **G172 (14.04)**

Accelerated soot production
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**

Accelerated weathering
Sa **Weathering**
Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing, Practice for, **D2898 (04.10)**
Accelerated Weathering of Pressure-Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus, Practice for, **D3815/D3815M (15.10)**
Accelerated Weathering of Pressure-Sensitive Tapes by Xenon-Arc Exposure Apparatus, Practice for, **D6551/D6551M (15.10)**
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), Practice for, **D4799/D4799M (04.04)**
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, Practice for, **G151 (14.04)**
Exposure of Firestop Materials to Severe Environmental Conditions, Test Method for, **E2785 (04.12)**
Failure End Point in Accelerated and Outdoor Weathering of Bituminous Materials, Test Method for, **D1670/D1670M (04.04)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**
Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight, Practice for, **D5105 (15.10)**
Preparation of Test Panels for Accelerated and Outdoor Weathering of Bituminous Coatings, Practice for, **D1669/D1669M (04.04)**
Relating to Natural and Artificial Weathering Tests of Nonmetallic Materials, Terminology, **G113 (14.04)**
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**

Accelerated weathering—sealants
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**
Color Stability of Building Construction Sealants as Determined by Laboratory Accelerated Weathering Procedures, Test Method for, **C1501 (04.07)**
Conducting Tests on Sealants Using Artificial Weathering Apparatus, Practice for, **C1442 (04.07)**
Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, Test Method for, **C793 (04.07)**

Accelerating admixtures (for concrete)
Sa **Concrete admixtures—specifications**
Chemical Admixtures for Concrete, Specification for, **C494/C494M (04.02)**

Accelerating rate calorimetry
Assessing Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry, Guide for, **E1981 (14.02)**

Acceleration
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**

Accelerators
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Determining Strength Development of Adhesive Bonds, Practice for, **D1144 (15.06)**
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Rubber Chemicals—2-Mercaptobenzothiazole (MBT)—Assay, Test Method for, **D1991 (09.01)**

Accelerators—rubber
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**

Accelerometers
Accelerometer Use in Vehicles for Tire Testing, Practice for, **F811 (09.02)**
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**

Acceptability
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**

Acceptable quality level (AQL)
Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, Test Method for, **C1370 (04.05)**
Sampling a Stream of Product by Variables Indexed by AQL, Practice for, **E2762 (14.02)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**

Acceptance criteria/testing
90 Degree Peel Resistance of Adhesives, Test Method for, **D6862 (15.06)**
Acceptance by Performance Testing for Sieves, Test Method for, **E2427 (14.02)**
Acceptance of Evidence Based on the Results of Probability Sampling, Practice for, **E141 (14.02)**
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**
Demonstrating Capability to Comply with the Test for Uniformity of Dosage Units, Practice for, **E2810 (14.02)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluation of Single-Pan Mechanical Balances, Practice for the, **E319 (14.04)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C1103 (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C1103M (04.05)**
Life and Reliability Testing Based on the Exponential Distribution, Practice for, **E2696 (14.02)**
Linear Density of Elastomeric Yarns (Short Length Specimens), Test Method for, **D2591 (07.01)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Pre-Installation Acceptance Testing of Vibrating Wire Piezometers, Practice for, **D7764 (04.09)**
Production Acceptance Testing System for Powered Parachute Aircraft, Specification for, **F2242 (15.11)**
Quality Assurance of Pressure-Sensitive Tapes, Practice for, **D3715/D3715M (15.10)**
Sampling and Acceptance of Thermal Insulation Lots, Practice for, **C390 (04.06)**
Sampling and the Amount of Testing of Hydraulic Cement, Practice for, **C183 (04.01)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Ultimate Tensile Properties of Turf Reinforcement Mats, Test Method for, **D6818 (04.13)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Acceptance criteria/testing—atmospheric
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**

Acceptance criteria/testing—castings
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, Specification for, **A903/A903M (01.02)**

Acceptance criteria/testing—clay pipe/fittings
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Low-Pressure Air Test of Vitrified Clay Pipe Lines, Test Method for, **C828 (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Acceptance criteria/testing—coatings
Attribute Sampling of Metallic and Inorganic Coatings, Test Method for, **B602 (02.05)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**

Acceptance criteria/testing—environmental applications
Acceptance Testing Requirements for Geosynthetic Clay Liners, Guide for, **D6495 (04.13)**
Tensile Strength of Geosynthetic Clay Liners, Test Method for, **D6768 (04.13)**

Acceptance criteria/testing—rubber
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber Insulating Matting, Specification for, **D178 (10.03)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**

Acceptance criteria/testing—textile fabrics/fibers
Adhesion Between Steel Tire Cords and Rubber, Test Method for, **D2229 (07.01)**
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**
Breaking Force and Elongation of Textile Fabrics (Strip Method), Test Method for, **D5035 (07.02)**
Breaking Strength and Elongation of Textile Webbing, Tape and Braided Material, Test Method for, **D6775 (07.02)**
Bursting Strength of Textiles—Constant-Rate-of-Traverse (CRT) Ball Burst Test, Test Method for, **D3787 (07.01)**
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**
Composition of Plumage, Test Method for, **D4524 (07.02)**
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Extractable Matter in Textiles, Test Method for, **D2257 (07.01)**
Ignition Loss of Glass Fiber Strands and Fabrics, Test Method for, **D4963/D4963M (07.02)**
Length and Length Distribution of Manufactured Staple Fibers (Single-Fiber Test), Test Method for, **D5103 (07.02)**
Linear Density of Elastomeric Yarns (Skein Specimens), Test Method for, **D6717 (07.02)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**

Acceptance criteria/testing—metals/alloys
Magnetic Particle Examination of Large Crankshaft, Specification for, **A456/A456M (01.05)**
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**

Acceptance quality limit (AQL)
Sampling a Stream of Product by Attributes Indexed by AQL, Practice for, **E2234 (14.02)**

Acceptance testing
Two-Sample Acceptance and Preference Testing with Consumers, Guide for, **E2943 (15.08)**

Accepted reference (AR) value
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**

Access
Information Access Privileges to Health Information, Guide for, **E1986 (14.01)**
Security Engineering Symbols, Practice for, **F967 (15.08)**

Accessability
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Serviceability of an Office Facility for Location, Access and Wayfinding, Classification for, **E1669 (04.11)**

Access audit logs
Audit and Disclosure Logs for Use in Health Information Systems, Specification for, **E2147 (14.01)**
Validation of Laboratory Information Management Systems, Guide for, **E2066 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Access depth
Access Depth Under Furniture of Vacuum Cleaners, Test Method for, **F420 (15.08)**
Accessible playgrounds
Sa **Playground equipment—specifications**
Determination of Accessibility of Surface Systems Under and Around Playground Equipment, Specification for, **F1951 (15.07)**
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**
Soft Contained Play Equipment, Safety Performance Specification for, **F1918 (15.11)**
Accessories
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**
Accessory reading devices
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Access rights
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**
Access tubes
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Accidental falls
Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, Safety Specification for, **F2006 (15.11)**
Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, Specification for, **F2090 (15.11)**
Accidental ignition
See **Ignition**
Accidents
Sa **Injury**
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Reporting Incidents that May Involve Criminal or Civil Litigation, Practice for, **E1020 (14.02)**
Studying Fire Incidents in Oxygen Systems, Guide for, **G145 (14.04)**
Acclimation
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Determining Biodegradability of Materials Exposed to Municipal Solid Waste Composting Conditions by Compost Respirometry, Test Method for, **D5929 (11.04)**
Accordian-style gates
Sa **Fences/fencing materials**
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Accountability
Sa **Quality control (QC)**
Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E882 (03.05)**
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Establishing Security Seal Control and Accountability Procedures, Guide for, **F946 (15.08)**
Financing and Financial Accountability of Medical Transportation Systems, Guide for, **F1493 (13.02)**
Property and Asset Management, Terminology for, **E2135 (04.12)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Accreditation practice
Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E882 (03.05)**
Accreditation of Testing Agencies for Masonry, Practice for, **C1093 (04.05)**
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Agencies Engaged in System Analysis and Compliance Assurance for Manufactured Building, Specification for, **E541 (14.02)**
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Evaluating Capabilities of Agencies Involved in System Analysis and Compliance Assurance for Manufactured Building, Practice for, **E651/E651M (14.02)**
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Minimum Requirements for Accreditation Bodies that Accredit Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D7495 (04.03)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**
Professional Certification Performance Testing, Practice for, **E2849 (14.02)**
Selection, Assignment, and Monitoring of Persons To Be Utilized as Assessors/Auditors or Technical Experts, Guide for, **E2159 (14.02)**
Accuracy assessment
Sa **Precision**
Analysis of Halogenated Organic Solvents and Their Admixtures by Gas Chromatography, Practice for, **D6806 (15.05)**
Calibration and Accuracy Verification of Wideband Infrared Thermometers, Test Method for, **E2847 (14.03)**
Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, Guide for, **C1571 (12.01)**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Use of the Terms Precision and Bias in ASTM Test Methods, Practice for, **E177 (14.02)**
Verification of Speed for Material Testing Machines, Practices for, **E2658 (03.01)**
Acetabular components
Determining Femoral Head Penetration into Acetabular Components of Total Hip Replacement Using Clinical Radiographs, Test Method for, **F2385 (13.01)**
Acetabular cups
Femoral ProsthesesMetallic Implants, Specification for, **F2068 (13.01)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
Acetabular implant device
Acetabular Prostheses, Specification for, **F2091 (13.01)**
Determining the Forces for Disassembly of Modular Acetabular Devices, Test Method for, **F1820 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Impingement of Acetabular Prostheses, Test Method for, **F2582 (13.02)**

Acetaldehyde (AA)
Sa **Aldehydes**
Acetaldehyde, Specification for, **D4710 (06.04)**
Acetaldehyde Content of Vinyl Acetate, Test Method for, **D2191 (06.04)**
Acidity in Vinyl Acetate and Acetaldehyde, Test Method for, **D2086 (06.04)**
Determination of Residual Acetaldehyde in Polyethylene Terephthalate Bottle Polymer Using an Automated Static Head-Space Sampling Device and a Capillary GC with a Flame Ionization Detector, Test Method for, **F2013 (15.10)**

Acetal plastics
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Polyoxymethylene Molding and Extrusion Materials (POM), Classification System and Basis for Specification for, **D6778 (08.03)**

Acetal plastics—specifications
Extruded, Compression Molded and Injection Molded Polyoxymethylene Shapes (POM), Specification for, **D6100 (08.03)**

Acetal terpolymer
Polyoxymethylene Molding and Extrusion Materials (POM), Classification System and Basis for Specification for, **D6778 (08.03)**

Acetate
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**

Acetate concentration
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**

Acetate esters
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**

Acetate fabrics/fibers
See **Man-made textile fibers**

Acetic acid
Acidity in Ethanol and Ethanol Blends by Titration, Test Method for, **D7795 (05.04)**

Acetic acid content
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**

Acetic acid extraction method
Lead and Cadmium Extracted from Glazed Ceramic Surfaces, Test Method for, **C738 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Tile, Test Method for, **C895 (15.02)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Lead and Cadmium Release from Porcelain Enamel, Test Method for, **C872 (02.05)**

Acetic acid (glacial)
See **Glacial acetic acid**

Acetic acid release
Polyurethane Raw Materials: Determination of Unsaturation of Polyols, Test Methods for, **D4671 (08.02)**

Acetic acid-salt spray (fog) testing
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**

Acetic anhydride
Analysis of Acetic Anhydride Using Gas Chromatography, Test Method for, **E1616 (15.05)**
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**

Acetious perchloric acid solution
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**

Acetone
Acetone, Specification for, **D329 (06.04)**
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Acetone, Methyl Acetate, and Parachlorobenzotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, Test Method for, **D6438 (06.01)**
Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, Test Method for, **D2152 (08.04)**
Alkalinity in Acetone, Test Method for, **D1614 (06.04)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
Determination of Butanol and Acetone Content of Butanol for Blending with Gasoline by Gas Chromatography, Test Method for, **D7875 (05.04)**
Permanganate Time of Acetone and Methanol, Test Method for, **D1363 (06.04)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Acetone extraction
Acetone Extraction of Phenolic Molded or Laminated Products, Test Method for, **D494 (08.01)**

Acetonitrile
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Acetophene
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**

Acetophenone
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**

Acetylation
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**

Acetyl content
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**

2-Acetyl furan
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**

Acid acceptance
Determination of Amine Acid Acceptance (Alkalinity) of Halogenated Organic Solvents, Test Methods for, **D2106 (15.05)**
Total Acid Acceptance of Halogenated Organic Solvents (Nonreflux Methods), Test Method for, **D2942 (15.05)**

Acid-/alkali-cleaning
Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, Practice for, **D5245 (11.02)**

Acid/alkaline furnish
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**

Acid anhydrides
Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**

Acid cleaning
See **Cleaning agents/processes**

Acid content
Acid and Base Milliequivalent Content of Electrocoat Bath, Test Methods for, **D4370 (06.01)**
Acid Content of Ethylene-Acrylic Acid Copolymers, Test Method for, **D4094 (08.02)**
Chemical Analysis of Soaps Containing Synthetic Detergents,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Methods for, **D820 (15.04)**
Determination of Acids and Glycol Esters in Ethylene Glycol, Test Method for, **D7736 (15.05)**
Rubber Compounding Materials—Determination of Acidity in Sulfur, Test Method for, **D4569 (09.01)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Acid decomposition
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, Test Method for, **E1235 (15.03)**
Sample Preparation of Fluid Catalytic Cracking Catalysts and Zeolites for Elemental Analysis by Inductively Coupled Plasma Atomic Emission Spectroscopy, Practice for, **D7442 (05.05)**
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**

Acid digestion
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
the Determination of Impurities in Plutonium Metal: Acid Digestion and Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS) Analysis, Test Method for, **C1637 (12.01)**

Acid-dissociable cyanides
See **Cyanides**

Acid dissolution test
Seal Quality of Anodic Coatings on Aluminum by Acid Dissolution, Test Method for, **B680 (02.05)**

Acid etching
Accelerated Acid Etch Weathering of Automotive Clearcoats Using a Xenon-Arc Exposure Device, Test Method for, **D7356/D7356M (06.01)**
Liquid and Gelled Acid Etching of Concrete, Practice for, **D4260 (06.02)**

Acid extraction
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Determining Acid Extractable Content in Activated Carbon by Ashing, Test Method for, **D6385 (15.01)**
Total Mercury in Coal and Coal Combustion Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, Test Methods for, **D6414 (05.06)**

Acidic gaseous fluorides
Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Test Method for, **D3266 (11.07)**

Acidic precipitation
Sequential Batch Extraction of Waste with Acidic Extraction Fluid, Test Method for, **D5284 (11.04)**

Acidifiers
Agricultural pH Control Agents, Test Method for, **E1910/E1910M (11.05)**

Acid-insoluble extenders
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**

Acid-insoluble lignin
Acid-Insoluble Lignin in Wood, Test Method for, **D1106 (04.10)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**

Acid-insoluble matter content
Acid-Insoluble Content of Copper and Iron Powders, Test Method for, **E194 (02.05)**

Acidity, alkalinity, pH
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Approximate Acidity in Electrical Insulating Liquids by Color-Indicator Titration, Test Method for, **D1534 (10.03)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Determination of Acids and Glycol Esters in Ethylene Glycol, Test Method for, **D7736 (15.05)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Hydrogen Ion Concentration of Dry Adhesive Films, Test Method for, **D1583 (15.06)**
pH and Chloride-ion Concentration of Aerospace Hydraulic Fluids, Practice for, **F862 (15.03)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Polyurethane Raw Materials: Determination of Acidity as Acid Number for Polyether Polyols, Test Method for, **D7253 (08.03)**

Acidity, alkalinity, pH—activated carbon
Carbon Black—pH Value, Test Methods for, **D1512 (09.01)**
Determination of Contact pH with Activated Carbon, Test Method for, **D6851 (15.01)**
pH of Activated Carbon, Test Method for, **D3838 (15.01)**

Acidity, alkalinity, pH—chemicals
Acidity in Acrylonitrile, Test Method for, **E1788 (15.05)**
Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, Test Method for, **E2679 (15.05)**
Acidity of Sulfur Hexafluoride, Test Method for, **D2284 (10.03)**
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Analysis of Sulfuric Acid, Test Methods for, **E223 (15.05)**
Determination of Amine Acid Acceptance (Alkalinity) of Halogenated Organic Solvents, Test Methods for, **D2106 (15.05)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**

Acidity, alkalinity, pH—detergent materials
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
pH of Aqueous Solutions of Soaps and Detergents, Guide for, **D1172 (15.04)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, Test Method for, **D4711 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**

Acidity, alkalinity, pH—engine antifreezes/antitrusts/coolants
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
pH of Engine Coolants and Antirusts, Test Method for, **D1287 (15.05)**
Reserve Alkalinity of Engine Coolants and Antirusts, Test Method for, **D1121 (15.05)**

Acidity, alkalinity, pH—halogenated organic solvents/admixtures
Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2989 (15.05)**
pH of Water Extractions of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2110 (15.05)**
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Acidity, alkalinity, pH—leather
Acidity in Basic Chromium Tanning Liquors, Test Method for, **D3913 (15.04)**
Analysis of Iron and Copper in Vegetable Tanning Materials, Test Method for, **D6407 (15.04)**
Calculation of Basicity of Chrome Tanning Liquors, Practice for, **D3897 (15.04)**
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Determining Acidity of Vegetable Tanning Liquors, Test Method for, **D6410 (15.04)**
pH of Chrome Tanning Solutions, Test Method for, **D5356 (15.04)**
pH of Leather, Test Method for, **D2810 (15.04)**
Sulfate Basicity in Leather, Test Method for, **D4654 (15.04)**
Acidity, alkalinity, pH—paints/related coatings/materials
Acetaldehyde, Specification for, **D4710 (06.04)**
Acid and Base Milliequivalent Content of Electrocoat Bath, Test Methods for, **D4370 (06.01)**
Acidity in Vinyl Acetate and Acetaldehyde, Test Method for, **D2086 (06.04)**
Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1613 (06.04)**
Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, Test Method for, **D847 (06.04)**
Acidity of Formaldehyde Solutions, Test Method for, **D2379 (06.04)**
Alkalinity in Acetone, Test Method for, **D1614 (06.04)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Common Properties of Certain Pigments, Test Methods for, **D1208 (06.03)**
Ethylcellulose, Test Methods for, **D914 (06.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Hydroxypropylcellulose, Test Methods for, **D5400 (06.03)**
Measuring Apparent pH of Electrocoat Baths, Test Method for, **D4584 (06.01)**
Methyl Acrylate, Specification for, **D4709 (06.04)**
pH of Chemically Cleaned or Etched Concrete Surfaces, Test Method for, **D4262 (06.02)**
Acidity, alkalinity, pH—paper
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Acidity, alkalinity, pH—petroleum products
Acid and Base Number by Color-Indicator Titration, Test Method for, **D974 (05.01)**
Acidity of Hydrocarbon Liquids and Their Distillation Residues, Test Method for, **D1093 (05.01)**
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Base Number of Petroleum Products by Potentiometric Perchloric Acid Titration, Test Method for, **D2896 (05.01)**
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Acidity, alkalinity, pH—plastics
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Alkalinity in Low-Alkalinity Polyols (Determination of CPR Values of Polyols), Test Method for, **D6437 (08.03)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**
Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, Test Method for, **D5629 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Moderate to High Acidity Aromatic Isocyanates, Test Method for, **D6099 (08.03)**
Polyurethane Raw Materials: Determination of Basicity in Polyols, Expressed as Percent Nitrogen, Test Method for, **D6979 (08.03)**
Acidity, alkalinity, pH—rubber materials/applications
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**
Silica—pH Value, Test Method for, **D6739 (09.01)**
Acidity, alkalinity, pH—soil/related materials
Measuring pH of Soil for Use in Corrosion Testing, Test Method for, **G51 (03.02)**
pH of Soils, Test Method for, **D4972 (04.08)**
Acidity, alkalinity, pH—textiles
pH of Aqueous Extracts of Wool and Similar Animal Fibers, Test Method for, **D2165 (07.01)**
Acidity, alkalinity, pH—water
Acidity or Alkalinity of Water, Test Methods for, **D1067 (11.01)**
Alkalinity in Brackish Water, Seawater, and Brines, Test Method for, **D3875 (11.02)**
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
On-Line pH Measurement of Water of Low Conductivity, Test Method for, **D5128 (11.01)**
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**
pH of Water, Test Methods for, **D1293 (11.01)**
Acidity, alkalinity, pH—wood preservatives
See **Wood preservatives**
Acid mine drainage (AMD)
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Acid number
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Acid Number of Certain Alkali-Soluble Resins, Test Method for, **D3643 (15.04)**
Acid Number of Styrene-Maleic Anhydride Resins, Test Method for, **D3644 (15.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**
Polyurethane Raw Materials: Determination of Acidity as Acid Number for Polyether Polyols, Test Method for, **D7253 (08.03)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Sampling and Testing Plasticizers Used in Plastics, Test Methods for, **D1045 (08.01)**
Total Acid Number of Trichlorotrifluoroethane, Test Method for, **D3444 (15.05)**
Acid number—paints/related coatings/applications
Acid Number of Naval Stores Products Including Tall Oil and Other Related Products, Test Methods for, **D465 (06.03)**
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Testing Tall Oil, Test Methods for, **D803 (06.03)**
Acid number—petroleum products
Sa **Acidity, alkalinity, pH—petroleum products**
Acid and Base Number by Color-Indicator Titration, Test Method for, **D974 (05.01)**
Acid Number of Petroleum Products by Potentiometric Titration, Test Method for, **D664 (05.01)**
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**
Acidity in Aviation Turbine Fuel, Test Method for, **D3242 (05.01)**
Semiquantitative Micro Determination of Acid Number of Lubricating Oils During Oxidation Testing, Test Method for, **D5770 (05.02)**
Acid phthalic anhydride
See **Phthalic anhydride**
Acid pickling residue
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Acid pickling treatment
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Acid rain
Sa **Atmospheric analysis**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Preparing a Training Program for Environmental Analytical Laboratories, Guide for, **D5829 (11.04)**
Acid removal
Operating Performance of Anion-Exchange Materials for Strong Acid Removal, Test Method for, **D3087 (11.02)**
Acid resistance
Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, Test Method for, **D3260 (06.02)**
Acid Resistance of Porcelain Enamels, Test Method for, **C282 (02.05)**
High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, Specification for, **D6909 (09.02)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Resistance of Porcelain Enameled Utensils to Boiling Acid, Test Methods for, **C283 (02.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Weather Resistance of Slate, Test Method for, **C217/C217M (04.07)**
Acid resistance—ceramic materials
Acid Resistance of Ceramic Decorations on Architectural-Type Glass, Test Method for, **C724 (15.02)**
Acid Resistance of Ceramic Decorations on Returnable Beer and Beverage Glass Containers, Test Method for, **C735 (15.02)**
Determining Visible Abrasion Resistance of Glazed Ceramic Tile, Test Method for, **C1027 (15.02)**
Acid-resistant concrete
Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, Test Method for, **C1370 (04.05)**
Acids
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Acid-soluble chloride
Acid-Soluble Chloride in Mortar and Concrete, Test Method for, **C1152/C1152M (04.02)**
Acid-soluble extenders
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Acid-soluble impurities
Determining Acid Extractable Content in Activated Carbon by Ashing, Test Method for, **D6385 (15.01)**
Acid-soluble iron
Determination of Acid Soluble Iron Via Atomic Absorption, Test Method for, **D6647 (15.01)**
Acid sulfates
See **Sulfate content—leather**
Acid test
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Acid treatment (concrete)
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Acid vapor degreaser
Handling an Acid Degreaser or Still, Practice for, **D4579 (15.05)**
Acid wash color
Acid Wash Color of Industrial Aromatic Hydrocarbons, Test Method for, **D848 (06.04)**
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Acid waste
Sa **Waste materials/processing/analysis**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**
Ac-Me gravitometers
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**
Acoustical adhesives
Adhesive for Acoustical Materials, Specification for, **D1779 (15.06)**
Acoustical environments
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Acoustical materials/applications
Acoustical Ceiling Products, Classification for, **E1264 (04.06)**
Acoustically Absorptive Materials Applied by Trowel or Spray, Classification for, **E1042 (04.06)**
Architectural Design and Installation Practices for Sound Isolation between Spaces Separated by Operable Partitions, Guide for, **E557 (04.06)**
Building and Environmental Acoustics, Terminology Relating to, **C634 (04.06)**
Determination of Articulation Class, Classification for, **E1110 (04.06)**
Determination of Impact Insulation Class (IIC), Classification for, **E989 (04.06)**
Installation of Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels in Areas Subject to Earthquake Ground Motions, Practice for, **E580/E580M (04.06)**
Installation of Metal Ceiling Suspension Systems for, Practice for, **C636/C636M (04.06)**
Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**
Measurement of Airborne Sound Attenuation between Rooms in Buildings, Test Method for, **E336 (04.06)**
Measurement of Normal Incidence Sound Transmission of Acoustical Materials Based on the Transfer Matrix Method, Test Method for, **E2611 (04.06)**
Rating Sound Insulation, Classification for, **E413 (04.06)**
Use of Sealants in Acoustical Applications, Practice for, **C919 (04.07)**
Acoustical materials/applications—specifications
Adhesives for Duct Thermal Insulation, Specification for, **C916 (04.06)**
Cellular Melamine Thermal and Sound-Absorbing Insulation, Specification for, **C1410 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**
Spray-Applied Mineral Fiber Thermal and Sound Absorbing Insulation, Specification for, **C1014 (04.06)**
the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, Specification for, **C635/C635M (04.06)**

Acoustical tests
Sa **Sound transmission—building materials/applications**
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, Test Method for, **E1414/E1414M (04.06)**
Airflow Resistance of Acoustical Materials, Test Method for, **C522 (04.06)**
Building and Environmental Acoustics, Terminology Relating to, **C634 (04.06)**
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems, Practice for, **E1425 (04.11)**
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Impedance and Absorption of Acoustical Materials by Impedance Tube Method, Test Method for, **C384 (04.06)**
Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis System, Test Method for, **E1050 (04.06)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine, Test Method for, **E492 (04.06)**
Laboratory Measurement of Noise Reduction of Sound-Isolating Enclosures, Test Method for, **E596 (04.06)**
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**
Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, Test Method for, **E477 (04.06)**
Measurement of Atmospheric Wind and Turbulence Profiles by Acoustic Means, Guide for, **D7145 (11.07)**
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**
Measuring the Interzone Attenuation of Open Office Components, Test Method for, **E1111 (04.06)**
Mounting Test Specimens for Sound Transmission Loss Testing of Naval and Marine Ship Bulkhead Treatment Materials, Practices for, **E1123 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Open Office Acoustics and Applicable ASTM Standards, Guide for, **E1374 (04.06)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**
Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method, Test Method for, **C423 (04.06)**
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Strength Properties of Prefabricated Architectural Acoustical Tile or Lay-In Ceiling Panels, Test Methods for, **C367/C367M (04.06)**
Velocity Measurements of Water in Open Channels with Rotating Element Current Meters, Test Method for, **D4409 (11.01)**

Acoustical tests—sports environments
Vertical Rebound Characteristics of Sports Surface/Ball Systems; Acoustical Measurement, Test Method for, **F2117 (15.07)**

Acoustic emission (AE) testing
Sa **Nondestructive evaluation (NDE)**
Acoustic Emission Examination of Cast Iron Yankee and Steam Heated Paper Dryers, Practice for, **E2598/E2598M (03.03)**
Acoustic Emission Examination of Plate-like and Flat Panel Composite Structures Used in Aerospace Applications, Practice for, **E2661/E2661M (03.03)**
Acoustic Emission Examination of Small Parts, Guide for, **E1932 (03.03)**
Acoustic Emission Examination of Welded Steel Sphere Pressure Vessels Using Thermal Pressurization, Practice for, **E2863 (03.03)**
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Monitoring During Resistance Spot-Welding, Practice for, **E751/E751M (03.03)**
Acoustic Emission Monitoring of Structures During Controlled Stimulation, Practice for, **E569/E569M (03.03)**
Acoustic Emission System Performance Verification, Guide for, **E2374 (03.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Digger Derricks, Test Method for, **F1797 (10.03)**
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**
Characterizing Acoustic Emission Instrumentation, Practice for, **E750 (03.03)**
Determining Damage-Based Design Stress for Glass Fiber Reinforced Plastic (GFRP) Materials Using Acoustic Emission, Practice for, **E2478 (03.03)**
Determining the Reproducibility of Acoustic Emission Sensor Response, Guide for, **E976 (03.03)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Examination of Liquid-Filled Atmospheric and Low-Pressure Metal Storage Tanks Using Acoustic Emission, Practice for, **E1930/E1930M (03.03)**
Examination of Paper Machine Rolls Using Acoustic Emission from Crack Face Rubbing, Practice for, **E2907/E2907M (03.03)**
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Mounting Piezoelectric Acoustic Emission Sensors, Guide for, **E650/E650M (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**
Secondary Calibration of Acoustic Emission Sensors, Practice for, **E1781/E1781M (03.03)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**
Verifying Acoustic Emission Sensor Response, Practice for, **F2174 (10.03)**
Verifying the Consistency of AE-Sensor Response Using an Acrylic Rod, Practice for, **E2075/E2075M (03.03)**

Acoustic emission (AE) testing—metals/metallic materials
Acoustic Emission Monitoring During Continuous Welding, Practice for, **E749/E749M (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Examination of Gas-Filled Filament-Wound Composite Pressure Vessels Using Acoustic Emission, Practice for, **E2191/E2191M (03.03)**
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**

Acoustic emission (AE) testing—plastics
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, Practice for, **E1888/E1888M (03.03)**
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Examination of Fiberglass Reinforced Plastic Fan Blades Using Acoustic Emission, Practice for, **E2076/E2076M (03.03)**

Acoustic logging
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Acoustic pathlength
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**

Acoustic pulse reflectometry (APR)
Acoustic Pulse Reflectometry Examination of Tube Bundles, Practice for, **E2906/E2906M (03.03)**

Acoustic resonance spectroscopy
Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**

Acoustic velocity
Sa **Velocity**
Measuring Ultrasonic Velocity in Materials, Practice for, **E494 (03.03)**
Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, Test Method for, **D5389 (11.01)**

Acousto-ultrasonic (AU) method
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**

AC power
Surge Suppressors for Shipboard Use, Specification for, **F1507 (01.07)**

Acquisition costs
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**

"ACR" medical gas tube
Seamless Copper Tube for Medical Gas Systems, Specification for, **B819 (02.01)**

Acronyms
Abbreviated Terms Relating to Plastics, Terminology for, **D1600 (08.01)**
Corrosion, Terminology and Acronyms Relating to, **G193 (03.02)**
Emergency Medical Services System (EMSS) Telecommunications, Guide for, **F1220 (13.02)**
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**

Acrylate esters
Monomethyl Ether of Hydroquinone in Colorless Monomeric Acrylate Esters and Acrylic Acid, Test Method for, **D3125 (06.04)**

Acrylic acid
Acrylic Acid, Specification for, **D4416 (06.04)**
Monomethyl Ether of Hydroquinone in Colorless Monomeric Acrylate Esters and Acrylic Acid, Test Method for, **D3125 (06.04)**

Acrylic bone cement
Constant Amplitude of Force Controlled Fatigue Testing of Acrylic Bone Cement Materials, Test Method for, **F2118 (13.01)**

Acrylic coating
Liquid Applied Acrylic Coating Used in Roofing, Specification for, **D6083 (04.04)**
Measure Volatiles from Radiation Curable Acrylate Monomers, Oligomers, and Blends and Thin Coatings Made from Them, Test Method to, **D7767 (06.01)**

Acrylic fibers
Sa **Man-made textile fibers**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**

Acrylic latex paints
Sa **Latex paints**
Preparing Drawdowns of Artists' Paste Paints, Practice for, **D4941 (06.02)**
Water Content of Coatings by Direct Injection Into a Gas Chromatograph, Test Method for, **D3792 (06.01)**

Acrylic latex paints—specifications
Artists' Acrylic Dispersion Paints, Specification for, **D5098 (06.02)**
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**

Acrylic plastics
Acid Content of Ethylene-Acrylic Acid Copolymers, Test Method for, **D4094 (08.02)**
Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, Test Method for, **D3594 (08.02)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Poly(Methyl Methacrylate) (PMMA) Molding and Extrusion Compounds, Classification System for, **D788 (08.01)**
Stress Crazing of Acrylic Plastics in Contact with Liquid or Semi-Liquid Compounds, Test Method for, **F484 (15.03)**
Testing Materials for Aerospace Plastic Transparent Enclosures, Guide for, **F790 (15.03)**

Acrylic plastics—specifications
Cast Poly(Methyl Methacrylate) Plastic Rods, Tubes, and Shapes, Specification for, **D5436 (08.03)**
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**

Acrylic polymer content
Acrylic Dispersion Ground, Specification for, **D7733 (06.02)**
Qualitative Identification of Polymers in Emulsion Paints, Practice for, **D3168 (06.01)**

Acrylic sensor rod
Verifying Acoustic Emission Sensor Response, Practice for, **F2174 (10.03)**
Verifying the Consistency of AE-Sensor Response Using an Acrylic Rod, Practice for, **E2075/E2075M (03.03)**

Acrylic-silane finished glass fabric
See **Glass fabrics/fibers/textile products—specifications**

Acrylonitrile
Acidity in Acrylonitrile, Test Method for, **E1788 (15.05)**
Analysis of Acrylonitrile, Test Methods for, **E1178 (15.05)**
Analysis of Acrylonitrile by Gas Chromatography, Test Method for, **E1863 (15.05)**
Total Peroxides in Acrylonitrile, Test Method for, **E1784 (15.05)**

Acrylonitrile-butadiene (NBR) polymer
Sa **BR (butadiene rubber)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Copolymers) Mixed With Carbon Black, Test Methods for, **D3848 (09.01)**
Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Rubber), Test Methods for, **D3187 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Acrylonitrile-butadiene-styrene (ABS)
Sa **Molding/extrusion compounds/materials—specifications**
Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (Metric SDR-PR), Specification for, **F2806 (08.04)**
Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets, Practice for, **D4703 (08.02)**
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**
Melt Flow Rates of Thermoplastics by Extrusion Plastometer, Test Method for, **D1238 (08.01)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**

Acrylonitrile-butadiene-styrene (ABS)—specifications
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**

Acrylonitrile-butadiene-styrene (ABS) pipe/fittings—specifications
Sa **Solvent cements for joining thermoplastic pipe/fittings—specifications**
Sa **Thermoplastic pipe/tube/fittings**
Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping, Specification for, **D2680 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe, Schedules 40 and 80, Specification for, **D1527 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2661 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core, Specification for, **F628 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings, Specification for, **D2751 (08.04)**
Coextruded Composite Drain, Waste, and Vent Pipe (DWV), Specification for, **F1499 (08.04)**
Coextruded Composite Pipe, Specification for, **F1488 (08.04)**
Drain, Waste, and Vent (DWV) Plastic Fittings Patterns, Specification for, **D3311 (08.04)**
Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, Classification System and Basis for Specifications for, **D3965 (08.02)**
Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings, Specification for, **D2235 (08.04)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**

Acrylonitrile-butadiene-styrene (ABS) tube
Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings, Specification for, **F409 (08.04)**

Acrylonitrile content
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**

Acrylonitrile-EPDM-styrene (AES)
Acrylonitrile–Styrene–Acrylate (ASA) and Acrylonitrile–EPDM–Styrene (AES) Plastics and Alloys Molding and Extrusion Materials, Classification System and Basis for Specifications for, **D6865 (08.03)**

Acrylonitrile-styrene-acrylate (ASA)
Acrylonitrile–Styrene–Acrylate (ASA) and Acrylonitrile–EPDM–Styrene (AES) Plastics and Alloys Molding and Extrusion Materials, Classification System and Basis for Specifications for, **D6865 (08.03)**

ACSID
Sa **Spinal cord immobilization**
Characteristics for Adjunct Cervical Spine Immobilization Devices (ACSID), Guide for, **F1558 (13.02)**

ACSR twisted-pair (ACSR/TP) conductor
ACSR Twisted Pair Conductor (ACSR/TP), Specification for, **B911/B911M (02.03)**

ACSS (aluminum conductors, steel supported)
Concentric-Lay-Stranded Aluminum Conductors, Coated Steel Supported (ACSS), Specification for, **B856 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**

Ac test
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

Actinic radiation
Conducting Tests on Sealants Using Artificial Weathering Apparatus, Practice for, **C1442 (04.07)**
Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, Practice for, **G178 (14.04)**

Actinide impurities content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**

Actinides
Alternate Actinide Calibration for Inductively Coupled Plasma-Mass Spectrometry, Practice for, **C1590 (12.01)**
Electrodeposition of the Actinides for Alpha Spectrometry, Practice for, **C1284 (12.01)**
Mounting Actinides for Alpha Spectrometry Using Neodymium Fluoride, Practice for, **C1163 (12.01)**

Actinolite asbestos fibers
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**

Action spectrum
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**

Activated carbon
Activated Carbon, Terminology Relating to, **D2652 (15.01)**
Carbon Reactivation, Guide for, **D6781 (15.01)**
Carbon Tetrachloride Activity of Activated Carbon, Test Method for, **D3467 (15.01)**
Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations, Practice for, **D5919 (15.01)**
Determination of Butane Activity of Activated Carbon, Test Method for, **D5742 (15.01)**
Determination of Contact pH with Activated Carbon, Test Method for, **D6851 (15.01)**
Determination of Gold in Activated Carbon by Fire Assay Gravimetry, Test Method for, **E1568 (03.05)**
Determination of Iodine Number of Activated Carbon, Test Method for, **D4607 (15.01)**
Determination of Particle Size of Powdered Activated Carbon by Air Jet Sieving, Test Method for, **D5158 (15.01)**
Determining Acid Extractable Content in Activated Carbon by Ashing, Test Method for, **D6385 (15.01)**
Estimating Carbon Saturation by Temperature Rise upon Immersion, Guide for, **D7385 (15.01)**
Gas-Phase Adsorption Testing of Activated Carbon, Guide for, **D5160 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams, Specification for, **D4069 (15.01)**
Moisture in Activated Carbon, Test Methods for, **D2867 (15.01)**
Nuclear-Grade Activated Carbon, Test Method for, **D3803 (15.01)**
pH of Activated Carbon, Test Method for, **D3838 (15.01)**
Total Ash Content of Activated Carbon, Test Method for, **D2866 (15.01)**
Volatile Matter Content of Activated Carbon Samples, Test Method for, **D5832 (15.01)**

Activated carbon—granular
Apparent Density of Activated Carbon, Test Method for, **D2854 (15.01)**
Ball-Pan Hardness of Activated Carbon, Test Method for, **D3802 (15.01)**
Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique, Practice for, **D3860 (15.01)**
Determination of Butane Working Capacity of Activated Carbon, Test Method for, **D5228 (15.01)**
Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, Test Method for, **D6646 (15.01)**
Dusting Attrition of Granular Activated Carbon, Guide for, **D5159 (15.01)**
Ignition Temperature of Granular Activated Carbon, Test Method for, **D3466 (15.01)**
Particle Size Distribution of Granular Activated Carbon, Test Method for, **D2862 (15.01)**
the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests, Practice for, **D6586 (15.01)**
Water Solubles in Activated Carbon, Test Method for, **D5029 (15.01)**

Activated carbon methods
Volatile Loss From Plastics Using Activated Carbon Methods, Test Methods for, **D1203 (08.01)**

Activated charcoal
Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, Practice for, **D3687 (11.07)**
Sampling Atmospheres to Collect Organic Compound Vapors (Activated Charcoal Tube Adsorption Method), Practice for, **D3686 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**

Activated sludge
See **Sludge**

Activation energy
Air Oxidation of Carbon and Graphite in the Kinetic Regime, Test Method for, **D7542 (05.05)**
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, Practice for, **G178 (14.04)**
Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, Test Method for, **E2041 (14.02)**
Evaluation of Methods for Determination of Kinetic Parameters by Thermal Analysis, Practice for, **E2781 (14.02)**
Kinetic Parameters by Factor Jump/Modulated Thermogravimetry, Test Methods for, **E2958 (14.02)**
Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, Test Method for, **E2890 (14.02)**

Activation reactions
Sa **Neutron activation reactions**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**

Activators
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**

Active humidification systems
See **Humidity**

Active ingredients (in detergents)
Active Matter in Anionic Surfactants by Potentiometric Titration, Test Method for, **D4251 (15.04)**
Active Oxygen in Bleaching Compounds, Test Method for, **D2180 (15.04)**
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of Total Active Ingredients in Sulfonated and Sulfated Oils, Test Method for, **D5354 (15.04)**
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
Separation of Active Ingredient from Surfactant and Syndet Compositions, Test Method for, **D2358 (15.04)**
Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure, Test Method for, **D1681 (15.04)**
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**

Active integrative sampling
Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**

Active neutron (shuffler) mode
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**

Active oxygen
Assay of Di-*tert*-Butyl Peroxide Using Gas Chromatography, Test Method for, **E475 (15.05)**
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**
Trace Amounts of Peroxides In Organic Solvents, Test Method for, **E299 (15.05)**

Active sampler methodology
Sa **Sampling**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Determination of Radon Decay Product Concentration and Working Level in Indoor Atmospheres by Active Sampling on a Filter, Test Method for, **D6327 (11.07)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**

Active solvents
Dilution Ratio of Active Solvents in Cellulose Nitrate Solutions, Test Method for, **D1720 (06.04)**

Active sulfur
Active Sulfur in Cutting Oils, Test Method for, **D1662 (05.01)**

Activity and use limitations (AUL)
Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, Guide for, **E2435 (11.05)**
Identifying and Complying With Continuing Obligations, Guide for, **E2790 (11.05)**
Use of Activity and Use Limitations, Including Institutional and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Engineering Controls, Guide for, **E2091 (11.05)**
Actual yield
Package Yield of Plastic Film, Test Method for, **D4321 (08.02)**
Acute angles
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Acute fish ventilatory behavioral response
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**
Acute irritant effects
Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Guide for, **D6485 (11.07)**
Acute toxicity tests
Sa **Toxicity/toxicology**
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Laboratory Toxicity Tests with Freshwater Mussels, Guide for, **E2455 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting Static and Flow-Through Acute Toxicity Tests With Mysids From the West Coast of the United States, Guide for, **E1463 (11.06)**
Conducting Subacute Dietary Toxicity Tests with Avian Species, Practice for, **E857 (11.06)**
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Evaluating Material Extracts by Intracutaneous Injection in the Rabbit, Practice for, **F749 (13.01)**
Evaluating Material Extracts by Systemic Injection in the Mouse, Practice for, **F750 (13.01)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, Guide for, **E2148 (11.03)**
ACuZinc5
Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, Specification for, **B894 (02.04)**
Acuzinc5 alloy
ACuZinc5, Specification for, **B892 (02.04)**
A-C voltage test
Poly(Vinyl Chloride) Insulation for Wire and Cable, 90°C Operation, Specification for, **D6096 (10.02)**
A-C volume resistivity
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Adapters (marine couplings)
Quick Disconnect Couplings (6 in. NPS and Smaller), Specification for, **F1122 (01.07)**
A-D dimension
Determining the A-D Dimension of Aerosol Valve Dip Tubes, Practice for, **D3089 (15.10)**
Additive dosage
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Additive manufacturing
Additive Manufacturing Nickel Alloy (UNS N06625) with Powder Bed Fusion, Specification for, **F3056 (10.04)**
Additive Manufacturing Nickel Alloy (UNS N07718) with Powder Bed Fusion, Specification for, **F3055 (10.04)**
Additive manufacturing—reporting data for test specimens prepared by
Reporting Data for Test Specimens Prepared by Additive Manufacturing, Practice for, **F2971 (10.04)**
Additive manufacturing technologies
Additive Manufacturing Nickel Alloy (UNS N06625) with Powder Bed Fusion, Specification for, **F3056 (10.04)**
Additive Manufacturing Nickel Alloy (UNS N07718) with Powder Bed Fusion, Specification for, **F3055 (10.04)**
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium ELI (Extra Low Interstitial) with Powder Bed Fusion, Specification for, **F3001 (10.04)**
Reporting Data for Test Specimens Prepared by Additive Manufacturing, Practice for, **F2971 (10.04)**
Additives
Additive Manufacturing File Format (AMF) Version 1.2, Specification for, **F2915 (10.04)**
Additive Manufacturing Technologies, Terminology for, **F2792 (10.04)**
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium ELI (Extra Low Interstitial) with Powder Bed Fusion, Specification for, **F3001 (10.04)**
Additive Manufacturing—Coordinate Systems and Test Methodologies, Terminology for, **F2921 (10.04)**
Condition Monitoring of Phosphate Antiwear Additives in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7412 (05.04)**
Determining Water Separation Characteristics of Kerosine-Type Aviation Turbine Fuels Containing Additives by Portable Separometer, Test Method for, **D7224 (05.04)**
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**
Additives—cement/concrete
Sa **Concrete admixtures**
Air-Entraining Additions for Use in the Manufacture of Air-Entraining Hydraulic Cement, Specification for, **C226 (04.01)**
Functional Additions for Use in Hydraulic Cements, Specification for, **C688 (04.01)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**
Processing Additions for Use in the Manufacture, Specification for, **C465 (04.01)**
Additives—lubricating oils
Sa **Lubricating oils**
Determination of Additive Elements in Lubricating Oils by EDXRF Analysis, Test Method for, **D7751 (05.04)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**

Additives—petroleum products
Apparent Viscosity of Petroleum Waxes Compounded with Additives (Hot Melts), Test Method for, **D2669 (05.01)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Determination of Moisture in New and In-Service Lubricating Oils and Additives by Relative Humidity Sensor, Test Method for, **D7546 (05.04)**
Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**
Determination of Water in Petroleum Products, Lubricating Oils, and Additives by Coulometric Karl Fischer Titration, Test Method for, **D6304 (05.04)**
Determining the Concentration of Pipeline Drag Reducer Additive in Aviation Turbine Fuels, Test Method for, **D7872 (05.04)**
Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D6201 (05.03)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Evaluation of New Aviation Gasolines and New Aviation Gasoline Additives, Guide for, **D7826 (05.04)**
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Phosphorus in Lubricating Oils and Additives, Test Methods for, **D1091 (05.01)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**

Additives—plastics
Determination of Antioxidants and Erucamide Slip Additives in Polyethylene Using Liquid Chromatography (LC), Test Method for, **D6953 (08.03)**
Determination of Phenolic Antioxidants and Erucamide Slip Additives in Polypropylene Homopolymer Formulations Using Liquid Chromatography (LC), Test Method for, **D6042 (08.03)**
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**

Adenosine triphosphate (ATP) content
Adenosine Triphosphate (ATP) Content of Microorganisms in Fuel, Fuel/Water Mixtures and Fuel Associated Water, Test Method for, **D7463 (05.04)**
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids, Test Method for, **E2694 (11.03)**
Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, Test Method for, **D7687 (05.04)**

Adenovirus
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**

Adequacy of fusion
Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, Test Method for, **D2152 (08.04)**

Adhered aggregate
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**

Adhered film method
Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, Practice for, **C419 (04.06)**

Adhered manufactured stone masonry veneer—installation methods
Installation Methods for Adhered Manufactured Stone Masonry Veneer, Practice for, **C1780 (04.05)**

Adhered manufactured stone masonry veneer (AMSMV)
Adhered Manufactured Stone Masonry Veneer Units, Specification for, **C1670/C1670M (04.05)**

Adherence
Adherence of Porcelain Enamel Coatings to Sheet Metal, Test Method for, **B916 (02.05)**
Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, Test Method for, **D3889/D3889M (15.10)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Liner Removal at High Speeds from Pressure-Sensitive Label Stock, Test Methods for, **D5375/D5375M (15.10)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Adherence—membrane waterproofing systems
Sa **Roofing materials/applications—specifications**
Application of Fully Adhered Vulcanized Rubber Sheets Used in Waterproofing, Guide for, **D5843 (04.04)**
Preparation of Concrete Surfaces for Adhered (Bonded) Membrane Waterproofing Systems, Guide for, **D5295 (04.04)**
Standard Details for Adhered Sheet Waterproofing, Guide for, **D5898/D5898M (04.04)**

Adherent-cell cultures
Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, Test Method for, **F2149 (13.01)**

Adhesion
Adhesion of Gasket Materials to Metal Surfaces, Test Method for, **F607 (09.02)**
Bond Strength of Chemical-Resistant Mortars, Test Method for, **C321 (04.05)**
Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members, Test Method for, **E736 (04.11)**
Comparing Sealant Behavior to Reference Photographs, Guide for, **C1756 (04.07)**
Determination of Ply Adhesion Strength of Reinforced Geomembranes, Test Method for, **D6636 (04.13)**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, Test Method to, **C1635 (04.07)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Pull-Off Adhesion Strength of Coatings on Concrete Using Por-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

table Pull-Off Adhesion Testers, Test Method for, **D7234 (06.02)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics, Test Method for, **D1623 (08.01)**

Adhesion—adhesives
Determining Adhesive Shear Strength of Carpet Adhesives, Test Method for, **D6004 (15.06)**
Lap Shear Adhesion for Fiber Reinforced Plastic (FRP) Bonding, Test Method for, **D5868 (15.06)**
Preparation of Bar and Rod Specimens for Adhesion Tests, Practice for, **D2094 (15.06)**
Qualitative Determination of Adhesion of Adhesives to Substrates by Spot Adhesion, Test Method for, **D3808 (15.06)**
Rubber Cements, Test Methods for, **D816 (09.01)**
Tack of Pressure-Sensitive Adhesives by Rolling Ball, Test Method for, **D3121 (15.10)**

Adhesion—coatings
Adhesion Strength and Mechanical Failure Modes of Ceramic Coatings by Quantitative Single Point Scratch Testing, Test Method for, **C1624 (15.01)**
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Determining Ink or Coating Adhesion on Plastic Substrates for Membrane Switch Applications, Test Method for, **F1842 (10.04)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, Test Method for, **D6900 (06.02)**

Adhesion—electrical insulating materials
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Thin Thermally Conductive Solid Materials for Electrical Insulation and Dielectric Applications, Test Methods for, **D6343 (10.02)**

Adhesion—electronic materials
Determining Ink or Coating Adhesion on Plastic Substrates for Membrane Switch Applications, Test Method for, **F1842 (10.04)**

Adhesion—floor polishes
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**

Adhesion—honeycomb core sandwich panels
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Structural Film Adhesives for Honeycomb Sandwich Panels, Specification for, **E865 (04.11)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**

Adhesion—laminated materials/applications
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**

Adhesion—leather finish
Flex Testing of Finish on Upholstery Leather, Test Method for, **D2097 (15.04)**
Flexibility and Adhesion of Finish on Leather, Test Method for, **D6182 (15.04)**

Adhesion—loss of adhesion
Effect of Water on Bituminous-Coated Aggregate Using Boiling Water, Practice for, **D3625/D3625M (04.03)**

Adhesion—paints/related coatings/materials
Adhesion of Organic Coatings by Scrape Adhesion, Test Method for, **D2197 (06.01)**
Coating Flexibility of Prepainted Sheet, Test Method for, **D4145 (06.02)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Evaluating Pipeline Coating Patch Materials, Test Method for, **G55 (06.02)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel, Test Method for, **D4146 (06.02)**
Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Methods for, **D5499 (06.02)**
Mar Resistance of Organic Coatings, Test Method for, **D5178 (06.01)**
Measurement of Barnacle Adhesion Strength in Shear, Test Method for, **D5618 (06.02)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**
Measuring Adhesion of Organic Coatings to Plastic Substrates by Direct Tensile Testing, Test Method for, **D5179 (06.01)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**
Testing High-Performance Interior Architectural Wall Coatings, Guide for, **D3730 (06.02)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**
Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, Test Method for, **D6900 (06.02)**

Adhesion—petroleum products
Adhesion of Solid Film Lubricants, Test Method for, **D2510 (05.01)**
Determining the Resistance of Lubricating Grease to Water Spray, Test Method for, **D4049 (05.02)**

Adhesion—preformed sealing tapes
Lap Shear Strength of Sealants, Test Method for, **C961 (04.07)**
Tensile Adhesive Strength of Preformed Tape Sealants by Disk Method, Test Method for, **C907 (04.07)**
Yield Strength of Preformed Tape Sealants, Test Method for, **C908 (04.07)**

Adhesion—pressure-sensitive tapes
Sa **Pressure-sensitive tapes**
Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, Test Method for, **D3889/D3889M (15.10)**
Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle and Constant Stress, Test Method for, **D2860/D2860M (15.10)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**

Adhesion—print media
Determining the Adhesion of Print Media Utilizing Mechanical Stress: Two Different Test Methods—Score/Tape and Cross Hatch, Practice for, **F2452 (15.09)**

Adhesion—roofing materials
Adhesion of Asphalt-Roof Cement to Damp, Wet, or Underwater Surfaces, Test Method for, **D3409 (04.04)**
Adhesion of Mineral Aggregate to Hot Bitumen, Test Method for, **D5100/D5100M (04.04)**
Determining the Adhesive and Cohesive Strength Between Materials in Roofing or Waterproofing Membranes and Systems, Test Method for, **D7105 (04.04)**
Granule Adhesion to Mineral Surfaced Roofing by Abrasion, Test Method for, **D4977/D4977M (04.04)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Strength of Modified Bitumen Sheet Material Laps Using Cold Process Adhesive, Test Methods for, **D7379 (04.04)**

Adhesion—rubber
Sa **Rubber adhesion**
Rubber Property—Adhesion to Flexible Substrate, Test Methods for, **D413 (09.01)**

Adhesion—sealants
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**
Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle), Test Method for, **C719 (04.07)**
Adhesion and Cohesion of One-Part Elastomeric Solvent Release Sealants, Test Method for, **C1216/C1216M (04.07)**
Bond and Cohesion of One-Part Elastomeric Solvent Release-Type Sealants, Test Method for, **C910 (04.07)**
Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members, Test Method for, **E736 (04.11)**
Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, Test Method for, **C1294 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Determining Tensile Adhesion Properties of Structural Sealants, Test Method for, **C1135 (04.07)**
Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications, Test Method for, **C1265 (04.07)**
Durability of Sealants Exposed to Continuous Immersion in Liquids, Test Method for, **C1247 (04.07)**
Evaluating Adhesion of Installed Weatherproofing Sealant Joints, Practice for, **C1521 (04.07)**
Extension-Recovery and Adhesion of Latex Sealants, Test Method for, **C736 (04.07)**
Non-Destructive Evaluation of Adhesion of Installed Weatherproofing Sealant Joints Using a Rolling Device, Practice for, **C1736 (04.07)**
Precured Elastomeric Silicone Joint Sealants, Specification for, **C1518 (04.07)**

Adhesion—thermal insulating materials
Adhesives for Duct Thermal Insulation, Specification for, **C916 (04.06)**

Adhesion-in-peel
Adhesion-in-Peel of Elastomeric Joint Sealants, Test Method for, **C794 (04.07)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**

Adhesion promoting compounds/materials
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**

Adhesive anchors
Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**

Adhesive-bonded joints
End-Joints in Structural Wood Products, Test Methods for, **D7469 (04.10)**
Evaluating Elevated Temperature Performance of End-Jointed Lumber Studs, Practice for, **D7470 (04.10)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**

Adhesive-bonded laminates
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Evaluating the Shear Strength of Adhesive Bonds in Laminated Wood Products at Elevated Temperatures, Test Method for, **D7247 (15.06)**

Adhesive-bonded plastics
Blocking Point of Potentially Adhesive Layers, Test Method for, **D1146 (15.06)**
Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, Test Method for, **D3163 (15.06)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Fatigue Properties of Adhesives in Shear by Tension Loading (Metal/Metal), Test Method for, **D3166 (15.06)**
Preparation of Surfaces of Plastics Prior to Adhesive Bonding, Practice for, **D2093 (15.06)**
Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, Test Method for, **D4501 (15.06)**
Strength Properties of Adhesively Bonded Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading, Test Method for, **D3164 (15.06)**
Strength Properties of Adhesives in Cleavage Peel by Tension Loading (Engineering Plastics-to-Engineering Plastics), Test Method for, **D3807 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies, Test Method for, **D3165 (15.06)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**

Adhesive-bonded primer
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**

Adhesive bonds
Adhesive Bonding of Aluminum Facings in Foam and Beam Type Shelters, Practice for, **E1801 (04.11)**
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Application of Electrical Discharge Surface Treatment (Activation) of Plastics for Adhesive Bonding, Practice for, **D6105 (15.06)**
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Determining Compatibility of Liquid-Applied Sealants with Ac-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

cessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Determining Strength Development of Adhesive Bonds, Practice for, **D1144 (15.06)**
Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, Test Method for, **D3931 (15.06)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Joints, Test Method for, **D5041 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
Impact Strength of Adhesive Bonds, Test Method for, **D950 (15.06)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**
Preparation of Surfaces of Plastics Prior to Adhesive Bonding, Practice for, **D2093 (15.06)**
Pressure-Sensitive Tack of Adhesives Using an Inverted Probe Machine, Test Method for, **D2979 (15.10)**
Qualitative Determination of Adhesion of Adhesives to Substrates by Spot Adhesion, Test Method for, **D3808 (15.06)**
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**
Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, Test Method for, **D4501 (15.06)**
Shear Strength of Adhesives Using Pin-and-Collar Specimen, Test Method for, **D4562 (15.06)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Strength Properties of Adhesive Bonds in Shear by Compression Loading, Test Method for, **D905 (15.06)**
Strength Properties of Tissue Adhesives in Lap-Shear by Tension Loading, Test Method for, **F2255 (13.01)**
Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, Test Method for, **F2256 (13.01)**
Strength Properties of Tissue Adhesives in Tension, Test Method for, **F2258 (13.01)**
Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, Practice for, **E1307 (04.11)**
Tensile Properties of Adhesive Bonds, Test Method for, **D897 (15.06)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Adhesive bonds—specifications
Adhesive for Bonding Foam Cored Sandwich Panels (160°F Elevated Humidity Service), Type I Panels, Specification for, **E1800 (04.11)**
Adhesive for Bonding Foam Cored Sandwich Panels (200°F Elevated Humidity Service), Type II Panels, Specification for, **E1794 (04.11)**
Adhesive, Casein-Type, Specification for, **D4689 (15.06)**
Epoxy (Flexible) Adhesive For Bonding Metallic And Nonmetallic Materials, Specification For, **D6412/D6412M (15.06)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Shelter, Electrical, Equipment S-280/G, Specification for, **E1975 (04.11)**
Shelter, Tactical, Expandable, One-Side, Specification for, **E1977 (04.11)**
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**
Shelter, Tactical, Nonexpandable, Specification for, **E1976 (04.11)**

Adhesive bonds (surface preparation)
Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), Guide for, **D3933 (15.06)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Preparation of Surfaces of Plastics Prior to Adhesive Bonding, Practice for, **D2093 (15.06)**

Adhesive compatibility
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**

Adhesive dip solids pickup
See **Dip pickup (DPU)**

Adhesive failure
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**
Evaluating Failure of Structural Sealant Glazing, Guide for, **C1392 (04.07)**
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**

Adhesive joints
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Determining Durability of Adhesive Joints Stressed in Shear by Tension Loading, Test Method for, **D2919 (15.06)**
Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, Test Method for, **D3163 (15.06)**
Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, Test Method for, **D3931 (15.06)**
Durability Assessment of Adhesive Joints Stressed in Peel, Test Method for, **D2918 (15.06)**
End-Joints in Structural Wood Products, Test Methods for, **D7469 (04.10)**
Evaluating Elevated Temperature Performance of Adhesives Used in End-Jointed Lumber, Practice for, **D7374 (04.10)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Joints, Test Method for, **D5041 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen, Test Method for, **D3983 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
Strength Properties of Adhesively Bonded Plastic Lap-Shear

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sandwich Joints in Shear by Tension Loading, Test Method for, **D3164 (15.06)**
Time-to-Failure (Creep-Rupture) of Adhesive Joints Fabricated from EPDM Roof Membrane Material, Practice for, **D6383/D6383M (04.04)**

Adhesive joints—exposure
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Atmospheric Exposure of Adhesive-Bonded Joints and Structures, Practice for, **D1828 (15.06)**
Determining the Torque Strength of Ultraviolet (UV) Light-Cured Glass/Metal Adhesive Joints, Test Method for, **D3658 (15.06)**
Effect of Moisture and Temperature on Adhesive Bonds, Practice for, **D1151 (15.06)**
Exposure of Adhesive Specimens to Artificial Light, Practice for, **D904 (15.06)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**

Adhesive joints—metal-to-metal
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Strength Properties of Double Lap Shear Adhesive Joints by Tension Loading, Test Method for, **D3528 (15.06)**

Adhesive peel strength
See **Peel strength tests—adhesives**

Adhesive penetration
See **Penetration—adhesives**

Adhesive removers
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**

Adhesives
Sa **Structural adhesives**
90 Degree Peel Resistance of Adhesives, Test Method for, **D6862 (15.06)**
Adhesives, Terminology of, **D907 (15.06)**
Amylaceous Matter in Adhesives, Test Method for, **D1488 (15.06)**
Ash Content of Adhesives, Test Methods for, **D5040 (15.06)**
Blocking Point of Potentially Adhesive Layers, Test Method for, **D1146 (15.06)**
Commercial Hexanes, Specification for, **D1836 (06.04)**
Density of Adhesives in Fluid Form, Test Method for, **D1875 (15.06)**
Determination of the Odor of Adhesives, Test Method for, **D4339 (15.06)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Determination of Volatile Content for Formed-in-Place Gaskets (FIPG) Silicone Adhesives and Sealants for Transportation Applications, Practice for, **F2524 (09.02)**
Determining Adhesive Attack on Rigid Cellular Foam, Test Method for, **D5113 (15.06)**
Determining Adhesive Shear Strength of Carpet Adhesives, Test Method for, **D6004 (15.06)**
Determining Open Assembly Time of Carpet Mastic Adhesives, Test Method for, **D6325 (15.06)**
Determining Slump Resistance of Carpet Adhesives, Test Method for, **D6005 (15.06)**
Determining Strength Development of Adhesive Bonds, Practice for, **D1144 (15.06)**
Determining the Freeze Thaw Stability of Adhesives, Practice for, **D7149 (15.06)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Effect of Moisture and Temperature on Adhesive Bonds, Practice for, **D1151 (15.06)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, Practice for, **D5266 (15.06)**
Evaluating Adhesive and the Effects of Plasticizer Found Within Polyvinyl Chloride-Backed Floor Coverings, Practice for, **D7888 (15.06)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Exposure of Adhesive Specimens to Artificial Light, Practice for, **D904 (15.06)**
Filler Content of Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1579 (15.06)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Flexibility Determination of Supported Adhesive Films by Mandrel Bend, Test Method for, **D4338 (15.06)**
Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**
Fluid Tightness Ability of Adhesives Used on Threaded Fasteners, Test Method for, **D5657 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Joints, Test Method for, **D5041 (15.06)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Loop Tack, Test Methods for, **D6195 (15.10)**
Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen, Test Method for, **D3983 (15.06)**
Nonvolatile Content of Aqueous Adhesives, Test Method for, **D1489 (15.06)**
Nonvolatile Content of Liquid Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1582 (15.06)**
Preparation of Bar and Rod Specimens for Adhesion Tests, Practice for, **D2094 (15.06)**
Pressure-Sensitive Tack of Adhesives Using an Inverted Probe Machine, Test Method for, **D2979 (15.10)**
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**
Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, Test Methods for, **D4783 (15.06)**
Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**
Rubber Cements, Test Methods for, **D816 (09.01)**
Specifying Silicone Adhesives and Sealants for Transportation Applications, Classification for, **F2468 (09.02)**
Storage Life of Adhesives by Viscosity and Bond Strength, Practice for, **D1337 (15.06)**
Symbolizing Adhesive Applications, Practice for, **D7447 (15.06)**
Tack of Pressure-Sensitive Adhesives by Rolling Ball, Test Method for, **D3121 (15.10)**
Tensile Properties of Adhesive Bonds, Test Method for, **D897 (15.06)**
Tensile Strength of Adhesives by Means of Bar and Rod Specimens, Test Method for, **D2095 (15.06)**
Testing of Pipe Thread Sealants on Pipe Tees, Test Method for, **D6396 (15.06)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, Test Method for, **D6463/D6463M (15.10)**
Time-to-Failure (Creep-Rupture) of Adhesive Joints Fabricated from EPDM Roof Membrane Material, Practice for, **D6383/D6383M (04.04)**
Torque Strength of Adhesives Used on Threaded Fasteners, Test Method for, **D5649 (15.06)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Volatile Content of Radiation Curable Materials, Test Methods for, **D5403 (06.02)**

--`,,`,,`-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Volume Resistivity of Conductive Adhesives, Test Method for, **D2739 (15.06)**
Water Resistance of Tape and Adhesives Used as Box Closure, Test Method for, **D5570/D5570M (15.10)**
Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, Practice for, **D1338 (15.06)**

Adhesives—specifications
Adhesive for Acoustical Materials, Specification for, **D1779 (15.06)**
Adhesive for Bonding Foam Cored Sandwich Panels (160°F Elevated Humidity Service), Type I Panels, Specification for, **E1800 (04.11)**
Adhesive for Bonding Foam Cored Sandwich Panels (200°F Elevated Humidity Service), Type II Panels, Specification for, **E1794 (04.11)**
Adhesive, Casein-Type, Specification for, **D4689 (15.06)**
Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Anaerobic Single-Component Adhesives (AN), Specification for, **D5363 (15.06)**
Classifying and Specifying Adhesives, Guide for, **D4800 (15.06)**
Coal Tar Adhesive, Specification for, **D6753/D6753M (04.04)**
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Epoxy (Flexible) Adhesive For Bonding Metallic And Nonmetallic Materials, Specification For, **D6412/D6412M (15.06)**
Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, Specification for, **E1556 (04.11)**
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Liquid Optical Adhesive, Specification for, **D2851 (15.06)**
Polyvinyl Acetate-Based Emulsion Adhesives, Specification for, **D4317 (15.06)**
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Repositionable Note Pad, Specification for, **D6787/D6787M (15.10)**
Silicone Rubber Room Temperature Vulcanizing Low Outgassing Materials, Specification For, **D6411/D6411M (15.06)**
Structural Film Adhesives for Honeycomb Sandwich Panels, Specification for, **E865 (04.11)**
Structural Insulated Panel (SIP) Adhesives for Laminating Oriented Strand Board (OSB) to Rigid Cellular Polystryene Thermal Insulation Core Materials, Specification for, **D7446 (15.06)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**

Adhesives (aerospace)
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Selecting Aerospace and General Purpose Adhesives and Sealants, Guide for, **D6465 (15.06)**

Adhesive corrosivity
Determining Corrosivity of Adhesive Materials, Test Method for, **D3310 (15.06)**
Determining Electrolytic Corrosion of Copper by Adhesives, Practice for, **D3482 (15.06)**

Adhesives (dry)
See **Dry adhesives**

Adhesive sealant
Precured Elastomeric Silicone Joint Sealants, Specification for, **C1518 (04.07)**

Adhesives (electrical insulation)
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Volume Resistivity of Conductive Adhesives, Test Method for, **D2739 (15.06)**

Adhesive-set attachment systems
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**

Adhesives (honeycomb core sandwich panels)
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Structural Film Adhesives for Honeycomb Sandwich Panels, Specification for, **E865 (04.11)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**
Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, Practice for, **E1307 (04.11)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**

Adhesives (hot melt)
See **Hot melt adhesives**

Adhesives (liquid)
See **Liquid adhesives**

Adhesives (polymer)
See **Polymer adhesives**

Adhesive shear strength
Evaluating the Shear Strength of Adhesive Bonds in Laminated Wood Products at Elevated Temperatures, Test Method for, **D7247 (15.06)**

Adhesives (structural)
Sa **Structural adhesives**
Structural Insulated Panel (SIP) Adhesives for Laminating Oriented Strand Board (OSB) to Rigid Cellular Polystryene Thermal Insulation Core Materials, Specification for, **D7446 (15.06)**

Adhesive staining
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**

Adhesive strength
Tensile Adhesive Strength of Preformed Tape Sealants by Disk Method, Test Method for, **C907 (04.07)**

Adhesives (wood)
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, Practice for, **D5266 (15.06)**
Evaluating Elevated Temperature Performance of Adhesives Used in End-Jointed Lumber, Practice for, **D7374 (04.10)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating the Shear Strength of Adhesive Bonds in Laminated Wood Products at Elevated Temperatures, Test Method for, **D7247 (15.06)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**
Nonvolatile Content of Urea-Formaldehyde Resin Solutions, Test Method for, **D1490 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
Strength Properties of Adhesive Bonds in Shear by Compression Loading, Test Method for, **D905 (15.06)**
Strength Properties of Adhesives in Plywood Type Construction in Shear by Tension Loading, Test Method for, **D906 (15.06)**
Strength Properties of Adhesives in Two-Ply Wood Construction in Shear by Tension Loading, Test Method for, **D2339 (15.06)**

Adhesives (wood)—specifications
Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**

Adhesive tape
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**

Adhesive tape (electrical insulating)
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Friction Tapes, Test Methods for, **D69 (10.01)**

Adhesive tape (electrical insulating)—pressure-sensitive
High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2754 (10.02)**
Low-Temperature Resistant Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D3005 (10.02)**
Polyester Film Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2484 (10.01)**
Polytetrafluoroethylene-Backed Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2686 (10.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2301 (10.01)**

Adhesive viscosity
See **Viscosity—adhesives**

Adhesive wear
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Galling Resistance of Material Couples, Test Method for, **G196 (03.02)**

Adhesive weight
Coating/Adhesive Weight Determination, Practice for, **F2217/F2217M (15.10)**

Adiabatic bomb calorimeter
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Gross Calorific Value of Coal and Coke, Test Method for, **D5865 (05.06)**

Adiabatic compression
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**

Adiabatic decomposition temperature rise
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**

Adiabatic heating
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**

Adit
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**

Adjustable rod and bulb
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**

Adjusted internal rate of return
Sa **Building economics**
Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, Guide for, **E2506 (04.12)**
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**

Adjustment equations
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**

Adjustments
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, Practice for, **F1063 (15.07)**
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**

Adjustment tolerance
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**

Adjuvants
Agricultural pH Control Agents, Test Method for, **E1910/E1910M (11.05)**
Characterization of Performance of Pesticide Spray Drift Reduction Adjuvants for Ground Application, Test Method for, **E2798 (11.05)**

Administrators guide
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**

Admiralty (arsenical)
See **UNS C44300 (admiralty, arsenical)**

Admiralty metal plate and sheet
Sa **Brass**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**

Admiralty (phosphorized)
See **UNS C44500 (admiralty, phosphorized (Cu-Zn-Sn))**

Admissions
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**

Admixtures
Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2989 (15.05)**
Preblended Dry Mortar Mix for Unit Masonry, Specification for, **C1714/C1714M (04.05)**
Water in Halogenated Organic Solvents and Their Admixtures,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Methods for, **D3401 (15.05)**
Admixtures—specifications
Admixtures for Masonry Mortars, Specification for, **C1384 (04.05)**
Admixtures to Inhibit Chloride-Induced Corrosion of Reinforcing Steel in Concrete, Specification for, **C1582/C1582M (04.02)**
Admixtures (concrete)
See **Concrete admixtures**
Admixtures (soil)
Sa **Soil stabilization**
Characterizing Fly Ash for Use in Soil Stabilization, Practice for, **D5239 (04.08)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Preparation of Test Specimens of Asphalt-Stabilized Soils, Practice for, **D4223/D4223M (04.08)**
Quicklime and Hydrated Lime for Soil Stabilization, Specification for, **C977 (04.01)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**
ADMS (archived data management systems)
Archiving and Retrieving Intelligent Transportation Systems-Generated Data, Guide for, **E2259 (04.03)**
Archiving ITS-Generated Traffic Monitoring Data, Specification for, **E2665 (04.03)**
Adsorbates
Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations, Practice for, **D5919 (15.01)**
Adsorption
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, Practice for, **D3687 (11.07)**
Carbon Black—Iodine Adsorption Number, Test Method for, **D1510 (09.01)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations, Practice for, **D5919 (15.01)**
Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique, Practice for, **D3860 (15.01)**
Determination of One-Point, Bulk Water Sorption of Dried Concrete, Test Method for, **C1757 (04.02)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Distribution Coefficients of Inorganic Species by the Batch Method, Test Method for, **C1733 (12.01)**
Gas-Phase Adsorption Testing of Activated Carbon, Guide for, **D5160 (15.01)**
Precipitated Silica—Volatile Content, Test Method for, **D6738 (09.01)**
Recovery of Viruses from Wastewater Sludges, Practice for, **D4994 (11.02)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Sampling Atmospheres to Collect Organic Compound Vapors (Activated Charcoal Tube Adsorption Method), Practice for, **D3686 (11.07)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, Test Method for, **C1069 (15.02)**
Adsorption—petroleum products/applications
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Determining Micropore Volume and Zeolite Area of a Catalyst, Test Method for, **D4365 (05.05)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Adsorption/desorption efficiency
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**
Adult anesthesia equipment
See **Anesthesia equipment—specifications**
Adult female body size dimensions
Sa **Body dimension measurements**
Body Measurements for Adult Female Misses Petite Figure Type, Size Range 00P – 20P, Tables for, **D7878/D7878M (07.02)**
Adult guns
See **Consumer safety specifications (guns)**
Adult testers
Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E2276 (11.05)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
ADUS (archived data user service)
Archiving and Retrieving Intelligent Transportation Systems-Generated Data, Guide for, **E2259 (04.03)**
Archiving ITS-Generated Traffic Monitoring Data, Specification for, **E2665 (04.03)**
Advanced ceramics
Sa **Ceramic materials/applications—specifications**
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Advanced Ceramics, Terminology of, **C1145 (15.01)**
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures, Practice for, **C1361 (15.01)**
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Practice for, **C1360 (15.01)**
Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, Test Methods for, **C1421 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, Test Method for, **C1576 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures, Test Method for, **C1465 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**
Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, Test Method for, **C1525 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Effect of Surface Grinding on Flexure Strength of Advanced Ceramics, Test Method for, **C1495 (15.01)**
Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, Test Method for, **C1291 (15.01)**
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**
Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1161 (15.01)**
Flexural Strength of Advanced Ceramics at Ambient Temperature—Cylindrical Rod Strength, Test Method for, **C1684 (15.01)**
Flexural Strength of Advanced Ceramics at Elevated Temperatures, Test Method for, **C1211 (15.01)**
Flexural Strength of Advanced Ceramics with Engineered Porosity (Honeycomb Cellular Channels) at Ambient Temperatures, Test Method for, **C1674 (15.01)**
Fractography and Characterization of Fracture Origins in Advanced Ceramics, Practice for, **C1322 (15.01)**
Knoop Indentation Hardness of Advanced Ceramics, Test Method for, **C1326 (15.01)**
Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique, Test Method for, **C1332 (15.01)**
Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, Test Method for, **C1331 (15.01)**
Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1424 (15.01)**
Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, Test Method for, **C1358 (15.01)**
Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1499 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures, Test Method for, **C1359 (15.01)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Size Scaling of Tensile Strengths Using Weibull Statistics for Advanced Ceramics, Practice for, **C1683 (15.01)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**
Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, Test Method for, **C1273 (15.01)**
Tensile Strength of Monolithic Advanced Ceramics at Elevated Temperatures, Test Method for, **C1366 (15.01)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**
Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature, Test Method for, **C1323 (15.01)**
Vickers Indentation Hardness of Advanced Ceramics, Test Method for, **C1327 (15.01)**

Advanced life support (ALS)
Sa **Emergency medical services (EMS)**
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**
Providing Essential Data Needed in Advance for Prehospital Emergency Medical Services, Guide for, **F1652 (13.02)**
Structures and Responsibilities of Emergency Medical Services Systems Organizations, Guide for, **F1086 (13.02)**

Advanced oxidation process (AOP)
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**

Advanced PDD training
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD), Guide for, **E2064 (14.02)**
Minimum Training Requirements for Examiners Conducting Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders in Treatment, Probation or Other Similar Programs, Guide for, **E2163 (14.02)**

Adventitious agents
Assessment of Adventitious Agents in Tissue Engineered Medical Products (TEMPs), Guide for, **F2383 (13.01)**

Adverse effects
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**

Adverse reactions
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**

Aeolian vibration
ACSR Twisted Pair Conductor (ACSR/TP), Specification for, **B911/B911M (02.03)**

Aerated media polarization (AMP) test
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Aeration resistance
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**

Aerial adventure course
Special Requirements for Aerial Adventure Courses, Practice for, **F2959 (15.07)**

Aerial analysis
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**

Aerial (cable) installations
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**

Aerial deposition
Rapid Screening of Vegetation for Radioactive Strontium Aerial Deposition, Guide for, **D7362 (11.02)**

Aerial devices
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling At-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tachments, Test Method for, **F1430/F1430M (10.03)**
Aerial equipment
Special Requirements for Aerial Adventure Courses, Practice for, **F2959 (15.07)**
Aerially-applied dispersants
Determination of Deposition of Aerially Applied Oil Spill Dispersants, Test Method for, **F1738 (11.05)**
Aerial photography
Locating Abandoned Wells, Guide for, **D6285 (04.09)**
Aerial reconnaissance
Surveys to Document and Assess Oiling Conditions on Shorelines, Guide for, **F1686 (11.05)**
Aerial spray
Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, Practice for, **F1460 (11.05)**
Oil Spill Dispersant Application Equipment: Boom and Nozzle Systems, Guide for, **F1413 (11.05)**
Aerobic/anaerobic biodegradation
Assessment of Antimicrobial Activity Using a Time-Kill Procedure, Guide for, **E2315 (11.05)**
Determining the Aerobic Degradation and Anaerobic Biodegradation of Plastic Materials under Accelerated Bioreactor Landfill Conditions, Test Method for, **D7475 (08.03)**
Determining the Stability of Compost by Measuring Oxygen Consumption, Test Method for, **D5975 (11.04)**
Aerobic/anaerobic biodegradation—petroleum products
Assessing Biodegradability of Hydraulic Fluids, Guide for, **D6006 (05.02)**
Biodegradability and Ecotoxicity of Lubricants, Terminology Relating to, **D6384 (05.03)**
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**
Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, Test Method for, **D6139 (05.03)**
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**
Aerobic/anaerobic biodegradation—plastics
Determining Aerobic Biodegradation of Plastic Materials in Soil, Test Method for, **D5988 (08.03)**
Determining Aerobic Biodegradation of Plastic Materials in the Marine Environment by a Defined Microbial Consortium or Natural Sea Water Inoculum, Test Method for, **D6691 (08.03)**
Determining Aerobic Biodegradation of Plastic Materials Under Controlled Composting Conditions, Incorporating Thermophilic Temperatures, Test Method for, **D5338 (08.03)**
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under High-Solids Anaerobic-Digestion Conditions, Test Method for, **D5511 (08.03)**
Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, Test Method for, **D5210 (08.03)**
Aerosol containers/products
Aerosol Products, Terminology Relating To, **D3064 (15.10)**
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Child-Resistant Packages, Classification of, **D3475 (15.10)**
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Delivery Rate of Aerosol Products, Test Method for, **D3069 (15.10)**
Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans, Test Method for, **D5200 (06.01)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Determining the A-D Dimension of Aerosol Valve Dip Tubes, Practice for, **D3089 (15.10)**
Effective Crimping on Outside Crimped Valves of Aerosol Containers, Test Methods for, **D3076 (15.10)**
Effectiveness of Aerosol and Pressurized Space Spray Insecticides Against Flying Insects, Test Method for, **E653 (11.05)**
Effectiveness of Aerosol and Pressurized Spray Insecticides Against Cockroaches, Test Method for, **E654 (11.05)**
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Flammability of Aerosol Products, Test Methods for, **D3065 (15.10)**
Measuring the Yield for Aerosol Foam Sealants, Test Method for, **C1536 (04.07)**
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**
Pressure Drop Rate of Compressed Gas-Propelled Products, Test Method for, **D3060 (15.10)**
Rapid Pressure Determination of Pressurized Products, Test Method of, **D3070 (15.10)**
Safe Filling of Low-Pressure Pressurized Products, Practice for, **D3091 (15.10)**
Seepage Rate of Aerosol Products, Test Method for, **D3094 (15.10)**
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Storage Testing of Aerosol Products, Practice for, **D3090 (15.10)**
Three-Piece Steel and Tinplate Straight-Wall and Necked-In Aerosol Cans, Guide for, **D3061 (15.10)**
Aerosol deodorants
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Aerosol dilution
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Aerosol filtration
Using Aerosol Filtration for Measuring the Performance of Porous Packaging Materials as a Surrogate Microbial Barrier, Test Method for, **F2638 (15.10)**
Aerosol foam
Aerosol Polyurethane and Aerosol Latex Foam Sealants, Specification for, **C1620 (04.07)**
Evaluating Temperature Effects to Aerosol Foam Sealant During and After Dispensing, Guide for, **C1737 (04.07)**
Measuring the Post Dispensing Volumetric Expansion of Aerosol Foam Sealants, Test Method to, **C1643 (04.07)**
Measuring the Yield for Aerosol Foam Sealants, Test Method for, **C1536 (04.07)**
Aerosol generator
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Aerosol monomeric/oligomeric HDI
Determination of Aerosol Monomeric and Oligomeric Hexamethylene Diisocyanate (HDl) in Air with (Methoxy-2–phenyl-1) Piperazine (MOPIP) in the Workplace, Test Method for, **D6561 (11.07)**
Aerosols
Aerosol Polyurethane and Aerosol Latex Foam Sealants, Specification for, **C1620 (04.07)**
Applying Aerosolized, Test Method for, **E2894 (11.05)**
Determination of Weight Percent Volatile Content of Water-Borne Aerosol Paints, Test Method for, **D5325 (06.01)**
Evaluating the Bacterial Filtration Efficiency (BFE) of Medical Face Mask Materials, Using a Biological Aerosol of, Test Method for, **F2101 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aerosol sampling
Metal Removal Fluid Aerosol in Workplace Atmospheres, Test Method for, **D7049 (11.07)**
Minimizing Effects of Aerosols in the Wet Metal Removal Environment, Practice for, **E1972 (11.03)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**

Aerosol spray applications
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**

Aerospace
Acoustic Emission Examination of Plate-like and Flat Panel Composite Structures Used in Aerospace Applications, Practice for, **E2661/E2661M (03.03)**
Aerospace Parts Machined from Polychlorotrifluoroethylene (PCTFE), Specification for, **D7194 (08.03)**
Investment Steel Castings for Aerospace Applications, Digital Reference Images for, **E2660 (03.03)**
Titanium Castings, Digital Reference Images for, **E2669 (03.03)**

Aerospace applications
Aerospace Cleanrooms and Associated Controlled Environments—Cleanroom Operations, Practice for, **E2352 (15.03)**
Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, Practice for, **E512 (15.03)**
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Design and Construction of Aerospace Cleanrooms and Contamination Controlled Areas, Practice for, **E2217 (15.03)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Determining Vacuum Chamber Gaseous Environment Using a Cold Finger, Practice for, **E834 (15.03)**
Field Sampling of Aerospace Fluids in Containers, Practice for, **F302 (15.03)**
Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, Test Method for, **E1235 (15.03)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Heat Treatment of Aluminum-Alloy Castings from All Processes, Practice for, **B917/B917M (02.02)**
Infrared Flash Thermography of Composite Panels and Repair Patches Used in Aerospace Applications, Practice for, **E2582 (03.03)**
Investment Steel Castings for Aerospace Applications, Reference Radiographs of, **E192 (03.03)**
Liquid Sampling of Noncryogenic Aerospace Propellants, Practice for, **F309 (15.03)**
Nondestructive Testing of Polymer Matrix Composites Used in Aerospace Applications, Guide for, **E2533 (03.03)**
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
Preparation of Aerospace Contamination Control Plans, Practice for, **E1548 (15.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Radiologic Examination of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2662 (03.03)**
Sampling for Particles in Aerospace Fluids and Components, Practices for, **F303 (15.03)**
Selecting Aerospace and General Purpose Adhesives and Sealants, Guide for, **D6465 (15.06)**
Shearography of Polymer Matrix Composites, Sandwich Core Materials and Filament-Wound Pressure Vessels in Aerospace Applications, Practice for, **E2581 (03.03)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Ultrasonic Testing of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2580 (03.03)**

Aerospace applications—specifications
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Premium Quality Alloy Steel Blooms and Billets for Aircraft and Aerospace Forgings, Specification for, **A646/A646M (01.05)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Aerospace composite materials/applications
Acoustic Emission Examination of Plate-like and Flat Panel Composite Structures Used in Aerospace Applications, Practice for, **E2661/E2661M (03.03)**
Infrared Flash Thermography of Composite Panels and Repair Patches Used in Aerospace Applications, Practice for, **E2582 (03.03)**
Nondestructive Testing of Polymer Matrix Composites Used in Aerospace Applications, Guide for, **E2533 (03.03)**
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**
Ultrasonic Testing of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2580 (03.03)**

Aerospace contamination control
Preparation of Aerospace Contamination Control Plans, Practice for, **E1548 (15.03)**

Aerospace fluids/propellants
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Field Sampling of Aerospace Fluids in Containers, Practice for, **F302 (15.03)**
Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, Test Method for, **D4898 (05.02)**
Liquid Sampling of Noncryogenic Aerospace Propellants, Practice for, **F309 (15.03)**
Sampling Cryogenic Aerospace Fluids, Practice for, **F310 (15.03)**
Sampling Pressurized Gas for Gas Analysis, Practice for, **F307 (15.03)**

Aerospace membrane filters
See **Membrane filters (MF)**

Aerospace particulate contamination
Microscopical Sizing and Counting Particles from Aerospace Fluids on Membrane Filters, Test Methods for, **F312 (15.03)**
Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **F311 (15.03)**
Sampling for Particles in Aerospace Fluids and Components, Practices for, **F303 (15.03)**
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**

Aerospace propulsion
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**

Aerospace rocket propellants
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**
pH and Chloride-ion Concentration of Aerospace Hydraulic Flu-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ids, Practice for, **F862 (15.03)**
Yield Stress of Heterogeneous Propellants by Cone Penetration Method, Test Method for, **D2884 (05.01)**

Aerospace transparent enclosures
Abrasion Resistance of Transparent Plastics and Coatings Using the Oscillating Sand Method, Test Method for, **F735 (15.03)**
Aerospace Transparent Materials and Enclosures, Terminology Relating to, **F2429 (15.03)**
Bird Impact Testing of Aerospace Transparent Enclosures, Test Method for, **F330 (15.03)**
Bond Integrity of Transparent Laminates, Test Methods for, **F521 (15.03)**
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Hail Impact Resistance of Aerospace Transparent Enclosures, Test Method for, **F320 (15.03)**
Impact Resistance of Monolithic Polycarbonate Sheet by Means of a Falling Weight, Test Method for, **F736 (15.03)**
Inspection of Transparent Parts by Prism, Practice for, **F2108 (15.03)**
Intensity of Scratches on Aerospace Glass Enclosures, Test Method for, **F428 (15.03)**
Intensity of Scratches on Aerospace Transparent Plastics, Test Method for, **F548 (15.03)**
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**
Measuring Optical Distortion in Transparent Parts Using Grid Line Slope, Test Method for, **F2156 (15.03)**
Measuring Optical Reflectivity of Transparent Materials, Test Method for, **F1252 (15.03)**
Measuring the Night Vision Goggle-Weighted Transmissivity of Transparent Parts, Test Method for, **F1863 (15.03)**
Measuring the Transmissivity of Transparent Parts, Test Method for, **F1316 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**
Polarized Light Detection of Flaws in Aerospace Transparency Heating Elements, Practice for, **F319 (15.03)**
Selection of Test Methods for Interlayer Materials for Aerospace Transparent Enclosures, Guide for, **F942 (15.03)**
Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, Test Method for, **F1362 (15.03)**
Shear Strength of Fusion Bonded Polycarbonate Aerospace Glazing Material, Test Method for, **F734 (15.03)**
Stress Crazing of Acrylic Plastics in Contact with Liquid or Semi-Liquid Compounds, Test Method for, **F484 (15.03)**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**
Testing Materials for Aerospace Plastic Transparent Enclosures, Guide for, **F790 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Aerospace transparent materials
Aerospace Transparent Materials and Enclosures, Terminology Relating to, **F2429 (15.03)**

AET (atmospheric equivalent temperature)
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**

2-AFC (alternative forced-choice) test
Directional Difference Test, Test Method for, **E2164 (15.08)**

African ocher
See **Ocher**

After-cure dynamic properties
Rubber Properties—Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer, Test Method for, **D6601 (09.01)**

Afterflame/afterglow
Flame Resistance of Textiles (Vertical Test), Test Method for, **D6413/D6413M (07.02)**
Flame Resistant Rainwear for Protection Against Flame Hazards, Specification for, **F2733 (11.03)**

Agar detection
Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, Practice for, **E1531 (14.02)**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**

Agar diffusion
Agar Diffusion Cell Culture Screening for Cytotoxicity, Test Method for, **F895 (13.01)**

Agar patch technique
Evaluation of Antimicrobial Formulations by the Agar Patch Technique, Test Method for, **E1882 (11.05)**

Agar plate assay
Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, Test Method for, **D5589 (06.01)**
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**

Aged coatings
Assessing the Condition of Aged Coatings on Steel Surfaces, Guide for, **D5065 (06.02)**

Aged test oil
Bench Oxidation of Engine Oils by ROBO Apparatus, Test Method for, **D7528 (05.04)**

Age-hardening alloys—specifications
Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A859/A859M (01.05)**
Age-Hardening Stainless Steel Forgings, Specification for, **A705/A705M (01.03)**
Copper-Nickel-Tin Spinodal Alloy Strip, Specification for, **B740 (02.01)**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Pressure Vessel Plates, Low-Carbon Age-Hardening Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Steel, Specification for, **A736/A736M (01.04)**

Agglomerate count method
Carbon Black—Dispersion in Rubber, Test Methods for, **D2663 (09.01)**

Agglomerates
Determination of Copper in Iron Ores and Related Materials by Flame Atomic Absorption Spectrometry, Test Method for, **E841 (03.05)**
Determination of Iron in Iron Ores and Related Materials by Dichromate Titrimetry, Test Methods for, **E246 (03.05)**
Determination of Phosphorus in Iron Ores by Phosphomolybdate Coprecipitation and Nitric Acid Titrimetry, Test Method for, **E278 (03.05)**
Determination of Silica in Manganese Ores, Iron Ores, and Related Materials by Gravimetry, Test Method for, **E247 (03.05)**

Aggregate
Sa **Bituminous paving mixtures**
Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, Practice for, **C1077 (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aggregate Durability Index, Test Method for, **D3744/D3744M (04.03)**
Aggregate Layer Hiding Power, Test Method for, **D5081/D5081M (04.04)**
Calculating Percent Asphalt Absorption by the Aggregate in an Asphalt Pavement Mixture, Practice for, **D4469 (04.03)**
Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy, Test Method for, **D3849 (09.01)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Clay Lumps and Friable Particles in Aggregates, Test Method for, **C142/C142M (04.02)**
Concrete and Concrete Aggregates, Terminology Relating to, **C125 (04.02)**
Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, Test Method for, **C1370 (04.05)**
Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), Test Method for, **C1567 (04.02)**
Determining the Transverse-Aggregate Spread Rate for Surface Treatment Applications, Practice for, **D5624 (04.03)**
Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, Test Method for, **D1075 (04.03)**
Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C940 (04.02)**
Insoluble Residue in Carbonate Aggregates, Test Method for, **D3042 (04.03)**
Measurement of Hydraulic Conductivity of Tire Derived Aggregates Using a Rigid Wall Permeameter, Test Method for, **D7760 (04.09)**
Mechanical Size Analysis of Extracted Aggregate, Test Method for, **D5444 (04.03)**
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Potential Expansion of Aggregates from Hydration Reactions, Test Method for, **D4792/D4792M (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Reducing Samples of Aggregate to Testing Size, Practice for, **C702/C702M (04.02)**
Resistance, Test Method for, **D2844/D2844M (04.08)**
Sampling Aggregates, Practice for, **D75/D75M (04.03)**
Sizes of Aggregate for Road and Bridge Construction, Classification for, **D448 (04.03)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**
Sweep Test of Bituminous Emulsion Surface Treatment Samples, Test Method for, **D7000 (04.03)**
Total Evaporable Moisture Content of Aggregate by Drying, Test Method for, **C566 (04.02)**
Water-Extractable Chloride in Aggregate (Soxhlet Method), Test Method for, **C1524 (04.02)**
Water-Soluble Chlorides Present as Admixtures in Graded Aggregate Road Mixes, Test Methods for, **D1411 (04.08)**

Aggregate—specifications
Aggregate for Job-Mixed Portland Cement-Based Plasters, Specification for, **C897 (04.01)**
Aggregate for Masonry Mortar, Specification for, **C144 (04.05)**
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Concrete Aggregates, Specification for, **C33/C33M (04.02)**
Graded Aggregate Material For Bases or Subbases for Highways or Airports, Specification for, **D2940/D2940M (04.03)**
Gypsum Concrete, Specification for, **C317/C317M (04.01)**
Inorganic Aggregates for Use in Gypsum Plaster, Specification for, **C35 (04.01)**
Lightweight Aggregates for Concrete Masonry Units, Specification for, **C331/C331M (04.02)**
Lightweight Aggregates for Structural Concrete, Specification for, **C330/C330M (04.02)**
Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, Specification for, **C387/C387M (04.02)**

Aggregate (blended)
Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, Test Method for, **D7370 (04.03)**

Aggregate-cement aggregate combinations
See **Cement-aggregate combinations**

Aggregate (coarse)
Sa **Coarse aggregate**
Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, Test Method for, **D7370 (04.03)**

Aggregate coherence test
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**

Aggregate content
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**

Aggregate correction factor
Air Content of Freshly Mixed Concrete by the Pressure Method, Test Method for, **C231/C231M (04.02)**

Aggregate dimensions
Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy, Test Method for, **D3849 (09.01)**

Aggregate durability index
Aggregate Durability Index, Test Method for, **D3744/D3744M (04.03)**

Aggregate fill
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**

Aggregate (fine)
Sa **Fine aggregate**
Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, Test Method for, **D7370 (04.03)**

Aggregate layer hiding power
Aggregate Layer Hiding Power, Test Method for, **D5081/D5081M (04.04)**

Aggregate (lightweight)
See **Lightweight aggregate**

Aggregate (natural mineral)
Sa **Mineral aggregate**
Adhesion of Mineral Aggregate to Hot Bitumen, Test Method for, **D5100/D5100M (04.04)**

Aggregate (pavement surfaces)
Accelerated Polishing of Aggregates or Pavement Surfaces Using a Small-Wheel, Circular Track Polishing Machine, Practice for, **E660 (04.03)**
Determining Fracture Energy of Asphalt-Aggregate Mixtures Using the Disk-Shaped Compact Tension Geometry, Test Method for, **D7313 (04.03)**

Aggregate (potential alkali reactivity)
Constituents of Aggregates for Radiation-Shielding Concrete, Descriptive Nomenclature of, **C638 (04.02)**
Determination of Length Change of Concrete Due to Alkali-Silica Reaction, Test Method for, **C1293 (04.02)**
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**
Potential Alkali Reactivity of Aggregates (Mortar-Bar Method), Test Method for, **C1260 (04.02)**
Potential Alkali Reactivity of Carbonate Rocks as Concrete Ag-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

gregates (Rock-Cylinder Method), Test Method for, **C586 (04.02)**
Potential Alkali Reactivity of Cement-Aggregate, Test Method for, **C227 (04.02)**
Potential Alkali-Silica Reactivity of Aggregates (Chemical Method), Test Method for, **C289 (04.02)**

Aggregate (radiation-shielding concrete)
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Constituents of Aggregates for Radiation-Shielding Concrete, Descriptive Nomenclature of, **C638 (04.02)**

Aggregate ratio
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**

Aggregate refractories
See **Refractories (aggregate)**

Aggregate size/distribution
Rubber Compounding Materials—Wet Sieve Analysis of Powdered Rubber Compounding Materials, Test Method for, **D5461 (09.01)**
Size of Aggregate Used as Ballast for Membrane Roof Systems, Classification for, **D7655/D7655M (04.04)**

Aggregate (soil-aggregate)
See **Soil-aggregate**

Aggregate spreader
Determining the Transverse-Aggregate Spread Rate for Surface Treatment Applications, Practice for, **D5624 (04.03)**

Aggregate-to-cement ratio
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**

Aggressiveness
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**

Aging
Sa **Weathering**
Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV), Practice for, **D6521 (04.03)**
Accelerated Aging of Liquid Water-Emulsion Floor Polishes, Test Method for, **D1791 (15.04)**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**
Determining the Luminance Curve of an Electroluminescent Lamp at Ambient Conditions, Test Method for, **F2771 (10.04)**
Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), Test Method for, **D2872 (04.03)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Evaluation of Aging Resistance of Pre-stressed Prepainted Metal in a Boiling Water Test, Practice for, **D6665 (06.02)**
Heat Aging of Asbestos Textiles, Test Method for, **D1573/D1573M (04.05)**
Laboratory Aging of Sandwich Constructions, Test Method for, **C481 (15.03)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**
Thermal-Oxidative Stability of Polypropylene Using a Specimen Rotator Within an Oven, Test Method for, **D3012 (08.01)**

Aging—rubber
Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**

Aging board
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**

Aging resistance
Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation, Test Method for, **C1258 (04.06)**
Evaluation of Aging Resistance of Pre-stressed Prepainted Metal in a Boiling Water Test, Practice for, **D6665 (06.02)**
Evaluation of Aging Resistance of Prestressed Prepainted Metal In a Dry Heat Test, Practice for, **D6491 (06.02)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Resistance of Finish to Heat Aging (Finish Stability), Test Method for, **D7912 (15.04)**

Agitating tube
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Agreement (testing methods)
Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, Practice for, **D6708 (05.03)**

Agricultural drainage
Sa **Land drainage piping systems**
Subsurface Installation of Corrugated Polyethylene Pipe for Agricultural Drainage or Water Table Control, Practice for, **F449 (08.04)**

Agricultural liming materials
See **Hydrated lime—specifications**

Agricultural materials/applications
Agricultural Chemical Application, Terminology Relating to, **E1102 (11.05)**
Agricultural pH Control Agents, Test Method for, **E1910/E1910M (11.05)**
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Hydraulic Spray Nozzles Used in Agriculture, Methods for Testing, **E641 (11.05)**
Nonvolatile Matter of Agricultural Adjuvant Solutions by Thermogravimetry, Test Method for, **E2043 (11.05)**
pH of Soils, Test Method for, **D4972 (04.08)**
Preparing Field Sprayer Calibration Procedures, Guide for, **E549 (11.05)**
Preparing Granular Pesticide Ground Applicator Calibration Procedures, Guide for, **E550 (11.05)**
Relative Extensional Viscosity of Agricultural Spray Tank Mixes, Test Method for, **E2408 (11.05)**
Spreading of Liquid Agricultural Spray Mixtures, Test Method for, **E2044 (11.05)**

Agricultural materials/applications—specifications
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Corrugated Polyethylene (PE) Pipe and Fittings, Specification for, **F405 (08.04)**
Limestone for Animal Feed Use, Specification for, **C706 (04.01)**
Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications, Specification for, **D4397 (08.02)**
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, Specification for, **F964 (01.06)**
Seed Starter Mix, Specification for, **D5539 (04.08)**

Agricultural products
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Agricultural residue
Ash in Biomass, Test Method for, **E1755 (05.06)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Agricultural tank mix adjuvants
Agricultural Tank Mix Adjuvants, Terminology Relating to, **E1519 (11.05)**
Nonvolatile Matter of Agricultural Adjuvant Solutions by Thermogravimetry, Test Method for, **E2043 (11.05)**
Spreading of Liquid Agricultural Spray Mixtures, Test Method for, **E2044 (11.05)**
Agricultural workers
Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, Test Method for, **F2130 (11.03)**
AHP (analytical hierarchy process)
Sa **Analytical hierarchy process (AHP)**
Prioritizing Asset Resources in Acquisition, Utilization, and Disposition, Practice for, **E2495 (04.12)**
Air
Rubber Sheet Gaskets, Specification for, **D1330 (09.02)**
Air analysis
Sa **Atmospheric analysis**
Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, Test Method for, **D2685 (10.03)**
Air as an Electrical Insulating Material, Specification for, **D3283 (10.03)**
Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, Test Methods for, **D3824 (11.07)**
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Effect of Air Supply on Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2157 (05.01)**
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**
General Ambient Air Analyzer Procedures, Practice for, **D3249 (11.07)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Practice for, **E1982 (03.06)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Guide for, **E1865 (03.06)**
Planning the Sampling of the Ambient Atmosphere, Practice for, **D1357 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Air analysis—calibration of equipment
See **Calibration—air/atmospheric analysis instruments**
Air analysis—sampling
See **Sampling air/atmospheric materials/applications**
Airbag materials/applications
Accelerated Aging of Inflatable Restraint Fabrics, Practice for, **D5427 (07.02)**
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Determining Physical Properties of Fabrics, Yarns, and Sewing Thread Used in Inflatable Restraints, Practice for, **D5446 (07.02)**
Determining Pressure Decay of Inflatable Restraint Cushions, Test Method for, **D7559/D7559M (07.02)**
Determining Seam Strength in Inflatable Restraint Cushions, Test Method for, **D5822 (07.02)**
Determining Specific Packability of Fabrics Used in Inflatable Restraints, Test Method for, **D6478 (07.02)**
Determining the Edgecomb Resistance of Woven Fabrics Used in Inflatable Restraints, Test Method for, **D6479 (07.02)**
Evaluating the Overpressurization Characteristics of Inflatable Restraint Cushions, Practice for, **D5807 (07.02)**
Evaluating the Performance of Inflatable Restraint Modules, Practice for, **D5428 (07.02)**
Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus, Test Method for, **D1424 (07.01)**
Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, Practices for, **D5426 (07.02)**
Air bags/seals
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Air barrier assemblies
Determining Air Leakage of Air Barrier Assemblies, Test Method for, **E2357 (04.12)**
Air barrier foam sealant
Determining Air Leakage Rates of Aerosol Foam Sealants and Other Construction Joint Fill and Insulation Materials, Practice for, **C1642 (04.07)**
Evaluating Temperature Effects to Aerosol Foam Sealant During and After Dispensing, Guide for, **C1737 (04.07)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Measuring the Yield for Aerosol Foam Sealants, Test Method for, **C1536 (04.07)**
Airblast cleaning
Indicating Oil or Water in Compressed Air, Test Method for, **D4285 (06.02)**
Airblast rating
Door Systems Subject to Airblast Loadings, Test Method for, **F2927 (15.08)**
Glazing and Glazing Systems Subject to Airblast Loadings, Specification for, **F2912 (15.08)**
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**
Airborne asbestos by direct transfer TEM
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Airborne chemicals
Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber, Test Method for, **D6007 (04.10)**
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Airborne contamination
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Documenting the Results of Airborne Particle Penetration Testing of Protective Clothing Materials, Guide for, **F2053 (11.03)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Airborne fungal structures
Collection of Total Airborne Fungal Structures via Inertial Impaction Methodology, Practice for, **D7788 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Airborne metal and metal oxide nanoparticle surface area concentration—measurement of
Measurement of Airborne Metal and Metal Oxide Nanoparticle Surface Area Concentration in Inhalation Exposure Chambers using Krypton Gas Adsorption, Test Method for, **E2864 (14.02)**
Airborne microorganisms
Sa **Microorganisms**
Categorization and Quantification of Airborne Fungal Structures in an Inertial Impaction Sample by Optical Microscopy, Test Method for, **D7391 (11.07)**
Collection of Total Airborne Fungal Structures via Inertial Impaction Methodology, Practice for, **D7788 (11.07)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Sampling Airborne Microorganisms at Municipal Solid-Waste Processing Facilities, Practice for, **E884 (11.04)**
Airborne particulate contamination
Sa **Particulate contamination**
Determination of Elements in Airborne Particulate Matter by Inductively Coupled Plasma–Mass Spectrometry, Test Method for, **D7439 (11.07)**
Airborne remote sensing on water
Selection of Airborne Remote Sensing Systems for Detection and Monitoring of Oil on Water, Guide for, **F2327 (11.05)**
Airborne sound analysis
Sa **Sound transmission—building materials/applications**
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Laboratory Measurement of Airborne Transmission Loss of Building Partitions and Elements Using Sound Intensity, Test Method for, **E2249 (04.06)**
Air capacity
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Air change rate
Determining Emission Profiles of Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6177 (11.07)**
Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6178 (11.07)**
Air channel evaluation
Air Channel Evaluation of Polyvinyl Chloride (PVC) Dual Track Seamed Geomembranes, Specification for, **D7177 (04.13)**
Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus, Test Method for, **D7238 (04.13)**
Non-Reinforced Polyvinyl Chloride (PVC) Geomembranes Used in Buried Applications, Specification for, **D7176 (04.13)**
Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, Practice for, **D5820 (04.13)**
Air circulation
Conducting Exposures in Outdoor Glass-Covered Exposure Apparatus with Air Circulation, Practice for, **G201 (14.04)**
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Air conditioning materials/applications
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Mechanical Symbols, Shipboard—Heating, Ventilation, and Air Conditioning (HVAC), Practice for, **F856 (01.07)**
Air conditioning materials/applications—specifications
Adhesives for Duct Thermal Insulation, Specification for, **C916 (04.06)**
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Mechanically Refrigerated Shipboard Air Conditioner, Specification for, **F1433 (01.07)**
Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, Specification for, **B280 (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**
Air content
Density (Unit Weight), Yield, Cement Content, and Air Content (Gravimetric) of Controlled Low-Strength Material (CLSM), Test Method for, **D6023 (04.09)**
Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures, Test Method for, **D3203/D3203M (04.03)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Sampling Freshly Mixed Controlled Low-Strength Material, Practice for, **D5971/D5971M (04.09)**
Air content—concrete
Air Content of Freshly Mixed Concrete by the Pressure Method, Test Method for, **C231/C231M (04.02)**
Air Content of Freshly Mixed Concrete by the Volumetric Method, Test Method for, **C173/C173M (04.02)**
Air-Entraining Admixtures for Concrete, Specification for, **C260/C260M (04.02)**
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, Test Method for, **C138/C138M (04.02)**
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**
Air-cooled gasoline engines
Sa **Automotive engine fuels/oils**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Aircraft—Lighter-than-air sport
Continued Airworthiness System for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2354 (15.11)**
Manufacturer Quality Assurance Program for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2353 (15.11)**
Production Acceptance Testing System for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2356 (15.11)**
Aircraft—weight-shift-control
Design of Weight-Shift-Control Aircraft, Specification for, **F2317/F2317M (15.11)**
Aircraft assembly instructions
Kit Assembly Instructions of Aircraft Intended Primarily for Recreation, Practice for, **F2563 (15.11)**
Aircraft chemicals/processes
Corrosion of Aircraft Metals by Total Immersion in Maintenance Chemicals, Practice for, **F482 (15.03)**
Corrosion of Low-Embrittling Cadmium Plate by Aircraft Maintenance Chemicals, Test Method for, **F1111 (15.03)**
Determine Color Change and Staining Caused by Aircraft Maintenance Chemicals upon Aircraft Cabin Interior Hard Surfaces, Test Method to, **F2109 (15.03)**
Determining the Consistency of Viscous Liquids Using a Consistometer, Test Method for, **F1080 (15.03)**
Effects of Cleaners on Unpainted Aircraft Surfaces, Practice for, **F485 (15.03)**
Effects of Cleaning and Chemical Maintenance Materials on Painted Aircraft Surfaces, Test Method for, **F502 (15.03)**
Measuring Intergranular Attack or End Grain Pitting on Metals Caused by Aircraft Chemical Processes, Practice for, **F2111 (15.03)**
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid Type, Water

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**
Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, Test Method for, **F945 (15.03)**
Total Immersion Corrosion Test for Aircraft Maintenance Chemicals, Practice for, **F483 (15.03)**

Aircraft electrical wiring systems
Inspection of Aircraft Electrical Wiring Systems, Practice for, **F2696 (15.11)**
Maintenance of Aircraft Electrical Wiring Systems, Practice for, **F2799 (15.11)**

Aircraft Flight Manual (AFM)
Aircraft Flight Manual (AFM) for a Small Unmanned Aircraft System (sUAS), Specification for, **F2908 (15.11)**

Aircraft fuel systems
See **Aviation fuels—specifications**

Aircraft insulation
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**

Aircraft materials/applications
Sa **Aerospace applications**
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Determine Color Change and Staining Caused by Aircraft Maintenance Chemicals upon Aircraft Cabin Interior Hard Surfaces, Test Method to, **F2109 (15.03)**
Determining the Water Retention (Repellency) Characteristics of Fibrous Glass Insulation (Aircraft Type), Test Method for, **C1511 (04.06)**
Determining Wicking of Fibrous Glass Blanket Insulation (Aircraft Type), Test Method for, **C1559 (04.06)**
Effects of Cleaners on Unpainted Aircraft Surfaces, Practice for, **F485 (15.03)**
Effects of Cleaning and Chemical Maintenance Materials on Painted Aircraft Surfaces, Test Method for, **F502 (15.03)**
Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**
Maintenance of Aircraft Electrical Wiring Systems, Practice for, **F2799 (15.11)**
Measuring the Transmissivity of Transparent Parts, Test Method for, **F1316 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**
Sandwich Corrosion Test, Test Method for, **F1110 (15.03)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Viscosity and Viscosity Change After Standing at Low Temperature of Aircraft Turbine Lubricants, Test Method for, **D2532 (05.01)**

Aircraft materials/applications—specifications
Corrosiveness of Lubricating Fluid to Bimetallic Couple, Test Method for, **D6547 (05.03)**
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Premium Quality Alloy Steel Blooms and Billets for Aircraft and Aerospace Forgings, Specification for, **A646/A646M (01.05)**
Stranded Carbon Steel Wire Ropes for General Purposes, Specification for, **A1023/A1023M (01.03)**

Aircraft materials/applications (corrosion testing)
Corrosion of Aircraft Metals by Total Immersion in Maintenance Chemicals, Practice for, **F482 (15.03)**
Corrosion of Low-Embrittling Cadmium Plate by Aircraft Maintenance Chemicals, Test Method for, **F1111 (15.03)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Total Immersion Corrosion Test for Aircraft Maintenance Chemicals, Practice for, **F483 (15.03)**

Aircraft materials/applications (EMS)
Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, Practice for, **F1591 (13.02)**

Aircraft operating instructions (AOI)
Pilot's Operating Handbook (POH) for Light Sport Airplane, Specification for, **F2746 (15.11)**
Required Product Information to be Provided with, Specification for, **F2457 (15.11)**

Aircraft-quality steel balls
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**

Aircraft systems
Inspection of Aircraft Electrical Wiring Systems, Practice for, **F2696 (15.11)**
Maintenance of Aircraft Electrical Wiring Systems, Practice for, **F2799 (15.11)**
Performance of Angle of Attack System, Specification for, **F3011 (15.11)**

Aircraft testing
Determination of Fire Resistance of Aircraft Hydraulic Fluids by Autoignition Temperature, Test Method for, **D2155 (05.01)**
Kit Assembly Instructions of Aircraft Intended Primarily for Recreation, Practice for, **F2563 (15.11)**

Air diffusion rate
Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, Test Method for, **F1112 (09.02)**

Air discharge plenus
Mechanically Refrigerated Shipboard Air Conditioner, Specification for, **F1433 (01.07)**

Air displacement
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**

Air distribution systems
Determining Air Leakage of Air Distribution Systems by Fan Pressurization, Test Methods for, **E1554/E1554M (04.11)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**

Air-driven silica sand
Abrasion Resistance of Concrete by Sandblasting, Test Method for, **C418 (04.02)**

Air drop
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**

Air dry coatings
Measurement of Evolved Formaldehyde from Water Reducible Air-Dry Coatings, Test Method for, **D6191 (06.01)**

Air drying method
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**

Air dry touch-up enamel
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**

Air emission testing
Competence of Air Emission Testing Bodies, Practice for, **D7036 (11.07)**

Air-entrained concrete
Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System, Test Method for, **D7148 (10.02)**
Making and Curing Test Specimens for Evaluating Resistance of Coarse Aggregate to Freezing and Thawing in Air-Entrained Concrete, Practice for, **C1646/C1646M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Air entraining admixtures (for concrete)
Air-Entraining Admixtures for Concrete, Specification for, **C260/C260M (04.02)**
Air-Entraining Admixtures for Concrete, Test Method for, **C233/C233M (04.02)**
Air-entraining portland cement
See **Portland cement—specifications**
Air entrainment
Air Content of Hydraulic Cement Mortar, Test Method for, **C185 (04.01)**
Air-Entraining Additions for Use in the Manufacture of Air-Entraining Hydraulic Cement, Specification for, **C226 (04.01)**
Masonry Cement, Specification for, **C91/C91M (04.01)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Air entry permeameter
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Air erosion
Air Erosion of Sprayed Fire-Resistive Materials (SFRMs) Applied to Structural Members, Test Method for, **E859 (04.11)**
Airfields
Handling of Unmanned Aircraft Systems at Divert Airfields, Practice for, **F2849 (15.11)**
Airflow performance
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Airflow Resistance of Acoustical Materials, Test Method for, **C522 (04.06)**
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**
Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, Test Method for, **E477 (04.06)**
Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems, Test Method for, **F820 (15.08)**
Measuring Air Performance Characteristics of Vacuum Cleaners, Test Method for, **F558 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle, Test Method for, **F922 (15.08)**
Motor Life Evaluation of an Upright Vacuum Cleaner, Test Method for, **F555 (15.08)**
Permeability of Rocks by Flowing Air, Test Method for, **D4525 (04.08)**
Simulation of Subsurface Airflow Using Groundwater Flow Modeling Codes, Guide for, **D5719 (04.08)**
Airflow resistance
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**
Airflow Resistance of Acoustical Materials, Test Method for, **C522 (04.06)**
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Gas Flow Resistance Testing of Filtration Media, Methods for, **F778 (11.07)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Micronaire Reading of Cotton Fibers, Test Method for, **D1448 (07.01)**
Resistance to Airflow as an Indication of Average Fiber Diameter of Wool Top, Card Sliver, and Scoured Wool, Test Method for, **D1282 (07.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Water Vapor Diffusion Resistance and Air Flow Resistance of Clothing Materials Using the Dynamic Moisture Permeation Cell, Test Methods for, **F2298 (11.03)**
Airflow resistivity
Airflow Resistance of Acoustical Materials, Test Method for, **C522 (04.06)**
Airfoils
Steel Forgings, Stainless, for Compressor and Turbine Airfoils, Specification for, **A982/A982M (01.05)**
Airframe components crate
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**
Airframe emergency parachutes—specifications
Airframe Emergency Parachutes, Specification for, **F2316 (15.11)**
Air fresheners
Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, Guide for, **E1593 (15.08)**
Air-fuel ratio
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Air-gun/projectiles
See **Consumer safety specifications (guns)**
Air-heat transport devices (solar)
Sa **Solar heating/cooling systems**
Rubber Seals Used in Air-Heat Transport of Solar Energy Systems, Specification for, **D3903 (09.02)**
Air hose
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Air incubators
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Air induction
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**
Air infiltration/exfiltration
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Measuring the Yield for Aerosol Foam Sealants, Test Method for, **C1536 (04.07)**
Air intrusion
Quantification of Air Intrusion in Low-Sloped Mechanically Attached Membrane Roof Assemblies, Test Method for, **D7586/D7586M (04.04)**
Air jacketed aneroid bomb calorimeter
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Air jets
Determination of Attrition of FCC Catalysts by Air Jets, Test Method for, **D5757 (05.05)**
Air layer resistance (I_T)
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**
Air leakage testing—building materials/constructions
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Determining Air Change in a Single Zone by Means of a Tracer Gas Dilution, Test Method for, **E741 (04.11)**
Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E2319 (04.12)**
Determining Air Leakage of Air Barrier Assemblies, Test Method for, **E2357 (04.12)**
Determining Air Leakage of Air Distribution Systems by Fan Pressurization, Test Methods for, **E1554/E1554M (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Determining Air Leakage Rates of Aerosol Foam Sealants and Other Construction Joint Fill and Insulation Materials, Practice for, **C1642 (04.07)**
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**
Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E283 (04.11)**
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Field Measurement of Air Leakage Through Installed Exterior Windows and Doors, Test Method for, **E783 (04.11)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**

Airless spray applications
Sa **Spray-applied coatings**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**

Air mass (AM)
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Air-medical (EMS) patient care providers
Qualification and Training of EMS Air Medical Patient Care Providers, Guide for, **F1229 (13.02)**

Air monitoring
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Air Sampling Strategies for Worker and Workplace Protection, Guide for, **E1370 (11.07)**
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, Guide for, **D5111 (11.07)**
Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, Test Methods for, **D3824 (11.07)**
Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), Test Methods for, **D5156 (11.07)**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, Test Method for, **D5932 (11.07)**
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Workplace Atmospheres (1-2 PP Method), Test Method for, **D5836 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), Test Method for, **D5578 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Evaluating the Performance of Diffusive Samplers, Practice for, **D6246 (11.07)**
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Flow Rate Adjustment of Personal Sampling Pumps, Practice for, **D5337 (11.07)**
Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, Test Method for, **D4765 (11.07)**
Metal Removal Fluid Aerosol in Workplace Atmospheres, Test Method for, **D7049 (11.07)**
Monitoring Atmospheric SO2 Deposition Rate for Atmospheric Corrosivity Evaluation, Practice for, **G91 (03.02)**
Nitrogen Dioxide Content of the Atmosphere (Griess-Saltzman Reaction), Test Method for, **D1607 (11.07)**
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Practice for, **E1982 (03.06)**
Placement and Use of Diffusion Controlled Passive Monitors for Gaseous Pollutants in Indoor Air, Guide for, **D6306 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, Practice for, **D7200 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), Practice for, **D7201 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**
Using Probability Sampling Methods in Studies of Indoor Air Quality in Buildings, Guide for, **D5791 (11.07)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Air motor
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**

Air-oven aging/testing
Air-Oven Aging of Polyolefin Geomembranes, Practice for, **D5721 (04.13)**
Rubber—Deterioration in an Air Oven, Test Method for, **D573 (09.01)**

Air-ozone replacement
Sa **Ozone (O_3)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**

Airpark—specifications
Recreational Airpark Design, Specification for, **F2507 (15.11)**

Air particulates
Determining the Change in Room Air Particulate Counts as a Result of the Vacuum Cleaning Process, Test Method for, **F2608 (15.08)**

Air performance (of vacuum cleaners)
Sa **Performance—vacuum cleaners**
Evaluating the Sustained Air Performance and Exhaust Emission Efficiencies of Central Vacuum Cleaning Units, Test Method for, **F2826 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Air-permeable roof system
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Air permeance/permeability
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Air Permeance of Building Materials, Test Method for, **E2178 (04.12)**
Determining Air Leakage Rates of Aerosol Foam Sealants and Other Construction Joint Fill and Insulation Materials, Practice for, **C1642 (04.07)**
Estimating Average Particle Size of Metal Powders and Related Compounds Using Air Permeability, Test Methods for, **B330 (02.05)**
Fineness of Hydraulic Cement by Air-Permeability Apparatus, Test Methods for, **C204 (04.01)**
Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), Test Method for, **C1570 (04.05)**
Airplanes
Design, Alteration, and Certification of Airplane Electrical Wiring Systems, Practice for, **F2639 (15.11)**
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Maintenance and the Development of Maintenance Manuals for Light Sport Aircraft, Practice for, **F2483 (15.11)**
Required Product Information to be Provided with an Airplane, Specification for, **F2745 (15.11)**
Air plus diluent
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
Air pollution/toxicity assessment
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, Test Method for, **D4323 (11.07)**
Intercomparing Permeation Tubes to Establish Traceability, Guide for, **D4298 (11.07)**
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**
Airport pavement
Correlations of Mu Values of Continuous Friction Measurement Equipment to Determine Maintenance Levels for Use at Airports, Practice for, **E2666 (04.03)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**
Airport pavement—friction analysis
Airport Pavement Condition Index Surveys, Test Method for, **D5340 (04.03)**
Calculating the International Runway Friction Index, Practice for, **E2100 (04.03)**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Airport pavement—specifications
Sa **Pavement surfaces—specifications**
Graded Aggregate Material For Bases or Subbases for Highways or Airports, Specification for, **D2940/D2940M (04.03)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Plastic Underdrain Systems for Highway, Airport, and Similar Drainage, Specification for, **F758 (08.04)**
Airport security
See **Security systems and equipment**
Airport traffic control tower (ATCT)
Determining the Thickness of Glass in Airport Traffic Control Tower Cabs, Practice for, **E2461 (04.12)**
Air pressure testing
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**
Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure, Test Method for, **C1618 (04.05)**
Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure (Metric), Test Method for, **C1618M (04.05)**
Rubber Deterioration by Heat and Air Pressure, Test Method for, **D454 (09.01)**
Air pressure testing—building constructions/materials
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Low-Pressure Air Test of Vitrified Clay Pipe Lines, Test Method for, **C828 (04.05)**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Water Penetration of Exterior Windows, Skylights, and Doors by Rapid Pulsed Air Pressure Difference, Test Method for, **E2268 (04.12)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**
Air-purifying respiratory protective smoke escape devices (RPED)—specification for
Air-Purifying Respiratory Protective Smoke Escape Devices (RPED), Specification for, **E2952 (15.08)**
Air pycnometer method
See **Pycnometer/pycnometry**
Air quality analysis
Sa **Air monitoring**
Categorization and Quantification of Airborne Fungal Structures in an Inertial Impaction Sample by Optical Microscopy, Test Method for, **D7391 (11.07)**
Characterizing Uncertainty in Air Quality Measurements, Practice for, **D7440 (11.07)**
Collection of Fungal Material From Surfaces by Tape Lift, Practice for, **D7910 (11.07)**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining the Opacity of a Plume in the Outdoor Ambient Atmosphere, Test Method for, **D7520 (11.07)**
Evaluating Residential Indoor Air Quality Concerns, Practice for, **D7297 (11.07)**
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**
Measurement of Atmospheric Wind and Turbulence Profiles by Acoustic Means, Guide for, **D7145 (11.07)**
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**
Statistical Evaluation of Atmospheric Dispersion Model Performance, Guide for, **D6589 (11.07)**
Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality and Ventilation, Guide for, **D6245 (11.07)**

Air quality analysis (workplace)
Sa **Workplace air/atmospheres**
Determination of Elements in Airborne Particulate Matter by Inductively Coupled Plasma–Mass Spectrometry, Test Method for, **D7439 (11.07)**
Serviceability of an Office Facility for Thermal Environment and Indoor Air Conditions, Classification for, **E2320 (04.12)**

Air reactivity
Determination of Thermogravimetric (TGA) Air Reactivity of Baked Carbon Anodes and Cathode Blocks, Test Method for, **D6559 (05.03)**

Air release properties
Air Release Properties of Petroleum Oils, Test Method for, **D3427 (05.01)**

Air resistance
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Air retarder (AR) systems
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Air Permeance of Building Materials, Test Method for, **E2178 (04.12)**

Air retention
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**

Air-rotary drilling
Sa **Rotary drilling**
Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5782 (04.08)**

Air sampling/analysis
See **Sampling air/atmospheric materials/applications**

Air saturation
Vapor-Liquid Ratio Temperature Determination of Fuels (Evacuated Chamber Method), Test Method for, **D5188 (05.02)**

Air-separation apparatus
Effectiveness of Aerosol and Pressurized Space Spray Insecticides Against Flying Insects, Test Method for, **E653 (11.05)**

Air shipment
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**

Airsoft gun
6 mm Projectiles Used with Low Energy Air Guns, Specification for, **F2679 (15.07)**
Air Soft Field Operation, Practice for, **F2940 (15.07)**
Air Soft Gun Barrel Blocking Devices, Specification for, **F3085 (15.07)**
Air Soft Player Safety Briefing, Practice for, **F2941 (15.07)**
Low Energy Air Gun (LEAG) Warnings, Specification for, **F2654 (15.07)**

Airsoft gun—barrel blocking bevices
Air Soft Gun Barrel Blocking Devices, Specification for, **F3085 (15.07)**

Airspace
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**

Air supply pressure
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**

Air-supported roofs
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**

Air-supported structures
Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures, Practice for, **F1159 (15.07)**

Air systems
Automatic Shut-Off Valves (Also Known as Excess Flow Valves, EFV) for Air or Nitrogen Service, Specification for, **F1793 (01.07)**
Filters Used in Air or Nitrogen Systems, Specification for, **F1791 (01.07)**
Pressure-Reducing Manifolds for Air or Nitrogen Systems, Specification for, **F1685 (01.07)**
Pressure-Reducing Valves for Air or Nitrogen Systems, Specification for, **F1795 (01.07)**

Air temperature
Determining the Effects of Temperature Cycling on Fenestration Products, Practice for, **E2264 (04.12)**
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**

Air test
Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**

Airtight doors—specifications
Sa **Shipbuilding steel materials—specifications**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, Specification for, **F1068 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**

Airtightness
Determining Airtightness of Buildings Using an Orifice Blower Door, Test Methods for, **E1827 (04.11)**
Rubber Surgical Gloves, Specification for, **D3577 (09.02)**

Air-type eddy current probes
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**

Air velocity
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Mixed Flowing Gas (MFG) Tests for Electrical Contacts, Guide for, **B845 (02.04)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**

Air voids
Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, Test Method for, **D2726/D2726M (04.03)**
Effective Porosity and Effective Air Voids of Compacted Bituminous Paving Mixture Samples, Test Method for, **D7063/D7063M (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**
Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures, Test Method for, **D3203/D3203M (04.03)**

Air volume concentration
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**

Airways
See **Anesthesia equipment—specifications**

Air wicking
Air Wicking of Tire Fabrics, Tire Cord Fabrics, Tire Cord, and Yarns, Test Method for, **D2692/D2692M (07.01)**

Airworthiness
Aircraft Flight Manual (AFM) for a Small Unmanned Aircraft System (sUAS), Specification for, **F2908 (15.11)**
Batteries for Use in Small Unmanned Aircraft Systems (sUAS), Specification for, **F3005 (15.11)**
Continued Airworthiness System for Light Sport Gyroplane Aircraft, Practice for, **F2415 (15.11)**
Continued Airworthiness System for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2354 (15.11)**
Continued Airworthiness System for Powered Parachute Aircraft, Specification for, **F2241 (15.11)**
Continued Airworthiness System for Weight-Shift-Control Aircraft, Specification for, **F2425 (15.11)**
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Design and Construction of a Small Unmanned Aircraft System (sUAS), Specification for, **F2910 (15.11)**
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Design and Performance of a Light Sport Glider, Specification for, **F2564 (15.11)**
Design and Performance Requirements for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2355 (15.11)**
Design and Performance Requirements for Powered Parachute Aircraft, Specification for, **F2244 (15.11)**
Design of the Command and Control System for Small Unmanned Aircraft Systems (sUAS), Specification for, **F3002 (15.11)**
Maintenance and Continued Airworthiness of Small Unmanned Aircraft Systems (sUAS), Practice for, **F2909 (15.11)**
Production Acceptance of Small Unmanned Aircraft System (sUAS), Practice for, **F2911 (15.11)**
Production Acceptance Testing System for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2356 (15.11)**
Quality Assurance of a Small Unmanned Aircraft System (sUAS), Specification for, **F3003 (15.11)**
Unmanned Aircraft System Airworthiness, Practices for, **F2501 (15.11)**

ALA grain size
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**

Alanine dosimetry
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**

ALARA program
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**

Alarms
Residential Pool Alarms, Safety Specification for, **F2208 (15.11)**
Statistically Evaluating Measurand Alarm Limits when Using Oil Analysis to Monitor Equipment and Oil for Fitness and Contamination, Guide for, **D7720 (05.04)**

Alarm signalling device/alarms
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Albino rats
See **Rats**

Alcohol
Determination of Methanol in Crude Oils by Multidimensional Gas Chromatography, Test Method for, **D7059 (05.04)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**
Determination of Trace Oxygenates in Automotive Spark-Ignition Engine Fuel by Multidimensional Gas Chromatography, Test Method for, **D7754 (05.04)**
Diacetone Alcohol, Specification for, **D2627 (06.04)**
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Alcohol-benzene solution
Acid-Insoluble Lignin in Wood, Test Method for, **D1106 (04.10)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**

Alcohol content
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
Automotive Spark-Ignition Engine Fuel, Specification for, **D4814 (05.02)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, Test Method for, **D3695 (11.02)**

Alcohol ethoxylates
Chemical Analysis of Alcohol Ethoxylates and Alkylphenol Ethoxylates, Test Methods for, **D4252 (15.04)**

Alcoholic beverages
Sensory Evaluation of Beverages Containing Alcohol, Guide for, **E1879 (15.08)**

Alcoholic potash extract
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Alcohol-insoluble matter content
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Alcohol resistance
Evaluation of Chemical Resistance of Printed Inks and Coatings on Flexible Packaging Materials, Practice for, **F2250 (15.10)**

Alcohol-soluble material
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**

Alcohol-soluble matter content
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Separation of Active Ingredient from Surfactant and Syndet Compositions, Test Method for, **D2358 (15.04)**

Alcohol wash method
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**

Aldehydes
Aldehydes in Mono-, Di-, and Triethylene Glycol (Spectrophotometric Method), Test Method for, **E2313 (15.05)**
Aldehydes in Styrene Monomer, Test Method for, **D2119 (06.04)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Determination of Carbonyls in C4 Hydrocarbons, Test Method for, **D4423 (05.02)**
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Purity of Aldehydes and Ketones, Test Method for, **D2192 (06.04)**
Total Aldehydes in Styrene Monomer by Potentiometric Titration, Test Method for, **D7704 (06.04)**

Algae
Algal Growth Potential Testing with Pseudokirchneriella subcapitata, Practice for, **D3978 (11.06)**
Chlorophyll Content of Algae in Surface Waters, Practices for Measurement of, **D3731 (11.02)**
Conducting Sexual Reproduction Tests with Seaweeds, Guide for, **E1498 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Determining Algal Resistance of Plastic Films, Practice for, **G29 (14.04)**
Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, Guide for, **D4610 (06.01)**
Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, Test Method for, **D5589 (06.01)**
Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, Test Method for, **D3274 (06.01)**
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**

Algal resistance
Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, Test Method for, **D5589 (06.01)**

Alginates
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2259 (13.01)**
Determining the Molar Mass of Sodium Alginate by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), Test Method for, **F2605 (13.02)**
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**

Algorithms
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**
Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, Guide for, **E1856 (03.01)**
Use of Spectral Searching by Curve Matching Algorithms with Data Recorded Using Mid-Infrared Spectroscopy, Guide for, **E2310 (03.06)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**
Verifying Computer-Generated Test Results Through The Use Of Standard Data Sets, Guide for, **E2443 (03.01)**

Alignment
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**

Aliphatic absorbance
Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, Practice for, **D6805 (04.04)**

Aliphatic ester lubricants
See **Lubricants (fluid)**

Aliphatic hydrocarbons
Sa **Aromatic hydrocarbons (AHs)**
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, Test Method for, **D5917 (06.04)**

Aliphatic olefins
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**

Aliphatic-solvent resistant coatings
Emulsified Refined Coal Tar (Mineral Colloid Type), Specification for, **D5727/D5727M (04.04)**

Aliphatic solvents
Testing Alkyd Compatibility with Resin or Resin Solutions, Test Method for, **D6887 (06.03)**

Alite
Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, Test Method for, **C1356 (04.01)**

Alkali-alumina silicates
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**

Alkali blue pigment
Assessing the Color Strength and Dispersibility of Alkali Blue Pigment in Hot Melt Carbon Copy Paper Ink, Test Method for, **F843 (15.09)**

Alkalies content
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Alkalies content—cement
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Masonry Cement, Specification for, **C91/C91M (04.01)**
Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, Test Methods for, **C311/C311M (04.02)**

Alkali extraction
1 % Sodium Hydroxide Solubility of Wood, Test Method for, **D1109 (04.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, Test Method for, **D5263 (05.06)**

Alkali halide pressed pellet technique
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Alkali-insoluble matter content
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**

Alkali-ion diode halogen leak testing
See **Leak testing**

Alkali metal-metal cyanide complex salts
Understanding Cyanide Species, Guide for, **D6696 (11.02)**

Alkaline cleaner
Sodium Bicarbonate, Specification for, **D928 (15.04)**
Surface Preparation and Marking of Metallic Surgical Implants, Practice for, **F86 (13.01)**

Alkaline detergents
Sampling and Chemical Analysis of Alkaline Detergents, Test Methods of, **D501 (15.04)**

Alkaline earth carbonates
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**

Alkaline earths/alkalies
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**

Alkaline electrolytes
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**

Alkaline environments
Stability of Cellulose Fibers in Alkaline Environments, Test Method for, **D6942 (06.03)**

Alkaline fusion
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**

Alkaline protease
Assay for Alkaline Protease, Test Method of, **D3048 (15.04)**

Alkaline stabilization
Alkaline Stabilization of Wastewater Treatment Plant Residuals, Guide for, **D6249 (04.01)**

Alkalinity
Sa **Acidity, alkalinity, pH**
Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2989 (15.05)**
Alkalinity in Acetone, Test Method for, **D1614 (06.04)**
Determination of Amine Acid Acceptance (Alkalinity) of Halogenated Organic Solvents, Test Methods for, **D2106 (15.05)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**

Alkali reactivity
Alkali Resistance of Ceramic Decorations on Returnable Beverage Glass Containers, Test Method for, **C675 (15.02)**
Disintegration of Carbon Refractories by Alkali, Test Method for, **C454 (15.01)**
Hydraulic Activity of Slag Cement by Reaction with Alkali, Test Method for, **C1073 (04.02)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Petrographic Examination of Hardened Concrete, Practice for, **C856 (04.02)**
Quantitative Determination of Alkali Resistance of a Ceramic-Glass Enamel, Test Method for, **C1203 (15.02)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Alkali reactivity—aggregates
See **Aggregate (potential alkali reactivity)**

Alkali resistance
Alkali Resistance of Fiber Reinforced Polymer (FRP) Matrix Composite Bars used in Concrete Construction, Test Method for, **D7705/D7705M (15.03)**
Alkali Resistance of Porcelain Enamels, Test Method for, **C614 (02.05)**
Alkali Resistant (AR) Glass Fiber for GFRC and Fiber-Reinforced Concrete and Cement, Specification for, **C1666/C1666M (04.05)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Pigments for Integrally Colored Concrete, Specification for, **C979/C979M (04.02)**

Alkali-resistant brick
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**

Alkali resistant iron blue
See **Iron blue pigment**

Alkali-silica
Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), Test Method for, **C1567 (04.02)**

Alkali solubility
Alkali-Solubility of Wools, Test Method for, **D1283 (07.01)**
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**

Alkali-soluble resins
Sa **Resins**
Acid Number of Certain Alkali-Soluble Resins, Test Method for, **D3643 (15.04)**
Preparing a Solution of Alkali–Soluble Resins, Practice for, **D3837 (15.04)**
Softening Point of Certain Alkali-Soluble Resins, Test Method for, **D3642 (15.04)**

Alkali test
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Alkanes/Alkenes
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**

Alkoxyl groups
Apparatus for Microdetermination of Alkoxyl Groups, Specification for, **E236 (14.04)**

Alkyd resins
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
High-Gravity Glycerin, Specification for, **D1257 (06.04)**

Alkyds/alkyd materials/applications
Sa **Solventborne paints/coatings**
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Selecting and Constructing Exposure Scenarios for Assessment of Exposures to Alkyd and Latex Interior Paints, Practice for, **D6669 (11.07)**
Testing Alkyd Compatibility with Resin or Resin Solutions, Test Method for, **D6887 (06.03)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, Test Method for, **D6900 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Alkyl-aryl
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Alkylated diphenylamines
Measurement of Hindered Phenolic and Aromatic Amine Antioxidant Content in Non-zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6971 (05.03)**
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Alkylates
Analysis of Linear Detergent Alkylates, Test Methods for, **D4337 (15.04)**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
Alkylbenzene compounds
Sa **Detergent materials/systems**
Active Matter in Anionic Surfactants by Potentiometric Titration, Test Method for, **D4251 (15.04)**
Detergent Alkylate, Test Methods for, **D1569 (15.04)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Sodium Alkylbenzene Sulfonate in Synthetic Detergents by Ultraviolet Absorption, Test Method for, **D1768 (15.04)**
Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, Test Method for, **D4711 (15.04)**
***n*-Alkyldimethylbenzylammonium chloride**
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
***n*-Alkyldimethylethylbenzylammonium chloride**
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
Alkyl nitrate content
Alkyl Nitrate in Diesel Fuels by Spectrophotometry, Test Method for, **D4046 (05.02)**
Alkylphenol ethoxylates
Chemical Analysis of Alcohol Ethoxylates and Alkylphenol Ethoxylates, Test Methods for, **D4252 (15.04)**
Determination of Nonylphenol Polyethoxylates (NPnEO, $3 \leq n \leq 18$) and Octylphenol Polyethoxylates (OPnEO, $2 \leq n \leq 12$) in Water by Single Reaction Monitoring (SRM) Liquid Chromatography/ Tandem Mass Spectrometry (LC/MS/MS), Practice for, **D7742 (11.02)**
Alkyl-substituted phenols
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
All-day testing
See **Twenty-four hour testing**
Allergens
Biological Properties of Industry Reference Materials (IRM), Specification for, **D7850 (09.02)**
Immunological Measurement of Four Principal Allergenic Proteins (Hev b 1, 3, 5 and 6.02) in Natural Rubber and Its Products Derived from Latex, Test Method for, **D7427 (09.02)**
Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, Practice for, **F720 (13.01)**
Allergic contact dermatitis (ACD)
Human Repeat Insult Patch Testing of Medical Gloves, Test Method for, **D6355 (09.02)**
Allogeneic
Composition of Anorganic Bone for Surgical Implants, Specification for, **F1581 (13.01)**
Allowable properties
Sa **Mechanical properties**
Assigning Allowable Properties for Mechanically Graded Lumber, Practice for, **D6570 (04.10)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Establishing Allowable Stresses for Round Timber Piles, Practice for, **D2899 (04.10)**
Allowable stresses
Establishing Allowable Stresses for Round Timbers for Piles from Tests of Full-Size Material, Practice for, **D7381 (04.10)**
Allowance
Allowance, Contingency, and Reserve Sums in Building Construction Estimating, Classification for, **E2168 (04.12)**
Alloy coating
See **Hot-dip (galvanized) coatings**
Alloy equivalent weight
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Alloying additives
See **Stainless steel alloying additives**
Alloys
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Exposing and Evaluating Metals and Alloys in Surface Seawater, Practice for, **G52 (03.02)**
Identification of Metals and Alloys in Computerized Material Property Databases, Guide for, **E1338 (02.05)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Alloy steel
Sa **Carbon steel bolting materials—specifications**
Electrochemical Measurement of Diffusible Hydrogen in Steels (Barnacle Electrode), Test Method for, **F1113 (15.03)**
Multilayer Thermoplastic And Flexible Steel Pipe And Connections, Specification for, **F2805 (08.04)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Specifying Harmonized Standard Grade Compositions for Wrought Carbon, Low-Alloy, and Alloy Steels, Guide for, **A1040 (01.05)**
Steel, Stainless Steel, Related Alloys, and Ferroalloys, Terminology Relating to, **A941 (01.01, 01.02, 01.03, 01.04, 01.05)**
Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners, Specification for, **F2329 (01.08)**
Alloy steel—tool steel
See **Tool steel—specifications**
Alloy steel bars
Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, Test Method for, **A944 (01.04)**
Macroetch Testing of Consumable Electrode Remelted Steel Bars and Billets, Practice for, **A604/A604M (01.05)**
Alloy steel bars—specifications
Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, Specification for, **A320/A320M (01.01)**
Carbon and Alloy Steel Bars for Springs, Specification for, **A689 (01.05)**
Carbon and Alloy Steel Bars Subject to End-Quench Hardenability Requirements, Specification for, **A304 (01.05)**
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **A572/A572M (01.04)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement, Specification for, **A706/A706M (01.04)**
Stainless and Alloy-Steel Turbine-Type Bolting Specially Heat Treated for High-Temperature Service, Specification for, **A437/A437M (01.01)**
Steel Bars Subject to Restricted End-Quench Hardenability Requirements, Specification for, **A914/A914M (01.05)**
Steel Bars, Alloy, Hot-Wrought or Cold-Finished, Quenched and Tempered, Specification for, **A434 (01.05)**
Steel Bars, Alloy, Hot-Wrought, for Elevated Temperature or Pressure-Containing Parts, or Both, Specification for, **A739 (01.05)**
Steel Bars, Alloy, Standard Grades, Specification for, **A322 (01.05)**
Steel Bars, Alloys, for Nitriding, Specification for, **A355 (01.05)**
Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for, Specification for, **A29/A29M (01.05)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

Alloy steel blooms/billets—specifications
Premium Quality Alloy Steel Blooms and Billets for Aircraft and Aerospace Forgings, Specification for, **A646/A646M (01.05)**

Alloy steel bolting materials—specifications
Alloy Steel Eyebolts, Specification for, **F541 (01.08)**
Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications, Specification for, **A193/A193M (01.01)**
Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, Specification for, **A320/A320M (01.01)**
Alloy-Steel Bolting for Special Applications, Specification for, **A540/A540M (01.01)**
Carbon and Alloy Steel Nuts, Specification for, **A563 (01.08)**
Carbon and Alloy Steel Nuts (Metric), Specification for, **A563M (01.08)**
Carbon and Alloy Steel Nuts for Bolts for High Pressure or High Temperature Service, or Both, Specification for, **A194/A194M (01.01)**
Forged Grade 80 and Grade 100 Steel Lifting Components and Welded Attachment Links, Specification for, **A952/A952M (01.05)**
High-Strength Steel Bolts, Classes 10.9 and 10.9.3, for Structural Steel Joints (Metric), Specification for, **A490M (01.08)**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**
Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners, Specification for, **A354 (01.08)**
Stainless and Alloy-Steel Turbine-Type Bolting Specially Heat Treated for High-Temperature Service, Specification for, **A437/A437M (01.01)**
Structural Bolts, Alloy Steel, Heat Treated, 150 ksi Minimum Tensile Strength, Specification for, **A490 (01.08)**

Alloy steel castings
Castings, Carbon, Low-Alloy, and Martensitic Stainless Steel, Ultrasonic Examination Thereof, Practice for, **A609/A609M (01.02)**
Castings, Investment, Carbon and Low Alloy Steel for General Application, and Cobalt Alloy for High Strength at Elevated Temperatures, Specification for, **A732/A732M (01.02)**
Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A781/A781M (01.02)**
Hot Isostatic Pressing of Steel, Stainless Steel, and Related Alloy Castings, Practice for, **A1080 (01.02)**
Investment Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A957/A957M (01.02)**
Steel Castings Suitable for Pressure Service, Specification for, **A487/A487M (01.02)**
Steel Castings, Alloy, Specially Heat-Treated, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A389/A389M (01.02)**
Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A958/A958M (01.02)**
Steel Castings, Carbon, and Alloy, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A915/A915M (01.02)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Steel Castings, High Strength, for Structural Purposes, Specification for, **A148/A148M (01.02)**
Steel Castings, Martensitic Stainless and Alloy, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A217/A217M (01.02)**
Steel Forging Stock, Specification for, **A711/A711M (01.05)**

Alloy steel chain—specifications
Sa **Steel chain—specifications**
Grade 100 Alloy Steel Chain, Specification for, **A973/A973M (01.05)**
Grade 80 Alloy Steel Chain, Specification for, **A391/A391M (01.05)**
Grade 80 and Grade 100 Alloy Steel Chain Slings for Overhead Lifting, Specification for, **A906/A906M (01.05)**

Alloy steel crankshafts—specifications
Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, Specification for, **A983/A983M (01.05)**

Alloy steel fittings—specifications
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service, Specification for, **A420/A420M (01.01)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and High Temperature Service, Specification for, **A234/A234M (01.01)**

Alloy steel flanges—specifications
Sa **Steel flanges—specifications**
Forged Carbon and Alloy Steel Flanges for Low-Temperature Service, Specification for, **A707/A707M (01.01)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**

Alloy steel forgings—specifications
Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A859/A859M (01.05)**
Alloy Steel Forgings for High-Strength Pressure Component Application, Specification for, **A723/A723M (01.05)**
Alloy Steel Forgings for Nonmagnetic Retaining Rings for Generators, Specification for, **A289/A289M (01.05)**
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Specification for, **A288 (01.05)**
Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, Specification for, **A694/A694M (01.01)**
Carbon and Alloy Steel Forgings for Rings for Reduction Gears, Specification for, **A290/A290M (01.05)**
Carbon and Alloy Steel Forgings for Thin-Walled Pressure Vessels, Specification for, **A372/A372M (01.05)**
Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service, Specification for, **A369/A369M (01.01)**
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
Carbon Steel and Low-Alloy Steel Pressure-Vessel-Component Forgings with Mandatory Toughness Requirements, Specification for, **A765/A765M (01.05)**
Forged Grade 80 and Grade 100 Steel Lifting Components and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Welded Attachment Links, Specification for, **A952/A952M (01.05)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**
Premium Quality Alloy Steel Blooms and Billets for Aircraft and Aerospace Forgings, Specification for, **A646/A646M (01.05)**
Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, Specification for, **A1048/A1048M (01.05)**
Quenched and Tempered Carbon and Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A541/A541M (01.05)**
Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, Specification for, **A508/A508M (01.05)**
Steel Forging Stock, Specification for, **A711/A711M (01.05)**
Steel Forgings, Alloy, for Carburizing Applications, Specification for, **A837/A837M (01.05)**
Steel Forgings, Carbon and Alloy, for General Industrial Use, Specification for, **A668/A668M (01.05)**
Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, Specification for, **A291/A291M (01.05)**
Superstrength Alloy Steel Forgings, Specification for, **A579/A579M (01.05)**
Vacuum Treated Steel Forgings, Alloy, Differentially Heat Treated, for Turbine Rotors, Specification for, **A940/A940M (01.05)**
Vacuum-Treated Carbon and Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A470/A470M (01.05)**

Alloy steel pipe—specifications
Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures, Specification for, **A691/A691M (01.01)**
Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service, Specification for, **A369/A369M (01.01)**
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
General Requirements for Alloy and Stainless Steel Pipe, Specification for, **A999/A999M (01.01)**
General Requirements for Specialized Carbon and Alloy Steel Pipe, Specification for, **A530/A530M (01.01)**
High-Strength Low-Alloy Welded and Seamless Steel Pipe, Specification for, **A714 (01.01)**
Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, Specification for, **A333/A333M (01.01)**
Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service, Specification for, **A335/A335M (01.01)**

Alloy steel plate
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Alloy steel plate—specifications
Alloy Structural Steel Plates, Specification for, **A829/A829M (01.04)**
General Requirements for Steel Plates for Pressure Vessels, Specification for, **A20/A20M (01.04)**
High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), Specification for, **A913/A913M (01.04)**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**
Hot-Rolled Carbon, Low-Alloy, High-Strength Low-Alloy, and Alloy Steel Floor Plates, Specification for, **A786/A786M (01.04)**
Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, Specification for, **A656/A656M (01.04)**
Pressure Vessel Plates, 5 % and 5 1/2 % Nickel Alloy Steels, Specially Heat Treated, Specification for, **A645/A645M (01.04)**
Pressure Vessel Plates, Alloy Steel and High-Strength Low-Alloy Steel, Quenched-and-Tempered, Specification for, **A734/A734M (01.04)**
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum, Specification for, **A387/A387M (01.04)**
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum-Tungsten, Specification for, **A1017/A1017M (01.04)**
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum-Vanadium, Specification for, **A832/A832M (01.04)**
Pressure Vessel Plates, Alloy Steel, Double-Normalized and Tempered 9 % Nickel, Specification for, **A353/A353M (01.04)**
Pressure Vessel Plates, Alloy Steel, High-Strength, Quenched and Tempered, Specification for, **A517/A517M (01.04)**
Pressure Vessel Plates, Alloy Steel, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A302/A302M (01.04)**
Pressure Vessel Plates, Alloy Steel, Manganese-Vanadium-Nickel, Specification for, **A225/A225M (01.04)**
Pressure Vessel Plates, Alloy Steel, Molybdenum, Specification for, **A204/A204M (01.04)**
Pressure Vessel Plates, Alloy Steel, Nickel, Specification for, **A203/A203M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered 8 and 9 % Nickel, Specification for, **A553/A553M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Nickel-Chromium-Molybdenum, Specification for, **A543/A543M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A533/A533M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched-and-Tempered, Chromium-Molybdenum, and Chromium-Molybdenum-Vanadium, Specification for, **A542/A542M (01.04)**
Pressure Vessel Plates, High-Strength, Low-Alloy Steel, Specification for, **A737/A737M (01.04)**
Pressure Vessel Plates, Low-Carbon Age-Hardening Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Steel, Specification for, **A736/A736M (01.04)**
Stainless Chromium-Nickel Steel-Clad Plate, Specification for, **A264 (01.04)**
Steel Plates, 9% Nickel Alloy, for Pressure Vessels, Produced by the Direct-Quenching Process, Specification for, **A844/A844M (01.04)**
Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, Specification for, **A578/A578M (01.04)**
Straight-Beam Ultrasonic Examination of Steel Plates, Specification for, **A435/A435M (01.04)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

Alloy steel screws—specifications
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F835 (01.08)**
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F835M (01.08)**
Alloy Steel Socket Set Screws, Specification for, **F912 (01.08)**
Alloy Steel Socket Set Screws (Metric), Specification for, **F912M (01.08)**
Alloy Steel Socket-Head Cap Screws, Specification for, **A574 (01.08)**
Alloy Steel Socket-Head Cap Screws (Metric), Specification for, **A574M (01.08)**

Alloy steel sheet/strip—specifications
Sa **Steel sheet/strip**
Alloy and Structural Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, Specification for, **A506 (01.03)**
Drawing Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rolled, Specification for, **A507 (01.03)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Screws, Alloy Steel, Heat Treated, 1170 MPa Minimum Tensile Strength Metric, Specification for, **F2882M (01.08)**
Screws, Alloy Steel, Heat Treated, 170 ksi Minimum Tensile Strength, Specification for, **F2882 (01.08)**
Steel Forgings, General Requirements, Specification for, **A788/A788M (01.05)**
Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process, Specification for, **A792/A792M (01.06)**
Steel Sheet, Aluminum-Coated, by the Hot-Dip Process, Specification for, **A463/A463M (01.06)**
Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, Specification for, **A742/A742M (01.06)**
Steel, Sheet and Strip, Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A505 (01.03)**
Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance, Specification for, **A606/A606M (01.03)**
Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A568/A568M (01.03)**
Steel, Strip, Carbon and High-Strength, Low-Alloy, Hot-Rolled, General Requirements for, Specification for, **A749/A749M (01.03)**
Tin Mill Products, Electrolytic Tin-Coated, Cold-Rolled Sheet, Specification for, **A599/A599M (01.06)**
Weight Mass of Coating on Aluminum-Coated Iron or Steel Articles, Test Method for, **A428/A428M (01.06)**

Alloy steel tube—specifications
Sa **Steel tube**
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Commercial Steel (CS), Sheet, Carbon (0.16 % Maximum to 0.25 % Maximum), Cold-Rolled, Specification for, **A794/A794M (01.03)**
Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing, Specification for, **A513/A513M (01.01)**
General Requirements for Carbon and Low Alloy Steel Tubes, Specification for, **A450/A450M (01.01)**
General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, Specification for, **A1016/A1016M (01.01)**
Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing, Specification for, **A618/A618M (01.01)**
Seamless and Electric-Welded Low-Alloy Steel Tubes, Specification for, **A423/A423M (01.01)**
Seamless and Welded Carbon and Alloy-Steel Tubes for Low-Temperature Service, Specification for, **A334/A334M (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless Carbon and Alloy Steel Mechanical Tubing, Specification for, **A519 (01.01)**
Seamless Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes, Specification for, **A209/A209M (01.01)**
Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, Specification for, **A213/A213M (01.01)**

Alloy steel wire—specifications
Sa **Steel springs—specifications**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**
Steel Wire, Carbon and Alloy Specialty Spring Quality, Specification for, **A1000/A1000M (01.03)**

Alloy-tin couple (ATC) test
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Alloy wires
Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, Specification for, **B941 (02.03)**
Temperature-Resistance Constants of Alloy Wires for Precision Resistors, Test Method for, **B84 (02.04)**

Allyl molding compound
Sa **Molding/extrusion compounds/materials**
Allyl Molding Compounds, Specification for, **D1636 (08.01)**
Compression Molding Test Specimens of Thermosetting Molding Compounds, Practice for, **D5224 (08.03)**

Alpaca
Fineness of Types of Alpaca, Specification for, **D2252 (07.01)**
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**

Alphabet
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**

Alphabetical stress-corrosion ratings
Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**

Alphabetical units of measurement
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**

Alpha-emitting actinides
Mounting Actinides for Alpha Spectrometry Using Neodymium Fluoride, Practice for, **C1163 (12.01)**

Alpha friction/wear testing machine (LFW-1)
Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, Test Method for, **D2714 (05.01)**

Alpha growth factor (AGF)
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**

Alpha gypsum cement
Sa **Gypsum products—specifications**
Glass Fiber Reinforced Gypsum Composites, Specification for, **C1355/C1355M (04.01)**

Alpha olefin sulfonates
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**

Alpha particle radioactivity
Alpha and Beta Activity in Water By Liquid Scintillation Counting, Test Method for, **D7283 (11.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**

Alpha particle radioactivity—water
Alpha Particle Radioactivity of Water, Test Method for, **D1943 (11.02)**
Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
Measurement of Radioactivity, Practices for the, **D3648 (11.02)**
Set-up, Calibration, and Quality Control of Instruments Used for Radioactivity Measurements, Practice for, **D7282 (11.02)**

Alpha pulse-height analysis
Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
Isotopic Uranium in Water by Radiochemistry, Test Method for, **D3972 (11.02)**
Plutonium in Water, Test Method for, **D3865 (11.02)**

Alpha radiation
Interpretation of Existing Field Instrumentation to Influence Emergency Response Decisions, Guide for, **D7316 (11.02)**

Alpha spectrometry
238Pu Isotopic Abundance By Alpha Spectrometry, Test Method for, **C1415 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
Determination of Plutonium and Neptunium in Uranium Hexafluoride and U-Rich Matrix by Alpha Spectrometry, Guide for, **C1561 (12.01)**
Determination of Uranium-232 in Uranium Hexafluoride, Guide for the, **C1636 (12.01)**
Electrodeposition of the Actinides for Alpha Spectrometry, Practice for, **C1284 (12.01)**
Mounting Actinides for Alpha Spectrometry Using Neodymium Fluoride, Practice for, **C1163 (12.01)**
Radiochemical Determination of Plutonium in Soil by Alpha Spectroscopy, Test Method for, **C1001 (12.01)**
Radiochemical Determination of Uranium Isotopes in Soil by Alpha Spectrometry, Test Method for, **C1000 (12.01)**
Radiochemical Determination of Uranium Isotopes in Urine by Alpha Spectrometry, Test Method for, **C1473 (12.01)**
The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, Test Method for, **C1205 (12.01)**

Alpha titanium forgings
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**

Alpha-tocopherol (vitamin E)
Ultra-High Molecular Weight Polyethylene Powder Blended With Alpha-Tocopherol (Vitamin E) and Fabricated Forms for Surgical Implant Applications, Specification for, **F2695 (13.02)**

Alpha (total) activity
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**

Alpha-tricalcium phosphate
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**

Alpine endorsement
Training of Search and Rescue Personnel Operating in the Alpine Environment (Alpine Endorsement), Guide for, **F3028 (13.02)**

Alpine skis
Center Spring Constant and Spring Constant Balance of Alpine Skis, Test Method for, **F498 (15.07)**
Determining Mass and Moment of Inertia of Alpine Skis, Test Method for, **F1722 (15.07)**
Geometry of Alpine Skis, Terminology for, **F472 (15.07)**
Linear Deformation and Breaking Strength of Alpine Skis, Test Method for, **F780 (15.07)**
Torsion Characteristic of Alpine Skis, Test Method for, **F779 (15.07)**
Verification of Ski Binding Test Devices, Test Method for, **F1062 (15.07)**

Alpine skis—specifications
Ski and Snowboard Goggles, Specification for, **F659 (15.07)**
Ski Binding Test Devices, Specification for, **F1061 (15.07)**

Alpine skis (binding/mounting area)
Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, Practice for, **F1063 (15.07)**
Measuring the Quasi-Static Release Moments of Alpine Ski Bindings, Test Method for, **F504 (15.07)**
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**
Selection of Release Torque Values for Alpine Ski Bindings, Practice for, **F939 (15.07)**
Verification of Ski Binding Test Devices, Test Method for, **F1062 (15.07)**

Alpine skis (binding/mounting area)—specifications
Binding Mounting Area Dimensions on Alpine Skis and Bindings, Specification for, **F473 (15.07)**
Ski Binding Test Devices, Specification for, **F1061 (15.07)**

Altazimuth tracking mount
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**

Alteration
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**

Alternate calibration vessel uniform compaction check
Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, Test Method for, **D6347/D6347M (05.06)**

Alternate core bonding tests
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**

Alternate immersion test
Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**

Alternating-current measurement
Sa **A-C (alternating-current) magnetic properties**
Examination of Drillstring Threads Using the Alternating Current Field Measurement Technique, Practice for, **E2928/E2928M (03.03)**
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**

Alternating-current permeability
AC Magnetic Permeability of Materials Using Sinusoidal Current, Test Method for, **A772/A772M (03.04)**
Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, Test Method for, **A697/A697M (03.04)**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
Alternating-Current Magnetic Properties of Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A927/A927M (03.04)**
Carbon and Alloy Steel Bars Subject to End-Quench Hardenability Requirements, Specification for, **A304 (01.05)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
Measuring Power Frequency Magnetic Properties of Flat-Rolled Electrical Steels Using Small Single Sheet Testers, Guide for, **A1036 (03.04)**

Alternating magnetic fields
See **Magnetic shields**

Alternative agricultural products
Design of Earthen Wall Building Systems, Guide for, **E2392/E2392M (04.12)**

Alternative daily covers (ADC)
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, Specification for, **D6826 (04.13)**

Alternative emergency warning light system
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

3-Alternative-Forced-Choice (3-AFC) presentation
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Alternative fuel
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Installation of Roof Mounted Photovoltaic Arrays on Steep-Slope Roofs, Practice for, **E2766 (12.02)**
Alternative indicator method
Total, Primary, Secondary, and Tertiary Amine Values of Fatty Amines by Alternative Indicator Method, Test Methods for, **D2074 (06.03)**
Alternative pathway complement activation
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Alternative solvent systems
Water in Insulating Liquids by Coulometric Karl Fischer Titration, Test Method for, **D1533 (10.03)**
Altitude
Determining the Effects of High Altitude on Packaging Systems by Vacuum Method, Test Methods for, **D6653/D6653M (15.10)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Alumina
Aluminum Oxide Powder, Specification for, **F7 (10.04)**
Analysis of Magnesium Silicate Pigment, Test Methods for, **D717 (06.03)**
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, Test Method for, **C1070 (15.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Gamma Alumina Content in Catalysts Containing Silica and Alumina by X-ray Powder Diffraction, Test Method for, **D4926 (05.05)**
Platinum in Reforming Catalysts by Wet Chemistry, Test Method for, **D4642 (05.05)**
Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, Test Method for, **C1069 (15.02)**
Alumina-base catalysts
Sa **Catalysts/catalyst carriers**
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**
Total Cobalt in Alumina-Base Cobalt-Molybdenum Catalyst by Potentiometric Titration Method, Test Method for, **D3610 (05.05)**
Total Molybdenum in Fresh Alumina-Base Catalysts, Test Method for, **D3943 (05.05)**
Total Nickel in Fresh Alumina-Base Catalysts, Test Method for, **D4481 (05.05)**
Alumina ceramics
Alumina Ceramics for Electrical and Electronic Applications, Specification for, **D2442 (15.02)**
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Alumina hydrate
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Alumina powder—particle size distribution
Determining the Particle Size Distribution of Alumina by Centrifugal Photosedimentation, Test Method for, **C1182 (15.02)**
Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **C958 (15.02)**
Particle Size Distribution of Alumina or Quartz Powders by Electrical Sensing Zone Technique, Test Method for, **C690 (15.02)**
Precision Electroformed Wet Sieve Analysis of Nonplastic Ceramic Powders, Guide for, **C925 (15.02)**
Alumina refractories
See **Refractories (alumina)**
Alumina-silica high-temperature thermal insulation
High-Temperature Fiber Blanket Thermal Insulation, Specification for, **C892 (04.06)**
Aluminate
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**
Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, Test Method for, **C1356 (04.01)**
Aluminium oxide (AlO)
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**
Nuclear-Grade Aluminum Oxide Pellets, Specification for, **C785 (12.01)**
Aluminizing
Aluminum Diffusion Coating Applied by Pack Cementation Process, Specification for, **B875 (02.05)**
Alumino-silicate
Mullite Refractories, Classification of, **C467 (15.01)**
Aluminum
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium with Powder Bed Fusion, Specification for, **F2924 (10.04)**
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Aluminum Jacketing for Insulation, Specification for, **C1729 (04.06)**
Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, Test Method for, **D2943 (15.05)**
Aluminum-Alloy Centrifugal Castings, Specification for, **B955/B955M (02.02)**
American National Standard Dimensional Tolerances for Aluminum Mill Products, **ANSIH35.2-2009** (Related Material) **(02.02)**
American National Standard Dimensional Tolerances for Aluminum Mill Products (Metric), **ANSIH35.2(M)-2009** (Related Material) **(02.02)**
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Fiber Reinforced Aluminum Matrix Composite (AMC) Core Wire for Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B976 (02.03)**
Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, Specification for, **B941 (02.03)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Aluminum, Test Method for, **E266 (12.02)**
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, Specification for, **B921 (02.05)**
Packaging/Packing of Aluminum and Magnesium Products, Practices for, **B660 (02.02)**
Peel Resistance of Adhesives (T-Peel Test), Test Method for, **D1876 (15.06)**
Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, Guide for, **B909 (02.02)**
Preparation of Aluminum and Aluminum-Alloy Surfaces for Painting, Practices for, **D1730 (02.05)**
Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), Guide for, **D3933 (15.06)**
Preparation of Hot-Dip Aluminum Surfaces for Painting, Practices for, **D1731 (02.05)**
Radioscopy, Guide for, **E1000 (03.03)**
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, Guide for, **D6353 (05.03)**
Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, Guide for, **D6354 (05.03)**
Shear Testing of Aluminum and Aluminum-Alloy Rivets and Cold-Heading Wire and Rods, Test Method for, **B565 (02.02)**
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**
Substrates Used in Testing Building Seals and Sealants, Guide for, **C1375 (04.07)**

Aluminum—specifications
Sa **Structural aluminum—specifications**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
Aluminum Diffusion Coating Applied by Pack Cementation Process, Specification for, **B875 (02.05)**
Aluminum Foil for Capacitors, Specification for, **B373 (02.02)**
Aluminum for Use in Iron and Steel Manufacture, Specification for, **B37 (02.02)**
Aluminum Transmission Tower Bolts and Nuts, Specification for, **F901 (01.08)**
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**
Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications, Specification for, **B479 (02.02)**
Chromates on Aluminum, Specification for, **B449 (02.05)**
Construction of Fire and Foam Station Cabinets, Specification for, **F1333 (01.07)**
Factory-Made Wrought Aluminum and Aluminum-Alloy Welding Fittings, Specification for, **B361 (02.02)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Shelter, Electrical, Equipment S-280/G, Specification for, **E1975 (04.11)**
Shelter, Tactical, Expandable, One-Side, Specification for, **E1977 (04.11)**
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**
Shelter, Tactical, Nonexpandable, Specification for, **E1976 (04.11)**
Sintered Aluminum Structural Parts, Specification for, **B595 (02.05)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric, Specification for, **F1345 (01.06)**

Aluminum 1350 drawing stock
Aluminum 1350 Drawing Stock for Electrical Purposes, Specification for, **B233 (02.03)**

Aluminum absorption curve
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**

Aluminum alloying additives
Sa **Stainless steel alloying additives**
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**

Aluminum alloys
Aluminum Alloy Extrusions Press Cooled from an Elevated Temperature Shaping Process for Production of T1, T2, T5 and T10–Type Tempers, Practice for, **B945 (02.02)**
Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, Test Method for, **D2943 (15.05)**
Aluminum- and Magnesium-Alloy Products, Terminology Relating to, **B881 (02.02)**
Aluminum-Alloy Castings Produced by the Squeeze Casting, Thixocast and Rheocast Semi-Solid Casting Processes, Specification for, **B969/B969M (02.02)**
Aluminum-Alloy Centrifugal Castings, Specification for, **B955/B955M (02.02)**
American National Standard Dimensional Tolerances for Aluminum Mill Products, **ANSIH35.2-2009** (Related Material) **(02.02)**
American National Standard Dimensional Tolerances for Aluminum Mill Products (Metric), **ANSIH35.2(M)-2009** (Related Material) **(02.02)**
Bulge-Forming Superplastic Metallic Sheet, Test Methods for, **E2712 (03.01)**
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Contact Ultrasonic Testing of Weldments, Practice for, **E164 (03.03)**
Determination of Cooling Characteristics of Aqueous Polymer Quenchants for Aluminum Alloys by Cooling Curve Analysis, Test Method for, **D7646 (05.04)**
Determination of Hydrogen in Aluminum and Aluminum Alloys by Inert Gas Fusion, Test Method for, **E2792 (03.05)**
Extrusion Press Solution Heat Treatment for Aluminum Alloys, Practice for, **B807/B807M (02.02)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Heat Treatment of Wrought Aluminum Alloys, Practice for, **B918/B918M (02.02)**
Hot Rolling Mill Solution Heat Treatment for Aluminum Alloy Plate, Practice for, **B947 (02.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Identification Marking of Aluminum and Magnesium Products, Practice for, **B666/B666M (02.02)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Metallographic Sample Preparation of Cemented Tungsten Carbides, Guide for, **B665 (02.05)**
Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, Specification for, **B921 (02.05)**
Packaging/Packing of Aluminum and Magnesium Products, Practices for, **B660 (02.02)**
Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, Guide for, **B909 (02.02)**
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of Aluminum and Aluminum-Alloy Surfaces for Painting, Practices for, **D1730 (02.05)**
Preparation of Hot-Dip Aluminum Surfaces for Painting, Practices for, **D1731 (02.05)**
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**
Sandwich Corrosion Test, Test Method for, **F1110 (15.03)**
Shear Testing of Aluminum Alloys, Test Method for, **B769 (02.02)**
Shear Testing of Thin Aluminum Alloy Products, Test Method for, **B831 (02.02)**
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**
Tear Testing of Aluminum Alloy Products, Test Method for, **B871 (02.02)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products, Test Methods for, **B557 (02.02)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products (Metric), Test Methods for, **B557M (02.02)**
Thickness of Foil, Thin Sheet, and Film by Mass Measurement, Test Method for, **E252 (02.02)**
Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), Test Method for, **G66 (03.02)**

Aluminum alloys—corrosion by engine coolants
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**
Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
Simulated Service Corrosion Testing of Engine Coolants, Test Method for, **D2570 (15.05)**
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**

Aluminum alloys—corrosion testing
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Conducting Exfoliation Corrosion Tests in Aluminum Alloys, Guide for, **G112 (03.02)**
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Determining Stress-Corrosion Cracking Resistance of Heat-Treatable Aluminum Alloy Products Using Breaking Load Method, Test Method for, **G139 (03.02)**
Determining Susceptibility to Stress-Corrosion Cracking of 2XXX and 7XXX Aluminum Alloy Products, Test Method for, **G47 (03.02)**
Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test), Test Method for, **G67 (03.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, Practice for, **G110 (03.02)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), Test Method for, **G34 (03.02)**
Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**
Measurement of Corrosion Potentials of Aluminum Alloys, Test Method for, **G69 (03.02)**
Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), Test Method for, **G66 (03.02)**

Aluminum alloys—indentation hardness
Indentation Hardness of Aluminum Alloys by Means of a Barcol Impressor, Test Method for, **B648 (02.02)**
Indentation Hardness of Aluminum Alloys by Means of a Webster Hardness Gage, Test Method for, **B647 (02.02)**

Aluminum alloys—metallography
See **Metallographic analysis/inspection**

Aluminum alloys—specifications
Aluminum Alloy Chain Link Fence Fabric, Specification for, **F1183 (01.06)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Aluminum for Use in Iron and Steel Manufacture, Specification for, **B37 (02.02)**
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Aluminum-Alloy Rolled Tread Plate, Specification for, **B632/B632M (02.02)**
Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications, Specification for, **B479 (02.02)**
Anodic Oxide Coatings on Aluminum, Specification for, **B580 (02.05)**
Chromates on Aluminum, Specification for, **B449 (02.05)**
Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, Specification for, **B603 (02.04)**
Factory-Made Wrought Aluminum and Aluminum-Alloy Welding Fittings, Specification for, **B361 (02.02)**
GALFAN, Specification for, **B750 (02.04)**
High Magnesium Aluminum-Alloy Sheet and Plate for Marine Service and Similar Environments, Specification for, **B928/B928M (02.02)**
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Pinhole Determination in Aluminum and Aluminum Alloy Plain Foil by Means of a Light Table, Method for, **B926 (02.02)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Shelter, Electrical, Equipment S-280/G, Specification for, **E1975 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Shelter, Tactical, Expandable, One-Side, Specification for, **E1977 (04.11)**
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**
Shelter, Tactical, Nonexpandable, Specification for, **E1976 (04.11)**
Sintered Aluminum Structural Parts, Specification for, **B595 (02.05)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**

Aluminum alloys—spectrochemical analysis
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Sampling and Sample Preparation of Aluminum and Aluminum Alloys for Determination of Chemical Composition by Spectrochemical Analysis, Practices for, **E716 (03.05)**

Aluminum alloys—surface preparation for adhesive bonding
Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, Methods of, **D2674 (15.06)**
Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), Guide for, **D3933 (15.06)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**

Aluminum alloys—ultrasonic inspection
Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels, Test Method for, **B548 (02.02)**
Ultrasonic Inspection of Aluminum-Alloy Wrought Products, Practice for, **B594 (02.02)**

Aluminum alloys (anodic coatings)
Measurement of Coating Mass Per Unit Area on Anodically Coated Aluminum, Test Method for, **B137 (02.05)**
Measurement of Impedance of Anodic Coatings on Aluminum, Test Method for, **B457 (02.05)**
Measurement of Stain Resistance of Anodic Coatings on Aluminum, Method for, **B136 (02.05)**
Seal Quality of Anodic Coatings on Aluminum by Acid Dissolution, Test Method for, **B680 (02.05)**

Aluminum alloys (anodic coatings)—specifications
Anodic Oxide Coatings on Aluminum, Specification for, **B580 (02.05)**
Sintered Aluminum Structural Parts, Specification for, **B595 (02.05)**

Aluminum alloys (castings)
Aluminum-Alloy Castings Produced by the Squeeze Casting, Thixocast and Rheocast Semi-Solid Casting Processes, Specification for, **B969/B969M (02.02)**
Heat Treatment of Aluminum-Alloy Castings from All Processes, Practice for, **B917/B917M (02.02)**
Identification Marking of Aluminum and Magnesium Products, Practice for, **B666/B666M (02.02)**
Inspection of Aluminum and Magnesium Castings, Reference Radiographs for, **E155 (03.03)**
Inspection of Aluminum and Magnesium Die Castings, Reference Radiographs for, **E505 (03.03)**
Shear Testing of Aluminum Alloys, Test Method for, **B769 (02.02)**

Aluminum alloys (castings)—specifications
Aluminum Alloy Castings, High-Strength, Specification for, **B686/B686M (02.02)**
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**

Aluminum alloys (electronic)
Trace Metallic Impurities in Electronic Grade Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1845 (10.04)**

Aluminum alloys (honeycomb shelter panels)
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**

Aluminum alloys (pipe)
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**

Aluminum alloys (pipe)—specifications
Aluminum Alloy Sheet for Corrugated Aluminum Pipe, Specification for, **B744/B744M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**
Aluminum-Alloy Extruded Bar, Rod, Tube, Pipe, Structural Profiles, and Profiles for Electrical Purposes (Bus Conductor), Specification for, **B317/B317M (02.02)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**

Aluminum alloys (plate/sheet)—specifications
Aluminum Alloy Sheet for Corrugated Aluminum Pipe, Specification for, **B744/B744M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**
Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels, Test Method for, **B548 (02.02)**

Aluminum alloys (rod)
Shear Testing of Aluminum and Aluminum-Alloy Rivets and Cold-Heading Wire and Rods, Test Method for, **B565 (02.02)**

Aluminum alloys (rod)—specifications
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rod, and Wire (Metric), Specification for, **B211M (02.02)**
Aluminum for Use in Iron and Steel Manufacture, Specification for, **B37 (02.02)**
Aluminum-Alloy Extruded Bar, Rod, Tube, Pipe, Structural Profiles, and Profiles for Electrical Purposes (Bus Conductor), Specification for, **B317/B317M (02.02)**

Aluminum alloys (structural)
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**

Aluminum alloys (structural)—specifications
Aluminum Alloy Sheet for Corrugated Aluminum Pipe, Specification for, **B744/B744M (02.02)**
Aluminum-Alloy 6061-T6 Standard Structural Profiles, Specification for, **B308/B308M (02.02)**
Aluminum-Alloy Extruded Bar, Rod, Tube, Pipe, Structural Profiles, and Profiles for Electrical Purposes (Bus Conductor), Specification for, **B317/B317M (02.02)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**
Copper Drainage Tube (DWV), Specification for, **B306 (02.01)**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Sintered Aluminum Structural Parts, Specification for, **B595 (02.05)**

Aluminum alloys (tube)
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**
Standardizing Equipment for Electromagnetic Testing of Seamless Aluminum-Alloy Tube, Practice for, **E215 (03.03)**

Aluminum alloys (tube)—specifications
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**
Aluminum-Alloy Extruded Bar, Rod, Tube, Pipe, Structural Profiles, and Profiles for Electrical Purposes (Bus Conductor), Specification for, **B317/B317M (02.02)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**

Aluminum alloys (wire)
Shear Testing of Aluminum and Aluminum-Alloy Rivets and Cold-Heading Wire and Rods, Test Method for, **B565 (02.02)**

Aluminum alloys (wire)—specifications
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
Aluminum-Alloy 6201-T81 Wire for Electrical Purposes, Specification for, **B398/B398M (02.03)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, Specification for, **A856/A856M (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand, Specification for, **A855/A855M (01.06)**

Aluminum alloy ultrasonic reference blocks
Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, Practice for, **E127 (03.03)**

Aluminum alloy (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**

Aluminum-base master alloy
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**

Aluminum box culverts
Corrugated Aluminum Box Culverts, Specification for, **B864/B864M (02.02)**

Aluminum bronze balls
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**

Aluminum bronze castings
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

Aluminum bronzes—specifications
Sa **Bronze**
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Aluminum Bronze Sheet, Strip, and Rolled Bar, Specification for, **B169/B169M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aluminum castings
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**
Identification Marking of Aluminum and Magnesium Products, Practice for, **B666/B666M (02.02)**
Inspection of Aluminum and Magnesium Castings, Reference Radiographs for, **E155 (03.03)**
Inspection of Aluminum Castings, Digital Reference Images for, **E2422 (03.03)**
Metallographic Sample Preparation of Cemented Tungsten Carbides, Guide for, **B665 (02.05)**
Sampling Aluminum Ingots, Billets, Castings and Finished or Semi-Finished Wrought Aluminum Products for Compositional Analysis, Practice for, **B985 (02.02)**

Aluminum-clad steel
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**

Aluminum-clad steel electrical conductors
Aluminum-Clad Steel Core Wire for Use in Overhead Electrical Aluminum Conductors, Specification for, **B502/B502M (02.03)**
Concentric-Lay-Stranded Aluminum-Clad Steel Conductors, Specification for, **B416 (02.03)**
Copper-Clad Stainless Steel Sheet and Strip for Building Construction, Specification for, **B506 (02.01)**

Aluminum-coated steel chain-link fence—specifications
Sa **Chain-link fence/fencing systems—specifications**
Aluminum-Coated Steel Chain-Link Fence Fabric, Specification for, **A491 (01.06)**
Fence Fittings, Specification for, **F626 (01.06)**
Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcelled Tension Wire, Specification for, **A817 (01.06)**

Aluminum-coated steel sheet—specifications
General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process, Specification for, **A924/A924M (01.06)**
Steel Forgings, General Requirements, Specification for, **A788/A788M (01.05)**
Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process, Specification for, **A792/A792M (01.06)**
Steel Sheet, Aluminum-Coated, by the Hot-Dip Process, Specification for, **A463/A463M (01.06)**
Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, Specification for, **A929/A929M (01.06)**
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**

Aluminum-coated steel tube—specifications
Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, Specification for, **A787/A787M (01.01)**

Aluminum-coated steel wire
Weight Mass of Coating on Aluminum-Coated Iron or Steel Articles, Test Method for, **A428/A428M (01.06)**

Aluminum-coated steel wire—specifications
Aluminum Alloy Chain Link Fence Fabric, Specification for, **F1183 (01.06)**
Aluminum-Coated (Aluminized) Carbon Steel Wire, Specification for, **A809 (01.06)**
Aluminum-Coated Steel Chain-Link Fence Fabric, Specification for, **A491 (01.06)**
Aluminum-Coated Steel Wire Strand, Specification for, **A474 (01.06)**
High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**
Metallic Coated or Aluminum Clad Stranded Steel Core for Use in Overhead Electrical Conductors, Specification for, **B500/B500M (02.03)**
Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Specification for, **B802/B802M (02.03)**

Aluminum coatings
Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, Test Method for, **D3260 (06.02)**
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Measurement of Coating Mass Per Unit Area on Anodically Coated Aluminum, Test Method for, **B137 (02.05)**
Measurement of Impedance of Anodic Coatings on Aluminum, Test Method for, **B457 (02.05)**
Measurement of Stain Resistance of Anodic Coatings on Aluminum, Method for, **B136 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Seal Quality of Anodic Coatings on Aluminum by Acid Dissolution, Test Method for, **B680 (02.05)**
Weight Mass of Coating on Aluminum-Coated Iron or Steel Articles, Test Method for, **A428/A428M (01.06)**
Zinc-5 % Aluminum (Hot-Dip) Coatings on Iron and Steel Products, Specification for, **A1072/A1072M (01.06)**

Aluminum coatings—specifications
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Anodic Oxide Coatings on Aluminum, Specification for, **B580 (02.05)**
Zinc-5 % Aluminum (Hot-Dip) Coatings on Iron and Steel Products, Specification for, **A1072/A1072M (01.06)**

Aluminum contamination
See **Contamination**

Aluminum content
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**

Aluminum content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Aluminum content—Cu/Cu alloys
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**

Aluminum content—ferrous alloys
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**

Aluminum content—iron ores
Determination of Aluminum in Iron Ores and Related Materials by EDTA Complexometric Titrimetry, Test Method for, **E738 (03.05)**
Determination of Aluminum in Iron Ores by Flame Atomic Absorption Spectrometry, Test Method for, **E507 (03.05)**

Aluminum content—Ni/Ni alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**

Aluminum content—petroleum products
Determination of Aluminum and Silicon in Fuel Oils by Ashing, Fusion, Inductively Coupled Plasma Atomic Emission Spectrometry, and Atomic Absorption Spectrometry, Test Methods for, **D5184 (05.02)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

Aluminum content—steel
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**

Aluminum content—Ti/Ti alloys
Analysis of Titanium Alloys by X-Ray Fluorescence Spectrometry, Test Method for, **E539 (03.05)**

Aluminum content—water
Aluminum in Water, Test Method for, **D857 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**

Aluminum content—Zn/Zn alloys
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**

Aluminum (corrosion testing)
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**

Aluminum coupons
Sandwich Corrosion Test, Test Method for, **F1110 (15.03)**

Aluminum electrical conductors
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Non-Specular (NS) Surface Finish on Overhead Aluminum Electrical Conductors, Specification for, **B979 (02.03)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**
Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, Test Method for, **B279 (02.03)**

Aluminum electrical conductors—specifications
19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, Specification for, **B786/B786M (02.03)**
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**
ACSR Twisted Pair Conductor (ACSR/TP), Specification for, **B911/B911M (02.03)**
Aluminum 1350 Drawing Stock for Electrical Purposes, Specification for, **B233 (02.03)**
Aluminum 1350 Round Wire, Annealed and Intermediate Tempers, for Electrical Purposes, Specification for, **B609/B609M (02.03)**
Aluminum 1350–H19 Wire for Electrical Purposes, Specification for, **B230/B230M (02.03)**
Aluminum Bars for Electrical Purposes (Bus Bars), Specification for, **B236 (02.02)**
Aluminum Bars for Electrical Purposes (Bus Bars) (Metric), Specification for, **B236M (02.02)**
Aluminum Rectangular and Square Wire for Electrical Purposes, Specification for, **B324 (02.03)**
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Aluminum-Alloy 6201-T81 Wire for Electrical Purposes, Specification for, **B398/B398M (02.03)**
Aluminum-Alloy Extruded Bar, Rod, Tube, Pipe, Structural Profiles, and Profiles for Electrical Purposes (Bus Conductor), Specification for, **B317/B317M (02.02)**
Aluminum-Clad Steel Core Wire for Use in Overhead Electrical Aluminum Conductors, Specification for, **B502/B502M (02.03)**
Compressed Round Stranded Aluminum Conductors Using Single Input Wire Construction, Specification for, **B901 (02.03)**
Concentric-Lay-Stranded Aluminum 1350 Conductors, Specification for, **B231/B231M (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Alloy Reinforced (ACAR, 1350/6201), Specification for, **B524/B524M (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Clad Steel Reinforced for Use in Overhead Electrical Conductors, Specification for, **B549 (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Coated Steel Supported (ACSS), Specification for, **B856 (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR), Specification for, **B232/B232M (02.03)**
Concentric-Lay-Stranded Aluminum-Alloy 6201-T81 Conductors, Specification for, **B399/B399M (02.03)**
Concentric-Lay-Stranded Aluminum-Alloy Conductors, Steel Reinforced (AACSR) (6201), Specification for, **B711 (02.03)**
Concentric-Lay-Stranded Aluminum-Clad Steel Conductors, Specification for, **B416 (02.03)**
Concentric-Lay-Stranded Conductors of 8000 Series Aluminum Alloy for Subsequent Covering or Insulation, Specification for, **B801 (02.03)**
Concentric-Lay-Stranded Self-Damping Aluminum Conductors, Steel Reinforced (ACSR/SD), Specification for, **B701/B701M (02.03)**
Copper-Clad Aluminum Wire, Specification for, **B566 (02.03)**
Copper-Clad Stainless Steel Sheet and Strip for Building Construction, Specification for, **B506 (02.01)**
Hard-Drawn Aluminum-Clad Steel Wire, Specification for, **B415 (02.03)**
High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**
High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced, Specification for, **B606/B606M (02.03)**
Non-Specular (NS) Surface Finish on Overhead Aluminum Electrical Conductors, Specification for, **B979 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Con-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ductors (AAC/TW), Specification for, **B778 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW), Specification for, **B779 (02.03)**
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**
Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Specification for, **B802/B802M (02.03)**
Zinc-Coated (Galvanized) Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B498/B498M (02.03)**

Aluminum electrical conductors (semiconductors)
Fine Aluminum–1 % Silicon Wire for Semiconductor Lead-Bonding, Specification for, **F487 (10.04)**
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**
Nondestructive Pull Testing of Wire Bonds, Practice for, **F458 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, Specification for, **F1513 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, Test Method for, **F1593 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1845 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**

Aluminum electrical conductors (stranded)
See **Stranded aluminum electrical conductors—specifications**

Aluminum (electroplating)
See **Electroplated coatings**

Aluminum-emulsified asphalt
Hydrogen Gas Generation of Aluminum Emulsified Asphalt Used as a Protective Coating for Roofing, Test Method for, **D6356/D6356M (04.04)**

Aluminum facings
Adhesive Bonding of Aluminum Facings in Foam and Beam Type Shelters, Practice for, **E1801 (04.11)**
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**

Aluminum foil
Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, Practice for, **C1744 (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction, Practice for, **C1743 (04.06)**
Pinhole Determination in Aluminum and Aluminum Alloy Plain Foil by Means of a Light Table, Method for, **B926 (02.02)**

Aluminum foil—specifications
Sheet Radiant Barriers for Building Construction Applications, Specification for, **C1313/C1313M (04.06)**

Aluminum fusion welds
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**

Aluminum industry
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**
Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, Guide for, **D6354 (05.03)**

Aluminum matrix composite
Concentric-Lay-Stranded Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B978/B978M (02.03)**

Aluminum (metallography)
See **Metallographic analysis/inspection**

Aluminum mill products
American National Standard Dimensional Tolerances for Aluminum Mill Products, **ANSIH35.2-2009** (Related Material) **(02.02)**
American National Standard Dimensional Tolerances for Aluminum Mill Products (Metric), **ANSIH35.2(M)-2009** (Related Material) **(02.02)**

Aluminum-mischmetal (Al-MM) alloy
High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**
Metallic Coated or Aluminum Clad Stranded Steel Core for Use in Overhead Electrical Conductors, Specification for, **B500/B500M (02.03)**
Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Specification for, **B802/B802M (02.03)**

Aluminum-nickel bronze plate and sheet
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**

Aluminum nitride
High Strength Steel Castings in Heavy Sections, Specification for, **A1001 (01.02)**

Aluminum oxide (Al_2O_3)—specifications
High-Purity Dense Aluminum Oxide for Medical Application, Specification for, **F603 (13.01)**
Measuring Abrasion Resistance of Materials by Abrasive Loop Contact, Test Method for, **G174 (03.02)**
Nuclear-Grade Aluminum Oxide Pellets, Specification for, **C785 (12.01)**

Aluminum oxide (Al_2O_3)
Rub Abrasion Mar Resistance of High Gloss Coatings, Test Method for, **D6279 (06.02)**
Total Ash in Leather, Test Method for, **D2617 (15.04)**
Total Ash in Wet Blue or Wet White, Test Method for, **D6716 (15.04)**

Aluminum oxide (Al_2O_3) content
Analysis of Aluminum Silicate Pigment, Test Methods for, **D718 (06.03)**
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**
Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method, Test Method for, **F510/F510M (15.04)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Aluminum oxide (Al_2O_3) content—coal/coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**

Aluminum oxide (alumina) powder
Aluminum Oxide Powder, Specification for, **F7 (10.04)**

Aluminum oxide/boron carbide composite pellets (nuclear-grade)
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Nuclear-Grade Aluminum Oxide-Boron Carbide Composite Pellets, Specification for, **C784 (12.01)**

Aluminum oxide pellets/powder (nuclear-grade)
Nuclear-Grade Aluminum Oxide Pellets, Specification for, **C785 (12.01)**
Nuclear-Grade Aluminum Oxide Powder, Specification for, **C1031 (12.01)**

Aluminum pipe
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**

Aluminum pipe—specifications
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**
Corrugated Aluminum Pipe for Sewers and Drains, Specification for, **B745/B745M (02.02)**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, Specification for, **F1282 (08.04)**

Aluminum potassium silicate
See **Mica pigment**

Aluminum powder and paste
Aluminum Powder and Paste Pigments for Paints, Specification for, **D962 (06.03)**
Sampling and Testing of Flaked Aluminum Powders and Pastes, Test Methods for, **D480 (06.03)**

Aluminum powders
Sintered Aluminum Structural Parts, Specification for, **B595 (02.05)**

Aluminum reduction method
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**

Aluminum roofing materials
Application of Aluminum-Pigmented Asphalt Roof Coatings, Guide for, **D3805/D3805M (04.04)**

Aluminum roofing materials—specifications
Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, Specification for, **D2824/D2824M (04.04)**
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Aluminum scratch test
Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, Test Method for, **D2943 (15.05)**

Aluminum shipping crates
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**

Aluminum silicate pigments
Analysis of Aluminum Silicate Pigment, Test Methods for, **D718 (06.03)**

Aluminum-silicate refractory specimens
Pressing and Drying Refractory Plastic and Ramming Mix Specimens, Practice for, **C1054 (15.01)**

Aluminum-silicon alloy
Tin Mill Products, Electrolytic Tin-Coated, Cold-Rolled Sheet, Specification for, **A599/A599M (01.06)**

Aluminum-silicon bronze—specifications
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

Aluminum smelting
Determination of Grain Stability of Calcined Petroleum Coke, Test Method for, **D6791 (05.03)**

Aluminum source
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**

Aluminum (spectrochemical analysis)
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Sampling and Sample Preparation of Aluminum and Aluminum Alloys for Determination of Chemical Composition by Spectrochemical Analysis, Practices for, **E716 (03.05)**

Aluminum surgical implants—specifiations
High-Purity Dense Aluminum Oxide for Medical Application, Specification for, **F603 (13.01)**
Titanium-6Aluminum-4Vanadium Alloy Castings for Surgical Implants (UNS R56406), Specification for, **F1108 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), Specification for, **F1472 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), Specification for, **F136 (13.01)**
Wrought Titanium-6Aluminum-7Niobium Alloy for Surgical Implant Applications (UNS R56700), Specification for, **F1295 (13.01)**

Aluminum tube
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

Aluminum tube—specifications
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**

Aluminum ultrasonic reference blocks
Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, Practice for, **E127 (03.03)**

Aluminum-zinc alloy-coated steel—specifications
General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process, Specification for, **A924/A924M (01.06)**
Steel Forgings, General Requirements, Specification for, **A788/A788M (01.05)**
Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process, Specification for, **A792/A792M (01.06)**

Aluminum-zinc-magnesium alloys
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**

Aluminum-zirconium
Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, Specification for, **B941 (02.03)**

Ambient air/atmospheric analysis
Sa **Atmospheric analysis**
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Collection and Measurement of Dustfall (Settleable Particulate Matter), Test Method for, **D1739 (11.07)**
Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, Test Methods for, **D3824 (11.07)**
Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), Test Methods for, **D5156 (11.07)**
Determination of Gaseous and Particulate Polycyclic Aromatic Hydrocarbons in Ambient Air (Collection on Sorbent-Backed Filters with Gas Chromatographic/Mass Spectrometric Analysis), Test Method for, **D6209 (11.07)**
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**
Determination of Total Suspended Particulate (TSP) Hexavalent Chromium in Ambient Air Analyzed by Ion Chromatography (IC) and Spectrophotometric Measurements, Test Method for, **D7614 (11.07)**
Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), Test Method for, **D5466 (11.07)**
Determining the Opacity of a Plume in the Outdoor Ambient Atmosphere, Test Method for, **D7520 (11.07)**
General Ambient Air Analyzer Procedures, Practice for, **D3249 (11.07)**
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**
Planning the Sampling of the Ambient Atmosphere, Practice for, **D1357 (11.07)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**

Ambient conditions
Determining the Luminance Curve of an Electroluminescent Lamp at Ambient Conditions, Test Method for, **F2771 (10.04)**
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**

Ambient sound pressure levels
Sa **Sound transmission—building materials/applications**
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**

Ambient temperature
Ambient Temperature Fatigue Life of Metallic Bonded Resistance Strain Gages, Test Method for, **E1949 (03.01)**
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures, Practice for, **C1361 (15.01)**
Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, Test Methods for, **C1421 (15.01)**
Determination of Fracture Toughness of Graphite at Ambient Temperature, Test Method for, **D7779 (05.05)**
Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer, Test Method for, **C1549 (04.06)**
Flexural Strength of Advanced Ceramics at Ambient Temperature—Cylindrical Rod Strength, Test Method for, **C1684 (15.01)**
Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, Test Method for, **C1358 (15.01)**
Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1499 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures, Test Method for, **C1359 (15.01)**
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Stability of Water-in-Oil Emulsions Under Low to Ambient Temperature Cycling Conditions, Test Method for, **D3709 (05.01)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**

Ambient water evaluation
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**
Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**

Ambulance
Sa **Emergency medical services (EMS)**
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**
Medical Oxygen Delivery Systems for EMS Ground Vehicles, Specification for, **F1949 (13.02)**
Scope of Performance of Emergency Medical Services Ambulance Operators, Guide for, **F1517 (13.02)**
Training Emergency Medical Services Ambulance Operations, Guide for, **F1705 (13.02)**

Amendments (to health information)
Amendments to Health Information, Guide for, **E2017 (14.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Amenities
Serviceability of an Office Facility for Amenities to Attract and Retain Staff, Classification for, **E1668 (04.11)**
American Association of State Highway and Transportation Officials (AASHTO)
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD, Specification for, **C1577 (04.05)**
American National Standards Institute (ANSI)
American National Standard Dimensional Tolerances for Aluminum Mill Products, **ANSIH35.2-2009** (Related Material) **(02.02)**
American National Standard Dimensional Tolerances for Aluminum Mill Products (Metric), **ANSIH35.2(M)-2009** (Related Material) **(02.02)**
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
American process
Zinc Oxide Pigments, Specification for, **D79 (06.03)**
American Society for Testing and Materials (ASTM) standards
See **ASTM voluntary consensus standards**
American Society of Mechanical Engineers (ASME)
Welded and Seamless Wrought Steel Pipe [American National Standard], **ASMEB36.10M-1996** (Related Material) **(01.01)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ANSI/ASMEB36.19M-1985** (Related Material) **(01.01)**
American turpentine
See **Turpentine**
American wire gage (AWG)
Selection of Wire and Cable Size in AWG or Metric Units, Practice for, **F1883 (01.07)**
Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, Specification for, **B258 (02.03)**
American woolen run
See **Woolen run**
Americium-241 (^{241}Am) content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, Practice for, **C1411 (12.01)**
The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, Test Method for, **C1205 (12.01)**
The Separation of Americium from Plutonium by Ion Exchange, Practice for, **C1414 (12.01)**
Amide plastics
See **Polyamide (PA)**
Amides/amines (classification)
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Amine acid acceptance
Sa **Acid acceptance**
Determination of Amine Acid Acceptance (Alkalinity) of Halogenated Organic Solvents, Test Methods for, **D2106 (15.05)**
Amine resins
See **Resins**
Amines content
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Amine values
Sa **Fatty amines**
Measurement of Remaining Primary Antioxidant Content In In-Service Industrial Lubricating Oils by Linear Sweep Voltammetry, Guide for, **D7590 (05.04)**
Total, Primary, Secondary, and Tertiary Amine Values of Fatty Amines by Alternative Indicator Method, Test Methods for, **D2074 (06.03)**
Amino molding compounds
Sa **Molding/extrusion compounds/materials**
Compression Molding Test Specimens of Thermosetting Molding Compounds, Practice for, **D5224 (08.03)**
Ammeter method
Sa **Wattmeter-ammeter-voltmeter method**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**
Ammonia
Determination of Ammonia Trapping in a Grafted Battery Separator, Test Method for, **D7129 (10.02)**
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**
Ammoniacal copper arsenate
See **Wood preservatives**
Ammonia content
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils, Test Method for, **D5564 (15.04)**
Ammonia nitrogen content
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**
Ammonia test
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Ammonia Vapor Test for Determining Susceptibility to Stress Corrosion Cracking in Copper Alloys, Test Method for, **B858 (02.01)**
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils, Test Method for, **D5564 (15.04)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**
Ammonium acetate method
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Ammonium cations
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Ammonium chloride method
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**
Ammonium hydroxide content
Analysis of Magnesium Silicate Pigment, Test Methods for, **D717 (06.03)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ammonium persulfate oxidation
Determination of Chromic Oxide in Basic Chromium Tanning Liquors (Ammonium Persulfate Oxidation), Test Method for, **D6019 (15.04)**
Ammonium salts
Determination of Nitrogen, Water Extractable in Leather, Test Method for, **D6016 (15.04)**
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
Ammonium thiocyanate solution
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Ammonium/thriethanolamine soaps
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Ammunition
Cartridge Brass Cartridge Case Cups, Specification for, **B129 (02.01)**
Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, Specification for, **B19 (02.01)**
Commercial Bronze Strip for Bullet Jackets, Specification for, **B130 (02.01)**
Copper Alloy Bullet Jacket Cups, Specification for, **B131 (02.01)**
Pressure-Sensitive Tape for Sealing Fiber Containers and Cans, Specification for, **D6590/D6590M (15.10)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
AMO arrow length
Designation of the Balance Point Location for Archery Arrows, Specification for, **F1435 (15.07)**
Amorphous calcium phosphate (ACP)
X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings, Practice for, **F2024 (13.01)**
Amorphous geomembranes
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**
Amorphous magnetic material
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Amorphous Magnetic Core Alloys, Semi-Processed Types, Specification for, **A901 (03.04)**
Lamination Factor of Amorphous Magnetic Strip, Test Method for, **A900/A900M (03.04)**
Amorphous materials
Amorphous Poly(lactide) and Poly(lactide-co-glycolide) Resins for Surgical Implants, Specification for, **F2579 (13.02)**
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Assignment of the Glass Transition Temperature by Thermomechanical Analysis, Test Method for, **E1545 (14.02)**
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**
Amorphous silica fiber insulated wire
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Amount of ink deposit
Amount of Ink Deposit on Fabric Type Ribbons, Practice for, **F1782 (15.09)**
Ampelisca abdita
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Ampere hours
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Amperometric detection
Free Cyanide with Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7237 (11.02)**
Total Cyanide in Water by Micro Distillation followed by Flow Injection Analysis with Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7284 (11.02)**
Amperometric titration
Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D6888 (11.02)**
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**
Amphetamine
Microcrystal Testing in Forensic Analysis of Methamphetamine and Amphetamine, Guide for, **E1969 (14.02)**
Amphipods/Amphibia
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Amphibians
Conducting Whole Sediment Toxicity Tests with Amphibians, Guide for, **E2591 (11.06)**
Amphibole asbestos
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Amplification
Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, Guide for, **E1873 (14.02)**
Amplifier calibration
Ultrasonic Examination of Turbine and Generator Steel Rotor Forgings, Practice for, **A418/A418M (01.05)**
Amplifier electronics
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Magnetic Properties of Magnetic Amplifier Cores, Test Method for, **A598/A598M (03.04)**
Amplitude
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Amplitude error analysis
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Ampoules
Sa **Glass containers**
Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ampulization
Ampulization and Storage of Gasoline and Related Hydrocarbon Materials, Practice for, **D6596 (05.03)**
AMS (α-Methylstyrene)
Sa **Methylstyrene**
AMS (α-Methylstyrene), Specification for, **D6367 (06.04)**
Analysis of AMS (α-Methylstyrene) by Capillary Gas Chromatography, Test Method for, **D6144 (06.04)**
Colorimetric Determination of, Test Method for, **D4590 (06.04)**
Phenol Content of Cumene (Isopropylbenzene) or AMS (α–Methylstyrene), Test Method for, **D3160 (06.04)**
Polymer Content of Styrene Monomer and AMS (α–Methylstyrene), Test Methods for, **D2121 (06.04)**
Amusement railway ride tracks
Permanent Amusement Railway Ride Tracks and Related Devices, Practice for, **F2960 (15.07)**
Amusement railway ride tracks—related devices
Permanent Amusement Railway Ride Tracks and Related Devices, Practice for, **F2960 (15.07)**
Amusement rides/devices
Amusement Rides and Devices, Terminology Relating to, **F747 (15.07)**
Auditing Amusement Rides and Devices, Guide for, **F2974 (15.07)**
Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures, Practice for, **F1159 (15.07)**
Design of Amusement Rides and Devices, Practice for, **F2291 (15.07)**
Design, Manufacture, Installation and Testing of Climbing Nets and Netting/Mesh used in Amusement Rides, Devices, Play Areas and Attractions, Practice for, **F2375 (15.07)**
Design, Manufacture, Installation, Operation, Maintenance, Inspection and Major Modification of Trampoline Courts, Practice for, **F2970 (15.07)**
Design, Manufacture, Operation, and Maintenance of Inflatable Amusement Devices, Practice for, **F2374 (15.07)**
Design, Manufacture, Operation, Maintenance, and Inspection of Amusement Rides and Devices, in Canada, Practice for, **F2783 (15.07)**
Manufacture, Construction, Operation, and Maintenance of Aquatic Play Equipment, Practice for, **F2461 (15.07)**
Measuring the Dynamic Characteristics of Amusement Rides and Devices, Practice for, **F2137 (15.07)**
Monitoring Weather Conditions for Safe Parasail Operation, Guide for, **F2993 (15.07)**
Ownership, Operation, Maintenance, and Inspection of Amusement Rides and Devices, Practice for, **F770 (15.07)**
Parasailing, Practices for, **F3099 (15.07)**
Permanent Amusement Railway Ride Tracks and Related Devices, Practice for, **F2960 (15.07)**
Quality, Manufacture, and Construction of Amusement Rides and Devices, Practice for, **F1193 (15.07)**
Special Requirements for Bumper Boats, Practice for, **F2460 (15.07)**
Amylaceous matter content
Amylaceous Matter in Adhesives, Test Method for, **D1488 (15.06)**
Amyl acetate
Primary Amyl Acetate, Synthetic (98 % Grade), Specification for, **D3540 (06.04)**
Amyl alcohol
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
***tert*-Amyl methylether (TAME)**
See **TAME** (*tert*-amyl methylether)
Amyl nitrate content
Amyl Nitrate in Diesel Fuels, Test Method for, **D1839 (05.01)**
Anaerobic (AN) adhesives
Anaerobic Single-Component Adhesives (AN), Specification for, **D5363 (15.06)**
Anaerobic media
See **Aerobic/anaerobic biodegradation—petroleum products**
Anaerobic thread locking compounds
Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, Practice for, **F1179 (01.07)**
Analog dictation
Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, Guide for, **E1959 (14.01)**
Analog instrumentation/analysis
Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Analysis (of data)
Sa **Data analysis**
Analysis of In-Service Lubricants Using Particular Four-Part Integrated Tester (Atomic Emission Spectroscopy, Infrared Spectroscopy, Viscosity, and Laser Particle Counter), Test Method for, **D7417 (05.04)**
Collecting Treatment Process Design Data at a Contaminated Site—A Site Contaminated With Chemicals of Interest, Guide for, **D7294 (11.04)**
Sampling and Analysis of Asbestos, Terminology for, **D7712 (11.07)**
Use of Terms Relating to the Development and Evaluation of Methods for Chemical Analysis, Practice for, **E1914 (03.05)**
Analysis of variance (ANOVA)
Sa **ANOVA (analysis of variance)**
Measurement Systems Analysis (MSA), Guide for, **E2782 (14.02)**
Analytes
Use of Test Kits to Measure Inorganic Constituents in Water, Guide for, **D5463 (11.01)**
Analyte spiking technique
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, Test Method for, **D6735 (11.07)**
Analytical atomic spectroscopy
See **Spectroscopy**
Analytical chamber
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Analytical chemistry materials/applications
Analytical Chemistry for Metals, Ores, and Related Materials, Terminology Relating to, **E135 (03.05)**
Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, Practice for, **E1601 (03.05)**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Demonstrating and Assessing Whether a Chemical Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, Guide for, **D6956 (11.04)**
Establishing a Measurement System Quality Control Program for Analytical Chemistry Laboratories Within the Nuclear Industry, Guide for, **C1210 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**

Analytical curves
Establishing and Controlling Atomic Emission Spectrochemical Analytical Curves, Practice for, **E305 (03.05)**

Analytical electron microscopy (AEM)
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**

Analytical ferrography
Microscopic Characterization of Particles from In-Service Lubricants by Analytical Ferrography, Practice for, **D7690 (05.04)**

Analytical hierarchy process (AHP)
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, Guide for, **E2506 (04.12)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Prioritizing Asset Resources in Acquisition, Utilization, and Disposition, Practice for, **E2495 (04.12)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**

Analytical information categories
Analytical Data Interchange Protocol for Chromatographic Data, Specification for, **E1947 (03.06)**
Analytical Data Interchange Protocol for Chromatographic Data, Guide for, **E1948 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Guide for, **E2078 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**

Analytical leather tanning solutions
See **Tanning analysis/materials**

Analytical measurement system performance
Applying Statistical Quality Assurance and Control Charting Techniques to Evaluate Analytical Measurement System Performance, Practice for, **D6299 (05.03)**

Analytical methodology
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Validating Analytical Methods, Guide for, **E2857 (03.05)**

Analytical methods—risk-based validation
Risk-Based Validation of Analytical Methods for PAT Applications, Guide for, **E2898 (14.02)**

Analytical methods (for coal/coke)
See **Proximate analysis—coal/coke**
See **Ultimate analysis—coal and coke**

Analytical quantification method
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**

Analytical solution
Cooling of Analytical Solutions, Practice for, **D4904 (15.04)**
Evaporation and Drying of Analytical Solutions, Test Method for, **D4902 (15.04)**
Preparation of Solution of Liquid Vegetable Tannin Extracts, Practice for, **D4901 (15.04)**

Analytical standard
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Preparation of Low-Pressure Gas Blends, Practice for, **D4051 (05.02)**

Analytical volume
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**

Analyzer systems
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, Test Method for, **D7551 (05.06)**
Establishing a Linear Correlation Relationship Between Analyzer and Primary Test Method Results Using Relevant ASTM Standard Practices, Guide for, **D7235 (05.04)**
Prediction of Analyzer Sample System Lag Times, Guide for, **D7278 (05.04)**
Sampling of Petroleum Products for Analysis by Process Stream Analyzers and for Process Stream Analyzer System Validation, Practice for, **D7453 (05.04)**
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**

Analyzing witness surfaces
Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, Practice for, **E2088 (15.03)**

Anatase-rutile ratio
Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, Test Method for, **D3720 (06.03)**

Anatase titanium dioxide
Rubber Compounding Materials—Titanium Dioxide, Classification for, **D4677 (09.01)**

Anchorage element
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Fixed Anchorages Installed on Structures used for Rope Rescue Training, Specification for, **F2822 (13.02)**

Anchor bolts
Anchor Bolts, Steel, 36, 55, and 105-ksi Yield Strength, Specification for, **F1554 (01.08)**
Rock Bolt Anchor Pull Test, Test Method for, **D4435 (04.08)**
Rock Bolt Long-Term Load Retention Test, Test Method for, **D4436 (04.08)**

Anchor pattern
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**

Anchors—ships
Wildcats, Ship Anchor Chain, Specification for, **F765 (01.07)**

Anchors/anchorage systems
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Anchors and Fasteners in Concrete and Masonry, Terminology for, **E2265 (04.12)**
Dimension Stone, Terminology Relating to, **C119 (04.07)**
Evaluating Bond Strength for 0.600-in. 15.24-mm Diameter Steel Prestressing Strand, Grade 270 1860, Uncoated, Used in Prestressed Ground Anchors, Test Method for, **A981/A981M (01.04)**
Evaluating Ink or Coating Adhesion to Flexible Packaging Materials Using Tape, Practice for, **F2252/F2252M (15.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, Test Method for, **C1230 (04.05)**
Portable High Anchor Devices, Test Method for, **F2684/F2684M (13.02)**
Pullout Resistance of Ties and Anchors Embedded in Masonry Mortar Joints, Test Method for, **E754 (04.11)**
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**
Strength of Individual Stone Anchorages in Dimension Stone, Test Method for, **C1354/C1354M (04.07)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**

Anemometers
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Average Velocity in a Duct Using a Thermal Anemometer, Test Method for, **D3464 (11.07)**
Characterizing Surface Wind Using a Wind Vane and Rotating Anemometer, Practice for, **D5741 (11.07)**
Determining the Performance of a Cup Anemometer or Propeller Anemometer, Test Method for, **D5096 (11.07)**
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**

Aneroid barometers
Measuring Surface Atmospheric Pressure, Test Methods for, **D3631 (11.07)**

Aneroid bomb calorimeter
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**

Anesthesia equipment—specifications
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**
User Applied Drug Labels in Anesthesiology, Specification for, **D4774 (15.10)**

Angioplasty
Characterization and Presentation of the Dimensional Attributes of Vascular Stents, Guide for, **F2081 (13.01)**
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**
Measuring Securement of Balloon Expandable Vascular Stent Mounted on Delivery System, Guide for, **F2394 (13.01)**

Angle beam ultrasonic testing
Sa **Ultrasonic testing**
Contact Ultrasonic Testing of Welds Using Phased Arrays, Practice for, **E2700 (03.03)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**

Angle crates
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**

Angled borehole drilling
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**

Angled orthopaedic fracture fixation devices
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**

Angle iron/sledge hammer test
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

Angle lapping and staining technique
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Angle-of-attack (AoA)
Performance of Angle of Attack System, Specification for, **F3011 (15.11)**

Angle of incidence
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Angle of inclination
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**

Angle of repose
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**

Angle of twist
Sa **Twist**
Angle of Twist in Rectangular and Square Copper and Copper Alloy Tube, Test Method for, **B428 (02.01)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**

Angle style valves
Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, Specification for, **F1508 (01.07)**

Angle test
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Angular conditions of measurement
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**

Angular deviation
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**

Angularity
Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), Test Methods for, **C1252 (04.02)**

Angular pull-off resistance
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**

Anhydride
See **Acetic anhydride**

Anhydride content
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), Classification System and Basis for Specification for, **D4634 (08.02)**

Anhydrous calcium chloride
Sa **Calcium chloride**
Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, Test Method for, **F1869 (15.04)**

Anhydrous denatured ethanol
Existent Inorganic Sulfate in Ethanol by Potentiometric Titration, Test Method for, **D7318 (05.04)**

Anhydrous gypsum
Gypsum Keene's Cement, Specification for, **C61/C61M (04.01)**

Anhydrous salt-free soda soap content
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**

Anhydrous silicon dioxide
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**

Anhydrous soap content
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**

Anidex fibers
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**

Aniline
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Aniline point
Aniline Point and Mixed Aniline Point of Petroleum Products and Hydrocarbon Solvents, Test Methods for, **D611 (05.01)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**

Animal black
See **Bone black pigments**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Animal experimentation
Pre-clinical *in vivo* Evaluation in Critical Size Segmental Bone Defects, Guide for, **F2721 (13.02)**
Pre-clinical *in vivo* Evaluation of Spinal Fusion, Guide for, **F2884 (13.02)**
Animal fats
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Determining the Melting Point of Fats and Oils, Test Method for, **D5440 (15.04)**
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**
Animal feeds
Limestone for Animal Feed Use, Specification for, **C706 (04.01)**
Animal fibers
Cashmere Coarse-Hair Content in Cashmere, Test Method for, **D2816 (07.01)**
Counting Partial Cleavages in Wool and Other Animal Fibers, Test Method for, **D4510 (07.02)**
Diameter of Wool and Other Animal Fibers by Microprojection, Test Method for, **D2130 (07.01)**
Diameter of Wool and Other Animal Fibers By Sirolan-Laserscan Fiber Diameter Analyser, Test Method for, **D6466 (07.02)**
Extractable Matter in Wool and Other Animal Fibers, Test Method for, **D1574 (07.01)**
Fineness of Types of Alpaca, Specification for, **D2252 (07.01)**
Fineness of Wool or Mohair and Assignment of Grade, Specifications for, **D3991 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Maximum Cashmere Coarse-Hair Content in Cashmere, Specification for, **D2817 (07.01)**
Med and Kemp Fibers in Wool and Other Animal Fibers by Microprojection, Test Method for, **D2968 (07.01)**
pH of Aqueous Extracts of Wool and Similar Animal Fibers, Test Method for, **D2165 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Sampling and Testing Staple Length of Grease Wool, Test Method of, **D1234 (07.01)**
Textile Fibers, Guide for, **D7641 (07.02)**
Textiles, Terminology Relating to, **D123 (07.01)**
Animal gelatin
Amylaceous Matter in Adhesives, Test Method for, **D1488 (15.06)**
Nonvolatile Content of Aqueous Adhesives, Test Method for, **D1489 (15.06)**
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**
Animal habitats
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**
Fish and Wildlife Incident Monitoring and Reporting, Guide for, **E1849 (11.06)**
Animal hair
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Animal tissue
Pre-clinical *in vivo* Evaluation of Spinal Fusion, Guide for, **F2884 (13.02)**
Anion electrical conductivity
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
Anion exchange
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Determination of Free and Total Glycerin in Biodiesel Blends by Anion Exchange Chromatography, Test Method for, **D7591 (05.04)**
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Anion exchange resins
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Evaluating the Kinetic Behavior of Ion Exchange Resins, Practice for, **D6302 (11.02)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**
Precoat Capacity of Powdered Ion-Exchange Resins, Test Methods for, **D4266 (11.02)**
Anionic contamination
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Anionic impurities
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Anionic matter content
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Anionic surfactants
Sa **Surfactants**
Active Matter in Anionic Surfactants by Potentiometric Titration, Test Method for, **D4251 (15.04)**
Determination of Various Anionic Surfactant Actives by Potentiometric Titration, Test Method for, **D6173 (15.04)**
Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure, Test Method for, **D1681 (15.04)**
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**
Anions content
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Determination of Anions in Cathodic Electrocoat Permeates by Ion Chromatography, Guide for, **D5794 (06.01)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**
Anisotropic carbon/graphite materials
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Anisotropy
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Laboratory Determination of Pulse Velocities and Ultrasonic Elastic Constants of Rock, Test Method for, **D2845 (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**

Anisotropy index
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**

Annealed aluminum materials
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**
Aluminum 1350 Round Wire, Annealed and Intermediate Tempers, for Electrical Purposes, Specification for, **B609/B609M (02.03)**
Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications, Specification for, **B479 (02.02)**

Annealed glass
Design and Performance of Supported Laminated Glass Walkways, Practice for, **E2751/E2751M (04.12)**
Determining the Resistance of Single Glazed Annealed Architectural Flat Glass to Thermal Loadings, Practice for, **E2431 (04.12)**
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**

Annealed copper
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**

Annealed copper—specifications
Sa **Copper electrical conductors—specifications**
Annealed Copper-Clad Steel Wire, Specification for, **B910/B910M (02.03)**
Nickel-Coated Soft or Annealed Copper Wire, Specification for, **B355 (02.03)**
Soft or Annealed Copper Wire, Specification for, **B3 (02.03)**
Soft Rectangular and Square Bare Copper Wire for Electrical Conductors, Specification for, **B48 (02.03)**

Annealed glass—specifications
Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, Specification for, **F2179 (15.11)**
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**

Annealed steel—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Steel Wire, Chromium-Silicon Alloy, Specification for, **A401/A401M (01.03)**

Annealing
Aerospace Parts Machined from Polychlorotrifluoroethylene (PCTFE), Specification for, **D7194 (08.03)**
In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, Guide for, **E509/E509M (12.02)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**

Annealing strain
Annealing Point and Strain Point of Glass by Beam Bending, Test Method for, **C598 (15.02)**
Annealing Point and Strain Point of Glass by Fiber Elongation, Test Method for, **C336 (15.02)**
Polariscopic Examination of Glass Containers, Test Methods for, **C148 (15.02)**

Announcing-systems amplifiers/control panels
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**

Annual bluegrass
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**

Annual review of standards
Annual Review of Test Methods and Specifications for Plastics, Guide for, **D4968 (08.02)**

Annular configuration
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**

Annunciation
Security Engineering Symbols, Practice for, **F967 (15.08)**

Anode carbon
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**
Determination of the Thermal Conductivity of Anode Carbons by the Guarded Heat Flow Meter Technique, Test Method for, **D6744 (05.03)**
Electrical Resistivity of Anode and Cathode Carbon Material at Room Temperature, Test Method for, **D6120 (05.02)**

Anode copper
Determination of Copper in Anode and Blister Copper, Test Method for, **E1771 (03.05)**

Anodeless risers/fittings—specifications
Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems, Specification for, **F1973 (08.04)**

Anodes
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Determination of Thermogravimetric (TGA) Air Reactivity of Baked Carbon Anodes and Cathode Blocks, Test Method for, **D6559 (05.03)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**
Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, Guide for, **D6353 (05.03)**

Anodes—specifications
Cast and Wrought Galvanic Zinc Anodes, Specification for, **B418 (02.04)**

Anodic coatings
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Anodic coatings—Al/Al alloys)
Anodic Oxide Coatings on Aluminum, Specification for, **B580 (02.05)**
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Measurement of Coating Mass Per Unit Area on Anodically Coated Aluminum, Test Method for, **B137 (02.05)**
Measurement of Impedance of Anodic Coatings on Aluminum, Test Method for, **B457 (02.05)**
Measurement of Stain Resistance of Anodic Coatings on Aluminum, Method for, **B136 (02.05)**
Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, Test Method for, **B244 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Seal Quality of Anodic Coatings on Aluminum by Acid Dissolution, Test Method for, **B680 (02.05)**
Sintered Aluminum Structural Parts, Specification for, **B595 (02.05)**

Anodic polarization measurement
Conducting Potentiodynamic Polarization Resistance Measurements, Test Method for, **G59 (03.02)**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**

Anodic stripping voltammetry
See **Differential pulse anodic stripping voltammetry**

Anodized coatings
Hard-Coat Anodizing of Magnesium for Engineering Applications, Specification for, **B893 (02.05)**
Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), Guide for, **D3933 (15.06)**

Anomalies
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**

Anorganic bone
Composition of Anorganic Bone for Surgical Implants, Specification for, **F1581 (13.01)**

Anorganic hydroxylapatite
Composition of Anorganic Bone for Surgical Implants, Specification for, **F1581 (13.01)**

ANOVA (analysis of variance)
Sa **Statistical methods**
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**
Time-Intensity Evaluation of Sensory Attributes, Guide for, **E1909 (15.08)**

ANSI replacement standards
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**

ANS X3.182
Bar Code Verification, Practice for, **F1851 (15.09)**

Anthophyllite asbestos fibers
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**

Anthracene
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**

Anthracite
Sa **Bituminous coal**
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
Preparing Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D2797/D2797M (05.06)**
Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, Guide for, **D6353 (05.03)**
Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, Guide for, **D6354 (05.03)**

Anthropometric data
Body Measurements for Children, Infant Sizes—Preemie to 24 Months, Tables of, **D4910/D4910M (07.02)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Antibacterial washes
Assessment of an Antibacterial Handwash Product by Multiple Basin Wash Technique, Test Method for, **E1883 (11.05)**
Evaluation of Antimicrobial Formulations by the Agar Patch Technique, Test Method for, **E1882 (11.05)**
Evaluation of Residual Effectiveness of Antibacterial Personal Cleansing Products, Guide for, **E2752 (11.05)**
Recovery of Microorganisms From Skin using the Cup Scrub Technique, Test Method for, **E1874 (11.05)**

Antiblock
Ash Content in Plastics, Test Method for, **D5630 (08.03)**

Anticlastic curvature radii
Determining Poisson's Ratio of Honeycomb Cores, Test Method for, **D6790/D6790M (15.03)**

Anticoagulant coatings
Color-Coding Pipets or Containers Coated With Anticoagulants, Specification for, **E1048 (14.04)**

Anti-corrosion pigments—basic lead silicochromate
Basic Lead Silicochromate Pigment, Specification for, **D1648 (06.03)**
Chemical Analysis of Basic Lead Silicochromate, Test Methods for, **D1844 (06.03)**

Anti-corrosion pigments—red lead
Chemical Analysis of Red Lead, Test Methods of, **D49 (06.03)**
Red Lead Pigment, Specification for, **D83 (06.03)**

Anti-corrosion pigments—strontium chromate
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Strontium Chromate Pigment, Specification for, **D1649 (06.03)**

Anti-corrosion pigments—zinc chromate
Chemical Analysis of Zinc Yellow Pigment (Zinc Chromate Yellow), Test Methods for, **D444 (06.03)**
Zinc Yellow (Zinc Chromate) Pigments, Specification for, **D478 (06.03)**

Anti-corrosion pigments—zinc hydroxy phosphite
Analysis of Zinc Hydroxy Phosphite Pigment, Test Method for, **D4450 (06.03)**
Zinc Hydroxy Phosphite Pigment, Specification for, **D4462 (06.03)**

Antidegradants
Sa **Rubber compounding materials**
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Rubber Chemical Antidegradants—Purity of, Test Method for, **D5666 (09.01)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Rubber Compounding Materials—Determination of Volatile Ma-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

terial, Test Methods for, **D4571 (09.01)**
Rubber—Chromatographic Analysis of Antidegradants (Antioxidants, Antiozonants and Stabilizers), Practice for, **D3156 (09.01)**

Antifouling coating system
Antifouling Panels in Shallow Submergence, Test Method for Testing, **D3623 (06.02)**
Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6442 (06.02)**
Determination of Organic Biocide Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6903 (06.02)**
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Measurement of Barnacle Adhesion Strength in Shear, Test Method for, **D5618 (06.02)**
Organotin Release Rates of Antifouling Coating Systems in Sea Water, Test Method for, **D5108 (06.02)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Testing Biofouling Resistance of Marine Coatings Partially Immersed, Practice for, **D5479 (06.02)**

Antifouling paint pigments—copper powder
Metallic Copper Powder for Use in Antifouling Paints, Specification for, **D964 (06.03)**

Antifouling performance
Evaluating Biofouling Resistance and Physical Performance of Marine Coating Systems, Practice for, **D6990 (06.02)**

Antifreeze (engine)
Sa **Engine coolants/concentrates**
Sa **Ethylene glycol**
Determination of Fatty Acids and Esters in Glycerin, Test Method for, **D7638 (15.05)**
Determination of Glycerin Assay by Titration (Sodium Meta Periodate), Test Method for, **D7637 (15.05)**
Trace Ethylene Glycol in Used Engine Oil, Test Method for, **D4291 (05.02)**

Anti-friction bearings—specifications
Sa **Ball/roller bearings**
Carburizing Steels for Anti-Friction Bearings, Specification for, **A534 (01.05)**
High Hardenability Antifriction Bearing Steel, Specification for, **A485 (01.05)**
High-Carbon Anti-Friction Bearing Steel, Specification for, **A295/A295M (01.05)**
Medium Carbon Anti-Friction Bearing Steel, Specification for, **A866 (01.05)**
Stainless Anti-Friction Bearing Steel, Specification for, **A756 (01.05)**

Antigenic protein
The Immunological Measurement of Antigenic Protein in Natural Rubber and its Products, Test Method for, **D6499 (09.02)**

Antilocking brake system (ABS)
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**

Antimicrobial agents
Producing High Titers of Viable and Semi-Purified Spores of Clostridium difficile using a Liquid Medium, Test Method for, **E2895 (11.05)**

Antimicrobial formulations/testing
Sa **Fungal influence/resistance**
Sa **Microbiological examination**
Antimicrobial and Antiviral Agents, Terminology Relating to, **E2756 (11.05)**
Applying Aerosolized, Test Method for, **E2894 (11.05)**
Assessment of Antimicrobial Activity for Water Miscible Compounds Using a Time-Kill Procedure, Test Method for, **E2783 (11.05)**
Assessment of Antimicrobial Activity Using a Time-Kill Procedure, Guide for, **E2315 (11.05)**
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Determining the Antimicrobial Activity of Antimicrobial Agents Under Dynamic Contact Conditions, Test Method for, **E2149 (11.05)**
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**
Evaluating Relative Effectiveness of Antimicrobial Handwashing Formulations using the Palmar Surface and Mechanical Hand Sampling, Test Method for, **E2870 (11.05)**
Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, Test Method for, **E1428 (11.05)**
Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**
Evaluation of Antimicrobial Handwash Formulations by Utilizing Fingernail Regions, Test Method for, **E1327 (11.05)**
Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), Practice for, **E723 (11.05)**
Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, Practice for, **E1259 (11.05)**
Evaluation of Effectiveness of Decontamination Procedures for Air-Permeable Materials when Challenged with Biological Aerosols Containing Human Pathogenic Viruses, Test Method for, **E2720 (11.05)**
Evaluation of Effectiveness of Decontamination Procedures for Surfaces When Challenged with Droplets Containing Human Pathogenic Viruses, Test Method for, **E2721 (11.05)**
Evaluation of Hygienic Handwash and Handrub Formulations for Virus-Eliminating Activity Using the Entire Hand, Test Method for, **E2011 (11.05)**
Evaluation of Inactivators of Antimicrobial Agents, Test Methods for, **E1054 (11.05)**
Evaluation of Pre-saturated or Impregnated Towelettes for Hard Surface Disinfection, Practice for, **E2362 (11.05)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Evaluation of Residual Effectiveness of Antibacterial Personal Cleansing Products, Guide for, **E2752 (11.05)**
Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**
Evaluation of the Effectiveness of Hand Hygiene Topical Antimicrobial Products using, Guide for, **E2897 (11.05)**
Evaluation of the Effectiveness of Handwash Formulations Using the Paper Towel (Palmar) Method of Hand Contamination, Test Method for, **E2784 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Production of, Test Method for, **E2839 (11.05)**
Quantification of ***Pseudomonas aeruginosa*** Biofilm Grown with High Shear and Continuous Flow using CDC Biofilm Reactor, Test Method for, **E2562 (11.05)**
Quantitative Petri Plate Method (QPM) for Determining the Effectiveness of Antimicrobial Towelettes, Test Method for, **E2896 (11.05)**
Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity In Carpets, Test Method for, **E2471 (11.05)**
Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity in Fabric and Air Filter Media, Test Method for, **E2722 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Antimicrobial pesticides
Applying Aerosolized, Test Method for, **E2894 (11.05)**
Determining the Bacteria-Reducing Effectiveness of Food-Handler Handwash Formulations Using Hands of Adults, Test Method for, **E2946 (11.05)**
Evaluation of Antimicrobial Agents as Preservatives for Invert Emulsion and Other Water Containing Hydraulic Fluids, Practice for, **E979 (11.05)**
Evaluation of the Effectiveness of Hand Hygiene Topical Antimicrobial Products using, Guide for, **E2897 (11.05)**
Quantification of Pseudomonas aeruginosa Biofilm Grown Using Drip Flow Biofilm Reactor with Low Shear and Continuous Flow, Test Method for, **E2647 (11.05)**
Quantitative Petri Plate Method (QPM) for Determining the Effectiveness of Antimicrobial Towelettes, Test Method for, **E2896 (11.05)**
Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**
Testing Leave-On Products Using In-Situ Methods, Guide for, **E2361 (11.05)**
Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity in Fabric and Air Filter Media, Test Method for, **E2722 (11.05)**

Antimony
Refined Antimony, Specification for, **B237 (02.04)**

Antimony content
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3717 (06.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Antimony content—cadmium
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**

Antimony content—Cu/Cu alloys
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**

Antimony content—ferrous alloys
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1852 (03.05)**

Antimony content—water
Antimony in Water, Test Method for, **D3697 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**

Antimony oxide
Antimony Oxide in White Pigment Separated From Solvent-Reducible Paints, Test Method for, **D2350 (06.01)**
Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3717 (06.01)**

Antimony trichloride method
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**

Antimycin
Fish Sampling, Classification for, **D4211 (11.02)**

Antioxidants
Sa **Rubber chemicals**
Determination of Antioxidants and Erucamide Slip Additives in Polyethylene Using Liquid Chromatography (LC), Test Method for, **D6953 (08.03)**
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**
Measurement of Antioxidant Content in Lubricating Greases by Linear Sweep Voltammetry, Test Method for, **D7527 (05.04)**
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Rubber Compounding Materials—Determination of the Basic Nitrogen Content in Rubber Antioxidant: Polymerized TMQ, Test Method for, **D5376 (09.01)**

Antioxidants (petroleum)
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Measurement of Remaining Primary Antioxidant Content In In-Service Industrial Lubricating Oils by Linear Sweep Voltammetry, Guide for, **D7590 (05.04)**

Antiozonants
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**

Antiperspirants
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Antirusts
Sa **Engine coolants/concentrates**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Percent Ash Content of Engine Coolants, Test Method for, **D1119 (15.05)**
pH of Engine Coolants and Antirusts, Test Method for, **D1287 (15.05)**
Reserve Alkalinity of Engine Coolants and Antirusts, Test Method for, **D1121 (15.05)**
Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, Practice for, **D1176 (15.05)**

Antisag meter
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**

Antiseptic drug products
Evaluation of First Aid Antiseptic Drug Products, Test Method for, **E1589 (11.05)**

Antisoil deposition properties
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**

Antistatic products
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**
Rubber Property—Volume Resistivity Of Electrically Conductive and Antistatic Products, Test Method for, **D991 (09.01)**

Antistripping asphalt additives
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**

Antiswelling effectiveness
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**

Antiwear hydraulic oils
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Mineral Hydraulic Oils, Specification for, **D6158 (05.03)**

Antoine equation
Calculating Heat of Vaporization or Sublimation from Vapor Pressure Data, Practice for, **E2071 (14.02)**
Determining Vapor Pressure by Thermal Analysis, Test Method for, **E1782 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Vapor Pressure of Liquids by Ebulliometry, Test Method for, **E1719 (14.02)**

Anvil-type measuring devices
Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**

AOD (argon-oxygen-decarburization)
High Strength Steel Castings in Heavy Sections, Specification for, **A1001 (01.02)**

AOQL (average outgoing quality limit)—sampling plans
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**
Single- and Multi-Level Continuous Sampling of a Stream of Product by Attributes Indexed by AQL, Practice for, **E2819 (14.02)**
Use of Process Oriented AOQL and LTPD Sampling Plans, Practice for, **E1994 (14.02)**

AOTF (acoustic optic turnable filter) instrument
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**

AP (anterior-posterior) draw test
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**

Aperture-detector technique
See **Lasers and laser applications**

Apha color
Polyurethane Raw Materials: Determination of APHA Color in Isocyanates, Test Method for, **D4877 (08.02)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**

API (American Petroleum Institute)
API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method), Test Method for, **D287 (05.01)**
Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, Test Method for, **D6822 (05.03)**
Density, Relative Density, or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method, Test Method for, **D1298 (05.01)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Use of the Petroleum Measurement Tables, Guide for, **D1250 (05.01)**

API CG-4 performance category
Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, Test Method for, **D5966 (05.02)**

API TC
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**

Apparatus
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Qualification of Basket and Paddle Dissolution Apparatus, Practice for, **E2503 (14.02)**

Apparel fabrics
Sa **Blouse fabrics**
Sa **Career apparel fabrics**
Sa **Dress coat/outer garments**
Sa **Dress suits**
Sa **Overcoat/jacket fabrics**
Sa **Rainwear—specifications**
Sa **Slack and trouser fabrics**
Sa **Sportswear**
Apparel, Terminology Relating to, **D7022 (07.02)**
Body Measurements for Children, Infant Sizes—Preemie to 24 Months, Tables of, **D4910/D4910M (07.02)**
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**
Flammability of Apparel Textiles, Test Method for, **D1230 (07.01)**
International Test Methods Associated with Textile Care Procedures, Guide to, **D6322 (07.02)**
Performance of Bonded, Fused, and Laminated Apparel Fabrics, Specification for, **D3135 (07.01)**
Woven Flat Lining Fabrics for Women's and Girls' Apparel, Performance Specification for, **D4114 (07.01)**
Woven High Stretch Fabrics Used in Apparel, Specification for, **D7507 (07.02)**

Apparel sizing
Sa **Body dimension measurements**
Body Measurements for Adult Female Misses Petite Figure Type, Size Range 00P – 20P, Tables for, **D7878/D7878M (07.02)**
Body Measurements for Misses Maternity Sizes Two to Twenty-Two (2-22), Table of, **D7197 (07.02)**

Apparent acetyl content
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**

Apparent attenuation
Measurement of the Apparent Attenuation of Longitudinal Ultrasonic Waves by Immersion Method, Practice for the, **E664/E664M (03.03)**

Apparent bending modulus
Apparent Bending Modulus of Plastics by Means of a Cantilever Beam, Test Method for, **D747 (08.01)**

Apparent burn rate
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**

Apparent carbon yield
Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, Test Methods for, **C831 (15.01)**

Apparent chloride diffusion coefficient
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**

Apparent density
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**
Apparent Density of Metal Powders and Compounds Using the Scott Volumeter, Test Method for, **B329 (02.05)**
Apparent Density of Metal Powders and Related Compounds Using the Arnold Meter, Test Method for, **B703 (02.05)**
Apparent Density of Non-Free-Flowing Metal Powders Using the Carney Funnel, Test Method for, **B417 (02.05)**
Apparent Density, Bulk Factor, and Pourability of Plastic Materials, Test Methods for, **D1895 (08.01)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, Test Method for, **B873 (02.05)**
Unsintered Pigmented Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Specification for, **D7193 (08.03)**

Apparent opening size
Determining Apparent Opening Size of a Geotextile, Test Method for, **D4751 (04.13)**

Apparent shear strength
See **Shear testing**

Apparent specific gravity
See **Specific gravity**

Apparent specific gravity/porosity
Apparent and True Specific Gravity and Porosity of Lump Coke, Test Method for, **D167 (05.06)**

Apparent steady-state bioconcentration
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Apparent tack
Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter, Test Method for, **D4361 (06.02)**
Apparent tensile strength
Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe, Test Method for, **D2290 (08.04)**
Apparent thermal conductivity
Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, Test Method for, **D5470 (10.02)**
Apparent viscosity
Sa **Viscosity—petroleum products**
Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, Test Method for, **D6267 (06.03)**
Determination of Yield Stress and Apparent Viscosity of Used Engine Oils at Low Temperature, Test Method for, **D6896 (05.03)**
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, Test Methods for, **D7867 (06.01)**
Measuring Apparent Viscosity of Lubricating Greases, Test Method for, **D1092 (05.01)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Appearance
Appearance of Admixtures Containing Halogenated Organic Solvents, Test Methods for, **D3741 (15.05)**
Appearance of Clear, Transparent Liquids (Visual Inspection Procedure), Test Method for, **E2680 (15.05)**
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, Test Method for, **E2664 (15.05)**
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**
Appearance of materials
Sa **Optical materials/properties/tests**
Sa **Retroreflective marking materials**
Sa **Transmittance and reflectance**
Appearance, Terminology of, **E284 (06.01)**
Bleeding of Pigments, Test Methods for, **D279 (06.03)**
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, Practice for, **E991 (06.01)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Determination of Degree of Bleeding of Traffic Paint, Practice for, **D868 (06.02)**
Determination of Low Temperature Fluidity and Appearance of Hydraulic Fluids, Test Method for, **D6351 (05.03)**
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Electronic Interchange of Color and Appearance Data, Practice for, **E1708 (06.01)**
Evaluating Degree of Blistering of Paints, Test Method for, **D714 (06.01)**
Evaluating Degree of Checking of Exterior Paints, Test Method for, **D660 (06.01)**
Evaluating Degree of Cracking of Exterior Paints, Test Method for, **D661 (06.01)**
Evaluating Degree of Erosion of Exterior Paints, Test Method for, **D662 (06.01)**
Evaluating Degree of Flaking (Scaling) of Exterior Paints, Test Method for, **D772 (06.01)**
Evaluating Degree of Rusting on Painted Steel Surfaces, Practice for, **D610 (06.01)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Evaluating the Degree of Chalking of Exterior Paint Films, Test Methods for, **D4214 (06.01)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Hiding Power of Paints by Reflectometry, Test Method for, **D2805 (06.01)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**
Preparing Drawdowns of Artists' Paste Paints, Practice for, **D4941 (06.02)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Relative Hiding Power of Paints by the Visual Evaluation of Brushouts, Test Method for, **D344 (06.01)**
Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**
Selection of Coating Specimens for Appearance Measurements, Practice for, **D3964 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Specular Gloss, Test Method for, **D523 (06.01)**
Testing Flake of Single-Strike Film Typewriter Ribbons, Practice for, **F627 (15.09)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Testing Printing Inks and Related Materials, Guide for, **D5010 (06.02)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**
Visual Evaluation of Metamerism, Practice for, **D4086 (06.01)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Appearance of materials—specifications
Appearance of Electroplated Plastic Surfaces, Specification for, **B532 (02.05)**
Color and Appearance Retention of Solid Colored Plastic Siding Products, Specification for, **D6864 (08.03)**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**
Structural Clay Facing Tile, Specification for, **C212 (04.05)**
Appearance of textile materials/applications
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**
Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, Practice for, **D6119 (07.02)**
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fabric Defects, Terminology Relating to, **D3990 (07.01)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Grading Spun Yarns for Appearance, Test Method for, **D2255/D2255M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Performance of Bonded, Fused, and Laminated Apparel Fabrics, Specification for, **D3135 (07.01)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Textiles, Terminology Relating to, **D123 (07.01)**
the Operation of the Hexapod Tumble Drum Tester, Practice for, **D5252 (07.02)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**

Appearance retention
Color and Appearance Retention of Solid Colored Plastic Siding Products, Specification for, **D6864 (08.03)**

Appliances
Sa **Cooking/food service equipment—specifications**
Bread Slicing Machines, Specification for, **F2646 (15.12)**
Bun Slicing Machines, Specification for, **F2645 (15.12)**

Application
Application of Basic Statistical Methods to Weathering Tests, Guide for, **G169 (14.04)**
Application of Emulsion Floor Polishes to Substrates for Testing Purposes, Test Methods for, **D1436 (15.04)**
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Application of Sprayed Fire-Resistive Materials (SFRMs), Practice for, **E1513 (04.11)**
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**

Application—roofing/waterproofing material
Sa **Installation—roofing/waterproofing**
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Application of Aluminum-Pigmented Asphalt Roof Coatings, Guide for, **D3805/D3805M (04.04)**
Application of Asphalt Based Protection Board, Guide for, **D6451 (04.04)**
Application of Fully Adhered Hot-Applied Reinforced Waterproofing Systems, Guide for, **D6622 (04.04)**
Application of Fully Adhered Vulcanized Rubber Sheets Used in Waterproofing, Guide for, **D5843 (04.04)**
Application of New Spray Applied Polyurethane Foam and Coated Roofing Systems, Guide for, **D5469/D5469M (04.04)**
Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks, Guide for, **C981 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6162 (04.04)**

Application life
Extrusion Rate and Application Life of Elastomeric Sealants, Test Method for, **C603 (04.07)**

Application properties
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**

Application rate
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Estimating Application Rate of Bituminous Distributors, Practice for, **D2995 (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**

Application specific integrated circuit
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**

Application temperature
Determining the Open Time of Hot Melt Adhesives (Manual Method), Test Method for, **D4497 (15.10)**
Paving Uses and Application Temperatures for Road Tars, Practice for, **D2728 (04.03)**

Application torque
Sa **Torque**
Application and Removal Torque of Threaded or Lug-Style Closures, Test Method for, **D3198 (15.10)**
Minimum Application Torque of Type IA Child-Resistant Closures, Test Method for, **D3810 (15.10)**

Application viscosity (for paints/related products)
High-Shear Viscosity Using a Cone/Plate Viscometer, Test Method for, **D4287 (06.01)**

Applied Color Label (ACL)
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**

Applied preservative coatings
See **Wood preservatives**

Applied weight per unit area
See **Weight per unit area**

Appocrine gland
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Approach (to bridge)
Bridge Elements—UNIFORMAT II, Classification for, **E2103/E2103M (04.11)**

Approving authority (AA)
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**

Approximate analysis
Approximate Acidity in Electrical Insulating Liquids by Color-Indicator Titration, Test Method for, **D1534 (10.03)**

Appurtenances
Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**

Apron brake
Ductility of Oriented Electrical Steel, Test Method for, **A721/A721M (03.04)**

Aquatic bacteria
See **Bacteria/bacterial control—water**

Aquatic biodegradation
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**

Aquatic natural-matrix bed-sediment reference samples
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**

Aquatic play equipment
Manufacture, Construction, Operation, and Maintenance of Aquatic Play Equipment, Practice for, **F2461 (15.07)**

Aquatic toxicity
Aquatic Toxicity Testing of Lubricants: Sample Preparation and Results Interpretation, Practice for, **D6081 (05.02)**

--`,`,,`,`,,,,````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Aqueous adhesives
Nonvolatile Content of Aqueous Adhesives, Test Method for, **D1489 (15.06)**
Aqueous coatings
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**
Aqueous conductance
Specific Aqueous Conductance of Trichlorotrifluoroethane, Test Method for, **D3448 (15.05)**
Aqueous corrosion testing
Sa **Corrosion**
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Determining Synergism Between Wear and Corrosion, Guide for, **G119 (03.02)**
Quantitative Accelerated Laboratory Evaluation of Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, Practice for, **C1617 (04.06)**
Aqueous dispersions
Aqueous Dispersions of Polytetrafluoroethylene, Specification for, **D4441 (08.02)**
Aqueous engine coolant
Aqueous Engine Coolant Grade Glycol (53% Nominal), Specification for, **D7713 (15.05)**
Density and Relative Density of Engine Coolant Concentrates and Aqueous Engine Coolants by Digital Density Meter, Test Method for, **D5931 (15.05)**
Foaming Tendencies of Engine Coolants at Room Temperature, Test Method for, **D4921 (15.05)**
Freezing Point of Aqueous Engine Coolants, Test Method for, **D1177 (15.05)**
Freezing Point of Aqueous Ethylene Glycol Base Engine Coolants by Automatic Phase Transition Method, Test Method for, **D6660 (15.05)**
Glycol Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D3306 (15.05)**
Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, Specification for, **D6471 (15.05)**
Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, Practice for, **D1176 (15.05)**
Thermal Conductivity, Thermal Diffusivity and Volumetric Heat Capacity of Engine Coolants and Related Fluids by Transient Hot Wire Liquid Thermal Conductivity Method, Test Method for, **D7896 (15.05)**
Use of the Refractometer for Field Test Determination of the Freezing Point of Aqueous Engine Coolants, Test Method for, **D3321 (15.05)**
Aqueous environments
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Static Toxicity Tests With, Guide for, **E1415 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**
Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, Test Method for, **D6139 (05.03)**
Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), Practice for, **E723 (11.05)**
Evaluation of Physical Compatibility of Pesticides in Aqueous Tank Mixtures by the Dynamic Shaker Method, Practice for, **E1518 (11.05)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Monitoring Aqueous Nutrients in Watersheds, Guide for, **D6146 (11.01)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, Guide for, **E1850 (11.06)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Aqueous extract characteristics pH
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**
Aqueous-injection
Sa **Gas chromatography (GC)**
Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, Test Method for, **D3695 (11.02)**
Aqueous leachates
See **Leachates/leaching**
Aqueous leachates (in pigments)
Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, Test Method for, **D2448 (06.03)**
Aqueous metal working fluids/related media
Sa **Metalworking fluids/related media**
Enumeration of Non-Tuberculosis, Practice for, **E2563 (11.03)**
Aqueous phase isotherm technique
Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique, Practice for, **D3860 (15.01)**
Aqueous polymer quenchants
Determination of Cooling Characteristics of Aqueous Polymer Quenchants by Cooling Curve Analysis with Agitation (Tensi Method), Test Method for, **D6482 (05.03)**
Determination of Cooling Characteristics of Aqueous Polymer Quenchants for Aluminum Alloys by Cooling Curve Analysis, Test Method for, **D7646 (05.04)**
Evaluation of Aqueous Polymer Quenchants, Guide for, **D6666 (05.03)**
Aqueous printing inks
Sa **Printing inks/vehicles**
Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, Test Method for, **D6531 (06.02)**
Aqueous samples
Determination of Existent and Potential Inorganic Sulfate and Total Inorganic Chloride in Fuel Ethanol by Ion Chromatography Using Aqueous Sample Injection, Test Method for, **D7328 (05.04)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aqueous slurries
See **Slurries**
Aqueous solutions
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Hydraulic Conductivity Compatibility Testing of Soils with Aqueous Solutions, Test Method for, **D7100 (04.09)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**
Maintaining Constant Relative Humidity by Means of Aqueous Solutions, Practice for, **E104 (11.07)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, Test Method for, **D6284 (09.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Aqueous systems
the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests, Practice for, **D6586 (15.01)**
Aquifers
Sa **Marine environments**
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
Comparing Groundwater Flow Model Simulations to Site-Specific Information, Guide for, **D5490 (04.08)**
Defining Boundary Conditions in Groundwater Flow Modeling, Guide for, **D5609 (04.08)**
Defining Initial Conditions in Groundwater Flow Modeling, Guide for, **D5610 (04.08)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, Practice for, **D6725 (04.09)**
Establishing Nomenclature of Ground-Water Aquifers, Guide for, **D6106 (04.09)**
Estimating the Permanganate Natural Oxidant Demand of Soil and Aquifer Solids, Test Method for, **D7262 (04.09)**
Field Pneumatic Slug (Instantaneous Change in Head) Tests to Determine Hydraulic Properties of Aquifers with Direct Push Groundwater Samplers, Practice for, **D7242/D7242M (04.09)**
Measuring the Rate of Well Discharge by Circular Orifice Weir, Test Method for, **D5716 (04.08)**
Methods for Measuring Well Discharge, Guide for, **D5737 (04.08)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**
Selection of Methods for Assessing Ground Water or Aquifer Sensitivity and Vulnerability, Guide for, **D6030 (04.09)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Aramid fibers
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Mass Per Unit Area of Paper and Paperboard of Aramid Papers (Basis Weight), Test Method for, **D646 (07.01)**
Tensile Testing of Aramid Yarns, Test Methods for, **D7269/D7269M (07.02)**
Arbacia punctulata
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Arbincose
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Arc-erosion tests
Arc Erosion Testing of Electrical Contact Materials, Guide for, **B576 (02.04)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**
Arch climbers
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**
Archeological investigations
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**
Archery equipment
Archery Bow ComponentCord Material, Test Method for, **F1752 (15.07)**
Archery Bowstring Component—Serving String Material, Test Methods for, **F1648 (15.07)**
Center Serving Diameter Dimensions for Archery Bow Strings, Guide for, **F1436 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining the Force-Draw and Let-Down Curves for Archery Bows, Test Method for, **F1832 (15.07)**
Measurement of Arrow Shaft Static Spine (Stiffness), Test Method for, **F2031 (15.07)**
Straightness Measurement of Arrow Shafts, Guide for, **F1889 (15.07)**

Archery equipment—specifications
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**
Designation of the Balance Point Location for Archery Arrows, Specification for, **F1435 (15.07)**
Determination of Percent of Let-Off for Archery Bows, Test Method for the, **F1880 (15.07)**
Determining the Rating Velocities of a Compound Archery Bow, Specification for, **F1544 (15.07)**

Archery lenses
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**

Archery overdraws
Reduction of Risk of Injury for Archery Overdraws, Guide for, **F1363 (15.07)**

Arches
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**

Archimedes method
Density of Compacted or Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B962 (02.05)**
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Oil Content, Oil-Impregnation Efficiency, and Interconnected Porosity of Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B963 (02.05)**

Architects
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Development of Fire-Risk-Assessment Standards, Guide for, **E1776 (04.07)**

Architectural acoustics
Sa **Acoustical tests**
Rating Sound Insulation, Classification for, **E413 (04.06)**

Architectural cast stone
Absorption of Architectural Cast Stone, Test Method for, **C1195 (04.05)**
Architectural Cast Stone, Specification for, **C1364 (04.05)**
Compressive Strength of Architectural Cast Stone, Test Method for, **C1194 (04.05)**

Architectural copper
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**
Pre-Patinated Copper for Architectural Applications, Specification for, **B882 (02.01)**

Architectural extruded shapes
Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, Specification for, **B455 (02.01)**

Architectural glass products
Sa **Ceramic glass enamel**
Acid Resistance of Ceramic Decorations on Architectural-Type Glass, Test Method for, **C724 (15.02)**
Determining the Resistance of Single Glazed Annealed Architectural Flat Glass to Thermal Loadings, Practice for, **E2431 (04.12)**
Quantitative Determination of Alkali Resistance of a Ceramic-Glass Enamel, Test Method for, **C1203 (15.02)**

Architectural glass products—specifications
Architectural Flat Glass Clad Polycarbonate, Specification for, **C1349 (15.02)**
Flat Glass, Specification for, **C1036 (15.02)**
Laminated Architectural Flat Glass, Specification for, **C1172 (15.02)**

Architectural materials/applications
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**

Architectural materials/applications—specifications
Sa **Building materials/applications—specifications**
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Preformed Architectural Compression Seals for Buildings and Parking Structures, Specification for, **E1612/E1612M (04.11)**
Preformed Architectural Strip Seals for Buildings and Parking Structures, Specification for, **E1783/E1783M (04.11)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Architectural paints/coatings
Sa **Lacquer**
Sa **Latex paints**
Sa **Solventborne paints/coatings**
Sa **Testing methods—paints/related coatings**
Blocking Resistance of Architectural Paints, Test Method for, **D4946 (06.02)**
Evaluating Clear Water Repellent Coatings on Wood, Test Method for, **D5401 (06.02)**
Evaluating Ink Stainblocking of Architectural Paint Systems by Visual Assessment, Test Method for, **D7514 (06.02)**
Evaluating Touch-Up Properties of Architectural Coatings under Various Environmental Conditions, Practice for, **D7489 (06.02)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Hiding Power of Architectural Paints Applied by Roller, Test Method for, **D5150 (06.02)**
Leveling of Paints by Draw-Down Method, Test Method for, **D4062 (06.02)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Preparatory Surface Cleaning of Architectural Sandstone, Practice for, **D5107 (06.02)**
Print Resistance of Architectural Paints, Test Method for, **D2064 (06.02)**
Rheological Characterization of Architectural Coatings using Three Rotational Bench Viscometers, Practice for, **D7394 (06.01)**
Testing High-Performance Interior Architectural Wall Coatings, Guide for, **D3730 (06.02)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**
Testing Water-Borne Architectural Coatings, Guide for, **D5324 (06.02)**
Wet-to-Dry Hiding Change, Test Method for, **D5007 (06.02)**

Architectural sandstone
Preparatory Surface Cleaning of Architectural Sandstone, Practice for, **D5107 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Architectural steel
Higher-Strength Martensitic Stainless Steel Plate, Sheet, and Strip, Specification for, **A1010/A1010M (01.03)**
Archival data
Documenting a Groundwater Flow Model Application, Guide for, **D5718 (04.08)**
Metadata to Support Archived Data Management Systems, Practice for, **E2468 (04.03)**
Archival storage/retrieval
Archiving and Retrieving Intelligent Transportation Systems-Generated Data, Guide for, **E2259 (04.03)**
Metadata to Support Archived Data Management Systems, Practice for, **E2468 (04.03)**
Arch stiffness constant (ASC)
Polypropylene (PP) Corrugated Wall Stormwater Collection Chambers, Specification for, **F2418 (08.04)**
Arcing operations
Arc Erosion Testing of Electrical Contact Materials, Guide for, **B576 (02.04)**
Specifying the Chemical Compositions for Electrical Contact Materials (Arcing and Nonarcing), Guide for, **B772 (02.04)**
Arc lamps
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Arc melting
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Arc rated finished products
Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure, Practice for, **F2621 (10.03)**
Arc rating
Determining Arc Ratings of Hand Protective Products Developed and Used for Electrical Arc Flash Protection, Test Method for, **F2675/F2675M (10.03)**
Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure, Practice for, **F2621 (10.03)**
Determining the Arc Rating and Standard Specification for Eye or Face Protective Products, Test Method for, **F2178 (10.03)**
Determining the Protective Performance of an Arc Protective Blanket for Electric Arc Hazards, Test Method for, **F2676 (10.03)**
Arc resistance/resistivity
Sa **Electrical resistance/resistivity**
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Determining the Protective Performance of an Arc Protective Blanket for Electric Arc Hazards, Test Method for, **F2676 (10.03)**
Home Laundering Care and Maintenance of Flame, Thermal and Arc Resistant Clothing, Guide for, **F2757 (11.03)**
Arc-resistant rainwear
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**
Arc thermal performance
Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure, Practice for, **F2621 (10.03)**
Determining the Arc Rating of Materials for Clothing, Test Method for, **F1959/F1959M (10.03)**
Arctic grade diesel fuel oil
See **Fuel oils**
Arc-welded steel pipe/tube
Sa **Electric-fusion-welded steel pipe**
Sa **Electric-resistance-welded (ERW) steel tube—specifications**
Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, Specification for, **A358/A358M (01.01)**
Arc-welded tube
Sa **Welding/welds**
Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
Area
Calculating Areas, Volume, and Linear Change of Refractory Shapes, Practice for, **C1407 (15.01)**
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**
Determining Micropore Volume and Zeolite Area of a Catalyst, Test Method for, **D4365 (05.05)**
Measuring Area of Leather Test Specimens, Test Method for, **D2347 (15.04)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, Specification for, **B258 (02.03)**
Area-amplitude calibration blocks
Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, Practice for, **E127 (03.03)**
Material Selection and Fabrication of Reference Blocks for the Pulsed Longitudinal Wave Ultrasonic Testing of Metal and Metal Alloy Production Material, Guide for, **E1158 (03.03)**
Area change
Determination of Area Stability of Leather to Laundering, Test Method for, **D6013 (15.04)**
Area fractions
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Area integration sampling
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Areal density
Determination of Effective Boron-10 Areal Density in Aluminum Neutron Absorbers using Neutron Attenuation Measurements, Test Method for, **E2971 (03.03)**
Area mining
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Area percent
Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, Test Methods for, **D5974 (06.03)**
Area percentage porosity
Determining Area Percentage Porosity in Thermal Sprayed Coatings, Test Methods for, **E2109 (03.01)**
Area reduction
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Area stability
Determination of Area Stability of Leather to Laundering, Test Method for, **D6013 (15.04)**
Arenas
Layout of Ice Arena, Guide for, **F2442 (15.07)**
Skating and Ice Hockey Playing Facilities, Guide for, **F1703 (15.07)**
Argentometric determination
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Argon atmospheres
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Argon concentration
Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, Test Method for, **E2269 (04.12)**
Determining Argon Concentration in Sealed Insulating Glass Units Using Spark Emission Spectroscopy, Test Method for, **E2649 (04.12)**
Argon-oxygen decarburization (AOD) refined
Cast Tool Steel, Specification for, **A597 (01.05)**
Argon plasma spectrometry/spectroscopy
Barium in Brines, Seawater, and Brackish Water by Direct-Current Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D3986 (11.02)**
Chemical Analysis of Refined Gold by Direct Current Plasma Atomic Emission Spectrometry, Test Method for, **E1446 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Determination of Various Elements by Direct Current Plasma Atomic Emission Spectrometry, Guide for, **E1097 (03.05)**
Determining Hafnium in Zirconium and Zirconium Alloys By Direct Current Plasma-Atomic Emission Spectrometry, Test Method for, **E1552 (03.05)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D1976 (11.01)**
Arithmetical combination
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Armoring tape—specifications
Zinc-Coated Flat Steel Armoring Tape, Specification for, **A459 (01.06)**
Armors
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Measurement of Body Armor Wearers, Practice for, **E2902 (15.08)**
Armor stone
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**
Specific Gravity And Absorption of Rock For Erosion Control, Test Method For, **D6473 (04.09)**
Armos wire—specifications
Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire, Specification for, **A411 (01.06)**
Army ballistic missile impact tester
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**
Arnold/Hall flow
Volumetric Flow Rate of Metal Powders Using the Arnold Meter and Hall Flowmeter Funnel, Test Method for, **B855 (02.05)**
Arnold meter test
Apparent Density of Metal Powders and Related Compounds Using the Arnold Meter, Test Method for, **B703 (02.05)**
Aroclors
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Aromatic absorbance
Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, Practice for, **D6805 (04.04)**
Aromatic amine antioxidants
Measurement of Hindered Phenolic and Aromatic Amine Antioxidant Content in Non-zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6971 (05.03)**
Aromatic compounds
Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D5292 (05.02)**
Aromatic Types Analysis of Gas-Oil Aromatic Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D3239 (05.01)**
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Determination of Benzene, Toluene, and Total Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, Test Method for, **D5769 (05.02)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, Test Method for, **D5186 (05.02)**
Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, Test Method for, **D1319 (05.01)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Paraffin, Naphthene, and Aromatic Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional Gas Chromatography, Test Method for, **D5443 (05.02)**
Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography, Test Method for, **D2549 (05.01)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, Test Method for, **D5917 (06.04)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**
Aromatic hydrocarbons (AHs)
Sa **Hydrocarbons**
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography (External Standard), Test Method for, **D7057 (06.04)**
Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D5292 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Aromatic Types Analysis of Gas-Oil Aromatic Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D3239 (05.01)**
Bromine Index of Aromatic Hydrocarbons by Coulometric Titration, Test Method for, **D1492 (06.04)**
Bromine Index of Aromatic Hydrocarbons by Electrometric Titration, Test Method for, **D5776 (06.04)**
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Chlorine in Aromatics by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7536 (06.04)**
Color of Solid Aromatic Hydrocarbons and Related Materials in the Molten State (Platinum-Cobalt Scale), Test Method for, **D1686 (06.04)**
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Reverse Phase High Performance Liquid Chromatography, Test Method for, **D7884 (06.04)**
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Weak Anion Exchange High Performance Liquid Chromatography, Test Method for, **D7883 (06.04)**
Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6379 (05.03)**
Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6591 (05.03)**
Determination of Benzene in Spark-Ignition Engine Fuels Using Mid Infrared Spectroscopy, Test Method for, **D6277 (05.03)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determination of Gaseous and Particulate Polycyclic Aromatic Hydrocarbons in Ambient Air (Collection on Sorbent-Backed Filters with Gas Chromatographic/Mass Spectrometric Analysis), Test Method for, **D6209 (11.07)**
Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, Test Method for, **D5186 (05.02)**
Determination of Total Aromatics and Total Saturates in Lube Basestocks by High Performance Liquid Chromatography (HPLC) with Refractive Index Detection, Test Method for, **D7419 (05.04)**
Determination of Total Sulfur in Aromatic Hydrocarbons and Related Chemicals by Ultraviolet Fluorescence, Test Method for, **D7183 (06.04)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Hydrocarbon Resins, Terminology Relating to, **D6440 (06.01)**
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Paraffin, Naphthene, and Aromatic Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional Gas Chromatography, Test Method for, **D5443 (05.02)**
Performance Testing of Process Analyzers for Aromatic Hydrocarbon Materials, Practice for, **D6621 (06.04)**
Quality Control and Quality Assurance Procedures for Aromatic Hydrocarbons and Related Materials, Guide for, **D6809 (06.04)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**
Total Aldehydes in Styrene Monomer by Potentiometric Titration, Test Method for, **D7704 (06.04)**
Total Fluorine, Chlorine and Sulfur in Aromatic Hydrocarbons and Their Mixtures by Oxidative Pyrohydrolytic Combustion followed by Ion Chromatography Detection (Combustion Ion Chromatography-CIC), Test Method for, **D7359 (06.04)**
Trace Chloride in Liquid Aromatic Hydrocarbons, Test Method for, **D5194 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, Test Method for, **D2360 (06.04)**
Trace Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D6069 (06.04)**
Trace Quantities of Water in Aromatic Hydrocarbons and Their Mixtures by Coulometric Karl Fischer Titration, Test Method for, **D7375 (06.04)**
Ultra Low Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D7184 (06.04)**
Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, Test Method for, **E2143 (03.06)**

Aromatic hydrogen/carbon content
Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D5292 (05.02)**
Determination of Total Sulfur in Aromatic Hydrocarbons and Related Chemicals by Ultraviolet Fluorescence, Test Method for, **D7183 (06.04)**

Aromatic isocyanates
Sa **Isocyanates**
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, Test Method for, **D5629 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Moderate to High Acidity Aromatic Isocyanates, Test Method for, **D6099 (08.03)**

Aromatic naphthas
High-Flash Aromatic Naphthas, Specification for, **D3734 (06.04)**

Aromatic phosphites
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**

Aromatic polyester (ARP)
Liquid Crystal Polymers Molding and Extrusion Materials (LCP), Classification System and Basis for Specification for, **D5138 (08.03)**

Aromatic potentiometer titrator
Acid and Base Milliequivalent Content of Electrocoat Bath, Test Methods for, **D4370 (06.01)**

Aromatics in mineral spirits
Aromatics in Mineral Spirits by Gas Chromatography, Test Methods for, **D3257 (06.04)**

Array method
Length and Length Distribution of Cotton Fibers (Array Method), Test Method for, **D1440 (07.01)**

Arrco-Anubis gas recording machines
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Arrested crack length
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Arrhenius kinetic constants
Accelerated Aging of Sterile Barrier Systems for Medical Devices, Guide for, **F1980 (15.10)**
Air Oxidation of Carbon and Graphite in the Kinetic Regime, Test Method for, **D7542 (05.05)**
Arrhenius Kinetic Constants for Thermally Unstable Materials Using Differential Scanning Calorimetry and the Flynn/Wall/Ozawa Method, Test Method for, **E698 (14.02)**
Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, Practice for, **E1877 (14.02)**
Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, Test Method for, **E1641 (14.02)**
Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, Test Method for, **E2041 (14.02)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, Test Method for, **E2890 (14.02)**
Arrows
Sa **Bow and arrow materials/applications**
Measurement of Arrow Shaft Static Spine (Stiffness), Test Method for, **F2031 (15.07)**
Reduction of Risk of Injury for Archery Overdraws, Guide for, **F1363 (15.07)**
Straightness Measurement of Arrow Shafts, Guide for, **F1889 (15.07)**
Arsenic
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Arsenic content
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), Test Method for, **F2980 (10.04)**
Analysis of Sulfuric Acid, Test Methods for, **E223 (15.05)**
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Arsenic content—cadmium
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**
Arsenic content—nuclear materials/applications
Arsenic in Uranium Hexafluoride, Test Methods for, **C1219 (12.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Arsenic content—pig lead
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**
Arsenic content—water
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Arsenic in Water, Test Methods for, **D2972 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Arsine generation
Arsenic in Uranium Hexafluoride, Test Methods for, **C1219 (12.01)**
ARSMS (area reference skid measurement systems)
Validating New Area Reference Skid Measurement Systems and Equipment, Guide for, **E1890 (04.03)**
Arson
Preservation of Charred Documents, Guide for, **E2710 (14.02)**
Artesian well
Sa **Aquifers**
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
Arthrodesis
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**
Arthrodesis implants
Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, Test Method for, **F1798 (13.01)**
Arthroplasty
Characterization of Wear from the Articulating Surfaces in Retrieved Metal-on-Metal and other Hard-on-Hard Hip Prostheses, Guide for, **F2979 (13.02)**
Cyclic Fatigue Testing of Metal Tibial Tray Components of Total Knee Joint Replacements, Practice for, **F1800 (13.01)**
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**
Evaluating Mobile Bearing Knee Tibial Baseplate Rotational Stops, Test Method for, **F2722 (13.02)**
Evaluating Modular Hip and Knee Joint Components, Guide for, **F1814 (13.01)**
Evaluation of Modular Connection of Proximally Fixed Femoral Hip Prosthesis, Practice for, **F2580 (13.02)**
Static and Dynamic Characterization of Motion Preserving Lumbar Total Facet Prostheses, Practice for, **F2790 (13.02)**
Static Evaluation of Glenoid Locking Mechanism in Shear, Test Method for, **F1829 (13.01)**
Total Ankle Replacement Prosthesis, Specification for, **F2665 (13.02)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
Articulating boom aerial personnel device
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Articulating concrete block (ACB) revetment systems
Analysis and Interpretation of Test Data for Articulating Concrete Block (ACB) Revetment Systems in Open Channel Flow, Guide for, **D7276 (04.09)**
Installation of Articulating Concrete Block (ACB) Revetment Systems, Practice for, **D6884 (04.09)**
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Performance Testing of Articulating Concrete Block (ACB) Revetment Systems for Hydraulic Stability in Open Channel Flow, Test Method for, **D7277 (04.09)**
Articulating total wrist implants
Articulating Total Wrist Implants, Specification for, **F1357 (13.01)**
Articulation index (AI)
Sa **Sound transmission—building materials/applications**
Open Office Acoustics and Applicable ASTM Standards, Guide for, **E1374 (04.06)**
Artifacts
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**
Artificial aging
Sa **Accelerated aging/testing**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate),

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **B579 (02.05)**
Artificial climbing walls
Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures, Practice for, **F1159 (15.07)**
Artificial discontinuity
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Artificial intervertebral discs
Static and Dynamic Characterization of Spinal Artificial Discs, Test Methods for, **F2346 (13.01)**
Artificial light
Sa **Light transmission and reflection**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Exposure of Adhesive Specimens to Artificial Light, Practice for, **D904 (15.06)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Artificially applied soils
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**
Artificially worn tires
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**
Artificial pozzolans
See **Pozzolans**
Artificial seawater
Sa **Seawater (natural/synthetic)**
Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6442 (06.02)**
Artificial turf materials/surfaces
Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, Test Methods for, **F1551 (15.07)**
Artificial weathering
Sa **Weathering (sealants)**
Aging Effects of Artificial Weathering on Latex Sealants, Test Method for, **C732 (04.07)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, Practice for, **G147 (14.04)**
Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, Test Method for, **C1519 (04.07)**
Low-Temperature Flexibility of Latex Sealants After Artificial Weathering, Test Method for, **C734 (04.07)**
Relating to Natural and Artificial Weathering Tests of Nonmetallic Materials, Terminology, **G113 (14.04)**
Artificial weeathering apparatus
Conducting Tests on Sealants Using Artificial Weathering Apparatus, Practice for, **C1442 (04.07)**
Artists' materials/applications
Artists Paint Waste Disposal in Private, Non-Commercial Settings, Guide for, **D7354 (06.02)**
Artists' Paint Waste Disposal in Smaller Commercial or Educational Settings, Guide for, **D7355 (06.02)**
Determining the Relative Tinting Strength of Chromatic Paints, Test Method for, **D4838 (06.02)**
Gouache Paints, Specification for, **D5724 (06.02)**
Labeling Art Materials for Chronic Health Hazards, Practice for, **D4236 (06.02)**
Labeling Ceramic Art Materials for Chronic Adverse Health Hazards, Practice for, **C1023 (15.02)**
Lightfastness of Pigments Used in Artists' Paints, Test Methods for, **D4303 (06.02)**
Measuring Maximum Spontaneous Heating Temperature of Art and Other Materials, Test Method for, **D6801 (06.02)**
Preparing Drawdowns of Artists' Paste Paints, Practice for, **D4941 (06.02)**
Artists' materials/applications—specifications
Acrylic Dispersion Ground, Specification for, **D7733 (06.02)**
Artists' Acrylic Dispersion Paints, Specification for, **D5098 (06.02)**
Artists' Colored Pencils, Specification for, **D6901 (06.02)**
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
Artists' Watercolor Paints, Specification for, **D5067 (06.02)**
Art materials
Artists Paint Waste Disposal in Private, Non-Commercial Settings, Guide for, **D7354 (06.02)**
Artists' Paint Waste Disposal in Smaller Commercial or Educational Settings, Guide for, **D7355 (06.02)**
Determining Extractability of Metals from Art Materials, Test Method for, **D5517 (06.02)**
Visual Determination of the Lightfastness of Art Materials by Art Technologists, Practice for, **D5383 (06.02)**
Visual Evaluation of the Lightfastness of Art Materials by the User, Practice for, **D5398 (06.02)**
Asbestos
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Asbestos Detection Limit Based on Counts, Practice for, **D6620 (11.07)**
Asbestos Exposure Assessments for Repetitive Maintenance and Installation Tasks, Practice for, **D7886 (11.07)**
Comprehensive Building Asbestos Surveys, Practice for, **E2356 (11.07)**
Determination of Asbestos in Soil, Test Method for, **D7521 (11.07)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Evaluating Asbestos in Dust on Surfaces by Comparison Between Two Environments, Guide for, **D7390 (11.07)**
Heat Aging of Asbestos Textiles, Test Method for, **D1573/D1573M (04.05)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Sampling and Analysis of Asbestos, Terminology for, **D7712 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, Practice for, **D7200 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), Practice for, **D7201 (11.07)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy, Test Method for, **D6480 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Asbestos—specifications
Asbestos Lap, Specification for, **D1061/D1061M (04.05)**
Asbestos Roving, Specification for, **D375/D375M (04.05)**
Asbestos Tubular Sleeving, Specification for, **D628/D628M (04.05)**
Asbestos Yarns, Specification for, **D299/D299M (04.05)**
Woven Asbestos Cloth, Specification for, **D1571/D1571M (04.05)**
Woven Asbestos Tape, Specification for, **D315/D315M (04.05)**
Asbestos—vinyl asbestos tile (OTVAT)
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Asbestos-cement
Determination of Wood Fiber in Asbestos Cement, Test Method for, **C1096/C1096M (04.05)**
Maintenance, Renovation, and Repair of Installed Asbestos Cement Products, Practice for, **E2394 (11.07)**
Organic Fiber Content of Asbestos-Cement Products, Test Method for, **C458/C458M (04.05)**
Vacuum Drainage of Asbestos-Cement Mixes, Test Method for, **C1119/C1119M (04.05)**
Asbestos-cement—specifications
Asbestos-Cement Conduit, Specification for, **C875 (04.05)**
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Asbestos-Cement Fiberboard Insulating Panels, Specification for, **C551/C551M (04.05)**
Asbestos-Cement Organic-Foam Core Insulating Panels, Specification for, **C659 (04.05)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Asbestos-Cement Roofing Shingles, Specification for, **C222 (04.05)**
Asbestos-Cement Siding, Specification for, **C223 (04.05)**
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**
Semidense Mineral Fiber Siding, Specification for, **C725 (04.05)**
Asbestos-cement pipe
Installing Asbestos-Cement Nonpressure Pipe, Guide for, **C966 (04.05)**
Asbestos-cement pipe—specifications
Asbestos-Cement Conduit, Specification for, **C875 (04.05)**
Asbestos-Cement Nonpressure Sewer Pipe, Specification for, **C428/C428M (04.05)**
Asbestos-Cement Pipe, Test Methods for, **C500/C500M (04.05)**
Asbestos-Cement Pressure Pipe, Specification for, **C296/C296M (04.05)**
Asbestos-Cement Storm Drain Pipe, Specification for, **C663 (04.05)**
Asbestos-Cement Transmission Pipe, Specification for, **C668 (04.05)**
Asbestos-Cement Underdrain Pipe, Specification for, **C508/C508M (04.05)**
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**
Rubber Rings for Asbestos-Cement Pipe, Specification for, **D1869 (09.02)**
Asbestos-cement sheet
Asbestos-Cement Flat Products, Test Methods for, **C459/C459M (04.05)**
Asbestos-cement sheet—specifications
Asbestos-Cement Flat Sheet for Cooling Tower Fill, Specification for, **C1082 (04.05)**
Corrugated Asbestos-Cement Sheets, Specification for, **C221 (04.05)**
Corrugated Asbestos-Cement Sheets for Bulkheading, Specification for, **C746 (04.05)**
Flat Asbestos-Cement Sheets, Specification for, **C220 (04.05)**
Asbestos cloth—specifications
Woven Asbestos Cloth, Specification for, **D1571/D1571M (04.05)**
Asbestos content
Asbestos Content of Asbestos Textiles, Test Method for, **D1918/D1918M (04.05)**
Asbestos exposure
Asbestos Exposure Assessments for Repetitive Maintenance and Installation Tasks, Practice for, **D7886 (11.07)**
Asbestos fiber
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Asbestos and Asbestos–Cement Products, Terminology for, **D2946 (04.05)**
Asbestos Content of Asbestos Textiles, Test Method for, **D1918/D1918M (04.05)**
Asbestos Exposure Assessments for Repetitive Maintenance and Installation Tasks, Practice for, **D7886 (11.07)**
Asbestos Strength Units, Test Method for, **D3880/D3880M (04.05)**
Classification of Asbestos by Quebec Standard Test, Test Method for, **D3639/D3639M (04.05)**
Color of Asbestos, Test Method for, **D2985/D2985M (04.05)**
Compressibility and Recovery of Asbestos, Test Method for, **C1123/C1123M (04.05)**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**
Loose Density of Asbestos, Test Method for, **C1162/C1162M (04.05)**
Magnetic Rating of Asbestos Fiber and Asbestos Textiles, Test Method for, **D1118/D1118M (04.05)**
McNett Wet Classification of Dual Asbestos Fiber, Test Method for, **D2589/D2589M (04.05)**
Moisture Content of Asbestos Fiber, Test Method for, **D2987/D2987M (04.05)**
Non-Asbestos Fiber-Reinforced Cement Products, Terminology for, **C1154 (04.05)**
Penetration Index of Asbestos, Test Method for, **C1125 (04.05)**
Sampling Chrysotile Asbestos, Test Method for, **D2590/D2590M (04.05)**
Screen Analysis of Asbestos Fibers, Test Method for, **D2947/D2947M (04.05)**
Strength Imparted by Asbestos to a Cementitious Matrix, Test Method for, **D3752 (04.05)**
Turner and Newall (T and N) Wet-Length Classification of Asbestos, Test Method for, **C1121/C1121M (04.05)**
Vacuum Drainage of Asbestos-Cement Mixes, Test Method for, **C1119/C1119M (04.05)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Wash Test of Asbestos, Test Method for, **C1120/C1120M (04.05)**
Wet Volume of Asbestos, Test Method for, **C1122/C1122M (04.05)**
Asbestos fiber—specifications
Asbestos Textiles Used for Electrical Insulating Purposes, Specification for, **D2100/D2100M (04.05)**
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**
Asbestos-free products
Asphalt Roof Cement, Asbestos-Free, Specification for, **D4586/D4586M (04.04)**
Asphalt Roof Coatings—Asbestos-Free, Specification for, **D4479/D4479M (04.04)**
Coal Tar Roof Cement, Asbestos Free, Specification for, **D5643/D5643M (04.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Asbestos laminate base
See **Laminates**
Asbestos mass surface loading
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Asbestos structure number concentration
Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy, Test Method for, **D6480 (11.07)**
Asbestos textiles
Asbestos Content of Asbestos Textiles, Test Method for, **D1918/D1918M (04.05)**
Asbestos Textiles Used for Electrical Insulating Purposes, Specification for, **D2100/D2100M (04.05)**
Heat Aging of Asbestos Textiles, Test Method for, **D1573/D1573M (04.05)**
Magnetic Rating of Asbestos Fiber and Asbestos Textiles, Test Method for, **D1118/D1118M (04.05)**
As-determined/as-received samples
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Aseptic packaging
See **Packing/packaging materials/systems**
Ash
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Ash Content of Adhesives, Test Methods for, **D5040 (15.06)**
Ash in a Graphite Sample, Test Method for, **C561 (05.05)**
Ash in Biomass, Test Method for, **E1755 (05.06)**
Ash in Wood, Test Method for, **D1102 (04.10)**
Chemical Analysis of Wood Charcoal, Test Method for, **D1762 (04.10)**
Chromic Oxide in Leather (Perchloric Acid Oxidation), Test Method for, **D2807 (15.04)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Determination of Ash Content of Particulate Wood Fuels, Test Method for, **E1534 (05.06)**
Determining Acid Extractable Content in Activated Carbon by Ashing, Test Method for, **D6385 (15.01)**
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
Moisture, Ash, and Organic Matter of Peat and Other Organic Soils, Test Methods for, **D2974 (04.08)**
Percent Ash Content of Engine Coolants, Test Method for, **D1119 (15.05)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**
Ash—carbon/carbon black
Carbon Black—Ash Content, Test Methods for, **D1506 (09.01)**
Total Ash Content of Activated Carbon, Test Method for, **D2866 (15.01)**
Ash—coal/coke
Ash in Coal Tar and Pitch, Test Method for, **D2415 (05.01)**
Ash in the Analysis Sample of Coal and Coke from Coal, Test Method for, **D3174 (05.06)**
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Proximate Analysis of Coal and Coke, Practice for, **D3172 (05.06)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**
Ash—insulating materials
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**
Ash—leather
Chromic Oxide in Ashed Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6714 (15.04)**
Determination of the Ash Content of Fats and Oils, Test Method for, **D5347 (15.04)**
Insoluble Ash of Vegetable-Tanned Leather, Test Method for, **D2875 (15.04)**
Total Ash in Leather, Test Method for, **D2617 (15.04)**
Total Ash in Wet Blue or Wet White, Test Method for, **D6716 (15.04)**
Total Solids and Ash Content in Leather Finishing Materials, Test Method for, **D4906 (15.04)**
Ash—paints/related coatings/materials
Ashing Cellulose, Test Methods for, **D3516 (06.03)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Common Properties of Certain Pigments, Test Methods for, **D1208 (06.03)**
Ethylcellulose, Test Methods for, **D914 (06.03)**
Hydroxyethylcellulose, Test Methods for, **D2364 (06.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**
Ash—paper
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Ash—petroleum products
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Ash from Petroleum Products, Test Method for, **D482 (05.01)**
Ash in Analysis of Petroleum Coke, Test Method for, **D4422 (05.02)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Ash—plastics
Ash Content in Plastics, Test Method for, **D5630 (08.03)**
Ash—rubber
Rubber Compounding Materials—Determination of Ash Content, Test Methods for, **D4574 (09.01)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Rubber From Synthetic Sources—Total and Water Soluble Ash, Test Method for, **D5667 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6740 (09.01)**
Ash—waste materials/processing
Fusibility of Refuse-Derived Fuel (RDF) Ash, Test Method for, **E953/E953M (11.04)**
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Silica in Refuse-Derived Fuel (RDF) and RDF Ash, Test Method for, **E887 (11.04)**
Ash-forming materials
Determination of Contaminants in Gas Turbine and Diesel Engine Fuel by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6728 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ash-gravimetric method
Determination of Organically Combined Sulfuric Anhydride Ash-Gravimetric, Test Method C, Test Method for, **D5352 (15.04)**
Ash method
Rubber Bales From Natural SourcesLimit on Coating, Specification for, **D2449 (09.01)**
Askarels
Color of Clear Electrical, Test Method for, **D2129 (10.03)**
Determining the Coefficient of Thermal Expansion of Electrical Insulating Liquids of Petroleum Origin, and Askarels, Practice for, **D1903 (10.03)**
Aspergillus niger **bioassay**
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**
Asperity
Measuring Asperity Height of Textured Geomembranes, Test Method for, **D7466 (04.13)**
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**
Asphalt
Recovery of Asphalt from Solution Using Toluene and the Rotary Evaporator, Practice for, **D7906 (04.03)**
Asphalt binder
Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV), Practice for, **D6521 (04.03)**
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Determining the Continuous Grading Temperatures and Continuous Grades for PG Graded Asphalt Binders, Practice for, **D7643 (04.03)**
Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR), Test Method for, **D6648 (04.03)**
Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT), Test Method for, **D6723 (04.03)**
Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer, Test Method for, **D7175 (04.03)**
Multiple Stress Creep and Recovery (MSCR) of Asphalt Binder Using a Dynamic Shear Rheometer, Test Method for, **D7405 (04.03)**
Asphalt binder—specifications
Asphalt-Rubber Binder, Specification for, **D6114/D6114M (04.03)**
Performance Graded Asphalt Binder, Specification for, **D6373 (04.03)**
Performance Graded Trinidad Lake Modified Asphalt Binder, Specification for, **D6626 (04.03)**
Asphalt cap sheets
Sa **Roofing materials/applications**
Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing, Test Methods for, **D228/D228M (04.04)**
Asphalt cements
Adhesion of Asphalt-Roof Cement to Damp, Wet, or Underwater Surfaces, Test Method for, **D3409 (04.04)**
Calculating Percent Asphalt Absorption by the Aggregate in an Asphalt Pavement Mixture, Practice for, **D4469 (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), Test Method for, **D2872 (04.03)**
Materials and Construction of Open-Graded Friction Course Plant Mixtures, Guide for, **D6932/D6932M (04.03)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**
Asphalt cements—specifications
Asphalt Roof Cement, Asbestos-Containing, Specification for, **D2822/D2822M (04.04)**
Asphalt Roof Cement, Asbestos-Free, Specification for, **D4586/D4586M (04.04)**
Chemically Modified Asphalt Cement for Use in Pavement Construction, Specification for, **D6154 (04.03)**
Emulsified Asphalt Adhesive for Adhering Roof Insulation, Specification for, **D3747 (04.04)**
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**
Penetration-Graded Asphalt Cement for Use in Pavement Construction, Specification for, **D946/D946M (04.03)**
Performance Graded Trinidad Lake Modified Asphalt Binder, Specification for, **D6626 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**
Viscosity-Graded Asphalt Cement for Use in Pavement Construction, Specification for, **D3381/D3381M (04.03)**
Asphalt coatings
Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe, Practice for, **A862/A862M (01.06)**
Asphalt composition analysis
See **Composition analysis—paving materials**
Asphalt concrete
Determining Fatigue Failure of Compacted Asphalt Concrete Subjected to Repeated Flexural Bending, Test Method for, **D7460 (04.03)**
Asphalt concrete (AC) surface
Airport Pavement Condition Index Surveys, Test Method for, **D5340 (04.03)**
Asphalt content
Asphalt Content of Bituminous Mixtures by the Nuclear Method, Test Methods for, **D4125/D4125M (04.03)**
Asphalt Content of Hot-Mix Asphalt by Ignition Method, Test Method for, **D6307 (04.03)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Asphalt-covered decks
Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, Test Method for, **D6087 (04.03)**
Asphaltenes
Determination of Asphaltenes (Heptane Insolubles) in Crude Petroleum and Petroleum Products, Test Method for, **D6560 (05.03)**
Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), Test Method for, **D7157 (05.04)**
Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection), Test Method for, **D7112 (05.04)**
Measuring n-Heptane Induced Phase Separation of Asphaltene from Heavy Fuel Oils as Separability Number by an Optical Device, Test Method for, **D7827 (05.04)**
Measuring n-Heptane Induced Phase Separation of Asphaltene-Containing Heavy Fuel Oils as Separability Number by an Optical Scanning Device, Test Method for, **D7061 (05.04)**
n-Heptane Insolubles, Test Method for, **D3279 (04.03)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
Asphalt floor covering
See **Resilient flooring**
Asphalt fume particulate
Determination of Asphalt Fume Particulate Matter in Workplace Atmospheres as Benzene Soluble Fraction, Test Method for, **D6494 (11.07)**
Asphaltic and tarry matter content
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Asphaltic plug joints (APJ)
Asphaltic Plug Joints for Bridges, Specification for, **D6297 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Asphalt paving mixtures
Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, Test Method for, **D4957 (04.03)**
Asphalt Content of Bituminous Mixtures by the Nuclear Method, Test Methods for, **D4125/D4125M (04.03)**
Calculating Percent Asphalt Absorption by the Aggregate in an Asphalt Pavement Mixture, Practice for, **D4469 (04.03)**
Classifying Emulsified Recycling Agents, Practice for, **D5505 (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Construction of Asphalt-Rubber Cape Seal, Practice for, **D7564/D7564M (04.03)**
Determination of Draindown Characteristics in Uncompacted Asphalt Mixtures, Test Method for, **D6390 (04.03)**
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**
Determining the Permanent Shear Strain and Complex Shear Modulus of Asphalt Mixtures Using the Superpave Shear Tester (SST), Test Method for, **D7312 (04.03)**
Determining the Workability of Asphalt Cold Mix Patching Material, Test Method for, **D6704 (04.03)**
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, Test Method for, **D1075 (04.03)**
Effects of Heat and Air on Asphaltic Materials (Thin-Film Oven Test), Test Method for, **D1754/D1754M (04.03)**
Float Test for Bituminous Materials, Test Method for, **D139 (04.03)**
Kinematic Viscosity of Asphalts (Bitumens), Test Method for, **D2170/D2170M (04.03)**
Moisture Conditioning Compacted Asphalt Mixture Specimens by Using Hydrostatic Pore Pressure, Practice for, **D7870/D7870M (04.03)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Recovery of Asphalt from Solution Using the Rotary Evaporator, Practice for, **D5404/D5404M (04.03)**
Sampling Bituminous Paving Mixtures, Practice for, **D979/D979M (04.03)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Selection and Use of Emulsified Asphalts, Practice for, **D3628 (04.03)**
Solubility of Asphalt Binders in Toluene by Centrifuge, Test Method for, **D5546 (04.03)**
Specific Gravity, API Gravity, or Density of Cutback Asphalts by Hydrometer Method, Test Method for, **D3142/D3142M (04.03)**
the Identification of Trinidad Lake Asphalt in Asphalt Mixes, Practice for, **D6608 (04.03)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**
Viscosity of Asphalts by Vacuum Capillary Viscometer, Test Method for, **D2171/D2171M (04.03)**

Asphalt paving mixtures—specifications
Asphalt for Undersealing Portland-Cement Concrete Pavements, Specification for, **D3141/D3141M (04.03)**
Asphalt Plank, Specification for, **D517 (04.03)**
Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, Specification for, **D5249 (04.03)**
Cationic Emulsified Asphalt, Specification for, **D2397/D2397M (04.03)**
Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, Specification for, **D5078/D5078M (04.03)**
Emulsified Asphalt, Specification for, **D977 (04.03)**
Hydrated Lime for Use in Asphalt Cement or Bituminous Paving Mixtures, Specification for, **C1097 (04.01)**
Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements, Specification for, **D6690 (04.03)**
Performance Graded Asphalt Binder, Specification for, **D6373 (04.03)**
Prediction of Asphalt-Bound Pavement Layer Temperatures, Test Method for, **D7228 (04.03)**
Trinidad Lake Modified Asphalt, Specification for, **D5710/D5710M (04.03)**

Asphalt prefabricated sheet
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**

Asphalt protection board
Application of Asphalt Based Protection Board, Guide for, **D6451 (04.04)**

Asphalt recovery
Recovery of Asphalt from Solution Using the Rotary Evaporator, Practice for, **D5404/D5404M (04.03)**
Recovery of Asphalt from Solution Using Toluene and the Rotary Evaporator, Practice for, **D7906 (04.03)**

Asphalt retention
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full-Width Applications, Test Method to, **D6140 (04.13)**

Asphalt roofing materials
Adhesion of Asphalt-Roof Cement to Damp, Wet, or Underwater Surfaces, Test Method for, **D3409 (04.04)**
Application of Aluminum-Pigmented Asphalt Roof Coatings, Guide for, **D3805/D3805M (04.04)**
Application of Asphalt Based Protection Board, Guide for, **D6451 (04.04)**
Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing, Specification for, **D2626/D2626M (04.04)**
Contact Compatibility Between Asphaltic Materials (Oliensis Test), Test Method for, **D1370/D1370M (04.04)**
Density of Semi-Solid Bituminous Materials (Pycnometer Method), Test Method for, **D70 (04.03)**
Determination of a Volatile Distillate Fraction of Cold Asphalt Mixtures, Test Method for, **D6627/D6627M (04.03)**
Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), Test Method for, **D5849/D5849M (04.04)**
Evaluating the Effects of Heat on Asphalts, Practice for, **D3791/D3791M (04.04)**
Granule Adhesion to Mineral Surfaced Roofing by Abrasion, Test Method for, **D4977/D4977M (04.04)**
Granule Cover of Mineral Surfaced Roofing, Test Method for, **D6225/D6225M (04.04)**
Hydrogen Gas Generation of Aluminum Emulsified Asphalt Used as a Protective Coating for Roofing, Test Method for, **D6356/D6356M (04.04)**
Loss on Heating of Oil and Asphaltic Compounds, Test Method for, **D6/D6M (04.04)**
Measurement of Asphalt Shingle Mechanical Uplift Resistance, Test Method for, **D6381/D6381M (04.04)**
Recovery of Asphalt From Solution by Abson Method, Test Method for, **D1856 (04.03)**
Relative Density of Solid Pitch and Asphalt (Displacement Method), Test Method for, **D71 (05.01)**
Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing, Test Methods for, **D228/D228M (04.04)**
Selection of Asphalt Used in Built-Up Roofing Systems, Guide for, **D6510 (04.04)**
Sieve Analysis of Granular Mineral Surfacing For Asphalt Roofing Products, Test Method for, **D451/D451M (04.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sieve Analysis of Surfacing for Asphalt Roofing Products, Test Method for, **D452/D452M (04.04)**
Solubility of Asphalt Materials in Trichloroethylene, Test Method for, **D2042 (04.03)**
Staining Tendency of Asphalt (Stain Index), Test Method for, **D2746 (04.04)**
Viscosity Determination of Asphalt at Elevated Temperatures Using a Rotational Viscometer, Test Method for, **D4402/D4402M (04.04)**
Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), Test Method for, **D3161/D3161M (04.04)**

Asphalt roofing materials—specifications
Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, Specification for, **D2824/D2824M (04.04)**
Asphalt Based Protection Board for Below-Grade Waterproofing, Specification for, **D6506 (04.04)**
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D41/D41M (04.04)**
Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules, Specification for, **D3909/D3909M (04.04)**
Asphalt Roll Roofing (Organic Felt), Specification for, **D6380/D6380M (04.04)**
Asphalt Roof Cement, Asbestos-Containing, Specification for, **D2822/D2822M (04.04)**
Asphalt Roof Cement, Asbestos-Free, Specification for, **D4586/D4586M (04.04)**
Asphalt Roof Coatings—Asbestos-Free, Specification for, **D4479/D4479M (04.04)**
Asphalt Roof Coatings, Asbestos-Containing, Specification for, **D2823/D2823M (04.04)**
Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules, Specification for, **D3462/D3462M (04.04)**
Asphalt Used in Dampproofing and Waterproofing, Specification for, **D449/D449M (04.04)**
Asphalt Used in Roofing, Specification for, **D312 (04.04)**
Asphalt Used in Roofing Measured by Dynamic Shear Rheometer, Specification for, **D7654/D7654M (04.04)**
Asphalt-Base Emulsions for Use as Protective Coatings for Metal, Specification for, **D1187/D1187M (04.04)**
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**
Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, Specification for, **D4869/D4869M (04.04)**
Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D226/D226M (04.04)**
Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, Specification for, **D1327/D1327M (04.04)**
Class A Asphalt Shingles Surfaced with Mineral Granules, Specification for, **D3018/D3018M (04.04)**
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Emulsified Asphalt Adhesive for Adhering Roof Insulation, Specification for, **D3747 (04.04)**
Emulsified Asphalt Used as a Protective Coating for Roofing, Specification for, **D1227 (04.04)**
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**
SEBS-Modified Mopping Asphalt Used in Roofing, Specification for, **D6152/D6152M (04.04)**

Asphalt rubber binder
Asphalt-Rubber Binder, Specification for, **D6114/D6114M (04.03)**
Measurement of Apparent Viscosity of Asphalt-Rubber or Other Asphalt Binders by Using a Rotational Hand Held Viscometer, Test Method for, **D7741/D7741M (04.03)**

Asphalts
Automated Heithaus Titrimetry, Test Method for, **D6703 (04.03)**
Determination of Emulsified Asphalt Residue by Moisture Analyzer, Test Method for, **D7404 (04.03)**
Determination of Residue of Emulsified Asphalt by Low Temperature Vacuum Distillation, Test Method for, **D7403 (04.03)**
Determining the Viscosity of Emulsified Asphalts Using a Rotational Paddle Viscometer, Test Method for, **D7226 (04.03)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, Practice for, **D6805 (04.04)**
n-Heptane Insolubles, Test Method for, **D3279 (04.03)**
Rapid Drying of Compacted Asphalt Specimens Using Vacuum Drying Apparatus, Practice for, **D7227/D7227M (04.03)**
Recovering Residue from Emulsified Asphalt Using Low Temperature Evaporative Technique, Practice for, **D7497 (04.03)**
Recovery of Asphalt from Solution Using the Rotary Evaporator, Practice for, **D5404/D5404M (04.03)**
Residue of Specified Penetration, Test Method for, **D243 (04.03)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
Solubility of Asphalt Materials in N-Propyl Bromide, Test Method for, **D7553 (04.03)**
Viscosity of Emulsified Asphalt by Saybolt Furol Viscometer, Test Method for, **D7496 (04.03)**
Viscosity-Temperature Chart for Asphalts, Standard, **D2493/D2493M (04.03)**

Asphalts—canal/ditch/pond linings
Asphalt Used in Canal, Ditch, and Pond Lining, Specification for, **D2521/D2521M (04.04)**
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**

Asphalts—cutback
Cutback Asphalt (Medium-Curing Type), Specification for, **D2027/D2027M (04.03)**
Cutback Asphalt (Rapid-Curing Type), Specification for, **D2028/D2028M (04.03)**
Cutback Asphalt (Slow-Curing Type), Specification for, **D2026/D2026M (04.03)**
Distillation of Cutback Asphaltic (Bituminous) Products, Test Method for, **D402 (04.03)**
Flash Point of Cutback Asphalt with Tag Open-Cup Apparatus, Test Method for, **D3143/D3143M (04.03)**
Penetration Index of Asbestos, Test Method for, **C1125 (04.05)**
Preparation of Test Specimens of Asphalt-Stabilized Soils, Practice for, **D4223/D4223M (04.08)**
Selection of Cutback Asphalts, Practice for, **D2399 (04.03)**

Asphalt shingles
Wind Resistance of Asphalt Shingles (Uplift Force/Uplift Resistance Method), Test Method for, **D7158/D7158M (04.04)**

Asphalt stabilized soil
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Preparation of Test Specimens of Asphalt-Stabilized Soils, Practice for, **D4223/D4223M (04.08)**

Asphalt volume correction
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**

As-rolled structural steel plate
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Assault condition
Detention Hinges Used on Detention-Grade Swinging Doors, Test Methods for, **F1758 (15.08)**
Physical Assault on Vertical Fixed Barriers for Detention and Correctional Facilities, Test Methods for, **F2322 (15.08)**
Assay
Analysis of Acetic Anhydride Using Gas Chromatography, Test Method for, **E1616 (15.05)**
Assay for Alkaline Protease, Test Method of, **D3048 (15.04)**
Assay of, Test Method for, **D6505 (15.05)**
Assay of Nitric Acid, Test Method for, **E1584 (15.05)**
Assay of Organic Peroxides, Test Methods for, **E298 (15.05)**
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**
Assessing the Attachment of Cells to Biomaterial Surfaces by Physical Methods, Guide for, **F2664 (13.02)**
Automated Colony Forming Unit (CFU) Assays—Image Acquisition and Analysis Method for Enumerating and Characterizing Cells and Colonies in Culture, Test Method for, **F2944 (13.02)**
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**
Determination of Glycerin Assay by Titration (Sodium Meta Periodate), Test Method for, **D7637 (15.05)**
Dicumyl Peroxide, Assay (Liquid Chromatography), Test Method for, **E755 (15.05)**
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, Test Method for, **D4936 (09.01)**
Nondestructive Assay of Radioactive Material by Tomographic Gamma Scanning, Test Method for, **C1718 (12.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Rubber Chemicals—Diphenyl Guanidine (DPG) and Di-o-tolylguanidine (DOTG) Assay, Test Method for, **D5054 (09.01)**
Rubber Compounding Materials—Benzothiazyl Disulfide (MBTS)—Assay, Test Method for, **D5051 (09.01)**
Assemblies
90 Degree Peel Resistance of Adhesives, Test Method for, **D6862 (15.06)**
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Assembly construction
Assembly and Placement of Double-Twisted Wire Mesh Gabions and Revet Mattresses, Practice for, **D7014 (04.09)**
Evaluating System Effects in Repetitive-Member Wood Assemblies, Guide for, **D6555 (04.10)**
Assembly force
Assembly Force of Plastic Underground Conduit Joints That Use Flexible Elastomeric Seals Located in the Bell, Test Method for, **F1429 (08.04)**
Assembly of apparatus
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Flammability of a Membrane Switch in Defined Assembly, Test Method for, **F2866 (10.04)**
Assembly time
Determining Open Assembly Time of Carpet Mastic Adhesives, Test Method for, **D6325 (15.06)**
Assessment/Assesors
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Assessment of Rainwater Quality, Practice for, **E2727 (04.12)**
Directional Difference Test, Test Method for, **E2164 (15.08)**
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**
Selecting and Constructing Exposure Scenarios for Assessment of Exposures to Alkyd and Latex Interior Paints, Practice for, **D6669 (11.07)**
Selection of Fire Test Methods for the Assessment of Upholstered Furnishings in Detention and Correctional Facilities, Guide for, **F1870 (15.08)**
Selection, Assignment, and Monitoring of Persons To Be Utilized as Assessors/Auditors or Technical Experts, Guide for, **E2159 (14.02)**
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**
Uncertainty Assessment in the Context of Seized-Drug Analysis, Practice for, **E2764 (14.02)**
Assessment/Assesors—buildings
Addressing and Reporting Loss, Damage, or Destruction of Tangible Property, Practice for, **E2131 (04.12)**
Assessing the Durability of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Methods for, **E2141 (04.12)**
Assessment and Maintenance of Exterior Dimension Stone Masonry Walls and Facades, Guide for, **C1496 (04.07)**
Data Collection for Sustainability Assessment of Building Products, Practice for, **E2129 (04.12)**
Disposal of Personal Property, Practice for, **E2306 (04.12)**
Organizing and Managing Building Data, Practice for, **E2166 (04.12)**
Assessment/Assesors—environmental applications
Assessment of Attaining Clean Up Level for Site Closure, Practice for, **D6597 (11.04)**
Environmental Site Assessments: Phase I Environmental Site Assessment Process, Practice for, **E1527 (11.05)**
Limited Environmental Due Diligence: Transaction Screen Process, Practice for, **E1528 (11.05)**
Selecting and Using Ecological Endpoints for Contaminated Sites, Guide for, **E1848 (11.05)**
Assessment (of fire risks)
See **Fire testing**
See **Risk analysis**
Asset management/protection
Contractor Self Assessment for U.S. Government Property Management Systems, Guide for, **E2936 (04.12)**
Fleet Management, Guide for, **E2962 (04.12)**
Prioritizing Asset Resources in Acquisition, Utilization, and Disposition, Practice for, **E2495 (04.12)**
Property and Asset Management, Terminology for, **E2135 (04.12)**
Property Management System Outcomes, Practice for, **E2675 (04.12)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
the Recognition of Impaired or Retired Personal Property, Practice for, **E2378 (04.12)**
Uniform Data Management in Asset Management Records Systems, Practice for, **E2812 (04.12)**
Asset priority
Prioritizing Asset Resources in Acquisition, Utilization, and Disposition, Practice for, **E2495 (04.12)**
Asset test
Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), Test Method for, **G66 (03.02)**
Asset utility
Prioritizing Asset Resources in Acquisition, Utilization, and Disposition, Practice for, **E2495 (04.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

As-shipped coal
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Assignment
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**
Selection, Assignment, and Monitoring of Persons To Be Utilized as Assessors/Auditors or Technical Experts, Guide for, **E2159 (14.02)**
Associated tissues (surgical implants)
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**
ASTM butadiene measurement tables
ASTM Butadiene Measurement Tables, Standard, **D1550 (05.01)**
ASTM cetane index
See **Calculated Cetane Index (CCI)**
ASTM color scale
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Color of Petroleum Products by the Automatic Tristimulus Method, Test Method for, **D6045 (05.02)**
Determination of the Red Dye Concentration and Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, Test Method for, **D6756 (05.03)**
ASTM Committee C-17 on Fiber-Cement Products
Non-Asbestos Fiber-Reinforced Cement Products, Terminology for, **C1154 (04.05)**
ASTM Committee D-16 on Aromatic Hydrocarbons
Quality Control and Quality Assurance Procedures for Aromatic Hydrocarbons and Related Materials, Guide for, **D6809 (06.04)**
ASTM Committee D-19 on Water
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Performing Detection and Quantitation Estimation and Data Assessment Utilizing DQCALC Software, based on ASTM Practices D6091 and D6512 of Committee D19 on Water, Practice for, **D7510 (11.01)**
ASTM Committee D-1 on Paint and Related Coatings
Committee D01 for Conducting an Interlaboratory Study for the Purpose of Determining the Precision of a Test Method, Guide for, **D6631 (06.01)**
ASTM Committee D-20 on Plastics
Annual Review of Test Methods and Specifications for Plastics, Guide for, **D4968 (08.02)**
ASTM Committee E-15 on Industrial Chemicals
Industrial and Specialty Chemicals, Terminology Relating to, **E1547 (15.05)**
ASTM Committee E-6 on Performance of Buildings
Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components, Practice for, **E699 (14.02)**
ASTM Committee F-16 on Fasteners
F16 Mechanical Fasteners, Terminology for, **F1789 (01.08)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
ASTM dropping point
Dropping Point of Waxes, Test Method for, **D3954 (15.04)**
ASTM E57 3D file format
3D Imaging Data Exchange, Version 1.0, Specification for, **E2807 (10.04)**
ASTM ENDF file
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
ASTM equivalent penetrameter sensitivity
See **Penetrameters**
ASTM fuel B
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
ASTM grain size number (G)
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
ASTM/ISO standards
See **ISO/ASTM Standards**
ASTM oils
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
ASTM photographic standard
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
ASTM precipitation number
Precipitation Number of Lubricating Oils, Test Method for, **D91 (05.01)**
ASTM reference blacks
See **Reference blacks**
ASTM reference coolant
ASTM Reference Fluid for Coolant Tests, Specification for, **D3585 (15.05)**
ASTM Test Method E 96
Use of Test Methods, Practice for, **E2321 (04.12)**
Water Vapor Transmission of Materials, Test Methods for, **E96/E96M (04.06)**
ASTM test methods/practices
Performing Detection and Quantitation Estimation and Data Assessment Utilizing DQCALC Software, based on ASTM Practices D6091 and D6512 of Committee D19 on Water, Practice for, **D7510 (11.01)**
Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods, Classification System for and Basis for Specification for, **D4067 (08.02)**
ASTM Test Monitoring Center (TMC)
Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D6201 (05.03)**
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**
Evaluation of Corrosiveness of Diesel Engine Oil at 121 °C, Test Method for, **D5968 (05.02)**
Evaluation of Corrosiveness of Diesel Engine Oil at 135 °C, Test Method for, **D6594 (05.03)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, Test Method for, **D6681 (05.03)**
Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), Test Methods for, **D6750 (05.03)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, Test Method for, **D6794 (05.03)**
ASTM voluntary consensus standards
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, Practice for, **E1628 (11.03)**
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Statistical Procedures to Use in Developing and Applying Test Methods, Guide for, **E1488 (14.02)**
Use of the Terms Precision and Bias in ASTM Test Methods, Practice for, **E177 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Asymmetrical four-point test
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Atactic polypropylene (APP)
Application of Heat Weldable Atactic Polypropylene (APP) Modified Bituminous Waterproofing Membranes Systems for New Building Decks, Practice for, **D6950/D6950M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6509/D6509M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**
ATCORR test
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Athletic footwear
Sa **Sports equipment—specifications**
Comparison of Rearfoot Motion Control Properties of Running Shoes, Test Method for, **F1833 (15.07)**
Fitting Athletic Footwear, Practice for, **F539 (15.07)**
Impact Attenuation of Athletic Shoe Cushioning Systems and Materials, Test Method for, **F1976 (15.07)**
Athletic playing surfaces
Sa **Playing surfaces (athletic)**
Athletic Performance Properties of Indoor Sports Floor Systems, Specification for, **F2772 (15.07)**
Construction and Maintenance of Warning Track Areas on Athletic Fields, Guide for, **F2270 (15.07)**
Evaluating the Force Reduction Properties of Surfaces for Athletic Use, Test Method for, **F2569 (15.07)**
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**
Soil and Turfgrass Characteristics of Natural Playing Surfaces, Terminology Relating to, **F2651 (15.07)**
Total Lead Content in Synthetic Turf Fibers, Specification for, **F2765 (15.07)**
Atlantek Method
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, Test Method for, **F1943 (15.09)**
Atlas samples
Specifying Color by Using the Optical Society of America Uniform Color Scales System, Practice for, **E1360 (06.01)**
Atmospheres—conditioning/testing
Conditioning, Terminology Relating To, **E41 (14.04)**
Conditioning and Testing Flexible Barrier Packaging, Practice for, **E171/E171M (15.10)**
Conditioning Containers, Packages, or Packaging Components for Testing, Practice for, **D4332 (15.10)**
Conditioning Leather and Leather Products for Testing, Practice for, **D1610 (15.04)**
Conditioning Plastics for Testing, Practice for, **D618 (08.01)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**
Maintaining Constant Relative Humidity by Means of Aqueous Solutions, Practice for, **E104 (11.07)**
Rubber Conditioning For Low Temperature Testing, Practice for, **D832 (09.01)**
Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, Specification for, **D3924 (06.01)**
Using Controlled Atmospheres in Spectrochemical Analysis, Practice for, **E406 (03.05)**
Atmospheric analysis
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Atmospheric Leaks Using a Thermal Conductivity Leak Detector, Practice for, **E2024/E2024M (03.03)**
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, Guide for, **D5111 (11.07)**
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Conversion Units and Factors Relating to Sampling and Analysis of Atmospheres, Practice for, **D1914 (11.07)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, Test Methods for, **D2010/D2010M (11.07)**
Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, Test Method for, **D4323 (11.07)**
Laboratories Engaged in Sampling and Analysis of Atmospheres and Emissions, Guide for, **D3614 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Mercaptan Content of the Atmosphere, Test Method for, **D2913 (11.07)**
Nitrogen Dioxide Content of the Atmosphere (Griess-Saltzman Reaction), Test Method for, **D1607 (11.07)**
Nitrogen Oxides (Combined) Content in the Atmosphere by the Griess-Saltzman Reaction, Test Method for, **D3608 (11.07)**
Nondestructive Assay of Plutonium, Tritium and 241Am by Calorimetric Assay, Test Method for, **C1458 (12.01)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Practice for, **E1982 (03.06)**
Oxides of Nitrogen in Gaseous Combustion Products (Phenol-Disulfonic Acid Procedures), Test Method for, **D1608 (11.07)**
Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, Test Method for, **D5149 (11.07)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Sampling and Analysis of Atmospheres, Terminology Relating to, **D1356 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Sulfur Dioxide Content of the Atmosphere (West-Gaeke Method), Test Methods for, **D2914 (11.07)**
Atmospheric analysis—calibration of instruments
See **Calibration—air/atmospheric analysis instruments**
Atmospheric analysis—dust
Sa **Dust**
Collection and Measurement of Dustfall (Settleable Particulate Matter), Test Method for, **D1739 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Atmospheric analysis—emission testing of stacks and flues
Average Velocity in a Duct (Pitot Tube Method), Test Method for, **D3154 (11.07)**
Average Velocity in a Duct Using a Thermal Anemometer, Test Method for, **D3464 (11.07)**
Calibration of Type S Pitot Tubes, Practice for, **D3796 (11.07)**
Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**
Atmospheric analysis—fluoride isolation/analysis
Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Semiautomated Method), Test Methods for, **D3270 (11.07)**
Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Test Method for, **D3266 (11.07)**
Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), Test Method for, **D3268 (11.07)**
Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), Test Method for, **D3267 (11.07)**
Atmospheric analysis—indoor
See **Indoor air analysis**
Atmospheric analysis—meteorological measurements
Determining the Operational Comparability of Meteorological Measurements, Practice for, **D4430 (11.07)**
Maintaining Constant Relative Humidity by Means of Aqueous Solutions, Practice for, **E104 (11.07)**
Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), Test Method for, **E337 (11.07)**
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**
Measuring Surface Atmospheric Pressure, Test Methods for, **D3631 (11.07)**
Atmospheric analysis—particulate matter
Collection and Measurement of Dustfall (Settleable Particulate Matter), Test Method for, **D1739 (11.07)**
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**
Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**
Atmospheric analysis—sampling
See **Sampling air/atmospheric materials/applications**
Atmospheric analysis—workplace
See **Workplace air/atmospheres**
Atmospheric chloride deposition rate
Determining Atmospheric Chloride Deposition Rate by Wet Candle Method, Test Method for, **G140 (03.02)**
Atmospheric corrosion materials/applications—specifications
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
High-Strength Low-Alloy Structural Steel Plate With Atmospheric Corrosion Resistance, Specification for, **A871/A871M (01.04)**
High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, Specification for, **A588/A588M (01.04)**
Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance, Specification for, **A606/A606M (01.03)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**
Atmospheric corrosion analysis
Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons, Test Method for, **B810 (02.04)**
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Conducting Atmospheric Corrosion Tests on Metals, Practice for, **G50 (03.02)**
Conducting Exfoliation Corrosion Tests in Aluminum Alloys, Guide for, **G112 (03.02)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, Test Method for, **B826 (02.04)**
Monitoring Atmospheric SO2 Deposition Rate for Atmospheric Corrosivity Evaluation, Practice for, **G91 (03.02)**
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Atmospheric curing stability
Pigments for Integrally Colored Concrete, Specification for, **C979/C979M (04.02)**
Atmospheric distillates
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Atmospheric distillation
Distillation of Petroleum Products at Atmospheric Pressure, Test Method for, **D86 (05.01)**
Atmospheric equilibration
Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration, Test Method for, **C1430 (12.01)**
Atmospheric equivalent temperature (AET)
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Atmospheric leaks
Atmospheric Leaks Using a Thermal Conductivity Leak Detector, Practice for, **E2024/E2024M (03.03)**
Atmospheric pressure test
Determining the Effects of Atmospheric Pressure Variation on a Membrane Switch, Test Method for, **F1762 (10.04)**
Pressure Calibration of Thermal Analyzers, Test Method for, **E2744 (14.02)**
Using Atmospheric Pressure Rotating Cage, Test Method for, **G202 (03.02)**
Atmospheric steamer
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**
Atmospheric steel pipe
Electric-Fusion-Welded Steel Pipe for Atmospheric and Lower Temperatures, Specification for, **A671/A671M (01.01)**
Seamless Carbon Steel Pipe for Atmospheric and Lower Temperatures, Specification for, **A524 (01.01)**
Atmospheric turbulence
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**
Atmospheric water analysis
Determination of Hydrogen Peroxide and Combined Organic Peroxides in Atmospheric Water Samples by Peroxidase En-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

zyme Fluorescence Method, Test Method for, **D6363 (11.07)**

Atmospheric wet deposition (AWD)
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Quality Assurance Protocols for Chemical Analysis of Atmospheric Wet Deposition, Guide for, **D6328 (11.07)**

Atomic absorption
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Lead in Water, Test Methods for, **D3559 (11.01)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Total Mercury in Crude Oil Using Combustion and Direct Cold Vapor Atomic Absorption Method with Zeeman Background Correction, Test Method for, **D7622 (05.04)**
Total Mercury in Crude Oil Using Combustion-Gold Amalgamation and Cold Vapor Atomic Absorption Method, Test Method for, **D7623 (05.04)**
Zinc in Water, Test Methods for, **D1691 (11.01)**

Atomic absorption—electrothermal
Determination of Elements by Graphite Furnace Atomic Absorption Spectrometry, Practice for, **E1184 (03.05)**

Atomic absorption spectrometry (AAS)
Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, Test Method for, **D4628 (05.02)**
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Analysis of Magnesium and Magnesium Alloys by Atomic Emission Spectrometry, Test Method for, **B954 (02.02)**
Analysis of Nickel Alloys by Flame Atomic Absorption Spectrometry, Test Method for, **E1835 (03.05)**
Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1834 (03.05)**
Arsenic in Uranium Hexafluoride, Test Methods for, **C1219 (12.01)**
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Determination of Acid Soluble Iron Via Atomic Absorption, Test Method for, **D6647 (15.01)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Aluminum and Silicon in Fuel Oils by Ashing, Fusion, Inductively Coupled Plasma Atomic Emission Spectrometry, and Atomic Absorption Spectrometry, Test Methods for, **D5184 (05.02)**
Determination of Copper in Jet Fuels by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6732 (05.03)**
Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1852 (03.05)**
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**
Manganese in Gasoline By Atomic Absorption Spectroscopy, Test Method for, **D3831 (05.02)**
Mercury Sampling and Measurement in Natural Gas by Atomic Absorption Spectroscopy, Test Method for, **D5954 (05.06)**
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**
Optimization, Calibration, and Validation of Atomic Absorption Spectrometry for Metal Analysis of Petroleum Products and Lubricants, Practice for, **D7740 (05.04)**
Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis, Practice for, **E1645 (04.11)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Sample Decomposition Using Microwave Heating (With or Without Prior Ashing) for Atomic Spectroscopic Elemental Determination in Petroleum Products and Lubricants, Practice for, **D7876 (05.04)**
Silicon in Engine Coolant Concentrates by Atomic Absorption Spectroscopy, Test Method for, **D6129 (15.05)**
Zinc Analysis of Floor Polishes and Floor Polish Polymers By Flame Atomic Absorption (A.A.), Test Method for, **D6827 (15.04)**

Atomic absorption spectrophotometry/spectroscopy
Sa **Spectrophotometry—atomic absorption**
Sa **Spectroscopy—atomic absorption**
Arsenic in Water, Test Methods for, **D2972 (11.01)**
Beryllium in Water, Test Methods for, **D3645 (11.01)**
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Potassium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4192 (11.01)**
Quality Assurance Protocols for Chemical Analysis of Atmospheric Wet Deposition, Guide for, **D6328 (11.07)**
Selenium in Water, Test Methods for, **D3859 (11.01)**
Sodium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4191 (11.01)**
Vanadium in Water, Test Method for, **D3373 (11.01)**

Atomic emission detection
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**
Sulfur Compounds in Light Petroleum Liquids by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D5623 (05.02)**

Atomic emission spectrometry
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Analysis of High Manganese Steel by Spark Atomic Emission Spectrometry, Test Method for, **E2209 (03.05)**
Analysis of In-Service Lubricants Using Particular Four-Part Integrated Tester (Atomic Emission Spectroscopy, Infrared Spectroscopy, Viscosity, and Laser Particle Counter), Test Method for, **D7417 (05.04)**
Analysis of Titanium and Titanium Alloys by Direct Current Plasma and Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Test Methodology), Test Method for, **E2371 (03.05)**
Describing and Specifying a Direct Current Plasma Atomic Emission Spectrometer, Practice for, **E1832 (03.05)**
Describing and Specifying Inductively-Coupled Plasma Atomic Emission Spectrometers, Practice for, **E1479 (03.05)**
Determination of Aluminum and Silicon in Fuel Oils by Ashing, Fusion, Inductively Coupled Plasma Atomic Emission Spectrometry, and Atomic Absorption Spectrometry, Test Methods for, **D5184 (05.02)**
Determination of Contaminants in Gas Turbine and Diesel Engine

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fuel by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6728 (05.03)**
Determination of Low Levels of Phosphorus in ILSAC GF 4 and Similar Grade Engine Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D7040 (05.04)**
Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, Test Methods for, **D5708 (05.02)**
Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6595 (05.03)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

Atomic fluorescence spectroscopy
Mercury Sampling and Analysis in Natural Gas by Atomic Fluorescence Spectroscopy, Test Method for, **D6350 (05.06)**

Atomic force microscopy (AFM)
Calibrating the, Practice for, **E2530 (03.06)**
Scanner and Tip Related Artifacts in Scanning Tunneling Microscopy and Atomic Force Microscopy, Guide to, **E2382 (03.06)**
Size Measurement of Nanoparticles Using Atomic Force Microscopy, Guide for, **E2859 (14.02)**

Atomic lattice structure (of semiconductors)
See **Crystal lattice structure**

Atomic oxygen interaction evaluation
Ground Laboratory Atomic Oxygen Interaction Evaluation of Materials for Space Applications, Practices for, **E2089 (15.03)**

Atomic ratio
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**

Atomic ratio—uranium dioxide (powders and pellets)
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**

Atomization
Relating to Liquid Particles and Atomization, Terminology, **E1620 (14.02)**

Atomizer test
Hydrophobic Surface Films by the Atomizer Test, Test Method for, **F21 (15.03)**

Atom percent fission—uranium/plutonium fuel
Atom Percent Fission in Uranium and Plutonium Fuel (Neodymium-148 Method), Test Method for, **E321 (12.01)**

ATP firefly method
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**

ATPV (arc thermal performance value)
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**

ATR (attenuated total reflection) probe
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**

Attached cell method
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**

Attached deposits
Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, Test Method for, **D5256 (11.02)**

Attached dwellings
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Functionality, Guide for, **E2351 (04.12)**

Attack plans
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**

Attenuated total reflection spectroscopy
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Attenuating/alternating magnetic fields
Sa **Aquifers**
Magnetic Shield Efficiency in Attenuating Alternating Magnetic Fields, Test Method for, **A698/A698M (03.04)**

Attenuating medium
Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, Test Methods for, **E1897 (03.03)**

Attenuation
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Measurement of the Apparent Attenuation of Longitudinal Ultrasonic Waves by Immersion Method, Practice for the, **E664/E664M (03.03)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Open Office Acoustics and Applicable ASTM Standards, Guide for, **E1374 (04.06)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**
Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, Guide for, **E1943 (11.05)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Ultrasonic Testing of Geomembranes, Practice for, **D7006 (04.13)**

Attenuation coefficient/spectrum
Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique, Test Method for, **C1332 (15.01)**

Attenuation (of gamma radiation)
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**

Atterberg limits
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Liquid Limit, Plastic Limit, and Plasticity Index of Soils, Test Methods for, **D4318 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Attic insulation
Sa **Thermal insulating materials**
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, Practice for, **C1340/C1340M (04.06)**
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Attracting/retaining staff
Serviceability of an Office Facility for Amenities to Attract and Retain Staff, Classification for, **E1668 (04.11)**
Attribute data/sampling
Sa **Sampling**
Attribute Sampling of Metallic and Inorganic Coatings, Test Method for, **B602 (02.05)**
Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Non-conformities, Using Attribute Data, When There is a Zero Response in the Sample, Practice for, **E2334 (14.02)**
Attrition
Attrition and Abrasion of Catalysts and Catalyst Carriers, Test Method for, **D4058 (05.05)**
Determination of Attrition of FCC Catalysts by Air Jets, Test Method for, **D5757 (05.05)**
Determination of Particles Resulting from the Attrition of Granular Pesticides, Test Method for, **E2316 (11.05)**
Dusting Attrition of Granular Activated Carbon, Guide for, **D5159 (15.01)**
Resistance to Attrition of Granular Carriers and Granular Pesticides, Test Method for, **E728 (11.05)**
Weight Attrition of Plastic Materials in the Marine Environment by Open System Aquarium Incubations, Test Method for, **D7473 (08.03)**
AU (auxilliary unit)
Workers Compensation Coverage of Emergency Services Volunteers, Practice for, **F2047 (13.02)**
Audio displays
Evaluation and Selection of Audio Visual (AV) and Production for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2745 (04.12)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Audio oscillator
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Auditory canal
Infrared Thermometers for Intermittent Determination of Patient Temperature, Specification for, **E1965 (13.01)**
Audits
Audit and Disclosure Logs for Use in Health Information Systems, Specification for, **E2147 (14.01)**
Auditing Amusement Rides and Devices, Guide for, **F2974 (15.07)**
Compliance Audits to ASTM Standards on Light Sport Aircraft, Practice for, **F2839 (15.11)**
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**
Disposal of Personal Property, Practice for, **E2306 (04.12)**
Environmental Regulatory Compliance Audits, Practice for, **E2107 (11.05)**
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**
Selection, Assignment, and Monitoring of Persons To Be Utilized as Assessors/Auditors or Technical Experts, Guide for, **E2159 (14.02)**
Auger borings
Sa **Borehole drilling**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Soil Exploration and Sampling by Auger Borings, Practice for, **D1452 (04.08)**
Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**
Auger electron spectroscopy (AES)
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Handling Specimens Prior to Surface Analysis, Guide for, **E1829 (03.06)**
Identifying Chemical Effects and Matrix Effects in Auger Electron Spectroscopy, Guide for, **E984 (03.06)**
Identifying Elements by the Peaks in Auger Electron Spectroscopy, Practice for, **E827 (03.06)**
Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy, Guide for, **E983 (03.06)**
Reporting Data in Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy, Practice for, **E996 (03.06)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Auger sampling method
Sampling Consolidated Solids in Drums or Similar Containers, Practice for, **D5679 (11.04)**
Sampling Unconsolidated Solids in Drums or Similar Containers, Practice for, **D5680 (11.04)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Aural examination
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Austempered ductile iron castings—specifications
Austempered Ductile Iron Castings, Specification for, **A897/A897M (01.02)**
Austenite grains
See **Grain size**
Austenite (retained)
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**
Austenitic iron castings—specifications
Austenitic Ductile Iron Castings, Specification for, **A439 (01.02)**
Austenitic Ductile Iron Castings for Pressure-Containing Parts Suitable for Low-Temperature Service, Specification for, **A571/A571M (01.02)**
Austenitic Gray Iron Castings, Specification for, **A436 (01.02)**
Austenitic stainless steel
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**
Detecting Detrimental Phases in Lean Duplex Austenitic/Ferritic Stainless Steels, Test Method for, **A1084 (01.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, Guide for, **A959 (01.03)**

Austenitic stainless steel—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Free-Machining Stainless Steel Bars, Specification for, **A582/A582M (01.03)**

Austenitic stainless steel castings
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Steel Casting, Austenitic Alloy, Estimating Ferrite Content Thereof, Practice for, **A800/A800M (01.02)**

Austenitic stainless steel castings—specifications
Sa **Steel castings**
Austenitic Ductile Iron Castings for Pressure-Containing Parts Suitable for Low-Temperature Service, Specification for, **A571/A571M (01.02)**
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Castings, Austenitic-Ferritic (Duplex) Stainless Steel, for Pressure-Containing Parts, Specification for, **A995/A995M (01.02)**
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
Steel Castings, Austenitic Manganese, Specification for, **A128/A128M (01.02)**
Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, Practice for, **A799/A799M (01.02)**

Austenitic stainless steel fittings—specifications
Sa **Steel fittings—specifications**
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**

Austenitic stainless steel forgings
Ultrasonic Examination of Austenitic Steel Forgings, Practice for, **A745/A745M (01.05)**

Austenitic stainless steel forgings—specifications
Sa **Steel forgings**
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Stainless Steel Forgings, Specification for, **A473 (01.03, 01.05)**
Steel Forgings, Austenitic, for Pressure and High Temperature Parts, Specification for, **A965/A965M (01.05)**

Austenitic stainless steel pipe
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**

Austenitic stainless steel pipe—specifications
Centrifugally Cast Austenitic Steel Pipe for High-Temperature Service, Specification for, **A451/A451M (01.01, 01.02)**
Centrifugally Cast Ferritic/Austenitic Stainless Steel Pipe for Corrosive Environments, Specification for, **A872/A872M (01.02)**
Cold-Worked Welded Austenitic Stainless Steel Pipe, Specification for, **A814/A814M (01.01)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, Specification for, **A358/A358M (01.01)**
Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, Specification for, **A928/A928M (01.01)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A790/A790M (01.01)**
Seamless Austenitic Steel Pipe for High-Temperature Service, Specification for, **A376/A376M (01.01)**
Seamless, Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes, Specification for, **A312/A312M (01.01)**
Single- or Double-Welded Austenitic Stainless Steel Pipe, Specification for, **A813/A813M (01.01)**
Spray-Formed Seamless Austenitic Stainless Steel Pipes, Specification for, **A943/A943M (01.01)**
Spray-Formed Seamless Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A949/A949M (01.01)**
Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**
Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service, Specification for, **A409/A409M (01.01)**
Wrought Austenitic Stainless Steel Piping Fittings, Specification for, **A403/A403M (01.01)**
Wrought Ferritic, Ferritic/Austenitic, and Martensitic Stainless Steel Piping Fittings, Specification for, **A815/A815M (01.01)**

Austenitic stainless steel sheet/strip/plate—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**

Austenitic stainless steel thermal insulation
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**
Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, Test Method for, **C692 (04.06)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**

Austenitic stainless steel thermal insulation—specifications
Thermal Insulation for Use in Contact with Austenitic Stainless Steel, Specification for, **C795 (04.06)**

Austenitic stainless steel tube
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, Practice for, **E426 (03.03)**

Austenitic stainless steel tube—specifications
Sa **Steel tube**
General Requirements for Carbon and Low Alloy Steel Tubes, Specification for, **A450/A450M (01.01)**
General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, Specification for, **A1016/A1016M (01.01)**
Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, Specification for, **A270/A270M (01.01)**
Seamless and Welded Austenitic Stainless Steel Feedwater Heater Tubes, Specification for, **A688/A688M (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing (Small-Diameter) for General Service, Specification for, **A632 (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing for General Service, Specification for, **A269 (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

for General Service, Specification for, **A789/A789M (01.01)**
Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, Specification for, **A213/A213M (01.01)**
Stainless Steel Needle Tubing, Specification for, **A908 (01.01)**
Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes, Specification for, **A249/A249M (01.01)**
Welded Stainless Steel Mechanical Tubing, Specification for, **A554 (01.01)**
Welded, Unannealed Austenitic Stainless Steel Tubular Products, Specification for, **A778 (01.01)**

Austenitic stainless steel wire—specifications
Free-Machining Stainless Steel Wire and Wire Rods, Specification for, **A581/A581M (01.03)**
Stainless Steel Wire, Specification for, **A580/A580M (01.03)**

Austenitic steel
Sa **Ferritic steel castings—specifications**
Sa **Martensitic stainless steel castings—specifications**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**

Austenitic steel—specifications
Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, Specification for, **A320/A320M (01.01)**
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**

Authentication
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
User Authentication and Authorization, Guide for, **E1985 (14.01)**

Authority
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**

Authority having jurisdiction (AHJ)
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**

Autoadhesives
Multi-Modal Strength Testing of Autohesives (Contact Adhesives), Test Methods for, **D1995 (15.06)**

Autocatalytic coatings
Sa **Electrolytic coatings—specifications**
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**

Autocatalytic coatings—specifications
Autocatalytic (Electroless) Nickel-Phosphorus Coatings on Metal, Specification for, **B733 (02.05)**
Autocatalytic Nickel Boron Coatings for Engineering Use, Specification for, **B607 (02.05)**
Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, Specification for, **B904 (02.05)**
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**

Autocatalytic plating
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**

Autocatalytic reactions
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**

Autoclaved aerated concrete units
Autoclaved Aerated Concrete (AAC), Specification for, **C1693 (04.05)**
Construction and Testing of Autoclaved Aerated Concrete (AAC) Masonry, Practice for, **C1692 (04.05)**
Installation and Testing of Reinforced Autoclaved Aerated Concrete (AAC) Units, Practice for, **C1686 (04.05)**
Reinforced Autoclaved Aerated Concrete (AAC) Elements, Specification for, **C1694 (04.05)**
Thin-bed Mortar for Autoclaved Aerated Concrete (AAC) Masonry, Specification for, **C1660 (04.05)**
Unreinforced Autoclaved Aerated Concrete (AAC) Masonry Units, Specification for, **C1691 (04.05)**

Autoclave expansion
Sa **Expansion—concrete materials/applications**
Autoclave Expansion of Hydraulic Cement, Test Method for, **C151/C151M (04.01)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**

Autoclaves
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Asbestos-Cement Flat Sheet for Cooling Tower Fill, Specification for, **C1082 (04.05)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Autoclavability of Membrane Filters, Test Methods for, **D4199 (11.02)**
Autoclavable Protective Coatings on Laboratory Glassware, Specification for, **E1522 (14.04)**
Crazing Resistance of Fired Glazed Whitewares by Autoclave Treatment, Test Method for, **C424 (15.02)**
Evaluating Hygrothermal Corrosion Resistance of Permanent Magnet Alloys, Test Method for, **A1071/A1071M (03.04)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Autoignition conditions/temperature
Sa **Ignition**
Autoignition Temperature of Liquid Chemicals, Test Method for, **E659 (14.02)**
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Minimum Autoignition Temperature of Dust Clouds, Test Method for, **E1491 (14.02)**

Automated cell counting
Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, Test Method for, **F2149 (13.01)**

Automated cold filter plugging point
Cold Filter Plugging Point of Diesel and Heating Fuels, Test Method for, **D6371 (05.03)**

Automated controlled shot peening
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**

Automated defibrillation
See **Defibrillation**

Automated pellet hardness tester
Carbon Black—Automated Individual Pellet Hardness, Test Method for, **D5230 (09.01)**

Automated pour point
Pour Point of Petroleum Products (Robotic Tilt Method), Test Method for, **D6892 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Automated primary record of care
Sa **Patient biographical/medical data**
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Automated procedures
Controlling the Quality of Industrial Radiographic Film Processing, Guide for, **E999 (03.03)**
Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, Practice for, **C1340/C1340M (04.06)**
Freezing Point of Aqueous Ethylene Glycol Base Engine Coolants by Automatic Phase Transition Method, Test Method for, **D6660 (15.05)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**
Radioscopy, Practice for, **E1255 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
the Automated Determination of Refractive Index of Glass Samples Using the Oil Immersion Method and a Phase Contrast Microscope, Test Method for, **E1967 (14.02)**
Yarn Number and Yarn Number Variability Using Automated Tester, Test Method for, **D6612 (07.02)**
Yarn Number Using Automatic Tester, Test Method for, **D6587 (07.02)**
Automated procedures—atmospheric analysis
Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Semiautomated Method), Test Methods for, **D3270 (11.07)**
Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Test Method for, **D3266 (11.07)**
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, Test Methods for, **D3824 (11.07)**
Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, Test Method for, **D5149 (11.07)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), Test Method for, **D3267 (11.07)**
Automated procedures—metals/alloys
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Evaluating Machining Performance of Ferrous Metals Using an Automatic Screw/Bar Machine, Test Method for, **E618 (01.05)**
Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**
Automated procedures—petroleum products analysis
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**
Color of Petroleum Products by the Automatic Tristimulus Method, Test Method for, **D6045 (05.02)**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, Test Method for, **D6890 (05.05)**
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), Test Method for, **D6378 (05.03)**
Freezing Point of Aviation Fuels (Automatic Phase Transition Method), Test Method for, **D5972 (05.02)**
Pour Point of Petroleum Products (Automatic Air Pressure Method), Test Method for, **D6749 (05.03)**
Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), Test Method for, **D5949 (05.02)**
Pour Point of Petroleum Products (Automatic Tilt Method), Test Method for, **D5950 (05.02)**
Pour Point of Petroleum Products (Robotic Tilt Method), Test Method for, **D6892 (05.03)**
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**
Softening Point of Hydrocarbon Resins and Rosin Based Resins by Automated Ring-and-Ball Apparatus, Test Methods for, **D6493 (06.03)**
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**
Automated procedures—water analysis
Measurement of On-line Integrated Samples of Low Level Suspended Solids and Ionic Solids in Process Water by X-Ray Fluorescence (XRF), Test Method for, **D6502 (11.01)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
On-Line Determination of Cation Conductivity in High Purity Water, Practice for, **D6504 (11.01)**
On-line Determination of Sodium in Water, Test Method for, **D2791 (11.01)**
On-Line Measurement of pH, Test Method for, **D6569 (11.01)**
On-Line Monitoring Systems for Water Analysis, Guide for, **D3864 (11.01)**
On-Line pH Measurement of Water of Low Conductivity, Test Method for, **D5128 (11.01)**
Automated ring and ball apparatus
See **Ring-and-ball apparatus**
Automated sampling
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Sampling Wastewater With Automatic Samplers, Guide for, **D6538 (11.04)**
Automated vehicular gates
Automated Vehicular Gate Construction, Specification for, **F2200 (01.06)**
Automatic covers
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Automatic dishwashing machines
See **Dishwashing equipment (commercial)**
Automatic fiber optical method
Freezing Point of Aviation Fuels (Automatic Fiber Optical Method), Test Method for, **D7154 (05.04)**
Automatic headspace analysis
See **Headspace analysis**
Automatic household dishwashing detergents
Deposition on Glassware During Mechanical Dishwashing, Test Method for, **D3556 (15.04)**
Automatic identification
Automatic Identification Hard Copy Printing Systems, Terminology Relating to, **F1294 (15.09)**
Automatic image analysis
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**

Automatic laser method
Freezing Point of Aviation Fuels (Automatic Laser Method), Test Method for, **D7153 (05.04)**

Automatic lift seats
Self-Rising Seat Mechanisms, Test Method for, **F851 (15.11)**

Automatic machine sealing
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**

Automatic marine (shipboard) equipment
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Automatic particle counters
Automatic Particle Counting and Particle Shape Classification of Oils Using a Direct Imaging Integrated Tester, Test Method for, **D7596 (05.04)**
Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, Test Method for, **D7647 (05.04)**
Particle Count in Mineral Insulating Oil Using Automatic Optical Particle Counters, Test Method for, **D6786 (10.03)**
Sizing and Counting Particles in Light and Middle Distillate Fuels, by Automatic Particle Counter, Test Method for, **D7619 (05.04)**

Automatic process steam analyzers
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**

Automatic sampling
Automatic Sampling of Gaseous Fuels, Practice for, **D5287 (05.06)**

Automatic self-cleaning strainers
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, Specification for, **F1567 (01.07)**

Automatic spray
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**

Automatic temperature compensator
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**

Automatic transmission fluids
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**

Automatic vacuum sealing method
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6752/D6752M (04.03)**
Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6857/D6857M (04.03)**

Automatic valves
Determination of Cycle Life of Automatic Valves for Gas Distribution System Components, Test Method for, **F1373 (10.04)**

Automatic welded steel tube
Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, Specification for, **A1020/A1020M (01.01)**

Automation
Measurement of Vehicular Response to Traveled Surface Roughness, Test Method for, **E1082 (04.03)**

Automation—Sewn products
Sewn Products Automation, Terminology Relating to, **D6963 (07.02)**

Automobile
1,3 Propanediol (PDO) Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D7518 (15.05)**
Glycerin Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D7714 (15.05)**
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**
Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, Practice for, **F870 (09.02)**

Automotive
Evaluation of Moisture Corrosion Resistance of Automotive Gear Lubricants, Test Method for, **D7038 (05.04)**

Automotive air braking system
Rubber Hose for Automotive Air and Vacuum Brake System, Test Methods for, **D622 (09.02)**

Automotive and light-duty service—specifications
Recycled Glycol Base Engine Coolant Concentrate for Automobile and Light-Duty Service, Specification for, **D6472 (15.05)**
Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, Specification for, **D6471 (15.05)**

Automotive bearings
Bearing, Roller, Tapered, Single Row of Rollers (Metric Series), Specification for, **F2591 (01.08)**
Bearing, Roller, Thrust, Two Channeled Race Surface, Rigid or Flat Seat Type, Specification for, **F2590 (01.08)**
Car and Tender Journal Bearings, Lined, Specification for, **B67 (02.01)**

Automotive coatings/paints
Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, Test Method for, **D5066 (06.02)**
Determining Amount of Volatile Organic Compound (VOC) Released from Solventborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D5087 (06.01)**
Dry Abrasion Mar Resistance of High Gloss Coatings, Test Methods for, **D6037 (06.01)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Salt-Accelerated Outdoor Cosmetic Corrosion Testing of Organic Coatings on Automotive Sheet Steel, Practice for, **D6675 (06.01)**
Short Term Vehicle Service Exposure of Automotive Coatings, Practice for, **D6486 (06.02)**
Viscosity of Paints and Related Materials by ISO Flow Cups, Test Method for, **D5125 (06.01)**
Xenon Arc Exposure Test with Enhanced Light and Water Exposure for Transportation Coatings, Practice for, **D7869 (06.01)**

Automotive engine coolants
See **Engine coolants/concentrates**

Automotive engine fuels/oils
Apparent Viscosity of Engine Oils and Base Stocks Between –5 and –35°C Using Cold-Cranking Simulator, Test Method for, **D5293 (05.02)**
Blending Mid-Level Ethanol Fuel Blends for Flexible-Fuel Vehicles with Automotive Spark-Ignition Engines, Practice for, **D7794 (05.04)**
Boiling Range Distribution of Gasoline and Gasoline Fractions by Gas Chromatography, Test Method for, **D3710 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D7862 (05.04)**
Corrosiveness to Copper from Petroleum Products by Copper Strip Test, Test Method for, **D130 (05.01)**
Corrosiveness to Silver by Automotive Spark–Ignition Engine Fuel–Silver Strip Method, Test Method for, **D7671 (05.04)**
Determination of Benzene and Toluene in Finished Motor and Aviation Gasoline by Gas Chromatography, Test Method for, **D3606 (05.01)**
Determination of Benzene in Spark-Ignition Engine Fuels Using Mid Infrared Spectroscopy, Test Method for, **D6277 (05.03)**
Determination of Benzene, Toluene, and Total Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, Test Method for, **D5769 (05.02)**
Determination of Corrosiveness to Silver by Automotive Spark-Ignition Engine Fuel—Thin Silver Strip Method, Test Method for, **D7667 (05.04)**
Determination of Homogeneity and Miscibility in Automotive Engine Oils, Test Method for, **D6922 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Determination of Trace Oxygenates in Automotive Spark-Ignition Engine Fuel by Multidimensional Gas Chromatography, Test Method for, **D7754 (05.04)**
Determining Automotive Engine Oil Compatibility with Typical Seal Elastomers, Test Method for, **D7216 (05.04)**
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**
Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D6201 (05.03)**
Estimation of Engine Oil Volatility by Capillary Gas Chromatography, Test Method for, **D6417 (05.03)**
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**
Evaluation of Automotive Engine Oils for Valve-Train Wear Performance in Cummins ISB Medium-Duty Diesel Engine, Test Method for, **D7484 (05.04)**
Evaluation of Automotive Engine Oils in the Sequence IIIF, Spark-Ignition Engine, Test Method for, **D6984 (05.04)**
Evaluation of Automotive Engine Oils in the Sequence IIIG, Spark-Ignition Engine, Test Method for, **D7320 (05.04)**
Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, Test Method for, **D6891 (05.03)**
Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), Test Method for, **D6709 (05.03)**
Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), Test Methods for, **D6750 (05.03)**
Evaluation of Rust Preventive Characteristics of Automotive Engine Oils, Test Method for, **D6557 (05.03)**
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**
Low Sulfur in Automotive Fuels by Energy-Dispersive X-ray Fluorescence Spectrometry Using a Low-Background Proportional Counter, Test Method for, **D7212 (05.04)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Manganese in Gasoline By Atomic Absorption Spectroscopy, Test Method for, **D3831 (05.02)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIB Spark Ignition Engine, Test Method for, **D6837 (05.03)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, Test Method for, **D7589 (05.04)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, Test Method for, **D6794 (05.03)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time, Test Method for, **D6795 (05.03)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Motor Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2700 (05.05)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Research Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2699 (05.05)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7220 (05.04)**
Total Olefins in Spark-ignition Engine Fuels by Multidimensional Gas Chromatography, Test Method for, **D6296 (05.03)**
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**

Automotive engine fuels/oils—specifications

Automotive Spark-Ignition Engine Fuel, Specification for, **D4814 (05.02)**
Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D4806 (05.02)**
Ethanol Fuel Blends for Flexible-Fuel Automotive Spark-Ignition Engines, Specification for, **D5798 (05.02)**
Fuel Methanol (M70-M85) for Automotive Spark-Ignition Engines, Specification for, **D5797 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Methyl Tertiary-Butyl Ether (MTBE) for Downstream Blending for Use in Automotive Spark-Ignition Engine Fuel, Specification for, **D5983 (05.02)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Automotive engine pumps
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**

Automotive gear oil compatibility
Determination of Storage Stability and Compatibility in Automotive Gear Oils, Test Method for, **D7603 (05.04)**
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**

Automotive/industrial composites
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Automotive interiors
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Automotive iron castings—specifications
Automotive Gray Iron Castings, Specification for, **A159 (01.02)**
Automotive Malleable Iron Castings, Specification for, **A602 (01.02)**

Automotive materials/applications—specifications
Portable Kerosene and Diesel Containers for Consumer Use, Specification for, **F976 (15.11)**
Special-Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, Specification for, **E1551 (04.03)**
Trailers Used for Measuring Vehicular Response to Road Roughness, Specification for, **E1215 (04.03)**

Automotive polishes
Evaluation of Automotive Polish, Practice for, **D3836 (15.04)**
Field Evaluation of Automotive Polish, Practice for, **D4955 (15.04)**

Automotive rubber
Accelerometer Use in Vehicles for Tire Testing, Practice for, **F811 (09.02)**
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Rubber Products in Automotive Applications, Classification System for, **D2000 (09.02)**
Rubber Property—Adhesion to Flexible Substrate, Test Methods for, **D413 (09.01)**

Automotive seat spring steel wire
Sa **Steel springs—specifications**
Metallic Coated Carbon Steel Wire, Coated at Size and Drawn to Size for Mechanical Springs, Specification for, **A764 (01.06)**

Automotive service grease
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**

Automotive steel materials
Copper-Brazed Steel Tubing, Specification for, **A254/A254M (01.01)**

Automotive steel materials—structural
Automotive Gray Iron Castings, Specification for, **A159 (01.02)**
Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, Specification for, **A656/A656M (01.04)**

Automotive upholstery leather
Cold-Crack Resistance of Upholstery Leather, Test Method for, **D1912 (15.04)**

Automotive wheel bearings
Low-Temperature Torque of Grease-Lubricated Wheel Bearings, Test Method for, **D4693 (05.02)**

Auto no-track time
No-Pick-Up Time of Traffic Paint, Test Method for, **D711 (06.02)**

Autopassivation
Chemical Passivation Treatments for Stainless Steel Parts, Specification for, **A967/A967M (01.03)**

Autotrophs
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Auxiliary machinery spaces
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Auxiliary power plant equipment
In-Service Monitoring of Lubricating Oil for Auxiliary Power Plant Equipment, Practice for, **D6224 (05.03)**

Available lime index
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Fly Ash and Other Pozzolans for Use With Lime for Soil Stabilization, Specification for, **C593 (04.01)**

Average bonding peel strength
Determining Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners, Test Method for, **D6496 (04.13)**

Average centimeter pull
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**

Average daily traffic count (ADT)
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**

Average energy per disintegration (E)
Calculation of Average Energy Per Disintegration ($\bar{E}$) for a Mixture of Radionuclides in Reactor Coolant, Practice for, **D5411 (11.02)**

Average fiber diameter
Sa **Diameter—textile fabrics/fibers**
Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, Test Method for, **D6500 (07.02)**

Average Gmax
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**

Average grain size
Determining Average Grain Size Using Electron Backscatter Diffraction (EBSD) in Fully Recrystallized Polycrystalline Materials, Practice for, **E2627 (03.01)**

Average mass per unit area
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**

Average molecular weight
See **Molecular weight**

Average outgoing quality (AOQ)
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**

Average penetration
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**

Average regression rate
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**

Average residual strength
See **Residual strength**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Average stockpile test count
Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, Test Method for, **D6347/D6347M (05.06)**
Average time of burning (ATB)
See **Fire testing**
See **Flammability**
See **Time to burn**
Average tire tread depth
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**
Average viscometric degree of polymerization (DP_v)
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Aviation fuels
Sa **Aerospace fluids/propellants**
Aviation Fuel Sample Containers for Tests Affected by Trace Contamination, Practice for, **D4306 (05.02)**
Color of Dyed Aviation Gasolines, Test Method for, **D2392 (05.01)**
Color of Petroleum Products by the Automatic Tristimulus Method, Test Method for, **D6045 (05.02)**
Corrosiveness to Copper from Petroleum Products by Copper Strip Test, Test Method for, **D130 (05.01)**
Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6379 (05.03)**
Determination of Benzene and Toluene in Finished Motor and Aviation Gasoline by Gas Chromatography, Test Method for, **D3606 (05.01)**
Determination of Copper in Jet Fuels by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6732 (05.03)**
Electrical Conductivity of Aviation and Distillate Fuels, Test Methods for, **D2624 (05.01)**
Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, Test Method for, **D4308 (05.02)**
Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, Specification for, **D7618 (05.04)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Evaluation of New Aviation Gasolines and New Aviation Gasoline Additives, Guide for, **D7826 (05.04)**
Free Water, Particulate and Other Contamination in Aviation Fuels (Visual Inspection Procedures), Test Method for, **D6986 (05.04)**
Freezing Point of Aviation Fuels (Automatic Phase Transition Method), Test Method for, **D5972 (05.02)**
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**
High Octane Unleaded Test Fuel, Specification for, **D7719 (05.04)**
Hydrocarbon Unleaded Aviation Gasoline, Specification for, **D7547 (05.04)**
Hydroperoxide Number of Aviation Turbine Fuels by Voltammetric Analysis, Test Method for, **D6447 (05.03)**
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**
Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines, Practice for, **D6424 (05.03)**
Oxidation Stability of Aviation Fuels (Potential Residue Method), Test Method for, **D873 (05.01)**
Particulate Contamination in Aviation Fuels by Laboratory Filtration, Test Method for, **D5452 (05.02)**
Qualification and Approval of New Aviation Turbine Fuels and Fuel Additives, Practice for, **D4054 (05.02)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Supercharge Rating of Spark-Ignition Aviation Gasoline, Test Method for, **D909 (05.05)**
Water Reaction of Aviation Fuels, Test Method for, **D1094 (05.01)**
Aviation fuels—specifications
Aviation Certification Turbine Fuel, Specification for, **D7223 (05.04)**
Aviation Gasolines, Specification for, **D910 (05.01)**
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Gas Turbine Fuel Oils, Specification for, **D2880 (05.01)**
Jet B Wide-Cut Aviation Turbine Fuel, Specification for, **D6615 (05.03)**
Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, Specification for, **D6227 (05.03)**
Aviation fuels (heat of combustion)
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D4529 (05.02)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D1405/D1405M (05.01)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D3338/D3338M (05.01)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), Test Method for, **D4809 (05.02)**
Aviation fuels (hydrogen content)
Estimation of Hydrogen Content of Aviation Fuels, Test Method for, **D3343 (05.01)**
Hydrogen Content of Aviation Turbine Fuels by Low Resolution Nuclear Magnetic Resonance Spectrometry, Test Method for, **D3701 (05.01)**
Aviation fuels (knock characteristics)
See **Knock characteristics**
Aviation turbine fuels
(Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), Test Method for, **D3227 (05.01)**
Acidity in Aviation Turbine Fuel, Test Method for, **D3242 (05.01)**
Aviation Turbine Fuel Containing Synthesized Hydrocarbons, Specification for, **D7566 (05.04)**
Corrosion-Preventive Properties of Lubricating Greases in Presence of Dilute Synthetic Sea Water Environments, Test Method for, **D5969 (05.02)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Corrosiveness to Copper from Petroleum Products by Copper Strip Test, Test Method for, **D130 (05.01)**
Determination of Static Dissipater Additives (SDA) in Aviation Turbine Fuel and Middle Distillate Fuels—High Performance Liquid Chromatograph (HPLC) Method, Test Method for, **D7524 (05.04)**
Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, Test Method for, **D5186 (05.02)**
Determination of the Red Dye Concentration and Estimation of Saybolt Color of Aviation Turbine Fuels and Kerosine Using a Portable Visible Spectrophotometer, Test Method for, **D7058 (05.04)**
Determining Filterability of Aviation Turbine Fuel, Test Method for, **D6824 (05.03)**
Determining the Concentration of Pipeline Drag Reducer Additive in Aviation Turbine Fuels, Test Method for, **D7872 (05.04)**
Determining Water Separation Characteristics of Aviation Turbine Fuels by Portable Separometer, Test Method for, **D3948 (05.02)**
Determining Water Separation Characteristics of Kerosine-Type

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aviation Turbine Fuels Containing Additives by Portable Separometer, Test Method for, **D7224 (05.04)**
Freezing Point of Aviation Fuels, Test Method for, **D2386 (05.01)**
Freezing Point of Aviation Fuels (Automatic Fiber Optical Method), Test Method for, **D7154 (05.04)**
Freezing Point of Aviation Fuels (Automatic Laser Method), Test Method for, **D7153 (05.04)**
Hydrogen Content of Aviation Turbine Fuels by Low Resolution Nuclear Magnetic Resonance Spectrometry, Test Method for, **D3701 (05.01)**
Hydroperoxide Number of Aviation Turbine Fuels, Gasoline and Diesel Fuels, Test Method for, **D3703 (05.01)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Naphthalene Hydrocarbons in Aviation Turbine Fuels by Ultraviolet Spectrophotometry, Test Method for, **D1840 (05.01)**
Particulate Contaminant in Aviation Fuel by Line Sampling, Test Method for, **D2276 (05.01)**
Qualification and Approval of New Aviation Turbine Fuels and Fuel Additives, Practice for, **D4054 (05.02)**
Smoke Point of Kerosine and Aviation Turbine Fuel, Test Method for, **D1322 (05.01)**
Thermal Oxidation Stability of Aviation Turbine Fuels, Test Method for, **D3241 (05.01)**
Undissolved Water In Aviation Turbine Fuels, Test Method for, **D3240 (05.01)**

Aviation turbine fuels—specifications
Aviation Turbine Fuels, Specification for, **D1655 (05.01)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**

Avicides
Conducting Subacute Dietary Toxicity Tests with Avian Species, Practice for, **E857 (11.06)**

AWD (atmospheric wet deposition) testing
See **Atmospheric wet deposition (AWD)**

A-weighted sound level
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Determining A-Weighted Sound Power Level of Central Vacuum Power Units, Test Method for, **F2544 (15.08)**
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**
Measurement of Equipment-Generated Continuous Noise for Assessment of Health Hazards, Practice for, **E2202 (04.06)**
Measurement of Outdoor A-Weighted Sound Levels, Guide for, **E1014 (04.06)**

Awning/canopy fabric
Woven Awning and Canopy Fabrics, Performance Specification for, **D4847 (07.02)**

Axial compression tests
Sa **Compression testing**
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**

Axial compressive force pulse
Axial Compressive Force Pulse (Rapid) Testing of Deep Foundations, Test Methods for, **D7383 (04.09)**

Axial disassembly force
Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**
Determining the Forces for Disassembly of Modular Acetabular Devices, Test Method for, **F1820 (13.01)**

Axial fatigue tests
in vitro Axial, Bending, and Torsional Durability Testing of Vascular Stents, Guide for, **F2942 (13.02)**
Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, Practice for, **E2207 (03.01)**

Axial loading tests
Conducting Strength Tests of Masonry Wall Panels, Test Methods for, **C1717 (04.05)**
Determining Strength Capacities of Structural Insulated Panels, Test Methods for, **E1803 (04.11)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**
Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, Practice for, **E467 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**

Axially swaged fitttings
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**

Axial piston pump
Performance Evaluation of Hydraulic Fluids for Piston Pumps, Guide for, **D6813 (05.03)**

Axial strain
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**
Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, Practice for, **E2207 (03.01)**

Axial tension testing
See **Tensile properties/testing**

Axillary odor
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Axis vertical/tilted studies
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**

Axle configurations/roadway measurement
Installing and Using Pneumatic Tubes with Roadway Traffic Counters and Classifiers, Practice for, **E1957 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**

Axles
Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, Specification for, **A729/A729M (01.05)**
Developing Axle Count Adjustment Factors, Practice for, **E2467 (04.03)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**

Axle steel bars
Sa **Alloy steel bars—specifications**
Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement, Specification for, **A996/A996M (01.04)**

Azobenzene activity
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**

Azo compound crosslinking
Crosslinked Polyethylene (PEX) Tubing, Specification for, **F876 (08.04)**

AZS (alumina-zirconia-silica)
Testing of Glass Exudation from AZS Fusion-Cast Refractories, Test Method for, **C1223 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B

"Babbitt metal"
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
Baby changing tables
Baby Changing Tables for Domestic Use, Consumer Safety Specification for, **F2388 (15.11)**
Diaper Changing Tables for Commercial Use, Consumer Safety Performance Specification for, **F2285 (15.11)**
Baby cribs
See **Cribs**
Bacillus subtilus **spores**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Backboard
Residential Basketball Systems, Specification for, **F1882 (15.07)**
Back calculation
Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, Guide for, **D5858 (04.03)**
Back connected gages (for ships)
Sa **Shipbuilding steel pipe materials—specifications**
Gage Piping Assemblies, Specification for, **F721 (01.07)**
Modular Gauge Boards, Specification for, **F707/F707M (01.07)**
Backdrafting
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Backer material
Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, Specification for, **D5249 (04.03)**
Backer rod
Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants, Specification for, **C1330 (04.07)**
Backfill
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1244 (04.05)**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, Practice for, **A807/A807M (01.06)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A798/A798M (01.06)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**
Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, Practice for, **D2321 (08.04)**
Backfill—testing
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Density and Unit Weight of Soil in Place by the Rubber Balloon Method, Test Method for, **D2167 (04.08)**
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Background
Evaluation of Large Area Density and Background on Office Copiers, Test Method for, **F875 (15.09)**
Evaluation of Larger Area Density and Background on Electrophotographic Printers, Test Method for, **F2036 (15.09)**
Background noise
Sa **Sound transmission**
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**
Background particles
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Background subtraction techniques
Sa **Spectroscopy**
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Backing fabrics/materials
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, Test Method for, **D3936 (07.01)**
Rubber Sheet Floor Covering With Backing, Specification for, **F1860 (15.04)**
Rubber Sheet Floor Covering Without Backing, Specification for, **F1859 (15.04)**
Wall Covering, Specification for, **F1141 (15.11)**
Backing plates
Ultrasonic C-Scan Bond Evaluation of Sputtering, Practice for, **F1512 (10.04)**
Backload pressure/weight
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**
Backpacking equipment/testing
Illustrating the Footprint of a Backpacking or Mountaineering Tent, Specification for, **F1933 (15.07)**
Labeling of Backpacking and Mountaineering Tents and Bivouac Sacks, Practice for, **F2441 (15.07)**
Measurement of Backpack Capacity, Test Method for, **F2153 (15.07)**
Measuring the Headroom of a Backpacking or Mountaineering Tent, Test Method for, **F1935 (15.07)**
Weighing a Backpacking or Mountaineering Tent, Test Method for, **F1934 (15.07)**
Back pressure
Consolidated Drained Triaxial Compression Test for Soils, Test Method for, **D7181 (04.09)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
Back pressure regulator
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Back-reflection Laue method
Determining the Orientation of a Metal Crystal, Test Method for, **E82 (03.01)**
Backscattering analysis
Sa **Beta backscatter**
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, Test Method for, **F1894 (10.04)**
Back-up material (for sealants)
Determination of Water Absorption of Sealant Backing, Test Method for, **C1016 (04.07)**
Backwater
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Bacon bomb sampling
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**
Bacteria/bacterial control
Adenosine Triphosphate (ATP) Content of Microorganisms in Fuel, Fuel/Water Mixtures and Fuel Associated Water, Test Method for, **D7463 (05.04)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Determination of Bactericidal Efficacy on the Surface of Medical Examination Gloves, Test Methods for, **D7907 (09.02)**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Determining the Antimicrobial Activity of Antimicrobial Agents Under Dynamic Contact Conditions, Test Method for, **E2149 (11.05)**
Determining the Bacteria-Eliminating Effectiveness of Hand Sanitizer Formulations Using Hands of Adults, Test Method for, **E2755 (11.05)**
Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E2276 (11.05)**
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Evaluating Disinfectant Efficacy Against, Test Method for, **E2871 (11.05)**
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**
Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, Test Method for, **E1428 (11.05)**
Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**
Evaluation of Antimicrobial Agents as Preservatives for Invert Emulsion and Other Water Containing Hydraulic Fluids, Practice for, **E979 (11.05)**
Evaluation of Antimicrobial Handwash Formulations by Utilizing Fingernail Regions, Test Method for, **E1327 (11.05)**
Evaluation of Microbicides Used in Cooling Water Systems, Practice for, **E645 (11.05)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, Test Method for, **D7687 (05.04)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Minimizing Effects of Aerosols in the Wet Metal Removal Environment, Practice for, **E1972 (11.03)**
Preservatives in Water-Containing Cosmetics, Test Method for, **E640 (11.05)**
Quantification of a ***Pseudomonas aeruginosa*** Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, Test Method for, **E2196 (11.05)**
Selection and Use of Packaging Materials for Foods to Be Irradiated, Guide for, **F1640 (12.02)**
Bacteria/bacterial control—adhesives
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, Test Methods for, **D4783 (15.06)**
Bacteria/bacterial control—environmental
Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**
Bacteria/bacterial control—paints/related coatings/materials
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Bacteria/bacterial control—paper
Efficacy of Fungal Control Agents as Preservatives for Aqueous-Based Products Used in the Paper Industry, Test Method for, **E875 (11.05)**
Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), Practice for, **E723 (11.05)**
Bacteria/bacterial control—pretroleum products
Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, Practice for, **D6974 (05.04)**
Bacteria/bacterial control—semiconductors
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
Bacteria/bacterial control—water
Enumeration of Aquatic Bacteria by Epifluorescence Microscopy Counting Procedure, Test Method for, **D4455 (11.02)**
Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, Test Methods for, **D4198 (11.02)**
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**
Iron Bacteria in Water and Water-Formed Deposits, Test Method for, **D932 (11.02)**
Retention Characteristics of 0.2-μm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, Test Method for, **D3862 (11.01)**
Retention Characteristics of 0.40 to 0.45-μm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, Test Method for, **D3863 (11.02)**
Simultaneous Enumeration of Total and Respiring Bacteria in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aquatic Systems by Microscopy, Test Method for, **D4454 (11.02)**
Sulfate-Reducing Bacteria in Water and Water-Formed Deposits, Test Methods for, **D4412 (11.02)**

Bacteria-eliminating effectiveness
Determining the Bacteria-Eliminating Effectiveness of Hand Sanitizer Formulations Using Hands of Adults, Test Method for, **E2755 (11.05)**
Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E2276 (11.05)**

Bacterial filtration efficiency (BFE)
Evaluating the Bacterial Filtration Efficiency (BFE) of Medical Face Mask Materials, Using a Biological Aerosol of, Test Method for, **F2101 (11.03)**
Performance of Materials Used in Medical Face Masks, Specification for, **F2100 (11.03)**

Bacterial-reducing effectiveness
Determining the Bacteria-Reducing Effectiveness of Food-Handler Handwash Formulations Using Hands of Adults, Test Method for, **E2946 (11.05)**

Bacterial retention
Determining Bacterial Retention of Membrane Filters Utilized for Liquid Filtration, Test Method for, **F838 (14.02)**
Enumeration of Proteolytic Bacteria in Fresh (Uncured) Hides and Skins, Test Method for, **D7818 (15.04)**

Bactericidal efficacy
Determination of Bactericidal Efficacy on the Surface of Medical Examination Gloves, Test Methods for, **D7907 (09.02)**

Bacteriological pipets
See **Pipets (laboratory)—specifications**

Bacteriophage
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Identification of Bacteriophage M13 or Its DNA, Guide for, **E1493 (14.02)**

Bacteriostasis
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Bagasse
Ash in Biomass, Test Method for, **E1755 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**

Bag burst
Evaluating the Overpressurization Characteristics of Inflatable Restraint Cushions, Practice for, **D5807 (07.02)**

Baggage inspection
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**

Baghouse
Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media, Test Method for, **D6830 (11.07)**

Bag leak detector (BLD)
PM Detector and Bag Leak Detector Manufacturers to Certify Conformance with Design and Performance Specifications for Cement Plants, Practice for, **D7392 (11.07)**

Bags
Carbon Black—Sampling Packaged Shipments, Practice for, **D1799 (09.01)**
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**

Bailers
Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, Practice for, **D7464 (05.04)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Sampling Liquids Using Bailers, Practice for, **D6699 (11.04)**

Baked carbon anodes
Determination of TGA CO, Test Method for, **D6558 (05.03)**
Determination of Thermogravimetric (TGA) Air Reactivity of Baked Carbon Anodes and Cathode Blocks, Test Method for, **D6559 (05.03)**

Baked paints/related coatings
Determining the Effect of Overbaking on Organic Coatings, Practice for, **D2454 (06.01)**

Baker-Philippoff equation
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**

Baking oven
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**

Baking primer/enamel
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**

Balanced-beam scrape adhesion tester
Adhesion of Organic Coatings by Scrape Adhesion, Test Method for, **D2197 (06.01)**
Mar Resistance of Organic Coatings, Test Method for, **D5178 (06.01)**

Balanced oriented PP film
Oriented Polypropylene Film, Specification for, **D2673 (08.01)**

Balance point
Measuring Moment of Inertia and Center of Percussion of a Baseball or Softball Bat, Test Method for, **F2398 (15.07)**

Balance point location
Designation of the Balance Point Location for Archery Arrows, Specification for, **F1435 (15.07)**

Balances
Sa **Weight**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Evaluation of Single-Pan Mechanical Balances, Practice for the, **E319 (14.04)**
Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements, Specification for, **C1005 (04.01)**
Top-Loading, Direct-Reading Laboratory Scales and Balances, Test Method of Testing, **E898 (14.04)**

Bale coating
Rubber Bales From Natural SourcesLimit on Coating, Specification for, **D2449 (09.01)**

Baling
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**

Ball bearing grease
Sa **Ball/roller bearings (lubricating grease)**
Instrument and Precision Bearing Lubricants—Part 2 Greases, Guide for, **F2489 (01.08)**

Ball-bearing machine
Sa **Ball/roller bearings**
Abrasion Resistance of Horizontal Concrete Surfaces, Test Method for, **C779/C779M (04.02)**

Ball bearings
Annular Ball Bearings for Instruments and Precision Rotating Components, Specification for, **F2332 (01.08)**

Ball bonds
Destructive Shear Testing of Ball Bonds, Test Methods for, **F1269 (10.04)**
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**

Ball burst test
Bursting Strength of Textiles—Constant-Rate-of-Traverse (CRT) Ball Burst Test, Test Method for, **D3787 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pendulum Impact Resistance of Plastic Film, Test Method for, **D3420 (08.02)**

Ball cratering
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**

Ball drop method
Ball Drop Impact Resistance of Laminated Architectural Flat Glass, Test Method for, **F3007 (15.08)**
Ball Drop Impact Resistance of Laminated Architectural Flat Glazing, Specification for, **F3006 (15.08)**
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Viscosity of Cellulose Derivatives by Ball-Drop Method, Test Method for, **D1343 (06.03)**

Ball fall viscosity
Viscosity of Cellulose by Cuprammonium Ball Fall, Test Method for, **D6188 (06.03)**

Ball fields
Fences for Baseball and Softball Fields, Guide for, **F2000 (01.06)**

Ball-in-hand test
Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test, Test Method for, **C860 (15.01)**

Ballistic recovery
Airframe Emergency Parachutes, Specification for, **F2316 (15.11)**

Ballistic test
Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, Test Method for, **A341/A341M (03.04)**
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

Ball joints
Sa **Shipbuilding piping materials—specifications**
Flexible, Expansion-Type Ball Joints for Marine Applications, Specification for, **F1298 (01.07)**

Ball liveliness/resilience
Measuring the Coefficient of Restitution (COR) of Baseballs and Softballs, Test Method for, **F1887 (15.07)**

Ball method
Bursting Strength of Leather by the Ball Method, Test Method for, **D2207 (15.04)**

Balloon catheter
Foley Catheter, Performance Specification for, **F623 (13.01)**

Balloon-expandable stents
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**
Measuring Securement of Balloon Expandable Vascular Stent Mounted on Delivery System, Guide for, **F2394 (13.01)**
Three-Point Bending of Balloon Expandable Vascular Stents and Stent Systems, Guide for, **F2606 (13.02)**

Ball-pan hardness
Sa **Hardness tests**
Ball-Pan Hardness of Activated Carbon, Test Method for, **D3802 (15.01)**

Ball punch deformation test
Ball Punch Deformation of Metallic Sheet Material, Test Method for, **E643 (03.01)**

Ball rebound test
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**

Ball/roller bearings
Abrasion Resistance of Horizontal Concrete Surfaces, Test Method for, **C779/C779M (04.02)**
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Fretting Wear Protection by Lubricating Greases, Test Method for, **D4170 (05.02)**

Ball/roller bearings—specifications
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Carburizing Steels for Anti-Friction Bearings, Specification for, **A534 (01.05)**
High Hardenability Antifriction Bearing Steel, Specification for, **A485 (01.05)**
High-Carbon Anti-Friction Bearing Steel, Specification for, **A295/A295M (01.05)**
Medium Carbon Anti-Friction Bearing Steel, Specification for, **A866 (01.05)**
Plain and Steel-Laminated Elastomeric Bearings for Bridges, Specification for, **D4014 (04.03)**
Ring, Bearing, Inner: for Needle Roller Bearing With Drawn Outer Ring, Specification for, **F2163 (01.08)**
Silicon Nitride Bearing Balls, Specification for, **F2094/F2094M (01.08)**
Stainless Anti-Friction Bearing Steel, Specification for, **A756 (01.05)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

Ball/roller bearings (lubricating grease)
Determining the Water Washout Characteristics of Lubricating Greases, Test Method for, **D1264 (05.01)**
Life of Lubricating Greases in Ball Bearings at Elevated Temperatures, Test Method for, **D3336 (05.01)**
Low-Temperature Torque of Ball Bearing Grease, Test Method for, **D1478 (05.01)**

Ball valve
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**

Bally flexometer
Flexibility and Adhesion of Finish on Leather, Test Method for, **D6182 (15.04)**

Balsa core
Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, Practice for, **E1888/E1888M (03.03)**

Band clamps
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**

Banded-weld stud-type hanger (for shipboard piping)
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**

Band filter sets
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**

Band index
See **Spectroscopy**

Banding
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Band-pass spectrophotometers
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Rectification of Spectrophotometric Bandpass Differences, Practice for, **E2729 (06.01)**
Bandwidth
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, Guide for, **E1856 (03.01)**
Bandwidth analysis
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Bandwidth (spectral)
Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, Practice for, **E958 (03.06)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Bank vaults
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Bar and rod specimens
Preparation of Bar and Rod Specimens for Adhesion Tests, Practice for, **D2094 (15.06)**
Barbed tape
Barbed Tape, Terminology Relating to, **F1379 (01.06)**
Installation of Barbed Tape, Practice for, **F1911 (01.06)**
Barbed tape—specifications
Long Barbed Tape Obstacles, Specification for, **F1910 (01.06)**
Steel Chain-Link Fencing Materials Used for High Security Applications, Specification for, **F1712 (01.06)**
Barbed wire—specifications
Fence Fittings, Specification for, **F626 (01.06)**
Metallic-Coated Carbon Steel Barbed Wire, Specification for, **A121 (01.06)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence, Specification for, **F1665 (01.06)**
Steel Chain-Link Fencing Materials Used for High Security Applications, Specification for, **F1712 (01.06)**
Barbitol (veronal) buffer
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Bar check method
Calibrating a Fathometer Using a Bar Check Method, Practice for, **D6318 (11.01)**
Bar codes/coding
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Bar Code Verification, Practice for, **F1851 (15.09)**
Barcol Impressor test
Indentation Hardness of Aluminum Alloys by Means of a Barcol Impressor, Test Method for, **B648 (02.02)**
Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor, Test Method for, **D2583 (08.01)**
Bar diagrams
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Bareback bales
Rubber Bales From Natural SourcesLimit on Coating, Specification for, **D2449 (09.01)**
Barettes
Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, Test Method for, **D6760 (04.09)**
Bare valves/flanges
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Bar extensometers
See **Extensometers**
Barge and boat spikes
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Barges
Confined Area Entry, Practice for, **D4276 (15.05)**
Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, Practice for, **D6883 (05.06)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Bargraph meters
Solid State Bargraph Meters for Shipboard Use Metric, Specification for, **F1755M (01.07)**
Barium
Measuring Reaction Rates by Analysis of Barium-140 From Fission Dosimeters, Test Method for, **E393 (12.02)**
Barium carbonate content
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Barium contamination
See **Contamination**
Barium content
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Barium content—petroleum products
Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, Test Method for, **D4628 (05.02)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**
Barium content—water
Barium in Brackish Water, Seawater, and Brines, Test Method for, **D3651 (11.02)**
Barium in Brines, Seawater, and Brackish Water by Direct-Current Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D3986 (11.02)**
Barium in Water, Atomic Absorption Spectrophotometry, Graphite Furnace, Test Method for, **D4382 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Barium ion (soluble) content
Barium in Brackish Water, Seawater, and Brines, Test Method for, **D3651 (11.02)**
Barium oxide content
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Barium sulfate ($BaSO_4$)
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, Practice for, **D4328 (11.02)**
Barium sulfate pigments
Analysis of Barium Sulfate Pigment, Test Methods for, **D715 (06.03)**
Barium Sulfate Pigments, Specification for, **D602 (06.03)**
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Bark
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Barnacle adhesion
Measurement of Barnacle Adhesion Strength in Shear, Test Method for, **D5618 (06.02)**
Barnacle electrode test
Electrochemical Measurement of Diffusible Hydrogen in Steels (Barnacle Electrode), Test Method for, **F1113 (15.03)**
Barometric measurement
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Measuring Surface Atmospheric Pressure, Test Methods for, **D3631 (11.07)**
Barrel auger sampler
Sa **Auger sampling method**
Sampling Soils and Contaminated Media with Hand-Operated Bucket Augers, Practice for, **D6907 (11.04)**
Barrel blocking devices
Paintball Marker Barrel Blocking Devices, Specification for, **F2271 (15.07)**
Barrel nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Barrel performance
Non-Powder Guns, Consumer Safety Specification for, **F589 (15.11)**
Barrel sampling
Collection and Handling of Soils Obtained in Core Barrel Samplers for Environmental Investigations, Practice for, **D6640 (11.04)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils, Practice for, **D3550 (04.08)**
Barricades
Retroreflective Sheeting for Traffic Control, Specification for, **D4956 (04.03)**
Barrier materials/systems
Sa **Flexible barrier materials**
Boat Barriers, Test Method for, **F2766 (15.08)**
Coated Fabrics Used for Oil Spill Control and Storage, Test Methods for, **F715 (11.05)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Design and Construction of Expanded Metal Security Fences and Barriers, Guide for, **F2780 (01.06)**
Determination of Oxygen Gas Transmission Rate, Permeability and Permeance at Controlled Relative Humidity Through Barrier Materials Using a Coulometric Detector, Test Method for, **F1927 (15.10)**
Evaluating Paintball Barrier Netting, Test Method for, **F2278 (15.07)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Internal Non Structural Epoxy Barrier Coating Material Used In Rehabilitation of Metallic Pressurized Piping Systems, Practice for, **F2831 (08.04)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2476 (15.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Security Engineering Symbols, Practice for, **F967 (15.08)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**
Use of Portland Cement Concrete Bridge Deck Water Barrier Membrane Systems, Practice for, **D4071 (04.03)**
Vehicle Crash Testing of Perimeter Barriers, Test Method for, **F2656 (15.08)**
Barrier materials/systems—acoustical
See **Thermal insulating materials**
Barrier shield glass
Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, Guide for, **C1572 (12.01)**
Bars (ferromagnetic)
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Bars/forging/forging stock—specifications
Sa **Alloy steel bars—specifications**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, Specification for, **B639 (02.04)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Steel Forging Stock, Specification for, **A711/A711M (01.05)**
Bars (rolled copper)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Bars (stainless steel)
See **Stainless steel bars/billets—specifications**
Bartlet white lead
See **Basic sulfate white lead**
Barytes
Barium Sulfate Pigments, Specification for, **D602 (06.03)**
Basaic HPGL formatting
Data Exchange Format for Sewn Product Plotting Devices, Practice for, **D6959 (07.02)**
Basal flow
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Base-62 encoding system
Tracking and Traceability Encoding System of Natural Gas Distribution Components (Pipe, Tubing, Fittings, Valves, and Appurtenances), Specification for, **F2897 (08.04)**
Baseball equipment/applications
Compression-Displacement of Baseballs and Softballs, Test Method for, **F1888 (15.07)**
Construction and Maintenance of Skinned Areas on Baseball and Softball Fields, Guide for, **F2107 (15.07)**
Construction and Maintenance of Warning Track Areas on Athletic Fields, Guide for, **F2270 (15.07)**
Displacement Compression of Softball and Baseball Bat Barrels, Test Method for, **F2844 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fences for Baseball and Softball Fields, Guide for, **F2000 (01.06)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Measuring High-Speed Bat Performance, Test Methods for, **F2219 (15.07)**
Measuring Moment of Inertia and Center of Percussion of a Baseball or Softball Bat, Test Method for, **F2398 (15.07)**
Measuring the Coefficient of Restitution (COR) of Baseballs and Softballs, Test Method for, **F1887 (15.07)**
Measuring the Dynamic Stiffness (DS) and Cylindrical Coefficient of Restitution (CCOR) of Baseballs and Softballs, Test Method for, **F2845 (15.07)**

Baseball equipment/applications—specifications
Eye Protectors for Selected Sports, Specification for, **F803 (15.07)**
Face Guards for Youth Baseball, Specification for, **F910 (15.07)**

Base blends
Agricultural pH Control Agents, Test Method for, **E1910/E1910M (11.05)**

Basecoat
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**

Base content
Acid and Base Milliequivalent Content of Electrocoat Bath, Test Methods for, **D4370 (06.01)**

Base fuel
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**

Baseline
Conducting Environmental Baseline Surveys, Practice for, **D6008 (11.05)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**

Baseline axillary odor score
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Baseline property condition assessment (PCA) process
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**
Property Condition Assessments: Baseline Property Condition Assessment Process, Guide for, **E2018 (11.05)**

Baseline survey process
Readily Observable Mold and Conditions Conducive to Mold in Commercial Buildings: Baseline Survey Process, Guide for, **E2418 (11.05)**

Base-metal clad plate
Reactive and Refractory Metal Clad Plate, Specification for, **B898 (02.04)**

Base-metal substrates
Sa **Substrates**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**

Base-metal thermocouple materials
Sa **Thermocouples—specifications**
Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, Specification for, **E585/E585M (14.03)**
Mineral-Insulated, Metal-Sheathed Base Metal Thermocouples, Specification for, **E608/E608M (14.03)**

Base number
Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, Test Method for, **D5984 (05.02)**

Base oils
Characterizing Hydrocarbon Lubricant Base Oils, Guide for, **D6074 (05.02)**
Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, Test Method for, **E1687 (11.03)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**

Base sections
Precast Reinforced Concrete Manhole Sections, Specification for, **C478 (04.05)**
Precast Reinforced Concrete Manhole Sections (Metric), Specification for, **C478M (04.05)**

Base sheets
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**

Base temperature
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**

Basic alloy elements
Specifying the Chemical Compositions for Electrical Contact Materials (Arcing and Nonarcing), Guide for, **B772 (02.04)**

Basic carbonate white lead pigment
Basic Carbonate White Lead Pigment, Specification for, **D81 (06.03)**
Chemical Analysis of White Lead Pigments, Test Methods for, **D1301 (06.03)**

Basic dynamic load rating
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**

Basic end face seals
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**

Basicity
See **Acidity, alkalinity, pH**

Basic lead silicochromate
Basic Lead Silicochromate Pigment, Specification for, **D1648 (06.03)**
Chemical Analysis of Basic Lead Silicochromate, Test Methods for, **D1844 (06.03)**

Basic life support (BLS)
Sa **Emergency medical services (EMS)**
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**
Selection and Practice of Emergency Medical Services Instructor for Advanced Emergency Medical Technician, Guide for, **F1257 (13.02)**
Selection and Practice of Emergency Medical Services Instructor for Emergency Medical Technician (EMT) Training Programs, Guide for, **F1256 (13.02)**
Structures and Responsibilities of Emergency Medical Services Systems Organizations, Guide for, **F1086 (13.02)**
Training and Evaluation of First Responders Who Provide Emergency Medical Care, Guide for, **F1453 (13.02)**

Basic-oxygen steel
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resis-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**
Pressure Vessel Plates, 5 % and 5 1/2 % Nickel Alloy Steels, Specially Heat Treated, Specification for, **A645/A645M (01.04)**
Pressure Vessel Plates, High-Strength, Low-Alloy Steel, Specification for, **A737/A737M (01.04)**
Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Structural Carbon Steel Plates of Improved Toughness, Specification for, **A573/A573M (01.04)**

Basic static load rating
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**

Basic sulfate white lead
Chemical Analysis of White Lead Pigments, Test Methods for, **D1301 (06.03)**

Basis weight
Mass Per Unit Area of Paper and Paperboard of Aramid Papers (Basis Weight), Test Method for, **D646 (07.01)**

Basketball equipment
Residential Basketball Systems, Specification for, **F1882 (15.07)**

Basket cut nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Basket dissolution apparatus
Qualification of Basket and Paddle Dissolution Apparatus, Practice for, **E2503 (14.02)**

Basket lift
Deep-Fat Fryers, Gas or Electric, Open, Specification for, **F1963 (15.12)**

Bassinets
Bassinets and Cradles, Consumer Safety Specification for, **F2194 (15.11)**
Bedside Sleepers, Consumer Safety Specification for, **F2906 (15.11)**

Bast and leaf fibers/products
Sa **Textile fibers**
Flax and Linen, Terminology Relating to, **D6798 (07.02)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Textiles, Terminology Relating to, **D123 (07.01)**

Batch bituminous blends
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**

Batch contamination control
See **Contamination**

Batch distillation
Distillation of Petroleum Products at Atmospheric Pressure, Test Method for, **D86 (05.01)**

Batch procedures
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**

Batch sources
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Batch-to-batch uniformity
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**

Batch type vegetable peeling machines
Vegetable Peeling Machines, Electric, Specification for, **F1371 (15.12)**

BATF (Bureau of Alcohol, Tobacco, and Firearms)
Sensory Evaluation of Beverages Containing Alcohol, Guide for, **E1879 (15.08)**

Bathing
Infant Bath Tubs, Consumer Safety Specification for, **F2670 (15.11)**

Bathrobe fabrics
Bathrobe, Dressing Gown, Negligee, Nightgown, and Pajama Fabrics, Performance Specification for, **D7021 (07.02)**

Bathrooms
Sa **Consumer safety specifications**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Grab Bars and Accessories Installed in the Bathing Area, Consumer Safety Specification for, **F446 (15.11)**
Infant Bath Seats, Consumer Safety Specification for, **F1967 (15.11)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Scald-Preventing Devices and Systems in Bathing Areas, Consumer Safety Specification for, **F444 (15.11)**
Slip-Resistant Bathing Facilities, Consumer Safety Specification for, **F462 (15.11)**
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Thermal-Shock-Preventing Devices and Systems in Showering Areas, Consumer Safety Specification for, **F445 (15.11)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Woven and Knitted Shower Curtains for Institutional and Household Use, Performance Specification for, **D5378 (07.02)**

Bathroom soil
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**

Baths (for laboratory use)
Gravity-Convection and Forced-Circulation Water Baths, Specification for, **E715 (14.04)**

Battering ram
Detention Hollow Metal Vision Systems, Test Methods for, **F1592 (15.08)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**

Batter piles
Sa **Piles**
Deep Foundations Under Static Axial Tensile Load, Test Methods for, **D3689/D3689M (04.08)**

Battery
Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System, Test Method for, **D7148 (10.02)**
Warnings on Paintball Marker Accessories Used In the Sport of Paintball, Specification for, **F2904 (15.07)**

Battery separator
Determination of Ammonia Trapping in a Grafted Battery Separator, Test Method for, **D7129 (10.02)**
Determination of Ion Exchange Capacity (IEC) in Grafted Battery Separator, Test Method for, **D7131 (10.02)**

Battery voltage
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Batting
Smoldering Combustion Potential of Cotton-Based Batting, Test Method for, **D5238 (07.02)**
Batt thermal insulation
Sa **Thermal insulating materials**
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**
Thickness and Density of Blanket or Batt Thermal Insulations, Test Methods for, **C167 (04.06)**
Bauer McNett wet classification
See **McNett wet classification**
Baumann prints
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Baumé gravity
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Analysis of Sulfuric Acid, Test Methods for, **E223 (15.05)**
BB guns (non-powder)
See **Consumer safety specifications (guns)**
BBR (bending beam rheometer)
Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR), Test Method for, **D6648 (04.03)**
BCRA (building cost risk analysis)
Sa **Building economics**
Measuring Cost Risk of Buildings and Building Systems and Other Constructed Projects, Practice for, **E1946 (04.11)**
Beaches
Sa **Oil spill control systems**
Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments, Guide for, **F2205 (11.05)**
Beach towels
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Beachwear
Knit Swimwear Fabrics, Performance Specification for, **D3996 (07.01)**
Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, Performance Specification for, **D4154 (07.01)**
Woven Swimwear Fabrics, Performance Specification for, **D3994 (07.01)**
Beaded-process glass pipe/fittings
Beaded Process Glass Pipe and Fittings, Specification for, **C1509 (15.02)**
Bead formation
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**
Bead-on-bar weldment
Sa **Welding/welds**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Bead seals
Sa **Sealants**
Evaluating Rim Slip Performance of Tires and Wheels, Test Method for, **F2803 (09.02)**
Making and Testing Reference Glass-Metal Bead-Seal, Practice for, **F14 (15.02)**
Bead size range
Determining Apparent Opening Size of a Geotextile, Test Method for, **D4751 (04.13)**
Bead wire
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**
Beakers
Laboratory Glass Beakers, Specification for, **E960 (14.04)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Beam bending
Measurement of Viscosity of Glass Between Softening Point and Annealing Range (Approximately 10, Test Method for, **C1350M (15.02)**
Beam bending test
Annealing Point and Strain Point of Glass by Beam Bending, Test Method for, **C598 (15.02)**
Beam deflection
Sa **Deflection**
Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, Test Method for, **D2925 (08.03)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Obtaining Average Residual-Strength of Fiber-Reinforced Concrete, Test Method for, **C1399/C1399M (04.02)**
Beam deflection (of plastics)
See **Deflection—plastics**
Beam-end test
Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, Test Method for, **A944 (01.04)**
Beam purity indicator
Determining Image Quality in Direct Thermal Neutron Radiographic Examination, Test Method for, **E545 (03.03)**
Beams/girders
Conducting Flexural Tests on Beams and Girders for Building Construction, Guide for, **E529 (04.11)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**
Making and Curing Concrete Test Specimens in the Field, Practice for, **C31/C31M (04.02)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Beam strength
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
Beam test
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Flexural Performance of Fiber-Reinforced Concrete (Using Beam With Third-Point Loading), Test Method for, **C1609/C1609M (04.02)**
Measurement of Beam Divergence and Alignment in Neutron Radiologic Beams, Test Method for, **E2861 (03.03)**
Bean bag chairs
Safety of Bean Bag Chairs, Specification for, **F1912 (15.11)**
Bean bag test
Snagging Resistance of Fabrics (Bean Bag), Test Method for, **D5362 (07.02)**
Bearing
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Bearing, Roller, Tapered, Single Row of Rollers (Metric Series), Specification for, **F2591 (01.08)**
Bearing, Roller, Thrust, Two Channeled Race Surface, Rigid or Flat Seat Type, Specification for, **F2590 (01.08)**
Cleanliness of Powder Metallurgy (PM) Bearings and Structural Parts, Test Method for, **B970 (02.05)**
Damage Prevention of Bearings, and Bearing Components Through Proper Handling Techniques, Practice for, **F2444 (01.08)**
Phenolic Raw Materials for the Use in Bearing Cages, Specification for, **F2953 (01.08)**
Rollers, Bearing, Needle, Ferrous, Solid, Specification for, **F2511 (01.08)**
Rolling Element Bearings, Terminology for, **F2488 (01.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bearing area
Flowability and Bearing Area of Chemical-Resistant Polymer Machinery Grouts, Test Method for, **C1339 (04.02)**
Bearing balls
See **Ball/roller bearings—specifications**
Bearing capacity
Deep Foundations Under Lateral Load, Test Methods for, **D3966/D3966M (04.08)**
Deep Foundations Under Static Axial Compressive Load, Test Methods for, **D1143/D1143M (04.08)**
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**
Bearing components
Damage Prevention of Bearings, and Bearing Components Through Proper Handling Techniques, Practice for, **F2444 (01.08)**
Rolling Element Bearings, Terminology for, **F2488 (01.08)**
Bearing failure
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
In-Line, Full Flow, Inductive Sensor for Ferromagnetic and Nonferromagnetic Wear Debris Determination and Diagnostics for Aero-Derivative and Aircraft Gas Turbine Engine Bearings, Practice for, **D7685 (05.04)**
Bearing fatigue response
Bearing Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D6873/D6873M (15.03)**
Bearing grease
Sa **Ball/roller bearings (lubricating grease)**
Fretting Wear Protection by Lubricating Greases, Test Method for, **D4170 (05.02)**
Bearing load
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Bearing lubricants
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Instrument and Precision Bearing Lubricants—Part 2 Greases, Guide for, **F2489 (01.08)**
Rolling Element Bearings, Terminology for, **F2488 (01.08)**
Bearing materials
Reporting Friction and Wear Test Results of Manufactured Carbon and Graphite Bearing and Seal Materials, Guide for, **C808 (05.05)**
Rolling Element Bearings, Terminology for, **F2488 (01.08)**
Bearing materials—specifications
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**
Bearing plate
Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, Specification for, **C1716/C1716M (04.05)**
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**
Bearing ratio
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Bearing response
Bearing Response of Polymer Matrix Composite Laminates, Test Method for, **D5961/D5961M (15.03)**
Bearings (oil-impregnated)—specifications
See **Oil-impregnated bearings—specifications**
Bearing strength
Bearing Strength of Plastics, Test Method for, **D953 (08.01)**
Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, Specification for, **C1716/C1716M (04.05)**
Evaluating Dowel-Bearing Strength of Wood and Wood-Based Products, Test Method for, **D5764 (04.10)**
Pin-Type Bearing Test of Metallic Materials, Test Method for, **E238 (03.01)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Bearing surfaces
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Bearing weight loss
Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), Test Method for, **D6709 (05.03)**
Bearing zones
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**
Beating
Mixing Machines, Food, Electric, Specification for, **F952 (15.12)**
Beautician supplies
Rubber General Purpose, Household or Beautician Gloves, Specification for, **D4679 (09.02)**
BE (biinding-energy) scale
Calibration of the Electron Binding-Energy Scale of an X-Ray Photoelectron Spectrometer, Practice for, **E2108 (03.06)**
Bed control
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Bedding
Home Furnishings, Terminology Relating to, **D7023 (07.02)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Measurement of Sleeping Bags, Test Method for, **F2568 (15.07)**
Placement of Riprap Revetments, Guide for, **D6825 (04.09)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**
Bedding sealant
Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, Test Method for, **C1294 (04.07)**
Bedding sets
Determining Emission Profiles of Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6177 (11.07)**
Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6178 (11.07)**
Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Guide for, **D6485 (11.07)**
Bed flammability
Sa **Automotive engine fuels/oils—specifications**
Measuring the Ignition Strength of Cigarettes, Test Method for, **E2187 (04.07)**
Bedload samplers
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bed lubricants
Thermal Stability of Way Lubricants, Test Method for, **D6203 (05.03)**
Bed moisture
Sa **Moisture analysis**
Equilibrium Moisture of Coal at 96 to 97 Percent Relative Humidity and 30°C, Test Method for, **D1412 (05.06)**
Bed rails
Portable Bed Rails, Consumer Safety Specification for, **F2085 (15.11)**
Bedrock
Estimating Peat Deposit Thickness, Practice for, **D4544 (04.08)**
Beds
Sa **Consumer safety specifications**
Bunk Beds, Consumer Safety Specification for, **F1427 (15.11)**
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Flammability of Blankets, Test Method for, **D4151 (07.01)**
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**
Infant Bedding and Related Accessories, Consumer Safety Performance Specification for, **F1917 (15.11)**
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Toddler Beds, Consumer Safety Specification for, **F1821 (15.11)**
Woven, Knitted, or Flocked Bedspread Fabrics, Performance Specification for, **D4037 (07.01)**
Bed sediment
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Beer's law
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Behavioral testing (aquatic toxicology)
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Measurement of Behavior During Fish Toxicity Tests, Guide for, **E1711 (11.06)**
Behavior of compounds
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**
Belay system
Measuring the Performance of Synthetic Rope Rescue Belay Systems Using a Drop Test, Test Method for, **F2436 (13.02)**
Belite
Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, Test Method for, **C1356 (04.01)**
Bell
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Bell jar envelope technique
Sag of Tungsten Wire, Test Method for, **F269 (10.04)**
Bell jar leak test
Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, Practice for, **E499/E499M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, Practice for, **E493/E493M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**
Bellows type expansion joints
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Bells
Bell, Cast, Sound Signalling, Specification for, **F956 (01.07)**
Gong, Sound Signaling, Specification for, **F957 (01.07)**
Bell/spigot pipe joints
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals, Specification for, **D4161 (08.03)**
Joints for IPS PVC Pipe Using Solvent Cement, Specification for, **D2672 (08.04)**
Bell/spigot/plain end
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Below-grade applications
Resistance to Hydrostatic Pressure for Coatings Used in Below Grade Applications Applied to Masonry, Practice for, **D7088 (06.02)**
Below-grade waterproofing
Asphalt Based Protection Board for Below-Grade Waterproofing, Specification for, **D6506 (04.04)**
Belt rubber
See **Rubber belting**
See **Tire testing**
Benchmark processing/testing
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Benchmark Testing of Light Water Reactor Calculations, Guide for, **E2006 (12.02)**
Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, Guide for, **E2005 (12.02)**
Developing and Evaluating Ground-Water Modeling Codes, Guide for, **D6025 (04.09)**
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**
Bench panel test
Recoatability of Water-Emulsion Floor Polishes, Test Method for, **D3153 (15.04)**
Bench scale oxygen consumption calorimeter
Sa **Adiabatic bomb calorimeter**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Bench scale test
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Determination of Rolled Erosion Control Product (RECP) Ability to Encourage Seed Germination and Plant Growth Under Bench-Scale Conditions, Test Method for, **D7322 (04.09)**
Bench test
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**
Bend and free recovery
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Bend characteristics
Creasing or Bending a Membrane Switch, Membrane Switch Flex Tail Assembly or Membrane Switch Component, Practice for, **F1683 (10.04)**
Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, Guide for, **E1653 (03.06)**
Bend force test
Flexible Pre-Insulated Piping, Specification for, **F2165 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bending
Condition 1 Bicycle Forks, Specification for, **F2899 (15.07)**
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Elastic Modulus by Thermomechanical Analysis Using Three-Point Bending and Controlled Rate of Loading, Test Method for, **E2769 (14.02)**
Bending beam rheometer (BBR) testing
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Bending fatigue
Bending Fatigue Testing for Copper-Alloy Spring Materials, Test Method for, **B593 (02.01)**
Bending moment
Sa **Stiffness**
Apparent Bending Modulus of Plastics by Means of a Cantilever Beam, Test Method for, **D747 (08.01)**
Mechanical Static Load Testing of Non-Structural Marine Joiner Bulkheads, Test Method for, **F3040/F3040M (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Bending relaxation
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Bending stress
Core Shear Properties of Sandwich Constructions by Beam Flexure, Test Method for, **C393/C393M (15.03)**
Facing Properties of Sandwich Constructions by Long Beam Flexure, Test Method for, **D7249/D7249M (15.03)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Bending yield moment
Determining Bending Yield Moment of Nails, Test Method for, **F1575 (01.08)**
Bendix method
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**
Bend testing
Bend Testing of Needles Used in Surgical Sutures, Test Method for, **F1874 (13.01)**
Coated Fabrics—Low-Temperature Bend Test, Test Method for, **D2136 (09.01)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Determining the Bond Strength (Ply Adhesion) of Geocomposites, Test Method for, **D7005 (04.13)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Flexural Properties of Thin-Section Glass-Fiber-Reinforced Concrete (Using Simple Beam With Third-Point Loading), Test Method for, **C947 (04.05)**
Modulus of Rupture in Bending of Electrode Graphite, Test Method for, **C1025 (05.05)**
Nails, Test Methods for, **F680 (01.08)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Rubber Shaft Seals Determination of Recovery From Bending, Test Method for, **D6515 (09.02)**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**
Bend testing—coatings
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Specific Bendability of Pipeline Coatings, Test Method for, **G10 (06.02)**
Bend testing—metallic materials
Bend Test for Determining the Formability of Copper and Copper Alloy Strip, Test Method for, **B820 (02.01)**
Bend Testing of Material for Ductility, Test Methods for, **E290 (03.01)**
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Guided Bend Test for Ductility of Welds, Test Method for, **E190 (03.01)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Bend testing—surgical materials
Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**
Metallic Bone Plates, Specification and Test Method for, **F382 (13.01)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Three-Point Bending of Balloon Expandable Vascular Stents and Stent Systems, Guide for, **F2606 (13.02)**
Bend testing—textiles
Stiffness of Fabric by Blade/Slot Procedure, Test Method for, **D6828 (07.02)**
Bend testing—wood products
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Beneficiation process
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Benefit analysis
Determining Net Environmental Benefit of Dispersant Use, Guide for, **F2532 (11.05)**
Benefit-cost ratio/analysis
Sa **Building economics**
Measuring Net Benefits and Net Savings for Investments in Buildings and Building Systems, Practice for, **E1074 (04.11)**
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**

Bengal India System
Natural Muscovite Block Mica and Thins Based on Visual Quality, Classification for, **D351 (10.01)**

Benkelman beam
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**

Bent-beam method
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**

Bent-beam weldment
Preparation and Use of Bent-Beam Stress-Corrosion Test Specimens, Practice for, **G39 (03.02)**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**

Bent glass
Bent Glass, Specification for, **C1464 (15.02)**

Benthic macroinvertebrates (collecting)
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**

Bentonitic slurries
Sa **Slurries**
Density of Bentonitic Slurries, Test Method for, **D4380 (04.08)**

Benzaldehyde
Aldehydes in Styrene Monomer, Test Method for, **D2119 (06.04)**

Benzene—atmospheric analysis
Analysis of Benzene by Gas Chromatography with External Calibration, Test Method for, **D7360 (06.04)**
Determination of Asphalt Fume Particulate Matter in Workplace Atmospheres as Benzene Soluble Fraction, Test Method for, **D6494 (11.07)**
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**

Benzene—paints/related coatings/materials
Sa **Aromatic hydrocarbons (AHs)**
Acid Wash Color of Industrial Aromatic Hydrocarbons, Test Method for, **D848 (06.04)**
Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, Test Method for, **D847 (06.04)**
Analysis of Benzene by Gas Chromatography, Test Method for, **D4492 (06.04)**
Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, Test Method for, **D5713 (06.04)**
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Benzene for Cyclohexane Feedstock, Specification for, **D5871 (06.04)**
Benzene in Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D4367 (06.04)**
Benzene, Toluene, Xylene (BTX) Concentrates Analysis by Gas Chromatography, Test Method for, **D6563 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Determination of Trace Thiophene in Refined Benzene by Gas Chromatography, Test Method for, **D4735 (06.04)**
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**
Refined Benzene-535, Specification for, **D2359 (06.04)**
Refined Benzene-545, Specification for, **D4734 (06.04)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Solidification Point of Benzene, Test Method for, **D852 (06.04)**
Solidification Point of Industrial Organic Chemicals by Thermistor, Test Method for, **D6875 (06.04)**
Trace Benzene in Hydrocarbon Solvents by Capillary Gas Chromatography, Test Method for, **D6229 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, Test Method for, **D2360 (06.04)**

Benzene—petroleum products
Determination of Benzene and Toluene in Finished Motor and Aviation Gasoline by Gas Chromatography, Test Method for, **D3606 (05.01)**
Determination of Benzene in Spark-Ignition Engine Fuels Using Mid Infrared Spectroscopy, Test Method for, **D6277 (05.03)**
Determination of Benzene, Toluene, and Total Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, Test Method for, **D5769 (05.02)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**

Benzene—water
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Benzene-535
Refined Benzene-535, Specification for, **D2359 (06.04)**

Benzene soluble fraction
Determination of Asphalt Fume Particulate Matter in Workplace Atmospheres as Benzene Soluble Fraction, Test Method for, **D6494 (11.07)**

Benzothiazole accelerator
Rubber Chemical Accelerator—Purity by High Performance Liquid Chromatography, Test Methods for, **D5297 (09.01)**

Benzothiazyl disulfide (MBTS)
Rubber Compounding Materials—Benzothiazyl Disulfide (MBTS)—Assay, Test Method for, **D5051 (09.01)**
Rubber Compounding Materials—Free 2-Mercaptobenzothiazole (MBT) in Benzothiazyl Disulfide (MBTS), Test Method for, **D5044 (09.01)**

2–Benzothiazyl sulfenamides
Sa **Mercaptobenzothiazole sulfenamide (MBTS)**
Rubber Compounding Materials—Determination of Ash Content, Test Methods for, **D4574 (09.01)**
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles, Test Method for, **D4934 (09.01)**

Benzothiazyl thiuram disulfide (BMTS)
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**

Berlin white
See **Basic carbonate white lead pigment**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bermuda grass
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**
Bertholt method
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**
Berths/berthing
Berths, Marine, Specification for, **F1244 (01.07)**
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**
Beryllium
Chemical Analysis of Beryllium, Test Methods for, **E439 (03.05)**
Collection of Settled Dust Samples Using Dry Wipe Sampling Methods for Subsequent Determination of Beryllium and Compounds, Practice for, **D7296 (11.07)**
Determination of Beryllium in Copper-Beryllium Alloys by Phosphate Gravimetric Method, Test Method for, **E2824 (03.05)**
Determination of Beryllium in Soil, Rock, Sediment, and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, Test Method for, **D7458 (04.09)**
Determination of Beryllium in the Workplace by Extraction and Optical Fluorescence Detection, Test Method for, **D7202 (11.07)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Separation of Beryllium from Other Metals in Digestion and Extraction Solutions from Workplace Dust Samples, Practice for, **D7441 (11.07)**
Wipe Sampling Materials for Beryllium in Surface Dust, Specification for, **D7707 (11.07)**
Beryllium alloys
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Beryllium content
Beryllium in Water, Test Methods for, **D3645 (11.01)**
Collection of Settled Dust Samples Using Dry Wipe Sampling Methods for Subsequent Determination of Beryllium and Compounds, Practice for, **D7296 (11.07)**
Determination of Beryllium in Soil, Rock, Sediment, and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, Test Method for, **D7458 (04.09)**
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**
Beryllium content—ferrous alloys
Chemical Analysis of Beryllium, Test Methods for, **E439 (03.05)**
Beryllium-copper alloys
See **Copper-beryllium alloys—specifications**
See **UNS C17000 (beryllium copper)**
Beryllium copper balls
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Determination of Beryllium in Copper-Beryllium Alloys by Phosphate Gravimetric Method, Test Method for, **E2824 (03.05)**
Beryllium-lithium targets
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Beryllium oxide powder
Nuclear-Grade Beryllium Oxide Powder, Specification for, **C708 (12.01)**
BESR (bat exit speed ratio)
Measuring High-Speed Bat Performance, Test Methods for, **F2219 (15.07)**
Beta backscatter
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Beta counting
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**
Beta irradiation
Beta Particle Radioactivity of Water, Test Method for, **D1890 (11.02)**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Measurement of Radioactivity, Practices for the, **D3648 (11.02)**
Beta particle radioactivity
Alpha and Beta Activity in Water By Liquid Scintillation Counting, Test Method for, **D7283 (11.02)**
Set-up, Calibration, and Quality Control of Instruments Used for Radioactivity Measurements, Practice for, **D7282 (11.02)**
Tritium in Drinking Water, Test Method for, **D4107 (11.02)**
Beta radiation/Energy deposition/Exposure tests
Interpretation of Existing Field Instrumentation to Influence Emergency Response Decisions, Guide for, **D7316 (11.02)**
Beta resins (BR)
Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), Test Method for, **D4312 (05.02)**
Beta titanium forgings
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**
Beta-tricalcium phosphate
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**
BET (Brunauer, Emmett, and Teller) surface area
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Carbon Black—Total and External Surface Area by Nitrogen Adsorption, Test Method for, **D6556 (09.01)**
Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, Test Method for, **D1993 (09.01)**
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**
Beverage bottle method
Hydrolytic Stability of Hydraulic Fluids (Beverage Bottle Method), Test Method for, **D2619 (05.01)**
Beverage carriers
Evaluation and Selection of Food and Beverage for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2773 (04.12)**
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
Beverage containers/products
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Sensory Evaluation of Beverages Containing Alcohol, Guide for, **E1879 (15.08)**
Serving Protocol for Sensory Evaluation of Foods and Beverages, Guide for, **E1871 (15.08)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Beverage containers/products—specifications
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**
Beverage glass containers
See **Glass containers**
BHP (brake horse power)
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

BHT (butylated hydroxytoluene)
2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, Test Method for, **D2668 (10.03)**
Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene–Vinyl Acetate (EVA) Copolymers By Gas Chromatography, Test Method for, **D4275 (08.02)**

Bias
Sa **Precision**
Annual Review of Test Methods and Specifications for Plastics, Guide for, **D4968 (08.02)**
Carbon Black—Validation of Test Method Precision and Bias, Guide for, **D4821 (09.01)**
Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, Practice for, **E1601 (03.05)**
Conducting Equivalence Testing in Laboratory Applications, Practice for, **E2935 (14.02)**
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Determination of Precision and Bias of Methods of Committee D22, Guide for, **D3670 (11.07)**
Estimating Uncertainty of Test Results Derived from Spectrophotometry, Practice for, **E2867 (06.01)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Laboratory Bias Detection Using Single Test Result from Standard Material, Practice for, **D6617 (05.03)**
Preparing and Interpreting Precision and Bias Statements in Test Method Standards Used in the Nuclear Industry, Guide for, **C1215 (12.01)**
Preparing Precision and Bias Statements for Test Methods for Construction Materials, Practice for, **C670 (04.02)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, Practice for, **D6708 (05.03)**
Use of the Terms Precision and Bias in ASTM Test Methods, Practice for, **E177 (14.02)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**
Validating Analytical Methods, Guide for, **E2857 (03.05)**

Bias (fabric)
Wall Covering, Specification for, **F1141 (15.11)**

Bias referencing
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**

Biaxially-oriented polymeric film
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**
Oriented Polypropylene Film, Specification for, **D2673 (08.01)**

Biaxial rotator
Thermal-Oxidative Stability of Polypropylene Using a Specimen Rotator Within an Oven, Test Method for, **D3012 (08.01)**

Biaxial stress
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**

Bibliography
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**

Bicarbonate ion content
Total and Dissolved Carbon Dioxide in Water, Test Methods for, **D513 (11.01)**

Bichromatic instrument
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**

Bicycle equipment
Bicycle Forks, Test Methods for, **F2273 (15.07)**
Bicycle Trailer Cycles Designed for Human Passengers, Specification for, **F2917 (15.07)**
Bicycle Usage, Classification for, **F2043 (15.07)**
Condition 2 Bicycle Frames, Specification for, **F2868 (15.07)**
Rear-Mounted Bicycle Child Carriers, Specification and Test Method for, **F1625 (15.07)**
Weighing a Bicycle, Test Method for, **F2918 (15.07)**

Bicycle equipment—specifications
Bicycle Grips, Specification for, **F2793 (15.07)**
Bicycle Serial Numbers, Specification for, **F2268 (15.07)**
Condition 1 Bicycle Frames, Specification for, **F2802 (15.07)**
Condition 3 Bicycle Forks, Specification for, **F2274 (15.07)**
Condition 3 Bicycle Frames, Specification for, **F2614 (15.07)**
Helmets for Non-Motorized Wheeled Vehicle Used by Infants and Toddlers, Specification for, **F1898 (15.07)**
Helmets Used for Downhill Mountain Bicycle Racing, Specification for, **F1952 (15.07)**
Helmets Used in Recreational Bicycling or Roller Skating, Specification for, **F1447 (15.07)**
Nonpowered Bicycle Trailers Designed for Human Passengers, Specification for, **F1975 (15.07)**
Rear-Mounted Bicycle Child Carriers, Specification and Test Method for, **F1625 (15.07)**
Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, Specification for, **F1250 (15.07)**

Bicycle forks
Bicycle Forks, Test Methods for, **F2273 (15.07)**
Bicycle Frames, Test Methods for, **F2711 (15.07)**
Condition 1 Bicycle Forks, Specification for, **F2899 (15.07)**
Manually Operated Front Wheel Retention Systems for Bicycles, Specification for, **F2680 (15.07)**

Bicycle frames
Bicycle Frames, Test Methods for, **F2711 (15.07)**
Condition 0 Bicycle Frames, Specification for, **F2843 (15.07)**
Condition 1 Bicycle Frames, Specification for, **F2802 (15.07)**
Condition 2 Bicycle Frames, Specification for, **F2868 (15.07)**
Condition 3 Bicycle Frames, Specification for, **F2614 (15.07)**

Bicycle grips
Bicycle Grips, Specification for, **F2793 (15.07)**

Bicycles
Bicycle Grips, Specification for, **F2793 (15.07)**

Bidding (on projects)
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**

Bidirectional (2-D) ceramic matrix composites
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**

Bidirectional optical measuring system
Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, Practice for, **E259 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**

BRDF (bidirectional reflectance distribution function)
Goniometric Optical Scatter Measurements, Practice for, **E2387 (06.01)**
Preparation of Aerospace Contamination Control Plans, Practice for, **E1548 (15.03)**

BIIR/CIR rubbers
See **Butyl rubber**

BIIR rubber
Rubber—Evaluation of BIIR and CIIR (Halogenated Isobutene—Isoprene Rubber), Test Methods for, **D3958 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bilges
Shipboard Oil Pollution Abatement System, Specification for, **F2283 (01.07)**
Suction Strainer Boxes, Specification for, **F986 (01.07)**
Billets
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Sampling Aluminum Ingots, Billets, Castings and Finished or Semi-Finished Wrought Aluminum Products for Compositional Analysis, Practice for, **B985 (02.02)**
Billets—Ni/Ni alloy
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Nickel-Chromium-Silicon Alloy (UNS N08330) Billets and Bars, Specification for, **B512 (02.04)**
Billet steel bars
See **Steel bars and billets—specifications**
Billiards
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**
Bi-metallic galvanic couple
Corrosiveness of Lubricating Fluid to Bimetallic Couple, Test Method for, **D6547 (05.03)**
Bimetallic stainless/alloy steel plate
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**
Bimodal distribution
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Binary chemical compatibility chart
the Preparation of a Binary Chemical Compatibility Chart, Guide for, **E2012 (14.02)**
Binary mixtures
Evaluating Compatibility of Binary Mixtures of Lubricating Greases, Practice for, **D6185 (05.03)**
Binary procedure
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Binary separator
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**
Binder content
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Binder durability
Binder Durability of Cork Composition Gasket Materials, Test Method for, **F148 (09.02)**
Binding mounting area (on alpine skis)
See **Alpine skis (binding/mounting area)**
Binding-post electrodes
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**
Binding sites
Binding Sites per Unit Length or Width of Pile Yarn Floor Coverings, Test Method for, **D5793 (07.02)**
Bingham pycnometer test
Density and Relative Density (Specific Gravity) of Liquids by Bingham Pycnometer, Test Method for, **D1217 (05.01)**
Density and Relative Density (Specific Gravity) of Viscous Materials by Bingham Pycnometer, Test Method for, **D1480 (05.01)**
Binocular disparity
Sa **Microscopic examination**
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**
Binomial frequency distribution
See **Statistical methods**
Bioaccumulation
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Bioactive glass/glass-ceramics
Glass and Glass Ceramic Biomaterials for Implantation, Specification for, **F1538 (13.01)**
in vitro **Bioactivity assay**
In Vitro Biological Activity of Recombinant Human Bone Morphogenetic Protein-2 (rhBMP-2) Using the W-20 Mouse Stromal Cell Line, Test Method for, **F2131 (13.01)**
Bioassay
Air Sampling Strategies for Worker and Workplace Protection, Guide for, **E1370 (11.07)**
Conducting In-situ Field Bioassays With Caged Bivalves, Guide for, **E2122 (11.06)**
Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, Practice for, **C1614 (12.01)**
in vivo Evaluation of Osteoinductive Potential for Materials Containing Demineralized Bone (DBM), Guide for, **F2529 (13.02)**
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Bioavailability
Determining Extractability of Metals from Art Materials, Test Method for, **D5517 (06.02)**
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Biobased content (of materials/products)
Determining the Biobased Content of Solid, Liquid, and Gaseous Samples Using Radiocarbon Analysis, Test Methods for, **D6866 (08.03)**
Sampling and Reporting of Results for Determination of Percent Biobased Content of Materials via Carbon Isotope Analysis, Guide for, **D7026 (08.03)**
Biochemical oxygen demand (BOD)
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**
Biocides
Evaluation of Antimicrobial Agents as Preservatives for Invert Emulsion and Other Water Containing Hydraulic Fluids, Practice for, **E979 (11.05)**
Microbial Contamination in Fuels and Fuel Systems, Guide for, **D6469 (05.03)**
Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, Test Methods for, **D4783 (15.06)**
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**
Biocompatibility
Agar Diffusion Cell Culture Screening for Cytotoxicity, Test Method for, **F895 (13.01)**
Assessment of Compatibility of Absorbable/Resorbable Biomaterials for Implant Applications, Practice for, **F1983 (13.01)**
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Assessment of Hemolytic Properties of Materials, Practice for, **F756 (13.01)**
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Biocompatibility Evaluation of Medical Device Packaging Materials, Guide for, **F2475 (15.10)**
Characterization of Particles, Practice for, **F1877 (13.01)**
Direct Contact Cell Culture Evaluation of Materials for Medical Devices, Practice for, **F813 (13.01)**
Evaluating Material Extracts by Intracutaneous Injection in the Rabbit, Practice for, **F749 (13.01)**
Evaluating Material Extracts by Systemic Injection in the Mouse, Practice for, **F750 (13.01)**
Evaluation of Delayed Contact Hypersensitivity Using the Murine Local Lymph Node Assay (LLNA), Practice for, **F2148 (13.01)**
Extraction of Medical Plastics, Practice for, **F619 (13.01)**
Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, Guide for, **F1439 (13.01)**
Performing Behind-the-Knee (BTK) Test for Evaluating Skin Irritation Response to Products and Materials That Come Into Repeated or Extended Contact with Skin, Test Method for, **F2808 (13.02)**
Platelet Leukocyte Count—An, Test Method for, **F2888 (13.02)**
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**
Selecting Generic Biological Test Methods for Materials and Devices, Practice for, **F748 (13.01)**
Selecting Tests to Evaluate Potential Neurotoxicity of Medical Devices, Guide for, **F2901 (13.02)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**
Subcutaneous Screening Test for Implant Materials, Practice for, **F1408 (13.01)**
Testing Biomaterials in Rabbits for Primary Skin Irritation, Practice for, **F719 (13.01)**
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing for Classical Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2567 (13.02)**
Testing for Whole Complement Activation in Serum by Solid Materials, Practice for, **F1984 (13.01)**
Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, Practice for, **F720 (13.01)**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**

Bioconcentration factor (BCF)
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**

Biodefense
Measurement of the Biological Activity of Ricin, Practice for, **E2805 (15.08)**

Biodegradable plastics
Labeling of End Items that Incorporate Plastics and Polymers as Coatings or Additives with Paper and Other Substrates Designed to be Aerobically Composted in Municipal or Industrial Facilities, Specification for, **D6868 (08.03)**
Non-Floating Biodegradable Plastics in the Marine Environment, Specification for, **D7081 (08.03)**

Biodegradation
in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, Test Method for, **F1635 (13.01)**
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Assessment of Absorbable Polymeric Implants, Guide for, **F2902 (13.02)**
Determining Biodegradability of Materials Exposed to Municipal Solid Waste Composting Conditions by Compost Respirometry, Test Method for, **D5929 (11.04)**
Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, Practice for, **D6974 (05.04)**
Evaluation of Biodegradable Heat Transfer Fluids, Guide for, **D7665 (05.04)**
Exposing and Testing Plastics that Degrade in the Environment by a Combination of Oxidation and Biodegradation, Guide for, **D6954 (08.03)**

Biodegradation—petroleum products
Sa **Aerobic/anaerobic biodegradation—petroleum products**
Assessing Biodegradability of Hydraulic Fluids, Guide for, **D6006 (05.02)**
Biodegradability and Ecotoxicity of Lubricants, Terminology Relating to, **D6384 (05.03)**
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**
Hydraulic Fluids for Environmental Impact, Classification of, **D6046 (05.02)**
Microbial Contamination in Fuels and Fuel Systems, Guide for, **D6469 (05.03)**
Predicting Biodegradability of Lubricants Using a Bio-kinetic Model, Test Method for, **D7373 (05.04)**

Biodegradation—plastics
Determining Aerobic Biodegradation of Plastic Materials in Soil, Test Method for, **D5988 (08.03)**
Determining Aerobic Biodegradation of Plastic Materials in the Marine Environment by a Defined Microbial Consortium or Natural Sea Water Inoculum, Test Method for, **D6691 (08.03)**
Determining Aerobic Biodegradation of Plastic Materials Under Controlled Composting Conditions, Incorporating Thermophilic Temperatures, Test Method for, **D5338 (08.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under High-Solids Anaerobic-Digestion Conditions, Test Method for, **D5511 (08.03)**
Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, Test Method for, **D5210 (08.03)**
Labeling of Plastics Designed to be Aerobically Composted in Municipal or Industrial Facilities, Specification for, **D6400 (08.03)**

Biodeterioration
Sa **Bacteria/bacterial control**
Adenosine Triphosphate (ATP) Content of Microorganisms in Fuel, Fuel/Water Mixtures and Fuel Associated Water, Test Method for, **D7463 (05.04)**
Determination of Mold Growth on Coated Building Products Designed for Interior Applications Using an Environmental Chamber and Indirect Inoculation, Test Method for, **D7855/D7855M (06.01)**
Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, Practice for, **D3456 (06.01)**
Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, Practice for, **D6974 (05.04)**
Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, Test Method for, **D3274 (06.01)**
Interlaboratory Studies for Microbiological Test Methods, Guide for, **D7847 (05.04)**
Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids, Test Method for, **E2694 (11.03)**
Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, Test Method for, **D7687 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Microbial Contamination in Fuels and Fuel Systems, Guide for, **D6469 (05.03)**
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**

Biodiesel
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Cloud Point of Petroleum Products (Mini Method), Test Method for, **D7689 (05.04)**
Cloud Point of Petroleum Products (Small Test Jar Method), Test Method for, **D7683 (05.04)**
Determination of Accelerated Iron Corrosion in Petroleum Products, Test Method for, **D7548 (05.04)**
Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier Transform Infrared Spectroscopy – Rapid Screening Method, Test Method for, **D7797 (05.04)**
Diesel Fuel Oil, Biodiesel Blend (B6 to B20), Specification for, **D7467 (05.04)**
Fuel Oils, Specification for, **D396 (05.01)**
Interlaboratory Studies for Microbiological Test Methods, Guide for, **D7847 (05.04)**
Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, Test Method for, **D7687 (05.04)**
Oxidation Stability of Biodiesel (B100) and Blends of Biodiesel with Middle Distillate Petroleum Fuel (Accelerated Method), Test Method for, **D7462 (05.04)**
Oxidation Stability of Middle Distillate Fuels—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7545 (05.04)**

Biodiesel blend
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Determination of Free and Total Glycerin in Biodiesel Blends by Anion Exchange Chromatography, Test Method for, **D7591 (05.04)**
Determination of the Fatty Acid Methyl Ester (FAME) Content of a Blend of Biodiesel and Petroleum-Based Diesel Fuel Oil Using Mid-Infrared Spectroscopy, Test Method for, **D7806 (05.04)**
Diesel Fuel Oil, Biodiesel Blend (B6 to B20), Specification for, **D7467 (05.04)**
Fuel Oils, Specification for, **D396 (05.01)**

Biodiesel fuel (B100) blend stock
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Determination of Fuel Filter Blocking Potential of Biodiesel (B100) Blend Stock by Cold Soak Filtration Test (CSFT), Test Method for, **D7501 (05.04)**
Oxidation Stability of Biodiesel (B100) and Blends of Biodiesel with Middle Distillate Petroleum Fuel (Accelerated Method), Test Method for, **D7462 (05.04)**
Test Method for Particulate Contamination of Biodiesel B100 Blend Stock Biodiesel Esters and Biodiesel Blends by Laboratory Filtration, Test Method for, **D7321 (05.04)**

Biodiesel methyl esters
Determination of Biodiesel (Fatty Acid Methyl Esters) Content in Diesel Fuel Oil Using Mid Infrared Spectroscopy (FTIR-ATR-PLS Method), Test Method for, **D7371 (05.04)**
Determination of Total Monoglycerides, Total Diglycerides, Total Triglycerides, and Free and Total Glycerin in B-100 Biodiesel Methyl Esters by Gas Chromatography, Test Method for, **D6584 (05.03)**

Bioequivalency
Determining Extractability of Metals from Art Materials, Test Method for, **D5517 (06.02)**

Biofilm
Evaluating Disinfectant Efficacy Against, Test Method for, **E2871 (11.05)**
Quantification of ***Pseudomonas aeruginosa*** Biofilm Grown with High Shear and Continuous Flow using CDC Biofilm Reactor, Test Method for, **E2562 (11.05)**
Quantification of a ***Pseudomonas aeruginosa*** Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, Test Method for, **E2196 (11.05)**
Quantification of Pseudomonas aeruginosa Biofilm Grown Using Drip Flow Biofilm Reactor with Low Shear and Continuous Flow, Test Method for, **E2647 (11.05)**
Testing Disinfectant Efficacy against, Test Method for, **E2799 (11.05)**

Biofouling
Maintenance and Rehabilitation of Groundwater Monitoring Wells, Guide for, **D5978 (04.09)**

Biofouling organisms
Evaluating Biofouling Resistance and Physical Performance of Marine Coating Systems, Practice for, **D6990 (06.02)**

Biofouling-resistant coatings
Evaluating Biofouling Resistance and Physical Performance of Marine Coating Systems, Practice for, **D6990 (06.02)**
Measurement of Barnacle Adhesion Strength in Shear, Test Method for, **D5618 (06.02)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Testing Biofouling Resistance of Marine Coatings Partially Immersed, Practice for, **D5479 (06.02)**

Biofuel
Interlaboratory Studies for Microbiological Test Methods, Guide for, **D7847 (05.04)**
Pyrolysis Liquid Biofuel, Specification for, **D7544 (05.04)**
Triglyceride Burner Fuel, Specification for, **D7666 (05.04)**

Biogas
Pyrolysis Liquid Biofuel, Specification for, **D7544 (05.04)**

Biological activity
Biological Properties of Industry Reference Materials (IRM), Specification for, **D7850 (09.02)**
Measurement of the Biological Activity of Ricin, Practice for, **E2805 (15.08)**

Biological aerosols
Evaluating the Bacterial Filtration Efficiency (BFE) of Medical Face Mask Materials, Using a Biological Aerosol of, Test Method for, **F2101 (11.03)**

Biological agents
Acquisition, Maintenance, Storage, and Use of Hazardous Material Detection Instrumentation, Guide for, **E2852 (15.08)**
Bulk Sample Collection and Swab Sample Collection of Visible Powders Suspected of Being Biothreat Agents from Nonporous Surfaces, Practices for, **E2458 (15.08)**

Biological cleaners
Cleaning Metals Prior to Electroplating, Guide for, **B322 (02.05)**

Biological control organisms
Amblyseius cucumeris (=Neoseiulus) Oudemans (Acarina: Phytoseiidae), Specification for, **E2646 (11.05)**
Aphidoletes aphidimyza (Rondani) (*Diptera: Cecidomyiidae*), Specification for, **E2615 (11.05)**
Delphastus catalinae (Horn) (*Coleoptera:Coccinellidae*), Specification for, **E2754 (11.05)**
Eretmocerus eremicus Rose and Zolnerowich (*Hymenoptera: Aphelinidae*), Specification for, **E2753 (11.05)**
Feltiella acarisuga (Vallot) (Diptera: Cecidomyiidae), Specification for, **E2645 (11.05)**
Podisus maculiventris (Say) (Hemiptera: Pentatomidae), Specification for, **E2644 (11.05)**
Natural Multi-Cellular Biological Control Organisms, Terminol-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ogy Relating to, **E2643 (11.05)**

Biological data analysis
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Biological Clogging of Geotextile or Soil/Geotextile Filters, Test Method for, **D1987 (04.13)**
Biological Effects and Environmental Fate, Terminology Relating to, **E943 (11.06)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, Test Methods for, **D4783 (15.06)**
Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, Guide for, **E1850 (11.06)**

Biological data analysis—sediments
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**

Biological data analysis—water applications
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**

Biologically derived materials
Related to Biorationals, Terminology, **E2880 (11.05)**

Biological oxidation
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**

Biomarker
Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, Guide for, **E2186 (11.06)**

Biomass
Adenosine Triphosphate (ATP) Content of Microorganisms in Fuel, Fuel/Water Mixtures and Fuel Associated Water, Test Method for, **D7463 (05.04)**
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Ash in Biomass, Test Method for, **E1755 (05.06)**
Collection of Integrated Samples for the Speciation of Biomass (Biogenic) and Fossil-Derived Carbon Dioxide Emitted from Stationary Emissions Sources, Practice for, **D7459 (11.07)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Determination of Ash Content of Particulate Wood Fuels, Test Method for, **E1534 (05.06)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids, Test Method for, **E2694 (11.03)**
Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, Test Method for, **D7687 (05.04)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Pyrolysis Liquid Biofuel, Specification for, **D7544 (05.04)**

Biomass fuels
Bulk Density of Densified Particulate Biomass Fuels, Test Method for, **E873 (05.06)**

Biomaterials
in vivo Assessment of Implantable Devices Intended to Repair or Regenerate Articular Cartilage, Guide for, **F2451 (13.01)**
Assessing the Attachment of Cells to Biomaterial Surfaces by Physical Methods, Guide for, **F2664 (13.02)**
Assessment of Surface Texture of Non-Porous Biomaterials in Two Dimensions, Guide for, **F2791 (13.02)**
Characterization and Standardization of Polymerizable Collagen-Based Products and Associated Collagen-Cell Interactions, Guide for, **F3089 (13.02)**
Characterization of Hydrogels used in Regenerative Medicine, Guide for, **F2900 (13.02)**
Pre-clinical *in vivo* Evaluation in Critical Size Segmental Bone Defects, Guide for, **F2721 (13.02)**
Pre-clinical *in vivo* Evaluation of Spinal Fusion, Guide for, **F2884 (13.02)**
Quantitating Cell Viability Within Biomaterial Scaffolds, Guide for, **F2739 (13.02)**
Small Punch Testing of Polymeric Biomaterials Used in Surgical Implants, Test Method for, **F2977 (13.02)**

Biomedical materials/applications
Bio-Applications Grade Water, Guide for, **D5196 (11.01)**
Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, Guide for, **F2150 (13.01)**
Characterization and Testing of Chitosan Salts as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Product Applications, Guide for, **F2103 (13.01)**
Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, Guide for, **F2347 (13.01)**
Characterization and Testing of Raw or Starting Biomaterials for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tissue-Engineered Medical Products, Guide for, **F2027 (13.01)**
Design and Maintenance of Low-Temperature Storage Facilities for Maintaining Cryopreserved Biological Materials, Guide for, **E1564 (14.02)**
Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2259 (13.01)**
Handling Hazardous Biological Materials in Liquid Nitrogen, Guide for, **E1566 (14.02)**
Inventory Control and Handling of Biological Material Maintained at Low Temperatures, Guide for, **E1565 (14.02)**
Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, Guide for, **F1439 (13.01)**

Biomedical materials/applications—specifications
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**

Biomedical nomenclature
See **Nomenclature**
See **Terminology—medical/surgical systems/applications**

Biometric authentication
See **Authentication**

Biomonitoring
See **Environmental monitoring**

Biopharmaceutical facilities
Process for Inactivation of Rodent Retrovirus by pH, Practice for, **E2888 (14.02)**
Specification, Design, and Verification of Pharmaceutical and Biopharmaceutical Manufacturing Systems and Equipment, Guide for, **E2500 (14.02)**

Biorationals
Related to Biorationals, Terminology, **E2880 (11.05)**

Bioremediation
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**
Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, Guide for, **E1943 (11.05)**

Bioresistance
Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**

Biotechnology materials/applications
Determination of Purity, Impurities, and Contaminants in Biological Drug Products, Guide for, **E1298 (14.02)**
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Identification of Bacteriophage M13 or Its DNA, Guide for, **E1493 (14.02)**
Identification of Herpes Simplex Virus or Its DNA, Guide for, **E1286 (14.02)**
Relating to Biotechnology, Terminology, **E1705 (05.06)**

Biothreat
Operational Guidelines for Initial Response to a Suspected Biothreat Agent, Guide for, **E2770 (15.08)**

Biphenyls (polychlorinated)
See **PCBs (polychlorinated biphenyls)**

Biphenyltetracarboxylimide
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**

Biplane radiographic techniques
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**

Bipolar integrated circuits
See **Integrated circuits**

Bipolar transistor
See **Transistors**

Bipolymer materials/applications
Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, Guide for, **F2347 (13.01)**

Bird impact testing
Bird Impact Testing of Aerospace Transparent Enclosures, Test Method for, **F330 (15.03)**

Birefringence
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**

Birefringent crystals
See **Crystal lattice structure**

Birge closing net sampler
Sampling Phytoplankton with Conical Tow Nets, Practice for, **D4132 (11.02)**

Bisbenzamide fluorochrome stain
Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, Practice for, **E1532 (14.02)**

Bismuth content
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**

Bismuth content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Bismuth internal standard method
Lead in Gasoline by X-Ray Spectroscopy, Test Methods for, **D5059 (05.02)**

Bismuth low-melting alloys
Low Melting Point Alloys, Specification for, **B774 (02.04)**

Bispectral photometric data
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, Practice for, **E2153 (06.01)**

Bisphenol A
Determination of Bisphenol A in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7574 (11.02)**
Determination of Bisphenol A in Soil, Sludge and Biosolids by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7858 (11.04)**
Determination of Nonylphenol, Bisphenol A, p-tert -Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Gas Chromatography Mass Spectrometry, Test Method for, **D7065 (11.02)**
Iron Content of Bisphenol A (4,4 - Isopropylidenediphenol), Test Method for, **D6143 (06.04)**
Sampling and Handling Bisphenol A, Practice for, **D4297 (06.04)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**
Solution Color of Bisphenol A (4,4`-Isopropylidenediphenol), Test Method for, **D4789 (06.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bit error rate
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Bitumen-aggregate mixtures
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**
Determining the Complex Shear Modulus (G*) Of Bituminous Mixtures Using Dynamic Shear Rheometer, Test Method for, **D7552 (04.03)**
Bitumen content
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**
Bitumen Content, Test Method for, **D4 (04.04)**
Moisture or Volatile Distillates in Bituminous Paving Mixtures, Test Method for, **D1461 (04.03)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Quantitative Extraction of Bitumen From Bituminous Paving Mixtures, Test Methods for, **D2172/D2172M (04.03)**
Bitumen loss
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Bitumen-saturated felts/woven fabrics
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**
Bitumen sealants
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**
Bituminous-aggregate mixtures
Estimating Degree of Particle Coating of Bituminous-Aggregate Mixtures, Practice for, **D2489/D2489M (04.03)**
Bituminous coal
Sa **Coal products**
Determination of the Swelling Properties of Bituminous Coal Using a Dilatometer, Test Method for, **D5515 (05.06)**
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
Bituminous coatings
Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe, Practice for, **A862/A862M (01.06)**
Preparation of Test Panels for Accelerated and Outdoor Weathering of Bituminous Coatings, Practice for, **D1669/D1669M (04.04)**
Bituminous coatings—specifications
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**
Bituminous emulsions
Classifying Emulsified Recycling Agents, Practice for, **D5505 (04.03)**
Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, Practice for, **D6805 (04.04)**
Raveling Test of Cold Mixed Emulsified Asphalt Samples, Test Method for, **D7196 (04.03)**
Sweep Test of Bituminous Emulsion Surface Treatment Samples, Test Method for, **D7000 (04.03)**
Bituminous emulsions—specifications
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Bituminous impregnated felts
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**
Bituminous joint fillers/sealants
See **Joint sealants (concrete)**
Bituminous mastic coatings (for thermal insulating materials)
Sa **Thermal insulating materials**
Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, Practice for, **C419 (04.06)**
Mastics and Coatings Used With Thermal Insulation, Test Methods for, **C461 (04.06)**
Properties and Tests of Mastics and Coating Finishes for Thermal Insulation, Guide to, **C647 (04.06)**
Bituminous materials/applications
Sa **Roofing materials/applications**
Abrasion Resistance of Pipeline Coatings, Test Method for, **G6 (06.02)**
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, Test Method for, **D4957 (04.03)**
Asphalt Content of Bituminous Mixtures by the Nuclear Method, Test Methods for, **D4125/D4125M (04.03)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Centrifuge Kerosine Equivalent, Test Method for, **D5148 (04.03)**
Dark Oven Heat Exposure of Roofing and Waterproofing Materials, Practice for, **D5869 (04.04)**
Density of Semi-Solid and Solid Bituminous Materials (Nickel Crucible Method), Test Method for, **D3289 (04.03)**
Design and Construction of Bituminous Surface Treatments, Practice for, **D5360 (04.03)**
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Distillation of Cutback Asphaltic (Bituminous) Products, Test Method for, **D402 (04.03)**
Ductility of Bituminous Materials, Test Method for, **D113 (04.03)**
Elastic Recovery of Asphalt Materials by Ductilometer, Test Method for, **D6084/D6084M (04.03)**
Failure End Point in Accelerated and Outdoor Weathering of Bituminous Materials, Test Method for, **D1670/D1670M (04.04)**
Float Test for Bituminous Materials, Test Method for, **D139 (04.03)**
Indirect Tensile (IDT) Strength of Bituminous Mixtures, Test Method for, **D6931 (04.03)**
Materials for Roads and Pavements, Terminology Relating to, **D8 (04.03)**
Penetration of Bituminous Materials, Test Method for, **D5/D5M (04.03)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Preparation of Test Panels for Accelerated and Outdoor Weathering of Bituminous Coatings, Practice for, **D1669/D1669M (04.04)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Recovering Residue from Emulsified Asphalt Using Low Temperature Evaporative Technique, Practice for, **D7497 (04.03)**
Sampling Bituminous Materials, Practice for, **D140/D140M (04.03)**
Saybolt Viscosity, Test Method for, **D88 (04.04)**
Selection of Test Methods for Prefabricated Bituminous Geomembranes (PBGM), Guide for the, **D6455 (04.13)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**
Water in Petroleum Products and Bituminous Materials by Distil-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

lation, Test Method for, **D95 (05.01)**
Bituminous materials/applications—specifications
Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, Specification for, **D6298 (04.04)**
Preformed Expansion Joint Filler for Concrete (Bituminous Type), Specification for, **D994/D994M (04.03)**
Bituminous pavement sealer
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade), Specification for, **D6946/D6946M (04.04)**
Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade), Specification for, **D6945/D6945M (04.04)**
Bituminous paving mixtures
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Classifying Emulsified Recycling Agents, Practice for, **D5505 (04.03)**
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Compaction and Shear Properties of Bituminous Mixtures by Means of the U.S. Corps of Engineers Gyratory Testing Machine (GTM), Test Method for, **D3387 (04.03)**
Compressive Strength of Bituminous Mixtures, Test Method for, **D1074 (04.03)**
Construction of Asphalt-Rubber Cape Seal, Practice for, **D7564/D7564M (04.03)**
Density of Bituminous Paving Mixtures in Place by the Electromagnetic Surface Contact Methods, Test Method for, **D7113/D7113M (04.03)**
Design and Construction of Bituminous Surface Treatments, Practice for, **D5360 (04.03)**
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Determining the Resilient Modulus of Bituminous Mixtures by Indirect Tension Test, Test Method for, **D7369 (04.03)**
Effect of Water on Bituminous-Coated Aggregate Using Boiling Water, Practice for, **D3625/D3625M (04.03)**
Effective Porosity and Effective Air Voids of Compacted Bituminous Paving Mixture Samples, Test Method for, **D7063/D7063M (04.03)**
Electrical Resistivity of Membrane-Pavement Systems, Test Method for, **D3633/D3633M (04.03)**
Estimating Application Rate of Bituminous Distributors, Practice for, **D2995 (04.03)**
Estimating Degree of Particle Coating of Bituminous-Aggregate Mixtures, Practice for, **D2489/D2489M (04.03)**
Marshall Stability and Flow of Bituminous Mixtures, Test Method for, **D6927 (04.03)**
Materials for Roads and Pavements, Terminology Relating to, **D8 (04.03)**
Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6857/D6857M (04.03)**
Moisture or Volatile Distillates in Bituminous Paving Mixtures, Test Method for, **D1461 (04.03)**
Open-Graded Friction Course (OGFC) Mix Design, Practice for, **D7064/D7064M (04.03)**
Organizations Engaged in the Certification of Personnel Testing and Inspecting Bituminous Paving Materials, Practice for, **D5506 (04.03)**
Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, Practice for, **D4561 (04.03)**
Quantitative Extraction of Bitumen From Bituminous Paving Mixtures, Test Methods for, **D2172/D2172M (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Random Sampling of Construction Materials, Practice for, **D3665 (04.03)**
Recovery of Asphalt From Solution by Abson Method, Test Method for, **D1856 (04.03)**
Recovery of Asphalt from Solution Using the Rotary Evaporator, Practice for, **D5404/D5404M (04.03)**
Resistance to Plastic Flow of Bituminous Mixtures Using Marshall Apparatus (6 inch-Diameter Specimen), Test Method for, **D5581 (04.03)**
Road Tar, Volume Correction Table for, **D633 (04.03)**
Sampling Bituminous Paving Mixtures, Practice for, **D979/D979M (04.03)**
Sampling Compacted Bituminous Mixtures for Laboratory Testing, Practice for, **D5361/D5361M (04.03)**
Selection and Use of Emulsified Asphalts, Practice for, **D3628 (04.03)**
Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures, Test Method for, **D2041/D2041M (04.03)**
Bituminous paving mixtures—specifications
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Coarse Aggregate for Bituminous Paving Mixtures, Specification for, **D692/D692M (04.03)**
Cold-Mixed, Cold-Laid Bituminous Paving Mixtures, Specification for, **D4215 (04.03)**
Emulsified Refined Coal Tar (Mineral Colloid Type), Specification for, **D5727/D5727M (04.04)**
Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade), Specification for, **D6946/D6946M (04.04)**
Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade), Specification for, **D6945/D6945M (04.04)**
Fine Aggregate for Bituminous Paving Mixtures, Specification for, **D1073 (04.03)**
Mineral Filler For Bituminous Paving Mixtures, Specification for, **D242/D242M (04.03)**
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Nontraditional Coarse Aggregates for Bituminous Paving Mixtures, Specification for, **D6155 (04.03)**
Standard Rib Tire for Pavement Skid-Resistance Tests, Specification for, **E501 (04.03)**
Standard Smooth Tire for Pavement Skid-Resistance Tests, Specification for, **E524 (04.03)**
Steel Slag Aggregates for Bituminous Paving Mixtures, Specification for, **D5106 (04.03)**
Bituminous paving mixtures (compacted)
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples, Test Method for, **D1188 (04.03)**
Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, Test Method for, **D2726/D2726M (04.03)**
Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, Test Method for, **D1075 (04.03)**
Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures, Test Method for, **D3203/D3203M (04.03)**
Preparation of Bituminous Mixture Test Specimens by Means of California Kneading Compactor, Practice for, **D1561/D1561M (04.03)**
Preparation of Bituminous Specimens Using Marshall Apparatus, Practice for, **D6926 (04.03)**
Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, Test Methods for, **D1560 (04.03)**
Sampling Compacted Bituminous Mixtures for Laboratory Testing, Practice for, **D5361/D5361M (04.03)**
Thickness or Height of Compacted Bituminous Paving Mixture Specimens, Test Method for, **D3549/D3549M (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bituminous paving mixtures (joint fillers/sealants)
See **Joint sealants (concrete)**
Bituminous paving mixtures (mineral filler)
See **Mineral filler (for paving mixtures)**
Bituminous paving mixtures (skid resistance)
Accelerated Polishing of Aggregates or Pavement Surfaces Using a Small-Wheel, Circular Track Polishing Machine, Practice for, **E660 (04.03)**
Skid Resistance of Paved Surfaces Using a Full-Scale Tire, Test Method for, **E274/E274M (04.03)**
Standard Rib Tire for Pavement Skid-Resistance Tests, Specification for, **E501 (04.03)**
Standard Smooth Tire for Pavement Skid-Resistance Tests, Specification for, **E524 (04.03)**
Bituminous roofing materials
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), Practice for, **D4799/D4799M (04.04)**
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method), Practice for, **D4798/D4798M (04.04)**
Adhesion of Mineral Aggregate to Hot Bitumen, Test Method for, **D5100/D5100M (04.04)**
Apparent Viscosity (Flow) of Roofing Bitumens Using the Parallel Plate Plastometer, Test Method for, **D4989/D4989M (04.04)**
Application of Fully Adhered, Cold-Applied, Prefabricated Reinforced Modified Bituminous Membrane Waterproofing Systems, Guide for, **D6769/D6769M (04.04)**
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**
Bitumen Content, Test Method for, **D4 (04.04)**
Cyclic Thermal Shock of SBS-Modified Bituminous Roofing Sheets with Factory-Applied Metal Surface, Test Method for, **D7051 (04.04)**
Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks, Guide for, **C981 (04.04)**
Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), Test Method for, **D5849/D5849M (04.04)**
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**
Impact Resistance of Bituminous Roofing Systems, Test Method for, **D3746 (04.04)**
Roofing and Waterproofing, Terminology Relating to, **D1079 (04.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**
Saybolt Furol Viscosity of Bituminous Materials at High Temperatures, Test Method for, **E102/E102M (04.04)**
Softening Point of Bitumen (Ring-and-Ball Apparatus), Test Method for, **D36/D36M (04.04)**
Solvent Bearing Bituminous Compounds, Test Methods for, **D6511/D6511M (04.04)**
Staining Tendency of Asphalt (Stain Index), Test Method for, **D2746 (04.04)**
Tensile-Tear Strength of Bituminous Roofing Membranes, Test Method for, **D4073 (04.04)**
Bituminous roofing materials—specifications
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**
Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing, Specification for, **D173/D173M (04.04)**
Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, Specification for, **D1327/D1327M (04.04)**
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Coal Tar Roof Cement, Asbestos Free, Specification for, **D5643/D5643M (04.04)**
Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D450/D450M (04.04)**
Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, Specification for, **D1668 (04.04)**
Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing, Specification for, **D6221 (04.04)**
SEBS-Modified Mopping Asphalt Used in Roofing, Specification for, **D6152/D6152M (04.04)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6162 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6163 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6164/D6164M (04.04)**
Bituminous water vapor retarders
Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, Specification for, **E1993/E1993M (04.11)**
Bivalve molluscs
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Bivouac sack
Labeling of Backpacking and Mountaineering Tents and Bivouac Sacks, Practice for, **F2441 (15.07)**
Bivy sack
Labeling of Backpacking and Mountaineering Tents and Bivouac Sacks, Practice for, **F2441 (15.07)**
Blackbody
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Blackbody radiation facility
Sa **Adiabatic bomb calorimeter**
Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, Test Methods for, **E1897 (03.03)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Minimum Resolvable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1213 (03.03)**
Black box exposure test
Sa **Exposure tests**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Black crosslinked polyethylene (PE) insulation
Sa **Crosslinking**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**
Black light inspection
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Black marking resistance
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Black oils
Precipitation Number of Lubricating Oils, Test Method for, **D91 (05.01)**
Blackout conditions
Photoluminescent (Phosphorescent) Safety Markings, Specification for, **E2072 (06.01)**
Black output
Determination of Color Response of Electrostatic Copying System, Black and White Output, Practice for, **F974 (15.09)**
Black pigments
Bone Black Pigment, Specification for, **D210 (06.03)**
Ferrous Iron in Iron Oxides, Test Method for, **D3872 (06.03)**
Solvent-Extractable Material in Black Pigments, Test Method for, **D305 (06.03)**
Black plate
See **Tin mill products—specifications**
Black sidewalls
See **Tire testing**
Black steel couplings
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**
Black steel pipe—specifications
Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use, Specification for, **A795/A795M (01.01)**
Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless, Specification for, **A53/A53M (01.01)**
Steel Line Pipe, Black, Plain End, Laser Beam Welded, Specification for, **A1006/A1006M (01.01)**
Steel Line Pipe, Black, Plain End, Longitudinal and Helical Seam, Double Submerged-Arc Welded, Specification for, **A1005/A1005M (01.01)**
Steel Line Pipe, Black, Plain-End, Electric-Resistance-Welded, Specification for, **A984/A984M (01.01)**
Steel Line Pipe, Black, Plain-End, Seamless, Specification for, **A1024/A1024M (01.01)**
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**
Bladder
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**
Bladder drainage
Foley Catheter, Performance Specification for, **F623 (13.01)**
Bladder pump
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Blade applicator
Application of Emulsion Floor Polishes to Substrates for Testing Purposes, Test Methods for, **D1436 (15.04)**
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**
Blade plates
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**
Blade/slot procedure
Stiffness of Fabric by Blade/Slot Procedure, Test Method for, **D6828 (07.02)**
Blaine fineness test
Fineness of Hydraulic Cement by Air-Permeability Apparatus, Test Methods for, **C204 (04.01)**
Blanc fixe
Barium Sulfate Pigments, Specification for, **D602 (06.03)**
Blanked magnetic core components
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Blanket method
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Blankets
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Blanket Products for Institutional and Household Use, Performance Specification for, **D5432 (07.02)**
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Flammability of Blankets, Test Method for, **D4151 (07.01)**
Flexible Aerogel Insulation, Specification for, **C1728 (04.06)**
Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus, Test Method for, **D1424 (07.01)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Blankets—rubber insulating
In-Service Care of Insulating Blankets, Specification for, **F479 (10.03)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Blanket thermal insulation
Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, Test Methods for, **C1101/C1101M (04.06)**
Determination of the Thermal Resistance of Low-Density Blanket-Type Mineral Fiber Insulation, Guide for, **C653 (04.06)**
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Determining the Water Retention (Repellency) Characteristics of Fibrous Glass Insulation (Aircraft Type), Test Method for, **C1511 (04.06)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Determining Wicking of Fibrous Glass Blanket Insulation (Aircraft Type), Test Method for, **C1559 (04.06)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Fabrication of Flexible Removable and Reusable Blanket Insulation for Hot Service, Specification for, **C1695 (04.06)**
Flexible Fibrous Glass Blanket Insulation Used to Externally In-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

sulate HVAC Ducts, Specification for, **C1290 (04.06)**
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**
Measuring Compressive Properties of Thermal Insulations, Test Method for, **C165 (04.06)**
Parting Strength of Mineral Fiber Batt- and Blanket-Type Insulation, Test Method for, **C686 (04.06)**
Thickness and Density of Blanket or Batt Thermal Insulations, Test Methods for, **C167 (04.06)**

Blanket thermal insulation—specifications
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
High-Temperature Fiber Blanket Thermal Insulation, Specification for, **C892 (04.06)**
Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type), Specification for, **C592 (04.06)**
Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications, Specification for, **C553 (04.06)**
Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing, Specification for, **C665 (04.06)**

Blast-cleaned steel
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Preparation (by Abrasive Blast Cleaning) of Hot-Rolled Carbon Steel Panels for Testing of Coatings, Practice for, **D7055 (06.02)**
Use of Pictorial Surface Preparation Standards and Guides for Painting Steel Surfaces, Practice for, **D2200 (06.02)**

Blast furnace iron
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**

Blast furnace slag
See **Ground granulated blast-furnace slag**

Blasting abrasives
See **Abrasive blasting**

Blast-resistant materials/applications
Blast Resistance of Trash Receptacles, Test Method for, **E2639 (15.08)**
Deployment of Blast Resistant Trash Receptacles in Crowded Places, Guide for, **E2831/E2831M (15.08)**
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**
Trash Receptacles Subjected to Blast Resistance Testing, Specification for, **E2740 (15.08)**

Blast resistant trash receptacle (BRTR)
Deployment of Blast Resistant Trash Receptacles in Crowded Places, Guide for, **E2831/E2831M (15.08)**

Bleaches
Active Oxygen in Bleaching Compounds, Test Method for, **D2180 (15.04)**
Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, Guide for, **D4610 (06.01)**
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**

Bleaching procedures
Acid-Insoluble Lignin in Wood, Test Method for, **D1106 (04.10)**

Bleeding
Bleed Stability of Cementitious Post-Tensioning Tendon Grout, Test Method for, **C1741 (04.02)**
Bleeding of Concrete, Test Method for, **C232/C232M (04.02)**
Bleeding of Pigments, Test Methods for, **D279 (06.03)**
Determination of Degree of Bleeding of Traffic Paint, Practice for, **D868 (06.02)**
Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C940 (04.02)**

Bleeding resistance
Determination of Resistance of Leather to (Bleeding) Color Stain Transfer, Test Method for, **D6012 (15.04)**
Evaluating Ink Stainblocking of Architectural Paint Systems by Visual Assessment, Test Method for, **D7514 (06.02)**
Resistance of Colored Leather to Bleeding, Test Method for, **D5552 (15.04)**

Blended hydraulic cements
Sa **Hydraulic cement concrete—specifications**
Rapid Hardening Hydraulic Cement, Specification for, **C1600/C1600M (04.01)**

Blended silane-siloxane materials
Determination of the Nonvolatile Content in Silanes, Siloxanes and Silane-Siloxane Blends Used in Masonry Water Repellent Treatments, Test Method for, **D5095 (06.02)**

Blender practice
Preparation of Solvent and Water Based Ink Resin Solutions, Practices for, **D6989 (06.03)**

Blending materials process
Carbon Black—Evaluation of Standard Reference Blacks, Practice for, **D6915 (09.01)**
Carbon Black, Pelleted—Reduction, Blending, and Drying of Gross Samples for Testing, Practice for, **D5817 (09.01)**

Blends
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Blended Supplementary Cementitious Materials, Specification for, **C1697 (04.02)**
Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D7862 (05.04)**
Cleanliness and Compatibility of Residual Fuels by Spot Test, Test Method for, **D4740 (05.02)**
Preparation of Liquid Blends for Use as Analytical Standards, Practice for, **D4307 (05.02)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**

Blind actual leak
Placement of Blind Actual Leaks during Electrical Leak Location Surveys of Geomembranes, Guide for, **D7909 (04.13)**

Blind anchors
Sa **Anchors/anchorage systems**
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**

Blister copper
Determination of Copper in Anode and Blister Copper, Test Method for, **E1771 (03.05)**
Sampling of Blister Copper in Cast Form for Determination of Chemical Composition, Practice for, **E1833 (03.05)**

Blistering
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Evaluating Degree of Blistering of Paints, Test Method for, **D714 (06.01)**
Evaluating Degree of Flaking (Scaling) of Exterior Paints, Test Method for, **D772 (06.01)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Methods for, **D5499 (06.02)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**

Bloating
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Block and board thermal insulation
Sa **Thermal insulating materials**
Breaking Load and Flexural Properties of Block-Type Thermal Insulation, Test Methods for, **C203 (04.06)**
Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, Test Methods for, **C1101/C1101M (04.06)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Dimensions and Density of Preformed Block and BoardType Thermal Insulation, Test Method for, **C303 (04.06)**
Estimating the Maximum Use Temperature of Thermal Insulations, Practice for, **C447 (04.06)**
Measuring Compressive Properties of Thermal Insulations, Test Method for, **C165 (04.06)**
Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, Test Method for, **C550 (04.06)**
Mineral Fiber Block and Board Thermal Insulation, Specification for, **C612 (04.06)**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**
Testing Cellular Glass Insulation Block, Test Methods of, **C240 (04.06)**
Tumbling Friability of Preformed Block-Type and Preformed Pipe-Covering-Type Thermal Insulation, Test Method for, **C421 (04.06)**
Water Retention of Rigid Thermal Insulations Following Partial Immersion, Test Method for, **C1134 (04.06)**

Block and board thermal insulation—specifications
Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, Specification for, **C1126 (04.06)**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Mineral Wool Roof Insulation Board, Specification for, **C726 (04.06)**
Rigid, Cellular Polystyrene Thermal Insulation, Specification for, **C578 (04.06)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**

Block and pipe thermal insulation
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**

Block and pipe thermal insulation—specifications
Calcium Silicate Block and Pipe Thermal Insulation, Specification for, **C533 (04.06)**
Molded Expanded Perlite Block and Pipe Thermal Insulation, Specification for, **C610 (04.06)**

Blocking
Block Resistance of Organic Coatings on Wood Panel Substrates, Test Method for, **D2793 (06.02)**
Blocking, Test Method for, **D6116 (15.04)**
Blocking Load of Plastic Film by the Parallel Plate Method, Test Method for, **D3354 (08.02)**
Blocking Point of Potentially Adhesive Layers, Test Method for, **D1146 (15.06)**
Blocking Resistance of Architectural Paints, Test Method for, **D4946 (06.02)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Pressure Mottling and Blocking Resistance of Organic Coatings on Metal Substrates, Test Method for, **D3003 (06.02)**
Securement of Cargo in Intermodal and Unimodal Surface Transport, Practices for, **D5728 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**

Block ingot
Configuration of Zinc and Zinc Alloy Jumbo, Block, Half Block, and Slab Ingot, Specification for, **B897 (02.04)**

Blocking/picking point
Blocking and Picking Points of Petroleum Wax, Test Method for, **D1465 (05.01)**

Blocking resistance
Blocking and Picking Points of Petroleum Wax, Test Method for, **D1465 (05.01)**
Blocking Load of Plastic Film by the Parallel Plate Method, Test Method for, **D3354 (08.02)**
Blocking Point of Potentially Adhesive Layers, Test Method for, **D1146 (15.06)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**

Block-on-ring wear test
Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, Test Method for, **D2714 (05.01)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Ranking Resistance of Plastic Materials to Sliding Wear Using a Block-On-Ring Configuration, Test Method for, **G137 (03.02)**
Ranking Resistance of Plastics to Sliding Wear Using Block-on-Ring Wear Test—Cumulative Wear Method, Test Method for, **G176 (03.02)**

Block sample/sampling
Obtaining Intact Block (Cubical and Cylindrical) Samples of Soils, Practices for, **D7015 (04.09)**

Block-shear method
Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, Test Method for, **D4501 (15.06)**

Block stock
Fabricated Fittings of Butt-Fused Polyethylene (PE) Plastic Pipe, Fittings, Sheet Stock, Plate Stock, or Block Stock, Specification for, **F2206 (08.04)**

Blood-borne pathogens
Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, Test Method for, **F1671/F1671M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood, Test Method for, **F1670/F1670M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique, Test Method for, **F1819 (11.03)**
Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity), Test Method for, **F1862/F1862M (11.03)**

Blood chemistry
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**

Blood coagulation
Assessment of Intravascular Medical Device Materials on Partial Thromboplastin Time (PTT), Test Method for, **F2382 (13.01)**

Blood compatibility
Assessment of Intravascular Medical Device Materials on Partial Thromboplastin Time (PTT), Test Method for, **F2382 (13.01)**
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Testing for Whole Complement Activation in Serum by Solid Materials, Practice for, **F1984 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Blood irradiation dosimetry
Blood Irradiation Dosimetry, Practice for, **ISO/ASTM51939 (12.02)**
Blood materials/applications
Assessment of Hemolysis in Continuous Flow Blood Pumps, Practice for, **F1841 (13.01)**
Assessment of Hemolytic Properties of Materials, Practice for, **F756 (13.01)**
Platelet Leukocyte Count—An, Test Method for, **F2888 (13.02)**
Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, Test Method for, **F1671/F1671M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood, Test Method for, **F1670/F1670M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique, Test Method for, **F1819 (11.03)**
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Testing for Classical Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2567 (13.02)**
Blood materials/applications—specifications
Sa **Laboratory apparatus—specifications**
Sa **Pipets (laboratory)—specifications**
Blood Sedimentation Tube, Wintrobe, Glass, Disposable, Specification for, **E1047 (14.04)**
Blood Sedimentation Tube, Wintrobe, Glass, Reusable, Specification for, **E961 (14.04)**
Disposable Glass Blood Sample Capillary Tube (Microhematocrit), Specification for, **E734 (14.04)**
Disposable Glass Culture Tubes, Specification for, **E890 (14.04)**
Glass Westergren Tube, Disposable, Specification for, **E1046 (14.04)**
Pipet, Blood Diluting, Specification for, **E788 (14.04)**
Pipet, Sahli Hemoglobin, Specification for, **E1045 (14.04)**
Blood trauma
Selection of Blood for in vitro Evaluation of Blood Pumps, Practice for, **F1830 (13.01)**
Blooms
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Blotter spot method
Measuring the Merit of Dispersancy of In-Service Engine Oils with Blotter Spot Method, Test Method for, **D7899 (05.04)**
Blouse fabrics
Women's and Girls' Knitted Blouse and Dress Fabrics, Performance Specification for, **D4235 (07.01)**
Woven Blouse, Dress, Dress Shirt & Sport Shirt Fabrics, Performance Specification for, **D7020 (07.02)**
Blow down systems
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**
Blowers
Fiber-Reinforced Plastic Fans and Blowers, Specification for, **D4167 (08.03)**
Blowing agents
Determination of Retained Blowing Agent in Extruded Polystyrene Foam, Test Method for, **D7132 (08.03)**
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Blow-molded thermoplastic containers
Column Crush Properties of Blown Thermoplastic Containers, Test Method for, **D2659 (08.01)**
Drop Impact Resistance of Blow-Molded Thermoplastic Containers, Test Method for, **D2463 (08.01)**
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**
Blown and pressed glassware
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Blow-out resistance
Blow-Out Testing of Preformed Gaskets, Test Method for, **F434 (09.02)**
Blowout Resistance of Room-Temperature Vulcanized Elastomers, Practice for, **F2523 (09.02)**
Bluegill
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Blue light reflectance
See **Reflectance and reflectivity—copy materials/paper**
Blue mussel
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Blue pigments
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Blue powder
See **Zinc pigments—specifications**
Blue stock (leather)
Chromic Oxide in Ashed Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6714 (15.04)**
Mold Growth Resistance of Wet Blue, Test Method for, **D4576 (15.04)**
Total Ash in Wet Blue or Wet White, Test Method for, **D6716 (15.04)**
Blue wool references
Visual Determination of the Lightfastness of Art Materials by Art Technologists, Practice for, **D5383 (06.02)**
Visual Evaluation of the Lightfastness of Art Materials by the User, Practice for, **D5398 (06.02)**
Blunt impact testing
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**
Blunt rod test
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Blunt-tool impacts
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
BMW intake valve deposit test
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**
BMW service schedules
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**
BMX cycling
Above Ground Public Use Skatepark Facilities, Guide for, **F2334 (15.07)**
Helmets Used for BMX Cycling, Specification for, **F2032 (15.07)**
Board
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Board thermal insulation
Sa **Block and board thermal insulation—specifications**
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Characterizing the Effect of Exposure to Environmental Cycling

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

on Thermal Performance of Insulation Products, Test Method for, **C1512 (04.06)**
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**

Board thermal insulation—specifications
Asbestos-Cement Fiberboard Insulating Panels, Specification for, **C551/C551M (04.05)**
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Perlite Thermal Insulation Board, Specification for, **C728 (04.06)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**

Boat-inlet chemiluminescence
Nitrogen in Petroleum and Petroleum Products by Boat-Inlet Chemiluminescence, Test Method for, **D5762 (05.02)**

Boat mounted tagline technique
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**

Boat nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

BO (body odor) intensity
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

BOCLE (ball-on-cylinder lubricity evaluator)
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**

Bode frequency response
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

Body dimension measurements
Body Dimensions for Apparel Sizing, Terminology Relating to, **D5219 (07.02)**
Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing, Practice for, **F1731 (11.03)**
Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**
Body Measurements for Adult Female Misses Petite Figure Type, Size Range 00P – 20P, Tables for, **D7878/D7878M (07.02)**
Body Measurements for Boys, Sizes 4H to 20H Husky, Tables of, **D6860/D6860M (07.02)**
Body Measurements for Boys, Sizes 8 to 14 Slim and 8 to 20 Regular, Tables of, **D6458 (07.02)**
Body Measurements for Children, Infant Sizes—Preemie to 24 Months, Tables of, **D4910/D4910M (07.02)**
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Body Measurements for Juniors, Sizes 0 to 19, Tables of, **D6829 (07.02)**
Body Measurements for Mature Men, ages 35 and older, Sizes Thirty-Four to Fifty-Two (34 to 52) Short, Regular, and Tall, Tables of, **D6240/D6240M (07.02)**
Body Measurements for Misses Maternity Sizes Two to Twenty-Two (2-22), Table of, **D7197 (07.02)**
Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**

Body fluids
Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, Test Method for, **F1671/F1671M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood, Test Method for, **F1670/F1670M (11.03)**

Body fusion devices
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**

Body piercing
Adult Jewelry, Consumer Safety Specification for, **F2999 (15.11)**

Body protectors
Body Protectors Used in Equine Racing, Specification for, **F2681 (15.07)**
Body Protectors Used in Horse Sports and Horseback Riding, Specification for, **F1937 (15.07)**
Measurement of Body Armor Wearers, Practice for, **E2902 (15.08)**

Body (sprung mass) acceleration
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**

Body temperature
Infrared Thermometers for Intermittent Determination of Patient Temperature, Specification for, **E1965 (13.01)**
Measuring the Performance of Personal Cooling Systems Using Physiological Testing, Test Method for, **F2300 (11.03)**

Boiler cycle chemistry
On-Line Determination of Cation Conductivity in High Purity Water, Practice for, **D6504 (11.01)**

Boiler deposits
See **Water-formed deposits**

Boiler feedwater
Accumulated Deposition in a Steam Generator Tube, Test Methods for, **D3483 (11.02)**
Assessing the Tendency of Industrial Boiler Waters to Cause Embrittlement (USBM Embrittlement Detector Method), Practice for, **D807 (11.01)**
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
On-Line Measurement of Low-Level Dissolved Oxygen in Water, Test Method for, **D5462 (11.02)**

Boiler furnaces
Mortar, Refractory (High-Temperature, Air-Setting), Specification for, **F1097 (01.07)**
Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, Guide for, **E2337/E2337M (03.03)**

Boilers
Acoustic Pulse Reflectometry Examination of Tube Bundles, Practice for, **E2906/E2906M (03.03)**
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, Specification for, **A1048/A1048M (01.05)**
Stainless Steel Bars and Shapes for Use in Boilers and Other Pressure Vessels, Specification for, **A479/A479M (01.03)**

Boiler/superheater tubes—specifications
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Carbon Steel Forgings for Pressure Vessel Components, Specification for, **A266/A266M (01.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electric-Resistance-Welded Carbon Steel and Carbon-Manganese Steel Boiler and Superheater Tubes, Specification for, **A178/A178M (01.01)**
Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A214/A214M (01.01)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Seamless Carbon Steel Boiler Tubes for High-Pressure Service, Specification for, **A192/A192M (01.01)**
Seamless Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes, Specification for, **A209/A209M (01.01)**
Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, Specification for, **A213/A213M (01.01)**
Seamless Medium-Carbon Steel Boiler and Superheater Tubes, Specification for, **A210/A210M (01.01)**
Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, Specification for, **A1020/A1020M (01.01)**
Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes, Specification for, **A249/A249M (01.01)**

Boiling acid process
Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, Test Method for, **G123 (03.02)**
Resistance of Porcelain Enameled Utensils to Boiling Acid, Test Methods for, **C283 (02.05)**

Boiling ferric sulfate
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**

Boiling flasks
Laboratory Glass Boiling Flasks, Specification for, **E1403 (14.04)**
Laboratory Glass Multiple Neck Distilling/Boiling Flasks, Specification for, **E1378 (14.04)**

Boiling magnesium chloride
Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, Practice for, **G36 (03.02)**

Boiling point
Boiling Point Distribution of Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D5399 (06.04)**
Boiling Point Distribution of Samples with Residues Such as Crude Oils and Atmospheric and Vacuum Residues by High Temperature Gas Chromatography, Test Method for, **D7169 (05.04)**
Boiling Point of Engine Coolants, Test Method for, **D1120 (15.05)**
Boiling Range Distribution of Petroleum Distillates with Final Boiling Points up to 538°C by Ultra Fast Gas Chromatography (UF GC), Test Method for, **D7798 (05.04)**

Boiling point distillation
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**

Boiling range distribution
Sa **Distillation**
Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7398 (05.04)**
Boiling Range Distribution of Gasoline and Gasoline Fractions by Gas Chromatography, Test Method for, **D3710 (05.01)**
Boiling Range Distribution of Petroleum Distillates in Boiling Range from 174 to 700°C by Gas Chromatography, Test Method for, **D6352 (05.03)**
Boiling Range Distribution of Petroleum Distillates in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7213 (05.04)**
Boiling Range Distribution of Petroleum Distillates with Final Boiling Points up to 538°C by Ultra Fast Gas Chromatography (UF GC), Test Method for, **D7798 (05.04)**
Boiling Range Distribution of Petroleum Fractions by Gas Chromatography, Test Method for, **D2887 (05.01)**
Determination of Boiling Range Distribution of Distillates and Lubricating Base Oils—in Boiling Range from 100 to 735°C by Gas Chromatography, Test Method for, **D7500 (05.04)**
Determination of Boiling Range Distribution of Hydrocarbon and Sulfur Components of Petroleum Distillates by Gas Chromatography and Chemiluminescence Detection, Test Method for, **D7807 (05.04)**
Determination of the Boiling Range Distribution of Gasoline by Wide-Bore Capillary Gas Chromatography, Test Method for, **D7096 (05.04)**
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**
Estimation of Engine Oil Volatility by Capillary Gas Chromatography, Test Method for, **D6417 (05.03)**

Boiling slurry
Carbon Black—pH Value, Test Methods for, **D1512 (09.01)**

Boiling sodium chloride
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**

Boiling temperature/pressure
Determining Vapor Pressure by Thermal Analysis, Test Method for, **E1782 (14.02)**
Vapor Pressure of Liquids by Ebulliometry, Test Method for, **E1719 (14.02)**

Boiling water resistance
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**

Boiling water test
Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, Test Methods for, **C20 (15.01)**
Effect of Water on Bituminous-Coated Aggregate Using Boiling Water, Practice for, **D3625/D3625M (04.03)**
Evaluation of Aging Resistance of Pre-stressed Prepainted Metal in a Boiling Water Test, Practice for, **D6665 (06.02)**

Boil resistance
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**

Boil test
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Corrosion of Surgical Instruments, Test Method for, **F1089 (13.01)**
Determining the Area Stability of Wet Blue Submersed in Boiling Water, Test Method for, **D7477 (15.04)**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**

Bolt calibration procedure
Creep Relaxation of Laminated Composite Gasket Materials, Test Method for, **F1276 (09.02)**

Bolted construction materials/applications
Bolted Connections in Wood and Wood-Based Products, Test Methods for, **D5652 (04.10)**
Selecting Bolting Lengths for Piping System Flanged Joints, Practice for, **F704 (01.07)**

Bolted construction materials/applications—specifications
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, Specification for, **A588/A588M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

High-Strength Steel Bolts, Classes 10.9 and 10.9.3, for Structural Steel Joints (Metric), Specification for, **A490M (01.08)**
Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**
Structural Bolts, Alloy Steel, Heat Treated, 150 ksi Minimum Tensile Strength, Specification for, **A490 (01.08)**
Structural Bolts, Steel, Heat Treated 830 MPa Minimum Tensile Strength (Metric), Specification for, **A325M (01.08)**
Structural Bolts, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **A325 (01.08)**

Bolted joints
Bearing Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D6873/D6873M (15.03)**
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**

Bolted manhole cover assembly
See **Manhole materials/applications—specifications**

Bolting materials
Sa **Fasteners (metal)**
Sa **Nonferrous bolting materials**
Sa **Steel bolting materials**
Sa **Steel bolting materials—specifications**
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **F1852 (01.08)**
Alloy-Steel Bolting for Special Applications, Specification for, **A540/A540M (01.01)**
Aluminum Transmission Tower Bolts and Nuts, Specification for, **F901 (01.08)**
Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength, Specification for, **A307 (01.08)**
Carbon Steel Track Bolts and Nuts, Specification for, **A183 (01.04)**
Hex Cap Screws, Bolts and Studs, Steel, Heat Treated, 120/105/90 ksi Minimum Tensile Strength, General Use, Specification for, **A449 (01.08)**
High Strength Precipitation Hardening and Duplex Stainless Steel Bolting for Special Purpose Applications, Specification for, **A1082/A1082M (01.01)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners, Specification for, **A354 (01.08)**
Roof and Rock Bolts and Accessories, Specification for, **F432 (01.08)**
Stainless Steel Bolts, Hex Cap Screws, and Studs, Specification for, **F593 (01.08)**
Stainless Steel Metric Bolts, Screws, and Studs, Specification for, **F738M (01.08)**
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**

Bolt/nut/washer assembly
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **F1852 (01.08)**
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 150 ksi Minimum Tensile Strength, Specification for, **F2280 (01.08)**

Bolzmann's superimposition principle
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**

Bomb calorimeter methods
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Gross Calorific Value of Coal and Coke, Test Method for, **D5865 (05.06)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, Test Method for, **D240 (05.01)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), Test Method for, **D4809 (05.02)**

Bomb mass spectrometer leak test
Sa **Mass spectrometry**
Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, Practice for, **E499/E499M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, Practice for, **E493/E493M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**

Bomb methods
Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method), Test Method for, **D808 (05.01)**
Chlorine in Organic Compounds by Sodium Peroxide Bomb Ignition, Test Method for, **E256 (15.05)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel, Test Method for, **D2272 (05.01)**

Bombs (combustion)
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**

Bomb washing method
Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D3761 (05.06)**
Total Sulfur in the Analysis Sample of Refuse-Derived Fuel, Test Methods for, **E775 (11.04)**

Bondable silicone rubber tape
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**

Bonded anchors
Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**

Bonded and laminated apparel fabrics
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**

Bonded and laminated apparel fabrics—specifications
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Performance of Bonded, Fused, and Laminated Apparel Fabrics, Specification for, **D3135 (07.01)**

Bonded assemblies
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**

Bonded copper electrical wire
Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, Specification for, **B470 (02.03)**

Bonded joints
Sa **Adhesive joints**
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**

Bonded laminates
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**

Bonded-lumber products
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**

Bonded phase
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bonded resistance strain gages
Sa **Strain gages**
Ambient Temperature Fatigue Life of Metallic Bonded Resistance Strain Gages, Test Method for, **E1949 (03.01)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**
Bonded seams
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Bonded urethane foam
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Bond enhancer
Admixtures for Masonry Mortars, Specification for, **C1384 (04.05)**
Bonding
Evaluating Bond of Seven-Wire Steel Prestressing Strand, Test Method for, **A1081/A1081M (01.04)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Surface-Applied Bonding Compounds for Exterior Plastering, Specification for, **C932 (04.01)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
Bonding—concrete
See **Concrete bonding**
Bonding—electronic materials
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**
Ultrasonic C-Scan Bond Evaluation of Sputtering, Practice for, **F1512 (10.04)**
Bonding—honeycomb core sandwich panels
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Structural Film Adhesives for Honeycomb Sandwich Panels, Specification for, **E865 (04.11)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**
Bonding compounds
Bonding Compounds for Interior Gypsum Plastering, Specification for, **C631 (04.01)**
Evaluating Degree of Settling of Paint, Test Method for, **D869 (06.01)**
Bonding pads
Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, Test Method for, **C1230 (04.05)**
Bonding range
Rubber Cements, Test Methods for, **D816 (09.01)**
Bond line
Precured Elastomeric Silicone Joint Sealants, Specification for, **C1518 (04.07)**
Bond papers—specifications
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**
Bond strength
Sa **Coating adhesion**
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**
Determining Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners, Test Method for, **D6496 (04.13)**
Determining the Shear Strength of the Bond between a Surface Mount Device (SMD) and Substrate in a Membrane Switch, Test Method for, **F1995 (10.04)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Internal Bond Strength and Thickness Swell of Cellulosic-Based Fiber and Particle Panels After Repeated Wetting, Test Method for, **D7519 (04.10)**
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**
Pull-Off Strength for FRP Bonded to Concrete Substrate, Test Method for, **D7522/D7522M (15.03)**
Bond strength—adhesives
90 Degree Peel Resistance of Adhesives, Test Method for, **D6862 (15.06)**
Adhesive, Casein-Type, Specification for, **D4689 (15.06)**
Adhesives for Duct Thermal Insulation, Specification for, **C916 (04.06)**
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Climbing Drum Peel for Adhesives, Test Method for, **D1781 (15.06)**
Determining Strength Development of Adhesive Bonds, Practice for, **D1144 (15.06)**
Determining the Open Time of Hot Melt Adhesives (Manual Method), Test Method for, **D4497 (15.10)**
Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**
Heat-Fail Temperature in Shear of Hot Melt Adhesives, Test Method for, **D4498 (15.10)**
Lap Shear Adhesion for Fiber Reinforced Plastic (FRP) Bonding, Test Method for, **D5868 (15.06)**
Measurement of Asphalt Shingle Mechanical Uplift Resistance, Test Method for, **D6381/D6381M (04.04)**
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Peel or Stripping Strength of Adhesive Bonds, Test Method for, **D903 (15.06)**
Peel Resistance of Adhesives (T-Peel Test), Test Method for, **D1876 (15.06)**
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**
Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**
Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, Test Method for, **D4501 (15.06)**
Storage Life of Adhesives by Viscosity and Bond Strength, Practice for, **D1337 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tensile Properties of Adhesive Bonds, Test Method for, **D897 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, Practice for, **D1338 (15.06)**

Bond strength—adhesives (metal-to-metal)
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), Test Method for, **D1002 (15.06)**
Cleavage Strength of Metal-to-Metal Adhesive Bonds, Test Method for, **D1062 (15.06)**
Fatigue Properties of Adhesives in Shear by Tension Loading (Metal/Metal), Test Method for, **D3166 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
Preparation of Bar and Rod Specimens for Adhesion Tests, Practice for, **D2094 (15.06)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), Test Method for, **D2295 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies, Test Method for, **D3165 (15.06)**
Tensile Strength of Adhesives by Means of Bar and Rod Specimens, Test Method for, **D2095 (15.06)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**

Bond strength—adhesives (plastic-to-plastic)
Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, Test Method for, **D3163 (15.06)**
Strength Properties of Adhesively Bonded Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading, Test Method for, **D3164 (15.06)**
Strength Properties of Adhesives in Cleavage Peel by Tension Loading (Engineering Plastics-to-Engineering Plastics), Test Method for, **D3807 (15.06)**

Bond strength—adhesives (wood-to-metal)
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**

Bond strength—adhesives (wood-to-wood)
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Strength Properties of Adhesive Bonds in Shear by Compression Loading, Test Method for, **D905 (15.06)**
Strength Properties of Adhesives in Plywood Type Construction in Shear by Tension Loading, Test Method for, **D906 (15.06)**
Strength Properties of Adhesives in Two-Ply Wood Construction in Shear by Tension Loading, Test Method for, **D2339 (15.06)**

Bond strength—aerospace materials
Bond Integrity of Transparent Laminates, Test Methods for, **F521 (15.03)**
Selecting Aerospace and General Purpose Adhesives and Sealants, Guide for, **D6465 (15.06)**

Bond strength—building materials
Bond and Cohesion of One-Part Elastomeric Solvent Release-Type Sealants, Test Method for, **C910 (04.07)**
Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E760 (04.11)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**
Yield Strength of Preformed Tape Sealants, Test Method for, **C908 (04.07)**

Bond strength—cement/concrete materials
Bond Strength of Ceramic Tile to Portland Cement Paste, Test Method for, **C482 (15.02)**
Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), Test Method for, **C1245/C1245M (04.02)**
Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, Test Method for, **C1230 (04.05)**

Bond strength—electrical insulating materials
Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, Test Method for, **D952 (08.01)**
Bond Strength of Electrical Insulating Varnishes by the Helical Coil Test, Test Method for, **D2519 (10.02)**
Bond Strength of Electrical Insulating Varnishes by the Twisted-Coil Test, Test Method for, **D4882 (10.02)**
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Chemical Resistance of Electrical Insulating Varnishes, Test Method for, **D5638 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Moisture Resistance of Electrical Insulating Varnishes, Test Method for, **D5637 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**

Bond strength—geocomposites
Determining the Bond Strength (Ply Adhesion) of Geocomposites, Test Method for, **D7005 (04.13)**

Bond strength—laminated materials/applications
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**

Bond strength—masonry/mortar
Bond Strength of Chemical-Resistant Mortars, Test Method for, **C321 (04.05)**
Bond Strength of Mortar to Masonry Units, Test Method for, **C952 (04.05)**
Cold Bonding Strength of Refractory Mortar, Test Method for, **C198 (15.01)**
Evaluating Masonry Bond Strength, Test Methods for, **C1357 (04.05)**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**

Bond strength—metals/alloys
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, Test Method for, **A944 (01.04)**
Evaluating Bond Strength for 0.600-in. 15.24-mm Diameter Steel Prestressing Strand, Grade 270 1860, Uncoated, Used in Prestressed Ground Anchors, Test Method for, **A981/A981M (01.04)**

Bond strength—paints/related coatings
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring Adhesion of Organic Coatings to Plastic Substrates by Direct Tensile Testing, Test Method for, **D5179 (06.01)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**

Bond-wire junction failure
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**

Bone black pigments
Bone Black Pigment, Specification for, **D210 (06.03)**
Solvent-Extractable Material in Black Pigments, Test Method for, **D305 (06.03)**

Bone fixation
Acrylic Bone Cement, Specification for, **F451 (13.01)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**

Bone implant materials/applications
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**

Bone implant materials/applications—specifications
Sa **Orthopaedic medical devices—specifications**
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**
Composition of Hydroxylapatite for Surgical Implants, Specification for, **F1185 (13.01)**
High Purity Calcium Sulfate Hemihydrate or Dihydrate for Surgical Implants, Specification for, **F2224 (13.01)**
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Metallic Bone Plates, Specification and Test Method for, **F382 (13.01)**
Metallic Bone Staples, Specification and Test Methods for, **F564 (13.01)**

Bone marrow nucleus assay
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**

Bone regeneration
Pre-clinical *in vivo* Evaluation in Critical Size Segmental Bone Defects, Guide for, **F2721 (13.02)**

Book covers
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**

Booms
Sa **Oil spill control systems**
Emergency Joining of Booms with Incompatible Connectors, Practice for, **F1657/F1657M (11.05)**
In-Situ Burning of Oil Spills on Water: Environmental and Operational Considerations, Guide for, **F1788 (11.05)**
Oil Spill Response Boom Connection: Z-Connector, Specification for, **F962 (11.05)**
Selection of Booms for Oil-Spill Response, Guide for, **F2683 (11.05)**
Selection of Booms in Accordance With Water Body Classifications, Guide for, **F1523 (11.05)**
Tensile Strength Characteristics of Oil Spill Response Boom, Test Methods for, **F1093 (11.05)**

Booms and nozzles
Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, Practice for, **F1460 (11.05)**
Oil Spill Dispersant Application Equipment: Boom and Nozzle Systems, Guide for, **F1413 (11.05)**
Use of Oil Spill Dispersant Application Equipment During Spill Response: Boom and Nozzle Systems, Guide for, **F1737/F1737M (11.05)**

Boom skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**

Booster
Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, Test Method for, **F1696 (15.12)**

Booster heaters
Performance of Booster Heaters, Test Method for, **F2022 (15.12)**

Booster seat
Booster Seats, Consumer Safety Specification for, **F2640 (15.11)**

Boot binding
Sa **Alpine skis**
Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, Practice for, **F1063 (15.07)**
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**

Boots
Water Resistance of Footwear Using a Walking Step Simulator, Test Method for, **F1900 (15.07)**

Borated stainless steel plate/sheet/strip
Borated Stainless Steel Plate, Sheet, and Strip for Nuclear Application, Specification for, **A887 (01.03)**

Borax
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Borchardt and Daniels kinetics
Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, Test Method for, **E2041 (14.02)**

Borco board
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**

Borderline pumping temperature (BPT)
Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7111 (05.04)**
Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, Test Method for, **D7110 (05.04)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Predicting the Borderline Pumping Temperature of Engine Oil, Test Method for, **D3829 (05.02)**

Bored stopcocks
See **Stopcocks/stoppers**

Borehole drilling
Crosshole Seismic Testing, Test Methods for, **D4428/D4428M (04.08)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, Test Method for, **D4971 (04.08)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, Test Method for, **D6760 (04.09)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**

Borehole geophysical logging
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Borehole permeameter methods
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**

Borehole samples
Collection of Coal Samples from Core, Practice for, **D5192 (05.06)**

Bore inspection
Ultrasonic Examination from Bored Surfaces of Cylindrical Forgings, Practice for, **A939/A939M (01.05)**

Boric acid content
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**

Borides
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**

Boring devices
Measurement of Dry Film Thickness of Thin-Film Coil-Coated Systems by Destructive Means Using a Boring Device, Test Method for, **D5796 (06.02)**

Boring sampling
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**

Boron
Determination of Boron, Silicon, and Technetium in Hydrolyzed Uranium Hexafluoride by Inductively Coupled Plasma—Mass Spectrometer After Removal of Uranium by Solid Phase Extraction, Test Method for, **C1771 (12.01)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Qualification and Acceptance of Boron Based Metallic Neutron Absorbers for Nuclear Criticality Control for Dry Cask Storage Systems and Transportation Packaging, Practice for, **C1671 (12.01)**

Boron-10
Determination of Effective Boron-10 Areal Density in Aluminum Neutron Absorbers using Neutron Attenuation Measurements, Test Method for, **E2971 (03.03)**

Boron alloying additives
Sa **Stainless steel alloying additives**
Ferroboron, Specification for, **A323 (01.02)**

Boronated graphite
Bulk Density of As-Manufactured Carbon and Graphite Shapes, Test Method for, **C838 (05.05)**
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**

Boron-based neutron absorbing material systems
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**
Qualification and Acceptance of Boron Based Metallic Neutron Absorbers for Nuclear Criticality Control for Dry Cask Storage Systems and Transportation Packaging, Practice for, **C1671 (12.01)**

Boron carbide (nuclear grade)
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Nuclear-Grade Boron Carbide Pellets, Specification for, **C751 (12.01)**
Nuclear-Grade Boron Carbide Powder, Specification for, **C750 (12.01)**

Boron-containing minerals
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Constituents of Aggregates for Radiation-Shielding Concrete, Descriptive Nomenclature of, **C638 (04.02)**

Boron content
Boron in Water, Test Method for, **D3082 (11.01)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**

Boron content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Boron content—ferrous alloys
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**

Boron content—nuclear-grade materials
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determining Equivalent Boron Contents of Nuclear Materials, Practice for, **C1233 (12.01)**

Boron equivalents
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determining Equivalent Boron Contents of Nuclear Materials, Practice for, **C1233 (12.01)**

Boron frits
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Constituents of Aggregates for Radiation-Shielding Concrete, Descriptive Nomenclature of, **C638 (04.02)**

Boron oxide content
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**

Boron trioxide (B_2O_3)
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**

Borosilicate glass
Sa **Glass**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**

Borosilicate glass—specifications
Beaded Process Glass Pipe and Fittings, Specification for, **C1509 (15.02)**
Glass Volumetric (Transfer) Pipets, Specification for, **E969 (14.04)**
Type 58 Borosilicate Sealing Glass, Specification for, **F105 (15.02)**

Bosch injectors
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bottle method
Algal Growth Potential Testing with Pseudokirchneriella subcapitata, Practice for, **D3978 (11.06)**
Bottles
Sa **Glass containers**
Sa **Thermoplastic containers**
Dimensions and Tolerances for Plastic Bottles, Specification for, **D2911 (08.01)**
Measuring Water Vapor Transmission Rate (WVTR) of Pharmaceutical Bottles and Blisters, Test Methods for, **D7709 (15.10)**
Bottom ash
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Silica in Refuse-Derived Fuel (RDF) and RDF Ash, Test Method for, **E887 (11.04)**
Bottom connected gages (for ships)
Sa **Shipbuilding piping materials—specifications**
Gage Piping Assemblies, Specification for, **F721 (01.07)**
Modular Gauge Boards, Specification for, **F707/F707M (01.07)**
Bottom-poured ingots
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Bottomsize (nominal)
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Bottom spacing
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Bottom-zone bottles
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Boundary conditions
Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, Guide for, **D6642 (04.09)**
Defining Boundary Conditions in Groundwater Flow Modeling, Guide for, **D5609 (04.08)**
Defining Initial Conditions in Groundwater Flow Modeling, Guide for, **D5610 (04.08)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Boundary layer displacement
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Boundary lubrication
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**
Boundary lubrication properties
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**
Bound styrene
Rubber—Determination of Bound Styrene in Styrene Butadiene Rubber by Refractive Index, Test Method for, **D5775 (09.01)**
Bouyancy
Wet Volume of Asbestos, Test Method for, **C1122/C1122M (04.05)**
Bouyancy method
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**
Bow and arrow materials/applications
Archery Bow ComponentCord Material, Test Method for, **F1752 (15.07)**
Archery Bowstring Component—Serving String Material, Test Methods for, **F1648 (15.07)**
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**
Measurement of Arrow Shaft Static Spine (Stiffness), Test Method for, **F2031 (15.07)**
Reduction of Risk of Injury for Archery Overdraws, Guide for, **F1363 (15.07)**
Bowl-type food processor
Food Processors, Electric, Specification for, **F1568 (15.12)**
Bow/skewness
Bow and Skew in Woven and Knitted Fabrics, Test Method for, **D3882 (07.01)**
Bow and Skew Using a Measuring Tool, Test Method for, **D7811 (07.02)**
Bow strings
Center Serving Diameter Dimensions for Archery Bow Strings, Guide for, **F1436 (15.07)**
Boxboard
Ash in Biomass, Test Method for, **E1755 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Box closure
Pressure-Sensitive Tape for Packaging, Box Closure, and Sealing, Specification for, **D5486/D5486M (15.10)**
Water Resistance of Tape and Adhesives Used as Box Closure, Test Method for, **D5570/D5570M (15.10)**
Box culverts
Corrugated Aluminum Box Culverts, Specification for, **B864/B864M (02.02)**
Corrugated Steel Box Culverts, Specification for, **A964/A964M (01.06)**
Installation of Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, Practice for, **C1675 (04.05)**
Boxes
Sa **Fiberboard containers**
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, Practice for, **D5639/D5639M (15.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**
Boxes (for ships)
See **Shipping containers/materials/applications—specifications**
Box gage method
Determining Interior Dimensions of Fiberboard Boxes (Box Gage Method), Test Method for, **D2658 (15.10)**
Box nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Box sections
See **Culvert pipe**
Box springs
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**
Boys' clothing
Body Measurements for Boys, Sizes 4H to 20H Husky, Tables of, **D6860/D6860M (07.02)**
Body Measurements for Boys, Sizes 8 to 14 Slim and 8 to 20 Regular, Tables of, **D6458 (07.02)**
Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, Performance Specification for, **D4154 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Men's and Boys' Knitted Dress Shirt Fabrics, Performance Specification for, **D4119 (07.01)**
Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3782 (07.01)**
Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3780 (07.01)**
Woven Drycleanable Coat Fabrics, Performance Specification for, **D3562 (07.01)**

BPF (bat performance factor)
Measuring High-Speed Bat Performance, Test Methods for, **F2219 (15.07)**
Measuring Softball Bat Performance Factor, Test Method for, **F1890 (15.07)**

BPI (beam purity indicator)
Fabrication of the Neutron Radiographic Beam Purity Indicators, Practice for, **E2003 (03.03)**

Brabender moisture tester
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**

Bra (brassiere)
Brassiere, Slip, Lingerie and Underwear Fabrics, Performance Specification for, **D7019 (07.02)**

Brace height
Determination of Percent of Let-Off for Archery Bows, Test Method for the, **F1880 (15.07)**
Determining the Force-Draw and Let-Down Curves for Archery Bows, Test Method for, **F1832 (15.07)**

Brachionus
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**

Bracing
Securement of Cargo in Intermodal and Unimodal Surface Transport, Practices for, **D5728 (15.10)**

Brackish water/brines
Sa **Seawater (natural/synthetic)**
Alkalinity in Brackish Water, Seawater, and Brines, Test Method for, **D3875 (11.02)**
Barium in Brackish Water, Seawater, and Brines, Test Method for, **D3651 (11.02)**
Barium in Brines, Seawater, and Brackish Water by Direct-Current Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D3986 (11.02)**
Calculation and Adjustment of Silica (SiO, Practice for, **D4993 (11.02)**
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, Practice for, **D4328 (11.02)**
Chloride Ion In Water, Test Methods for, **D512 (11.01)**
Chloride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D4458 (11.02)**
Electrical Conductivity and Resistivity of Water, Test Methods for, **D1125 (11.01)**
Fluoride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D3868 (11.02)**
Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, Guide for, **D4128 (11.02)**
Iodide and Bromide Ions in Brackish Water, Seawater, and Brines, Test Methods for, **D3869 (11.02)**
Ion-Selective Electrodes, Terminology Used with, **D4127 (11.01)**
Operating Characteristics of Reverse Osmosis and Nanofiltration Devices, Test Methods for, **D4194 (11.02)**
Phosphonate in Brines, Test Method for, **D6501 (11.01)**
Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**
Recordkeeping for Reverse Osmosis and Nanofiltration Systems, Guide for, **D4472 (11.02)**
Specific Gravity of Water and Brine, Test Methods for, **D1429 (11.01)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Strontium Ion in Brackish Water, Seawater, and Brines, Test Method for, **D3352 (11.02)**
Sulfate Ion in Brackish Water, Seawater, and Brines, Test Method for, **D4130 (11.02)**
the Preparation of Substitute Ocean Water, Practice for, **D1141 (11.02)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**
Water Analysis for Reverse Osmosis and Nanofiltration Application, Guide for, **D4195 (11.02)**
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**

Brads
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Braided textile fibers
See **Textile fibers**

Braiding materials/applications
Breaking Strength and Elongation of Textile Webbing, Tape and Braided Material, Test Method for, **D6775 (07.02)**
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**

Braiding materials/applications—specifications
Asbestos Tubular Sleeving, Specification for, **D628/D628M (04.05)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Packing, Fiberglass, Braided, Rope, and Wick, Specification for, **F2087 (01.07)**

Brain heart infusion (BHI) broth
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**

Braising pans
Frying and Braising Pans, Tilting Type, Specification for, **F1047 (15.12)**
Performance of Braising Pans, Test Method for, **F1786 (15.12)**

Brake horsepower (of engines)
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**

Brake hose (rubber)
Sa **Rubber hose**
Rubber Hose for Automotive Air and Vacuum Brake System, Test Methods for, **D622 (09.02)**

Braking force/torque (on pavement surfaces)
Sa **Pavement surfaces**
Sa **Tire testing**
Calibration of Braking/Tractive Measuring Devices for Testing Tires, Practice for, **F377 (09.02)**
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
Measurement of Vehicular Response to Traveled Surface Roughness, Test Method for, **E1082 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stopping Distance on Paved Surfaces Using a Passenger Vehicle Equipped With Full-Scale Tires, Test Method for, **E445/E445M (04.03)**

Braking-slip speed technique
Friction Coefficient Measurements Between Tire and Pavement Using a Variable Slip Technique, Test Method for, **E1859/E1859M (04.03)**

Braking traction
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**

Braking traction (of tires)
225/75R16C 116/114S M+S Radial Light Truck Standard Reference Test Tire, Specification for, **F2872 (09.02)**
245/70R19.5 136/134M Radial Truck Standard Reference Test Tire, Specification for, **F2871 (09.02)**
315/70R22.5 154/150L Radial Truck Standard Reference Test Tire, Specification for, **F2870 (09.02)**

Branch connections (for shipboard piping)
Sa **Shipbuilding piping materials—specifications**
Use of Branch Connections, Practice for, **F681 (01.07)**

Branching
Determination of Structural Features in Polyolefins and Polyolefin Copolymers by Infrared Spectrophotometry (FT-IR), Practice for, **D5576 (08.03)**

Brass
Sa **Copper alloy castings—specifications**
Commercial Bronze Strip for Bullet Jackets, Specification for, **B130 (02.01)**
Copper Alloy Bullet Jacket Cups, Specification for, **B131 (02.01)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Materials for Copper Base Powder Metallurgy (PM) Structural Parts, Specification for, **B823 (02.05)**
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**

Brass—ammunition
Cartridge Brass Cartridge Case Cups, Specification for, **B129 (02.01)**
Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, Specification for, **B19 (02.01)**

Brass—free cutting
Sa **UNS C36000 (free-cutting brass)**
Free-Cutting Bismuth Brass Rod, Bar and Wire, Specification for, **B974/B974M (02.01)**

Brass—leaded brass
Sa **UNS C31400 (hardware bronze; leaded commercial bronze)**
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, Specification for, **B455 (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**

Brass—leaded red
See **UNS C32000 (hardware bronze; leaded red brass)**

Brass—leaded red casting
See **UNS C83600 (cast leaded red brass)**

Brass—manganese
See **UNS C86200 (cast manganese bronze)**

Brass—naval
See **UNS C46200 (naval brass, 63.5%)**

Brass—red
See **UNS C23000 (red brass, 85%)**

Brass—semi-red leaded casting
See **UNS C84200 (cast semi-red brass)**

Brass—silicon casting
See **Silicon brass (casting)**

Brass—tin
See **UNS C40500 (tin brass)**

Brass—yellow leaded casting
See **UNS C85200 (cast leaded yellow brass)**

Brass alloys
Determining Whether Gas-Leak-Detector Fluid Solutions Can Cause Stress Corrosion Cracking of Brass Alloys, Test Method for, **G186 (03.02)**
Leak Detector Solutions Intended for Use on Brasses and Other Copper Alloys, Specification for, **G188 (03.02)**

Brass balls
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**

Brass castings
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

Brass electrodeposition
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**

Brass forgings
Sa **UNS C37700 (forging brass)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

Brassica
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**

Brass pipe/tube—specifications
Brass, Copper, and Chromium-Plated Pipe Nipples, Specification for, **B687 (02.01)**
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Seamless Red Brass Pipe, Standard Sizes, Specification for, **B43 (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Brass Tube, Specification for, **B587 (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specifi-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

cation for, **B543/B543M (02.01)**
Brass plate/sheet/strip/rolled bar
Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, Specification for, **B19 (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
Brass rod/bar/shapes—specifications
Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Free-Cutting Bismuth Brass Rod, Bar and Wire, Specification for, **B974/B974M (02.01)**
Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines, Specification for, **B16/B16M (02.01)**
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**
Brass strip
Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
Brass weights
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Brass wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Brazed electrical contact assemblies
See **Electrical contact materials**
Brazed joints
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**
Brazing
Tension and Vacuum Testing Metallized Ceramic Seals, Test Method for, **F19 (10.04)**
Brazing alloys (silver)
See **Silver brazing alloys**
Brazing filler metals
Brazing Filler Metals for Electron Devices, Specification for, **F106 (10.04)**
BR (butadiene rubber)
Sa **Butyl rubber**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Copolymers) Mixed With Carbon Black, Test Methods for, **D3848 (09.01)**
Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Rubber), Test Methods for, **D3187 (09.01)**
Rubber—Evaluation of Oil-Extended Solution BR (Polybutadiene Rubber), Test Methods for, **D3484 (09.01)**
Rubber—Evaluation of Solution BR (Polybutadiene Rubber), Test Methods for, **D3189 (09.01)**
Breakage resistance
Drop Shatter Test for Coal, Test Method of, **D440 (05.06)**
Drop Shatter Test for Coke, Test Method for, **D3038 (05.06)**
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
Tumbler Test for Coal, Test Method of, **D441 (05.06)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Breakage strength
Glasses, Portlight, Circular, Fully Tempered, Specification for, **C1443 (15.02)**
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**
Breakaway force
Determination of Operating Force of Sliding Windows and Doors, Test Method for, **E2068 (04.11)**
Breakaway torque
Torque Strength of Adhesives Used on Threaded Fasteners, Test Method for, **D5649 (15.06)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**
Breakdown potential (E_b)
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Breakdown pressure
Sa **Pressure testing**
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Breakdown voltage
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Breakeven analysis
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Breaking force
Determining Geonet Breaking Force, Test Method for, **D7179 (04.13)**
Reins Used in Thoroughbred and Quarter Horse Racing, Specification for, **F2842 (15.07)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**
Ultimate Tensile Properties of Turf Reinforcement Mats, Test Method for, **D6818 (04.13)**
"Breaking-in"
Preparation of Paint Brushes for Evaluation, Practice for, **D5068 (06.02)**
Preparation of Paint-Roller Covers for Evaluation of Architectural Coatings, Practice for, **D5069 (06.02)**
Breaking load
Determination of Tensile Strength by Mass Method for Stranded Conductors Intended for use in Electronic Application, Test Method for, **B986 (02.03)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Breaking load method
Breaking Load and Flexural Properties of Block-Type Thermal Insulation, Test Methods for, **C203 (04.06)**
Determining Stress-Corrosion Cracking Resistance of Heat-Treatable Aluminum Alloy Products Using Breaking Load Method, Test Method for, **G139 (03.02)**
Breaking moment
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Breaking strength/tenacity
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**
Asbestos Yarns, Specification for, **D299/D299M (04.05)**
Breaking Strength and Elongation of Cotton Fibers (Flat Bundle Method), Test Method for, **D1445/D1445M (07.01)**
Determining Performance Strength of Geomembranes by the

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Grab Breaking Load and Elongation of Geotextiles, Test Method for, **D4632/D4632M (04.13)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Linear Deformation and Breaking Strength of Alpine Skis, Test Method for, **F780 (15.07)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Strapping, Flat Steel and Seals, Specification for, **D3953 (15.10)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Woven Asbestos Tape, Specification for, **D315/D315M (04.05)**

Breaking strength/tenacity—ceramics
Breaking Strength of Ceramic Tile, Test Method for, **C648 (15.02)**
Determination of Breaking Strength of Ceramic Tiles by Three-Point Loading, Test Method for, **C1505 (15.02)**

Breaking strength/tenacity—electrical insulating materials
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**

Breaking strength/tenacity—leather
Sa **Leather cracking**
Breaking Strength of Leather by the Grab Method, Test Method for, **D2208 (15.04)**
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**

Breaking strength/tenacity—rubber
Coated Fabrics, Test Methods for, **D751 (09.02)**
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**

Breaking strength/tenacity—textile fabrics/fibers
Abrasion Resistance of Textile Webbing (Hex Bar Method), Test Method for, **D6770 (07.02)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Breaking Force and Elongation of Textile Fabrics (Strip Method), Test Method for, **D5035 (07.02)**
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Breaking Strength and Elongation of Textile Webbing, Tape and Braided Material, Test Method for, **D6775 (07.02)**
Breaking Strength of Yarn in Skein Form, Test Method for, **D1578 (07.01)**
Breaking Tenacity of Manufactured Textile Fibers in Loop or Knot Configurations, Test Methods for, **D3217/D3217M (07.01)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Fiber Cohesion in Sliver and Top (Static Tests), Test Method for, **D2612 (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**
Tensile Properties of Single Textile Fibers, Test Method for, **D3822/D3822M (07.01)**
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**
Tensile Strength and Breaking Tenacity of Wool Fiber Bundles 1-in. (25.4-mm) Gage Length, Test Method for, **D1294 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**

Breaking strength/tenacity—thermal insulation
Breaking Load and Flexural Properties of Block-Type Thermal Insulation, Test Methods for, **C203 (04.06)**

Breakopen threshold energy above stoll (E_{BTAS})
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**

Break pattern/scale
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**

Break point
Oxidation Stability of Gasoline (Induction Period Method), Test Method for, **D525 (05.01)**

Breaks
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**

Breakthrough analysis/testing
Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs, Practice for, **D6978 (09.02)**
Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), Test Method for, **D4413 (11.07)**
Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, Test Method for, **D6646 (15.01)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**

Breakwater stone
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Breast prostheses—specifications
Implantable Breast Prostheses, Specification for, **F703 (13.01)**
Implantable Saline Filled Breast Prosthesis, Specification for, **F2051 (13.01)**
Breathing protection
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Bremsstrahlung irradiation facilities
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Dosimetry in Electron Beam and X-ray (Bremsstrahlung) Irradiation Facilities for Food Processing, Practice for, **ISO/ASTM51431 (12.02)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Brewer—coffee
Commercial Coffee Brewers, Specification for, **F2988 (15.12)**
Commercial Coffee Brewers, Test Method for, **F2990 (15.12)**
Brick
Bond Strength of Chemical-Resistant Mortars, Test Method for, **C321 (04.05)**
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Chemical-Resistant Resin Grouts for Brick or Tile, Practice for, **C723 (04.05)**
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, Practice for, **C1190 (15.01)**
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Splitting Tensile Strength of Masonry Units, Test Method for, **C1006 (04.05)**
Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, Test Method for, **C307 (06.02)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Use of Chemical-Resistant Sulfur Mortar, Practice for, **C386 (04.05)**
Brick—specifications
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**
Building Brick (Solid Masonry Units Made From Clay or Shale), Specification for, **C62 (04.05)**
Calcium Silicate Brick (Sand-Lime Brick), Specification for, **C73 (04.05)**
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Chemical-Resistant Carbon Brick, Specification for, **C1160 (04.05)**
Chemical-Resistant Masonry Units, Specification for, **C279 (04.05)**
Chemical-Resistant Resin Grouts for Brick or Tile, Specification for, **C658 (04.05)**
Concrete Building Brick, Specification for, **C55 (04.05)**
Concrete Facing Brick, Specification for, **C1634 (04.05)**
Facing Brick (Solid Masonry Units Made from Clay or Shale), Specification for, **C216 (04.05)**
Firebox Brick for Residential Fireplaces, Specification for, **C1261 (04.05)**
Glazed Brick (Single Fired, Brick Units), Specification for, **C1405 (04.05)**
Heavy Vehicular Paving Brick, Specification for, **C1272 (04.05)**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Industrial Floor Brick, Specification for, **C410 (04.05)**
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Thin Veneer Brick Units Made From Clay or Shale, Specification for, **C1088 (04.05)**
Brick liners
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Brick masonry
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Brick mortars
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Bridge element
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Bridge impact
Bridge Impact Testing, Test Method for, **D5265 (15.10)**
Bridge joints
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Bridge/structural materials
Bridge Elements—UNIFORMAT II, Classification for, **E2103/E2103M (04.11)**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Sizes of Aggregate for Road and Bridge Construction, Classification for, **D448 (04.03)**
Structural Steel Shapes, Specification for, **A992/A992M (01.04)**
Bridge/structural materials—decks
Detecting Delaminations in Bridge Decks Using Infrared Thermography, Test Method for, **D4788 (04.03)**
Electrical Resistivity of Membrane-Pavement Systems, Test Method for, **D3633/D3633M (04.03)**
Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, Test Method for, **D6087 (04.03)**
Materials for Bridge Deck Waterproofing Membrane Systems, Specification for, **D6153 (04.03)**
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Use of Portland Cement Concrete Bridge Deck Water Barrier Membrane Systems, Practice for, **D4071 (04.03)**
Bridge/structural materials—specifications
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**
Asphalt Plank, Specification for, **D517 (04.03)**
Asphaltic Plug Joints for Bridges, Specification for, **D6297 (04.03)**
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Cold-Formed Welded Carbon Steel Hollow Structural Sections (HSS), Specification for, **A1085 (01.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Corrugated Steel Box Culverts, Specification for, **A964/A964M (01.06)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
High Load Rotational Spherical Bearings for Bridges and Structures, Specification for, **D5977 (04.03)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, Specification for, **A588/A588M (01.04)**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Materials for Bridge Deck Waterproofing Membrane Systems, Specification for, **D6153 (04.03)**
Plain and Steel-Laminated Elastomeric Bearings for Bridges, Specification for, **D4014 (04.03)**
Preformed Polychloroprene Elastomeric Joint Seals for Bridges, Specification for, **D3542 (04.03)**
Preformed Thermoplastic Vulcanizate Elastomeric Joint Seals for Bridges, Specification for, **D6924 (04.03)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

Bridge studies
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**

Bridge technique
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, Guide for, **E2337/E2337M (03.03)**

Bridge-type eddy current probes
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**

Bridge-type electrical/electronic materials
Sa **Conductance and conductivity (electrical)**
Sa **Single crystal silicon semiconductors**
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**

Bridging
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**

Bridging encapsulants
Sa **Encapsulants/encapsulation**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**

Bridging plate
Asphaltic Plug Joints for Bridges, Specification for, **D6297 (04.03)**

Bridging strength
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**

Bright annealed Cu tube
Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**

Brightener
Zinc Master Alloys for Use in Hot Dip Galvanizing, Specification for, **B860 (02.04)**

Brightening power
See **Tinting strength**

Bright field illumination
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Brightness
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**

Bright red iron oxide
See **Iron oxide pigments—red (natural/synthetic)**

Bridge of button
Tension Strength of Sew-Through Flange Buttons, Test Method for, **D6644 (07.02)**

Brinell hardness
Sa **Hardness tests**
Brinell Hardness of Metallic Materials, Test Method for, **E10 (03.01)**
Indentation Hardness of Metallic Materials by Comparison Hardness Testers, Practice for, **A833 (01.05)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Mechanical Testing of Steel Products—Metric, Test Methods for, **A1058 (01.01, 01.02, 01.03, 01.04, 01.05)**
Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness, Hardness Conversion Tables for, **E140 (03.01)**

Brines
Sa **Brackish water/brines**
Enumeration of Halophilic and Proteolytic Bacteria in Raceway Brine, Brine-Cured Hides and Skins, Test Method for, **D7816 (15.04)**
Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**

Briquette
Preparing Coke Samples for Microscopical Analysis by Reflected Light, Practice for, **D3997/D3997M (05.06)**
X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, Guide for, **D5381 (06.01)**

Bristles
Physical Characterization of Paint Brushes, Practice for, **D5301 (06.02)**

British testing apparatus
Accelerated Polishing of Aggregates Using the British Wheel, Practice for the, **D3319 (04.03)**
Measuring Surface Frictional Properties Using the British Pendulum Tester, Test Method for, **E303 (04.03)**

Brittle failure
Brittleness Temperature of Plastics and Elastomers by Impact, Test Method for, **D746 (08.01)**

Brittleness
Sa **Stiffness**
Asphalt Plank, Specification for, **D517 (04.03)**
Preformed Expansion Joint Filler for Concrete (Bituminous Type), Specification for, **D994/D994M (04.03)**

Brittleness temperature
Brittleness Temperature of Plastic Sheeting by Impact, Test Method for, **D1790 (08.01)**
Brittleness Temperature of Plastics and Elastomers by Impact, Test Method for, **D746 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flexible Treated Sleeving Used for Electrical Insulation, Test Methods for, **D350 (10.01)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**

Brittleness temperature—low
Rubber Cements, Test Methods for, **D816 (09.01)**
Rubber Property—Brittleness Point of Flexible Polymers and Coated Fabrics, Test Methods for, **D2137 (09.01)**

Brittle nuclear waste
Sa **Nuclear scrap and waste materials**
Splitting Tensile Strength for Brittle Nuclear Waste Forms, Test Method for, **C1144 (12.01)**

Brittle point
Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test, Practice for, **D3826 (08.02)**

Brix refractometer
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**

Broad-band filter reflectometry
See **Reflectance and reflectivity**

Broad-band signals
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, Test Method for, **C1331 (15.01)**

Broadband systems
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**

Broadcast monolithic surfacings
Testing Chemical-Resistant Broadcast and Slurry-Broadcast Resin Monolithic Floor Surfacings, Practice for, **C1486 (06.02)**

Broad-crested weirs
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**

Broadhead performance
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**

Broiler
Underfired Broilers, Specification for, **F2835 (15.12)**

Broken glass
Determination of Trace Elements in Soda-Lime Glass Samples Using Laser Ablation Inductively Coupled Plasma Mass Spectrometry for Forensic Comparisons, Test Method for, **E2927 (14.02)**

Broll & Tertian method
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Bromate content
Bromate, Bromide, Chlorate, and Chlorite in Drinking Water by Suppressed Ion Chromatography, Test Methods for, **D6581 (11.01)**

Bromball facilities
Skating and Ice Hockey Playing Facilities, Guide for, **F1703 (15.07)**

Bromide
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**

Bromide-bromate solution
Bromine Index of Petroleum Hydrocarbons by Electrometric Titration, Test Method for, **D2710 (05.01)**

Bromide content
Bromate, Bromide, Chlorate, and Chlorite in Drinking Water by Suppressed Ion Chromatography, Test Methods for, **D6581 (11.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, Test Method for, **D4764 (06.01)**

Bromide (ion) analysis
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Bromide Ion in Water, Test Method for, **D1246 (11.01)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Iodide and Bromide Ions in Brackish Water, Seawater, and Brines, Test Methods for, **D3869 (11.02)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**

Bromine chloride
Bromine Chloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2037 (15.05)**

Bromine content
Bromine in Chlorine, Test Method for, **E649 (15.05)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Bromine and Chlorine in UF, Test Method for, **C1508 (12.01)**
Identification and Quantification of Chromium, Bromine, Cadmium, Mercury, and Lead in Polymeric Material Using Energy Dispersive X-ray Spectrometry, Test Method for, **F2617 (10.04)**
Rubber—Determination of Bromine in the Presence of Chlorine by Oxygen Combustion, Practice for, **D3566 (09.01)**

Bromine index
Bromine Index of Aromatic Hydrocarbons by Coulometric Titration, Test Method for, **D1492 (06.04)**
Bromine Index of Aromatic Hydrocarbons by Electrometric Titration, Test Method for, **D5776 (06.04)**
Bromine Index of Petroleum Hydrocarbons by Electrometric Titration, Test Method for, **D2710 (05.01)**

Bromine number
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**

Bromine-reactive material
Bromine Index of Aromatic Hydrocarbons by Coulometric Titration, Test Method for, **D1492 (06.04)**

Bromochlorodifluormethane
Halon 1211, Bromochlorodifluoromethane (CF2BrCl), Specification for, **D7673/D7673M (15.05)**

2-Bromoethanol
Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), Test Method for, **D5578 (11.07)**

1-Bromopropane
Vapor-Degreasing Solvents Based on, Specification for, **D6368 (15.05)**

Bromothymol blue
Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2989 (15.05)**

Bromotrifluoromethane (CF_3Br)
Halon 1301, Bromotrifluoromethane (CF3Br), Specification for, **D5632/D5632M (15.05)**
Handling, Transportation, and Storage of Halon 1211, Bro-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

mochlorodifluoromethane (CF2BrCl), Practice for, **D7815 (15.05)**
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Bronchoscopes
Bronchoscopes (Rigid), Specification for, **F1218 (13.02)**
Bronze
Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B438 (02.05)**
Commercial Bronze Strip for Bullet Jackets, Specification for, **B130 (02.01)**
Copper Alloy Bullet Jacket Cups, Specification for, **B131 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Materials for Copper Base Powder Metallurgy (PM) Structural Parts, Specification for, **B823 (02.05)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**
Bronze—aluminum
See **Aluminum bronzes—specifications**
Bronze—aluminum-nickel
See **UNS C63000 (aluminum bronze)**
Bronze—aluminum-silicon
See **UNS C64210 (aluminum-silicon bronze)**
Bronze—architectural
See **UNS C38500 (architectural bronze)**
Bronze—commercial
See **UNS C22000 (commercial bronze, 80%)**
Bronze—commercial leaded
See **UNS C31400 (hardware bronze; leaded commercial bronze)**
Bronze—composition casting
See **UNS C83600 (cast leaded red brass)**
Bronze—forgings
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Bronze—gear casting
See **UNS C90700 (cast tin bronze)**
Bronze—hard casting
See **UNS C93800 (cast high-leaded tin bronze)**
Bronze—manganese aluminum casting
See **UNS C95700 (cast aluminum bronze)**
Bronze—manganese casting
See **UNS C86200 (cast manganese bronze)**
Bronze—manganese leaded casting
See **UNS C86400 (cast leaded manganese bronze)**
Bronze—manganese-nickel aluminum casting
See **UNS C95700 (cast aluminum bronze)**
Bronze—medium casting
See **UNS C94500 (cast high-leaded tin bronze)**
Bronze—nickel-phosphor casting
See **UNS C92500 (cast leaded tin bronze)**
Bronze—phosphor bronze
See **Phosphor bronze**
Bronze—silicon aluminum casting
See **UNS C95600 (cast aluminum bronze)**
Bronze—silicon bronze
See **Silicon bronze—specifications**
Bronze—soft casting
See **UNS C94300 (cast high-leaded tin bronze)**
Bronze—steam casting
See **UNS C92200 (cast leaded tin bronze)**
Bronze—tin casting
See **UNS C90300 (cast tin bronze)**
Bronze—tin high-leaded casting
See **UNS C93200 (cast high-leaded tin bronze)**
Bronze balls
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Bronze blue
See **Iron blue pigment**
Bronze castings—specifications
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
Gear Bronze Alloy Castings, Specification for, **B427 (02.01)**
Steam or Valve Bronze Castings, Specification for, **B61 (02.01)**
Tin Bronze Castings, Reference Radiographs for, **E310 (03.03)**
Bronze globe valves
Envelope Dimensions for Bronze Globe Valves NPS, Specification for, **F885 (01.07)**
Bronze pipe/tube—specifications
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**
Bronze plate/sheet/strip/rolled bar
Aluminum Bronze Sheet, Strip, and Rolled Bar, Specification for, **B169/B169M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**
Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, Specification for, **B96/B96M (02.01)**
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**
Bronze powders
Sa **Gold bronze powder**
Gold Bronze Powder, Specification for, **D267 (06.03)**
Bronze rod/bar/shapes—specifications
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper-Nickel-Silicon Alloy Rod and Bar, Specification for, **B411/B411M (02.01)**
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Manganese Bronze Rod, Bar, and Shapes, Specification for, **B138/B138M (02.01)**

Bronze wire—specifications
Bronze Trolley Wire, Specification for, **B9 (02.03)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**

Brood stock tanks
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**

Brookfield viscometer
Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, Test Method for, **D6267 (06.03)**
Apparent Viscosity of Petroleum Waxes Compounded with Additives (Hot Melts), Test Method for, **D2669 (05.01)**
Apparent Viscosity of Plastisols and Organosols at Low Shear Rates, Test Method for, **D1824 (08.01)**
Defining the Viscosity Characteristics of Hydraulic Fluids, Practice for, **D6080 (05.02)**
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**
Determining the Apparent Viscosity of Polyethylene Wax, Test Method for, **D1986 (15.04)**
Hydroxypropylcellulose, Test Methods for, **D5400 (06.03)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer, Test Method for, **D2983 (05.01)**
Polyurethane Raw Materials: Determination of Viscosity of Polyols, Test Methods for, **D4878 (08.02)**
Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, Test Methods for, **D2196 (06.01)**
Shear Viscosity of Coal-Tar and Petroleum Pitches, Test Method for, **D5018 (05.02)**
Viscosity of Adhesives, Test Methods for, **D1084 (15.06)**
Viscosity of Chemical Grouts by Brookfield Viscometer (Laboratory Method), Test Method for, **D4016 (04.08)**

Broom nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Brooms
Labeling for Upright Brooms for Consumer and Institutional Use, Specification for, **F2367 (15.11)**

Broth enrichment/agar growth method
Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, Practice for, **E1531 (14.02)**

Brownfields
Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, Guide for, **E2435 (11.05)**
Identifying and Complying With Continuing Obligations, Guide for, **E2790 (11.05)**

Browning test
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**

Brown iron oxide
Sa **Sienna (burnt and raw) pigments**
Sa **Umber (burnt and raw)**
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Ferrous Iron in Iron Oxides, Test Method for, **D3872 (06.03)**
Natural Red and Brown Iron Oxide Pigments, Specification for, **D3722 (06.03)**
Synthetic Brown Iron Oxide Pigment, Specification for, **D3724 (06.03)**

Brownstocks
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**

Brunauer, Emmett, and Teller (BET) method
See **BET (Brunauer, Emmett, and Teller) surface area**

Brungraber tests
See **NBS-Brungraber slip-resistance tester**

Brushable sealant
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**

Brush-application behavior
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**

Brush/broom application
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**

Brush drag
Comparison of the Brush Drag of Latex Paints, Test Method for, **D4958 (06.02)**

Brushes
Filling Material Shedding of Paint Brushes, Test Method for, **D7834 (06.02)**
Physical Characterization of Paint Brushes, Practice for, **D5301 (06.02)**
Preparation of Paint Brushes for Evaluation, Practice for, **D5068 (06.02)**

Brushes (miniature)
Preparing Specifications for Miniature Brushes of Composite Materials for Sliding Electric Contacts, Guide for, **B613 (02.04)**

Brushing method
Rubber Bales From Natural SourcesLimit on Coating, Specification for, **D2449 (09.01)**

Brush pilling tester
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Brush Pilling Tester, Test Method for, **D3511/D3511M (07.01)**

Brush skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**

BSDF (bidirectional scatter distribution function)
Goniometric Optical Scatter Measurements, Practice for, **E2387 (06.01)**

BTDF (bidirectional transmittance distribution function)
Goniometric Optical Scatter Measurements, Practice for, **E2387 (06.01)**

Btu content
Use of Scrap Tire-Derived Fuel, Practice for, **D6700 (11.04)**

BTX (benzene/toluene/xylene) concentrates
Benzene, Toluene, Xylene (BTX) Concentrates Analysis by Gas Chromatography, Test Method for, **D6563 (06.04)**

Bubble test
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), Test Method for, **F2096 (15.10)**
Dynamic Surface Tension by the Fast-Bubble Technique, Test Method for, **D3825 (05.02)**
Geomembrane Seam Evaluation by Vacuum Chamber, Practice for, **D5641 (04.13)**
Leaks Using Bubble Emission Techniques, Practice for, **E515 (03.03)**
Pore Size Characteristics of Membrane Filters by Bubble Point and Mean Flow Pore Test, Test Methods for, **F316 (11.02)**
Viscosity of Transparent Liquids by Bubble Time Method, Test Method for, **D1545 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Buchner funnel
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Bucket auger
Sampling Soils and Contaminated Media with Hand-Operated Bucket Augers, Practice for, **D6907 (11.04)**
Buckets
Cautionary Labeling for Five-Gallon Open-Head Plastic Containers, Specification for, **F1615 (15.11)**
Buckles
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Buckle tear strength
Buckle Tear Strength of Leather, Test Method for, **D4831 (15.04)**
Buddy care
Defining the Performance of First Aid Providers in Occupational Settings, Guide for, **F2171 (13.02)**
Buffable shoe polish
Sa **Polishes**
Evaluation of Buffable Shoe Polish, Practice for, **D4002 (15.04)**
Buffering action
Reserve Alkalinity of Engine Coolants and Antirusts, Test Method for, **D1121 (15.05)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Buffer solutions
pH of Water, Test Methods for, **D1293 (11.01)**
Buffet table
Performance of Refrigerated Buffet and Preparation Tables, Test Method for, **F2143 (15.12)**
Buffing
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Bugle head screw
Steel Tapping Screws for Cold-Formed Steel Framing Connections, Specification for, **C1513 (04.01)**
Building brick
See **Masonry units**
Building codes
Additive Manufacturing—Coordinate Systems and Test Methodologies, Terminology for, **E2921 (04.12)**
Building condition assessment
Assessment Of Fungal Growth in Buildings, Guide for, **D7338 (11.07)**
Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, Guide for, **E2506 (04.12)**
Organizing and Managing Building Data, Practice for, **E2166 (04.12)**
Building constructions/materials—acoustic
Sa **Acoustical tests**
Measurement of Normal Incidence Sound Transmission of Acoustical Materials Based on the Transfer Matrix Method, Test Method for, **E2611 (04.06)**
Building constructions/materials—air leakage
See **Air leakage testing—building materials/constructions**
Building constructions/materials—anchors
See **Anchors/anchorage systems**
Building constructions/materials—beams/girders
See **Beams/girders**
Building constructions/materials—building economics
Cost Estimate Classification System, Classification for, **E2516 (04.12)**
Program and Project Estimate Summaries, Classification for, **E2620 (04.12)**
Building constructions/materials—ceiling suspensions
See **Ceiling suspension systems**
Building constructions/materials—decks
See **Decks**
Building constructions/materials—doors
See **Doors/door assemblies—specifications**
Building constructions/materials—fire-resistive materials/testing
See **Fire-resistant materials/testing**
Building constructions/materials—floor-ceiling assemblies
See **Floor-ceiling assemblies**
See **Flooring/floor covering systems**
Building constructions/materials—gaskets
See **Gaskets**
Building constructions/materials—installation procedures
See **Installation**
Building constructions/materials—partitions
See **Partitions**
Building constructions/materials—plastics
Sa **Structural plastics**
Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, Guide for, **D5364 (08.03)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds, Specification for, **D4216 (08.02)**
Windload Resistance of Rigid Plastic Siding, Test Method for, **D5206 (08.03)**
Building constructions/materials—plastics (specifications)
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Building constructions/materials—railings
Assessing the Durability of Absorptive Electrochromic Coatings within Sealed Insulating Glass Units, Guide for, **E2354 (04.12)**
Building constructions/materials—solar heating/cooling systems
See **Solar heating/cooling systems**
Building constructions/materials—thermal insulating materials
Sa **Blanket thermal insulation**
Sa **Block and board thermal insulation**
Sa **Loose-fill thermal insulation**
Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, Practice for, **C1744 (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction, Practice for, **C1743 (04.06)**
Building constructions/materials—vapor barriers
See **Vapor barriers**
Building constructions/materials—ventilation
See **Ventilation materials/applications (buildings)**
Building constructions/materials—windows
See **Windows/window assemblies**
Building damageability
Seismic Risk Assessment of Buildings, Guide for, **E2026 (04.11)**
Building design and construction
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Building Floor Area Measurements for Facility Management, Practice for, **E1836/E1836M (04.11)**
Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing, Practice for, **D6305 (04.10)**
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Design and Construction of Nonmetallic Enveloped Gaskets for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Corrosive Service, Practice for, **F336 (09.02)**
Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, Guide for, **D5364 (08.03)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Performing and Reporting Cost Analysis During the Design Phase of a Project, Practice for, **E1804 (04.11)**
Performing Value Engineering (VE)/Value Analysis (VA) of Projects, Products and Processes, Practice for, **E1699 (04.11)**
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Selection, Removal, and Shipment of Manufactured Masonry Units and Masonry Specimens from Existing Construction, Practice for, **C1532/C1532M (04.05)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Use of Joint Sealants, Guide for, **C1193 (04.07)**
Water Stewardship in the Design, Construction, and Operation of Buildings, Guide for, **E2728 (04.12)**

Building design and construction—specifications
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**
Engineering and Design Criteria for Rigid Wall Relocatable Structures, Specification for, **E1925 (04.11)**
Structural Steel Shapes, Specification for, **A992/A992M (01.04)**

Building economics
Allowance, Contingency, and Reserve Sums in Building Construction Estimating, Classification for, **E2168 (04.12)**
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
Building Economics, Terminology of, **E833 (04.11)**
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**
Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, Guide for, **E2506 (04.12)**
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Job Productivity Measurement, Practice for, **E2691 (04.12)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Measuring and Calculating Building Loss Features That Take Up Floor Area in Buildings, Practice for, **E2619/E2619M (04.12)**
Measuring Benefit-to-Cost and Savings-to-Investment Ratios for Buildings and Building Systems, Practice for, **E964 (04.11)**
Measuring Cost Risk of Buildings and Building Systems and Other Constructed Projects, Practice for, **E1946 (04.11)**
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**
Measuring Life-Cycle Costs of Buildings and Building Systems, Practice for, **E917 (04.11)**
Measuring Net Benefits and Net Savings for Investments in Buildings and Building Systems, Practice for, **E1074 (04.11)**
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**
Performing and Reporting Cost Analysis During the Design Phase of a Project, Practice for, **E1804 (04.11)**
Performing Value Engineering (VE)/Value Analysis (VA) of Projects, Products and Processes, Practice for, **E1699 (04.11)**
Program and Project Estimate Summaries, Classification for, **E2620 (04.12)**
Property and Asset Management, Terminology for, **E2135 (04.12)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**

Building energy performance assessment (BEPA)
Building Energy Performance Assessment for a Building Involved in a Real Estate Transaction, Practice for, **E2797 (11.05)**

Building envelopes
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**
Determining Air Change in a Single Zone by Means of a Tracer Gas Dilution, Test Method for, **E741 (04.11)**
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Determining Airtightness of Buildings Using an Orifice Blower Door, Test Methods for, **E1827 (04.11)**
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, Practice for, **C1155 (04.06)**
In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, Practice for, **C1046 (04.06)**
Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, Practice for, **C1058/C1058M (04.06)**
Serviceability of an Office Facility for Structure and Building Envelope, Classification for, **E1700 (04.11)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**

Building facades
Assessment and Maintenance of Exterior Dimension Stone Masonry Walls and Facades, Guide for, **C1496 (04.07)**
Conducting Inspections of Building Facades for Unsafe Conditions, Guide for, **E2841 (04.12)**
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**
Periodic Inspection of Building Facades for Unsafe Conditions, Practice for, **E2270 (04.12)**
Rating Outdoor-Indoor Sound Attenuation, Classification for, **E1332 (04.06)**

Building framing
Structural Steel Shapes, Specification for, **A992/A992M (01.04)**
Structural Steel with Low Yield to Tensile Ratio for Use in Buildings, Specification for, **A1043/A1043M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Building interior sound levels
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**
Building loss features
Measuring and Calculating Building Loss Features That Take Up Floor Area in Buildings, Practice for, **E2619/E2619M (04.12)**
Building materials/applications
Air Permeance of Building Materials, Test Method for, **E2178 (04.12)**
Application of Hose Stream, Practice for, **E2226 (04.07)**
Building Constructions, Terminology of, **E631 (04.11)**
Compatibility of Construction Material with Electrical Insulating Oil of Petroleum Origin, Test Methods for, **D3455 (10.03)**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**
Data Collection for Sustainability Assessment of Building Products, Practice for, **E2129 (04.12)**
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Determining Adhesive Attack on Rigid Cellular Foam, Test Method for, **D5113 (15.06)**
Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution, Test Method for, **E2098/E2098M (04.11)**
Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, Guide for, **C1558 (04.06)**
Evaluating Water Leakage of Building Walls, Guide for, **E2128 (04.12)**
Extended Duration Surface Burning Characteristics of Building Materials (30 min Tunnel Test), Test Method for, **E2768 (04.07)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Facility Management (Building-Related), Terminology of, **E1480 (04.11)**
Guides for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings, Terminology of, **E2151 (04.12)**
Hygroscopic Sorption Isotherms of Building Materials, Test Method for, **C1498 (04.06)**
Installation and Use of Reflective Insulation in Building Constructions, Practice for, **C727 (04.06)**
Inventory Verification: Electronic and Physical Inventory of Assets, Practice for, **E2132 (04.12)**
Limiting Water-Induced Damage to Buildings, Guide for, **E241 (04.11)**
Maintenance, Renovation, and Repair of Installed Asbestos Cement Products, Practice for, **E2394 (11.07)**
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**
Moisture Retention Curves of Porous Building Materials Using Pressure Plates, Test Method for, **C1699 (04.06)**
Reporting Data from Structural Tests of Building Constructions, Elements, Connections, and Assemblies, Practice for, **E575 (04.11)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Seismic Risk Assessment of Buildings, Guide for, **E2026 (04.11)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Layout and Building Factors, Classification for, **E1664 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**
Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, Test Method for, **C1363 (04.06)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Vegetative (Green) Roof Systems, Guide for, **E2777 (04.04)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Building materials/applications—specifications
Adhesive for Bonding Foam Cored Sandwich Panels (200°F Elevated Humidity Service), Type II Panels, Specification for, **E1794 (04.11)**
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, Specification for, **E1993/E1993M (04.11)**
Carbon Steel Chain, Specification for, **A413/A413M (01.05)**
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Dry-Cast Segmental Retaining Wall Units, Specification for, **C1372 (04.05)**
Engineering and Design Criteria for Rigid Wall Relocatable Structures, Specification for, **E1925 (04.11)**
Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, Specification for, **E1556 (04.11)**
Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, Specification for, **D5055 (04.10)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Flexible Fibrous Glass Insulation for Metal Buildings, Specification for, **C991 (04.06)**
Granite Dimension Stone, Specification for, **C615/C615M (04.07)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Industrial Floor Brick, Specification for, **C410 (04.05)**
Insulating Glass Unit Performance and Evaluation, Specification for, **E2190 (04.12)**
Lime Putty for Structural Purposes, Specification for, **C1489 (04.01)**
Limestone Dimension Stone, Specification for, **C568/C568M (04.07)**
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**
Marble Dimension Stone, Specification for, **C503/C503M (04.07)**
Non-Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1795 (04.11)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**
Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, Specification for, **E1745 (04.11)**
Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications, Specification for, **D4397 (08.02)**
Pre-Patinated Copper for Architectural Applications, Specification for, **B882 (02.01)**
Preformed Architectural Compression Seals for Buildings and Parking Structures, Specification for, **E1612/E1612M (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preformed Architectural Strip Seals for Buildings and Parking Structures, Specification for, **E1783/E1783M (04.11)**
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**
Quartz-Based Dimension Stone, Specification for, **C616/C616M (04.07)**
Reflective Insulation for Building Applications, Specification for, **C1224 (04.06)**
Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1797 (04.11)**
Resilient Stair Treads, Specification for, **F2169 (15.04)**
Resilient Wall Base, Specification for, **F1861 (15.04)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds, Specification for, **D4216 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Roofing Slate, Specification for, **C406/C406M (04.07)**
Room Heaters, Pellet Fuel-Burning Type, Specification for, **E1509 (04.11)**
Rubber Floor Tile, Specification for, **F1344 (15.04)**
Rubber Sheet Floor Covering With Backing, Specification for, **F1860 (15.04)**
Rubber Sheet Floor Covering Without Backing, Specification for, **F1859 (15.04)**
Serpentine Dimension Stone, Specification for, **C1526 (04.07)**
Sheet Radiant Barriers for Building Construction Applications, Specification for, **C1313/C1313M (04.06)**
Sheet Vinyl Floor Covering with Backing, Specification for, **F1303 (15.04)**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Slate Dimension Stone, Specification for, **C629/C629M (04.07)**
Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**
Structural Clay Load-Bearing Wall Tile, Specification for, **C34 (04.05)**
Structural Steel Shapes, Specification for, **A992/A992M (01.04)**
the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, Specification for, **C635/C635M (04.06)**
the Specification and Evaluation of Pre-Construction Laboratory Mockups of Exterior Wall Systems, Practice for, **E2099 (04.11)**
Travertine Dimension Stone, Specification for, **C1527/C1527M (04.07)**
Vinyl Composition Floor Tile, Specification for, **F1066 (15.04)**
Vinyl Sheet Floor Covering Without Backing, Specification for, **F1913 (15.04)**
Wipe Sampling Materials for Lead in Surface Dust, Specification for, **E1792 (04.11)**
Writing a Specification for Flexible Barrier Rollstock Materials, Guide for, **F99 (15.10)**

Building materials performance
Sa **Performance—building materials/applications (specifications)**
Assessing the Durability of Absorptive Electrochromic Coatings within Sealed Insulating Glass Units, Guide for, **E2354 (04.12)**
General Principles of Sustainability Relative to Buildings, Guide for, **E2432 (04.12)**

Building partitions
Laboratory Measurement of Airborne Transmission Loss of Building Partitions and Elements Using Sound Intensity, Test Method for, **E2249 (04.06)**

Building sickness syndrome
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Building stability assessment
Seismic Risk Assessment of Buildings, Guide for, **E2026 (04.11)**

Building steel materials—structural
See **Bridge/structural materials**
See **Generator materials**
See **Pressure vessel steel**
See **Steel bolting materials—specifications**
See **Structural steel (SS)—specifications**
See **Structural steel (SS) plate—specifications**

Building stone (natural)
Abrasion Resistance of Stone Subjected to Foot Traffic, Test Method for, **C241/C241M (04.07)**

Building systems classification
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**

Built-up roofs
Sa **Roofing membranes—specifications**
Aggregate Layer Hiding Power, Test Method for, **D5081/D5081M (04.04)**
Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks, Guide for, **C981 (04.04)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Hardness of Mineral Aggregate Used on Built-Up Roofs, Test Method for, **D1865/D1865M (04.04)**
Moisture in Mineral Aggregate Used on Built-Up Roofs, Test Method for, **D1864/D1864M (04.04)**
Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads, Test Method for, **E661 (04.11)**
Sampling and Analysis of Built-Up Roof Systems During Application, Practice for, **D3617 (04.04)**
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Selection of Asphalt Used in Built-Up Roofing Systems, Guide for, **D6510 (04.04)**

Built-up roofs—specifications
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Used in Roofing, Specification for, **D312 (04.04)**
Asphalt Used in Roofing Measured by Dynamic Shear Rheometer, Specification for, **D7654/D7654M (04.04)**
Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing, Specification for, **D2626/D2626M (04.04)**
Coal Tar Glass Felt Used in Roofing and Waterproofing, Specification for, **D4990 (04.04)**
Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D450/D450M (04.04)**
Mineral Aggregate Used on Built-Up Roofs, Specification for, **D1863/D1863M (04.04)**
SEBS-Modified Mopping Asphalt Used in Roofing, Specification for, **D6152/D6152M (04.04)**

Bulk
Wet Volume of Asbestos, Test Method for, **C1122/C1122M (04.05)**

Bulk box pallet unit size
Standard Plastics Industry Bulk Box/Pallet Unit Size Classified By Bulk Density, Classification for, **D6881/D6881M (15.10)**

Bulk density
Sa **Density—apparent (bulk)**
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**
Apparent Density of Metal Powders and Compounds Using the Scott Volumeter, Test Method for, **B329 (02.05)**
Apparent Density, Bulk Factor, and Pourability of Plastic Materials, Test Methods for, **D1895 (08.01)**
Apparent Porosity, Apparent Specific Gravity, and Bulk Density of Graphite Electrodes, Test Methods for, **C1039 (05.05)**
Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure, Test Methods for, **C830 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, Test Methods for, **C20 (15.01)**
Bulk Density And Specific Gravity of Plastic Lumber and Shapes by Displacement, Test Method for, **D6111 (08.03)**
Bulk Density and Volume of Solid Refractories by Wax Immersion, Test Method for, **C914 (15.01)**
Bulk Density by Physical Measurements of Manufactured Carbon and Graphite Articles, Test Method for, **C559 (05.05)**
Bulk Density of As-Manufactured Carbon and Graphite Shapes, Test Method for, **C838 (05.05)**
Bulk Density of Granular Refractory Materials, Test Method for, **C357 (15.01)**
Bulk Density of Level Paintbrush Filaments, Test Method for, **D5959 (06.02)**
Bulk Density of Tapered Paintbrush Filaments, Test Method for, **D6737 (06.02)**
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples, Test Method for, **D1188 (04.03)**
Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, Test Method for, **D6347/D6347M (05.06)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke, Test Method for, **D4292 (05.02)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke using a Semi-Automated Apparatus, Test Method for, **D7454 (05.04)**
Determining Loose and Tapped Bulk Densities of Powders using a Graduated Cylinder, Test Methods for, **D7481 (04.09)**
Measuring Bulk Density Values of Powders and Other Bulk Solids as Function of Compressive Stress, Test Method for, **D6683 (04.09)**
Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**
Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories, Classification of, **C930 (04.06)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**
Screening Apparent Specific Gravity and Bulk Density of Waste, Test Method for, **D5057 (11.04)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**
Standard Plastics Industry Bulk Box/Pallet Unit Size Classified By Bulk Density, Classification for, **D6881/D6881M (15.10)**
Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Test Method for, **C373 (15.02)**

Bulked continuous filment (BCF)
Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, Test Method for, **D6774 (07.02)**

Bulk elemental analysis
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**

Bulk enthalpy
Measuring Plasma Arc Gas Enthalpy by Energy Balance, Practice for, **E341 (15.03)**

Bulkheads
Sa **Shipbuilding steel materials—specifications**
Corrugated Asbestos-Cement Sheets for Bulkheading, Specification for, **C746 (04.05)**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, Specification for, **F1068 (01.07)**
Doors, Non-Tight, for Marine Use, Specification for, **F1070 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Mechanical Static Load Testing of Non-Structural Marine Joiner Bulkheads, Test Method for, **F3040/F3040M (01.07)**
Metal, Expanded, Steel, Specification for, **F1267 (01.03)**
Mounting Test Specimens for Sound Transmission Loss Testing of Naval and Marine Ship Bulkhead Treatment Materials, Practices for, **E1123 (04.06)**
Sliding Watertight Door Assemblies, Specification for, **F1196 (01.07)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**

Bulking (bulk fiber resilience) factor
Compressibility and Recovery of Asbestos, Test Method for, **C1123/C1123M (04.05)**

Bulk materials
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**

Bulk plumage
Composition of Plumage, Test Method for, **D4524 (07.02)**

Bulk properties
Bulk Properties of Textured Yarns, Test Method for, **D4031 (07.01)**

Bulk shipments
Carbon Black—Sampling Bulk Shipments, Practice for, **D1900 (09.01)**
Vibration Testing of Intermediate Bulk Containers (IBCs) Used for Shipping Liquid Hazardous Materials (Dangerous Goods), Test Method for, **D7387 (15.10)**

Bulk solids
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Measuring Bulk Density Values of Powders and Other Bulk Solids as Function of Compressive Stress, Test Method for, **D6683 (04.09)**
Measuring Sifting Segregation Tendencies of Bulk Solids, Practice for, **D6940 (04.09)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**

Bulk specific gravity
Sa **Specific gravity**
Bulk Density And Specific Gravity of Plastic Lumber and Shapes by Displacement, Test Method for, **D6111 (08.03)**
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6752/D6752M (04.03)**
Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, Test Method for, **D2726/D2726M (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Effective Porosity and Effective Air Voids of Compacted Bituminous Paving Mixture Samples, Test Method for, **D7063/D7063M (04.03)**
Preparation and Determination of Bulk Specific Gravity of Dense-Graded Cold Mix Asphalt (CMA) Specimens by Means of Superpave Gyratory Compactor, Test Method for, **D7229 (04.03)**

Bullet jackets
Commercial Bronze Strip for Bullet Jackets, Specification for, **B130 (02.01)**
Copper Alloy Bullet Jacket Cups, Specification for, **B131 (02.01)**

Bullion
Determination of Gold in Bullion by Fire Assay Cupellation Analysis, Test Methods for, **E1335 (03.05)**

Bumper boats
Special Requirements for Bumper Boats, Practice for, **F2460 (15.07)**

Bumpus plankton sampler
See **Clarke-Bumpus plankton sampler**

Bunch-stranded electrical conductors
Sa **Stranded aluminum electrical conductors—specifications**
Sa **Stranded copper electrical conductors—specifications**
Bunch-Stranded Copper Conductors for Electrical Conductors, Specification for, **B174 (02.03)**
Fine-Wire Bunch-Stranded and Rope-Lay Bunch-Stranded Copper Conductors for Use as Electrical Conductors, Specification for, **B738 (02.03)**

Bundle test
Shrinkage of Textile Fibers (Bundle Test), Test Method for, **D2102 (07.01)**

Bundling articles
Pressure-Sensitive Tape for Packaging, Filament-Reinforced, Specification for, **D5330/D5330M (15.10)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**

Bunk beds
Bunk Beds, Consumer Safety Specification for, **F1427 (15.11)**

Bun slicer
Bun Slicing Machines, Specification for, **F2645 (15.12)**

Buoyancy
Density of Glass by Buoyancy, Test Method for, **C693 (15.02)**
Determining the Buoyancy to Weight Ratio of Oil Spill Containment Boom, Guide for, **F2682 (11.05)**
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**

Buoyancy corrections
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**

Buoys
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**

Burets (laboratory)—specifications
Clamps, Utility, Laboratory, and Holders, Buret and Clamp, Specification for, **E784 (14.04)**
Laboratory Glass Graduated Burets, Specification for, **E287 (14.04)**
Laboratory Glass Volumetric Apparatus, Specification for, **E694 (14.04)**
Micro-Burets (Koch Style), Specification for, **E1189 (14.04)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**

Buried applications
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**

Buried (cable) installations
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**

Buried conduits
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Buried plastic pipe
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**

Buried steel tanks
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**

Burlap fabrics for roofing/waterproofing
See **Roofing membranes**

Burlap-polyethylene sheet
Sheet Materials for Curing Concrete, Specification for, **C171 (04.02)**

Burnable poison
Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Specification for, **C922 (12.01)**

Burned gas sensor
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**

Burned magnesite
Hydration of Dead Burned Magnesite or Periclase Grain, Test Method for, **C544 (15.01)**

Burned refractory brick
Sa **Refractories (bricks and shapes)**
Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, Test Methods for, **C20 (15.01)**

Burner fuel oils
Sa **Fuel oils**
Sa **Petroleum products**
Conradson Carbon Residue of Petroleum Products, Test Method for, **D189 (05.01)**
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Ramsbottom Carbon Residue of Petroleum Products, Test Method for, **D524 (05.01)**
Triglyceride Burner Fuel, Specification for, **D7666 (05.04)**

Burner fuel oils—specifications
Commercial Boiler Fuels With Used Lubricating Oils, Specification for, **D6823 (05.03)**
Industrial Burner Fuels from Used Lubricating Oils, Specification for, **D6448 (05.03)**

Burners
Performance of Range Tops, Test Methods for, **F1521 (15.12)**

Burn hazard potential
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Burning
Test Fueling Masonry Heaters, Test Method for, **E2817 (04.12)**
Burning brand test
Fire Tests of Roof Coverings, Test Methods for, **E108 (04.07)**
Burning cables
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Burning characteristics
Sa **Fire testing**
Sa **Flammability**
Collection and Analysis of Visible Emissions from Candles as They Burn, Test Method for, **F2326 (15.11)**
Designing Systems for Oxygen Service, Guide for, **G88 (14.04)**
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**
Fusibility of Refuse-Derived Fuel (RDF) Ash, Test Method for, **E953/E953M (11.04)**
Moisture Analysis of Particulate Wood Fuels, Test Method for, **E871 (05.06)**
Specimen Preparation and Mounting of Reflective Insulation, Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics, Practice for, **E2599 (04.07)**
Volatile Matter in the Analysis of Particulate Wood Fuels, Test Method for, **E872 (05.06)**
Burning characteristics—building materials
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Room Fire Experiments, Guide for, **E603 (04.07)**
Surface Burning Characteristics of Building Materials, Test Method for, **E84 (04.07)**
Burning characteristics—insulating materials
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Burning characteristics—paints/related coatings/materials
Fire Retardancy of Paints (Cabinet Method), Test Method for, **D1360 (06.01)**
Small-Scale Evaluation of Fire-Retardant Paints (2-Foot Tunnel Method), Test Method of, **D3806 (06.01)**
Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, Test Method for, **D4206 (06.01)**
Burning characteristics—petroleum products
Burning Quality of Kerosine, Test Method for, **D187 (05.01)**
Discrimination Between Flammability Ratings of F = 0 and F = 1, Test Method for, **D6668 (05.03)**
Hydrogen In Petroleum Fractions, Test Method for, **D1018 (05.01)**
In-Situ Burning of Spilled Oil: Ignition Devices, Guide for, **F1990 (11.05)**
Burning characteristics—plastics
Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, Practice for, **D5207 (08.03)**
Density of Smoke from the Burning or Decomposition of Plastics, Test Method for, **D2843 (08.01)**
Determining Ignition Temperature of Plastics, Test Method for, **D1929 (08.01)**
Determining the Flammability Characteristics of Nonrigid Solid Plastics, Test Method for, **D4804 (08.02)**
Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, Test Method for, **D3014 (08.01)**
Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, Specification for, **D5025 (08.02)**
Measuring the Comparative Burning Characteristics and Resistance to Burn-Through of Solid Plastics Using a 125-mm Flame, Test Method for, **D5048 (08.02)**
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**
Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), Test Method for, **D2863 (08.01)**
Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, Test Method for, **D635 (08.01)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Burning characteristics—rubber/cellular materials
Horizontal Burning Characteristics of Cellular Polymeric Materials, Test Method for, **D4986 (08.02)**
Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, Test Method for, **D5132 (08.03)**
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Burning characteristics—textile materials/products
Effects of Flame Impingement on Materials Used in Protective Clothing Not Designated Primarily for Flame Resistance, Test Method for, **F1358 (11.03)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Radiant Heat Resistance of Flame Resistant Clothing Materials with Continuous Heating, Test Method for, **F1939 (11.03)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
The Burning Behavior of Textiles, Terminology Relating to, **D4391 (07.01)**
Burning characteristics—thermal insulation
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Burnishing test—for coating adhesion
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Burnish resistance
Burnish Resistance of Latex Paints, Test Method for, **D6736 (06.02)**
Burnout
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**
Burnout resistance
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**
Burnt (and raw) umber
See **Umber (burnt and raw)**
Burnt lime
Sa **Hydrated lime—specifications**
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Lime for Use with Pozzolans, Specification for, **C821 (04.01)**
Burnt sienna
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Raw and Burnt Sienna Pigments, Specification for, **D765 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Burst disk assemblies
Paintball Cylinder Burst Disk Assemblies, Specification for, **F2030 (15.07)**
Bursting strength
Bursting Strength of Leather by the Ball Method, Test Method for, **D2207 (15.04)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Evaluation of Furniture Polish, Practice for, **D3751/D3751M (15.04)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Bursting strength—hydrostatic
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**
Solvent Cements for Poly(Vinyl Chloride) (PVC) Plastic Piping Systems, Specification for, **D2564 (08.04)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Bursting strength—rubber
Coated Fabrics, Test Methods for, **D751 (09.02)**
Rubber Hose, Test Methods for, **D380 (09.02)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Bursting strength—textile fabrics/fibers
Bursting Strength of Fabrics Constant-Rate-of-Extension (CRE) Ball Burst Test, Test Method for, **D6797 (07.02)**
Bursting Strength of Textile Fabrics—Diaphragm Bursting Strength Tester Method, Test Method for, **D3786/D3786M (07.01)**
Bursting Strength of Textiles—Constant-Rate-of-Traverse (CRT) Ball Burst Test, Test Method for, **D3787 (07.01)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Burst requirements
Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter, Specification for, **D2239 (08.04)**
Polyethylene (PE) Plastic Tubing, Specification for, **D2737 (08.04)**
Polyethylene (PE) Thermoplastic High-Pressure Irrigation Pipeline Systems, Specification for, **F771 (08.04)**
Burst test
Burst Testing of Flexible Package Seals Using Internal Air Pressurization Within Restraining Plates, Test Method for, **F2054/F2054M (15.10)**
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**
Bus bar
Sa **Aluminum electrical conductors—specifications**
Aluminum Bars for Electrical Purposes (Bus Bars), Specification for, **B236 (02.02)**
Aluminum Bars for Electrical Purposes (Bus Bars) (Metric), Specification for, **B236M (02.02)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Bus conductor
Aluminum-Alloy Extruded Bar, Rod, Tube, Pipe, Structural Profiles, and Profiles for Electrical Purposes (Bus Conductor), Specification for, **B317/B317M (02.02)**
Buses
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Bushings
Creep Measurement of Self-Lubricating Bushings, Test Method for, **D7107 (08.03)**
Business copy products
Determining the Adhesion of Prints and Laminating Films, Practice for, **F2226 (15.09)**
Evaluation of One-Time Carbon Paper in Carbon-Interleaved Business Forms by Use of an Electric Typewriter, Practice for, **F597 (15.09)**
Bus tires
Commercial Radial Truck-Bus Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Roadwheel and a Flat Surface, Practice for, **F2779 (09.02)**
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**
Butadiene—polymerization grade
Butadiene Purity and Hydrocarbon Impurities by Gas Chromatography, Test Method for, **D2593 (05.01)**
Nonvolatile Residue of Polymerization-Grade Butadiene, Test Method for, **D1025 (05.01)**
Butadiene (petroleum applications)
Analysis of 1,3Butadiene Product, Guide for, **D5274 (05.02)**
ASTM Butadiene Measurement Tables, Standard, **D1550 (05.01)**
Butadiene Dimer and Styrene in Butadiene Concentrates by Gas Chromatography, Test Method for, **D2426 (05.01)**
Determination of Peroxides in Butadiene, Test Method for, **D5799 (05.02)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Total Inhibitor Content (TBC) of Light Hydrocarbons, Test Method for, **D1157 (05.01)**
Butadiene rubbers (BR)
See **BR (butadiene rubber)**
See **SBR (styrene-butadiene rubber)**
Butane
Sa **LPG (liquefied petroleum gases)**
Sa **Petroleum products**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Determination of Butane Activity of Activated Carbon, Test Method for, **D5742 (15.01)**
Determination of Butane Working Capacity of Activated Carbon, Test Method for, **D5228 (15.01)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, Test Method for, **D7551 (05.06)**
Isobutane Thermophysical Property Tables, Specification for, **D4651 (05.06)**
Liquefied Petroleum (LP) Gases, Specification for, **D1835 (05.01)**
Normal Butane Thermophysical Property Tables, Specification for, **D4650 (05.06)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Sampling Liquefied Petroleum (LP) Gases, Manual Method, Practice for, **D1265 (05.01)**
Volatility of Liquefied Petroleum (LP) Gases, Test Method for, **D1837 (05.01)**
Butane activity (BA)
Determination of Butane Activity of Activated Carbon, Test Method for, **D5742 (15.01)**
Butane-butene mixtures
Butylene Analysis by Gas Chromatography, Test Method for, **D4424 (05.02)**
Traces of Volatile Chlorides in Butane-Butene Mixtures, Test Methods for, **D2384 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Butane content
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Butane working capacity (BWC)
Determination of Butane Working Capacity of Activated Carbon, Test Method for, **D5228 (15.01)**
Butanol
Determination of Butanol and Acetone Content of Butanol for Blending with Gasoline by Gas Chromatography, Test Method for, **D7875 (05.04)**
Butanol (*sec/tert/n*)
Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D7862 (05.04)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Flash Point of Liquids by Small Scale Closed-Cup Apparatus, Test Methods for, **D3278 (06.01)**
n-Butyl Alcohol (Butanol), Specification for, **D304 (06.04)**
Referencing Suprathreshold Odor Intensity, Practices for, **E544 (15.08)**
2-Butanone
Sa **Methyl ethyl ketone (MEK)**
Methyl Ethyl Ketone, Specification for, **D740 (06.04)**
Butene (butylene)
See **Isobutene (isobutylene)**
2-Butoxyethanol
2-Butoxyethanol, Specification for, **D330 (06.04)**
Butterfly valves
Sa **Shipbuilding steel materials—specifications**
Envelope Dimensions for Butterfly Valves—NPS 2 to 24, Specification for, **F1098 (01.07)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Butt fusions
Specimens and Testing Conditions for Testing Polyethylene (PE) Pipe Butt Fusions Using Tensile and Hydrostatic Test Methods, Practice for, **F2928 (08.04)**
Butt heat fusion fittings
Butt Heat Fusion Polyamide(PA) Plastic Fitting for Polyamide(PA) Plastic Pipe and Tubing, Specification for, **F1733 (08.04)**
Butt Heat Fusion Polyethylene (PE) Plastic Fittings for Polyethylene (PE) Plastic Pipe and Tubing, Specification for, **D3261 (08.04)**
Fabricated Fittings of Butt-Fused Polyethylene (PE) Plastic Pipe, Fittings, Sheet Stock, Plate Stock, or Block Stock, Specification for, **F2206 (08.04)**
Butt-joined test specimens
Preparation of Bar and Rod Specimens for Adhesion Tests, Practice for, **D2094 (15.06)**
Butt joints
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Laboratory Testing of Polyethylene (PE) Butt Fusion Joints using Tensile-Impact Method, Test Method for, **F2634 (08.04)**
Button melting
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Button-on-block test
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Buttons
Effect of Drycleaning on Buttons, Test Method for, **D6840 (07.02)**
Holding Strength of Tack and Prong Fastener Attached Buttons, Test Method for, **D7842/D7842M (07.02)**
Impact Resistance of Plastic Sew-Through Buttons, Test Method for, **D5171 (07.02)**
Tension Strength of Sew-Through Flange Buttons, Test Method for, **D6644 (07.02)**
Butt seals
Sa **Seals—electronic applications (specifications)**
Making Reference Glass-Metal Butt Seals and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F140 (15.02)**
Butt-welded materials/applications
Cold-Drawn Buttweld Carbon Steel Mechanical Tubing, Specification for, **A512 (01.01)**
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D5421 (08.03)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
High-Strength Low-Alloy Welded and Seamless Steel Pipe, Specification for, **A714 (01.01)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hydronic Heating Systems, Specification for, **F1987 (08.04)**
Non-Reinforced Extruded Tee Connections for Piping Applications, Specification for, **F2014 (01.07)**
Butt-welding fittings
Sa **Steel fittings—specifications**
Contact Ultrasonic Testing of Welds Using Phased Arrays, Practice for, **E2700 (03.03)**
Wrought High-Strength Ferritic Steel Butt-Welding Fittings, Specification for, **A860/A860M (01.01)**
Wrought-Carbon Steel Butt-Welding Piping Fittings with Improved Notch Toughness, Specification for, **A758/A758M (01.01)**
***t*-Butyl acetate**
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
n-Butyl Acetate (All Grades), Specification for, **D4615 (06.04)**
***n*-Butylacrylate**
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
***n*-Butyl acrylate/methacrylate**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Butyl alcohol
sec-Butyl Alcohol, Specification for, **D1007 (06.04)**
n-Butyl Alcohol (Butanol), Specification for, **D304 (06.04)**
Butylated hydroxy toluene (BHT)
See **BHT (butylated hydroxytoluene)**
Butylated melamine-formaldehyde resins
See **Resins**
Butyl-benzene
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**
Butylcatechol inhibitor content
Colorimetric Determination of, Test Method for, **D4590 (06.04)**
Butylene plastics
See **Polybutylene (PB)**
***n*-Butyl methacrylate**
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
2,6--Butyl-4-methylphenol
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

2,6-*ditert*-Butyl *p*-cresol/phenol content
2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, Test Method for, **D2668 (10.03)**
Analysis of 2,6-Ditertiary-Butyl Para-Cresol and 2,6-Ditertiary-Butyl Phenol in Insulating Liquids by Gas Chromatography, Test Method for, **D4768 (10.03)**
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**
Butyl peroxide
Sa **Peroxides**
Assay of Di-*tert*-Butyl Peroxide Using Gas Chromatography, Test Method for, **E475 (15.05)**
Butyl rubber
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Evaluation of BIIR and CIIR (Halogenated Isobutene—Isoprene Rubber), Test Methods for, **D3958 (09.01)**
Rubber—Evaluation of IIR (Isobutene-Isoprene Rubber), Test Methods for, **D3188 (09.01)**
Butyl rubber—specifications
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Vulcanized Rubber Sheets Used in Waterproofing Systems, Specification for, **D6134 (04.04)**
Butyryl content
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Buyers guide
Presenting Selected Information on Vacuum Cleaners for Consumer Use, Practice for, **F1411 (15.08)**
BWC (butane working capacity)
Determination of Butane Working Capacity of Activated Carbon, Test Method for, **D5228 (15.01)**
BYK-Gardner DC paint test assembly
Electrical Resistivity of Liquid Paint and Related Materials, Test Methods for, **D5682 (06.01)**
Bypassing
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Bypass jumpers
Flexible Insulated Temporary By-Pass Jumpers, Specification for, **F2321 (10.03)**
Bystander care
Defining the Performance of First Aid Providers in Occupational Settings, Guide for, **F2171 (13.02)**

C

C_1-C_5 (and lighter) hydrocarbons
See **Hydrocarbons—C_1-C_5 (and lighter)**
C-4 deficient Guidea Pig serum (C4-GPS)
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Cabinet method
Fire Retardancy of Paints (Cabinet Method), Test Method for, **D1360 (06.01)**
Cabinets
Construction of Fire and Foam Station Cabinets, Specification for, **F1333 (01.07)**
Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, Specification for, **C511 (04.01, 04.02)**
Reach-in Refrigerators, Freezers, Combination Refrigerator/Freezers, and Thaw Cabinets, Specification for, **F2520 (15.12)**
Tops, Furniture, Marine, Steel, Specification for, **F826 (01.07)**
Cable circuits
Plain End Seamless and Electric-Resistance-Welded Steel Pipe for High-Pressure Pipe-Type Cable Circuits, Specification for, **A523 (01.01)**
Cabled articulating concrete block (ACB)
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Cable entry seals
Heat-Shrink Cable Entry Seals (Metric), Specification for, **F1837M (01.07)**
Cable filling/flooding compounds
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, Test Methods for, **D4568 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Cable interconnect
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**
Cable oil
Gas Content of Cable and Capacitor Oils, Test Method for, **D831/D831M (10.03)**
Cable reels
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**
Cables
Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, Test Method for, **D2477 (10.03)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Cable shielding
Sa **Insulated wire and cable**
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Cable splicing installations
Cable Splicing Installations, Guide for, **F1835 (01.07)**
Cable television
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**
Cable-tool drilling methods
Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5875/D5875M (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cable torsion
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Cable tray
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Cable yarns/cords
Designation of Yarn Construction, Practice for, **D1244 (07.01)**
CAD/CAM systems
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**
Sewn Products Marker Data Interchange, Practice for, **D7331 (07.02)**
CADDSS
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**
Cadmium
Testing Non-Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B940 (02.05)**
Cadmium alloys
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Cadmium content
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Consumer Product Safety for Children's Jewelry, Specification for, **F2923 (15.11)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Cadmium content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Cadmium content—ceramic materials
Graphite Furnace Atomic Absorption Spectrometric Determination of Lead and Cadmium Extracted from Ceramic Foodware, Test Method for, **C1466 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Surfaces, Test Method for, **C738 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Tile, Test Method for, **C895 (15.02)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Cadmium content—nuclear materials/applications
Chemical and Spectrochemical Analysis of Nuclear-Grade Silver-Indium-Cadmium Alloys, Test Methods for, **C760 (12.01)**
Cadmium content—water
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Cadmium content—Zn/Zn alloys
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**
Cadmium metals/alloys
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**
Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials, Guide for, **B712 (02.04)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Cadmium metals/alloys—specifications
Cadmium, Specification for, **B440 (02.04)**
Coatings of Cadmium Mechanically Deposited, Specification for, **B696 (02.05)**
Coatings of Cadmium-Tin Mechanically Deposited, Specification for, **B635 (02.05)**
Coatings of Cadmium-Zinc Mechanically Deposited, Specification for, **B816 (02.05)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Cadmium metals (coating/plating)
Corrosion of Low-Embrittling Cadmium Plate by Aircraft Maintenance Chemicals, Test Method for, **F1111 (15.03)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Electronic Measurement for Hydrogen Embrittlement From Cadmium-Electroplating Processes, Test Method for, **F326 (15.03)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Testing Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B201 (02.05)**
Cadmium metals (coating/plating)—specifications
Coatings of Cadmium Mechanically Deposited, Specification for, **B696 (02.05)**
Coatings of Cadmium Vacuum-Deposited on Iron and Steel, Specification for, **B699 (02.05)**
Coatings of Cadmium-Tin Mechanically Deposited, Specification for, **B635 (02.05)**
Coatings of Cadmium-Zinc Mechanically Deposited, Specification for, **B816 (02.05)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Cadmium oxide contact materials
Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials, Guide for, **B712 (02.04)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**
Cadmium reduction method
Nitrite-Nitrate in Water, Test Methods for, **D3867 (11.01)**
Cadmium release
Lead and Cadmium Extracted from Glazed Ceramic Surfaces, Test Method for, **C738 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Tile, Test Method for, **C895 (15.02)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Lead and Cadmium Release from Porcelain Enamel, Test Method for, **C872 (02.05)**
Cadmium-silver alloys
Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**
Cadmium-tin
Coatings of Cadmium-Tin Mechanically Deposited, Specification for, **B635 (02.05)**
Cadmium-zinc alloys
Coatings of Cadmium-Zinc Mechanically Deposited, Specification for, **B816 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**
Caernorhabditis elegans
Conducting Laboratory Soil Toxicity Tests with the Nematode, Guide for, **E2172 (11.06)**
Cage
Bearing, Roller, Needle: Assembly (Thick Outer Race), Specification for, **F2430 (01.08)**
Bearing, Roller, Needle: Thick Outer Ring With Rollers and Cage, Specification for, **F2246 (01.08)**
Phenolic Raw Materials for the Use in Bearing Cages, Specification for, **F2953 (01.08)**
Caged bivalves
Conducting In-situ Field Bioassays With Caged Bivalves, Guide for, **E2122 (11.06)**
Caissons
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Caking temperature
Caking Temperature of Dry Electrostatic Toner, Practice for, **F470 (15.09)**
Calcareous soils
Carbonate Content of Soils, Test Method for Rapid Determination of, **D4373 (04.08)**
Calcination methods
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Calcined catalysts
See **Catalysts/catalyst carriers**
Calcined clay
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Calcined gypsum
Sa **Gypsum products**
Gypsum Concrete, Specification for, **C317/C317M (04.01)**
Calcined petroleum coke
Sa **Petroleum coke**
Collection of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6970 (05.03)**
Determination of Grain Stability of Calcined Petroleum Coke, Test Method for, **D6791 (05.03)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke using a Semi-Automated Apparatus, Test Method for, **D7454 (05.04)**
Dust Control Material on Calcined Petroleum Coke, Test Method for, **D4930 (05.02)**
Preparation of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6969 (05.03)**
Real Density of Calcined Petroleum Coke by Xylene Displacement, Test Method for, **D5004 (05.02)**
Sieve Analysis of Petroleum Coke, Test Method for, **D5709 (05.02)**
Calcined pozzolans
Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, Specification for, **C618 (04.02)**
Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, Test Methods for, **C311/C311M (04.02)**
Calcitic dolomites
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Calcium
Determination of Additive Elements in Lubricating Oils by EDXRF Analysis, Test Method for, **D7751 (05.04)**
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Calcium borosilicate pigment
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**
Calcium Borosilicate Pigments, Specification for, **D4288 (06.03)**
Calcium carbide
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
Calcium carbonate ($CaCO_3$)
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Calcium Carbonate Pigments, Specification for, **D1199 (06.03)**
Carbonate Content of Soils, Test Method for Rapid Determination of, **D4373 (04.08)**
Calcium carbonate ($CaCO_3$) scaling properties
Calculation and Adjustment of the Langelier Saturation Index for Reverse Osmosis, Practice for, **D3739 (11.02)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Calcium chloride
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Calcium Chloride, Specification for, **D98 (04.03)**
Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, Test Method for, **F1869 (15.04)**
Sampling and Testing Calcium Chloride for Roads and Structural Applications, Test Method for, **D345 (04.03)**
Calcium content
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Calcium or Zinc in Paint Driers by EDTA Method, Test Method for, **D2613 (06.01)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Chemical Analysis of Sodium Chloride, Test Methods for, **E534 (15.05)**
Chemical Analysis of Zinc Dust (Metallic Zinc Powder), Test Methods for, **D521 (06.03)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Determination of Calcium Fluoride in Fluorspar by Complexometric Titrimetry, Test Method for, **E815 (03.05)**
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**
Quantification of Calcium Deposits in Osteogenic Culture of Progenitor Cells Using Fluorescent Image Analysis, Practice for, **F2997 (13.02)**
Calcium content—atmospheric analysis
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Calcium content—ferrous alloys
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Determination of Calcium and Magnesium in Magnesium Ferrosilicon by EDTA Titration, Test Method for, **E372 (03.05)**
Calcium content—iron ores
Analysis of Low-Alloy Steels by X-Ray Fluorescence Spectrometry, Test Method for, **E1085 (03.05)**
Determination of Calcium and Magnesium in Iron Ores by Flame Atomic Absorption Spectrometry, Test Method for, **E508 (03.05)**
Calcium content—petroleum products
Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, Test Method for, **D4628 (05.02)**
Determination of Additive Elements in Lubricating Oils by In-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

Calcium content—water
Calcium and Magnesium In Water, Test Methods for, **D511 (11.01)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Hardness in Water, Test Method for, **D1126 (11.01)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**

Calcium deposits—in osteogenic culture of progenitor cells
Quantification of Calcium Deposits in Osteogenic Culture of Progenitor Cells Using Fluorescent Image Analysis, Practice for, **F2997 (13.02)**

Calcium deposits—quantification of
Quantification of Calcium Deposits in Osteogenic Culture of Progenitor Cells Using Fluorescent Image Analysis, Practice for, **F2997 (13.02)**

Calcium fluoride (CaF_2)
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Determination of Calcium Fluoride in Fluorspar by Complexometric Titrimetry, Test Method for, **E815 (03.05)**

Calcium hydroxide content
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Asbestos-Cement Pipe, Test Methods for, **C500/C500M (04.05)**
Water Content of Paints by Quantitative Calcium Hydride Reaction Test Kit, Test Method for, **D7358 (06.01)**

Calcium hypochlorite
Calcium Hypochlorite, Specification for, **E1229 (15.05)**

Calcium ion removal (from water)
Operating Performance of Particulate Cation-Exchange Materials, Test Methods for, **D1782 (11.02)**

Calcium oxide (CaO) content
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**
Analysis of Magnesium Silicate Pigment, Test Methods for, **D717 (06.03)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Calcium oxide (CaO) content—coal and coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**

Calcium paint driers
Sa **Paint driers**
Calcium or Zinc in Paint Driers by EDTA Method, Test Method for, **D2613 (06.01)**

Calcium phosphate coatings
Dissolution Testing of Calcium Phosphate Granules, Fabricated Forms, and Coatings, Test Method for, **F1926/F1926M (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**

Calcium phosphate coatings—specifications
Calcium Phosphate Coatings for Implantable Materials, Specification for, **F1609 (13.01)**

Calcium-silicate brick
Calcium Silicate Brick (Sand-Lime Brick), Specification for, **C73 (04.05)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**

Calcium silicate thermal insulation
Calcium Silicate Block and Pipe Thermal Insulation, Specification for, **C533 (04.06)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**

Calcium-silicon
Calcium-Silicon Alloys, Specification for, **A495 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**

Calcium sulfate ($CaSO_4$)
Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, Practice for, **D4328 (11.02)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
High Purity Calcium Sulfate Hemihydrate or Dihydrate for Surgical Implants, Specification for, **F2224 (13.01)**
Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar, Test Method for, **C265 (04.01)**

Calcium sulfonate content
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**

Calculated Cetane Index (CCI)
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**
Calculated Cetane Index of Distillate Fuels, Test Method for, **D976 (05.01)**
Cetane Number of Diesel Fuel Oil, Test Method for, **D613 (05.05)**

Calculating test values
Sa **Precision**
Calculating Absorbed Dose From Gamma or X Radiation, Practice for, **E666 (12.02)**
Calculating and Using Basic Statistics, Practice for, **E2586 (14.02)**
Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing, Practice for, **D6305 (04.10)**
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Calculating International Friction Index of a Pavement Surface, Practice for, **E1960 (04.03)**
Calculating Movement and Other Effects When Establishing Sealant Joint Width, Guide for, **C1472 (04.07)**
Calculating Precision Limits Where Values are Calculated from Other Test Methods, Practice for, **D4460 (04.03)**
Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, Practice for, **E122 (14.02)**
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Calculating Volume-Temperature Correction For Coal-Tar Pitches, Practice for, **D2962 (05.01)**
Calculation of Permanent Shear Stability Index, Practice for, **D6022 (05.02)**
Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, Practice for, **C1155 (04.06)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**

Calculation of absorbed radiation dose
See **Absorbed radiation dose**

Calendered board
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**

Calibrated loudspeaker
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**

Calibrated sand
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**

Calibrated torque spring units
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**

Calibration
Calibrating Gaseous Reference Leaks, Practice for, **E908 (03.03)**
Calibration and Accuracy Verification of Wideband Infrared Thermometers, Test Method for, **E2847 (14.03)**
Calibration and Use of Thermocouple Reference Junction Probes in Evaluation of Electronic Reference Junction Compensation Circuits, Practice for, **E2730 (14.03)**
Calibration of Fixed-Cell Differential Scanning Calorimeters, Practice for, **E2603 (14.02)**
Calibration of Hand-Held Moisture Meters on Gypsum Panels, Test Method for, **C1789 (04.01)**
Calibration of Surface/Stress Measuring Devices, Test Method for, **C1377 (15.02)**
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**
Calibration of Torque-Measuring Instruments for Verifying the Torque Indication of Torque Testing Machines, Practice for, **E2428 (03.01)**
Calibration Requirements for Elemental Analysis of Petroleum Products and Lubricants, Guide for, **D7578 (05.04)**
Calibration Verification of Laser Diffraction Particle Sizing Instruments Using Photomask Reticles, Test Method for, **E1458 (14.02)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Guide for, **D7778 (05.04)**
Continuous Measurement of Turbidity Above 1 Turbidity Unit (TU), Test Method for the, **D7725 (11.01)**
Determining Liquidus Temperature of Immobilized Waste Glasses and Simulated Waste Glasses, Test Method for, **C1720 (12.01)**
Determining the Arc Rating and Standard Specification for Eye or Face Protective Products, Test Method for, **F2178 (10.03)**
Establishment of Calibration Cottons for Cotton Classification Instruments, Practice for, **D7642 (07.02)**
Evaluation, Calibration, and Correlation of E274 Friction Measurement Systems and Equipment, Guide for the, **E2793 (04.03)**
Field Calibration and Application of Hand-Held Moisture Meters, Practice for, **D7438 (04.10)**
Fluorescence—Instrument Calibration and Qualification, Guide for, **E2719 (03.06)**
Indoor Transfer of Calibration from Reference to Field Pyranometers, Test Method for, **G207 (14.04)**
Laboratory Standardization and Calibration of Hand-Held Moisture Meters, Test Method for, **D4444 (04.10)**
Loss Modulus Conformance of Dynamic Mechanical Analyzers, Test Method for, **E2425 (14.02)**
Measuring the Dynamic Characteristics of Amusement Rides and Devices, Practice for, **F2137 (15.07)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
Pressure Calibration of Thermal Analyzers, Test Method for, **E2744 (14.02)**
Qualification of Basket and Paddle Dissolution Apparatus, Practice for, **E2503 (14.02)**
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**
Selection of Calibrations Needed for X-ray Photoelectron Spectroscopy (XPS) Experiments, Guide for, **E2735 (03.06)**
Size Measurement of Nanoparticles Using Atomic Force Microscopy, Guide for, **E2859 (14.02)**
Slip-Resistant Bathing Facilities, Consumer Safety Specification for, **F462 (15.11)**
Standard Guide for the Evaluation, and Calibration, Continuous Friction Measurement Equipment (CFME), Guide for, **E2883 (04.03)**
Standardization and Calibration of In-Line Dry Lumber Moisture Meters, Test Methods for, **D6782 (04.10)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**
Torque Calibration of Testing Machines and Devices, Practice for, **E2624 (03.01)**
Torque Calibration or Conformance of Rheometers, Test Method for, **E2510 (14.02)**
Validation of Empirically Derived Multivariate Calibrations, Practice for, **E2617 (03.06)**
Validation, Calibration, and Certification of Walkway Tribometers Using Reference Surfaces, Practice for, **F2508 (15.07)**
Verification of Displacement Measuring Systems and Devices Used in Material Testing Machines, Practices for, **E2309/E2309M (03.01)**
Verification of Speed for Material Testing Machines, Practices for, **E2658 (03.01)**
Verifying Performance of a Vertical Inclinometer Probe, Practice for, **D7299 (04.09)**

Calibration—acoustic emission analysis instrumentation
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Characterizing Acoustic Emission Instrumentation, Practice for, **E750 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**
Secondary Calibration of Acoustic Emission Sensors, Practice for, **E1781/E1781M (03.03)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**
Verifying Acoustic Emission Sensor Response, Practice for, **F2174 (10.03)**

Calibration—aerospace analysis instrumentation
Electrochemical Measurement of Diffusible Hydrogen in Steels (Barnacle Electrode), Test Method for, **F1113 (15.03)**

Calibration—air/atmospheric analysis instruments
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**
Calibration of Ozone Monitors and Certification of Ozone Transfer Standards Using Ultraviolet Photometry, Practice for, **D5110 (11.07)**
Calibration of Ozone Monitors Using Transfer Standards, Practices for, **D5011 (11.07)**
Calibration of Type S Pitot Tubes, Practice for, **D3796 (11.07)**
Calibration Techniques Using Permeation Tubes, Practice for, **D3609 (11.07)**
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**
Flow Rate Adjustment of Personal Sampling Pumps, Practice for, **D5337 (11.07)**
General Ambient Air Analyzer Procedures, Practice for, **D3249 (11.07)**
Intercomparing Permeation Tubes to Establish Traceability, Guide for, **D4298 (11.07)**
Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, Test Method for, **D4765 (11.07)**
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**
Minimum Ignition Energy of a Dust Cloud in Air, Test Method for, **E2019 (14.02)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Rotameter Calibration, Practice for, **D3195/D3195M (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**

Calibration—calorimeters
Heat Flow Calibration of Differential Scanning Calorimeters, Practice for, **E968 (14.02)**
Temperature Calibration of Differential Scanning Calorimeters and Differential Thermal Analyzers, Test Method for, **E967 (14.02)**

Calibration—carbon black analysis instrumentation
Carbon Black—Oil Absorption Number (OAN), Test Method for, **D2414 (09.01)**
Carbon Black—Tint Strength, Test Method for, **D3265 (09.01)**

Calibration—cement/concrete analysis instrumentation
Air Content of Freshly Mixed Concrete by the Pressure Method, Test Method for, **C231/C231M (04.02)**
Determining Consistency and Density of Roller-Compacted Concrete Using a Vibrating Table, Test Method for, **C1170/C1170M (04.02)**

Calibration—coal analysis instrumentation
Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, Test Method for, **D6347/D6347M (05.06)**
Free-Swelling Index of Coal, Test Method for, **D720 (05.06)**
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**

Calibration—electrical insulation analysis instrumentation
Calibration of Standards and Equipment for Electrical Insulating Materials Testing, Practice for, **D2865M (10.02)**

Calibration—environmental analysis instrumentation
Nonresidual Liquid Household Insecticides Against Flying Insects, Test Method for, **E652 (11.05)**
Preparing Field Sprayer Calibration Procedures, Guide for, **E549 (11.05)**
Preparing Granular Pesticide Ground Applicator Calibration Procedures, Guide for, **E550 (11.05)**

Calibration—flammability analysis instrumentation
Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, Practice for, **D5207 (08.03)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**

Calibration—food service equipment
Calibration of Microwave Ovens, Test Method for, **F1317 (15.10)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**

Calibration—forensic analysis instrumentation
Calibration and Functionality Checks Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2063 (14.02)**

Calibration—heat analysis instrumentation
See **Calibration—temperature analysis instrumentation**

Calibration—laboratory analysis instrumentation
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Calibration of Laboratory Volumetric Apparatus, Practice for, **E542 (14.04)**
Elapsed Time Calibration of Thermal Analyzers, Test Method for, **E1860 (14.02)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Force Calibration of Thermomechanical Analyzers, Test Method for, **E2206 (14.02)**
Full-Scale Oxygen Consumption Calorimetry Fire Tests, Practice for, **E2067 (04.07)**
Inspection, Calibration, and Verification of ASTM Hydrometers, Test Method for, **E126 (14.03)**
Length Change Calibration of Thermomechanical Analyzers, Test Method for, **E2113 (14.02)**
Storage Modulus Calibration of Dynamic Mechanical Analyzers, Test Method for, **E2254 (14.02)**
Temperature Calibration of Dynamic Mechanical Analyzers, Test Method for, **E1867 (14.02)**
Top-Loading, Direct-Reading Laboratory Scales and Balances, Test Method of Testing, **E898 (14.04)**
Verification and Calibration of Polarimeters, Practices for, **C1426 (15.02)**

Calibration—load testing machines
Calibration and Use of Torque Meters Used in Packaging Applications, Practice for, **D3474 (15.10)**
Calibration of Force-Measuring Instruments for Verifying the Force Indication of Testing Machines, Practice of, **E74 (03.01)**
Calibration of Surface/Stress Measuring Devices, Test Method for, **C1377 (15.02)**
Force Verification of Testing Machines, Practices for, **E4 (03.01)**
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**
Verification and Classification of Extensometer Systems, Practice for, **E83 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Calibration—medical/surgical devices/applications
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**
Calibration—metals/alloys analysis instrumentation
Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons, Test Method for, **B810 (02.04)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Electrochemical Critical Pitting Temperature Testing of Stainless Steels, Test Method for, **G150 (03.02)**
Electrochemical Measurement of Diffusible Hydrogen in Steels (Barnacle Electrode), Test Method for, **F1113 (15.03)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Heat Treatment of Magnesium Alloys, Practice for, **B661 (02.02)**
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Rockwell Hardness of Metallic Materials, Test Methods for, **E18 (03.01)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, Practice for, **A799/A799M (01.02)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**
Calibration—microscopes
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Calibrating the, Practice for, **E2530 (03.06)**
Calibrating the Magnification of a Scanning Electron Microscope, Practice for, **E766 (03.01)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Calibration—nondestructive analysis instrumentation
Computed Radiography, Guide for, **E2007 (03.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic (Eddy-Current) Examination of Copper Redraw Rod for Electrical Purposes, Practice for, **E1606 (03.03)**
Calibration—nuclear analysis instrumentation
Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, Guide for, **E2005 (12.02)**
Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, Test Method for, **E1362 (12.02)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Calibration of Pyrheliometers by Comparison to Reference Pyrheliometers, Test Method for, **E816 (14.04)**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Establishing Calibration for a Measurement Method Used to Analyze Nuclear Fuel Cycle Materials, Guide for, **C1156 (12.01)**
Measurement of, Test Method for, **C1514 (12.01)**
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Procedures for Calibrating Automatic Pedestrian SNM Monitors, Guide to, **C1189 (12.01)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Transfer of Calibration From Reference to Field Radiometers, Test Method for, **E824 (14.04)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Calibration—paints/related coatings analysis instrumentation
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Calibration—pavement testing analysis instrumentation
Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), Test Method for, **E556/E556M (04.03)**
Calibration of Systems Used for Measuring Vehicular Response to Pavement Roughness, Practice for, **E1448/E1448M (04.03)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Measurement of Vehicular Response to Traveled Surface Roughness, Test Method for, **E1082 (04.03)**
Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures, Test Method for, **D2041/D2041M (04.03)**
Calibration—petroleum analysis instrumentation
Basic Calibration of Master Viscometers and Viscosity Oil Standards, Practice for, **D2162 (05.01)**
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, Practice for, **F1460 (11.05)**
Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, Test Method for, **D2714 (05.01)**
Density and Relative Density of Crude Oils by Digital Density Analyzer, Test Method for, **D5002 (05.02)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Determination of Individual Components in Spark Ignition En-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

gine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Evaluation of Corrosiveness of Diesel Engine Oil at 135 °C, Test Method for, **D6594 (05.03)**
Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, Test Method for, **D5966 (05.02)**
Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), Test Methods for, **D6750 (05.03)**
Flash Point by Small Scale Closed Cup Tester, Test Methods for, **D3828 (05.02)**
Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity), Test Method for, **D445 (05.01)**
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Low-Temperature Torque of Grease-Lubricated Wheel Bearings, Test Method for, **D4693 (05.02)**
Measuring Apparent Viscosity of Lubricating Greases, Test Method for, **D1092 (05.01)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Optimization, Sample Handling, Calibration, and Validation of X-ray Fluorescence Spectrometry Methods for Elemental Analysis of Petroleum Products and Lubricants, Practice for, **D7343 (05.04)**
Real Density of Calcined Petroleum Coke by Xylene Displacement, Test Method for, **D5004 (05.02)**
Sodium in Residual Fuel Oil (Flame Photometric Method), Test Method for, **D1318 (05.01)**
Volumetric Measurement of Gaseous Fuel Samples, Test Methods for, **D1071 (05.06)**

Calibration—plastics analysis instrumentation
Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, Practice for, **D5207 (08.03)**

Calibration—radiographic/radioscopic analysis instrumentation
Calibration of Transmission Densitometers, Practice for, **E1079 (03.03)**
Radioscopy, Practice for, **E1255 (03.03)**

Calibration—rubber analysis instrumentation
Calibration of Braking/Tractive Measuring Devices for Testing Tires, Practice for, **F377 (09.02)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**
Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, Practice for, **F1364 (09.02)**

Calibration—semiconductor analysis instrumentation
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**

Calibration—soil/rock analysis instrumentation
Calibration of Laboratory Mechanical-Rammer Soil Compactors, Practices for, **D2168 (04.08)**
Comparing Groundwater Flow Model Simulations to Site-Specific Information, Guide for, **D5490 (04.08)**
Conducting a Sensitivity Analysis for a Groundwater Flow Model Application, Guide for, **D5611 (04.08)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**
Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, Test Method for, **D5220 (04.08)**

Calibration—sound analysis instrumentation
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**

Calibration—spectrochemical analysis instrumentation
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Calibration of the Electron Binding-Energy Scale of an X-Ray Photoelectron Spectrometer, Practice for, **E2108 (03.06)**
Describing and Measuring Performance of Laboratory Fourier Transform Near-Infrared (FT-NIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1944 (03.06)**
Determination of Various Elements by Direct Current Plasma Atomic Emission Spectrometry, Guide for, **E1097 (03.05)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Raman Shift Standards for Spectrometer Calibration, Guide for, **E1840 (03.06)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**

Calibration—spectroradiometric analysis instrumentation
Calibration of a Spectroradiometer Using a Standard Source of Irradiance, Test Method for, **G138 (14.04)**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**

Calibration—temperature analysis instrumentation
Calibrating Thin Heat Flux Transducers, Practice for, **C1130 (04.06)**
Calibration and Use of Thermocouple Reference Junction Probes in Evaluation of Electronic Reference Junction Compensation Circuits, Practice for, **E2730 (14.03)**
Calibration of Temperature Scale for Thermogravimetry, Practice for, **E1582 (14.02)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**
Inspection and Verification of Thermometers, Test Method for, **E77 (14.03)**
Mass Scale Calibration of Thermogravimetric Analyzers, Test Method for, **E2040 (14.02)**
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Temperature Calibration on Cooling of Differential Scanning Calorimeters, Test Method for, **E2069 (14.02)**
Testing Industrial Resistance Thermometers, Test Methods for, **E644 (14.03)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**

Calibration—textile analysis instrumentation
Diameter of Wool and Other Animal Fibers By Sirolan-Laserscan Fiber Diameter Analyser, Test Method for, **D6466 (07.02)**
Proficiency Test Program for Fabrics, Guide for, **D6674 (07.02)**
Standardizing Cotton Fiber Test Results by Use of Calibration Cotton Standards, Practice for, **D3025 (07.01)**
Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, Test Method for, **D5591 (07.02)**

Calibration—thermocouples
Calibration of Refractory Metal Thermocouples Using a Radiation Thermometer, Test Method for, **E452 (14.03)**
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples, Specification and, **E230/E230M (14.03)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Calibration—ultrasonic analysis instrumentation
Contact Ultrasonic Testing of Weldments, Practice for, **E164 (03.03)**
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**

Calibration—water analysis instrumentation
99 %/95 % Interlaboratory Detection Estimate (IDE) for Analytical Methods with Negligible Calibration Error, Practice for, **D6091 (11.01)**
Calibrating a Fathometer Using a Bar Check Method, Practice for, **D6318 (11.01)**
Calibrating a Ground-Water Flow Model Application, Guide for, **D5981 (04.09)**
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Turbidity Below 5 NTU in Static Mode, Test Method for, **D6855 (11.01)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
NaI(Tl) Gamma-Ray Spectrometry of Water, Practice for, **D4962 (11.02)**
On-line Determination of Sodium in Water, Test Method for, **D2791 (11.01)**
On-Line Measurement of Turbidity Below 5 NTU in Water, Test Method for, **D6698 (11.01)**
On-Line pH Measurement of Water of Low Conductivity, Test Method for, **D5128 (11.01)**

Calibration cottons
Standardizing Cotton Fiber Test Results by Use of Calibration Cotton Standards, Practice for, **D3025 (07.01)**

Calibration curve
Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, Test Method for, **D6347/D6347M (05.06)**

Calibration function/linearity
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**

Calibration of DTUL units
Deflection Temperature of Plastics Under Flexural Load in the Edgewise Position, Test Method for, **D648 (08.01)**

Calibration oils
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**

Calibration samples
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**

Calibration solutions
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**

Calibration/standardization
Annular Ball Bearings for Instruments and Precision Rotating Components, Specification for, **F2332 (01.08)**
Minimum Ignition Energy of a Dust Cloud in Air, Test Method for, **E2019 (14.02)**

California bearing ratio (CBR)
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**

California kneading compactor
Preparation of Bituminous Mixture Test Specimens by Means of California Kneading Compactor, Practice for, **D1561/D1561M (04.03)**

Californium (Cf)
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**

Caliper
Measuring Thickness of Resilient Floor Covering With Foam Layer, Test Method for, **F387 (15.04)**
Physical Dimensions of Solid Plastics Specimens, Test Methods for, **D5947 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Caliper logging
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Caliper test method
Effective Crimping on Outside Crimped Valves of Aerosol Containers, Test Methods for, **D3076 (15.10)**
Calm-air evaluation
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Calorific value
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Calorific (Heating) Value of Gases in Natural Gas Range by Continuous Recording Calorimeter, Test Method for, **D1826 (05.06)**
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Gross Calorific Value of Coal and Coke, Test Method for, **D5865 (05.06)**
Calorimeter
Sa **Thermal analysis (TA)**
Assessing Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry, Guide for, **E1981 (14.02)**
Calorific (Heating) Value of Gases in Natural Gas Range by Continuous Recording Calorimeter, Test Method for, **D1826 (05.06)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Gross Calorific Value of Coal and Coke, Test Method for, **D5865 (05.06)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), Test Method for, **D4809 (05.02)**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Nondestructive Assay of Plutonium, Tritium and 241Am by Calorimetric Assay, Test Method for, **C1458 (12.01)**
On-Line Colorimetric Measurement of Silica, Test Method for, **D7126 (11.01)**
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Thermal Conductivity of Materials Using a Thermal Capacitance (Slug) Calorimeter, Practice for, **E2584 (14.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**
Calorimeter—aerospace applications
Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, Test Method for, **E598 (15.03)**
Measuring Heat Flux Using a Copper-Constantan Circular Foil, Heat-Flux Transducer, Test Method for, **E511 (15.03)**
Measuring Heat Flux Using a Water-Cooled Calorimeter, Test Method for, **E422 (15.03)**
Measuring Heat Transfer Rate Using a Thin-Skin Calorimeter, Test Method for, **E459 (15.03)**
Measuring Heat-Transfer Rate Using a Thermal Capacitance (Slug) Calorimeter, Test Method for, **E457 (15.03)**
Oxyacetylene Ablation Testing of Thermal Insulation Materials, Test Method for, **E285 (15.03)**
Calorimeter—oxygen consumption
See **Oxygen consumption calorimetry**
Calorimetry
Determination of the Heating Value of Gaseous Fuels using Calorimetry and On-line/At-line Sampling, Practice for, **D7314 (05.06)**
Determining Flammability Characteristics of Plastics and Other Solid Materials Using Microscale Combustion Calorimetry, Test Method for, **D7309 (08.03)**
Measurement of Heat of Hydration of Hydraulic Cementitious Materials Using Isothermal Conduction Calorimetry, Test Method for, **C1702 (04.01)**
Measuring Hydration Kinetics of Hydraulic Cementitious Mixtures Using Isothermal Calorimetry, Practice for, **C1679 (04.02)**
Calorimetry (differential scanning)(DSC)
Sa **Differential scanning calorimetry (DSC)**
Colorimetry of Teeth Using Digital Still Camera Technology, Test Method for, **E2466 (06.01)**
Camber
Measurement of Camber, Cast, Helix and Direction of Helix of Coiled Wire, Test Method for, **F2754/F2754M (13.02)**
Camber tolerances
Hafnium and Hafnium Alloy Strip, Sheet, and Plate, Specification for, **B776 (02.04)**
Camel's hair
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**
Cam handles
Quick Disconnect Couplings (6 in. NPS and Smaller), Specification for, **F1122 (01.07)**
CAMI Infant Dummy-Mark II
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**
Cam lobe wer
Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, Test Method for, **D6891 (05.03)**
Camping
Measurement of Sleeping Bags, Test Method for, **F2568 (15.07)**
Campopylobacter
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
Canadian chrysotile classification
Classification of Asbestos by Quebec Standard Test, Test Method for, **D3639/D3639M (04.05)**
Canadian cube de-molding procedure
Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), Test Method for, **C109/C109M (04.01)**
Canadian textile flammability test methods
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Canal leakage
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Canal linings
See **Pond/canal/reservoir/ditch linings—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Canals
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**
Panama Canal Pilot Platform, Specification for, **F985 (01.07)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Candle burn performance
Collection and Analysis of Visible Emissions from Candles as They Burn, Test Method for, **F2326 (15.11)**
Candle-like combustion
Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), Test Method for, **D2863 (08.01)**
Candle materials/applications
Collection and Analysis of Visible Emissions from Candles as They Burn, Test Method for, **F2326 (15.11)**
Terminology Relating to Candles and Associated Accessory Items, Guide for, **F1972 (15.11)**
Candle materials/applications—specifications
Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, Specification for, **F2179 (15.11)**
Candle Fire Safety Labeling, Specification for, **F2058 (15.11)**
Fire Safety for Candle Accessories, Specification for, **F2601 (15.11)**
Candles
Fire Safety for Candle Accessories, Specification for, **F2601 (15.11)**
Fire Safety for Candles, Specification for, **F2417 (15.11)**
Canister sampling methodology
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**
Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), Test Method for, **D5466 (11.07)**
Canned lube oil pump (CLP)
Sealless Lube Oil Pump with Oil Through Motor for Marine Applications, Specification for, **F2798 (01.07)**
Cannon-Fonske viscosity
Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, Test Methods for, **D4889 (08.02)**
Polyurethane Raw Materials: Determination of Viscosity of Polyols, Test Methods for, **D4878 (08.02)**
Canopies (aerospace applications)
Inspection of Transparent Parts by Prism, Practice for, **F2108 (15.03)**
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**
Measuring Optical Distortion in Transparent Parts Using Grid Line Slope, Test Method for, **F2156 (15.03)**
Canopy fabric
Woven Awning and Canopy Fabrics, Performance Specification for, **D4847 (07.02)**
Canopy hood
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Canopy tour
Special Requirements for Aerial Adventure Courses, Practice for, **F2959 (15.07)**
Cantilever curl
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**
Cantilever testing
Apparent Bending Modulus of Plastics by Means of a Cantilever Beam, Test Method for, **D747 (08.01)**
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Measurements of Internal Stresses in Organic Coatings by Cantilever (Beam) Method, Test Method for, **D6991 (06.01)**
Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D5528 (15.03)**
Modulus of Elasticity of Thermostat Metals (Cantilever Beam Method), Test Method for, **B223 (02.04)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, Test Methods for, **D1560 (04.03)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Canyon facilities
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
CaO content
Nuclear-Grade Hafnium Oxide Powder, Specification for, **C1098 (12.01)**
Capabilities
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Capability indices
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Capacitance
Sa **Conductance and conductivity (electrical)**
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Determining the Capacitance of a Membrane Switch, Test Method for, **F1663 (10.04)**
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**
Capacitance difference/deviation/unbalance
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Capacitor discharge
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Capacitors
Sa **Electrical insulating solids**
Aluminum Foil for Capacitors, Specification for, **B373 (02.02)**
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Continuity of Quality of Electrical Insulating Polybutene Oil for Capacitors, Specification for, **D2296 (10.03)**
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Dissipation Factor and Permittivity (Dielectric Constant) of Mica, Test Method for, **D1082 (10.01)**
Gas Content of Cable and Capacitor Oils, Test Method for, **D831/D831M (10.03)**
In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, Test Method for, **D7698 (04.09)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors, Specification for, **D748 (10.01)**
Silicone Fluid Used for Electrical Insulation, Specification for, **D4652 (10.03)**
Synthetic Dielectric Fluids For Capacitors, Test Methods for, **D3809 (10.03)**

Capacitor tissue
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Capacity
Disposable Glass Micropipets, Specification for, **E672 (14.04)**
Measurement of Backpack Capacity, Test Method for, **F2153 (15.07)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Capillary condensation
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**

Capillary electrophoresis
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Capillary Electrophoresis with Normal Voltage Mode, Test Method for, **D7882 (06.04)**
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Capillary Electrophoresis with Reverse Voltage Mode, Test Method for, **D7881 (06.04)**

Capillary films
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Capillary flow
Sa **Flow and flow rate**
Pore Size Characteristics of Geotextiles by Capillary Flow Test, Test Method for, **D6767 (04.13)**

Capillary gas chromatography
Sa **Gas chromatography (GC)**
Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, Test Method for, **D5713 (06.04)**
Analysis of High-Purity n-Heptane and Isooctane by Capillary Gas Chromatography, Test Method for, **D2268 (05.01)**
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
Analysis of Styrene by Capillary Gas Chromatography, Test Method for, **D5135 (06.04)**
Analysis of Toluene by Capillary Column Gas Chromatography, Test Method for, **D6526 (06.04)**
Benzene, Toluene, Xylene (BTX) Concentrates Analysis by Gas Chromatography, Test Method for, **D6563 (06.04)**
Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, Test Methods for, **D6387 (06.03)**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**
Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, Test Method for, **D5507 (08.03)**
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Estimation of Engine Oil Volatility by Capillary Gas Chromatography, Test Method for, **D6417 (05.03)**
Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, Test Methods for, **D5974 (06.03)**
Installing Fused Silica Open Tubular Capillary Columns in Gas Chromatographs, Practice for, **E1510 (03.06)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Purity of Isophorone by Capillary Gas Chromatography, Test Method for, **D7090 (06.04)**
Tar Acid Composition by Capillary Gas Chromatography, Test Method for, **D5310 (06.04)**
Trace Benzene in Hydrocarbon Solvents by Capillary Gas Chromatography, Test Method for, **D6229 (06.04)**

Capillary ion electrophoresis (CIE)
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**

Capillary joints
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**

Capillary method
Measuring Apparent Viscosity at High-Temperature and High-Shear Rate by Multicell Capillary Viscometer, Test Method for, **D5481 (05.02)**
Measuring Apparent Viscosity of Lubricating Greases, Test Method for, **D1092 (05.01)**

Capillary-moisture relations
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
Indicating Moisture in Concrete by the Plastic Sheet Method, Test Method for, **D4263 (06.02)**

Capillary processing
Hard-Drawn Copper Capillary Tube for Restrictor Applications, Specification for, **B360 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**

Capillary rheometer method
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**
Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, Test Method for, **D5422 (08.03)**
Rubber—Measurement of Processing Properties Using Capillary Rheometry, Test Methods for, **D5099 (09.01)**

Capillary tubes
Disposable Glass Blood Sample Capillary Tube (Microhematocrit), Specification for, **E734 (14.04)**

Capillary uptake (wicking)
Rate of Water Absorption of Masonry Mortars, Test Method for, **C1403 (04.05)**

Capillary viscometers
See **Viscometers—capillary**

Capitella capitata
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Capped steel
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
Capping concrete materials/applications
Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing, Practice for, **C1552 (04.05)**
Capping Cylindrical Concrete Specimens, Practice for, **C617/C617M (04.02)**
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, Practice for, **C1231/C1231M (04.02)**
Capping prisms
Compressive Strength of Masonry Prisms, Test Method for, **C1314 (04.05)**
Caps
See **Closures (child-resistant)**
Cap sheets
Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing, Test Methods for, **D228/D228M (04.04)**
Capsicum
Sensory Evaluation of Low Heat Chilies, Test Method for, **E1395 (15.08)**
Sensory Evaluation of Oleoresin Capsicum, Test Method for, **E1396 (15.08)**
Capstan head drive units
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**
Capstan method
Coefficient of Friction, Yarn to Yarn, Test Method for, **D3412/D3412M (07.01)**
Capstock
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, Specification for, **F964 (01.06)**
Capsular damage resistance
Determining the Resistance of Carbonless Papers to Capsular Damage, Practice for, **F598 (15.09)**
Capsule filters
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**
Carabiner
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Carabiners
Climbing and Mountaineering Carabiners, Specification for, **F1774 (13.02)**
Rescue Carabiners, Specification for, **F1956 (13.02)**
Caraway pipets
Sa **Pipets (laboratory)—specifications**
Disposable Glass Micro Blood Collection Pipets, Specification for, **E787 (14.04)**
Carbamates
Determination of Aldicarb, Aldicarb Sulfone, Aldicarb Sulfoxide, Carbofuran, Methomyl, Oxamyl, and Thiofanox in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7645 (11.02)**
Determination of Aldicarb, Carbofuran, Oxamyl and Methomyl by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7600 (11.02)**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Carbamoyl chloride
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Carbide banding
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Carbide precipitation
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**
Carbides
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**
Carbohydrate distribution
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Carbon
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**
Air Oxidation of Carbon and Graphite in the Kinetic Regime, Test Method for, **D7542 (05.05)**
Apparatus For Microdetermination of Carbon and, Specification for, **E191 (14.04)**
Ash in a Graphite Sample, Test Method for, **C561 (05.05)**
Bulk Density by Physical Measurements of Manufactured Carbon and Graphite Articles, Test Method for, **C559 (05.05)**
Bulk Density of As-Manufactured Carbon and Graphite Shapes, Test Method for, **C838 (05.05)**
Carbon Content in Carbon Black Feedstock Oils, Test Method for, **D7662 (09.01)**
Compressive Strength of Carbon and Graphite, Test Method for, **C695 (05.05)**
Core Sampling of Graphite Electrodes, Practice for, **C783 (05.05)**
Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique, Practice for, **D3860 (15.01)**
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
Electrical Resistivity of Manufactured Carbon and Graphite Articles at Room Temperature, Test Method for, **C611 (05.05)**
Flexural Strength of Manufactured Carbon and Graphite Articles Using Four-Point Loading at Room Temperature, Test Method for, **C651 (05.05)**
Impervious Graphite Pipe and Threading, Specification for, **C662 (05.05)**
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**
Manufactured Carbon and Graphite, Terminology Relating to, **C709 (05.05)**
Measurements on Small Graphite Specimens, Guide for, **D7775 (05.05)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Modulus of Rupture in Bending of Electrode Graphite, Test Method for, **C1025 (05.05)**
Oxidation Mass Loss of Manufactured Carbon and Graphite Materials in Air, Test Method for, **C1179 (05.05)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Real Density of Calcined Petroleum Coke by Xylene Displacement, Test Method for, **D5004 (05.02)**
Reporting Friction and Wear Test Results of Manufactured Car-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

bon and Graphite Bearing and Seal Materials, Guide for, **C808 (05.05)**
Rockwell Hardness of Graphite Materials, Test Method for, **C748 (05.05)**
Scleroscope Hardness Testing of Carbon and Graphite Materials, Test Method for, **C886 (05.05)**
Sonic Velocity in Manufactured Carbon and Graphite Materials for Use in Obtaining an Approximate Young's Modulus, Test Method for, **C769 (05.05)**
Tensile Stress-Strain of Carbon and Graphite, Test Method for, **C749 (05.05)**
Tension Testing of Carbon and Graphite Mechanical Materials, Test Methods for, **C565 (05.05)**
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Thermal Diffusivity of Carbon and Graphite by Thermal Pulse Method, Test Method for, **C714 (05.05)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection, Test Method for, **D7573 (11.02)**
Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners, Specification for, **F2329 (01.08)**

Carbon-13 nuclear magnetic resonance spectroscopy
Sa **Nuclear magnetic resonance (NMR) spectrometry**
Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance, Test Method for, **D5017 (08.02)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**

Carbon-13 single pulse mode
Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, Practice for, **E386 (03.06)**

Carbon-14 removal
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Carbonaceous aerosols
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**

Carbonaceous matter content
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**

Carbonaceous residue
Sa **Residue—petroleum products**
Conradson Carbon Residue of Petroleum Products, Test Method for, **D189 (05.01)**

Carbon and graphite manufactured products
Sa **Graphite**
Ash in a Graphite Sample, Test Method for, **C561 (05.05)**

Carbon anodes
Determination of Grain Stability of Calcined Petroleum Coke, Test Method for, **D6791 (05.03)**
Determination of TGA CO, Test Method for, **D6558 (05.03)**
Determination of Thermogravimetric (TGA) Air Reactivity of Baked Carbon Anodes and Cathode Blocks, Test Method for, **D6559 (05.03)**
Electrical Resistivity of Anode and Cathode Carbon Material at Room Temperature, Test Method for, **D6120 (05.02)**
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**
Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, Guide for, **D6353 (05.03)**

Carbon-arc light exposure
Accelerated Weathering of Pressure-Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus, Practice for, **D3815/D3815M (15.10)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Enclosed Carbon-Arc Exposures of Plastics, Practice for, **D6360 (08.03)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Exposure of Adhesive Specimens to Artificial Light, Practice for, **D904 (15.06)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Filtered Open-Flame Carbon-Arc Exposures of Plastics, Practice for, **D1499 (08.01)**
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**

Carbonate aggregates
Insoluble Residue in Carbonate Aggregates, Test Method for, **D3042 (04.03)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Potential Alkali Reactivity of Carbonate Rocks as Concrete Aggregates (Rock-Cylinder Method), Test Method for, **C586 (04.02)**

Carbonate content
Carbonate Content of Soils, Test Method for Rapid Determination of, **D4373 (04.08)**
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Determination of Total, Combustible and Carbonate Carbon in Solid Residues from Coal and Coke, Test Method for, **D6316 (05.06)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**
Total and Dissolved Carbon Dioxide in Water, Test Methods for, **D513 (11.01)**

Carbonate rock
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**

Carbonate sand beach
See **Beaches**

Carbonation volume
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**

Carbon black
Absorption Coefficient of Ethylene Polymer Material Pigmented with Carbon Black, Test Method for, **D3349 (10.02)**
Carbon Black, Terminology Relating to, **D3053 (09.01)**
Carbon Black Evaluation in NR (Natural Rubber), Test Methods for, **D3192 (09.01)**
Carbon Black Extractables – Absorbance of Cyclohexane Extract, Test Method for, **D7772 (09.01)**
Carbon Black Extractables—Transmittance of Toluene Extract, Test Method for, **D1618 (09.01)**
Carbon Black in SBR (Styrene-Butadiene Rubber)—Recipe and Evaluation Procedures, Test Methods for, **D3191 (09.01)**
Carbon Black—Ash Content, Test Methods for, **D1506 (09.01)**
Carbon Black—Automated Individual Pellet Hardness, Test Method for, **D5230 (09.01)**
Carbon Black—Calculation of Process Indexes From an Analysis

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

of Process Control Data, Practice for, **D4583 (09.01)**
Carbon Black—Carbon Content, Test Method for, **D7633 (09.01)**
Carbon Black—Dispersion in Rubber, Test Methods for, **D2663 (09.01)**
Carbon Black—Evaluation of an Industry Reference Black, Practice for, **D4122 (09.01)**
Carbon Black—Evaluation of Standard Reference Blacks, Practice for, **D6915 (09.01)**
Carbon Black—Heating Loss, Test Methods for, **D1509 (09.01)**
Carbon Black—Iodine Adsorption Number, Test Method for, **D1510 (09.01)**
Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy, Test Method for, **D3849 (09.01)**
Carbon Black—Non-Dispersible Matter by Mechanical Flushing (NDM), Test Method for, **D7724 (09.01)**
Carbon Black—Oil Absorption Number (OAN), Test Method for, **D2414 (09.01)**
Carbon Black—Oil Absorption Number of Compressed Sample (COAN), Test Method for, **D3493 (09.01)**
Carbon Black—pH Value, Test Methods for, **D1512 (09.01)**
Carbon Black—Sieve Residue, Test Method for, **D1514 (09.01)**
Carbon Black—Solvent Extractables, Test Method for, **D4527 (09.01)**
Carbon Black—Sulfur Content, Test Methods for, **D1619 (09.01)**
Carbon Black—Tint Strength, Test Method for, **D3265 (09.01)**
Carbon Black—Total and External Surface Area by Nitrogen Adsorption, Test Method for, **D6556 (09.01)**
Carbon Black—Validation of Test Method Precision and Bias, Guide for, **D4821 (09.01)**
Carbon Black—Void Volume (VV), Test Method for, **D6086 (09.01)**
Carbon Black-Void Volume at Mean Pressure, Test Method for, **D7854 (09.01)**
Carbon Blacks Used in Rubber Products, Classification System for, **D1765 (09.01)**
Determination of Benzo-α-Pyrene (BaP) Content in Carbon Black, Test Method for, **D7771 (09.01)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics, Test Method For, **D5596 (04.13)**
Nomenclature of Reference Materials of Committee D24, Classification for, **D7849 (09.01)**
Rubber PropertyExtrudability of Unvulcanized Compounds, Test Method for, **D2230 (09.01)**
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**
Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Copolymers) Mixed With Carbon Black, Test Methods for, **D3848 (09.01)**
Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Mixed With Carbon Black or Carbon Black and Oil, Test Methods for, **D3186 (09.01)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Sulfur Content in Carbon Black Feedstock Oils, Test Method for, **D7679 (09.01)**

Carbon black—pelleted
Carbon Black—Automated Individual Pellet Hardness, Test Method for, **D5230 (09.01)**
Carbon Black—Individual Pellet Hardness, Test Method for, **D3313 (09.01)**
Carbon Black—Pellet Size Distribution, Test Method for, **D1511 (09.01)**
Carbon Black, Pelleted Fines and Attrition, Test Method for, **D1508 (09.01)**
Carbon Black, Pelleted—Mass Strength, Test Method for, **D1937 (09.01)**
Carbon Black, Pelleted—Pour Density, Test Method for, **D1513 (09.01)**
Carbon Black, Pelleted—Reduction, Blending, and Drying of Gross Samples for Testing, Practice for, **D5817 (09.01)**

Carbon black content
Carbon Black Content in Olefin Plastics, Test Method for, **D1603 (08.01)**
Carbon Black—Carbon Content, Test Method for, **D7633 (09.01)**
Carbon Content in Carbon Black Feedstock Oils, Test Method for, **D7662 (09.01)**
Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique, Test Method for, **D4218 (08.02)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Solvent-Extractable Material in Black Pigments, Test Method for, **D305 (06.03)**

Carbon black dispersion
Sampling and Testing of Possible Carbon Black Fugitive Emissions or Other Environmental Particulate, or Both, Practice for, **D6602 (09.01)**

Carbon black mixtures
Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Copolymers) Mixed With Carbon Black, Test Methods for, **D3848 (09.01)**
Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Mixed With Carbon Black or Carbon Black and Oil, Test Methods for, **D3186 (09.01)**

Carbon black pigment
Carbon Black Pigment for Paint, Specification for, **D561 (06.03)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Solvent-Extractable Material in Black Pigments, Test Method for, **D305 (06.03)**

Carbon black precision evaluation
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**

Carbon black sampling
Carbon Black—Calculation of Process Indexes From an Analysis of Process Control Data, Practice for, **D4583 (09.01)**
Carbon Black—Sampling Bulk Shipments, Practice for, **D1900 (09.01)**
Carbon Black—Sampling Packaged Shipments, Practice for, **D1799 (09.01)**
Carbon Black, Pelleted—Reduction, Blending, and Drying of Gross Samples for Testing, Practice for, **D5817 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Sampling and Testing of Possible Carbon Black Fugitive Emissions or Other Environmental Particulate, or Both, Practice for, **D6602 (09.01)**

Carbon-boron steel
Anchor Bolts, Steel, 36, 55, and 105-ksi Yield Strength, Specification for, **F1554 (01.08)**
Steel Bars Subject to Restricted End-Quench Hardenability Requirements, Specification for, **A914/A914M (01.05)**

Carbon brick
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Chemical-Resistant Carbon Brick, Specification for, **C1160 (04.05)**
Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, Practice for, **C1190 (15.01)**

Carbon cathode blocks
Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, Guide for, **D6354 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Carbon-containing materials/applications
Modulus of Rupture of Carbon-Containing Refractory Materials at Elevated Temperatures, Test Method for, **C1099 (15.01)**
Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, Test Methods for, **C831 (15.01)**
Carbon content
Carbon and Hydrogen in the Analysis Sample of Refuse-Derived Fuel, Test Method for, **E777 (11.04)**
Carbon Black—Carbon Content, Test Method for, **D7633 (09.01)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder, Test Methods for, **C1494 (15.01)**
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, Test Methods for, **C831 (15.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Carbon content—coal/coke
Determination of Carbon, Hydrogen and Nitrogen in Analysis Samples of Coal and Carbon in Analysis Samples of Coal and Coke, Test Methods for, **D5373 (05.06)**
Proximate Analysis of Coal and Coke, Practice for, **D3172 (05.06)**
Carbon content—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, Test Methods for, **E1915 (03.05)**
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Determination of Carbon in Refractory and Reactive Metals and Their Alloys by Combustion Analysis, Test Method for, **E1941 (03.05)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Determination of Total Carbon in Mold Powders by Combustion, Test Method for, **E2050 (03.05)**
Carbon content—nuclear materials
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Carbon (Total) in Uranium Oxide Powders and Pellets By Direct Combustion-Infrared Detection Method, Test Method for, **C1408 (12.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**
Carbon content—petroleum products
Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D5292 (05.02)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Carbon content—plastic materials
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**
Determining the Biobased Content of Solid, Liquid, and Gaseous Samples Using Radiocarbon Analysis, Test Methods for, **D6866 (08.03)**
Carbon content—water
Low Level Determination of Total Carbon, Inorganic Carbon and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D6317 (11.01)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
On-Line Monitoring of Total Carbon, Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5997 (11.01)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**
Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5904 (11.02)**
Carbon conversion
Determining Anaerobic Biodegradation of Plastic Materials Under High-Solids Anaerobic-Digestion Conditions, Test Method for, **D5511 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Carbon deposits
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Carbon dioxide
Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Carbon Black—Carbon Content, Test Method for, **D7633 (09.01)**
Collection of Integrated Samples for the Speciation of Biomass (Biogenic) and Fossil-Derived Carbon Dioxide Emitted from Stationary Emissions Sources, Practice for, **D7459 (11.07)**
Determination of TGA CO, Test Method for, **D6558 (05.03)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Determining Biodegradability of Materials Exposed to Municipal Solid Waste Composting Conditions by Compost Respirometry, Test Method for, **D5929 (11.04)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Purity of Carbon Dioxide Used in Supercritical Fluid Applications, Guide for, **E1747 (03.06)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection, Test Method for, **D7573 (11.02)**
Transfilling and Safe Handling of Small CO, Practice for, **F2856 (15.07)**
Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality and Ventilation, Guide for, **D6245 (11.07)**
Carbon dioxide (CO_2) leak testing
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Carbon dioxide content
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**
Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, Test Method for, **D5210 (08.03)**
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Total and Dissolved Carbon Dioxide in Water, Test Methods for, **D513 (11.01)**
Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5904 (11.02)**
Carbon dioxide content—natural gas
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Carbon Dioxide in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4984 (05.06)**
Carbon dioxide gas transmission rate
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2476 (15.10)**
Carbon dioxide gravimetry
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Carbon dioxide guns
See **Consumer safety specifications (guns)**
Carbon dioxide loss
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Carbon distribution
Analysis of Petroleum Waxes by Gas Chromatography, Test Method for, **D5442 (05.02)**
Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, Test Method for, **D3238 (05.01)**
Carbon disulfide
Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, Test Method for, **D7652 (05.06)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**
Carbon disulfide extraction
Rubber Chemicals—Determination of Percent Sulfur by Extraction, Test Methods for, **D4578 (09.01)**
Carbon electrodes
See **Graphite electrodes**
Carbon fiber-epoxy prepregs
Constituent Content of Composite Prepreg, Test Methods for, **D3529M (15.03)**
Constituent Content of Composite Prepreg by Soxhlet Extraction, Test Method for, **C613 (15.03)**
Gel Time of Carbon Fiber-Epoxy Prepreg, Test Method for, **D3532/D3532M (15.03)**
Resin Flow of Carbon Fiber-Epoxy Prepreg, Test Method for, **D3531/D3531M (15.03)**
Volatiles Content of Composite Material Prepreg, Test Method for, **D3530 (15.03)**
Carbon fiber reinforced pipe
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Carbon fibers
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**
Carbon forms
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**
Carbonic acid
Total and Dissolved Carbon Dioxide in Water, Test Methods for, **D513 (11.01)**
Carbon isotope analysis
Sampling and Reporting of Results for Determination of Percent Biobased Content of Materials via Carbon Isotope Analysis, Guide for, **D7026 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Carbonizable matter
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Carbonizable Substances in Paraffin Wax, Test Method for, **D612 (05.01)**
Carbonizable Substances in White Mineral Oil, Test Method for, **D565 (05.01)**
Carbonizing tissue
One-Time Carbonizing Tissue for Pinholes, Practice for Testing, **F509 (15.09)**
Carbon-manganese steel—specifications
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, Specification for, **A662/A662M (01.04)**
Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, Quenched and Tempered, for Welded Pressure Vessels, Specification for, **A724/A724M (01.04)**
Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, Specification for, **A537/A537M (01.04)**
Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, Specification for, **A738/A738M (01.04)**
Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, Specification for, **A1020/A1020M (01.01)**
Carbon-molybdenum alloy steel—specifications
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Seamless Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes, Specification for, **A209/A209M (01.01)**
Carbon monoxide (CO)
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Disintegration of Refractories in an Atmosphere of Carbon Monoxide, Test Method for, **C288 (15.01)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Investigation of Investigating Carbon Monoxide Poisoning Incidents, Practice for, **E2292 (14.02)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**
Carbon paper
Amount of Ink Deposit on Carbon Paper and Inked Ribbons, Other Than Fabric Type, Practice for, **F129 (15.09)**
Carbon Paper and Inked Ribbon Products and Images Made Therefrom, Terminology Relating to, **F221 (15.09)**
Carbon reactivation
Carbon Reactivation, Guide for, **D6781 (15.01)**
Carbon refractories
See **Refractories (carbon/carbon-bearing)**
Carbon residue (petroleum products)
Coking Value of Tar and Pitch (Modified Conradson), Test Method for, **D2416 (05.01)**
Conradson Carbon Residue of Petroleum Products, Test Method for, **D189 (05.01)**
Ramsbottom Carbon Residue of Petroleum Products, Test Method for, **D524 (05.01)**
Carbon steel
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Low-Alloy Steels by X-Ray Fluorescence Spectrometry, Test Method for, **E1085 (03.05)**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1852 (03.05)**
Drop-Weight Tear Tests of Ferritic Steels, Test Method for, **E436 (03.01)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
Inch Series Machine Screws, Carbon Steel, 60 000 psi Tensile Strength, Specification for, **F2403 (01.08)**
Multilayer Thermoplastic And Flexible Steel Pipe And Connections, Specification for, **F2805 (08.04)**
Preparation of High-Carbon Steel for Electroplating, Guide for, **B242 (02.05)**
Preparation of Low-Carbon Steel for Electroplating, Practice for, **B183 (02.05)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Steel, Stainless Steel, Related Alloys, and Ferroalloys, Terminology Relating to, **A941 (01.01, 01.02, 01.03, 01.04, 01.05)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Carbon steel—specifications
Design and Installation of Overboard Discharge Hull Penetration Connections, Specification for, **F994 (01.07)**
High Hardenability Antifriction Bearing Steel, Specification for, **A485 (01.05)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Medium Carbon Anti-Friction Bearing Steel, Specification for, **A866 (01.05)**
Tool Steel, Carbon, Specification for, **A686 (01.05)**
Carbon steel alloys
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Carbon steel bars/shapes—specifications
Carbon and Alloy Steel Bars for Springs, Specification for, **A689 (01.05)**
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
Cold-Drawn, Stress-Relieved Carbon Steel Bars Subject to Mechanical Property Requirements, Specification for, **A311/A311M (01.05)**
Common Requirements for Bolting Intended for Use at Any

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Heat-Treated Carbon Steel Joint Bars, Microalloyed Joint Bars, and Forged Carbon Steel Compromise Joint Bars, Specification for, **A49 (01.04)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
Steel Bar, Carbon and Alloy, Cold-Finished, Specification for, **A108 (01.05)**
Steel Bars and Shapes, Carbon Rolled from "T" Rails, Specification for, **A499 (01.05)**
Steel Bars Subject to Restricted End-Quench Hardenability Requirements, Specification for, **A914/A914M (01.05)**
Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for, Specification for, **A29/A29M (01.05)**
Steel Bars, Carbon, Hot-Wrought or Cold-Finished, Special Quality, for Pressure Piping Components, Specification for, **A696 (01.05)**
Steel Bars, Carbon, Hot-Wrought, Special Quality, Specification for, **A576 (01.05)**
Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties, Specification for, **A675/A675M (01.05)**
Steel Bars, Carbon, Merchant Quality, M-Grades, Specification for, **A575 (01.05)**
Steel Bars, Carbon, Merchant Quality, Mechanical Properties, Specification for, **A663/A663M (01.05)**
Steel Bars, Microalloy, Hot-Wrought, Special Quality, for Subsequent Hot Forging, Specification for, **A921/A921M (01.05)**
Steel Bars, Microalloy, Hot-Wrought, Special Quality, Mechanical Properties, Specification for, **A920/A920M (01.05)**
Steel Joint Bars, Low, Medium, and High Carbon (Non-Heat-Treated), Specification for, **A3 (01.04)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

Carbon steel bolting materials
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**

Carbon steel bolting materials—specifications
Anchor Bolts, Steel, 36, 55, and 105-ksi Yield Strength, Specification for, **F1554 (01.08)**
Carbon and Alloy Steel Nuts, Specification for, **A563 (01.08)**
Carbon and Alloy Steel Nuts (Metric), Specification for, **A563M (01.08)**
Carbon and Alloy Steel Nuts for Bolts for High Pressure or High Temperature Service, or Both, Specification for, **A194/A194M (01.01)**
Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength, Specification for, **A307 (01.08)**
Carbon Steel Lifting Eyes, Specification for, **A489 (01.08)**
Carbon Steel Track Bolts and Nuts, Specification for, **A183 (01.04)**
Hex Cap Screws, Bolts and Studs, Steel, Heat Treated, 120/105/90 ksi Minimum Tensile Strength, General Use, Specification for, **A449 (01.08)**

Carbon steel castings
Castings, Carbon, Low-Alloy, and Martensitic Stainless Steel, Ultrasonic Examination Thereof, Practice for, **A609/A609M (01.02)**

Carbon steel castings—specifications
Castings, Investment, Carbon and Low Alloy Steel for General Application, and Cobalt Alloy for High Strength at Elevated Temperatures, Specification for, **A732/A732M (01.02)**
Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A958/A958M (01.02)**
Steel Castings, Carbon, and Alloy, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A915/A915M (01.02)**
Steel Castings, Carbon, for General Application, Specification for, **A27/A27M (01.02)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Steel Castings, Carbon, Suitable for Fusion Welding, for High-Temperature Service, Specification for, **A216/A216M (01.02)**
Steel Castings, High Strength, for Structural Purposes, Specification for, **A148/A148M (01.02)**

Carbon steel chain—specifications
Carbon Steel Chain, Specification for, **A413/A413M (01.05)**
Machine and Coil Chain, Specification for, **A467/A467M (01.05)**
Weldless Chain, Specification for, **A466/A466M (01.05)**

Carbon steel crankshafts—specifications
Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, Specification for, **A983/A983M (01.05)**

Carbon steel flanges/fittings/valves/parts—specifications
Carbon and Alloy Steel Nuts for Bolts for High Pressure or High Temperature Service, or Both, Specification for, **A194/A194M (01.01)**
Carbon Steel Forgings for Piping Applications, Specification for, **A105/A105M (01.01)**
Carbon Steel Forgings for Piping Components with Inherent Notch Toughness, Specification for, **A727/A727M (01.01)**
Carbon Steel Forgings, for General-Purpose Piping, Specification for, **A181/A181M (01.01)**
Forged Carbon and Alloy Steel Flanges for Low-Temperature Service, Specification for, **A707/A707M (01.01)**
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Large–Diameter Fabricated Carbon Steel Flanges, Specification for, **F1311 (01.07)**

Carbon steel forgings—specifications
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Specification for, **A288 (01.05)**
Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, Specification for, **A694/A694M (01.01)**
Carbon and Alloy Steel Forgings for Rings for Reduction Gears, Specification for, **A290/A290M (01.05)**
Carbon and Alloy Steel Forgings for Thin-Walled Pressure Vessels, Specification for, **A372/A372M (01.05)**
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
Carbon Steel and Low-Alloy Steel Pressure-Vessel-Component Forgings with Mandatory Toughness Requirements, Specification for, **A765/A765M (01.05)**
Carbon Steel Forgings for Piping Applications, Specification for, **A105/A105M (01.01)**
Carbon Steel Forgings for Piping Components with Inherent Notch Toughness, Specification for, **A727/A727M (01.01)**
Carbon Steel Forgings for Pressure Vessel Components, Specification for, **A266/A266M (01.05)**
Carbon Steel Forgings, for General-Purpose Piping, Specification for, **A181/A181M (01.01)**
High-Strength Quenched and Tempered Low-Alloy Steel Forged Parts for Pressure Vessels, Specification for, **A592/A592M (01.05)**
Quenched and Tempered Carbon and Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A541/A541M (01.05)**
Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, Specification for, **A508/A508M (01.05)**
Steel Bars, Carbon, Hot-Wrought, Special Quality, Specification for, **A576 (01.05)**
Steel Forging Stock, Specification for, **A711/A711M (01.05)**
Steel Forgings, Alloy, for Carburizing Applications, Specification for, **A837/A837M (01.05)**
Steel Forgings, Carbon and Alloy, for General Industrial Use, Specification for, **A668/A668M (01.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, Specification for, **A291/A291M (01.05)**
Steel Forgings, Microalloy, for General Industrial Use, Specification for, **A909/A909M (01.05)**
Titanium-Stabilized Carbon Steel Forgings for Glass-Lined Piping and Pressure Vessel Service, Specification for, **A836/A836M (01.01)**
Tool Steel, Carbon, Specification for, **A686 (01.05)**
Vacuum-Treated 12% Chromium Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A768/A768M (01.05)**
Vacuum-Treated Carbon and Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A470/A470M (01.05)**

Carbon steel pipe
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**
Use of Branch Connections, Practice for, **F681 (01.07)**

Carbon steel pipe—specifications
Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures, Specification for, **A691/A691M (01.01)**
Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service, Specification for, **A369/A369M (01.01)**
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
Carbon Steel Forgings for Piping Applications, Specification for, **A105/A105M (01.01)**
Carbon Steel Forgings for Piping Components with Inherent Notch Toughness, Specification for, **A727/A727M (01.01)**
Carbon Steel Forgings, for General-Purpose Piping, Specification for, **A181/A181M (01.01)**
Centrifugally Cast Carbon Steel Pipe for High-Temperature Service, Specification for, **A660/A660M (01.02)**
Electric-Resistance-Welded Low-Carbon Steel Pipe for the Chemical Industry, Specification for, **A587 (01.01)**
General Requirements for Specialized Carbon and Alloy Steel Pipe, Specification for, **A530/A530M (01.01)**
Large–Diameter Fabricated Carbon Steel Flanges, Specification for, **F1311 (01.07)**
Seamless and Welded Carbon Steel Water-Well Pipe, Specification for, **A589/A589M (01.01)**
Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, Specification for, **A333/A333M (01.01)**
Seamless Carbon Steel Pipe for Atmospheric and Lower Temperatures, Specification for, **A524 (01.01)**
Seamless Carbon Steel Pipe for High-Temperature Service, Specification for, **A106/A106M (01.01)**
Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**
Wrought Carbon Steel Sleeve-Type Pipe Couplings, Specification for, **F682 (01.07)**

Carbon steel pipe fittings—specifications
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service, Specification for, **A420/A420M (01.01)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and High Temperature Service, Specification for, **A234/A234M (01.01)**
Wrought-Carbon Steel Butt-Welding Piping Fittings with Improved Notch Toughness, Specification for, **A758/A758M (01.01)**

Carbon steel plate
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Carbon steel plate—specifications
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
Hot-Rolled Carbon, Low-Alloy, High-Strength Low-Alloy, and Alloy Steel Floor Plates, Specification for, **A786/A786M (01.04)**
Low and Intermediate Tensile Strength Carbon Steel Plates, Specification for, **A283/A283M (01.04)**
Plates, Carbon Steel, for Forging and Similar Applications, Specification for, **A827/A827M (01.04)**
Plates, Carbon Steel, Structural Quality, Furnished to Chemical Composition Requirements, Specification for, **A830/A830M (01.04)**
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Pressure Vessel Plates, Carbon Steel, for Intermediate- and Higher-Temperature Service, Specification for, **A515/A515M (01.04)**
Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service, Specification for, **A516/A516M (01.04)**
Pressure Vessel Plates, Carbon Steel, High Strength, for Moderate and Lower Temperature Service, Specification for, **A612/A612M (01.04)**
Pressure Vessel Plates, Carbon Steel, High-Strength Manganese, Specification for, **A455/A455M (01.04)**
Pressure Vessel Plates, Carbon Steel, Low- and Intermediate-Tensile Strength, Specification for, **A285/A285M (01.04)**
Pressure Vessel Plates, Carbon Steel, Manganese-Silicon, Specification for, **A299/A299M (01.04)**
Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings, Specification for, **A562/A562M (01.04)**
Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, Specification for, **A662/A662M (01.04)**
Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, Quenched and Tempered, for Welded Pressure Vessels, Specification for, **A724/A724M (01.04)**
Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, Specification for, **A537/A537M (01.04)**
Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, Specification for, **A738/A738M (01.04)**
Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**
Steel Tie Plates, Low-Carbon and High-Carbon-Hot-Worked, Specification for, **A67 (01.04)**
Straight-Beam Ultrasonic Examination of Steel Plates, Specification for, **A435/A435M (01.04)**
Structural Carbon Steel Plates of Improved Toughness, Specification for, **A573/A573M (01.04)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

Carbon steel post
Flanged Steel U-Channel Posts, Specification for, **A1075 (01.05)**

Carbon steel railroad materials—specifications
Carbon Steel Chain, Specification for, **A413/A413M (01.05)**
Carbon Steel Girder Rails of Plain, Grooved, and Guard Types, Specification for, **A2 (01.04)**
Carbon Steel Tee Rails, Specification for, **A1 (01.04)**

Carbon steel sheet—specifications
Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types, Specification for, **A726 (03.04)**
Commercial Steel (CS), Sheet, Carbon (0.16 % Maximum to 0.25 % Maximum), Cold-Rolled, Specification for, **A794/A794M (01.03)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Metal, Expanded, Steel, Specification for, **F1267 (01.03)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**
Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members, Specification for, **A1003/A1003M (01.06)**
Steel, Sheet, Carbon, and High-Strength, Low-Alloy for Pressure Vessels, Specification for, **A414/A414M (01.03)**
Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A568/A568M (01.03)**
Steel, Sheet, Carbon, Ultra High Strength Cold Rolled, Specification for, **A980/A980M (01.03)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**
Steel, Sheet, Hot Rolled, Carbon, Commercial, Structural, and High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1039/A1039M (01.03)**

Carbon steel sheet/strip—specifications
Commercial Steel (CS), Sheet and Strip, Carbon (0.16 Maximum to 0.25 Maximum Percent), Hot-Rolled, Specification for, **A659/A659M (01.03)**
Metal, Expanded, Steel, Specification for, **F1267 (01.03)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for, Specification for, **A635/A635M (01.03)**
Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1011/A1011M (01.03)**
Steel, Strip, Carbon (0.25 Maximum Percent), Cold-Rolled, Specification for, **A109/A109M (01.03)**
Steel, Strip, Carbon and High-Strength, Low-Alloy, Hot-Rolled, General Requirements for, Specification for, **A749/A749M (01.03)**

Carbon steel tube
Use of Branch Connections, Practice for, **F681 (01.07)**

Carbon steel tube—specifications
Cold-Drawn Buttweld Carbon Steel Mechanical Tubing, Specification for, **A512 (01.01)**
Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes, Specification for, **A500/A500M (01.01)**
Commercial Steel (CS), Sheet, Carbon (0.16 % Maximum to 0.25 % Maximum), Cold-Rolled, Specification for, **A794/A794M (01.03)**
Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing, Specification for, **A513/A513M (01.01)**
Electric-Resistance-Welded Carbon Steel and Carbon-Manganese Steel Boiler and Superheater Tubes, Specification for, **A178/A178M (01.01)**
Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A214/A214M (01.01)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, Specification for, **A787/A787M (01.01)**
General Requirements for Carbon and Low Alloy Steel Tubes, Specification for, **A450/A450M (01.01)**
Hot-Formed Welded and Seamless Carbon Steel Structural Tubing, Specification for, **A501 (01.01)**
Seamless and Welded Carbon and Alloy-Steel Tubes for Low-Temperature Service, Specification for, **A334/A334M (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless Carbon and Alloy Steel Mechanical Tubing, Specification for, **A519 (01.01)**
Seamless Carbon Steel Boiler Tubes for High-Pressure Service, Specification for, **A192/A192M (01.01)**
Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes, Specification for, **A556/A556M (01.01)**
Seamless Cold-Drawn Carbon Steel Tubing for Hydraulic System Service, Specification for, **A822/A822M (01.01)**
Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A179/A179M (01.01)**
Seamless Medium-Carbon Steel Boiler and Superheater Tubes, Specification for, **A210/A210M (01.01)**
Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, Specification for, **A1020/A1020M (01.01)**
Steel Tubes, Low-Carbon or High-Strength Low-Alloy, Tapered for Structural Use, Specification for, **A595/A595M (01.01)**

Carbon steel valves—specifications
Steel Wire, Oil-Tempered Carbon Valve Spring Quality, Specification for, **A230/A230M (01.03)**

Carbon steel wire
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Carbon steel wire—specifications
Aluminum-Coated (Aluminized) Carbon Steel Wire, Specification for, **A809 (01.06)**
Carbon Steel Wire for Wire Rope, Specification for, **A1007 (01.03)**
Coppered Carbon Steel Wire, Specification for, **A818 (01.06)**
General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel, and Alloy Steel, Specification for, **A510/A510M (01.03)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Metallic Coated Carbon Steel Wire, Coated at Size and Drawn to Size for Mechanical Springs, Specification for, **A764 (01.06)**
Metallic-Coated Steel Marcelled Tension Wire for Use With Chain Link Fence, Specification for, **A824 (01.06)**
Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcelled Tension Wire, Specification for, **A817 (01.06)**
Steel Wire, Carbon and Alloy Specialty Spring Quality, Specification for, **A1000/A1000M (01.03)**
Steel Wire, Carbon, for General Use, Specification for, **A853 (01.03)**
Steel Wire, Oil-Tempered Carbon Valve Spring Quality, Specification for, **A230/A230M (01.03)**
Steel, Flat Wire, Carbon, Cold-Rolled, Specification for, **A805/A805M (01.03)**
Stranded Carbon Steel Wire Ropes for General Purposes, Specification for, **A1023/A1023M (01.03)**
Tool Steel, Carbon, Specification for, **A686 (01.05)**
Zinc–Coated (Galvanized) Carbon Steel Wire, Specification for, **A641/A641M (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, Specification for, **A856/A856M (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand, Specification for, **A855/A855M (01.06)**
Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire, Specification for, **A411 (01.06)**

Carbon steel wire/rod/bars—specifications
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**

Carbon tetrachloride content
Sa **Halogenated organic solvents**
Carbon Tetrachloride Activity of Activated Carbon, Test Method for, **D3467 (15.01)**
Carbon Tetrachloride and Chloroform in Liquid Chlorine by Direct Injection (Gas Chromatographic Procedure), Test Method for, **E806 (15.05)**

Carbon tetrafluoride content
Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, Test Method for, **D2685 (10.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Carbon-to-carbon unsaturated samples
Polyurethane Raw Materials: Determination of Unsaturation of Polyols, Test Methods for, **D4671 (08.02)**
Carbon-type composition
Calculating Carbon-Type Composition of Insulating Oils of Petroleum Origin, Practice for, **D2140 (10.03)**
Carbon yield
Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, Test Methods for, **C831 (15.01)**
Carbonyl compounds
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**
Carbonyl content
Determination of Carbonyls in C4 Hydrocarbons, Test Method for, **D4423 (05.02)**
Trace Quantities of Carbonyl Compounds with 2,4-Dinitrophenylhydrazine, Test Method for, **E411 (15.05)**
Carbonyl sulfide (COS)
Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, Test Method for, **D7652 (05.06)**
Trace Carbonyl Sulfide in Propylene by Gas Chromatography, Test Method for, **D5303 (05.02)**
Carboxen 564
Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), Test Method for, **D5578 (11.07)**
Carboxyl content
Carboxyl Content of Cellulose, Test Methods for, **D1926 (06.03)**
Carbureted water gas
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Carburetors
Sa **Thermostat metals**
Mechanical Torque Rate of Spiral Coils of Thermostat Metal, Test Method for, **B362 (02.04)**
Carburization
Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs, Test Method for, **F2328 (01.08)**
Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs (Metric), Test Method for, **F2328M (01.08)**
Carburizing applications
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Carburizing applications—specifications
Sa **Ball/roller bearings**
Carburizing Steels for Anti-Friction Bearings, Specification for, **A534 (01.05)**
Steel Forgings, Alloy, for Carburizing Applications, Specification for, **A837/A837M (01.05)**
Carcass tear test
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Carcinogenicity
Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, Test Method for, **E1687 (11.03)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Carcinogenic silicon carbide
See **Silicon carbide whiskers/fibers**
Cardboard
See **Corrugated board/fiberboard materials/applications**
Cardiology—endovascular
in vitro Pulsatile Durability Testing of Vascular Stents, Test Methods for, **F2477 (13.01)**
Cardiovascular surgical devices
Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, Specification for, **F982 (13.01)**
in vitro Axial, Bending, and Torsional Durability Testing of Vascular Stents, Guide for, **F2942 (13.02)**
Measuring Securement of Balloon Expandable Vascular Stent Mounted on Delivery System, Guide for, **F2394 (13.01)**
Platelet Leukocyte Count—An, Test Method for, **F2888 (13.02)**
Testing Absorbable Stents, Guide for, **F3036 (13.02)**
Care and handling
Care and Handling of Orthopedic Implants and Instruments, Practice for, **F565 (13.01)**
Care and Handling of Stainless Steel Surgical Instruments, Guide for, **F1744 (13.01)**
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**
Industrial Laundering of Flame, Thermal, and Arc Resistant Clothing, Guide for, **F1449 (11.03)**
Care and maintenance
Chemical Protective Clothing: Wearing, Care, and Maintenance Instructions, Practice for, **F2061 (11.03)**
Career apparel fabrics
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Flammability of Apparel Textiles, Test Method for, **D1230 (07.01)**
Men's and Women's Dress and Vocational Career Apparel Fabrics, Performance Specification for, **D4232 (07.01)**
Men's and Women's Knitted Career Apparel Fabrics: Dress and Vocational, Performance Specification for, **D3995 (07.01)**
Care labeling
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Care Symbols for Care Instructions on Textile Products, Guide for, **D5489 (07.02)**
Determining or Confirming Care Instructions for Apparel and Other Textile Products, Guide for, **D3938 (07.01)**
Floor Coverings and Textile Upholstered Furniture, Terminology Relating to, **D5253 (07.02)**
International Test Methods Associated with Textile Care Procedures, Guide to, **D6322 (07.02)**
Selection of Zippers for Care-Labeled Apparel and Household Furnishings, Practice for, **D3692 (07.01)**
Care symbols
Care Symbols for Care Instructions on Textile Products, Guide for, **D5489 (07.02)**
Cargo bed cover (CBC)
Cargo Bed Cover (CBC) HMMWV, Type I, Performance Specification for, **E2462 (04.12)**
Cargo Bed Cover (CBC) M105A2 Trailer, Type II, Performance Specification for, **E2463 (04.12)**
Cargo Bed Cover, Type III (M35A2, 2, Specification for, **E2517 (04.12)**
Cargo Bed Cover, Type IV (M923, 5 Ton Cargo Truck/M1083, 5 Ton Medium Tactical Vehicle (MTV)/ M1082, 5 Ton MTV Trailer), Specification for, **E2518 (04.12)**
Cargo crates
Testing Wood-Base Panel Corner Impact Resistance, Test Method for, **D6643 (04.10)**
Cargo environments/processing
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Securement of Cargo in Intermodal and Unimodal Surface Trans-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

port, Practices for, **D5728 (15.10)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Cargo residue/waste
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Cargo tanks
Platforms in Cargo Tanks, Practice for, **F1385 (01.07)**
Carle bar/circular diagrams
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Carnauba wax
See **Waxes**
Carney flowmeter funnel
Apparent Density of Non-Free-Flowing Metal Powders Using the Carney Funnel, Test Method for, **B417 (02.05)**
Flow Rate of Metal Powders Using the Carney Funnel, Test Methods for, **B964 (02.05)**
Carnivores
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Carotid occlusion
Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, Specification for, **F982 (13.01)**
Carpenter alloy—specifications
Sa **Nickel alloys**
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, Specification for, **B473 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Carpet adhesives
Determination of Re-tack Ability of Carpet Adhesives, Practice for, **D7532 (15.06)**
Determining Adhesive Shear Strength of Carpet Adhesives, Test Method for, **D6004 (15.06)**
Determining Open Assembly Time of Carpet Mastic Adhesives, Test Method for, **D6325 (15.06)**
Determining Slump Resistance of Carpet Adhesives, Test Method for, **D6005 (15.06)**
Tufted and Woven Broadloom Carpet Adhesives Without Homogenous PVC or Non-PVC Backings, Specification for, **D7799 (15.06)**
Carpet dirt removal (of vacuum cleaners)
Sa **Vacuum cleaners/systems**
Assessing Carpet Cleaning Effectiveness in Terms of Visual Appearance Change When Cleaned with a Wet Extraction Cleaning System, Test Method for, **F2828 (15.08)**
Carpets
Sa **Flooring/floor covering systems**
Assessing Carpet Cleaning Effectiveness in Terms of Visual Appearance Change When Cleaned with a Wet Extraction Cleaning System, Test Method for, **F2828 (15.08)**
Assessment of Surface Appearance Change in Pile Floor Coverings Using Standard Reference Scales, Test Method for, **D7330 (07.02)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Binding Sites per Unit Length or Width of Pile Yarn Floor Coverings, Test Method for, **D5793 (07.02)**
Collection of Dislodgeable Pesticide Residues from Floors, Practice for, **D6333 (11.07)**
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, Practice for, **D6119 (07.02)**
Determination of Volatile Organic Compounds Emitted from Carpet using a Specific Sorbent Tube and Thermal Desorption / Gas Chromatography, Test Method for, **D7339 (11.07)**
Edge Ravel Resistance of Finished Loop Pile, Pile Yarn Floor Covering, Test Method for, **D7267 (07.02)**
Evaluating Carpet Embedded Dirt Removal Effectiveness of Residential Central Vacuum Cleaning Systems, Test Method for, **F1284 (15.08)**
Evaluation of Carpet Embedded Dirt Removal Effectiveness of Household/Commercial Vacuum Cleaners, Test Method for, **F608 (15.08)**
Evaluation of Dimensional Stability of Pile Yarn Floor Covering, Test Method for, **D7570 (07.02)**
Ignition Characteristics of Finished Textile Floor Covering Materials, Test Method for, **D2859 (04.07)**
Mass Per Unit Area of Pile Yarn Floor Coverings, Test Method for, **D5848 (07.02)**
Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, Practice for, **D6962 (07.02)**
Pile Thickness of Finished Multilevel Pile Yarn Floor Covering, Test Method for, **D7241 (07.02)**
Quantitative Assessment of Sanitizing Solutions for Carpet, Test Method for, **E2966 (11.05)**
Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, Test Method for, **D3936 (07.01)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**
Straight Line Movement of Vacuum Cleaners While Cleaning Carpets, Test Method for, **F1409 (15.08)**
the Operation of the Hexapod Tumble Drum Tester, Practice for, **D5252 (07.02)**
Tuft Bind of Pile Yarn Floor Coverings, Test Method for, **D1335 (07.01)**
Tuft Element Length of Uncoated Pile Yarn Floor Coverings, Test Method for, **D6283 (07.02)**
Tuft Height of Pile Floor Coverings, Test Method for, **D5823 (07.02)**
Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity In Carpets, Test Method for, **E2471 (11.05)**
Car polish
Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, Practice for, **D6625 (15.04)**
Carreno trilinear classification diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Carriages/strollers
Sa **Consumer safety specifications (infants/children)**
Carriages and Strollers, Consumer Safety Performance Specification for, **F833 (15.11)**
Carrier gases
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Determination of Total Hydrogen Content of Uranium Oxide

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Powders and Pellets by Carrier Gas Extraction, Test Method for, **C1457 (12.01)**

Carriers
Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, Test Method for, **D4781 (05.05)**
Mechanically Tapped Packing Density of Formed Catalyst and Catalyst Carriers, Test Method for, **D4164 (05.05)**
Packaging and Shipping Environmental Samples for Laboratory Analysis, Guide for, **D6911 (04.09)**
Sling Carriers, Consumer Safety Specification for, **F2907 (15.11)**
Vibratory Packing Density of Formed Catalyst Particles and Catalyst Carriers, Test Method for, **D4180 (05.05)**

Carr indices
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**

Cartilage
in vivo Assessment of Implantable Devices Intended to Repair or Regenerate Articular Cartilage, Guide for, **F2451 (13.01)**

Cartons
Carbon Black—Sampling Packaged Shipments, Practice for, **D1799 (09.01)**

Cartridge adhesives
Determination of Extrudability of Cartridge Adhesives, Test Method for, **D5267 (15.06)**

Cartridge brass
Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
Cartridge Brass Cartridge Case Cups, Specification for, **B129 (02.01)**
Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, Specification for, **B19 (02.01)**

Cartridge filter procedure
See **Filters/filter procedures**

Cartridges
Capacity of Mixed Bed Ion Exchange Cartridges, Test Method for, **D7513 (11.02)**
Determining the Toner Usage for Color Printer Cartridges, Practice for, **F2632 (15.09)**
Determining Winding Torque and Tension of Typewriter Ribbons, Test Method for, **F1050/F1050M (15.09)**
Measuring the Ribbon Exit Force for Film and Fabric Cartridges, Test Method for, **F1225 (15.09)**

Cartridge seals
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**

CAS (calibrated air speed)
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Case depth analysis
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**

Casein adhesives
Sa **Adhesive bonds**
Adhesive, Casein-Type, Specification for, **D4689 (15.06)**
Amylaceous Matter in Adhesives, Test Method for, **D1488 (15.06)**
Nonvolatile Content of Aqueous Adhesives, Test Method for, **D1489 (15.06)**
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**

Case review
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**

Cash flow (in building economics)
See **Building economics**

Cashmere
Cashmere Coarse-Hair Content in Cashmere, Test Method for, **D2816 (07.01)**
Maximum Cashmere Coarse-Hair Content in Cashmere, Specification for, **D2817 (07.01)**

Casing advancement
Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5872/D5872M (04.08)**
Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5876 (04.08)**

Casing nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Casings
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**

CASS test
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**

Castable refractories
See **Refractories (castable)**

Cast acrylic
Cast Poly(Methyl Methacrylate) Plastic Rods, Tubes, and Shapes, Specification for, **D5436 (08.03)**
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**

Cast acrylic column apparatus
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**

Cast aluminum alloys
See **Aluminum castings**

Cast film method
Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, Test Methods for, **D3900 (09.01)**

Casting alloys
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**

Casting characteristics
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**

Casting plate
Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing, Practice for, **C1552 (04.05)**

Castings
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Castings, Zirconium-Base, Corrosion Resistant, for General Application, Specification for, **B752 (02.04)**
Computed Tomographic (CT) Examination of Castings, Practice for, **E1814 (03.03)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**
Magnetic Particle Indications on Ferrous Castings, Reference Photographs for, **E125 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Radiographic Examination of Metallic Castings, Test Method for, **E1030 (03.03)**
Radioscopic Examination of Castings, Practice for, **E1734 (03.03)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Testing of Glass Exudation from AZS Fusion-Cast Refractories, Test Method for, **C1223 (15.01)**
Tin Bronze Castings, Reference Radiographs for, **E310 (03.03)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Turnbuckles, Swaged, Welded, Forged, Specification for, **F1145 (01.07)**

Castings—aluminum/aluminum alloys
Sa **Aluminum alloys (castings)—specifications**
Aluminum-Alloy Castings Produced by the Squeeze Casting, Thixocast and Rheocast Semi-Solid Casting Processes, Specification for, **B969/B969M (02.02)**

Castings—austenitic alloy castings
See **Austenitic stainless steel castings—specifications**

Castings—centrifugal
See **Centrifugal castings**

Castings—continuous
See **Continuous castings**

Castings—copper alloy
See **Copper alloy castings—specifications**

Castings—investment
See **Investment castings**

Castings—iron-chromium
See **Iron-chromium castings—specifications**

Castings—magnesium
Sa **Magnesium alloy castings**
Magnesium Castings, Digital Reference Images for, **E2869 (03.03)**

Castings—nickel alloy
See **Nickel alloy castings—specifications**

Castings—permanent mold
See **Permanent mold castings—specifications**

Castings—sand (aluminum alloy)
See **Sand castings (aluminum alloy)**

Castings—sand (copper alloy)
See **Sand castings (copper alloy)—specifications**

Castings—sand (magnesium alloy)
See **Sand castings (magnesium alloy)**

Castings—sand (zinc alloy)
See **Sand castings (zinc alloy)**

Castings—slush
See **Slush castings**

Castings—steel
See **Steel castings**

Casting samples
Making and Curing Concrete Test Specimens in the Field, Practice for, **C31/C31M (04.02)**

Castings (surgical)
See **Surgical castings**

Casting tape
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**

Cast-in-place concrete piles
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**

Cast-in-place gypsum concrete
Sa **Gypsum products**
Installation of Cast-In-Place Reinforced Gypsum Concrete, Specification for, **C956 (04.01)**

Cast iron
Acoustic Emission Examination of Cast Iron Yankee and Steam Heated Paper Dryers, Practice for, **E2598/E2598M (03.03)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Iron Castings, Terminology Relating to, **A644 (01.02)**
Leeb Hardness Testing of Steel Products, Test Method for, **A956 (01.05)**
Preparation of Iron Castings for Electroplating, Practice for, **B320 (02.05)**

Cast iron—specifications
Abrasion-Resistant Cast Irons, Specification for, **A532/A532M (01.02)**
Cast Iron Couplings Used for Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **A1056 (01.02)**
Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application, Specification for, **A743/A743M (01.02)**
Centrifugally Cast Dual Metal (Gray and White Cast Iron) Cylinders, Specification for, **A667/A667M (01.02)**
Centrifugally Cast White Iron/Gray Iron Dual Metal Abrasion-Resistant Roll Shells, Specification for, **A942/A942M (01.02)**
Common Requirements for Iron Castings for General Industrial Use, Specification for, **A834 (01.02)**
Compacted Graphite Iron Castings, Specification for, **A842 (01.02)**
Corrosion-Resistant High-Silicon Iron Castings, Specification for, **A518/A518M (01.02)**
Statically Cast Chilled White Iron-Gray Iron Dual Metal Rolls for Pressure Vessel Use, Specification for, **A748/A748M (01.02)**
Steel Castings, Iron-Chromium and Iron-Chromium-Nickel, Heat Resistant, for General Application, Specification for, **A297/A297M (01.02)**

Cast iron (ductile)
See **Ductile iron castings—specifications**

Cast iron (gray)
See **Gray iron castings—specifications**

Cast iron (malleable)
See **Malleable iron castings—specifications**

Cast iron soil pipe/fittings—specifications
Cast Iron Couplings Used for Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **A1056 (01.02)**
Cast Iron Soil Pipe and Fittings, Specification for, **A74 (01.02)**
Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1540 (01.02)**
Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications, Specification for, **A888 (01.02)**
Rubber Gaskets for Cast Iron Soil Pipe and Fittings, Specification for, **C564 (01.02)**
Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1277 (01.02)**

Cast iron (testing)
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chill Testing of Cast Iron, Test Methods of, **A367 (01.02)**
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Impact Testing of Cast Irons, Test Methods for, **A327/A327M (01.02)**
Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**
Preparation of Iron Castings for Electroplating, Practice for, **B320 (02.05)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Radiographic Examination of Metallic Castings, Test Method for, **E1030 (03.03)**
Sampling and Testing Ferroalloys for Determination of Size, Test Methods for, **A610 (01.02)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Cast iron (testing)—corrosion by engine coolants
Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
Simulated Service Corrosion Testing of Engine Coolants, Test Method for, **D2570 (15.05)**
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**

Cast iron (testing)—reference radiographs
Ductile Iron Castings, Reference Radiographs for, **E689 (03.03)**
Gray Iron Castings Up to 4, Reference Radiographs for, **E802 (03.03)**
Magnetic Particle Indications on Ferrous Castings, Reference Photographs for, **E125 (03.03)**

Cast iron (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**

Cast magnesium alloys
Codification of Unalloyed Magnesium and Magnesium-Alloys, Cast and Wrought, Practice for, **B951 (02.02)**
Temper Designations of Magnesium Alloys, Cast and Wrought, Practice for, **B296 (02.02)**

Cast metallic surgical implants and devices
Digital Radiography of Cast Metallic Implants, Practice for, **F2895 (13.02)**

Cast nonferrous metals/alloys
See **Nonferrous metals/alloys**

Castor chair tester
Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, Practice for, **D6962 (07.02)**

Cast steel shot
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**

Cast stone (architectural)
Sa **Architectural cast stone**
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**

Cast tool steel
Sa **Tool steel—specifications**
Cast Tool Steel, Specification for, **A597 (01.05)**

Casual furniture
Child's Plastic Chairs for Outdoor Use, Performance Requirements for, **F1838 (15.11)**
Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, Performance Requirements for, **F1858 (15.11)**
Plastic Chairs for Outdoor Use, Performance Requirements for, **F1561 (15.11)**

Catalysed chemical grout
See **Grouts (chemical-resistant)**

Catalyst residues
Ash Content in Plastics, Test Method for, **D5630 (08.03)**
Determination of Elemental Content of Polyolefins by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D6247 (08.03)**

Catalysts/catalyst carriers
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**
Attrition and Abrasion of Catalysts and Catalyst Carriers, Test Method for, **D4058 (05.05)**
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
Catalysts and Catalysis, Terminology Relating to, **D3766 (05.05)**
Determination of Attrition of FCC Catalysts by Air Jets, Test Method for, **D5757 (05.05)**
Determination of Bulk Crush Strength of Catalysts and Catalyst Carriers, Test Method for, **D7084 (05.05)**
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**
Determining Activity and Selectivity of Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, Test Method for, **D5154 (05.05)**
Determining Pore Volume Distribution of Catalysts and Catalyst Carriers by Mercury Intrusion Porosimetry, Test Method for, **D4284 (05.05)**
Gamma Alumina Content in Catalysts Containing Silica and Alumina by X-ray Powder Diffraction, Test Method for, **D4926 (05.05)**
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**
Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, Test Method for, **D4781 (05.05)**
Mechanically Tapped Packing Density of Formed Catalyst and Catalyst Carriers, Test Method for, **D4164 (05.05)**
Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, Guide for, **D4463/D4463M (05.05)**
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**
Nitrogen in Petroleum and Petroleum Products by Boat-Inlet Chemiluminescence, Test Method for, **D5762 (05.02)**
Palladium in Molecular Sieve Catalyst by Atomic Absorption, Test Method for, **D5153 (05.05)**
Palladium in Molecular Sieve Catalyst by Wet Chemistry, Test Method for, **D4782 (05.05)**
Particle Size Distribution of Catalytic Material by Electronic Counting, Test Method for, **D4438 (05.05)**
Particle Size Distribution of Catalytic Material by Laser Light Scattering, Test Method for, **D4464 (05.05)**
Particle Size Distribution of Catalytic Materials by Sieving, Test Method for, **D4513 (05.05)**
Platinum in Reforming Catalysts by Wet Chemistry, Test Method for, **D4642 (05.05)**
Radial Crush Strength of Extruded Catalyst and Catalyst Carrier Particles, Test Method for, **D6175 (05.05)**
Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, Test Method for, **D4179 (05.05)**
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**
Surface Area of Catalysts and Catalyst Carriers, Test Method for, **D3663 (05.05)**
Testing Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, Test Method for, **D3907/D3907M (05.05)**
Total Cobalt in Alumina-Base Cobalt-Molybdenum Catalyst by Potentiometric Titration Method, Test Method for, **D3610 (05.05)**
Total Molybdenum in Fresh Alumina-Base Catalysts, Test Method for, **D3943 (05.05)**
Total Nickel in Fresh Alumina-Base Catalysts, Test Method for, **D4481 (05.05)**
Vibrated Apparent Packing Density of Fine Catalyst and Catalyst Carrier Particles and Powder, Test Method for, **D4512 (05.05)**
Vibratory Packing Density of Formed Catalyst Particles and Cata-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

lyst Carriers, Test Method for, **D4180 (05.05)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Catalysts (zeolite)
Sa **Zeolite catalysts**
Sample Preparation of Fluid Catalytic Cracking Catalysts and Zeolites for Elemental Analysis by Inductively Coupled Plasma Atomic Emission Spectroscopy, Practice for, **D7442 (05.05)**

Catalyzed iodometric procedure
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**

Catastrophic disasters
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**

CATC (cyanides amenable to chlorination)
Understanding Cyanide Species, Guide for, **D6696 (11.02)**

Catch basins
Concrete Masonry Units for Construction of Catch Basins and Manholes, Specification for, **C139 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**

Categorical data analysis
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**

Category scaling
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**

Caterpillar 1P test procedure
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, Test Method for, **D6681 (05.03)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**

Catheters
Foley Catheter, Performance Specification for, **F623 (13.01)**

Cathode
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**

Cathode blocks
Determination of TGA CO, Test Method for, **D6558 (05.03)**

Cathode carbon
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**
Electrical Resistivity of Anode and Cathode Carbon Material at Room Temperature, Test Method for, **D6120 (05.02)**
Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, Guide for, **D6354 (05.03)**

Cathode coatings
Sa **Electrodeposited coatings**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Cathode copper (electrolytic)
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**

Cathode emitters
Sa **Conductance and conductivity (electrical)**
Sa **Crystal lattice structure**
Sa **Electrical conductors**
Sa **Electrical resistance/resistivity**
Sa **Electronic materials/applications**
Definition and Determination of Thermionic Constants of Electron Emitters, Practice for, **F83 (10.04)**

Cathode ray tube (CRT)
Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, Guide for, **E1682 (06.01)**

Cathodic disbonding
Cathodic Disbonding of Exterior Pipeline Coatings at Elevated Temperatures Using Interior Heating, Test Method for, **D6676/D6676M (06.02)**

Cathodic electrocoat permeates
Determination of Anions in Cathodic Electrocoat Permeates by Ion Chromatography, Guide for, **D5794 (06.01)**

Cathodic polarization
Conducting Potentiodynamic Polarization Resistance Measurements, Test Method for, **G59 (03.02)**

Cathodic protection
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**
Magnesium Alloy Anodes for Cathodic Protection, Specification for, **B843 (02.02)**
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**

Cathodic reduction method
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**

Cation analysis
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**

Cation conductivity
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
On-Line Determination of Cation Conductivity in High Purity Water, Practice for, **D6504 (11.01)**

Cation exchange capacity
Sa **Ion exchange materials/applications**
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Measuring the Exchange Complex and Cation Exchange Capacity of Inorganic Fine-Grained Soils, Test Method for, **D7503 (04.09)**
Operating Performance of Particulate Cation-Exchange Materials, Test Methods for, **D1782 (11.02)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**

Cation exchange resins (powdered)
Precoat Capacity of Powdered Ion-Exchange Resins, Test Methods for, **D4266 (11.02)**

Cationic emulsified asphalt
Cationic Emulsified Asphalt, Specification for, **D2397/D2397M (04.03)**
Determining Cement Mixing of Emulsified Asphalt, Test Method for, **D6935 (04.03)**
Determining Demulsibility of Emulsified Asphalt, Test Method for, **D6936 (04.03)**
Determining Density of Emulsified Asphalt, Test Method for, **D6937 (04.03)**
Evaluating Aggregate Coating using Emulsified Asphalts, Practice for, **D6998 (04.03)**
Freezing of Emulsified Asphalts, Practice for, **D6929 (04.03)**
Identifying Cationic Emulsified Asphalts, Practice for, **D7402 (04.03)**
Oversized Particles in Emulsified Asphalts (Sieve Test), Test Method for, **D6933 (04.03)**
Residue by Evaporation of Emulsified Asphalt, Test Method for, **D6934 (04.03)**
Settlement and Storage Stability of Emulsified Asphalts, Test Method for, **D6930 (04.03)**

Cationic surfactants
Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure, Test Method for, **D1681 (15.04)**
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cation resin
Evaluating the Kinetic Behavior of Ion Exchange Resins, Practice for, **D6302 (11.02)**
Cations
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
CATV coaxial drop wire
Copper-Clad Steel Electrical Conductor for CATV Drop Wire, Specification for, **B869 (02.03)**
Caulking compounds and sealants
Sa **Glazing compounds/applications**
Sa **Sealants**
Extrudability of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2452 (04.07)**
Paintability of Latex Sealants, Guide for, **C1520 (04.07)**
Shrinkage and Tenacity of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2453 (04.07)**
Specimen Preparation and Mounting of Caulks and Sealants to Assess Surface Burning Characteristics, Practice for, **E2690 (04.07)**
Tack-Free Time of Caulking Compounds and Sealants, Test Method for, **D2377 (04.07)**
Caustic potash
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Caustic Potash; Solid (Potassium Hydroxide; Solid), Specification for, **E1456 (15.05)**
Caustic pots
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**
Caustic soda
Sa **Sodium hydroxide**
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Cautionary labeling
Candle Fire Safety Labeling, Specification for, **F2058 (15.11)**
Cautionary Labeling for Five-Gallon Open-Head Plastic Containers, Specification for, **F1615 (15.11)**
Cautionary Labeling of Extension Poles For Use With Paint Applicators Distributed In North America, Specification for, **D7054 (06.02)**
Cautionary Labeling of Inflatable Air Mattresses, Safety Specification for, **F2755 (15.11)**
Cavern design
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Cavitation corrosion resistance
Compatibility of Supplemental Coolant Additives (SCAs) and Engine Coolant Concentrates, Test Method for, **D5828 (15.05)**
Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, Specification for, **D6210 (15.05)**
Cavitation damage
Determining Adhesive Attack on Rigid Cellular Foam, Test Method for, **D5113 (15.06)**
John Deere Coolant Cavitation Test, Test Method for, **D7583 (15.05)**
Cavitation erosion/corrosion
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Erosion of Solid Materials by Cavitating Liquid Jet, Test Method for, **G134 (03.02)**
Wear and Erosion, Terminology Relating to, **G40 (03.02)**
CBR (California bearing ratio)
CBR (California Bearing Ratio) of Soils in Place, Test Method for, **D4429 (04.08)**
CCCFP (continuously closed-cup flash point) methods
Flash Point by Continuously Closed Cup (CCCFP) Tester, Test Method for, **D6450 (05.03)**
CCD (charge coupled device) laser-displacement sensor
Measuring Pavement Macrotexture Properties Using the Circular Track Meter, Test Method for, **E2157 (04.03)**
Scientific Charge-Coupled Device (CCD) Detectors, Terminology for, **E2642 (03.06)**
CCI (Calculated Cetane Index)
See **Calculated Cetane Index (CCI)**
CCR (Continuity of Care Record)
Continuity of Care Record (CCR), Specification for, **E2369 (14.01)**
CCTV
Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector and CCTV Camera System, Practice for, **F3080 (04.12)**
CCTV camera system
Laser Technologies for Direct Measurement of Cross Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, Practice for, **F3095 (04.12)**
CDA/CTA
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Ceilings
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, Practice for, **C1340/C1340M (04.06)**
Fiber-Reinforced Gypsum Panel, Specification for, **C1278/C1278M (04.01)**
Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, Specification for, **D5319 (08.03)**
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**
Ceiling suspension systems
Acoustical Ceiling Products, Classification for, **E1264 (04.06)**
Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, Test Method for, **E1414/E1414M (04.06)**
Installation of Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels in Areas Subject to Earthquake Ground Motions, Practice for, **E580/E580M (04.06)**
Installation of Metal Ceiling Suspension Systems for, Practice for, **C636/C636M (04.06)**
Measuring the Interzone Attenuation of Open Office Components, Test Method for, **E1111 (04.06)**
Open Office Acoustics and Applicable ASTM Standards, Guide for, **E1374 (04.06)**
Room Fire Test of Wall and Ceiling Materials and Assemblies, Test Method for, **E2257 (04.07)**
Ceiling suspension systems—specifications
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, Specification for, **C635/C635M (04.06)**
Ceiling tiles and panels
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Ceiling veneers
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Cell adhesion assay
Use of a Centrifugation Method to Quantify/Study Cell-Material Adhesive Interactions, Test Method for, **F3088 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cell average
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Cell classification system
Polyethylene Plastics Pipe and Fittings Materials, Specification for, **D3350 (08.02)**
Cell compatibility
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Cell corrections
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Cell culture
Agar Diffusion Cell Culture Screening for Cytotoxicity, Test Method for, **F895 (13.01)**
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Automated Colony Forming Unit (CFU) Assays—Image Acquisition and Analysis Method for Enumerating and Characterizing Cells and Colonies in Culture, Test Method for, **F2944 (13.02)**
Cell Culture Analysis with SIMS, Guide for, **E1881 (03.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, Practice for, **E1536 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, Practice for, **E1531 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, Practice for, **E1532 (14.02)**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Direct Contact Cell Culture Evaluation of Materials for Medical Devices, Practice for, **F813 (13.01)**
Indirect Detection of Mycoplasma in Cell Culture by 4`-6-Diamidino-2-2 Phenylindole (DAPI) Staining, Practice for, **E1533 (14.02)**
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Cell model
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Cell seeding
Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, Guide for, **F2150 (13.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Cell size
Cell Size of Rigid Cellular Plastics, Test Method for, **D3576 (08.02)**
Cell spread area
Using Fluorescence Microscopy to Quantify the Spread Area of Fixed Cells, Guide for, **F2998 (13.02)**
Cell-type ovens
Cell-Type Oven with Controlled Rates of Ventilation, Specification for, **E95 (14.04)**
Cellular concrete
Foaming Agents for Use in Producing Cellular Concrete Using Preformed Foam, Test Method for, **C796/C796M (04.02)**
Foaming Agents Used in Making Preformed Foam for Cellular Concrete, Specification for, **C869/C869M (04.02)**
Installation of Thick Poured Lightweight Cellular Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2471 (15.04)**
Cellular glass block/pipe thermal insulation
Fabrication Of Cellular Glass Pipe And Tubing Insulation, Specification for, **C1639 (04.06)**
Cellular materials
Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, Test Method for, **D7710 (08.03)**
Elastomeric Cellular Preformed Gasket and Sealing, Specification for, **C509 (04.07)**
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**
Flexural Strength of Advanced Ceramics with Engineered Porosity (Honeycomb Cellular Channels) at Ambient Temperatures, Test Method for, **C1674 (15.01)**
Polyurethane Raw Materials: Polyurethane Foam Cup Test, Practice for, **D7487 (08.03)**
Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials, Test Method for, **C1083 (04.07)**
Cellular plastics
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2661 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core, Specification for, **F628 (08.04)**
Coextruded Composite Pipe, Specification for, **F1488 (08.04)**
Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**
Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, Test Method for, **D7710 (08.03)**
Horizontal Burning Characteristics of Cellular Polymeric Materials, Test Method for, **D4986 (08.02)**
Microcellular Urethane Materials, Test Methods for, **D3489 (08.02)**
Open Cell Content of Rigid Cellular Plastics, Test Method for, **D6226 (08.03)**
Preformed Closed-Cell Polyolefin Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D7174 (04.03)**
Rigid Cellular Polystyrene Geofoam, Specification for, **D6817/D6817M (04.13)**
Cellular plastics—rigid
Sa **Rigid cellular plastics**
Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, Test Method for, **D7710 (08.03)**
Cellular reaction
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Cellular rubber
Flexible Cellular Rubber Chemically Blown, Specification for, **D6576 (08.03)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**
Cellular thermal insulation
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Conditioning of Thermal Insulating Materials, Practice for, **C870 (04.06)**
Polyimide Rigid Cellular Thermal Insulation, Specification for, **C1594 (04.06)**
Testing Cellular Glass Insulation Block, Test Methods of, **C240 (04.06)**
Cellular thermal insulation—specifications
Cellular Glass Thermal Insulation, Specification for, **C552 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Cellulosic Fiber Loose-Fill Thermal Insulation, Specification for, **C739 (04.06)**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, Specification for, **C534/C534M (04.06)**
Rigid, Cellular Polystyrene Thermal Insulation, Specification for, **C578 (04.06)**
Unfaced Preformed Rigid Cellular Polyisocyanurate, Specification for, **C591 (04.06)**

Cellulose acetate
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**

Cellulose-acetate hollow-fiber samplers
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

Cellulose and cellulose derivatives
Sa **Wood products**
Ashing Cellulose, Test Methods for, **D3516 (06.03)**
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Carboxyl Content of Cellulose, Test Methods for, **D1926 (06.03)**
Cellulose and Cellulose Derivatives, Terminology of, **D1695 (06.03)**
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D4794 (06.03)**
Determination of Wood Fiber in Asbestos Cement, Test Method for, **C1096/C1096M (04.05)**
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Dichloromethane-Soluble Matter in Cellulose, Test Method for, **D3971 (06.03)**
Hydroxyethylcellulose, Test Methods for, **D2364 (06.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Intrinsic Viscosity of Cellulose, Test Method for, **D1795 (06.03)**
Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, Test Method for, **D4900 (15.04)**
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**
Methoxyl and Hydroxypropyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D3876 (06.03)**
Moisture in Cellulose, Test Methods for, **D1348 (06.03)**
Nitrocellulose in Finish on Leather, Test Method for, **D4907 (15.04)**
Nitrogen Content of Soluble Nitrocellulose—Alternative Method, Test Method for, **D4795 (06.03)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**
Solubility of Cellulose in Sodium Hydroxide, Test Method for, **D1696 (06.03)**
Soluble Nitrocellulose Base Solutions, Guide for, **D365 (06.02)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Sulfur Content of Cellulosic Materials by X-Ray Fluorescence, Test Method for, **D2929 (06.03)**
Viscosity of Cellulose by Cuprammonium Ball Fall, Test Method for, **D6188 (06.03)**
Viscosity of Cellulose Derivatives by Ball-Drop Method, Test Method for, **D1343 (06.03)**

Cellulose diacetate dosimetry (CDA)
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**

Cellulose esters
Determination of Percent Hydroxyl on Cellulose Esters by Potentiometric Titration—Alternative Method, Test Method for, **D5897 (06.03)**
Viscosity of Cellulose Derivatives by Ball-Drop Method, Test Method for, **D1343 (06.03)**

Cellulose fiber
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Stability of Cellulose Fibers in Alkaline Environments, Test Method for, **D6942 (06.03)**

Cellulose fiber—specifications
Cellulose Fibers for Fiber-Reinforced Concrete, Specification for, **D7357 (06.03)**
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**

Cellulose fiber thermal insulation
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Determination of Installed Thickness of Pneumatically Applied Loose-Fill Building Insulation, Test Method for, **C1374 (04.06)**
Installation of Cellulosic and Mineral Fiber Loose-Fill Thermal Insulation, Practice for, **C1015 (04.06)**

Cellulose fiber thermal insulation—specifications
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Cellulosic Fiber Loose-Fill Thermal Insulation, Specification for, **C739 (04.06)**
Cellulosic Fiber Stabilized Thermal Insulation, Specification for, **C1497 (04.06)**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**

Cellulose nitrate
Dilution Ratio of Active Solvents in Cellulose Nitrate Solutions, Test Method for, **D1720 (06.04)**

Cellulose triacetate dosimetry (CTA)
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**

Cellulosic fiber insulation
Sa **Thermal insulating materials**
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Internal Bond Strength and Thickness Swell of Cellulosic-Based Fiber and Particle Panels After Repeated Wetting, Test Method for, **D7519 (04.10)**
Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, Test Method for, **D3345 (04.10)**
Lead and Cadmium Extracted from Glazed Ceramic Surfaces,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **C738 (15.02)**

Cellulosic plastics
Cellulose Acetate Propionate Molding and Extrusion Compounds, Classification System and Basis for Specification for, **D1562 (08.01)**
Ethyl Cellulose Molding and Extrusion Compounds, Specification for, **D787 (08.01)**

Cellulosic plastics—cellulose acetate butyrate (CAB)
Cellulose Acetate Butyrate Molding and Extrusion Compounds, Classification System and Basis for Specification for, **D707 (08.01)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**

Cellulosic plastics—cellulose acetate (CA)
Cellulose Acetate Molding and Extrusion Compounds, Classification System and Basis for Specifications for, **D706 (08.01)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**

Cell wall
Open Cell Content of Rigid Cellular Plastics, Test Method for, **D6226 (08.03)**

Celsius
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Cement
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, Test Method for, **C827/C827M (04.02)**
Corrosion Inhibiting Admixtures for Steel in Concrete by Polarization Resistance in Cementitious Slurries, Test Method for, **G180 (03.02)**
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Evaluation of Laboratories Testing Hydraulic Cement, Practice for, **C1222 (04.01)**
Evaluation of the Effect of Water Repellent Treatments on Freeze-Thaw Resistance of Hydraulic Cement Mortar Specimens, Test Method for, **D5860 (06.02)**
Hydraulic Cement, Terminology Relating to, **C219 (04.01)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Natural Cement, Specification for, **C10/C10M (04.01)**
PM Detector and Bag Leak Detector Manufacturers to Certify Conformance with Design and Performance Specifications for Cement Plants, Practice for, **D7392 (11.07)**
Rapid Hardening Hydraulic Cement, Specification for, **C1600/C1600M (04.01)**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**

Cement—asbestos-cement products
See **Asbestos-cement**

Cement—asphalt cement
Sa **Asphalt cements—specifications**
Determining Cement Mixing of Emulsified Asphalt, Test Method for, **D6935 (04.03)**

Cement—soil-cement
See **Soil-cement**

Cementability
FEP-Fluorocarbon Sheet and Film, Specification for, **D3368 (08.02)**

Cement additives
See **Additives—cement/concrete**

Cement-aggregate combinations
Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), Test Method for, **C1567 (04.02)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Potential Alkali Reactivity of Carbonate Rocks as Concrete Aggregates (Rock-Cylinder Method), Test Method for, **C586 (04.02)**
Potential Alkali Reactivity of Cement-Aggregate, Test Method for, **C227 (04.02)**
Potential Alkali-Silica Reactivity of Aggregates (Chemical Method), Test Method for, **C289 (04.02)**

Cement content
Density (Unit Weight), Yield, Cement Content, and Air Content (Gravimetric) of Controlled Low-Strength Material (CLSM), Test Method for, **D6023 (04.09)**
Determining Cement Content of Fresh Soil-Cement (Heat of Neutralization Method), Test Method for, **D5982 (04.09)**

Cement content (of concrete)
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, Test Method for, **C138/C138M (04.02)**
Portland-Cement Content of Hardened Hydraulic-Cement Concrete, Test Method for, **C1084 (04.02)**

Cemented carbides
Apparent Porosity in Cemented Carbides, Test Method for, **B276 (02.05)**
Compression Testing of Metallic Materials at Room Temperature, Test Methods of, **E9 (03.01)**
Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, Test Method for, **B311 (02.05)**
Determination of Coercivity (Hcs) of Cemented Carbides, Test Method for, **B887 (02.05)**
Determination of Magnetic Saturation (Ms) of Cemented Carbides, Test Method for, **B886 (02.05)**
Determining the High Stress Abrasion Resistance of Hard Materials, Test Method for, **B611 (03.02)**
Hardness Testing of Cemented Carbides, Test Method for, **B294 (02.05)**
Metallographic Identification of Microstructure in Cemented Carbides, Guide for, **B657 (02.05)**
Metallographic Sample Preparation of Cemented Tungsten Carbides, Guide for, **B665 (02.05)**
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Transverse Rupture Strength of Cemented Carbides, Test Method for, **B406 (02.05)**

Cemented tungsten carbides
Metallographic Identification of Microstructure in Cemented Carbides, Guide for, **B657 (02.05)**
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**

Cement grout
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**

Cement (hydraulic)
Sa **Hydraulic cement concrete**
Chemical Shrinkage of Hydraulic Cement Paste, Test Method for, **C1608 (04.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cementitious liner
Installing a Protective Cementitious Liner System in Sanitary Sewer Manholes, Practice for, **F2551 (04.12)**
Cement kiln dust
PM Detector and Bag Leak Detector Manufacturers to Certify Conformance with Design and Performance Specifications for Cement Plants, Practice for, **D7392 (11.07)**
Pozzolanic Blended Materials in Construction Applications, Specification for, **D5370 (11.04)**
Cement materials/applications
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Installation of Polyethylene (PE) and Encapsulated Cement Mortar Formed in Place Lining System (FIPLS) for the Rehabilitation of Water Pipelines, Practice for, **F2719 (08.04)**
Making Cementitious Panels for Testing Coatings, Practice for, **D1734 (06.02)**
Polyethylene (PE) and Cement Materials for an Encapsulated Cement Mortar Formed in Place Liner System (FIPLS) for the Rehabilitation of Water Pipelines, Specification for, **F2718 (08.04)**
Water Vapor Transmission of NonFilm Forming Treatments Used on Cementitious Panels, Test Method for, **D6490 (06.02)**
Cement materials/applications—specifications
Air-Entraining Additions for Use in the Manufacture of Air-Entraining Hydraulic Cement, Specification for, **C226 (04.01)**
Application of Portland Cement-Based Plaster, Specification for, **C926 (04.01)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Asphalt Roof Cement, Asbestos-Containing, Specification for, **D2822/D2822M (04.04)**
Blended Hydraulic Cements, Specification for, **C595/C595M (04.01)**
Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, Specification for, **C618 (04.02)**
Dry-Cast Segmental Retaining Wall Units, Specification for, **C1372 (04.05)**
Expansive Hydraulic Cement, Specification for, **C845/C845M (04.01)**
Finishing Hydrated Lime, Specification for, **C206 (04.01)**
Flow Table for Use in Tests of Hydraulic Cement, Specification for, **C230/C230M (04.01)**
Functional Additions for Use in Hydraulic Cements, Specification for, **C688 (04.01)**
Hydrated Hydraulic Lime for Structural Purposes, Specification for, **C141/C141M (04.01)**
Hydrated Lime for Masonry Purposes, Specification for, **C207 (04.01)**
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**
Masonry Cement, Specification for, **C91/C91M (04.01)**
Mortar Cement, Specification for, **C1329/C1329M (04.01)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Non-Asbestos Fiber-Mat Reinforced Cementitious Backer Units, Specification for, **C1325 (04.05)**
Packaged Dry, Hydraulic-Cement Grout (Nonshrink), Specification for, **C1107/C1107M (04.02)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Plastic (Stucco) Cement, Specification for, **C1328/C1328M (04.01)**
Portland Cement, Specification for, **C150/C150M (04.01)**
Pozzolanic Blended Materials in Construction Applications, Specification for, **D5370 (11.04)**
Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements, Specification for, **C1005 (04.01)**
Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, Specification for, **C1159 (04.05)**
Viscosity-Graded Asphalt Cement for Use in Pavement Construction, Specification for, **D3381/D3381M (04.03)**
Cement mortars
Acid-Soluble Chloride in Mortar and Concrete, Test Method for, **C1152/C1152M (04.02)**
Air Content of Hydraulic Cement Mortar, Test Method for, **C185 (04.01)**
Bond Strength of Mortar to Masonry Units, Test Method for, **C952 (04.05)**
Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, Test Method for, **C827/C827M (04.02)**
Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), Test Method for, **C109/C109M (04.01)**
Compressive Strength of Hydraulic-Cement Mortars, Test Method for, **C349 (04.01)**
Drying Shrinkage of Mortar Containing Hydraulic Cement, Test Method for, **C596 (04.01)**
Early Stiffening of Hydraulic Cement (Mortar Method), Test Method for, **C359 (04.01)**
Effect of Organic Impurities in Fine Aggregate on Strength of Mortar, Test Method for, **C87/C87M (04.02)**
Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar Specimens, Test Method for, **D6532 (06.02)**
Expansion of Hydraulic Cement Mortar Bars Stored in Water, Test Method for, **C1038/C1038M (04.01)**
Flexural Strength of Hydraulic-Cement Mortars, Test Method for, **C348 (04.01)**
Flow of Hydraulic Cement Mortar, Test Method for, **C1437 (04.01)**
Guinea Pig: Split Adjuvant and Closed Patch Testing for Contact Allergens, Practice for, **F2147 (13.01)**
Length Change of Hardened Hydraulic-Cement Mortar and Concrete, Test Method for, **C157/C157M (04.02)**
Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution, Test Method for, **C1012/C1012M (04.01)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**
Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency, Practice for, **C305 (04.01)**
Preparation and Conditioning of Cast, Drilled, or Sawed Specimens of Hydraulic-Cement Mortar and Concrete Used for Length Change Measurements, Practice for, **C341/C341M (04.02)**
Restrained Expansion of Expansive Cement Mortar, Test Method for, **C806 (04.01)**
Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle, Test Method for, **C807 (04.01)**
Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete, Practice for, **C490/C490M (04.01, 04.02)**
Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar, Test Method for, **C265 (04.01)**
Cement mortars—specifications
Blended Supplementary Cementitious Materials, Specification for, **C1697 (04.02)**
Extended Life Mortar for Unit Masonry, Specification for, **C1142 (04.05)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**
Mortar Cement, Specification for, **C1329/C1329M (04.01)**
Mortar for Unit Masonry, Specification for, **C270 (04.05)**
Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, Specification for, **C387/C387M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Packaged, Dry, Combined Materials for Surface Bonding Mortar, Specification for, **C887 (04.05)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Silica Fume Used in Cementitious Mixtures, Specification for, **C1240 (04.02)**
Slag Cement for Use in Concrete and Mortars, Specification for, **C989/C989M (04.02)**

Cement pastes
Autogenous Strain of Cement Paste and Mortar, Test Method for, **C1698 (04.02)**
Chemical Shrinkage of Hydraulic Cement Paste, Test Method for, **C1608 (04.01)**
High-Shear Mixing of Hydraulic Cement Pastes, Practice for, **C1738/C1738M (04.01)**
Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency, Practice for, **C305 (04.01)**
Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete, Practice for, **C490/C490M (04.01, 04.02)**

Cement plaster—specifications
Sa **Plaster—specifications**
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Surface-Applied Bonding Compounds for Exterior Plastering, Specification for, **C932 (04.01)**

Cement (portland (air-entraining))
See **Portland cement—specifications**

Cement (rubber)
Rubber Cements, Test Methods for, **D816 (09.01)**

Cement (solvent)
See **Solvent cements for joining thermoplastic pipe/fittings—specifications**

Cement (thermal insulating)
See **Thermal insulating cement—specifications**

CEN (Comite Europeen de Normalization)
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**
Measurement of the Luminance Coefficient Under Diffuse Illumination of Pavement Marking Materials Using a Portable Reflectometer, Test Method for, **E2302 (06.01)**

Cenospheres
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**

Center conductor CATV wire
Copper-Clad Steel Electrical Conductor for CATV Drop Wire, Specification for, **B869 (02.03)**

Center cracking
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**

Center of gravity
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**

Center of percussion
Measuring Moment of Inertia and Center of Percussion of a Baseball or Softball Bat, Test Method for, **F2398 (15.07)**

Center-point flexure test
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**

Center-point loading
Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading), Test Method for, **C293/C293M (04.02)**

Center serving
Center Serving Diameter Dimensions for Archery Bow Strings, Guide for, **F1436 (15.07)**

Center spring balance
Center Spring Constant and Spring Constant Balance of Alpine Skis, Test Method for, **F498 (15.07)**

Central station service—specifications
Seamless Austenitic Steel Pipe for High-Temperature Service, Specification for, **A376/A376M (01.01)**

Central vacuum power units
Determining A-Weighted Sound Power Level of Central Vacuum Power Units, Test Method for, **F2544 (15.08)**

Central Vacuum System (CVS)
Approved Methods of Installing a CVS (Central Vacuum System), Guide for, **F2647 (15.08)**
Evaluating the Sustained Air Performance and Exhaust Emission Efficiencies of Central Vacuum Cleaning Units, Test Method for, **F2826 (15.08)**

Central vacuum tube/fittings—specifications
Residential Central-Vacuum Tube and Fittings, Specification for, **F2158 (15.08)**

(Central vacuum) vacuum cleaners
See **Vacuum cleaners/systems**

Centrifugal castings
Aluminum-Alloy Centrifugal Castings, Specification for, **B955/B955M (02.02)**
Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, Practice for, **B208 (02.01)**

Centrifugal castings—specifications
Centrifugally Cast Dual Metal (Gray and White Cast Iron) Cylinders, Specification for, **A667/A667M (01.02)**
Centrifugally Cast Iron-Chromium-Nickel High-Alloy Tubing for Pressure Application at High Temperatures, Specification for, **A608/A608M (01.02)**
Centrifugally Cast White Iron/Gray Iron Dual Metal Abrasion-Resistant Roll Shells, Specification for, **A942/A942M (01.02)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

Centrifugal drum traps
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**

Centrifugally cast plastic pipe—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**
Centrifugally Cast "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Specification for, **D2997 (08.03)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**

Centrifugally cast steel pipe—specifications
Sa **Steel pipe**
Centrifugally Cast Austenitic Steel Pipe for High-Temperature Service, Specification for, **A451/A451M (01.01, 01.02)**
Centrifugally Cast Carbon Steel Pipe for High-Temperature Service, Specification for, **A660/A660M (01.02)**
Centrifugally Cast Ferritic Alloy Steel Pipe for High-Temperature Service, Specification for, **A426/A426M (01.01, 01.02)**
Centrifugally Cast Ferritic/Austenitic Stainless Steel Pipe for Corrosive Environments, Specification for, **A872/A872M (01.02)**

Centrifugal pumps—specifications
Centrifugal Pump, Shipboard Use, Specification for, **F998 (01.07)**
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**

Centrifugal sedimentation
Determining the Particle Size Distribution of Alumina by Centrifugal Photosedimentation, Test Method for, **C1182 (15.02)**
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Centrifugation
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Use of a Centrifugation Method to Quantify/Study Cell-Material Adhesive Interactions, Test Method for, **F3088 (13.02)**
Centrifuge (high-speed for vehicle separation)
See **Vehicle separation (paints/related coatings)**
Centrifuge kerosine equivalent
Centrifuge Kerosine Equivalent, Test Method for, **D5148 (04.03)**
Centrifuge method
Determination of Insoluble Solids in Organic Liquid Hazardous Waste, Test Method for, **D6050 (11.04)**
Determination of the Soil Water Characteristic Curve for Desorption Using Hanging Column, Pressure Extractor, Chilled Mirror Hygrometer, or Centrifuge, Test Methods for, **D6836 (04.09)**
Oil Separation from Lubricating Grease by Centrifuging (Koppers Method), Test Method for, **D4425 (05.02)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Sediment in Water-Emulsion Polishes by Centrifuge, Test Method for, **D1290 (15.04)**
Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), Test Method for, **D4007 (05.02)**
Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure), Test Method for, **D1796 (05.01)**
Water and Sediment in Middle Distillate Fuels by Centrifuge, Test Method for, **D2709 (05.01)**
Centrifuge moisture equivalent
Centrifuge Moisture Equivalent of Soils, Test Method for, **D425 (04.08)**
Centrifuge tubes
Laboratory Glass Microvolumetric Vessels (Volumetric Flasks and Centrifuge Tubes), Specification for, **E237 (14.04)**
Ceramic bonding
Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, Test Method for, **D4501 (15.06)**
Ceramic coatings
Sa **Porcelain enamel products**
Adhesion Strength and Mechanical Failure Modes of Ceramic Coatings by Quantitative Single Point Scratch Testing, Test Method for, **C1624 (15.01)**
Ceramic composites
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Practice for, **C1360 (15.01)**
Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, Test Method for, **C1337 (15.01)**
Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites, Test Method for, **C1341 (15.01)**
Interlaminar Shear Strength of 1–D and 2–D Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures, Test Method for, **C1425 (15.01)**
Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, Test Method for, **C1331 (15.01)**
Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, Test Method for, **C1358 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures, Test Method for, **C1359 (15.01)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**
Ceramic cookware
Graphite Furnace Atomic Absorption Spectrometric Determination of Lead and Cadmium Extracted from Ceramic Foodware, Test Method for, **C1466 (15.02)**
Ceramic electrical/electronic devices/applications
Sa **Seals—electronic applications (specifications)**
Alumina Ceramics for Electrical and Electronic Applications, Specification for, **D2442 (15.02)**
Compressive (Crushing) Strength of Fired Whiteware Materials, Test Method for, **C773 (15.02)**
Glass-Bonded Mica Used as Electrical Insulation, Test Methods for, **D1039 (10.01)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Permittivity (Dielectric Constant) And Dissipation Factor Of Solid Dielectrics At Frequencies To 10 MHz And Temperatures To 500°C, Test Method for, **D2149 (10.01)**
Surface Imperfections on Ceramics, Terminology Relating to, **F109 (15.02)**
Vitrified Ceramic Materials for Electrical Applications, Test Methods for, **D116 (15.02)**
Ceramic glass enamel
Acid Resistance of Ceramic Decorations on Architectural-Type Glass, Test Method for, **C724 (15.02)**
Acid Resistance of Ceramic Decorations on Returnable Beer and Beverage Glass Containers, Test Method for, **C735 (15.02)**
Alkali Resistance of Ceramic Decorations on Returnable Beverage Glass Containers, Test Method for, **C675 (15.02)**
Detergent Resistance of Ceramic Decorations on Glass Tableware, Test Method for, **C676 (15.02)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Quantitative Determination of Alkali Resistance of a Ceramic-Glass Enamel, Test Method for, **C1203 (15.02)**
Sampling Protocol for TCLP Testing of Container Glassware, Test Method for, **C1606 (15.02)**
Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, Practice for, **C824 (15.02)**
Sulfide Resistance of Ceramic Decorations on Glass, Test Method for, **C777 (15.02)**
Ceramic-glazed materials
Sa **Brick—specifications**
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**
Glazed Brick (Single Fired, Brick Units), Specification for, **C1405 (04.05)**
Ceramic head designs
Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, Test Methods for, **F2345 (13.01)**
Determining the Axial Disassembly Force of Taper Connections

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

of Modular Prostheses, Test Method for, **F2009 (13.01)**
Ceramic-insulated (sheathed) thermocouples
See **Thermocouples**
Ceramic insulators
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**
Ceramic joints
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Ceramic materials/applications
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Density of Glass by the Sink-Float Comparator, Test Method for, **C729 (15.02)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Labeling Ceramic Art Materials for Chronic Adverse Health Hazards, Practice for, **C1023 (15.02)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Linearly Reciprocating Ball-on-Flat Sliding Wear, Test Method for, **G133 (03.02)**
Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, Test Method for, **E128 (14.04)**
Methylene Blue Index of Clay, Test Method for, **C837 (15.02)**
Normal Spectral Emittance at Elevated Temperatures of Nonconducting Specimens, Test Method for, **E423 (15.03)**
Porosity in Vitreous Whitewares by Dye Penetration, Test Method for, **C949 (15.02)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E1952 (14.02)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Ceramic materials/applications—specifications
Alumina Ceramics for Electrical and Electronic Applications, Specification for, **D2442 (15.02)**
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Chemical-Resistant Ceramic Tower Packings, Specification for, **C515 (05.05)**
Chemical-Resistant Resin Grouts for Brick or Tile, Specification for, **C658 (04.05)**
Glass and Glass Ceramic Biomaterials for Implantation, Specification for, **F1538 (13.01)**
Glazed Brick (Single Fired, Brick Units), Specification for, **C1405 (04.05)**
High-Purity Dense Aluminum Oxide for Medical Application, Specification for, **F603 (13.01)**
Sintered Ceramic Ferrite Permanent Magnets, Specification for, **A1054 (03.04)**
Ceramic matrix composites
Monotonic Axial Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramic Tubular Test Specimens at Ambient Temperature, Test Method for, **C1773 (15.01)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**
Ceramic-metal systems
Porcelain Enamel and Ceramic-Metal Systems, Terminology Relating to, **C286 (02.05)**
Ceramic nuclear waste materials
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Ceramic powders (nonplastic)
Particle Size Distribution of Alumina or Quartz Powders by Electrical Sensing Zone Technique, Test Method for, **C690 (15.02)**
Precision Electroformed Wet Sieve Analysis of Nonplastic Ceramic Powders, Guide for, **C925 (15.02)**
Wire-Cloth Sieve Analysis of Nonplastic Ceramic Powders, Test Method for, **C371 (15.02)**
Ceramic reference specimens
Sa **Advanced ceramics**
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**
Ceramic surgical materials/applications
Characterization and Testing of Raw or Starting Biomaterials for Tissue-Engineered Medical Products, Guide for, **F2027 (13.01)**
Characterization of Ceramic and Mineral Based Scaffolds used for Tissue-Engineered Medical Products (TEMPs) and as Device for Surgical Implant Applications, Guide for, **F2883 (13.02)**
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**
Ceramic surgical materials/applications—specifications
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**
Composition of Hydroxylapatite for Surgical Implants, Specification for, **F1185 (13.01)**
High-Purity Dense Aluminum Oxide for Medical Application, Specification for, **F603 (13.01)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Ceramic tile
Sa **Flooring/floor covering systems**
Bond Strength of Ceramic Tile to Portland Cement Paste, Test Method for, **C482 (15.02)**
Breaking Strength of Ceramic Tile, Test Method for, **C648 (15.02)**
Chemical-Resistant Resin Grouts for Brick or Tile, Specification for, **C658 (04.05)**
Determination of Breaking Strength of Ceramic Tiles by Three-Point Loading, Test Method for, **C1505 (15.02)**
Determining the Static Coefficient of Friction of Ceramic Tile

--`,,``,,,``,``,,,,``````````,,,-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, Test Method for, **C1028 (15.02)**
Evaluating Ceramic Floor Tile Installation Systems Using the Robinson-Type Floor Tester, Test Method for, **C627 (15.02)**
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**
Measuring the Resistance of Ceramic and Glass Tile to Freeze-Thaw Cycling, Test Method for, **C1026 (15.02)**
Measuring Warpage of Ceramic Tile, Test Method for, **C485 (15.02)**
Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, Test Method for, **C1243 (15.02)**
Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser, Test Method for, **C501 (15.02)**
Resistance of Ceramic Tile to Chemical Substances, Test Method for, **C650 (15.02)**

Ceramic tile (glazed)
Bond Strength of Ceramic Tile to Portland Cement Paste, Test Method for, **C482 (15.02)**
Breaking Strength of Ceramic Tile, Test Method for, **C648 (15.02)**
Determining Visible Abrasion Resistance of Glazed Ceramic Tile, Test Method for, **C1027 (15.02)**
Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile, Test Method for, **C499 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Tile, Test Method for, **C895 (15.02)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Ceramic Whiteware Materials by Interferometric Method, Test Method for, **C539 (02.05)**
Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, Test Method for, **C609 (15.02)**
Thermal Shock Resistance of Glazed Ceramic Tile, Test Method for, **C484 (15.02)**
Wedging of Flat, Rectangular Ceramic Wall and Floor Tile, Test Method for, **C502 (15.02)**

Ceramic tower packings
Chemical-Resistant Ceramic Tower Packings, Specification for, **C515 (05.05)**

Ceramicware
Determination of Microwave Safe for Reheating for Ceramicware, Test Method for, **C1607 (15.02)**
Fractographic Analysis of Fracture Mirror Sizes in Ceramics and Glasses, Practice for, **C1678 (15.01)**

Ceramic wear testing
Wear Testing with a Pin-on-Disk Apparatus, Test Method for, **G99 (03.02)**

Ceramic whiskers
See **Whiskers**

Ceramic whiteware clays
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Drying and Firing Shrinkages of Ceramic Whiteware Clays, Test Method for, **C326 (15.02)**
Filtration Rate of Ceramic Whiteware Clays, Test Method for, **C866 (15.02)**
Free Moisture in Ceramic Whiteware Clays, Test Method for, **C324 (15.02)**
Modulus of Rupture of Unfired Clays, Test Method for, **C689 (15.02)**
Sampling Ceramic Whiteware Clays, Practice for, **C322 (15.02)**
Soluble Sulfate in Ceramic Whiteware Clays (Photometric Method), Test Method for, **C867 (15.02)**
Wet Sieve Analysis of Ceramic Whiteware Clays, Guide for, **C325 (15.02)**

Ceramic whitewares
Advanced Ceramics, Terminology of, **C1145 (15.01)**
Ceramic Whitewares and Related Products, Terminology of, **C242 (15.02)**
Chemical Analysis of Ceramic Whiteware Materials Using Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Methods for, **C1605 (15.02)**
Color and Color Difference of Whitewares by Abriged Spectrophotometry, Test Method for, **C1510 (15.02)**
Compressive (Crushing) Strength of Fired Whiteware Materials, Test Method for, **C773 (15.02)**
Flexural Properties of Ceramic Whiteware Materials, Test Methods for, **C674 (15.02)**
Knoop Indentation Hardness of Ceramic Whitewares, Test Method for, **C849 (15.02)**
Moisture Expansion of Fired Whiteware Products, Test Method for, **C370 (15.02)**
Porosity in Vitreous Whitewares by Dye Penetration, Test Method for, **C949 (15.02)**
Specific Gravity of Fired Ceramic Whiteware Materials, Test Method for, **C329 (15.02)**
Thermal Conductivity of Whiteware Ceramics, Test Method for, **C408 (15.02)**
Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Test Method for, **C373 (15.02)**
Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance, Test Method for, **C848 (15.02)**

Ceramic whitewares—linear thermal expansion
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Ceramic Whiteware Materials by Interferometric Method, Test Method for, **C539 (02.05)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method, Test Method for, **C372 (15.02)**

Ceramic whitewares (glazed)
Crazing Resistance of Fired Glazed Ceramic Whitewares by a Thermal Shock Method, Test Method for, **C554 (15.02)**
Crazing Resistance of Fired Glazed Whitewares by Autoclave Treatment, Test Method for, **C424 (15.02)**
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**
Flexural Properties of Ceramic Whiteware Materials, Test Methods for, **C674 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Surfaces, Test Method for, **C738 (15.02)**
Linear Thermal Expansion of Glaze Frits and Ceramic Whiteware Materials by the Interferometric Method, Test Method for, **C1300 (15.02)**
Specular Gloss of Glazed Ceramic Whitewares and Related Products, Test Method for, **C584 (15.02)**

Ceramographic determination
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**

CERCHAR Abrasiveness Index (CAI)
Laboratory Determination of Abrasiveness of Rock Using the CERCHAR Method, Test Method for, **D7625 (04.09)**

CERCLA
Identifying and Complying With Continuing Obligations, Guide for, **E2790 (11.05)**
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**

Cerebral stereotactic instruments
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**

Ceric-cerous sulfate dosimeter
Sa **Dosimetry**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ceric sulfate solution
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Ceriodaphnia dubia
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Cerium
Cerium in Paint Driers by Oxidimetric Determination, Test Method for, **D3970 (06.01)**
Cerium content—metals/alloys
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Certainty equivalent factor (CEF) technique
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Certificate programs
Certificate Programs, Practice for, **E2659 (14.02)**
Personnel Credentialing, Terminology for, **E2708 (14.02)**
Certification
Conformity Assessment of Protective Clothing Worn by Operators Applying Pesticides, Practice for, **F2962 (11.03)**
Professional Certification Performance Testing, Practice for, **E2849 (14.02)**
Requirements for Bodies that Operate Certification Programs in the Field of Search and Rescue, Guide for, **F3069 (13.02)**
Certification programs—search and rescue
Requirements for Bodies that Operate Certification Programs in the Field of Search and Rescue, Guide for, **F3069 (13.02)**
Certification/registration
Certification Bodies that Certify Personnel Engaged in Inspection and Testing of Construction Activities and Materials Used in Construction, Including Special Inspection, Practice for, **E2833 (14.02)**
Certification of Personnel Engaged in the Testing of Soil and Rock, Practice for, **D5255 (04.08)**
Healthcare Certificate Policy, Practice for, **E2212 (14.01)**
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**
Organizations Engaged in the Certification of Personnel Testing and Inspecting Bituminous Paving Materials, Practice for, **D5506 (04.03)**
Ready-Mixed Concrete, Specification for, **C94/C94M (04.02)**
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**
Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, Practice for, **F1552 (13.02)**
Use of Certification of Coating Conformance Form, Guide for, **D5063 (06.02)**
Certified neutron-fluence standards
Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, Guide for, **E2005 (12.02)**
Certified Reference Materials (CRM)
Sa **Reference materials (RM)**
Certificates of Reference Materials for Water Analysis, Practice for, **D6362 (11.01)**
Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Water Samples, Guide for, **D6568 (11.01)**
Cervical caps
See **Diaphragms**
Cervical (spine) immobilization
Characteristics for Adjunct Cervical Spine Immobilization Devices (ACSID), Guide for, **F1558 (13.02)**
Characteristics for Cervical Spine Immobilization Collar(s) (CSIC), Guide for, **F1559 (13.02)**
Characteristics for Extremity Splints, Guide for, **F1555 (13.02)**
Cranial Traction Tongs and Halo External Spinal Immobilization Devices, Specification for, **F1831 (13.01)**
Full Body Spinal Immobilization Devices (FBSID) Characteristics, Guide for, **F1557 (13.02)**
Spinal Immobilization and Extrication (SPINE) Device Characteristics, Guide for, **F1556 (13.02)**
Cesium-137
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Cesium isotope removal
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Cetane Index (Calculated)
See **Calculated Cetane Index (CCI)**
Cetane number
Cetane Number of Diesel Fuel Oil, Test Method for, **D613 (05.05)**
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Fixed Range Injection Period, Constant Volume Combustion Chamber Method, Test Method for, **D7170 (05.05)**
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Ignition Delay and Combustion Delay Using a Constant Volume Combustion Chamber Method, Test Method for, **D7668 (05.05)**
Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, Test Method for, **D6890 (05.05)**
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**
Cetane test engine
Cetane Number of Diesel Fuel Oil, Test Method for, **D613 (05.05)**
Cetyltrimethylammonium bromide (CTAB)
Silica, Precipitated, Hydrated—CTAB (Cetyltrimethylammonium Bromide) Surface Area, Test Method for, **D6845 (09.01)**
CF_3Br
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
CFC 113
Reclaimed 1,1,2-Trichloro 1,2,2-Trifluoroethane, Specification for, **D5248 (15.05)**
CFCC (continuous fiber-reinforced ceramic composite)
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Practice for, **C1360 (15.01)**
Interlaminar Shear Strength of 1–D and 2–D Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures, Test Method for, **C1425 (15.01)**
Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, Test Method for, **C1358 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular

--`,,`,,`-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cross-Section Test Specimens at Elevated Temperatures, Test Method for, **C1359 (15.01)**
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**

CFC (channel frequency class)
Measuring the Dynamic Characteristics of Amusement Rides and Devices, Practice for, **F2137 (15.07)**

CFPP (cold filter plugging point)
Cold Filter Plugging Point of Diesel and Heating Fuels, Test Method for, **D6371 (05.03)**

CFR (code of federal regulations)
Performing Evaluations of Underground Storage Tank Systems for Operational Conformance with 40 CFR, Part 280 Regulations, Guide for, **E1990 (11.05)**

CFU (colony forming units)
See **Colony forming units (CFU)**

CGG alloy
Continuous Galvanizing Grade (CGG) Zinc Alloys for Hot-Dip Galvanizing of Sheet Steel, Specification for, **B852 (02.04)**

Chaetomium globosum
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**

Chafer fabrics
Sa **Tire cords and tire cord fabrics**
Air Wicking of Tire Fabrics, Tire Cord Fabrics, Tire Cord, and Yarns, Test Method for, **D2692/D2692M (07.01)**

Chain
Carbon Steel Chain, Specification for, **A413/A413M (01.05)**
Grade 100 Alloy Steel Chain, Specification for, **A973/A973M (01.05)**
Grade 80 Alloy Steel Chain, Specification for, **A391/A391M (01.05)**
Grade 80 and Grade 100 Alloy Steel Chain Slings for Overhead Lifting, Specification for, **A906/A906M (01.05)**
Machine and Coil Chain, Specification for, **A467/A467M (01.05)**
Wildcats, Ship Anchor Chain, Specification for, **F765 (01.07)**

Chain drag
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**

Chain link fabric—polymer privacy slats
Polymer Privacy Insert Slats for Chain Link Fabric and Privacy Chain Link Fabric Manufactured Containing Pre-Installed Privacy Slats, Specification for, **F3000/F3000M (01.06)**

Chain-link fence/fencing systems
Sa **Fences/fencing materials**
Chain Link Fencing, Terminology Relating to, **F552 (01.06)**
Construction of Chain-Link Tennis Court Fence, Practice for, **F969 (01.06)**
Installation of Chain-Link Fence, Practice for, **F567 (01.06)**
Installation of Chain-Link Fence for Outdoor Sports Fields, Sports Courts and Other Recreation Facilities, Practice for, **F2631 (01.06)**
Specifying Chain Link Fence, Guide for, **F1553 (01.06)**

Chain-link fence/fencing systems—specifications
Aluminum Alloy Chain Link Fence Fabric, Specification for, **F1183 (01.06)**
Aluminum-Coated Steel Chain-Link Fence Fabric, Specification for, **A491 (01.06)**
Fence Fittings, Specification for, **F626 (01.06)**
Industrial and Commercial Steel Swing Gates, Specification for, **F900 (01.06)**
Metallic-Coated Steel Marcelled Tension Wire for Use With Chain Link Fence, Specification for, **A824 (01.06)**
Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcelled Tension Wire, Specification for, **A817 (01.06)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence, Specification for, **F1665 (01.06)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence, Specification for, **F1664 (01.06)**
Polyvinyl Chloride (PVC), Polyolefin and Other Polymer-Coated Steel Chain Link Fence Fabric, Specification for, **F668 (01.06)**
Residential Chain Link Fence Gates, Specification for, **F654 (01.06)**
Standard Colors for Polymer-Coated Chain Link Fence Materials, Specification for, **F934 (01.06)**
Steel Chain-Link Fencing Materials Used for High Security Applications, Specification for, **F1712 (01.06)**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric, Specification for, **F1345 (01.06)**
Zinc-Coated Steel Chain-Link Fence Fabric, Specification for, **A392 (01.06)**

Chain of custody
Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, Practice for, **D7464 (05.04)**
Microcrystal Testing in Forensic Analysis of Phencyclidine and Its Analogues, Guide for, **E2125 (14.02)**

Chain-of-custody procedures
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**
Physical Evidence Labeling and Related Documentation, Guide for, **E1459 (14.02)**
Receiving, Documenting, Storing, and Retrieving Evidence in a Forensic Science Laboratory, Practice for, **E1492 (14.02)**
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**

Chain saw
Foot Protection for Chain Saw Users, Specification for, **F1818 (11.03)**
Leg Protection for Chain Saw Users, Specification for, **F1897 (11.03)**
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**
Measurement of Cut Resistance to Chain Saw of Foot Protective Devices, Test Method for, **F1458 (11.03)**

Chain slings
Grade 80 and Grade 100 Alloy Steel Chain Slings for Overhead Lifting, Specification for, **A906/A906M (01.05)**

Chain (steel)
See **Steel chain—specifications**

Chainweight
Equal Arm Balances, Test Method for, **E1270 (14.04)**

Chair push/pull test
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**

Chaise lounge
Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use, Performance Requirements for, **F1988 (15.11)**

Chalking
Comparing Sealant Behavior to Reference Photographs, Guide for, **C1756 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Evaluating the Degree of Chalking of Exterior Paint Films, Test Methods for, **D4214 (06.01)**

Challenge aerosols
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chamber
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Spraying, Sampling, Packaging, and Test Specimen Preparation of Spray Polyurethane Foam (SPF) Insulation for Testing of Emissions Using Environmental Chambers, Practice for, **D7859 (11.07)**
Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, Practice for, **F2787 (08.04)**
Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**
Chamber construction (for airborne sound attenuation test)
Sa **Sound transmission—building materials/applications**
Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, Test Method for, **E1414/E1414M (04.06)**
Chamber nozzle inflow/outflow
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**
Champia parvula
Conducting Sexual Reproduction Tests with Seaweeds, Guide for, **E1498 (11.06)**
Change and churn
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Change in color
Techniques in Land Search, Guide for, **F1633 (13.02)**
Change in height
Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, Test Method for, **C827/C827M (04.02)**
Measuring Changes in Height of Cylindrical Specimens of Hydraulic-Cement Grout, Test Method for, **C1090 (04.02)**
Change in length
Autoclave Expansion of Hydraulic Cement, Test Method for, **C151/C151M (04.01)**
Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, Test Method for, **C827/C827M (04.02)**
Determination of Length Change of Concrete Due to Alkali-Silica Reaction, Test Method for, **C1293 (04.02)**
Drying Shrinkage of Mortar Containing Hydraulic Cement, Test Method for, **C596 (04.01)**
Expansion of Hydraulic Cement Mortar Bars Stored in Water, Test Method for, **C1038/C1038M (04.01)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Length Change of Hardened Hydraulic-Cement Mortar and Concrete, Test Method for, **C157/C157M (04.02)**
Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution, Test Method for, **C1012/C1012M (04.01)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, Test Method for, **C174/C174M (04.02)**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Potential Alkali Reactivity of Cement-Aggregate, Test Method for, **C227 (04.02)**
Potential Alkali-Silica Reactivity of Aggregates (Chemical Method), Test Method for, **C289 (04.02)**
Preparation and Conditioning of Cast, Drilled, or Sawed Specimens of Hydraulic-Cement Mortar and Concrete Used for Length Change Measurements, Practice for, **C341/C341M (04.02)**
Restrained Expansion of Expansive Cement Mortar, Test Method for, **C806 (04.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete, Practice for, **C490/C490M (04.01, 04.02)**
Channel black
See **Carbon black**
Channel catfish
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Channel glazing compound
Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds, Test Method for, **C681 (04.07)**
Channel glazing compounds and sealants
See **Caulking compounds and sealants**
Channel hydraulics
Developing a Stage-Discharge Relation for Open Channel Flow, Practice for, **D5541 (11.01)**
Channel lining
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Performance Testing of Articulating Concrete Block (ACB) Revetment Systems for Hydraulic Stability in Open Channel Flow, Test Method for, **D7277 (04.09)**
Channel roughness
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Channels
Determining Integrity of Seals for Flexible Packaging by Visual Inspection, Test Method for, **F1886/F1886M (15.10)**
Channel samples (of coal)
Sa **Coal sampling systems**
Collection of Channel Samples of Coal in a Mine, Practice for, **D4596 (05.06)**
Channel stability
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Performance Testing of Articulating Concrete Block (ACB) Revetment Systems for Hydraulic Stability in Open Channel Flow, Test Method for, **D7277 (04.09)**
Char
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Characteristic groups
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Characteristic impedance
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Characteristic mass
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**
Characteristics/characterization
Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, Guide for, **F2347 (13.01)**
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Characterization of Coal Fly Ash and Clean Coal Combustion Fly

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ash for Potential Uses, Guide for, **D5759 (11.04)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Conceptualization and Characterization of Ground-Water Systems, Guide for, **D5979 (04.09)**
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Preparing Characterization Plans for Decommissioning Nuclear Facilities, Guide for, **E1892 (12.02)**
Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**

Characteristics/characterization—copy products
Generating a Test Pattern for Single-Pass Film Ribbons, Practice for, **F1232 (15.09)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Optical Character Recognition, Terminology Relating to, **F149 (15.09)**
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**

Characteristics/characterization—rubber
Silanes Used in Rubber Formulations, Test Method for, **D6844 (09.01)**

Characteristics/characterization—solar applications
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**

Characteristics/characterization—surgical implants/applications
Characterization and Presentation of the Dimensional Attributes of Vascular Stents, Guide for, **F2081 (13.01)**
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Characterization and Testing of Chitosan Salts as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Product Applications, Guide for, **F2103 (13.01)**
Characterization and Testing of Raw or Starting Biomaterials for Tissue-Engineered Medical Products, Guide for, **F2027 (13.01)**
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**

Character yield
Determination of Character Yield of Inked Fabric Typewriter and Printer Ribbons, Practice for, **F92 (15.09)**

Charcoal adsorption method
Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, Practice for, **D3687 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), Test Method for, **D4413 (11.07)**
Sampling Atmospheres to Collect Organic Compound Vapors (Activated Charcoal Tube Adsorption Method), Practice for, **D3686 (11.07)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Charcoal (wood)
Chemical Analysis of Wood Charcoal, Test Method for, **D1762 (04.10)**

Char density profile
Obtaining Char Density Profile of Ablative Materials by Machining and Weighing, Test Method for, **E471 (15.03)**

Charge control/referencing
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**

Charged particle equilibrium
Calculating Absorbed Dose From Gamma or X Radiation, Practice for, **E666 (12.02)**

Charged-particle irradiation
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**

Charge generation/relaxation
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**

Charge time
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**

Charge-voltage-trace (parallelogram) technique
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**

Charging
Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, Practice for, **G148 (03.02)**

Char index
Fire Retardancy of Paints (Cabinet Method), Test Method for, **D1360 (06.01)**

Char length
Flame Resistance of Textiles (Vertical Test), Test Method for, **D6413/D6413M (07.02)**

Charpy impact test
Charpy Impact Test on Thin Specimens of Polyethylene Used in Pressurized Pipes, Test Method for, **F2231 (08.04)**
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**
Determining the Charpy Impact Resistance of Notched Specimens of Plastics, Test Method for, **D6110 (08.03)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Impact Testing of Cast Irons, Test Methods for, **A327/A327M (01.02)**
Impact Testing of Miniaturized Charpy V-Notch Specimens, Test Method for, **E2248 (03.01)**
In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds, Practice for, **D3419 (08.02)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Mechanical Testing of Steel Products—Metric, Test Methods for, **A1058 (01.01, 01.02, 01.03, 01.04, 01.05)**
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Reconstitution of Irradiated Charpy-Sized Specimens, Guide for, **E1253 (12.02)**
Sampling Procedure for Impact Testing of Structural Steel, Specification for, **A673/A673M (01.04)**

Chassis grease
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**

Check fuel
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**

Checking
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating Degree of Checking of Exterior Paints, Test Method for, **D660 (06.01)**

Check valves
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Special Engineered Fittings, Appurtenances or Valves for use in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**

Checkwriters
Examination of Mechanical Checkwriter Impressions, Guide for, **E2285 (14.02)**

Cheesecloth
Application of Emulsion Floor Polishes to Substrates for Testing Purposes, Test Methods for, **D1436 (15.04)**

Chelate cleaning
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Chelation
Cobalt in Water, Test Methods for, **D3558 (11.01)**
Copper in Water, Test Methods for, **D1688 (11.01)**
Manganese in Water, Test Methods for, **D858 (11.01)**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**

Chelation-extraction
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Lead in Water, Test Methods for, **D3559 (11.01)**
Zinc in Water, Test Methods for, **D1691 (11.01)**

Chemical admixtures
Cold-Weather Admixture Systems, Specification for, **C1622/C1622M (04.02)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**

Chemical admixtures (for concrete)
Sa **Concrete admixtures**
Cold-Weather Admixture Systems, Specification for, **C1622/C1622M (04.02)**
Corrosion Inhibiting Admixtures for Steel in Concrete by Polarization Resistance in Cementitious Slurries, Test Method for, **G180 (03.02)**

Chemical analysis
Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, Methods of, **D2674 (15.06)**
Analysis of Vegetable Tanning Materials—General, Practice for, **D4899 (15.04)**
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Ceramic Whiteware Materials Using Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Methods for, **C1605 (15.02)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Examination and Analysis of Hardened Masonry Mortar, Test Method for, **C1324 (04.05)**
Interpretation and Use of Results from Interlaboratory Testing of Chemical Analysis Methods, Guide for, **E1763 (03.05)**
Laboratory Filter Papers, Specification for, **E832 (14.04)**
Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), Test Method for, **E159 (02.05)**
Packed Column Gas Chromatography, Practice for, **E260 (03.06)**
Reporting Results from Methods of Chemical Analysis, Practice for, **E1950 (03.05)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**

Chemical analysis—adhesives
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**

Chemical analysis—atmospheric
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Determination of Volatile Organic Compounds (Excluding Formaldehyde) Emissions from Wood-Based Panels Using Small Environmental Chambers Under Defined Test Conditions, Practice for, **D6330 (11.07)**
Quality Assurance Protocols for Chemical Analysis of Atmospheric Wet Deposition, Guide for, **D6328 (11.07)**

Chemical analysis—cement/concrete/aggregate
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
X-ray Spectrometric Analysis of Lime and Limestone, Test Method for, **C1271 (04.01)**

Chemical analysis—chemicals
Acidity of Sulfur Hexafluoride, Test Method for, **D2284 (10.03)**
Analysis of 1,3Butadiene Product, Guide for, **D5274 (05.02)**
Analysis of 2,6-Ditertiary-Butyl Para-Cresol and 2,6-Ditertiary-Butyl Phenol in Insulating Liquids by Gas Chromatography, Test Method for, **D4768 (10.03)**
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Analysis of Sulfuric Acid, Test Methods for, **E223 (15.05)**
Assay of Organic Peroxides, Test Methods for, **E298 (15.05)**
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**
Chemical Analysis of Alcohol Ethoxylates and Alkylphenol Ethoxylates, Test Methods for, **D4252 (15.04)**
Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), Test Methods for, **E291 (15.05)**
Chemical Analysis of Sodium Chloride, Test Methods for, **E534 (15.05)**
Concentration Limits of Flammability of Chemicals (Vapors and Gases), Test Method for, **E681 (14.02)**
Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2259 (13.01)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Mercury in Liquid Chlorine, Test Method for, **E506 (15.05)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Specific Gravity, Apparent, of Liquid Industrial Chemicals, Test Methods for, **D891 (15.05)**
Trace Quantities of Carbonyl Compounds with 2,4-Dinitrophenylhydrazine, Test Method for, **E411 (15.05)**
Understanding Cyanide Species, Guide for, **D6696 (11.02)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**

Chemical analysis—cleaning (detergent) materials/applications
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Detergent Alkylate, Test Methods for, **D1569 (15.04)**
Sampling and Chemical Analysis of Alkaline Detergents, Test Methods of, **D501 (15.04)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Sampling and Preparation of Wet Blue for Physical and Chemical Tests, Practice for, **D6659 (15.04)**
Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, Test Method for, **D5070 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**

Chemical analysis—electrical contacts
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**
Specifying the Chemical Compositions for Electrical Contact Materials (Arcing and Nonarcing), Guide for, **B772 (02.04)**

Chemical analysis—environmental applications
Demonstrating and Assessing Whether a Chemical Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, Guide for, **D6956 (11.04)**

Chemical analysis—ground water
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Use of Maps, Guide for, **D6036 (04.09)**
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Chemical analysis—insulation
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**

Chemical analysis—metals/alloys
Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E882 (03.05)**
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, Test Methods for, **E1915 (03.05)**
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Apparatus For Microdetermination of Carbon and, Specification for, **E191 (14.04)**
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Chemical Analysis of Chromium and Ferrochromium, Test Methods for, **E363 (03.05)**
Chemical Analysis of Ferroniobium, Test Methods for, **E367 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Refined Gold by Direct Current Plasma Atomic Emission Spectrometry, Test Method for, **E1446 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Chemical Analysis of Steel Products, Test Methods, Practices, and Terminology for, **A751 (01.01, 01.02, 01.03, 01.04, 01.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Conducting Proficiency Tests in the Chemical Analysis of Metals, Ores, and Related Materials, Practice for, **E2027 (03.05)**
Determination of Iron in Manganese Ores by Hydrogen Sulfide Reduction-Dichromate Titrimetry, Test Method for, **E316 (03.05)**
Determination of Manganese in Iron Ores by Pyrophosphate (Potentiometric) and Periodate (Photometric) Techniques, Test Methods for, **E314 (03.05)**
Determination of Zinc in Zinc Ores and Concentrates by EDTA Complexometric Titrimetry, Test Method for, **E945 (03.05)**
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Identifying Chemical Effects and Matrix Effects in Auger Electron Spectroscopy, Guide for, **E984 (03.06)**
Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Coarser for Metal-Bearing Ores and Related Materials, Test Method for, **E389 (03.05)**
Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Finer for Metal-Bearing Ores and Related Materials, Test Method for, **E276 (03.05)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**
Use of Terms Relating to the Development and Evaluation of Methods for Chemical Analysis, Practice for, **E1914 (03.05)**

Chemical analysis—nuclear materials
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
Establishing a Measurement System Quality Control Program for Analytical Chemistry Laboratories Within the Nuclear Industry, Guide for, **C1210 (12.01)**
Establishing and Maintaining a Quality Assurance Program for Analytical Laboratories Within the Nuclear Industry, Guide for, **C1009 (12.01)**
Establishing Calibration for a Measurement Method Used to Analyze Nuclear Fuel Cycle Materials, Guide for, **C1156 (12.01)**
Preparation and Dissolution of Plutonium Materials for Analysis, Practice for, **C1168 (12.01)**
Sampling Two-Phase Geothermal Fluid for Purposes of Chemical Analysis, Practice for, **E1675 (12.02)**
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical analysis—paints/related coatings/materials
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**
Analysis of Toluene by Capillary Column Gas Chromatography, Test Method for, **D6526 (06.04)**
Analysis of Zinc Hydroxy Phosphite Pigment, Test Method for, **D4450 (06.03)**
Chemical Analysis of White Pigments, Guide for, **D34 (06.03)**
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Ethyl Methyl Pentanol Content and Purity Value of 2-Ethylhexanol By Gas Chromatography, Test Method for, **D5008 (06.04)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Chemical analysis—petroleum products
Analysis of 1,3Butadiene Product, Guide for, **D5274 (05.02)**
Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**
Analysis of Ethylene Product, Guide for, **D5234 (05.02)**
Analysis of Propylene Concentrates, Guide for, **D5273 (05.02)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Chemical analysis—protective clothing
See **Chemical protective clothing (CPC)**
Chemical analysis—refuse-derived fuel (RDF)
See **Resource recovery**
Chemical analysis—rubber chemicals/materials
Carbon Black Evaluation in NR (Natural Rubber), Test Methods for, **D3192 (09.01)**
Carbon Black in SBR (Styrene-Butadiene Rubber)—Recipe and Evaluation Procedures, Test Methods for, **D3191 (09.01)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Rubber Chemicals—2-Mercaptobenzothiazole (MBT)—Assay, Test Method for, **D1991 (09.01)**
Rubber Chemicals—Density, Test Method for, **D1817 (09.01)**
Rubber Chemicals—Determination of Infrared Absorption Characteristics, Practice for, **D2702 (09.01)**
Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, Test Method for, **D4573 (09.01)**
Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), Test Method for, **D4570 (09.01)**
Rubber Chemicals—Determination of Percent Sulfur by Extraction, Test Methods for, **D4578 (09.01)**
Rubber Chemicals—Solubility, Test Method for, **D1766 (09.01)**
Rubber Chemicals—Wet Sieve Analysis of Sulfur, Test Method for, **D4572 (09.01)**
Rubber Compounding Material—Zinc Oxide, Test Methods for, **D4315 (09.01)**
Rubber Compounding Materials—Determination of Acidity in Sulfur, Test Method for, **D4569 (09.01)**
Rubber Compounding Materials—Determination of Ash Content, Test Methods for, **D4574 (09.01)**
Rubber Compounding Materials—Determination of Volatile Material, Test Methods for, **D4571 (09.01)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber Compounding Materials—Sulfur, Classification for, **D4528 (09.01)**
Rubber Compounding Materials—Zinc Oxide, Classification for, **D4295 (09.01)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Rubber From Synthetic Sources—Sampling, Practice for, **D3896 (09.01)**
Rubber From Synthetic Sources—Total and Water Soluble Ash, Test Method for, **D5667 (09.01)**
Rubber From Synthetic Sources—Volatile Matter, Test Methods for, **D5668 (09.01)**
Rubber Latex—Styrene-Butadiene Copolymer—Determination of Residual Styrene, Test Method for, **D4026 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Chemical Analysis for Polystyrene Blocks In SBR (Styrene-Butadiene Rubber) and Styrene-Reinforced Latices, Test Method for, **D3314 (09.01)**
Rubber—Chemical Analysis of Extractables, Test Methods for, **D5774 (09.01)**
Rubber—Chromatographic Analysis of Antidegradants (Antioxidants, Antiozonants and Stabilizers), Practice for, **D3156 (09.01)**
Rubber—Determination of Bromine in the Presence of Chlorine by Oxygen Combustion, Practice for, **D3566 (09.01)**
Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, Test Methods for, **D3900 (09.01)**
Rubber—Determination of Gel, Swelling Index, and Dilute Solution Viscosity, Test Method for, **D3616 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, Test Method for, **D5670 (09.01)**
Rubber—Evaluation of BIIR and CIIR (Halogenated Isobutene—Isoprene Rubber), Test Methods for, **D3958 (09.01)**
Rubber—Evaluation of Chloroprene Rubber (CR), Test Method for, **D3190 (09.01)**
Rubber—Evaluation of EPDM (Ethylene Propylene Diene Terpolymers) Including Mixtures With Oil, Test Methods for, **D3568 (09.01)**
Rubber—Evaluation of IIR (Isobutene-Isoprene Rubber), Test Methods for, **D3188 (09.01)**
Rubber—Evaluation of IR (Isoprene Rubber), Test Methods for, **D3403 (09.01)**
Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Rubber), Test Methods for, **D3187 (09.01)**
Rubber—Evaluation of NR (Natural Rubber), Practice for, **D3184 (09.01)**
Rubber—Evaluation of Oil-Extended Solution BR (Polybutadiene Rubber), Test Methods for, **D3484 (09.01)**
Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Including Mixtures With Oil, Test Methods for, **D3185 (09.01)**
Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Mixed With Carbon Black or Carbon Black and Oil, Test Methods for, **D3186 (09.01)**
Rubber—Evaluation of Solution BR (Polybutadiene Rubber), Test Methods for, **D3189 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**
Rubber—Identification by Pyrolysis-Gas Chromatography, Practice for, **D3452 (09.01)**
Chemical analysis—soil/rock/related materials
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Laboratory Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids, Practice for, **D5322 (04.13)**
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical analysis—steel
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Steel Products, Test Methods, Practices, and Terminology for, **A751 (01.01, 01.02, 01.03, 01.04, 01.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Chemical analysis—waste
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Chemical analysis—water applications
Sa **Inorganic compounds—water**
Sa **Organic compounds—water**
Sa **Volatile matter content—water**
Sa **Wastewater testing/treatment**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, Practices for, **D934 (11.02)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Physical and Chemical Properties of Powdered Ion Exchange Resins, Test Methods for, **D4456 (11.02)**
Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Water Samples, Guide for, **D6568 (11.01)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Reporting Results of Analysis of Water, Guide for, **D596 (11.01)**
Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Use of Test Kits to Measure Inorganic Constituents in Water, Guide for, **D5463 (11.01)**
Chemical analysis—wood products
Chemical Analysis of Wood Charcoal, Test Method for, **D1762 (04.10)**
Ethanol-Toluene Solubility of Wood, Test Method for, **D1107 (04.10)**
Methoxyl Groups in Wood and Related Materials, Test Method for, **D1166 (04.10)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**
Chemical anchoring systems
Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**
Chemical applications
Polytetrafluoroethylene–(PTFE) Coated Glass Fabric, Specification for, **D4969 (08.02)**
Chemical-based leak testing
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Chemical carbonless paper
Image Stability of Chemical Carbonless Paper to Light, Test Method for, **F767 (15.09)**
Chemical characterization
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Chemical check analysis limits
General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys, Specification for, **B880 (02.04)**
Chemical classification
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Chemical cleaning
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Chemical compatibility
Determining Chemical Compatibility of Substances in Contact with Thermoplastic Pipe and Fittings Materials, Test Method for, **F2331 (08.04)**
Evaluating Thermal Insulation Materials for Use in Solar Collectors, Practice for, **E861 (12.02)**
Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, Guide for, **D6141 (04.13)**
Sealed Tube Chemical Compatibility Test, Test Method for, **D5642 (10.02)**
Chemical compatibility chart
the Preparation of a Binary Chemical Compatibility Chart, Guide for, **E2012 (14.02)**
Chemical composition
See **Composition analysis**
Chemical control agents
Agricultural Chemical Application, Terminology Relating to, **E1102 (11.05)**
Chemical conversion coatings
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**
Testing Non-Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B940 (02.05)**
Chemical descaling
See **Descaling**
Chemical detectors
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical deterioration
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Chemical dispersants—oil spill control/response
Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, Practice for, **F1460 (11.05)**
Determination of Deposition of Aerially Applied Oil Spill Dispersants, Test Method for, **F1738 (11.05)**
Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces, Guide for, **F1279 (11.05)**
Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments, Guide for, **F2205 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies, Guide for, **F1210 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Ponds and Sloughs, Guide for, **F1209 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks, Guide for, **F1231 (11.05)**
Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces, Guide for, **F1280 (11.05)**
Laboratory Oil Spill Dispersant Effectiveness Using the Swirling Flask, Test Method for, **F2059 (11.05)**
Oil Spill Dispersant Application Equipment: Boom and Nozzle Systems, Guide for, **F1413 (11.05)**
Use of Oil Spill Dispersant Application Equipment During Spill Response: Boom and Nozzle Systems, Guide for, **F1737/F1737M (11.05)**
Chemical durability
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Chemical elements
Determination of Chemical Elements in Fluid Catalytic Cracking Catalysts by X-ray Fluorescence Spectrometry (XRF), Guide for, **D7085 (05.05)**
Chemical event
Personnel Decontamination System to be Used During a Chemical Event, Specification for, **E2739 (15.08)**
Chemical exposure
Evaluation of Chemical Resistance of Printed Inks and Coatings on Flexible Packaging Materials, Practice for, **F2250 (15.10)**
for Determining the Effects of Chemical/Solvent Exposure to a Membrane Switch/Graphic Overlay (Spot Test Method), Test Method, **F1598 (10.04)**
Chemical feeders
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**
Chemical fusion
Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods, Test Method for, **D6214/D6214M (04.13)**
Chemical germicides
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Chemical-grouted soil
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, Practice for, **D4320/D4320M (04.08)**
Unconfined Compressive Strength Index of Chemical-, Test Method for, **D4219 (04.08)**
Chemical grouts
See **Grouts—specifications**
Chemical grouts/grouting
Sealing Lateral Connections and lines from the mainline Sewer Systems by the Lateral Packer Method, Using Chemical Grouting, Practice for, **F2454 (04.12)**
Sealing of Sewers Using Chemical Grouting, Practice for, **F2304 (04.12)**
Sealing Sewer Manholes Using Chemical Grouting, Practice for, **F2414 (04.12)**
Viscosity of Chemical Grouts by Brookfield Viscometer (Laboratory Method), Test Method for, **D4016 (04.08)**
Chemical industry
Electric-Resistance-Welded Low-Carbon Steel Pipe for the Chemical Industry, Specification for, **A587 (01.01)**
Chemical ions
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Chemical laboratories
Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E882 (03.05)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Designing Systems for Oxygen Service, Guide for, **G88 (14.04)**
Establishing a Measurement System Quality Control Program for Analytical Chemistry Laboratories Within the Nuclear Industry, Guide for, **C1210 (12.01)**
Establishing and Maintaining a Quality Assurance Program for Analytical Laboratories Within the Nuclear Industry, Guide for, **C1009 (12.01)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Chemical laboratories—spectrochemical
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Chemically-strengthened glass
Bent Glass, Specification for, **C1464 (15.02)**
Chemically-blown cellular rubber
Flexible Cellular Rubber Chemically Blown, Specification for, **D6576 (08.03)**
Chemically-bonded refractory specimens
Pressing and Drying Refractory Plastic and Ramming Mix Specimens, Practice for, **C1054 (15.01)**
Chemically-bound nitrogen
Total Chemically Bound Nitrogen in Water by Pyrolysis and Chemiluminescence Detection, Test Method for, **D5176 (11.02)**
Chemically curing elastomeric joint sealants
Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements, Specification for, **D5893/D5893M (04.03)**
Chemically modified asphalt cement
Chemically Modified Asphalt Cement for Use in Pavement Construction, Specification for, **D6154 (04.03)**
Chemically refined pulp
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Chemically-strengthened flat glass
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**
Chemically-suppressed ion chromatography (IC)
Bromate, Bromide, Chlorate, and Chlorite in Drinking Water by Suppressed Ion Chromatography, Test Methods for, **D6581 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemically-treated cellulosic materials
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**
Chemical Manufacturers Association (CMA)
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Chemical oxidation
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Chemical oxygen demand (COD)
See **Total oxygen demand (TOD)**
Chemical passivation treatment
Chemical Passivation Treatments for Stainless Steel Parts, Specification for, **A967/A967M (01.03)**
Chemical permeation testing
Chemical Permeation through Protective Clothing Materials: Testing Data Analysis by Use of a Computer Program, Practice for, **F2815 (11.03)**
Documenting the Results of Chemical Permeation Testing of Materials Used in Protective Clothing, Guide for, **F1194 (11.03)**
Chemical plants
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Chemical polish etching (of germanium crystals)
See **Etching (materials/process)**
Chemical processing
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Evaluating Corrosion Properties of Wrought Iron- and Nickel-Based Corrosion Resistant Alloys for Chemical Process Industries, Guide for, **G157 (03.02)**
Chemical properties—textiles
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, Performance Specification for, **D3690 (07.01)**
Chemical properties/characteristics
Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, Guide for, **C1571 (12.01)**
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Chemical protective clothing (CPC)
Air-Fed Protective Ensembles, Specification for, **F2704 (11.03)**
Chemical Permeation through Protective Clothing Materials: Testing Data Analysis by Use of a Computer Program, Practice for, **F2815 (11.03)**
Chemical Protective Clothing Program, Practice for, **F1461 (11.03)**
Chemical Protective Clothing: Wearing, Care, and Maintenance Instructions, Practice for, **F2061 (11.03)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Documenting the Results of Chemical Permeation Testing of Materials Used in Protective Clothing, Guide for, **F1194 (11.03)**
Evaluating Chemical Protective Clothing, Guide for, **F1296 (11.03)**
Labeling Chemical Protective Clothing, Practice for, **F1301 (11.03)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Liquids, Test Method for, **F903 (11.03)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Chemical reactivity
the Preparation of a Binary Chemical Compatibility Chart, Guide for, **E2012 (14.02)**
Chemical release sites
Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, Guide for, **E2435 (11.05)**
Risk-Based Corrective Action, Guide for, **E2081 (11.05)**
Chemical removers
Evaluating the Efficiency of Chemical Removers for Organic Coatings, Practice for, **D6189 (06.02)**
Chemical requirements
Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A958/A958M (01.02)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy for Surgical Implant Applications (UNS R56320), Specification for, **F3046 (13.02)**
Chemical resistance
Chemical Resistance of Electrical Insulating Varnishes, Test Method for, **D5638 (10.02)**
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**
Chemical Resistance of Protective Linings, Test Method for, **C868 (06.02)**
Chemical-Resistant Ceramic Tower Packings, Specification for, **C515 (05.05)**
Chemical-Resistant Masonry Units, Specification for, **C279 (04.05)**
Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, Specification for, **F2618 (08.04)**
Compatibility of Mechanical Pump Dispenser Components, Test Method for the, **D4333/D4333M (15.10)**
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Relative Resistance of Printed Matter to Liquid Chemicals by a Sandwich Technique, Practice for, **D6688 (06.02)**
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**
Resistance of Ceramic Tile to Chemical Substances, Test Method for, **C650 (15.02)**
Resistance of Glass Containers to Chemical Attack, Test Methods for, **C225 (15.02)**
Resistance of Plastics to Sulfide Staining, Practice for, **D1712 (08.01)**
Resistance to Chemicals of Resilient Flooring, Test Method for, **F925 (15.04)**
Chemical resistance—geosynthetics
In Field Immersion Testing of Geosynthetics, Practice for, **D5496 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Laboratory Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids, Practice for, **D5322 (04.13)**
Tests to Evaluate the Chemical Resistance of Geogrids to Liquids, Practice for, **D6213 (04.13)**
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**
Tests to Evaluate the Chemical Resistance of Geonets to Liquids, Practice for, **D6388 (04.13)**
Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, Practice for, **D6389 (04.13)**

Chemical resistance—paints/related coatings/materials
Chemical Resistance of Coatings and Linings for Use in Nuclear Power Plants, Test Method for, **D3912 (06.02)**
Chemical Resistance of Pipeline Coatings, Test Method for, **G20 (06.02)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Evaluating the Efficiency of Chemical Removers for Organic Coatings, Practice for, **D6189 (06.02)**
Evaluation of Chemical Resistance of Printed Inks and Coatings on Flexible Packaging Materials, Practice for, **F2250 (15.10)**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**
Testing High-Performance Interior Architectural Wall Coatings, Guide for, **D3730 (06.02)**

Chemical resistance—plastics
Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, Test Method for, **D3681 (08.03)**
Chemical Resistance of Poly(Vinyl Chloride) (PVC) Homopolymer and Copolymer Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Classification for, **D5260 (08.03)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Determining Chemical Resistance of Thermosetting Resins Used in Glass-Fiber-Reinforced Structures Intended for Liquid Service, Practice for, **C581 (08.03)**
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Evaluating the Resistance of Plastics to Chemical Reagents, Practices for, **D543 (08.01)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Glass-Fiber-Reinforced Polyester Manholes and Wetwells, Specification for, **D3753 (08.03)**
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**
Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, Specification for, **D2513 (08.04)**
Resistance of Plastic Films to Extraction by Chemicals, Test Method for, **D1239 (08.01)**
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**

Chemical resistance classification
Sa **Classification (standards)**
Chemical Resistance of Poly(Vinyl Chloride) (PVC) Homopolymer and Copolymer Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Classification for, **D5260 (08.03)**

Chemical-resistant brick
Bond Strength of Chemical-Resistant Mortars, Test Method for, **C321 (04.05)**
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**

Chemical-resistant brick—specifications
Chemical-Resistant Carbon Brick, Specification for, **C1160 (04.05)**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Industrial Floor Brick, Specification for, **C410 (04.05)**

Chemical-resistant grout
Apparent Density of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C905 (04.05)**
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**
Chemical-Resistant Resin Grouts for Brick or Tile, Practice for, **C723 (04.05)**
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Flowability and Bearing Area of Chemical-Resistant Polymer Machinery Grouts, Test Method for, **C1339 (04.02)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, Test Method for, **C307 (06.02)**

Chemical-resistant grout—specifications
Chemical-Resistant Resin Grouts for Brick or Tile, Specification for, **C658 (04.05)**

Chemical-resistant linings
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**

Chemical-resistant materials/products
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Chemical-Resistant Nonmetallic Materials, Terminology Relating to, **C904 (04.05)**
Clay Products, Terminology Relating to, **C896 (04.05)**
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, Test Method for, **C1370 (04.05)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Muriatic Acid (Technical Grade Hydrochloric Acid), Specification for, **E1146 (15.05)**
Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, Test Method for, **F945 (15.03)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Chemical-resistant materials/products—specifications
Chemical-Resistant Carbon Brick, Specification for, **C1160 (04.05)**
Chemical-Resistant Ceramic Tower Packings, Specification for, **C515 (05.05)**
Chemical-Resistant Masonry Units, Specification for, **C279 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical-Resistant Monolithic Floor Surfacings, Specification for, **C722 (06.02)**
Chemical-Resistant Resin Grouts for Brick or Tile, Specification for, **C658 (04.05)**
Chemically Setting Silicate and Silica Chemical-Resistant Mortars, Specification for, **C466 (04.05)**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Industrial Floor Brick, Specification for, **C410 (04.05)**
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**
Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, Specification for, **C1159 (04.05)**

Chemical-resistant monolithic surfacings
Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C413 (06.02)**
Apparent Density of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C905 (04.05)**
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**
Chemical-Resistant Monolithic Floor Surfacings, Specification for, **C722 (06.02)**
Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C579 (06.02)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, Test Method for, **C307 (06.02)**
Testing Chemical-Resistant Broadcast and Slurry-Broadcast Resin Monolithic Floor Surfacings, Practice for, **C1486 (06.02)**

Chemical-resistant monolithic surfacings—sapecifications
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**

Chemical-resistant mortars
Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C413 (06.02)**
Apparent Density of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C905 (04.05)**
Bond Strength of Chemical-Resistant Mortars, Test Method for, **C321 (04.05)**
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**
Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C579 (06.02)**
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Hydraulic Cement Mortars in Chemical-Resistant Masonry, Practice for Use of, **C398 (04.05)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Making and Conditioning Chemical-Resistant Sulfur Polymer Cement Concrete Test Specimens in the Laboratory, Practice for, **C1312 (04.05)**
Rating Sound Insulation, Classification for, **E413 (04.06)**
Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, Test Method for, **C307 (06.02)**
Use of Chemical-Resistant Resin Mortars, Practice for, **C399 (04.05)**
Use of Chemical-Resistant Sulfur Mortar, Practice for, **C386 (04.05)**
Use of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Practice for, **C397 (04.05)**
Working, Initial Setting, and Service Strength Setting Times of Chemical-Resistant Resin Mortars, Test Methods for, **C308 (06.02)**
Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Test Method for, **C414 (04.05)**

Chemical-resistant mortars—specifications
Chemical-Resistant Resin Mortars, Specification for, **C395 (04.05)**
Chemical-Resistant Sulfur Mortar, Specification for, **C287 (04.05)**
Chemically Setting Silicate and Silica Chemical-Resistant Mortars, Specification for, **C466 (04.05)**

Chemical-resistant nonmetallic materials
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**

Chemical resistant pipe
Contact-Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Corrosion Resistant Pipe and Fittings, Specification for, **D6041 (08.03)**

Chemical-resistant plastic materials
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**

Chemical-resistant protective clothing
See **Chemical protective clothing (CPC)**

Chemicals
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Evaluating the Resistance of Plastics to Chemical Reagents, Practices for, **D543 (08.01)**
Hazard Potential of Chemicals, Terminology Relating to, **E1445 (14.02)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Immersion Testing of Industrial Protective Coatings, Practice for, **D6943 (06.02)**
Industrial and Specialty Chemicals, Terminology Relating to, **E1547 (15.05)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**
the Preparation of a Binary Chemical Compatibility Chart, Guide for, **E2012 (14.02)**

Chemicals—specifications
ASTM Reference Fluid for Coolant Tests, Specification for, **D3585 (15.05)**
Calcium Hypochlorite, Specification for, **E1229 (15.05)**
Caustic Potash; Solid (Potassium Hydroxide; Solid), Specification for, **E1456 (15.05)**
Drycleaning-Grade Perchloroethylene, Specification for, **D4081 (15.05)**
Electronic and Degreasing Grades of, Specification for, **D4995 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Engine Coolant Grade Glycol, Specification for, **E1177 (15.05)**
Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, Specification for, **D6210 (15.05)**
Halon 1301, Bromotrifluoromethane (CF3Br), Specification for, **D5632/D5632M (15.05)**
HFC-125 (Pentafluoroethane, C_2HF_5), Specification for, **D6231 (15.05)**
HFC-227ea, 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Specification for, **D6064 (15.05)**
HFC-23 (Trifluoromethane, CHF, Specification for, **D6126/D6126M (15.05)**
HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane, (CF3CH 2CF3), Specification for, **D6541 (15.05)**
Industrial Grade Ethylene Glycol, Specification for, **E1119 (15.05)**
Isophorone, Specification for, **D2916 (06.04)**
Liquid Chlorine, Specification for, **E1120 (15.05)**
Low Silicate Ethylene Glycol Base Engine Coolant for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), Specification for, **D4985 (15.05)**
Muriatic Acid (Technical Grade Hydrochloric Acid), Specification for, **E1146 (15.05)**
Reclaimed 1,1,1-Trichloroethane, Specification for, **D5394 (15.05)**
Reclaimed 1,1,2-Trichloro 1,2,2-Trifluoroethane, Specification for, **D5248 (15.05)**
Reclaimed Methylene Chloride, Specification for, **D5395 (15.05)**
Reclaimed Perchloroethylene, Specification for, **D5396 (15.05)**
Reclaimed Trichloroethylene, Specification for, **D5616 (15.05)**
Recycled Glycol Base Engine Coolant Concentrate for Automobile and Light-Duty Service, Specification for, **D6472 (15.05)**
Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, Specification for, **D6471 (15.05)**
Refined Phenol, Specification for, **D2439 (06.04)**
Stop-Leak Additive for Engine Coolants Used in Light Duty Service, Specification for, **D6107 (15.05)**
Sulfur Hexafluoride, Specification for, **D2472 (10.03)**
Supplemental Coolant Additives (SCAs) for Use in Precharging Coolants for Heavy-Duty Engines, Specification for, **D5752 (15.05)**
Technical Grade Ethylene Dichloride, Specification for, **D5960 (15.05)**
Technical Grade Methylene Chloride, Specification for, **D4701 (15.05)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**
Trichloroethylene, Technical and Vapor-Degreasing Grade, Specification for, **D4080 (15.05)**
Vapor-Degreasing Grade Methylene Chloride, Specification for, **D4079 (15.05)**
Vapor-Degreasing Grade Perchloroethylene, Specification for, **D4376 (15.05)**
Vapor-Degreasing Solvents Based on, Specification for, **D6368 (15.05)**
Xylenes for, Specification for, **D5211 (06.04)**

Chemicals (aircraft applications)
See **Aircraft chemicals/processes**

Chemicals (environmental analysis)
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Analysis of Ethylene Product, Guide for, **D5234 (05.02)**
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Chemicals (fire/flammability testing)
Sa **Fire testing—building materials**
Autoignition Temperature of Liquid Chemicals, Test Method for, **E659 (14.02)**
Concentration Limits of Flammability of Chemicals (Vapors and Gases), Test Method for, **E681 (14.02)**
Constant-Temperature Stability of Chemical Materials, Test Method for, **E487 (14.02)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**
Selection and Use of ASTM Standards for the Determination of Flash Point of Chemicals by Closed Cup Methods, Test Method for, **E502 (14.02)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
The Thermal Stability of Chemicals by Differential Scanning Calorimetry, Test Method for, **E537 (14.02)**

Chemical shrinkage
Chemical Shrinkage of Hydraulic Cement Paste, Test Method for, **C1608 (04.01)**

Chemicals (paints related coatings/applications)
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Dipropylene Glycol Monomethyl Ether, Specification for, **D4836 (06.04)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Propylene Glycol Monomethyl Ether, Specification for, **D4837 (06.04)**
Propylene Glycol Monomethyl Ether Acetate, Specification for, **D4835 (06.04)**

Chemical spills
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Chemical spot check
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**

Chemical spot test
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**

Chemical stabilization testing
Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, Test Method for, **D6802 (10.03)**
Use of Coal Combustion Products for Solidification/Stabilization of Inorganic Wastes, Guide for, **E2060 (11.05)**

Chemical tests
Sampling Leather for Physical and Chemical Tests, Practice for, **D2813 (15.04)**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**

Chemical treating agent
Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, Guide for, **F1872 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical vapors
Confined Area Entry, Practice for, **D4276 (15.05)**
Stationary Point Chemical Vapor Detectors (SPCVD) for Homeland Security Applications, Specification for, **E2933 (15.08)**
Chemical warfare agent
Determination of Thiodiglycol on Wipes by Solvent Extraction Followed by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2838 (15.08)**
Chemical weapon
Determination of Thiodiglycol in Soil Using Pressurized Fluid Extraction Followed by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2787 (15.08)**
Chemical weathering
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**
Chemiluminescence detection
Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, Test Methods for, **D3824 (11.07)**
Determination of Boiling Range Distribution of Hydrocarbon and Sulfur Components of Petroleum Distillates by Gas Chromatography and Chemiluminescence Detection, Test Method for, **D7807 (05.04)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Chemiluminescence, Test Method for, **D5504 (05.06)**
Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, Test Method for, **D7652 (05.06)**
Nitrogen in Petroleum and Petroleum Products by Boat-Inlet Chemiluminescence, Test Method for, **D5762 (05.02)**
Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, Test Method for, **D5149 (11.07)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Total Chemically Bound Nitrogen in Water by Pyrolysis and Chemiluminescence Detection, Test Method for, **D5176 (11.02)**
Trace Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D6069 (06.04)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**
Ultra Low Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D7184 (06.04)**
Chemisorption
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**
Chemistry (blood)
See **Blood chemistry**
Chemometrics
Multivariate Data Analysis in Pharmaceutical Development and Manufacturing Applications, Guide for, **E2891 (14.02)**
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**
Chemotherapy drugs
Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs, Practice for, **D6978 (09.02)**
Chests
Chest of Drawers (Chiffonier), Steel, Marine, Specification for, **F822 (01.07)**
Chests, Door Chests, and Dressers, Safety Specification for, **F2057 (15.11)**
Clothing Storage Chests, Consumer Safety Specification for, **F2598 (15.11)**
Chevron notched specimen
Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, Test Methods for, **C1421 (15.01)**
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Chewable surfaces
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Chickadee
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Clad Steel Reinforced for Use in Overhead Electrical Conductors, Specification for, **B549 (02.03)**
Chiffoniers
Chest of Drawers (Chiffonier), Steel, Marine, Specification for, **F822 (01.07)**
Child-occupied facilities
Clearance Examinations Following Lead Hazard Reduction Activities in Dwellings, and in Other Child-Occupied Facilities, Practice for, **E2271 (04.12)**
Selection of Lead Hazard Reduction Methods for Identified Risks in Residential Housing or Child Occupied Facilities, Practice for, **E2252 (04.12)**
Children
Sa **Closures (child-resistant)**
Child-Resistant Packages, Classification of, **D3475 (15.10)**
Children's Chairs and Stools, Consumer Safety Specification for, **F2613 (15.11)**
Condition 0 Bicycle Frames, Specification for, **F2843 (15.07)**
Conducting Lead Hazard Assessments of Dwellings and of Other Child-Occupied Facilities, Guide for, **E2115 (04.12)**
Evaluation of Materials, Protective Clothing and Equipment for Heat Resistance Using a Hot Air Circulating Oven, Test Method for, **F2894 (11.03)**
Measurement of Vertical Downward Forces to Disengage Type IIA Lug-Style Child-Resistant Closures, Test Methods for, **D3469 (15.10)**
Portable Bed Rails, Consumer Safety Specification for, **F2085 (15.11)**
Sensory Evaluation of Products by Children and Minors, Guide for, **E2299 (15.08)**
Children's clothing
Drawstrings on Childrens Upper Outerwear, Safety Specification for, **F1816 (15.11)**
Evaluation of Materials, Protective Clothing and Equipment for Heat Resistance Using a Hot Air Circulating Oven, Test Method for, **F2894 (11.03)**
Flammability of Textiles Used In Children's Sleepwear, Test Method for, **D6545 (07.02)**
Men's, Women's, and Children's Woven Handkerchief Fabrics, Performance Specification for, **D4153 (07.01)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Woven Swimwear Fabrics, Performance Specification for, **D3994 (07.01)**
Children's equipment/safety
Booster Seats, Consumer Safety Specification for, **F2640 (15.11)**
Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, Safety Performance Specification for, **F2049 (01.06)**
Frame Child Carriers, Consumer Safety Specification for, **F2549 (15.11)**
Public Use Play Equipment for Children 6 Months through 23 Months, Consumer Safety Performance Specification for, **F2373 (15.11)**
Rear-Mounted Bicycle Child Carriers, Specification and Test Method for, **F1625 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Residential Pool Alarms, Safety Specification for, **F2208 (15.11)**
Children's furniture
Bunk Beds, Consumer Safety Specification for, **F1427 (15.11)**
Chests, Door Chests, and Dressers, Safety Specification for, **F2057 (15.11)**
Child's Plastic Chairs for Outdoor Use, Performance Requirements for, **F1838 (15.11)**
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**
Safety of Bean Bag Chairs, Specification for, **F1912 (15.11)**
Toddler Beds, Consumer Safety Specification for, **F1821 (15.11)**
Children's toys
Determination of Lead in Paint Layers and Similar Coatings or in Substrates and Homogenous Materials by Energy Dispersive X-Ray Fluorescence Spectrometry Using Multiple Monochromatic Excitation Beams, Test Method for, **F2853 (10.04)**
Non-Powered Scooters, Consumer Safety Specification for, **F2264 (15.11)**
Child resistance
Automated Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D7257 (15.10)**
Determination of Child Resistance of Portable Fuel Containers for Consumer Use, Specification for, **F2517 (15.11)**
Chili peppers
Sensory Evaluation of Low Heat Chilies, Test Method for, **E1395 (15.08)**
Chilled iron castings
See **Cast iron—specifications**
Chilling
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Chill testing
Chill Testing of Cast Iron, Test Methods of, **A367 (01.02)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Chimney lining materials
Sa **Brick**
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, Guide for, **D5364 (08.03)**
Installing Clay Flue Lining, Practice for, **C1283 (04.05)**
Chimney lining materials—specifications
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
China clay
See **Aluminum silicate pigments**
Chinese blue
See **Iron blue pigment**
Chinese hamster
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Chinese ranges
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**
Chinese white
See **Zinc pigments—specifications**
Chin strap
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**
Chip impact strength
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Chipper
Sampling Consolidated Solids in Drums or Similar Containers, Practice for, **D5679 (11.04)**
Chipping and chip resistance
Chipping Resistance of Coatings, Test Method for, **D3170 (06.02)**
Impact Resistance of Ceramic Tableware, Test Method for, **C368 (15.02)**
Chips
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**
Chip size
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Chironomus Riparius
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Chironomus Tentans
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Chisel/hammer test
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Chisel-knife test
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Chitosan salts
Characterization and Testing of Chitosan Salts as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Product Applications, Guide for, **F2103 (13.01)**
Determining Degree of Deacetylation in Chitosan Salts by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2260 (13.01)**
Determining the Molar Mass of Chitosan and Chitosan Salts by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), Test Method for, **F2602 (13.02)**
Chloramine
Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, Test Method for, **D6284 (09.02)**
Chlorate
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Chloride analysis
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**
Chloride in Mono-, Di- and Tri-ethylene Glycol by Ion Chromatography, Test Method for, **E2469 (15.05)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D7457 (06.04)**
Inorganic Chlorides and Sulfates in Insulating Oils, Test Method for, **D878 (10.03)**
pH and Chloride-ion Concentration of Aerospace Hydraulic Flu-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ids, Practice for, **F862 (15.03)**

Chloride analysis—atmospheric
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Determining Atmospheric Chloride Deposition Rate by Wet Candle Method, Test Method for, **G140 (03.02)**

Chloride analysis—cleaning agents/detergents
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), Test Methods for, **E291 (15.05)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Chloride in Trichlorotrifluoroethane, Test Method for, **D3443 (15.05)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Chloride analysis—concrete/aggregate
Acid-Soluble Chloride in Mortar and Concrete, Test Method for, **C1152/C1152M (04.02)**
Admixtures to Inhibit Chloride-Induced Corrosion of Reinforcing Steel in Concrete, Specification for, **C1582/C1582M (04.02)**
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**
Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration, Test Method for, **C1202 (04.02)**
Water-Extractable Chloride in Aggregate (Soxhlet Method), Test Method for, **C1524 (04.02)**
Water-Soluble Chloride in Mortar and Concrete, Test Method for, **C1218/C1218M (04.02)**
Water-Soluble Chlorides Present as Admixtures in Graded Aggregate Road Mixes, Test Methods for, **D1411 (04.08)**

Chloride analysis—engine coolants
Analysis of Engine Coolant for Chloride and Other Anions by Ion Chromatography, Test Method for, **D5827 (15.05)**
Trace Chloride Ion in Engine Coolants, Test Method for, **D3634 (15.05)**

Chloride analysis—insulating materials/applications
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**

Chloride analysis—insulation applications
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Chloride analysis—metals/alloys
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, Test Methods for, **G48 (03.02)**

Chloride analysis—nuclear applications
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, Test Method for, **C1307 (12.01)**

Chloride analysis—paints/related coatings/materials
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Ethylcellulose, Test Methods for, **D914 (06.03)**
Hydrolyzable Chloride Content of Liquid Epoxy Resins, Test Methods for, **D1726 (06.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**
Trace Chloride in Liquid Aromatic Hydrocarbons, Test Method for, **D5194 (06.04)**

Chloride analysis—petroleum products
Determination of Existent and Potential Sulfate and Inorganic Chloride in Fuel Ethanol and Butanol by Direct Injection Suppressed Ion Chromatography, Test Method for, **D7319 (05.04)**
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Salts in Crude Oil (Electrometric Method), Test Method for, **D3230 (05.01)**
Traces of Volatile Chlorides in Butane-Butene Mixtures, Test Methods for, **D2384 (05.01)**

Chloride analysis—water applications
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Chloride Ion In Water, Test Methods for, **D512 (11.01)**
Chloride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D4458 (11.02)**
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chloride diffusion coefficient
Bulk Electrical Conductivity of Hardened Concrete, Test Method for, **C1760 (04.02)**
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**
Chloride ion penetration
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**
Chloride permeability
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Chlorinated water
Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, Test Method for, **F2023 (08.04)**
Chlorinated hydrocarbons
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Chlorinated organic solvent
Appearance of Admixtures Containing Halogenated Organic Solvents, Test Methods for, **D3741 (15.05)**
Specific Gravity and Density of Halogenated Organic, Test Methods for, **D2111 (15.05)**
Chlorinated phenol preservative content
Qualitative Tests for the Presence of Water Repellents and Preservatives in Wood Products, Test Method for, **D2921 (06.02)**
Chlorinated phenoxy acid herbicide
Determination of Chlorinated Organic Acid Compounds in Water by Gas Chromatography with an Electron Capture Detector, Test Method for, **D5317 (11.02)**
Chlorinated polyethylene (CPE)—specifications
Sa **Polyethylene (PE)**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Chlorinated polyethylene (PE) pipe—specifications
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Chlorinated polymer contamination
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**
Chlorinated polyolefin heat-shrinkable tubing
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Chlorinated poly(vinyl chloride)(CPVC)—specifications
Chemical Resistance of Poly(Vinyl Chloride) (PVC) Homopolymer and Copolymer Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Classification for, **D5260 (08.03)**
Extruded Rods and Bars Made From Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC), Specification for, **D6263 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Specification for, **D1784 (08.01)**
Chlorinated poly(vinyl chloride)(CPVC) pipe—specifications
Sa **Poly(vinyl chloride)(PVC)—specifications**
Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, Specification for, **F439 (08.04)**
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems, Specification for, **D2846/D2846M (08.04)**
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe (SDR–PR), Specification for, **F442/F442M (08.04)**
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80, Specification for, **F441/F441M (08.04)**
Coextruded Composite Pipe, Specification for, **F1488 (08.04)**
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications, Specification for, **D4396 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications, Specification for, **D3915 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions, Specification for, **D3678 (08.03)**
Socket-Type Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40, Specification for, **F438 (08.04)**
Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings, Specification for, **F493 (08.04)**
Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**
Threaded Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, Specification for, **F437 (08.04)**
Chlorinated solvents
See **Solvents**
Chlorination of water
Estimation of Chlorine Demand of Water, Practice for, **D1291 (11.02)**
Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, Test Method for, **F2263 (08.04)**
Chlorine bleaches
Sa **Detergent materials/systems**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Chlorine/chlorine-based compounds
Bromine Chloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2037 (15.05)**
Bromine in Chlorine, Test Method for, **E649 (15.05)**
Carbon Tetrachloride and Chloroform in Liquid Chlorine by Direct Injection (Gas Chromatographic Procedure), Test Method for, **E806 (15.05)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, Test Method for, **E1754 (15.05)**
Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Forms of Chlorine in Refuse-Derived Fuel, Test Method for, **E776 (11.04)**
Mercury in Liquid Chlorine, Test Method for, **E506 (15.05)**
Moisture and Residue in Liquid Chlorine, Test Method for, **E410 (15.05)**
Nitrogen Trichloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2036 (15.05)**
Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, Test Method for, **D6284 (09.02)**
Chlorine/chlorine-based compounds—specifications
Liquid Chlorine, Specification for, **E1120 (15.05)**
Chlorine content
Chemical Analysis of Zinc Dust (Metallic Zinc Powder), Test Methods for, **D521 (06.03)**
Chlorine Content of Polybutenes Used for Electrical Insulation, Test Method for, **D2522 (10.03)**
Chlorine in Aromatics by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7536 (06.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chlorine in Organic Compounds by Sodium Peroxide Bomb Ignition, Test Method for, **E256 (15.05)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Rubber—Determination of Bromine in the Presence of Chlorine by Oxygen Combustion, Practice for, **D3566 (09.01)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Total Chlorine in Epoxy Resins and Compounds, Test Method for, **D4301 (06.03)**
Total Fluorine, Chlorine and Sulfur in Aromatic Hydrocarbons and Their Mixtures by Oxidative Pyrohydrolytic Combustion followed by Ion Chromatography Detection (Combustion Ion Chromatography-CIC), Test Method for, **D7359 (06.04)**

Chlorine content—coal
Determination of Chlorine in Coal by Oxidative Hydrolysis Microcoulometry, Test Method for, **D6721 (05.06)**
Total Chlorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D4208 (05.06)**
Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D3761 (05.06)**

Chlorine content—nuclear materials/applications
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Bromine and Chlorine in UF, Test Method for, **C1508 (12.01)**
Determination of Total Chlorine and Fluorine in Uranium Dioxide and Gadolinium Oxide, Test Method for, **C1502 (12.01)**

Chlorine content—petroleum products
Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method), Test Method for, **D808 (05.01)**
Chlorine in Used Petroleum Products (Field Test Kit Method), Test Methods for, **D5384 (05.02)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**

Chlorine content—plastics
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**

Chlorine content—water
Estimation of Chlorine Demand of Water, Practice for, **D1291 (11.02)**
Residual Chlorine in Water, Test Method for, **D1253 (11.01)**

Chlorine resistance
Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, Test Method for, **F2263 (08.04)**

Chlorite content
Bromate, Bromide, Chlorate, and Chlorite in Drinking Water by Suppressed Ion Chromatography, Test Methods for, **D6581 (11.01)**

***p*-Chlorobenzotrifluoride**
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**

Chlorocarbons
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**

Chlorofluorocarbon
Reclaimed 1,1,2-Trichloro 1,2,2-Trifluoroethane, Specification for, **D5248 (15.05)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**

Chloroform
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Carbon Tetrachloride and Chloroform in Liquid Chlorine by Direct Injection (Gas Chromatographic Procedure), Test Method for, **E806 (15.05)**
Fluorocarbon Feedstock Grade Chloroform, Specification for, **D7509 (15.05)**

Chloroform extraction
Phenolic Compounds in Water, Test Methods for, **D1783 (11.02)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Chloroform-soluble acidic impurities
Rubber Compounding Materials—Free 2-Mercaptobenzothiazole (MBT) in Benzothiazyl Disulfide (MBTS), Test Method for, **D5044 (09.01)**

Chloroform-soluble organic substances content
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**

Chloroisocyanuric acids and salts
See **Bleaches**

Chlorophenols
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Chlorophenoxy acid herbicides
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**

Chlorophenoxy acids
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Chlorophyll
Chlorophyll Content of Algae in Surface Waters, Practices for Measurement of, **D3731 (11.02)**
Conducting Renewal Phytotoxicity Tests With Freshwater Emergent Macrophytes, Guide for, **E1841 (11.06)**

Chloroprene
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**

Chloroprene rubbers (CR)
See **CR (chloroprene rubber)**

Chlorosulfonated polyethylene synthetic rubber
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**

Chlorotrifluoroethylene (CTFE)
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
dimer/trimer of chlorotrifluoroethylene (S-316) Recoverable Oil and Grease and Nonpolar Material by Infrared Determina-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tion, Test Method for, **D7066 (11.02)**
CHN (carbon/hydrogen/nitrogen) analysis
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Chocks
Chocks, Panama, Mooring Cast Steel, Specification for, **F2935 (01.07)**
Chocks, Ship Mooring, Cast Steel, Specification for, **F2936 (01.07)**
Installation Procedures for Fitting Chocks to Marine Machinery Foundations, Practice for, **F1309 (01.07)**
Chopped glass strand
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Chord height
Cross Curvature of Thermostat Metals, Test Method for, **B478 (02.04)**
Chord modulus
Young's Modulus, Tangent Modulus, and Chord Modulus, Test Method for, **E111 (03.01)**
Christensen-Anderson-Marasteanu (CAM) model
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Chromate coatings
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Determining the Relative Tinting Strength of Chromatic Paints, Test Method for, **D4838 (06.02)**
Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel, Test Method for, **D4146 (06.02)**
Preparation of Zinc Alloy Die Castings for Electroplating and Conversion Coatings, Guide for, **B252 (02.05)**
Testing Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B201 (02.05)**
Chromate coatings—specifications
Chromates on Aluminum, Specification for, **B449 (02.05)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Chromated copper arsenate
See **Wood preservatives**
Chromates
Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, Guide for, **E848 (06.01)**
Chromaticity
Sa **Color**
Measurement of Daytime Chromaticity of Pavement Marking Materials Using a Portable Reflection Colorimeter, Test Method for, **E2366 (06.01)**
Measurement of Nighttime Chromaticity of Pavement Marking Materials Using a Portable Retroreflection Colorimeter, Test Method for, **E2367 (06.01)**
Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, Practice for, **E811 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Chromaticity coordinates
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Measurement of Daytime Chromaticity of Pavement Marking Materials Using a Portable Reflection Colorimeter, Test Method for, **E2366 (06.01)**
Measurement of Nighttime Chromaticity of Pavement Marking Materials Using a Portable Retroreflection Colorimeter, Test Method for, **E2367 (06.01)**
Chromatic pigments
Dispersion of Chromatic Pigments with a Mechanical Muller, Practice for, **D7540 (06.01)**
Zinc Yellow (Zinc Chromate) Pigments, Specification for, **D478 (06.03)**
Chromatography—gas
See **Gas chromatography (GC)**
Chromatography—ion
Total Fluorine, Chlorine and Sulfur in Aromatic Hydrocarbons and Their Mixtures by Oxidative Pyrohydrolytic Combustion followed by Ion Chromatography Detection (Combustion Ion Chromatography-CIC), Test Method for, **D7359 (06.04)**
Chromatography—ion exchange
See **Ion exchange chromatography**
Chromatography—liquid exclusion
See **Liquid exclusion chromatography (LEC)**
Chromatography—liquid (LC)
Sa **Liquid chromatography (LC)**
Determination of Dipropylene Glycol Monobutyl Ether and Ethylene Glycol Monobutyl Ether in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7731 (11.02)**
Determination of Nonylphenol Polyethoxylates (NPnEO, $3 \leq n \leq 18$) and Octylphenol Polyethoxylates (OPnEO, $2 \leq n \leq 12$) in Water by Single Reaction Monitoring (SRM) Liquid Chromatography/ Tandem Mass Spectrometry (LC/MS/MS), Practice for, **D7742 (11.02)**
Determination of Olefin Content in Denatured Ethanol by Supercritical Fluid Chromatography, Test Method for, **D7347 (05.04)**
Chromatography—paper
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
Chromatography—thin layer (TLC)
See **Thin layer chromatography (TLC)**
Chromatography media/data
Analytical Data Interchange Protocol for Chromatographic Data, Guide for, **E1948 (03.06)**
Analytical Data Interchange Protocol for Chromatographic Data, Specification for, **E1947 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Guide for, **E2078 (03.06)**
Chromatography-solvent composition
Direct Injection of Solvent-Reducible Paints Into a Gas Chromatograph for Solvent Analysis, Practice for, **D3271 (06.01)**
Chrome brick
Chrome, Chrome-Magnesia, Magnesia-Chrome, and Magnesia Brick, Classification of, **C455 (15.01)**
Chrome complex content
Chromic Oxide in Ashed Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6714 (15.04)**
Chrome-containing refractories
See **Refractories (chrome-containing)**
Chrome green pigment
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Chemical Analysis of Phthalocyanine Blue and Green Pigments, Test Methods for, **D3256 (06.03)**
Chrome-manganese treatment
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Chrome ores
Determination of Chromium Oxide in Chrome Ores by Permanganate Titrimetry, Test Method for, **E342 (03.05)**
Chrome oxide green pigment
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Chrome Oxide Green Pigment, Specification for, **D263 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chrome pickle treatment
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Chrome-tanning materials
Acidity in Basic Chromium Tanning Liquors, Test Method for, **D3913 (15.04)**
Calculation of Basicity of Chrome Tanning Liquors, Practice for, **D3897 (15.04)**
Chromic Oxide in Basic Chromium Tanning Liquors, Test Method for, **D3898 (15.04)**
Chromic Oxide in Leather (Perchloric Acid Oxidation), Test Method for, **D2807 (15.04)**
Corrosion Produced by Leather in Contact with Metal, Test Method for, **D1611 (15.04)**
Determination of Chromic Oxide in Basic Chromium Tanning Liquors (Ammonium Persulfate Oxidation), Test Method for, **D6019 (15.04)**
pH of Chrome Tanning Solutions, Test Method for, **D5356 (15.04)**
Resistance of Shoe Upper Leather to Artificial Perspiration, Test Method for, **D2322 (15.04)**
Sulfate Basicity in Leather, Test Method for, **D4654 (15.04)**
Chrome yellow and orange pigment
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Chrome Yellow and Chrome Orange Pigments, Specification for, **D211 (06.03)**
Chromic oxide
Chromic Oxide in Ashed Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6714 (15.04)**
Chromic Oxide in Basic Chromium Tanning Liquors, Test Method for, **D3898 (15.04)**
Chromic Oxide in Leather (Perchloric Acid Oxidation), Test Method for, **D2807 (15.04)**
Determination of Chromic Oxide in Basic Chromium Tanning Liquors (Ammonium Persulfate Oxidation), Test Method for, **D6019 (15.04)**
Determination of Chromic Oxide in Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6656 (15.04)**
Total Ash in Leather, Test Method for, **D2617 (15.04)**
Total Ash in Wet Blue or Wet White, Test Method for, **D6716 (15.04)**
Chromium
Chemical Analysis of Chromium and Ferrochromium, Test Methods for, **E363 (03.05)**
Chromium Diffusion Coating Applied by Pack Cementation Process, Specification for, **B874 (02.05)**
Chromium Metal, Specification for, **A481 (01.02)**
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Deformed and Plain, Low-Carbon, Chromium, Steel Bars for Concrete Reinforcement, Specification for, **A1035/A1035M (01.04)**
Detection of Hexavalent Chromium On Zinc and Zinc/Aluminum Alloy Coated Steel, Practice for, **D6492 (06.02)**
Determination of Chromium Treatment Weight on Metal Substrates by X-Ray Fluorescence, Practice for, **D5723 (06.02)**
Identification and Quantification of Chromium, Bromine, Cadmium, Mercury, and Lead in Polymeric Material Using Energy Dispersive X-ray Spectrometry, Test Method for, **F2617 (10.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Vacuum-Treated 12% Chromium Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A768/A768M (01.05)**
Chromium alloying additives
Sa **Stainless steel alloying additives**
Sa **Stainless steel alloying additives (chromium)**
Chromium Metal, Specification for, **A481 (01.02)**
Ferrochrome-Silicon, Specification for, **A482/A482M (01.02)**
Ferrochromium, Specification for, **A101 (01.02)**
Chromium alloys
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, Specification for, **B603 (02.04)**
Chromium alloy steel
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Chromium alloy steel—specifications
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Chromium, Chromium-Nickel, and Silicon Alloy Steel Bars and Shapes for Corrosion and Heat-Resisting Service, Specification for, **A968/A968M (01.03)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Stainless and Alloy-Steel Turbine-Type Bolting Specially Heat Treated for High-Temperature Service, Specification for, **A437/A437M (01.01)**
Vacuum-Treated 12% Chromium Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A768/A768M (01.05)**
Chromium alloy steel castings—specifications
Castings, Chromium-Nickel Alloy, Specification for, **A560/A560M (01.02)**
Steel Castings, Chromium-Nickel-Iron Alloy (25-12 Class), for High-Temperature Service, Specification for, **A447/A447M (01.02)**
Chromium alloy steel plate—specifications
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum, Specification for, **A387/A387M (01.04)**
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum-Tungsten, Specification for, **A1017/A1017M (01.04)**
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum-Vanadium, Specification for, **A832/A832M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched-and-Tempered, Chromium-Molybdenum, and Chromium-Molybdenum-Vanadium, Specification for, **A542/A542M (01.04)**
Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**
Chromium-carbon bearing steel—specifications
Stainless Anti-Friction Bearing Steel, Specification for, **A756 (01.05)**
Chromium-clad steel—specifications
Stainless Chromium Steel-Clad Plate, Specification for, **A263 (01.04)**
Stainless Chromium-Nickel Steel-Clad Plate, Specification for, **A264 (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chromium coatings—specifications
Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, Specification for, **B921 (02.05)**
Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced, Specification for, **A657/A657M (01.06)**
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**
Chromium content
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**
Chromium content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Chromium content—beryllium
Chemical Analysis of Beryllium, Test Methods for, **E439 (03.05)**
Chromium content—hexavalent and trivalent
Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, Methods of, **D2674 (15.06)**
Chromium content—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Chromium and Ferrochromium, Test Methods for, **E363 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Chromium content—Ni/Ni alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chromium content—paints/related coatings
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Chemical Analysis of Zinc Yellow Pigment (Zinc Chromate Yellow), Test Methods for, **D444 (06.03)**
Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3718 (06.01)**
Chromium content—stainless steel
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Chromium content—steel
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Chromium content—water
Chromium in Water, Test Methods for, **D1687 (11.01)**
Dissolved Hexavalent Chromium in Water by Ion Chromatography, Test Method for, **D5257 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Copper-nickel alloys
Use of Branch Connections, Practice for, **F681 (01.07)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Tube, Specification for, **B730 (02.04)**
Chromium electronic materials/applications
Chromium Sputtering Targets for Thin Film Applications, Specification for, **F1367 (10.04)**
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**
Chromium electroplating
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Electrodeposited Engineering Chromium Coatings on Ferrous Substrates, Specification for, **B650 (02.05)**
Engineering Chromium Electroplating, Guide for, **B177/B177M (02.05)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measurement of Thin Chromium Coatings by Spot Test, Guide for, **B556 (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of Chromium for Electroplating with Chromium, Practice for, **B630 (02.05)**
Preparation of Iron Castings for Electroplating, Practice for, **B320 (02.05)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Preparation of Titanium and Titanium Alloys, Practice for, **B481 (02.05)**
Preparation of Tungsten and Tungsten Alloys for Electroplating, Practice for, **B482 (02.05)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Zinc/Aluminum Corrosion Protective Coatings for Fasteners, Specification for, **F1136/F1136M (01.08)**
Chromium-molybdenum alloy steel plate
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum, Specification for, **A387/A387M (01.04)**
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum-Tungsten, Specification for, **A1017/A1017M (01.04)**
Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum-Vanadium, Specification for, **A832/A832M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched-and-Tempered, Chromium-Molybdenum, and Chromium-Molybdenum-Vanadium, Specification for, **A542/A542M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chromium-molybdenum steel
Use of Branch Connections, Practice for, **F681 (01.07)**
Chromium-molybdenum steel—specifications
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Quenched and Tempered Carbon and Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A541/A541M (01.05)**
Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, Specification for, **A508/A508M (01.05)**
Chromium-molybdenum-tungsten
Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, Specification for, **A1048/A1048M (01.05)**
Chromium-nickel-alloy steel—specifications
Borated Stainless Steel Plate, Sheet, and Strip for Nuclear Application, Specification for, **A887 (01.03)**
Chromium, Chromium-Nickel, and Silicon Alloy Steel Bars and Shapes for Corrosion and Heat-Resisting Service, Specification for, **A968/A968M (01.03)**
Chromium-Nickel Stainless Steel Weaving and Knitting Wire, Specification for, **A478 (01.03)**
Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, Specification for, **A358/A358M (01.01)**
Stainless Chromium-Nickel Steel-Clad Plate, Specification for, **A264 (01.04)**
Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service, Specification for, **A409/A409M (01.01)**
Chromium-nickel-iron alloys
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Steel Castings, Chromium-Nickel-Iron Alloy (25-12 Class), for High-Temperature Service, Specification for, **A447/A447M (01.02)**
Chromium-nickel-iron-molybdenum-copper alloy
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
Chromium-nickel-iron-molybdenum-copper alloy—pipe/tube
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Chromium-nickel-iron-molybdenum-copper alloy—wire
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, Specification for, **B473 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**
Chromium-nickel-iron-nitrogen low carbon alloy
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Chromium-nickel-molybdenum alloys—specifications
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire, Specification for, **B691 (02.04)**
UNS N08367 Welded Pipe, Specification for, **B675 (02.04)**
UNS N08367 Welded Tube, Specification for, **B676 (02.04)**
Chromium-nickel-molybdenum-iron alloy—specifications
Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, Specification for, **B688 (02.04)**
Chromium oxide content
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Determination of Chromium Oxide in Chrome Ores by Permanganate Titrimetry, Test Method for, **E342 (03.05)**
Chromium-plated pipe nipples
Brass, Copper, and Chromium-Plated Pipe Nipples, Specification for, **B687 (02.01)**
Chromium sesqui-oxide pigment
Chrome Oxide Green Pigment, Specification for, **D263 (06.03)**
Chromium-silicon alloy
Steel Wire, Chromium-Silicon Alloy, Specification for, **A401/A401M (01.03)**
Chromium sputtering targets
Sa **Sputtering process/targets—specifications**
Chromium Sputtering Targets for Thin Film Applications, Specification for, **F1367 (10.04)**
Chromium steel plate—specifications
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Stainless and Heat-Resisting Chromium Steel Plate, Sheet, and Strip, Specification for, **A176 (01.03)**
Chromium surgical implant applications—specifications
35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), Specification for, **F961 (13.01)**
Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), Specification for, **F799 (13.01)**
Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), Specification for, **F1377 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), Specification for, **F138 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Sheet and Strip for Surgical Implants (UNS S31673), Specification for, **F139 (13.01)**
Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications (UNS R30035), Specification for, **F562 (13.01)**
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), Specification for, **F688 (13.01)**
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Manganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), Specification for, **F1314 (13.01)**

Wrought Seamless or Welded and Drawn 18 Chromium-14Nickel-2.5Molybdenum Stainless Steel Small Diameter Tubing for Surgical Implants (UNS S31673), Specification for, **F2257 (13.01)**

Chromium titration of uranium

Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**

Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, Test Method for, **C1267 (12.01)**

Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, Test Method for, **C1204 (12.01)**

Chromium treatment weight

Determination of Chromium Treatment Weight on Metal Substrates by X-Ray Fluorescence, Practice for, **D5723 (06.02)**

Chromium trioxide

Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**

Chromium trioxide content

Chemical Analysis of Basic Lead Silicochromate, Test Methods for, **D1844 (06.03)**

Chromium-vanadium alloy—specifications

Chromium-Vanadium Alloy Steel Valve Spring Quality Wire, Specification for, **A232/A232M (01.03)**

Steel Wire, Modified Chromium Vanadium Valve Spring Quality, Specification for, **A878/A878M (01.03)**

Chromizing

Chromium Diffusion Coating Applied by Pack Cementation Process, Specification for, **B874 (02.05)**

Chromogenic glazing

Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2240 (04.12)**

Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**

Chromogenic glazings

Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, Test Method for, **E2355 (04.12)**

Chromosomal/genetic effects

Sa **Genetic examination**

Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**

Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**

Chromotropic acid analysis

Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**

Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber, Test Method for, **D6007 (04.10)**

Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**

Chronic health hazards

See **Health hazards**

Chronic toxicity tests

Sa **Toxicity/toxicology**

Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**

Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**

Conducting Laboratory Toxicity Tests with Freshwater Mussels, Guide for, **E2455 (11.06)**

Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**

Chronograph areas

Installation of Paintball Barrier Netting, Guide for, **F2184 (15.07)**

Chrysene

Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Chrysotile asbestos fiber

Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**

Asbestos Content of Asbestos Textiles, Test Method for, **D1918/D1918M (04.05)**

Classification of Asbestos by Quebec Standard Test, Test Method for, **D3639/D3639M (04.05)**

Magnetic Rating of Asbestos Fiber and Asbestos Textiles, Test Method for, **D1118/D1118M (04.05)**

Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**

Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**

Non-Asbestos Fiber-Reinforced Cement Products, Terminology for, **C1154 (04.05)**

CHT (cylinder head temperature)

Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**

CIE color-scale system

Appearance, Terminology of, **E284 (06.01)**

Color Measurement of Flax Fiber, Test Method for, **D6961/D6961M (07.02)**

Computing the Colors of Objects by Using the CIE System, Practice for, **E308 (06.01)**

Evaluating Degree of Rusting on Painted Steel Surfaces, Practice for, **D610 (06.01)**

Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**

Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**

Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**

Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**

Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**

Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**

Rectification of Spectrophotometric Bandpass Differences, Practice for, **E2729 (06.01)**

Visual Evaluation of Metamerism, Practice for, **D4086 (06.01)**

CIE (goniometer) system

Describing Retroreflection, Practice for, **E808 (06.01)**

CIE tristimulus values

Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**

Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, Guide for, **E1682 (06.01)**

Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**

Cigarettes

Cigarette Ignition Resistance of Components of Upholstered Furniture, Test Methods for, **E1353 (04.07)**

Cigarette Ignition Resistance of Mock-Up Upholstered Furniture Assemblies, Test Method for, **E1352 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring the Ignition Strength of Cigarettes, Test Method for, **E2187 (04.07)**

CIIR/BIIR rubbers
See **Butyl rubber**

CIIR rubber
Rubber—Evaluation of BIIR and CIIR (Halogenated Isobutene—Isoprene Rubber), Test Methods for, **D3958 (09.01)**

Cincinnati Milacron
Thermal Stability of Way Lubricants, Test Method for, **D6203 (05.03)**

CIPP (cured-in-place thermosetting resin pipe)
Sa **Curing (in pipeline/conduit rehabilitation)**
Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F1743 (08.04)**

Circuit boards
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**

Circuit breakers
Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, Test Method for, **D2477 (10.03)**
Mineral Insulating Oil Used in Electrical Apparatus, Specification for, **D3487 (10.03)**

Circuit connections
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Circuit discontinuities
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**

Circuit resistance
Determining Circuit Resistance of a Membrane Switch, Test Method for, **F1680 (10.04)**
Determining Current Carrying Capacity of a Membrane Switch Circuit, Test Method for, **F1681 (10.04)**

Circuitry
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**

Circuitry—design
See **Design—electronic components/systems**

Circuits
Surge Suppressors for Shipboard Use, Specification for, **F1507 (01.07)**

Circular bead weldment
Sa **Welding/welds**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**

Circular bend procedure
Stiffness of Fabric by the Circular Bend Procedure, Test Method for, **D4032 (07.01)**

Circular diagrams
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Circular expansion joints
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**

Circular flat glass
Glasses, Portlight, Circular, Fully Tempered, Specification for, **C1443 (15.02)**

Circular intercept procedures
Determining Average Grain Size, Test Methods for, **E112 (03.01)**

Circular-knit geotextiles
Circular-Knit Geotextile for Use in Subsurface Drainage Applications, Specification for, **D6707 (04.13)**

Circular laser disks
See **Lasers and laser applications**

Circular line-heat sources
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**

Circular magnetization
See **Magnetic particle inspection**

Circular mechanical recorders
Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, Test Methods for, **D5895 (06.01)**

Circular orifice weir
Measuring the Rate of Well Discharge by Circular Orifice Weir, Test Method for, **D5716 (04.08)**

Circulars
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**

Circulating oils
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**

Circumferential expansion
Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, Test Method for, **D2837 (08.04)**

Circumferential position
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**

Circumferential reinforcement
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, Specification for, **C1417 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), Specification for, **C1417M (04.05)**

Circumferential stress
Estimating the Approximate Residual Circumferential Stress in Straight Thin-walled Tubing, Practice for, **E1928 (03.01)**

Citizen-access communication systems
Emergency Medical Services System (EMSS) Telecommunications, Guide for, **F1220 (13.02)**

Citrate content
Citrate in Detergents, Test Method for, **D4608 (15.04)**
Citrate in Synthetic Detergents, Test Method for, **D3598 (15.04)**

Citric acid test
Acid Resistance of Porcelain Enamels, Test Method for, **C282 (02.05)**

Civil engineering
Evaluating Material Property Characteristic Values for Polymeric Composites for Civil Engineering Structural Applications, Practice for, **D7290 (15.03)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**

Civil engineering projects
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**

Civilian search/rescue operations
Sa **SAR (search and rescue) operations**
Using the Incident Command System Framework in Managing Search and Rescue Operations, Guide for, **F1422 (13.02)**

Cladding
Aluminum Jacketing for Insulation, Specification for, **C1729 (04.06)**
Concentration of Pinhole Detections in Moisture Barriers on Metal Jacketing, Test Method for, **C1785 (04.06)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, Specification for, **E2556/E2556M (04.12)**

Cladding anchors
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**

Cladding (nuclear)
See **Nuclear fuel cladding**

Cladding ratio
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**

Cladding tests
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**

Clad steel electrical conductor (aluminum)
Aluminum-Clad Steel Core Wire for Use in Overhead Electrical Aluminum Conductors, Specification for, **B502/B502M (02.03)**
Concentric-Lay-Stranded Aluminum-Clad Steel Conductors, Specification for, **B416 (02.03)**
Copper-Clad Aluminum Wire, Specification for, **B566 (02.03)**
Copper-Clad Stainless Steel Sheet and Strip for Building Construction, Specification for, **B506 (02.01)**

Clad steel electrical conductor (copper)
Annealed Copper-Clad Steel Wire, Specification for, **B910/B910M (02.03)**
Copper-Clad Aluminum Wire, Specification for, **B566 (02.03)**
Copper-Clad Steel Wire for Electronic Application, Specification for, **B452 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**

Clad wall assemblies
Determining the Drainage Efficiency of Exterior Insulation and Finish Systems (EIFS) Clad Wall Assemblies, Test Method for, **E2273 (04.12)**
Field Pull Testing of an In-Place Exterior Insulation and Finish System Clad Wall Assembly, Test Method for, **E2359/E2359M (04.12)**

Claim substantiation
Sensory Claim Substantiation, Guide for, **E1958 (15.08)**

Claisse-Quintin correction equation
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Clamp handling
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**

Clamp hanger (for shipboard piping)
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**

Clamping force
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**

Clamps
Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, Specification for, **F982 (13.01)**
In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, Specification for, **F2249 (10.03)**

Clamps (laboratory)
Clamps, Utility, Laboratory, and Holders, Buret and Clamp, Specification for, **E784 (14.04)**

Clampstick live line tool
Clampstick Type Live Line Tools, Specification for, **F1825 (10.03)**

Clapboards
Sa **Asbestos-cement**
Asbestos-Cement Flat Products, Test Methods for, **C459/C459M (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Clarity/cleanness
Clarity and Yellowness of Liquid Water-Based Clear Floor Polishes, Test Method for, **D3430 (15.04)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**

Clarke-Bumpus plankton sampler
Sampling Phytoplankton with a Clarke-Bumpus Plankton Sampler, Practice for, **D4134 (11.02)**
Sampling Zooplankton with a Clarke-Bumpus Plankton Sampler, Practice for, **E1199 (11.02)**

Class A/B/C/D steam cookers
Cooker, Steam, Specification for, **F1217 (15.12)**

Class codes (for metals/alloys)
Abrasion-Resistant Cast Irons, Specification for, **A532/A532M (01.02)**
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application, Specification for, **A743/A743M (01.02)**
Castings, Iron-Chromium-Nickel, Corrosion Resistant, for Severe Service, Specification for, **A744/A744M (01.02)**
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
Centrifugally Cast Iron-Chromium-Nickel High-Alloy Tubing for Pressure Application at High Temperatures, Specification for, **A608/A608M (01.02)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Steel Castings, Iron-Chromium and Iron-Chromium-Nickel, Heat Resistant, for General Application, Specification for, **A297/A297M (01.02)**
Steel Castings, Stainless, Precipitation Hardening, Specification for, **A747/A747M (01.02)**

Classification
Building Floor Area Measurements for Facility Management, Practice for, **E1836/E1836M (04.11)**
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**
Classifying the Degrees of Ingress of Dust and Water into a Membrane Switch, Guide for, **F2865 (10.04)**
Coatings of Cadmium-Zinc Mechanically Deposited, Specification for, **B816 (02.05)**
Consumer Recreational Use of Fun-Karts, Safety Guide for, **F1928 (15.11)**
Describing the Functionality of a Ground-Water Modeling Code, Guide for, **D6033 (04.09)**
Design and Construction of Nonmetallic Enveloped Gaskets for Corrosive Service, Practice for, **F336 (09.02)**
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Determining Rock Quality Designation (RQD) of Rock Core, Test Method for, **D6032 (04.09)**
Establishing Structural Grades and Related Allowable Properties

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Intrusion Resistant Generic Vault Structures, Specification for, **F1247 (15.08)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**
Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Methodology, Classification System for, **D7436 (08.03)**
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**

Classification (of defects)
Sampling a Stream of Product by Variables Indexed by AQL, Practice for, **E2762 (14.02)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Classification (of soil/related materials)
See **Soil classification**

Classification (of textiles)
Establishment of Calibration Cottons for Cotton Classification Instruments, Practice for, **D7642 (07.02)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Textiles, Terminology Relating to, **D123 (07.01)**

Classification--soil/rock/related materials
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**

Classification (standards)
Canine Search Resources, Classification System for, **F1848 (13.02)**
Child-Resistant Packages, Classification of, **D3475 (15.10)**
Classification of Film Systems for Industrial Radiography, Test Method for, **E1815 (03.03)**
Coals by Rank, Classification of, **D388 (05.06)**
Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials, Specification for, **F537 (01.06)**
Engine Coolants and Related Fluids, Terminology for, **D4725 (15.05)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Passive Fiber Optic Seals, Classification for, **F1699 (15.08)**
Verification and Classification of Extensometer Systems, Practice for, **E83 (03.01)**

Classification (standards)—acoustic materials
Acoustical Ceiling Products, Classification for, **E1264 (04.06)**
Acoustically Absorptive Materials Applied by Trowel or Spray, Classification for, **E1042 (04.06)**
Determination of Articulation Class, Classification for, **E1110 (04.06)**
Rating Outdoor-Indoor Sound Attenuation, Classification for, **E1332 (04.06)**
Rating Sound Insulation, Classification for, **E413 (04.06)**

Classification (standards)—adhesives
Classifying and Specifying Adhesives, Guide for, **D4800 (15.06)**
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**

Classification (standards)—asbestos
Classification of Asbestos by Quebec Standard Test, Test Method for, **D3639/D3639M (04.05)**
McNett Wet Classification of Dual Asbestos Fiber, Test Method for, **D2589/D2589M (04.05)**
Turner and Newall (T and N) Wet-Length Classification of Asbestos, Test Method for, **C1121/C1121M (04.05)**

Classification (standards)—building materials/constructions
Allowance, Contingency, and Reserve Sums in Building Construction Estimating, Classification for, **E2168 (04.12)**
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Classifying and Specifying Adhesives, Guide for, **D4800 (15.06)**
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Machine-Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Classification for, **D2310 (08.03)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**

Classification (standards)—chemicals
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Qualitative Classification of Surfactants by Infrared Absorption, for, **D2357 (15.04)**

Classification (standards)—consumer products
Bicycle Usage, Classification for, **F2043 (15.07)**
Wall Covering by Use Characteristics, Classification of, **F793 (15.11)**

Classification (standards)—electrical devices/applications
Contact Performance Classification of Electrical Connection Systems, Practice for, **B868 (02.04)**
Insulating Coatings for Electrical Steels by Composition, Relative Insulating Ability and Application, Classification of, **A976 (03.04)**

Classification (standards)—environmental
Classifying Water Bodies for Spill Control Systems, Practice for, **F625/F625M (11.05)**
Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities, Classification of, **D5746 (11.05)**
Fish Sampling, Classification for, **D4211 (11.02)**
Municipal-Mixed Nonferrous Metals (MNM), Classification for, **E956 (11.04)**
Sampling Phytoplankton in Surface Waters, Classification for, **D4149 (11.02)**

Classification (standards)—gaskets
Laminated Composite Gasket Materials, Classification for, **F868 (09.02)**
Nonmetallic Gasket Materials, Classification System for, **F104 (09.02)**

Classification (standards)—insulation
Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, Test Methods for, **C1101/C1101M (04.06)**
Insulating Coatings for Electrical Steels by Composition, Relative Insulating Ability and Application, Classification of, **A976 (03.04)**
Natural Muscovite Block Mica and Thins Based on Visual Quality, Classification for, **D351 (10.01)**
Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories, Classification of, **C930 (04.06)**

Classification (standards)—medical/surgical applications
Classification of Therapeutic Skin Substitutes, Guide for, **F2311 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Tissue Engineered Medical Products (TEMPs), Classification for, **F2211 (13.01)**
Vinyl Chloride Plastics Used in Biomedical Application, Classification for, **F665 (13.01)**

Classification (standards)—metals/alloys
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Coppers, Classification of, **B224 (02.01)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Multi-Layer Steel (MLS) and Other Metal Layer Gaskets for Transportation Applications, Classification for, **F2325 (09.02)**
Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Sizes of Ferroalloys and Alloy Additives, Specification for, **A835/A835M (01.02)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**
Temper Designations of Magnesium Alloys, Cast and Wrought, Practice for, **B296 (02.02)**

Classification (standards)—offices
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
Serviceability of an Office Facility for Amenities to Attract and Retain Staff, Classification for, **E1668 (04.11)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Cleanliness, Classification for, **E1671 (04.11)**
Serviceability of an Office Facility for Facility Protection, Classification for, **E1665 (04.11)**
Serviceability of an Office Facility for Image to the Public and Occupants, Classification for, **E1667 (04.11)**
Serviceability of an Office Facility for Layout and Building Factors, Classification for, **E1664 (04.11)**
Serviceability of an Office Facility for Location, Access and Wayfinding, Classification for, **E1669 (04.11)**
Serviceability of an Office Facility for Manageability, Classification for, **E1701 (04.11)**
Serviceability of an Office Facility for Management of Operations and Maintenance, Classification for, **E1670 (04.11)**
Serviceability of an Office Facility for Meetings and Group Effectiveness, Classification for, **E1661 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Serviceability of an Office Facility for Sound and Visual Environment, Classification for, **E1662 (04.11)**
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Serviceability of an Office Facility for Structure and Building Envelope, Classification for, **E1700 (04.11)**
Serviceability of an Office Facility for Support for Office Work, Classification for, **E1660 (04.11)**
Serviceability of an Office Facility for Typical Office Information Technology, Classification for, **E1663 (04.11)**
Serviceability of an Office Facility for Work Outside Normal Hours or Conditions, Classification for, **E1666 (04.11)**

Classification (standards)—petroleum products
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**
Classifying Emulsified Recycling Agents, Practice for, **D5505 (04.03)**
Defining the Viscosity Characteristics of Hydraulic Fluids, Practice for, **D6080 (05.02)**
Industrial Fluid Lubricants by Viscosity System, Classification of, **D2422 (05.01)**
Metalworking Fluids and Related Materials, Classification for, **D2881 (05.01)**

Classification (standards)—plastics
Acrylonitrile–Styrene–Acrylate (ASA) and Acrylonitrile–EPDM–Styrene (AES) Plastics and Alloys Molding and Extrusion Materials, Classification System and Basis for Specifications for, **D6865 (08.03)**
Chemical Resistance of Poly(Vinyl Chloride) (PVC) Homopolymer and Copolymer Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Classification for, **D5260 (08.03)**
Classifying Reinforced Plastic Pultruded Shapes According to Composition, Practice for, **D3647 (08.02)**
Classifying Visual Defects in Glass-Reinforced Plastic Laminate Parts, Practice for, **D2563 (08.01)**
Classifying Visual Defects in Parts Molded from Reinforced Thermosetting Plastics, Practice for, **D2562 (08.01)**
Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
E-CTFE-Fluoroplastic Molding, Extrusion, and Coating Materials, Classification System for, **D3275 (08.02)**
Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, Classification System for, **D6338 (08.03)**
Liquid Crystal Polymers Molding and Extrusion Materials (LCP), Classification System and Basis for Specification for, **D5138 (08.03)**
Low Molecular Weight PTFE and FEP Micronized Powders, Classification for, **D5675 (08.03)**
Nylon Injection and Extrusion Materials (PA), Classification System for, **D4066 (08.02)**
Poly (Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ISO Methods, Classification System and Basis for Specification for, **D6358 (08.03)**
Polyamide Molding and Extrusion Materials (PA), Classification System for and Basis of Specification for, **D6779 (08.03)**
Polychlorotrifluoroethylene (PCTFE) Plastics, Classification System for, **D1430 (08.01)**
Polyethylene Plastics Extrusion Materials for Wire and Cable, Specification for, **D1248 (08.01)**
Polyoxymethylene Molding and Extrusion Materials (POM), Classification System and Basis for Specification for, **D6778 (08.03)**
Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods, Classification System for and Basis for Specification for, **D4067 (08.02)**
Specifying Plastic Materials, Classification System for, **D4000 (08.02)**
Standard Plastics Industry Bulk Box/Pallet Unit Size Classified By Bulk Density, Classification for, **D6881/D6881M (15.10)**
Thermoplastic Elastomer-Ether-Ester Molding and Extrusion Materials (TEEE), Classification System for, **D6835 (08.03)**
Writing Material Standards in the Classification, Guide for, **D5740 (08.03)**

Classification (standards)—refractories
Alumina and Alumina-Silicate Castable Refractories, Classification of, **C401 (15.01)**
Chrome, Chrome-Magnesia, Magnesia-Chrome, and Magnesia Brick, Classification of, **C455 (15.01)**
Fireclay and High-Alumina Plastic Refractories and Ramming Mixes, Classification of, **C673 (15.01)**
Fireclay and High-Alumina Refractory Brick, Classification of, **C27 (15.01)**
Fusion-Cast Refractory Blocks and Shapes, Classification for, **C1547 (15.01)**
Insulating Firebrick, Classification of, **C155 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mullite Refractories, Classification of, **C467 (15.01)**
Silica Refractory Brick, Classification of, **C416 (15.01)**
Zircon Refractories, Classification of, **C545 (15.01)**

Classification (standards)—road/paving materials/applications
Bridge Elements—UNIFORMAT II, Classification for, **E2103/E2103M (04.11)**
Classification of Automated Pavement Condition Survey Equipment, Guide for, **E1656/E1656M (04.03)**
Classifying Emulsified Recycling Agents, Practice for, **D5505 (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**

Classification (standards)—rock
Using Rock-Mass Classification Systems for Engineering Purposes, Guides for, **D5878 (04.09)**

Classification (standards)—rubber
Carbon Blacks Used in Rubber Products, Classification System for, **D1765 (09.01)**
Petroleum Waxes for Use in Rubber Compounding, Classification for, **D4924 (09.01)**
Rubber and Rubber Latices—Nomenclature, Practice for, **D1418 (09.01)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Rubber Compounding MaterialsGround Coal, Classification for, **D5377 (09.01)**
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Rubber Compounding Materials—Recycled Vulcanizate Particulate Rubber, Classification for, **D5603 (09.01)**
Rubber Compounding Materials—Stearic Acid, Classification for, **D4817 (09.01)**
Rubber Compounding Materials—Sulfur, Classification for, **D4528 (09.01)**
Rubber Compounding Materials—Titanium Dioxide, Classification for, **D4677 (09.01)**
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Rubber Compounding Materials—Zinc Oxide, Classification for, **D4295 (09.01)**
Rubber Products in Automotive Applications, Classification System for, **D2000 (09.02)**
Various Types of Petroleum Oils for Rubber Compounding Use, Classification for, **D2226 (09.01)**

Classification (standards)—security
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Security Seals, Classification for, **F832 (15.08)**

Classification (standards)—textiles
Classifying and Counting Faults in Spun Yarns in Electronic Tests, Test Method for, **D6197 (07.02)**
Stitches and Seams, Practice for, **D6193 (07.02)**
Textiles, Terminology Relating to, **D123 (07.01)**

Classification (standards)—water
Water Used in Milling of Porcelain Enamel, Classification of, **C375 (02.05)**

Classified units of measurement
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**

Classing rooms
Lighting Cotton Classing Rooms for Color Grading, Practice for, **D1684 (07.01)**

Class PB exterior insulation/finish system
Application of Class PB Exterior Insulation and Finish Systems (EIFS) and EIFS with Drainage, Practice for, **C1397 (04.01)**
Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution, Test Method for, **E2098/E2098M (04.11)**

Class PI (polyisocyanurate) exterior insulation/finish system
Application of Exterior Insulation and Finish Systems Class PI, Practice for, **C1535 (04.01)**
Impact Resistance of Class PB and PI Exterior Insulation and Finish Systems (EIFS), Test Method for, **E2486/E2486M (04.12)**

Clausius-Clapeyron equation
Calculating Heat of Vaporization or Sublimation from Vapor Pressure Data, Practice for, **E2071 (14.02)**
Estimation of Solubility of Gases in Petroleum Liquids, Test Method for, **D2779 (05.01)**

Clay
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Clay and Zeolite in Powdered Laundry Detergents by Atomic Absorption, Test Method for, **D5547 (15.04)**
Consolidated Undrained Direct Simple Shear Testing of Cohesive Soils, Test Method for, **D6528 (04.09)**
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Liquid Holding Capacity of Granular Carriers, Test Method for, **E1521 (11.05)**
Methylene Blue Index of Clay, Test Method for, **C837 (15.02)**
Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, Test Method for, **E1520 (11.05)**
Use of Expanded Shale, Clay and Slate (ESCS) as a Mineral Component in the Growing Media and the Drainage Layer for Vegetative (Green) Roof Systems, Specification for, **E2788 (04.04)**
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**

Clay (aluminum silicate)
See **Aluminum silicate pigments**

Clay blocks
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**

Clay brick masonry
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**

Clayey soil
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**

Clay flue linings/liners
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Installing Clay Flue Lining, Practice for, **C1283 (04.05)**

Clay-gel adsorption test
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**

Clay granular carriers
Liquid Holding Capacity of Granular Carriers, Test Method for, **E1521 (11.05)**

Clay-like fines
Sand Equivalent Value of Soils and Fine Aggregate, Test Method for, **D2419 (04.03)**

Clay liners
Sa **Geosynthetic clay liner (GCL)**
Considerations When Evaluating Direct Shear Results Involving Geosynthetics, Guide for, **D7702/D7702M (04.13)**
Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, Test Method for, **D5093 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Clay lumps/particles
Clay Lumps and Friable Particles in Aggregates, Test Method for, **C142/C142M (04.02)**
Materials Finer than 75-μm (No. 200) Sieve in Mineral Aggregates by Washing, Test Method for, **C117 (04.02)**
Clay materials/applications—specifications
Building Brick (Solid Masonry Units Made From Clay or Shale), Specification for, **C62 (04.05)**
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Facing Brick (Solid Masonry Units Made from Clay or Shale), Specification for, **C216 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Structural Clay Facing Tile, Specification for, **C212 (04.05)**
Structural Clay Load-Bearing Wall Tile, Specification for, **C34 (04.05)**
Structural Clay Nonloadbearing Screen Tile, Specification for, **C530 (04.05)**
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**
Thin Veneer Brick Units Made From Clay or Shale, Specification for, **C1088 (04.05)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Clay pipe/piping systems
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Low-Pressure Air Test of Vitrified Clay Pipe Lines, Test Method for, **C828 (04.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Clay pipe/piping systems—specifications
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Clay products (general)
Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C413 (06.02)**
Clay Products, Terminology Relating to, **C896 (04.05)**
Marsh Funnel Viscosity of Clay Construction Slurries, Test Method for, **D6910/D6910M (04.09)**
Splitting Tensile Strength of Masonry Units, Test Method for, **C1006 (04.05)**
Clay products (general)—specifications
Chemical-Resistant Ceramic Tower Packings, Specification for, **C515 (05.05)**
Industrial Floor Brick, Specification for, **C410 (04.05)**
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Clay products (structural)—brick
Splitting Tensile Strength of Masonry Units, Test Method for, **C1006 (04.05)**
Clay products (structural)—brick (specifications)
Sa **Ceramic whiteware clays**
Sa **Drainage materials/systems**
Sa **Refractories (bricks and shapes)**
Building Brick (Solid Masonry Units Made From Clay or Shale), Specification for, **C62 (04.05)**
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Facing Brick (Solid Masonry Units Made from Clay or Shale), Specification for, **C216 (04.05)**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Thin Veneer Brick Units Made From Clay or Shale, Specification for, **C1088 (04.05)**
Clay products (structural)—insulating
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Clay products (structural)—tile
Chemical-Resistant Resin Grouts for Brick or Tile, Practice for, **C723 (04.05)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Use of Chemical-Resistant Sulfur Mortar, Practice for, **C386 (04.05)**
Clay products (structural)—tile (specifications)
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Chemical-Resistant Resin Grouts for Brick or Tile, Specification for, **C658 (04.05)**
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Structural Clay Facing Tile, Specification for, **C212 (04.05)**
Structural Clay Load-Bearing Wall Tile, Specification for, **C34 (04.05)**
Structural Clay Nonloadbearing Screen Tile, Specification for, **C530 (04.05)**
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**
Clay roof tile
Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), Test Method for, **C1570 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**
Clay soils
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
CLC (combined loading compression) device
Compressive Properties of Polymer Matrix Composite Materials Using a Combined Loading Compression (CLC) Test Fixture, Test Method for, **D6641/D6641M (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cleanability
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**
Determination of the Effectiveness of Anti-Graffiti Coating for Use on Concrete, Masonry and Natural Stone Surfaces by Pressure Washing, Practice for, **D7089 (06.02)**
Evaluating Edge Cleaning Effectiveness of Vacuum Cleaners, Test Method for, **F2797 (15.08)**
Evaluation of Cleanability of Paint Brushes, Test Method for, **D5913 (06.02)**

Cleanability (effectivenes) dishrack
Prerinse Spray Valves, Test Method for, **F2324 (15.12)**

Cleanable filter media
Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media, Test Method for, **D6830 (11.07)**

Clean air supply
Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**

Clean coal combustion fy ash
Characterization of Coal Fly Ash and Clean Coal Combustion Fly Ash for Potential Uses, Guide for, **D5759 (11.04)**

Clean engine test
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**

Clean fiber content
Wool Content of Raw Wool—Laboratory Scale, Test Method for, **D584 (07.01)**

Cleaning agents/processes
Sa **Detergent materials/systems**
Blood Cleaning Efficiency of Detergents and Washer-Disinfectors, Guide for, **D7225 (15.04)**
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, Guide for, **C1515 (04.07)**
Cleaning of Materials and Components by Ultrasonic Techniques, Practice for, **G131 (14.04)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Determination of the Effectiveness of Anti-Graffiti Coating for Use on Concrete, Masonry and Natural Stone Surfaces by Pressure Washing, Practice for, **D7089 (06.02)**
Determining the Washability Characteristics of Coal, Test Method for, **D4371 (05.06)**
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**
Evaluation of Fiberglass Boat Polish and Wax, Practice for, **D4330 (15.04)**
Laboratory Immersion Corrosion Testing of Metals, Guide for, **G31 (03.02)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**
Quantitative Assessment of Sanitizing Solutions for Carpet, Test Method for, **E2966 (11.05)**
Selecting Cleaning Agents and Processes, Guide for, **D6361/D6361M (15.05)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Straight Line Movement of Vacuum Cleaners While Cleaning Carpets, Test Method for, **F1409 (15.08)**

Cleaning agents/processes—specifications
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**
Sodium Bicarbonate, Specification for, **D928 (15.04)**
Water Emulsion Floor Polish, Specification for, **D4078 (15.04)**

Cleaning agents/processes (medical/surgical applications)
Determination of Effectiveness of Cleaning Processes for Reusable Medical Instruments Using a Microbiologic Method (Simulated Use Test), Test Method for, **E2314 (11.05)**
Surface Preparation and Marking of Metallic Surgical Implants, Practice for, **F86 (13.01)**

Cleaning compounds (aircraft surfaces)
See **Aircraft chemicals/processes**

Cleaning laboratory apparatus
Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, Practice for, **D5245 (11.02)**
Designing a Process for Cleaning Technical Glasses, Practice for, **C912 (15.02)**
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**

Cleaning/laundering
Sa **Laundry materials/applications**
Blood Cleaning Efficiency of Detergents and Washer-Disinfectors, Guide for, **D7225 (15.04)**

Cleaning metals
See **Metal cleaners**

Cleaning (oil spills)
Cleaning of Various Oiled Shorelines and Habitats, Guide for, **F2464 (11.05)**

Cleaning solvents
See **Solvents**

Cleaning (synthetic detergents)
See **Detergent materials/systems—synthetic**

Cleanliness
Cleaning and Maintaining Controlled Areas and Clean Rooms, Practice for, **E2042/E2042M (15.03)**
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Cleanliness of Carbon Paper, Test Method for, **F854 (15.09)**
Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, Test Method for, **G144 (14.04)**
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Estimation of Deleterious Particles in Lubricating Grease, Test Method for, **D1404/D1404M (05.01)**
Preparation of Aerospace Contamination Control Plans, Practice for, **E1548 (15.03)**
Reporting and Assessment of Residues on Single Use Implants, Practice for, **F2847 (13.02)**
Serviceability of an Office Facility for Cleanliness, Classification for, **E1671 (04.11)**
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cleanrooms (materials/applications)
Aerospace Cleanrooms and Associated Controlled Environments—Cleanroom Operations, Practice for, **E2352 (15.03)**
Cleaning and Maintaining Controlled Areas and Clean Rooms, Practice for, **E2042/E2042M (15.03)**
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Design and Construction of Aerospace Cleanrooms and Contamination Controlled Areas, Practice for, **E2217 (15.03)**
ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, Specification for, **E1549/E1549M (15.03)**
Evaluation of Cleanroom Disinfectants, Guide for, **E2614 (11.05)**
Gravimetric Determination of Nonvolatile Residue from Cleanroom Gloves, Test Method for, **E1731 (15.03)**
Gravimetric Determination of Nonvolatile Residue From Cleanroom Wipers, Test Method for, **E1560 (15.03)**
Measuring the Night Vision Goggle-Weighted Transmissivity of Transparent Parts, Test Method for, **F1863 (15.03)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, Practice for, **E2088 (15.03)**
Size-Differentiated Counting of Particles and Fibers Released from Cleanroom Wipers Using Optical and Scanning Electron Microscopy, Test Method for, **E2090 (15.03)**
Sizing and Counting Particulate Contaminant In and On Clean Room Garments, Test Method for, **F51/F51M (15.03)**
Tests of Cleanroom Materials, Practice for, **E2312 (15.03)**

Cleansability
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**

Clean soil
Assessment of Attaining Clean Up Level for Site Closure, Practice for, **D6597 (11.04)**

Clean uniform surface
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**

Cleanup
Integrating Sustainable Objectives into Cleanup, Guide for, **E2876 (11.05)**

Clearance examination
Clearance Examinations Following Lead Hazard Reduction Activities in Dwellings, and in Other Child-Occupied Facilities, Practice for, **E2271 (04.12)**
Conducting Visual Assessments for Lead Hazards in Buildings, Practice for, **E2255/E2255M (04.12)**

Clearance processes
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**

Clear and bright rating
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**

Clear chromate coatings
Chromates on Aluminum, Specification for, **B449 (02.05)**

Clear liquids
Color of Clear Liquids (Platinum-Cobalt Scale), Test Method for, **D1209 (06.04)**

Clear water repellent treatments
Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar Specimens, Test Method for, **D6532 (06.02)**

Clear wave 082[2] optical character tester
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**

Clear weatherable plastics
Cast Poly(Methyl Methacrylate) Plastic Rods, Tubes, and Shapes, Specification for, **D5436 (08.03)**

Clear wood evaluation/testing
Sa **Wood products (structural)**
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Sampling Forest Trees for Determination of Clear Wood Properties, Practice for, **D5536 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**

Clear zero power shields
Sa **Sports protective equipment—specifications**
Eye and Face Protective Equipment for Hockey Players, Specification for, **F513 (15.07)**

Cleats
Cleats, Welded Horn Type, Specification for, **F1074 (01.07)**
Wood Boxes, Specification for, **D6880/D6880M (15.10)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**

Cold-formed steel sheet
Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, Practice for, **A1004/A1004M (01.06)**

Cleavage planes
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**

Cleavages
Counting Partial Cleavages in Wool and Other Animal Fibers, Test Method for, **D4510 (07.02)**
Facing Cleavage of Sandwich Panels, Test Method for, **E2004 (04.11)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**

Cleavage testing
Sa **Adhesives**
Sa **Tensile properties/testing**
Cleavage Strength of Metal-to-Metal Adhesive Bonds, Test Method for, **D1062 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Joints, Test Method for, **D5041 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
Multi-Modal Strength Testing of Autohesives (Contact Adhesives), Test Methods for, **D1995 (15.06)**
Strength Properties of Adhesives in Cleavage Peel by Tension Loading (Engineering Plastics-to-Engineering Plastics), Test Method for, **D3807 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Clegg impact value
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**
Cleveland open cup test
Sa **Flash point**
Flash and Fire Points by Cleveland Open Cup Tester, Test Method for, **D92 (05.01)**
Climate change
Financial Disclosures Attributed to Climate Change, Guide for, **E2718 (11.05)**
Climatic setting
Climatic Stressing of Packaging Systems for Single Parcel Delivery, Practice for, **F2825 (15.10)**
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Climatological measurement
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
CLIMAT test
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Climbing and mountaineering equipment
Climbing, Mountaineering, Search and Rescue Equipment and Practices, Terminology Relating to, **F1773 (13.02)**
Measuring the Headroom of a Backpacking or Mountaineering Tent, Test Method for, **F1935 (15.07)**
Testing Treestand Ladder, Tripod Stand and Climbing Stick Load Capacity, Practice for, **F2124 (15.07)**
Weighing a Backpacking or Mountaineering Tent, Test Method for, **F1934 (15.07)**
Climbing and mountaineering equipment—specifications
Climbing and Mountaineering Carabiners, Specification for, **F1774 (13.02)**
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Illustrating the Footprint of a Backpacking or Mountaineering Tent, Specification for, **F1933 (15.07)**
Climbing drum peel strength
Climbing Drum Peel for Adhesives, Test Method for, **D1781 (15.06)**
Climbing equipment—specifications
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Personal Climbing Equipment, Specifications for, **F887 (10.03)**
CLIMS
See **Clinical laboratory information management system (CLIMS)**
Cling testing
Peel Cling of Stretch Wrap Film, Test Method for, **D5458 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Clinical anesthesia/resuscitation
See **Anesthesia equipment—specifications**
Clinical codes/signs
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**
Clinical decision support
Guideline Elements Model version 3 (GEM III)—Document Model for Clinical Practice Guidelines, Specification for, **E2210 (14.01)**
Clinical laboratories
Bio-Applications Grade Water, Guide for, **D5196 (11.01)**
Clinical Psychophysiological Detection of Deception (PDD) Examinations for Sex Offenders, Guide for, **E2080 (14.02)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Clinical laboratory information management system (CLIMS)
An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems, Practice for, **E1715 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**
Clinical radiographs
Determining Femoral Head Penetration into Acetabular Components of Total Hip Replacement Using Clinical Radiographs, Test Method for, **F2385 (13.01)**
Clinker
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**
Clips
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Clogging
Biological Clogging of Geotextile or Soil/Geotextile Filters, Test Method for, **D1987 (04.13)**
Determining the Number of Constrictions "***m***" of Non-Woven Geotextiles as a Complementary Filtration Property, Practice for, **D7178 (04.13)**
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Measuring the Filtration Compatibility of Soil-Geotextile Systems, Test Method for, **D5101 (04.13)**
Cloning
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Identification of Bacteriophage M13 or Its DNA, Guide for, **E1493 (14.02)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Closed cell
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Installation of Flexible Closed Cell Preformed Insulation in Tube and Sheet Form, Guide for, **C1710 (04.06)**
Open Cell Content of Rigid Cellular Plastics, Test Method for, **D6226 (08.03)**
Preformed Closed-Cell Polyolefin Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D7174 (04.03)**
Closed-cell concrete blocks
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Closed cell foam
Asphaltic Plug Joints for Bridges, Specification for, **D6297 (04.03)**
Closed-cell rubber
Flexible Cellular Rubber Chemically Blown, Specification for, **D6576 (08.03)**
Closed chamber testing
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Closed conduits
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**
Closed-cup flash point methods
Sa **Flash point**
Flash Point by Continuously Closed Cup (CCCFP) Tester, Test Method for, **D6450 (05.03)**
Flash Point by Modified Continuously Closed Cup (MCCCFP) Tester, Test Method for, **D7094 (05.04)**
Flash Point by Small Scale Closed Cup Tester (Ramp Method), Test Method for, **D7236 (05.04)**
Flash Point of Liquids by Small Scale Closed-Cup Apparatus, Test Methods for, **D3278 (06.01)**
Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus, Test Method for, **D3934 (06.01)**
Closed current-carrying contacts
Measuring Voltage Drop on Closed Arcing Contacts, Guide for, **B497 (02.04)**
Closed drum test
Flammability of Aerosol Products, Test Methods for, **D3065 (15.10)**
Closed electrical connections
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Closed-impression die forgings
Sa **Die forgings—specifications**
Steel, Closed-Impression Die Forgings for General Industrial Use, Specification for, **A521/A521M (01.05)**
Closed loop technique
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Closed package test
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**
Closed profile sewer pipe/fittings
Poly (Vinyl Chloride)(PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F1803 (08.04)**
Closed room
Objective Measurement of the Speech Privacy Provided by a Closed Room, Test Method for, **E2638 (04.06)**
Closed switch contacts
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Closed vessel microwave heating technique
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Nitric Acid-Extraction of Elements from Ores and Related Metallurgical Materials by Closed Vessel Microwave Heating, Practice for, **E2941 (03.05)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
Closing
Operability of Zippers, Test Methods for, **D2062 (07.01)**
Closing force
Determination of Operating Force of Sliding Windows and Doors, Test Method for, **E2068 (04.11)**
Clostridium sporogenes **spores**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Closure
Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, Practice for, **D5168 (15.10)**
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**
Pressure-Sensitive Tape for Packaging, Box Closure, and Sealing, Specification for, **D5486/D5486M (15.10)**
Pressure-Sensitive Tape for Packaging, Filament-Reinforced, Specification for, **D5330/D5330M (15.10)**
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Closure (of environmental facilities)
Assessment of Attaining Clean Up Level for Site Closure, Practice for, **D6597 (11.04)**
Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities, Classification of, **D5746 (11.05)**
Closures (child-resistant)
Child-Resistant Packages, Classification of, **D3475 (15.10)**
Manual Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D3481 (15.10)**
Monitoring of Rotational Torque of Type IIIA Child-Resistant Closures, Test Method for, **D3968 (15.10)**
Closures (child-resistant)—type IA
Minimum Application Torque of Type IA Child-Resistant Closures, Test Method for, **D3810 (15.10)**
Reverse-Ratchet Torque of Type IA Child-Resistant Closures, Test Method for, **D3472 (15.10)**
Closures (child-resistant)—type IIA lug style
Measurement of Removal Lug Strippage of Type IIA Child-Resistant Closures, Test Method for, **D3470 (15.10)**
Measurement of Vertical Downward Forces to Disengage Type IIA Lug-Style Child-Resistant Closures, Test Methods for, **D3469 (15.10)**
Closures (threaded)
Application and Removal Torque of Threaded or Lug-Style Closures, Test Method for, **D3198 (15.10)**
Environmental Stress Crack Resistance (ESCR) of Threaded Plastic Closures, Test Method for, **D5419 (08.03)**
Measurement of Torque Retention for Packages with Continuous Thread Closures Using Non-Automated (Manual) Torque Testing Equipment, Test Methods for, **D2063/D2063M (15.10)**
Cloth
Industrial Woven Wire Filter Cloth, Guide for, **E2814 (14.02)**
Woven Asbestos Cloth, Specification for, **D1571/D1571M (04.05)**
Clothing
Apparel, Terminology Relating to, **D7022 (07.02)**
Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**
Body Measurements for Boys, Sizes 4H to 20H Husky, Tables of, **D6860/D6860M (07.02)**
Body Measurements for Boys, Sizes 8 to 14 Slim and 8 to 20 Regular, Tables of, **D6458 (07.02)**
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Body Measurements for Juniors, Sizes 0 to 19, Tables of, **D6829 (07.02)**
Body Measurements for Mature Men, ages 35 and older, Sizes Thirty-Four to Fifty-Two (34 to 52) Short, Regular, and Tall, Tables of, **D6240/D6240M (07.02)**
Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**
Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, Test Method for, **F1958/F1958M (10.03)**
Evaluation of Materials, Protective Clothing and Equipment for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Heat Resistance Using a Hot Air Circulating Oven, Test Method for, **F2894 (11.03)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**

Clothing for children
See **Children's clothing**

Clothing insulation
Determining the Temperature Ratings for Cold Weather Protective Clothing, Practice for, **F2732 (11.03)**
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**

Clothing (protective)
Evaluation of Materials, Protective Clothing and Equipment for Heat Resistance Using a Hot Air Circulating Oven, Test Method for, **F2894 (11.03)**
Radiant Heat Performance of Flame Resistant Clothing Materials with Burn Injury Prediction, Test Method for, **F2702 (11.03)**
Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Burn Injury Prediction, Test Method for, **F2703 (11.03)**
Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Continuous Heating, Test Method for, **F2700 (11.03)**

Clothing textiles
See **Textile fibers**

Cloth sheeting
Rubber-Coated Cloth Hospital Sheeting, Specification for, **D3738 (09.02)**

Cloud point
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Cloud Point of Nonionic Surfactants, Test Method for, **D2024 (15.04)**
Cloud Point of Petroleum Products, Test Method for, **D2500 (05.01)**
Cloud Point of Petroleum Products (Constant Cooling Rate Method), Test Method for, **D5773 (05.02)**
Cloud Point of Petroleum Products (Linear Cooling Rate Method), Test Method for, **D5772 (05.02)**
Cloud Point of Petroleum Products (Mini Method), Test Method for, **D7689 (05.04)**
Cloud Point of Petroleum Products (Miniaturized Optical Method), Test Method for, **D7397 (05.04)**
Cloud Point of Petroleum Products (Optical Detection Stepped Cooling Method), Test Method for, **D5771 (05.02)**
Cloud Point of Petroleum Products (Small Test Jar Method), Test Method for, **D7683 (05.04)**
Determination of the Cloud Point of Oil, Test Method for, **D5551 (15.04)**
Determining the Compatibility of Resin/Solvent Mixtures by Precipitation Temperature (Cloud Point), Test Methods for, **D6038 (06.03)**

Clout cut nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

CLR (Cooperative Lubrication Research) test engine
Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), Test Method for, **D6709 (05.03)**

CLSM (controlled low strength material)
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Density (Unit Weight), Yield, Cement Content, and Air Content (Gravimetric) of Controlled Low-Strength Material (CLSM), Test Method for, **D6023 (04.09)**
Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders, Test Method for, **D4832 (04.08)**
Sampling Freshly Mixed Controlled Low-Strength Material, Practice for, **D5971/D5971M (04.09)**

CO_2 guns/cylinders
See **Consumer safety specifications (guns)**

CO_2 production
See **Carbon dioxide**

Coagulated pentane and benzene insolubles
Sa **Pentane-insolubles content**
Coagulated Pentane Insolubles in Used Lubricating Oils by Paper Filtration (LMOA Method), Test Method for, **D7317 (05.04)**

Coagulation-flocculation
Coagulation-Flocculation Jar Test of Water, Practice for, **D2035 (11.02)**
Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, Practice for, **D4188 (11.01)**

Coagulum content
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**

Coal ash
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Determination of Major and Minor Elements in Coal, Coke, and Solid Residues from Combustion of Coal and Coke by Inductively Coupled Plasma—Atomic Emission Spectrometry, Test Method for, **D6349 (05.06)**
Determination of Trace Elements in Coal, Coke, and Combustion Residues from Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry, Test Methods for, **D6357 (05.06)**
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**
Laboratory Froth Flotation of Coal in a Mechanical Cell, Test Method for, **D5114 (05.06)**
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**

Coal/coke products
Apparent and True Specific Gravity and Porosity of Lump Coke, Test Method for, **D167 (05.06)**
Ash in the Analysis Sample of Coal and Coke from Coal, Test Method for, **D3174 (05.06)**
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Coal and Coke, Terminology of, **D121 (05.06)**
Collection and Preparation of Coke Samples for Laboratory Analysis, Practice for, **D346/D346M (05.06)**
Determination of Gas Content of Coal—Direct Desorption Method, Practice for, **D7569 (05.06)**
Determination of Total, Combustible and Carbonate Carbon in Solid Residues from Coal and Coke, Test Method for, **D6316 (05.06)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke, Test Method for, **D4292 (05.02)**
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**
Drop Shatter Test for Coke, Test Method for, **D3038 (05.06)**
Establishing the Competence of Laboratories Using ASTM Procedures in the Sampling and Analysis of Coal and Coke, Practice for, **D7448 (05.06)**
Gross Calorific Value of Coal and Coke, Test Method for, **D5865 (05.06)**
Measuring Coke Reactivity Index (CRI) and Coke Strength After

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reaction (CSR), Test Method for, **D5341 (05.06)**
Mechanical Sampling of Coal, Practice for, **D7430 (05.06)**
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**
Moisture in the Analysis Sample of Coal and Coke, Test Method for, **D3173 (05.06)**
Preparing Coke Samples for Microscopical Analysis by Reflected Light, Practice for, **D3997/D3997M (05.06)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Proximate Analysis of Coal and Coke, Practice for, **D3172 (05.06)**
Proximate Analysis of Coal and Coke by Macro Thermogravimetric Analysis, Test Methods for, **D7582 (05.06)**
Sieve Analysis of Coke, Test Method for the, **D293 (05.06)**
Sulfur in the Analysis Sample of Coal and Coke Using High-Temperature Tube Furnace Combustion, Test Method for, **D4239 (05.06)**
the Evaluation of Measurements Made by Online Coal Analyzers, Guide to, **D6543 (05.06)**
Tumbler Test for Coke, Test Method for, **D3402/D3402M (05.06)**
Ultimate Analysis of Coal and Coke, Practice for, **D3176 (05.06)**
Volatile Matter in the Analysis Sample of Coal and Coke, Test Method for, **D3175 (05.06)**

Coal/coke products—chemical analysis
Determination of Carbon, Hydrogen and Nitrogen in Analysis Samples of Coal and Carbon in Analysis Samples of Coal and Coke, Test Methods for, **D5373 (05.06)**
Determination of Chlorine in Coal by Oxidative Hydrolysis Microcoulometry, Test Method for, **D6721 (05.06)**
Determination of Major and Minor Elements in Coal, Coke, and Solid Residues from Combustion of Coal and Coke by Inductively Coupled Plasma—Atomic Emission Spectrometry, Test Method for, **D6349 (05.06)**
Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, Test Method for, **D5987 (05.06)**
Total Mercury in Coal and Coal Combustion Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, Test Methods for, **D6414 (05.06)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**

Coal combustion products (CCPs)
Coal Combustion Products, Terminology for, **E2201 (11.05)**
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Total Mercury in Coal and Coal Combustion Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, Test Methods for, **D6414 (05.06)**
Total Mercury in Coal and Coal Combustion Residues by Direct Combustion Analysis, Test Method for, **D6722 (05.06)**
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Re-contouring and Highwall Reclamation, Guide for, **E2243 (11.05)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Use of Coal Combustion Products for Solidification/Stabilization of Inorganic Wastes, Guide for, **E2060 (11.05)**

Coalescence
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Determining Water Separation Characteristics of Diesel Fuels by Portable Separometer, Test Method for, **D7261 (05.04)**
Testing Low Temperature Film-Formation of Latex Paints by Visual Observation, Practice for, **D7306 (06.02)**

Coal-fired stationary source
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**

Coal fly ash
Characterization of Coal Fly Ash and Clean Coal Combustion Fly Ash for Potential Uses, Guide for, **D5759 (11.04)**
Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, Specification for, **C618 (04.02)**

Coal gas
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Determination of Gas Content of Coal—Direct Desorption Method, Practice for, **D7569 (05.06)**

Coal mine dusting
Limestone for Dusting of Coal Mines, Specification for, **C737 (04.01)**

Coal mines
Geospatial Data for Representing Coal Mining Features, Practice for, **D7780 (04.09)**

Coal oil
Screening Fuels in Soils, Test Method for, **D5831 (11.04)**

Coal products
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Coals by Rank, Classification of, **D388 (05.06)**
Collection of Channel Samples of Coal in a Mine, Practice for, **D4596 (05.06)**
Cubic Foot Weight of Crushed Bituminous Coal, Test Method for, **D291 (05.06)**
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, Test Method for, **D6347/D6347M (05.06)**
Determination of the Swelling Properties of Bituminous Coal Using a Dilatometer, Test Method for, **D5515 (05.06)**
Determination of Trace Elements in Coal, Coke, and Combustion Residues from Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry, Test Methods for, **D6357 (05.06)**
Determining the Washability Characteristics of Coal, Test Method for, **D4371 (05.06)**
Drop Shatter Test for Coal, Test Method of, **D440 (05.06)**
Expansion or Contraction of Coal by the Sole-Heated Oven, Test Method for, **D2014 (05.06)**
Forms of Sulfur in Coal, Test Method for, **D2492 (05.06)**
Free-Swelling Index of Coal, Test Method for, **D720 (05.06)**
Grindability of Coal by the Hardgrove-Machine Method, Test Method for, **D409/D409M (05.06)**
Laboratory Froth Flotation of Coal in a Mechanical Cell, Test Method for, **D5114 (05.06)**
Limestone for Dusting of Coal Mines, Specification for, **C737 (04.01)**
Mechanical Sampling of Coal, Practice for, **D7430 (05.06)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Microscopical Determination of the Maceral Composition of Coal, Test Method for, **D2799 (05.06)**
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Plastic Properties of Coal by the Constant-Torque Gieseler Plastometer, Test Method for, **D2639/D2639M (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling and Fineness Test of Pulverized Coal, Test Method for, **D197 (05.06)**
the Evaluation of Measurements Made by Online Coal Analyzers, Guide to, **D6543 (05.06)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Tonnage Calculation of Coal in a Stockpile, Practice for, **D6542 (05.06)**
Total Chlorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D4208 (05.06)**
Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D3761 (05.06)**
Tumbler Test for Coal, Test Method of, **D441 (05.06)**

Coal products—moisture
Equilibrium Moisture of Coal at 96 to 97 Percent Relative Humidity and 30°C, Test Method for, **D1412 (05.06)**
Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36-mm (No. 8 Sieve) Topsize, Test Method for, **D2961 (05.06)**
Total Moisture in Coal, Test Method for, **D3302/D3302M (05.06)**

Coal rank
Collection of Coal Samples from Core, Practice for, **D5192 (05.06)**

Coal sampling systems
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Coals by Rank, Classification of, **D388 (05.06)**
Collection and Preparation of Coke Samples for Laboratory Analysis, Practice for, **D346/D346M (05.06)**
Collection of a Gross Sample of Coal, Practice for, **D2234/D2234M (05.06)**
Collection of Channel Samples of Coal in a Mine, Practice for, **D4596 (05.06)**
Collection of Coal Samples from Core, Practice for, **D5192 (05.06)**
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Determination of Gas Content of Coal—Direct Desorption Method, Practice for, **D7569 (05.06)**
Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, Practice for, **D6883 (05.06)**
Part-Stream Sampling of Coal, Guide for, **D6609 (05.06)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Polishing and Etching Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D5671 (05.06)**
Preparing Coal Samples for Analysis, Practice for, **D2013/D2013M (05.06)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Sampling and Fineness Test of Pulverized Coal, Test Method for, **D197 (05.06)**
Tonnage Calculation of Coal in a Stockpile, Practice for, **D6542 (05.06)**

Coal tar
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, Practice for, **D6805 (04.04)**

Coal tar—specifications
Coal Tar Adhesive, Specification for, **D6753/D6753M (04.04)**
Coal Tar Glass Felt Used in Roofing and Waterproofing, Specification for, **D4990 (04.04)**
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Emulsified Refined Coal Tar (Mineral Colloid Type), Specification for, **D5727/D5727M (04.04)**
Softening Point of Bitumen (Ring-and-Ball Apparatus), Test Method for, **D36/D36M (04.04)**

Coal tar cement
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Coal Tar Roof Cement, Asbestos Free, Specification for, **D5643/D5643M (04.04)**

Coal tar pitch
Calculating Volume-Temperature Correction For Coal-Tar Pitches, Practice for, **D2962 (05.01)**
Determination of Pitch Volatility, Test Method for, **D4893 (05.02)**
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Shear Viscosity of Coal-Tar and Petroleum Pitches, Test Method for, **D5018 (05.02)**

Coal tar pitch—specifications
Application of Emulsified Coal-Tar Pitch (Mineral Colloid Type), Practice for, **D3423/D3423M (04.04)**
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**
Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D450/D450M (04.04)**

Coal tar saturated felt
Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, Specification for, **D1327/D1327M (04.04)**
Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D227/D227M (04.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**

Coal utilization processes
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**

COAN (compressed oil absorption number)
Carbon Black—Oil Absorption Number of Compressed Sample (COAN), Test Method for, **D3493 (09.01)**

Coarse aggregate
Accelerated Polishing of Aggregates Using the British Wheel, Practice for the, **D3319 (04.03)**
Bulk Density ("Unit Weight") and Voids in Aggregate, Test Method for, **C29/C29M (04.02)**
Centrifuge Kerosine Equivalent, Test Method for, **D5148 (04.03)**
Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, Test Method for, **C127 (04.02)**
Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System, Test Method for, **D7148 (10.02)**
Determining the Percentage of Fractured Particles in Coarse Aggregate, Test Method for, **D5821 (04.03)**
Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate, Test Method for, **D4791 (04.03)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Lightweight Particles in Aggregate, Test Method for, **C123/C123M (04.02)**
Making and Curing Test Specimens for Evaluating Resistance of Coarse Aggregate to Freezing and Thawing in Air-Entrained Concrete, Practice for, **C1646/C1646M (04.02)**
Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D6928 (04.03)**
Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, Test Method for, **C535 (04.02)**
Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, Test Method for, **C131/C131M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sieve Analysis of Fine and Coarse Aggregates, Test Method for, **C136 (04.02)**

Coarse aggregate—specifications
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Aggregates for Masonry Grout, Specification for, **C404 (04.05)**
Coarse Aggregate for Bituminous Paving Mixtures, Specification for, **D692/D692M (04.03)**
Concrete Aggregates, Specification for, **C33/C33M (04.02)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Nontraditional Coarse Aggregates for Bituminous Paving Mixtures, Specification for, **D6155 (04.03)**
Steel Slag Aggregates for Bituminous Paving Mixtures, Specification for, **D5106 (04.03)**

Coarse austenitic grain-size steel
Alloy Structural Steel Plates, Specification for, **A829/A829M (01.04)**

Coarse bedding materials
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**

Coarse-grained soil
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**

Coarse-hair content
Maximum Cashmere Coarse-Hair Content in Cashmere, Specification for, **D2817 (07.01)**

Coarse particle analysis
Sa **Particle analysis—paints/related coatings/materials**
Analysis of Aluminum Silicate Pigment, Test Methods for, **D718 (06.03)**
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Coarse Particles in Pigments, Test Methods for, **D185 (06.03)**
Coarse Particles in Printing Ink Dispersions, Test Method for, **D2067 (06.02)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**

Coarse round steel wire
General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel, and Alloy Steel, Specification for, **A510/A510M (01.03)**

Coastal habitats
Cleaning of Various Oiled Shorelines and Habitats, Guide for, **F2464 (11.05)**

Coastline (oil spill response)
Sa **Oil spill control systems**
Cleaning of Various Oiled Shorelines and Habitats, Guide for, **F2464 (11.05)**

Coated copper wire
Nickel-Coated Soft or Annealed Copper Wire, Specification for, **B355 (02.03)**

Coated fabrics
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), Test Method for, **D3389 (09.02)**
Coated Fabrics Used for Oil Spill Control and Storage, Test Methods for, **F715 (11.05)**
Coated Fabrics—Low-Temperature Bend Test, Test Method for, **D2136 (09.01)**
Fabrication of Flexible Removable and Reusable Blanket Insulation for Hot Service, Specification for, **C1695 (04.06)**
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**
Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, Performance Specification for, **D3690 (07.01)**

Coated fasteners
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**

Coated flat glass
Sa **Flat glass—specifications**
Instrumental Reflectance Measurement of Color for Flat Glass, Coated, and Uncoated, Practice for, **C1650 (15.02)**

Coated glass fiber
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**

Coated hardboard
Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Apparatus, Test Method for, **D5795 (06.02)**

Coated panels
An Imaging Technique to Measure Rust Creepage at Scribe on Coated Test Panels Subjected to Corrosive Environments, Test Method for, **D7087 (06.01)**

Coated pipelines
See **Pipeline coatings**

Coated sheet products
Sa **Zinc-coated steel sheet—specifications**
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Measuring Flatness Characteristics of Steel Sheet Products, Practice for, **A1030/A1030M (01.06)**
Measuring Shape Characteristics of Tin Mill Products, Practice for, **A987/A987M (01.06)**

Coated steel wire (aluminum)
See **Aluminum-coated steel wire—specifications**

Coated steel wire (zinc)
See **Zinc-coated steel wire—specifications**

Coated substrate standards
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**

Coating adhesion
Adhesion of Organic Coatings by Scrape Adhesion, Test Method for, **D2197 (06.01)**
Adhesion or Cohesion Strength of Thermal Spray Coatings, Test Method for, **C633 (02.05)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Determining Ink or Coating Adhesion on Plastic Substrates for Membrane Switch Applications, Test Method for, **F1842 (10.04)**
Evaluating Ink or Coating Adhesion to Flexible Packaging Materials Using Tape, Practice for, **F2252/F2252M (15.10)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**
Nails, Test Methods for, **F680 (01.08)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Peel Strength of Metal Electroplated Plastics, Test Method for, **B533 (02.05)**
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, Specification for, **B33 (02.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**

Coating adhesion—electrodeposited coatings
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Coating/adhesive weight
Coating/Adhesive Weight Determination, Practice for, **F2217/F2217M (15.10)**
Coating application
Applied Weight Per Unit Area of Liquid Adhesive, Practice for, **D899 (15.06)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Inspection of Marine Surface Preparation and Coating Application, Practice for, **F941 (01.07)**
Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, Practice for, **F940 (01.07)**
Coating applicators
Qualification of Coating Applicators for Application of Coatings to Concrete Surfaces, Practice for, **D4227 (06.02)**
Qualification of Coating Applicators for Application of Coatings to Steel Surfaces, Practice for, **D4228 (06.02)**
Coating bend test
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**
Coating capacitance
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**
Coating compatibility
Conducting a Patch Test to Assess Coating Compatibility, Practice for, **D5064 (06.02)**
Coating composition
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**
Coating continuity
Continuity of Coatings in Glassed Steel Equipment by Electrical Testing, Test Method for, **C536 (02.05)**
Continuity of Porcelain Enamel Coatings, Test Method for, **C743 (02.05)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Silver-Coated Soft or Annealed Copper Wire, Specification for, **B298 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, Specification for, **B33 (02.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**
Coating corrosion
See **Corrosion—paints/related coatings/materials**
See **Salt spray (fog) testing**
Coating ductility
See **Ductility**
Coatings (electrochromic)
Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, Test Method for, **E2355 (04.12)**
Coating film sampling
Sa **Paint sampling**
Field Sampling of Coating Films for Analysis for Heavy Metals, Practice for, **D5702 (06.02)**
Sampling of Coating Films, Practice for, **D6206 (06.02)**
Coating leveling
See **Leveling characteristics**
Coating powders
Sa **Powder coatings**
Measurement of Thickness of Applied Coating Powders to Predict Cured Thickness, Practice for, **D7378 (06.02)**
Coatings
Apparent Viscosity of Hot Melt Adhesives and Coating Materials, Test Method for, **D3236 (05.01)**
Application of New Spray Applied Polyurethane Foam and Coated Roofing Systems, Guide for, **D5469/D5469M (04.04)**
Autoclavable Protective Coatings on Laboratory Glassware, Specification for, **E1522 (14.04)**
Coating Inspection and Acute Particulate Characterization of Coated Drug-Eluting Vascular Stent Systems, Guide for, **F2743 (13.02)**
Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, Test Method for, **A944 (01.04)**
Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe, Test Method for, **A926 (01.06)**
Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Determining the Abrasion Resistance of Inks and Coatings on Membrane Switches Using the Norman Tool RCA Abrader, Test Method for, **F2357 (10.04)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Determining the Scratch Hardness and Scrape Adhesion of Prints and Coatings, Practice for, **F2496 (15.09)**
Dry Abrasion Mar Resistance of High Gloss Coatings, Test Methods for, **D6037 (06.01)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Evaluation of Chemical Resistance of Printed Inks and Coatings on Flexible Packaging Materials, Practice for, **F2250 (15.10)**
Evaluation of Tannin Stain Resistance of Coatings, Test Method for, **D6686 (06.02)**
Field Identification of Coatings, Practice for, **D5043 (06.02)**
Measurement of Thickness of Coatings Over Fabric Reinforcement, Test Method for, **D7635/D7635M (04.04)**
Open Time of Latex Paints, Test Method for, **D7488 (06.02)**
Percent Volume Nonvolatile Matter in Clear or Pigmented Coatings Using a Helium Gas Pycnometer, Test Method for, **D6093 (06.01)**
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**
Pull-Off Adhesion Strength of Coatings on Concrete Using Portable Pull-Off Adhesion Testers, Test Method for, **D7234 (06.02)**
Qualifying Coatings for Use on A490 Structural Bolts Relative to Hydrogen Embrittlement, Test Method for, **F2660 (01.08)**
Resistance to Hydrostatic Pressure for Coatings Used in Below Grade Applications Applied to Masonry, Practice for, **D7088 (06.02)**
Resistance to Wind-Driven Rain for Exterior Coatings Applied on Masonry, Practice for, **D6904 (06.02)**
Surface Wettability of Coatings, Substrates and Pigments by Advancing Contact Angle Measurement, Practice for, **D7334 (06.01)**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**
Zinc Alloy Thermo-Diffusion Coatings (TDC) on Steel Fasteners, Hardware, and Other Products, Specification for, **A1059/A1059M (01.06)**
Coatings—flooring materials/applications
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Vinyl Composition Floor Tile, Specification for, **F1066 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Coatings (aerospace applications)
Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, Practice for, **E512 (15.03)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Coatings (antifouling)
See **Antifouling coating system**
Coatings (electrodeposited)
See **Electrodeposited coatings**
Coating Service Level III
Establishing Procedures to Monitor the Performance of Safety-Related Coating Service Level III Lining Systems in an Operating Nuclear Power Plant, Guide for, **D7167 (06.02)**
Evaluating Polymeric Lining Systems for Water Immersion in Coating Service Level III Safety-Related Applications on Metal Substrates, Guide for, **D7230 (06.02)**
Coatings (hot-dip)
See **Hot-dip (galvanized) coatings**
Coatings (industrial)
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**
Coatings (laboratory apparatus)
Color-Coding Pipets or Containers Coated With Anticoagulants, Specification for, **E1048 (14.04)**
Coatings (metal)
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
Coatings (metal)—specifications
Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Coatings monitoring program
Sa **Inspection—coating applications**
Sa **Performance—paints/coatings/related applications**
Sa **Safety precautions—coating applications**
Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, Guide for, **D5163 (06.02)**
Use of Certification of Coating Conformance Form, Guide for, **D5063 (06.02)**
Coatings (nuclear facilities)
Sa **Nuclear reactor vessels—coatings applications**
Sa **Nuclear reactor vessels—qualifications for painters**
Establishing Qualifications for a Nuclear Coatings Specialist, Guide for, **D7108 (06.02)**
Management of Non-Conforming Coatings in Coating Service Level I Areas of Nuclear Power Plants, Guide for, **D7491 (06.02)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**
Coatings (paint/related applications)
Assessing the Condition of Aged Coatings on Steel Surfaces, Guide for, **D5065 (06.02)**
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Commercial Hexanes, Specification for, **D1836 (06.04)**
Conducting a Patch Test to Assess Coating Compatibility, Practice for, **D5064 (06.02)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, Guide for, **D4610 (06.01)**
Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, Test Method for, **D5589 (06.01)**
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted, Practice for, **D5367 (06.02)**
Evaluating Coatings For High Temperature Service, Test Methods for, **D2485 (06.01)**
Evaluating Coatings Used in Light-Water Nuclear Power Plants at Simulated Design Basis Accident (DBA) Conditions, Test Method for, **D3911 (06.02)**
Evaluating Degree of Settling of Paint, Test Method for, **D869 (06.01)**
Evaluation of Coatings Applied to Plastics, Guide for, **D3002 (06.02)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage, Test Method for, **D1210 (06.01)**
Impact Flexibility of Organic Coatings, Test Method for, **D6905 (06.01)**
Instrumental Measurement of Distinctness-of-Image Gloss of Coating Surfaces, Test Methods for, **D5767 (06.01)**
Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3717 (06.01)**
Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3718 (06.01)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3624 (06.01)**
Making Cementitious Panels for Testing Coatings, Practice for, **D1734 (06.02)**
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
Measurement of Dry Film Thickness of Thin-Film Coil-Coated Systems by Destructive Means Using a Boring Device, Test Method for, **D5796 (06.02)**
Measuring Mechanistic Aspects of Scratch/Mar Behavior of Paint Coatings by Nanoscratching, Test Method for, **D7187 (06.01)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Rub Abrasion Mar Resistance of High Gloss Coatings, Test Method for, **D6279 (06.02)**
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**
Selection of Coating Specimens for Appearance Measurements, Practice for, **D3964 (06.01)**
Testing Coil Coatings, Guide for, **D3794 (06.02)**
Testing Exterior Wood Stains and Clear Water Repellents, Guide for, **D6763 (06.02)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of Certification of Coating Conformance Form, Guide for, **D5063 (06.02)**
Volume Nonvolatile Matter in Clear or Pigmented Coatings, Test Method for, **D2697 (06.01)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Xenon Arc Exposure Test with Enhanced Light and Water Exposure for Transportation Coatings, Practice for, **D7869 (06.01)**

Coatings (paper)
Labeling of End Items that Incorporate Plastics and Polymers as Coatings or Additives with Paper and Other Substrates Designed to be Aerobically Composted in Municipal or Industrial Facilities, Specification for, **D6868 (08.03)**

Coatings (polymeric)
See **Polymer coatings**

Coatings (protective)
Sa **Protective coatings**
Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, Specification for, **E2731 (15.08)**

Coatings removers
Evaluating the Efficiency of Chemical Removers for Organic Coatings, Practice for, **D6189 (06.02)**

Coatings (roof)
Sa **Roofing materials/applications—specifications**
Evaluation and Preparation of Roof Membranes for Coating Application, Guide for, **D7120/D7120M (04.04)**

Coatings (rubber products)
Rubber Bales From Natural SourcesLimit on Coating, Specification for, **D2449 (09.01)**
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**

Coatings (semiconductors)
See **Electronic thin-film applications—specifications**

Coatings (shipbuilding applications)
See **Marine coatings systems/applications**

Coatings (surgical implants)
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**

Coatings (surgical implants)—specifications
Calcium Phosphate Coatings for Implantable Materials, Specification for, **F1609 (13.01)**
Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), Specification for, **F1377 (13.01)**
Glass and Glass Ceramic Biomaterials for Implantation, Specification for, **F1538 (13.01)**

Coatings (thermal insulating materials)
Conducting Exterior Exposure Tests of Finishes for Thermal Insulation, Test Method for, **C488 (04.06)**
Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, Practice for, **C419 (04.06)**
Mastics and Coatings Used With Thermal Insulation, Test Methods for, **C461 (04.06)**
Properties and Tests of Mastics and Coating Finishes for Thermal Insulation, Guide to, **C647 (04.06)**

Coatings (ultraviolet)
Sa **Ultraviolet-cured coatings**
Relative Cure of Energy-Cured Inks and Coatings, Test Method for, **D7244 (06.02)**

Coatings (vacuum deposited)
See **Vacuum coatings—specifications**

Coating thickness
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
Measurement of Dry Film Thickness of Thin-Film Coil-Coated Systems by Destructive Means Using a Boring Device, Test Method for, **D5796 (06.02)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section, Test Method for, **B487 (02.05)**
Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, Test Method for, **B244 (02.05)**
Measurement of Thickness of Applied Coating Powders to Predict Cured Thickness, Practice for, **D7378 (06.02)**
Measurement of Thickness of Metallic Coatings by the Coulometric Method, Test Method for, **B504 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measurement of Thin Chromium Coatings by Spot Test, Guide for, **B556 (02.05)**
Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Nails, Test Methods for, **F680 (01.08)**
Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic, Nonconductive Coatings Applied to Non-Ferrous Metals, Practice for, **D7091 (06.01)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Thickness of Diffusion Coating, Test Methods for, **C664 (02.05)**
Variables Sampling of Metallic and Inorganic Coatings, Test Method of, **B762 (02.05)**

Coating weight
Chromates on Aluminum, Specification for, **B449 (02.05)**
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Coating/Adhesive Weight Determination, Practice for, **F2217/F2217M (15.10)**
Determination of Chromium Treatment Weight on Metal Substrates by X-Ray Fluorescence, Practice for, **D5723 (06.02)**
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Zirconium Treatment Weight or Thickness on Metal Substrates by X-Ray Fluorescence, Test Method for, **D7639 (06.02)**
Measurement of Coating Mass Per Unit Area on Anodically Coated Aluminum, Test Method for, **B137 (02.05)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures, Specification for, **F1083 (01.06)**
Silver-Coated Soft or Annealed Copper Wire, Specification for, **B298 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**
Weight Mass of Coating on Aluminum-Coated Iron or Steel Articles, Test Method for, **A428/A428M (01.06)**
Weight Mass of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings, Test Method for, **A90/A90M (01.06)**

Coating work inspection
Developing a Training Program for Personnel Performing Coating and Lining Work Inspection for Nuclear Facilities, Guide for, **D5498 (06.02)**

Coaxial cable
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**

Coaxial cable construction
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Coaxial capacitance
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

Coaxial line
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Coaxial Air Line, Test Method for, **D7449/D7449M (10.02)**
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

Cobalt
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Color of Halogenated Organic Solvents and, Test Method for, **D2108 (15.05)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**

Cobalt-60 radiography
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**

Cobalt 60 testing
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**

Cobalt alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, Test Method for, **G61 (03.02)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Electrodeposited Coatings of Palladium- Cobalt Alloy for Engineering Use, Specification for, **B984 (02.05)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**

Cobalt alloys—specifications
Castings, Investment, Carbon and Low Alloy Steel for General Application, and Cobalt Alloy for High Strength at Elevated Temperatures, Specification for, **A732/A732M (01.02)**
Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, Specification for, **B815 (02.04)**
Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, Specification for, **B818 (02.04)**
General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys, Specification for, **B880 (02.04)**
Metal Injection Molded Cobalt-28Chromium-6Molybdenum Components for Surgical Implant Applications, Specification for, **F2886 (13.02)**
Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, Specification for, **B639 (02.04)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**

Cobalt alloys (for surgical implants)—specifications
35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), Specification for, **F961 (13.01)**
Cobalt-28 Chromium-6 Molybdenum Alloy Castings and Casting Alloy for Surgical Implants (UNS R30075), Specification for, **F75 (13.01)**
Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), Specification for, **F799 (13.01)**
Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), Specification for, **F1377 (13.01)**
Metallic Implantable Strands and Cables, Specification for, **F2180 (13.01)**
Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications (UNS R30035), Specification for, **F562 (13.01)**
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy for Surgical Implant Applications (UNS R30605), Specification for, **F90 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**
Wrought Cobalt-28Chromium-6Molybdenum Alloys for Surgical Implants (UNS R31537, UNS R31538, and UNS R31539), Specification for, **F1537 (13.01)**
Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), Specification for, **F688 (13.01)**
Wrought Seamless and Welded and Drawn Cobalt Alloy Small

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), Specification for, **F2527 (13.02)**

Cobalt- and silver-foil monitors
Measuring Neutron Fluence Rates by Radioactivation of Cobalt and Silver, Test Method for, **E481 (12.02)**

Cobalt-chromium-molybdenum alloy
Cobalt-28 Chromium-6 Molybdenum Alloy Castings and Casting Alloy for Surgical Implants (UNS R30075), Specification for, **F75 (13.01)**
Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), Specification for, **F799 (13.01)**
Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), Specification for, **F1377 (13.01)**
Wrought Cobalt-28Chromium-6Molybdenum Alloys for Surgical Implants (UNS R31537, UNS R31538, and UNS R31539), Specification for, **F1537 (13.01)**

Cobalt-chromium surgical implant alloy—specifications
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy for Surgical Implant Applications (UNS R30605), Specification for, **F90 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**

Cobalt content
Determination of Cobalt in Paint Driers by EDTA Method, Test Method for, **D2373 (06.01)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Total Cobalt in Alumina-Base Cobalt-Molybdenum Catalyst by Potentiometric Titration Method, Test Method for, **D3610 (05.05)**

Cobalt content—Cu/Cu alloys
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**

Cobalt content—ferrous alloys
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**

Cobalt content—Ni/Ni alloys
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**

Cobalt content—steel
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**

Cobalt content—water
Cobalt in Water, Test Methods for, **D3558 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**

Cobalt isotope removal
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**

Cobalt method
Determining Thermal Neutron Reaction Rates and Thermal Neutron Fluence Rates by Radioactivation Techniques, Test Method for, **E262 (12.02)**

Cobalt-molybdenum catalyst
Sa **Catalysts/catalyst carriers**
Total Cobalt in Alumina-Base Cobalt-Molybdenum Catalyst by Potentiometric Titration Method, Test Method for, **D3610 (05.05)**

Cobalt-nickel surgical implant alloy
35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), Specification for, **F961 (13.01)**
Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications (UNS R30035), Specification for, **F562 (13.01)**
Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), Specification for, **F688 (13.01)**

Cobalt paint driers
Sa **Paint driers**
Liquid Paint Driers, Test Methods for, **D564 (06.01)**

Cobblers cut nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Cobb ring
Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Apparatus, Test Method for, **D5795 (06.02)**

Cocaine
Microcrystal Testing in Forensic Analysis of Cocaine, Guide for, **E1968 (14.02)**

Cochran's maximum variance test
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**

Cochran's test
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**

Cockroaches
Effectiveness of Aerosol and Pressurized Spray Insecticides Against Cockroaches, Test Method for, **E654 (11.05)**

Cockscomb
Concentric-Lay-Stranded Aluminum 1350 Conductors, Specification for, **B231/B231M (02.03)**

COD (chemical oxygen demand)
Total Oxygen Demand in Water, Test Method for, **D6238 (11.02)**

Code development
Documenting a Ground-Water Modeling Code, Guide for, **D6171 (04.09)**

Coded values
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Codes
Abbreviated Terms Relating to Plastics, Terminology for, **D1600 (08.01)**
Selection of ASTM Analytical Methods for Implementation of International Cyanide Management Code Guidance, Guide for, **D7728 (11.02)**
Code selection
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Codification
Sa **Classification (standards)**
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Codification of Unalloyed Magnesium and Magnesium-Alloys, Cast and Wrought, Practice for, **B951 (02.02)**
Coefficient of discharge
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Coefficient of expansion
Determination of the Linear Coefficient of Thermal Expansion of Plastic Lumber and Plastic Lumber Shapes Between –30 and 140°F (–34.4 and 60°C), Test Method for, **D6341 (08.03)**
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**
Coefficient of friction (COF)
Sa **Friction/frictional properties**
Determination of Surface Lubrication on Flexible Webs, Test Method for, **G164 (03.02)**
Determination of the Breakaway Friction Characteristics of Rolling Element Bearings, Test Method for, **G182 (03.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
In Situ Measurement Of Masonry Mortar Joint Shear Strength Index, Test Methods for, **C1531 (04.05)**
Measurement of Web/Roller Friction Characteristics, Test Method for, **G143 (03.02)**
Measuring and Reporting Friction Coefficients, Guide for, **G115 (03.02)**
Measuring Rolling Friction Characteristics of a Spherical Shape on a Flat Horizontal Plane, Test Method for, **G194 (03.02)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Coefficient of friction (COF)—floor surfaces
Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, Test Method for, **C1028 (15.02)**
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Ranking of Test Data Obtained for Measurement of Slip Resistance of Footwear Sole, Heel, and Related Materials, Practice for, **F695 (15.07)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**
Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, Test Method for, **D2047 (15.04)**
Coefficient of friction (COF)—geosynthetics
Determining the Internal and Interface Shear Strength of Geosynthetic Clay Liner by the Direct Shear Method, Test Method for, **D6243/D6243M (04.13)**
Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, Test Method for, **D5321/D5321M (04.13)**
Coefficient of friction (COF)—petroleum products
Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, Test Method for, **D2714 (05.01)**
Coefficient of Kinetic Friction for Wax Coatings, Test Method for, **D2534 (05.01)**
Determination of the Coefficient of Friction of Lubricants Using the Four-Ball Wear Test Machine, Test Method for, **D5183 (05.02)**
Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5707 (05.02)**
Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, Test Method for, **D3702 (05.01)**
Coefficient of friction (COF)—plastics
Static and Kinetic Coefficients of Friction of Plastic Film and Sheeting, Test Method for, **D1894 (08.01)**
Coefficient of friction (COF)—textile fibers
Coefficient of Friction, Yarn to Solid Material, Test Method for, **D3108/D3108M (07.01)**
Coefficient of Friction, Yarn to Yarn, Test Method for, **D3412/D3412M (07.01)**
Coefficient of linear thermal expansion
Sa **Thermal expansion/contraction**
Coefficient of Linear Thermal Expansion of Plastics Between −30°C and 30°C with a Vitreous Silica Dilatometer, Test Method for, **D696 (08.01)**
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, Test Method for, **E831 (14.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Coefficient of permeability
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions, Test Method for, **D6766 (04.13)**
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Measuring the Saturated Hydraulic Conductivity of Paper Industry Sludges, Guide for, **D7243 (04.09)**
Permeability of Rocks by Flowing Air, Test Method for, **D4525 (04.08)**
Coefficient of restitution (COR)
Measuring High-Speed Bat Performance, Test Methods for, **F2219 (15.07)**
Measuring Softball Bat Performance Factor, Test Method for, **F1890 (15.07)**
Measuring the Coefficient of Restitution (COR) of Baseballs and Softballs, Test Method for, **F1887 (15.07)**
Coefficient of retroreflection
Sa **Retroreflective marking materials**
Coefficient of Retroreflection of Retroreflective Sheeting Utilizing the Coplanar Geometry, Test Method for, **E810 (06.01)**
Coefficient of storage
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**
Coefficient of thermal expansion (CTE)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Determining the Coefficient of Thermal Expansion of Electrical

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insulating Liquids of Petroleum Origin, and Askarels, Practice for, **D1903 (10.03)**
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**
Measurements on Small Graphite Specimens, Guide for, **D7775 (05.05)**
Selection of Spacecraft Materials, Practice for the, **E1997 (15.03)**

Coefficients
Distribution Coefficients of Inorganic Species by the Batch Method, Test Method for, **C1733 (12.01)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**

Coercive field strength
Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, Specification for, **A838 (03.04)**
Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, Test Method for, **A977/A977M (03.04)**

Coercive force
Determination of Coercivity (Hcs) of Cemented Carbides, Test Method for, **B887 (02.05)**
Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, Test Method for, **A341/A341M (03.04)**
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Low-Carbon Magnetic Iron, Specification for, **A848 (03.04)**

Coextruded composite pipe
Coextruded Composite Drain, Waste, and Vent Pipe (DWV), Specification for, **F1499 (08.04)**
Coextruded Composite Pipe, Specification for, **F1488 (08.04)**

Coextruded polyethylene (PE) pipe/tube—specifications
Sa **Polyethylene (PE) pipe—specifications**
Sa **Polyethylene (PE) tube—specifications**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, Specification for, **F1282 (08.04)**

Coextruded poly(vinyl chloride)(PVC)
See **Poly(vinyl chloride)(PVC)—specifications**

Coextruded poly(vinyl chloride)(PVC) pipe/tube—specifications
Sa **Poly(vinyl chloride)(PVC) pipe—specifications**
Sa **Poly(vinyl chloride)(PVC) tube—specifications**
Coextruded Poly(Vinyl Chloride) (PVC) Non-Pressure Plastic Pipe Having Reprocessed-Recycled Content, Specification for, **F1760 (08.04)**
Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**

Coextrusion capstock
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, Specification for, **F964 (01.06)**

Coffee
Commercial Coffee Brewers, Test Method for, **F2990 (15.12)**
Commercial Coffee Brewers, Specification for, **F2988 (15.12)**

Cofferdams
Sa **Structural steel (SS) piles—specifications**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**

Cohesion
Bond Strength of Chemical-Resistant Mortars, Test Method for, **C321 (04.05)**
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**
Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members, Test Method for, **E736 (04.11)**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, Test Method to, **C1635 (04.07)**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Fiber Cohesion in Sliver and Top (Static Tests), Test Method for, **D2612 (07.01)**
Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, Test Methods for, **D1560 (04.03)**
Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, Test Method for, **D6463/D6463M (15.10)**

Cohesion—sealants
Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle), Test Method for, **C719 (04.07)**
Adhesion and Cohesion of One-Part Elastomeric Solvent Release Sealants, Test Method for, **C1216/C1216M (04.07)**
Bond and Cohesion of One-Part Elastomeric Solvent Release-Type Sealants, Test Method for, **C910 (04.07)**
Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, Test Method for, **C1294 (04.07)**

Cohesionless soil
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Maximum Index Density and Unit Weight of Soils Using a Vibratory Table, Test Methods for, **D4253 (04.08)**
Minimum Index Density and Unit Weight of Soils and Calculation of Relative Density, Test Methods for, **D4254 (04.08)**

Cohesive failure
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**
Evaluating Failure of Structural Sealant Glazing, Guide for, **C1392 (04.07)**
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**

Cohesive soils
Consolidated Undrained Direct Simple Shear Testing of Cohesive Soils, Test Method for, **D6528 (04.09)**
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Field Vane Shear Test in Cohesive Soil, Test Method for, **D2573 (04.08)**
One-Dimensional Swell or Collapse of Cohesive Soils, Test Methods for, **D4546 (04.08)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**
Torsional Ring Shear Test to Determine Drained Fully Softened Shear Strength and Nonlinear Strength Envelope of Cohesive Soils (Using Normally Consolidated Specimen) for Slopes with No Preexisting Shear Surfaces, Test Method for, **D7608 (04.09)**
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**
Unconfined Compressive Strength of Cohesive Soil, Test Method for, **D2166/D2166M (04.08)**
Unconsolidated-Undrained Triaxial Compression Test on Cohe-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

sive Soils, Test Method for, **D2850 (04.08)**

Cohesive strength
Adhesion or Cohesion Strength of Thermal Spray Coatings, Test Method for, **C633 (02.05)**
Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, Test Method for, **D952 (08.01)**
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Burst Strength of Surgical Sealants, Test Method for, **F2392 (13.01)**
Determining the Adhesive and Cohesive Strength Between Materials in Roofing or Waterproofing Membranes and Systems, Test Method for, **D7105 (04.04)**
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**

Coil chain
Machine and Coil Chain, Specification for, **A467/A467M (01.05)**

Coil-coated building products
Corrosion Test Panel Preparation, Testing, and Rating of Coil-Coated Building Products, Guide for, **D7893 (06.02)**

Coil coatings
Applying Coil Coatings Using The Wire-Wound Drawdown Bar, Practice for, **D4147 (06.02)**
Corrosion Test Panel Preparation, Testing, and Rating of Coil-Coated Building Products, Guide for, **D7893 (06.02)**
Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, Specification for, **A755/A755M (01.06)**
Testing Coil Coatings, Guide for, **D3794 (06.02)**

Coiled copper alloy tube
Seamless Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B903 (02.01)**

Coiled copper tube
Seamless Copper Tube in Coils, Specification for, **B743 (02.01)**

Coils
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**

Coil springs
Sa **Steel springs—specifications**
Carbon and Alloy Steel Bars for Springs, Specification for, **A689 (01.05)**

Coincidence counting
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**
Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, Test Method for, **C1207 (12.01)**

Coin-operated water immersion rides
Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures, Practice for, **F1159 (15.07)**

Coin-silver alloy
Sa **Electrical contact materials**
Sa **Electrical heating elements**
Coin Silver Electrical Contact Alloy, Specification for, **B617 (02.04)**
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**

Coke
Sa **Petroleum coke**
Apparent and True Specific Gravity and Porosity of Lump Coke, Test Method for, **D167 (05.06)**
Ash in the Analysis Sample of Coal and Coke from Coal, Test Method for, **D3174 (05.06)**
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Coal and Coke, Terminology of, **D121 (05.06)**
Collection and Preparation of Coke Samples for Laboratory Analysis, Practice for, **D346/D346M (05.06)**
Determination of Total, Combustible and Carbonate Carbon in Solid Residues from Coal and Coke, Test Method for, **D6316 (05.06)**
Drop Shatter Test for Coke, Test Method for, **D3038 (05.06)**
Gross Calorific Value of Coal and Coke, Test Method for, **D5865 (05.06)**
Measuring Coke Reactivity Index (CRI) and Coke Strength After Reaction (CSR), Test Method for, **D5341 (05.06)**
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Moisture in the Analysis Sample of Coal and Coke, Test Method for, **D3173 (05.06)**
Preparing Coke Samples for Microscopical Analysis by Reflected Light, Practice for, **D3997/D3997M (05.06)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Proximate Analysis of Coal and Coke, Practice for, **D3172 (05.06)**
Sieve Analysis of Coke, Test Method for the, **D293 (05.06)**
Sulfur in the Analysis Sample of Coal and Coke Using High-Temperature Tube Furnace Combustion, Test Method for, **D4239 (05.06)**
Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, Test Method for, **D5987 (05.06)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**
Tumbler Test for Coke, Test Method for, **D3402/D3402M (05.06)**
Ultimate Analysis of Coal and Coke, Practice for, **D3176 (05.06)**
Volatile Matter in the Analysis Sample of Coal and Coke, Test Method for, **D3175 (05.06)**

Coke ash
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**

Coke button determination
Free-Swelling Index of Coal, Test Method for, **D720 (05.06)**

Coke-forming propensities
Conradson Carbon Residue of Petroleum Products, Test Method for, **D189 (05.01)**
Ramsbottom Carbon Residue of Petroleum Products, Test Method for, **D524 (05.01)**

Coke handling/distribution
Dust Control Material on Calcined Petroleum Coke, Test Method for, **D4930 (05.02)**

Coke oven charge
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Coke oven gas
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Coke reactivity index (CRI)
Measuring Coke Reactivity Index (CRI) and Coke Strength After Reaction (CSR), Test Method for, **D5341 (05.06)**
Coke texture
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**
Coking
Coking Large Shapes of Carbon-Bearing Materials, Practice for, **C607 (15.01)**
Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, Test Methods for, **C831 (15.01)**
Coking value
Coking Value of Tar and Pitch (Alcan), Test Method for, **D4715 (05.02)**
Coking Value of Tar and Pitch (Modified Conradson), Test Method for, **D2416 (05.01)**
Cold-applied roofing/waterproofing
Sa **Roofing membranes—specifications**
Application of Fully Adhered, Cold-Applied, Prefabricated Reinforced Modified Bituminous Membrane Waterproofing Systems, Guide for, **D6769/D6769M (04.04)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Cold-applied sealants
Sa **Caulking compounds and sealants**
Sa **Sealants—specifications**
Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, Specification for, **D5249 (04.03)**
Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements, Specification for, **D5893/D5893M (04.03)**
Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants, Specification for, **C1330 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Elastomeric Joint Sealants, Specification for, **C920 (04.07)**
the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces, Guide for, **C1471 (04.04)**
Use of Joint Sealants, Guide for, **C1193 (04.07)**
Cold asphalt mixtures
Determination of a Volatile Distillate Fraction of Cold Asphalt Mixtures, Test Method for, **D6627/D6627M (04.03)**
Preparation and Determination of Bulk Specific Gravity of Dense-Graded Cold Mix Asphalt (CMA) Specimens by Means of Superpave Gyratory Compactor, Test Method for, **D7229 (04.03)**
Cold bend
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**
Cold bonding strength
Cold Bonding Strength of Refractory Mortar, Test Method for, **C198 (15.01)**
Cold boxes
Rubber Conditioning For Low Temperature Testing, Practice for, **D832 (09.01)**
Cold cleaning operations
Sa **Cleaning agents/processes**
Confined Area Entry, Practice for, **D4276 (15.05)**
Cold-cracking
Cold-Crack Resistance of Upholstery Leather, Test Method for, **D1912 (15.04)**
Cold-crack temperature
Brittleness Temperature of Plastic Sheeting by Impact, Test Method for, **D1790 (08.01)**
Cold-cranking simulator (CCS)
Apparent Viscosity of Engine Oils and Base Stocks Between –5 and –35°C Using Cold-Cranking Simulator, Test Method for, **D5293 (05.02)**
Cold cut
Preparation of Oil-Based Ink Resin Solutions, Practices for, **D5958 (06.03)**
Preparation of Solvent and Water Based Ink Resin Solutions, Practices for, **D6989 (06.03)**
Cold-drawn steel bars
Cold-Drawn, Stress-Relieved Carbon Steel Bars Subject to Mechanical Property Requirements, Specification for, **A311/A311M (01.05)**
Steel Bars, Carbon, Hot-Wrought, Special Quality, Specification for, **A576 (01.05)**
Cold-drawn steel tube—specifications
Sa **Steel tube**
Cold-Drawn Buttweld Carbon Steel Mechanical Tubing, Specification for, **A512 (01.01)**
Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes, Specification for, **A556/A556M (01.01)**
Seamless Cold-Drawn Carbon Steel Tubing for Hydraulic System Service, Specification for, **A822/A822M (01.01)**
Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A179/A179M (01.01)**
Cold-drawn steel wire—specifications
Sa **Steel wire**
Steel Wire, Cold-Drawn for Mechanical Springs, Specification for, **A227/A227M (01.03)**
Steel Wire, Cold-Drawn, for Coiled-Type Springs, Specification for, **A407 (01.03)**
Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, Specification for, **A421/A421M (01.04)**
Cold expansion insert fittings—specifications
Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1960 (08.04)**
Cold-Expansion Fittings With Metal Compression-Sleeves for Cross-Linked Polyethylene (PEX) Pipe, Specification for, **F2080 (08.04)**
Mechanical Cold Expansion Insert Fitting With Compression Sleeve for Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1865 (08.04)**
Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F1961 (08.04)**
Cold filter plugging point
Cold Filter Plugging Point of Diesel and Heating Fuels, Test Method for, **D6371 (05.03)**
Cold finger method
Determining Vacuum Chamber Gaseous Environment Using a Cold Finger, Practice for, **E834 (15.03)**
Cold-finished steel bars—specifications
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Steel Bar, Carbon and Alloy, Cold-Finished, Specification for, **A108 (01.05)**
Steel Bars, Alloy, Hot-Wrought or Cold-Finished, Quenched and Tempered, Specification for, **A434 (01.05)**
Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for, Specification for, **A29/A29M (01.05)**
Steel Bars, Carbon, Hot-Wrought or Cold-Finished, Special Quality, for Pressure Piping Components, Specification for, **A696 (01.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cold-finished Ni pipe/tube—specifications
UNS N08028 Seamless Pipe and Tube, Specification for, **B668 (02.04)**
Cold flow
Pour Point of Crude Oils, Test Method for, **D5853 (05.02)**
Cold forging steel
Sa **Steel forgings**
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**
Cold-formed steel framing materials/applications
Steel Tapping Screws for Cold-Formed Steel Framing Connections, Specification for, **C1513 (04.01)**
Cold-formed steel sheet—specifications
Sa **Structural steel (SS) piles—specifications**
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**
Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members, Specification for, **A1003/A1003M (01.06)**
Cold-formed steel tube—specifications
Cold-Formed Electric-Fusion (Arc) Welded High-Strength Low-–Alloy Structural Tubing in Shapes, with 50 ksi 345 MPa Minimum Yield Point, Specification for, **A1065/A1065M (01.01)**
Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes, Specification for, **A500/A500M (01.01)**
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1057/A1057M (01.06)**
Cold-gunning method
Preparing Refractory Castable Specimens by Cold Gunning, Practice for, **C903 (15.01)**
Cold-heading wire/rod
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Cold-laid/mixed paving mixtures
Sa **Bituminous paving mixtures**
Cold-Mixed, Cold-Laid Bituminous Paving Mixtures, Specification for, **D4215 (04.03)**
Determining the Workability of Asphalt Cold Mix Patching Material, Test Method for, **D6704 (04.03)**
Cold mix asphalt
Preparation and Determination of Bulk Specific Gravity of Dense-Graded Cold Mix Asphalt (CMA) Specimens by Means of Superpave Gyratory Compactor, Test Method for, **D7229 (04.03)**
Cold pressing
Powder Metallurgy (PM) Boron Stainless Steel Structural Components, Specification for, **B853 (02.05)**
Cold regions
Environmental Site Characterization in Cold Regions, Guide for, **D5995 (04.09)**
Cold-rolled lamination steel—specifications
Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types, Specification for, **A726 (03.04)**
Cold-rolled steel sheet/strip
Multilayer Thermoplastic And Flexible Steel Pipe And Connections, Specification for, **F2805 (08.04)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1083/A1083M (01.03)**
Cold-rolled steel sheet/strip—specifications
Sa **Steel sheet**
Alloy and Structural Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, Specification for, **A506 (01.03)**
Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types, Specification for, **A726 (03.04)**
Commercial Steel (CS), Sheet, Carbon (0.16 % Maximum to 0.25 % Maximum), Cold-Rolled, Specification for, **A794/A794M (01.03)**
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**
Drawing Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, Specification for, **A507 (01.03)**
Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, Specification for, **A308/A308M (01.06)**
Steel, Sheet and Strip, Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A505 (01.03)**
Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance, Specification for, **A606/A606M (01.03)**
Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A568/A568M (01.03)**
Steel, Sheet, Carbon, Ultra High Strength Cold Rolled, Specification for, **A980/A980M (01.03)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**
Steel, Strip, Carbon (0.25 Maximum Percent), Cold-Rolled, Specification for, **A109/A109M (01.03)**
Tin Mill Products, Electrolytic Tin-Coated, Cold-Rolled Sheet, Specification for, **A599/A599M (01.06)**
Cold-rolled steel wire—specifications
Steel, Flat Wire, Carbon, Cold-Rolled, Specification for, **A805/A805M (01.03)**
Cold shuts
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Cold sticking (of piston rings)
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Cold-temperature impact testing
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**
Cold-temperature storage
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**
Cold-vapor atomic absorption
Total Mercury in Coal and Coal Combustion Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, Test Methods for, **D6414 (05.06)**
Cold-vapor technique
Total Mercury in Water, Test Method for, **D3223 (11.01)**
Cold-water bath
Performance of a Pasta Cooker, Test Method for, **F1784 (15.12)**
Cold-water solubility method
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**
Cold water supply/distribution systems
Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, Test Method for, **F2263 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cold water supply/distribution systems—specifications
Sa **Water supply/distribution systems—specifications**
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems, Specification for, **D2846/D2846M (08.04)**
Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1960 (08.04)**
Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, Specification for, **F877 (08.04)**
Mechanical Cold Expansion Insert Fitting With Compression Sleeve for Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1865 (08.04)**
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F1807 (08.04)**
Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F1961 (08.04)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**
Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F2159 (08.04)**
Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings, Specification for, **F2098 (08.04)**

Cold-water survival
Multiple Persons Cold Water Survival/Rescue Technique: Huddle Position, Practice for, **F1728 (13.02)**
Single Person Cold Water Survival/Rescue Technique: HELP Position, Practice for, **F1729 (13.02)**

Cold-water vacuum-pressure test
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**

Cold-weather admixture
Cold-Weather Admixture Systems, Specification for, **C1622/C1622M (04.02)**

Cold-weather concrete
Cold-Weather Admixture Systems, Specification for, **C1622/C1622M (04.02)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**

Cold-weather handling
Heat Fusion Joining of Polyolefin Pipe and Fittings, Practice for, **D2657 (08.04)**

Cold weather protective clothing
Determining the Temperature Ratings for Cold Weather Protective Clothing, Practice for, **F2732 (11.03)**

Cold-weather testing
Determination of Extrudability of Cartridge Adhesives, Test Method for, **D5267 (15.06)**

Cold-worked steel—specifications
Sa **Austenitic stainless steel**
Alloy Steel Forgings for Nonmagnetic Retaining Rings for Generators, Specification for, **A289/A289M (01.05)**
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Cold-Worked Welded Austenitic Stainless Steel Pipe, Specification for, **A814/A814M (01.01)**

Coleman fluorometer
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**

Coliform bacteria
Sa **Bacteria/bacterial control—water**
Low Levels of Coliphages in Water, Test Method for, **D6734 (11.02)**

Coliphage analysis
Low Levels of Coliphages in Water, Test Method for, **D6734 (11.02)**

Collaborative testing
Sa **Interlaboratory testing**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Determination of Precision and Bias of Methods of Committee D22, Guide for, **D3670 (11.07)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Statistical Analysis of One-Sample and Two-Sample Interlaboratory Proficiency Testing Programs, Practice for, **E2489 (14.02)**

Collagen
Characterization and Standardization of Polymerizable Collagen-Based Products and Associated Collagen-Cell Interactions, Guide for, **F3089 (13.02)**
Characterization of Type I Collagen as Starting Material for Surgical Implants and Substrates for Tissue Engineered Medical Products (TEMPs), Guide for, **F2212 (13.01)**

Collagen-cell interactions
Characterization and Standardization of Polymerizable Collagen-Based Products and Associated Collagen-Cell Interactions, Guide for, **F3089 (13.02)**

Collagen polymer
Characterization and Standardization of Polymerizable Collagen-Based Products and Associated Collagen-Cell Interactions, Guide for, **F3089 (13.02)**

Collated/cohered fasteners
Collated and Cohered Fasteners and Their Application Tools, Terminology of, **F592 (01.08)**

Collected volatile condensable materials (CVCM)
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment, Test Method for, **E595 (15.03)**

Collecting performance data
Collecting Performance Data on Temporary Storage Devices, Guide for, **F1599 (11.05)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**

Collegiate wrestling mats
Sa **Sports equipment**
Competition Wrestling Mats, Specification for, **F1081 (15.07)**

Collimated laser light
Characterization of Proteins by Electrophoretic Mobility, Test Method for, **E1470 (14.02)**

Collimator/collimation
Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**

Benzene
Benzene for Use with Zeolite Based Catalysts, Specification for, **D7124 (06.04)**
Determination of Benzene and Total Aromatics in Denatured Fuel Ethanol by Gas Chromatography, Test Method for, **D7576 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, Test Method for, **D7753 (05.04)**
Low Toluene Low Dioxane (LTLD) Benzene, Specification for, **D7185 (06.04)**

Collins diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Colloidal black
See **Carbon black**

Colloidal dispersions
Sa **Dispersion**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Low-Level Total Silica in High-Purity Water by Flameless Atomic Absorption Spectroscopy, Test Method for, **D4517 (11.02)**
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**
Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, Practice for, **D4188 (11.01)**

Colloidal graphite
Sa **Graphite**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**

Colloidal stability
Automated Heithaus Titrimetry, Test Method for, **D6703 (04.03)**

Colony forming units`
Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, Practice for, **D6974 (05.04)**

Colony forming units (CFU)
Automated Colony Forming Unit (CFU) Assays—Image Acquisition and Analysis Method for Enumerating and Characterizing Cells and Colonies in Culture, Test Method for, **F2944 (13.02)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, Practice for, **D5465 (11.02)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**

Color
Appearance, Terminology of, **E284 (06.01)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, Practice for, **E991 (06.01)**
Color of Asbestos, Test Method for, **D2985/D2985M (04.05)**
Color of Pavement Marking Materials, Specification for, **D6628 (04.03)**
Color Retention of Red, Orange, and Yellow Porcelain Enamels, Test Method for, **C538 (02.05)**
Color Tests with Sheepskin Skiver, Practice for, **D6409 (15.04)**
Colorfastness and Transfer of Color in the Washing of Leather, Test Method for, **D2096 (15.04)**
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Computing the Colors of Objects by Using the CIE System, Practice for, **E308 (06.01)**
Description of Polymer Pellet Defects, Guide for, **D7711 (08.03)**
Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, Practice for, **E1247 (06.01)**
Determine Color Change and Staining Caused by Aircraft Maintenance Chemicals upon Aircraft Cabin Interior Hard Surfaces, Test Method to, **F2109 (15.03)**
Determining Color of a Membrane Switch Backlit with Diffuse Light Source, Test Method for, **F2359 (10.04)**
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Electronic Interchange of Color and Appearance Data, Practice for, **E1708 (06.01)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, Practice for, **E805 (06.01)**
Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, Test Method for, **E2664 (15.05)**
Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, Guide for, **E1682 (06.01)**
Objective Measurement of Gingival Color Using Digital Still Cameras, Test Method for, **E2545 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**
Polyurethane Raw Materials: Instrumental Measurement of Tristimulus CIELAB Color and Yellowness Index of Liquids, Test Method for, **D7133 (08.03)**
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**
Protocol for Setting Color Specifications for a Material, Guide for, **D7195 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Standard Colors for Polymer-Coated Chain Link Fence Materials, Specification for, **F934 (01.06)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Visual Color Evaluation of Transparent Sheet Materials, Practice for, **E1478 (06.01)**

Color—adhesives
Heat Stability of Hot-Melt Adhesives, Test Method for, **D4499 (15.10)**
Liquid Optical Adhesive, Specification for, **D2851 (15.06)**

Color—ceramic materials/applications
Color and Color Difference of Whitewares by Abriged Spectrophotometry, Test Method for, **C1510 (15.02)**
Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, Test Method for, **C609 (15.02)**
Methylene Blue Index of Clay, Test Method for, **C837 (15.02)**
Resistance of Ceramic Tile to Chemical Substances, Test Method for, **C650 (15.02)**

Color—copy materials/products
Assessing the Color Strength and Dispersibility of Alkali Blue Pigment in Hot Melt Carbon Copy Paper Ink, Test Method for, **F843 (15.09)**
Determination of Color Response of Electrostatic Copying System, Black and White Output, Practice for, **F974 (15.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating Color Image Output from Color Printers and Copiers, Test Method for, **F1206 (15.09)**

Color—electrical materials/applications
Color of Clear Electrical, Test Method for, **D2129 (10.03)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**

Color—flooring
Clarity and Yellowness of Liquid Water-Based Clear Floor Polishes, Test Method for, **D3430 (15.04)**
Comparing Colors of Films from Water-Emulsion Floor Polishes, Test Method for, **D3210 (15.04)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**

Color—lightfastness
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Lightfastness of Pigments Used in Artists' Paints, Test Methods for, **D4303 (06.02)**

Color—measurement
Multiangle Color Measurement of Interference Pigments, Practice for, **E2539 (06.01)**
Objective Measurement of Gingival Color Using Digital Still Cameras, Test Method for, **E2545 (06.01)**

Color—metallic materials
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Use of Color Codes for Zinc Casting Alloy Ingot, Practice for the, **B908 (02.04)**

Color—opaque materials
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**
Evaluation of Visual Color Difference With a Gray Scale, Test Method for, **D2616 (06.01)**
Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, Practice for, **E2153 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1331 (06.01)**
Specifying Color by Using the Optical Society of America Uniform Color Scales System, Practice for, **E1360 (06.01)**

Color—organic/inorganic chemicals
Acetaldehyde, Specification for, **D4710 (06.04)**
Acid Wash Color of Industrial Aromatic Hydrocarbons, Test Method for, **D848 (06.04)**
Analysis of Acrylonitrile, Test Methods for, **E1178 (15.05)**
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Color of Clear Liquids (Platinum-Cobalt Scale), Test Method for, **D1209 (06.04)**
Color of Halogenated Organic Solvents and, Test Method for, **D2108 (15.05)**
Color of Solid Aromatic Hydrocarbons and Related Materials in the Molten State (Platinum-Cobalt Scale), Test Method for, **D1686 (06.04)**
Determination of Amine Acid Acceptance (Alkalinity) of Halogenated Organic Solvents, Test Methods for, **D2106 (15.05)**
Measuring Color After Heating of Tall Oil Fatty Acids, Test Method for, **D1981 (06.03)**
Methyl Acrylate, Specification for, **D4709 (06.04)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Solution Color of Bisphenol A (4,4`-Isopropylidenediphenol), Test Method for, **D4789 (06.04)**

Color—paints/related coatings/materials
Analysis of Aluminum Silicate Pigment, Test Methods for, **D718 (06.03)**
Analysis of Magnesium Silicate Pigment, Test Methods for, **D717 (06.03)**
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates, Practice for, **D2244 (06.01)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Color and Strength of Chromatic Pigments with a Mechanical Muller, Test Method for, **D387 (06.01)**
Color and Strength of Color Pigments by Use of a Miniature Sandmill, Test Method for, **D3022 (06.01)**
Color Development in Tinted Latex Paints, Test Method for, **D5326 (06.02)**
Color of Clear Liquids (Platinum-Cobalt Scale), Test Method for, **D1209 (06.04)**
Color of Liquids Using Tristimulus Colorimetry, Test Method for, **D5386 (06.04)**
Color of Pine Chemicals and Related Products (Instrumental Determination of Gardner Color), Test Method for, **D6166 (06.03)**
Color of Transparent Liquids (Gardner Color Scale), Test Method for, **D1544 (06.01)**
Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, Practice for, **D3456 (06.01)**
Determining the Color Stability of Hydrocarbon Resins After Heating, Practice for, **D6605 (06.03)**
Determining the Relative Tinting Strength of Chromatic Paints, Test Method for, **D4838 (06.02)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Electronic Interchange of Color and Appearance Data, Practice for, **E1708 (06.01)**
Establishing Color and Gloss Tolerances, Practice for, **D3134 (06.01)**
Evaluation of Color for Thermoplastic Traffic Marking Materials, Test Method for, **D4960 (06.02)**
Evaluation of Optical Properties of Powder Coatings, Guide to, **D5382 (06.02)**
Microspectrophotometry and Color Measurement in Forensic Paint Analysis, Guide for, **E2808 (14.02)**
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**
Reducing the Effect of Variability of Color Measurement by Use of Multiple Measurements, Practice for, **E1345 (06.01)**
Reflection Haze of High-Gloss Surfaces, Test Method for, **D4039 (06.01)**
Retroreflectance of Horizontal Coatings, Test Method for, **D4061 (06.01)**
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**
Soluble Nitrocellulose Base Solutions, Guide for, **D365 (06.02)**
Specifying Color by the Munsell System, Practice for, **D1535 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**
Visual Evaluation of Metamerism, Practice for, **D4086 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Color—petroleum products
Acid and Base Number by Color-Indicator Titration, Test Method for, **D974 (05.01)**
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Carbonizable Substances in Paraffin Wax, Test Method for, **D612 (05.01)**
Color of Dyed Aviation Gasolines, Test Method for, **D2392 (05.01)**
Color of Petroleum Products by the Automatic Tristimulus Method, Test Method for, **D6045 (05.02)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Particulate Contaminant in Aviation Fuel by Line Sampling, Test Method for, **D2276 (05.01)**
Platinum in Reforming Catalysts by Wet Chemistry, Test Method for, **D4642 (05.05)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Color—plastics
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Color and Appearance Retention of Solid Colored Plastic Siding Products, Specification for, **D6864 (08.03)**
Color Determination of Plastic Pellets, Test Method for, **D6290 (08.03)**
Fusion of Poly(Vinyl Chloride) (PVC) Compounds Using a Torque Rheometer, Practice for, **D2538 (08.01)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**
Sampling and Testing Plasticizers Used in Plastics, Test Methods for, **D1045 (08.01)**
Color—retroreflection/retroreflectors
Coefficient of Retroreflection of Retroreflective Sheeting Utilizing the Coplanar Geometry, Test Method for, **E810 (06.01)**
Describing Retroreflection, Practice for, **E808 (06.01)**
Establishing Color and Gloss Tolerances, Practice for, **D3134 (06.01)**
Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, Practice for, **E811 (06.01)**
Measuring Photometric Characteristics of Retroreflectors, Practice for, **E809 (06.01)**
Color—rubber
Rubber from Natural Sources—Color, Test Method for, **D3157 (09.01)**
Color—sealants
Color Stability of Building Construction Sealants as Determined by Laboratory Accelerated Weathering Procedures, Test Method for, **C1501 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Staining and Color Change of Single- or Multicomponent Joint Sealants, Test Method for, **C510 (04.07)**
Staining from Sealants, Test Method for, **D2203 (04.07)**
Color—textiles
Carbon Black Extractables—Transmittance of Toluene Extract, Test Method for, **D1618 (09.01)**
Color Measurement of Flax Fiber, Test Method for, **D6961/D6961M (07.02)**
Felt, Specification for, **D2475 (07.01)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Lighting Cotton Classing Rooms for Color Grading, Practice for, **D1684 (07.01)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Color after heating
Measuring Color After Heating of Tall Oil Fatty Acids, Test Method for, **D1981 (06.03)**
Color and appearance
Color and Appearance Retention of Variegated Color Plastic Siding Products, Specification for, **D7251 (08.03)**
Rectification of Spectrophotometric Bandpass Differences, Practice for, **E2729 (06.01)**
Colorants
Color Development in Tinted Latex Paints, Test Method for, **D5326 (06.02)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Color change
Techniques in Land Search, Guide for, **F1633 (13.02)**
Color-change method
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Determine Color Change and Staining Caused by Aircraft Maintenance Chemicals upon Aircraft Cabin Interior Hard Surfaces, Test Method to, **F2109 (15.03)**
Color change resistance
Measuring Heat Stability of Resilient Flooring by Color Change, Test Method for, **F1514 (15.04)**
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**
Color coating of fittings
Fence Fittings, Specification for, **F626 (01.06)**
Color code
Use of Color Codes for Zinc Casting Alloy Ingot, Practice for the, **B908 (02.04)**
Color codes
Color Codes on Zinc and Zinc Alloy Ingot for Use in Hot-Dip Galvanizing of Steel, Practice for, **B914 (02.04)**
Color-coded pipets
Sa **Pipets (laboratory)—specifications**
Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, Specification for, **E1380 (14.04)**
Color Coding of Reusable Laboratory Pipets, Specification for, **E1273 (14.04)**
Color-Coding Pipets or Containers Coated With Anticoagulants, Specification for, **E1048 (14.04)**
Color comparator method
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
Color development
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Color development/uniformity
Color Development in Tinted Latex Paints, Test Method for, **D5326 (06.02)**
Color difference measurements
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, Practice for, **E805 (06.01)**
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Colored flat glass
Visual Color Evaluation of Transparent Sheet Materials, Practice for, **E1478 (06.01)**
Colored leather
Resistance of Colored Leather to Bleeding, Test Method for, **D5552 (15.04)**
Colored pencils
Artists' Colored Pencils, Specification for, **D6901 (06.02)**
Colorfastness
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Colorfastness and Transfer of Color in the Washing of Leather, Test Method for, **D2096 (15.04)**
Colorfastness of Crocking of Leather, Test Method for, **D5053 (15.04)**
Evaluating Color Transfer or Color Loss of Dyed Fabrics in Laundering (Not Suitable for Detergent or Washing Machine Rankings), Guide for, **D5548 (15.04)**
Knitted Upholstery Fabrics for Indoor Furniture, Performance Specification for, **D4771/D4771M (07.02)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**
Woven Upholstery Fabrics—Plain, Tufted, or Flocked, Performance Specification for, **D3597 (07.01)**
Xenon-Arc Exposure of Plastics Intended for Indoor Applications, Practice for, **D4459 (08.02)**
Colorfastness—zippers
Colorfastness of Zipper Tapes to Crocking, Test Method for, **D2054 (07.01)**
Colorfastness of Zippers to Drycleaning, Test Method for, **D2052 (07.01)**
Colorfastness of Zippers to Laundering, Test Method for, **D2057 (07.01)**
Colorfastness of Zippers to Light, Test Method for, **D2053 (07.01)**
Color grading
Lighting Cotton Classing Rooms for Color Grading, Practice for, **D1684 (07.01)**
Colorimeter
Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, Test Method for, **C1777 (04.02)**
Colorimetric analysis
Analysis of Aqueous Extractable Protein in Natural Rubber and Its Products Using the Modified Lowry Method, Test Method for, **D5712 (09.02)**
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), Test Method for, **D4084 (05.06)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Colorimetric/Spectrophotometric Procedure to Quantify Extractable Chemical Dialkyldithiocarbamate, Thiuram, and Mercaptobenzothiazole Accelerators in Natural Rubber Latex and Nitrile Gloves, Test Method for, **D7558 (09.02)**
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Determination of Titanium in Nickel Alloys by Diantipyrylmethane Spectrophotometry, Test Method for, **E1938 (03.05)**
Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, Test Method for, **D5263 (05.06)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, Practice for, **E805 (06.01)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, Test Method for, **C609 (15.02)**
Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, Practice for, **E811 (06.01)**
Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, Guide for, **E1682 (06.01)**
Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, Practice for, **E2153 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1331 (06.01)**
Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, Test Method for, **D6531 (06.02)**
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**
Sampling and Grading Rosin, Test Methods of, **D509 (06.03)**
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**
Total Peroxides in Acrylonitrile, Test Method for, **E1784 (15.05)**
Total Sulfur in Gaseous Fuels by Hydrogenolysis and, Test Method for, **D4468 (05.06)**
Colorimetric analysis—atmospheric
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Sulfur Dioxide Content of the Atmosphere (West-Gaeke Method), Test Methods for, **D2914 (11.07)**
Colorimetric analysis—cleaning compounds
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**
Colorimetric analysis—petroleum products
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Colorimetric analysis—water
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**
Arsenic in Water, Test Methods for, **D2972 (11.01)**
Boron in Water, Test Method for, **D3082 (11.01)**
Dissolved Oxygen in Water, Test Methods for, **D888 (11.01)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Iodide and Bromide Ions in Brackish Water, Seawater, and Brines, Test Methods for, **D3869 (11.02)**
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
Phosphonate in Brines, Test Method for, **D6501 (11.01)**
Silica in Water, Test Method for, **D859 (11.01)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Colorimetric leak testing
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Colorimetry
Measurement of Lubricant Generated Insoluble Color Bodies in In-Service Turbine Oils using Membrane Patch Colorimetry, Test Method for, **D7843 (05.04)**
Objective Measurement of Gingival Color Using Digital Still Cameras, Test Method for, **E2545 (06.01)**
Color index
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
Color-indicator titration
Acid and Base Number by Color-Indicator Titration, Test Method for, **D974 (05.01)**
Approximate Acidity in Electrical Insulating Liquids by Color-Indicator Titration, Test Method for, **D1534 (10.03)**
Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, Test Method for, **D5984 (05.02)**
Coloring admixtures
Sa **Concrete admixtures**
Pigments for Integrally Colored Concrete, Specification for, **C979/C979M (04.02)**
Colorless monomeric acrylate esters
Monomethyl Ether of Hydroquinone in Colorless Monomeric Acrylate Esters and Acrylic Acid, Test Method for, **D3125 (06.04)**
Color-matching functions
Calculation of Weighting Factors for Tristimulus Integration, Practice for, **E2022 (06.01)**
Color printers/copiers
Determining the Toner Usage for Color Printer Cartridges, Practice for, **F2632 (15.09)**
Evaluating Color Image Output from Color Printers and Copiers, Test Method for, **F1206 (15.09)**
Color proofing press
Preparing Prints of Paste Printing Inks Using a Hand Operated Laboratory Flat-Bed Press, Practice for, **D6487 (06.02)**
Color retention
Color and Appearance Retention of Solid and Variegated Color Plastic Siding Products using CIELab Color Space, Specification for, **D7856 (08.03)**
Color and Appearance Retention of Variegated Color Plastic Siding Products, Specification for, **D7251 (08.03)**
Color specifications
Protocol for Setting Color Specifications for a Material, Guide for, **D7195 (06.01)**
Color stability
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Color Stability of Building Construction Sealants as Determined by Laboratory Accelerated Weathering Procedures, Test Method for, **C1501 (04.07)**
Determining the Color Stability of Hydrocarbon Resins After Heating, Practice for, **D6605 (06.03)**
Fusion of Poly(Vinyl Chloride) (PVC) Compounds Using a Torque Rheometer, Practice for, **D2538 (08.01)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Color stain transfer
Determination of Resistance of Leather to (Bleeding) Color Stain Transfer, Test Method for, **D6012 (15.04)**
Color vision tests
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
Columbium alloying additives
Sa **Stainless steel alloying additives**
Ferrocolumbium, Specification for, **A550 (01.02)**
Columbium alloy steel—specifications
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Carbon, Commercial, Drawing, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1018/A1018M (01.03)**
Columbium content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Columbium content—metals/alloys
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Chemical Analysis of Ferroniobium, Test Methods for, **E367 (03.05)**
Columbium (Nb) alloy
Sa **Niobium and niobium alloys—specifications**
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**
Column capacity
Sa **Ion exchange materials/applications**
Column Capacity of Particulate Mixed Bed IonExchange Materials, Test Method for, **D3375 (11.02)**
Column crush properties
Column Crush Properties of Blown Thermoplastic Containers, Test Method for, **D2659 (08.01)**
Column leaching
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Column length
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Column percolation method
Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, Test Method for, **E2242 (03.05)**
Column stack vibration
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Column technique
Static Segregation of Self-Consolidating Concrete Using Column Technique, Test Method for, **C1610/C1610M (04.02)**
Column tests
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**

Comb gages
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**

Combinational logic
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**

Combination electrode
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**

Combination field system
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**

Combination locks
Padlocks, Performance Specification for, **F883 (15.08)**

Combination oven
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**
Enhanced Performance of Combination Oven in Various Modes, Test Method for, **F2861 (15.12)**

Combined acid sulfates
Sulfates in Leather (Total, Neutral, and Combined Acid), Test Methods for, **D4655 (15.04)**

Combined concrete/mortar materials
Packaged Dry, Hydraulic-Cement Grout (Nonshrink), Specification for, **C1107/C1107M (04.02)**
Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, Specification for, **C387/C387M (04.02)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**

Combined sodium/potassium oxides
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**

Combined standard uncertainty
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**

Combustibility
Behavior of Materials in a Tube Furnace with a Cone-shaped Airflow Stabilizer, at 750°C, Test Method for, **E2652 (04.07)**
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**

Combustible carbon
Determination of Total, Combustible and Carbonate Carbon in Solid Residues from Coal and Coke, Test Method for, **D6316 (05.06)**

Combustible chemicals
See **Chemicals**

Combustible dusts
Limiting Oxygen (Oxidant) Concentration of Combustible Dust Clouds, Test Method for, **E2931 (14.02)**
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**

Combustible (fire) residue
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**

Combustible gases
Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, Practice for, **D3284 (10.03)**
Determination of Gassing Characteristics of Insulating Liquids Under Thermal Stress, Test Method for the, **D7150 (10.03)**

Combustible liquid penetrant materials
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**

Combustible material
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Flash Point by Continuously Closed Cup (CCCFP) Tester, Test Method for, **D6450 (05.03)**
Shredder Explosion Protection, Practice for, **E1248 (11.04)**
Thermal Characteristics of Refuse-Derived Fuel Macrosamples, Test Method for, **E955 (11.04)**

Combustion
Sa **Burning characteristics**
Sa **Flammability**
Sa **Ignition**
Analysis of Wood Fuels, Test Methods for, **E870 (05.06)**
Carbon Content in Carbon Black Feedstock Oils, Test Method for, **D7662 (09.01)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Determining Flammability Characteristics of Plastics and Other Solid Materials Using Microscale Combustion Calorimetry, Test Method for, **D7309 (08.03)**
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B248 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar (Metric), Specification for, **B248M (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Sampling and Determination of Hydrogen Cyanide (HCN) in Combustion Effluents and Other Stationary Sources, Practice for, **D7295 (11.07)**
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**
Sulfur Content in Carbon Black Feedstock Oils, Test Method for, **D7679 (09.01)**
Sulfur in the Analysis Sample of Coal and Coke Using High-Temperature Tube Furnace Combustion, Test Method for, **D4239 (05.06)**
Total Mercury in Crude Oil Using Combustion and Direct Cold

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Vapor Atomic Absorption Method with Zeeman Background Correction, Test Method for, **D7622 (05.04)**
Total Mercury in Crude Oil Using Combustion-Gold Amalgamation and Cold Vapor Atomic Absorption Method, Test Method for, **D7623 (05.04)**
Use of Scrap Tire-Derived Fuel, Practice for, **D6700 (11.04)**

Combustion—coal processes
Characterization of Coal Fly Ash and Clean Coal Combustion Fly Ash for Potential Uses, Guide for, **D5759 (11.04)**
Loss on Ignition (LOI) of Solid Combustion Residues, Test Methods for, **D7348 (05.06)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**

Combustion—petroleum products
Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method), Test Method for, **D808 (05.01)**
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels, Test Method for, **D4868 (05.02)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D1405/D1405M (05.01)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D4529 (05.02)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D3338/D3338M (05.01)**
Flash Point by Tag Closed Cup Tester, Test Method for, **D56 (05.01)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, Test Method for, **D240 (05.01)**
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**

Combustion—plastics
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**
Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), Test Method for, **D2863 (08.01)**

Combustion—textile fabrics/fibers
Smoldering Combustion Potential of Cotton-Based Batting, Test Method for, **D5238 (07.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Combustion appliances
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**

Combustion bomb method
Safe Use of Oxygen Combustion Bombs, Practice for, **E144 (14.04)**
Total Chlorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D4208 (05.06)**
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**

Combustion chamber
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Ignition Delay and Combustion Delay Using a Constant Volume Combustion Chamber Method, Test Method for, **D7668 (05.05)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**

Combustion efficiency
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**

Combustion effluents
Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, Test Method for, **D6735 (11.07)**

Combustion-gravimetric method
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**

Combustion infrared absorption spectrometry
Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, Test Methods for, **E1915 (03.05)**
Determination of Total Carbon in Mold Powders by Combustion, Test Method for, **E2050 (03.05)**

Combustion instrumental measurement method
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**

Combustion-iodometric titration method
Sulfur in Graphite by Combustion-Iodometric Titration Method, Test Method for, **C816 (05.05)**

Combustion residues
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**

Combustion toxicity
Measuring Smoke Toxicity for Use in Fire Hazard Analysis, Test Method for, **E1678 (04.07)**

Commercial developments—specifications
Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade), Specification for, **D6945/D6945M (04.04)**

Comet assay
Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, Guide for, **E2186 (11.06)**

Comfort
Determination of Dynamic Water Absorption of Leather Surfaces, Test Method for, **D6014 (15.04)**
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**

Comforter products
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, Specification for, **D6663 (07.02)**
Woven and Warp Knitted Comforter Fabrics, Specification for, **D4769 (07.02)**

Command and control system equipment
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Commercial boiler fuels
Commercial Boiler Fuels With Used Lubricating Oils, Specification for, **D6823 (05.03)**

Commercial bronze
Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Commercial Bronze Strip for Bullet Jackets, Specification for, **B130 (02.01)**
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**

Commercial bronze (leaded)
See **UNS C31400 (hardware bronze; leaded commercial bronze)**

Commercial buildings
Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, Guide for, **C1515 (04.07)**
Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, Practice for, **C1744 (04.06)**
Linoleum Floor Tile, Specification for, **F2195 (15.04)**
Readily Observable Mold and Conditions Conducive to Mold in Commercial Buildings: Baseline Survey Process, Guide for, **E2418 (11.05)**
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**

Commercial chain-link fence
See **Chain-link fence/fencing systems**
See **Fences/fencing materials**

Commercial cyclohexane
See **Cyclohexane**

Commercial developments
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Commercial Use of Lime Kiln Dusts and Portland Cement Kiln Dusts, Guide for, **D5050 (11.04)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Environmental Site Assessments: Phase I Environmental Site Assessment Process, Practice for, **E1527 (11.05)**
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**
Limited Environmental Due Diligence: Transaction Screen Process, Practice for, **E1528 (11.05)**
Property Condition Assessments: Baseline Property Condition Assessment Process, Guide for, **E2018 (11.05)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Commercial dishwashers
Sa **Dishwashing equipment (commercial)**
Powered Pot, Pan and Utensil Washing Sinks, Specification for, **F2643 (15.12)**

Commercial fencing
Industrial and Commercial Horizontal Slide Gates, Specification for, **F1184 (01.06)**
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, Specification for, **F964 (01.06)**
Specifying Chain Link Fence, Guide for, **F1553 (01.06)**

Commercial food service equipment
Sa **Cooking/food service equipment—specifications**
Commercial Bulk Milk Dispensers, Mechanically Refrigerated, Specification for, **F2891 (15.12)**
Food Processors, Electric, Specification for, **F1568 (15.12)**
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**
Hot Food Holding Tables, Specification for, **F2796 (15.12)**
Induction Cooktops, Counter Top, Drop-in Mounted, or Floor Standing, Specification for, **F2834 (15.12)**
Laboratory Requirements Necessary to Test Commercial Cooking and Warming Appliances to ASTM Test Methods, Guide for, **F2875 (15.12)**
Life Cycle Cost Analysis of Commercial Food Service Equipment, Practice for, **F2687 (15.12)**
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Underfired Broilers, Specification for, **F2835 (15.12)**

Commercial hexanes
Commercial Hexanes, Specification for, **D1836 (06.04)**

Commercial hydrated lime
Sa **Hydrated lime—specifications**
Lime for Use with Pozzolans, Specification for, **C821 (04.01)**

Commercial kitchen filters
Grease Particle Capture Efficiency of Commercial Kitchen Filters and Extractors, Test Method for, **F2519 (15.12)**

Commercial kitchen ventilation (CKV) systems
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Grease Particle Capture Efficiency of Commercial Kitchen Filters and Extractors, Test Method for, **F2519 (15.12)**
Heat Gain to Space Performance of Commercial Kitchen Ventilation/Appliance Systems, Test Method for, **F2474 (15.12)**

Commercial laundry
Sustainable Laundry Best Management Practices, Practice for, **D7841 (07.02)**

Commercial leaded/unleaded automotive gasoline
See **Automotive engine fuels/oils**

Commercial mass
Calculation of Commercial Weight and Yield of Scoured Wool, Top, and Noil for Various Commercial Compositions, Practice for, **D2720 (07.01)**
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**
Manufactured Organic-Base Filament Single Yarns, Tolerances for, **D2497 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Yarns Spun on the Woolen System, Tolerances for, **D2644 (07.01)**

Commercial moisture regain
Tables of Commercial Moisture Regains and Commercial Allowances for Textile Fibers, Standard, **D1909 (07.01)**

Commercial molds
Determining Surface Temperature of Molds for Plastics, Practice for, **D957 (08.01)**

Commercial outdoor play areas
Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, Safety Performance Specification for, **F2049 (01.06)**

Commercial packaging
Commercial Packaging, Practice for, **D3951 (15.10)**
Commercially Packaged Laboratory Apparatus, Specification for, **E920 (14.04)**

Commercial power frequencies
Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, Test Method for, **A697/A697M (03.04)**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
Amorphous Magnetic Core Alloys, Semi-Processed Types, Specification for, **A901 (03.04)**
Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies, Test Method for, **D149 (10.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Commercial products
Commercial Coffee Brewers, Test Method for, **F2990 (15.12)**
Commercial steel (CS) sheet/strip—specifications
Sa **Steel sheet**
Commercial Steel (CS), Sheet and Strip, Carbon (0.16 Maximum to 0.25 Maximum Percent), Hot-Rolled, Specification for, **A659/A659M (01.03)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for, Specification for, **A635/A635M (01.03)**
Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1011/A1011M (01.03)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**
Commingled waste compatibility
Compatibility of Screening Analysis of Waste, Practices for, **D5058 (11.04)**
Common area
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Common emitter D-C current gain
See **Current measurement—semiconductors**
Common nails/spikes
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Common requirements (steel)
See **General delivery requirements—steel**
Common source reference material (CRM)
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Communications
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Digital Radiographic (DR) Test Methods, Practice for, **E2699 (03.03)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Emergency Operations Center (EOC) Development, Guide for, **E2668 (15.08)**
Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, Test Methods for, **D4568 (10.02)**
Evaluating Emergency Response Robot Capabilities: Radio Communication: Line-of-Sight Range, Test Method for, **E2854 (15.08)**
Evaluating Emergency Response Robot Capabilities: Radio Communication: Non-Line-of-Sight Range, Test Method for, **E2855 (15.08)**
Evaluation and Selection of Communication and Marketing Materials for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2746 (04.12)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Security Engineering Symbols, Practice for, **F967 (15.08)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Communications—specifications
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Asbestos-Cement Conduit, Specification for, **C875 (04.05)**
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, Specification for, **F512 (08.04)**
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire, Specification for, **A111 (01.06)**
Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire, Specification for, **A411 (01.06)**
Communications (marine (shipboard) applications
Digital Communication Protocols for Computerized Systems, Guide for, **F1757 (01.07)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Communications (medical applications)
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Communicating an EMS Patient Report to Receiving Medical Facilities, Practice for, **F2076 (13.02)**
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**
Emergency Medical Services System (EMSS) Telecommunications, Guide for, **F1220 (13.02)**
Interagency Information Exchange, Guide for, **F1221 (13.02)**
Planning for and Response to a Multiple Casualty Incident, Guide for, **F1288 (13.02)**
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**
Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, Practice for, **F1591 (13.02)**
Community education
Workers Compensation Coverage of Emergency Services Volunteers, Practice for, **F2047 (13.02)**
Community noise
Sa **Sound transmission—building materials/applications**
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Community noise equivalent level (CNEL)
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Commutator insulation
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Compact aluminum conductor
Compact Round Stranded Aluminum Conductors Using Single Input Wire Construction, Specification for, **B836 (02.03)**
Compact copper conductor
Compact Round Concentric-Lay-Stranded Copper Conductors, Specification for, **B496 (02.03)**
Compact Round Stranded Copper Conductors Using Single Input Wire Construction, Specification for, **B835 (02.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Compacted asphalt specimens
Rapid Drying of Compacted Asphalt Specimens Using Vacuum Drying Apparatus, Practice for, **D7227/D7227M (04.03)**
Compacted bituminous paving mixtures
Sa **Bituminous paving mixtures (compacted)**
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6752/D6752M (04.03)**
Compacted graphite iron castings
Compacted Graphite Iron Castings, Specification for, **A842 (01.02)**
Compacted metal specimens
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Compacted thermocouple cable
Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, Specification for, **E585/E585M (14.03)**
Compacted Mineral-Insulated, Metal-Sheathed, Noble Metal Thermocouples and Thermocouple Cable, Specification for, **E2181/E2181M (14.03)**
Compactibility
Compressibility of Metal Powders in Uniaxial Compaction, Test Method for, **B331 (02.05)**
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**
Compaction control
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**
Compaction flow
Resistance to Plastic Flow of Bituminous Mixtures Using Marshall Apparatus (6 inch-Diameter Specimen), Test Method for, **D5581 (04.03)**
Compaction measurement
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke, Test Method for, **D4292 (05.02)**
Measurement of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading, Test Method for, **D7115 (04.03)**
Preparation and Determination of the Relative Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor, Test Method for, **D6925 (04.03)**
Compaction measurement—pavement surfaces
Compaction and Shear Properties of Bituminous Mixtures by Means of the U.S. Corps of Engineers Gyratory Testing Machine (GTM), Test Method for, **D3387 (04.03)**
Preparation of Bituminous Mixture Test Specimens by Means of California Kneading Compactor, Practice for, **D1561/D1561M (04.03)**
Compaction measurement—soils
Calibration of Laboratory Mechanical-Rammer Soil Compactors, Practices for, **D2168 (04.08)**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Density and Unit Weight of Soil in Place by the Rubber Balloon Method, Test Method for, **D2167 (04.08)**
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Direct Shear Test of Soils Under Consolidated Drained Conditions, Test Method for, **D3080/D3080M (04.08)**
Expansion Index of Soils, Test Method for, **D4829 (04.08)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**
Maximum Index Density and Unit Weight of Soils Using a Vibratory Table, Test Methods for, **D4253 (04.08)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Minimum Index Density and Unit Weight of Soils and Calculation of Relative Density, Test Methods for, **D4254 (04.08)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Moisture-Density (Unit Weight) Relations of Soil-Cement Mixtures, Test Methods for, **D558 (04.08)**
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Compaction-mold permeameter
Measurement of Hydraulic Conductivity of Porous Material Using a Rigid-Wall, Compaction-Mold Permeameter, Test Method for, **D5856 (04.08)**
Compaction pressure
Measuring Bulk Density Values of Powders and Other Bulk Solids as Function of Compressive Stress, Test Method for, **D6683 (04.09)**
Compact resistance
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Comparative burning characteristics
Sa **Burning characteristics**
Measuring the Comparative Burning Characteristics and Resistance to Burn-Through of Solid Plastics Using a 125-mm Flame, Test Method for, **D5048 (08.02)**
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**
Comparative coil method
Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, Practice for, **E703 (03.03)**
Comparative Fizeau interferometers
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Comparative odor characteristics
Odor of Volatile Solvents and Diluents, Test Method for, **D1296 (06.04)**
Comparative tracking index (CTI)
Comparative Tracking Index of Electrical Insulating Materials, Test Method for, **D3638 (10.02)**
Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum), Test Method for, **D5288 (10.02)**
Comparator
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Comparator coils
Electromagnetic (Eddy Current) Sorting of Ferrous Metals, Practice for, **E566 (03.03)**
Comparator stand
Measuring Thickness of Resilient Floor Covering With Foam Layer, Test Method for, **F387 (15.04)**
Comparison techniques
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Color and Color Difference of Whitewares by Abriged Spectrophotometry, Test Method for, **C1510 (15.02)**
Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, Practice for, **E703 (03.03)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under Laboratory Conditions, Test Method for, **D5009 (06.02)**
Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Indentation Hardness of Metallic Materials by Comparison Hardness Testers, Practice for, **A833 (01.05)**
Manual Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D3481 (15.10)**
Measuring Electromotive Force (emf) Stability of Base-Metal Thermoelement Materials with Time in Air, Test Method for, **E601 (14.03)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Reporting Particle Size Characterization Data, Practice for, **E1617 (14.02)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, Test Method for, **E207 (14.03)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**
Comparison techniques—soil/related environments
Comparing Groundwater Flow Model Simulations to Site-Specific Information, Guide for, **D5490 (04.08)**
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, Guide for, **D6642 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Comparison techniques—water analysis
Comparison of Waterborne Petroleum Oils by Gas Chromatography, Test Methods for, **D3328 (11.02)**
Compatibility
Assessment of Compatibility of Absorbable/Resorbable Biomaterials for Implant Applications, Practice for, **F1983 (13.01)**
Automated Heithaus Titrimetry, Test Method for, **D6703 (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Compatibility and Sensitivity of Materials in Oxygen Enriched Atmospheres, Terminology Relating to the, **G126 (14.04)**
Compatibility of Construction Material with Electrical Insulating Oil of Petroleum Origin, Test Methods for, **D3455 (10.03)**
Compatibility of Construction Material with Silicone Fluid Used for Electrical Insulation, Test Methods for, **D5282 (10.03)**
Compatibility of Mechanical Pump Dispenser Components, Test Method for the, **D4333/D4333M (15.10)**
Compatibility of Supplemental Coolant Additives (SCAs) and Engine Coolant Concentrates, Test Method for, **D5828 (15.05)**
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Determination of Storage Stability and Compatibility in Automotive Gear Oils, Test Method for, **D7603 (05.04)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**
Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, Test Methods for, **D4568 (10.02)**
Evaluating Compatibility of Mixtures of Hydraulic Fluids, Practice for, **D7752 (05.04)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Measuring n-Heptane Induced Phase Separation of Asphaltene from Heavy Fuel Oils as Separability Number by an Optical Device, Test Method for, **D7827 (05.04)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Paintability of Latex Sealants, Guide for, **C1520 (04.07)**
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**
Sealed Tube Chemical Compatibility Test, Test Method for, **D5642 (10.02)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
the Preparation of a Binary Chemical Compatibility Chart, Guide for, **E2012 (14.02)**
Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, Test Method for, **C884/C884M (04.02)**
Compatibility—aerospace materials
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**
Compatibility—asphalts
Contact Compatibility Between Asphaltic Materials (Oliensis Test), Test Method for, **D1370/D1370M (04.04)**
Compatibility—paints/related coatings/materials
Conducting a Patch Test to Assess Coating Compatibility, Practice for, **D5064 (06.02)**
Determining the Compatibility of Resin/Solvent Mixtures by Precipitation Temperature (Cloud Point), Test Methods for, **D6038 (06.03)**
Electrical Resistivity of Liquid Paint and Related Materials, Test Methods for, **D5682 (06.01)**
Preparation of Oil-Based Ink Resin Solutions, Practices for, **D5958 (06.03)**
Compatibility—petroleum products
Cleanliness and Compatibility of Residual Fuels by Spot Test, Test Method for, **D4740 (05.02)**
Determining Automotive Engine Oil Compatibility with Typical Seal Elastomers, Test Method for, **D7216 (05.04)**
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**
Elastomer Compatibility of Lubricating Greases and Fluids, Test Method for, **D4289 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating Compatibility of Binary Mixtures of Lubricating Greases, Practice for, **D6185 (05.03)**
Evaluating Compatibility of Mixtures of Turbine Lubricating Oils, Practice for, **D7155 (05.04)**
Qualification and Approval of New Aviation Turbine Fuels and Fuel Additives, Practice for, **D4054 (05.02)**

Compatibility—sealants
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, Test Method for, **C1294 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**

Compatibility—waste materials
Accepting, Segregating and Packaging Materials Collected Through Household Hazardous Waste Programs, Guide for, **D6346 (11.04)**
Compatibility of Screening Analysis of Waste, Practices for, **D5058 (11.04)**
Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, Practice for, **E1259 (11.05)**

Compendium
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**

Competency
Contents and Use of a Position Task Book (PTB), Guide for, **F3068 (13.02)**

Competency-based qualification system
Contents and Use of a Position Task Book (PTB), Guide for, **F3068 (13.02)**

Competency requirements
Competency Requirements of Reference Material Producers for Water Analysis, Practice for, **D6808 (11.01)**

Competition wrestling mats
Competition Wrestling Mats, Specification for, **F1081 (15.07)**

Complement activation
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Testing for Whole Complement Activation in Serum by Solid Materials, Practice for, **F1984 (13.01)**

Completely-bounded openings
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**

Completeness of cure
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Complexed permanganate potentiometric titrimetry
Determination of Manganese in Manganese Ores by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, Test Method for, **E248 (03.05)**

Complex modulus
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**

Complexometric analysis
Calcium and Magnesium In Water, Test Methods for, **D511 (11.01)**
Determination of Zinc in Zinc Ores and Concentrates by EDTA Complexometric Titrimetry, Test Method for, **E945 (03.05)**

Complex permittivity
Complex Permittivity (Dielectric Constant) of Solid Electrical Insulating Materials at Microwave Frequencies and Temperatures to 1650°C, Test Methods for, **D2520 (10.02)**

Compliance
Applying Statistical Methods for Assessment and Corrective Action Environmental Monitoring Programs, Guide for, **D7048 (04.09)**
Compliance Audits to ASTM Standards on Light Sport Aircraft, Practice for, **F2839 (15.11)**
Compliance with Light Sport Aircraft Standards, Guide for, **F2930 (15.11)**
Demonstrating and Assessing Whether a Chemical Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, Guide for, **D6956 (11.04)**

Compliance assurance (for buildings)
Agencies Engaged in System Analysis and Compliance Assurance for Manufactured Building, Specification for, **E541 (14.02)**
Evaluating Capabilities of Agencies Involved in System Analysis and Compliance Assurance for Manufactured Building, Practice for, **E651/E651M (14.02)**

Compliance testing
Compressive Strength of Masonry Prisms, Test Method for, **C1314 (04.05)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Potential Expansion of Aggregates from Hydration Reactions, Test Method for, **D4792/D4792M (04.03)**

Component defects
See **Defects—semiconductors**

Component extraction
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**

Component retention
Determination of Component Retention of a Mechanical Pump Dispenser, Test Method for, **D4335 (15.10)**

Components
Additive Manufacturing Nickel Alloy (UNS N06625) with Powder Bed Fusion, Specification for, **F3056 (10.04)**
Additive Manufacturing Nickel Alloy (UNS N07718) with Powder Bed Fusion, Specification for, **F3055 (10.04)**
Permanent Marking of Orthopaedic Implant Components, Practice for, **F983 (13.01)**

Components analysis
Radioscopy, Guide for, **E1000 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**

Composite buffers
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Composite coatings
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**

Composite coatings—specifications
Electrodeposited Coatings of Palladium-Nickel for Engineering Use, Specification for, **B867 (02.05)**

Composite conductors
Concentric-Lay-Stranded Copper and Copper-Clad Steel Composite Conductors, Specification for, **B229 (02.03)**
Fiber Reinforced Aluminum Matrix Composite (AMC) Core Wire for Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B976 (02.03)**

Composite foam hardness
Composite Foam Hardness-Durometer Hardness, Test Method for, **F1957 (15.07)**

Composite foam insulation board
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**

Composite gasket materials
Sa **Gaskets**
Compressibility and Recovery of Laminated Composite Gasket Materials, Test Method for, **F806 (09.02)**
Sealability of Sheet, Composite, and Solid Form-in-Place Gasket Materials, Test Method for, **F2378 (09.02)**

Composite materials
Alkali Resistance of Fiber Reinforced Polymer (FRP) Matrix Composite Bars used in Concrete Construction, Test Method for, **D7705/D7705M (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Compressive Residual Strength Properties of Damaged Polymer Matrix Composite Plates, Test Method for, **D7137/D7137M (15.03)**
Determining Tensile Properties of Fiber Reinforced Polymer Matrix Composites Used for Strengthening of Civil Structures, Test Method for, **D7565/D7565M (15.03)**
Flexural Properties of Polymer Matrix Composite Materials, Test Method for, **D7264/D7264M (15.03)**
Measuring the Damage Resistance of a Fiber-Reinforced Polymer Matrix Composite to a Drop-Weight Impact Event, Test Method for, **D7136/D7136M (15.03)**
Measuring the Fastener Pull-Through Resistance of a, Test Method for, **D7332/D7332M (15.03)**
Open-Hole Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D7615/D7615M (15.03)**
Pull-Off Strength for FRP Bonded to Concrete Substrate, Test Method for, **D7522/D7522M (15.03)**
Radiologic Examination of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2662 (03.03)**
Shear Properties of Composite Materials by V-Notched Rail Shear Method, Test Method for, **D7078/D7078M (15.03)**
Through-Thickness "Flatwise" Tensile Strength and Elastic Modulus of a Fiber-Reinforced Polymer Matrix Composite Material, Test Method for, **D7291/D7291M (15.03)**

Composite plastic materials/applications
Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, Practice for, **E1888/E1888M (03.03)**
Bearing Response of Polymer Matrix Composite Laminates, Test Method for, **D5961/D5961M (15.03)**
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D5528 (15.03)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**

Composite pressure vessels
Examination of Gas-Filled Filament-Wound Composite Pressure Vessels Using Acoustic Emission, Practice for, **E2191/E2191M (03.03)**

Composite resin applications
See **Resins (composite)**

Composite resistance
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**

Composites
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**
Application of Hose Stream, Practice for, **E2226 (04.07)**
Bearing Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D6873/D6873M (15.03)**
Composite Materials, Terminology for, **D3878 (15.03)**
Compressive Properties of Polymer Matrix Composite Materials Using a Combined Loading Compression (CLC) Test Fixture, Test Method for, **D6641/D6641M (15.03)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich Beam, Test Method for, **D5467/D5467M (15.03)**
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Constituent Content of Composite Prepreg, Test Methods for, **D3529M (15.03)**
Constituent Content of Composite Prepreg by Soxhlet Extraction, Test Method for, **C613 (15.03)**
Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, Test Method for, **C1337 (15.01)**
Creep Relaxation of Laminated Composite Gasket Materials, Test Method for, **F1276 (09.02)**
Cure Behavior of Thermosetting Resins by Dynamic Mechanical Procedures using an Encapsulated Specimen Rheometer, Test Method for, **D7750 (15.03)**
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Determining the Bond Strength (Ply Adhesion) of Geocomposites, Test Method for, **D7005 (04.13)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Evaluating the Resistance to Thermal Transmission of Materials by the Guarded Heat Flow Meter Technique, Test Method for, **E1530 (14.02)**
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**
Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites, Test Method for, **C1341 (15.01)**
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a $\pm 45°$ Laminate, Test Method for, **D3518/D3518M (15.03)**
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Laminated Composite Gasket Materials, Classification for, **F868 (09.02)**
Lap Shear Adhesion for Fiber Reinforced Plastic (FRP) Bonding, Test Method for, **D5868 (15.06)**
Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, Test Method for, **D6415/D6415M (15.03)**
Measuring the Damage Resistance of a Fiber-Reinforced Polymer-Matrix Composite to a Concentrated Quasi-Static Indentation Force, Test Method for, **D6264/D6264M (15.03)**
Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, Test Method for, **C1331 (15.01)**
Mixed Mode I-Mode II Interlaminar Fracture Toughness of Unidirectional Fiber Reinforced Polymer Matrix Composites, Test Method for, **D6671/D6671M (15.03)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**
Open-Hole Tensile Strength of Polymer Matrix Composite Laminates, Test Method for, **D5766/D5766M (15.03)**
Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation, Guide for, **D5687/D5687M (15.03)**
Preparing Specifications for Miniature Brushes of Composite Ma-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

terials for Sliding Electric Contacts, Guide for, **B613 (02.04)**
Sampling Freshly Mixed Controlled Low-Strength Material, Practice for, **D5971/D5971M (04.09)**
Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, Practice for, **E1307 (04.11)**
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**
Testing Pultruded Composites, Practice for, **D7745 (08.03)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**
Ultrasonic Testing of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2580 (03.03)**

Composites—aerospace materials/applications
Sa **High modulus fibrous composites**
Constituent Content of Composite Materials, Test Methods for, **D3171 (15.03)**
Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D6115 (15.03)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, Guide for, **E1434 (15.03)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Tensile Properties of Fiber Reinforced Metal Matrix Composites, Test Method for, **D3552 (15.03)**
Tensile Properties of Polymer Matrix Composite Materials, Test Method for, **D3039/D3039M (15.03)**
Tension-Tension Fatigue of Polymer Matrix Composite Materials, Test Method for, **D3479/D3479M (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Composites—building applications
Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, Test Method for, **C1512 (04.06)**
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**

Composites—building applications (specifications)
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Glass Fiber Reinforced Gypsum Composites, Specification for, **C1355/C1355M (04.01)**
Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, Specification for, **D5319 (08.03)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**

Composites—conducting/nonconducting materials
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**

Composites—high modulus fibrous
See **High modulus fibrous composites**

Composites—piping applications (specifications)
Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping, Specification for, **D2680 (08.04)**
Coextruded Composite Drain, Waste, and Vent Pipe (DWV), Specification for, **F1499 (08.04)**
Coextruded Composite Pipe, Specification for, **F1488 (08.04)**
Glass Fiber Reinforced Thermoplastic Pipe, Specification for, **F2686 (08.04)**
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hydronic Heating Systems, Specification for, **F1987 (08.04)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, Specification for, **F1282 (08.04)**

Composites—surgical implants
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**

Composite sampling
Composite Sampling and Field Subsampling for Environmental Waste Management Activities, Guide for, **D6051 (11.04)**
Representative Sampling for Management of Waste and Contaminated Media, Guide for, **D6044 (11.04)**
Sampling of Drums and Similar Containers by Field Personnel, Guide for, **D6063 (11.04)**
Sampling of Petroleum Products for Analysis by Process Stream Analyzers and for Process Stream Analyzer System Validation, Practice for, **D7453 (05.04)**
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**
Sampling With a Composite Liquid Waste Sampler (COLIWASA), Practice for, **D5495 (11.04)**

Composite scaffolds
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**

Composite superconductors
See **Superconductors**

Composite textile materials/applications
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**

Composite weights for leaf attributes
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**

Composite wood products
Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, Practice for, **E1888/E1888M (03.03)**
Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, Test Method for, **D2065 (06.02)**
Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Appara-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tus, Test Method for, **D5795 (06.02)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Panels in Tension, Test Methods for, **D3500 (04.10)**

Composition analysis
Determination of the Composition of Unprocessed Municipal Solid Waste, Test Method for, **D5231 (11.04)**
Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, Specification for, **F2340 (15.12)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Evaluation of Limestone or Lime Uniformity From a Single Source, Practice for, **C1164 (04.01)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Examination of Electrical Insulating Oils by Infrared Absorption, Practices for, **D2144 (10.03)**
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Separation of Active Ingredient from Surfactant and Syndet Compositions, Test Method for, **D2358 (15.04)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**

Composition analysis—coal/coke products
Determination of Major and Minor Elements in Coal, Coke, and Solid Residues from Combustion of Coal and Coke by Inductively Coupled Plasma—Atomic Emission Spectrometry, Test Method for, **D6349 (05.06)**
Microscopical Determination of the Maceral Composition of Coal, Test Method for, **D2799 (05.06)**
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**

Composition analysis—electrical contacts
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**
Specifying the Chemical Compositions for Electrical Contact Materials (Arcing and Nonarcing), Guide for, **B772 (02.04)**

Composition analysis—gases
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**

Composition analysis—metals/alloys
Analytically Describing Depth-Profile and Linescan-Profile Data by an Extended Logistic Function, Practice for, **E1636 (03.06)**
Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, Test Method for, **B890 (02.05)**
Electromagnetic (Eddy Current) Sorting of Ferrous Metals, Practice for, **E566 (03.03)**
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys, Specification for, **B880 (02.04)**
Insulating Coatings for Electrical Steels by Composition, Relative Insulating Ability and Application, Classification of, **A976 (03.04)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Sampling Nonferrous Metals and Alloys in Cast Form for Determination of Chemical Composition, Practice for, **E88 (03.05)**
Sampling of Blister Copper in Cast Form for Determination of Chemical Composition, Practice for, **E1833 (03.05)**
Sampling Steel and Iron for Determination of Chemical Composition, Practice for, **E1806 (03.05)**
Sampling Wrought Nonferrous Metals and Alloys for Determination of Chemical Composition, Practice for, **E55 (03.05)**
Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, Guide for, **A959 (01.03)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**
Steel Sheet, Aluminum-Coated, by the Hot-Dip Process, Specification for, **A463/A463M (01.06)**
Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**
Use of Terms Relating to the Development and Evaluation of Methods for Chemical Analysis, Practice for, **E1914 (03.05)**

Composition analysis—paints/related coatings/materials
Artists' Colored Pencils, Specification for, **D6901 (06.02)**
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, Test Methods for, **D6387 (06.03)**
Nature of Solvent Composition in Solvent-Reducible Paints, Test Method for Qualitative Determination of, **D2349 (06.01)**

Composition analysis—paper
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Composition analysis—paving materials
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**

Composition analysis—petroleum products
Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**
Aromatic Types Analysis of Gas-Oil Aromatic Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D3239 (05.01)**
Calculating Carbon-Type Composition of Insulating Oils of Petroleum Origin, Practice for, **D2140 (10.03)**
Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, Test Method for, **D3238 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Calculation of Certain Physical Properties of Liquefied Petroleum (LP) Gases from Compositional Analysis, Practice for, **D2598 (05.01)**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
Evaluating Compatibility of Binary Mixtures of Lubricating Greases, Practice for, **D6185 (05.03)**
Refractive Index of Viscous Materials, Test Method for, **D1747 (05.01)**
Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, Practice for, **D6849 (05.03)**

Composition analysis—plastics
Analysis of Components in Poly(Vinyl Chloride) Compounds Using an Infrared Spectrophotometric Technique, Test Method for, **D2124 (08.01)**
Classifying Reinforced Plastic Pultruded Shapes According to Composition, Practice for, **D3647 (08.02)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Determination of Elemental Content of Polyolefins by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D6247 (08.03)**
Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance, Test Method for, **D5017 (08.02)**
Nylon Injection and Extrusion Materials (PA), Classification System for, **D4066 (08.02)**

Composition analysis—rubber
Rubber—Compositional Analysis by Thermogravimetry (TGA), Test Method for, **D6370 (09.01)**

Composition analysis—semiconductor applications
Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, Test Method for, **F1894 (10.04)**

Composition analysis—steel materials/applications
Determining Hardenability of Steel, Test Methods for, **A255 (01.05)**
Steel Bars, Selection Guide, Composition, and Mechanical Properties, Practice for, **A400 (01.05)**
Steel Castings, Carbon, and Alloy, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A915/A915M (01.02)**
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**

Composition analysis—textiles
Composition of Plumage, Test Method for, **D4524 (07.02)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**

Composition bronze (casting)
Composition Bronze or Ounce Metal Castings, Specification for, **B62 (02.01)**

Composition measuring devices
Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, Specification for, **F2342/F2342M (15.12)**

Compostable plastics
Determining Aerobic Biodegradation of Plastic Materials in Soil, Test Method for, **D5988 (08.03)**
Determining Aerobic Biodegradation of Plastic Materials Under Controlled Composting Conditions, Incorporating Thermophilic Temperatures, Test Method for, **D5338 (08.03)**

Compostable plastics—specifications
Labeling of End Items that Incorporate Plastics and Polymers as Coatings or Additives with Paper and Other Substrates Designed to be Aerobically Composted in Municipal or Industrial Facilities, Specification for, **D6868 (08.03)**
Labeling of Plastics Designed to be Aerobically Composted in Municipal or Industrial Facilities, Specification for, **D6400 (08.03)**

Composting environments
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**
Determining Biodegradability of Materials Exposed to Municipal Solid Waste Composting Conditions by Compost Respirometry, Test Method for, **D5929 (11.04)**
Determining the Stability of Compost by Measuring Oxygen Consumption, Test Method for, **D5975 (11.04)**

Compound bow
Determining the Force-Draw and Let-Down Curves for Archery Bows, Test Method for, **F1832 (15.07)**

Compound (curing)
Liquid Membrane-Forming Compounds for Curing Concrete, Specification for, **C309 (04.02)**
Water Loss from a Mortar Specimen Through Liquid Membrane-Forming Curing Compounds for Concrete, Test Method for, **C156 (04.02)**

Compounded hot-polymerized SBR
Rubber Property—Shrinkage of Raw and Compounded Hot-Polymerized Styrene-Butadiene Rubber (SBR), Test Methods for, **D1917 (09.01)**

Compound flow
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Compounding materials (in rubber products)
See **Rubber compounding materials**

Compound observer-thermal imaging system
Minimum Resolvable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1213 (03.03)**

Compound stability
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**

Comprehensive building asbestos survey
Comprehensive Building Asbestos Surveys, Practice for, **E2356 (11.07)**

Comprehensive characterization
Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, Test Methods for, **F1551 (15.07)**

Comprehensive Lachance algorithm (COLA)
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Compressed air
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Indicating Oil or Water in Compressed Air, Test Method for, **D4285 (06.02)**
Paintball Valve Male Threaded Connection for Use with Approved Cylinders, Specification for, **F2653 (15.07)**
Transfilling Compressed Air or Nitrogen and Safe Handling of Small Paintball Cylinders, Practice for, **F2773 (15.07)**

Compressed gas
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
Handling, Transportation, and Storage of HFC-227ea

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Handling, Transportation, and Storage of IG-55 Ar N2, Practice for, **D7324 (15.05)**
Transfilling and Safe Handling of Small CO, Practice for, **F2856 (15.07)**

Compressed gas exhaust
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**

Compressed gas-propelled products
Transfilling and Safe Handling of Small CO, Practice for, **F2856 (15.07)**

Compressed natural gas (CNG)
Natural Gas Odor Intensity, Test Methods for, **D6273 (05.06)**

Compressed round copper conductor
Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, Specification for, **B902/B902M (02.03)**

Compressed volume
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Compressed volume index
Carbon Black—Void Volume (VV), Test Method for, **D6086 (09.01)**

Compressibility
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Compressibility and Recovery of Asbestos, Test Method for, **C1123/C1123M (04.05)**
Compressibility and Recovery of Gasket Materials, Test Method for, **F36 (09.02)**
Compressibility of Metal Powders in Uniaxial Compaction, Test Method for, **B331 (02.05)**
Determination of Isothermal Secant and Tangent Bulk Modulus, Test Method for, **D6793 (05.03)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**

Compressibility (in softened condition)
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Torsional Ring Shear Test to Determine Drained Fully Softened Shear Strength and Nonlinear Strength Envelope of Cohesive Soils (Using Normally Consolidated Specimen) for Slopes with No Preexisting Shear Surfaces, Test Method for, **D7608 (04.09)**

Compressible washer-type indicators
Carbon and Alloy Steel Compressible-Washer-Type Direct Tension Indicators for Use with Cap Screws, Bolts, Anchors, and Studs, Specification for, **F2437 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, Specification for, **F959 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), Specification for, **F959M (01.08)**

Compressible washer-type indicators—Carbon and alloy steel
Carbon and Alloy Steel Compressible-Washer-Type Direct Tension Indicators for Use with Cap Screws, Bolts, Anchors, and Studs, Specification for, **F2437 (01.08)**

Compression and recovery
Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, Test Method for, **C127 (04.02)**

Compression heating
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**

Compression hip screw
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**

Compression joints
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**

Compression-molded plastic specimens
Sa **Compression testing—plastics**
Sa **Molding/extrusion compounds/materials—specifications**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**
Compression Molding Test Specimens of Thermosetting Molding Compounds, Practice for, **D5224 (08.03)**
Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets, Practice for, **D4703 (08.02)**
Extruded and Compression Molded Rod and Heavy-Walled Tubing Made from Polytetrafluoroethylene (PTFE), Specification for, **D6457 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**
Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, Test Method for, **D6289 (08.03)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hydronic Heating Systems, Specification for, **F1987 (08.04)**
Reinforced Epoxy Resin Gas Pressure Pipe and Fittings, Specification for, **D2517 (08.03)**
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**

Compression packing
Packing Material, Graphitic or Carbon Braided Yarn, Specification for, **F2191 (01.07)**

Compression parallel to grain
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**

Compression ring
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**

Compression seals—specifications
Sa **Rubber seals—specifications**
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, Specification for, **E2203 (04.07)**
Elastomeric Cellular Preformed Gasket and Sealing, Specification for, **C509 (04.07)**
Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, Specification for, **D2835 (04.03)**
Preformed Architectural Compression Seals for Buildings and Parking Structures, Specification for, **E1612/E1612M (04.11)**

Compression sleeve
Mechanical Cold Expansion Insert Fitting With Compression Sleeve for Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1865 (08.04)**

Compression springs
See **Steel springs—specifications**

Compression testing
Carbon Black—Oil Absorption Number of Compressed Sample (COAN), Test Method for, **D3493 (09.01)**
Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, Specification for, **C1716/C1716M (04.05)**
Compressive Residual Strength Properties of Damaged Polymer Matrix Composite Plates, Test Method for, **D7137/D7137M (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Compressive Strength of Carbon and Graphite, Test Method for, **C695 (05.05)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Measurement of Viscosity of Glass Between 10, Test Method for, **C1351M (15.02)**
Open-Hole Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D7615/D7615M (15.03)**
Preformed Polychloroprene Elastomeric Joint Seals for Bridges, Specification for, **D3542 (04.03)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**

Compression testing—adhesives
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Creep Properties of Adhesives in Shear by Compression Loading (Metal-to-Metal), Test Method for, **D2293 (15.06)**
Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, Test Method for, **D3931 (15.06)**
Multi-Modal Strength Testing of Autohesives (Contact Adhesives), Test Methods for, **D1995 (15.06)**
Strength Properties of Adhesive Bonds in Shear by Compression Loading, Test Method for, **D905 (15.06)**

Compression testing—advanced ceramics
Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1424 (15.01)**
Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, Test Method for, **C1358 (15.01)**
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**

Compression testing—aerospace materials
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich Beam, Test Method for, **D5467/D5467M (15.03)**
Edgewise Compressive Strength of Sandwich Constructions, Test Method for, **C364/C364M (15.03)**
Flatwise Compressive Properties of Sandwich Cores, Test Method for, **C365/C365M (15.03)**
Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, Guide for, **E1434 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**

Compression testing—bituminous materials
Compressive Strength of Bituminous Mixtures, Test Method for, **D1074 (04.03)**
Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, Test Method for, **D1075 (04.03)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**

Compression testing—building constructions/materials
Adhesion and Cohesion of One-Part Elastomeric Solvent Release Sealants, Test Method for, **C1216/C1216M (04.07)**
Calcium Silicate Brick (Sand-Lime Brick), Specification for, **C73 (04.05)**
Compressibility and Recovery of Asbestos, Test Method for, **C1123/C1123M (04.05)**
Compression-Recovery of Tape Sealant, Test Method for, **C972 (04.07)**
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**
Compressive Strength of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E761 (04.11)**
Softness of Preformed Tape Sealants, Test Method for, **C782 (04.07)**

Compression testing—cement/concrete
Approximation of Optimum SO_3 in Hydraulic Cement Using Compressive Strength, Test Method for, **C563 (04.01)**
Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear, Test Method for, **C882/C882M (04.02)**
Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing, Practice for, **C1552 (04.05)**
Compressive Strength of Architectural Cast Stone, Test Method for, **C1194 (04.05)**
Compressive Strength of Concrete Cylinders Cast in Place in Cylindrical Molds, Test Method for, **C873/C873M (04.02)**
Compressive Strength of Cylindrical Concrete Specimens, Test Method for, **C39/C39M (04.02)**
Compressive Strength of Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C942 (04.02)**
Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), Test Method for, **C109/C109M (04.01)**
Compressive Strength of Hydraulic-Cement Mortars, Test Method for, **C349 (04.01)**
Compressive Strength of Lightweight Insulating Concrete, Test Method for, **C495/C495M (04.02)**
Creep of Concrete in Compression, Test Method for, **C512/C512M (04.02)**
Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, Test Method for, **C1262 (04.05)**
Hydrated Hydraulic Lime for Structural Purposes, Specification for, **C141/C141M (04.01)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Masonry Cement, Specification for, **C91/C91M (04.01)**
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**
Obtaining and Testing Specimens of Hardened Lightweight Insulating Concrete for Compressive Strength, Test Method for, **C513 (04.02)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, Practice for, **C1231/C1231M (04.02)**

Compression testing—coatings
Compressive Stress of Porcelain Enamels by Loaded-Beam Method, Test Method for, **C839 (02.05)**

Compression testing—composites
Bearing Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D6873/D6873M (15.03)**
Compressive Properties of Polymer Matrix Composite Materials Using a Combined Loading Compression (CLC) Test Fixture, Test Method for, **D6641/D6641M (15.03)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich Beam, Test Method for, **D5467/D5467M (15.03)**
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
Interlaminar Shear Strength of 1–D and 2–D Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures, Test Method for, **C1425 (15.01)**
Open-Hole Compressive Strength of Polymer Matrix Composite

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Laminates, Test Method for, **D6484/D6484M (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**

Compression testing—container materials
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Determining Compressive Resistance of Shipping Containers, Components, and Unit Loads, Test Method for, **D642 (15.10)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Short Term Creep Performance of Corrugated Fiberboard Containers Under Constant Load Using a Compression Test Machine, Test Method for, **D7030 (15.10)**

Compression testing—electrical insulating materials
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, Test Methods for, **D6070 (08.04)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**

Compression testing—gaskets
Compressibility and Recovery of Gasket Materials, Test Method for, **F36 (09.02)**
Compressibility and Recovery of Laminated Composite Gasket Materials, Test Method for, **F806 (09.02)**
Compressive Strength of Gaskets at Elevated Temperatures, Test Method for, **F1574 (09.02)**
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**
Creep Relaxation of Laminated Composite Gasket Materials, Test Method for, **F1276 (09.02)**
Evaluating Flat-Faced Gasketed Joint Assemblies, Practice for, **F145 (09.02)**
Hot Compression Properties of Gasket Materials, Test Method for, **F2837 (09.02)**
Sealability of Enveloped Gaskets, Test Method for, **F112 (09.02)**

Compression testing—geosynthetics
Determining Short-Term Compression Behavior of Geosynthetics, Test Method for, **D6364 (04.13)**
Determining the Short-Term Compression Behavior of Turf Reinforcement Mats (TRMs), Test Method for, **D6454 (04.13)**
Vertical Compression of Geocomposite Pavement Panel Drains, Test Method for, **D6244 (04.13)**

Compression testing—leather
Compressibility of Leather, Test Method for, **D2213 (15.04)**

Compression testing—masonry/mortar
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C579 (06.02)**
Compressive Strength of Masonry Prisms, Test Method for, **C1314 (04.05)**
Diagonal Tension (Shear) in Masonry Assemblages, Test Method for, **E519/E519M (04.05)**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
In Situ Compressive Stress Within Solid Unit Masonry Estimated Using Flatjack Measurements, Test Method for, **C1196 (04.05)**
In Situ Measurement of Masonry Deformability Properties Using the Flatjack Method, Test Method for, **C1197 (04.05)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**

Compression testing—metallic materials
Compression Testing of Metallic Materials at Room Temperature, Test Methods of, **E9 (03.01)**
Compression Tests of Metallic Materials at Elevated Temperatures with Conventional or Rapid Heating Rates and Strain Rates, Practice for, **E209 (03.01)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**

Compression testing—metal powders
Compressibility of Metal Powders in Uniaxial Compaction, Test Method for, **B331 (02.05)**

Compression testing—petroleum products
Radial Crush Strength of Extruded Catalyst and Catalyst Carrier Particles, Test Method for, **D6175 (05.05)**
Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, Test Method for, **D4179 (05.05)**

Compression testing—plastics
Assembly Force of Plastic Underground Conduit Joints That Use Flexible Elastomeric Seals Located in the Bell, Test Method for, **F1429 (08.04)**
Compatibility of Plasticizers in Poly(Vinyl Chloride) Plastics Under Compression, Practice for, **D3291 (08.02)**
Compressive and Flexural Creep and Creep-Rupture of Plastic Lumber and Shapes, Test Methods for, **D6112 (08.03)**
Compressive Properties of Plastic Lumber and Shapes, Test Method for, **D6108 (08.03)**
Compressive Properties of Rigid Cellular Plastics, Test Method for, **D1621 (08.01)**
Compressive Properties of Rigid Plastics, Test Method for, **D695 (08.01)**
In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds, Practice for, **D3419 (08.02)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, Test Methods for, **D6070 (08.04)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics, Test Methods for, **D2990 (08.01)**

Compression testing—refractory products
Cold Crushing Strength and Modulus of Rupture of Refractories, Test Methods for, **C133 (15.01)**
Compressive (Crushing) Strength of Fired Whiteware Materials, Test Method for, **C773 (15.02)**

Compression testing—rock/related materials
Compressive Strength and Elastic Moduli of Intact Rock Core Specimens under Varying States of Stress and Temperatures, Test Methods for, **D7012 (04.09)**
Compressive Strength of Dimension Stone, Test Method for, **C170/C170M (04.07)**
Crosshole Seismic Testing, Test Methods for, **D4428/D4428M (04.08)**
Determination of the Point Load Strength Index of Rock and Application to Rock Strength Classifications, Test Method for, **D5731 (04.08)**
Determining Deformability and Strength of Weak Rock by an In

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Modulus of Rupture of Dimension Stone, Test Method for, **C99/C99M (04.07)**
Splitting Tensile Strength of Intact Rock Core Specimens, Test Method for, **D3967 (04.08)**

Compression testing—rubber
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Properties in Compression, Test Methods for, **D575 (09.01)**
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Rubber PropertyCompression Set, Test Methods for, **D395 (09.01)**
Rubber Property—Compression Set at Low Temperatures, Test Method for, **D1229 (09.01)**
Rubber Property—Heat Generation and Flexing Fatigue In Compression, Test Methods for, **D623 (09.01)**
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Vulcanized Rubber and Thermoplastic Elastomer—Determination of Force Decay (Stress Relaxation) in Compression, Test Method for, **D6147 (09.01)**

Compression testing—soil
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**
Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, Practice for, **D4320/D4320M (04.08)**
Making and Curing Soil-Cement Compression and Flexure Test Specimens in the Laboratory, Practice for, **D1632 (04.08)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**
Unconfined Compressive Strength Index of Chemical-, Test Method for, **D4219 (04.08)**
Unconfined Compressive Strength of Cohesive Soil, Test Method for, **D2166/D2166M (04.08)**
Unconfined Compressive Strength of Compacted Soil-Lime Mixtures, Test Methods for, **D5102 (04.08)**
Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils, Test Method for, **D2850 (04.08)**
Vertical Compression of Geocomposite Pavement Panel Drains, Test Method for, **D6244 (04.13)**

Compression testing—soil-cement
Compressive Strength of Molded Soil-Cement Cylinders, Test Methods for, **D1633 (04.08)**
Compressive Strength of Soil-Cement Using Portions of Beams Broken in Flexure (Modified Cube Method), Test Method for, **D1634 (04.08)**
Coring and Logging Soil-Cement or Lime-Stabilized Soil, Guide for, **D6236 (04.09)**
Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders, Test Method for, **D4832 (04.08)**
Unconfined Compressive Strength of Compacted Soil-Lime Mixtures, Test Methods for, **D5102 (04.08)**

Compression testing—sports equipment
Compression-Displacement of Baseballs and Softballs, Test Method for, **F1888 (15.07)**
Displacement Compression of Softball and Baseball Bat Barrels, Test Method for, **F2844 (15.07)**

Compression testing—surgical applications
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**

Compression testing—textile materials/applications
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**

Compression testing—thermal insulation
Measuring Compressive Properties of Thermal Insulations, Test Method for, **C165 (04.06)**
Testing Cellular Glass Insulation Block, Test Methods of, **C240 (04.06)**

Compression testing—wood/wood products
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design, Specification for, **D5457 (04.10)**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Wood-Based Structural Panels in Compression, Test Methods for, **D3501 (04.10)**

Compressive creep
Accelerated Compressive Creep of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, Test Method for, **D7361 (04.13)**

Compressive modulus
Compressive Properties of Rigid Cellular Plastics, Test Method for, **D1621 (08.01)**
Flatwise Compressive Properties of Sandwich Cores, Test Method for, **C365/C365M (15.03)**
In Situ Measurement of Masonry Deformability Properties Using the Flatjack Method, Test Method for, **C1197 (04.05)**

Compressive modulus of elasticity
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Method for, **D3410/D3410M (15.03)**
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**

Compressive residual strength
Compressive Residual Strength Properties of Damaged Polymer Matrix Composite Plates, Test Method for, **D7137/D7137M (15.03)**

Compressive strength
Accelerated Curing of Concrete Cylinders, Practice for, **C1768/C1768M (04.02)**
Conducting Strength Tests of Masonry Wall Panels, Test Methods for, **C1717 (04.05)**
Manufactured Concrete Masonry Lintels, Specification for, **C1623 (04.05)**
Preparation of Field Removed Manufactured Masonry Units and Masonry Specimens for Testing, Practice for, **C1587 (04.05)**

Compressor airfoils
Stainless Steel Bars for Compressor and Turbine Airfoils, Specification for, **A1028 (01.03)**

Compressors
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Mechanically Refrigerated Shipboard Air Conditioner, Specification for, **F1433 (01.07)**

Compton back-scattered
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**

Compton diode dosimetry
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**

Computed radiography (CR)
Digital Imaging and Communication Nondestructive Evaluation (DICONDE) for Computed Radiography (CR) Test Methods, Practice for, **E2738 (03.03)**
Digital Radiography of Cast Metallic Implants, Practice for, **F2895 (13.02)**

Computed radiology systems
Classification of Computed Radiology Systems, Practice for, **E2446 (03.03)**
Qualification and Long-Term Stability of Computed Radiology Systems, Practice for, **E2445 (03.03)**

Computed tomography (CT)
Calibrating and Measuring CT Density, Test Method for, **E1935 (03.03)**
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Computed Tomographic (CT) Examination of Castings, Practice for, **E1814 (03.03)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for X-ray Computed Tomography (CT) Test Methods, Practice for, **E2767 (03.03)**
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**

Computer
Computer Forensics, Practice for, **E2763 (14.02)**
Conducting a Sensitivity Analysis for a Groundwater Flow Model Application, Guide for, **D5611 (04.08)**

Computer aided design (CAD)
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**

Computer aided engineering (CAE)
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**

Computer-assisted surgical systems
Measurement of Positional Accuracy of Computer Assisted Surgical Systems, Practice for, **F2554 (13.02)**

Computer-based patient record (CPR)
An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems, Practice for, **E1715 (14.01)**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Guideline Elements Model version 3 (GEM III)—Document Model for Clinical Practice Guidelines, Specification for, **E2210 (14.01)**
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**
Validation of Laboratory Information Management Systems, Guide for, **E2066 (03.06)**
View of Emergency Medical Care in the Electronic Health Record, Practice for, **E1744 (14.01)**

Computer center
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**

Computer disks
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**

Computer forensics
Computer Forensics, Practice for, **E2763 (14.02)**
Digital and Multimedia Evidence Examination, Terminology for, **E2916 (14.02)**
Education and Training in Computer Forensics, Guide for, **E2678 (14.02)**

Computerized clinical laboratory systems
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, Guide for, **E1869 (14.01)**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**

Computerized material property databases
Formats for Collection and Compilation of Corrosion Data for Metals for Computerized Database Input, Guide for, **G107 (03.02)**
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
Identification of Metals and Alloys in Computerized Material Property Databases, Guide for, **E1338 (02.05)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, Guide for, **E1434 (15.03)**

Computerized systems
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, Guide for, **C1558 (04.06)**
Digital Communication Protocols for Computerized Systems, Guide for, **F1757 (01.07)**
Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, Guide for, **E1856 (03.01)**
Hardware Implementation for Computerized Systems, Guide for, **F2218 (01.07)**
Network Level Pavement Management, Guide for, **E1166 (04.03)**
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Recommended Format of Wear Test Data Suitable for Databases, Guide for, **G118 (03.02)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Transition and Performance of Marine Software Systems Maintenance, Guide for, **F1716 (01.07)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**

Computerized systems—specifications
Analytical Data Interchange Protocol for Chromatographic Data, Specification for, **E1947 (03.06)**
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**

Computer model
Describing the Functionality of a Ground-Water Modeling Code, Guide for, **D6033 (04.09)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**
Documenting a Ground-Water Modeling Code, Guide for, **D6171 (04.09)**
Simulation of Subsurface Airflow Using Groundwater Flow Modeling Codes, Guide for, **D5719 (04.08)**
Subsurface Flow and Transport Modeling, Guide for, **D5880 (04.09)**

Computer printers
Determining Yield of Solid Ink Sticks, Practice for, **F2406 (15.09)**

Computer programs
Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, Test Method for, **C1308 (12.01)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**
Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, Practice for, **C1340/C1340M (04.06)**

Computer simulation
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**

Concave measurement surfaces
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**

Concealed radiant ceiling heating systems
Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, Guide for, **C1546 (04.01)**

Concealed water-containment membranes
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**

Concentrated drug solutions
Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**

Concentrated impact testing
Concentrated Impacts to Transport Packages, Test Method for, **D6344 (15.10)**

Concentrated loading tests
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**

Concentration (of elements)
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Calculation and Adjustment of Silica (SiO, Practice for, **D4993 (11.02)**
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Concentration of Formaldehyde Solutions, Test Method for, **D2194 (06.04)**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**
Determination of Copper in Iron Ores and Related Materials by Flame Atomic Absorption Spectrometry, Test Method for, **E841 (03.05)**
Determination of Iron in Iron Ores and Related Materials by Dichromate Titrimetry, Test Methods for, **E246 (03.05)**
Determination of Phosphorus in Iron Ores by Phosphomolybdate Coprecipitation and Nitric Acid Titrimetry, Test Method for, **E278 (03.05)**
Determination of Silica in Manganese Ores, Iron Ores, and Related Materials by Gravimetry, Test Method for, **E247 (03.05)**
Evaluating the Performance of Diffusive Samplers, Practice for, **D6246 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**
Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), Practice for, **E2154 (14.02)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Concentricity
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**

Concentric lay steel wire strand
See **Electrical conductors**
See **Steel wire strand—specifications**

Concentric-lay-stranded aluminum conductors—composite reinforced (ACCR)
Concentric-Lay-Stranded Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B978/B978M (02.03)**

Concentric-lay-stranded aluminum electrical conductors
See **Stranded aluminum electrical conductors—specifications**

Concentric-lay-stranded copper electrical conductors
Compact Round Concentric-Lay-Stranded Copper Conductors, Specification for, **B496 (02.03)**
Concentric-Lay-Stranded Copper and Copper-Clad Steel Composite Conductors, Specification for, **B229 (02.03)**
Concentric-Lay-Stranded Copper Conductors, Hard, Medium-Hard, or Soft, Specification for, **B8 (02.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Concentric-Lay-Stranded Copper-Clad Steel Conductors, Specification for, **B228 (02.03)**
Cored, Annular, Concentric-Lay-Stranded Copper Conductors, Specification for, **B226 (02.03)**
Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, Specification for, **B784 (02.03)**

Concentric ring configurations
Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1499 (15.01)**

Concentric-stranded members
Rope-Lay-Stranded Copper Conductors Having Concentric-Stranded Members, for Electrical Conductors, Specification for, **B173 (02.03)**

Concentric tube thief
Sampling Unconsolidated Solids in Drums or Similar Containers, Practice for, **D5680 (11.04)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**

Conceptual site model (CSM)
Conceptualization and Characterization of Ground-Water Systems, Guide for, **D5979 (04.09)**
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**
Development of Conceptual Site Models and Remediation Strategies for Light Nonaqueous-Phase Liquids Released to the Subsurface, Guide for, **E2531 (11.05)**

Concession go-karts
Design, Manufacture, and Operation of Concession Go-Karts and Facilities, Practice for, **F2007 (15.07)**

Conclusions
Expressing Conclusions of Forensic Document Examiners, Terminology for, **E1658 (14.02)**

Concrete
Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, Practice for, **C1077 (04.02)**
Anchors and Fasteners in Concrete and Masonry, Terminology for, **E2265 (04.12)**
Bleeding of Concrete, Test Method for, **C232/C232M (04.02)**
Carbon-Steel Wire and Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1064/A1064M (01.04)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C579 (06.02)**
Concrete and Concrete Aggregates, Terminology Relating to, **C125 (04.02)**
Creep of Concrete in Compression, Test Method for, **C512/C512M (04.02)**
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, Test Method for, **C138/C138M (04.02)**
Density of Bituminous Concrete in Place by Nuclear Methods, Test Method for, **D2950/D2950M (04.03)**
Determination of One-Point, Bulk Water Sorption of Dried Concrete, Test Method for, **C1757 (04.02)**
Determination of the Effectiveness of Anti-Graffiti Coating for Use on Concrete, Masonry and Natural Stone Surfaces by Pressure Washing, Practice for, **D7089 (06.02)**
Determining Age at Cracking and Induced Tensile Stress Characteristics of Mortar and Concrete under Restrained Shrinkage, Test Method for, **C1581/C1581M (04.02)**
Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, Test Method for, **C1370 (04.05)**
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Determining Variability of Ingredients of Concrete From a Single Source, Practice for, **C1451 (04.02)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Evaluating Disposal Options for Concrete from Nuclear Facility Decommissioning, Guide for, **E2216 (12.02)**
Evaluation of Alternative Supplementary Cementitious Materials (ASCM) for Use in Concrete, Guide for, **C1709 (04.02)**
Examination of Hardened Concrete Using Scanning Electron Microscopy, Guide for, **C1723 (04.02)**
Flat Wall Insulating Concrete Form (ICF) Systems, Specification for, **E2634 (04.12)**
Flexural Performance of Fiber-Reinforced Concrete (Using Beam With Third-Point Loading), Test Method for, **C1609/C1609M (04.02)**
Flexural Toughness of Fiber Reinforced Concrete (Using Centrally Loaded Round Panel), Test Method for, **C1550 (04.02)**
Infiltration Rate of In Place Pervious Concrete, Test Method for, **C1701/C1701M (04.02)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**
Lightweight Aggregate for Internal Curing of Concrete, Specification for, **C1761/C1761M (04.02)**
Making and Conditioning Chemical-Resistant Sulfur Polymer Cement Concrete Test Specimens in the Laboratory, Practice for, **C1312 (04.05)**
Measurement of Mass Loss versus Time for One-Dimensional Drying of Saturated Concretes, Test Method for, **C1792 (04.02)**
Measuring Consistency of Castable Refractory Using a Flow Table, Test Method for, **C1445 (15.01)**
Measuring the P-Wave Speed and the Thickness of Concrete Plates Using the Impact-Echo Method, Test Method for, **C1383 (04.02)**
Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, Test Method for, **C174/C174M (04.02)**
Mixing Water Used in the Production of Hydraulic Cement Concrete, Specification for, **C1602/C1602M (04.02)**
Nondestructive Measurement of Dry Film Thickness of Applied Organic Coatings Using an Ultrasonic Gage, Test Method for, **D6132 (06.01)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Passing Ability of Self-Consolidating Concrete by J-Ring, Test Method for, **C1621/C1621M (04.02)**
Pavement Condition Index Surveys for Interlocking Concrete Roads and Parking Lots, Practice for, **E2840 (04.03)**
Polyolefin Chopped Strands for Use in Concrete, Specification for, **D7508/D7508M (07.02)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**
Pull-Off Adhesion Strength of Coatings on Concrete Using Portable Pull-Off Adhesion Testers, Test Method for, **D7234 (06.02)**
Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, Test Method for, **C1777 (04.02)**
Replication and Measurement of Concrete Surface Profiles Using Replica Putty, Test Method for, **D7682 (06.02)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Selection of Test Methods for Fabrics Used for Fabric Formed Concrete (FFC), Guide for the, **D6685 (04.09)**
Slump Flow of Self-Consolidating Concrete, Test Method for, **C1611/C1611M (04.02)**
Static Segregation of Self-Consolidating Concrete Using Column Technique, Test Method for, **C1610/C1610M (04.02)**
Tensile Strength of Concrete Surfaces and the Bond Strength or Tensile Strength of Concrete Repair and Overlay Materials

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

by Direct Tension (Pull-off Method), Test Method for, **C1583/C1583M (04.02)**
Time of Setting of Concrete Mixtures by Penetration Resistance, Test Method for, **C403/C403M (04.02)**
Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete, Practice for, **C490/C490M (04.01, 04.02)**
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, Practice for, **C1231/C1231M (04.02)**
Water-Soluble Chloride in Mortar and Concrete, Test Method for, **C1218/C1218M (04.02)**

Concrete—specifications
Cold-Weather Admixture Systems, Specification for, **C1622/C1622M (04.02)**
Concrete Floor Tile, Specification for, **C1731 (04.05)**
Elastomeric Seals for Joining Concrete Structures, Specification for, **C1619 (04.05)**
Hydrated Lime for Use in Asphalt Cement or Bituminous Paving Mixtures, Specification for, **C1097 (04.01)**
Joints for Concrete Gravity Flow Sewer Pipe, Using Rubber Gaskets, Specification for, **C1628 (04.05)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Precast Concrete Barriers, Specification for, **C825 (04.05)**
Silica Fume Used in Cementitious Mixtures, Specification for, **C1240 (04.02)**
Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, Specification for, **C1159 (04.05)**

Concrete, dried—one-point, bulk water sorption of
Determination of One-Point, Bulk Water Sorption of Dried Concrete, Test Method for, **C1757 (04.02)**

Concrete (abrasion resistance)
See **Abrasion resistance—concrete/mortar/aggregate**

Concrete accelerator
Calcium Chloride, Specification for, **D98 (04.03)**

Concrete admixtures
Air-Entraining Admixtures for Concrete, Test Method for, **C233/C233M (04.02)**
Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, Test Method for, **C827/C827M (04.02)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**
Foaming Agents for Use in Producing Cellular Concrete Using Preformed Foam, Test Method for, **C796/C796M (04.02)**
Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, Test Methods for, **C311/C311M (04.02)**
Water-Soluble Chlorides Present as Admixtures in Graded Aggregate Road Mixes, Test Methods for, **D1411 (04.08)**

Concrete admixtures—specifications
Admixtures for Shotcrete, Specification for, **C1141/C1141M (04.02)**
Air-Entraining Admixtures for Concrete, Specification for, **C260/C260M (04.02)**
Calcium Chloride, Specification for, **D98 (04.03)**
Chemical Admixtures for Concrete, Specification for, **C494/C494M (04.02)**
Chemical Admixtures for Use in Producing Flowing Concrete, Specification for, **C1017/C1017M (04.02)**
Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, Specification for, **C618 (04.02)**
Foaming Agents Used in Making Preformed Foam for Cellular Concrete, Specification for, **C869/C869M (04.02)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, Specification for, **C387/C387M (04.02)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Pigments for Integrally Colored Concrete, Specification for, **C979/C979M (04.02)**

Concrete aggregates
Concrete and Concrete Aggregates, Terminology Relating to, **C125 (04.02)**
Determination of Length Change of Concrete Due to Alkali-Silica Reaction, Test Method for, **C1293 (04.02)**
Mixing Water Used in the Production of Hydraulic Cement Concrete, Specification for, **C1602/C1602M (04.02)**
Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, Test Method for, **C1777 (04.02)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**

Concrete aggregates—specifications
Concrete Aggregates, Specification for, **C33/C33M (04.02)**
Lightweight Aggregates for Structural Concrete, Specification for, **C330/C330M (04.02)**

Concrete (air content)
See **Air content—concrete**

Concrete anchors/anchorage systems
Sa **Anchors/anchorage systems**
Anchors and Fasteners in Concrete and Masonry, Terminology for, **E2265 (04.12)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**
Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**

Concrete bonding
Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear, Test Method for, **C882/C882M (04.02)**
Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, Test Method for, **A944 (01.04)**
Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), Test Method for, **C1245/C1245M (04.02)**
Epoxy-Resin-Base Bonding Systems for Concrete, Specification for, **C881/C881M (04.02)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Surface-Applied Bonding Compounds for Exterior Plastering, Specification for, **C932 (04.01)**
Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, Test Method for, **C884/C884M (04.02)**

Concrete bridge decks
Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, Test Method for, **D6087 (04.03)**
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**

Concrete briege decks
See **Bridge/structural materials—decks**

Concrete (cellular)
See **Cellular concrete**

Concrete (chloride analysis)
See **Chloride analysis—concrete/aggregate**

Concrete (compressive strength)
See **Compression testing—cement/concrete**

Concrete construction materials/applications
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Silica Reaction, Test Method for, **C441/C441M (04.02)**
Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C940 (04.02)**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Restrained Expansion of Shrinkage-Compensating Concrete, Test Method for, **C878/C878M (04.02)**
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Concrete construction materials/applications—specifications
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Admixtures for Shotcrete, Specification for, **C1141/C1141M (04.02)**
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, Specification for, **E1993/E1993M (04.11)**
Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear, Test Method for, **C882/C882M (04.02)**
Chemical Admixtures for Use in Producing Flowing Concrete, Specification for, **C1017/C1017M (04.02)**
Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, Specification for, **C618 (04.02)**
Concrete Building Brick, Specification for, **C55 (04.05)**
Concrete Drain Tile, Specification for, **C412 (04.05)**
Concrete Drain Tile (Metric), Specification for, **C412M (04.05)**
Concrete Facing Brick, Specification for, **C1634 (04.05)**
Concrete Made by Volumetric Batching and Continuous Mixing, Specification for, **C685/C685M (04.02)**
Concrete Masonry Units for Construction of Catch Basins and Manholes, Specification for, **C139 (04.05)**
Concrete Roof Pavers, Specification for, **C1491 (04.05)**
Concrete Roof Tile, Specification for, **C1492 (04.05)**
Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, Specification for, **D5078/D5078M (04.03)**
Elastomeric Seals for Joining Concrete Structures, Specification for, **C1619 (04.05)**
Epoxy-Resin-Base Bonding Systems for Concrete, Specification for, **C881/C881M (04.02)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Foaming Agents Used in Making Preformed Foam for Cellular Concrete, Specification for, **C869/C869M (04.02)**
Grout Fluidifier for Preplaced-Aggregate Concrete, Specification for, **C937 (04.02)**
Gypsum Concrete, Specification for, **C317/C317M (04.01)**
Hydrated Lime for Use in Asphalt Cement or Bituminous Paving Mixtures, Specification for, **C1097 (04.01)**
Installation of Cast-In-Place Reinforced Gypsum Concrete, Specification for, **C956 (04.01)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**
Lightweight Aggregates for Concrete Masonry Units, Specification for, **C331/C331M (04.02)**
Lightweight Aggregates for Insulating Concrete, Specification for, **C332 (04.02)**
Lightweight Aggregates for Structural Concrete, Specification for, **C330/C330M (04.02)**
Liquid Membrane-Forming Compounds for Curing Concrete, Specification for, **C309 (04.02)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Loadbearing Concrete Masonry Units, Specification for, **C90 (04.05)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains, Specification for, **C1504 (04.05)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric), Specification for, **C1504M (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, Specification for, **C1417 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), Specification for, **C1417M (04.05)**
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Materials for Shotcrete, Specification for, **C1436 (04.02)**
Nonloadbearing Concrete Masonry Units, Specification for, **C129 (04.05)**
Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, Specification for, **C387/C387M (04.02)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Packaged, Pre-Blended, Dry, Combined Materials for Use in Wet or Dry Shotcrete Application, Specification for, **C1480/C1480M (04.02)**
Pigments for Integrally Colored Concrete, Specification for, **C979/C979M (04.02)**
Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, Specification for, **E1745 (04.11)**
Pozzolanic Blended Materials in Construction Applications, Specification for, **D5370 (11.04)**
Precast Concrete Barriers, Specification for, **C825 (04.05)**
Precast Concrete Septic Tanks, Specification for, **C1227 (04.05)**
Precast Concrete Water and Wastewater Structures, Specification for, **C913 (04.05)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**
Ready-Mixed Concrete, Specification for, **C94/C94M (04.02)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Sheet Materials for Curing Concrete, Specification for, **C171 (04.02)**
Silica Fume Used in Cementitious Mixtures, Specification for, **C1240 (04.02)**
Slag Cement for Use in Concrete and Mortars, Specification for, **C989/C989M (04.02)**
Solid Concrete Interlocking Paving Units, Specification for, **C936/C936M (04.05)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, Specification for, **C1159 (04.05)**

Concrete cores
Measuring Length of Concrete Cores, Test Method for, **C1542/C1542M (04.02)**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**

Concrete corrosion testing
See **Corrosion—concrete**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Concrete density
Sa **Density—concrete**
Density and Void Content of Freshly Mixed Pervious Concrete, Test Method for, **C1688/C1688M (04.02)**
Concrete (fiber-reinforced)
Sa **Fiber-reinforced concrete**
Flexural Performance of Fiber-Reinforced Concrete (Using Beam With Third-Point Loading), Test Method for, **C1609/C1609M (04.02)**
Concrete flexural strength
See **Flexural testing—concrete**
Concrete flooring
Sa **Flooring/floor covering systems (concrete)**
Concrete Floor Tile, Specification for, **C1731 (04.05)**
Determining Relative Humidity on the Surface of Concrete Floor Slabs Using Relative Humidity Probe Measurement and Insulated Hood, Test Method for, **F2420 (15.04)**
Installation of Thick Poured Lightweight Cellular Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2471 (15.04)**
Concrete (glass-fiber reinforced) (GFRC)
See **Glass fiber reinforced concrete (GFRC)**
Concrete (gypsum)
See **Gypsum concrete**
Concrete (hardened)
Sa **Hardened concrete**
Examination of Hardened Concrete Using Scanning Electron Microscopy, Guide for, **C1723 (04.02)**
Concrete (insulating)
See **Insulating concrete**
Concrete joint sealants
See **Joint sealants (concrete)**
Concrete linings-corrugated steel pipe
Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field, Specification for, **A979/A979M (01.06)**
Concrete masonry—specifications
Manufactured Concrete Masonry Lintels, Specification for, **C1623 (04.05)**
Concrete masonry units
Sa **Masonry units**
Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, Specification for, **C1716/C1716M (04.05)**
Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, Test Method for, **C1262 (04.05)**
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Concrete masonry units—specifications
Concrete Masonry Units for Construction of Catch Basins and Manholes, Specification for, **C139 (04.05)**
Loadbearing Concrete Masonry Units, Specification for, **C90 (04.05)**
Nonloadbearing Concrete Masonry Units, Specification for, **C129 (04.05)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**
Concrete (modulus of elasticity)
See **Modulus of elasticity—concrete**
Concrete nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Concrete paint applications
Abrading Concrete, Practice for, **D4259 (06.02)**
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Indicating Moisture in Concrete by the Plastic Sheet Method, Test Method for, **D4263 (06.02)**
Liquid and Gelled Acid Etching of Concrete, Practice for, **D4260 (06.02)**
Making Cementitious Panels for Testing Coatings, Practice for, **D1734 (06.02)**
pH of Chemically Cleaned or Etched Concrete Surfaces, Test Method for, **D4262 (06.02)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Surface Cleaning Concrete for Coating, Practice for, **D4258 (06.02)**
Surface Cleaning Concrete Masonry Units for Coating, Practice for, **D4261 (06.02)**
Concrete pavements
Electrical Resistivity of Membrane-Pavement Systems, Test Method for, **D3633/D3633M (04.03)**
Epoxy-Coated Steel Dowels for Concrete Pavement, Specification for, **A1078/A1078M (01.04)**
Freeze-thaw and De-icing Salt Durability of Solid Concrete Interlocking Paving Units, Test Method for, **C1645/C1645M (04.05)**
Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, Test Method for, **C174/C174M (04.02)**
Preformed Closed-Cell Polyolefin Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D7174 (04.03)**
Concrete pavements—specifications
Sa **Pavement surfaces—specifications**
Concrete Grid Paving Units, Specification for, **C1319 (04.05)**
Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field, Specification for, **A979/A979M (01.06)**
Concrete pipe
Concrete Pipe and Related Products, Terminology Relating to, **C822 (04.05)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, Test Method for, **C1214 (04.05)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), Test Method for, **C1214M (04.05)**
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**
Installation of Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, Practice for, **C1675 (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C1103 (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C1103M (04.05)**
Resilient Connectors Between Reinforced Concrete On-Site Wastewater Tanks and Pipes, Specification for, **C1644 (04.05)**
Concrete pipe—specifications
Concrete Masonry Units for Construction of Catch Basins and Manholes, Specification for, **C139 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, Specification for, **C877 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Joints for Concrete Box, Using Rubber Gaskets, Specification for, **C1677 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets, Specification for, **C443 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

(Metric), Specification for, **C443M (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, Specification for, **C1417 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), Specification for, **C1417M (04.05)**
Perforated Concrete Pipe, Specification for, **C444 (04.05)**
Perforated Concrete Pipe (Metric), Specification for, **C444M (04.05)**
Precast Concrete Septic Tanks, Specification for, **C1227 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**

Concrete pipe (nonreinforced)—specifications
Concrete Pipe for Irrigation or Drainage, Specification for, **C118 (04.05)**
Concrete Pipe for Irrigation or Drainage (Metric), Specification for, **C118M (04.05)**
Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints, Specification for, **C505 (04.05)**
Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric), Specification for, **C505M (04.05)**
Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe, Specification for, **C14 (04.05)**
Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe (Metric), Specification for, **C14M (04.05)**
Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe, Specification for, **C985 (04.05)**
Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C985M (04.05)**
Porous Concrete Pipe, Specification for, **C654 (04.05)**
Porous Concrete Pipe (Metric), Specification for, **C654M (04.05)**

Concrete pipe (reinforced)—specifications
Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe, Specification for, **C506 (04.05)**
Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C506M (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C76 (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C76M (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe, Specification for, **C655 (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C655M (04.05)**
Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe, Specification for, **C507 (04.05)**
Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C507M (04.05)**
Reinforced Concrete Low-Head Pressure Pipe, Specification for, **C361 (04.05)**
Reinforced Concrete Low-Head Pressure Pipe (Metric), Specification for, **C361M (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Resilient Connectors Between Reinforced Concrete On-Site Wastewater Tanks and Pipes, Specification for, **C1644 (04.05)**
Steel Fiber Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C1765 (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals, Specification for, **C1478 (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals (Metric), Specification for, **C1478M (04.05)**

Concrete plates
Evaluating the Condition of Concrete Plates Using the Impulse-Response Method, Practice for, **C1740 (04.02)**
Measuring the P-Wave Speed and the Thickness of Concrete Plates Using the Impact-Echo Method, Test Method for, **C1383 (04.02)**

Concrete poles
General Requirements for Prestressed Concrete Poles Statically Cast, Specification for, **C935 (04.05)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**

Concrete (portland cement concrete)
See **Portland cement concrete (PCC)—specifications**

Concrete (preplaced-aggregate)(PA)
See **Preplaced-aggregate (PA) concrete**

Concrete (prestressed)
Sa **Prestressed concrete**
General Requirements for Prestressed Concrete Poles Statically Cast, Specification for, **C935 (04.05)**

Concrete (radiation-shielding)
See **Radiation-shielding concrete**

Concrete railroad ties
Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, Specification for, **A881/A881M (01.04)**

Concrete (ready-mixed)
See **Ready-mixed concrete—specifications**

Concrete (refractory)
See **Refractory concrete**

Concrete reinforcement
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, Test Method for, **A944 (01.04)**
Corrosion Potentials of Uncoated Reinforcing Steel in Concrete, Test Method for, **C876 (03.02, 04.02)**
Determining Connection Strength Between Geosynthetic Reinforcement and Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6638 (04.13)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, Test Method for, **D6087 (04.03)**

Concrete reinforcement—specifications
Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement, Specification for, **A615/A615M (01.04)**
Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement, Specification for, **A1022/A1022M (01.04)**
Deformed and Plain Stainless-Steel Bars for Concrete Reinforcement, Specification for, **A955/A955M (01.04)**
Deformed and Plain, Low-Carbon, Chromium, Steel Bars for Concrete Reinforcement, Specification for, **A1035/A1035M (01.04)**
Epoxy-Coated Steel Reinforcing Bars, Specification for, **A775/A775M (01.04)**
Epoxy-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A884/A884M (01.04)**
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Headed Steel Bars for Concrete Reinforcement, Specification for, **A970/A970M (01.04)**
Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement, Specification for, **A706/A706M (01.04)**
Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement, Specification for, **A996/A996M (01.04)**
Steel Fibers for Fiber-Reinforced Concrete, Specification for, **A820/A820M (01.04)**
Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, Specification for, **A886/A886M (01.04)**
Steel Strand, Seven-Wire, Uncoated, Compacted for Prestressed Concrete, Specification for, **A779/A779M (01.04)**
Steel Strand, Uncoated Seven-Wire for Prestressed Concrete, Specification for, **A416/A416M (01.04)**
Steel Stud Assemblies for Shear Reinforcement of Concrete, Specification for, **A1044/A1044M (01.04)**
Steel Wire, Hard-Drawn for Prestressed Concrete Pipe, Specification for, **A648 (01.04)**
Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, Specification for, **A821/A821M (01.04)**
Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, Specification for, **A421/A421M (01.04)**
Uncoated, Stress-Relieved Steel Bars for Prestressed Concrete Railroad Ties, Specification for, **A911/A911M (01.04)**
Vinyl-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A933/A933M (01.04)**
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**
Welded Deformed Steel Bar Mats for Concrete Reinforcement, Specification for, **A184/A184M (01.04)**
Welded Steel Plain Bar or Rod Mats for Concrete Reinforcement, Specification for, **A704/A704M (01.04)**
Zinc-Coated (Galvanized) Steel Bars for Concrete Reinforcement, Specification for, **A767/A767M (01.04)**
Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, Specification for, **A810 (01.06)**
Zinc-Coated (Galvanized) Steel Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1060/A1060M (01.04)**

Concrete repairs
Pull-Off Strength for FRP Bonded to Concrete Substrate, Test Method for, **D7522/D7522M (15.03)**
Tensile Strength of Concrete Surfaces and the Bond Strength or Tensile Strength of Concrete Repair and Overlay Materials by Direct Tension (Pull-off Method), Test Method for, **C1583/C1583M (04.02)**

Concrete (roller-compacted)
See **Roller-compacted concrete**

Concrete roofing/waterproofing materials
Preparation of Concrete Surfaces for Adhered (Bonded) Membrane Waterproofing Systems, Guide for, **D5295 (04.04)**
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**

Concrete roofing/waterproofing materials—specifications
Concrete Roof Pavers, Specification for, **C1491 (04.05)**
Concrete Roof Tile, Specification for, **C1492 (04.05)**

Concrete roof tile
Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), Test Method for, **C1570 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**

Concrete (shotcrete)
See **Shotcrete**

Concrete slabs
Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, Specification for, **E1993/E1993M (04.11)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
Determining Relative Humidity on the Surface of Concrete Floor Slabs Using Relative Humidity Probe Measurement and Insulated Hood, Test Method for, **F2420 (15.04)**
Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, Specification for, **E1745 (04.11)**
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Concrete (splitting tensile tests)
See **Tensile properties/testing—concrete**

Concrete staining
Iron Staining Materials in Lightweight Concrete Aggregates, Test Method for, **C641 (04.02)**
Staining and Color Change of Single- or Multicomponent Joint Sealants, Test Method for, **C510 (04.07)**
Staining from Sealants, Test Method for, **D2203 (04.07)**

Concrete strength
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Pullout Strength of Hardened Concrete, Test Method for, **C900 (04.02)**
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, Practice for, **C1231/C1231M (04.02)**

Concrete tanks
Precast Concrete Septic Tanks, Specification for, **C1227 (04.05)**
Resilient Connectors Between Reinforced Concrete On-Site Wastewater Tanks and Pipes, Specification for, **C1644 (04.05)**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, Specification for, **A821/A821M (01.04)**

Concrete test specimens
Capping Cylindrical Concrete Specimens, Practice for, **C617/C617M (04.02)**
Compressive Strength of Concrete Cylinders Cast in Place in Cylindrical Molds, Test Method for, **C873/C873M (04.02)**
Compressive Strength of Cylindrical Concrete Specimens, Test Method for, **C39/C39M (04.02)**
Corrosion Potentials of Uncoated Reinforcing Steel in Concrete, Test Method for, **C876 (03.02, 04.02)**
Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading), Test Method for, **C293/C293M (04.02)**
Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading), Test Method for, **C78/C78M (04.02)**
Making and Curing Concrete Test Specimens in the Field, Practice for, **C31/C31M (04.02)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Making Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Table, Practice for, **C1176/C1176M (04.02)**
Making Test Cylinders and Prisms for Determining Strength and Density of Preplaced-Aggregate Concrete in the Laboratory, Practice for, **C943 (04.02)**
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**
Obtaining and Testing Specimens of Hardened Lightweight Insulating Concrete for Compressive Strength, Test Method for, **C513 (04.02)**
Preparation and Conditioning of Cast, Drilled, or Sawed Specimens of Hydraulic-Cement Mortar and Concrete Used for Length Change Measurements, Practice for, **C341/C341M (04.02)**
Preparation and Testing of Controlled Low Strength Material

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

(CLSM) Test Cylinders, Test Method for, **D4832 (04.08)**
Preparing and Testing Specimens from Shotcrete Test Panels, Practice for, **C1140/C1140M (04.02)**
Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, Practice for, **D1985 (04.03)**
Proportioning Grout Mixtures for Preplaced-Aggregate Concrete, Practice for, **C938 (04.02)**
Restrained Expansion of Shrinkage-Compensating Concrete, Test Method for, **C878/C878M (04.02)**
Splitting Tensile Strength of Cylindrical Concrete Specimens, Test Method for, **C496/C496M (04.02)**

Concrete test specimens—specifications
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, Specification for, **C511 (04.01, 04.02)**
Molds for Forming Concrete Test Cylinders Vertically, Specification for, **C470/C470M (04.02)**

Concrete tile
Concrete Floor Tile, Specification for, **C1731 (04.05)**

Concrete uniformity
Determining Variability of Ingredients of Concrete From a Single Source, Practice for, **C1451 (04.02)**

Concrete weathering tests
Resistance of Concrete to Rapid Freezing and Thawing, Test Method for, **C666/C666M (04.02)**
Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals, Test Method for, **C672/C672M (04.02)**

Condensable hydrocarbons
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**

Condensate polishing
Evaluating the Kinetic Behavior of Ion Exchange Resins, Practice for, **D6302 (11.02)**

Condensation
Sa **Humidity**
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**
Measuring Total Water and Volatiles in Liquid Coatings Which Produce Cure Water Upon Heating, Test Method for, **D7245 (06.01)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**
Use of Test Methods, Practice for, **E2321 (04.12)**

Condensation exposure
Fluorescent UV-Condensation Exposures of Paint and Related Coatings, Practice for, **D4587 (06.01)**

Condensation nuclei detector
Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**

Condensation nucleus counter (CNC)
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**

Condenser and heat exchanger systems
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
In Situ Electromagnetic (Eddy-Current) Examination of Nonmagnetic Heat Exchanger Tubes, Practice for, **E690 (03.03)**

Condenser and heat exchanger systems—aluminum alloy
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**

Condenser and heat exchanger systems—copper/copper alloy
Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes, Practice for, **E243 (03.03)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Seamless Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B903 (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
Welded Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B919 (02.01)**

Condenser and heat exchanger systems—nickel alloy
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Seamless and Welded Nickel Alloy Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B924 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**

Condenser and heat exchanger systems—steel
Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A214/A214M (01.01)**
Seamless and Welded Austenitic Stainless Steel Feedwater Heater Tubes, Specification for, **A688/A688M (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**
Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A179/A179M (01.01)**
Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, Specification for, **A213/A213M (01.01)**
Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, Specification for, **A1020/A1020M (01.01)**
Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes, Specification for, **A249/A249M (01.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Condenser and heat exchanger systems—titanium/titanium alloy
Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer, Specification for, **B891 (02.04)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Condenser and heat exchanger systems—zirconium
Seamless and Welded Zirconium and Zirconium Alloy Tubes, Specification for, **B523/B523M (02.04)**
Condensing unit
Mechanically Refrigerated Shipboard Air Conditioner, Specification for, **F1433 (01.07)**
Condition 0
Condition 0 Bicycle Frames, Specification for, **F2843 (15.07)**
Condition 3 bicycle forks
Condition 3 Bicycle Forks, Specification for, **F2274 (15.07)**
Condition 3 Bicycle Frames, Specification for, **F2614 (15.07)**
Condition assessment
Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector and CCTV Camera System, Practice for, **F3080 (04.12)**
Conditioning
Sa **Specimen preparation (for testing)**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Combustible Properties of Treated Wood by the Fire-Tube Apparatus, Test Method for, **E69 (04.10)**
Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, Test Methods for, **F1551 (15.07)**
Conditioning, Terminology Relating To, **E41 (14.04)**
Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, Practice for, **G147 (14.04)**
Conditioning Leather and Leather Products for Testing, Practice for, **D1610 (15.04)**
Conditioning of Thermal Insulating Materials, Practice for, **C870 (04.06)**
Conditioning Paper and Paper Products for Testing, Practice for, **D685 (15.10)**
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**
Making and Conditioning Chemical-Resistant Sulfur Polymer Cement Concrete Test Specimens in the Laboratory, Practice for, **C1312 (04.05)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Moisture Conditioning Compacted Asphalt Mixture Specimens by Using Hydrostatic Pore Pressure, Practice for, **D7870/D7870M (04.03)**
Moisture Conditioning of Wood and Wood-Based Materials, Guide for, **D4933 (04.10)**
Rubber Conditioning For Low Temperature Testing, Practice for, **D832 (09.01)**
Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, Specification for, **D3924 (06.01)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**
Conditioning—electrical insulating materials
Conditioning Plastics for Testing, Practice for, **D618 (08.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**
Maintaining Constant Relative Humidity by Means of Aqueous Solutions, Practice for, **E104 (11.07)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Conditioning—packaging/shipping materials
Conditioning and Testing Flexible Barrier Packaging, Practice for, **E171/E171M (15.10)**
Conditioning Containers, Packages, or Packaging Components for Testing, Practice for, **D4332 (15.10)**
Conditioning—plastic pipe
Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**
Conditioning—plastics
Conditioning Plastics for Testing, Practice for, **D618 (08.01)**
Conditioning—textile fabrics/fibers
Accelerated Aging of Inflatable Restraint Fabrics, Practice for, **D5427 (07.02)**
Conditioning and Testing Textiles, Practice for, **D1776 (07.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Conditioning atmospheres
Flexible Polymeric Foam Sheet Insulation Used as a Thermal and Sound Absorbing Liner for Duct Systems, Specification for, **C1534 (04.06)**
Condition of test blood
Selection of Blood for in vitro Evaluation of Blood Pumps, Practice for, **F1830 (13.01)**
Condoms
Sa **Diaphragms**
Determining Compatibility of Personal Lubricants with Natural Rubber Latex Condoms, Test Method for, **D7661 (09.02)**
Male Condoms Made from Polyurethane, Specification for, **D6324 (09.02)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Conductance and conductivity (electrical)
Sa **Electrical resistance/resistivity**
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Electrical Conductivity of Aviation and Distillate Fuels, Test Methods for, **D2624 (05.01)**
Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, Test Method for, **D4308 (05.02)**
Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration, Test Method for, **C1202 (04.02)**
Electrical Resistivity of Anode and Cathode Carbon Material at Room Temperature, Test Method for, **D6120 (05.02)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Measuring Electrical Conductivity of Electrocoat Baths, Test Method for, **D4399 (06.01)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Polarized Light Detection of Flaws in Aerospace Transparency Heating Elements, Practice for, **F319 (15.03)**
Poly(Vinyl Chloride) Resins, Specification for, **D1755 (08.01)**
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**
Specific Aqueous Conductance of Trichlorotrifluoroethane, Test Method for, **D3448 (15.05)**
Static Electrification, Test Method for, **D4470 (10.02)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**

Conductance and conductivity (electrical)—insulating materials
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Conductance and conductivity (electrical)—solar devices
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**

Conductance and conductivity (electrical)—water
Column Capacity of Particulate Mixed Bed IonExchange Materials, Test Method for, **D3375 (11.02)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Electrical Conductivity and Resistivity of Water, Test Methods for, **D1125 (11.01)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
On-Line pH Measurement of Water of Low Conductivity, Test Method for, **D5128 (11.01)**
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**

Conductance meters
Field Calibration and Application of Hand-Held Moisture Meters, Practice for, **D7438 (04.10)**
Laboratory Standardization and Calibration of Hand-Held Moisture Meters, Test Method for, **D4444 (04.10)**

Conductance tube method
Measured Speed of Oil Diffusion Pumps, Test Method for, **E295 (15.03)**

Conductimetric analysis
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**

Conducting paths
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors, Specification for, **D748 (10.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Conductive adhesives
Sa **Polymer adhesives**
Volume Resistivity of Conductive Adhesives, Test Method for, **D2739 (15.06)**

Conductive geomembrane spark test
Leak Location using Geomembranes with an Insulating Layer in Intimate Contact with a Conductive Layer via Electrical Capacitance Technique (Conductive Geomembrane Spark Test), Practice for, **D7240 (04.13)**

Conductive materials
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
Determining the Electrical Resistivity of a Printed Conductive Material, Test Method for, **F1896 (10.04)**

Conductive resilient flooring
Electrical Resistance of Conductive and Static Dissipative Resilient Flooring, Test Method for, **F150 (15.04)**

Conductive thin film
Formability of Thin Film Organic Coatings on Steel Over a Biaxially Stretched Dome, Test Method for, **D7093 (06.02)**

Conductivity bridge/cell
Measuring Electrical Conductivity of Electrocoat Baths, Test Method for, **D4399 (06.01)**

Conductivity detectors/detection
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Testing Conductivity Detectors Used in Liquid and Ion Chromatography, Practice for, **E1511 (03.06)**
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**
Testing Thermal Conductivity Detectors Used in Gas Chromatography, Practice for, **E516 (03.06)**
Use of Electron-Capture Detectors in Gas Chromatography, Practice for, **E697 (03.06)**
Using Flame Photometric Detectors in Gas Chromatography, Practice for, **E840 (03.06)**

Conductivity meter
Electrical Resistivity of Liquid Paint and Related Materials, Test Methods for, **D5682 (06.01)**

Conductivity (thermal)
Sa **Thermal conductance/conductivity**
Sa **Thermal transmission properties**
Thermal Conductivity of Leather, Practice for, **D7340 (15.04)**

Conductor continuity/resistance
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

Conductors—light metals
Concentric-Lay-Stranded Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B978/B978M (02.03)**

Conductor shielding material
Longitudinal Measurement of Volume Resistivity for Extruded Crosslinked and Thermoplastic Semiconducting Conductor and Insulation Shielding Materials, Test Method for, **D6095 (10.02)**

Conductor shields
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**

Conduit joining system
Assembly Force of Plastic Underground Conduit Joints That Use Flexible Elastomeric Seals Located in the Bell, Test Method for, **F1429 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conduits
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits, Practice for, **F1947 (08.04)**
Installation of Folded/Formed Poly (Vinyl Chloride) (PVC) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Practice for, **F1867 (08.04)**
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**
Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector and CCTV Camera System, Practice for, **F3080 (04.12)**
Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, Test Methods for, **D6070 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F1743 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F2019 (08.04)**
Rehabilitation of Existing Sewers and Conduits with Deformed Polyethylene (PE) Liner, Practice for, **F1606 (08.04)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Selection of Gravity Sewers Suitable for Installation of Optical Fiber Cable and Conduits, Practice for, **F2303 (04.12)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Conduits—specifications
Asbestos-Cement Conduit, Specification for, **C875 (04.05)**
Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, Specification for, **F1504 (08.04)**
Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Specification for, **F1871 (08.04)**
Mechanical Couplings Used on Polyethylene Conduit, Duct and Innerduct, Specification for, **F2176 (08.04)**
Non-Asbestos Fiber-Cement Conduit, Specification for, **C1448/C1448M (04.05)**
Poly (Vinyl Chloride)(PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits, Specification for, **F1735 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, Specification for, **F512 (08.04)**
Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD), Specification for, **F2160 (08.04)**

Condylar design
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**

Cone-and-plate viscometers
Sa **Viscometers**
High-Shear Viscosity Using a Cone/Plate Viscometer, Test Method for, **D4287 (06.01)**

Cone-bleed test
Oil Separation from Lubricating Grease (Conical Sieve Method), Test Method for, **D6184 (05.03)**

Cone calorimeter
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, Test Method for, **D6113 (10.02)**

Cone corrosimeter
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**

Cone penetration
Sa **Penetration**
Cone Penetration of Lubricating Grease, Test Methods for, **D217 (05.01)**
Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment, Test Methods for, **D1403 (05.01)**
Cone Penetration of Petrolatum, Test Method for, **D937 (05.01)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Roll Stability of Lubricating Grease, Test Method for, **D1831 (05.01)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Shear Stability of Lubricating Grease in Presence of Water (Water Stability Test), Test Method for, **D7342 (05.04)**
Yield Stress of Heterogeneous Propellants by Cone Penetration Method, Test Method for, **D2884 (05.01)**

Cone penetrometer test
Cone Penetrometer Technology Characterization of Petroleum Contaminated Sites with Nitrogen Laser-Induced Fluorescence, Practice for, **D6187 (04.09)**
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**

Cone preparation
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**

Cone proof load test
See **Proof load**

Cone tests
Slump of Hydraulic-Cement Concrete, Test Method for, **C143/C143M (04.02)**

Conference center
Evaluation and Selection of Destinations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2741 (04.12)**
Evaluation and Selection of Exhibits for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2742 (04.12)**
Evaluation and Selection of Transportation for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2743 (04.12)**
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Confidence interval/limit/coefficient
Conducting Equivalence Testing in Laboratory Applications, Practice for, **E2935 (14.02)**
Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, Practice for, **D6250 (11.04)**
Preparing and Interpreting Precision and Bias Statements in Test Method Standards Used in the Nuclear Industry, Guide for, **C1215 (12.01)**
Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Nonconformities, Using Attribute Data, When There is a Zero Response in the Sample, Practice for, **E2334 (14.02)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**
Confidentiality
Amendments to Health Information, Guide for, **E2017 (14.01)**
Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, Guide for, **E1869 (14.01)**
Developing a Disaster Recovery Plan for Medical Transcription Departments and Businesses, Guide for, **E2682 (14.01)**
Configuration
Computed Radiography, Guide for, **E2007 (03.03)**
Configuration of Zinc and Zinc Alloy Jumbo, Block, Half Block, and Slab Ingot, Specification for, **B897 (02.04)**
Configuration control
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
Configuration of joining system
Reinforced Epoxy Resin Gas Pressure Pipe and Fittings, Specification for, **D2517 (08.03)**
Confined aquifers
Sa **Aquifers**
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**
Confined areas/spaces
Acquisition, Maintenance, Storage, and Use of Hazardous Material Detection Instrumentation, Guide for, **E2852 (15.08)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Inclined Planes, Test Method for, **E2803 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Crossing Pitch/Roll Ramps, Test Method for, **E2827 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Symmetric Stepfields, Test Method for, **E2828 (15.08)**
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**
Selection of Hardline Communication Systems for Confined-Space Rescue, Guide for, **F1764 (13.02)**
Confined waters
Escort Vessel Evaluation and Selection, Guide for, **F1878 (01.07)**
Confirmed or suspected oil spills
See **Oil spill control systems**
Conformable sensor arrays
Eddy Current Testing of Electrically Conducting Materials Using Conformable Sensor Arrays, Guide for, **E2884 (03.03)**
Conformal measurement surfaces
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Conformance/conformity assessment
Conformity Assessment of Protective Clothing Worn by Operators Applying Pesticides, Practice for, **F2962 (11.03)**
Data Assessment for Environmental Waste Management Activities, Guide for, **D6233 (11.04)**
Declarable Substances in Materials, Terminology Relating to, **F2576 (10.04)**
Deflection of Resilient Floor Tile, Test Method for, **F1304 (15.04)**
Determining the Specification Conformance of Geosynthetics, Practice for, **D4759 (04.13)**
Establishing Color and Gloss Tolerances, Practice for, **D3134 (06.01)**
Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, Practice for, **A1004/A1004M (01.06)**
Force Calibration of Thermomechanical Analyzers, Test Method for, **E2206 (14.02)**
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**
Performing Evaluations of Underground Storage Tank Systems for Operational Conformance with 40 CFR, Part 280 Regulations, Guide for, **E1990 (11.05)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**
Quality Assurance of Pressure-Sensitive Tapes, Practice for, **D3715/D3715M (15.10)**
Use of Certification of Coating Conformance Form, Guide for, **D5063 (06.02)**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**
Conformity
Loss Modulus Conformance of Dynamic Mechanical Analyzers, Test Method for, **E2425 (14.02)**
Mass Scale Calibration of Thermogravimetric Analyzers, Test Method for, **E2040 (14.02)**
Storage Modulus Calibration of Dynamic Mechanical Analyzers, Test Method for, **E2254 (14.02)**
Congealing point
Congealing Point of Petroleum Waxes, Including Petrolatum, Test Method for, **D938 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Congruent phases
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Conical flasks
Sa **Flasks (laboratory)—specifications**
Laboratory Glass Conical Flasks, Specification for, **E1404 (14.04)**
Conical graduates
Pharmaceutical Glass Graduates, Specification for, **E1094 (14.04)**
Conical influx/efflux distribution
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Conical mandrel apparatus
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Conical radiant heater
Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater, Test Method for, **E2102 (04.07)**
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**
Conical sieve method
Oil Separation from Lubricating Grease (Conical Sieve Method), Test Method for, **D6184 (05.03)**
Conical tow net method
Sampling Phytoplankton with Conical Tow Nets, Practice for, **D4132 (11.02)**
Sampling Zooplankton with Conical Tow Nets, Practice for, **E1201 (11.02)**
Connectability
Evaluating Connectability Characteristics of Electrical Conductor Materials, Test Methods for, **B896 (02.04)**
Connection strength
Determining Connection Strength Between Geosynthetic Reinforcement and Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6638 (04.13)**
Connector
Evaluating Thermal EMF Properties of Base-Metal Thermocouple Connectors, Test Method for, **E2820 (14.03)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Connectors
Contact Performance Classification of Electrical Connection Systems, Practice for, **B868 (02.04)**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Emergency Joining of Booms with Incompatible Connectors, Practice for, **F1657/F1657M (11.05)**
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Nanosecond Event Detection for Electrical Contacts and Connectors, Test Method for, **B878 (02.04)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, Specification for, **F1282 (08.04)**
Connectors (electrical)
Miniature Thermocouple Connectors, Specification for, **E1684 (14.03)**
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**
Connectors (resilient)
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Conradson method
Sa **Residue—petroleum products**
Coking Value of Tar and Pitch (Modified Conradson), Test Method for, **D2416 (05.01)**
Conradson Carbon Residue of Petroleum Products, Test Method for, **D189 (05.01)**
Consensus
Consensus-based Process for an Occupational Safety and Health Standard that Includes an Occupational Exposure Guideline, Guide for, **E2565 (11.03)**
Consensus-based Environmental Decision-making (CBED)
Framework for a Consensus-based Environmental Decision-making Process, Guide for, **E2348 (11.05)**
Consequence of coatings failure
See **Failure end point—paints/related coatings**
Conservation
Water Conservation in Buildings Through In-Situ Water Reclamation, Practice for, **E2635 (04.12)**
Consistency
Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer, Test Method for, **D562 (06.01)**
Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test, Test Method for, **C860 (15.01)**
Determining the Consistency of Viscous Liquids Using a Consistometer, Test Method for, **F1080 (15.03)**
Dropping Point of Waxes, Test Method for, **D3954 (15.04)**
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Mastics and Coatings Used With Thermal Insulation, Test Methods for, **C461 (04.06)**
Measuring Consistency of Castable Refractory Using a Flow Table, Test Method for, **C1445 (15.01)**
Measuring Consistency of Self-Flowing Castable Refractories, Test Method for, **C1446 (15.01)**
Penetration Index of Asbestos, Test Method for, **C1125 (04.05)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Selecting and Characterizing Weathering Reference Materials, Practice for, **G156 (14.04)**
Slump of Hydraulic-Cement Concrete, Test Method for, **C143/C143M (04.02)**
Verifying the Consistency of AE-Sensor Response Using an Acrylic Rod, Practice for, **E2075/E2075M (03.03)**
Consistency—adhesives
Storage Life of Adhesives by Viscosity and Bond Strength, Practice for, **D1337 (15.06)**
Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, Practice for, **D1338 (15.06)**
Consistency—asphalts
Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, Specification for, **D2824/D2824M (04.04)**
Asphalt Roof Coatings—Asbestos-Free, Specification for, **D4479/D4479M (04.04)**
Asphalt Roof Coatings, Asbestos-Containing, Specification for, **D2823/D2823M (04.04)**
Consistency—cement
Amount of Water Required for Normal Consistency of Hydraulic Cement Paste, Test Method for, **C187 (04.01)**
Consistency—concrete
Determining Consistency and Density of Roller-Compacted Concrete Using a Vibrating Table, Test Method for, **C1170/C1170M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), Test Method for, **C939 (04.02)**
Proportioning Grout Mixtures for Preplaced-Aggregate Concrete, Practice for, **C938 (04.02)**

Consistency—paving materials/applications
Design, Testing, and Construction of Micro-Surfacing, Practice for, **D6372 (04.03)**
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Penetration of Bituminous Materials, Test Method for, **D5/D5M (04.03)**

Consistency—petroleum products
Cone Penetration of Lubricating Grease, Test Methods for, **D217 (05.01)**
Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment, Test Methods for, **D1403 (05.01)**
Roll Stability of Lubricating Grease, Test Method for, **D1831 (05.01)**

Consolidants
Selection and Use of Stone Consolidants, Guide for, **E2167 (04.12)**

Consolidated drain conditions
Consolidated Drained Triaxial Compression Test for Soils, Test Method for, **D7181 (04.09)**
Direct Shear Test of Soils Under Consolidated Drained Conditions, Test Method for, **D3080/D3080M (04.08)**
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**

Consolidated solids
Sampling Consolidated Solids in Drums or Similar Containers, Practice for, **D5679 (11.04)**

Consolidated-undrained tests
Consolidated Undrained Direct Simple Shear Testing of Cohesive Soils, Test Method for, **D6528 (04.09)**
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**

Consolidation
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**
Repair and Restoration of Dimension Stone, Guide for, **C1722 (04.07)**

Constant air pressure testing
Constant Air Inflatable Play Devices for Home Use, Consumer Safety Specification for, **F2729 (15.11)**

Constant-amplitude axial tension-compression fatigue
Constant Amplitude of Force Controlled Fatigue Testing of Acrylic Bone Cement Materials, Test Method for, **F2118 (13.01)**

Constant-amplitude axial tension-tension fatigue
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures, Practice for, **C1361 (15.01)**

Constant amplitude bending fatigue test
Metallic Bone Staples, Specification and Test Methods for, **F564 (13.01)**

Constant cooling rate method
Cloud Point of Petroleum Products (Constant Cooling Rate Method), Test Method for, **D5773 (05.02)**

Constant-current electrolytic method
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**

Constant current flux reset test method (CCFR)
Magnetic Properties of Magnetic Amplifier Cores, Test Method for, **A598/A598M (03.04)**

Constant/cycle methods
Water Vapor Transmission of Shipping Containers—Constant and Cycle Methods, Test Methods for, **D4279 (15.10)**

Constant deflection
Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, Test Method for, **D3681 (08.03)**

Constant deformation
Preparation and Use of Bent-Beam Stress-Corrosion Test Specimens, Practice for, **G39 (03.02)**

Constant flow/internal pressure
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**

Constant force/displacement testing
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**

Constant head testing
Biological Clogging of Geotextile or Soil/Geotextile Filters, Test Method for, **D1987 (04.13)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Permeability of Granular Soils (Constant Head), Test Method for, **D2434 (04.08)**
Testing Vertical Strip Drains in the Crimped Condition, Test Method for, **D6918 (04.13)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**

Constant ligament stress
Notched, Constant Ligament-Stress (NCLS) Test to Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe, Test Method for, **F2136 (08.04)**

Constant load
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**

Constant-load-amplitude fatigue crack growth rates
Conducting Force Controlled Constant Amplitude Axial Fatigue Tests of Metallic Materials, Practice for, **E466 (03.01)**
Measurement of Fatigue Crack Growth Rates, Test Method for, **E647 (03.01)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, Practice for, **E467 (03.01)**

Constant-rate-of-elongation
See **Carbon black sampling**

Constant rate-of-extension (CRE) test
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Bursting Strength of Fabrics Constant-Rate-of-Extension (CRE) Ball Burst Test, Test Method for, **D6797 (07.02)**
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2731 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Peel Strength (T Method) of Hook and Loop Touch Fasteners, Test Method for, **D5170 (07.02)**
Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners, Test Method for, **D5169 (07.02)**
Stretch Properties of Textile Fabrics – CRE Method, Test Method for, **D6614 (07.02)**
Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine), Test Method for, **D2261 (07.01)**
Tearing Strength of Fabrics by Trapezoid Procedure, Test Method for, **D5587 (07.02)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**
Tensile Testing Machines for Textiles, Specification for, **D76/D76M (07.01)**
Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine), Test Method for, **D4964 (07.02)**
Unwind Force of Pressure-Sensitive Tapes, Test Method for, **D3811/D3811M (15.10)**

Constant rate of flow test
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**

Constant rate-of-load (CRL) test
Tensile Testing Machines for Textiles, Specification for, **D76/D76M (07.01)**

Constant rate-of-traverse (CRT) test
Bursting Strength of Textiles—Constant-Rate-of-Traverse (CRT) Ball Burst Test, Test Method for, **D3787 (07.01)**
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Force Verification of Testing Machines, Practices for, **E4 (03.01)**
Tensile Testing Machines for Textiles, Specification for, **D76/D76M (07.01)**

Constant-rate pumping test
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**

Constant relafive humidity
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**

Constant strain
Bulge-Forming Superplastic Metallic Sheet, Test Methods for, **E2712 (03.01)**
Evaluating the Tear Resistance of a Sealant Under Constant Strain, Test Method for, **C1681 (04.07)**

Constant stress-rate flexural testing
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, Test Method for, **C1576 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures, Test Method for, **C1465 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**

Constant temperature cycle test
See **Temperature tests**

Constant-temperature stability
Sa **Thermal stability**
Constant-Temperature Stability of Chemical Materials, Test Method for, **E487 (14.02)**

Constant tensile load joint test (CTLJT)
Constant Tensile Load Joint Test (CTLJT), Test Method for, **F1588 (08.04)**

Constant-torque Gieseler plastometer
See **Gieseler plastometer**

Constant volume chamber
Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, Test Method for, **D6890 (05.05)**

Constant volume vane pump
Indicating Wear Characteristics of Petroleum Hydraulic Fluids in a High Pressure Constant Volume Vane Pump, Test Method for, **D6973 (05.04)**

Constitutional diagram
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Constraint
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**

Constructing masonry prisms
Compressive Strength of Masonry Prisms, Test Method for, **C1314 (04.05)**

Constructing test results
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**

Construction
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Certification Bodies that Certify Personnel Engaged in Inspection and Testing of Construction Activities and Materials Used in Construction, Including Special Inspection, Practice for, **E2833 (14.02)**
Construction of Chain-Link Tennis Court Fence, Practice for, **F969 (01.06)**
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**
Construction of Sounding Tube and Striker Plate for Tank Sounding, Guide for, **F1386 (01.07)**
Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, Practice for, **E2625 (11.03)**
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
Fabrication of Fiberboard Shipping Boxes, Practice for, **D5118/D5118M (15.10)**
Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction, Test Method for, **E2912 (04.07)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Job Productivity Measurement, Practice for, **E2691 (04.12)**
Petrographic Examination of Dimension Stone, Guide for, **C1721 (04.07)**
Platforms in Cargo Tanks, Practice for, **F1385 (01.07)**
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Construction—building materials/applications
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Establishing Recommended Design Stresses for Round Timber Construction Poles, Specification and Test Method for, **D3200 (04.10)**
Fire-Resistive Joint Systems, Test Method for, **E1966 (04.07)**
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**
Selecting Techniques for Treating Uncertainty and Risk in the

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Vegetative (Green) Roof Systems, Guide for, **E2777 (04.04)**

Construction—electronic components/systems
Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, Specification for, **F2342/F2342M (15.12)**

Construction—environmental materials/applications
Construction of Live Fascines on Slopes, Practice for, **D6599 (04.09)**
Exposure and Retrieval of Samples to Evaluate Installation Damage of Geosynthetics, Practice for, **D5818 (04.13)**
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**
Use of Scrap Tires in Civil Engineering Applications, Practice for, **D6270 (11.04)**

Construction—paving applications
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Design, Testing, and Construction of Micro-Surfacing, Practice for, **D6372 (04.03)**
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**

Construction—sports environments
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**
Construction and Maintenance of Skinned Areas on Baseball and Softball Fields, Guide for, **F2107 (15.07)**

Construction—textile fabrics/fibers
Binding Sites per Unit Length or Width of Pile Yarn Floor Coverings, Test Method for, **D5793 (07.02)**
Designation of Yarn Construction, Practice for, **D1244 (07.01)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Mass Per Unit Area of Pile Yarn Floor Coverings, Test Method for, **D5848 (07.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Tuft Height of Pile Floor Coverings, Test Method for, **D5823 (07.02)**
Warp (End) and Filling (Pick) Count of Woven Fabrics, Test Method for, **D3775 (07.01)**

Construction consistency
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**

Construction equipment engines
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Construction field requirements
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**

Construction insulation
See **Thermal insulating materials**

Construction materials
Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, Practice for, **C1077 (04.02)**
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Compatibility of Construction Material with Electrical Insulating Oil of Petroleum Origin, Test Methods for, **D3455 (10.03)**
Compatibility of Construction Material with Silicone Fluid Used for Electrical Insulation, Test Methods for, **D5282 (10.03)**
Conducting an Interlaboratory Test Program to Determine the Precision of Test Methods for Construction Materials, Practice for, **C802 (04.02)**
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Emission Cells for the Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D7143 (11.07)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Preparing Precision and Bias Statements for Test Methods for Construction Materials, Practice for, **C670 (04.02)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**

Construction materials—wood
See **Structural building materials/applications (wood)**

Construction quality assurance
Electrical Methods for Locating Leaks in Geomembranes Covered with Water or Earth Materials, Practices for, **D7007 (04.13)**

Consumer products
Adult Jewelry, Consumer Safety Specification for, **F2999 (15.11)**
Elastomeric Water Bottles, Specification for, **D4316 (09.02)**
Infant and Infant/Toddler Rockers, Consumer Safety Specification for, **F3084 (15.11)**
Male Condoms Made from Polyurethane, Specification for, **D6324 (09.02)**
One Time Use Portable Emergency Fuel Containers (PEFC) for Use by Consumers, Specification for, **F2874 (15.11)**
Sensory Evaluation Methods to Determine the Sensory Shelf Life of Consumer Products, Guide for, **E2454 (15.08)**
Sensory Evaluation of Products by Children and Minors, Guide for, **E2299 (15.08)**
Tenderness Marketing Claims Associated with Meat Cuts Derived from Beef, Specification for, **F2925 (15.12)**
Testing Leave-On Products Using In-Situ Methods, Guide for, **E2361 (11.05)**

Consumer products—specifications
Commercial Cribs, Consumer Safety Performance Specification for, **F2710 (15.11)**
Consumer Trampoline Enclosures, Safety Specification for, **F2225 (15.07)**
Determination of Child Resistance of Portable Fuel Containers for Consumer Use, Specification for, **F2517 (15.11)**
Diaper Changing Tables for Commercial Use, Consumer Safety Performance Specification for, **F2285 (15.11)**
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Frame Child Carriers, Consumer Safety Specification for, **F2549 (15.11)**
Infant Bath Tubs, Consumer Safety Specification for, **F2670 (15.11)**
Labeling for Upright Brooms for Consumer and Institutional Use, Specification for, **F2367 (15.11)**
Labeling for Wet Mops for Consumer and Institutional Use, Specification for, **F2368 (15.11)**
Natural Rubber Finger Cots, Specification for, **D3772 (09.02)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Rubber Examination Gloves, Specification for, **D3578 (09.02)**
Rubber General Purpose, Household or Beautician Gloves, Specification for, **D4679 (09.02)**
Rubber Surgical Drainage Tubes, Penrose-Type, Specification for, **D3579 (09.02)**
Rubber Surgical Gloves, Specification for, **D3577 (09.02)**
Rubber-Coated Cloth Hospital Sheeting, Specification for, **D3738 (09.02)**

Consumer products—vacuum cleaners
See **Vacuum cleaners/systems**

Consumer safety specifications
Baby Monitors, Consumer Safety Specification for, **F2951 (15.11)**
Booster Seats, Consumer Safety Specification for, **F2640 (15.11)**
Candle Fire Safety Labeling, Specification for, **F2058 (15.11)**
Crib Mattresses, Consumer Safety Specification for, **F2933 (15.11)**
Drawstrings on Childrens Upper Outerwear, Safety Specification for, **F1816 (15.11)**
Infant and Infant/Toddler Rockers, Consumer Safety Specification for, **F3084 (15.11)**
Infant Bath Tubs, Consumer Safety Specification for, **F2670 (15.11)**
Lighters, Consumer Safety Specification for, **F400 (15.11)**
Portable and Permanent Emergency Escape Ladders for Residential Use, Specification for, **F2175 (15.11)**
Portable Kerosene and Diesel Containers for Consumer Use, Specification for, **F976 (15.11)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2641 (15.11)**
Safety and Performance of Fun-Karts, Specification for, **F2011 (15.11)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2642 (15.11)**
Shopping Carts, Consumer Safety Performance Specification for, **F2372 (15.11)**
Sling Carriers, Consumer Safety Specification for, **F2907 (15.11)**
Toddler Beds, Consumer Safety Specification for, **F1821 (15.11)**
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**
Wall Covering by Use Characteristics, Classification of, **F793 (15.11)**
Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, Safety Specification for, **F2006 (15.11)**
Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, Specification for, **F2090 (15.11)**

Consumer safety specifications (bathrooms)
Diaper Changing Tables for Commercial Use, Consumer Safety Performance Specification for, **F2285 (15.11)**
Grab Bars and Accessories Installed in the Bathing Area, Consumer Safety Specification for, **F446 (15.11)**
Scald-Preventing Devices and Systems in Bathing Areas, Consumer Safety Specification for, **F444 (15.11)**
Slip-Resistant Bathing Facilities, Consumer Safety Specification for, **F462 (15.11)**
Thermal-Shock-Preventing Devices and Systems in Showering Areas, Consumer Safety Specification for, **F445 (15.11)**

Consumer safety specifications (containers)
Cautionary Labeling of Portable Gasoline Containers for Consumer Use, Specification for, **F839 (15.11)**
Portable Gasoline Containers for Consumer Use, Specification for, **F852 (15.11)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**

Consumer safety specifications (guns)
Non-Powder Gun Projectiles and Propellants, Consumer Safety Specification for, **F590 (15.11)**
Non-Powder Guns, Consumer Safety Specification for, **F589 (15.11)**
Paintball Marker Threaded-Propellant Source Interface, Specification for, **F1750 (15.07)**

Consumer safety specifications (infants/children)
Baby Changing Tables for Domestic Use, Consumer Safety Specification for, **F2388 (15.11)**
Bassinets and Cradles, Consumer Safety Specification for, **F2194 (15.11)**
Bunk Beds, Consumer Safety Specification for, **F1427 (15.11)**
Carriages and Strollers, Consumer Safety Performance Specification for, **F833 (15.11)**
Chests, Door Chests, and Dressers, Safety Specification for, **F2057 (15.11)**
Clothing Storage Chests, Consumer Safety Specification for, **F2598 (15.11)**
Commercial Cribs, Consumer Safety Performance Specification for, **F2710 (15.11)**
Consumer Product Safety for Children's Jewelry, Specification for, **F2923 (15.11)**
Crib Mattresses, Consumer Safety Specification for, **F2933 (15.11)**
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Frame Child Carriers, Consumer Safety Specification for, **F2549 (15.11)**
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
Hand-Held Infant Carriers, Consumer Safety Specification for, **F2050 (15.11)**
High Chairs, Consumer Safety Specification for, **F404 (15.11)**
Infant and Infant/Toddler Rockers, Consumer Safety Specification for, **F3084 (15.11)**
Infant Bath Seats, Consumer Safety Specification for, **F1967 (15.11)**
Infant Bath Tubs, Consumer Safety Specification for, **F2670 (15.11)**
Infant Bedding and Related Accessories, Consumer Safety Performance Specification for, **F1917 (15.11)**
Infant Bouncer Seats, Consumer Safety Specification for, **F2167 (15.11)**
Infant Swings, Consumer Safety Specification for, **F2088 (15.11)**
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**
Non-Full-Size Baby Cribs/Play Yards, Consumer Safety Specification for, **F406 (15.11)**
Portable Bed Rails, Consumer Safety Specification for, **F2085 (15.11)**
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**
Soft Infant and Toddler Carriers, Consumer Safety Specification for, **F2236 (15.11)**
Toy Chests, Consumer Safety Specification for, **F834 (15.11)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**

Consumer safety specifications (playgrounds)
Components, Assembly, Use, and Labeling of Consumer Trampolines, Safety Specification for, **F381 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**
Stationary Activity Centers, Consumer Safety Performance Specification for, **F2012 (15.11)**

Consumer safety specifications (sports equipment)
Sa **Sports protective equipment—specifications**
Consumer Trampoline Enclosures, Safety Specification for, **F2225 (15.07)**
Non-Powered Scooters, Consumer Safety Specification for, **F2264 (15.11)**
Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, Specification for, **F1250 (15.07)**

Consumer textile products
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Care Symbols for Care Instructions on Textile Products, Guide for, **D5489 (07.02)**

Contact adhesives
Multi-Modal Strength Testing of Autohesives (Contact Adhesives), Test Methods for, **D1995 (15.06)**

Contact allergens
Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, Practice for, **F720 (13.01)**

Contact angle
Annular Ball Bearings for Instruments and Precision Rotating Components, Specification for, **F2332 (01.08)**
Corona-Treated Polymer Films Using Water Contact Angle Measurements, Test Method for, **D5946 (08.03)**
Measurement of the Surface Tension of Solid Coatings, Substrates and Pigments using Contact Angle Measurements, Test Method for, **D7490 (06.01)**
Surface Wettability of Coatings, Substrates and Pigments by Advancing Contact Angle Measurement, Practice for, **D7334 (06.01)**

Contact bounce time
Determining the Contact Bounce Time of a Membrane Switch, Test Method for, **F1661 (10.04)**

Contact burning injuries
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**

Contact closure
Contact Closure Cycling of a Membrane Switch, Test Method for, **F1578 (10.04)**
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**
Determining the Effects of Atmospheric Pressure Variation on a Membrane Switch, Test Method for, **F1762 (10.04)**

Contact compatibility
Contact Compatibility Between Asphaltic Materials (Oliensis Test), Test Method for, **D1370/D1370M (04.04)**

Contact examination
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**

Contact focus probes
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**

Contact inserts
Miniature Thermocouple Connectors, Specification for, **E1684 (14.03)**

Contact molded pipe/flanges—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D5421 (08.03)**
Contact-Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Corrosion Resistant Pipe and Fittings, Specification for, **D6041 (08.03)**

Contact noise
Measuring Electrical Contact Noise in Sliding Electrical Contacts, Practice for, **B615 (02.04)**

Contact performance classification
Contact Performance Classification of Electrical Connection Systems, Practice for, **B868 (02.04)**

Contact pH
Determination of Contact pH with Activated Carbon, Test Method for, **D6851 (15.01)**

Contact resistance
Sa **Electrical resistance/resistivity**
Evaluating Connectability Characteristics of Electrical Conductor Materials, Test Methods for, **B896 (02.04)**
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Presence of Foreign Matter on Printed Wiring Board Contacts, Test Method for, **B885 (02.04)**

Contact stain
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**

Contact stock solutions
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**

Contact surfaces
Sa **Electrical contact materials**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**

Contact tests
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Ultrasonic Pulse-Echo Straight-Beam Contact Testing, Practice for, **E114 (03.03)**

Contact ultrasonic method
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**

Contact velocity (for electrical contact materials)
Arc Erosion Testing of Electrical Contact Materials, Guide for, **B576 (02.04)**

Contact-voltage drop
Measuring Voltage Drop on Closed Arcing Contacts, Guide for, **B497 (02.04)**

Contained fluids
Soil, Rock, and Contained Fluids, Terminology Relating to, **D653 (04.08)**

Containerboard
Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, Test Method for, **D3889/D3889M (15.10)**
Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Constant Stress, Test Method for, **D2860/D2860M (15.10)**
Commercial Packaging, Practice for, **D3951 (15.10)**
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**

Container leakage
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Determination of Leaks in Flexible Packaging by Bubble Emission, Test Method for, **D3078 (15.10)**
Determining Product Leakage from a Package with a Mechanical Pump Dispenser, Test Method for, **D6834 (15.10)**
Gross Leakage of Liquids from Containers with Threaded or Lug-Style Closures, Test Methods for, **D5094/D5094M (15.10)**
Leakage Testing of Empty Rigid Containers by Vacuum Method, Test Method for, **D4991 (15.10)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**

Containers
Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Loaded Containers, Test Method for, **D7435 (15.10)**
Hydrostatic Leak Testing, Practice for, **E1003 (03.03)**
Measurement of Torque Retention for Packages with Continuous Thread Closures Using Non-Automated (Manual) Torque Testing Equipment, Test Methods for, **D2063/D2063M (15.10)**
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
Pictorial Markings for Handling of Goods, Practice for, **D5445 (15.10)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Sampling, Storage, and Handling of Hydrocarbons for Mercury Analysis, Practice for, **D7482 (05.04)**
Vibration (Horizontal Linear Motion) Test of Products, Test Method for, **D5112 (15.10)**
Water Resistance of Shipping Containers by Spray Method, Test Method for, **D951 (15.10)**

Containers—aerosol
See **Aerosol containers/products**

Containers—drug
See **Drug containers/labels**

Containers—environmental applications
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Puncture Resistance of Materials Used in Containers for Discarded Medical Needles and Other Sharps, Specification for, **F2132 (13.01)**
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**
Sampling Waste and Soils for Volatile Organic Compounds, Guide for, **D4547 (11.04)**

Containers—fiberboard
See **Fiberboard containers**

Containers—gasoline (specifications)
Cautionary Labeling of Portable Gasoline Containers for Consumer Use, Specification for, **F839 (15.11)**
Determination of Child Resistance of Portable Fuel Containers for Consumer Use, Specification for, **F2517 (15.11)**
One Time Use Portable Emergency Fuel Containers (PEFC) for Use by Consumers, Specification for, **F2874 (15.11)**
Portable Gasoline Containers for Consumer Use, Specification for, **F852 (15.11)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**

Containers—kerosine (specifications)
Portable Kerosene and Diesel Containers for Consumer Use, Specification for, **F976 (15.11)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**

Containers—linerboard
See **Linerboard**

Containers—metal
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Liquid Chlorine, Specification for, **E1120 (15.05)**

Containers—plastic materials/applications
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**
Standard Plastics Industry Bulk Box/Pallet Unit Size Classified By Bulk Density, Classification for, **D6881/D6881M (15.10)**

Containers—pump dispensers
See **Pump dispensers**

Containers—shipping specifications
Sa **Shipping containers/materials/applications—specifications**
Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Loaded Containers, Test Method for, **D7435 (15.10)**

Containers—strapping
See **Strapping materials**

Containers—tank cars/wagons
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
Sampling Liquid Paints and Related Pigmented Coatings, Practice for, **D3925 (06.01)**

Containment booms
See **Booms**

Containment systems/applications
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Collecting Containment Boom Performance Data in Controlled Environments, Guide for, **F2084/F2084M (11.05)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Evaluating Load Containment Performance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5415 (15.10)**
Flood Testing Horizontal Waterproofing Installations, Guide for, **D5957 (04.04)**
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Nuclear-Grade Activated Carbon, Test Method for, **D3803 (15.01)**
Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, Practice for, **D5639/D5639M (15.10)**
Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, Practices for, **E745 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Containment systems/applications—specifications
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Non Reinforced PVC (Polyvinyl Chloride) Geomembrane Seams, Specification for, **D7408 (04.13)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Contaminant
Declarable Substances in Materials, Terminology Relating to, **F2576 (10.04)**
Interpretation of Mass Spectral Data Acquired with Time-of-Flight Secondary Ion Mass Spectroscopy, Guide for, **E2695 (03.06)**
Microscopic Characterization of Particles from In-Service Lubricants, Guide for, **D7684 (05.04)**
Residues in Liquefied Petroleum (LP) Gases by Gas Chromatography with Liquid, On-Column Injection, Test Method for, **D7756 (05.04)**
Contaminant adsorption
the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests, Practice for, **D6586 (15.01)**
Contaminant removal
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Contaminants—aggressive
Selection of Walkway Surfaces and Treatments When Considering Aggressive Contaminant Conditions in Commercial and Industrial (Not Including Construction) Environments, Guide for, **F2965 (15.07)**
Contaminated assets
Stakeholder-Focused, Consensus-Based Disaster Restoration Process for Contaminated Assets, Guide for, **E2541 (15.08)**
Contaminated media data collection activities
Sampling Soils and Contaminated Media with Hand-Operated Bucket Augers, Practice for, **D6907 (11.04)**
Contaminated walkway surfaces
Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, Guide for, **F1240 (15.07)**
Contamination
Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, Practice for, **D7416 (05.04)**
Automatic Particle Counting and Particle Shape Classification of Oils Using a Direct Imaging Integrated Tester, Test Method for, **D7596 (05.04)**
Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, Test Method for, **G144 (14.04)**
Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, Practice for, **G136 (14.04)**
Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier Transform Infrared Spectroscopy – Rapid Screening Method, Test Method for, **D7797 (05.04)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Hydrophobic Contamination on Glass by Contact Angle Measurement, Test Method for, **C813 (15.02)**
Leaks Using Bubble Emission Techniques, Practice for, **E515 (03.03)**
Presence of Foreign Matter on Printed Wiring Board Contacts, Test Method for, **B885 (02.04)**
Reporting and Assessment of Residues on Single Use Implants, Practice for, **F2847 (13.02)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Statistically Evaluating Measurand Alarm Limits when Using Oil Analysis to Monitor Equipment and Oil for Fitness and Contamination, Guide for, **D7720 (05.04)**
the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests, Practice for, **D6586 (15.01)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Contamination—adhesives
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Contamination—aerospace materials/applications
Aerospace Cleanrooms and Associated Controlled Environments—Cleanroom Operations, Practice for, **E2352 (15.03)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Design and Construction of Aerospace Cleanrooms and Contamination Controlled Areas, Practice for, **E2217 (15.03)**
ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, Specification for, **E1549/E1549M (15.03)**
Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, Test Method for, **E1235 (15.03)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Microscopical Sizing and Counting Particles from Aerospace Fluids on Membrane Filters, Test Methods for, **F312 (15.03)**
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
Preparation of Aerospace Contamination Control Plans, Practice for, **E1548 (15.03)**
Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **F311 (15.03)**
Sampling for Particulate Contamination by Tape Lift, Practice for, **E1216 (15.03)**
Sizing and Counting Particulate Contaminant In and On Clean Room Garments, Test Method for, **F51/F51M (15.03)**
Contamination—atmospheric
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Air Sampling Strategies for Worker and Workplace Protection, Guide for, **E1370 (11.07)**
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**

Contamination—coatings
Chemical Passivation Treatments for Stainless Steel Parts, Specification for, **A967/A967M (01.03)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Immersion Testing of Industrial Protective Coatings, Practice for, **D6943 (06.02)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**

Contamination—environmental
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, Guide for, **E1676 (11.06)**
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Data and Information Options for Conducting an Ecological Risk Assessment at Contaminated Sites, Guide for, **E2020 (11.05)**
Demonstrating and Assessing Whether a Chemical Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, Guide for, **D6956 (11.04)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Detecting Hot Spots Using Point-Net (Grid) Search Patterns, Practice for, **D6982 (11.04)**
Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, Practice for, **E1536 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, Practice for, **E1531 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, Practice for, **E1532 (14.02)**
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Indirect Detection of Mycoplasma in Cell Culture by 4`-6-Diamidino-2-2 Phenylindole (DAPI) Staining, Practice for, **E1533 (14.02)**
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Preparation of Aerospace Contamination Control Plans, Practice for, **E1548 (15.03)**
Risk-Based Corrective Action Applied at Petroleum Release Sites, Guide for, **E1739 (11.05)**
Sampling Oil/Water Mixtures for Oil Spill Recovery Equipment, Guide for, **F1084 (11.05)**
Selecting and Using Ecological Endpoints for Contaminated Sites, Guide for, **E1848 (11.05)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Indoor Air Quality, Guide for, **E2267 (04.12)**
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**

Contamination—food
Evaluating Effects of Contaminants on Odor and Taste of Exposed Fish, Practice for, **E1810 (15.08)**
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**

Contamination—insulation materials/applications
Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, Test Method for, **D2132 (10.01)**
Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, Test Method for, **D3756 (10.02)**
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**
Sediments and Soluble Sludge in Service-Aged Insulating Oils, Test Method for, **D1698 (10.03)**
Volatile Matter in Silicone Fluid, Test Method for, **D4559 (10.03)**

Contamination—medical materials/applications
Determination of Purity, Impurities, and Contaminants in Biological Drug Products, Guide for, **E1298 (14.02)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Poly(vinyl chloride) Gloves for Medical Application, Specification for, **D5250 (09.02)**

Contamination—nuclear
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Environmental Monitoring Plans for Decommissioning of Nuclear Facilities, Guide for, **E1819 (12.02)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Preparation and Dissolution of Plutonium Materials for Analysis, Practice for, **C1168 (12.01)**
Preparing Characterization Plans for Decommissioning Nuclear Facilities, Guide for, **E1892 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Unrestricted Disposition of Bulk Materials Containing Residual Amounts of Radioactivity, Guide for, **E1760 (12.02)**

Contamination—paints/coatings applications
Chemical Resistance of Pipeline Coatings, Test Method for, **G20 (06.02)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**
Solidification Point of Industrial Organic Chemicals by Thermistor, Test Method for, **D6875 (06.04)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**

Contamination—petroleum products
Aviation Fuel Sample Containers for Tests Affected by Trace Contamination, Practice for, **D4306 (05.02)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Cone Penetrometer Technology Characterization of Petroleum Contaminated Sites with Nitrogen Laser-Induced Fluorescence, Practice for, **D6187 (04.09)**
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**
Determination of Contaminants in Gas Turbine and Diesel Engine Fuel by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6728 (05.03)**
Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, Test Method for, **D5453 (05.02)**
Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6595 (05.03)**
Estimation of Deleterious Particles in Lubricating Grease, Test Method for, **D1404/D1404M (05.01)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Evaluation of Aqueous Polymer Quenchants, Guide for, **D6666 (05.03)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
Free Water, Particulate and Other Contamination in Aviation Fuels (Visual Inspection Procedures), Test Method for, **D6986 (05.04)**
In-Service Monitoring of Mineral Turbine Oils for Steam, Gas, and Combined Cycle Turbines, Practice for, **D4378 (05.02)**
Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, Test Method for, **D4898 (05.02)**
Microbial Contamination in Fuels and Fuel Systems, Guide for, **D6469 (05.03)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Particulate Contaminant in Aviation Fuel by Line Sampling, Test Method for, **D2276 (05.01)**
Particulate Contamination in Aviation Fuels by Laboratory Filtration, Test Method for, **D5452 (05.02)**
Performance Evaluation of Hydraulic Fluids for Piston Pumps, Guide for, **D6813 (05.03)**
Receipt, Storage, and Handling of Fuels for Gas Turbines, Practice for, **D4418 (05.02)**
Removing Volatile Contaminants from Used Engine Oils by Stripping, Test Method for, **D3607 (05.01)**

Contamination—plastics
Determination of Contamination in Recycled Poly(Ethylene Terephthalate) (PET) Flakes and Chips Using a Plaque Test, Practice for, **D5814 (08.03)**
Separation and Identification of Poly(Vinyl Chloride) (PVC) Contamination in Poly(Ethylene Terephthalate) (PET) Flake, Practice for, **D5991 (08.03)**
Separation and Washing of Recycled Plastics Prior to Testing, Practice for, **D6288 (08.03)**
Separation of Contaminants in Polymers Using an Extruder Filter Test, Practice for, **D6265 (08.03)**
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**

Contamination—semiconductors
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Hydrophobic Surface Films by the Atomizer Test, Test Method for, **F21 (15.03)**
Hydrophobic Surface Films by the Water-Break Test, Test Method for, **F22 (15.03)**

Contamination—soil
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, Guide for, **D6642 (04.09)**
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**
Detecting Hot Spots Using Point-Net (Grid) Search Patterns, Practice for, **D6982 (11.04)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Sampling with a Scoop, Practice for, **D5633 (11.04)**
Selection of Methods for Assessing Ground Water or Aquifer Sensitivity and Vulnerability, Guide for, **D6030 (04.09)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**

Contamination—solvents
Appearance of Admixtures Containing Halogenated Organic Solvents, Test Methods for, **D3741 (15.05)**
Specific Aqueous Conductance of Trichlorotrifluoroethane, Test Method for, **D3448 (15.05)**

Contamination—systems (materials/applications)
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Cleaning of Materials and Components by Ultrasonic Techniques, Practice for, **G131 (14.04)**
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**
Studying Fire Incidents in Oxygen Systems, Guide for, **G145 (14.04)**

Contamination—waste
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**
Environmental Site Assessments: Phase I Environmental Site Assessment Process, Practice for, **E1527 (11.05)**
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**
Limited Environmental Due Diligence: Transaction Screen Process, Practice for, **E1528 (11.05)**

Contamination—water
Sa **Ground water**
Sa **Wastewater testing/treatment**
Demulsibility Characteristics of Lubricating Oils, Test Method for, **D2711 (05.01)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Detecting Hot Spots Using Point-Net (Grid) Search Patterns, Practice for, **D6982 (11.04)**
Detection of Fouling and Degradation of Particulate Ion Exchange Materials, Guide for, **D5217 (11.02)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determining the Performance of Oil/Water Separators Subjected to a Sudden Release, Practice for, **D6157 (11.02)**
Determining the Performance of Oil/Water Separators Subjected to Surface Run-Off, Practice for, **D6104 (11.02)**
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Estimating the Organic Fouling of Particulate Anion Exchange Resins, Test Method for, **D5042 (11.02)**
Evaluation of Hydrocarbon-Based Quench Oil, Guide for, **D6710 (05.03)**
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**
Tritium in Drinking Water, Test Method for, **D4107 (11.02)**

Contamination—workplace
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**

Contamination materials handling plan (CMHP)
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**

Contamination prevention
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**

Contamination separation
Separation of Contaminants in Polymers Using an Extruder Filter Test, Practice for, **D6265 (08.03)**

Contingency
Allowance, Contingency, and Reserve Sums in Building Construction Estimating, Classification for, **E2168 (04.12)**

Contingency analysis
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**

Continuing dispatch education
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**

Continuing education
Certificate Programs, Practice for, **E2659 (14.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD), Guide for, **E2064 (14.02)**

Continuing obligations
Identifying and Complying With Continuing Obligations, Guide for, **E2790 (11.05)**

Continuity
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**

Continuity (low-/high-voltage)
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Continuity of Care Record (CCR)
Continuity of Care Record (CCR), Specification for, **E2369 (14.01)**

Continuity of weather barrier
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**

Continuity verification
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**

Continuous castings
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, Practice for, **B208 (02.01)**

Continuous coating transformation data
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**

Continuous electrodeionization (CEDI) devices
Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, Test Method for, **D6529 (11.02)**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**

Continuous-feed food processor
Food Processors, Electric, Specification for, **F1568 (15.12)**

Continuous fiber-reinforced ceramic composites (CFCC)
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Practice for, **C1360 (15.01)**
Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, Test Method for, **C1337 (15.01)**
Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites, Test Method for, **C1341 (15.01)**
Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, Test Method for, **C1358 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures, Test Method for, **C1359 (15.01)**
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**

Continuous fiber-reinforced composites
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**
Mixed Mode I-Mode II Interlaminar Fracture Toughness of Unidirectional Fiber Reinforced Polymer Matrix Composites, Test Method for, **D6671/D6671M (15.03)**
Monotonic Axial Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramic Tubular Test Specimens at Ambient Temperature, Test Method for, **C1773 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**

Continuous filament carbon/graphite materials
Packing Material, Graphitic or Carbon Braided Yarn, Specification for, **F2191 (01.07)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**

Continuous filament yarns
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**

Continuous flight augering
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**

Continuous-flow blood pumps
Assessment of Hemolysis in Continuous Flow Blood Pumps, Practice for, **F1841 (13.01)**

Continuous flow method
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**

Continuous forms
Evaluation of One-Time Carbon Paper in Carbon-Interleaved Business Forms by Use of an Electric Typewriter, Practice for, **F597 (15.09)**

Continuous friction measuring equipment
Correlations of Mu Values of Continuous Friction Measurement Equipment to Determine Maintenance Levels for Use at Airports, Practice for, **E2666 (04.03)**
Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, Specification for, **E1551 (04.03)**
Standard Guide for the Evaluation, and Calibration, Continuous Friction Measurement Equipment (CFME), Guide for, **E2883 (04.03)**

Continuous galvanizing-grade (CGG) zinc
Continuous Galvanizing Grade (CGG) Zinc Alloys for Hot-Dip Galvanizing of Sheet Steel, Specification for, **B852 (02.04)**

Continuous grade
Determining the Continuous Grading Temperatures and Continuous Grades for PG Graded Asphalt Binders, Practice for, **D7643 (04.03)**

Continuous grain flow (CGF) crankshafts
Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, Specification for, **A983/A983M (01.05)**
Magnetic Particle Examination of Continuous Grain Flow Crankshaft Forgings, Specification for, **A986/A986M (01.05)**

Continuous high-modulus fibers
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**

Continuous immersion
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**

Continuously-stirred growth reactor
Evaluating Disinfectant Efficacy Against, Test Method for, **E2871 (11.05)**
Quantification of a ***Pseudomonas aeruginosa*** Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, Test Method for, **E2196 (11.05)**

Continuous magnetization technique
See **Magnetic particle inspection**

Continuous measurement/monitoring
Sa **Automated procedures**
Sa **Monitoring**
Continuous Measurement of Dissolved Ozone in Low Conductivity Water, Test Method for the, **D7677 (11.01)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Monitoring of Suspended-Sediment Concentration in Open Channel Flow Using Optical Instrumentation, Guide for, **D7512 (11.01)**
pH of Water, Test Methods for, **D1293 (11.01)**

Continuous measurement/monitoring—atmospheric analysis
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), Test Methods for, **D5156 (11.07)**
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**
Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, Test Method for, **D5149 (11.07)**

Continuous mixing operations
Concrete Made by Volumetric Batching and Continuous Mixing, Specification for, **C685/C685M (04.02)**

Continuous noise
Measurement of Equipment-Generated Continuous Noise for Assessment of Health Hazards, Practice for, **E2202 (04.06)**

Continuous recording calorimeter
Sa **Differential scanning calorimetry (DSC)**
Calorific (Heating) Value of Gases in Natural Gas Range by Continuous Recording Calorimeter, Test Method for, **D1826 (05.06)**

Continuous reinforced concrete pavements
See **Pavement surfaces**

Continuous scanning motion
Viewing Conditions for Visual Inspection of Membrane Switches, Practice for, **F1595 (10.04)**

Continuous self-cleaning automatic strainers
Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, Specification for, **F1567 (01.07)**

Continuous separation/collection
Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), Test Method for, **D3267 (11.07)**

Continuous sizing/counting
See **Counting**

Continuous sodium measurement
Sa **Sodium content—water**
On-line Determination of Sodium in Water, Test Method for, **D2791 (11.01)**

Continuous thread closures
Measurement of Torque Retention for Packages with Continuous Thread Closures Using Non-Automated (Manual) Torque Testing Equipment, Test Methods for, **D2063/D2063M (15.10)**

Continuous-wave (CW) lasers
See **Lasers and laser applications**

Continuous-wave (CW) metal detector
Sa **Metal detection/metal detector**
Installation of Walk-Through Metal Detectors, Guide for, **C1238 (12.01)**

Continuous welding (CW)
Sa **Welded steel materials/applications—specifications**
Acoustic Emission Monitoring During Continuous Welding, Practice for, **E749/E749M (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
High-Strength Low-Alloy Welded and Seamless Steel Pipe, Specification for, **A714 (01.01)**

Continuous wetting conditions
Measuring the Coefficient of Retroreflected Luminance of Pavement Markings in a Standard Condition of Continuous Wetting (RL-2), Test Method for, **E2832 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Contour mining
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Contours
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**
Contraceptives
Male Condoms Made from Polyurethane, Specification for, **D6324 (09.02)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Rubber Contraceptives—Vaginal Diaphragms, Specification for, **D6976 (09.02)**
Contract administration
Database Structure of Electronic Data Interchange Between Ship Owner and Shipyard for Contract Administration, Guide for, **F2017 (01.07)**
Contracted-opening method
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Contraction
Expansion or Contraction of Coal by the Sole-Heated Oven, Test Method for, **D2014 (05.06)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Pipeline Expansion Joints of the Packed Slip Type for Marine Application, Specification for, **F1007 (01.07)**
Contractors
Determining Coating Contractor Qualifications for Nuclear Powered Electric Generation Facilities, Practice for, **D4286 (06.02)**
Contractor self assessment
Contractor Self Assessment for U.S. Government Property Management Systems, Guide for, **E2936 (04.12)**
Contraflow
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**
Contrast
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Contrast-detail-dose (CDD)
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Contrast detail dose curves
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Contrast discrimination
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**
Contrast manipulation/sensitivity
Calibrating and Measuring CT Density, Test Method for, **E1935 (03.03)**
Evaluating the Performance of Radiographic Digitization Systems, Reference Radiograph for, **E1936 (03.03)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Contrast potential (index)
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Contrast ratio
Hiding Power of Paints by Reflectometry, Test Method for, **D2805 (06.01)**
Measuring the Hiding Power of Powder Coatings, Test Methods for, **D6441 (06.02)**
Contrast sensitivity
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining Total Image Unsharpness in Radiology, Practice for, **E2002 (03.03)**
Manufacturing Characterization of Digital Detector Arrays, Practice for, **E2597/E2597M (03.03)**
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**
Control
Preferred Methods for Acceptance of Product, Guide for, **E2910 (14.02)**
Verification of Process Analytical Technology (PAT) Enabled Control Systems, Guide for, **E2629 (14.02)**
Control charts
Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E882 (03.05)**
Developing Appropriate Statistical Approaches for Groundwater Detection Monitoring Programs, Guide for, **D6312 (04.09)**
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**
Use of Control Charts in Statistical Process Control, Practice for, **E2587 (14.02)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**
Control chart technique
Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems, Practice for, **D6122 (05.02)**
Control communications channels
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
Control/display integration
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Control fraction
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Control joint
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**
Determining the Fire Resistance of Continuity Head-of-Wall Joint Systems Installed Between Rated Wall Assemblies and Nonrated Horizontal Assemblies, Test Method for, **E2837 (04.07)**
Controllability
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Controllability and maneuverability
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Controlled access search/screening
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, Practice for, **F1468 (15.08)**
Controlled-composting biodegradability
See **Aerobic/anaerobic biodegradation**
Controlled descent device
Multi-Story Building External Evacuation Controlled Descent Devices, Specification for, **E2484 (04.12)**
Controlled diameters (inside)
Asbestos Tubular Sleeving, Specification for, **D628/D628M (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F794 (08.04)**

Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter, Specification for, **D2239 (08.04)**

Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**

Controlled diameters (outside)

3.25-in. Outside Diameter Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2949 (08.04)**

Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Tubing OD Controlled SDR9, Specification for, **F2262 (08.04)**

Metallic Mechanical Fittings for Use on Outside Diameter Controlled Thermoplastic Gas Distribution Pipe and Tubing, Specification for, **F1948 (08.04)**

Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F1924 (08.04)**

Polyamide 11 (PA 11) and Polyamide 12 (PA12) Mechanical Fittings for Use on Outside Diameter Controlled Polyamide 11 and Polyamide 12 Pipe and Tubing, Specification for, **F2145 (08.04)**

Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter, Specification for, **D3035 (08.04)**

Polyethylene (PE) Plastic Pipe (DR-PR) Based on Outside Diameter, Specification for, **F714 (08.04)**

Controlled expansion alloy

Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**

Controlled leakage rate

pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**

Controlled low strength material (CLSM)

See **CLSM (controlled low strength material)**

Controlled-potential coulometry

See **Coulometry**

Controlled relative humidity environments

See **Relative humidity (RH)**

Controlled temperature bath

the Preparation and Evaluation of Liquid Baths Used for Temperature Calibration by Comparison, Guide for, **E2488 (14.03)**

Controlled testing conditions/environments

Acoustic Emission Monitoring of Structures During Controlled Stimulation, Practice for, **E569/E569M (03.03)**

Aerospace Cleanrooms and Associated Controlled Environments—Cleanroom Operations, Practice for, **E2352 (15.03)**

Cleaning and Maintaining Controlled Areas and Clean Rooms, Practice for, **E2042/E2042M (15.03)**

Collecting Containment Boom Performance Data in Controlled Environments, Guide for, **F2084/F2084M (11.05)**

Collecting Skimmer Performance Data in Controlled Environments, Guide for, **F631 (11.05)**

Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**

Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**

Determining Aerobic Biodegradation of Plastic Materials Under Controlled Composting Conditions, Incorporating Thermophilic Temperatures, Test Method for, **D5338 (08.03)**

Establishing and Controlling Atomic Emission Spectrochemical Analytical Curves, Practice for, **E305 (03.05)**

Evaluation of Antimicrobial Formulations by the Agar Patch Technique, Test Method for, **E1882 (11.05)**

Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**

One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**

Operating Salt Spray (Fog) Apparatus, Practice for, **B117 (03.02)**

Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**

Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**

Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**

Controller

On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**

Controlling spectrochemical analytical curves

Establishing and Controlling Atomic Emission Spectrochemical Analytical Curves, Practice for, **E305 (03.05)**

Control odor score

Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Control rinse water

Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**

Control sample program

Estimating and Monitoring the Uncertainty of Test Results of a Test Method Using Control Chart Techniques, Practice for, **E2554 (14.02)**

Control sediment

Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**

Control spaces

Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Control (thermal expansion)

Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**

Control valves

Pneumatic-Operated, Globe-Style, Control Valves, Specification for, **F1985 (01.07)**

Control wells

(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**

(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**

(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**

(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**

(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**

(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**

(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**

(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**

Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**

Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Procedure) for, **D6028 (04.09)**
Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Monitoring Well Protection, Practice for, **D5787 (04.08)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**

Convection food service equipment
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**
Convection Oven Gas or Electric, Specification for, **F2092 (15.12)**
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**

Convection oven
Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, Test Method for, **F2199 (15.04)**
Enhanced Performance of Combination Oven in Various Modes, Test Method for, **F2861 (15.12)**

Convective energy
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**
Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure, Practice for, **F2621 (10.03)**
Determining the Arc Rating of Materials for Clothing, Test Method for, **F1959/F1959M (10.03)**
Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, Test Method for, **F1958/F1958M (10.03)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, Test Method for, **E598 (15.03)**

Convective heat transfer coefficient
Evaluation of Convective Heat Transfer Coefficient of Liquids, Guide for, **D7863 (05.04)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**

Conventionally sealed insulating glass (IG) units
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**

Convergence
Extensometers Used in Rock, Practice for, **D4403 (04.08)**

Conversation
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Conversion
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**

Conversion coatings
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings, Practice for, **B281 (02.05)**
Preparation of Zinc Alloy Die Castings for Electroplating and Conversion Coatings, Guide for, **B252 (02.05)**
Testing Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B201 (02.05)**

Conversion coatings—specifications
Chromates on Aluminum, Specification for, **B449 (02.05)**
Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, Specification for, **B921 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**

Conversion units/factors
Conversion Factors and Equivalent Yarn Numbers Measured in Various Numbering Systems, Tables of, **D2260 (07.01)**
Conversion of Kinematic Viscosity to Saybolt Universal Viscosity or to Saybolt Furol Viscosity, Practice for, **D2161 (05.01)**
Conversion Units and Factors Relating to Sampling and Analysis of Atmospheres, Practice for, **D1914 (11.07)**
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Interconversion of Analysis of C5 and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Mass Basis, Practice for, **D2421 (05.01)**
Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness, Hardness Conversion Tables for, **E140 (03.01)**
Reporting Properties for Plastics and Thermoplastic Elastomers, Guide for, **D6436 (08.03)**
Reporting Results of Analysis of Water, Guide for, **D596 (11.01)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), Practice for, **F1332 (01.07)**

Convex measurement surfaces
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**

Conveyor belts
Collection of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6970 (05.03)**
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Sampling Waste Streams on Conveyors, Practice for, **D7204 (11.04)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**

Conveyor broilers
Performance of Conveyor Broilers, Test Method for, **F2239 (15.12)**

Conveyor ovens
Performance of Conveyor Ovens, Test Method for, **F1817 (15.12)**

Conveyor rack dishwashing machines
See **Dishwashing equipment (commercial)**

Conveyor toasters
Performance of Conveyor Toasters, Test Method for, **F2380 (15.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cook and hold oven
Performance of Cook-and-Hold Ovens, Test Method for, **F3051 (15.12)**
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Cooking energy efficiency (CEE)
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
Performance of Conveyor Broilers, Test Method for, **F2239 (15.12)**
Performance of Conveyor Ovens, Test Method for, **F1817 (15.12)**
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Large Open Vat Fryers, Test Method for, **F2144 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Performance of Rapid Cook Ovens, Test Method for, **F2238 (15.12)**
Performance of Refrigerated Buffet and Preparation Tables, Test Method for, **F2143 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Performance of Underfired Broilers, Test Method for, **F1695 (15.12)**
Performance of Upright Overfired Broilers, Test Method for, **F2237 (15.12)**
Cooking fires
Cooking Fire Suppression Blankets, Specification for, **F1989 (15.11)**
Cooking/food service equipment
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Food Service Equipment, Terminology Relating to, **F1827 (15.12)**
Heavy-Duty Ranges, Gas and Electric, Specification for, **F2521 (15.12)**
Induction Cooktops, Counter Top, Drop-in Mounted, or Floor Standing, Specification for, **F2834 (15.12)**
Laboratory Requirements Necessary to Test Commercial Cooking and Warming Appliances to ASTM Test Methods, Guide for, **F2875 (15.12)**
Performance of a Pasta Cooker, Test Method for, **F1784 (15.12)**
Performance of Braising Pans, Test Method for, **F1786 (15.12)**
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Performance of Rotisserie Ovens, Test Method for, **F1787 (15.12)**
Performance of Steam Kettles, Test Method for, **F1785 (15.12)**
Performance of Underfired Broilers, Test Method for, **F1695 (15.12)**
Recirculating Hood System for Cooking Appliances, Specification for, **F2800 (15.12)**
Temperature Measurement and Profiling for Microwave Susceptors, Test Method for, **F874 (15.10)**
Underfired Broilers, Specification for, **F2835 (15.12)**
Cooking/food service equipment—specifications
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**
Cooker, Steam, Specification for, **F1217 (15.12)**
Deep-Fat Fryers, Gas or Electric, Open, Specification for, **F1963 (15.12)**
Dispensers, Powdered Iced Tea, Specification for, **F1023 (15.12)**
Dough Divider and Rounding Machines, Specification for, **F1966 (15.12)**
Food Cutters (Electric), Specification for, **F1126 (15.12)**
Food Processors, Electric, Specification for, **F1568 (15.12)**
Food Service Equipment Manuals, Specification for, **F760 (15.12)**
Food Waste Pulper Without Waterpress Assembly, Specification for, **F1899 (15.12)**
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**
Frying and Braising Pans, Tilting Type, Specification for, **F1047 (15.12)**
Griddles, Single-Sided and Double-Sided, Gas and Electric, Specification for, **F1919 (15.12)**
Heat Sanitizing Commercial Pot, Pan, and Utensil Stationary Rack Type Water-Driven Rotary Spray, Specification for, **F1114 (15.12)**
Induction Cooktops, Counter Top, Drop-in Mounted, or Floor Standing, Specification for, **F2834 (15.12)**
Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1602 (15.12)**
Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1603 (15.12)**
Mixing Machines, Food, Electric, Specification for, **F952 (15.12)**
Ovens, Microwave, Electric, Specification for, **F1360 (15.12)**
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, Specification for, **A270/A270M (01.01)**
Slicing Machines, Food, Electric, Specification for, **F919 (15.12)**
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Vegetable Peeling Machines, Electric, Specification for, **F1371 (15.12)**
Cooking/food service equipment performance
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Dough Divider and Rounding Machines, Specification for, **F1966 (15.12)**
Energy Performance of Powered Open Warewashing Sinks, Test Method for, **F2379 (15.12)**
Performance of a Pasta Cooker, Test Method for, **F1784 (15.12)**
Performance of Braising Pans, Test Method for, **F1786 (15.12)**
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
Performance of Conveyor Ovens, Test Method for, **F1817 (15.12)**
Performance of Conveyor Toasters, Test Method for, **F2380 (15.12)**
Performance of Cook-and-Hold Ovens, Test Method for, **F3051 (15.12)**
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Performance of Drawer Warmers, Test Method for, **F2142 (15.12)**
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Hot Food Holding Cabinets, Test Method for, **F2140 (15.12)**
Performance of Large Open Vat Fryers, Test Method for, **F2144 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Rack Conveyor, Commercial Dishwashing Machines, Test Method for, **F1920 (15.12)**
Performance of Rack Ovens, Test Method for, **F2093 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Performance of Refrigerated Buffet and Preparation Tables, Test Method for, **F2143 (15.12)**
Performance of Rotisserie Ovens, Test Method for, **F1787 (15.12)**
Performance of Self-Serve Hot Deli Cases, Test Method for, **F2141 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Performance of Steam Kettles, Test Method for, **F1785 (15.12)**
Performance of Underfired Broilers, Test Method for, **F1695 (15.12)**

Coolant compatibility
Coolant Compatibility of Way Lubricants, Test Method for, **D6553 (05.03)**

Coolant requiring SCA pre-charge
Low Silicate Ethylene Glycol Base Engine Coolant for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), Specification for, **D4985 (15.05)**

Coolants (engine)
Sa **Engine coolants/concentrates**
Glycerin Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D7714 (15.05)**
John Deere Coolant Cavitation Test, Test Method for, **D7583 (15.05)**
Temperature and Hard Water Stability of Engine Coolants, Test Method for, **D7437 (15.05)**

Cool-application filling compounds
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**

Cooled-surface condensation method
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**

Cooler nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Cool flame reaction
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**

Cooling characteristics/profiles
Cooling of Analytical Solutions, Practice for, **D4904 (15.04)**
Determination of Cooling Characteristics of Aqueous Polymer Quenchants by Cooling Curve Analysis with Agitation (Tensi Method), Test Method for, **D6482 (05.03)**
Determination of Cooling Characteristics of Aqueous Polymer Quenchants for Aluminum Alloys by Cooling Curve Analysis, Test Method for, **D7646 (05.04)**
Determination of Cooling Characteristics of Quench Oils by Cooling Curve Analysis, Test Method for, **D6200 (05.03)**
Determination of Cooling Characteristics of Quenchants by Cooling Curve Analysis with Agitation (Drayton Unit), Test Method for, **D6549 (05.03)**
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Melting Point of Petroleum Wax (Cooling Curve), Test Method for, **D87 (05.01)**
Temperature Calibration on Cooling of Differential Scanning Calorimeters, Test Method for, **E2069 (14.02)**

Cooling curve analysis
Determination of Cooling Characteristics of Aqueous Polymer Quenchants by Cooling Curve Analysis with Agitation (Tensi Method), Test Method for, **D6482 (05.03)**
Determination of Cooling Characteristics of Aqueous Polymer Quenchants for Aluminum Alloys by Cooling Curve Analysis, Test Method for, **D7646 (05.04)**
Determination of Cooling Characteristics of Quench Oils by Cooling Curve Analysis, Test Method for, **D6200 (05.03)**
Determination of Cooling Characteristics of Quenchants by Cooling Curve Analysis with Agitation (Drayton Unit), Test Method for, **D6549 (05.03)**
Evaluation of Aqueous Polymer Quenchants, Guide for, **D6666 (05.03)**
Evaluation of Hydrocarbon-Based Quench Oil, Guide for, **D6710 (05.03)**
Melting Point of Petroleum Wax (Cooling Curve), Test Method for, **D87 (05.01)**

Cooling media
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**
Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field, Test Method for, **D1524 (10.03)**

Cooling rate
Cloud Point of Petroleum Products (Constant Cooling Rate Method), Test Method for, **D5773 (05.02)**
Cloud Point of Petroleum Products (Linear Cooling Rate Method), Test Method for, **D5772 (05.02)**
Cloud Point of Petroleum Products (Optical Detection Stepped Cooling Method), Test Method for, **D5771 (05.02)**
Evaluation of Hydrocarbon-Based Quench Oil, Guide for, **D6710 (05.03)**

Cooling system arrangement
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**

Cooling systems
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Evaluation of Microbicides Used in Cooling Water Systems, Practice for, **E645 (11.05)**
Measuring the Heat Removal Rate of Personal Cooling Systems Using a Sweating Heated Manikin, Test Method for, **F2371 (11.03)**

Cooling towers—specifications
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Asbestos-Cement Flat Sheet for Cooling Tower Fill, Specification for, **C1082 (04.05)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Chemical-Resistant Ceramic Tower Packings, Specification for, **C515 (05.05)**

Cool-season grasses
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**
Maintaining Cool Season Turfgrasses on Athletic Fields, Guide for, **F2060 (15.07)**

Cooperage test
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**

Coordinate system/axes
Additive Manufacturing—Coordinate Systems and Test Methodologies, Terminology for, **F2921 (10.04)**
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**

Coordination (emergency medical services)
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**
Structures and Responsibilities of Emergency Medical Services Systems Organizations, Guide for, **F1086 (13.02)**

Copier materials/applications
Sa **Copy materials/products**
Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, Test Method for, **F2494 (15.09)**
Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, Test Method for, **F2495 (15.09)**
Examination of Documents Produced with Toner Technology, Guide for, **E2390 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copolymers
Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, Test Method for, **D3594 (08.02)**
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
CPT-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7471 (08.03)**
EFEP-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7472 (08.03)**
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**
Polyoxymethylene (Acetal) for Medical Applications, Specification for, **F1855 (13.01)**

Copper
Sa **Copper alloy castings—specifications**
Sa **Copper electrical conductors—specifications**
Sa **Copper-silicon alloys**
Sa **Electrodeposited Cu coatings**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Copper and Copper Alloys, Terminology for, **B846 (02.01)**
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Determination of Copper in Anode and Blister Copper, Test Method for, **E1771 (03.05)**
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**
Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6442 (06.02)**
Determination of Gold in Copper Concentrates by Fire Assay Gravimetry, Test Method for, **E1805 (03.05)**
Determination of Oxygen in Copper and Copper Alloys, Test Method for, **E2575 (03.05)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Editorial Procedures and Form of Product Specifications for Copper and Copper Alloys, Guide for, **B950 (02.01)**
Electroforming with Nickel and Copper, Guide for, **B832 (02.05)**
Flattening of Copper and Copper-Alloy Pipe and Tube, Test Method for, **B968/B968M (02.01)**
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Free-Cutting Bismuth Brass Rod, Bar and Wire, Specification for, **B974/B974M (02.01)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Copper, Test Method for, **E523 (12.02)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**
Phosphorized Coppers—Refinery Shapes, Specification for, **B379 (02.01)**
Pre-Patinated Copper for Architectural Applications, Specification for, **B882 (02.01)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Sampling of Blister Copper in Cast Form for Determination of Chemical Composition, Practice for, **E1833 (03.05)**
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Trace Metallic Impurities in High Purity Copper by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F2405 (10.04)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

Copper alloy
Sa **Copper-beryllium alloys—specifications**
Sa **Copper-silicon alloys**
Bend Test for Determining the Formability of Copper and Copper Alloy Strip, Test Method for, **B820 (02.01)**
Bending Fatigue Testing for Copper-Alloy Spring Materials, Test Method for, **B593 (02.01)**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Copper and Copper Alloys, Terminology for, **B846 (02.01)**
Determination of Copper in Anode and Blister Copper, Test Method for, **E1771 (03.05)**
Determination of Oxygen in Copper and Copper Alloys, Test Method for, **E2575 (03.05)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Offset Yield Strength in Tension for Copper Alloys, Practice for, **B598 (02.01)**
Editorial Procedures and Form of Product Specifications for Copper and Copper Alloys, Guide for, **B950 (02.01)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Flattening of Copper and Copper-Alloy Pipe and Tube, Test Method for, **B968/B968M (02.01)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**

Copper alloy—specifications
Commercial Bronze Strip for Bullet Jackets, Specification for, **B130 (02.01)**
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**
Copper Alloy Bullet Jacket Cups, Specification for, **B131 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Welded Heat Exchanger and Condenser Tube (UNS No. C17510), Specification for, **B944 (02.01)**
Copper-Nickel-Tin Spinodal Alloy Rod and Bar, Specification for, **B929 (02.01)**
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Integrated Circuit Lead Frame Material, Specification for, **F375 (10.04)**
Leak Detector Solutions Intended for Use on Brasses and Other Copper Alloys, Specification for, **G188 (03.02)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copper alloy castings
High-Strength Copper-Base and Nickel-Copper Alloy Castings, Reference Radiographs for, **E272 (03.03)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, Practice for, **B208 (02.01)**
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**
Tin Bronze Castings, Reference Radiographs for, **E310 (03.03)**
Copper alloy castings—specifications
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Composition Bronze or Ounce Metal Castings, Specification for, **B62 (02.01)**
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**
Copper-Nickel Alloy Castings, Specification for, **B369 (02.01)**
Gear Bronze Alloy Castings, Specification for, **B427 (02.01)**
General Requirements for Copper Alloy Castings, Specification for, **B824 (02.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Copper alloy (chemical analysis)
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**
Chemical Analysis of Manganese-Copper Alloys, Test Methods for, **E581 (03.05)**
Sampling Copper and Copper Alloys for the Determination of Chemical Composition, Practice for, **E255 (03.05)**
Copper alloy electrodeposited coatings
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**
Porosity in Metallic Coatings by Humid Sulfur Vapor (“Flowers-of-Sulfur”), Test Method for, **B809 (02.05)**
Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings, Practice for, **B281 (02.05)**
Copper alloy flat spring
Bending Fatigue Testing for Copper-Alloy Spring Materials, Test Method for, **B593 (02.01)**
Copper alloy forgings—specifications
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Beryllium Alloy (UNS Nos. C17000 and C17200) Forgings and Extrusions, Specification for, **B570 (02.01)**
Copper alloy numbering system (UNS)
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**
Copper alloy pipe
Sa **Condenser and heat exchanger systems**
Sa **Plastic pipe/tubing/fittings**
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**
Expansion (Pin Test) of Copper and Copper-Alloy Pipe and Tubing, Test Method for, **B153 (02.01)**
Flattening of Copper and Copper-Alloy Pipe and Tube, Test Method for, **B968/B968M (02.01)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Use of Branch Connections, Practice for, **F681 (01.07)**
Copper alloy pipe—specifications
Brass, Copper, and Chromium-Plated Pipe Nipples, Specification for, **B687 (02.01)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Seamless Copper Pipe, Standard Sizes, Specification for, **B42 (02.01)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**
Seamless Red Brass Pipe, Standard Sizes, Specification for, **B43 (02.01)**
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**
Welded Copper-Nickel Pipe, Specification for, **B467 (02.01)**
Copper alloy plate/sheet/strip/rolled bar
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**
Copper alloy plate/sheet/strip/rolled bar—specifications
Aluminum Bronze Sheet, Strip, and Rolled Bar, Specification for, **B169/B169M (02.01)**
Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, Specification for, **B19 (02.01)**
Commercial Bronze Strip for Bullet Jackets, Specification for, **B130 (02.01)**
Copper Alloy Strip for Flexible Metal Hose, Specification for, **B508 (02.01)**
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper and Copper Alloy Clad Steel Plate, Specification for, **B432 (02.01)**
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Copper Sheet and Strip for Building Construction, Specification for, **B370 (02.01)**
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

--```,``,,,``,``,,,,``````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copper-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B194 (02.01)**
Copper-Chromium-Iron-Titanium Alloy Plate, Sheet, Strip and Rolled Bar, Specification for, **B936 (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B534 (02.01)**
Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B465 (02.01)**
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Copper-Nickel-Tin Spinodal Alloy Strip, Specification for, **B740 (02.01)**
Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, Specification for, **B96/B96M (02.01)**
Copper-Zinc-Aluminum-Cobalt Alloy, Copper-Zinc-Tin-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B592 (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
Copper-Zirconium Alloy Sheet and Strip, Specification for, **B747 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B248 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar (Metric), Specification for, **B248M (02.01)**
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

Copper alloy rod/bar/shapes
Copper-Nickel-Tin Spinodal Alloy Rod and Bar, Specification for, **B929 (02.01)**
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**

Copper alloy rod/bar/shapes—specifications
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper-Beryllium Alloy Rod and Bar, Specification for, **B196/B196M (02.01)**
Copper-Cobalt-Beryllium, Copper-Nickel-Beryllium, and Copper-Nickel-Lead-Beryllium Rod and Bar (UNS Nos. C17500, C17510, and C17465), Specification for, **B441 (02.01)**
Copper-Nickel-Silicon Alloy Rod and Bar, Specification for, **B411/B411M (02.01)**
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, Specification for, **B455 (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Copper-Zinc-Silicon Alloy Rod, Specification for, **B371/B371M (02.01)**
Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines, Specification for, **B16/B16M (02.01)**
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
Manganese Bronze Rod, Bar, and Shapes, Specification for, **B138/B138M (02.01)**
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Phosphor Bronze Rod, Bar, and Shapes, Specification for, **B139/B139M (02.01)**

Copper alloy shafting
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**

Copper alloy tube
Angle of Twist in Rectangular and Square Copper and Copper Alloy Tube, Test Method for, **B428 (02.01)**
Copper and Copper Alloys, Terminology for, **B846 (02.01)**
Expansion (Pin Test) of Copper and Copper-Alloy Pipe and Tubing, Test Method for, **B153 (02.01)**
Flattening of Copper and Copper-Alloy Pipe and Tube, Test Method for, **B968/B968M (02.01)**
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**

Copper alloy tube—specifications
Sa **Seamless Cu/Cu alloy tube—specifications**
Copper-Beryllium Alloy Seamless Tube, Specification for, **B643 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**
Welded Brass Tube, Specification for, **B587 (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

Copper alloy wire—electrical conductors
See **Copper electrical conductors—specifications**

Copper alloy wire—specifications
Brass Wire, Specification for, **B134/B134M (02.01)**
Bronze Trolley Wire, Specification for, **B9 (02.03)**
Copper-Beryllium Alloy Wire, Specification for, **B197/B197M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
General Requirements for Wrought Copper Alloy Wire, Specification for, **B250/B250M (02.01)**
Hard-Drawn Copper Wire, Specification for, **B1 (02.03)**
Medium-Hard-Drawn Copper Wire, Specification for, **B2 (02.03)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**
Soft or Annealed Copper Wire, Specification for, **B3 (02.03)**

Copper-aluminum-iron (casting)
See **UNS C95200 (cast aluminum bronze)**

Copper-aluminum-silicon-cobalt alloy
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

Copper-ammonium sulfate solution
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**

Copperas red
See **Iron oxide pigments—red (natural/synthetic)**

Copper-bearing structural carbon steel
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**

Copper-beryllium alloys—specifications
Copper-Beryllium Alloy (UNS Nos. C17000 and C17200) Forgings and Extrusions, Specification for, **B570 (02.01)**
Copper-Beryllium Alloy Forgings and Extrusions Alloys (UNS Nos. C17500 and C17510), Specification for, **B870 (02.01)**
Copper-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B194 (02.01)**
Copper-Beryllium Alloy Rod and Bar, Specification for, **B196/B196M (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**
Copper-Beryllium Alloy Seamless Tube, Specification for, **B643 (02.01)**
Copper-Beryllium Alloy Wire, Specification for, **B197/B197M (02.01)**
Copper-Beryllium Seamless Tube (UNS Nos. C17500 and C17510), Specification for, **B937 (02.01)**
Copper-Beryllium Welded Heat Exchanger and Condenser Tube (UNS No. C17510), Specification for, **B944 (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B534 (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Strip and Sheet, Specification for, **B768 (02.01)**
Copper-Cobalt-Beryllium, Copper-Nickel-Beryllium, and Copper-Nickel-Lead-Beryllium Rod and Bar (UNS Nos. C17500, C17510, and C17465), Specification for, **B441 (02.01)**

Copper-brazed steel tubing
Copper-Brazed Steel Tubing, Specification for, **A254/A254M (01.01)**

Copper calorimeter
Sa **Adiabatic bomb calorimeter**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**

Copper capillary/metering tube
Hard-Drawn Copper Capillary Tube for Restrictor Applications, Specification for, **B360 (02.01)**

Copper-chrome-iron-titanium alloy
Copper-Chromium-Iron-Titanium Alloy Plate, Sheet, Strip and Rolled Bar, Specification for, **B936 (02.01)**

Copper-clad materials—specifications
Copper and Copper Alloy Clad Steel Plate, Specification for, **B432 (02.01)**
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Copper-Clad Aluminum Wire, Specification for, **B566 (02.03)**
Copper-Clad Steel Wire Strand, Specification for, **A460 (01.06)**
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Coppered Carbon Steel Wire, Specification for, **A818 (01.06)**

Copper-clad steel electrical conductors—specifications
Aluminum-Alloy 6201-T81 Wire for Electrical Purposes, Specification for, **B398/B398M (02.03)**
Annealed Copper-Clad Steel Wire, Specification for, **B910/B910M (02.03)**
Concentric-Lay-Stranded Copper and Copper-Clad Steel Composite Conductors, Specification for, **B229 (02.03)**
Concentric-Lay-Stranded Copper-Clad Steel Conductors, Specification for, **B228 (02.03)**
Copper-Clad Aluminum Wire, Specification for, **B566 (02.03)**
Copper-Clad Steel Electrical Conductor for CATV Drop Wire, Specification for, **B869 (02.03)**
Copper-Clad Steel Wire for Electronic Application, Specification for, **B452 (02.03)**
Hard-Drawn Copper-Clad Steel Wire, Specification for, **B227 (02.03)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**

Copper-cobalt-beryllium alloy
See **Copper-beryllium alloys—specifications**

Copper concentrates
Determination of Gold in Copper Concentrates by Fire Assay Gravimetry, Test Method for, **E1805 (03.05)**
Determination of Silver in Copper Concentrates by Flame Atomic Absorption Spectrometry, Test Method for, **E1898 (03.05)**

Copper conductors for insulated wires
Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, Specification for, **B784 (02.03)**

Copper-constantan gage
Measuring Heat Flux Using a Copper-Constantan Circular Foil, Heat-Flux Transducer, Test Method for, **E511 (15.03)**

Copper content
Analysis of Iron and Copper in Vegetable Tanning Materials, Test Method for, **D6407 (15.04)**
Dissolved Copper In Electrical Insulating Oil By Atomic Absorption Spectrophotometry, Test Method for, **D3635 (10.03)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Copper content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Copper content—cadmium
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**

Copper content—coal/coke
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**

Copper content—Cu/Cu alloys
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**
Determination of Copper in Anode and Blister Copper, Test Method for, **E1771 (03.05)**
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**

Copper content—iron ores
Determination of Copper in Iron Ores and Related Materials by Flame Atomic Absorption Spectrometry, Test Method for, **E841 (03.05)**

Copper content—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**

Copper content—paint/related coatings/applications
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**

Copper content—petroleum products
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**

Copper content—pig lead
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**

Copper content—steel
Steel Tire Cords, Test Methods for, **D2969 (07.01)**

Copper content—water
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Copper in Water, Test Methods for, **D1688 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**

Copper content—Zn/Zn alloys
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**

Copper-copper sulfate-sulfuric acid test
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**

Copper corrosion
Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons, Test Method for, **B810 (02.04)**
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Copper Strip Corrosion by Industrial Aromatic Hydrocarbons, Test Method for, **D849 (06.04)**
Copper Strip Corrosion by Liquefied Petroleum (LP) Gases, Test Method for, **D1838 (05.01)**
Corrosiveness of Lubricating Fluid to Bimetallic Couple, Test Method for, **D6547 (05.03)**
Corrosiveness to Copper from Petroleum Products by Copper Strip Test, Test Method for, **D130 (05.01)**
Detection of Copper Corrosion from Lubricating Grease, Test Method for, **D4048 (05.02)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Hydrolytic Stability of Hydraulic Fluids (Beverage Bottle Method), Test Method for, **D2619 (05.01)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**
Thermal Stability of Hydraulic Oils, Test Method for, **D2070 (05.01)**
Thermal Stability of Way Lubricants, Test Method for, **D6203 (05.03)**
Use of Mattson's Solution of pH 7.2 to Evaluate the Stress-Corrosion Cracking Susceptibility of Copper-Zinc Alloys, Practice for, **G37 (03.02)**

Copper corrosion (by engine coolants)
Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
Rapid Determination of Corrosiveness to Copper from Petroleum Products Using a Disposable Copper Foil Strip, Test Method for, **D7095 (05.04)**
Simulated Service Corrosion Testing of Engine Coolants, Test Method for, **D2570 (15.05)**
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**

Copper coupons
Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons, Test Method for, **B810 (02.04)**

Copper crimp rings—specifications
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F1807 (08.04)**
Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F2159 (08.04)**

Coppered steel wire
Coppered Carbon Steel Wire, Specification for, **A818 (01.06)**

Copper electrical conductors
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**
Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, Test Method for, **B279 (02.03)**

Copper electrical conductors—copper-clad steel
See **Copper-clad steel electrical conductors—specifications**

Copper electrical conductors—specifications
Sa **Copper electrical conductors—specifications**
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Annealed Copper-Clad Steel Wire, Specification for, **B910/B910M (02.03)**
Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, Specification for, **B470 (02.03)**
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Copper Rod Drawing Stock for Electrical Purposes, Specification for, **B49 (02.01)**
Copper Trolley Wire, Specification for, **B47 (02.03)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Copper-Clad Aluminum Wire, Specification for, **B566 (02.03)**
Copper-Tungsten Electrical Contact Material, Specification for, **B702 (02.04)**
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Figure-9 Deep-Grooved and Figure-8 Copper Trolly Wire for Industrial Haulage, Specification for, **B116 (02.03)**
Hard-Drawn Copper Alloy Wires for Electric Conductors, Specification for, **B105 (02.03)**
Hard-Drawn Copper Wire, Specification for, **B1 (02.03)**
High-Strength, High-Conductivity Copper-Alloy Wire for Electronic Application, Specification for, **B624 (02.03)**
Integrated Circuit Lead Frame Material, Specification for, **F375 (10.04)**
Lead-Coated and Lead-Alloy-Coated Soft Copper Wire for Electrical Purposes, Specification for, **B189 (02.03)**
Medium-Hard-Drawn Copper Wire, Specification for, **B2 (02.03)**
Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, Specification for, **B784 (02.03)**
Nickel-Coated Soft or Annealed Copper Wire, Specification for, **B355 (02.03)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Silver-Coated Soft or Annealed Copper Wire, Specification for, **B298 (02.03)**
Soft or Annealed Copper Wire, Specification for, **B3 (02.03)**
Soft Rectangular and Square Bare Copper Wire for Electrical Conductors, Specification for, **B48 (02.03)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, Specification for, **B33 (02.03)**
Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposes, Specification for, **B246 (02.03)**
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**

Copper electrical conductors—stranded
See **Stranded copper electrical conductors—specifications**

Copper electrodeposited coatings
See **Electrodeposited Cu coatings—specifications**

Copper electrodes
Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum), Test Method for, **D5288 (10.02)**

Copper electroforming
Electroforming with Nickel and Copper, Guide for, **B832 (02.05)**

Copper (electrolytic)
Determining Electrolytic Corrosion of Copper by Adhesives, Practice for, **D3482 (15.06)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**

Copper (electromagnetic testing)
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes, Practice for, **E243 (03.03)**
Electromagnetic (Eddy-Current) Examination of Copper Redraw Rod for Electrical Purposes, Practice for, **E1606 (03.03)**

Copper etching (of silicon crystals)
See **Etching (materials/process)**

Copper fittings
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**

Copper flat wire/strip
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**

Copper foil
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Rapid Determination of Corrosiveness to Copper from Petroleum Products Using a Disposable Copper Foil Strip, Test Method for, **D7095 (05.04)**

Copper forgings
See **Copper alloy forgings—specifications**

Copper hookup wire
Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, Specification for, **B470 (02.03)**
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**

Copper-iron alloy
Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B465 (02.01)**

Copper-lead alloy
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**

Copper-lead bearings
Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), Test Method for, **D6709 (05.03)**

Copper-nickel alloys—specifications
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B534 (02.01)**
Copper-Nickel-Silicon Alloy Rod and Bar, Specification for, **B411/B411M (02.01)**
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Copper-Nickel-Tin Spinodal Alloy Strip, Specification for, **B740 (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**

Copper-nickel-aluminum-magnesium alloy
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

Copper-nickel-beryllium alloy
See **Copper-beryllium alloys—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copper-nickel (casting)
See **UNS C96200 (cast copper-nickel)**
Copper-nickel pipe and tube
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Copper-nickel plate and sheet
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Copper-nickel-silicon alloy
Copper-Nickel-Silicon Alloy Rod and Bar, Specification for, **B411/B411M (02.01)**
Copper-nickel-silicon-magnesium alloy
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**
Copper-nickel-tin
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Copper-Nickel-Tin Spinodal Alloy Rod and Bar, Specification for, **B929 (02.01)**
Copper-Nickel-Tin Spinodal Alloy Strip, Specification for, **B740 (02.01)**
Copper-nickel-zinc alloys
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**
Copper-nickel-zinc (casting)
See **UNS C97300 (cast nickel-silver)**
Copper (oxygen-free (deoxidized))
See **Oxygen-free (deoxidized) copper**
Copper phthalocyanine blue
Sa **Phthalocyanine blue pigment**
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Copper phthalocyanine green
See **Phthalocyanine green pigment**
Copper pipe
Expansion (Pin Test) of Copper and Copper-Alloy Pipe and Tubing, Test Method for, **B153 (02.01)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Copper pipe—specifications
Brass, Copper, and Chromium-Plated Pipe Nipples, Specification for, **B687 (02.01)**
Seamless Copper Alloy (UNS No. C69100) Pipe and Tube, Specification for, **B706 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Seamless Copper Pipe, Standard Sizes, Specification for, **B42 (02.01)**
Threadless Copper Pipe, Standard Sizes, Specification for, **B302 (02.01)**
Copper powder
Acid-Insoluble Content of Copper and Iron Powders, Test Method for, **E194 (02.05)**
Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), Test Method for, **E159 (02.05)**
Materials for Copper Base Powder Metallurgy (PM) Structural Parts, Specification for, **B823 (02.05)**
Metallic Copper Powder for Use in Antifouling Paints, Specification for, **D964 (06.03)**
Copper pyrithione
Determination of Organic Biocide Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6903 (06.02)**
Copper redraw rod
Electromagnetic (Eddy-Current) Examination of Copper Redraw Rod for Electrical Purposes, Practice for, **E1606 (03.03)**
Copper (refined/refinery shapes)
Coppers, Classification of, **B224 (02.01)**
Copper (refined/refinery shapes)—specifications
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Phosphorized Coppers—Refinery Shapes, Specification for, **B379 (02.01)**
Tough-Pitch Fire-Refined Copper—Refinery Shapes, Specification for, **B216 (02.01)**
Copper release rate
Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6442 (06.02)**
Copper rod/bar/shapes—specifications
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper Rod Drawing Stock for Electrical Purposes, Specification for, **B49 (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines, Specification for, **B16/B16M (02.01)**
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Copper-silicon alloys
Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, Specification for, **B96/B96M (02.01)**
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Copper spring test
Bend Test for Determining the Formability of Copper and Copper Alloy Strip, Test Method for, **B820 (02.01)**
Copper strip tarnish
Copper Strip Corrosion by Liquefied Petroleum (LP) Gases, Test Method for, **D1838 (05.01)**
Corrosiveness to Copper from Petroleum Products by Copper Strip Test, Test Method for, **D130 (05.01)**
Detection of Copper Corrosion from Lubricating Grease, Test Method for, **D4048 (05.02)**
Copper structural materials/applications—specifications
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Copper sulfate
Citrate in Detergents, Test Method for, **D4608 (15.04)**
Copper sulfate corrosion test
Corrosion of Surgical Instruments, Test Method for, **F1089 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copper sulfate dip
Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**
Copper-sulfur alloy
See **UNS C14700 (sulfur-bearing copper)**
Copper-tellurium alloys
See **UNS C14500 (phosphorus deoxidized copper, tellurium bearing)**
Copper-tin alloy wire
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**
Copper-tin castings
See **Copper alloy castings—specifications**
See **UNS C90300 (cast tin bronze)**
Copper-tin-lead (casting)
See **UNS C92200 (cast leaded tin bronze)**
Copper tube
Angle of Twist in Rectangular and Square Copper and Copper Alloy Tube, Test Method for, **B428 (02.01)**
Copper and Copper Alloys, Terminology for, **B846 (02.01)**
Expansion (Pin Test) of Copper and Copper-Alloy Pipe and Tubing, Test Method for, **B153 (02.01)**
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Copper tube—specifications
Brass, Copper, and Chromium-Plated Pipe Nipples, Specification for, **B687 (02.01)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Seamless Copper Alloy (UNS No. C69100) Pipe and Tube, Specification for, **B706 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Copper tube (seamless)
See **Seamless Cu/Cu alloy tube—specifications**
Copper tungsten electrical contact material
Copper-Tungsten Electrical Contact Material, Specification for, **B702 (02.04)**
Copper welded tube
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**
Welded Brass Tube, Specification for, **B587 (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
Welded Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B919 (02.01)**
Welded Copper Tube, Specification for, **B447 (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**
Copper wire
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
High Performance Tin-Coated Annealed Copper Wire Intended for Electrical and Electronic Application for Solderability, Specification for, **B965 (02.03)**
Copper-zinc
Use of Mattson's Solution of pH 7.2 to Evaluate the Stress-Corrosion Cracking Susceptibility of Copper-Zinc Alloys, Practice for, **G37 (03.02)**
Copper-zinc alloy wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-zinc-aluminum-cobalt alloy
Copper-Zinc-Aluminum-Cobalt Alloy, Copper-Zinc-Tin-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B592 (02.01)**
Copper-zinc-lead alloy rod
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Copper-zinc-silicon
Copper-Zinc-Silicon Alloy Rod, Specification for, **B371/B371M (02.01)**
Copper-zinc-tin alloy
Copper-Zinc-Aluminum-Cobalt Alloy, Copper-Zinc-Tin-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B592 (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
Copper-zinc-tin-bismuth alloy
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**
Copper-zinc-tin (tin brasses)
See **UNS C40500 (tin brass)**
Copper-zirconium alloy
Copper-Zirconium Alloy Sheet and Strip, Specification for, **B747 (02.01)**
Coprecipitation
The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, Test Method for, **C1205 (12.01)**
Copy cleanliness
Cleanliness of Carbon Paper, Test Method for, **F854 (15.09)**
Copy machine scanners
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**
Copy materials/products
Sa **Image analysis—copy materials**
Sa **Paperboard**
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**
Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), Test Method for, **F1478 (15.09)**
Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, Test Method for, **F2494 (15.09)**
Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, Test Method for, **F2495 (15.09)**
Determining Stability of Direct Thermal Imaging Products, Practices for, **F1721 (15.09)**
Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, Test Method for, **F1943 (15.09)**
Optical Character Recognition, Terminology Relating to, **F149 (15.09)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**
Copy materials/products—carbonless
Carbonless Copy Products, Terminology Relating to, **F549 (15.09)**
Curl of Carbonless Copy Papers, Test Method for, **F556 (15.09)**
Determining the Resistance of Carbonless Papers to Capsular Damage, Practice for, **F598 (15.09)**
Evaluation of Image Quality Produced by Carbonless Copy Paper with an Electric or Electronic Typewriter, Practice for, **F686 (15.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Image Stability of Chemical Carbonless Paper to Light, Test Method for, **F767 (15.09)**
Use of the Electric and Electronic Typewriter as a Test Instrument, Practice for, **F497 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**

Copy materials/products—carbon paper
Amount of Ink Deposit on Carbon Paper and Inked Ribbons, Other Than Fabric Type, Practice for, **F129 (15.09)**
Assessing the Color Strength and Dispersibility of Alkali Blue Pigment in Hot Melt Carbon Copy Paper Ink, Test Method for, **F843 (15.09)**
Carbon Paper and Inked Ribbon Products and Images Made Therefrom, Terminology Relating to, **F221 (15.09)**
Cleanliness of Carbon Paper, Test Method for, **F854 (15.09)**
Curl in Carbon Paper, Test Method for, **F415 (15.09)**
Determining Compatibility of One-Time Carbon Paper with Carbonless Copy Papers When Interleaved into the Same Manifold Set, Practice for, **F605 (15.09)**
Evaluation of One-Time Carbon Paper in Carbon-Interleaved Business Forms by Use of an Electric Typewriter, Practice for, **F597 (15.09)**
Use of the Electric and Electronic Typewriter as a Test Instrument, Practice for, **F497 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**

Copy materials/products—electrophotographic
Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, Practice for, **F1442 (15.09)**

Copy materials/products—electrostatic
Sa **Electrostatic copier**
Determining Dynamic Thermal Response of Direct Thermal Paper-Label Printer Method, Test Method for, **F1444 (15.09)**

Copy materials/products—imaging
Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, Test Method for, **F2494 (15.09)**
Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, Test Method for, **F2495 (15.09)**
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**

Copy materials/products—inked ribbons
See **Inked ribbons**

Copy materials/products—lithographic
See **Lithographic materials/applications**

Copy materials/products—office
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Determination of Abrasion and Smudge Resistance of Images Produced from Office Products (GA-CAT Method), Practice for, **F1486 (15.09)**
Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, Test Method for, **F2494 (15.09)**
Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, Test Method for, **F2495 (15.09)**
Determining Resolution Capability of Office Copiers, Practice for, **F807 (15.09)**
Determining Toner Usage, Efficiency, and Dusting Nonheat Fixing Copiers Using Single-Component Toner Systems, Practice for, **F685 (15.09)**
Evaluation of Large Area Density and Background on Office Copiers, Test Method for, **F875 (15.09)**
One-Time Carbonizing Tissue for Pinholes, Practice for Testing, **F509 (15.09)**
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

Copy materials/products—printing/writing paper
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**

Copy materials/products—specifications
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

Copy per minute (productivity)
Determination of Productivity Using Electrostatic Copy Machines with Various Configurations, Test Method for, **F1318 (15.09)**

Cord/cordage
Baby Monitors, Consumer Safety Specification for, **F2951 (15.11)**
Forensic Examination of Fabrics and Cordage, Guide for, **E2225 (14.02)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**

Cord material
Archery Bow ComponentCord Material, Test Method for, **F1752 (15.07)**

Corduroy fabrics
Pile Fabric Abrasion, Test Method for, **D4685 (07.02)**

Core barrel sampling
See **Barrel sampling**

Coreboard
Sa **Gypsum products—specifications**
Glass Mat Gypsum Panels, Specification for, **C1658/C1658M (04.01)**
Gypsum Board, Specification for, **C1396/C1396M (04.01)**

Core bonding
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**

Cored brick/structural clay tile units
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**

Core displacement method
Density of Topsoil and Blended Soils In-place by the Core Displacement Method, Test Method for, **F3013 (15.07)**

Core drilling
Coring and Logging Soil-Cement or Lime-Stabilized Soil, Guide for, **D6236 (04.09)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**

Core flow test
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**

Core hardness
Sa **Gypsum products—specifications**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**

Core insulating panels
Asbestos-Cement Organic-Foam Core Insulating Panels, Specification for, **C659 (04.05)**

Core loss
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Measuring Power Frequency Magnetic Properties of Flat-Rolled Electrical Steels Using Small Single Sheet Testers, Guide for, **A1036 (03.04)**

Core loss—alternating-current
Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, Test Method for, **A697/A697M (03.04)**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
Alternating-Current Magnetic Properties of Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A927/A927M (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**

Core materials
Determination of Rock Hardness by Rebound Hammer Method, Test Method for, **D5873 (04.08)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
Water Migration in Honeycomb Core Materials, Test Method for, **F1645/F1645M (15.03)**

Core modulus/stress
Core Shear Properties of Sandwich Constructions by Beam Flexure, Test Method for, **C393/C393M (15.03)**

Core recovery
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**

Core sampling
Sa **Sampling petroleum products**
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**
Collection of Coal Samples from Core, Practice for, **D5192 (05.06)**
Core Sampling of Graphite Electrodes, Practice for, **C783 (05.05)**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, Guide for, **D6353 (05.03)**
Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, Guide for, **D6354 (05.03)**
Sampling Radioactive Tank Waste, Guide for, **C1751 (12.01)**

Core sandwich panels
Sa **Sandwich core materials**
Sa **Structural sandwich constructions**
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, Practice for, **E1307 (04.11)**

Core solder
Sa **Solder/soldering applications**
Solder Metal, Specification for, **B32 (02.04)**

Core splice adhesives
Sa **Adhesives**
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**

Core-spun yarns
Yarns and Fibers, Terminology Related to, **D4849 (07.02)**

Core strength
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**

Core support blocks/posts/seats
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**

Core thickness
Measuring Core Thickness of Textured Geomembranes, Test Method for, **D5994 (04.13)**

Core thief spot sampling
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**

Coring bituminous pavement
Sampling Compacted Bituminous Mixtures for Laboratory Testing, Practice for, **D5361/D5361M (04.03)**

Coring devices
Sampling of Drums and Similar Containers by Field Personnel, Guide for, **D6063 (11.04)**

Coriolus versicolor
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**

Corker nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Cork floor covering
Sa **Resilient flooring**
Cork Floor Tile, Specification for, **F3008 (15.04)**

Cork (in gasket materials)
Binder Durability of Cork Composition Gasket Materials, Test Method for, **F148 (09.02)**

Cornea
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**

Corner bead
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**

Corner break
Airport Pavement Condition Index Surveys, Test Method for, **D5340 (04.03)**

Corner impact resistance
Testing Wood-Base Panel Corner Impact Resistance, Test Method for, **D6643 (04.10)**

Cornering stiffness (tires)
See **Tire testing**

Cornices
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**

Corn stover
Ash in Biomass, Test Method for, **E1755 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**

Corona
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Voltage Endurance of Solid Electrical Insulating Materials Subjected to Partial Discharges (Corona) on the Surface, Test Method for, **D2275 (10.01)**

Coronary artery
Characterization and Presentation of the Dimensional Attributes of Vascular Stents, Guide for, **F2081 (13.01)**
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Corona treatment
Application of Electrical Discharge Surface Treatment (Activation) of Plastics for Adhesive Bonding, Practice for, **D6105 (15.06)**
Corona-Treated Polymer Films Using Water Contact Angle Measurements, Test Method for, **D5946 (08.03)**
Corophium
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Corrals
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Correctable film ribbons
Comparing Correctable Film Ribbons, Practice for, **F1454 (15.09)**
Corrected logarithmic data points
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Correctional facility
Sa **Security systems and equipment**
Detention Hinges Used on Detention-Grade Swinging Doors, Test Methods for, **F1758 (15.08)**
Detention Hollow Metal Vision Systems, Test Methods for, **F1592 (15.08)**
Detention Locks for Swinging Doors, Test Methods for, **F1577 (15.08)**
Detention Sliding Door Locking Device Assembly, Test Methods for, **F1643 (15.08)**
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Physical Assault on Ventilation Grilles for Detention and Correctional Facilities, Test Methods for, **F2542 (15.08)**
Physical Assault on Vertical Fixed Barriers for Detention and Correctional Facilities, Test Methods for, **F2322 (15.08)**
Selection of Fire Test Methods for the Assessment of Upholstered Furnishings in Detention and Correctional Facilities, Guide for, **F1870 (15.08)**
Steel Chain-Link Fencing Materials Used for High Security Applications, Specification for, **F1712 (01.06)**
Correction factors
Calculating Volume-Temperature Correction For Coal-Tar Pitches, Practice for, **D2962 (05.01)**
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**
Corrective action
Applying Statistical Methods for Assessment and Corrective Action Environmental Monitoring Programs, Guide for, **D7048 (04.09)**
Development of Conceptual Site Models and Remediation Strategies for Light Nonaqueous-Phase Liquids Released to the Subsurface, Guide for, **E2531 (11.05)**
Greener Cleanups, Guide for, **E2893 (11.05)**
Integrating Sustainable Objectives into Cleanup, Guide for, **E2876 (11.05)**
Remedy Selection Integrating Risk-Based Corrective Action and Non-Risk Considerations, Guide for, **E2616 (11.05)**
Risk-Based Corrective Action, Guide for, **E2081 (11.05)**
Risk-Based Corrective Action Applied at Petroleum Release Sites, Guide for, **E1739 (11.05)**
Risk-Based Corrective Action for Protection of Ecological Resources, Guide for, **E2205/E2205M (11.05)**
Correlation coefficient
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**
Correlogram
Analysis of Spatial Variation in Geostatistical Site Investigations, Guide for, **D5922 (04.09)**
Corrodkote procedure
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Corrosimeter
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Corrosion
Accelerated Corrosion Testing for Mechanical Fasteners, Guide for, **F2832 (01.08)**
Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, Test Method for, **D2943 (15.05)**
An Imaging Technique to Measure Rust Creepage at Scribe on Coated Test Panels Subjected to Corrosive Environments, Test Method for, **D7087 (06.01)**
Applying Statistics to Analysis of Corrosion Data, Guide for, **G16 (03.02)**
Bulk Electrical Conductivity of Hardened Concrete, Test Method for, **C1760 (04.02)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
Corrosion, Terminology and Acronyms Relating to, **G193 (03.02)**
Corrosion of Steel by Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Method for, **E937 (04.11)**
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Corrosion Test Panel Preparation, Testing, and Rating of Coil-Coated Building Products, Guide for, **D7893 (06.02)**
Corrosion Testing of Gaskets, Test Method for, **F363 (09.02)**
Corrosion-Related Failure Analysis, Guide for, **G161 (03.02)**
Corrosiveness to Silver by Automotive Spark–Ignition Engine Fuel–Silver Strip Method, Test Method for, **D7671 (05.04)**
Detecting mu-phase in Wrought Nickel-Rich, Chromium, Molybdenum-Bearing Alloys, Practice for, **G209 (03.02)**
Determination of Accelerated Iron Corrosion in Petroleum Products, Test Method for, **D7548 (05.04)**
Determination of Corrosiveness to Silver by Automotive Spark-Ignition Engine Fuel—Thin Silver Strip Method, Test Method for, **D7667 (05.04)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Determining Synergism Between Wear and Corrosion, Guide for, **G119 (03.02)**
Determining the Accelerated Iron Corrosion Rating of Denatured Fuel Ethanol and Ethanol Fuel Blends, Test Method for, **D7577 (05.04)**
Determining the Relative Corrosion Performance of Driven Fasteners in Contact with Treated Wood, Test Method for, **G198 (03.02)**
Engine Coolant Corrosion Protection Under Accelerated Thermal and Oxidizing Conditions Using a Rotating Pressure Vessel, Test Method for, **D7820 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, Specification for, **D7618 (05.04)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Quantitative Accelerated Laboratory Evaluation of Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, Practice for, **C1617 (04.06)**
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

Corrosion—aircraft metals
Corrosion of Aircraft Metals by Total Immersion in Maintenance Chemicals, Practice for, **F482 (15.03)**
Corrosion of Low-Embrittling Cadmium Plate by Aircraft Maintenance Chemicals, Test Method for, **F1111 (15.03)**
Measuring Intergranular Attack or End Grain Pitting on Metals Caused by Aircraft Chemical Processes, Practice for, **F2111 (15.03)**
Sandwich Corrosion Test, Test Method for, **F1110 (15.03)**
Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, Test Method for, **F945 (15.03)**
Total Immersion Corrosion Test for Aircraft Maintenance Chemicals, Practice for, **F483 (15.03)**

Corrosion—Al/Al alloys
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Conducting Exfoliation Corrosion Tests in Aluminum Alloys, Guide for, **G112 (03.02)**
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**
Determining Stress-Corrosion Cracking Resistance of Heat-Treatable Aluminum Alloy Products Using Breaking Load Method, Test Method for, **G139 (03.02)**
Determining Susceptibility to Stress-Corrosion Cracking of 2XXX and 7XXX Aluminum Alloy Products, Test Method for, **G47 (03.02)**
Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test), Test Method for, **G67 (03.02)**
Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, Practice for, **G110 (03.02)**
Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), Test Method for, **G34 (03.02)**
Measurement of Corrosion Potentials of Aluminum Alloys, Test Method for, **G69 (03.02)**
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**
Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**
Sandwich Corrosion Test, Test Method for, **F1110 (15.03)**
Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), Test Method for, **G66 (03.02)**

Corrosion—atmospheric testing
See **Atmospheric corrosion analysis**

Corrosion—cavitation erosion/corrosion
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**

Corrosion—concrete
Corrosion Potentials of Uncoated Reinforcing Steel in Concrete, Test Method for, **C876 (03.02, 04.02)**
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**
Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration, Test Method for, **C1202 (04.02)**
Water-Soluble Chloride in Mortar and Concrete, Test Method for, **C1218/C1218M (04.02)**

Corrosion—copper
See **Copper corrosion**

Corrosion—electrodeposited coatings
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, Specification for, **B200 (02.05)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Corrosion—engine coolants
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Compatibility of Supplemental Coolant Additives (SCAs) and Engine Coolant Concentrates, Test Method for, **D5828 (15.05)**
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**
Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**
Simulated Service Corrosion Testing of Engine Coolants, Test Method for, **D2570 (15.05)**
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**

Corrosion—exfoliation
See **Exfoliation corrosion**

Corrosion—galvanic
See **Galvanic corrosion**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Corrosion—insulating materials
Cellulosic Fiber Loose-Fill Thermal Insulation, Specification for, **C739 (04.06)**
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**
Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation, Test Method for, **C1258 (04.06)**
Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, Test Method for, **C692 (04.06)**
Corrosion—intergranular
See **Intergranular attack (IGA)**
Corrosion—leather
Corrosion Produced by Leather in Contact with Metal, Test Method for, **D1611 (15.04)**
Corrosion—marine (shipbuilding) materials
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Corrosion—metals/alloys
Applying Statistics to Analysis of Corrosion Data, Guide for, **G16 (03.02)**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Computerized Exchange of Corrosion Data for Metals, Guide for, **G135 (03.02)**
Conducting Potentiodynamic Polarization Resistance Measurements, Test Method for, **G59 (03.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Determining Cracking Susceptibility of Metals Exposed Under Stress to a Hot Salt Environment, Practice for, **G41 (03.02)**
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Electrochemical Noise Measurement, Guide for, **G199 (03.02)**
Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, Practice for, **A1004/A1004M (01.06)**
Evaluating Corrosion Properties of Wrought Iron- and Nickel-Based Corrosion Resistant Alloys for Chemical Process Industries, Guide for, **G157 (03.02)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Evaluating the Corrosion Resistance of Stainless Steel Powder Metallurgy (PM) Parts/Specimens by Immersion in a Sodium Chloride Solution, Test Methods for, **B895 (02.05)**
Exposing and Evaluating Metals and Alloys in Surface Seawater, Practice for, **G52 (03.02)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Formats for Collection and Compilation of Corrosion Data for Metals for Computerized Database Input, Guide for, **G107 (03.02)**
Iron Chip Corrosion for Water–Miscible Metalworking Fluids, Test Method for, **D4627 (05.02)**
Laboratory Immersion Corrosion Testing of Metals, Guide for, **G31 (03.02)**
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Laboratory Simulation of Corrosion Under Insulation, Guide for, **G189 (03.02)**
Measurement of Corrosion Potentials of Aluminum Alloys, Test Method for, **G69 (03.02)**
Measurement of Oxidation-Reduction Potential (ORP) of Soil, Test Method for, **G200 (03.02)**
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Operating the Severe Wastewater Analysis Testing Apparatus, Practice for, **G210 (03.02)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, Practices for, **E745 (12.02)**
Total Immersion Corrosion Test for Soak Tank Metal Cleaners, Guide for, **D1280 (15.04)**
Using Atmospheric Pressure Rotating Cage, Test Method for, **G202 (03.02)**
Corrosion—nuclear applications
Corrosion Testing of Aluminum-Based Spent Nuclear Fuel in Support of Repository Disposal, Guide for, **C1431 (12.01)**
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Corrosion—paints/related coatings/materials
Copper Strip Corrosion by Industrial Aromatic Hydrocarbons, Test Method for, **D849 (06.04)**
Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), Practice for, **D5894 (06.01)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**
Corrosion—petroleum products
Copper Strip Corrosion by Liquefied Petroleum (LP) Gases, Test Method for, **D1838 (05.01)**
Corrosion Characteristics of Solid Film Lubricants, Test Method for, **D2649 (05.01)**
Corrosive Sulfur in Electrical Insulating Oils, Test Method for, **D1275 (10.03)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Corrosiveness of Lubricating Fluid to Bimetallic Couple, Test Method for, **D6547 (05.03)**
Corrosiveness to Copper from Petroleum Products by Copper Strip Test, Test Method for, **D130 (05.01)**
Detection of Copper Corrosion from Lubricating Grease, Test Method for, **D4048 (05.02)**
Determination of Accelerated Iron Corrosion in Petroleum Products, Test Method for, **D7548 (05.04)**
Determination of Corrosion-Preventive Properties of Lubricating Greases Under Dynamic Wet Conditions (Emcor Test), Test Method for, **D6138 (05.03)**
Determination of Sludging and Corrosion Tendencies of Inhibited

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mineral Oils, Test Method for, **D4310 (05.02)**
Determining Corrosion Preventive Properties of Lubricating Greases, Test Method for, **D1743 (05.01)**
Evaluation of Corrosiveness of Diesel Engine Oil at 121 °C, Test Method for, **D5968 (05.02)**
Evaluation of Corrosiveness of Diesel Engine Oil at 135 °C, Test Method for, **D6594 (05.03)**
Iron Chip Corrosion for Water–Miscible Metalworking Fluids, Test Method for, **D4627 (05.02)**

Corrosion—pipeline coatings
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**

Corrosion—pipe/tube materials/systems
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**

Corrosion—refractories
Isothermal Corrosion Resistance of Refractories to Molten Glass, Test Method for, **C621 (15.01)**

Corrosion—salt-spray (fog) testing
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Resistance of Zippers to Salt Spray (Fog), Test Method for, **D2059/D2059M (07.01)**

Corrosion—soil
Sa **Soil corrosion testing**
Measurement of Soil Resistivity Using the Two-Electrode Soil Box Method, Test Method for, **G187 (03.02)**

Corrosion—solar devices
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, Test Method for, **E1597 (12.02)**
Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, Practices for, **E745 (12.02)**

Corrosion—stress-corrosion
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**
Determining Cracking Susceptibility of Metals Exposed Under Stress to a Hot Salt Environment, Practice for, **G41 (03.02)**
Determining Susceptibility to Stress-Corrosion Cracking of 2XXX and 7XXX Aluminum Alloy Products, Test Method for, **G47 (03.02)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**
Eddy Current Testing of Electrically Conducting Materials Using Conformable Sensor Arrays, Guide for, **E2884 (03.03)**
Evaluating Corrosion Properties of Wrought Iron- and Nickel-Based Corrosion Resistant Alloys for Chemical Process Industries, Guide for, **G157 (03.02)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, Practice for, **G36 (03.02)**
Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, Test Method for, **C692 (04.06)**
Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**
Making and Using C-Ring Stress-Corrosion Test Specimens, Practice for, **G38 (03.02)**
Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Preparation and Use of Bent-Beam Stress-Corrosion Test Specimens, Practice for, **G39 (03.02)**
Preparation and Use of Direct Tension Stress-Corrosion Test Specimens, Practice for, **G49 (03.02)**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**
Use of Mattson's Solution of pH 7.2 to Evaluate the Stress-Corrosion Cracking Susceptibility of Copper-Zinc Alloys, Practice for, **G37 (03.02)**

Corrosion—surgical implants
Conducting Cyclic Potentiodynamic Polarization Measurements to Determine the Corrosion Susceptibility of Small Implant Devices, Test Method for, **F2129 (13.01)**
Corrosion Fatigue Testing of Metallic Implant Materials, Practice for, **F1801 (13.01)**
Corrosion of Surgical Instruments, Test Method for, **F1089 (13.01)**
Evaluating Modular Hip and Knee Joint Components, Guide for, **F1814 (13.01)**
Fretting Corrosion Testing of Modular Implant Interfaces: Hip Femoral Head-Bore and Cone Taper Interface, Practice for, **F1875 (13.01)**
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**
Pitting or Crevice Corrosion of Metallic Surgical Implant Materials, Test Method for, **F746 (13.01)**

Corrosion—water environments
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Exposing and Evaluating Metals and Alloys in Surface Seawater, Practice for, **G52 (03.02)**
Measurement of On-line Integrated Samples of Low Level Suspended Solids and Ionic Solids in Process Water by X-Ray Fluorescence (XRF), Test Method for, **D6502 (11.01)**

Corrosion current density
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**

Corrosion damage
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**

Corrosion indoor/outdoor environment
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**

Corrosion inhibition/protection
Admixtures to Inhibit Chloride-Induced Corrosion of Reinforcing Steel in Concrete, Specification for, **C1582/C1582M (04.02)**
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Corrosion Inhibiting Admixtures for Steel in Concrete by Polarization Resistance in Cementitious Slurries, Test Method for, **G180 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**

Corrosion inhibitor
Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D7862 (05.04)**
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using Rotating Cage, Practice for, **G184 (03.02)**
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using the Rotating Cylinder Electrode, Practice for, **G185 (03.02)**

Corrosion-proof pipe
Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications, Specification for, **C1053 (15.02)**

Corrosion protection
Corrosion-Preventive Properties of Lubricating Greases in Presence of Dilute Synthetic Sea Water Environments, Test Method for, **D5969 (05.02)**
Installing a Protective Cementitious Liner System in Sanitary Sewer Manholes, Practice for, **F2551 (04.12)**
Life-Cycle Cost Analysis of Corrosion Protection Systems on Iron and Steel Products, Practice for, **A1068 (01.06)**

Corrosion-related failure analysis
Corrosion-Related Failure Analysis, Guide for, **G161 (03.02)**

Corrosion resistance
Corrosion Resistance of Ferrous Metal Fastener Assemblies Used in Roofing and Waterproofing, Test Method for, **D6294/D6294M (04.04)**
Determining the Crevice Repassivation Potential of Corrosion-Resistant Alloys Using a Potentiodynamic-Galvanostatic-Potentiostatic Technique, Test Method for, **G192 (03.02)**
Evaluating Hygrothermal Corrosion Resistance of Permanent Magnet Alloys, Test Method for, **A1071/A1071M (03.04)**
Evaluation of Moisture Corrosion Resistance of Automotive Gear Lubricants, Test Method for, **D7038 (05.04)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**

Corrosion-resistant coatings
Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, Specification for, **B921 (02.05)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Testing Primers and Primer Surfacers Over Preformed Metal, Practice for, **D3322 (06.02)**

Corrosion-resistant coatings—specifications
Aluminum Diffusion Coating Applied by Pack Cementation Process, Specification for, **B875 (02.05)**
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Chromium Diffusion Coating Applied by Pack Cementation Process, Specification for, **B874 (02.05)**
Coatings of Cadmium-Zinc Mechanically Deposited, Specification for, **B816 (02.05)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Electrodeposited Coatings of Zinc Cobalt Alloy Deposits, Specification for, **B840 (02.05)**
Electrodeposited Coatings of Zinc Iron Alloy Deposits, Specification for, **B842 (02.05)**
Electrodeposited Coatings of Zinc Nickel Alloy Deposits, Specification for, **B841 (02.05)**
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**
Zinc/Aluminum Corrosion Protective Coatings for Fasteners, Specification for, **F1136/F1136M (01.08)**

Corrosion-resistant iron castings
See **Cast iron—specifications**

Corrosion resistant metallic alloys
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**

Corrosion-resistant process equipment
Sealability of Enveloped Gaskets, Test Method for, **F112 (09.02)**

Corrosion-resistant stainless steel products
Sa **Stainless steel**
Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement, Specification for, **A1022/A1022M (01.04)**

Corrosion-resistant steel—specifications
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Deformed and Plain Stainless-Steel Bars for Concrete Reinforcement, Specification for, **A955/A955M (01.04)**
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, Specification for, **A950/A950M (01.04)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
Seamless and Electric-Welded Low-Alloy Steel Tubes, Specification for, **A423/A423M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A790/A790M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, Specification for, **A789/A789M (01.01)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**

Corrosion-resistant steel castings
See **Steel castings**

Corrosion-resistant zinc anodes
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**

Corrosion test panel—preparation, testing, and rating
Corrosion Test Panel Preparation, Testing, and Rating of Coil-Coated Building Products, Guide for, **D7893 (06.02)**

Corrosion under insulation
Laboratory Simulation of Corrosion Under Insulation, Guide for, **G189 (03.02)**
Quantitative Accelerated Laboratory Evaluation of Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, Practice for, **C1617 (04.06)**

Corrosive gas testing
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, Test Method for, **B826 (02.04)**

Corrosive potency
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**

Corrosive service applications
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications, Specification for, **C1053 (15.02)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Epoxy-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A884/A884M (01.04)**
Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, Specification for, **A950/A950M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**
Stainless Steel Bolts, Hex Cap Screws, and Studs, Specification for, **F593 (01.08)**
Stainless Steel Nuts, Specification for, **F594 (01.08)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**

Corrosive service applications—bars/rods/shapes
Chromium, Chromium-Nickel, and Silicon Alloy Steel Bars and Shapes for Corrosion and Heat-Resisting Service, Specification for, **A968/A968M (01.03)**
Epoxy-Coated Steel Reinforcing Bars, Specification for, **A775/A775M (01.04)**
Free-Machining Stainless Steel Bars, Specification for, **A582/A582M (01.03)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-, Specification for, **B719 (02.04)**
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod, Specification for, **B621 (02.04)**
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, N10242) Rod, Specification for, **B573 (02.04)**

Corrosive service applications—bolting/fastening applications
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**

Corrosive service applications—castings
Castings, Chromium-Nickel Alloy, Specification for, **A560/A560M (01.02)**
Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application, Specification for, **A743/A743M (01.02)**
Castings, Iron-Chromium-Nickel, Corrosion Resistant, for Severe Service, Specification for, **A744/A744M (01.02)**
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
Castings, Iron-Nickel-Chromium and Nickel Alloys, Specially Controlled for Pressure Retaining Parts for Corrosive Service, Specification for, **A990/A990M (01.02)**
Castings, Nickel and Nickel Alloy, Specification for, **A494/A494M (01.02)**
Corrosion-Resistant High-Silicon Iron Castings, Specification for, **A518/A518M (01.02)**
Steel Castings, Stainless, Precipitation Hardening, Specification for, **A747/A747M (01.02)**

Corrosive service applications—copper
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**

Corrosive service applications—gaskets
Corrosion Testing of Gaskets, Test Method for, **F363 (09.02)**
Design and Construction of Nonmetallic Enveloped Gaskets for Corrosive Service, Practice for, **F336 (09.02)**

Corrosive service applications—pipe
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**
UNS N08367 Welded Pipe, Specification for, **B675 (02.04)**

Corrosive service applications—pipe (Ni/Ni alloy)
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, Specification for, **B723 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, Specification for, **B710 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**
Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, Specification for, **B834 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
UNS N08367 and UNS N08926 Welded Pipe, Specification for, **B804 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Pipe, Specification for, **B725 (02.04)**
Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**
Welded Nickel-Iron-Chromium Alloy Pipe, Specification for, **B514 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**

Corrosive service applications—pipe (steel)
Sa **Steel pipe**
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Centrifugally Cast Ferritic/Austenitic Stainless Steel Pipe for Corrosive Environments, Specification for, **A872/A872M (01.02)**
Cold-Worked Welded Austenitic Stainless Steel Pipe, Specifica-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tion for, **A814/A814M (01.01)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, Specification for, **A928/A928M (01.01)**
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A790/A790M (01.01)**
Single- or Double-Welded Austenitic Stainless Steel Pipe, Specification for, **A813/A813M (01.01)**
Spray-Formed Seamless Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A949/A949M (01.01)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service, Specification for, **A409/A409M (01.01)**

Corrosive service applications—plastics
Contact-Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Corrosion Resistant Pipe and Fittings, Specification for, **D6041 (08.03)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Contact-Molded Reinforced Thermosetting Plastic (RTP) Laminates for Corrosion-Resistant Equipment, Specification for, **C582 (08.03)**
Corrosivity Index of Plastics and Fillers, Test Method for, **D4350 (08.02)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Plastic-Lined Ferrous Metal Pipe, Fittings, and Flanges, Specification for, **F1545 (08.04)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**

Corrosive service applications—plate/sheet/strip
Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, Specification for, **B688 (02.04)**
Free-Machining Stainless Steel Plate, Sheet, and Strip, Specification for, **A895 (01.03)**
General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process, Specification for, **A924/A924M (01.06)**
High-Strength Low-Alloy Structural Steel Plate With Atmospheric Corrosion Resistance, Specification for, **A871/A871M (01.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Plate, Sheet, and Strip, Specification for, **B536 (02.04)**
Nickel-Molybdenum Alloy Plate, Sheet, and Strip, Specification for, **B333 (02.04)**
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, UNS N10242) Plate, Sheet, and Strip, Specification for, **B434 (02.04)**
Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, Specification for, **A308/A308M (01.06)**
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, Specification for, **B435 (02.04)**

Corrosive service applications—tube (Ni/Ni alloys)
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Tube, Specification for, **B726 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Tube, Specification for, **B739 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**
UNS N08367 Welded Tube, Specification for, **B676 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Tube, Specification for, **B674 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**

Corrosive service applications—tube (steel)
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Seamless and Electric-Welded Low-Alloy Steel Tubes, Specification for, **A423/A423M (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing (Small-Diameter) for General Service, Specification for, **A632 (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing for General Service, Specification for, **A269 (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, Specification for, **A789/A789M (01.01)**
Seamless Stainless Steel Mechanical Tubing, Specification for, **A511/A511M (01.01)**
Welded Stainless Steel Mechanical Tubing, Specification for, **A554 (01.01)**
Welded, Unannealed Austenitic Stainless Steel Tubular Products, Specification for, **A778 (01.01)**

Corrosive service applications—wire
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**

Corrosive sulfur
Corrosive Sulfur in Electrical Insulating Oils, Test Method for, **D1275 (10.03)**

Corrosivity
Conducting and Evaluating Laboratory Corrosion Tests in Soils, Practice for, **G162 (03.02)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Determining Corrosivity of Crude Oils, Guide for, **G205 (03.02)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**
Corrosivity—adhesives
Determining Corrosivity of Adhesive Materials, Test Method for, **D3310 (15.06)**
Determining Electrolytic Corrosion of Copper by Adhesives, Practice for, **D3482 (15.06)**
Corrosivity—cleaning compounds
Total Immersion Corrosion Test for Soak Tank Metal Cleaners, Guide for, **D1280 (15.04)**
Corrosivity—water
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Assessing the Tendency of Industrial Boiler Waters to Cause Embrittlement (USBM Embrittlement Detector Method), Practice for, **D807 (11.01)**
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**
Corrosivity index
Corrosivity Index of Plastics and Fillers, Test Method for, **D4350 (08.02)**
Corrosivity monitor
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, Test Method for, **B826 (02.04)**
Corrugated aluminum
Corrugated Aluminum Box Culverts, Specification for, **B864/B864M (02.02)**
Corrugated aluminum pipe
Aluminum Alloy Sheet for Corrugated Aluminum Pipe, Specification for, **B744/B744M (02.02)**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Corrugated Aluminum Pipe for Sewers and Drains, Specification for, **B745/B745M (02.02)**
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**
Corrugated asbestos-cement products
Sa **Asbestos-cement**
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Corrugated board/fiberboard materials/applications
Sa **Fiberboard containers**
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, Practice for, **D5168 (15.10)**
Fabrication of Fiberboard Shipping Boxes, Practice for, **D5118/D5118M (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, Practice for, **D5639/D5639M (15.10)**
Surface Wax Coating On Corrugated Board, Test Method for, **D3521 (05.01)**
Corrugated fiber-reinforced plastic
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Corrugated pipe
12 to 30 in. (300 to 750 mm) Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2762 (08.04)**
150 to 1500 mm 6 to 60 in. Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2947 (08.04)**
6 to 30 in. (152 To 762 mm) Polypropylene (PP) Corrugated Single Wall Pipe And Double Wall Pipe, Specification for, **F2736 (08.04)**
Corrugated High Density Polyethylene (HDPE) Water Quality Units, Specification for, **F2737 (08.04)**
Infiltration and Exfiltration Acceptance Testing of Installed Corrugated High Density Polyethylene and Polypropylene Pipelines, Practice for, **F2487 (08.04)**
Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields, Practice for, **F481 (08.04)**
Notched, Constant Ligament-Stress (NCLS) Test to Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe, Test Method for, **F2136 (08.04)**
Steel Reinforced Polyethylene (PE) Corrugated Pipe, Specification for, **F2435 (08.04)**
Corrugated plastic panels
See **Panels**
Corrugated polyethylene (PE) tube
Subsurface Installation of Corrugated Polyethylene Pipe for Agricultural Drainage or Water Table Control, Practice for, **F449 (08.04)**
Corrugated polyethylene (PE) pipe—specifications
Sa **Polyethylene (PE) pipe—specifications**
Corrugated Polyethylene Pipe and Fittings for Mine Leachate Applications, Specification for, **F2986 (08.04)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Steel Reinforced Polyethylene (PE) Corrugated Pipe, Specification for, **F2435 (08.04)**
Corrugated polyethylene (PE) tube—specifications
3 through 24 in. Corrugated Polyethylene Pipe and Fittings, Specification for, **F667 (08.04)**
Corrugated Polyethylene (PE) Pipe and Fittings, Specification for, **F405 (08.04)**
Polyethylene (PE) Plastic Tubing, Specification for, **D2737 (08.04)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Corrugated poly(vinyl chloride)(PVC)
Sa **Poly(vinyl chloride)(PVC)**
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**
Corrugated shipping/packing materials
Sa **Shipping containers/materials/applications—specifications**
Determining Compressive Resistance of Shipping Containers, Components, and Unit Loads, Test Method for, **D642 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hand Hole Design in Corrugated Boxes, Guide for, **D6804 (15.10)**
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**
Packing Material, Graphitic, Corrugated Ribbon or Textured Tape, and Die-Formed Ring, Specification for, **F2168 (01.07)**

Corrugated steel sewer/drain pipe
Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe, Practice for, **A862/A862M (01.06)**
Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe, Test Method for, **A926 (01.06)**
Composite Corrugated Steel Pipe for Sewers and Drains, Specification for, **A1042/A1042M (01.06)**
Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, Practice for, **A807/A807M (01.06)**
Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A798/A798M (01.06)**
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**

Corrugated steel sewer/drain pipe—specifications
Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field, Specification for, **A979/A979M (01.06)**
Corrugated Steel Box Culverts, Specification for, **A964/A964M (01.06)**
Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains, Specification for, **A760/A760M (01.06)**
Corrugated Steel Pipe, Polymer Precoated for Sewers and Drains, Specification for, **A762/A762M (01.06)**
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**
Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, Specification for, **A742/A742M (01.06)**
Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, Specification for, **A929/A929M (01.06)**

Corrugated wall
2 to 60 inch [50 to 1500 mm] Annular Corrugated Profile Wall Polyethylene (PE) Pipe and Fittings for Land Drainage Applications, Specification for, **F2648/F2648M (08.04)**
Polyethylene (PE) Corrugated Wall Stormwater Collection Chambers, Specification for, **F2922 (08.04)**
Polypropylene (PP) Corrugated Wall Stormwater Collection Chambers, Specification for, **F2418 (08.04)**
Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, Practice for, **F2787 (08.04)**

Corrugating medium
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**

Corrugating paper machinery
Forged Steel Rolls Used for Corrugating Paper Machinery, Specification for, **A649/A649M (01.05)**

Corrugation extensibility
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Corset-girdle fabrics
Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, Performance Specification for, **D4116 (07.01)**

CORSET/QUAN correction program
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Cortical bone screws
Sa **Orthopaedic medical devices (bone screws)**
Metallic Medical Bone Screws, Specification and Test Methods for, **F543 (13.01)**

Coshocton samplers
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**

Cosmetic corrosion testing
Salt-Accelerated Outdoor Cosmetic Corrosion Testing of Organic Coatings on Automotive Sheet Steel, Practice for, **D6675 (06.01)**

Cosmetics (water-containing)
Preservatives in Water-Containing Cosmetics, Test Method for, **E640 (11.05)**

Cost analysis (of building constructions)
Sa **Building economics**
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**
Cost Estimate Classification System, Classification for, **E2516 (04.12)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Financing and Financial Accountability of Medical Transportation Systems, Guide for, **F1493 (13.02)**
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Measuring Benefit-to-Cost and Savings-to-Investment Ratios for Buildings and Building Systems, Practice for, **E964 (04.11)**
Measuring Cost Risk of Buildings and Building Systems and Other Constructed Projects, Practice for, **E1946 (04.11)**
Measuring Life-Cycle Costs of Buildings and Building Systems, Practice for, **E917 (04.11)**
Measuring Net Benefits and Net Savings for Investments in Buildings and Building Systems, Practice for, **E1074 (04.11)**
Performing and Reporting Cost Analysis During the Design Phase of a Project, Practice for, **E1804 (04.11)**
Program and Project Estimate Summaries, Classification for, **E2620 (04.12)**

Cost effectiveness
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**

Cost estimate
Presentation Format of Elemental Cost Estimates, Summaries, and Analyses, Practice for, **E2514 (04.12)**

Cots (finger)
Sa **Rubber medical/surgical applications**
Natural Rubber Finger Cots, Specification for, **D3772 (09.02)**

Cotton
Breaking Strength and Elongation of Cotton Fibers (Flat Bundle Method), Test Method for, **D1445/D1445M (07.01)**
Establishment of Calibration Cottons for Cotton Classification Instruments, Practice for, **D7642 (07.02)**
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Qualification of Cotton Classification Instruments for Cotton

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Marketing, Practice for, **D7410 (07.02)**
Water in Lint Cotton by Oven Evaporation Combined with Volumetric Karl Fischer Titration, Test Method for, **D7785 (07.02)**

Cotton—roofing/waterproofing applications
Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing, Specification for, **D173/D173M (04.04)**
Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, Specification for, **D1327/D1327M (04.04)**

Cotton classing rooms
Lighting Cotton Classing Rooms for Color Grading, Practice for, **D1684 (07.01)**

Cotton count
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**

Cotton fabrics/fibers
Sa **Textile fibers**
100 % Cotton Denim Fabrics, Specification for, **D6554/D6554M (07.02)**
Cotton Fibers, Terminology for, **D7139 (07.02)**
Differential Dyeing Behavior of Cotton, Practice for, **D1464 (07.01)**
Grading Spun Yarns for Appearance, Test Method for, **D2255/D2255M (07.01)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Length and Length Distribution of Cotton Fibers (Array Method), Test Method for, **D1440 (07.01)**
Length and Length Uniformity of Cotton Fibers by Photoelectric Measurement, Test Method for, **D1447 (07.01)**
Lighting Cotton Classing Rooms for Color Grading, Practice for, **D1684 (07.01)**
Measurement of Physical Properties of Raw Cotton by Cotton Classification Instruments, Test Methods for, **D5867 (07.02)**
Micronaire Reading of Cotton Fibers, Test Method for, **D1448 (07.01)**
Moisture in Cotton by Oven-Drying, Test Method for, **D2495 (07.01)**
Non-Lint Content of Cotton, Test Method for, **D2812 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Sampling Cotton Fibers for Testing, Practice for, **D1441 (07.01)**
Smoldering Combustion Potential of Cotton-Based Batting, Test Method for, **D5238 (07.02)**
Standardizing Cotton Fiber Test Results by Use of Calibration Cotton Standards, Practice for, **D3025 (07.01)**
Textiles, Terminology Relating to, **D123 (07.01)**
Varnished Cotton Fabrics Used for Electrical Insulation, Test Methods for, **D295 (10.01)**
Water-Soluble Sulfate in Soil, Test Method for, **C1580 (04.02)**

Cotton fibers—maturity
Maturity of Cotton Fibers (Sodium Hydroxide Swelling and Polarized Light Procedures), Test Method for, **D1442 (07.01)**

Coulometric Karl Fischer titration
Trace Quantities of Water in Aromatic Hydrocarbons and Their Mixtures by Coulometric Karl Fischer Titration, Test Method for, **D7375 (06.04)**
Water in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D3401 (15.05)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**

Coulometric titration
Bromine Index of Aromatic Hydrocarbons by Coulometric Titration, Test Method for, **D1492 (06.04)**

Coulometry
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Cone Penetration of Lubricating Grease, Test Methods for, **D217 (05.01)**
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Determination of Oxygen Gas Transmission Rate, Permeability and Permeance at Controlled Relative Humidity Through Barrier Materials Using a Coulometric Detector, Test Method for, **F1927 (15.10)**
Determining Plutonium by Controlled-Potential Coulometry in H, Test Method for, **C1165 (12.01)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Oxygen Transmission Rate Through Dry Packages Using a Coulometric Sensor, Test Method for, **F1307 (15.10)**
Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**
Water in Crude Oils by Coulometric Karl Fischer Titration, Test Method for, **D4928 (05.02)**
Water in Insulating Liquids by Coulometric Karl Fischer Titration, Test Method for, **D1533 (10.03)**

Coulometry—metallic materials
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Measurement of Thickness of Metallic Coatings by the Coulometric Method, Test Method for, **B504 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Coulometry—microcoulometry
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Sulfur in Petroleum Gas by Oxidative Microcoulometry, Test Method for, **D3246 (05.01)**
Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry, Test Method for, **D3120 (05.01)**

Count
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**

Counterfeiting
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**

Countersinks
See **Surgical instruments**

Countersunk head cap screws—specifications
Sa **Steel screws—specifications**
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F835 (01.08)**
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F835M (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F879 (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F879M (01.08)**

Counterweight system
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**

Counting
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Measurement of Radioactivity, Practices for the, **D3648 (11.02)**
Microscopical Sizing and Counting Particles from Aerospace Flu-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ids on Membrane Filters, Test Methods for, **F312 (15.03)**
Sizing and Counting Particulate Contaminant In and On Clean Room Garments, Test Method for, **F51/F51M (15.03)**

Counting airborne particles
Asbestos Detection Limit Based on Counts, Practice for, **D6620 (11.07)**
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**

Counting colonies
See **Colony forming units (CFU)**

Counting particles
See **Particle counters/counting**

Counts per pound
Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, Test Method for, **E1520 (11.05)**

Couplant
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**

Coupling agents
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**

Coupling procedure
Electrofusion Joining Polyolefin Pipe and Fittings, Practice for, **F1290 (08.04)**

Couplings
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**

Couplings—specifications
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1540 (01.02)**
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications, Specification for, **F1548 (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1277 (01.02)**
Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground, Specification for, **C1460 (01.02)**
Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and Fittings, Specification for, **C1541 (01.02)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**
Wrought Carbon Steel Sleeve-Type Pipe Couplings, Specification for, **F682 (01.07)**

Coupling sockets (for plastic pipe)
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**

Couplings (plastic)
See **Plastic pipe/tubing/fittings**

Coupon corrosion testing
Corrosion Testing of Aluminum-Based Spent Nuclear Fuel in Support of Repository Disposal, Guide for, **C1431 (12.01)**
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**

Coupons
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Preparing Coupons for Flexural and Washout Tests on Glass Fiber Reinforced Concrete, Practice for, **C1228 (04.05)**
Replication and Measurement of Concrete Surface Profiles Using Replica Putty, Test Method for, **D7682 (06.02)**
Test Coupons for Steel Castings, Specification for, **A1067/A1067M (01.02)**

Covariance matrix
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**

Cover
Cargo Bed Cover (CBC) M105A2 Trailer, Type II, Performance Specification for, **E2463 (04.12)**
Cargo Bed Cover, Type III (M35A2, 2, Specification for, **E2517 (04.12)**
Cargo Bed Cover, Type IV (M923, 5 Ton Cargo Truck/M1083, 5 Ton Medium Tactical Vehicle (MTV)/ M1082, 5 Ton MTV Trailer), Specification for, **E2518 (04.12)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Measuring the Saturated Hydraulic Conductivity of Paper Industry Sludges, Guide for, **D7243 (04.09)**

Coverall fabric
Women's Woven Coverall, Dungaree, Overall, and Shop Coat Fabrics, Performance Specification for, **D4118 (07.01)**

Cover assembly
Manhole Cover Assembly, Bolted, Raised, Oiltight and Watertight, Specification for, **F1143 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Specification for, **F1142 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Hinged, Specification for, **F1144 (01.07)**

Cover coat enamels
Steel, Sheet, for Porcelain Enameling, Specification for, **A424/A424M (01.03)**

Covered wood crates
Open and Covered Wood Crates, Specification for, **D6039/D6039M (15.10)**

Cover glasses (for microscopy)
Cover Glasses and Glass Slides for Use in Microscopy, Specification for, **E211 (14.04)**

Covering capacity
Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement, Test Method for, **C166 (04.06)**

Cover materials—solar collectors
Determining Resistance of Solar Collector Covers to Hail by Impact With Propelled Ice Balls, Practice for, **E822 (12.02)**
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Exposure of Cover Materials for Solar Collectors to Natural Weathering Under Conditions Simulating Operational Mode, Practice for, **E782 (12.02)**

Cover/recover board
Perlite Thermal Insulation Board, Specification for, **C728 (04.06)**

Covers
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Fiber Shedding of Paint Roller Covers, Test Method for, **D7804 (06.02)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cover-up correction media
Comparing Cover-Up Correction Media, Test Method for, **F935 (15.09)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
CPE (chlorinated polyethylene) sheeting
See **Polyethylene (PE) sheet and film—specifications**
CPR
See **Computer-based patient record (CPR)**
CPR (controlled polymerization rate)
Polyurethane Raw Materials: Alkalinity in Low-Alkalinity Polyols (Determination of CPR Values of Polyols), Test Method for, **D6437 (08.03)**
CPVC (chlorinated poly(vinyl chloride))
Sa **Chlorinated poly(vinyl chloride)(CPVC)—specifications**
Sa **Poly(vinyl chloride)(PVC)**
Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, Specification for, **F2618 (08.04)**
Chlorinated Poly(Vinyl Chloride)/Aluminum/Chlorinated Poly(Vinyl Chloride) (CPVC-AL-CPVC) Composite Pressure Tubing, Specification for, **F2855 (08.04)**
Crack bridging
Crack Bridging Ability of Liquid-Applied Waterproofing Membrane, Test Method for, **C1305 (04.04)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Crack filler
Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, Specification for, **D5078/D5078M (04.03)**
Cracking
Airport Pavement Condition Index Surveys, Test Method for, **D5340 (04.03)**
Classification of Automated Pavement Condition Survey Equipment, Guide for, **E1656/E1656M (04.03)**
Determining Age at Cracking and Induced Tensile Stress Characteristics of Mortar and Concrete under Restrained Shrinkage, Test Method for, **C1581/C1581M (04.02)**
Determining Fracture Energy of Asphalt-Aggregate Mixtures Using the Disk-Shaped Compact Tension Geometry, Test Method for, **D7313 (04.03)**
Failure End Point in Accelerated and Outdoor Weathering of Bituminous Materials, Test Method for, **D1670/D1670M (04.04)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Hydrogen Embrittlement Resistance for Steel Wire Hard Drawn Used for Prestressing Concrete Pipe, Test Method for, **A1032 (01.04)**
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, Guide for, **D4463/D4463M (05.05)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D5528 (15.03)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Cracking—adhesives
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
Cracking—ceramics
Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, Test Methods for, **C1421 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**
Cracking—coatings
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, Test Method for, **D2065 (06.02)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Evaluating Degree of Cracking of Exterior Paints, Test Method for, **D661 (06.01)**
Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Methods for, **D5499 (06.02)**
Impact Flexibility of Organic Coatings, Test Method for, **D6905 (06.01)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Specific Bendability of Pipeline Coatings, Test Method for, **G10 (06.02)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**
Cracking—crack growth
Creep-Fatigue Crack Growth Testing, Test Method for, **E2760 (03.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures, Test Method for, **C1465 (15.01)**
Determining J-R Curves of Plastic Materials, Test Method for, **D6068 (08.03)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Measurement of Fatigue Crack Growth Rates, Test Method for, **E647 (03.01)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Cracking—insulation
Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, Test Method for, **C692 (04.06)**
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**
Thermal Integrity of Flexible Water Vapor Retarders, Test Method for, **C1263 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cracking—metallic materials
K-R Curve Determination, Test Method for, **E561 (03.01)**
Bend Test for Determining the Formability of Copper and Copper Alloy Strip, Test Method for, **B820 (02.01)**
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Measurement of Creep Crack Growth Times and Rates in Metals, Test Method for, **E1457 (03.01)**
Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, Practice for, **G129 (03.02)**

Cracking—ozone cracking
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**

Cracking—plastics
Evaluating Plastic Shrinkage Cracking of Restrained Fiber Reinforced Concrete (Using a Steel Form Insert), Test Method for, **C1579 (04.02)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

Cracking—rubber
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Rubber Deterioration—Crack Growth, Test Method for, **D813 (09.01)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**
Rubber Property—Extension Cycling Fatigue, Test Method for, **D4482 (09.01)**

Cracking—sealants
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Paintability of Latex Sealants, Guide for, **C1520 (04.07)**

Cracking/Loading tests
Examination of Paper Machine Rolls Using Acoustic Emission from Crack Face Rubbing, Practice for, **E2907/E2907M (03.03)**

Cracking resistance
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**
Flexibility of Roofing and Waterproofing Materials and Membranes, Test Method for, **D5683/D5683M (04.04)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**

Crack-opening displacement
Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions, Test Method for, **E2472 (03.01)**

Crack propagation
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**

Crack sealant/filler
Sa **Joint sealants (concrete)**
Construction of Asphalt-Rubber Cape Seal, Practice for, **D7564/D7564M (04.03)**
Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements, Specification for, **D6690 (04.03)**
Melting of Hot-Applied Joint and Crack Sealant and Filler for Evaluation, Practice for, **D5167 (04.03)**
Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, Practice for, **D1985 (04.03)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**

Crack-tip opening displacement (CTOD)
Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions, Test Method for, **E2472 (03.01)**
Measurement of Fracture Toughness, Test Method for, **E1820 (03.01)**

Cradles
Bassinets and Cradles, Consumer Safety Specification for, **F2194 (15.11)**

Crane rails
Carbon Steel Crane Rails, Specification for, **A759 (01.04)**

Cranial traction tongs
Cranial Traction Tongs and Halo External Spinal Immobilization Devices, Specification for, **F1831 (13.01)**

Cranioplasty plates
Preformed Cranioplasty Plates, Specification for, **F452 (13.01)**

Crankcase oils
Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, Test Method for, **D6891 (05.03)**
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Crankshafts
Sa **Shipbuilding steel materials—specifications**
Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, Specification for, **A983/A983M (01.05)**
Magnetic Particle Examination of Continuous Grain Flow Crankshaft Forgings, Specification for, **A986/A986M (01.05)**
Magnetic Particle Examination of Large Crankshaft, Specification for, **A456/A456M (01.05)**
Ultrasonic Examination of Forged Crankshafts, Specification for, **A503/A503M (01.05)**

Crash data recorder (CDR)
Collection of Non-Volatile Memory Data in Evidentiary Vehicle Electronic Control Units, Guide for the, **E2493 (14.02)**

Crash towel
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**

Crassostrea gigas
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**

Crassostrea virginic
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**

Crater edge profiling
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Crates
Sa **Shipping containers/materials/applications**
Heavy Duty Sheathed Wood Crates, Specification for, **D7478/D7478M (15.10)**
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Open and Covered Wood Crates, Specification for, **D6039/D6039M (15.10)**
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**

Crawl spaces
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Crazing
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**

Crazing—aerospace plastics
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Stress Crazing of Acrylic Plastics in Contact with Liquid or Semi-Liquid Compounds, Test Method for, **F484 (15.03)**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**

Crazing—glazed ceramic whitewares
Crazing Resistance of Fired Glazed Ceramic Whitewares by a Thermal Shock Method, Test Method for, **C554 (15.02)**
Crazing Resistance of Fired Glazed Whitewares by Autoclave Treatment, Test Method for, **C424 (15.02)**

CR (chloroprene rubber)
Evaluating the Effective Surface Area of Zinc Oxide in Rubber, Test Method for, **D4620 (09.01)**
Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, Specification for, **D4811/D4811M (04.04)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Evaluation of Chloroprene Rubber (CR), Test Method for, **D3190 (09.01)**

CR (computed radiology) imaging systems
Computed Radiography, Guide for, **E2007 (03.03)**
Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**

Cream insecticides
See **Insecticides**

Creams
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**

Cream testing
Pipets, Milk and Cream Examination, Specification for, **E1043 (14.04)**

Crease-folding test
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**

Creasing
Creasing or Bending a Membrane Switch, Membrane Switch Flex Tail Assembly or Membrane Switch Component, Practice for, **F1683 (10.04)**
Determination of the Effect of Hard Creasing Paper on Images Produced by Business Imaging Systems, Practice for, **F1351 (15.09)**
Determining the Effects of Creasing a Membrane Switch or Assembly, Test Method for, **F2749 (10.04)**

Credentialing
Credentialing for Access to an Incident or Event Site, Guide for, **E2842 (15.08)**
Personnel Credentialing, Terminology for, **E2708 (14.02)**
Requirements for Bodies that Operate Certification Programs in the Field of Search and Rescue, Guide for, **F3069 (13.02)**
Resource Management in Emergency Management and Homeland Security, Guide for, **E2640 (15.08)**

Creeks
Sa **Fresh water**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks, Guide for, **F1231 (11.05)**

Creep
Bond Integrity of Transparent Laminates, Test Methods for, **F521 (15.03)**
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, Test Method for, **C1337 (15.01)**
Creep Properties of Package Cushioning Materials, Test Method for, **D2221 (15.10)**
Creep-Fatigue Testing, Test Method for, **E2714 (03.01)**
Determining Strength Capacities of Structural Insulated Panels, Test Methods for, **E1803 (04.11)**
Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, Test Method for, **C1291 (15.01)**
Evaluating Connectability Characteristics of Electrical Conductor Materials, Test Methods for, **B896 (02.04)**
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Flexure Creep of Sandwich Constructions, Test Method for, **C480/C480M (15.03)**
Measurement of Creep Crack Growth Times and Rates in Metals, Test Method for, **E1457 (03.01)**
Measuring Thermal Expansion and Creep of Refractories Under Load, Test Method of, **C832 (15.01)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, Practice for, **F2787 (08.04)**
Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics, Test Methods for, **D2990 (08.01)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Time-Dependent (Creep) Deformation Under Constant Pressure for Geosynthetic Drainage Products, Test Method for, **D7406 (04.13)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Creep—adhesives
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Conducting Creep Tests of Metal-to-Metal Adhesives, Practice for, **D1780 (15.06)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Creep Properties of Adhesives in Shear by Compression Loading (Metal-to-Metal), Test Method for, **D2293 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Creep Properties of Adhesives in Shear by Tension Loading (Metal-to-Metal), Test Method for, **D2294 (15.06)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**

Creep—concrete
Creep of Concrete in Compression, Test Method for, **C512/C512M (04.02)**

Creep—gaskets
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**
Creep Relaxation of Laminated Composite Gasket Materials, Test Method for, **F1276 (09.02)**

Creep—rock
Creep of Rock Core Under Constant Stress and Temperature, Test Methods for, **D7070 (04.09)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**

Creep—soil
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**
Laboratory Determination of Strength Properties of Frozen Soil at a Constant Rate of Strain, Test Method for, **D7300 (04.09)**

Creepage—edge/scribe
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**

Creep crack growth
Creep-Fatigue Crack Growth Testing, Test Method for, **E2760 (03.01)**
Creep-Fatigue Testing, Test Method for, **E2714 (03.01)**
Measurement of Creep Crack Growth Times and Rates in Metals, Test Method for, **E1457 (03.01)**

Creep deflection
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**
Flexure Creep of Sandwich Constructions, Test Method for, **C480/C480M (15.03)**

Creeping and colonial bentgrass
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**

Creep measurement
Creep Measurement of Self-Lubricating Bushings, Test Method for, **D7107 (08.03)**
Creep-Fatigue Testing, Test Method for, **E2714 (03.01)**

Creep rupture
Compressive and Flexural Creep and Creep-Rupture of Plastic Lumber and Shapes, Test Methods for, **D6112 (08.03)**
Conducting Creep, Creep-Rupture, and Stress-Rupture Tests of Metallic Materials, Test Methods for, **E139 (03.01)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, Test Method for, **C1337 (15.01)**
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**
Tensile Creep Rupture of Fiber Reinforced Polymer Matrix Composite Bars, Test Method for, **D7337/D7337M (15.03)**
Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics, Test Methods for, **D2990 (08.01)**
Time-to-Failure (Creep-Rupture) of Adhesive Joints Fabricated from EPDM Roof Membrane Material, Practice for, **D6383/D6383M (04.04)**

Creep strain rate
Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, Test Method for, **C1291 (15.01)**
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**

Creosote
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**

Creosote/creosote coal-tar materials
Sa **Wood preservatives**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**

Creosote/creosote coal-tar materials—specifications
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**

Cresols
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**
Pyridine Bases in Cresylic Acid by Direct Titration, Test Method for, **D4471 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
Tar Acid Composition by Capillary Gas Chromatography, Test Method for, **D5310 (06.04)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**

Cresylic acid
Pyridine Bases in Cresylic Acid by Direct Titration, Test Method for, **D4471 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
Tar Acid Composition by Capillary Gas Chromatography, Test Method for, **D5310 (06.04)**

CRE tensile testing machine
See **Constant rate-of-extension (CRE) test**

Crevice corrosion
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, Test Method for, **G61 (03.02)**
Determining the Crevice Repassivation Potential of Corrosion-Resistant Alloys Using a Potentiodynamic-Galvanostatic-Potentiostatic Technique, Test Method for, **G192 (03.02)**
Evaluating Corrosion Properties of Wrought Iron- and Nickel-Based Corrosion Resistant Alloys for Chemical Process Industries, Guide for, **G157 (03.02)**
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Modified Salt Spray (Fog) Testing, Practice for, **G85 (03.02)**
Operating Salt Spray (Fog) Apparatus, Practice for, **B117 (03.02)**
Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, Test Methods for, **G48 (03.02)**
Pitting or Crevice Corrosion of Metallic Surgical Implant Materials, Test Method for, **F746 (13.01)**

Crew assignment form
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**

Crew sleeping quarters
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**

Crib mattresses
Crib Mattresses, Consumer Safety Specification for, **F2933 (15.11)**

Cribs
Sa **Consumer safety specifications (infants/children)**
Bedside Sleepers, Consumer Safety Specification for, **F2906 (15.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Commercial Cribs, Consumer Safety Performance Specification for, **F2710 (15.11)**
Crib Mattresses, Consumer Safety Specification for, **F2933 (15.11)**
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
Non-Full-Size Baby Cribs/Play Yards, Consumer Safety Specification for, **F406 (15.11)**

Crib sheet & pillowcase fabrics
See **Beds**

Crib wall members
Precast Reinforced Concrete Crib Wall Members, Specification for, **C915 (04.05)**

Criminal investigation
Sa **Forensic investigation/analysis**
Computer Forensics, Practice for, **E2763 (14.02)**
Determination of Trace Elements in Soda-Lime Glass Samples Using Laser Ablation Inductively Coupled Plasma Mass Spectrometry for Forensic Comparisons, Test Method for, **E2927 (14.02)**
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**
Forensic Comparison of Glass Using Micro X-ray Fluorescence (μ-XRF) Spectrometry, Test Method for, **E2926 (14.02)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Sampling Seized Drugs for Qualitative and Quantitative Analysis, Guide for, **E2548 (14.02)**
Sexual Assault Investigation, Examination, and Evidence Collection, Guide for, **E1843 (14.02)**
Validation of Seized-Drug Analytical Methods, Practice for, **E2549 (14.02)**

Crimped electrical connections
Evaluation of Crimped Electrical Connections to 16-Gauge and Smaller Diameter Stranded and Solid Conductors, Test Method for, **B913 (02.04)**
Specification and Quality Assurance for the Electrical Contact Performance of Crimped Wire Terminations, Guide for, **B942 (02.04)**

Crimped flow testing
Testing Vertical Strip Drains in the Crimped Condition, Test Method for, **D6918 (04.13)**

Crimping
Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, Test Method for, **D6774 (07.02)**
Effective Crimping on Outside Crimped Valves of Aerosol Containers, Test Methods for, **D3076 (15.10)**
Evaluation of Recoverable Stretch of Stretch Yarns (Skein Method), Test Method for, **D6720 (07.02)**

Crimp rings—copper
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Tubing, Specification for, **F2434 (08.04)**

Crimp (take-up)
Bulk Properties of Textured Yarns, Test Method for, **D4031 (07.01)**
Crimp Frequency of Manufactured Staple Fibers, Test Method for, **D3937 (07.01)**
Yarn Crimp and Yarn Take-up in Woven Fabrics, Test Method for, **D3883 (07.01)**

C-ring specimens
Making and Using C-Ring Stress-Corrosion Test Specimens, Practice for, **G38 (03.02)**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature, Test Method for, **C1323 (15.01)**

Cristobalite
Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, Practice for, **E2625 (11.03)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**

Criteria parameters
Evaluating the Attributes of a Forest Management Plan, Guide for, **D7480 (04.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**

Critical bed depth (d_c)
Gas-Phase Adsorption Testing of Activated Carbon, Guide for, **D5160 (15.01)**

Critical combustion ratio
See **Combustion**

Critical cracking temperature
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**

Critical current measurement
See **Current measurement**

Critical curve
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Critical depth
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**

Critical element
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**

Critical half-thickness/temperature
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**

Criticality control
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Critical limit
Determination of the 99 %/95 % Critical Level (WCL) and a Reliable Detection Estimate (WDE) Based on Within-laboratory Data, Practice for, **D7782 (11.01)**

Critical path method
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**

Critical patient care
See **Anesthesia equipment—specifications**
See **Patient biographical/medical data**

Critical pitting temperature
Electrochemical Critical Pitting Temperature Testing of Stainless Steels, Test Method for, **G150 (03.02)**

Critical pressure (P_{cs4})
Sa **Pressure testing**
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**

Critical pumpability viscosity
Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7111 (05.04)**
Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, Test Method for, **D7110 (05.04)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**

Critical radiant flux
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**

Critical temperature
Calculation of True Vapor Pressures of Petroleum Distillate Fuels, Test Method for, **D2889 (05.01)**

Critical upward pressure difference
Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), Test Method for, **C1570 (04.05)**

Crocidolite (riebeckite asbestos)
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**

Crocking
Colorfastness of Crocking of Leather, Test Method for, **D5053 (15.04)**
Colorfastness of Zipper Tapes to Crocking, Test Method for, **D2054 (07.01)**

Crockmeter method
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**
Relative Cure of Energy-Cured Inks and Coatings, Test Method for, **D7244 (06.02)**

Crocus
See **Iron oxide pigments—black (natural/synthetic)**

Cross-contamination
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**

Cross curvature
Cross Curvature of Thermostat Metals, Test Method for, **B478 (02.04)**

Crosscut/cross-hatch adhesion test
Sa **Coal sampling systems**
Determining Ink or Coating Adhesion on Plastic Substrates for Membrane Switch Applications, Test Method for, **F1842 (10.04)**
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**

Cross-cut tape adhesion test
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**

Crossflow microfiltration
Used for Microfiltration, Ultrafiltration, Nanofiltration and Reverse Osmosis Membrane Processes, Terminology, **D6161 (11.02)**

Cross grain
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**

Cross-hatch tape test
Chromates on Aluminum, Specification for, **B449 (02.05)**
Determining the Adhesion of Print Media Utilizing Mechanical Stress: Two Different Test Methods—Score/Tape and Cross Hatch, Practice for, **F2452 (15.09)**

Crosshead
Cummins ISM Test, Test Method for, **D7468 (05.04)**
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Verification of Speed for Material Testing Machines, Practices for, **E2658 (03.01)**

Crosshead-mounted load cell
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**

Crosshole testing
Crosshole Seismic Testing, Test Methods for, **D4428/D4428M (04.08)**
Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, Test Method for, **D6760 (04.09)**

Crossing counting
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**

Crosslink density
In Situ Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), Test Method for, **F2214 (13.01)**
Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density, Test Method for, **D6814 (09.01)**

Crosslinked electrical insulating materials
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Longitudinal Measurement of Volume Resistivity for Extruded Crosslinked and Thermoplastic Semiconducting Conductor and Insulation Shielding Materials, Test Method for, **D6095 (10.02)**

Crosslinked electrical insulating materials—specifications
Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3150 (10.02)**
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3144 (10.02)**
Crosslinked Polyethylene Insulation for Wire and, Specification for, **D2656 (10.02)**
Crosslinked Polyethylene Insulation for Wire and Cable Rated 0 to 2000 V, Specification for, **D2655 (10.02)**
Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3149 (10.02)**
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorinated Polyethylene (CM) Jackets For Wire and Cable, Specification for, **D4313 (10.02)**
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**

Crosslinked jacket
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**

Crosslinked polyethylene (PEX) pipe/tube
Black Crosslinked Polyethylene (PEX) Line Pipe, Fittings and Joints For Oil and Gas Producing Applications, Specification for, **F2905/F2905M (08.04)**
Determining Gel Content in Crosslinked Ethylene Plastics Using Pressurized Liquid Extraction, Test Method for, **D7567 (08.03)**
Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, Test Method for, **F2023 (08.04)**
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Tubing, Specification for, **F2434 (08.04)**
Metric-sized Crosslinked Polyethylene (PEX) Pipe, Specification for, **F2788 (08.04)**
Metric-Sized Crosslinked Polyethylene (PEX) Pipe Systems, Specification for, **F2829 (08.04)**
Outdoor Weathering Exposure of Crosslinked Polyethylene (PEX)

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tubing, Test Method for, **F2657 (08.04)**
Plastic Insert Fittings For SDR9 Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F2735 (08.04)**
Push-Fit Crosslinked Polyethylene (PEX) Mechanical Fittings for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F2854 (08.04)**
Specification for Crosslinked Polyethylene (PEX) Material Gas Pressure Pipe and Tubing, Specification for, **F2818 (08.04)**

Crosslinked polyethylene (PEX) pipe/tube—specifications
Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1960 (08.04)**
Cold-Expansion Fittings With Metal Compression-Sleeves for Cross-Linked Polyethylene (PEX) Pipe, Specification for, **F2080 (08.04)**
Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, Specification for, **F877 (08.04)**
Crosslinked Polyethylene (PEX) Tubing, Specification for, **F876 (08.04)**
Crosslinked Polyethylene (PEX) Tubing of 0.070 in. Wall and Fittings for Radiant Heating Systems up to 75 psig, Specification for, **F2929 (08.04)**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Tubing OD Controlled SDR9, Specification for, **F2262 (08.04)**
Mechanical Cold Expansion Insert Fitting With Compression Sleeve for Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1865 (08.04)**
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F1807 (08.04)**
Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F1961 (08.04)**
Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F2159 (08.04)**
Push-Fit Crosslinked Polyethylene (PEX) Mechanical Fittings for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F2854 (08.04)**
Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings, Specification for, **F2098 (08.04)**

Crosslinking
Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1960 (08.04)**
Crosslinkable Ethylene Plastics, Specification for, **D2647 (08.01)**
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**
Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications, Test Method for, **D3364 (08.02)**
Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, Classification System for, **D6338 (08.03)**
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**

Cross-method reproducibility
Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, Practice for, **D6708 (05.03)**

Cross section data/analysis
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Use of Maps, Guide for, **D6036 (04.09)**
Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section, Test Method for, **B487 (02.05)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Tensile Properties of Reinforced Thermosetting Plastics Using Straight-Sided Specimens, Test Method for, **D5083 (08.02)**
Tension Testing of Nonmetallic Gasket Materials, Test Methods for, **F152 (09.02)**

Cross section data/analysis—insulation
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Cross section data/analysis—metals/alloys
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, Specification for, **B258 (02.03)**

Cross section data/analysis—water
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**

Cross-threaded sockets (for plastic pipe)
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**

Crosswise dimensional instability
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**

Crosswise distortion
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**

Crowfoot weave
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**

Crown
Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, Test Method for, **A971/A971M (03.04)**

"Crow's feet"
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**

CRT (constant rate-of-transverse)
See **Constant rate-of-traverse (CRT) test**

Crucibles
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Crucibles, Ignition, Laboratory, Metal, Specification for, **E785 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**

Cruciform sampling
Sampling Forest Trees for Determination of Clear Wood Properties, Practice for, **D5536 (04.10)**

Cruciform weldment
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**

Crud
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**

Crude isocyanates
See **Isocyanates**

Crude oil
Boiling Point Distribution of Samples with Residues Such as Crude Oils and Atmospheric and Vacuum Residues by High Temperature Gas Chromatography, Test Method for, **D7169 (05.04)**
Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), Test Method for, **D7157 (05.04)**
Determination of Methanol in Crude Oils by Multidimensional Gas Chromatography, Test Method for, **D7059 (05.04)**
Determining Corrosivity of Crude Oils, Guide for, **G205 (03.02)**
Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection), Test Method for, **D7112 (05.04)**
Multielement Analysis of Crude Oils Using Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7691 (05.04)**
Sediment and Water Determination in Crude Oil, Guide for, **D7829 (05.04)**
Total Mercury in Crude Oil Using Combustion and Direct Cold Vapor Atomic Absorption Method with Zeeman Background Correction, Test Method for, **D7622 (05.04)**
Total Mercury in Crude Oil Using Combustion-Gold Amalgamation and Cold Vapor Atomic Absorption Method, Test Method for, **D7623 (05.04)**

Crude oil—stabilized
Determination of Light Hydrocarbons in Stabilized Crude Oils by Gas Chromatography, Test Method for, **D7900 (05.04)**

Crude oil distillation
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**

Crude petroleum products
Sa **Oil spill control systems**
API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method), Test Method for, **D287 (05.01)**
Ash from Petroleum Products, Test Method for, **D482 (05.01)**
Density and Relative Density of Crude Oils by Digital Density Analyzer, Test Method for, **D5002 (05.02)**
Density, Relative Density, or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method, Test Method for, **D1298 (05.01)**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Determination of Asphaltenes (Heptane Insolubles) in Crude Petroleum and Petroleum Products, Test Method for, **D6560 (05.03)**
Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, Test Methods for, **D5708 (05.02)**
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Determination of Vapor Pressure of Crude Oil: VPCR, Test Method for, **D6377 (05.03)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Pour Point of Crude Oils, Test Method for, **D5853 (05.02)**
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**
Salts in Crude Oil (Electrometric Method), Test Method for, **D3230 (05.01)**
Screening Fuels in Soils, Test Method for, **D5831 (11.04)**
Sediment in Crude Oil by Membrane Filtration, Test Method for, **D4807 (05.02)**
Sediment in Crude Oils and Fuel Oils by the Extraction Method, Test Method for, **D473 (05.01)**
Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), Test Method for, **D4007 (05.02)**
Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure), Test Method for, **D1796 (05.01)**
Water in Crude Oil by Distillation, Test Method for, **D4006 (05.02)**
Water in Crude Oils by Coulometric Karl Fischer Titration, Test Method for, **D4928 (05.02)**
Water in Crude Oils by Potentiometric Karl Fischer Titration, Test Method for, **D4377 (05.02)**

Crude petroleum sampling
See **Sampling petroleum products**

Crude tar acids
See **Tar acids**

Crumb rubber
Bonded Rubber Crumb Floor Coverings, Specification for, **F3041 (15.04)**
Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density, Test Method for, **D6814 (09.01)**

Crumb rubber modified (CRM)
Asphalt-Rubber Binder, Specification for, **D6114/D6114M (04.03)**

Crumb test
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**

Crushable insulators
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**

Crushed aggregate
Sa **Pavement surfaces—specifications**
Determining the Percentage of Fractured Particles in Coarse Aggregate, Test Method for, **D5821 (04.03)**

Crushed bituminous coal
Sa **Coal products**
Cubic Foot Weight of Crushed Bituminous Coal, Test Method for, **D291 (05.06)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**

Crushed lime
Sa **Quicklime**
Quicklime for Structural Purposes, Specification for, **C5 (04.01)**

Crushed rock/stone
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**

Crushed slag/stone
Sa **Coarse aggregate**
Aggregate for Single or Multiple Bituminous Surface Treatments,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **D1139/D1139M (04.03)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Mineral Aggregate Used on Built-Up Roofs, Specification for, **D1863/D1863M (04.04)**

Crusher abrasion test
Jaw Crusher Gouging Abrasion Test, Test Method for, **G81 (03.02)**

Crush-extrusion resistance
Compressive Strength of Gaskets at Elevated Temperatures, Test Method for, **F1574 (09.02)**

Crushing strength
Asbestos-Cement Pipe, Test Methods for, **C500/C500M (04.05)**
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Cold Crushing Strength and Modulus of Rupture of Refractories, Test Methods for, **C133 (15.01)**
Column Crush Properties of Blown Thermoplastic Containers, Test Method for, **D2659 (08.01)**
Compressive (Crushing) Strength of Fired Whiteware Materials, Test Method for, **C773 (15.02)**
Compressive Strength of Carbon and Graphite, Test Method for, **C695 (05.05)**
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**
Determination of Bulk Crush Strength of Catalysts and Catalyst Carriers, Test Method for, **D7084 (05.05)**
Determination of Crushing Strength of Iron Ore Pellets, Test Method for, **E382 (03.05)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, Test Method for, **D4179 (05.05)**
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**

Crushing strength—carbon black
Carbon Black—Automated Individual Pellet Hardness, Test Method for, **D5230 (09.01)**
Carbon Black—Individual Pellet Hardness, Test Method for, **D3313 (09.01)**

Crustacea
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**

Crust method
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**

Cryogenic insulation systems
Thermal Performance Testing of Cryogenic Insulation Systems, Guide for, **C1774 (04.06)**

Cryogenic properties (of materials)
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**

Cryogenic sampling
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**
Sampling Cryogenic Aerospace Fluids, Practice for, **F310 (15.03)**

Cryogenic service environments
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Handling Hazardous Biological Materials in Liquid Nitrogen, Guide for, **E1566 (14.02)**

Cryopreserved biological materials
Design and Maintenance of Low-Temperature Storage Facilities for Maintaining Cryopreserved Biological Materials, Guide for, **E1564 (14.02)**
Inventory Control and Handling of Biological Material Maintained at Low Temperatures, Guide for, **E1565 (14.02)**

Cryoscopic constant
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**

Cryosection analysis
Tissue Cryosection Analysis with SIMS, Practice for, **E1880 (03.06)**

Cryostats
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**

Cryptography
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**

Crystal lattice structure
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Determining the Effective Elastic Parameter for X-Ray Diffraction Measurements of Residual Stress, Test Method for, **E1426 (03.01)**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**

Crystalline materials
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**

Crystalline pigment
Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, Test Method for, **D5380 (06.01)**

Crystalline polymorphs
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**

Crystalline polystyrene (PS) molding/extrusion material
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**

Crystallinity
Determination of Crystallite Size (Lc of Calcined Petroleum Coke by X-Ray Diffraction, Test Method for, **D5187 (05.02)**
Determination of Relative Crystallinity of Zeolite Sodium A by X-ray Diffraction, Test Method for, **D5357 (05.05)**
Determination of Relative Crystallinity of Zeolite ZSM-5 by X-Ray Diffraction, Test Method for, **D5758 (05.05)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, Practices for, **D934 (11.02)**
Measurement of Enthalpy of Fusion, Percent Crystallinity, and Melting Point of Ultra-High-Molecular Weight Polyethylene by Means of Differential Scanning Calorimetry, Test Method for, **F2625 (13.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Crystallinity index
Measurement of Percent Crystallinity of Polyetheretherketone (PEEK) Polymers by Means of Specular Reflectance Fourier Transform Infrared Spectroscopy (R-FTIR), Test Method for, **F2778 (13.02)**
Crystallization
Electrofusion Joining Polyolefin Pipe and Fittings, Practice for, **F1290 (08.04)**
Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry, Test Method for, **E793 (14.02)**
Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), Test Method for, **D1329 (09.01)**
Freezing Point of Aviation Fuels, Test Method for, **D2386 (05.01)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**
Crystallization temperatures
Sa **Temperature tests**
Melting And Crystallization Temperatures By Thermal Analysis, Test Method for, **E794 (14.02)**
Crystallization transformation
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Crystallographic characteristics
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**
Determining the Orientation of a Metal Crystal, Test Method for, **E82 (03.01)**
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**
Crystallography
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**
Crystal polystyrene
See **Styrenic plastics**
CSIC
Sa **Spinal cord immobilization**
Characteristics for Cervical Spine Immobilization Collar(s) (CSIC), Guide for, **F1559 (13.02)**
CSMA bulletin 245-70
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
CSR (coke strength after reaction)
Measuring Coke Reactivity Index (CRI) and Coke Strength After Reaction (CSR), Test Method for, **D5341 (05.06)**
CST (Compton scatter tomography)
X-Ray Compton Scatter Tomography, Guide for, **E1931 (03.03)**
CTAB
See **Cetyltrimethylammonium bromide (CTAB)**
CT density resolution
Calibrating and Measuring CT Density, Test Method for, **E1935 (03.03)**
CTI-CU
Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum), Test Method for, **D5288 (10.02)**
CTLJT (constant tensile load joint test)
Constant Tensile Load Joint Test (CTLJT), Test Method for, **F1588 (08.04)**
CTMeter (circular track meter)
Measuring Pavement Macrotexture Properties Using the Circular Track Meter, Test Method for, **E2157 (04.03)**
CTS (calibration transfer standard)
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Cube-in-air method
Softening Point of Pitch (Cube-in-Air Method), Test Method for, **D2319/D2319M (05.01)**
Cube-in-water method
Softening Point of Pitches (Cube-in-Water Method), Test Method for, **D61 (05.01)**
Cube specimens
Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), Test Method for, **C109/C109M (04.01)**
Cubical thermal expansion
See **Linear thermal expansion**
Cubic foot weight
Cubic Foot Weight of Crushed Bituminous Coal, Test Method for, **D291 (05.06)**
Cultivation
Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, Practice for, **E1536 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, Practice for, **E1531 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, Practice for, **E1532 (14.02)**
Indirect Detection of Mycoplasma in Cell Culture by 4`-6-Diamidino-2-2 Phenylindole (DAPI) Staining, Practice for, **E1533 (14.02)**
Cultural method
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
Culture
Collection of Fungal Material from Surfaces by Swab, Practice for, **D7789 (11.07)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Culvert pipe
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**
Culvert pipe—specifications
Aluminum Alloy Sheet for Corrugated Aluminum Pipe, Specification for, **B744/B744M (02.02)**
Ductile Iron Culvert Pipe, Specification for, **A716 (01.02)**
Steel Fiber Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C1765 (04.05)**
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**
Culvert pipe (concrete)
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Culvert pipe (concrete)—specifications
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, Specification for, **C877 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations, Practice for, **C1479 (04.05)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations (Metric), Practice for, **C1479M (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets, Specification for, **C443 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric), Specification for, **C443M (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, Specification for, **C1417 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), Specification for, **C1417M (04.05)**
Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe, Specification for, **C14 (04.05)**
Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe (Metric), Specification for, **C14M (04.05)**
Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe, Specification for, **C985 (04.05)**
Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C985M (04.05)**
Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe, Specification for, **C506 (04.05)**
Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C506M (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C76 (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C76M (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe, Specification for, **C655 (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C655M (04.05)**
Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe, Specification for, **C507 (04.05)**
Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C507M (04.05)**

Culvert pipe (vitrified clay)
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Culverts
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Segmental Panel System for the Grout-in-Place-Liner (GIPL) Rehabilitation Method of Existing Man-Entry Size Sewers, Culverts, and Conduits, Specification for, **F2984 (08.04)**

Culverts—specifications
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Corrugated Aluminum Box Culverts, Specification for, **B864/B864M (02.02)**
Corrugated Steel Box Culverts, Specification for, **A964/A964M (01.06)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains, Specification for, **C1504 (04.05)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric), Specification for, **C1504M (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, Specification for, **C1433 (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers (Metric), Specification for, **C1433M (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD, Specification for, **C1577 (04.05)**
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**

Cumene (isopropylbenzene)
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography (External Standard), Test Method for, **D7057 (06.04)**
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Cumene (Isopropylbenzene), Specification for, **D4077 (06.04)**
Cumene (Isopropylbenzene) Manufactured Via a Zeolite Process, Specification for, **D7125 (06.04)**
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**
Phenol Content of Cumene (Isopropylbenzene) or AMS (α–Methylstyrene), Test Method for, **D3160 (06.04)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**

Cumins m11 EGR test
Cummins M11 EGR Test, Test Method for, **D6975 (05.04)**

Cummins F11 330E diesel engine
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**

Cumulative metal loss
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**

Cumulative oxygen uptake
Determining Biodegradability of Materials Exposed to Municipal Solid Waste Composting Conditions by Compost Respirometry, Test Method for, **D5929 (11.04)**

Cumulative permeation
Chemical Permeation through Protective Clothing Materials: Testing Data Analysis by Use of a Computer Program, Practice for, **F2815 (11.03)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**

Cumulative toxicity
See **Toxicity/toxicology**

Cumulative wear method
Ranking Resistance of Plastics to Sliding Wear Using Block-on-Ring Wear Test—Cumulative Wear Method, Test Method for, **G176 (03.02)**

Cup-and-ball method
Softening Point of Asphalt and Pitch (Mettler Cup-and-Ball Method), Test Method for, **D3461 (05.01)**

Cup anemometer
Determining the Performance of a Cup Anemometer or Propeller Anemometer, Test Method for, **D5096 (11.07)**

Cupellation method
Determination of Gold in Bullion by Fire Assay Cupellation Analysis, Test Methods for, **E1335 (03.05)**
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**
Silver Corrections in Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Fire Assay Slag Recycling and Cupel Proof Gravimetry, Practice for, **E2296 (03.05)**

Cupels
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cup flange
Water Penetration Rate of Pressure-Sensitive Tapes, Test Method for, **D3816/D3816M (15.10)**
Water Vapor Transmission of Pressure-Sensitive Tapes, Test Method for, **D3833/D3833M (15.10)**
Cupola malleable iron
Sa **Malleable iron castings—specifications**
Cupola Malleable Iron, Specification for, **A197/A197M (01.02)**
Cuprammonium (CuAm) ball fall
Viscosity of Cellulose by Cuprammonium Ball Fall, Test Method for, **D6188 (06.03)**
Cupriethylene-diamine
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Cupronickel rod
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**
Cuprous oxide (CuO_2)
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Cup scrub technique
Recovery of Microorganisms From Skin using the Cup Scrub Technique, Test Method for, **E1874 (11.05)**
Cup volume
Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, Test Method for, **B873 (02.05)**
Curatorial management
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Curbs
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Curcumin colorimetric-extraction method
Boron in Water, Test Method for, **D3082 (11.01)**
Cure activation
Evaluating the Effective Surface Area of Zinc Oxide in Rubber, Test Method for, **D4620 (09.01)**
Cured elastomeric joint sealants
Elastomeric Joint Sealants, Specification for, **C920 (04.07)**
Cured-in-place (CIP) pipe liners
Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, Specification for, **F2207 (08.04)**
Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, Practice for, **F2561 (08.04)**
The Sectional Repair of Damaged Pipe By Means of An Inverted Cured-In-Place Liner, Practice for, **F2599 (08.04)**
Cured-in-place pipe (CIPP)
Utilization of Mobile, Automated Cured-In-Place Pipe (CIPP) Impregnation Systems, Practice for, **F2994 (08.04)**
Cured leather hides
Sampling and Preparation of Fresh or Salt-Preserved (Cured) Hides and Skins for Chemical and Physical Tests, Practice for, **D6715 (15.04)**
Cured polyethylene (PE)
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Cured reinforced resins
Sa **Reinforced thermosetting plastics (RTP)—specifications**
Cure Behavior of Thermosetting Resins by Dynamic Mechanical Procedures using an Encapsulated Specimen Rheometer, Test Method for, **D7750 (15.03)**
Ignition Loss of Cured Reinforced Resins, Test Method for, **D2584 (08.01)**
Cure meter
Rubber Property—Vulcanization Using Oscillating Disk Cure Meter, Test Method for, **D2084 (09.01)**
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**
Cure testing
Relative Cure of Energy-Cured Inks and Coatings, Test Method for, **D7244 (06.02)**
Curie temperature
Calibration of Temperature Scale for Thermogravimetry, Practice for, **E1582 (14.02)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
In Situ Electromagnetic (Eddy-Current) Examination of Nonmagnetic Heat Exchanger Tubes, Practice for, **E690 (03.03)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Curing characteristics
Sa **Drying or curing**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, Test Method for, **E2160 (14.02)**
Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, Practice for, **C419 (04.06)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Shear Strength of Adhesives Using Pin-and-Collar Specimen, Test Method for, **D4562 (15.06)**
Sweep Test of Bituminous Emulsion Surface Treatment Samples, Test Method for, **D7000 (04.03)**
Curing characteristics—paints/related coating applications
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**
Determining Stroke Cure Time of Thermosetting Phenol-Formaldehyde Resins, Test Method for, **D4640 (06.03)**
Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, Test Methods for, **D1640 (06.01)**
Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, Test Methods for, **D5895 (06.01)**
Laboratory Measurement of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings, Test Method for, **D6902 (06.01)**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
Reporting Cure Times of Ultraviolet-Cured Coatings, Practice for, **D3732 (06.02)**
Resistance of Cured Coatings to Thermal Cycling, Practice for, **D6944 (06.02)**
Curing characteristics—plastics
Curing Properties of Pultrusion Resins by Thermal Analysis, Test Method for, **D5028 (08.02)**
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, Test Method for, **D3795 (08.02)**
Curing characteristics—rubber
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Rubber Properties—Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer, Test Method for, **D6601 (09.01)**
Rubber Property—Vulcanization Using Oscillating Disk Cure Meter, Test Method for, **D2084 (09.01)**
Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), Test Methods for, **D1646 (09.01)**
Curing (in pipeline/conduit rehabilitation)
Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, Specification for, **F2207 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cured-In-Place Thermosetting Resin Sewer Piping Systems, Specification for, **D5813 (08.03)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F2019 (08.04)**

Curing (of concrete)
Accelerated Curing of Concrete Cylinders, Practice for, **C1768/C1768M (04.02)**
Evaluating Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Test Methods for, **C1439 (04.02)**
Lightweight Aggregate for Internal Curing of Concrete, Specification for, **C1761/C1761M (04.02)**
Making and Curing Concrete Test Specimens in the Field, Practice for, **C31/C31M (04.02)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**
Water Loss from a Mortar Specimen Through Liquid Membrane-Forming Curing Compounds for Concrete, Test Method for, **C156 (04.02)**

Curing (of concrete)—specifications
Liquid Membrane-Forming Compounds for Curing Concrete, Specification for, **C309 (04.02)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Sheet Materials for Curing Concrete, Specification for, **C171 (04.02)**

Curing time
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Test Method for, **C414 (04.05)**

Curl
Curl in Carbon Paper, Test Method for, **F415 (15.09)**
Curl of Carbonless Copy Papers, Test Method for, **F556 (15.09)**
Curling, Twisting, and Tubing on Unwind of Pressure-Sensitive Tapes, Test Method for, **D3813/D3813M (15.10)**
Measuring Curl in Paint Brush Filling Material, Practice for, **D6957 (06.02)**

Current carrying capacity (CCC)
Determining Current Carrying Capacity of a Membrane Switch Circuit, Test Method for, **F1681 (10.04)**

Current measurement
Sa **Conductance and conductivity (electrical)**
Sa **Electrical resistance/resistivity**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Electrically Insulating Plastic Guard Equipment for Protection of Workers, Test Methods and Specifications for, **F712 (10.03)**
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Polyurethane Raw Materials: Determination of Water Content of Polyols, Test Method for, **D4672 (08.02)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Static Electrification, Test Method for, **D4470 (10.02)**
Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, Specifications for, **F855 (10.03)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

Current measurement—alternating-current
Sa **A-C (alternating-current) magnetic properties**
AC Magnetic Permeability of Materials Using Sinusoidal Current, Test Method for, **A772/A772M (03.04)**
Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, Test Method for, **A697/A697M (03.04)**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**

Current measurement—direct-current
dc Magnetic Properties of Materials Using Ring and Permeameter Procedures with dc Electronic Hysteresigraphs, Test Method for, **A773/A773M (03.04)**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**

Current measurement—nuclear applications
Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**

Current measurement—semiconductors
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Circuits (Metric), Test Method for, **F744M (10.04)**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, Test Method for, **F996 (10.04)**

Current measurement—solar devices
Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, Test Method for, **E1362 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Electrical Performance of Photovoltaic Cells Using Reference Cells Under Simulated Sunlight, Test Method for, **E948 (12.02)**
Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, Test Methods for, **E1462 (12.02)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**

Current measurement—water/wastewater
Sa **Flow and flow rate—water**
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, Test Method for, **D5089 (11.01)**

Current pulse burnout
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**

Current voltage cycling stability
Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2240 (04.12)**
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**

Curriculum
Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, Practice for, **F1552 (13.02)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Curtain coatings
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Weight of Wax Applied During Curtain Coating Operation, Test Method for, **D3708 (05.01)**

Curtain drain
Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields, Practice for, **F481 (08.04)**

Curtains and draperies
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Woven, Lace, and Knit Household Curtain and Drapery Fabrics, Performance Specification for, **D3691/D3691M (07.01)**

Curtain walls
Application of Hose Stream, Practice for, **E2226 (04.07)**
Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E2319 (04.12)**
Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E283 (04.11)**
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Evaluating Failure of Structural Sealant Glazing, Guide for, **C1392 (04.07)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**

Curved beam strength
Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, Test Method for, **D6415/D6415M (15.03)**

Curved electrode method
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**

Curved glass
Bent Glass, Specification for, **C1464 (15.02)**

Curved liner plates
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**

Curve summarization
Time-Intensity Evaluation of Sensory Attributes, Guide for, **E1909 (15.08)**

Cushion
Determining Seam Strength in Inflatable Restraint Cushions, Test Method for, **D5822 (07.02)**
Evaluating the Overpressurization Characteristics of Inflatable Restraint Cushions, Practice for, **D5807 (07.02)**
Evaluating the Performance of Inflatable Restraint Modules, Practice for, **D5428 (07.02)**

Cushion curves
Dynamic Shock Cushioning Characteristics of Packaging Material, Test Method for, **D1596 (15.10)**

Cushioned resilient flooring
See **Resilient flooring**

Cushioning
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**

Cushioning materials
Creep Properties of Package Cushioning Materials, Test Method for, **D2221 (15.10)**
Determining Changes in Fire-Test-Response Characteristics of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Dynamic Shock Cushioning Characteristics of Packaging Material, Test Method for, **D1596 (15.10)**
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**
Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, Test Methods for, **D4168 (15.10)**

Cushioning properties
Impact Attenuation of Athletic Shoe Cushioning Systems and Materials, Test Method for, **F1976 (15.07)**
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**

Custard
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**

Custodial services
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**

Custody procedure
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**

Custody transfer payments
Butylene Analysis by Gas Chromatography, Test Method for, **D4424 (05.02)**

Custom contact-pressure-molded plastics
Sa **Compression-molded plastic specimens**
Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, Specification for, **D3982 (08.03)**

Cutaneous signs
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**

Cutback asphalt
Sa **Asphalts—cutback**
Flash Point of Cutback Asphalt with Tag Open-Cup Apparatus, Test Method for, **D3143/D3143M (04.03)**
Specific Gravity, API Gravity, or Density of Cutback Asphalts by Hydrometer Method, Test Method for, **D3142/D3142M (04.03)**

Cut-growth—rubber
Measuring Rubber Deterioration—Cut Growth Using Ross Flexing Apparatus, Test Method for, **D1052 (09.01)**

Cut growth resistance
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**

Cut resistance
Foot Protection for Chain Saw Users, Specification for, **F1818 (11.03)**
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**
Measurement of Cut Resistance to Chain Saw of Foot Protective Devices, Test Method for, **F1458 (11.03)**

Cut shapes
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**

Cut-sized papers
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

Cut strip test
Breaking Force and Elongation of Textile Fabrics (Strip Method), Test Method for, **D5035 (07.02)**
Coated Fabrics, Test Methods for, **D751 (09.02)**

Cut tape test
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**

Cutter
Food Cutters (Electric), Specification for, **F1126 (15.12)**

Cut test
Steel Blades Used with the Photovoltaic Module Surface Cut Test, Specification for, **E2685 (12.02)**

Cut-through (thermoplastic flow) temperature
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Cut through time
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**

Cutting
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Cutting data
Formatting Cutting Data to Drive Numerically Controlled Fabric Cutting Machines, Practice for, **D6672 (07.02)**

Cutting film/sheeting
Cutting Film and Sheeting Test Specimens, Practice for, **D6287 (08.03)**

Cutting oils
Active Sulfur in Cutting Oils, Test Method for, **D1662 (05.01)**
Comparing Metal Removal Fluids Using the Tapping Torque Test Machine, Test Method for, **D5619 (05.02)**

Cutting resistance
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**

C-weighted sound level
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**

Cyanides
Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D6888 (11.02)**
Cyanides in Water, Test Methods for, **D2036 (11.02)**
Cyanogen Chloride in Water, Test Method for, **D4165 (11.02)**
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**
Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, Test Method for, **E1600 (03.05)**
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**
Free Cyanide with Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7237 (11.02)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Recovery of Aqueous Cyanides by Extraction from Mine Rock and Soil, Guide for, **D7572 (11.02)**
Sampling, Preservation and Mitigating Interferences in Water Samples for Analysis of Cyanide, Practice for, **D7365 (11.02)**
Selection of ASTM Analytical Methods for Implementation of International Cyanide Management Code Guidance, Guide for, **D7728 (11.02)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Total Cyanide by Segmented Flow Injection Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, Test Method for, **D7511 (11.02)**
Total Cyanide in Water by Micro Distillation followed by Flow Injection Analysis with Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7284 (11.02)**

Cyanoacrylate adhesive
Measuring Adhesion of Organic Coatings to Plastic Substrates by Direct Tensile Testing, Test Method for, **D5179 (06.01)**

Cyanogen chloride
Cyanogen Chloride in Water, Test Method for, **D4165 (11.02)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**

Cycle counting
Sa **Automated procedures**
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cycle method
Rubber Property—Extension Cycling Fatigue, Test Method for, **D4482 (09.01)**
Cycle test (on cylinders)
Padlocks, Performance Specification for, **F883 (15.08)**
Cyclic humidity exposure
Conducting Cyclic Humidity Exposures, Practice for, **G60 (03.02)**
Cyclic boil test
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Cyclic corrosion testing
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Conducting Cyclic Humidity Exposures, Practice for, **G60 (03.02)**
Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, Test Method for, **G61 (03.02)**
Conducting Moist SO, Practice for, **G87 (03.02)**
Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), Practice for, **D5894 (06.01)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Cyclic displacement
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**
Cyclic durability
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**
Cyclic exposure testing
Sa **Exposure tests**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**
Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**
Cyclic fatigue testing
Cyclic Fatigue Testing of Metal Tibial Tray Components of Total Knee Joint Replacements, Practice for, **F1800 (13.01)**
Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, Test Methods for, **F2345 (13.01)**
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Cyclic joint displacement resistance
Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), Test Method for, **D5849/D5849M (04.04)**
Cyclic loading
Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Determining Small-Strain Tensile Properties of Geogrids and Geotextiles by In-Air Cyclic Tension Tests, Test Methods for, **D7556 (04.13)**
Measuring Geosynthetic-Soil Resilient Interface Shear Stiffness, Test Method for, **D7499/D7499M (04.13)**
Cyclic movement method
Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle), Test Method for, **C719 (04.07)**
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Cyclic potentiodynamic polarization measurement
Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, Test Method for, **G61 (03.02)**
Conducting Cyclic Potentiodynamic Polarization Measurements to Determine the Corrosion Susceptibility of Small Implant Devices, Test Method for, **F2129 (13.01)**
Cyclic pressure testing
Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, Test Method for, **D2143 (08.03)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Cyclic (reversed) load test
Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings, Test Methods for, **E2126 (04.12)**
Cyclic static air pressure tests
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Cyclic strength tests
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**
Cyclic temperature-humidity test
Conducting Cyclic Humidity Exposures, Practice for, **G60 (03.02)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Cyclic thermal shock
Cyclic Thermal Shock of SBS-Modified Bituminous Roofing Sheets with Factory-Applied Metal Surface, Test Method for, **D7051 (04.04)**
Cyclic transmission test
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
Cyclic triaxial appratus
the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, Test Methods for, **D3999/D3999M (04.08)**
Cycling
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems, Specification for, **D2846/D2846M (08.04)**
Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, Specification for, **F877 (08.04)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Cycling resistance
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
Cycloalkane
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Cyclohexane
Analysis of Cyclohexane by Gas Chromatography (Effective Carbon Number), Test Method for, **D7871 (06.04)**
Analysis of Cyclohexane by Gas Chromatography (External Standard), Test Method for, **D7266 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Carbon Black Extractables – Absorbance of Cyclohexane Extract, Test Method for, **D7772 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cyclohexane 999, Specification for, **D5309 (06.04)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Solidification Point of Industrial Organic Chemicals by Thermistor, Test Method for, **D6875 (06.04)**
Trace Chloride in Liquid Aromatic Hydrocarbons, Test Method for, **D5194 (06.04)**

Cyclohexane feedstock
Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, Test Method for, **D5713 (06.04)**
Benzene for Cyclohexane Feedstock, Specification for, **D5871 (06.04)**

Cyclohexylamine content
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, Test Method for, **D4711 (15.04)**

Cyclotrons
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**

Cylinder head
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**

Cylinder liner distress
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7422 (05.04)**

Cylinder liner materials
Conducting Friction Tests of Piston Ring and Cylinder Liner Materials Under Lubricated Conditions, Test Method for, **G181 (03.02)**
Measuring the Wear Volumes of Piston Ring Segments Run against Flat Coupons in Reciprocating Wear Tests, Guide for, **G206 (03.02)**

Cylinder plug tests
Padlocks, Performance Specification for, **F883 (15.08)**

Cylinders
Accelerated Curing of Concrete Cylinders, Practice for, **C1768/C1768M (04.02)**
Centrifugally Cast Dual Metal (Gray and White Cast Iron) Cylinders, Specification for, **A667/A667M (01.02)**
Graduated Cylinders, Specification for Laboratory Glass, **E1272 (14.04)**
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Isotopic Uranium in Water by Radiochemistry, Test Method for, **D3972 (11.02)**
Laboratory Glass Volumetric Apparatus, Specification for, **E694 (14.04)**
Measurement of Viscosity of Glass Between 10, Test Method for, **C1351M (15.02)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Transfilling Compressed Air or Nitrogen and Safe Handling of Small Paintball Cylinders, Practice for, **F2773 (15.07)**

Cylindrical assemblies
Flexural Strength of Advanced Ceramics at Ambient Temperature—Cylindrical Rod Strength, Test Method for, **C1684 (15.01)**
Shear Strength of Adhesives Using Pin-and-Collar Specimen, Test Method for, **D4562 (15.06)**

Cylindrical coefficient of restitution
Measuring the Dynamic Stiffness (DS) and Cylindrical Coefficient of Restitution (CCOR) of Baseballs and Softballs, Test Method for, **F2845 (15.07)**

Cylindrical concrete specimens
Capping Cylindrical Concrete Specimens, Practice for, **C617/C617M (04.02)**
Compressive Strength of Concrete Cylinders Cast in Place in Cylindrical Molds, Test Method for, **C873/C873M (04.02)**
Compressive Strength of Cylindrical Concrete Specimens, Test Method for, **C39/C39M (04.02)**
Making and Curing Concrete Test Specimens in the Field, Practice for, **C31/C31M (04.02)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Making Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Table, Practice for, **C1176/C1176M (04.02)**
Making Test Cylinders and Prisms for Determining Strength and Density of Preplaced-Aggregate Concrete in the Laboratory, Practice for, **C943 (04.02)**
Measuring Changes in Height of Cylindrical Specimens of Hydraulic-Cement Grout, Test Method for, **C1090 (04.02)**
Molding Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Hammer, Practice for, **C1435/C1435M (04.02)**
Molds for Forming Concrete Test Cylinders Vertically, Specification for, **C470/C470M (04.02)**
Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders, Test Method for, **D4832 (04.08)**
Restrained Expansion of Shrinkage-Compensating Concrete, Test Method for, **C878/C878M (04.02)**
Splitting Tensile Strength of Cylindrical Concrete Specimens, Test Method for, **C496/C496M (04.02)**

Cylindrical dart method
Resistance to Puncture of Cushioned Resilient Floor Coverings, Test Method for, **F924 (15.04)**

Cylindrical forgings
Ultrasonic Examination from Bored Surfaces of Cylindrical Forgings, Practice for, **A939/A939M (01.05)**

Cylindrical graduates
Pharmaceutical Glass Graduates, Specification for, **E1094 (14.04)**

Cylindrical mandrel apparatus
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**

Cylindrical pore model
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**

Cylindrical probe
Sa **Probe methods**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**

Cylindrical sampling
Obtaining Intact Block (Cubical and Cylindrical) Samples of Soils, Practices for, **D7015 (04.09)**

Cylindrical sealant backing
Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants, Specification for, **C1330 (04.07)**

Cylindrical tanks
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**

Cylindrical testing apparatus
Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus, Test Method for, **F137 (15.04)**

Cylindrical thermal insulation
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**

Cysts
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cytotoxicity
Sa **Toxicity/toxicology**
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Biocompatibility Evaluation of Medical Device Packaging Materials, Guide for, **F2475 (15.10)**
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Evaluation of Cytotoxicity of Nanoparticulate Materials in Porcine Kidney Cells and Human Hepatocarcinoma Cells, Test Method for, **E2526 (14.02)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**

D

Daily landfill cover materials
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Geosynthetic Alternate Daily Covers, Specification for, **D7008 (04.13)**
Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, Specification for, **D6826 (04.13)**
Daily communications log form
Sa **SAR (search and rescue) operations**
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**
Dairy industry materials/applications—specifications
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**
Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, Specification for, **A270/A270M (01.01)**
Dairy products
Pipets, Milk and Cream Examination, Specification for, **E1043 (14.04)**
Dalmady radial diagrams
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Damageability
Seismic Risk Assessment of Buildings, Guide for, **E2026 (04.11)**
Damage assessment
Sa **Defects**
Bridge Impact Testing, Test Method for, **D5265 (15.10)**
Counting Partial Cleavages in Wool and Other Animal Fibers, Test Method for, **D4510 (07.02)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Exposure and Retrieval of Samples to Evaluate Installation Damage of Geosynthetics, Practice for, **D5818 (04.13)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Inspection of Transparent Parts by Prism, Practice for, **F2108 (15.03)**
Limiting Water-Induced Damage to Buildings, Guide for, **E241 (04.11)**
Measuring the Damage Resistance of a Fiber-Reinforced Polymer-Matrix Composite to a Concentrated Quasi-Static Indentation Force, Test Method for, **D6264/D6264M (15.03)**
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts, Practice for, **E2534 (03.03)**
Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, Practice for, **F1734 (08.04)**
Damage assessment—nuclear materials/applications
Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, Practice for, **E1854 (12.02)**
Use of 2N2222A Silicon Bipolar Transistors as Neutron Spectrum Sensors and Displacement Damage Monitors, Test Method for, **E1855 (12.02)**
Damage assessment—plastics
Separation of Contaminants in Polymers Using an Extruder Filter Test, Practice for, **D6265 (08.03)**
Damage assessment—surgical applications
Fretting Corrosion Testing of Modular Implant Interfaces: Hip Femoral Head-Bore and Cone Taper Interface, Practice for, **F1875 (13.01)**
Damage control
Damage Prevention of Bearings, and Bearing Components Through Proper Handling Techniques, Practice for, **F2444 (01.08)**
Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire, Specification for, **A411 (01.06)**
Damage resistance
Damage Resistance Testing of Sandwich Constructions, Practice for, **D7766/D7766M (15.03)**
Measuring the Damage Resistance of a Fiber-Reinforced Polymer Matrix Composite to a Drop-Weight Impact Event, Test Method for, **D7136/D7136M (15.03)**
Damage tolerance
Compressive Residual Strength Properties of Damaged Polymer Matrix Composite Plates, Test Method for, **D7137/D7137M (15.03)**
Dam failure
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
D'Amore classification diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Damped oscillation
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
Dampening
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Damping
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**
Measuring Vibration-Damping Properties of Materials, Test Method for, **E756 (04.06)**
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**
the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, Test Methods for, **D3999/D3999M (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Damping ratio
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Dampproofing
Electronic Methods for Detecting and Locating Leaks in Waterproof Membranes, Guide for, **D7877 (04.04)**
Dampproofing and waterproofing materials
Sa **Roofing materials/applications**
Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D41/D41M (04.04)**
Asphalt Used in Dampproofing and Waterproofing, Specification for, **D449/D449M (04.04)**
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**
Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D450/D450M (04.04)**
Dams
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Dangerous goods
Packaging and Shipping Environmental Samples for Laboratory Analysis, Guide for, **D6911 (04.09)**
Daphnia magna
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
DAPI staining
Indirect Detection of Mycoplasma in Cell Culture by 4`-6-Diamidino-2-2 Phenylindole (DAPI) Staining, Practice for, **E1533 (14.02)**
Darcy's law
Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions, Test Method for, **D6766 (04.13)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Dark field illumination
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Dark oven heat exposure
Dark Oven Heat Exposure of Roofing and Waterproofing Materials, Practice for, **D5869 (04.04)**
Dark stability
Measuring the Dark Stability of Ink Jet Prints, Practice for, **F2035 (15.09)**
Predicting the Lifetime of Ink Jet Prints Stored in Dark Keeping Conditions in Typical Office Environments, Practice for, **F2037 (15.09)**
Dart impact method
Sa **Free-falling dart method**
Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), Test Method for, **D5420 (08.03)**
Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Falling Dart (Tup or Falling Mass), Test Method for, **D5628 (08.03)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**
Darts (for guns)
See **Consumer safety specifications (guns)**
Data acquisition systems/applications
Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, Guide for, **E1856 (03.01)**
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Verifying Computer-Generated Test Results Through The Use Of Standard Data Sets, Guide for, **E2443 (03.01)**
Data analysis
Sa **Statistical methods**
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**
Data Criteria and Processing for Liquid Drop Size Analysis, Practice for Determining, **E799 (14.02)**
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Measuring and Reporting Friction Coefficients, Guide for, **G115 (03.02)**
Multivariate Data Analysis in Pharmaceutical Development and Manufacturing Applications, Guide for, **E2891 (14.02)**
Performing Detection and Quantitation Estimation and Data Assessment Utilizing DQCALC Software, based on ASTM Practices D6091 and D6512 of Committee D19 on Water, Practice for, **D7510 (11.01)**
Recommended Format of Wear Test Data Suitable for Databases, Guide for, **G118 (03.02)**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**
Data analysis—atmospheric analysis
Determining the Operational Comparability of Meteorological Measurements, Practice for, **D4430 (11.07)**
Data analysis—building constructions
Reporting Data from Structural Tests of Building Constructions, Elements, Connections, and Assemblies, Practice for, **E575 (04.11)**
Data analysis—carbon black/rubber
Carbon Black—Calculation of Process Indexes From an Analysis of Process Control Data, Practice for, **D4583 (09.01)**
Carbon Black—Validation of Test Method Precision and Bias, Guide for, **D4821 (09.01)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**
Data analysis—coal/coke
Sa **Coal products**
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Data analysis—computerized
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Verifying Computer-Generated Test Results Through The Use Of Standard Data Sets, Guide for, **E2443 (03.01)**
Data analysis—corrosion
Sa **Corrosion**
Applying Statistics to Analysis of Corrosion Data, Guide for, **G16 (03.02)**
Computerized Exchange of Corrosion Data for Metals, Guide for, **G135 (03.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Data analysis—environmental
Calculating Refuse-Derived Fuel Analysis Data from As-Determined to Different Bases, Test Method for, **E791 (11.04)**
Collecting Containment Boom Performance Data in Controlled Environments, Guide for, **F2084/F2084M (11.05)**
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Data and Information Options for Conducting an Ecological Risk Assessment at Contaminated Sites, Guide for, **E2020 (11.05)**
Data Assessment for Environmental Waste Management Activities, Guide for, **D6233 (11.04)**
Describing Retroreflection, Practice for, **E808 (06.01)**
Determination of Purity, Impurities, and Contaminants in Biological Drug Products, Guide for, **E1298 (14.02)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, Practice for, **D5283 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Selection and Optimization of Sampling Design, Guide for, **D6311 (11.04)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, Guide for, **E1850 (11.06)**

Data analysis—fire models
Sa **Fire analysis models**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**

Data analysis—medical applications
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**
Establishing Operating Emergency Medical Services and Management Information Systems, or Both, Guide for, **F1629 (13.02)**
View of Emergency Medical Care in the Electronic Health Record, Practice for, **E1744 (14.01)**

Data analysis—metals/alloys
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Digital Data Acquisition in Wear and Friction Measurements, Guide for, **G163 (03.02)**
Formats for Collection and Compilation of Corrosion Data for Metals for Computerized Database Input, Guide for, **G107 (03.02)**
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**
Shipbuilders and Marine Paints and Coatings Product/Procedure Data Sheet, Specification for, **F718 (01.07)**
Use of Terms Relating to the Development and Evaluation of Methods for Chemical Analysis, Practice for, **E1914 (03.05)**

Data analysis—nuclear
Establishing a Measurement System Quality Control Program for Analytical Chemistry Laboratories Within the Nuclear Industry, Guide for, **C1210 (12.01)**
Establishing Calibration for a Measurement Method Used to Analyze Nuclear Fuel Cycle Materials, Guide for, **C1156 (12.01)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**

Data analysis—paints/related coatings
Electronic Interchange of Color and Appearance Data, Practice for, **E1708 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**

Data analysis—paving applications
Calculating Precision Limits Where Values are Calculated from Other Test Methods, Practice for, **D4460 (04.03)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Prioritization of Data Needs for Pavement Management, Guide for, **E1777 (04.03)**

Data analysis—petroleum products
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**

Data analysis—plastics
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**

Data analysis—reporting/recording results
See **Recording/reporting data analysis results**

Data analysis—rubber
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Evaluating Tire Traction Performance Data Under Varying Test Conditions, Practice for, **F1650 (09.02)**
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**

Data analysis—sensory attributes
Time-Intensity Evaluation of Sensory Attributes, Guide for, **E1909 (15.08)**

Data analysis—soil/rock
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Minimum Set of Data Elements to Identify a Soil Sampling Site, Practice for, **D5911/D5911M (04.09)**

Data analysis—sound transmission
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**

Data analysis—spectrochemical
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, Practice for, **E386 (03.06)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
Measuring Widths of Interfaces in Sputter Depth Profiling Using SIMS, Guide for, **E1438 (03.06)**
Reporting Data in Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy, Practice for, **E996 (03.06)**
Reporting Sputter Depth Profile Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1162 (03.06)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Data analysis—textiles
Formatting Cutting Data to Drive Numerically Controlled Fabric Cutting Machines, Practice for, **D6672 (07.02)**
Sewn Products Pattern Data Interchange—Data Format, Practice for, **D6673 (07.02)**
Data analysis—water
Documenting the Standard Operating Procedures Used for the Analysis of Water, Guide for, **D5172 (11.01)**
Elements of a Complete Data Set for Non-Cohesive Sediments, Guide for, **D5387 (11.01)**
Estimation of Holding Time for Water Samples Containing Organic and Inorganic Constituents, Practice for, **D4841 (11.01)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Record Keeping for Electrodialysis/Electrodialysis Reversal Systems, Guide for, **D5131 (11.02)**
Recordkeeping for Reverse Osmosis and Nanofiltration Systems, Guide for, **D4472 (11.02)**
Reporting Results of Analysis of Water, Guide for, **D596 (11.01)**
Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, Practice for, **D4025 (11.02)**
Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Water Analysis for Electrodialysis/Electrodialysis Reversal Applications, Guide for, **D5091 (11.02)**
Water Analysis for Reverse Osmosis and Nanofiltration Application, Guide for, **D4195 (11.02)**
Data archiving
Archiving and Retrieving Intelligent Transportation Systems-Generated Data, Guide for, **E2259 (04.03)**
Database design/development/structure
Computerized Exchange of Corrosion Data for Metals, Guide for, **G135 (03.02)**
Database Structure of Electronic Data Interchange Between Ship Owner and Shipyard for Contract Administration, Guide for, **F2017 (01.07)**
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**
Recommended Format of Wear Test Data Suitable for Databases, Guide for, **G118 (03.02)**
Data defensibility
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**
Data dictionary
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Data elements
Archiving ITS-Generated Traffic Monitoring Data, Specification for, **E2665 (04.03)**
Data Characteristics of Equipment Records, Practice for, **E2604 (04.12)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Set of Data Elements to Describe a Groundwater Site, Guide for, **D5408 (04.08)**
Data encryption
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**
Data exchange/transfer
Computerized Exchange of Corrosion Data for Metals, Guide for, **G135 (03.02)**
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Hierarchy of Equipment Identifiers and Boundaries for Reliability, Availability, and Maintainability (RAM) Performance Data Exchange, Classification for, **F2446 (01.07)**
Data format
Data Format for Pavement Profile, Specification for, **E2560 (04.03)**
Data integrity
Acquiring Intersection Turning Movement Traffic Data, Practice for, **E2667 (04.03)**
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Data interchange/transmission
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Guide for, **E2078 (03.06)**
Electronic Interchange of Color and Appearance Data, Practice for, **E1708 (06.01)**
Data management
Investigation/Study/Assay Tab-Delimited Format for Nanotechnologies (ISA-TAB-Nano): Standard File Format for the Submission and Exchange of Data on Nanomaterials and Characterizations, Guide for, **E2909 (14.02)**
Metadata to Support Archived Data Management Systems, Practice for, **E2468 (04.03)**
Uniform Data Management in Asset Management Records Systems, Practice for, **E2812 (04.12)**
Verification of Process Analytical Technology (PAT) Enabled Control Systems, Guide for, **E2629 (14.02)**
Data management—security
Audit and Disclosure Logs for Use in Health Information Systems, Specification for, **E2147 (14.01)**
Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, Guide for, **E1869 (14.01)**
Data processing equipment
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**
Data quality objectives (DQO)
Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, Practice for, **D6250 (11.04)**
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, Practice for, **D5283 (11.04)**
Preparing Characterization Plans for Decommissioning Nuclear Facilities, Guide for, **E1892 (12.02)**
Quality Planning and Field Implementation of a Water Quality Measurement Program, Guide for, **D5612 (11.01)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**
Data skew
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Davies and Gray titration
Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, Test Method for, **C1267 (12.01)**
Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, Test Method for, **C1204 (12.01)**

Davis stability index
See **Stiff and Davis stability index**

Daylight
Sa **Reflectance and reflectivity**
Accelerated Testing of the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting and WindowFiltered Daylight, Practice for, **F1946/F1946M (15.09)**
Color Determination of Plastic Pellets, Test Method for, **D6290 (08.03)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**

Daylight through window glass
Artists' Colored Pencils, Specification for, **D6901 (06.02)**
Determining the Relative Lightfastness of Ink Jet Prints Exposed to Window Filtered Daylight Using a Xenon Arc Light Apparatus, Practice for, **F2366 (15.09)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**

Day-night average sound level (L_{eq})
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**

DBA (design basis accident)
Evaluating Coatings Used in Light-Water Nuclear Power Plants at Simulated Design Basis Accident (DBA) Conditions, Test Method for, **D3911 (06.02)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**

DBCP
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**

DBP (dibutyl phthalate) absorption
Sa **Dibutyl phthalate (DBP)**
Silica-Oil Absorption Number, Test Method for, **D6854 (09.01)**

DC-arc emission spectroscopy
Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, Test Method for, **C1517 (12.01)**

D-c conductivity
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**

D-c hysteresigraph procedures
See **Hysteresis effects**

D-c magnetic properties
Sa **Electrical steel**
dc Magnetic Properties of Materials Using Ring and Permeameter Procedures with dc Electronic Hysteresigraphs, Test Method for, **A773/A773M (03.04)**
Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, Test Method for, **A341/A341M (03.04)**
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**
Pass Through Flux of Circular Magnetic Sputtering Targets, Test Method for, **F1761 (10.04)**

D-cocaine
Microcrystal Testing in Forensic Analysis of Cocaine, Guide for, **E1968 (14.02)**

DCPD (dicyclopentadiene)
Rubber, Raw—Determination of 5-Ethylidenenorbornene (ENB) or Dicyclopentadiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers, Test Methods for, **D6047 (09.01)**

D-C plasma spectrometers
Barium in Brines, Seawater, and Brackish Water by Direct-Current Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D3986 (11.02)**
Chemical Analysis of Refined Gold by Direct Current Plasma Atomic Emission Spectrometry, Test Method for, **E1446 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Describing and Specifying a Direct Current Plasma Atomic Emission Spectrometer, Practice for, **E1832 (03.05)**
Determination of Various Elements by Direct Current Plasma Atomic Emission Spectrometry, Guide for, **E1097 (03.05)**
Determining Hafnium in Zirconium and Zirconium Alloys By Direct Current Plasma-Atomic Emission Spectrometry, Test Method for, **E1552 (03.05)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**

D-C proof test
Sa **Dielectric proof voltage**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Rubber Insulating Covers, Specification for, **D1049 (10.03)**

D-C voltage test
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 90°C Operation, Specification for, **D6096 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

D-c volume resistivity
D-C Volume Resistivity of Glass, Test Method for, **C657 (15.02)**

DDS (deep drawing steel) sheet
See **Steel sheet**

DDT
Sa **Pesticides**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Deacetylation
Determining Degree of Deacetylation in Chitosan Salts by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2260 (13.01)**

Deactivation
Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, Guide for, **D4463/D4463M (05.05)**

Dead-burned refractory dolomite
Hydration of Granular Dead-Burned Refractory Dolomite, Test Method for, **C492 (15.01)**

Dead load
Determination of Dead Loads and Live Loads Associated with Vegetative (Green) Roof Systems, Practice for, **E2397 (04.04)**

Dead load testing
Dead Load Resistance of a Sealant in Elevated Temperatures, Test Method for, **C1367 (04.07)**
Maximum Media Density for Dead Load Analysis of Vegetative (Green) Roof Systems, Test Method for, **E2399 (04.04)**
Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures, Practice for, **C890 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dead-space analysis
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Determining Micropore Volume and Zeolite Area of a Catalyst, Test Method for, **D4365 (05.05)**
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**
Dead time correction
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Dead weight method
Determination of Operating Force of Sliding Windows and Doors, Test Method for, **E2068 (04.11)**
De-agglomeration
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Death rate curve
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**
Debonding
Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, Test Method for, **C884/C884M (04.02)**
Debris
Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), Guide for, **E1908 (04.11)**
Debris covers
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Decahydronaphthalene extraction
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**
Decarburization
Sa **Carburizing applications**
Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs, Test Method for, **F2328 (01.08)**
Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs (Metric), Test Method for, **F2328M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Decay current
Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, Practice for, **G148 (03.02)**
Decay leak test
Pressure Decay Leak Test for Flexible Packages With and Without Restraining Plates, Test Methods for, **F2095 (15.10)**
Decay rates
1 % Sodium Hydroxide Solubility of Wood, Test Method for, **D1109 (04.10)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Determination of Decay Rates for Use in Sound Insulation Test Methods, Test Method for, **E2235 (04.06)**
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, Test Method for, **E1297 (12.02)**
Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method, Test Method for, **C423 (04.06)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**
Decay resistance
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**
Deception
Conduct of Research in Psychophysiological Detection of Deception (Polygraph), Practice for, **E1954 (14.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD), Guide for, **E2064 (14.02)**
Decimal places
Reporting Properties for Plastics and Thermoplastic Elastomers, Guide for, **D6436 (08.03)**
Decimal reduction time
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**
Decision analysis
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, Practice for, **D6250 (11.04)**
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Interpretation of Psychophysiological Detection of Deception (Polygraph) Data, Practices for, **E2229 (14.02)**
Deck gear
Steel Deck Gear Stowage Box Metric, Specification for, **F1019M (01.07)**
Deck handrails
Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, Specification for, **F1092 (01.07)**
Deck ovens
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Decks
Sa **Roofing materials/applications**
Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks, Guide for, **C981 (04.04)**
Evaluating Structural Capacities of Rim Board Products and Assemblies, Specification for, **D7672 (04.10)**
Evaluating the Fire-Test-Response of Deck Structures to Burning Brands, Test Method for, **E2726/E2726M (04.07)**
Evaluating the Under-Deck Fire Test Response of Deck Materials, Test Method for, **E2632/E2632M (04.07)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Low Slope Insulated Roof Membrane Assembly Performance, Guide for, **D6630 (04.04)**
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Waterproofing Membrane with Separate Wearing Course, Guide for, **C898/C898M (04.04)**

Decks—specifications
Elastomeric Joint Sealants, Specification for, **C920 (04.07)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane With Integral Wearing Surface, Specification for, **C957/C957M (04.04)**
Materials for Bridge Deck Waterproofing Membrane Systems, Specification for, **D6153 (04.03)**
Polyolefin-Based Plastic Lumber Decking Boards, Specification for, **D6662 (08.03)**
Portable Intermediate Flush Deck Stanchion, Specification for, **F987 (01.07)**

Deck treads (steel plate for)
See **Rolled steel—specifications**

Declarable substances
Assessment of Materials and Products for Declarable Substances, Guide for, **F2577 (10.04)**
Declarable Substances in Materials, Terminology Relating to, **F2576 (10.04)**
European Union' Registration, Evaluation, and Authorization of Chemicals (REACH) Supply Chain for Information Exchange, Guide for, **F2725 (10.04)**

Decodability
Bar Code Verification, Practice for, **F1851 (15.09)**

Decommissioning operations
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Environmental Monitoring Plans for Decommissioning of Nuclear Facilities, Guide for, **E1819 (12.02)**
Evaluating Disposal Options for Concrete from Nuclear Facility Decommissioning, Guide for, **E2216 (12.02)**
Locating Abandoned Wells, Guide for, **D6285 (04.09)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Post-Deactivation Surveillance and Maintenance of Radiologically Contaminated Facilities, Guide for, **E2420 (12.02)**
Preparing Characterization Plans for Decommissioning Nuclear Facilities, Guide for, **E1892 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Selection and Use of Portable Radiological Survey Instruments for Performing In Situ Radiological Assessments to Support Unrestricted Release from Further Regulatory Controls, Guide for, **E1893 (12.02)**
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**

Decomposition
Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, Practice for, **E1877 (14.02)**
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Density of Smoke from the Burning or Decomposition of Plastics, Test Method for, **D2843 (08.01)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), Test Method for, **D5715 (04.08)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Total Mercury in Coal and Coal Combustion Residues by Direct Combustion Analysis, Test Method for, **D6722 (05.06)**

Decomposition—petroleum products
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**
Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope, Test Method for, **D2879 (05.01)**

Decomposition kinetics
Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, Test Method for, **E1641 (14.02)**

Decomposition points
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**

Decomposition temperature
Vapor Pressure of Liquids by Ebulliometry, Test Method for, **E1719 (14.02)**

Decomposition temperature (of petroleum liquids)
See **Temperature tests—petroleum products**

Decontamination
Sa **Contamination**
Assessment of Attaining Clean Up Level for Site Closure, Practice for, **D6597 (11.04)**
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Determination of Thiodiglycol in Soil Using Pressurized Fluid Extraction Followed by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2787 (15.08)**
Environmental Monitoring Plans for Decommissioning of Nuclear Facilities, Guide for, **E1819 (12.02)**
Evaluating Disposal Options for Concrete from Nuclear Facility Decommissioning, Guide for, **E2216 (12.02)**
Evaluation of Effectiveness of Decontamination Procedures for Air-Permeable Materials when Challenged with Biological Aerosols Containing Human Pathogenic Viruses, Test Method for, **E2720 (11.05)**
Evaluation of Effectiveness of Decontamination Procedures for Surfaces When Challenged with Droplets Containing Human Pathogenic Viruses, Test Method for, **E2721 (11.05)**
Homeland Security Applications, Terminology for, **E2771 (15.08)**
Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, Specification for, **E2731 (15.08)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Nuclear Facility Transient Worker Records, Specification for, **E1034 (12.02)**
Personnel Decontamination System to be Used During a Chemical Event, Specification for, **E2739 (15.08)**
Portable Air Heaters Used at Personnel Decontamination Stations and Shelters, Specification for, **E2543 (15.08)**
Portable Water Heaters Used at Personnel Decontamination Stations, Specification for, **E2542 (15.08)**
Post-Deactivation Surveillance and Maintenance of Radiologically Contaminated Facilities, Guide for, **E2420 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Selection and Use of Portable Radiological Survey Instruments for Performing In Situ Radiological Assessments to Support Unrestricted Release from Further Regulatory Controls, Guide for, **E1893 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Decorations (ceramic)
See **Ceramic glass enamel**
Decorative coatings
Appearance of Electroplated Plastic Surfaces, Specification for, **B532 (02.05)**
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Decorative Electroplated Coatings of Copper Plus Nickel Plus Chromium on Plastics, Specification for, **B604 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Decorative insulating board
Sa **Block and board thermal insulation**
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Decorative wallcovering
See **Wallcovering materials/applications**
Decreasing loading rate
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Dedusting material
Dust Control Material on Calcined Petroleum Coke, Test Method for, **D4930 (05.02)**
De-energized electric power lines
In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, Specification for, **F2249 (10.03)**
Temporary Protective Equipotential Bond Mat To Be Used on De-Energized Equipment, Specification for, **F2715 (10.03)**
Deep abrasive wear
Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, Test Method for, **C1243 (15.02)**
Deep drawing steel
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**
Deep-fat fryers
Deep-Fat Fryers, Gas or Electric, Open, Specification for, **F1963 (15.12)**
Deep foundation units
Sa **Piles**
Axial Compressive Force Pulse (Rapid) Testing of Deep Foundations, Test Methods for, **D7383 (04.09)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Deep frogged brick/structural clay tile units
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Defacement
Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, Test Method for, **D5589 (06.01)**
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**
Defective paint surface
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Defects
Description of Polymer Pellet Defects, Guide for, **D7711 (08.03)**
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Magnetic Particle Examination of Steel Forgings, Practice for, **A275/A275M (01.05)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Preparation of Rock Slabs for Durability Testing, Practice for, **D5121 (04.08)**
Quality Assurance of Pressure-Sensitive Tapes, Practice for, **D3715/D3715M (15.10)**
Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
Radioscopy, Guide for, **E1000 (03.03)**
Sampling a Stream of Product by Variables Indexed by AQL, Practice for, **E2762 (14.02)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Nonconformities, Using Attribute Data, When There is a Zero Response in the Sample, Practice for, **E2334 (14.02)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Surface Imperfections on Ceramics, Terminology Relating to, **F109 (15.02)**
Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, Practices for, **D5426 (07.02)**
Defects—coatings
Appearance of Electroplated Plastic Surfaces, Specification for, **B532 (02.05)**
Continuity of Coatings in Glassed Steel Equipment by Electrical Testing, Test Method for, **C536 (02.05)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Defects—metals/alloys
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, Test Method for, **B866 (02.05)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**
Defects—plastics
Classifying Visual Defects in Glass-Reinforced Plastic Laminate Parts, Practice for, **D2563 (08.01)**
Classifying Visual Defects in Parts Molded from Reinforced Thermosetting Plastics, Practice for, **D2562 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**
Defect Detection and Rating of Plastic Films Using Optical Sensors, Guide for, **D7310 (08.03)**

Defects—semiconductors
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Radiologic Examination of Semiconductors and Electronic Components, Practice for, **E1161 (03.03)**

Defects—textiles
Counting Partial Cleavages in Wool and Other Animal Fibers, Test Method for, **D4510 (07.02)**
Fabric Defects, Terminology Relating to, **D3990 (07.01)**
Visually Inspecting and Grading Fabrics, Test Methods for, **D5430 (07.02)**

Defects—wood products
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Wood and Wood-Based Products, Terminology Relating to, **D9 (04.10)**

Defibrillation
Performance of Prehospital Automated Defibrillation, Practice for, **F1255 (13.02)**

Defined wheel path
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**

Definition of terms
Definition and Determination of Thermionic Constants of Electron Emitters, Practice for, **F83 (10.04)**
Gaskets, Definitions of Terms Relating to, **F118 (09.02)**
Paint Brush Application Tools, Terminology for, **D7801 (06.02)**
Paint Roller Application Tools, Terminology for, **D7802 (06.02)**

Deflagration parameters
Explosibility of Dust Clouds, Test Method for, **E1226 (14.02)**
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**

Deflection
Sa **Bend testing**
Sa **Compression testing**
Sa **Mechanical properties**
Sa **Tensile properties/testing**
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Deflection of Resilient Floor Tile, Test Method for, **F1304 (15.04)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, Test Method for, **E2092 (14.02)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Measurements of Internal Stresses in Organic Coatings by Cantilever (Beam) Method, Test Method for, **D6991 (06.01)**
Measuring Deflections using a Portable Impulse Plate Load Test Device, Test Method for, **E2835 (04.03)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Thermal Deflection Rate of Spiral and Helical Coils of Thermostat Metal, Test Method for, **B389 (02.04)**

Deflection—asbestos-cement products
Semidense Mineral Fiber Siding, Specification for, **C725 (04.05)**

Deflection—building constructions/materials
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Effect of Deflection on Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E759 (04.11)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads, Test Method for, **E661 (04.11)**
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1277 (01.02)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**

Deflection—pavement surfaces/applications
Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, Guide for, **D5858 (04.03)**
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Measuring Deflections with a Light Weight Deflectometer (LWD), Test Method for, **E2583 (04.03)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**

Deflection—plastics
Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, Test Method for, **D2925 (08.03)**
Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, Test Method for, **D3681 (08.03)**
Deflection Temperature of Plastics Under Flexural Load in the Edgewise Position, Test Method for, **D648 (08.01)**
Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading, Test Method for, **D2412 (08.04)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**
Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, Specification for, **F480 (08.04)**
Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, Practice for, **D2321 (08.04)**

Deflection—soil/rock/related materials
Deep Foundations Under Lateral Load, Test Methods for, **D3966/D3966M (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**

Deflection basin
Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, Guide for, **D5858 (04.03)**

Deflection resistance
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**

Deflection temperature (under load)
Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, Test Method for, **E2092 (14.02)**

Deflocculation
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**

Defoaming agents
Effectiveness of Defoaming Agents, Test Method for, **E2407 (11.05)**

Deformability
In Situ Measurement of Masonry Deformability Properties Using the Flatjack Method, Test Method for, **C1197 (04.05)**

Deformation
Alumina Ceramics for Electrical and Electronic Applications, Specification for, **D2442 (15.02)**
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**
Creep-Fatigue Testing, Test Method for, **E2714 (03.01)**
Energy Absorbed by a Tire When Deformed by Slow-Moving Plunger, Test Method for, **F414 (09.02)**
Evaluating Knee Bearing (Tibial Insert) Endurance and Deformation Under High Flexion, Test Method for, **F2777 (13.02)**
Evaluating Non-Contacting Optical Strain Measurement Systems, Guide for, **E2208 (03.01)**
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**
Linear Deformation and Breaking Strength of Alpine Skis, Test Method for, **F780 (15.07)**
Load Testing Refractory Shapes at High Temperatures, Test Method for, **C16 (15.01)**
Measuring Compressive Properties of Thermal Insulations, Test Method for, **C165 (04.06)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**

Deformation—adhesives
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen, Test Method for, **D3983 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
Rubber Cements, Test Methods for, **D816 (09.01)**

Deformation—aggregate/bituminous materials
Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, Test Methods for, **D1560 (04.03)**

Deformation—geosynthetics
Determining Short-Term Compression Behavior of Geosynthetics, Test Method for, **D6364 (04.13)**
Multi-Axial Tension Test for Geosynthetics, Test Method for, **D5617 (04.13)**
Vertical Compression of Geocomposite Pavement Panel Drains, Test Method for, **D6244 (04.13)**

Deformation—metals/alloys
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Ball Punch Deformation of Metallic Sheet Material, Test Method for, **E643 (03.01)**
Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement, Specification for, **A1022/A1022M (01.04)**
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Evaluating Non-Contacting Optical Strain Measurement Systems, Guide for, **E2208 (03.01)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**

Deformation—paints/related coatings/materials
Coating Flexibility of Prepainted Sheet, Test Method for, **D4145 (06.02)**
Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel, Test Method for, **D4146 (06.02)**
Mar Resistance of Organic Coatings, Test Method for, **D5178 (06.01)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact), Test Method for, **D2794 (06.01)**

Deformation—plastics
Apparent Bending Modulus of Plastics by Means of a Cantilever Beam, Test Method for, **D747 (08.01)**
Deflection Temperature of Plastics Under Flexural Load in the Edgewise Position, Test Method for, **D648 (08.01)**
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**

Deformation—rock
Creep of Rock Core Under Constant Stress and Temperature, Test Methods for, **D7070 (04.09)**
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, Test Method for, **D4971 (04.08)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Splitting Tensile Strength of Intact Rock Core Specimens, Test Method for, **D3967 (04.08)**

Deformation—soil
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**
Monitoring Ground Movement Using Probe-Type Inclinometers, Test Method for, **D6230 (04.09)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, Test Methods for, **D3999/D3999M (04.08)**

Deformation—stretch wrap materials
Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**

Deformation—structural tests of building constructions/materials
Conducting Flexural Tests on Beams and Girders for Building Construction, Guide for, **E529 (04.11)**
Gravity Load Testing of Floors and Low Slope Roofs, Practice for, **E196 (04.11)**
Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads, Test Method for, **E661 (04.11)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Static Load Testing of Truss Assemblies, Practice for, **E73 (04.11)**

Deformation—textiles
Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2731 (07.01)**
Force, Deformation and Related Properties of Textiles, Terminology Related to, **D4848 (07.02)**
Permanent Deformation of Elastomeric Yarns, Test Method for, **D3106 (07.01)**

Deformation resistance
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**

Deformed steel bars—specifications
Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement, Specification for, **A615/A615M (01.04)**
Deformed and Plain Stainless-Steel Bars for Concrete Reinforcement, Specification for, **A955/A955M (01.04)**
Epoxy-Coated Prefabricated Steel Reinforcing Bars, Specification for, **A934/A934M (01.04)**
Headed Steel Bars for Concrete Reinforcement, Specification for, **A970/A970M (01.04)**
Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement, Specification for, **A706/A706M (01.04)**
Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement, Specification for, **A996/A996M (01.04)**
Vinyl-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A933/A933M (01.04)**
Welded Deformed Steel Bar Mats for Concrete Reinforcement, Specification for, **A184/A184M (01.04)**

Deformed steel wire—specifications
Sa **Steel wire (concrete reinforcement applications)—specifications**
Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, Specification for, **A881/A881M (01.04)**

DEFO test
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**

De-gassed cation conductivity
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**

Degassing
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**

Deglazing force
Deglazing Force of Fenestration Products, Test Methods for, **E987 (04.11)**

Degradable plastics
Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test, Practice for, **D3826 (08.02)**
Exposure of Photodegradable Plastics in a Xenon Arc Apparatus, Practice for, **D5071 (08.02)**
Heat and Humidity Aging of Oxidatively Degradable Plastics, Practice for, **D7444 (08.03)**
Non-Floating Biodegradable Plastics in the Marine Environment, Specification for, **D7081 (08.03)**
Outdoor Exposure Testing of Photodegradable Plastics, Practice for, **D5272 (08.03)**

Degradation
1 % Sodium Hydroxide Solubility of Wood, Test Method for, **D1109 (04.10)**
Aggregate Durability Index, Test Method for, **D3744/D3744M (04.03)**
Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, Test Method for, **D2943 (15.05)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Detection of Fouling and Degradation of Particulate Ion Exchange Materials, Guide for, **D5217 (11.02)**
Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, Test Method for, **E279 (03.05)**
Determining the Reproducibility of Acoustic Emission Sensor Response, Guide for, **E976 (03.03)**
Evaluating Thermal Insulation Materials for Use in Solar Collectors, Practice for, **E861 (12.02)**
Laboratory Aging of Sandwich Constructions, Test Method for, **C481 (15.03)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Photovoltaic Modules in Cyclic Temperature and Humidity Envi-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ronments, Test Methods for, **E1171 (12.02)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Liquids, Test Method for, **F903 (11.03)**
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Tumbler Test for Coke, Test Method for, **D3402/D3402M (05.06)**
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**

Degradation—adhesives
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Degradation—aggregate
Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D6928 (04.03)**
Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, Test Method for, **C535 (04.02)**
Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, Test Method for, **C131/C131M (04.02)**

Degradation—electrical contact materials
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**

Degradation—electronic materials/applications
Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, Practice for, **E1854 (12.02)**

Degradation—environmental materials/applications
Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2259 (13.01)**
Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**

Degradation—metals/alloys
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**

Degradation—paints/related coatings/materials
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Detergent Resistance of Organic Finishes, Practice for, **D2248 (06.01)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Immersion Testing of Industrial Protective Coatings, Practice for, **D6943 (06.02)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**

Degradation—plastics
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under High-Solids Anaerobic-Digestion Conditions, Test Method for, **D5511 (08.03)**
Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test, Practice for, **D3826 (08.02)**
Enclosed Carbon-Arc Exposures of Plastics, Practice for, **D6360 (08.03)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Filtered Open-Flame Carbon-Arc Exposures of Plastics, Practice for, **D1499 (08.01)**
Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications, Test Method for, **D3364 (08.02)**
Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics, Practice for, **D5208 (08.03)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Xenon-Arc Exposure of Plastics Intended for Outdoor Applications, Practice for, **D2565 (08.01)**

Degradation—surgical devices/applications
in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, Test Method for, **F1635 (13.01)**
Assessment of Compatibility of Absorbable/Resorbable Biomaterials for Implant Applications, Practice for, **F1983 (13.01)**
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**

Degradation—thermal insulation
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**

Degradation (contaminants)
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**

Degradation resistance
Tumbler Test for Coke, Test Method for, **D3402/D3402M (05.06)**

Degraded glycerides
Determination of Neutral Fatty Matter Contained in Fats and Oils, Test Method for, **D5560 (15.04)**

Degreasing
Sa **Vapor degreasing**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Electronic and Degreasing Grades of, Specification for, **D4995 (15.05)**
Handling an Acid Degreaser or Still, Practice for, **D4579 (15.05)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Degree Celsius/Farenheit/Rankine/Kelvin
Expression of Temperature, Guide for, **E1594 (14.03)**
Degree of biodegradation
See **Biodegradation**
Degree of cure
Sa **Curing characteristics**
Sa **Drying or curing**
the Assignment of the Glass Transition Temperature by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E2602 (14.02)**
Degree of dispersion
See **Dispersion**
Degree of fiberization
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**
Degree of fusion
See **Fusion**
Degree of humification
Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), Test Method for, **D5715 (04.08)**
Degree of particle coating
See **Particle characterization**
Degree of polymerization
See **Polymerization**
Degree of self-flow
Measuring Consistency of Self-Flowing Castable Refractories, Test Method for, **C1446 (15.01)**
Degree of set
See **Setting time**
Degree of tannage
Shrinkage Temperature of Leather, Test Method for, **D6076 (15.04)**
Degree of wear resistance
Evaluating Degree of Traffic Paint Line Wear, Practice for, **D913 (06.02)**
Degrees of freedom
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Dehumidifier
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Dehydration
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Dehydration (tar sample)
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
De-icing
Snow and Ice Control for Walkway Surfaces, Guide for, **F2966 (15.07)**
Deicing chemicals
Sa **Freezing and thawing**
Calcium Chloride, Specification for, **D98 (04.03)**
Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration, Test Method for, **C1202 (04.02)**
Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals, Test Method for, **C672/C672M (04.02)**
Deionization
Capacity of Mixed Bed Ion Exchange Cartridges, Test Method for, **D7513 (11.02)**
Column Capacity of Particulate Mixed Bed IonExchange Materials, Test Method for, **D3375 (11.02)**
Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, Test Method for, **D6529 (11.02)**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**
Delamination
Damage Resistance Testing of Sandwich Constructions, Practice for, **D7766/D7766M (15.03)**
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Determining the Effects of Atmospheric Pressure Variation on a Membrane Switch, Test Method for, **F1762 (10.04)**
Field Pull Testing of an In-Place Exterior Insulation and Finish System Clad Wall Assembly, Test Method for, **E2359/E2359M (04.12)**
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D6115 (15.03)**
Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D5528 (15.03)**
Node Tensile Strength of Honeycomb Core Materials, Test Method for, **C363/C363M (15.03)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Thermal Integrity of Flexible Water Vapor Retarders, Test Method for, **C1263 (04.06)**
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Delamination—adhesives
Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Determining the Adhesion of Prints and Laminating Films, Practice for, **F2226 (15.09)**
End-Joints in Structural Wood Products, Test Methods for, **D7469 (04.10)**
Heat-Fail Temperature in Shear of Hot Melt Adhesives, Test Method for, **D4498 (15.10)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Delamination—paving applications
Detecting Delaminations in Bridge Decks Using Infrared Thermography, Test Method for, **D4788 (04.03)**
Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, Test Method for, **D6087 (04.03)**
Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, Specification for, **D4280 (04.03)**
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Delamination—plastics
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Separation of Contaminants in Polymers Using an Extruder Filter Test, Practice for, **D6265 (08.03)**
Delamination—textiles
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, Practice for, **D6962 (07.02)**
Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, Test Method for, **D3936 (07.01)**

Delay distance
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**

Delayed-action
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**

Delayed brittle failure
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**

Delayed contact allergenicity
Evaluation of Delayed Contact Hypersensitivity Using the Murine Local Lymph Node Assay (LLNA), Practice for, **F2148 (13.01)**

Delayed failure
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**

Delayed transport settings
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**
Training First Responders Who Practice in Wilderness, Delayed, or Prolonged Transport Settings, Guide for, **F1655 (13.02)**

Deleterious health effects
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**

Deleterious particles
Estimation of Deleterious Particles in Lubricating Grease, Test Method for, **D1404/D1404M (05.01)**

Deli case
Performance of Staff-Serve Hot Deli Cases, Test Method for, **F2472 (15.12)**

Delineation/delineators
Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, Specification for, **D4280 (04.03)**
Retroreflective Sheeting for Traffic Control, Specification for, **D4956 (04.03)**

Delivered power
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**

Delivery
Sampling Bituminous Materials, Practice for, **D140/D140M (04.03)**
Sampling Bituminous Paving Mixtures, Practice for, **D979/D979M (04.03)**

Delivery (of aerosol products)
Delivery Rate of Aerosol Products, Test Method for, **D3069 (15.10)**

Delivery systems (drugs)
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**

Delta octane number
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**

DeMattia flexing machine
Rubber Deterioration—Crack Growth, Test Method for, **D813 (09.01)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**

Demethanized hydrocarbons
Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**

Demineralized bone (DBM)
in vivo Evaluation of Osteoinductive Potential for Materials Containing Demineralized Bone (DBM), Guide for, **F2529 (13.02)**

Demisters
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**

Demographics
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**

Demolition
Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, Practice for, **E2625 (11.03)**
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Demulsibility
Demulsibility Characteristics of Lubricating Oils, Test Method for, **D2711 (05.01)**
Determining Demulsibility of Emulsified Asphalt, Test Method for, **D6936 (04.03)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Water Separation Properties of Light and Middle Distillate, and Compression and Spark Ignition Fuels, Test Method for, **D7451 (05.04)**

Denatonium ion
Determination of Denatonium Ion in Engine Coolant by HPLC, Test Method for, **D7304 (15.05)**

Denatured fuel ethanol
Sa **Ethanol**
Acidity in Ethanol and Ethanol Blends by Titration, Test Method for, **D7795 (05.04)**
Blending Mid-Level Ethanol Fuel Blends for Flexible-Fuel Vehicles with Automotive Spark-Ignition Engines, Practice for, **D7794 (05.04)**
Determination of Benzene and Total Aromatics in Denatured Fuel Ethanol by Gas Chromatography, Test Method for, **D7576 (05.04)**
Determination of Ethanol and Methanol Content in Fuels Containing Greater than 20% Ethanol by Gas Chromatography, Test Method for, **D5501 (05.02)**
Determination of Existent and Potential Inorganic Sulfate and Total Inorganic Chloride in Fuel Ethanol by Ion Chromatography Using Aqueous Sample Injection, Test Method for, **D7328 (05.04)**
Determination of Olefin Content in Denatured Ethanol by Supercritical Fluid Chromatography, Test Method for, **D7347 (05.04)**
Determination of pHe of Ethanol, Denatured Fuel Ethanol, and Fuel Ethanol (Ed75-Ed85), Test Method for, **D6423 (05.03)**
Determining the Accelerated Iron Corrosion Rating of Denatured Fuel Ethanol and Ethanol Fuel Blends, Test Method for, **D7577 (05.04)**
Evaluation of the Ability of Engine Oil to Emulsify Water and Simulated Ed85 Fuel, Test Method for, **D7563 (05.04)**
Preparing Volumetric Blends of Denatured Fuel Ethanol and Gasoline Blendstocks for Laboratory Analysis, Practice for, **D7717 (05.04)**

Dendraster excentricus
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dendritic solidification
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Denier numbers
Archery Bow ComponentCord Material, Test Method for, **F1752 (15.07)**
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**
Yarn Number Using Automatic Tester, Test Method for, **D6587 (07.02)**
Denim
100 % Cotton Denim Fabrics, Specification for, **D6554/D6554M (07.02)**
Zippers for Dungarees, Jeans and Work Trousers, Performance Specification for, **D4465 (07.02)**
Dense elastomeric gaskets
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, Specification for, **E2203 (04.07)**
Densichron reflectometer
Sa **Reflectance and reflectivity**
Carbon Black—Tint Strength, Test Method for, **D3265 (09.01)**
Densitometer
Calibration of Transmission Densitometers, Practice for, **E1079 (03.03)**
Collection and Analysis of Visible Emissions from Candles as They Burn, Test Method for, **F2326 (15.11)**
Controlling the Quality of Industrial Radiographic Film Processing, Guide for, **E999 (03.03)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Specific Gravity and Density of Halogenated Organic, Test Methods for, **D2111 (15.05)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**
Densitometric images
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Density
Apparent Density of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C905 (04.05)**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Density and Relative Density of Engine Coolant Concentrates and Aqueous Engine Coolants by Digital Density Meter, Test Method for, **D5931 (15.05)**
Density and Void Content of Hardened Pervious Concrete, Test Method for, **C1754/C1754M (04.02)**
Density of a Sheet Gasket Material, Test Method for, **F1315 (09.02)**
Density of Adhesives in Fluid Form, Test Method for, **D1875 (15.06)**
Density of Compacted or Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B962 (02.05)**
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**
Density of Hydraulic Cement, Test Method for, **C188 (04.01)**
Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, Test Method for, **B311 (02.05)**
Density of Sandwich Core Materials, Test Method for, **C271/C271M (15.03)**
Density of Solid Pitch (Helium Pycnometer Method), Test Method for, **D4892 (05.02)**
Density, Relative Density, or API Gravity of Liquid Petroleum by Portable Digital Density Meter, Test Method for, **D7777 (05.04)**
Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, Test Method for, **D7710 (08.03)**
Effective Porosity and Effective Air Voids of Compacted Bituminous Paving Mixture Samples, Test Method for, **D7063/D7063M (04.03)**
Gas Flow Resistance Testing of Filtration Media, Methods for, **F778 (11.07)**
In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, Test Method for, **D7698 (04.09)**
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Maximum Media Density for Dead Load Analysis of Vegetative (Green) Roof Systems, Test Method for, **E2399 (04.04)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Measurements on Small Graphite Specimens, Guide for, **D7775 (05.05)**
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**
Powder Metallurgy (PM) Boron Stainless Steel Structural Components, Specification for, **B853 (02.05)**
Silt Density Index (SDI) of Water, Test Method for, **D4189 (11.01)**
Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Methods for, **E605 (04.11)**
Density—apparent (bulk)
Apparent Density of Leather, Test Method for, **D2346 (15.04)**
Bulk Density of Densified Particulate Biomass Fuels, Test Method for, **E873 (05.06)**
Determining Bulk Density of Granular Carriers and Granular Pesticides, Test Methods for, **E727/E727M (11.05)**
Determining the Bulk Density of Solid Waste Fractions, Test Method for, **E1109 (11.04)**
Municipal Ferrous Scrap, Test Methods for, **E701 (11.04)**
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Screening Apparent Specific Gravity and Bulk Density of Waste, Test Method for, **D5057 (11.04)**
Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Test Method for, **C373 (15.02)**
Density—blown
Determining Blown Density of Pneumatically Applied Loose-Fill Mineral Fiber Thermal Insulation, Guide for, **C1574 (04.06)**
Density—carbon/graphite
Apparent Density of Activated Carbon, Test Method for, **D2854 (15.01)**
Apparent Porosity, Apparent Specific Gravity, and Bulk Density of Graphite Electrodes, Test Methods for, **C1039 (05.05)**
Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure, Test Methods for, **C830 (15.01)**
Bulk Density by Physical Measurements of Manufactured Carbon and Graphite Articles, Test Method for, **C559 (05.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Bulk Density of As-Manufactured Carbon and Graphite Shapes, Test Method for, **C838 (05.05)**

Density—cleaners/detergents
Specific Gravity of Oils and Liquid Fats, Test Method for, **D5355 (15.04)**

Density—concrete
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, Test Method for, **C1214 (04.05)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), Test Method for, **C1214M (04.05)**
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, Test Method for, **C138/C138M (04.02)**
Density, Absorption, and Voids in Hardened Concrete, Test Method for, **C642 (04.02)**
Determining Consistency and Density of Roller-Compacted Concrete Using a Vibrating Table, Test Method for, **C1170/C1170M (04.02)**
Determining Density of Structural Lightweight Concrete, Test Method for, **C567/C567M (04.02)**
Dry and Wet Bulk Density, Water Absorption, and Apparent Porosity of Thin Sections of Glass-Fiber Reinforced Concrete, Test Method for, **C948 (04.05)**
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Portland-Cement Content of Hardened Hydraulic-Cement Concrete, Test Method for, **C1084 (04.02)**

Density—copy materials/applications
Evaluation of Large Area Density and Background on Office Copiers, Test Method for, **F875 (15.09)**
Evaluation of Larger Area Density and Background on Electrophotographic Printers, Test Method for, **F2036 (15.09)**

Density—corrosion current
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**

Density—electronic applications
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Density of Fine Wire and Ribbon Wire for Electronic Devices, Test Method for, **F180 (10.04)**
Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, Test Method for, **F1894 (10.04)**

Density—glass
Density of Glass by Buoyancy, Test Method for, **C693 (15.02)**
Density of Glass by the Sink-Float Comparator, Test Method for, **C729 (15.02)**

Density—linear
Sa **Yarn number**
Linear Density of Textile Fibers, Test Methods for, **D1577 (07.01)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**

Density—metallic coatings
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Density—metal powders (P/M)
Apparent Density of Free-Flowing Metal Powders Using the Hall Flowmeter Funnel, Test Method for, **B212 (02.05)**
Apparent Density of Metal Powders and Compounds Using the Scott Volumeter, Test Method for, **B329 (02.05)**
Apparent Density of Metal Powders and Related Compounds Using the Arnold Meter, Test Method for, **B703 (02.05)**
Apparent Density of Non-Free-Flowing Metal Powders Using the Carney Funnel, Test Method for, **B417 (02.05)**
Compressibility of Metal Powders in Uniaxial Compaction, Test Method for, **B331 (02.05)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, Test Method for, **B873 (02.05)**
Metal Powder Skeletal Density by Helium or Nitrogen Pycnometry, Test Method for, **B923 (02.05)**

Density—nuclear-grade materials
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**

Density—optical
See **Optical density**

Density—paints/related coatings/materials
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Bulk Density of Level Paintbrush Filaments, Test Method for, **D5959 (06.02)**
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density of Liquid Coatings, Inks, and Related Products, Test Method For, **D1475 (06.01)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Evaluating Mica Pigment, Test Methods for, **D716 (06.03)**
Hydroxyethylcellulose, Test Methods for, **D2364 (06.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**

Density—paving materials
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6752/D6752M (04.03)**
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples, Test Method for, **D1188 (04.03)**
Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, Test Method for, **D2726/D2726M (04.03)**
Density of Bituminous Concrete in Place by Nuclear Methods, Test Method for, **D2950/D2950M (04.03)**
Density of Semi-Solid and Solid Bituminous Materials (Nickel Crucible Method), Test Method for, **D3289 (04.03)**
Density of Semi-Solid Bituminous Materials (Pycnometer Method), Test Method for, **D70 (04.03)**
Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, Test Method for, **C127 (04.02)**
Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate, Test Method for, **C128 (04.02)**
Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method, Test

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Method for, **D6857/D6857M (04.03)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Specific Gravity, API Gravity, or Density of Cutback Asphalts by Hydrometer Method, Test Method for, **D3142/D3142M (04.03)**
Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures, Test Method for, **D2041/D2041M (04.03)**

Density—petroleum products
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**
ASTM Butadiene Measurement Tables, Standard, **D1550 (05.01)**
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**
Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, Test Method for, **D3238 (05.01)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density (Relative Density) of Solid Pitch (Pycnometer Method), Test Method for, **D2320 (05.01)**
Density and Relative Density (Specific Gravity) of Liquids by Bingham Pycnometer, Test Method for, **D1217 (05.01)**
Density and Relative Density (Specific Gravity) of Viscous Materials by Bingham Pycnometer, Test Method for, **D1480 (05.01)**
Density and Relative Density (Specific Gravity) of Viscous Materials by Lipkin Bicapillary Pycnometer, Test Method for, **D1481 (05.01)**
Density and Relative Density of Crude Oils by Digital Density Analyzer, Test Method for, **D5002 (05.02)**
Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, Test Method for, **D1657 (05.01)**
Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, Test Method for, **D6822 (05.03)**
Density, Relative Density, and API Gravity of Liquids by Digital Density Meter, Test Method for, **D4052 (05.02)**
Density, Relative Density, or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method, Test Method for, **D1298 (05.01)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke, Test Method for, **D4292 (05.02)**
Effect of Air Supply on Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2157 (05.01)**
Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, Test Method for, **D4781 (05.05)**
Mechanically Tapped Packing Density of Formed Catalyst and Catalyst Carriers, Test Method for, **D4164 (05.05)**
Real Density of Calcined Petroleum Coke by Helium Pycnometer, Test Method for, **D2638 (05.01)**
Real Density of Calcined Petroleum Coke by Xylene Displacement, Test Method for, **D5004 (05.02)**
Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2156 (05.01)**
Vibrated Apparent Packing Density of Fine Catalyst and Catalyst Carrier Particles and Powder, Test Method for, **D4512 (05.05)**
Vibratory Packing Density of Formed Catalyst Particles and Catalyst Carriers, Test Method for, **D4180 (05.05)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Density—plastics
Apparent Density of Rigid Cellular Plastics, Test Method for, **D1622 (08.01)**
Apparent Density, Bulk Factor, and Pourability of Plastic Materials, Test Methods for, **D1895 (08.01)**
Density and Specific Gravity (Relative Density) of Plastics by Displacement, Test Methods for, **D792 (08.01)**
Density of Plastics by the Density-Gradient Technique, Test Method for, **D1505 (08.01)**
Density of Polyethylene by the Ultrasound Technique, Test Method for, **D4883 (08.02)**
Density of Smoke from the Burning or Decomposition of Plastics, Test Method for, **D2843 (08.01)**
Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance, Test Method for, **D5017 (08.02)**
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Use of a Melt Index Strand for Determining Density of Polyethylene, Practice for, **D2839 (08.01)**

Density—refractory materials
Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, Test Methods for, **C20 (15.01)**
Bulk Density and Volume of Solid Refractories by Wax Immersion, Test Method for, **C914 (15.01)**
Bulk Density of Granular Refractory Materials, Test Method for, **C357 (15.01)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**

Density—roofing/siding materials/applications
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Loose Density of Asbestos, Test Method for, **C1162/C1162M (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Semidense Mineral Fiber Siding, Specification for, **C725 (04.05)**

Density—rubber
Carbon Black, Pelleted—Pour Density, Test Method for, **D1513 (09.01)**
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Rubber Cements, Test Methods for, **D816 (09.01)**
Rubber Chemicals—Density, Test Method for, **D1817 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**

Density—soil/rock/related materials
Bulk Density of Peat and Peat Products, Test Methods for, **D4531 (04.08)**
Calculating Thermal Diffusivity of Rocks, Practice for, **D4612 (04.08)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Density and Unit Weight of Soil in Place by the Rubber Balloon Method, Test Method for, **D2167 (04.08)**
Density of Bentonitic Slurries, Test Method for, **D4380 (04.08)**
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Density of Topsoil and Blended Soils In-place by the Core Displacement Method, Test Method for, **F3013 (15.07)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Logging In Situ Moisture Content and Density of Soil and Rock by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, Test Method for, **D6031/D6031M (04.09)**
Maximum Index Density and Unit Weight of Soils Using a Vibratory Table, Test Methods for, **D4253 (04.08)**
Minimum Index Density and Unit Weight of Soils and Calculation of Relative Density, Test Methods for, **D4254 (04.08)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Relative Density of Solid Pitch and Asphalt (Displacement Method), Test Method for, **D71 (05.01)**
Water Content and Density of Soil In situ by Time Domain Reflectometry (TDR), Test Method for, **D6780/D6780M (04.09)**

Density—thermal insulating materials
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Density and Dimensions of Preformed Pipe-Covering-Type Thermal Insulation, Test Method for, **C302 (04.06)**
Density of Granular Loose Fill Insulations, Test Methods for, **C520 (04.06)**
Dimensions and Density of Preformed Block and BoardType Thermal Insulation, Test Method for, **C303 (04.06)**
Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories, Classification of, **C930 (04.06)**
Thickness and Density of Blanket or Batt Thermal Insulations, Test Methods for, **C167 (04.06)**

Density cup
Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, Test Method for, **B873 (02.05)**

Density gauge calibration
Calibration Facility Setup for Nuclear Surface Gauges, Guide for, **D7013/D7013M (04.09)**
Nuclear Surface Moisture and Density Gauge Calibration, Guide for, **D7759 (04.09)**

Density-gradient technique
Density of Plastics by the Density-Gradient Technique, Test Method for, **D1505 (08.01)**
Production of, Test Method for, **E2839 (11.05)**

Density separations
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**

Dental plaque
Objective Quantification of Dental Plaque Using Digital Still Cameras, Test Method for, **E2670 (06.01)**

Dental tin foil substrate
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**

Deodorant efficacy
Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, Guide for, **E1593 (15.08)**
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Deoxidation
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**

Deoxidized copper
See **Oxygen-free (deoxidized) copper**

Department of Defense (DoD)
Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities, Classification of, **D5746 (11.05)**

Dependentanization
Dependentanization of Gasoline and Naphthas, Test Method for, **D2001 (05.01)**

Deplating cell
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Deployment (of inflatable restraints)
Sa **Inflatable restraints**
Identification, Packaging, Handling, Storage and Deployment of Fabricated Geomembrane Panels, Guide for, **D7865 (04.13)**

Depolymerization
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**

Deposit (internal combustion engine) formation
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D6201 (05.03)**
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**

Deposits/deposition
Accumulated Deposition in a Steam Generator Tube, Test Methods for, **D3483 (11.02)**
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Determination of Deposition of Aerially Applied Oil Spill Dispersants, Test Method for, **F1738 (11.05)**
Determining Toner Usage, Efficiency, and Dusting Nonheat Fixing Copiers Using Single-Component Toner Systems, Practice for, **F685 (15.09)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**
Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, Practices for, **D934 (11.02)**
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**
Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, Practice for, **D4025 (11.02)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Deposit weight
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Depreciation
the Recognition of Impaired or Retired Personal Property, Practice for, **E2378 (04.12)**
Depressurization
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Depressurization (pressurization)/infrared method
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Depth-integrating samplers
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Sampling Phytoplankton With Depth-Integrating Samplers, Practice for, **D4135 (11.02)**
Depth of color
See **Color**
Depth of decarburization
See **Carburizing applications**
Depth of discharge
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Depth of penetration
Sa **Penetration**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Depth profiling
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Embossed Depth of Resilient Floor Coverings, Test Method for, **F373 (15.04)**
Estimating Peat Deposit Thickness, Practice for, **D4544 (04.08)**
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**
Measuring Widths of Interfaces in Sputter Depth Profiling Using SIMS, Guide for, **E1438 (03.06)**
Performing Sputter Crater Depth Measurements, Guide for, **E1634 (03.06)**
Reporting Sputter Depth Profile Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1162 (03.06)**
Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, Test Method for, **D5220 (04.08)**
Depth profiling—pavement surfaces
Measuring Pavement Macrotexture Depth Using a Volumetric Technique, Test Method for, **E965 (04.03)**
Measuring Rut-Depth of Pavement Surfaces Using a Straightedge, Test Method for, **E1703/E1703M (04.03)**
Depth (recessed/tapered-edge)
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Depuration phase
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Depyrogenation
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
Derivatization
Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, Test Methods for, **D5974 (06.03)**
Derived cetane number (DCN)
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Fixed Range Injection Period, Constant Volume Combustion Chamber Method, Test Method for, **D7170 (05.05)**
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Ignition Delay and Combustion Delay Using a Constant Volume Combustion Chamber Method, Test Method for, **D7668 (05.05)**
Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, Test Method for, **D6890 (05.05)**
Derived data
Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, Guide for, **E1856 (03.01)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Dermal allergenicity
Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, Practice for, **F720 (13.01)**
Dermal exposure
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Dermal Wipe Sampling for the Subsequent Determination of Metals and Metalloids, Practice for, **D7822 (11.07)**
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, Test Method for, **E1687 (11.03)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, Test Method for, **F2130 (11.03)**
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**
Dermal toxicity
See **Toxicity/toxicology**
Dermatitis
Prevention of Dermatitis in the Wet Metal Removal Fluid Environment, Practice for, **E2693 (11.03)**
Derricks
Acoustic Emission Testing of Insulated and Non-Insulated Digger Derricks, Test Method for, **F1797 (10.03)**
Desalinating (reverse osmosis) devices
Calculation and Adjustment of the Langelier Saturation Index for Reverse Osmosis, Practice for, **D3739 (11.02)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Operating Characteristics of Reverse Osmosis and Nanofiltration Devices, Test Methods for, **D4194 (11.02)**
Water Analysis for Reverse Osmosis and Nanofiltration Application, Guide for, **D4195 (11.02)**
Desalting plants
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Descaling
Chemical Passivation Treatments for Stainless Steel Parts, Specification for, **A967/A967M (01.03)**
Cleaning Metals Prior to Electroplating, Guide for, **B322 (02.05)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Descaling and Cleaning Titanium and Titanium Alloy Surfaces, Guide for, **B600 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**

Description/descriptive analysis
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Descriptive Analysis of Shampoo Performance, Guide for, **E2082 (15.08)**
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**

Desert
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**

Desiccant
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**

Desiccation
Calcium Chloride, Specification for, **D98 (04.03)**

Desiccator
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**

Design
Additive Manufacturing File Format (AMF) Version 1.2, Specification for, **F2915 (10.04)**
Body Measurements for Children, Infant Sizes—Preemie to 24 Months, Tables of, **D4910/D4910M (07.02)**
Design and Evaluation of Primary Flexible Packaging for Medical Products, Guide for, **F2097 (15.10)**
Design and Manufacture of Electric Propulsion Units for Light Sport Aircraft, Practice for, **F2840 (15.11)**
Design and Performance of Light Sport Gyroplane Aircraft, Specification for, **F2352 (15.11)**
Design of Experiments, Terminology Relating to, **E1325 (14.02)**
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**
Detailing of EIFS-Clad Wall Assemblies, Guide for, **E2511 (04.12)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Establishing Allowable Stresses for Round Timbers for Piles from Tests of Full-Size Material, Practice for, **D7381 (04.10)**
Evaluating Design and Performance Characteristics of Elliptical Trainers, Test Methods for, **F2811 (15.07)**
Open Office Acoustics and Applicable ASTM Standards, Guide for, **E1374 (04.06)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Selection of Spacecraft Materials, Practice for the, **E1997 (15.03)**
Transport Packaging Design, Guide for, **D6198 (15.10)**

Design—aerospace applications
Design and Construction of Aerospace Cleanrooms and Contamination Controlled Areas, Practice for, **E2217 (15.03)**
Measuring Heat Transfer Rate Using a Thin-Skin Calorimeter, Test Method for, **E459 (15.03)**
Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, Test Method for, **F1362 (15.03)**

Design—aircraft materials/applications
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Design—atmospheric analysis applications
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**

Design—building materials/constructions
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**

Design—consumer products/applications
Consumer Recreational Use of Fun-Karts, Safety Guide for, **F1928 (15.11)**
Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures, Practice for, **F1159 (15.07)**
Design and Performance Requirements for Powered Parachute Aircraft, Specification for, **F2244 (15.11)**
Design of Amusement Rides and Devices, Practice for, **F2291 (15.07)**
Design, Manufacture, Operation, and Maintenance of Inflatable Amusement Devices, Practice for, **F2374 (15.07)**
Design, Manufacture, Operation, Maintenance, and Inspection of Amusement Rides and Devices, in Canada, Practice for, **F2783 (15.07)**
Evaluating Design and Performance Characteristics of Motorized Treadmills, Test Methods for, **F2106 (15.07)**
Foot Protection for Chain Saw Users, Specification for, **F1818 (11.03)**
Motorized Treadmills, Specification for, **F2115 (15.07)**

Design—electronic components/systems
Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, Specification for, **F2342/F2342M (15.12)**

Design—environmental applications
Measurement of Behavior During Fish Toxicity Tests, Guide for, **E1711 (11.06)**

Design—ground-water systems
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**

Design—metals/alloys processing
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Formats for Collection and Compilation of Corrosion Data for Metals for Computerized Database Input, Guide for, **G107 (03.02)**

Design—nuclear materials/applications
Design Criteria for Plutonium Gloveboxes, Guide for, **C852 (12.01)**
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
General Design Considerations for Hot Cell Equipment, Guide for, **C1533 (12.01)**
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**

Design—paving surfaces
Design and Construction of Bituminous Surface Treatments, Practice for, **D5360 (04.03)**
Design, Testing, and Construction of Micro-Surfacing, Practice for, **D6372 (04.03)**
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Air-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

port and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**

Design—petroleum facilities/applications
Oil Spill Response Boom Connection: Z-Connector, Specification for, **F962 (11.05)**

Design—piping systems
Design Considerations and Spray Application of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C945 (04.06)**
Design of High-Density Polyethylene (HDPE) Manholes for Subsurface Applications, Practice for, **F1759 (08.04)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures, Practice for, **C890 (04.05)**
Minimum Structural Design Loading for Underground Precast Concrete Utility Structures, Practice for, **C857 (04.05)**
Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, Test Method for, **D2837 (08.04)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**

Design—radiology
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**

Design—rail systems
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**

Design—ship construction
Design and Installation of Overboard Discharge Hull Penetration Connections, Specification for, **F994 (01.07)**
Fire Hose Nozzles, Specification for, **F1546 (01.07)**
Fuel Oil Meters of the Volumetric Positive Displacement Type, Specification for, **F1172 (01.07)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
HVAC Duct Shapes; Identification and Description of Design Configuration, Practice for, **F1005 (01.07)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Selection and Application of Piping System Materials, Practice for, **F1155 (01.07)**
Selection of Structural Details for Ship Construction, Guide for, **F1455 (01.07)**
Selection of Wire and Cable Size in AWG or Metric Units, Practice for, **F1883 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**

Design—soil applications
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, Practice for, **D4320/D4320M (04.08)**

Designation process
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Designation of Yarn Construction, Practice for, **D1244 (07.01)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Temper Designations of Magnesium Alloys, Cast and Wrought, Practice for, **B296 (02.02)**

Design basis accident (DBA)
See **DBA (design basis accident)**

Design engineers
Selecting Cleaning Agents and Processes, Guide for, **D6361/D6361M (15.05)**
Symbolizing Adhesive Applications, Practice for, **D7447 (15.06)**

Design-shear stress
Determining Damage-Based Design Stress for Glass Fiber Reinforced Plastic (GFRP) Materials Using Acoustic Emission, Practice for, **E2478 (03.03)**

Design stresses
Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing, Practice for, **D6305 (04.10)**
Determining Damage-Based Design Stress for Glass Fiber Reinforced Plastic (GFRP) Materials Using Acoustic Emission, Practice for, **E2478 (03.03)**
Determining Offset Yield Strength in Tension for Copper Alloys, Practice for, **B598 (02.01)**
Establishing Allowable Stresses for Round Timber Piles, Practice for, **D2899 (04.10)**
Establishing Recommended Design Stresses for Round Timber Construction Poles, Specification and Test Method for, **D3200 (04.10)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Design value treatment adjustment factors
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**

Desks
Desk, Log, Marine, Steel, with Cabinet, Specification for, **F823 (01.07)**
Glass Used as a Horizontal Surface in Desks and Tables, Specification for, **F2813 (15.11)**

Desorption
Determination of Gas Content of Coal—Direct Desorption Method, Practice for, **D7569 (05.06)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Desorption efficiency
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**

Desorption isotherms
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**

Destruction
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Destruction (of property)
Addressing and Reporting Loss, Damage, or Destruction of Tangible Property, Practice for, **E2131 (04.12)**
Destructively-distilled wood turpentine
See **Turpentine**
Destructive testing
Abrasiveness of Ink-Impregnated Fabric Printer Ribbons and Other Web Materials, Test Method for, **G56 (03.02)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Determining the Integrity of Seams Used in Joining Geomembranes by Pre-manufactured Taped Methods, Test Method for, **D7272 (04.13)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Disintegration of Carbon Refractories by Alkali, Test Method for, **C454 (15.01)**
Disintegration of Refractories in an Atmosphere of Carbon Monoxide, Test Method for, **C288 (15.01)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**
Destructive testing—coatings
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
Measurement of Dry Film Thickness of Thin-Film Coil-Coated Systems by Destructive Means Using a Boring Device, Test Method for, **D5796 (06.02)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Variables Sampling of Metallic and Inorganic Coatings, Test Method of, **B762 (02.05)**
Destructive testing—irradiation
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Destructive testing—semiconductors
Destructive Shear Testing of Ball Bonds, Test Methods for, **F1269 (10.04)**
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Destructive testing—soil/rock
Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Measurement of Thermal Expansion of Rock Using Dilatometer, Test Methods for, **D4535 (04.08)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Trapezoid Tearing Strength of Geotextiles, Test Method for, **D4533 (04.13)**
Desulfated fatty matter
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of the Unsaponifiable Nonvolatile Matter in Sulfated Oils, Test Method for, **D5553 (15.04)**
Determination of Total Desulfated Fatty Matter, Test Method for, **D5353 (15.04)**
Desulfurization systems
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Detailed hydrocarbon analysis (DHA)
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
Detectability
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Detection method
Analytical Data Interchange Protocol for Chromatographic Data, Specification for, **E1947 (03.06)**
Analytical Data Interchange Protocol for Chromatographic Data, Guide for, **E1948 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Guide for, **E2078 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**
Asbestos Detection Limit Based on Counts, Practice for, **D6620 (11.07)**
Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**
Determination of the 99 %/95 % Critical Level (WCL) and a Reliable Detection Estimate (WDE) Based on Within-laboratory Data, Practice for, **D7782 (11.01)**
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Performing Detection and Quantitation Estimation and Data Assessment Utilizing DQCALC Software, based on ASTM Practices D6091 and D6512 of Committee D19 on Water, Practice for, **D7510 (11.01)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Detection sensitivity mapping
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
Performance Evaluation of In-Plant Walk-Through Metal Detectors, Practice for, **C1309 (12.01)**
Detector aperture
Installation of Walk-Through Metal Detectors, Guide for, **C1238 (12.01)**
Detector linearity
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, Test Method for, **D5186 (05.02)**
Testing Conductivity Detectors Used in Liquid and Ion Chromatography, Practice for, **E1511 (03.06)**
Detectors
Adjusting the Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors, Practice for, **C1269 (12.01)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Describing Photomultiplier Detectors in Emission and Absorption Spectrometry, Practice for, **E520 (03.05)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, Practice for, **E499/E499M (03.03)**
Measurement of Radioactivity, Practices for the, **D3648 (11.02)**
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Performance Evaluation of In-Plant Walk-Through Metal Detectors, Practice for, **C1309 (12.01)**
Radioscopy, Practice for, **E1255 (03.03)**
Rectification of Spectrophotometric Bandpass Differences, Practice for, **E2729 (06.01)**
Refractive Index Detectors Used in Liquid Chromatography, Practice for, **E1303 (03.06)**
Verifying Minimum Acceptable Performance of Trace Explosive Detectors, Practice for, **E2520 (15.08)**
Detector tubes
Sa **Length-of-stain detector tubes**
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Detention facility/security
Sa **Correctional facility**
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**
Physical Assault on Ventilation Grilles for Detention and Correctional Facilities, Test Methods for, **F2542 (15.08)**
Physical Assault on Vertical Fixed Barriers for Detention and Correctional Facilities, Test Methods for, **F2322 (15.08)**
Detention hinges
Detention Hinges Used on Detention-Grade Swinging Doors, Test Methods for, **F1758 (15.08)**
Detention locks
Detention Locks for Swinging Doors, Test Methods for, **F1577 (15.08)**
Detergent alkylate
Detergent Alkylate, Test Methods for, **D1569 (15.04)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Detergent dispenser
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**
Detergent materials/systems
Sa **Perchloroethylene**
Sa **Sodium hydroxide**
Sa **Trichlorotrifluoroethane**
Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), Test Methods for, **E291 (15.05)**
Clay and Zeolite in Powdered Laundry Detergents by Atomic Absorption, Test Method for, **D5547 (15.04)**
Detergent Alkylate, Test Methods for, **D1569 (15.04)**
Foam Stability of Hand Dishwashing Detergents, Guide for, **D4009 (15.04)**
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Sampling and Chemical Analysis of Alkaline Detergents, Test Methods of, **D501 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Detergent materials/systems—bleaches
Active Oxygen in Bleaching Compounds, Test Method for, **D2180 (15.04)**
Calcium Hypochlorite, Specification for, **E1229 (15.05)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Detergent materials/systems—drycleaning
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
Detergent materials/systems—laundering
See **Laundry materials/applications**
Detergent materials/systems—synthetic
Active Matter in Anionic Surfactants by Potentiometric Titration, Test Method for, **D4251 (15.04)**
Analysis for Sodium Toluene Sulfonate in Detergents, Test Method of, **D2023 (15.04)**
Analysis of Linear Detergent Alkylates, Test Methods for, **D4337 (15.04)**
Assay for Alkaline Protease, Test Method of, **D3048 (15.04)**
Chemical Analysis of Alcohol Ethoxylates and Alkylphenol Ethoxylates, Test Methods for, **D4252 (15.04)**
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Citrate in Detergents, Test Method for, **D4608 (15.04)**
Citrate in Synthetic Detergents, Test Method for, **D3598 (15.04)**
Determination of Nitrilotriacetates in Detergents, Test Method for, **D4954 (15.04)**
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
Ethylene Diamine Tetraacetate (EDTA) in Soaps or Synthetic Detergents, Test Method for, **D1767 (15.04)**
Qualitative Classification of Surfactants by Infrared Absorption, for, **D2357 (15.04)**
Separation of Active Ingredient from Surfactant and Syndet Compositions, Test Method for, **D2358 (15.04)**
Sodium Alkylbenzene Sulfonate in Synthetic Detergents by Ultraviolet Absorption, Test Method for, **D1768 (15.04)**
Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, Test Method for, **D4711 (15.04)**
Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure, Test Method for, **D1681 (15.04)**
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**

Detergent materials/systems (surfactants)
See **Surfactants**

Detergent resistance
Detergent Resistance of Ceramic Decorations on Glass Tableware, Test Method for, **C676 (15.02)**
Detergent Resistance of Floor Polish Films, Test Method for, **D3207 (15.04)**
Detergent Resistance of Organic Finishes, Practice for, **D2248 (06.01)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**

Detergents
Blood Cleaning Efficiency of Detergents and Washer-Disinfectors, Guide for, **D7225 (15.04)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**

Detergent solution
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**

Deteriorated paint
Conducting Visual Assessments for Lead Hazards in Buildings, Practice for, **E2255/E2255M (04.12)**

Deterioration
Sa **Corrosion**
Sa **Weathering**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, Test Method for, **D4355 (04.13)**
Deterioration of Geotextiles from Outdoor Exposure, Test Method for, **D5970 (04.13)**
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
Field Pull Testing of an In-Place Exterior Insulation and Finish System Clad Wall Assembly, Test Method for, **E2359/E2359M (04.12)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Limiting Water-Induced Damage to Buildings, Guide for, **E241 (04.11)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Deterioration—biodeterioration
See **Biodeterioration**

Deterioration—rubber
Measuring Rubber Deterioration—Cut Growth Using Ross Flexing Apparatus, Test Method for, **D1052 (09.01)**
Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**
Rubber Deterioration—Crack Growth, Test Method for, **D813 (09.01)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Rubber Thread—Deterioration Due to Standard Washing Solution Treatment, Test Method for, **D3855 (09.02)**
RubberDeterioration by Heat and Oxygen, Test Method for, **D572 (09.01)**
Rubber—Deterioration by Heating in Air (Test Tube Enclosure), Test Method for, **D865 (09.01)**
Rubber—Deterioration in an Air Oven, Test Method for, **D573 (09.01)**

Deterioration resistance
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, Specification for, **D4869/D4869M (04.04)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Filtered Open-Flame Carbon-Arc Exposures of Plastics, Practice for, **D1499 (08.01)**
Rubber Thread—Deterioration Due to Standard Washing Solution Treatment, Test Method for, **D3855 (09.02)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Determined solids
Magnet-Wire Enamels, Test Methods for, **D3288/D3288M (10.02)**

Determining/defining test results
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**

Detrimental intermetallic phase detection
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**
Detecting Detrimental Phases in Lean Duplex Austenitic/Ferritic Stainless Steels, Test Method for, **A1084 (01.03)**

Deuterium-tritium interactions
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**

Developers
Determining the Tribocharge of Two-Component Developer Materials, Test Method for, **F1425 (15.09)**
Estimating Toner Usage in Copiers Utilizing Dry Two-Component Developer, Practice for, **F995 (15.09)**

Developing standards
Development and Use of Oil-Spill Trajectory Models, Practice for, **F2067 (11.05)**

Developing test methods
See **Testing methods**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Developmental toxicity
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**
Deviation
Determining and Expressing Precision of Measurement Results, in the Analysis of Water, as Relative Standard Deviation, Utilizing DQCALC Software, Practice for, **D7729 (11.01)**
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**
Devitrified glass
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Devulcanized rubber
Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density, Test Method for, **D6814 (09.01)**
Dewar flasks
Laboratory Glass Dewar Flask, Specification for, **E1379 (14.04)**
Dewatering
Vacuum Drainage of Asbestos-Cement Mixes, Test Method for, **C1119/C1119M (04.05)**
Dew cycle
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**
Dew/frost point
Frost/Dew Point of Sealed Insulating Glass Units, Test Method for, **E546 (04.11)**
Frost/Dew Point of Sealed Insulating Glass Units in the Vertical Position, Test Method for, **E576 (04.11)**
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**
Water Vapor Content of Electrical Insulating Gases by Measurement of Dew Point, Test Methods for, **D2029 (10.03)**
Water Vapor Content of Gaseous Fuels by, Test Method for, **D1142 (05.06)**
Dexterity
Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test, Test Method for, **F2010/F2010M (11.03)**
Dextrin
Amylaceous Matter in Adhesives, Test Method for, **D1488 (15.06)**
Nonvolatile Content of Aqueous Adhesives, Test Method for, **D1489 (15.06)**
Dextrose analysis
Analysis of Sugar in Vegetable Tanning Materials, Test Method for, **D6406 (15.04)**
DHW systems (domestic hot water)
Sa **Water supply/distribution systems—specifications**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Diacetone alcohol
Diacetone Alcohol, Specification for, **D2627 (06.04)**
Diagnosis
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Diagnostic modality
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**
Diagnostic procedures
Poly(vinyl chloride) Gloves for Medical Application, Specification for, **D5250 (09.02)**
Practical Lubricant Condition Data Trend Analysis, Guide for, **D7669 (05.04)**
Diagnostic soil test
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Diagonal tension
Diagonal Tension (Shear) in Masonry Assemblages, Test Method for, **E519/E519M (04.05)**
Diagonal warpage
See **Warpage**
Diagrams
Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Evacuation Route Diagrams, Guide for, **E2238 (11.03)**
Dial gage method
Determination of Thickness of Plastic Film Test Specimens, Guide for, **D6988 (08.03)**
Measurement of Resilient Floor Plank by Dial Gage, Test Method for, **F2421 (15.04)**
Size and Squareness of Resilient Floor Tile by Dial Gage Method, Test Method for, **F2055 (15.04)**
Dialkyl/diaryl
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Dialkyldimethyl quaternaries
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, Test Method for, **D5070 (15.04)**
Diallyl phthalate plastics
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**
Diameter
Sa **Controlled diameters (outside)**
Archery Bowstring Component—Serving String Material, Test Methods for, **F1648 (15.07)**
Asbestos Tubular Sleeving, Specification for, **D628/D628M (04.05)**
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, Practice for, **C585 (04.06)**
Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, Test Method for, **E128 (14.04)**
Non-Powder Gun Projectiles and Propellants, Consumer Safety Specification for, **F590 (15.11)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**
Using a 1.707-m 67.23-in. Diameter Laboratory Test Roadwheel in Testing Tires, Practice for, **F551/F551M (09.02)**
Diameter—electrical materials/applications
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, Specification for, **B258 (02.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Diameter—electronic components/devices
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**
Diameter—plastic pipe/fittings
3.25-in. Outside Diameter Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2949 (08.04)**
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**
Determining Dimensions of Thermoplastic Pipe and Fittings, Test Method for, **D2122 (08.04)**
Diameter—textile fabrics/fibers
Diameter of Wool and Other Animal Fibers by Microprojection, Test Method for, **D2130 (07.01)**
Diameter of Wool and Other Animal Fibers By Sirolan-Laserscan Fiber Diameter Analyser, Test Method for, **D6466 (07.02)**
Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, Test Method for, **D6500 (07.02)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Resistance to Airflow as an Indication of Average Fiber Diameter of Wool Top, Card Sliver, and Scoured Wool, Test Method for, **D1282 (07.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Shrinkage of Yarns, Test Method for, **D2259 (07.01)**
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Diametral compression strength
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**
Diametral compression testing (of soil)
See **Compression testing—rock/related materials**
Diamidoamine-based quarternaries
Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, Test Method for, **D5070 (15.04)**
Diamond core drilling
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**
Diamond diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Diamond point fasteners
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Diamond saw blade
Preparation of Rock Slabs for Durability Testing, Practice for, **D5121 (04.08)**
Diamond stylus
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Diantipyrylmethane spectrophotometric method
Determination of Titanium in Iron Ores and Related Materials by Diantipyrylmethane Ultraviolet Spectrophotometry, Test Method for, **E878 (03.05)**
Determination of Titanium in Nickel Alloys by Diantipyrylmethane Spectrophotometry, Test Method for, **E1938 (03.05)**
Diaphragm bursting pressure
Bursting Strength of Textile Fabrics—Diaphragm Bursting Strength Tester Method, Test Method for, **D3786/D3786M (07.01)**
Diaphragm constructions
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Diaphragms
Rubber Contraceptives—Vaginal Diaphragms, Specification for, **D6976 (09.02)**
Diaphyseal bone
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Diatomaceous earth block/pipe thermal insulation
See **Pipe thermal insulation**
Dibenzothiophenes
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**
1,2-Dibromo-3-Chloropropane
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**
1,2-Dibromoethane
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**
Dibutylamine
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**
Dibutyl phthalate (DBP)
Carbon Black—Oil Absorption Number of Compressed Sample (COAN), Test Method for, **D3493 (09.01)**
Dibutyl Phthalate, Specification for, **D608 (06.04)**
Silica-Oil Absorption Number, Test Method for, **D6854 (09.01)**
1,2-Dichloroethane
Technical Grade Ethylene Dichloride, Specification for, **D5960 (15.05)**
Dichloromethane
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Dichloromethane Solubles in Wood, Test Method for, **D1108 (04.10)**
Dichloromethane-Soluble Matter in Cellulose, Test Method for, **D3971 (06.03)**
Reclaimed Methylene Chloride, Specification for, **D5395 (15.05)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Technical Grade Methylene Chloride, Specification for, **D4701 (15.05)**
Vapor-Degreasing Grade Methylene Chloride, Specification for, **D4079 (15.05)**
2,4-Dichlorophenoxyacetic acid (2,4-D)
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Dichromate coatings
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Dichromate oxygen demand
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
Dichromate titration
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Determination of Iron in Iron Ores and Related Materials by Dichromate Titrimetry, Test Methods for, **E246 (03.05)**
DICONDE
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE), Practice for, **E2339 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Digital Radiographic (DR) Test Methods, Practice for, **E2699 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Ultrasonic Test Methods, Practice for, **E2663 (03.03)**
Digital Imaging and Communication in Nondestructive Evalua-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tion (DICONDE) for X-ray Computed Tomography (CT) Test Methods, Practice for, **E2767 (03.03)**
Digital Imaging and Communication Nondestructive Evaluation (DICONDE) for Computed Radiography (CR) Test Methods, Practice for, **E2738 (03.03)**

Dictation systems
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Data Capture through the Dictation Process, Guide for, **E2344 (14.01)**

Dicumyl peroxide
Sa **Peroxides**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Dicumyl Peroxide, Assay (Liquid Chromatography), Test Method for, **E755 (15.05)**

Die-away biodegradation
See **Biological data analysis**

Die casting aluminum alloys
Inspection of Aluminum and Magnesium Die Castings, Reference Radiographs for, **E505 (03.03)**

Die casting aluminum alloys—specifications
ACuZinc5, Specification for, **B892 (02.04)**
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, Specification for, **B894 (02.04)**

Die casting copper alloys—specifications
ACuZinc5, Specification for, **B892 (02.04)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**
Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, Specification for, **B894 (02.04)**

Die casting magnesium alloys
Inspection of Aluminum and Magnesium Die Castings, Reference Radiographs for, **E505 (03.03)**

Die casting magnesium alloys—specifications
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**

Die casting zinc alloys
Preparation of Zinc Alloy Die Castings for Electroplating and Conversion Coatings, Guide for, **B252 (02.05)**

Die casting zinc alloys—specifications
ACuZinc5, Specification for, **B892 (02.04)**
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**
Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, Specification for, **B894 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**

Die forgings—specifications
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Steel, Closed-Impression Die Forgings for General Industrial Use, Specification for, **A521/A521M (01.05)**

Die-formed ring
Packing Material, Graphitic, Corrugated Ribbon or Textured Tape, and Die-Formed Ring, Specification for, **F2168 (01.07)**

Dielectric applications
Dielectric Footwear, Specification for, **F1117 (10.03)**
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, Test Method for, **D6097 (10.02)**

Dielectric breakdown parallel to laminations
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**

Dielectric breakdown/strength
Electrostatic Discharge (ESD) Packaging Materials, Terminology Relating to, **D5077 (15.10)**

Dielectric breakdown voltage
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, Test Method for, **D2477 (10.03)**
Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies, Test Method for, **D149 (10.01)**
Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials Using Impulse Waves, Test Method for, **D3426 (10.02)**
Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes, Test Method for, **D877/D877M (10.03)**
Dielectric Breakdown Voltage of Insulating Liquids Using VDE Electrodes, Test Method for, **D1816 (10.03)**
Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions, Test Method for, **D3300 (10.03)**
Dielectric Footwear, Specification for, **F1117 (10.03)**
Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, Test Method for, **D3756 (10.02)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Flexible Treated Sleeving Used for Electrical Insulation, Test Methods for, **D350 (10.01)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Rubber Insulating Gloves, Specification for, **D120 (10.03)**
Rubber Insulating Matting, Specification for, **D178 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Thermal Endurance of Flexible Electrical Insulating Varnishes, Test Method for, **D1932 (10.01)**
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**
Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, Test Method for, **F1662 (10.04)**

Dielectric constant
Complex Dielectric Constant of Nonmetallic Magnetic Materials at Microwave Frequencies, Test Method for, **A893/A893M (03.04)**
Complex Permittivity (Dielectric Constant) of Solid Electrical Insulating Materials at Microwave Frequencies and Temperatures to 1650°C, Test Methods for, **D2520 (10.02)**

Dielectric constant (permittivity)
Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, Practice for, **D7416 (05.04)**

Dielectric fluids
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**
Synthetic Dielectric Fluids For Capacitors, Test Methods for, **D3809 (10.03)**

Dielectric meters
Calibration of Hand-Held Moisture Meters on Gypsum Panels, Test Method for, **C1789 (04.01)**
Field Calibration and Application of Hand-Held Moisture Meters, Practice for, **D7438 (04.10)**
Laboratory Standardization and Calibration of Hand-Held Moisture Meters, Test Method for, **D4444 (04.10)**

Dielectric printing
Printers, Terminology Relating to, **F909 (15.09)**

Dielectric proof voltage
Determining Dielectric Strength of Dielectric Footwear, Test Method for, **F1116 (10.03)**
Dielectric Footwear, Specification for, **F1117 (10.03)**
In-Service Care of Insulating Blankets, Specification for, **F479 (10.03)**
In-Service Care of Insulating Line Hose and Covers, Specification for, **F478 (10.03)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Rubber Insulating Covers, Specification for, **D1049 (10.03)**
Rubber Insulating Gloves, Specification for, **D120 (10.03)**
Rubber Insulating Line Hose, Specification for, **D1050 (10.03)**
Rubber Insulating Matting, Specification for, **D178 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**

Dielectric properties/testing
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**

Dielectric strength retention
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, Specification for, **D2220 (10.01)**

Dielectric withstand voltage
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, Test Methods for, **E1462 (12.02)**
Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, Test Method for, **F1662 (10.04)**

Diesel engine cylinder liners
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
John Deere Coolant Cavitation Test, Test Method for, **D7583 (15.05)**

Diesel engine fuel oils
Alkyl Nitrate in Diesel Fuels by Spectrophotometry, Test Method for, **D4046 (05.02)**
Amyl Nitrate in Diesel Fuels, Test Method for, **D1839 (05.01)**
Cetane Number of Diesel Fuel Oil, Test Method for, **D613 (05.05)**
Cold Filter Plugging Point of Diesel and Heating Fuels, Test Method for, **D6371 (05.03)**
Cummins ISM Test, Test Method for, **D7468 (05.04)**
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6591 (05.03)**
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Ignition Delay and Combustion Delay Using a Constant Volume Combustion Chamber Method, Test Method for, **D7668 (05.05)**
Determination of Fuel Dilution for In-Service Engine Oils by Gas Chromatography, Test Method for, **D7593 (05.04)**
Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, Test Method for, **D6890 (05.05)**
Determination of Solvent Red 164 Dye Concentration in Diesel Fuels, Test Method for, **D6258 (05.03)**
Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, Test Method for, **D5186 (05.02)**
Determination of the Red Dye Concentration and Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, Test Method for, **D6756 (05.03)**
Determination of Total Monoglycerides, Total Diglycerides, Total Triglycerides, and Free and Total Glycerin in B-100 Biodiesel Methyl Esters by Gas Chromatography, Test Method for, **D6584 (05.03)**
Determining Water Separation Characteristics of Diesel Fuels by Portable Separometer, Test Method for, **D7261 (05.04)**
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), Test Method for, **D6079 (05.02)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**
Evaluation of Aeration Resistance of Engine Oils in Direct-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**
Evaluation of Automotive Engine Oils for Valve-Train Wear Performance in Cummins ISB Medium-Duty Diesel Engine, Test Method for, **D7484 (05.04)**
Evaluation of Corrosiveness of Diesel Engine Oil at 135 °C, Test Method for, **D6594 (05.03)**
Evaluation of Diesel Engine Oils in T-10 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D6987/D6987M (05.04)**
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7422 (05.04)**
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Evaluation of Diesel Engine Oils in the T-11 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7156 (05.04)**
Evaluation of Heavy-Duty Engine Oils under High Output Conditions—Caterpillar C13 Test Procedure, Test Method for, **D7549 (05.04)**
Field-Based Condition Monitoring of Soot in In-Service Lubricants Using a Fixed-Filter Infrared (IR) Instrument, Test Method for, **D7686 (05.04)**
Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), Test Method for, **D4539 (05.02)**
Oxidation Stability of Distillate Fuel Oil (Accelerated Method), Test Method for, **D2274 (05.01)**
Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, Test Method for, **D6217 (05.03)**
Rotational Viscosity of Heavy Duty Diesel Drain Oils at 100°C, Test Method for, **D6895 (05.03)**
Screening Fuels in Soils, Test Method for, **D5831 (11.04)**
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus, Test Method for, **D6278 (05.03)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**
Water and Sediment in Middle Distillate Fuels by Centrifuge, Test Method for, **D2709 (05.01)**

Diesel engine fuel oils—specifications
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Diesel Fuel Oils, Specification for, **D975 (05.01)**
Portable Kerosene and Diesel Containers for Consumer Use, Specification for, **F976 (15.11)**

Diesel engines
Compatibility of Supplemental Coolant Additives (SCAs) and Engine Coolant Concentrates, Test Method for, **D5828 (15.05)**
Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, Specification for, **A983/A983M (01.05)**
Evaluation of Automotive Engine Oils for Valve-Train Wear Performance in Cummins ISB Medium-Duty Diesel Engine, Test Method for, **D7484 (05.04)**
Evaluation of Corrosiveness of Diesel Engine Oil at 121 °C, Test Method for, **D5968 (05.02)**
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7422 (05.04)**
Evaluation of Diesel Engine Oils in the T-11 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7156 (05.04)**
Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), Test Methods for, **D6750 (05.03)**
Magnetic Particle Examination of Continuous Grain Flow Crankshaft Forgings, Specification for, **A986/A986M (01.05)**
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**

Diesel exhaust
Field Test Determination of Urea Concentration in Diesel Exhaust Fluid (DEF), Test Method for, **D7821 (15.05)**
Water Trap for Diesel Exhaust, Specification for, **F1431 (01.07)**

Diesel injector nozzle method
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus, Test Method for, **D6278 (05.03)**

Diesel lubricating oils
Sa **Lubricating oils—specifications**
Evaluation of Diesel Engine Oils in the T-11 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7156 (05.04)**
Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, Test Method for, **D5966 (05.02)**
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**

Diesel particulate matter (DPM)
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**

Diesel performance
Sa **Performance—petroleum products/applications**
Cetane Number of Diesel Fuel Oil, Test Method for, **D613 (05.05)**
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Fixed Range Injection Period, Constant Volume Combustion Chamber Method, Test Method for, **D7170 (05.05)**
Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, Test Method for, **D6890 (05.05)**
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**

Diethylamine
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Diethylbenzene isomers
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**

Diethyldithiocarbamate (photometric) method
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**

Diethylene glycol
Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, Test Method for, **E2679 (15.05)**
Diethylene Glycol, Specification for, **D2694 (06.04)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Glycol Impurities in Mono-, Di-, Tri- and Tetraethylene Glycol and in Mono- and Dipropylene Glycol, Test Method for, **E2409 (15.05)**
Low Concentrations of Diethlyene Glycol in Ethylene Glycol by Gas Chromatography, Test Methods for, **E611 (15.05)**

Differential capacitance strain gages
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**

Differential data
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**

Differential die-away system
Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System, Test Method for, **C1493 (12.01)**

Differential interference contrast (DIC)
Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Differential Mackey test
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Differential pressure (DP)
Performance of Materials Used in Medical Face Masks, Specification for, **F2100 (11.03)**
Differential pressure transducer/transmitter
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Transducers, Pressure and Differential, Pressure, Electrical and Fiber-Optic, Specification for, **F2070 (01.07)**
Differential pulse anodic stripping voltammetry
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Lead in Water, Test Methods for, **D3559 (11.01)**
Differential scanning calorimetry (DSC)
Arrhenius Kinetic Constants for Thermally Unstable Materials Using Differential Scanning Calorimetry and the Flynn/Wall/Ozawa Method, Test Method for, **E698 (14.02)**
Assignment of the DSC Procedure for Determining Tg of a Polymer or an Elastomeric Compound, Test Method for, **D7426 (09.01)**
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Calibration of Fixed-Cell Differential Scanning Calorimeters, Practice for, **E2603 (14.02)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Curing Properties of Pultrusion Resins by Thermal Analysis, Test Method for, **D5028 (08.02)**
Description of Thermal Analysis and Rheology Apparatus, Practice for, **E1953 (14.02)**
Determine Melting Temperature of Synthetic Fibers, Test Method to, **D7138 (07.02)**
Determining Oxidation Induction Time of Hydrocarbons by Differential Scanning Calorimetry, Test Method for, **E1858 (14.02)**
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Determining Specific Heat Capacity by Sinusoidal Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E2716 (14.02)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Determining Vapor Pressure by Thermal Analysis, Test Method for, **E1782 (14.02)**
Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry, Test Method for, **E793 (14.02)**
Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, Test Method for, **E2041 (14.02)**
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**
Glass Transition Temperatures of Hydrocarbon Resins by Differential Scanning Calorimetry, Practice for, **D6604 (06.03)**
Heat Flow Calibration of Differential Scanning Calorimeters, Practice for, **E968 (14.02)**
Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, Test Method for, **E2160 (14.02)**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, Test Method for, **E2890 (14.02)**
Longevity Assessment of Firestop Materials Using Differential Scanning Calorimetry, Practice for, **E2923 (04.12)**
Measurement of Enthalpy of Fusion, Percent Crystallinity, and Melting Point of Ultra-High-Molecular Weight Polyethylene by Means of Differential Scanning Calorimetry, Test Method for, **F2625 (13.02)**
Measurement of Transition Temperatures of Petroleum Waxes by Differential Scanning Calorimetry (DSC), Test Method for, **D4419 (05.02)**
Melting And Crystallization Temperatures By Thermal Analysis, Test Method for, **E794 (14.02)**
Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, Test Method for, **D5483 (05.02)**
Oxidation Induction Time of Lubricating Oils by Pressure Differential Scanning Calorimetry (PDSC), Test Method for, **D6186 (05.03)**
Oxidation Onset Temperature of Hydrocarbons by Differential Scanning Calorimetry, Test Methods for, **E2009 (14.02)**
Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, Test Method for, **D5885 (04.13)**
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
Reaction Induction Time by Thermal Analysis, Test Method for, **E2046 (14.02)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Temperature Calibration of Differential Scanning Calorimeters and Differential Thermal Analyzers, Test Method for, **E967 (14.02)**
Temperature Calibration on Cooling of Differential Scanning Calorimeters, Test Method for, **E2069 (14.02)**
the Assignment of the Glass Transition Temperature by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E2602 (14.02)**
The Determination of Metallic Zinc Content in Both Zinc Dust Pigment and in Cured Films of Zinc-Rich Coatings, Test Method for, **D6580 (06.01)**
The Thermal Stability of Chemicals by Differential Scanning Calorimetry, Test Method for, **E537 (14.02)**
Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E1952 (14.02)**
Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry, Test Method for, **D3418 (08.02)**
Differential solution viscosity
Measuring Solution Viscosity of Polymers with a Differential Viscometer, Test Method for, **D5225 (08.03)**
Differential temperature
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Differential thermal analysis (DTA)
Sa **Thermal analysis (TA)**
Assignment of the DSC Procedure for Determining Tg of a Polymer or an Elastomeric Compound, Test Method for, **D7426 (09.01)**
Determining Vapor Pressure by Thermal Analysis, Test Method for, **E1782 (14.02)**
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**
Reaction Induction Time by Thermal Analysis, Test Method for, **E2046 (14.02)**
Temperature Calibration of Differential Scanning Calorimeters and Differential Thermal Analyzers, Test Method for, **E967 (14.02)**
Differential viscometer
Sa **Viscosity**
Measuring Solution Viscosity of Polymers with a Differential Viscometer, Test Method for, **D5225 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Differentiation of coatings
Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, Test Method for, **D3260 (06.02)**
Diffraction intensity (of X-rays)
See **X-ray diffraction analysis**
Diffraction mottling
High-Strength Copper-Base and Nickel-Copper Alloy Castings, Reference Radiographs for, **E272 (03.03)**
Tin Bronze Castings, Reference Radiographs for, **E310 (03.03)**
Diffractometer
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**
Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, Practices for, **D934 (11.02)**
Diffuse illumination
Measurement of the Luminance Coefficient Under Diffuse Illumination of Pavement Marking Materials Using a Portable Reflectometer, Test Method for, **E2302 (06.01)**
Diffuse light
Determining Color of a Membrane Switch Backlit with Diffuse Light Source, Test Method for, **F2359 (10.04)**
Determining Luminance of a Membrane Switch Backlit with Diffuse Light Source, Test Method for, **F2360 (10.04)**
Diffuse light transmission
Sa **Light transmission and reflection**
Diffuse Light Transmission Factor of Reinforced Plastics Panels, Test Method for, **D1494 (08.03)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**
Diffuse reflectance
Sa **Reflectance and reflectivity**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Diffuse reflection spectroscopy
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Diffuse sound field test
Sa **Sound transmission**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Measurement of Airborne Sound Attenuation between Rooms in Buildings, Test Method for, **E336 (04.06)**
Diffusion
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**
Rubber Hose for Gas Diffusion of Liquefied Petroleum Gas, Test Method for, **D3902 (09.02)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
The Transmission of Gases Through Geomembranes, Guide for Determining, **D7407 (04.13)**
Diffusional sampling
Sa **Sampling air/atmospheric materials/applications**
Evaluating the Performance of Diffusive Samplers, Practice for, **D6246 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Diffusion cell apparatus
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, Test Method for, **F1249 (15.10)**
Diffusion coatings
Aluminum Diffusion Coating Applied by Pack Cementation Process, Specification for, **B875 (02.05)**
Chromium Diffusion Coating Applied by Pack Cementation Process, Specification for, **B874 (02.05)**
Thickness of Diffusion Coating, Test Methods for, **C664 (02.05)**
Diffusion controlled monitors
Placement and Use of Diffusion Controlled Passive Monitors for Gaseous Pollutants in Indoor Air, Guide for, **D6306 (11.07)**
Diffusion (gases/vapors)
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**
Diffusion layer thickness (of semiconductors)
See **Thickness—semiconductors**
Diffusion mass transfer
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Diffusion stain
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**
Diffusion trapping
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**
Diffusive/fractional leaching
Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, Test Method for, **C1308 (12.01)**
Diffusive samplers
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Diffusivity
Sa **Thermal diffusivity**
Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, Practice for, **G148 (03.02)**
Digestion
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Digital analysis
Colorimetry of Teeth Using Digital Still Camera Technology, Test Method for, **E2466 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**
Computer Forensics, Practice for, **E2763 (14.02)**
Density and Relative Density of Crude Oils by Digital Density Analyzer, Test Method for, **D5002 (05.02)**
Density and Relative Density of Engine Coolant Concentrates and Aqueous Engine Coolants by Digital Density Meter, Test Method for, **D5931 (15.05)**
Density, Relative Density, and API Gravity of Liquids by Digital Density Meter, Test Method for, **D4052 (05.02)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**

Digital analysis—specifications
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**

Digital camera
Determining the Opacity of a Plume in the Outdoor Ambient Atmosphere, Test Method for, **D7520 (11.07)**
Objective Measurement of Gingival Color Using Digital Still Cameras, Test Method for, **E2545 (06.01)**
Objective Quantification of Dental Plaque Using Digital Still Cameras, Test Method for, **E2670 (06.01)**

Digital communication protocols
Digital Communication Protocols for Computerized Systems, Guide for, **F1757 (01.07)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Eddy Current (EC) Test Methods, Practice for, **E2934 (03.03)**

Digital data acquisition
Digital Data Acquisition in Wear and Friction Measurements, Guide for, **G163 (03.02)**

Digital detector arrays
Digital Detector Array Performance Evaluation and Long-Term Stability, Practice for, **E2737 (03.03)**
Digital Detector Array Radiology, Guide for, **E2736 (03.03)**
Manufacturing Characterization of Digital Detector Arrays, Practice for, **E2597/E2597M (03.03)**
Radiological Examination Using Digital Detector Arrays, Practice for, **E2698 (03.03)**

Digital dictation
Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, Guide for, **E1959 (14.01)**

Digital electronic data
Evaluating the Performance of Radiographic Digitization Systems, Reference Radiograph for, **E1936 (03.03)**
Radioscopic Examination of Castings, Practice for, **E1734 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**

Digital imaging
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Digital Radiographic (DR) Test Methods, Practice for, **E2699 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Eddy Current (EC) Test Methods, Practice for, **E2934 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Ultrasonic Test Methods, Practice for, **E2663 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for X-ray Computed Tomography (CT) Test Methods, Practice for, **E2767 (03.03)**
Digital Imaging and Communication Nondestructive Evaluation (DICONDE) for Computed Radiography (CR) Test Methods, Practice for, **E2738 (03.03)**
Digital Radiography of Cast Metallic Implants, Practice for, **F2895 (13.02)**
Forensic Digital Image Processing, Guide for, **E2825 (14.02)**
Investment Steel Castings for Aerospace Applications, Digital Reference Images for, **E2660 (03.03)**
Titanium Castings, Digital Reference Images for, **E2669 (03.03)**

Digital imaging and communication in nondestructive evaluation (DICONDE)
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Eddy Current (EC) Test Methods, Practice for, **E2934 (03.03)**

Digital instrumentation
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**

Digital integrated circuits
Sa **Integrated circuits**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**

Digital radiological test database
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**

Digital reference images
Magnesium Castings, Digital Reference Images for, **E2869 (03.03)**
Steel Castings up to 2 in. (50.8 mm) in Thickness, Digital Reference Images for, **E2868 (03.03)**

Digital signature
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**

Digital sound transmission
Sa **Sound transmission**
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis System, Test Method for, **E1050 (04.06)**

Digital transmission
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**

Digitizers
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**

Digitizing tablet
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**

Digits
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**

Didydrate calcium sulfate
High Purity Calcium Sulfate Hemihydrate or Dihydrate for Surgical Implants, Specification for, **F2224 (13.01)**

2,4–Diisocyanate based intermediate
Isocyanate Groups in Urethane Materials or Prepolymers, Test Method for, **D2572 (06.03)**

Di-isopropyl ether
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**

Dike sealants
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**

Dilatometer method
Sa **Linear thermal expansion**
Coefficient of Linear Thermal Expansion of Plastics Between −30°C and 30°C with a Vitreous Silica Dilatometer, Test Method for, **D696 (08.01)**
Determination of the Swelling Properties of Bituminous Coal Using a Dilatometer, Test Method for, **D5515 (05.06)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method, Test Method for, **C372 (15.02)**
Quantitative Measurement and Reporting of Hypoeutectoid Car-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

bon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, Practice for, **C824 (15.02)**

Dillon dynamometer
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**

Diluents
Gasoline Diluent in Used Gasoline Engine Oils by Gas Chromatography, Test Method for, **D3525 (05.01)**
Odor of Volatile Solvents and Diluents, Test Method for, **D1296 (06.04)**

Dilutability value
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**

Dilute electrolyte cyclic fog/dry test
Modified Salt Spray (Fog) Testing, Practice for, **G85 (03.02)**

Dilute hydrochloric acid
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**

Diluter calibration
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**

Dilute sodium hydroxide
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**

Dilute solution viscosity
Sa **Viscosity—plastics**
Rubber—Determination of Gel, Swelling Index, and Dilute Solution Viscosity, Test Method for, **D3616 (09.01)**

Dilution
Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**

Dilution extraction
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**

Dilution ratio/value
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Dilution Ratio of Active Solvents in Cellulose Nitrate Solutions, Test Method for, **D1720 (06.04)**

Dilution tunnel
Determination of Particulate Matter Emissions Collected by a Dilution Tunnel, Test Method for, **E2515 (04.12)**

Dilution water
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**

Dilutor
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**

3D imaging
3D Imaging Data Exchange, Version 1.0, Specification for, **E2807 (10.04)**
Best Practices for Safe Application of 3D Imaging Technology, Practice for, **E2641 (10.04)**
Evaluating the Performance of Systems that Measure Static, Six Degrees of Freedom (6DOF), Pose, Test Method for, **E2919 (10.04)**

Dimensional change
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Dimensional Stability of Fabrics to Changes in Humidity and Temperature, Test Method for, **D6207 (07.02)**
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Expansion Index of Soils, Test Method for, **D4829 (04.08)**
Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature, Test Method for, **D1204 (08.01)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Measuring Dimensional Changes Associated with Processing Metal Powders, Test Method for, **B610 (02.05)**
Measuring Zipper Dimensions, Test Methods for, **D2060 (07.01)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Shrinkage of Textile Fibers (Bundle Test), Test Method for, **D2102 (07.01)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Woven Upholstery Fabrics—Plain, Tufted, or Flocked, Performance Specification for, **D3597 (07.01)**

Dimensional instability
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**

Dimensional limitations (for pipe/tube)
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**

Dimensional stability
Aerospace Parts Machined from Polychlorotrifluoroethylene (PCTFE), Specification for, **D7194 (08.03)**
Autoclavability of Membrane Filters, Test Methods for, **D4199 (11.02)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, Test Method for, **F2199 (15.04)**
Dimensional Stability of Fabrics to Changes in Humidity and Temperature, Test Method for, **D6207 (07.02)**
Dimensional Stability of Sandwich Core Materials, Test Method for, **D6772 (15.03)**
Evaluation of Dimensional Stability of Pile Yarn Floor Covering, Test Method for, **D7570 (07.02)**
Extruded Polytetrafluoroethylene (PTFE) Rod, Heavy Walled Tubing and Basic Shapes, Specification for, **D1710 (08.01)**
FEP-Fluorocarbon Tube, Specification for, **D3296 (08.02)**
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**
Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature, Test Method for, **D1204 (08.01)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Polytetrafluoroethylene (PTFE) Resin Molded Sheet and Molded Basic Shapes, Specification for, **D3294 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, Specification for, **C534/C534M (04.06)**
PTFE Tubing, Miniature Beading and Spiral Cut Tubing, Specification for, **D3295 (08.02)**
Response of Rigid Cellular Plastics to Thermal and Humid Aging, Test Method for, **D2126 (08.01)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**

Dimensional tolerances
American National Standard Dimensional Tolerances for Aluminum Mill Products, **ANSIH35.2-2009** (Related Material) **(02.02)**
American National Standard Dimensional Tolerances for Aluminum Mill Products (Metric), **ANSIH35.2(M)-2009** (Related Material) **(02.02)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**

Dimensions
Binding Mounting Area Dimensions on Alpine Skis and Bindings, Specification for, **F473 (15.07)**
Central Vacuum Hose Inlet Valve Socket Dimensions, Specification for, **F2863 (15.08)**
Characterization and Presentation of the Dimensional Attributes of Vascular Stents, Guide for, **F2081 (13.01)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**
Determining Interior Dimensions of Fiberboard Boxes (Box Gage Method), Test Method for, **D2658 (15.10)**
Dimensions and Density of Preformed Block and BoardType Thermal Insulation, Test Method for, **C303 (04.06)**
Dimensions of a Modular Series of Refractory Brick and Shapes, Practice for, **C909 (15.01)**
Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile, Test Method for, **C499 (15.02)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
Linear Measurement Using Precision Steel Rule, Test Method for, **F2203 (15.10)**
Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, Test Methods of, **D668 (10.01)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**
Rubber—Measurement of Dimensions, Practice for, **D3767 (09.01)**
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**
Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, Practice for, **F870 (09.02)**
Zipper Dimensions, Specification for, **D3657 (07.01)**

Dimensions—asbestos-cement products
Asbestos-Cement Fiberboard Insulating Panels, Specification for, **C551/C551M (04.05)**
Asbestos-Cement Organic-Foam Core Insulating Panels, Specification for, **C659 (04.05)**
Corrugated Asbestos-Cement Sheets, Specification for, **C221 (04.05)**
Corrugated Asbestos-Cement Sheets for Bulkheading, Specification for, **C746 (04.05)**

Dimensions—plastic materials/applications
Determination of Thickness of Plastic Film Test Specimens, Guide for, **D6988 (08.03)**
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**
Determining Dimensions of Thermoplastic Pipe and Fittings, Test Method for, **D2122 (08.04)**
Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes, Specification for, **D3917 (08.02)**
Dimensions and Tolerances for Plastic Bottles, Specification for, **D2911 (08.01)**
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**
Physical Dimensions of Solid Plastics Specimens, Test Methods for, **D5947 (08.03)**

Dimensions—textile materials/applications
Sa **Body dimension measurements**
Measuring Zipper Dimensions, Test Methods for, **D2060 (07.01)**

Dimension stone
Abrasion Resistance of Dimension Stone Subjected to Foot Traffic Using a Rotary Platform, Double-Head Abraser, Test Method for, **C1353/C1353M (04.07)**
Abrasion Resistance of Stone Subjected to Foot Traffic, Test Method for, **C241/C241M (04.07)**
Absorption and Bulk Specific Gravity of Dimension Stone, Test Methods for, **C97/C97M (04.07)**
Assessment and Maintenance of Exterior Dimension Stone Masonry Walls and Facades, Guide for, **C1496 (04.07)**
Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, Guide for, **C1515 (04.07)**
Compressive Strength of Dimension Stone, Test Method for, **C170/C170M (04.07)**
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**
Dimension Stone, Terminology Relating to, **C119 (04.07)**
Dimension Stone Test Specimen Sampling and Preparation, Guide to, **C1799/C1799M (04.07)**
Flexural Modulus of Elasticity of Dimension Stone, Test Method for, **C1352/C1352M (04.07)**
Flexural Strength of Dimension Stone, Test Method for, **C880/C880M (04.07)**
Modulus of Rupture of Dimension Stone, Test Method for, **C99/C99M (04.07)**
Petrographic Examination of Dimension Stone, Guide for, **C1721 (04.07)**
Repair and Restoration of Dimension Stone, Guide for, **C1722 (04.07)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Staining and Color Change of Single- or Multicomponent Joint Sealants, Test Method for, **C510 (04.07)**
Strength of Individual Stone Anchorages in Dimension Stone, Test Method for, **C1354/C1354M (04.07)**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**
Weather Resistance of Slate, Test Method for, **C217/C217M (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dimension stone—specifications
Granite Dimension Stone, Specification for, **C615/C615M (04.07)**
Limestone Dimension Stone, Specification for, **C568/C568M (04.07)**
Marble Dimension Stone, Specification for, **C503/C503M (04.07)**
Quartz-Based Dimension Stone, Specification for, **C616/C616M (04.07)**
Serpentine Dimension Stone, Specification for, **C1526 (04.07)**
Slate Dimension Stone, Specification for, **C629/C629M (04.07)**
Travertine Dimension Stone, Specification for, **C1527/C1527M (04.07)**

Dimer
dimer/trimer of chlorotrifluoroethylene (S-316) Recoverable Oil and Grease and Nonpolar Material by Infrared Determination, Test Method for, **D7066 (11.02)**

Dimethylbenzene alcohol
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**

Dimethyl ether—fuel purposes
Dimethyl Ether for Fuel Purposes, Specification for, **D7901 (05.04)**

Dimethyl ether (DME)
Dimethyl Ether for Fuel Purposes, Specification for, **D7901 (05.04)**

Dimethyl ether (DME)—specifications
Dimethyl Ether for Fuel Purposes, Specification for, **D7901 (05.04)**

Dimethylformamide
Dimethylformamide-Insoluble (DMF-I) Content of Tar and Pitch, Test Method for, **D2764 (05.01)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Dimethylglyoxime
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**

Dimethyl ketone
Acetone, Specification for, **D329 (06.04)**

Dining room tables (on ships)
Sa **Shipboard materials/applications—specifications**
Tables, Mess, Marine, Steel, Specification for, **F824 (01.07)**

2,4-Dinitrophenylhydrazine
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**
Trace Quantities of Carbonyl Compounds with 2,4-Dinitrophenylhydrazine, Test Method for, **E411 (15.05)**

Dinophilus gyrociliatus
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**

Diode array spectrophotometry
Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, Test Method for, **C1307 (12.01)**

Diopter
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**

1,4-Dioxane
Analysis of Toluene by Capillary Column Gas Chromatography, Test Method for, **D6526 (06.04)**

Dip application
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**

Dip cleaned
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**

Dip coater
Application of Emulsion Floor Polishes to Substrates for Testing Purposes, Test Methods for, **D1436 (15.04)**
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**

Dip cups(s)
Sa **Viscosity—paints/related coatings/materials**
Viscosity by Dip-Type Viscosity Cups, Test Method for, **D4212 (06.01)**

DIPE (diisopropylether)
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**

Dipentene
Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, Test Methods for, **D6387 (06.03)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**

Diphenylamine-ketone condensates
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**

1,5-Diphenylcarbazide
the Determination of Hexavalent Chromium in Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide, Test Method for, **D6832 (11.07)**

Diphenylcarbazide method
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Diphenylcarbohydrazide method
Chromium in Water, Test Methods for, **D1687 (11.01)**
Detection of Hexavalent Chromium On Zinc and Zinc/Aluminum Alloy Coated Steel, Practice for, **D6492 (06.02)**

Diphenyl guanidine (DPG)
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Rubber Chemicals—Diphenyl Guanidine (DPG) and Di-o-tolylguanidine (DOTG) Assay, Test Method for, **D5054 (09.01)**

Diplopia
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**

Diporeia
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**

Dipper sampler
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**
Sampling with a Dipper or Pond Sampler, Practice for, **D5358 (11.04)**

Dip pickup (DPU)
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Dipropylene glycol
Propylene Glycol and Dipropylene Glycol, Specification for, **D5164 (06.04)**
Purity of 1,3-Propanediol (Gas Chromatographic Method), Test Method for, **D7515 (15.05)**

Dipropylene glycol monomethyl ether (DPM)
Determination of Dipropylene Glycol Monobutyl Ether and Ethylene Glycol Monobutyl Ether in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7731 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dipropylene Glycol Monomethyl Ether, Specification for, **D4836 (06.04)**
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**

Dip test
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**

Dip tube applications
Determination of the Dip Tube Retention of a Mechanical Pump Dispenser, Test Method for the, **D4334 (15.10)**
Determining the Dip Tube Length of a Mechanical Pump Dispenser, Test Method for, **D6535/D6535M (15.10)**
Measuring the Dip Tube Length of a Mechanical Pump Dispenser, Test Method for, **D6536/D6536M (15.10)**

Direct air rotary drilling
See **Direct rotary drilling**

Direct-applied exterior finish systems
Sa **EIFS (exterior insulation/finish systems)**
Application of Direct-Applied Exterior Finish Systems, Practice for, **C1516 (04.01)**

Direct aqueous injection
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**

Direct aspiration spectrophotometric procedure
Sa **Spectrophotometry**
Detection of Lead in Paint by Direct Aspiration Atomic Absorption Spectroscopy, Test Method for, **D4834 (06.01)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**

Direct beam solar irradiance
See **Irradiance/irradiation—solar**

Direct burial (DB) materials/applications
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Direct combustion analysis
Total Mercury in Coal and Coal Combustion Residues by Direct Combustion Analysis, Test Method for, **D6722 (05.06)**

Direct connected kettles
Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1602 (15.12)**
Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1603 (15.12)**

Direct costs/benefits
See **Building economics**

Direct-counting technique
Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, Test Method for, **E385 (12.02)**
Twist in Yarns by Direct-Counting, Test Method for, **D1423 (07.01)**

Direct-current ballistic methods
Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, Test Method for, **A341/A341M (03.04)**
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**

Direct-current magnetic properties
See **D-c magnetic properties**

Direct current measurement
Sa **Current measurement—direct-current**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**

Direct-current permeability
dc Magnetic Properties of Materials Using Ring and Permeameter Procedures with dc Electronic Hysteresigraphs, Test Method for, **A773/A773M (03.04)**
Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, Test Method for, **A341/A341M (03.04)**
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**
Permeability of Feebly Magnetic Materials, Test Methods for, **A342/A342M (03.04)**

Direct-current plasma spectrometry/spectroscopy
Sa **D-C plasma spectrometers**
Analysis of Titanium and Titanium Alloys by Direct Current Plasma and Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Test Methodology), Test Method for, **E2371 (03.05)**
Describing and Specifying a Direct Current Plasma Atomic Emission Spectrometer, Practice for, **E1832 (03.05)**

Direct current resistivity method
Using the Direct Current Resistivity Method for Subsurface Investigation, Guide for, **D6431 (04.09)**

Direct-flame test
Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure, Test Method for, **E2707 (04.07)**

Direct heating method
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**

Direct injection gas chromatography
Sa **Gas chromatography (GC)**
Direct Injection of Solvent-Reducible Paints Into a Gas Chromatograph for Solvent Analysis, Practice for, **D3271 (06.01)**

Directional control
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Directional difference test
Directional Difference Test, Test Method for, **E2164 (15.08)**

Directionality
Sa **Sound transmission**
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**

Directionality of surface
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Directional reflectance
Sa **Reflectance and reflectivity**
Specular Gloss, Test Method for, **D523 (06.01)**

Direct measurement
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**

Direct medical control
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**

Direct microbiological culture
Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, Practice for, **E1531 (14.02)**

Direct Microscopic Counting (DMC)
Enumeration of, Practice for, **E2564 (11.03)**

Direct moisture content measurement
Direct Moisture Content Measurement of Wood and Wood-Base Materials, Test Methods for, **D4442 (04.10)**

Direct nesslerization
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Direct normal spectral irradiance
Reference Solar Spectral Irradiances: Direct Normal and Hemispherical on 37° Tilted Surface, Tables for, **G173 (14.04)**
Direct oxygen service
See **Oxygen service/systems**
Direct photometric method
Sa **Photometry**
Phenolic Compounds in Water, Test Methods for, **D1783 (11.02)**
Direct push installation
Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, Practice for, **D6725 (04.09)**
Direct push sampling
Active Soil Gas Sampling for Direct Push or Manual-Driven Hand-Sampling Equipment, Practice for, **D7648 (04.09)**
Direct Push Technology for Volatile Contaminant Logging with the Membrane Interface Probe (MIP), Practice for, **D7352 (04.09)**
Direct-Push Groundwater Sampling for Environmental Site Characterization, Guide for, **D6001 (04.09)**
Field Pneumatic Slug (Instantaneous Change in Head) Tests to Determine Hydraulic Properties of Aquifers with Direct Push Groundwater Samplers, Practice for, **D7242/D7242M (04.09)**
Installation of Direct Push Groundwater Monitoring Wells, Guide for, **D6724 (04.09)**
Direct-quenching process
Steel Plates, 9% Nickel Alloy, for Pressure Vessels, Produced by the Direct-Quenching Process, Specification for, **A844/A844M (01.04)**
Direct-reading equipment
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Direct-reading indicators
Indicators, Sight, Liquid Level, Direct and Indirect Reading, Tubular Glass/Plastic, Specification for, **F2045 (01.07)**
Direct-reading laboratory scales/balances
Top-Loading, Direct-Reading Laboratory Scales and Balances, Test Method of Testing, **E898 (14.04)**
Direct-reversible engine
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**
Direct rotary drilling
Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5875/D5875M (04.08)**
Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5872/D5872M (04.08)**
Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5782 (04.08)**
Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5783 (04.08)**
Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5876 (04.08)**
Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**
Direct sampling tap
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
Direct shear test
Sa **Shear testing**
Considerations When Evaluating Direct Shear Results Involving Geosynthetics, Guide for, **D7702/D7702M (04.13)**
Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, Test Method for, **D5321/D5321M (04.13)**
Direct Shear Test of Soils Under Consolidated Drained Conditions, Test Method for, **D3080/D3080M (04.08)**
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**
Direct tension (DT) testing
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT), Test Method for, **D6723 (04.03)**
Tensile Strength of Concrete Surfaces and the Bond Strength or Tensile Strength of Concrete Repair and Overlay Materials by Direct Tension (Pull-off Method), Test Method for, **C1583/C1583M (04.02)**
Direct tension indicators (DTI)
Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, Specification for, **F959 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), Specification for, **F959M (01.08)**
Direct tension weldment
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Direct thermal imaging
Determining Dynamic Thermal Response of Direct Thermal Paper-Label Printer Method, Test Method for, **F1444 (15.09)**
Determining Stability of Direct Thermal Imaging Products, Practices for, **F1721 (15.09)**
Determining Static Thermal Sensitivity of Direct Thermal Media, Test Method for, **F1445 (15.09)**
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Direct transmission method
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Dirt accumulation/analysis
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, Test Method for, **D3274 (06.01)**
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems, Test Method for, **F820 (15.08)**
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Dirt mixture
Motor Life Evaluation of an Electric Motorized Nozzle, Test Method for, **F922 (15.08)**
Motor Life Evaluation of an Upright Vacuum Cleaner, Test Method for, **F555 (15.08)**
Dirt removal effectiveness (of vacuum cleaners)
Sa **Vacuum cleaners/systems**
Evaluating Carpet Embedded Dirt Removal Effectiveness of Residential Central Vacuum Cleaning Systems, Test Method for, **F1284 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluation of Carpet Embedded Dirt Removal Effectiveness of Household/Commercial Vacuum Cleaners, Test Method for, **F608 (15.08)**
Measuring the Hard Surface Floor-Cleaning Ability of Household/Commercial Vacuum Cleaners, Test Method for, **F2607 (15.08)**

Dirty bomb
Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, Specification for, **E2731 (15.08)**

Disability
Community Emergency Preparedness for Persons with Disabilities, Guide for, **E2951 (15.08)**
Evaluating the Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Test Method for, **F3022 (15.07)**
Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Specification for, **F3021 (15.07)**

Disassembly
Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**
Determining the Forces for Disassembly of Modular Acetabular Devices, Test Method for, **F1820 (13.01)**
Evaluating Modular Hip and Knee Joint Components, Guide for, **F1814 (13.01)**

Disassociation
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**

Disaster
Developing a Disaster Recovery Plan for Medical Transcription Departments and Businesses, Guide for, **E2682 (14.01)**
Emergency Operations Center (EOC) Development, Guide for, **E2668 (15.08)**
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**
Stakeholder-Focused, Consensus-Based Disaster Restoration Process for Contaminated Assets, Guide for, **E2541 (15.08)**
Structures and Responsibilities of Emergency Medical Services Systems Organizations, Guide for, **F1086 (13.02)**

Disaster recovery
Developing a Disaster Recovery Plan for Medical Transcription Departments and Businesses, Guide for, **E2682 (14.01)**
Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, Guide for, **E1959 (14.01)**

Disbonding
Damage Resistance Testing of Sandwich Constructions, Practice for, **D7766/D7766M (15.03)**
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**
Specific Bendability of Pipeline Coatings, Test Method for, **G10 (06.02)**

Disbonding—cathodic
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Cathodic Disbonding of Pipeline Coatings Subjected to Elevated Temperatures, Test Method for, **G42 (06.02)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**

Discarded medical instruments/supplies
Puncture Resistance of Materials Used in Containers for Discarded Medical Needles and Other Sharps, Specification for, **F2132 (13.01)**

Discernment capability
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**

Disc fatigue test
Fatigue of Tire Cords (Disc Fatigue Test), Test Method for, **D6588/D6588M (07.02)**

Discharge measurement
Design and Installation of Overboard Discharge Hull Penetration Connections, Specification for, **F994 (01.07)**
Developing a Stage-Discharge Relation for Open Channel Flow, Practice for, **D5541 (11.01)**
Indirect Measurements of Discharge by Step-Backwater Method, Test Method for, **D5388 (11.01)**
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, Test Method for, **D5389 (11.01)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, Test Method for, **D5089 (11.01)**
Velocity Measurements of Water in Open Channels with Rotating Element Current Meters, Test Method for, **D4409 (11.01)**

Discharge measurement—partial
See **Corona**

Discharge measurement—U-bend
See **U-bend discharge**

Discharge data
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**

Discharging wells
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
Measuring the Rate of Well Discharge by Circular Orifice Weir, Test Method for, **D5716 (04.08)**
Methods for Measuring Well Discharge, Guide for, **D5737 (04.08)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**

Disclosure
Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, Specification for, **F982 (13.01)**
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**
Financial Disclosures Attributed to Climate Change, Guide for, **E2718 (11.05)**

Disclosure logs
Audit and Disclosure Logs for Use in Health Information Systems, Specification for, **E2147 (14.01)**

Discoloration
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), Test Method for, **D4445 (04.10)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**
Staining and Color Change of Single- or Multicomponent Joint Sealants, Test Method for, **C510 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Discoloration of copper
Friction Tapes, Test Methods for, **D69 (10.01)**
Discontinuities
Sa **Acoustic emission (AE) testing**
Sa **Electromagnetic (eddy current) testing**
Sa **Fluorescent liquid penetrant testing**
Sa **Magnetic particle inspection**
Sa **Penetrant inspection**
Sa **Radiographic examination**
Sa **Reference radiographs**
Sa **Ultrasonic testing**
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Detection and Evaluation of Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves, Practice for, **E1001 (03.03)**
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**
Investment Steel Castings for Aerospace Applications, Digital Reference Images for, **E2660 (03.03)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Titanium Castings, Digital Reference Images for, **E2669 (03.03)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**
Discontinuities—coatings
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**
Discontinuities—fasteners
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**
Surface Discontinuities of Nuts, Inch and Metric Series, Specification for, **F812 (01.08)**
Discontinuities—metals/alloys
Detection and Evaluation of Discontinuities by Contact Pulse-Echo Straight-Beam Ultrasonic Methods, Guide for, **E1901 (03.03)**
Detection and Evaluation of Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves, Practice for, **E1001 (03.03)**
Ductile Iron Castings, Reference Radiographs for, **E689 (03.03)**
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, Practice for, **E426 (03.03)**
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Soundness of Welds in Steel by Comparison to Graded ASTM, Radiographic Examination for, **E1955 (03.03)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**
Discontinuities—rock
Continuity of Coatings in Glassed Steel Equipment by Electrical Testing, Test Method for, **C536 (02.05)**
Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Discontinuities—steel
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Straight Beam Ultrasonic Examination of Rolled Steel Structural Shapes, Specification for, **A898/A898M (01.04)**
Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, Specification for, **A578/A578M (01.04)**
Straight-Beam Ultrasonic Examination of Steel Plates, Specification for, **A435/A435M (01.04)**
Ultrasonic Angle-Beam Examination of Steel Plates, Specification for, **A577/A577M (01.04)**
Discontinuous fiber-reinforced composites
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**
Discontinuous filament yarns
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Discontinuous high-modulus fibers
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**
Discontinuous yielding
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**
Discount rate
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**
Discrete depth sampling
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**
Discrete ordinates
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**
Discriminative/descriptive testing
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Disc skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**
Disengagement
Measurement of Vertical Downward Forces to Disengage Type IIA Lug-Style Child-Resistant Closures, Test Methods for, **D3469 (15.10)**
Dish distortion
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**
Dished head segments
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Dishracks
Prerinse Spray Valves, Test Method for, **F2324 (15.12)**
Dish towels
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Dishwashing equipment (commercial)
Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, Test Method for, **F1696 (15.12)**
Performance of Rack Conveyor, Commercial Dishwashing Machines, Test Method for, **F1920 (15.12)**
Dishwashing equipment (commercial)—specifications
Commercial Dishwashing Machines (Stationary Rack, Dump Type) Chemical Sanitizing, Specification for, **F953 (15.12)**
Commercial Dishwashing Machines, Multiple-Tank, Continuous Oval-Conveyor Type, Heat Sanitizing, Specification for, **F1237 (15.12)**
Commercial Dishwashing Racks, Specification for, **F861 (15.12)**
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**
Heat Sanitizing Commercial Pot, Pan, and Utensil Stationary Rack Type Water-Driven Rotary Spray, Specification for, **F1114 (15.12)**
Heat-Sanitizing Commercial Dishwashing Machines, Multiple Tank, Conveyor Rack Type, Specification for, **F859 (15.12)**
Hot Water and Chemical Sanitizing Commercial Dishwashing Machines, Stationary Rack Type, Specification for, **F857 (15.12)**
Hot Water Sanitizing Commercial Dishwashing Machines, Multiple Tank, Rackless Conveyor Type, Specification for, **F860 (15.12)**
Hot Water Sanitizing Commercial Dishwashing Machines, Single Tank, Conveyor Rack Type, Specification for, **F858 (15.12)**
Washing MachinesPot, Pan, and Utensil, Heat Sanitizing, Commercial Rotary Conveyor Type, Specification for, **F1203 (15.12)**
Washing Machines, Heat Sanitizing, Commercial, Pot, Pan, and Utensil Vertically Oscillating Arm Type, Specification for, **F1202 (15.12)**
Dishwashing test
Deposition on Glassware During Mechanical Dishwashing, Test Method for, **D3556 (15.04)**
Foam Stability of Hand Dishwashing Detergents, Guide for, **D4009 (15.04)**
Disinfectants/disinfection
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Blood Cleaning Efficiency of Detergents and Washer-Disinfectors, Guide for, **D7225 (15.04)**
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**
Determine Efficacy of Disinfection Processes for Reusable Medical Devices (Simulated Use Test), Test Method to, **E1837 (11.05)**
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
Estimation of Chlorine Demand of Water, Practice for, **D1291 (11.02)**
Evaluating Disinfectant Efficacy Against, Test Method for, **E2871 (11.05)**
Evaluation of Cleanroom Disinfectants, Guide for, **E2614 (11.05)**
Evaluation of Laundry Sanitizers and Disinfectants, Test Method for, **E2274 (11.05)**
Evaluation of Pre-saturated or Impregnated Towelettes for Hard Surface Disinfection, Practice for, **E2362 (11.05)**
Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, Test Method for, **D6284 (09.02)**
Testing Disinfectant Efficacy against, Test Method for, **E2799 (11.05)**
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**
Disinfestation
Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, Guide for, **F1355 (12.02)**
Disintegration
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Disintegration rate
Calculation of Average Energy Per Disintegration ($\bar{E}$) for a Mixture of Radionuclides in Reactor Coolant, Practice for, **D5411 (11.02)**
Disintegration of Carbon Refractories by Alkali, Test Method for, **C454 (15.01)**
Disintegration of Refractories in an Atmosphere of Carbon Monoxide, Test Method for, **C288 (15.01)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Wetting and Drying Test of Solid Wastes, Test Method for, **D4843 (11.04)**
Disintegration resistance
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**
Disk diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Disk electrodes
Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes, Test Method for, **D877/D877M (10.03)**
Disk filters
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**
Disk method
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Tensile Adhesive Strength of Preformed Tape Sealants by Disk Method, Test Method for, **C907 (04.07)**
Disks (blanks)
Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, Specification for, **B19 (02.01)**
Disk specimens
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Disk-type thickness tester
Measurement of Thickness of Sandwich Cores, Test Methods for, **C366/C366M (15.03)**
Dislocation
Impingement of Acetabular Prostheses, Test Method for, **F2582 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dislodgeable pesticide residues
Collection of Dislodgeable Pesticide Residues from Floors, Practice for, **D6333 (11.07)**
Dismantlement
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Disodium ethylenediamine tetraacetate solution
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Disparity
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**
Dispatch life support (DLS)
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, Practice for, **F1552 (13.02)**
Dispensability
Dispensability of Light–Duty Pressure–Sensitive Film Tape, Test Method for, **D6295/D6295M (15.10)**
Dispensers
Commercial Bulk Milk Dispensers, Mechanically Refrigerated, Specification for, **F2891 (15.12)**
Determining the Dip Tube Length of a Mechanical Pump Dispenser, Test Method for, **D6535/D6535M (15.10)**
Dispensers, Powdered Iced Tea, Specification for, **F1023 (15.12)**
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**
Dispersability
Assessing the Color Strength and Dispersibility of Alkali Blue Pigment in Hot Melt Carbon Copy Paper Ink, Test Method for, **F843 (15.09)**
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Percent Dispersibility, Test Method for, **E1945 (11.05)**
Dispersant applications
Determining Net Environmental Benefit of Dispersant Use, Guide for, **F2532 (11.05)**
Oil Spill Dispersant Application Equipment: Single-point Spray Systems, Guide for, **F2465/F2465M (11.05)**
Dispersant testing
Sa **Chemical dispersants—oil spill control/response**
Estimating Toner and Dispersant Usage in Copiers Utilizing Liquid Developers, Practice for, **F1042 (15.09)**
Dispersion
Carbon Black—Dispersion in Rubber, Test Methods for, **D2663 (09.01)**
Choosing a Method for Determining the Index of Refraction and Dispersion of Glass, Guide for, **C1648 (15.02)**
Coarse Particles in Printing Ink Dispersions, Test Method for, **D2067 (06.02)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Dispersion of Chromatic Pigments with a Mechanical Muller, Practice for, **D7540 (06.01)**
Fineness of Grind of Printing Inks By the NPIRI Grindometer, Test Method for, **D1316 (06.02)**
Incorporating Pigments by High Speed Dispersion, Practice for, **D6619 (06.01)**
Liquid Dispersion of Metal Powders and Related Compounds for Particle Size Analysis, Guide for, **B821 (02.05)**
Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, Specification for, **E2731 (15.08)**
Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics, Test Method For, **D5596 (04.13)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Powder Particle Size Analysis, Guide for, **E2651 (14.02)**
Dispersion coatings
Plastic-Coated Fabrics—Completeness of Fusion of PVC Dispersion Coatings, Test Method for, **D4005 (09.02)**
Dispersion modeling
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Statistical Evaluation of Atmospheric Dispersion Model Performance, Guide for, **D6589 (11.07)**
Dispersion (pigment)
Sa **Pigment dispersion (paints/related coatings/materials)**
Acrylic Dispersion Ground, Specification for, **D7733 (06.02)**
Dispersion staining
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**
Dispersive clay soil
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**
Dispersive Characteristics of Clay Soil by Double Hydrometer, Test Method for, **D4221 (04.08)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Dispersive infrared spectrophotometry
Sa **Infrared spectrophotometry**
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Displacement
Axial Compressive Force Pulse (Rapid) Testing of Deep Foundations, Test Methods for, **D7383 (04.09)**
Characterizing Neutron Exposures in Iron and Low Alloy Steels in Terms of Displacements Per Atom (DPA), E 706(ID), Practice for, **E693 (12.02)**
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**
Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), Test Method for, **D5849/D5849M (04.04)**
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**
Measurement of Magnetically Induced Displacement Force on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2052 (13.01)**
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**
Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, Practice for, **E467 (03.01)**
Verification of Testing Frame and Specimen Alignment Under

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**

Displacement—electronic materials/applications
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Use of 2N2222A Silicon Bipolar Transistors as Neutron Spectrum Sensors and Displacement Damage Monitors, Test Method for, **E1855 (12.02)**

Displacement—metals/alloys
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**

Displacement—plastics
Bulk Density And Specific Gravity of Plastic Lumber and Shapes by Displacement, Test Method for, **D6111 (08.03)**
Density and Specific Gravity (Relative Density) of Plastics by Displacement, Test Methods for, **D792 (08.01)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**

Displacement—rock environments
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, Test Method for, **D4971 (04.08)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**
Rock Bolt Anchor Pull Test, Test Method for, **D4435 (04.08)**

Displacement calibration
See **Calibration—soil/rock analysis instrumentation**

Displacement measuring systems
Verification of Displacement Measuring Systems and Devices Used in Material Testing Machines, Practices for, **E2309/E2309M (03.01)**

Displacement meters
Fuel Oil Meters of the Volumetric Positive Displacement Type, Specification for, **F1172 (01.07)**

Displacement method
Relative Density of Solid Pitch and Asphalt (Displacement Method), Test Method for, **D71 (05.01)**

Displacement pumps
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Rotary Positive Displacement Distillate Fuel Pumps, Specification for, **F1718 (01.07)**
Rotary Positive Displacement Pumps, Ships Use, Specification for, **F1510 (01.07)**

Displacement rate
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**

Displacement transducers
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**

Displays
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Disposable anesthesia equipment
See **Anesthesia equipment—specifications**

Disposable bag integrity
Evaluating Primary Disposable Bag Integrity for Vacuum Cleaners, Test Methods for, **F494 (15.08)**

Disposable culture tubes—specifications
Disposable Glass Culture Tubes, Specification for, **E890 (14.04)**

Disposable laboratory apparatus—specifications
Sa **Thermometers**
Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, Specification for, **E1380 (14.04)**
Disposable Glass Blood Sample Capillary Tube (Microhematocrit), Specification for, **E734 (14.04)**
Disposable Glass Micropipets, Specification for, **E672 (14.04)**
Disposable Glass Serological Pipets, Specification for, **E714 (14.04)**
Disposable Pasteur-Type Pipet, Specification for, **E732 (14.04)**
Glass Micro Folin Pipet, Disposable, Specification for, **E1092 (14.04)**
Glass Prothrombin Pipet, Disposable, Specification for, **E1093 (14.04)**
Glass Westergren Tube, Disposable, Specification for, **E1046 (14.04)**
Serological Pipet, Disposable Plastic, Specification for, **E934 (14.04)**

Disposal
Artists' Paint Waste Disposal in Smaller Commercial or Educational Settings, Guide for, **D7355 (06.02)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Source Reduction Reuse, Recycling, or Disposal of Steel Cans, Guide for, **D5833 (15.10)**
Warnings on Paintball Marker Accessories Used In the Sport of Paintball, Specification for, **F2904 (15.07)**

Disposal facility/process
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**

Disposal (of wastes)
Sa **Waste materials/processing/analysis**
Evaluating Disposal Options for Concrete from Nuclear Facility Decommissioning, Guide for, **E2216 (12.02)**
Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, Practice for, **E1628 (11.03)**

Disposers
Commercial Food Waste Disposers, Specification for, **F917 (15.12)**

Disputes
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**

Dissection
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**

Dissipation factor
Complex Permittivity (Dielectric Constant) of Solid Electrical Insulating Materials at Microwave Frequencies and Temperatures to 1650°C, Test Methods for, **D2520 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Dissipation Factor (or Power Factor) and Relative Permittivity (Dielectric Constant) of Electrical Insulating Liquids, Test Method for, **D924 (10.03)**
Dissipation Factor and Permittivity (Dielectric Constant) of Mica, Test Method for, **D1082 (10.01)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**

Dissolution
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, Test Method for, **E2242 (03.05)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Dissolution of UF, Practice for, **C1346 (12.01)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Preparation and Dissolution of Plutonium Materials for Analysis, Practice for, **C1168 (12.01)**
Preparation and Dissolution of Uranium Materials for Analysis, Practice for, **C1347 (12.01)**
Preparation of Oil-Based Ink Resin Solutions, Practices for, **D5958 (06.03)**
Qualification of Basket and Paddle Dissolution Apparatus, Practice for, **E2503 (14.02)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Uranium Oxides with a 235U Content of Less Than 5 % for Dissolution Prior to Conversion to Nuclear-Grade Uranium Dioxide, Specification for, **C1334 (12.01)**

Dissolution rate
Dissolution Testing of Calcium Phosphate Granules, Fabricated Forms, and Coatings, Test Method for, **F1926/F1926M (13.01)**
Measurement of the Glass Dissolution Rate Using the Single-Pass Flow-Through Test Method, Practice for, **C1662 (12.01)**
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Dissolved alkali
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**

Dissolved calcium and magnesium
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**

Dissolved constituents
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**

Dissolved copper
Dissolved Copper In Electrical Insulating Oil By Atomic Absorption Spectrophotometry, Test Method for, **D3635 (10.03)**

Dissolved decay products
Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, Test Method for, **D6802 (10.03)**

Dissolved elements (of water)
Sa **Total recoverable elements (in water)**
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Beryllium in Water, Test Methods for, **D3645 (11.01)**
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Dissolved Hexavalent Chromium in Water by Ion Chromatography, Test Method for, **D5257 (11.01)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, Test Methods for, **D5907 (11.01)**
Measurement of On-line Integrated Samples of Low Level Suspended Solids and Ionic Solids in Process Water by X-Ray Fluorescence (XRF), Test Method for, **D6502 (11.01)**
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Selenium in Water, Test Methods for, **D3859 (11.01)**
Total and Dissolved Carbon Dioxide in Water, Test Methods for, **D513 (11.01)**
Vanadium in Water, Test Method for, **D3373 (11.01)**

Dissolved gases
Analysis of Gases Dissolved in Electrical Insulating Oil by Gas Chromatography, Test Method for, **D3612 (10.03)**
Continuous Measurement of Dissolved Ozone in Low Conductivity Water, Test Method for the, **D7677 (11.01)**
Determination of Gassing Characteristics of Insulating Liquids Under Thermal Stress, Test Method for the, **D7150 (10.03)**

Dissolved organic chemicals
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**

Dissolved oxygen (DO)
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
Dissolved Oxygen in Water, Test Methods for, **D888 (11.01)**
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
On-Line Measurement of Low-Level Dissolved Oxygen in Water, Test Method for, **D5462 (11.02)**

Dissolving ability
Dissolving Polymer Materials, Practice for, **D5226 (08.03)**
Primers for Use in Solvent Cement Joints of Poly(Vinyl Chloride) (PVC) Plastic Pipe and Fittings, Specification for, **F656 (08.04)**

Dissolving glass
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Distance
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**
Distance-amplitude calibration blocks
Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, Practice for, **E127 (03.03)**
Distance profile measurement
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**
Distillate fuels
Sa **Fuel oils**
(Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), Test Method for, **D3227 (05.01)**
Ash from Petroleum Products, Test Method for, **D482 (05.01)**
Assessing Middle Distillate Fuel Storage Stability by Oxygen Overpressure, Test Method for, **D5304 (05.02)**
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**
Calculated Cetane Index of Distillate Fuels, Test Method for, **D976 (05.01)**
Calculated Flash Point from Simulated Distillation Analysis of Distillate Fuels, Test Method for, **D7215 (05.04)**
Calculation of Liquid Heat Capacity of Petroleum Distillate Fuels, Test Method for, **D2890 (05.01)**
Calculation of True Vapor Pressures of Petroleum Distillate Fuels, Test Method for, **D2889 (05.01)**
Density, Relative Density, and API Gravity of Liquids by Digital Density Meter, Test Method for, **D4052 (05.02)**
Depentanization of Gasoline and Naphthas, Test Method for, **D2001 (05.01)**
Determination of Boiling Range Distribution of Distillates and Lubricating Base Oils—in Boiling Range from 100 to 735°C by Gas Chromatography, Test Method for, **D7500 (05.04)**
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Determining Filter Blocking Tendency, Test Method for, **D2068 (05.01)**
Determining Filterability of Aviation Turbine Fuel, Test Method for, **D6824 (05.03)**
Determining Filterability of Middle Distillate Fuel Oils, Test Method for, **D6426 (05.03)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**
Effect of Air Supply on Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2157 (05.01)**
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**
Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, Practice for, **E1259 (11.05)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
High Temperature Stability of Middle Distillate Fuels, Test Method for, **D6468 (05.03)**
Hydrocarbon Types in Middle Distillates by Mass Spectrometry, Test Method for, **D2425 (05.01)**
Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, Test Method for, **D6021 (05.02)**
Middle Distillate Fuel Storage Stability at 43°C (110°F), Test Method for, **D4625 (05.02)**
Oxidation Stability of Distillate Fuel Oil (Accelerated Method), Test Method for, **D2274 (05.01)**
Paraffin, Naphthene, and Aromatic Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional Gas Chromatography, Test Method for, **D5443 (05.02)**
Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, Test Method for, **D6217 (05.03)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Sizing and Counting Particles in Light and Middle Distillate Fuels, by Automatic Particle Counter, Test Method for, **D7619 (05.04)**
Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2156 (05.01)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**
Water and Sediment in Middle Distillate Fuels by Centrifuge, Test Method for, **D2709 (05.01)**
Water in Crude Oil by Distillation, Test Method for, **D4006 (05.02)**
Water in Petroleum Products and Bituminous Materials by Distillation, Test Method for, **D95 (05.01)**
Water Separation Properties of Light and Middle Distillate, and Compression and Spark Ignition Fuels, Test Method for, **D7451 (05.04)**
Distillate fuels—specifications
Apparatus for Determination of Water by Distillation, Specification for, **E123 (14.04)**
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Distillation Equipment, Specification for, **E133 (14.04)**
Rotary Positive Displacement Distillate Fuel Pumps, Specification for, **F1718 (01.07)**
Distillation
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Determination of a Volatile Distillate Fraction of Cold Asphalt Mixtures, Test Method for, **D6627/D6627M (04.03)**
Determination of Residue of Emulsified Asphalt by Low Temperature Vacuum Distillation, Test Method for, **D7403 (04.03)**
Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene, Test Method for, **D5348 (15.04)**
Direct Moisture Content Measurement of Wood and Wood-Base Materials, Test Methods for, **D4442 (04.10)**
Distillation of Emulsified Asphalt, Test Method for, **D6997 (04.03)**
Fluoride Ion in Water, Test Methods for, **D1179 (11.01)**
Moisture in Wool by Distillation With Toluene, Test Method for, **D2462 (07.01)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Total Cyanide in Water by Micro Distillation followed by Flow Injection Analysis with Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7284 (11.02)**
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**
Distillation—bituminous materials
Distillation of Cutback Asphaltic (Bituminous) Products, Test Method for, **D402 (04.03)**
Distillation of Road Tars, Test Method for, **D20 (04.03)**
Moisture or Volatile Distillates in Bituminous Paving Mixtures, Test Method for, **D1461 (04.03)**
Water in Petroleum Products and Bituminous Materials by Distil-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

lation, Test Method for, **D95 (05.01)**
Distillation—distillation range
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Distillation—paints/related coatings/materials
Boiling Point Distribution of Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D5399 (06.04)**
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**
Distillation Range of Volatile Organic Liquids, Test Method for, **D1078 (06.04)**
Ethyl Acetate (All Grades), Specification for, **D4614 (06.04)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Sampling and Testing Pine Oils, Test Methods for, **D802 (06.03)**
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**
Distillation—petroleum products
Acidity of Hydrocarbon Liquids and Their Distillation Residues, Test Method for, **D1093 (05.01)**
Apparatus for Determination of Water by Distillation, Specification for, **E123 (14.04)**
Boiling Range Distribution of Petroleum Distillates in Boiling Range from 174 to 700°C by Gas Chromatography, Test Method for, **D6352 (05.03)**
Boiling Range Distribution of Petroleum Fractions by Gas Chromatography, Test Method for, **D2887 (05.01)**
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Distillation Equipment, Specification for, **E133 (14.04)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Distillation of Petroleum Products at Atmospheric Pressure, Test Method for, **D86 (05.01)**
Distillation of Petroleum Products at Atmospheric Pressure (Micro Distillation Method), Test Method for, **D7345 (05.04)**
Distillation of Petroleum Products at Atmospheric Pressure (Mini Method), Test Method for, **D7344 (05.04)**
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Middle Distillate Fuel Storage Stability at 43°C (110°F), Test Method for, **D4625 (05.02)**
Water in Crude Oil by Distillation, Test Method for, **D4006 (05.02)**
Water in Petroleum Products and Bituminous Materials by Distillation, Test Method for, **D95 (05.01)**
Distillation flasks—specifications
Laboratory Glass Distillation Flasks, Specification for, **E1405 (14.04)**
Laboratory Glass Multiple Neck Distilling/Boiling Flasks, Specification for, **E1378 (14.04)**
Distillation residue
Acidity of Hydrocarbon Liquids and Their Distillation Residues, Test Method for, **D1093 (05.01)**
Distilled water
Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, Test Method for, **D847 (06.04)**
Expansion Index of Soils, Test Method for, **D4829 (04.08)**
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Distinctness of image
Instrumental Measurement of Distinctness-of-Image Gloss of Coating Surfaces, Test Methods for, **D5767 (06.01)**
Distortion
Distortion of Yarn in Woven Fabrics, Test Method for, **D1336 (07.01)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**
Measuring Optical Distortion in Transparent Parts Using Grid Line Slope, Test Method for, **F2156 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**
Permanent Deformation of Elastomeric Yarns, Test Method for, **D3106 (07.01)**
Preformed Expansion Joint Filler for Concrete (Bituminous Type), Specification for, **D994/D994M (04.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**
Distraction test
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**
Distress
Airport Pavement Condition Index Surveys, Test Method for, **D5340 (04.03)**
Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, Practice for, **F1591 (13.02)**
Distributed impact tests
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Distributed load
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**
Distributed load test machine
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Distribution
Sa **Statistical methods**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Distribution Coefficients of Inorganic Species by the Batch Method, Test Method for, **C1733 (12.01)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Distribution cycle/environment
Performance Testing of Shipping Containers and Systems, Practice for, **D4169 (15.10)**
Distribution electrical systems
Mineral Insulating Oil Used in Electrical Apparatus, Specification for, **D3487 (10.03)**
Distribution environment
Climatic Stressing of Packaging Systems for Single Parcel Delivery, Practice for, **F2825 (15.10)**
Hand Hole Design in Corrugated Boxes, Guide for, **D6804 (15.10)**
Transport Packaging Design, Guide for, **D6198 (15.10)**
Distribution octane number (DON)
See **Knock characteristics**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Distribution parameters
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Distribution systems
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Packaging and Distribution Environments, Terminology of, **D996 (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Ditch linings
Sa **Pond/canal/reservoir/ditch linings—specifications**
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Ditch structure
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Determination of Temporary Ditch Check Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D7208 (04.09)**
Divergence and alignment indicator (DAI)
Measurement of Beam Divergence and Alignment in Neutron Radiologic Beams, Test Method for, **E2861 (03.03)**
Divergence angle
Measurement of Beam Divergence and Alignment in Neutron Radiologic Beams, Test Method for, **E2861 (03.03)**
Diversion
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**
Dixon's test
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**
DNA (deoxyribonucleic acid)
Sa **Genetic examination**
Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, Practice for, **E1532 (14.02)**
Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, Guide for, **E1873 (14.02)**
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**
Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, Guide for, **E2186 (11.06)**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Identification of Bacteriophage M13 or Its DNA, Guide for, **E1493 (14.02)**
Identification of Herpes Simplex Virus or Its DNA, Guide for, **E1286 (14.02)**
Measurement of Electrophoretic Mobility and Zeta Potential of Nanosized Biological Materials, Guide for, **E2865 (14.02)**
DNA strand breaks
Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, Guide for, **E2186 (11.06)**
DNB explosives
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
DNPH cartridge
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Dock walls
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**
Doctor test
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Document access/distribution/storage
Preservation of Charred Documents, Guide for, **E2710 (14.02)**
Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, Guide for, **E1959 (14.01)**
Document examiners
Sa **Forensic investigation/analysis**
Expressing Conclusions of Forensic Document Examiners, Terminology for, **E1658 (14.02)**
Documents/documentation
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Documenting the Results of Chemical Permeation Testing of Materials Used in Protective Clothing, Guide for, **F1194 (11.03)**
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Identification and Establishment of a Quality Assurance Program for Medical Transcription, Guide for, **E2117 (14.01)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**
Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, Guide for, **E2148 (11.03)**
Documents/documentation—forensic analysis
Physical Evidence Labeling and Related Documentation, Guide for, **E1459 (14.02)**
Preservation of Charred Documents, Guide for, **E2710 (14.02)**
Preservation of Liquid Soaked Documents, Guide for, **E2711 (14.02)**
Receiving, Documenting, Storing, and Retrieving Evidence in a Forensic Science Laboratory, Practice for, **E1492 (14.02)**
Scope of Work of Forensic Document Examiners, Guide for, **E444 (14.02)**
Documents/documentation—nuclear applications
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Documents/documentation—water applications
Documenting a Ground-Water Modeling Code, Guide for, **D6171 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Documenting a Ground-Water Sampling Event, Guide for, **D6089 (04.09)**
Documenting a Groundwater Flow Model Application, Guide for, **D5718 (04.08)**
Documenting the Standard Operating Procedures Used for the Analysis of Water, Guide for, **D5172 (11.01)**
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**
Selection and Documentation of Existing Wells for Use in Environmental Site Characterization and Monitoring, Guide for, **D5980 (04.09)**
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**

"Dog-bone" plastic specimens
Compression Molding Test Specimens of Thermosetting Molding Compounds, Practice for, **D5224 (08.03)**

Dog training
Canine Search Resources, Classification System for, **F1848 (13.02)**
Minimum Training of Search Dog Crews or Teams, Guide for, **F1847 (13.02)**

Dolomite refractories
Hydration of Granular Dead-Burned Refractory Dolomite, Test Method for, **C492 (15.01)**

Dolomitic limestone
Sa **Limestone**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Lime for Use with Pozzolans, Specification for, **C821 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**

Dome climber
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**

Domestic hardwoods/softwoods
Commercial Hardwoods and Softwoods, Nomenclature of, **D1165 (04.10)**

Domestic heating fuels
Cold Filter Plugging Point of Diesel and Heating Fuels, Test Method for, **D6371 (05.03)**

Domestic shipping
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**

Domestic solar systems
See **Solar heating/cooling systems**

Domestic use doors/frames
Domestic Use Doors and Frames, Steel, Interior, Marine, Specification for, **F821/F821M (01.07)**

Domestic water heating (DHW)
Sa **Water supply/distribution systems—specifications**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**

Domiciles
See **Indoor air analysis**

Donaldson radiance factor (matrix)
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**
Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, Practice for, **E2153 (06.01)**

Door anchor
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**

Door chests/dressers
Chests, Door Chests, and Dressers, Safety Specification for, **F2057 (15.11)**

Door rack test
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**

Doors—Normalized insertion loss, measurement of
Measurement of the Normalized Insertion Loss of Doors, Test Method for, **E2964 (04.06)**

Doors/door assemblies
Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E2319 (04.12)**
Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E283 (04.11)**
Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems, Practice for, **E1425 (04.11)**
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Door Systems Subject to Airblast Loadings, Test Method for, **F2927 (15.08)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Measurement of the Normalized Insertion Loss of Doors, Test Method for, **E2964 (04.06)**
Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact, Test Methods for, **F842 (04.12)**
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Rating Outdoor-Indoor Sound Attenuation, Classification for, **E1332 (04.06)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Structural Performance of Thermal Barriers in Fenestration Products, Test Method for, **E2692 (04.12)**
Voluntary Security Performance of Window and Door Assemblies with and without Glazing Impact, Specification for, **E2395 (04.12)**
Water Penetration of Exterior Windows, Skylights, and Doors by Rapid Pulsed Air Pressure Difference, Test Method for, **E2268 (04.12)**
Water Penetration of Exterior Windows, Skylights, Doors, and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**

Doors/door assemblies—specifications
Sa **Windows/window assemblies—specifications**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**

Doors/door assemblies (security systems)
See **Security systems and equipment**

Doors/door assemblies (ships)
See **Shipbuilding steel materials (doors)**

Door-type commercial dishwashing machines
Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, Test Method for, **F1696 (15.12)**

DOP (di(2-ethylhexyl phthalate))
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**

Doppler shifts
Characterization of Proteins by Electrophoretic Mobility, Test Method for, **E1470 (14.02)**

Doré correction
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**

Dormant turf winter
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**

Dosage rate/level
Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, Practice for, **F1460 (11.05)**
Demonstrating Capability to Comply with the Test for Uniformity of Dosage Units, Practice for, **E2810 (14.02)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**

DOS (di(2-ethylhexyl sebacate))
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**

Dose distribution
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**

Dose enhancement
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**

Dose mapping
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**

Dose rate threshold
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**

Dosimeter research studies
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Use of a Thermoluminescence-Dosimetry System (TLD System) for Radiation Processing, Practice for, **ISO/ASTM51956 (12.02)**

Dosimetry
Sa **Irradiance/irradiation**
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Analysis and Interpretation of Light-Water Reactor Surveillance Results, Practice for, **E853 (12.02)**
Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments, Practice for, **E1006 (12.02)**
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**
Application and Analysis of Radiometric Monitors for Reactor Vessel Surveillance, E706 (IIIA), Test Method for, **E1005 (12.02)**
Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), Test Method for, **E854 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Application of Neutron Transport Methods for Reactor Vessel Surveillance, E706 (IID), Guide for, **E482 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, Guide for, **E2005 (12.02)**
Blood Irradiation Dosimetry, Practice for, **ISO/ASTM51939 (12.02)**
Calculating Absorbed Dose From Gamma or X Radiation, Practice for, **E666 (12.02)**
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Determining Neutron Exposures for Nuclear Reactor, Practice for, **E1035 (12.02)**
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 80 and 300 keV, Practice for, **ISO/ASTM51818 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Processing, Practice for, **ISO/ASTM51608 (12.02)**
Dosimetry in Electron Beam and X-ray (Bremsstrahlung) Irradiation Facilities for Food Processing, Practice for, **ISO/ASTM51431 (12.02)**
Dosimetry in Radiation Processing, Practice for, **ISO/ASTM52628 (12.02)**
Dosimetry In Radiation Processing of Fluidized Beds and Fluid Streams, Guide for, **E2381 (12.02)**
Dosimetry in Radiation Research on Food and Agricultural Products, Guide for, **ISO/ASTM51900 (12.02)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Performance Characterization of Dosimeters and Dosimetry Systems for Use in Radiation Processing, Guide for, **ISO/ASTM52701 (12.02)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Radiation Measurements and Dosimetry, Terminology Relating to, **E170 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Use of a Dichromate Dosimetry System, Practice for, **ISO/ASTM51401 (12.02)**
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**
Use of a Thermoluminescence-Dosimetry System (TLD System) for Radiation Processing, Practice for, **ISO/ASTM51956 (12.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Use of Radiation-Sensitive Indicators, Guide for, **ISO/ASTM51539 (12.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
Using the Fricke Dosimetry System, Practice for, **E1026 (12.02)**

DOTG (Di-o-tolyl-guanidine)
Rubber Chemicals—Diphenyl Guanidine (DPG) and Di-o-tolyl-guanidine (DOTG) Assay, Test Method for, **D5054 (09.01)**

Double-beam interference microscopy
Sa **Microscopic examination**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**

Double branch quarter/sanitary bend
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**

Double-cantilever beam (DCB)
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
Making and Using Precracked Double Beam Stress Corrosion Specimens, Practice for, **G168 (03.02)**
Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D5528 (15.03)**

Double-coated pressure-sensitive tape
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**

Double expansion joint
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**

Double-exposure method
Measuring Optical Angular Deviation of Transparent Parts Using the Double-Exposure Method, Test Method for, **F2469 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**

Double fillet welded joints (for shipboard piping)
See **Shipbuilding piping materials—specifications**

Double-head abrader
Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method), Guide for, **D3884 (07.01)**
Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), Test Method for, **D3389 (09.02)**

Double-headed nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Double hole leather
Stitch Tear Strength of Leather, Double Hole, Test Method for, **D4705 (15.04)**

Double hole stitch strength
Stitch Tear Strength of Leather, Double Hole, Test Method for, **D4705 (15.04)**

Double hydrometer method
Dispersive Characteristics of Clay Soil by Double Hydrometer, Test Method for, **D4221 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Double-jack/-loop chain
Sa **Steel chain—specifications**
Weldless Chain, Specification for, **A466/A466M (01.05)**
Double layer insulation
Measuring and Estimating Quantities of Insulated Piping and Components, Guide for, **C1409 (04.06)**
Double oblique-bore stopcocks
See **Stopcocks/stoppers**
Double paper tape sampler method
Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Test Method for, **D3266 (11.07)**
Doubler
Doubler Plate Repairs for Non-Classed Ship Structures, Guide for, **F2991 (01.07)**
Double-reduced tin mill black plate—specifications
Sa **Tin mill products—specifications**
Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced, Specification for, **A657/A657M (01.06)**
Tin Mill Products, Black Plate, Double Reduced, Specification for, **A650/A650M (01.06)**
Tin Mill Products, Electrolytic Tin Plate, Double Reduced, Specification for, **A626/A626M (01.06)**
Double-ring infiltrometers
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, Test Method for, **D5093 (04.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Double rub method
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
Double sampling table
Use of Process Oriented AOQL and LTPD Sampling Plans, Practice for, **E1994 (14.02)**
Double seals
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Double-sided griddle
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Double-sided griddle—specifications
Griddles, Single-Sided and Double-Sided, Gas and Electric, Specification for, **F1919 (15.12)**
Double-sided test coupons
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Double-standard multi-collector gas mass spectrometer
Isotopic Analysis of Uranium Hexafluoride by Double-Standard Multi-Collector Gas Mass Spectrometer, Test Method for, **C1429 (12.01)**
Double submerged-arc welded pipe—specifications
Steel Line Pipe, Black, Plain End, Longitudinal and Helical Seam, Double Submerged-Arc Welded, Specification for, **A1005/A1005M (01.01)**
Double-tube auger
Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling, Practice for, **D6151 (04.09)**
Double-tube method
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Double-twisted wire mesh—specifications
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
Double-twisted wire mesh gabions/revet mattresses
Assembly and Placement of Double-Twisted Wire Mesh Gabions and Revet Mattresses, Practice for, **D7014 (04.09)**
Dough divider
Dough Divider and Rounding Machines, Specification for, **F1966 (15.12)**
Doughing time
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Douglas fir
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Dow Corning tester
Dynamic Water Resistance of Shoe Upper Leather by the Dow Corning Leather Tester, Test Method for, **D2098 (15.04)**
Dowel bearing strength
Evaluating Dowel-Bearing Strength of Wood and Wood-Based Products, Test Method for, **D5764 (04.10)**
Downdrafting
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Down-/feather-filled products
Composition of Plumage, Test Method for, **D4524 (07.02)**
Feather and Down Fillings for Textile Products, Performance Specification for, **D4522 (07.02)**
Down hill mountain bicycle racing
Helmets Used for Downhill Mountain Bicycle Racing, Specification for, **F1952 (15.07)**
Down-hole collection device
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Downspouts
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**
Downstream blending
Methyl Tertiary-Butyl Ether (MTBE) for Downstream Blending for Use in Automotive Spark-Ignition Engine Fuel, Specification for, **D5983 (05.02)**
Downstream pressure feedback
Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**
Down-the-hole hammer (DTH) drilling
Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5872/D5872M (04.08)**
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**
Downward force
Measurement of Vertical Downward Forces to Disengage Type IIA Lug-Style Child-Resistant Closures, Test Methods for, **D3469 (15.10)**
Downward-force-while-turning closure
Measurement of Removal Lug Strippage of Type IIA Child-Resistant Closures, Test Method for, **D3470 (15.10)**
DPA index
Characterizing Neutron Exposures in Iron and Low Alloy Steels in Terms of Displacements Per Atom (DPA), E 706(ID), Practice for, **E693 (12.02)**
DQO process
See **Data quality objectives (DQO)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Draeger tube
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Draft
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Drafting impact test requirements
Drafting Impact Test Requirements In Thermoplastic Pipe And Fittings Standards, Practice for, **F725 (08.04)**
Drag
Comparison of the Brush Drag of Latex Paints, Test Method for, **D4958 (06.02)**
Determining the Concentration of Pipeline Drag Reducer Additive in Aviation Turbine Fuels, Test Method for, **D7872 (05.04)**
Drag coefficient (C_D)
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Drainage efficiency
Determining the Drainage Efficiency of Exterior Insulation and Finish Systems (EIFS) Clad Wall Assemblies, Test Method for, **E2273 (04.12)**
Measuring Pavement Texture Drainage Using an Outflow Meter, Test Method for, **E2380/E2380M (04.03)**
Drainage materials (for surgical implants)
Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, Practice for, **F647 (13.01)**
Drainage materials/systems
Sa **Land drainage piping systems**
Sa **Sewer pipe (steel)—specifications**
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Determining the Drainage Efficiency of Exterior Insulation and Finish Systems (EIFS) Clad Wall Assemblies, Test Method for, **E2273 (04.12)**
Evaluating Water Leakage of Building Walls, Guide for, **E2128 (04.12)**
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Saturated Water Permeability of Granular Drainage Media Falling-Head Method for Vegetative (Green) Roof Systems, Test Method for, **E2396 (04.04)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Testing Vertical Strip Drains in the Crimped Condition, Test Method for, **D6918 (04.13)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Vacuum Drainage of Asbestos-Cement Mixes, Test Method for, **C1119/C1119M (04.05)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**
Drainage materials/systems—specifications
Circular-Knit Geotextile for Use in Subsurface Drainage Applications, Specification for, **D6707 (04.13)**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Ductile Iron Culvert Pipe, Specification for, **A716 (01.02)**
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Drainage pipe
Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, Specification for, **F2618 (08.04)**
Polyethylene Stay In Place Form System for End Walls for Drainage Pipe, Specification for, **D7082 (08.03)**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**
Drainage system
Evaluation of Water Leakage Performance of Masonry Wall Drainage Systems, Test Method for, **C1715 (04.05)**
Use of Drainage System Media with Waterproofing Systems, Guide for, **D7492/D7492M (04.04)**
Drainage tubes (rubber)
Sa **Rubber medical/surgical applications**
Rubber Surgical Drainage Tubes, Penrose-Type, Specification for, **D3579 (09.02)**
Drainage velocity
Vacuum Drainage of Asbestos-Cement Mixes, Test Method for, **C1119/C1119M (04.05)**
Draindown characteristics
Determination of Draindown Characteristics in Uncompacted Asphalt Mixtures, Test Method for, **D6390 (04.03)**
Drained test conditions
Direct Shear Test of Soils Under Consolidated Drained Conditions, Test Method for, **D3080/D3080M (04.08)**
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**
Drain pipe (steel)
See **Sewer pipe (steel)—specifications**
Drain positioning gate
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Drains
Composite Corrugated Steel Pipe for Sewers and Drains, Specification for, **A1042/A1042M (01.06)**
Steam Traps and Drains, Specification for, **F1139 (01.07)**
Drain tile
Concrete Drain Tile, Specification for, **C412 (04.05)**
Concrete Drain Tile (Metric), Specification for, **C412M (04.05)**
Drain/waste/vent (DWV)
Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications, Specification for, **C1053 (15.02)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications, Specification for, **A888 (01.02)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations, Practice for, **C1479 (04.05)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations (Metric), Practice for, **C1479M (04.05)**
Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

(DWV) Pipe and Fittings Having Post-Industrial Recycle Content, Specification for, **F2390 (08.04)**
Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground, Specification for, **C1460 (01.02)**
Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, Specification for, **A742/A742M (01.06)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**

Drain/waste/vent (DWV)—acrylonitrile-butadiene-styrene (ABS)
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2661 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core, Specification for, **F628 (08.04)**

Drain/waste/vent (DWV)—copper
Copper Drainage Tube (DWV), Specification for, **B306 (02.01)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**

Drain/waste/vent (DWV)—polyethylene (PE)
Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe, Specification for, **F894 (08.04)**
Polyethylene (PE) Pipe and Fittings for Roof Drain Systems, Specification for, **F1901 (08.04)**
Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields, Specification for, **F810 (08.04)**

Drain/waste/vent (DWV)—poly(vinyl chloride)(PVC)
3.25-in. Outside Diameter Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2949 (08.04)**
Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**
Poly (Vinyl Chloride) (PVC) Gaskets for Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems, Specification for, **D5926 (08.03)**
Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Drainage and DWV Fabricated Fittings, Specification for, **F1866 (08.04)**
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2665 (08.04)**
Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and Fittings, Specification for, **C1541 (01.02)**

Drain/waste/vent (DWV)—thermoplastics
Coextruded Composite Drain, Waste, and Vent Pipe (DWV), Specification for, **F1499 (08.04)**
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**
Drain, Waste, and Vent (DWV) Plastic Fittings Patterns, Specification for, **D3311 (08.04)**
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Molded Drain, Waste, and Vent (DWV) Short-Pattern Plastic Fittings, Specification for, **F2135 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings, Specification for, **F409 (08.04)**

Draperies (solar)
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**

Draw-down test
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
Applying Coil Coatings Using The Wire-Wound Drawdown Bar, Practice for, **D4147 (06.02)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Leveling of Paints by Draw-Down Method, Test Method for, **D4062 (06.02)**
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**
Preparing Drawdowns of Artists' Paste Paints, Practice for, **D4941 (06.02)**
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**

Drawers
Drawers, Furniture, Marine, Steel, Specification for, **F825 (01.07)**

Drawer warmer
Performance of Drawer Warmers, Test Method for, **F2142 (15.12)**

Drawing steel (DS) sheet/strip—specifications
Sa **Steel sheet**
Drawing Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, Specification for, **A507 (01.03)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Alloy, Drawing Steel and Structural Steel, Hot-Rolled, Specification for, **A1031/A1031M (01.03)**
Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1011/A1011M (01.03)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**

Draw length
Determining the Rating Velocities of a Compound Archery Bow, Specification for, **F1544 (15.07)**

Drawn aluminum/aluminum alloys—specifications
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**

Drawn outer ring
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**
Ring, Bearing, Inner: for Needle Roller Bearing With Drawn Outer Ring, Specification for, **F2163 (01.08)**

Drawstrings
Drawstrings on Childrens Upper Outerwear, Safety Specification for, **F1816 (15.11)**

Draw-stroke
Determining the Force-Draw and Let-Down Curves for Archery Bows, Test Method for, **F1832 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Draw test
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Drayton agitation unit
Determination of Cooling Characteristics of Quenchants by Cooling Curve Analysis with Agitation (Drayton Unit), Test Method for, **D6549 (05.03)**
Dress coat/outer garments
Conducting Wear Tests on Textiles, Guide for, **D3181 (07.01)**
Women's and Girls' Knitted and Woven Dress Glove Fabrics, Performance Specification for, **D4115 (07.01)**
Woven Drycleanable Coat Fabrics, Performance Specification for, **D3562 (07.01)**
Woven Flat Lining Fabrics for Women's and Girls' Apparel, Performance Specification for, **D4114 (07.01)**
Dresses
Women's and Girls' Knitted Blouse and Dress Fabrics, Performance Specification for, **D4235 (07.01)**
Woven Blouse, Dress, Dress Shirt & Sport Shirt Fabrics, Performance Specification for, **D7020 (07.02)**
Dress glove fabrics
Women's and Girls' Knitted and Woven Dress Glove Fabrics, Performance Specification for, **D4115 (07.01)**
Dressing forceps
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb Type), Specification for, **F1613 (13.01)**
Dressing gown fabrics
Bathrobe, Dressing Gown, Negligee, Nightgown, and Pajama Fabrics, Performance Specification for, **D7021 (07.02)**
Dressing-wheel machine
Abrasion Resistance of Horizontal Concrete Surfaces, Test Method for, **C779/C779M (04.02)**
Dress shirts
Evaluation of Launderable Woven Dress Shirts and Sports Shirts, Practice for, **D4231 (07.01)**
Men's and Boys' Knitted Dress Shirt Fabrics, Performance Specification for, **D4119 (07.01)**
Woven Blouse, Dress, Dress Shirt & Sport Shirt Fabrics, Performance Specification for, **D7020 (07.02)**
Dress suits
Conducting Wear Tests on Textiles, Guide for, **D3181 (07.01)**
Knitted Necktie and Scarf Fabrics, Performance Specification for, **D4035 (07.01)**
Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3782 (07.01)**
Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3780 (07.01)**
Men's and Women's Dress and Vocational Career Apparel Fabrics, Performance Specification for, **D4232 (07.01)**
Men's and Women's Knitted Career Apparel Fabrics: Dress and Vocational, Performance Specification for, **D3995 (07.01)**
Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, Performance Specification for, **D4155 (07.01)**
Woven Flat Lining Fabrics for Women's and Girls' Apparel, Performance Specification for, **D4114 (07.01)**
Woven Necktie and Scarf Fabrics, Performance Specification for, **D3785 (07.01)**
Dried paint samples
Sa **Paint driers**
Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis, Practice for, **E1645 (04.11)**
Dried spices/herbs/vegetable seasonings
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**
Drierite
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**
Drift
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**
Drift eliminators
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Drift (in statistical analysis)
Sa **Statistical methods**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
DRIFT spectroscopy
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Drilled concrete cores
Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, Test Method for, **D6760 (04.09)**
Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, Test Method for, **C174/C174M (04.02)**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Preparation and Conditioning of Cast, Drilled, or Sawed Specimens of Hydraulic-Cement Mortar and Concrete Used for Length Change Measurements, Practice for, **C341/C341M (04.02)**
Drilled cores
Obtaining and Testing Drilled Cores of Shotcrete, Test Method for, **C1604/C1604M (04.02)**
Drilling (in soil/rock)
Determining Rock Quality Designation (RQD) of Rock Core, Test Method for, **D6032 (04.09)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Marsh Funnel Viscosity of Clay Construction Slurries, Test Method for, **D6910/D6910M (04.09)**
Selection of Drilling Methods for Environmental Site Characterization, Guide for, **D6286 (04.09)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Soil Exploration and Sampling by Auger Borings, Practice for, **D1452 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5875/D5875M (04.08)**
Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5872/D5872M (04.08)**
Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5876 (04.08)**
Drillings
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Drill screws (steel)
Sa **Steel screws—specifications**
Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness, Specification for, **C954 (04.01)**
Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs, Specification for, **C1002 (04.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Drillstring threads—examination of
Examination of Drillstring Threads Using the Alternating Current Field Measurement Technique, Practice for, **E2928/E2928M (03.03)**
Drinking habits
Sensory Evaluation of Beverages Containing Alcohol, Guide for, **E1879 (15.08)**
Drinking water
Sa **Cold water supply/distribution systems—specifications**
Sa **Fresh water**
Sa **Hot water supply/distribution systems—specifications**
Sa **Water supply/distribution systems—specifications**
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**
Bromate, Bromide, Chlorate, and Chlorite in Drinking Water by Suppressed Ion Chromatography, Test Methods for, **D6581 (11.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D1976 (11.01)**
Estimation of Chlorine Demand of Water, Practice for, **D1291 (11.02)**
Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, Test Methods for, **D5907 (11.01)**
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Low-Level Analysis of Iodine Radioisotopes in Water, Test Method for, **D4785 (11.02)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Nitrite-Nitrate in Water by Nitrate Reductase, Test Method for, **D7781 (11.02)**
Radon in Drinking Water, Test Method for, **D5072 (11.02)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**
Total Cyanide by Segmented Flow Injection Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, Test Method for, **D7511 (11.02)**
Tritium in Drinking Water, Test Method for, **D4107 (11.02)**
Uranium in Drinking Water by High-Resolution Alpha-Liquid-Scintillation Spectrometry, Test Method for, **D6239 (11.02)**
Drinking water—specifications
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**
Drip flow reactor (DFR)
Quantification of Pseudomonas aeruginosa Biofilm Grown Using Drip Flow Biofilm Reactor with Low Shear and Continuous Flow, Test Method for, **E2647 (11.05)**
Drip testing
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**
Driveability
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**
Drive cylinder test
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Drive line lubricants
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Driven fasteners
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Driven wellpoint
Installation of Direct Push Groundwater Monitoring Wells, Guide for, **D6724 (04.09)**
Drive pin
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Drive sampling
Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils, Practice for, **D3550 (04.08)**
Drive torque
Determining the Drive Torque for Film and Fabric Ribbon Cartridges, Test Method for, **F1520 (15.09)**
Driveways
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Drive weight (hammer) kinetic energy
Rebound Number of Hardened Concrete, Test Method for, **C805/C805M (04.02)**
Driving traction
Calibration of Braking/Tractive Measuring Devices for Testing Tires, Practice for, **F377 (09.02)**
Single Wheel Driving Traction in a Straight Line on Snow- and Ice-Covered Surfaces, Test Method for, **F1805 (09.02)**
Drop black
Bone Black Pigment, Specification for, **D210 (06.03)**
Drop impact test
Drop Impact Resistance of Blow-Molded Thermoplastic Containers, Test Method for, **D2463 (08.01)**
Droplets
Spreading of Liquid Agricultural Spray Mixtures, Test Method for, **E2044 (11.05)**
Droplet size distribution
Determining Cross-Section Averaged Characteristics of a Spray Using Laser-Diffraction Instruments in a Wind Tunnel Apparatus, Guide for, **E2872 (14.02)**
Drop melting point
Drop Melting Point of Petroleum Wax, Including Petrolatum, Test Method for, **D127 (05.01)**
Drop-of-the-beam
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Dropping point
Dropping Point of Lubricating Grease, Test Method for, **D566 (05.01)**
Dropping Point of Lubricating Grease Over Wide Temperature Range, Test Method for, **D2265 (05.01)**
Dropping Point of Waxes, Test Method for, **D3954 (15.04)**
Drop shatter test
Drop Shatter Test for Coal, Test Method of, **D440 (05.06)**
Drop Shatter Test for Coke, Test Method for, **D3038 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Drop tests
Calibration of Temperature Scale for Thermogravimetry, Practice for, **E1582 (14.02)**
Carbon Steel Tee Rails, Specification for, **A1 (01.04)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
High Chairs, Consumer Safety Specification for, **F404 (15.11)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Laboratory Determination of Rock Anchor Capacities by Pull and Drop Tests, Test Methods for, **D7401 (04.09)**
Lighters, Consumer Safety Specification for, **F400 (15.11)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Measuring the Performance of Synthetic Rope Rescue Belay Systems Using a Drop Test, Test Method for, **F2436 (13.02)**
Non-Powder Guns, Consumer Safety Specification for, **F589 (15.11)**
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**

Drop tests—ferritic steels
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Drop-Weight Tear Tests of Ferritic Steels, Test Method for, **E436 (03.01)**

Drop tests—shipping containers
Bridge Impact Testing, Test Method for, **D5265 (15.10)**
Drop Test of Loaded Containers by Free Fall, Test Method for, **D5276 (15.10)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Performance Testing of Shipping Containers and Systems, Practice for, **D4169 (15.10)**
Preparation of Plastic Packagings Containing Liquids for United Nations (UN) Drop Testing, Guide for, **D7790 (15.10)**
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, Test Methods for, **D4168 (15.10)**

Drop-weight impact
Damage Resistance Testing of Sandwich Constructions, Practice for, **D7766/D7766M (15.03)**
Measuring the Damage Resistance of a Fiber-Reinforced Polymer Matrix Composite to a Drop-Weight Impact Event, Test Method for, **D7136/D7136M (15.03)**

Drop-weight test
Sa **Impact sensitivity threshold technique**
Drop Weight Impact Sensitivity of Solid-Phase Hazardous Materials, Test Method for, **E680 (14.02)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**

Dross
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Drug applications
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**

Drug containers/labels
Sa **Labels/labeling**
Enhance Identification of Drug Names on Labels, Practice to, **D6398 (15.10)**
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**
Labels for Small-Volume (100 mL or Less) Parenteral Drug Containers, Specification for, **D4267 (15.10)**
User Applied Drug Labels in Anesthesiology, Specification for, **D4774 (15.10)**

Drum cured pad procedure
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**

Drum gaskets
Preformed Open–Cell Sponge Rubber Pail and Drum Gaskets, Specification for, **F1909 (09.02)**

Drum method
Coated Fabrics, Test Methods for, **D751 (09.02)**

Drum printer
Printers, Terminology Relating to, **F909 (15.09)**

Drums
Environmental Stress Crack Resistance (ESCR) of Plastic Tight-head Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**

Drum sampling
Sa **Environmental sampling/testing**
Sampling of Drums and Similar Containers by Field Personnel, Guide for, **D6063 (11.04)**
Sampling With a Composite Liquid Waste Sampler (COLIWASA), Practice for, **D5495 (11.04)**

Drum-set
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**

Drum skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**

Drum testers
the Operation of the Hexapod Tumble Drum Tester, Practice for, **D5252 (07.02)**

Drum thief
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**

Dry abrasion resistance
Sa **Abrasion resistance—textile fabrics/fibers**
Dry Abrasion Mar Resistance of High Gloss Coatings, Test Methods for, **D6037 (06.01)**
Wet and Dry Yarn-on-Yarn Abrasion Resistance, Test Method for, **D6611 (07.02)**

Dry adhesives
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
Hydrogen Ion Concentration of Dry Adhesive Films, Test Method for, **D1583 (15.06)**

Dry agricultural chemicals
Sa **Agricultural materials/applications**
Agricultural Chemical Application, Terminology Relating to, **E1102 (11.05)**
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dry ashing
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Dry brightness
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Dry carbon weight
Water Solubles in Activated Carbon, Test Method for, **D5029 (15.01)**
Dry cargo space
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Dry cask storage systems (DCSS)
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**
Qualification and Acceptance of Boron Based Metallic Neutron Absorbers for Nuclear Criticality Control for Dry Cask Storage Systems and Transportation Packaging, Practice for, **C1671 (12.01)**
Dry circuit loading
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Drycleanable bedcoverings
See **Beds**
Drycleaning durability
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Drycleaning materials/processes/tests
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Care Symbols for Care Instructions on Textile Products, Guide for, **D5489 (07.02)**
Colorfastness of Zippers to Drycleaning, Test Method for, **D2052 (07.01)**
Detecting Residual Odor of Drycleaning Grade, Test Method for, **D4494 (15.05)**
Determining or Confirming Care Instructions for Apparel and Other Textile Products, Guide for, **D3938 (07.01)**
Drycleaning-Grade Perchloroethylene, Specification for, **D4081 (15.05)**
Durability of Finish of Zippers to Drycleaning, Test Method for, **D2058 (07.01)**
Effect of Drycleaning on Buttons, Test Method for, **D6840 (07.02)**
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Performance of Bonded, Fused, and Laminated Apparel Fabrics, Specification for, **D3135 (07.01)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Woven Drycleanable Coat Fabrics, Performance Specification for, **D3562 (07.01)**
Drycleaning materials/processes/tests—specifications
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
Dry combined concrete/mortar materials
Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, Specification for, **C387/C387M (04.02)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Dry conditioning/testing
Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS), Test Method for, **E2134/E2134M (04.12)**
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**
Dry coverage
Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement, Test Method for, **C166 (04.06)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Dry cup method
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**
Dry digestion
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Dryer rolls (for paper mills)
Ductile Iron Castings for Paper Mill Dryer Rolls, Specification for, **A476/A476M (01.02)**
Dry fall (fog)
Determining the Dry Fall (Fog) Properties of Protective Coatings, Practice for, **D7868 (06.02)**
Dry film formation
Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, Test Methods for, **D5895 (06.01)**
Dry film thickness
Sa **Thickness**
Applying Coil Coatings Using The Wire-Wound Drawdown Bar, Practice for, **D4147 (06.02)**
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
Measurement of Dry Film Thickness of Thin-Film Coil-Coated Systems by Destructive Means Using a Boring Device, Test Method for, **D5796 (06.02)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Nondestructive Measurement of Dry Film Thickness of Applied Organic Coatings Using an Ultrasonic Gage, Test Method for, **D6132 (06.01)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Dry filtration
Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media, Test Method for, **D6830 (11.07)**
Dry flowable (DF) test methods
Percent Dispersibility, Test Method for, **E1945 (11.05)**
Dry foods
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Dry goods packaging
Water Vapor Transmission of Flexible Heat-Sealed Packages for Dry Products, Test Method for, **D3079 (15.10)**
Dry heat tests
Sa **Aging**
Sa **Weathering**
Evaluation of Aging Resistance of Prestressed Prepainted Metal In a Dry Heat Test, Practice for, **D6491 (06.02)**
Rubber Thread—Resistance to Dry Heat, Test Method for, **D3854 (09.02)**
Dry heat transfer resistance
Measuring Thermal Insulation of Sleeping Bags Using a Heated Manikin, Test Method for, **F1720 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dry hydraulic cement grout
Sa **Grouts—specifications**
Packaged Dry, Hydraulic-Cement Grout (Nonshrink), Specification for, **C1107/C1107M (04.02)**
Dry ice
Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time, Test Method for, **D6795 (05.03)**
Drying conditions/processing
Carbon Black, Pelleted—Reduction, Blending, and Drying of Gross Samples for Testing, Practice for, **D5817 (09.01)**
Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance, Test Method for, **D5909 (06.02)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Total Evaporable Moisture Content of Aggregate by Drying, Test Method for, **C566 (04.02)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**
Drying oils
Sa **Paint driers**
Color of Transparent Liquids (Gardner Color Scale), Test Method for, **D1544 (06.01)**
Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, Test Methods for, **D1640 (06.01)**
Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, Guide for Determining, **D4140 (06.01)**
Drying or curing
Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, Practice for, **E2293 (03.05)**
Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, Test Methods for, **D1640 (06.01)**
Evaporation and Drying of Analytical Solutions, Test Method for, **D4902 (15.04)**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
Pressing and Drying Refractory Plastic and Ramming Mix Specimens, Practice for, **C1054 (15.01)**
Reporting Cure Times of Ultraviolet-Cured Coatings, Practice for, **D3732 (06.02)**
Residual Moisture in a Refuse-Derived Fuel Analysis Sample, Test Method for, **E790 (11.04)**
Weighing and Drying Apparatus for Microchemical Analysis, Specification for, **E124 (14.04)**
Drying oven
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Measuring Total Water and Volatiles in Liquid Coatings Which Produce Cure Water Upon Heating, Test Method for, **D7245 (06.01)**
Drying room film
Sheet Linoleum Floor Covering, Specification for, **F2034 (15.04)**
Drying room yellow
Linoleum Floor Tile, Specification for, **F2195 (15.04)**
Drying shrinkage
Drying and Firing Linear Change of Refractory Plastic and Ramming Mix Specimens, Test Method for, **C179 (15.01)**
Drying and Firing Shrinkages of Ceramic Whiteware Clays, Test Method for, **C326 (15.02)**
Drying Shrinkage of Mortar Containing Hydraulic Cement, Test Method for, **C596 (04.01)**
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Measuring the Drying Shrinkage of Masonry Mortar, Test Method for, **C1148 (04.05)**
Drying stages
Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, Test Methods for, **D5895 (06.01)**
Drying time
Determining the Drying Time of Inkjet Media and Inks Using a Smudge Method, Practice for, **F2498 (15.09)**
Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, Test Methods for, **D5895 (06.01)**
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, Specification for, **D2835 (04.03)**
No-Pick-Up Time of Traffic Paint, Test Method for, **D711 (06.02)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Using a Test Chamber for Humidity Conditioning of Test Panels of Pavement Marking Paints, Practice for, **D7539 (06.02)**
Dry lead glass
Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, Guide for, **C1572 (12.01)**
Dry magnetic particle inspection
Sa **Magnetic particle inspection**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Dry method
Vapor Pressure of Gasoline and Gasoline-Oxygenate Blends (Dry Method), Test Method for, **D4953 (05.02)**
Dry-mix shotcrete
Materials for Shotcrete, Specification for, **C1436 (04.02)**
Dry natural gas
Sa **Natural gas service systems**
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Dryness
Dryness of Propane (Valve Freeze Method), Test Method for, **D2713 (05.01)**
Dry oxidation
Ash in Biomass, Test Method for, **E1755 (05.06)**
Dry paint films
Sa **Paint driers**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**
Dry pesticide formulations
Percent Dispersibility, Test Method for, **E1945 (11.05)**
Percent Suspensibility, Test Method for, **E1673 (11.05)**
Dry pigment
Basic Carbonate White Lead Pigment, Specification for, **D81 (06.03)**
Dry red lead
See **Red pigments**
Dry retroreflection
Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness, Test Method for, **E2177 (06.01)**
Dry rubber content
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**
Dry samples
Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, Practice for, **E2293 (03.05)**
Dry sand/rubber wheel test
Measuring Abrasion Using the Dry Sand/Rubber Wheel Apparatus, Test Method for, **G65 (03.02)**
Dry seal impressions
Examination of Dry Seal Impressions, Guide for, **E2286 (14.02)**
Dry sieve analysis
Sa **Particle analysis**
Sa **Wet sieve analysis**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Particle Size (Sieve Analysis) of Plastic Materials, Test Methods for, **D1921 (08.01)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), Test Method for, **D4570 (09.01)**
Sieve Analysis of Metal Powders, Test Method for, **B214 (02.05)**

Dry slides
Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures, Practice for, **F1159 (15.07)**

Dry sliding conditions
Ranking Resistance of Plastic Materials to Sliding Wear Using a Block-On-Ring Configuration, Test Method for, **G137 (03.02)**

Dry soil sample preparation
Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, Practice for, **D421 (04.08)**

Dry-stacked concrete masonry units
Sa **Masonry units**
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**

Dry-storage irradiators
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**

Dry testing
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**

Dry to green clear wood properties
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**

Dry toners
Determination of Color Response of Electrostatic Copying System, Black and White Output, Practice for, **F974 (15.09)**
Particle Size Measurement of Dry Toners, Test Method for, **F577 (15.09)**

Dry unit weight
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**

Dry vapor pressure
Sa **Vapor pressure (VP_x)**
Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), Test Method for, **D6378 (05.03)**
Sampling and Handling of Fuels for Volatility Measurement, Practice for, **D5842 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**

Dry volume
Measuring Maximum Dry Volume of Utility Vacuum Cleaners, Test Method for, **F1326 (15.08)**

Drywall
Sa **Gypsum products—specifications**
Gypsum Board, Specification for, **C1396/C1396M (04.01)**

DSC
Assignment of the DSC Procedure for Determining Tg of a Polymer or an Elastomeric Compound, Test Method for, **D7426 (09.01)**
Calibration of Fixed-Cell Differential Scanning Calorimeters, Practice for, **E2603 (14.02)**

DSC container (pan) cleaning
Oxidation Onset Temperature of Hydrocarbons by Differential Scanning Calorimetry, Test Methods for, **E2009 (14.02)**

DSRC (dedicated short range communication)—specifications
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**

DSR (drawn stress relieved)
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**

DSVT (detection sensitivity verification test)
Performance Evaluation of In-Plant Walk-Through Metal Detectors, Practice for, **C1309 (12.01)**

DTD (document type definition)
Guideline Elements Model version 3 (GEM III)—Document Model for Clinical Practice Guidelines, Specification for, **E2210 (14.01)**

Dual cantilever
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**

Dual column ion chromatography
See **Ion chromatography (IC)**

Dual-component development
Estimating Toner Usage in Full-Color Copiers Utilizing Dry Mono- or Dual-Component Toners, Test Method for, **F1424 (15.09)**

Dual filter sampling system
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, Test Method for, **D5932 (11.07)**

Dual-mass hammer
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**

Dual metal abrasion resistant roll shell
Centrifugally Cast White Iron/Gray Iron Dual Metal Abrasion-Resistant Roll Shells, Specification for, **A942/A942M (01.02)**

Dual seamed geomembranes
Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, Practice for, **D5820 (04.13)**

Dual-wall reverse-circulation drilling
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**

Ducted nozzle inflow/outflow
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**

Ductile fracture
Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions, Test Method for, **E2472 (03.01)**
Measurement of Fracture Toughness, Test Method for, **E1820 (03.01)**

Ductile iron castings
Ductile Iron Castings, Reference Radiographs for, **E689 (03.03)**

Ductile iron castings—specifications
Austempered Ductile Iron Castings, Specification for, **A897/A897M (01.02)**
Austenitic Ductile Iron Castings, Specification for, **A439 (01.02)**
Austenitic Ductile Iron Castings for Pressure-Containing Parts Suitable for Low-Temperature Service, Specification for, **A571/A571M (01.02)**
Ductile Iron Castings, Specification for, **A536 (01.02)**
Ductile Iron Castings for Paper Mill Dryer Rolls, Specification for, **A476/A476M (01.02)**
Ductile Iron Culvert Pipe, Specification for, **A716 (01.02)**
Ferritic Ductile Iron Pressure-Retaining Castings for Use at El-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

evated Temperatures, Specification for, **A395/A395M (01.02)**
Flexible, Expansion-Type Ball Joints for Marine Applications, Specification for, **F1298 (01.07)**

Ductile iron pipe
Polyethylene Encasement for Ductile Iron Pipe for Water or Other Liquids, Practice for, **A674 (01.02)**

Ductile iron pipe—specifications
Ductile Iron Gravity Sewer Pipe, Specification for, **A746 (01.02)**
Ductile-Iron Pressure Pipe, Index of Specifications for, **A377 (01.02)**

Ductility
Sa **Shear testing**
Sa **Tensile properties/testing**
Ductility of Bituminous Materials, Test Method for, **D113 (04.03)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**

Ductility—electrodeposited materials
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

Ductility—metals/alloys
Ball Punch Deformation of Metallic Sheet Material, Test Method for, **E643 (03.01)**
Bend Testing of Material for Ductility, Test Methods for, **E290 (03.01)**
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Ductility of Nonoriented Electrical Steel, Test Method for, **A720/A720M (03.04)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Guided Bend Test for Ductility of Welds, Test Method for, **E190 (03.01)**
Metallic Bone Plates, Specification and Test Method for, **F382 (13.01)**
Plastic Strain Ratio, Test Method for, **E517 (03.01)**
Tension Testing of Metallic Foil, Test Methods of, **E345 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Ducts/duct liners
Adhesives for Duct Thermal Insulation, Specification for, **C916 (04.06)**
Average Velocity in a Duct (Pitot Tube Method), Test Method for, **D3154 (11.07)**
Average Velocity in a Duct Using a Thermal Anemometer, Test Method for, **D3464 (11.07)**
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**
Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, Specification for, **C1290 (04.06)**
Flexible Polymeric Foam Sheet Insulation Used as a Thermal and Sound Absorbing Liner for Duct Systems, Specification for, **C1534 (04.06)**
Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, Test Method for, **E477 (04.06)**
Mechanical Couplings Used on Polyethylene Conduit, Duct and Innerduct, Specification for, **F2176 (08.04)**
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD), Specification for, **F2160 (08.04)**

Ducts/duct liners—specifications
Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics, Practice for, **E2231 (04.07)**

Duct sealants
Durability Testing of Duct Sealants, Test Method for, **E2342 (04.12)**

Duct-type mufflers
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**

Ductwork
HVAC Duct Shapes; Identification and Description of Design Configuration, Practice for, **F1005 (01.07)**

Due diligence
Probable Maximum Loss (PML) Evaluations for Earthquake Due-Diligence Assessments, Practice for, **E2557 (04.12)**

Duke viscometer
Viscosity and Yield of Vehicles and Varnishes by the Duke Viscometer, Test Method for, **D6606 (06.03)**

Dulas baseline diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Dumet wire
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**

Dummy cell
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

Dungaree fabrics
Women's Woven Coverall, Dungaree, Overall, and Shop Coat Fabrics, Performance Specification for, **D4118 (07.01)**
Zippers for Dungarees, Jeans and Work Trousers, Performance Specification for, **D4465 (07.02)**

Dunnet's multiple comparisons test
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**

Duo-trio test
Sensory Analysis—Duo-Trio Test, Test Method for, **E2610 (15.08)**

Duplex alloy steel tube
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**

Duplex base-metal thermocouple wire
Sa **Thermocouples**
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**

Duplex grain structures
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**

Duplex stainless steel
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**
Detecting Detrimental Phases in Lean Duplex Austenitic/Ferritic Stainless Steels, Test Method for, **A1084 (01.03)**
High Strength Precipitation Hardening and Duplex Stainless Steel Bolting for Special Purpose Applications, Specification for, **A1082/A1082M (01.01)**
Natural Muscovite Block Mica and Thins Based on Visual Quality, Classification for, **D351 (10.01)**
Stainless Steel Forgings, Ferritic/Austenitic (Duplex), for Pressure Vessels and Related Components, Specification for, **A1049/A1049M (01.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Duplex stainless steel—specifications
Castings, Austenitic-Ferritic (Duplex) Stainless Steel, for Pressure-Containing Parts, Specification for, **A995/A995M (01.02)**
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, Specification for, **A928/A928M (01.01)**
General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, Specification for, **A1016/A1016M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A790/A790M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, Specification for, **A789/A789M (01.01)**
Duplex strainers
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Duplex wire gage
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Duplication
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**
Duplicator paper
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**
Dupont flexing machine
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**
Durability
Conditioning Flexible Barrier Materials for Flex Durability, Practice for, **F392/F392M (15.10)**
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Determining Enamel Holdout, Test Method for, **D7786 (06.02)**
Evaluating Thermal Insulation Materials for Use in Solar Collectors, Practice for, **E861 (12.02)**
Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, Practice for, **G151 (14.04)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
Limiting Water-Induced Damage to Buildings, Guide for, **E241 (04.11)**
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Using a 1.707-m 67.23-in. Diameter Laboratory Test Roadwheel in Testing Tires, Practice for, **F551/F551M (09.02)**
Durability—adhesives
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Determining Durability of Adhesive Joints Stressed in Shear by Tension Loading, Test Method for, **D2919 (15.06)**
Durability Assessment of Adhesive Joints Stressed in Peel, Test Method for, **D2918 (15.06)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**
Durability—building materials/applications
Binder Durability of Cork Composition Gasket Materials, Test Method for, **F148 (09.02)**
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Conducting Tests on Sealants Using Artificial Weathering Apparatus, Practice for, **C1442 (04.07)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, Test Method for, **C1519 (04.07)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, Test Method for, **C1262 (04.05)**
Inventory Verification: Electronic and Physical Inventory of Assets, Practice for, **E2132 (04.12)**
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**
Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, Test Method for, **C1243 (15.02)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Durability, Guide for, **E2136 (04.12)**
Wall Covering by Use Characteristics, Classification of, **F793 (15.11)**
Durability—coatings
Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2240 (04.12)**
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**
Assessing the Durability of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Methods for, **E2141 (04.12)**
Durability—consumer products
Durability of Finish of Zippers to Drycleaning, Test Method for, **D2058 (07.01)**
Durability of Finish of Zippers to Laundering, Test Method for, **D2051 (07.01)**
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Motor Life Evaluation of an Upright Vacuum Cleaner, Test Method for, **F555 (15.08)**
Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, Practice for, **D6962 (07.02)**
Durability—paints/related materials
Comparison of the Brush Drag of Latex Paints, Test Method for, **D4958 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Conducting Exterior Exposure Tests of Paints on Wood, Practice for, **D1006/D1006M (06.01)**
Evaluating Degree of Flaking (Scaling) of Exterior Paints, Test Method for, **D772 (06.01)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**

Durability—paving materials/applications
Aggregate Durability Index, Test Method for, **D3744/D3744M (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**

Durability—sealants
Durability of Sealants Exposed to Continuous Immersion in Liquids, Test Method for, **C1247 (04.07)**
Durability Testing of Duct Sealants, Test Method for, **E2342 (04.12)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, Test Method for, **C1519 (04.07)**
Evaluating Failure of Structural Sealant Glazing, Guide for, **C1392 (04.07)**
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**

Durability—soil/rock/related materials
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**
Slake Durability of Shales and Similar Weak Rocks, Test Method for, **D4644 (04.08)**

Durability—vacuum cleaner equipment
Life Evaluation of a Turbine-Powered Nozzle for Household Central Vacuum Cleaning Systems, Test Method for, **F1692 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle, Test Method for, **F922 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle for Central Vacuum Cleaning Systems, Test Method for, **F1601 (15.08)**
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**

Durability testing
in vitro Pulsatile Durability Testing of Vascular Stents, Test Methods for, **F2477 (13.01)**

Duration of load
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**

Durometer hardness
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Composite Foam Hardness-Durometer Hardness, Test Method for, **F1957 (15.07)**
Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F477 (08.04)**
Indentation Hardness of Elastomeric-Type Sealants by Means of a Durometer, Test Method for, **C661 (04.07)**
Rubber Property—Durometer Hardness, Test Method for, **D2240 (09.01)**
Type A Durometer Hardness Testing of Road Marking Thermoplastic at Elevated Temperatures, Test Method for, **D7735 (06.02)**

Durov water-classification diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Dust
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Collection and Measurement of Dustfall (Settleable Particulate Matter), Test Method for, **D1739 (11.07)**
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Collection of Surface Dust by Micro-vacuum Sampling for Subsequent Metals Determination, Practice for, **D7144 (11.07)**
Commercial Use of Lime Kiln Dusts and Portland Cement Kiln Dusts, Guide for, **D5050 (11.04)**
Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, Practice for, **E2625 (11.03)**
Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), Test Method for, **D6331 (11.07)**
Dust Control Material on Calcined Petroleum Coke, Test Method for, **D4930 (05.02)**
Evaluating Asbestos in Dust on Surfaces by Comparison Between Two Environments, Guide for, **D7390 (11.07)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Hot-Surface Ignition Temperature of Dust Layers, Test Method for, **E2021 (14.02)**
Measurement of Fines and Dust Particles on Plastic Pellets by Wet Analysis, Test Method for, **D7486 (08.03)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Respirable Dust in Workplace Atmospheres Using Cyclone Samplers, Test Method for, **D4532 (11.07)**
Separation of Beryllium from Other Metals in Digestion and Extraction Solutions from Workplace Dust Samples, Practice for, **D7441 (11.07)**
Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, Practice for, **E1979 (04.11)**

Dust-and-fog tracking
Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, Test Method for, **D2132 (10.01)**

Dust clouds
Limiting Oxygen (Oxidant) Concentration of Combustible Dust Clouds, Test Method for, **E2931 (14.02)**
Minimum Autoignition Temperature of Dust Clouds, Test Method for, **E1491 (14.02)**
Minimum Ignition Energy of a Dust Cloud in Air, Test Method for, **E2019 (14.02)**

Dust control
Calcium Chloride, Specification for, **D98 (04.03)**

Dust-controlled areas
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Sizing and Counting Airborne Particulate Contamination in Cleanrooms and Other Dust-Controlled Areas, Test Method for, **F25/F25M (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**

Dust erosion
Dust Erosion Resistance of Optical and Infrared Transparent Materials and Coatings, Test Method for, **F1864 (15.03)**

Dust ignition/explosion
Explosibility of Dust Clouds, Test Method for, **E1226 (14.02)**
Minimum Autoignition Temperature of Dust Clouds, Test Method for, **E1491 (14.02)**
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**
Minimum Ignition Energy of a Dust Cloud in Air, Test Method for, **E2019 (14.02)**

Dusting
Determining Toner Usage, Efficiency, and Dusting Nonheat Fixing Copiers Using Single-Component Toner Systems, Practice for, **F685 (15.09)**
Dusting Attrition of Granular Activated Carbon, Guide for, **D5159 (15.01)**
Limestone for Dusting of Coal Mines, Specification for, **C737 (04.01)**
Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, Test Method for, **D4573 (09.01)**

Dust layers
Hot-Surface Ignition Temperature of Dust Layers, Test Method for, **E2021 (14.02)**

Dust propensity
Acoustically Absorptive Materials Applied by Trowel or Spray, Classification for, **E1042 (04.06)**

Dust ruffles
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**

Dust wipe samples
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Wipe Sampling Materials for Lead in Surface Dust, Specification for, **E1792 (04.11)**

Dutch doors (ships)
See **Shipbuilding steel materials (doors)**

Dutchman rack
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**

Dutch white
See **Basic carbonate white lead pigment**

DVPE (dry vapor pressure equivalent)
Sampling and Handling of Fuels for Volatility Measurement, Practice for, **D5842 (05.02)**

Dwell test
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Vibration (Vertical Linear Motion) Test of Products, Test Methods for, **D3580 (15.10)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**

DWV pipe/tube
Sa **Drain/waste/vent (DWV)**
Installing Plastic DWV Piping Suspended from On-Grade Slabs, Guide for, **F2536 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent (DWV) Pipe and Fittings Having Post-Industrial Recycle Content, Specification for, **F2390 (08.04)**

Dyckerhoff apparatus
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**

Dyed aviation gasolines
Color of Dyed Aviation Gasolines, Test Method for, **D2392 (05.01)**

Dyed diesel fuel
Determination of Solvent Red 164 Dye Concentration in Diesel Fuels, Test Method for, **D6258 (05.03)**

Dyeing behavior
Differential Dyeing Behavior of Cotton, Practice for, **D1464 (07.01)**

Dye leak test
Detecting Leaks in Nonporous Packaging or Flexible Barrier Materials by Dye Penetration, Test Method for, **F3039 (15.10)**
Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, Practices for, **D3923 (11.02)**

Dye penetrant inspection
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Detecting Seal Leaks in Porous Medical Packaging by Dye Penetration, Test Method for, **F1929 (15.10)**
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Porosity in Vitreous Whitewares by Dye Penetration, Test Method for, **C949 (15.02)**
Vitrified Ceramic Materials for Electrical Applications, Test Methods for, **D116 (15.02)**

Dye tracers
Integrity Testing of Water Filtration Membrane Systems, Practice for, **D6908 (11.02)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**

Dye transfer
Evaluating Color Transfer or Color Loss of Dyed Fabrics in Laundering (Not Suitable for Detergent or Washing Machine Rankings), Guide for, **D5548 (15.04)**

Dynamic adsorption capacity (N_o)
Gas-Phase Adsorption Testing of Activated Carbon, Guide for, **D5160 (15.01)**

Dynamic air permeability
Determining Dynamic Air Permeability of Inflatable Restraint Fabrics, Test Method for, **D6476 (07.02)**

Dynamic analysis—pressure testing
See **Pressure testing**

Dynamic analysis/testing
Determination of Isothermal Secant and Tangent Bulk Modulus, Test Method for, **D6793 (05.03)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Determining the Antimicrobial Activity of Antimicrobial Agents Under Dynamic Contact Conditions, Test Method for, **E2149 (11.05)**
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F1717 (13.01)**
Testing Systems for Measuring Dynamic Responses of Carbon

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Water Vapor Transmission Rate of Sheet Materials Using Dynamic Relative Humidity Measurement, Test Method for, **E398 (15.10)**

Dynamic ball (pendulum) burst test
Pendulum Impact Resistance of Plastic Film, Test Method for, **D3420 (08.02)**

Dynamic bulk density
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**

Dynamic chamber testing
Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**

Dynamic characteristics/performance
Measuring the Dynamic Characteristics of Amusement Rides and Devices, Practice for, **F2137 (15.07)**
Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, Guide for, **E1653 (03.06)**

Dynamic coefficient of friction
See **Coefficient of friction (COF)**

Dynamic cone penetrometer (DCP)
Soil Compaction Determination at Shallow Depths Using 5-lb (2.3 kg) Dynamic Cone Penetrometer, Test Method for, **D7380 (04.09)**
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**

Dynamic cycling fatigue
See **Fatigue**

Dynamic deflection ("Dynaflect")
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**

Dynamic elastic properties
Sa **Modulus of elasticity**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**

Dynamic fatigue
Flexural Fatigue Properties of Plastics, Test Method for, **D7774 (08.03)**
Rubber Deterioration—Crack Growth, Test Method for, **D813 (09.01)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**

Dynamic fiber cohesion
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**

Dynamic friction tester
Measuring Paved Surface Frictional Properties Using the Dynamic Friction Tester, Test Method for, **E1911 (04.03)**

Dynamic headspace analysis
Sa **Headspace analysis**
Purgeable Organic Compounds in Water Using Headspace Sampling, Test Method for, **D3871 (11.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**

Dynamic holdup
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**

Dynamic load tests
Determining Compressive Resistance of Shipping Containers, Components, and Unit Loads, Test Method for, **D642 (15.10)**
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**

Dynamic mechanical analysis (DMA)
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Glass Transition Temperature (DMA Tg) of Polymer Matrix Composites by Dynamic Mechanical Analysis (DMA), Test Method for, **D7028 (15.03)**
Loss Modulus Conformance of Dynamic Mechanical Analyzers, Test Method for, **E2425 (14.02)**
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Storage Modulus Calibration of Dynamic Mechanical Analyzers, Test Method for, **E2254 (14.02)**
Temperature Calibration of Dynamic Mechanical Analyzers, Test Method for, **E1867 (14.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Dynamic mechanical analysis (DMA)—plastics
Plastics: Dynamic Mechanical Properties, Terminology for, **D4092 (08.02)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Plastics: Dynamic Mechanical Properties: In Torsion, Test Method for, **D5279 (08.03)**

Dynamic mechanical analysis (DMA)—roofing materials
Dynamic Mechanical Analysis and Thermogravimetry of Roofing and Waterproofing Membrane Material, Practice for, **D6382/D6382M (04.04)**

Dynamic modulus
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**

Dynamic moisture permeation cell
Water Vapor Diffusion Resistance and Air Flow Resistance of Clothing Materials Using the Dynamic Moisture Permeation Cell, Test Methods for, **F2298 (11.03)**

Dynamic performance
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**
Evaluating the Performance of Inflatable Restraint Modules, Practice for, **D5428 (07.02)**

Dynamic puncture resistance
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**

Dynamic range
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**

Dynamic range resolution
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**

Dynamic shaker method
Evaluation of Physical Compatibility of Pesticides in Aqueous Tank Mixtures by the Dynamic Shaker Method, Practice for, **E1518 (11.05)**

Dynamic shear rheometer
Asphalt Used in Roofing Measured by Dynamic Shear Rheometer, Specification for, **D7654/D7654M (04.04)**
Determining the Complex Shear Modulus (G*) Of Bituminous

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mixtures Using Dynamic Shear Rheometer, Test Method for, **D7552 (04.03)**
Dynamic shock characteristics
Dynamic Shock Cushioning Characteristics of Packaging Material, Test Method for, **D1596 (15.10)**
Dynamic solvent systems
Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, Test Method for, **D5256 (11.02)**
Dynamic stiffness
Evaluating the Condition of Concrete Plates Using the Impulse-Response Method, Practice for, **C1740 (04.02)**
Dynamic strain testing
See **Strain testing—metallic materials**
Dynamic strength retention
Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear, Test Methods for, **F1446 (15.07)**
Dynamic surface tension
Dynamic Surface Tension by the Fast-Bubble Technique, Test Method for, **D3825 (05.02)**
Dynamic tear (DT) testing
Dynamic Tear Testing of Metallic Materials, Test Method for, **E604 (03.01)**
Dynamic thermal response
Determining Dynamic Thermal Response of Direct Thermal Paper-Label Printer Method, Test Method for, **F1444 (15.09)**
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, Test Method for, **F1943 (15.09)**
Dynamic tire forces
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Dynamic Triange Olfactometry
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Dynamic verification data
Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, Practice for, **E467 (03.01)**
Dynamic viscosity
Sa **Viscosity**
Determination of Dynamic Viscosity and Derived Kinematic Viscosity of Liquids by Oscillating Piston Viscometer, Test Method for, **D7483 (05.04)**
Dynamic Viscosity and Density of Liquids by Stabinger Viscometer (and the Calculation of Kinematic Viscosity), Test Method for, **D7042 (05.04)**
Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity), Test Method for, **D445 (05.01)**
Dynamic water absorption
Sa **Water absorption**
Determination of Dynamic Water Absorption of Leather Surfaces, Test Method for, **D6014 (15.04)**
Dynamic water resistance
Dynamic Water Resistance of Shoe Upper Leather by the Dow Corning Leather Tester, Test Method for, **D2098 (15.04)**
Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, Test Method for, **D2099 (15.04)**
Dynamic wet condition testing
Determination of Corrosion-Preventive Properties of Lubricating Greases Under Dynamic Wet Conditions (Emcor Test), Test Method for, **D6138 (05.03)**
Dynamic Young's modulus
Sa **Young's modulus**
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Test Method for, **C1548 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Impulse Excitation of Vibration, Test Method for, **E1876 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Sonic Resonance, Test Method for, **E1875 (03.01)**
Dynamometer testing
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, Test Method for, **C1028 (15.02)**
Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D6201 (05.03)**
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, Practice for, **E467 (03.01)**

E

EAA (ethyl-alcohol-aromatic) trap
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**
EAC (environmentally assisted cracking)
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**
Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, Practice for, **G129 (03.02)**
EAI (endoscopic accessory instrument)
Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, Practice for, **F1992 (13.01)**
Ear
Infrared Thermometers for Intermittent Determination of Patient Temperature, Specification for, **E1965 (13.01)**
Early action
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**
Early-age strength
Accelerated Curing of Concrete Cylinders, Practice for, **C1768/C1768M (04.02)**
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**
Early life-stage toxicity
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Early load
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Early staining
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Early stiffening
Early Stiffening of Hydraulic Cement (Mortar Method), Test Method for, **C359 (04.01)**
Early Stiffening of Hydraulic Cement (Paste Method), Test Method for, **C451 (04.01)**
Earth
Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), Test Method for, **E337 (11.07)**
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**
Earth coverings
Electrical Methods for Locating Leaks in Geomembranes Covered with Water or Earth Materials, Practices for, **D7007 (04.13)**
Earth embankments
See **Embankments**
Earthen building systems
Design of Earthen Wall Building Systems, Guide for, **E2392/E2392M (04.12)**
Earthen channels
Determination of Temporary Ditch Check Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D7208 (04.09)**
Earth pigments
See **Sienna (burnt and raw) pigments**
See **Umber (burnt and raw)**
Earthquakes
Probable Maximum Loss (PML) Evaluations for Earthquake Due-Diligence Assessments, Practice for, **E2557 (04.12)**
Seismic Risk Assessment of Buildings, Guide for, **E2026 (04.11)**
Earthwork
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**
Earthworms
Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, Guide for, **E1676 (11.06)**
Ease of brushing
Comparison of the Brush Drag of Latex Paints, Test Method for, **D4958 (06.02)**
Eastern oyster
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
E bar
Calculation of Average Energy Per Disintegration ($\bar{E}$) for a Mixture of Radionuclides in Reactor Coolant, Practice for, **D5411 (11.02)**
EBC (equivalent boron contents)
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determining Equivalent Boron Contents of Nuclear Materials, Practice for, **C1233 (12.01)**
EBS (engineered barrier system)
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Ebulliometer
Vapor Pressure of Liquids by Ebulliometry, Test Method for, **E1719 (14.02)**
EC50 test
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
ECA (Engineering Critical Assessment)
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**
ECB (ethanol-chlorobenzene)
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
ECBs (erosion control blankets)
Sa **Erosion control materials/applications**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Measuring Mass Per Unit Area of Erosion Control Blankets, Test Method for, **D6475 (04.09)**
Eccentric center wheel wet film thickness gage
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Eccentric force application
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Eccentricity
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Eccrine gland
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Echinoid
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Echo sounding equipment
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**
Ecological considerations
Sa **Resource recovery**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fish and Wildlife Incident Monitoring and Reporting, Guide for, **E1849 (11.06)**
Sampling Zooplankton with a Clarke-Bumpus Plankton Sampler, Practice for, **E1199 (11.02)**
Sampling Zooplankton with Pumps, Practice for, **E1198 (11.02)**
Selecting and Using Ecological Endpoints for Contaminated Sites, Guide for, **E1848 (11.05)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**

Ecological risk assessment (ECO-RBCA)
Sa **Risk-based corrective action (RBCA)**
Data and Information Options for Conducting an Ecological Risk Assessment at Contaminated Sites, Guide for, **E2020 (11.05)**
Determining Net Environmental Benefit of Dispersant Use, Guide for, **F2532 (11.05)**
Risk-Based Corrective Action for Protection of Ecological Resources, Guide for, **E2205/E2205M (11.05)**

Economic analysis/evaluation (of buildings)
See **Building economics**

Economic evaluation methods
Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, Guide for, **E2506 (04.12)**
Estimating Monetary Costs and Liabilities for Environmental Matters, Guide for, **E2137 (11.05)**

Ecotoxicity
Biodegradability and Ecotoxicity of Lubricants, Terminology Relating to, **D6384 (05.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Exposing and Testing Plastics that Degrade in the Environment by a Combination of Oxidation and Biodegradation, Guide for, **D6954 (08.03)**
Hydraulic Fluids for Environmental Impact, Classification of, **D6046 (05.02)**

EC test
See **Electrodeposited coatings**

ECTFE (ethylene-chlorotrifluoroethylene)
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
E-CTFE-Fluoroplastic Molding, Extrusion, and Coating Materials, Classification System for, **D3275 (08.02)**

EDB
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**

Eddy current examination
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Eddy Current (EC) Test Methods, Practice for, **E2934 (03.03)**
Eddy Current Testing of Electrically Conducting Materials Using Conformable Sensor Arrays, Guide for, **E2884 (03.03)**
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes, Practice for, **E243 (03.03)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Electromagnetic (Eddy Current) Sorting of Ferrous Metals, Practice for, **E566 (03.03)**
Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, Practice for, **E703 (03.03)**
Electromagnetic (Eddy-Current) Examination of Copper Redraw Rod for Electrical Purposes, Practice for, **E1606 (03.03)**
Electromagnetic (Eddy-Current) Examination of Nickel and Nickel Alloy Tubular Products, Practice for, **E571 (03.03)**
Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, Practice for, **E426 (03.03)**
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
In Situ Electromagnetic (Eddy-Current) Examination of Nonmagnetic Heat Exchanger Tubes, Practice for, **E690 (03.03)**
In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, Practice for, **E2096/E2096M (03.03)**
Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, Test Method for, **B244 (02.05)**
Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Standardizing Equipment for Electromagnetic Testing of Seamless Aluminum-Alloy Tube, Practice for, **E215 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**

Eddy current probes
Characterization of Coatings Using Conformable Eddy-Current Sensors without Coating Reference Standards, Practice for, **E2338 (03.03)**
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**

ED/EDXA methods
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**

Edge binding components
Evaluate Edge Binding Components Used in Mattresses After Exposure to An Open Flame, Test Method to, **D7016/D7016M (07.02)**

Edge burning test
Adhesives for Duct Thermal Insulation, Specification for, **C916 (04.06)**

Edgecard connector
Presence of Foreign Matter on Printed Wiring Board Contacts, Test Method for, **B885 (02.04)**

Edge cleaning
Evaluating Edge Cleaning Effectiveness of Vacuum Cleaners, Test Method for, **F2797 (15.08)**

Edgecomb resistance
Determining the Edgecomb Resistance of Woven Fabrics Used in Inflatable Restraints, Test Method for, **D6479 (07.02)**

Edge coverage
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**

Edge cracking
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**

Edge definition
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Edge distance
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Edge drain
Geocomposites for Pavement Edge Drains and Other High-Flow Applications, Specification for, **D7001 (04.13)**
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Edge flaws
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Edge hardness
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Edge performance
Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, Test Method for, **D2065 (06.02)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Edge profiling
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Edge ravel strength
Edge Ravel Resistance of Finished Loop Pile, Pile Yarn Floor Covering, Test Method for, **D7267 (07.02)**
Edge response function
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Edge seal/sealant
Secondary Edge Sealants for Structurally Glazed Insulating Glass Units, Specification for, **C1369 (04.07)**
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**
Edge sharpening
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Edge straightness
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Edge/surface stress
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Edge taper
Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, Test Method for, **A971/A971M (03.04)**
Edge trim
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**
Edge warpage
See **Warpage**
Edgewise compressive strength
Sa **Compression testing**
Edgewise Compressive Strength of Sandwich Constructions, Test Method for, **C364/C364M (15.03)**
Edible oils/fats
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**
Edible vegetable oils
Bulk Sampling, Handling, and Preparing Edible Vegetable Oils for Sensory Evaluation, Practice for, **E1346 (15.08)**
Editorial procedures
Editorial Procedures and Form of Product Specifications for Copper and Copper Alloys, Guide for, **B950 (02.01)**
Editorial Procedures and Form of Product Specifications for Steel, Stainless Steel, and Related Alloys, Guide for, **A994 (01.01)**
EDM (electronic distance measurement)
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**
EDS (energy-dispersive spectroscopy)
See **Energy-dispersive spectroscopy (EDS)**
EDTA method
Calcium or Zinc in Paint Driers by EDTA Method, Test Method for, **D2613 (06.01)**
Determination of Cobalt in Paint Driers by EDTA Method, Test Method for, **D2373 (06.01)**
Determination of Zinc in Zinc Ores and Concentrates by EDTA Complexometric Titrimetry, Test Method for, **E945 (03.05)**
Ethylene Diamine Tetraacetate (EDTA) in Soaps or Synthetic Detergents, Test Method for, **D1767 (15.04)**
Hardness in Water, Test Method for, **D1126 (11.01)**
Iron in Paint Driers by EDTA Method, Test Method for, **D3804 (06.01)**
Lead in Paint Driers by EDTA Method, Test Method for, **D2374 (06.01)**
Manganese in Paint Driers by EDTA Method, Test Method for, **D2375 (06.01)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Total Rare Earth Metals in Paint Driers by EDTA Method, Test Method for, **D3989 (06.01)**
Vanadium in Paint Driers by EDTA Method, Test Method for, **D3988 (06.01)**
Zirconium in Paint Driers by EDTA Method, Test Method for, **D3969 (06.01)**
Education requirements
Qualification and Training of EMS Air Medical Patient Care Providers, Guide for, **F1229 (13.02)**
EDX processing
See **SEM/EDX processing**
EDXRF
Sa **Energy-dispersive x-ray fluorescence (EDXRF)**
Determination of Lead in Paint Layers and Similar Coatings or in Substrates and Homogenous Materials by Energy Dispersive X-Ray Fluorescence Spectrometry Using Multiple Monochromatic Excitation Beams, Test Method for, **F2853 (10.04)**
Determination of Zirconium Treatment Weight or Thickness on Metal Substrates by X-Ray Fluorescence, Test Method for, **D7639 (06.02)**
Identification and Quantification of Chromium, Bromine, Cadmium, Mercury, and Lead in Polymeric Material Using Energy Dispersive X-ray Spectrometry, Test Method for, **F2617 (10.04)**
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**
Effective angle of friction
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**
Effective average temperature
Selection of Time-Temperature Indicators, Guide for, **F1416 (15.10)**
Effective carbon number
Analysis of Cyclohexane by Gas Chromatography (Effective Carbon Number), Test Method for, **D7871 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and Effective Carbon Number, Test Method for, **D7504 (06.04)**
Effective case depth
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Effective dosage range
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including In-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

sects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**

Effective elastic parameter (E_{eff})
Determining the Effective Elastic Parameter for X-Ray Diffraction Measurements of Residual Stress, Test Method for, **E1426 (03.01)**

Effective equivalent weight
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**

Effective focal spot size
Measurement of the Effective Focal Spot Size of Mini and Micro Focus X-ray Tubes, Test Method for, **E2903 (03.03)**

Effective heat of combustion
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**

Effectiveness testing
Determination of Effectiveness of Cleaning Processes for Reusable Medical Instruments Using a Microbiologic Method (Simulated Use Test), Test Method for, **E2314 (11.05)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, Test Method for, **E1517 (11.05)**
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Effectiveness of Aerosol and Pressurized Space Spray Insecticides Against Flying Insects, Test Method for, **E653 (11.05)**
Effectiveness of Aerosol and Pressurized Spray Insecticides Against Cockroaches, Test Method for, **E654 (11.05)**
Effectiveness of Defoaming Agents, Test Method for, **E2407 (11.05)**
Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Adult Human Lice, Test Method for, **E938/E938M (11.05)**
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**
Effects of Cleaners on Unpainted Aircraft Surfaces, Practice for, **F485 (15.03)**
Effects of Cleaning and Chemical Maintenance Materials on Painted Aircraft Surfaces, Test Method for, **F502 (15.03)**
Estimating Oil Spill Recovery System Effectiveness, Guide for, **F1780 (11.05)**
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Evaluation of Inactivators of Antimicrobial Agents, Test Methods for, **E1054 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, Test Method for, **E2179 (04.06)**
Laboratory Oil Spill Dispersant Effectiveness Using the Swirling Flask, Test Method for, **F2059 (11.05)**
Litter-Cleaning Effectiveness of Vacuum Cleaners, Test Method for, **F2609 (15.08)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**
Serviceability of an Office Facility for Meetings and Group Effectiveness, Classification for, **E1661 (04.11)**

Effective positive phase duration
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**

Effective solids
Magnet-Wire Enamels, Test Methods for, **D3288/D3288M (10.02)**

Effective specific heat
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**

Effective surface analysis
Sa **Surface analysis—electronic components/devices**
Evaluating the Effective Surface Area of Zinc Oxide in Rubber, Test Method for, **D4620 (09.01)**

Effective thermal conductivity
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**

Effective thermal property (k_{pc})
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**

Effective yield locus
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**

Efficacy
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Efficacy of Fungal Control Agents as Preservatives for Aqueous-Based Products Used in the Paper Industry, Test Method for, **E875 (11.05)**
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**
Evaluating Disinfectant Efficacy Against, Test Method for, **E2871 (11.05)**
Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), Practice for, **E723 (11.05)**
Evaluation of Microbicides Used in Cooling Water Systems, Practice for, **E645 (11.05)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**
Nonresidual Liquid Household Insecticides Against Flying Insects, Test Method for, **E652 (11.05)**
Testing Disinfectant Efficacy against, Test Method for, **E2799 (11.05)**

Efficiency
Determining Initial, Fractional, Filtration Efficiency of a Vacuum Cleaner System, Test Method for, **F1977 (15.08)**
Determining the Effect of Fluid Selection on Hydraulic System or Component Efficiency, Practice for, **D7721 (05.04)**
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Evaluating the Efficiency of Chemical Removers for Organic Coatings, Practice for, **D6189 (06.02)**
Laboratory Requirements Necessary to Test Commercial Cooking and Warming Appliances to ASTM Test Methods, Guide for, **F2875 (15.12)**
Manufacturing Characterization of Digital Detector Arrays, Prac-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tice for, **E2597/E2597M (03.03)**
Performance of Commercial Patio Heaters, Test Method for, **F2644 (15.12)**
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Use of Modeling for Passive Gamma Measurements, Guide for, **C1726/C1726M (12.01)**

Efflorescence
Evaluating Accelerated Efflorescence of Latex Coatings, Practice for, **D7072 (06.02)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Reduction of Efflorescence Potential in New Masonry Walls, Guide for, **C1400 (04.05)**
Reduction of Efflorescence Potential in New Unit Pavement Systems, Guide for, **C1791 (04.05)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**

Effluent gas streams
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**

Effluent reservoir
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**

Effluents
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Determining the Performance of Oil/Water Separators Subjected to a Sudden Release, Practice for, **D6157 (11.02)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, Practice for, **D4188 (11.01)**
Sampling and Determination of Hydrogen Cyanide (HCN) in Combustion Effluents and Other Stationary Sources, Practice for, **D7295 (11.07)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**

Efflux—hydraulic cement grout
Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), Test Method for, **C939 (04.02)**

Efflux cups
Viscosity of Paints and Related Materials by ISO Flow Cups, Test Method for, **D5125 (06.01)**

Efflux time
Saybolt Viscosity, Test Method for, **D88 (04.04)**

Effusion cell
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**

EGP (evolved gas profile)
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**

EGR (exhaust gas recirculation) test
Cummins ISM Test, Test Method for, **D7468 (05.04)**
Cummins M11 EGR Test, Test Method for, **D6975 (05.04)**

EH (electric shock resistance)
Foot Protection, Test Methods for, **F2412 (15.07)**

EHRS (electronic health record system)
Sa **Electronic health record (EHR)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Rating-Scale Measures Relevant to the Electronic Health Record, Practice for, **E2171 (14.01)**

EIFS (exterior insulation/finish systems)
Application of Class PB Exterior Insulation and Finish Systems (EIFS) and EIFS with Drainage, Practice for, **C1397 (04.01)**
Application of Direct-Applied Exterior Finish Systems, Practice for, **C1516 (04.01)**
Application of Exterior Insulation and Finish Systems Class PI, Practice for, **C1535 (04.01)**
Detailing of EIFS-Clad Wall Assemblies, Guide for, **E2511 (04.12)**
Determining Tensile Adhesion Properties of Sealants When Used in Exterior Insulation and Finish Systems (EIFS) Joints, Test Method for, **C1382 (04.07)**
Determining the Drainage Efficiency of Exterior Insulation and Finish Systems (EIFS) Clad Wall Assemblies, Test Method for, **E2273 (04.12)**
Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS), Test Method for, **E2134/E2134M (04.12)**
Expanded Polystyrene ("EPS") Thermal Insulation Boards for Use in Exterior Insulation and Finish Systems ("EIFS"), Specification For, **E2430/E2430M (04.12)**
Exterior Insulation and Finish Systems (EIFS), Terminology for, **E2110 (04.11)**
Freeze/Thaw Resistance of Exterior Insulation and Finish Systems (EIFS) and Water Resistive Barrier Coatings, Test Method for, **E2485/E2485M (04.12)**
Impact Resistance of Class PB and PI Exterior Insulation and Finish Systems (EIFS), Test Method for, **E2486/E2486M (04.12)**
Use of Joint Sealants with Exterior Insulation and Finish Systems (EIFS), Guide for, **C1481 (04.07)**

Eight-contact semiconductor specimens
Sa **Conductance and conductivity (electrical)**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**

Eighth bend
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**

EIQS (equivalent image quality sensitivity)
Determining Relative Image Quality of Industrial Radiographic Film Exposed to X-Radiation from 4 to 25 MeV, Test Method for, **E1735 (03.03)**

EIS (electrochemical impedance spectroscopy)
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**

Eisenia foetida
Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, Guide for, **E1676 (11.06)**

Elapsed time calibration
Elapsed Time Calibration of Thermal Analyzers, Test Method for, **E1860 (14.02)**

Elastic constants
Laboratory Determination of Pulse Velocities and Ultrasonic Elastic Constants of Rock, Test Method for, **D2845 (04.08)**

Elastic deformation
Sa **Deformation**
Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**

Elastic extension
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Elastic fabric
Elongation of Narrow Elastic Fabrics (Static-Load Testing), Test Method for, **D5278/D5278M (07.02)**
Elasticity
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Elastic modulus
Sa **Modulus of elasticity**
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, Guide for, **D5858 (04.03)**
Compressive Strength and Elastic Moduli of Intact Rock Core Specimens under Varying States of Stress and Temperatures, Test Methods for, **D7012 (04.09)**
Elastic Modulus by Thermomechanical Analysis Using Three-Point Bending and Controlled Rate of Loading, Test Method for, **E2769 (14.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**
Thermostat Metal Sheet and Strip, Specification for, **B388 (02.04)**
Through-Thickness "Flatwise" Tensile Strength and Elastic Modulus of a Fiber-Reinforced Polymer Matrix Composite Material, Test Method for, **D7291/D7291M (15.03)**
Elastic peak analysis
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Elastic-plastic fracture toughness
Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions, Test Method for, **E2472 (03.01)**
Measurement of Fracture Toughness, Test Method for, **E1820 (03.01)**
Elastic properties
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2731 (07.01)**
Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts, Practice for, **E2534 (03.03)**
Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**
Elastic ratio
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Elastic recovery
Elastic Recovery of Asphalt Materials by Ductilometer, Test Method for, **D6084/D6084M (04.03)**
Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**
Elastic strain
Preparation and Use of Bent-Beam Stress-Corrosion Test Specimens, Practice for, **G39 (03.02)**
Elastic strain preload (ESP)
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Elastic travel
Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, Practice for, **F1063 (15.07)**
Elastomeric geomembranes
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**
Elastomeric joints
Sa **Joint sealants (concrete)**
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**
Elastomeric materials/applications
Brittleness Temperature of Plastics and Elastomers by Impact, Test Method for, **D746 (08.01)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**
Elastomer Compatibility of Lubricating Greases and Fluids, Test Method for, **D4289 (05.02)**
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Measurement of Web/Roller Friction Characteristics, Test Method for, **G143 (03.02)**
Physical Dimensions of Solid Plastics Specimens, Test Methods for, **D5947 (08.03)**
Polyurethane Raw Materials: Polyurethane Foam Cup Test, Practice for, **D7487 (08.03)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**
Elastomeric materials/applications—specifications
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Elastomeric Flexible Hinge Finger Total Joint Implants, Specification for, **F1781 (13.01)**
Flexible Cellular Rubber Chemically Blown, Specification for, **D6576 (08.03)**
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, Specification for, **D6909 (09.02)**
Liquid Applied Acrylic Coating Used in Roofing, Specification for, **D6083 (04.04)**
Lock-Strip Gaskets, Specification for, **C542 (04.07)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 C Operation, Specification for, **D4246 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, Specification for, **D4245 (10.02)**
Plain and Steel-Laminated Elastomeric Bearings for Bridges, Specification for, **D4014 (04.03)**
Elastomeric pad method
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Elastomeric Pad, Test Method for, **D3514/D3514M (07.01)**
Elastomeric roofing membranes
See **Roofing membranes—specifications**
Elastomeric rubber materials
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers, Test Method for, **D624 (09.01)**
Thermoplastic Elastomers—Terminology and Abbreviations, Practice for, **D5538 (09.01)**

Elastomeric seals/sealants
Sa **Sealants**
Adhesion and Cohesion of One-Part Elastomeric Solvent Release Sealants, Test Method for, **C1216/C1216M (04.07)**
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Assembly Force of Plastic Underground Conduit Joints That Use Flexible Elastomeric Seals Located in the Bell, Test Method for, **F1429 (08.04)**
Bond and Cohesion of One-Part Elastomeric Solvent Release-Type Sealants, Test Method for, **C910 (04.07)**
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Determining Automotive Engine Oil Compatibility with Typical Seal Elastomers, Test Method for, **D7216 (05.04)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Extrusion Rate of Elastomeric Sealants, Test Method for, **C1183/C1183M (04.07)**
Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C711 (04.07)**
Measuring the Time Dependent Modulus of Sealants Using Stress Relaxation, Test Method for, **C1735 (04.07)**
Remedying Structural Silicone Glazing, Guide for, **C1487 (04.07)**
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**
Tack-Free Time of Elastomeric Sealants, Test Method for, **C679 (04.07)**
the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces, Guide for, **C1471 (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials, Test Method for, **C1083 (04.07)**

Elastomeric seals/sealants—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals, Specification for, **D4161 (08.03)**
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, Specification for, **E2203 (04.07)**
Elastomeric Cellular Preformed Gasket and Sealing, Specification for, **C509 (04.07)**
Elastomeric Joint Sealants, Specification for, **C920 (04.07)**
Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F477 (08.04)**
Elastomeric Seals for Joining Concrete Structures, Specification for, **C1619 (04.05)**
Elastomeric Strip Seals with Steel Locking Edge Rails Used in Expansion Joint Sealing, Specification for, **D5973 (04.03)**
Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals, Specification for, **D3212 (08.04)**
Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals, Specification for, **D3139 (08.04)**
Modified Stub ACME Thread Joint with Elastomeric Seal in Plastic Piping Components, Specification for, **F2768 (08.04)**
Precured Elastomeric Silicone Joint Sealants, Specification for, **C1518 (04.07)**
Preformed Architectural Compression Seals for Buildings and Parking Structures, Specification for, **E1612/E1612M (04.11)**
Preformed Polychloroprene Elastomeric Joint Seals for Bridges, Specification for, **D3542 (04.03)**
Structural Silicone Sealants, Specification for, **C1184 (04.07)**
Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F913 (08.04)**

Elastomeric waterproofing membranes
Nonvolatile Content of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1250 (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course, Guide for, **C898/C898M (04.04)**

Elastomeric waterproofing membranes—specifications
Sa **Roofing materials/applications**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane With Integral Wearing Surface, Specification for, **C957/C957M (04.04)**

Elastomeric yarns
Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2731 (07.01)**
Evaluation of Recoverable Stretch of Stretch Yarns (Skein Method), Test Method for, **D6720 (07.02)**
Linear Density of Elastomeric Yarns (Short Length Specimens), Test Method for, **D2591 (07.01)**
Linear Density of Elastomeric Yarns (Skein Specimens), Test Method for, **D6717 (07.02)**
Permanent Deformation of Elastomeric Yarns, Test Method for, **D3106 (07.01)**
Stretch Properties of Knitted Fabrics Having Low Power, Test Method for, **D2594 (07.01)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**
Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine), Test Method for, **D4964 (07.02)**

Elbow sockets (for plastic pipe)
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**

ELCD
See **Electrolytic conductivity detectors (ELCD)**

Electrical applications
Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, Specification for, **B941 (02.03)**
High Performance Tin-Coated Annealed Copper Wire Intended for Electrical and Electronic Application for Solderability, Specification for, **B965 (02.03)**
Inspection of Aircraft Electrical Wiring Systems, Practice for, **F2696 (15.11)**
Polytetrafluoroethylene–(PTFE) Coated Glass Fabric, Specification for, **D4969 (08.02)**

Electrical arcs
Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, Test Method for, **F2522 (10.03)**
Determining the Protective Performance of an Arc Protective

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Blanket for Electric Arc Hazards, Test Method for, **F2676 (10.03)**
Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards, Performance Specification for, **F1506 (10.03)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**

Electrical automatic fire detection/alarm systems
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Electrical breakdown
Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, Test Method for, **D6097 (10.02)**

Electrical capacitance technique
Leak Location using Geomembranes with an Insulating Layer in Intimate Contact with a Conductive Layer via Electrical Capacitance Technique (Conductive Geomembrane Spark Test), Practice for, **D7240 (04.13)**

Electrical circuitry
Design, Alteration, and Certification of Airplane Electrical Wiring Systems, Practice for, **F2639 (15.11)**
Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, Specification for, **B833 (02.04)**

Electrical coils/windings
Electrical Insulating Varnishes, Specification for, **D3955 (10.02)**

Electrical compliance
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**

Electrical component (varnish) coatings
See **Electrical insulating varnishes**

Electrical conductivity
Sa **Conductance and conductivity (electrical)**
Bulk Electrical Conductivity of Hardened Concrete, Test Method for, **C1760 (04.02)**
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, Practice for, **F1844 (10.04)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**

Electrical conductors
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Concentric-Lay-Stranded Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B978/B978M (02.03)**
Contact Closure Cycling of a Membrane Switch, Test Method for, **F1578 (10.04)**
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**
Determination of Tensile Strength by Mass Method for Stranded Conductors Intended for use in Electronic Application, Test Method for, **B986 (02.03)**
Evaluating Connectability Characteristics of Electrical Conductor Materials, Test Methods for, **B896 (02.04)**
Evaluation of Crimped Electrical Connections to 16-Gauge and Smaller Diameter Stranded and Solid Conductors, Test Method for, **B913 (02.04)**
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Ion-Selective Electrodes, Terminology Used with, **D4127 (11.01)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Nickel-Coated Braid and Ribbon Flat Copper Wire Intended for use in Electronic Application, Specification for, **B972 (02.03)**
Resistivity of Electrical Conductor Materials, Test Method for, **B193 (02.03)**
Rubber Property—Volume Resistivity Of Electrically Conductive and Antistatic Products, Test Method for, **D991 (09.01)**
Silver Coated Copper and Copper Alloy Stranded Conductors for Electronic Space Application, Specification for, **B961 (02.03)**
Silver-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, Specification for, **B971 (02.03)**
Standard Metric Sizes of Electrical Conductors, Specification for, **B682 (02.03)**
Tin-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, Specification for, **B973 (02.03)**
Uninsulated Metallic Electrical Conductors, Terminology Relating to, **B354 (02.03)**
Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), Specification for, **A801 (03.04)**

Electrical conductors (aluminum)
See **Aluminum electrical conductors—specifications**

Electrical conductors—ceramic
Advanced Ceramics, Terminology of, **C1145 (15.01)**

Electrical conductors—conductance and conductivity
See **Conductance and conductivity (electrical)**

Electrical conductors—copper
Sa **Copper electrical conductors—specifications**
Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, Specification for, **B470 (02.03)**
Copper-Clad Aluminum Wire, Specification for, **B566 (02.03)**
Copper-Clad Steel Wire for Electronic Application, Specification for, **B452 (02.03)**
Lead-Coated and Lead-Alloy-Coated Soft Copper Wire for Electrical Purposes, Specification for, **B189 (02.03)**
Nickel-Coated Soft or Annealed Copper Wire, Specification for, **B355 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**

Electrical conductors—nickel alloys
See **Copper-nickel alloys—specifications**

Electrical conductors (semiconductors)
Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Contact Closure Cycling of a Membrane Switch, Test Method for, **F1578 (10.04)**
Destructive Shear Testing of Ball Bonds, Test Methods for, **F1269 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, Guide for, **E721 (12.02)**
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**
Interpretation of Radiographs of Semiconductors and Related Devices, Guide to, **E431 (03.03)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Radiologic Examination of Semiconductors and Electronic Components, Practice for, **E1161 (03.03)**
Radioscopy, Guide for, **E1000 (03.03)**
Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, Guide for, **E720 (12.02)**
Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, Test Method for, **F996 (10.04)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**

Electrical conductors (semiconductors)—specifications
Sa **Electronic materials/applications—specifications**
Fine Aluminum–1 % Silicon Wire for Semiconductor Lead-Bonding, Specification for, **F487 (10.04)**
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**

Electrical conductors—silver-copper (euctectic) alloy
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Silver-Copper Eutectic Electrical Contact Alloy, Specification for, **B628 (02.04)**

Electrical conductors—silver-tungsten alloy
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**

Electrical conductors—superconductors
See **Superconductors**

Electrical conductor wire
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**
Nomenclature for Wire Leads Used as Conductors in Electron Tubes, Practice for, **F85 (10.04)**
Nondestructive Pull Testing of Wire Bonds, Practice for, **F458 (10.04)**
Surface Flaws in Tungsten Seal Rod and Wire, Test Method for, **F204 (10.04)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**

Electrical conductor wire—specifications
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**
Fine Aluminum–1 % Silicon Wire for Semiconductor Lead-Bonding, Specification for, **F487 (10.04)**
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**
Molybdenum Flattened Wire for Electron Tubes, Specification for, **F364 (10.04)**
Molybdenum Wire and Rod for Electronic Applications, Specification for, **F289 (10.04)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, Specification for, **F73 (10.04)**

Electrical connectors
Contact Performance Classification of Electrical Connection Systems, Practice for, **B868 (02.04)**
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**

Electrical contact materials
Arc Erosion Testing of Electrical Contact Materials, Guide for, **B576 (02.04)**
Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons, Test Method for, **B810 (02.04)**
Construction and Use of a Probe for Measuring Electrical Contact Resistance, Practice for, **B667 (02.04)**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Electrical Contacts and Their Use, Terminology Relating to, **B542 (02.04)**
Hardness of Electrical Contact Materials, Test Method for, **B277 (02.04)**
Measuring Electrical Contact Noise in Sliding Electrical Contacts, Practice for, **B615 (02.04)**
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Measuring Voltage Drop on Closed Arcing Contacts, Guide for, **B497 (02.04)**
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
Nanosecond Event Detection for Electrical Contacts and Connectors, Test Method for, **B878 (02.04)**
Presence of Foreign Matter on Printed Wiring Board Contacts, Test Method for, **B885 (02.04)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residen-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tial Applications, Test Method for, **B812 (02.04)**
Resistivity of Metallically Conducting Resistance and, Test Method for, **B63 (02.04)**
Specification and Quality Assurance for the Electrical Contact Performance of Crimped Wire Terminations, Guide for, **B942 (02.04)**
Specifying the Chemical Compositions for Electrical Contact Materials (Arcing and Nonarcing), Guide for, **B772 (02.04)**

Electrical contact materials—specifications
60 % Palladium-40 % Silver Electrical Contact Material, Specification for, **B731 (02.04)**
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**
Electrodeposited Coatings of Gold for Engineering Uses, Specification for, **B488 (02.05)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Platinum-Iridium Electrical Contact Materials, Specification for, **B684 (02.04)**
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**

Electrical contact materials (copper alloy)
Copper-Tungsten Electrical Contact Material, Specification for, **B702 (02.04)**
Palladium-Copper Electrical Contact Material, Specification for, **B685 (02.04)**
Palladium-Silver-Copper Electrical Contact Alloy, Specification for, **B563 (02.04)**
Silver-Copper Eutectic Electrical Contact Alloy, Specification for, **B628 (02.04)**

Electrical contact materials (gold alloy)
Electrodeposited Coatings of Gold for Engineering Uses, Specification for, **B488 (02.05)**
Gold Electrical Contact Alloy, Specification for, **B541 (02.04)**
Gold-Copper Alloy Electrical Contact Material, Specification for, **B596 (02.04)**
Gold-Silver-Nickel Electrical Contact Alloy, Specification for, **B477 (02.04)**
Gold-Silver-Platinum Electrical Contact Alloy, Specification for, **B522 (02.04)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**

Electrical contact materials (palladium)
Palladium Electrical Contact Alloy, Specification for, **B540 (02.04)**
Pure Palladium Electrical Contact Material, Specification for, **B683 (02.04)**

Electrical contact materials (silver alloy)
60 % Palladium-40 % Silver Electrical Contact Material, Specification for, **B731 (02.04)**
75 % Silver-25 % Graphite Sliding Contact Material, Specification for, **B692 (02.04)**
80 % Silver-20 % Graphite Sliding Contact Material, Specification for, **B664 (02.04)**
Coin Silver Electrical Contact Alloy, Specification for, **B617 (02.04)**
Fine Silver Electrical Contact Fabricated Material, Specification for, **B742 (02.04)**
Gold-Silver-Nickel Electrical Contact Alloy, Specification for, **B477 (02.04)**
Gold-Silver-Platinum Electrical Contact Alloy, Specification for, **B522 (02.04)**
Palladium-Silver-Copper Electrical Contact Alloy, Specification for, **B563 (02.04)**
Silver-Copper Eutectic Electrical Contact Alloy, Specification for, **B628 (02.04)**

Electrical contact materials (silver-cadmium oxide)
Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials, Guide for, **B712 (02.04)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**

Electrical contact materials (silver-molybdenum)
Silver-Molybdenum Electrical Contact Material, Specification for, **B662 (02.04)**

Electrical contact materials (silver-nickel)
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**
Silver-Nickel Electrical Contact Materials, Specification for, **B693 (02.04)**

Electrical contact materials (silver-tungsten)
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**

Electrical contact materials (silver-tungsten carbide)
Silver-Tungsten Carbide Electrical Contact Material, Specification for, **B663 (02.04)**

Electrical contact materials (sliding contacts)
80 % Silver-20 % Graphite Sliding Contact Material, Specification for, **B664 (02.04)**
Measuring Electrical Contact Noise in Sliding Electrical Contacts, Practice for, **B615 (02.04)**
Preparing Specifications for Miniature Brushes of Composite Materials for Sliding Electric Contacts, Guide for, **B613 (02.04)**

Electrical contact noise
Measuring Electrical Contact Noise in Sliding Electrical Contacts, Practice for, **B615 (02.04)**

Electrical continuity
Determining Rail-to-Earth Resistance, Practice for, **G165 (03.02)**

Electrical current efficiency
Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, Test Method for, **D6529 (11.02)**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**

Electrical current flow
Locating Leaks in Sewer Pipes By Measuring the Variation of Electric Current Flow Through the Pipe Wall, Practice for, **F2550 (04.12)**

Electrical detection
Selection of Techniques for Electrical Detection of Leaks in Geomembranes, Guide for, **D6747 (04.13)**

Electrical discharge
Application of Electrical Discharge Surface Treatment (Activation) of Plastics for Adhesive Bonding, Practice for, **D6105 (15.06)**

Electrical equipment—specifications
Sa **Electronic materials/applications—specifications**
Clampstick Type Live Line Tools, Specification for, **F1825 (10.03)**
Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, Specification for, **B603 (02.04)**
Live Line and Measuring Telescoping Tools, Specification for, **F1826 (10.03)**
Rubber Insulating Line Hose, Specification for, **D1050 (10.03)**
Shelter, Electrical Equipment, Lightweight, Specification for, **E2377 (04.12)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**

Electrical erosion
Arc Erosion Testing of Electrical Contact Materials, Guide for, **B576 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrical fiber cable
Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, Test Method for, **D6113 (10.02)**
Electrical field strength
Sa **Electrostatic charge/discharge**
Thermal Endurance of Rigid Electrical Insulating Materials, Test Method for, **D2304 (10.01)**
Electrical filling compound
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Electrical food service equipment
See **Electric food service equipment—specifications**
Electrical-grade magnesium oxide
See **Magnesium oxide (MgO)**
Electrical grades
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Electrical heating elements
Change of Resistance With Temperature of Metallic Materials for Electrical Heating, Test Method for, **B70 (02.04)**
Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements, Specification for, **B344 (02.04)**
Resistivity of Metallically Conducting Resistance and, Test Method for, **B63 (02.04)**
Electrical heating elements—Fe-Cr-Al
Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating, Test Method of, **B78 (02.04)**
Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, Specification for, **B603 (02.04)**
Electrical heating elements—Ni-Cr/Ni-Cr-Fe
Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, Test Method for, **B76 (02.04)**
Electrical hookup wire
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**
Electrical ignition characteristics
See **Ignition—electrical insulating materials**
Electrical insulating adhesives
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Volume Resistivity of Conductive Adhesives, Test Method for, **D2739 (15.06)**
Electrical insulating coatings
Sa **Thermosetting coating powders**
Corner Coverage of Powder Coatings, Test Method for, **D2967 (06.02)**
Electrical insulating crosslinked solids
See **Crosslinked electrical insulating materials—specifications**
Electrical insulating gases
Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, Practice for, **D3284 (10.03)**
Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, Test Method for, **D2477 (10.03)**
Electrical Insulating Liquids and Gases, Terminology Relating to, **D2864 (10.03)**
Sampling Gas from a Transformer Under Positive Pressure, Practice for, **D2759 (10.03)**
Water Vapor Content of Electrical Insulating Gases by Measurement of Dew Point, Test Methods for, **D2029 (10.03)**
Electrical insulating gases—specifications
Air as an Electrical Insulating Material, Specification for, **D3283 (10.03)**
Nitrogen Gas as an Electrical Insulating Material, Specification for, **D1933 (10.03)**
Sulfur Hexafluoride, Specification for, **D2472 (10.03)**
Electrical insulating gases—sulfur hexafluoride
Acidity of Sulfur Hexafluoride, Test Method for, **D2284 (10.03)**
Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, Test Method for, **D2685 (10.03)**
Electrical insulating glass—specifications
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2754 (10.02)**
Electrical insulating liquids
Analysis of Polychlorinated Biphenyls in Insulating Liquids by Gas Chromatography, Test Method for, **D4059 (10.03)**
Approximate Acidity in Electrical Insulating Liquids by Color-Indicator Titration, Test Method for, **D1534 (10.03)**
Color of Clear Electrical, Test Method for, **D2129 (10.03)**
Compatibility of Construction Material with Silicone Fluid Used for Electrical Insulation, Test Methods for, **D5282 (10.03)**
Determining the Coefficient of Thermal Expansion of Electrical Insulating Liquids of Petroleum Origin, and Askarels, Practice for, **D1903 (10.03)**
Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes, Test Method for, **D877/D877M (10.03)**
Dissipation Factor (or Power Factor) and Relative Permittivity (Dielectric Constant) of Electrical Insulating Liquids, Test Method for, **D924 (10.03)**
Electrical Insulating Liquids and Gases, Terminology Relating to, **D2864 (10.03)**
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**
Sampling Electrical Insulating Liquids, Practices for, **D923 (10.03)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Silicone Fluids Used for Electrical Insulation, Test Methods for, **D2225 (10.03)**
Specific Resistance (Resistivity) of Electrical Insulating Liquids, Test Method for, **D1169 (10.03)**
Synthetic Dielectric Fluids For Capacitors, Test Methods for, **D3809 (10.03)**
Volatile Matter in Silicone Fluid, Test Method for, **D4559 (10.03)**
Water in Insulating Liquids by Coulometric Karl Fischer Titration, Test Method for, **D1533 (10.03)**
Electrical insulating liquids—specifications
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Silicone Fluid Used for Electrical Insulation, Specification for, **D4652 (10.03)**
Electrical insulating liquids (askarels)
See **Askarels**
Electrical insulating materials
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Chlorine Content of Polybutenes Used for Electrical Insulation, Test Method for, **D2522 (10.03)**
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Sealed Tube Chemical Compatibility Test, Test Method for, **D5642 (10.02)**
Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, Test Method for, **D6113 (10.02)**
Vitrified Ceramic Materials for Electrical Applications, Test Methods for, **D116 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrical insulating materials—specifications
Asbestos Textiles Used for Electrical Insulating Purposes, Specification for, **D2100/D2100M (04.05)**
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3150 (10.02)**
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3144 (10.02)**
Crosslinked Polyethylene Insulation for Wire and, Specification for, **D2656 (10.02)**
Crosslinked Polyethylene Insulation for Wire and Cable Rated 0 to 2000 V, Specification for, **D2655 (10.02)**
Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3149 (10.02)**
Dielectric Footwear, Specification for, **F1117 (10.03)**
Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, Specification for, **B603 (02.04)**
Electrical Contacts and Their Use, Terminology Relating to, **B542 (02.04)**
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
Electrical Insulating Varnishes, Specification for, **D3955 (10.02)**
Fiberglass-Reinforced Plastic (FRP) Rod and Tube Used in Live Line Tools, Specification for, **F711 (10.03)**
Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards, Performance Specification for, **F1506 (10.03)**
Flat-Rolled Electrical Steels for Magnetic Applications, Specification for, **A345 (03.04)**
Flexible Insulated Temporary By-Pass Jumpers, Specification for, **F2321 (10.03)**
Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2902 (10.02)**
Friction Tape, Specification for, **D4514 (10.02)**
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorinated Polyethylene (CM) Jackets For Wire and Cable, Specification for, **D4313 (10.02)**
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**
High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2754 (10.02)**
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
In-Service Care of Insulating Blankets, Specification for, **F479 (10.03)**
In-Service Care of Insulating Gloves and Sleeves, Specification for, **F496 (10.03)**
In-Service Care of Insulating Line Hose and Covers, Specification for, **F478 (10.03)**
Insulated and Insulating Hand Tools, Specification for, **F1505 (10.03)**
Laminated Thermosetting Materials, Specification for, **D709 (10.01)**
Leather Protectors for Rubber Insulating Gloves and Mittens, Specification for, **F696 (10.03)**
Live Line and Measuring Telescoping Tools, Specification for, **F1826 (10.03)**
Low-Temperature Resistant Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D3005 (10.02)**
Natural (Vegetable Oil) Ester Fluids Used in Electrical Apparatus, Specification for, **D6871 (10.03)**
Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors, Specification for, **D748 (10.01)**
Natural Muscovite Mica Splittings, Classification for, **D2131 (10.01)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**
Nonoriented Electrical Steel Fully Processed Types, Specification for, **A677 (03.04)**
Nonoriented Electrical Steel, Semiprocessed Types, Specification for, **A683 (03.04)**
Nonrigid Vinyl Chloride Polymer Tubing, Specification for, **D922 (10.01)**
Ozone-Resistant Ethylene-Alkene Polymer Insulation, Specification for, **D2802 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 C Operation, Specification for, **D4246 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, Specification for, **D4245 (10.02)**
Personal Climbing Equipment, Specifications for, **F887 (10.03)**
Platinum-Iridium Electrical Contact Materials, Specification for, **B684 (02.04)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, Specification for, **D2220 (10.01)**
Poly(Vinyl Chloride) Jacket for Wire and Cable, Specification for, **D1047 (10.01)**
Polyester Film Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2484 (10.01)**
Polyethylene Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D3006 (10.02)**
Polytetrafluoroethylene-Backed Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2686 (10.02)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Relating to Electrical Protective Equipment for Workers, Terminology, **F819 (10.03)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Rubber Insulating Covers, Specification for, **D1049 (10.03)**
Rubber Insulating Gloves, Specification for, **D120 (10.03)**
Rubber Insulating Line Hose, Specification for, **D1050 (10.03)**
Rubber Insulating Matting, Specification for, **D178 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**
Specifying the Chemical Compositions for Electrical Contact Materials (Arcing and Nonarcing), Guide for, **B772 (02.04)**
Standard Metric Sizes of Electrical Conductors, Specification for, **B682 (02.03)**
Structure-Mounted Insulating Work Platforms for Electrical Workers, Specification for, **F1564 (10.03)**
Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, Specifications for, **F855 (10.03)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Thermoplastic Polyethylene Insulation for Electrical Wire and Cable, Specification for, **D1351 (10.01)**
Thermoplastic Polyethylene Jacket for Electrical Wire and Cable, Specification for, **D2308 (10.01)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposes, Specification for, **B246 (02.03)**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**
Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2301 (10.01)**
Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, Specification for, **D710 (10.01)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**

Electrical insulating oils
2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, Test Method for, **D2668 (10.03)**
Alpha Particle Radioactivity of Water, Test Method for, **D1943 (11.02)**
Analysis of 2,6-Ditertiary-Butyl Para-Cresol and 2,6-Ditertiary-Butyl Phenol in Insulating Liquids by Gas Chromatography, Test Method for, **D4768 (10.03)**
Analysis of Gases Dissolved in Electrical Insulating Oil by Gas Chromatography, Test Method for, **D3612 (10.03)**
Analysis of Polychlorinated Biphenyls in Insulating Liquids by Gas Chromatography, Test Method for, **D4059 (10.03)**
Calculating Carbon-Type Composition of Insulating Oils of Petroleum Origin, Practice for, **D2140 (10.03)**
Chlorine Content of Polybutenes Used for Electrical Insulation, Test Method for, **D2522 (10.03)**
Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, Practice for, **D3284 (10.03)**
Compatibility of Construction Material with Electrical Insulating Oil of Petroleum Origin, Test Methods for, **D3455 (10.03)**
Corrosive Sulfur in Electrical Insulating Oils, Test Method for, **D1275 (10.03)**
Dielectric Breakdown Voltage of Insulating Liquids Using VDE Electrodes, Test Method for, **D1816 (10.03)**
Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions, Test Method for, **D3300 (10.03)**
Dissolved Copper In Electrical Insulating Oil By Atomic Absorption Spectrophotometry, Test Method for, **D3635 (10.03)**
Examination of Electrical Insulating Oils by Infrared Absorption, Practices for, **D2144 (10.03)**
Gas Content of Cable and Capacitor Oils, Test Method for, **D831/D831M (10.03)**
Gassing of Electrical Insulating Liquids Under Electrical Stress and Ionization (Modified Pirelli Method), Test Method for, **D2300 (10.03)**
Inorganic Chlorides and Sulfates in Insulating Oils, Test Method for, **D878 (10.03)**
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**
Oxidation Stability of Mineral Insulating Oil, Test Method for, **D2440 (10.03)**
Oxidative Aging of Electrical Insulating Petroleum Oils by Open-Beaker Method, Test Method for, **D1934 (10.03)**
Sampling Gas from a Transformer Under Positive Pressure, Practice for, **D2759 (10.03)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Sediments and Soluble Sludge in Service-Aged Insulating Oils, Test Method for, **D1698 (10.03)**
Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field, Test Method for, **D1524 (10.03)**

Electrical insulating oils—specifications
Continuity of Quality of Electrical Insulating Polybutene Oil for Capacitors, Specification for, **D2296 (10.03)**
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**
Mineral Insulating Oil Used in Electrical Apparatus, Specification for, **D3487 (10.03)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**

Electrical insulating paper/paperboard
Electrical Insulation, Terminology Relating to, **D1711 (10.01)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Electrical insulating paper/paperboard—specifications
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**

Electrical insulating petroleum products
API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method), Test Method for, **D287 (05.01)**
Dielectric Breakdown Voltage of Insulating Liquids Using VDE Electrodes, Test Method for, **D1816 (10.03)**
Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions, Test Method for, **D3300 (10.03)**
Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity), Test Method for, **D445 (05.01)**
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**
Pour Point of Petroleum Products, Test Method for, **D97 (05.01)**
Refractive Index and Refractive Dispersion of Hydrocarbon Liquids, Test Method for, **D1218 (05.01)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**
Sediments and Soluble Sludge in Service-Aged Insulating Oils, Test Method for, **D1698 (10.03)**
Use of the Petroleum Measurement Tables, Guide for, **D1250 (05.01)**

Electrical insulating plastics
Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, Test Method for, **D952 (08.01)**
Conditioning Plastics for Testing, Practice for, **D618 (08.01)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Electrically Insulating Plastic Guard Equipment for Protection of Workers, Test Methods and Specifications for, **F712 (10.03)**
Fiberglass-Reinforced Plastic (FRP) Rod and Tube Used in Live Line Tools, Specification for, **F711 (10.03)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials, Test Methods for, **D790 (08.01)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, Test Method for, **D6272 (08.03)**
Glow-Wire Ignition of Materials, Test Method for, **D6194 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Laminated Thermosetting Materials, Specification for, **D709 (10.01)**
Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, Test Methods of, **D668 (10.01)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Rockwell Hardness of Plastics and Electrical Insulating Materials, Test Method for, **D785 (08.01)**
Static Electrification, Test Method for, **D4470 (10.02)**
Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials, Test Method for, **D1822 (08.01)**
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**
Thermal Endurance of Rigid Electrical Insulating Materials, Test Method for, **D2304 (10.01)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**
Thickness of Solid Electrical Insulation (Metric), Test Methods for, **D374M (10.01)**

Electrical insulating plastics—specifications
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3150 (10.02)**
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3144 (10.02)**
Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3149 (10.02)**
Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2902 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing, Specification for, **D922 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, Specification for, **D2220 (10.01)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**

Electrical insulating pressure-sensitive tape
Sa **Electrical insulating tape**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**

Electrical insulating pressure-sensitive tape—specifications
High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2754 (10.02)**
Low-Temperature Resistant Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D3005 (10.02)**
Polyester Film Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2484 (10.01)**
Polyethylene Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D3006 (10.02)**
Polytetrafluoroethylene-Backed Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2686 (10.02)**
Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2301 (10.01)**

Electrical insulating protective equipment
See **Electrical protective equipment**

Electrical insulating rubber
Sa **Electrical insulating solids**
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Thickness of Solid Electrical Insulation (Metric), Test Methods for, **D374M (10.01)**

Electrical insulating rubber—specifications
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**
Ozone-Resistant Ethylene-Alkene Polymer Insulation, Specification for, **D2802 (10.02)**

Electrical insulating solids
Sa **Ceramic materials/applications**
Sa **Conductance and conductivity (electrical)**
Sa **Dielectric breakdown/strength**
Sa **Insulated wire and cable**
Sa **Mica**
Sa **Permittivity (dielectric constant)**
Sa **Thermosetting coating powders**
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
Calibration of Standards and Equipment for Electrical Insulating Materials Testing, Practice for, **D2865M (10.02)**
Comparative Tracking Index of Electrical Insulating Materials, Test Method for, **D3638 (10.02)**
Compatibility of Construction Material with Silicone Fluid Used for Electrical Insulation, Test Methods for, **D5282 (10.03)**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials Using Impulse Waves, Test Method for, **D3426 (10.02)**
Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, Test Method for, **D2132 (10.01)**
Electrical Insulation, Terminology Relating to, **D1711 (10.01)**
Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, Test Method for, **D3756 (10.02)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Flexible Treated Sleeving Used for Electrical Insulation, Test Methods for, **D350 (10.01)**
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Configuration, Test Method for, **D5537 (10.02)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
Ignition of Materials by Hot Wire Sources, Test Method for, **D3874 (10.02)**
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Sampling and Judging Quality of Solid Electrical Insulating Materials, Practice for, **D3636 (10.02)**
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**
Thermal Endurance of Rigid Electrical Insulating Materials, Test Method for, **D2304 (10.01)**
Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, Test Method for, **D5470 (10.02)**
Thickness of Solid Electrical Insulation (Metric), Test Methods for, **D374M (10.01)**
Voltage Endurance of Solid Electrical Insulating Materials Subjected to Partial Discharges (Corona) on the Surface, Test Method for, **D2275 (10.01)**

Electrical insulating solids—specifications
Asbestos Textiles Used for Electrical Insulating Purposes, Specification for, **D2100/D2100M (04.05)**
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Laminated Thermosetting Materials, Specification for, **D709 (10.01)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, Specification for, **D710 (10.01)**

Electrical insulating tape
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**

Electrical insulating tape—specifications
Friction Tape, Specification for, **D4514 (10.02)**
High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2754 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**

Electrical insulating varnishes
Bond Strength of Electrical Insulating Varnishes by the Helical Coil Test, Test Method for, **D2519 (10.02)**
Bond Strength of Electrical Insulating Varnishes by the Twisted-Coil Test, Test Method for, **D4882 (10.02)**
Chemical Resistance of Electrical Insulating Varnishes, Test Method for, **D5638 (10.02)**
Determination of Volatile Organic Compound (VOC) Content of Electrical Insulating Varnishes, Test Method for, **D6053 (10.02)**
Gel Time of Solventless Varnishes, Test Method for, **D3056 (10.02)**
Moisture Resistance of Electrical Insulating Varnishes, Test Method for, **D5637 (10.02)**
Percent Reactive Monomer in Solventless Varnishes, Test Method for, **D3312 (10.02)**
Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, Test Method for, **D4880 (10.02)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Thermal Endurance Characteristics of Electrical Insulating Varnishes Applied Over Film-Insulated Magnet Wire, Test Method for, **D3251 (10.02)**
Thermal Endurance of Electrical Insulating Varnishes by the Helical Coil Method, Test Method for, **D3145 (10.02)**
Thermal Endurance of Flexible Electrical Insulating Varnishes, Test Method for, **D1932 (10.01)**
Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, Test Method for, **D4881 (10.02)**
Weight Loss of Electrical Insulating Varnishes, Test Method for, **D2756 (10.02)**
Weight Loss of Solventless Varnishes, Test Method for, **D3377 (10.02)**

Electrical insulating varnishes—specifications
Electrical Insulating Varnishes, Specification for, **D3955 (10.02)**

Electrical insulating vulcanized fiber
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**

Electrical insulating vulcanized fiber—specifications
Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, Specification for, **D710 (10.01)**

Electrical insulation
Sa **Electrical insulating materials**
Varnished Cotton Fabrics Used for Electrical Insulation, Test Methods for, **D295 (10.01)**

Electrical insulations/coverings
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**

Electrical insulation system
Sealed Tube Chemical Compatibility Test, Test Method for, **D5642 (10.02)**

Electrical leak location
Electrical Leak Location on Exposed Geomembranes Using the Water Lance System, Practice for, **D7703 (04.13)**
Electrical Methods for Locating Leaks in Geomembranes Covered with Water or Earth Materials, Practices for, **D7007 (04.13)**
Leak Location on Exposed Geomembranes Using the Water Puddle System, Practice for, **D7002 (04.13)**
Placement of Blind Actual Leaks during Electrical Leak Location Surveys of Geomembranes, Guide for, **D7909 (04.13)**

Electrical load
Aircraft Electrical Load and Power Source Capacity Analysis, Guide for, **F2490 (15.11)**

Electrical load analysis
Aircraft Electrical Load and Power Source Capacity Analysis, Guide for, **F2490 (15.11)**

Electrically conducting material
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Eddy Current Testing of Electrically Conducting Materials Using Conformable Sensor Arrays, Guide for, **E2884 (03.03)**
Use of an Electrically Conductive Geotextile for Leak Location Surveys, Practice for, **D7852 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrically heated sources
Glow-Wire Ignition of Materials, Test Method for, **D6194 (10.02)**
Electrical measurements
Calibrating Thin Heat Flux Transducers, Practice for, **C1130 (04.06)**
Continuity of Coatings in Glassed Steel Equipment by Electrical Testing, Test Method for, **C536 (02.05)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration, Test Method for, **C1202 (04.02)**
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**
Electrochemical Measurement of Diffusible Hydrogen in Steels (Barnacle Electrode), Test Method for, **F1113 (15.03)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Laboratory Standardization and Calibration of Hand-Held Moisture Meters, Test Method for, **D4444 (04.10)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, Test Method for, **C1207 (12.01)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
Polyurethane Raw Materials: Determination of Water Content of Polyols, Test Method for, **D4672 (08.02)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Resistivity of Electrical Conductor Materials, Test Method for, **B193 (02.03)**
Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, Test Method for, **D4880 (10.02)**
Static Electrification, Test Method for, **D4470 (10.02)**
Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, Test Method for, **D4881 (10.02)**
Electrical measurements—coating applications
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**
Electrical method
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**
Electrical motors
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Electrical noise analysis
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Electrical performance
Sa **Performance—electrical/electronic systems/applications**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Electrical Performance of Concentrator Terrestrial Photovoltaic Modules and Systems Under Natural Sunlight, Test Method for, **E2527 (12.02)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Electrical performance—solar devices
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Electrical Performance of Photovoltaic Cells Using Reference Cells Under Simulated Sunlight, Test Method for, **E948 (12.02)**
Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, Test Methods for, **E1462 (12.02)**
Measurement of Electrical Performance and Spectral Response of Nonconcentrator Multijunction Photovoltaic Cells and Modules, Test Methods for, **E2236 (12.02)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**
Wet Insulation Integrity Testing of Photovoltaic Arrays, Test Method for, **E2047 (12.02)**
Wet Insulation Integrity Testing of Photovoltaic Modules, Test Methods for, **E1802 (12.02)**
Electrical power systems
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Determining Rail-to-Earth Resistance, Practice for, **G165 (03.02)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**
Electrical power systems—specifications
19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, Specification for, **B786/B786M (02.03)**
19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, Specification for, **B787/B787M (02.03)**
Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, Specification for, **A729/A729M (01.05)**
Asbestos-Cement Conduit, Specification for, **C875 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Heat-Shrink Cable Entry Seals (Metric), Specification for, **F1837M (01.07)**
Indicators, Sight, Liquid Level, Direct and Indirect Reading, Tubular Glass/Plastic, Specification for, **F2045 (01.07)**
Insulated and Insulating Hand Tools, Specification for, **F1505 (10.03)**
Insulation Monitors for Shipboard Electrical Systems Metric, Specification for, **F1669M (01.07)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Liquid Level Indicating Equipment, Electrical, Specification for, **F2044 (01.07)**
Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, Specification for, **C667 (04.06)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Rubber Insulating Covers, Specification for, **D1049 (10.03)**
Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, Specifications for, **F855 (10.03)**
Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand, Specification for, **A363 (01.06)**
Zinc-Coated Steel Wire Strand, Specification for, **A475 (01.06)**

Electrical properties
Sa **Electrical insulating varnishes**
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Comparative Tracking Index of Electrical Insulating Materials, Test Method for, **D3638 (10.02)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies, Test Method for, **D149 (10.01)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, Test Method for, **D3756 (10.02)**
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**
Permittivity (Dielectric Constant) And Dissipation Factor Of Solid Dielectrics At Frequencies To 10 MHz And Temperatures To 500°C, Test Method for, **D2149 (10.01)**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**
Rubber Property—Volume Resistivity Of Electrically Conductive and Antistatic Products, Test Method for, **D991 (09.01)**
Sampling and Procurement Testing of Magnetic Materials, Practice for, **A34/A34M (03.04)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Thickness of Solid Electrical Insulation (Metric), Test Methods for, **D374M (10.01)**
Unused Rope with Special Electrical Properties, Specification for, **F1701 (10.03)**
Voltage Endurance of Solid Electrical Insulating Materials Subjected to Partial Discharges (Corona) on the Surface, Test Method for, **D2275 (10.01)**

Electrical protective equipment
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Determining Arc Ratings of Hand Protective Products Developed and Used for Electrical Arc Flash Protection, Test Method for, **F2675/F2675M (10.03)**
Determining Dielectric Strength of Dielectric Footwear, Test Method for, **F1116 (10.03)**
Determining the Arc Rating and Standard Specification for Eye or Face Protective Products, Test Method for, **F2178 (10.03)**
Determining the Protective Performance of an Arc Protective Blanket for Electric Arc Hazards, Test Method for, **F2676 (10.03)**
Electrically Insulating Plastic Guard Equipment for Protection of Workers, Test Methods and Specifications for, **F712 (10.03)**
Relating to Electrical Protective Equipment for Workers, Terminology, **F819 (10.03)**
Visual Inspection of Electrical Protective Rubber Products, Guide for, **F1236 (10.03)**

Electrical protective equipment—specifications
Dielectric Footwear, Specification for, **F1117 (10.03)**
Electrically Insulating Aprons, Specification for, **F2677 (10.03)**
Fiberglass-Reinforced Plastic (FRP) Rod and Tube Used in Live Line Tools, Specification for, **F711 (10.03)**
Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards, Performance Specification for, **F1506 (10.03)**
High Voltage Phasing Testers, Specification for, **F2939 (10.03)**
In-Service Care of Insulating Blankets, Specification for, **F479 (10.03)**
In-Service Care of Insulating Gloves and Sleeves, Specification for, **F496 (10.03)**
In-Service Care of Insulating Line Hose and Covers, Specification for, **F478 (10.03)**
In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, Specification for, **F2249 (10.03)**
Insulated and Insulating Hand Tools, Specification for, **F1505 (10.03)**
Leather Protectors for Rubber Insulating Gloves and Mittens, Specification for, **F696 (10.03)**
Personal Climbing Equipment, Specifications for, **F887 (10.03)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Rubber Insulating Covers, Specification for, **D1049 (10.03)**
Rubber Insulating Gloves, Specification for, **D120 (10.03)**
Rubber Insulating Line Hose, Specification for, **D1050 (10.03)**
Rubber Insulating Matting, Specification for, **D178 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**
Structure-Mounted Insulating Work Platforms for Electrical Workers, Specification for, **F1564 (10.03)**
Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, Specifications for, **F855 (10.03)**

Electrical relays—specifications
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**

Electrical resistance alloys
Thermoelectric Power of Electrical-Resistance Alloys, Test Method for, **B77 (02.04)**

Electrical resistance particle counter
Comparing Particle Size in the Use of Alternative Types of Particle Counters, Practice for, **F660 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrical resistance/resistivity
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
D-C Volume Resistivity of Glass, Test Method for, **C657 (15.02)**
Determining the Electrical Resistivity of a Printed Conductive Material, Test Method for, **F1896 (10.04)**
Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements, Specification for, **B344 (02.04)**
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**
Electrical Resistance of Conductive and Static Dissipative Resilient Flooring, Test Method for, **F150 (15.04)**
Electrical Resistance of Tires Under Load On the Test Bench, Test Method for, **F1971 (09.02)**
Electrical Resistivity of Anode and Cathode Carbon Material at Room Temperature, Test Method for, **D6120 (05.02)**
Electrical Resistivity of Liquid Paint and Related Materials, Test Methods for, **D5682 (06.01)**
Electrical Resistivity of Manufactured Carbon and Graphite Articles at Room Temperature, Test Method for, **C611 (05.05)**
Electrical Resistivity of Membrane-Pavement Systems, Test Method for, **D3633/D3633M (04.03)**
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, Practice for, **F1844 (10.04)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**
Rubber Property—Volume Resistivity Of Electrically Conductive and Antistatic Products, Test Method for, **D991 (09.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Electrical resistance/resistivity—adhesives
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Volume Resistivity of Conductive Adhesives, Test Method for, **D2739 (15.06)**

Electrical resistance/resistivity—electrical contact materials
Change of Resistance With Temperature of Metallic Materials for Electrical Heating, Test Method for, **B70 (02.04)**
Construction and Use of a Probe for Measuring Electrical Contact Resistance, Practice for, **B667 (02.04)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Electrical Resistivity of Soft Magnetic Alloys, Test Method for, **A712 (03.04)**
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Measuring the Insulation Resistance of Mineral-Insulated, Metal-Sheathed Thermocouples and Thermocouple Cable at Room Temperature, Test Method for, **E780 (14.03)**
Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, Test Method for, **B826 (02.04)**
Resistivity of Electrical Conductor Materials, Test Method for, **B193 (02.03)**
Resistivity of Metallically Conducting Resistance and, Test Method for, **B63 (02.04)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**
Surface Insulation Resistivity of Single-Strip Specimens, Test Method for, **A717/A717M (03.04)**
Temperature-Resistance Constants of Alloy Wires for Precision Resistors, Test Method for, **B84 (02.04)**
Temperature-Resistance Constants of Sheet Materials for Shunts and Precision Resistors, Test Method for, **B114 (02.04)**
Thermoelectric Power of Electrical-Resistance Alloys, Test Method for, **B77 (02.04)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Thermostat Metal Sheet and Strip, Specification for, **B388 (02.04)**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**

Electrical resistance/resistivity—insulating materials
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, Test Method for, **D3756 (10.02)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
Ignition of Materials by Hot Wire Sources, Test Method for, **D3874 (10.02)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Specific Resistance (Resistivity) of Electrical Insulating Liquids, Test Method for, **D1169 (10.03)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**

Electrical resistance/resistivity—semiconductors
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, Practice for, **F1711 (10.04)**
Sheet Resistance of Thin Metallic Films With a Collinear Four-Probe Array, Test Method for, **F390 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrical sensing zone methodology
Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, Test Method for, **F2149 (13.01)**
Electrical sheet resistance
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, Practice for, **F1711 (10.04)**
Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, Practice for, **F1844 (10.04)**
Electrical shielding cable
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Electrical shielding cable—specifications
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Electrical steel
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Determining Interlaminar Resistance of Insulating Coatings Using Two Adjacent Test Surfaces, Test Method for, **A937/A937M (03.04)**
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Insulating Coatings for Electrical Steels by Composition, Relative Insulating Ability and Application, Classification of, **A976 (03.04)**
Lamination Factor of Magnetic Materials, Test Method for, **A719/A719M (03.04)**
Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, Test Method for, **A971/A971M (03.04)**
Sampling and Procurement Testing of Magnetic Materials, Practice for, **A34/A34M (03.04)**
Surface Insulation Resistivity of Single-Strip Specimens, Test Method for, **A717/A717M (03.04)**
Electrical steel—(flat-rolled)
Measuring Power Frequency Magnetic Properties of Flat-Rolled Electrical Steels Using Small Single Sheet Testers, Guide for, **A1036 (03.04)**
Electrical steel—specifications
Flat-Rolled Electrical Steels for Magnetic Applications, Specification for, **A345 (03.04)**
Electrical steel (non-oriented)
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
Ductility of Nonoriented Electrical Steel, Test Method for, **A720/A720M (03.04)**
Thin-Gauge Nonoriented Electrical Steel Fully Processed Types, Specification for, **A1086 (03.04)**
Electrical steel (non-oriented)—specifications
Nonoriented Electrical Steel Fully Processed Types, Specification for, **A677 (03.04)**
Nonoriented Electrical Steel, Semiprocessed Types, Specification for, **A683 (03.04)**
Electrical steel (oriented)
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
Ductility of Oriented Electrical Steel, Test Method for, **A721/A721M (03.04)**
Electrical steel (oriented)—specifications
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
Electrical stress
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**
Electrical submersible pumps
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Electrical symbols
Security Engineering Symbols, Practice for, **F967 (15.08)**
Electrical systems
Examining Electrical and Mechanical Equipment with Infrared Thermography, Guide for, **E1934 (03.03)**
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Maintenance of Aircraft Electrical Wiring Systems, Practice for, **F2799 (15.11)**
Electrical temperature sensors
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**
Electrical tests
Determining Rail-to-Earth Resistance, Practice for, **G165 (03.02)**
Hot Spot Protection Testing of Photovoltaic Modules, Test Method for, **E2481 (12.02)**
Electrical torque transducer units
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Electrical transducers
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Electrical transient noise
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electrical typewriter test
Use of the Electric and Electronic Typewriter as a Test Instrument, Practice for, **F497 (15.09)**
Electrical valve operators
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Electrical workers
Electrically Insulating Aprons, Specification for, **F2677 (10.03)**
Structure-Mounted Insulating Work Platforms for Electrical Workers, Specification for, **F1564 (10.03)**
Electric arc
Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure, Practice for, **F2621 (10.03)**
Determining the Protective Performance of an Arc Protective Blanket for Electric Arc Hazards, Test Method for, **F2676 (10.03)**
Electric arc exposure method
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**
Determining Response Characteristics and Design Integrity of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Arc Rated Finished Products in an Electric Arc Exposure, Practice for, **F2621 (10.03)**
Determining the Arc Rating of Materials for Clothing, Test Method for, **F1959/F1959M (10.03)**
Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, Test Method for, **F1958/F1958M (10.03)**

Electric-arc furnace
Sa **Electrical arcs**
Cast Tool Steel, Specification for, **A597 (01.05)**

Electric-arc-heated gas stream
Measuring Plasma Arc Gas Enthalpy by Energy Balance, Practice for, **E341 (15.03)**

Electric arc ignition
Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure, Practice for, **F2621 (10.03)**

Electric arc remelting
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**

Electric discharge
Minimum Ignition Energy of a Dust Cloud in Air, Test Method for, **E2019 (14.02)**

Electric-fired griddle
Griddles, Single-Sided and Double-Sided, Gas and Electric, Specification for, **F1919 (15.12)**

Electric food service equipment
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**

Electric food service equipment—specifications
Sa **Cooking/food service equipment—specifications**
Convection Oven Gas or Electric, Specification for, **F2092 (15.12)**
Deep-Fat Fryers, Gas or Electric, Open, Specification for, **F1963 (15.12)**
Frying and Braising Pans, Tilting Type, Specification for, **F1047 (15.12)**
Griddles, Single-Sided and Double-Sided, Gas and Electric, Specification for, **F1919 (15.12)**
Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1602 (15.12)**
Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1603 (15.12)**
Ovens, Microwave, Electric, Specification for, **F1360 (15.12)**
Slicing Machines, Food, Electric, Specification for, **F919 (15.12)**

Electric-furnace steel
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**
Pressure Vessel Plates, High-Strength, Low-Alloy Steel, Specification for, **A737/A737M (01.04)**
Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**

Electric-fusion-welded Ni/Ni alloy pipe
Sa **Welded Ni/Ni alloy pipe—specifications**
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
UNS N08367 and UNS N08926 Welded Pipe, Specification for, **B804 (02.04)**
UNS N08367 Welded Pipe, Specification for, **B675 (02.04)**

Electric-fusion-welded steel pipe
Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures, Specification for, **A691/A691M (01.01)**
Electric-Fusion (Arc)-Welded Steel Pipe (NPS 4 and Over), Specification for, **A139/A139M (01.01)**
Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, Specification for, **A358/A358M (01.01)**
Electric-Fusion-Welded Steel Pipe for Atmospheric and Lower Temperatures, Specification for, **A671/A671M (01.01)**
Electric-Fusion-Welded Steel Pipe for High-Pressure Service at Moderate Temperatures, Specification for, **A672/A672M (01.01)**
Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, Specification for, **A928/A928M (01.01)**
Pipe, Steel, Electric-Fusion (Arc)-Welded (Sizes NPS 16 and Over), Specification for, **A134 (01.01)**
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**
Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service, Specification for, **A409/A409M (01.01)**

Electric-fusion-welded steel pipe—specifications
Cold-Formed Electric-Fusion (Arc) Welded High-Strength Low-–Alloy Structural Tubing in Shapes, with 50 ksi 345 MPa Minimum Yield Point, Specification for, **A1065/A1065M (01.01)**

Electricity
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**

Electric logging
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Electric potential drop
Measurement of Creep Crack Growth Times and Rates in Metals, Test Method for, **E1457 (03.01)**

Electric radiant heat energy
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**

Electric railway
Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, Specification for, **A729/A729M (01.05)**

Electric resistance strain gages
Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, Test Method for, **D5335 (04.08)**

Electric-resistance-welded (ERW) steel pipe—specifications
Electric-Resistance-Welded Low-Carbon Steel Pipe for the Chemical Industry, Specification for, **A587 (01.01)**
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
High-Strength Low-Alloy Welded and Seamless Steel Pipe,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **A714 (01.01)**
Plain End Seamless and Electric-Resistance-Welded Steel Pipe for High-Pressure Pipe-Type Cable Circuits, Specification for, **A523 (01.01)**
Steel Line Pipe, Black, Plain-End, Electric-Resistance-Welded, Specification for, **A984/A984M (01.01)**
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**

Electric-resistance-welded (ERW) steel shapes—specifications
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**

Electric-resistance-welded (ERW) steel tube—specifications
Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing, Specification for, **A513/A513M (01.01)**
Electric-Resistance-Welded Carbon Steel and Carbon-Manganese Steel Boiler and Superheater Tubes, Specification for, **A178/A178M (01.01)**
Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A214/A214M (01.01)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, Specification for, **A787/A787M (01.01)**
Seamless and Electric-Welded Low-Alloy Steel Tubes, Specification for, **A423/A423M (01.01)**

Electric sensing zone (ESZ) technique
Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, Test Method for, **C1070 (15.01)**

Electric slicing machine
Slicing Machines, Food, Electric, Specification for, **F919 (15.12)**

Electroanalysis
Evaluating Performance of On-Site Extraction and Field-Portable Electrochemical or Spectrophotometric Analysis for Lead, Guide for, **E1775 (04.11)**

Electrochemical coatings
Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2240 (04.12)**
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**
Assessing the Durability of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Methods for, **E2141 (04.12)**

Electrochemical conversion coatings
Testing Non-Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B940 (02.05)**

Electrochemical impedance spectroscopy
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

Electrochemical measurements/testing
Analysis of Oxygen in Gaseous Fuels (Electrochemical Sensor Method), Test Method for, **D7607/D7607M (05.06)**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Conducting Potentiodynamic Polarization Resistance Measurements, Test Method for, **G59 (03.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Corrosion Testing of Aluminum-Based Spent Nuclear Fuel in Support of Repository Disposal, Guide for, **C1431 (12.01)**
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Determining Synergism Between Wear and Corrosion, Guide for, **G119 (03.02)**
Electrochemical Critical Pitting Temperature Testing of Stainless Steels, Test Method for, **G150 (03.02)**
Electrochemical Measurement of Diffusible Hydrogen in Steels (Barnacle Electrode), Test Method for, **F1113 (15.03)**
Electrochemical Noise Measurement, Guide for, **G199 (03.02)**
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**
Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, Practice for, **G148 (03.02)**
Macroetch Testing of Consumable Electrode Remelted Steel Bars and Billets, Practice for, **A604/A604M (01.05)**
Online Measurement of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatograph and Electrochemical Detection, Test Method for, **D7493 (05.06)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

Electrochemical reactivation (EPR) test
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**

Electrochromic windows (ECW)
Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2240 (04.12)**
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**
Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, Test Method for, **E2355 (04.12)**

Electrocoat baths
Acid and Base Milliequivalent Content of Electrocoat Bath, Test Methods for, **D4370 (06.01)**
Analysis of Electrocoat Bath Samples, Guide for, **D1978 (06.01)**
Determination of Anions in Cathodic Electrocoat Permeates by Ion Chromatography, Guide for, **D5794 (06.01)**
Measuring Apparent pH of Electrocoat Baths, Test Method for, **D4584 (06.01)**
Measuring Electrical Conductivity of Electrocoat Baths, Test Method for, **D4399 (06.01)**
Nonvolatile and Pigment Content of Electrocoat Baths, Test Methods for, **D5145 (06.01)**

Electroconductivity
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**

Electrode graphite
See **Graphite electrodes**

Electrodeionization
Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, Test Method for, **D6529 (11.02)**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**

Electrodeposited Ag coatings—specifications
Electrodeposited Coatings of Silver for Engineering Use, Specification for, **B700 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrodeposited Cd coatings—specifications
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Electrodeposited coatings
Attribute Sampling of Metallic and Inorganic Coatings, Test Method for, **B602 (02.05)**
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**
Calculating Percent Asphalt Absorption by the Aggregate in an Asphalt Pavement Mixture, Practice for, **D4469 (04.03)**
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Electrodeposited Coatings on Threaded Fasteners (Metric), Specification for, **F1941M (01.08)**
Electrodeposited Coatings on Threaded Fasteners (Unified Inch Screw Threads (UN/UNR)), Specification for, **F1941 (01.08)**
Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, Test Method for, **B866 (02.05)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Selection of Porosity and Gross Defect Tests for Electrodeposits and Related Metallic Coatings, Guide for, **B765 (02.05)**
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**
Electrodeposited coatings—specifications
Appearance of Electroplated Plastic Surfaces, Specification for, **B532 (02.05)**
Electrodeposited Coatings of Gold for Engineering Uses, Specification for, **B488 (02.05)**
Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, Specification for, **B200 (02.05)**
Electrodeposited Coatings of Palladium-Nickel for Engineering Use, Specification for, **B867 (02.05)**
Electrodeposited Coatings of Rhodium for Engineering Use, Specification for, **B634 (02.05)**
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Engineering Chromium Coatings on Ferrous Substrates, Specification for, **B650 (02.05)**
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Sintered Aluminum Structural Parts, Specification for, **B595 (02.05)**
Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**
Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, Specification for, **B833 (02.04)**
Electrodeposited Cr coatings
Detection of Hexavalent Chromium On Zinc and Zinc/Aluminum Alloy Coated Steel, Practice for, **D6492 (06.02)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Electrodeposited Cr coatings—specifications
Decorative Electroplated Coatings of Copper Plus Nickel Plus Chromium on Plastics, Specification for, **B604 (02.05)**
Electrodeposited Engineering Chromium Coatings on Ferrous Substrates, Specification for, **B650 (02.05)**
Zinc/Aluminum Corrosion Protective Coatings for Fasteners, Specification for, **F1136/F1136M (01.08)**
Electrodeposited Cu coatings
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Porosity in Metallic Coatings by Humid Sulfur Vapor (“Flowers-of-Sulfur”), Test Method for, **B809 (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings, Practice for, **B281 (02.05)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Preparation of Titanium and Titanium Alloys, Practice for, **B481 (02.05)**
Electrodeposited Cu coatings—specifications
Decorative Electroplated Coatings of Copper Plus Nickel Plus Chromium on Plastics, Specification for, **B604 (02.05)**
Electrodeposited Coatings of Copper Plus Nickel Plus, Specification for, **B456 (02.05)**
Electrodeposited Copper for Engineering Uses, Specification for, **B734 (02.05)**
Electrodeposited gold coatings
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, Practice for, **B920 (02.04)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Electrodeposited gold coatings—specifications
Electrodeposited Coatings of Gold for Engineering Uses, Specification for, **B488 (02.05)**
Electrodeposited Ni coatings
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Electrodeposited Ni coatings—specifications
Autocatalytic Nickel Boron Coatings for Engineering Use, Specification for, **B607 (02.05)**
Decorative Electroplated Coatings of Copper Plus Nickel Plus Chromium on Plastics, Specification for, **B604 (02.05)**
Electrodeposited Coatings of Copper Plus Nickel Plus, Specification for, **B456 (02.05)**
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**
Electrodeposited Pb coatings
Preparation of Lead and Lead Alloys for Electroplating, Guide for, **B319 (02.05)**
Electrodeposited Pb coatings—specifications
Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, Specification for, **B200 (02.05)**
Electrodeposited Pd coatings—specifications
Electrodeposited Coatings of Palladium for Engineering Use, Specification for, **B679 (02.05)**
Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, Practice for, **B920 (02.04)**
Electrodeposited plastic coatings
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Peel Strength of Metal Electroplated Plastics, Test Method for, **B533 (02.05)**
Electrodeposited plastic coatings—specifications
Appearance of Electroplated Plastic Surfaces, Specification for, **B532 (02.05)**
Electrodeposited Sn coatings—specifications
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**
Electrodeposited Zn coatings—specifications
See **Zinc electrodeposited coatings—specifications**
Electrodeposition
Electrodeposition of the Actinides for Alpha Spectrometry, Practice for, **C1284 (12.01)**
Electrode remelted steel
Macroetch Testing of Consumable Electrode Remelted Steel Bars and Billets, Practice for, **A604/A604M (01.05)**
Electrodes
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**
Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes, Test Method for, **D877/D877M (10.03)**
Dielectric Breakdown Voltage of Insulating Liquids Using VDE Electrodes, Test Method for, **D1816 (10.03)**
Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, Test Method for, **D3756 (10.02)**
Fluoride Ion in Water, Test Methods for, **D1179 (11.01)**
Fluoride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D3868 (11.02)**
Ion-Selective Electrodes, Terminology Used with, **D4127 (11.01)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**
Electrodialysis (ED)/Electrodialysis Reversal (EDR) Systems
Record Keeping for Electrodialysis/Electrodialysis Reversal Systems, Guide for, **D5131 (11.02)**
Water Analysis for Electrodialysis/Electrodialysis Reversal Applications, Guide for, **D5091 (11.02)**
Electroforming materials/processes
Electroforming with Nickel and Copper, Guide for, **B832 (02.05)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Electrofusion polyethylene (PE) plastics—specifications
Electrofusion Type Polyamide-11 Fittings for Outside Diameter Controlled Polyamide-11 Pipe and Tubing, Specification for, **F2600 (08.04)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Electrography
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Electro-hydraulic door control systems
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**
Electroless coatings
Autocatalytic (Electroless) Nickel-Phosphorus Coatings on Metal, Specification for, **B733 (02.05)**
Autocatalytic Nickel Boron Coatings for Engineering Use, Specification for, **B607 (02.05)**
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**
Electroluminescence
Determining Color of a Membrane Switch Backlit with Diffuse Light Source, Test Method for, **F2359 (10.04)**
Determining Luminance of a Membrane Switch Backlit with Diffuse Light Source, Test Method for, **F2360 (10.04)**
Determining the Luminance Curve of an Electroluminescent Lamp at Ambient Conditions, Test Method for, **F2771 (10.04)**
Determining the Uniformity of the Luminance of an Electroluminescent Lamp or Other Diffuse Lighting Device, Test Method for, **F2964 (10.04)**
Electrolysis
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D7457 (06.04)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Electrolysis current
Conducting and Evaluating Laboratory Corrosion Tests in Soils, Practice for, **G162 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**
Electrolytic cleaning
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Electrolytic coatings
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Electrolytic coatings—specifications
Electrolytic Manganese Metal, Specification for, **A601/A601M (01.02)**
Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**
Electrolytic conductivity detectors (ELCD)
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Testing Electrolytic Conductivity Detectors (ELCD) Used in Gas Chromatography, Practice for, **E1698 (03.06)**
Electrolytic determination
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Electrolytic extraction
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**
Electrolytic polishing
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Electrolytic printing
Printers, Terminology Relating to, **F909 (15.09)**
Electrolytic stripping
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**
Electrolytic tin plate
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**
Tin Mill Products, Electrolytic Tin Plate, Double Reduced, Specification for, **A626/A626M (01.06)**
Tin Mill Products, Electrolytic Tin Plate, Single Reduced, Specification for, **A624/A624M (01.06)**
Electrolytic tough pitch coppers
Coppers, Classification of, **B224 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Electromagnetic current meters
Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, Test Method for, **D5089 (11.01)**
Electromagnetic (eddy current) testing
Characterization of Coatings Using Conformable Eddy-Current Sensors without Coating Reference Standards, Practice for, **E2338 (03.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes, Practice for, **E243 (03.03)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Electromagnetic (Eddy Current) Sorting of Ferrous Metals, Practice for, **E566 (03.03)**
Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, Practice for, **E703 (03.03)**
Electromagnetic (Eddy-Current) Examination of Copper Redraw Rod for Electrical Purposes, Practice for, **E1606 (03.03)**
Electromagnetic (Eddy-Current) Examination of Nickel and Nickel Alloy Tubular Products, Practice for, **E571 (03.03)**
Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, Practice for, **E426 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
In Situ Electromagnetic (Eddy-Current) Examination of Nonmagnetic Heat Exchanger Tubes, Practice for, **E690 (03.03)**
In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, Practice for, **E2096/E2096M (03.03)**
Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, Test Method for, **B244 (02.05)**
Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Standardizing Equipment for Electromagnetic Testing of Seamless Aluminum-Alloy Tube, Practice for, **E215 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Electromagnetic force cells
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Electromagnetic radiation
Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, Practice for, **E512 (15.03)**
Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, Guide for, **E1653 (03.06)**
Electromagnetic shielding
Sa **Magnetic shields**
Electromagnetic Shielding Effectiveness of Durable Rigid Wall Relocatable Structures, Test Method for, **E1851 (04.11)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Electromagnetic testing
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**
Examination of Mill and Kiln Girth Gear Teeth—Electromagnetic Methods, Practice for, **E2905/E2905M (03.03)**
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Using the Frequency Domain Electromagnetic Method for Subsurface Investigations, Guide for, **D6639 (04.09)**

Electromechanical processing/devices
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**

Electromechanical relays
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**

Electrometric determination
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Salts in Crude Oil (Electrometric Method), Test Method for, **D3230 (05.01)**

Electrometric titration
Bromine Index of Aromatic Hydrocarbons by Electrometric Titration, Test Method for, **D5776 (06.04)**
Bromine Index of Petroleum Hydrocarbons by Electrometric Titration, Test Method for, **D2710 (05.01)**
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**

Electromotive force (EMF)
Sa **Electrical resistance/resistivity**
Calibration of Refractory Metal Thermocouples Using a Radiation Thermometer, Test Method for, **E452 (14.03)**
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, Test Method for, **E207 (14.03)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**

Electromotive force (EMF) tables
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples, Specification and, **E230/E230M (14.03)**

Electron accelerator
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**

Electron backscatter diffraction (EBSD)
Determining Average Grain Size Using Electron Backscatter Diffraction (EBSD) in Fully Recrystallized Polycrystalline Materials, Practice for, **E2627 (03.01)**

Electron beam
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 80 and 300 keV, Practice for, **ISO/ASTM51818 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy, Guide for, **E983 (03.06)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Performance Characterization of Dosimeters and Dosimetry Systems for Use in Radiation Processing, Guide for, **ISO/ASTM52701 (12.02)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Use of Radiation-Sensitive Indicators, Guide for, **ISO/ASTM51539 (12.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**

Electron beam curing
Measure Volatiles from Radiation Curable Acrylate Monomers, Oligomers, and Blends and Thin Coatings Made from Them, Test Method to, **D7767 (06.01)**
Volatile Content of Radiation Curable Materials, Test Methods for, **D5403 (06.02)**

Electron beam (EB) welds
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**

Electron beam food irradiation facilities
Dosimetry in Electron Beam and X-ray (Bremsstrahlung) Irradiation Facilities for Food Processing, Practice for, **ISO/ASTM51431 (12.02)**

Electron beam melting
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium ELI (Extra Low Interstitial) with Powder Bed Fusion, Specification for, **F3001 (10.04)**

Electron binding-energy (BE) scale
Calibration of the Electron Binding-Energy Scale of an X-Ray Photoelectron Spectrometer, Practice for, **E2108 (03.06)**

Electron-capture detectors (ECD)
Determination of Chlorinated Organic Acid Compounds in Water by Gas Chromatography with an Electron Capture Detector, Test Method for, **D5317 (11.02)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Use of Electron-Capture Detectors in Gas Chromatography, Practice for, **E697 (03.06)**

Electron capture gas chromatography
See **Gas chromatography (GC)**

Electron emitters
See **Cathode emitters**
See **Current measurement**

Electron equililbrium
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**

Electronically-applied force signal
Force Calibration of Thermomechanical Analyzers, Test Method for, **E2206 (14.02)**

Electronically generated signal
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**

Electronically suppressed ion chromatography
See **Ion chromatography (IC)**

Electronic applications
Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications, Specification for, **B943 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electronic authentication
Sa **Authentication**
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Electronic classification
Classifying the Degrees of Ingress of Dust and Water into a Membrane Switch, Guide for, **F2865 (10.04)**
Electronic cone penetrometer
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**
Electronic control unit (ECU)
Collection of Non-Volatile Memory Data in Evidentiary Vehicle Electronic Control Units, Guide for the, **E2493 (14.02)**
Electronic data
Database Structure of Electronic Data Interchange Between Ship Owner and Shipyard for Contract Administration, Guide for, **F2017 (01.07)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Vessel-Related Technical Information for Use in Developing an Electronic Database and Ship Safety Record, Guide for, **F2001 (01.07)**
Electronic devices/instruments/equipment
Computed Radiography, Guide for, **E2007 (03.03)**
Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**
Digital Contact Thermometers, Guide for, **E2877 (14.03)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Particle Size Distribution of Catalytic Material by Electronic Counting, Test Method for, **D4438 (05.05)**
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**
Electronic encapsulants
Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**
Electronic friction cone
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Electronic-grade metals
Trace Metallic Impurities in Electronic Grade Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1845 (10.04)**
Electronic hardness
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, Guide for, **E721 (12.02)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, Guide for, **E720 (12.02)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**
Electronic health record
Occupational/Environmental Health View of the Electronic Health Record, Practice for the, **E2473 (14.01)**
Electronic health record (EHR)
Amendments to Health Information, Guide for, **E2017 (14.01)**
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Defining and Implementing Pharmacotherapy Information Services within the Electronic Health Record (EHR) Environment and Networked Architectures, Practice for, **E2538 (14.01)**
Relationship Between a Person (Consumer) and a Supplier of an Electronic Personal (Consumer) Health Record, Specification for, **E2211 (14.01)**
Electronic hydrogen embrittlement test
See **Hydrogen embrittlement (HE)**
Electronic interchange
Electronic Interchange of Color and Appearance Data, Practice for, **E1708 (06.01)**
Electronic materials/applications
Sa **Conductance and conductivity (electrical)**
Sa **Silicon semiconductors**
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Controlling Quality of Radiological Examination of Electronic Devices, Practice for, **E801 (03.03)**
Density of Fine Wire and Ribbon Wire for Electronic Devices, Test Method for, **F180 (10.04)**
Determining the Capacitance of a Membrane Switch, Test Method for, **F1663 (10.04)**
Determining the Contact Bounce Time of a Membrane Switch, Test Method for, **F1661 (10.04)**
Determining the Effects of Bending a Membrane Switch or Assembly, Test Method for, **F2750 (10.04)**
Determining the Insulation Resistance of a Membrane Switch, Test Method for, **F1689 (10.04)**
Determining the Shear Strength of the Bond between a Surface Mount Device (SMD) and Substrate in a Membrane Switch, Test Method for, **F1995 (10.04)**
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Making and Testing Reference Glass-Metal Bead-Seal, Practice for, **F14 (15.02)**
Making Reference Glass-Metal Butt Seals and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F140 (15.02)**
Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F144 (15.02)**
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Nomenclature for Wire Leads Used as Conductors in Electron Tubes, Practice for, **F85 (10.04)**
Radiologic Examination of Semiconductors and Electronic Components, Practice for, **E1161 (03.03)**
Silicone Fluids Used for Electrical Insulation, Test Methods for, **D2225 (10.03)**
Silver Migration for Membrane Switch Circuitry, Test Method for, **F1996 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**
Trace Metallic Impurities in Electronic Grade Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1710 (10.04)**
Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, Test Method for, **F1662 (10.04)**

Electronic materials/applications—specifications
Aluminum Oxide Powder, Specification for, **F7 (10.04)**
Brazing Filler Metals for Electron Devices, Specification for, **F106 (10.04)**
Chromium Sputtering Targets for Thin Film Applications, Specification for, **F1367 (10.04)**
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**
Electronic and Degreasing Grades of, Specification for, **D4995 (15.05)**
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Fine Aluminum–1 % Silicon Wire for Semiconductor Lead-Bonding, Specification for, **F487 (10.04)**
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**
High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, Specification for, **F1709 (10.04)**
Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**
Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, Specification for, **F1684 (10.04)**
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**
Molybdenum Flattened Wire for Electron Tubes, Specification for, **F364 (10.04)**
Molybdenum Wire and Rod for Electronic Applications, Specification for, **F289 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, Specification for, **F1513 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**
Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, Specification for, **B258 (02.03)**
Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, Specification for, **F2071 (01.07)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, Specification for, **F73 (10.04)**

Electronic materials/applications (aluminum)
See **Aluminum electrical conductors—specifications**

Electronic materials/applications (ceramics)
Advanced Ceramics, Terminology of, **C1145 (15.01)**
Compressive (Crushing) Strength of Fired Whiteware Materials, Test Method for, **C773 (15.02)**
Surface Imperfections on Ceramics, Terminology Relating to, **F109 (15.02)**

Electronic materials/applications (ceramics)—specifications
Alumina Ceramics for Electrical and Electronic Applications, Specification for, **D2442 (15.02)**
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**

Electronic materials/applications (Cu/Cu alloys)—specifications
Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, Specification for, **B470 (02.03)**
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**
High-Strength, High-Conductivity Copper-Alloy Wire for Electronic Application, Specification for, **B624 (02.03)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**

Electronic materials/applications (electron tubes)
See **Electron tubes**

Electronic materials/applications (photomasks/photoplates)
See **Photomasks/photomasking**

Electronic materials/applications (seals)
See **Seals—electronic applications (specifications)**

Electronic materials/applications (water)
See **Microelectronic device processing—water**

Electronic measurement
Electronic Measurement for Hydrogen Embrittlement From Cadmium-Electroplating Processes, Test Method for, **F326 (15.03)**
Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, Practice for, **E1854 (12.02)**
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Water Vapor Content of Gaseous Fuels Using Electronic Moisture Analyzers, Test Method for, **D5454 (05.06)**

Electronic mounting hardware
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**

Electronic port fuel injector (PFI)
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**

Electronic sensing zone apparatus
Particle Size Measurement of Dry Toners, Test Method for, **F577 (15.09)**

Electronic sonic-echo/nonacoustic measurement
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**

Electronic thin-film applications
Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, Guide for, **F2113 (10.04)**
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Method, Practice for, **F1711 (10.04)**
Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, Practice for, **F1844 (10.04)**
Ultrasonic C-Scan Bond Evaluation of Sputtering, Practice for, **F1512 (10.04)**

Electronic thin-film applications—specifications
High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, Specification for, **F1709 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, Specification for, **F1513 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**

Electronic typewriter
Evaluation of Image Quality Produced by Carbonless Copy Paper with an Electric or Electronic Typewriter, Practice for, **F686 (15.09)**

Electron linear accelerator
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**

Electron microscopy
Sa **Microscopic examination**
Calibrating the Magnification of a Scanning Electron Microscope, Practice for, **E766 (03.01)**
Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy, Test Method for, **D3849 (09.01)**
Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1375 (10.04)**
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Scanning Electron Microscope (SEM) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1372 (10.04)**
Scanning Electron Microscope Beam Size Characterization, Practice for, **E986 (03.01)**
Using Scanning Electron Microscopy/X-Ray Spectrometry in Forensic Paint Examinations, Guide for, **E2809 (14.02)**

Electron paramagnetic (EPR) resonance
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**

Electron radiation
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Identifying Chemical Effects and Matrix Effects in Auger Electron Spectroscopy, Guide for, **E984 (03.06)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy, Guide for, **E983 (03.06)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**

Electron spin resonance
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**

Electron tubes
Sa **Conductance and conductivity (electrical)**
Sa **Crystal lattice structure**
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Nomenclature for Wire Leads Used as Conductors in Electron Tubes, Practice for, **F85 (10.04)**
Sizing and Counting Airborne Particulate Contamination in Cleanrooms and Other Dust-Controlled Areas, Test Method for, **F25/F25M (15.03)**
Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**

Electron tubes—sealing to glass
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**

Electron tubes—wire
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Molybdenum Flattened Wire for Electron Tubes, Specification for, **F364 (10.04)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**

Electrophoretic light scattering (ELS)
Characterization of Proteins by Electrophoretic Mobility, Test Method for, **E1470 (14.02)**

Electrophoretic mobility
Measurement of Electrophoretic Mobility and Zeta Potential of Nanosized Biological Materials, Guide for, **E2865 (14.02)**

Electrophotographic processing
Determining the Writeability of Print Media, Practice for, **F2294 (15.09)**
Determining Toner Usage for Printer Cartridges, Practice for, **F1856 (15.09)**
Evaluation of Larger Area Density and Background on Electrophotographic Printers, Test Method for, **F2036 (15.09)**
Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, Practice for, **F1442 (15.09)**

Electroplated coatings
Cleaning Metals Prior to Electroplating, Guide for, **B322 (02.05)**
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Electroforming with Nickel and Copper, Guide for, **B832 (02.05)**
Electroplating, Terminology Relating to, **B374 (02.05)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, Test Method for, **B636 (02.05)**
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Microhardness of Electroplated Coatings, Test Method for, **B578 (02.05)**
Peel Strength of Metal Electroplated Plastics, Test Method for, **B533 (02.05)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of Copper and Copper-Base Alloys for Electroplating

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Conversion Coatings, Practice for, **B281 (02.05)**
Preparation of Iron Castings for Electroplating, Practice for, **B320 (02.05)**
Preparation of Lead and Lead Alloys for Electroplating, Guide for, **B319 (02.05)**
Preparation of Molybdenum and Molybdenum Alloys for Electroplating, Practice for, **B629 (02.05)**
Preparation of Zinc Alloy Die Castings for Electroplating and Conversion Coatings, Guide for, **B252 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Thickness of Diffusion Coating, Test Methods for, **C664 (02.05)**

Electroplated Cr coatings
See **Chromium electroplating**

Electroplated Ni coatings—specifications
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**

Electroplated Ni coatings
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Preparation of Nickel Alloys for Electroplating, Practice for, **B558 (02.05)**
Preparation of Nickel for Electroplating with Nickel, Practice for, **B343 (02.05)**

Electroplated plastics
Appearance of Electroplated Plastic Surfaces, Specification for, **B532 (02.05)**
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Peel Strength of Metal Electroplated Plastics, Test Method for, **B533 (02.05)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**

Electroplated steel coatings
Electronic Measurement for Hydrogen Embrittlement From Cadmium-Electroplating Processes, Test Method for, **F326 (15.03)**
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of High-Carbon Steel for Electroplating, Guide for, **B242 (02.05)**
Preparation of Low-Carbon Steel for Electroplating, Practice for, **B183 (02.05)**

Electroplated test panels
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**

Electroplating
Electrodeposited Coatings of Zinc Nickel Alloy Deposits, Specification for, **B841 (02.05)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**

Electropolishing
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Passivation of Stainless Steels Using Electropolishing, Specification for, **B912 (02.05)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Surface Preparation and Marking of Metallic Surgical Implants, Practice for, **F86 (13.01)**

Electroregeneration
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**

Electro-scan
Locating Leaks in Sewer Pipes By Measuring the Variation of Electric Current Flow Through the Pipe Wall, Practice for, **F2550 (04.12)**

Electroslag remelt (ESR) process
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**

Electrostatic charge/discharge
Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, Test Method for, **D4308 (05.02)**
Electrostatic Discharge (ESD) Packaging Materials, Terminology Relating to, **D5077 (15.10)**
ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, Specification for, **E1549/E1549M (15.03)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Static Electrification, Test Method for, **D4470 (10.02)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Electrostatic copier
Caking Temperature of Dry Electrostatic Toner, Practice for, **F470 (15.09)**
Comparative Evaluation of Imaging Properties of Liquid Electrostatic Toners, Practice for, **F505 (15.09)**
Comparative Evaluation of the Imaging Properties of Dry Electrostatic Toners, Practice for, **F596 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Determination of Color Response of Electrostatic Copying System, Black and White Output, Practice for, **F974 (15.09)**
Determination of Fusion Temperature of Dry Electrostatic Heat-Fixing Toners, Practice for, **F706 (15.09)**
Determination of Productivity Using Electrostatic Copy Machines with Various Configurations, Test Method for, **F1318 (15.09)**
Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, Practice for, **F1423 (15.09)**
Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, Test Method for, **F2494 (15.09)**
Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, Test Method for, **F2495 (15.09)**
Determining Resolution Capability of Office Copiers, Practice for, **F807 (15.09)**
Determining the Tribocharge of Two-Component Developer Materials, Test Method for, **F1425 (15.09)**
Determining Toner Usage, Efficiency, and Dusting Nonheat Fixing Copiers Using Single-Component Toner Systems, Practice for, **F685 (15.09)**
Electrostatic Imaging, Terminology Relating to, **F335 (15.09)**
Estimating the Performance of a Fuser Oil in an Electrostatic Copier or Printer, Practice for, **F1434 (15.09)**
Estimating Toner and Dispersant Usage in Copiers Utilizing Liquid Developers, Practice for, **F1042 (15.09)**
Estimating Toner Usage in Copiers Utilizing Dry Two-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Component Developer, Practice for, **F995 (15.09)**
Estimating Toner Usage in Full-Color Copiers Utilizing Dry Mono- or Dual-Component Toners, Test Method for, **F1424 (15.09)**
Evaluating Color Image Output from Color Printers and Copiers, Test Method for, **F1206 (15.09)**
Image Evaluation of Electrostatic Business Copies, Practice for, **F360 (15.09)**
Particle Size Measurement of Dry Toners, Test Method for, **F577 (15.09)**
Printers, Terminology Relating to, **F909 (15.09)**

Electrostatic copier—specifications
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

Electrostatic electron spectrometers
Literature Describing Properties of Electrostatic Electron Spectrometers, Guide for, **E1016 (03.06)**

Electrostatic printers
Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, Practice for, **F1423 (15.09)**

Electrostatic shielding
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**

Electrostatic spray application
Electrical Resistivity of Liquid Paint and Related Materials, Test Methods for, **D5682 (06.01)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under Laboratory Conditions, Test Method for, **D5009 (06.02)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**

Electrostripping
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**

Electrotechnical products
Development of Fire Hazard Assessment Standards of Electrotechnical Products, Guide for, **D5425 (10.02)**

Electrothermal atomic absorption spectrometry
Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1834 (03.05)**
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**

Electrothermal atomic absorption spectrophotometry
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**

Electrothermal atomization
Determination of Elements by Graphite Furnace Atomic Absorption Spectrometry, Practice for, **E1184 (03.05)**

Elemental analysis
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Calibration Requirements for Elemental Analysis of Petroleum Products and Lubricants, Guide for, **D7578 (05.04)**
Determination of Elemental Content of Polyolefins by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D6247 (08.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Forensic Comparison of Glass Using Micro X-ray Fluorescence (μ-XRF) Spectrometry, Test Method for, **E2926 (14.02)**
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Optimization, Calibration, and Validation of Atomic Absorption Spectrometry for Metal Analysis of Petroleum Products and Lubricants, Practice for, **D7740 (05.04)**
Optimization, Calibration, and Validation of Inductively Coupled Plasma-Atomic Emission Spectrometry (ICP-AES) for Elemental Analysis of Petroleum Products and Lubricants, Practice for, **D7260 (05.04)**
Optimization, Sample Handling, Calibration, and Validation of X-ray Fluorescence Spectrometry Methods for Elemental Analysis of Petroleum Products and Lubricants, Practice for, **D7343 (05.04)**
Presentation Format of Elemental Cost Estimates, Summaries, and Analyses, Practice for, **E2514 (04.12)**
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Sample Decomposition Using Microwave Heating (With or Without Prior Ashing) for Atomic Spectroscopic Elemental Determination in Petroleum Products and Lubricants, Practice for, **D7876 (05.04)**
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**

Elemental building classification
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**

Elemental mercury
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**

Elemental release
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**

Elemental/systems specifications
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**

Elevated humidty testing
Adhesive for Bonding Foam Cored Sandwich Panels (160°F Elevated Humidity Service), Type I Panels, Specification for, **E1800 (04.11)**
Adhesive for Bonding Foam Cored Sandwich Panels (200°F Elevated Humidity Service), Type II Panels, Specification for, **E1794 (04.11)**

Elevated temperature service applications
Castings, Investment, Carbon and Low Alloy Steel for General Application, and Cobalt Alloy for High Strength at Elevated Temperatures, Specification for, **A732/A732M (01.02)**
Castings, Nickel-Aluminum Ordered Alloy, Specification for, **A1002 (01.02)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**
Heat Aging of Asbestos Textiles, Test Method for, **D1573/D1573M (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Modulus of Rupture of Refractory Materials at Elevated Temperatures, Test Method for, **C583 (15.01)**
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, Specification for, **C667 (04.06)**
Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, Specification for, **A1048/A1048M (01.05)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**

Elevated temperature service applications—steel
Castings, Chromium-Nickel Alloy, Specification for, **A560/A560M (01.02)**
Chromium-Vanadium Alloy Steel Spring Wire, Specification for, **A231/A231M (01.03)**
Chromium-Vanadium Alloy Steel Valve Spring Quality Wire, Specification for, **A232/A232M (01.03)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures, Specification for, **A395/A395M (01.02)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Large–Diameter Fabricated Carbon Steel Flanges, Specification for, **F1311 (01.07)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and High Temperature Service, Specification for, **A234/A234M (01.01)**
Steel Bars, Alloy, Hot-Wrought, for Elevated Temperature or Pressure-Containing Parts, or Both, Specification for, **A739 (01.05)**

Elevated temperature tests
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, Test Method for, **D6267 (06.03)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Compressive Strength of Gaskets at Elevated Temperatures, Test Method for, **F1574 (09.02)**
Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, Test Method for, **C1337 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**
Durability of Sealants Exposed to Continuous Immersion in Liquids, Test Method for, **C1247 (04.07)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, Test Method for, **C1291 (15.01)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Evaluating Elevated Temperature Performance of Adhesives Used in End-Jointed Lumber, Practice for, **D7374 (04.10)**
Evaluating Oxidation Resistance of Silicon Carbide Refractories at Elevated Temperatures, Test Method for, **C863 (15.01)**
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Interlaminar Shear Strength of 1–D and 2–D Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures, Test Method for, **C1425 (15.01)**
Measurement of Creep Crack Growth Times and Rates in Metals, Test Method for, **E1457 (03.01)**
Microcellular Urethanes—High-Temperature Sag, Test Method for, **D3769 (08.02)**
Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures, Test Method for, **C1359 (15.01)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), Test Method for, **D2295 (15.06)**
Tensile Strength of Monolithic Advanced Ceramics at Elevated Temperatures, Test Method for, **C1366 (15.01)**
Total Solids and Ash Content in Leather Finishing Materials, Test Method for, **D4906 (15.04)**
Viscosity Determination of Asphalt at Elevated Temperatures Using a Rotational Viscometer, Test Method for, **D4402/D4402M (04.04)**
Weight Loss of Gasket Materials Upon Exposure to Elevated Temperatures, Test Method for, **F495 (09.02)**

Elevated temperature tests—rubber
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
RubberDeterioration by Heat and Oxygen, Test Method for, **D572 (09.01)**

Elevation
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Developing a Stage-Discharge Relation for Open Channel Flow, Practice for, **D5541 (11.01)**

Elevation profile records
Measuring the Longitudinal Profile of Traveled Surfaces with an Accelerometer Established Inertial Profiling Reference, Test Method for, **E950/E950M (04.03)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**

ELI (extra low interstitial) alloy
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium ELI (Extra Low Interstitial) with Powder Bed Fusion, Specification for, **F3001 (10.04)**
Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), Specification for, **F136 (13.01)**

Elliptical dikes
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**

Elliptical trainer
Elliptical Trainers, Specification for, **F2810 (15.07)**
Evaluating Design and Performance Characteristics of Elliptical Trainers, Test Methods for, **F2811 (15.07)**

Elmendorf apparatus
Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, Test Method for, **D1922 (08.01)**
Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus, Test Method for, **D1424 (07.01)**

Elongated aggregate particles
Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate, Test Method for, **D4791 (04.03)**

Elongation
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Annealing Point and Strain Point of Glass by Fiber Elongation, Test Method for, **C336 (15.02)**
Archery Bowstring Component—Serving String Material, Test Methods for, **F1648 (15.07)**
Breaking Strength and Elongation of Cotton Fibers (Flat Bundle Method), Test Method for, **D1445/D1445M (07.01)**
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**
Determining Small-Strain Tensile Properties of Geogrids and Geotextiles by In-Air Cyclic Tension Tests, Test Methods for, **D7556 (04.13)**
Ductility of Bituminous Materials, Test Method for, **D113 (04.03)**
Elongation of Leather, Test Method for, **D2211 (15.04)**
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Mechanical Testing of Steel Products—Metric, Test Methods for, **A1058 (01.01, 01.02, 01.03, 01.04, 01.05)**
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**
Ultimate Tensile Properties of Turf Reinforcement Mats, Test Method for, **D6818 (04.13)**

Elongation—electrical insulating materials
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**

Elongation—geotextiles
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**
Grab Breaking Load and Elongation of Geotextiles, Test Method for, **D4632/D4632M (04.13)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**

Elongation—metallic materials
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**
Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, Test Method for, **B279 (02.03)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Tension Testing of Metallic Foil, Test Methods of, **E345 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products, Test Methods for, **B557 (02.02)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products (Metric), Test Methods for, **B557M (02.02)**

Elongation—organic coatings
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Tensile Properties of Organic Coatings, Test Method for, **D2370 (06.01)**

Elongation—plastics
Extruded Polytetrafluoroethylene (PTFE) Rod, Heavy Walled Tubing and Basic Shapes, Specification for, **D1710 (08.01)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, Test Method for, **D2105 (08.03)**

Elongation—rubber
Coated Fabrics, Test Methods for, **D751 (09.02)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Rubber Property—Elongation at Specific Stress, Test Method for, **D1456 (09.01)**
Rubber Thread—Resistance to Dry Heat, Test Method for, **D3854 (09.02)**
Vulcanized Rubber and Thermoplastic Elastomers—Tension, Test Methods for, **D412 (09.01)**

Elongation—textiles
Breaking Force and Elongation of Textile Fabrics (Strip Method), Test Method for, **D5035 (07.02)**
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Bursting Strength of Textiles—Constant-Rate-of-Traverse (CRT) Ball Burst Test, Test Method for, **D3787 (07.01)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Elongation of Narrow Elastic Fabrics (Static-Load Testing), Test Method for, **D5278/D5278M (07.02)**
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**
Tensile Testing Machines for Textiles, Specification for, **D76/D76M (07.01)**
Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine), Test Method for, **D4964 (07.02)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Elongation at specified force
Breaking Strength and Elongation of Textile Webbing, Tape and Braided Material, Test Method for, **D6775 (07.02)**

Eluent/elution
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Recovery of Viruses from Wastewater Sludges, Practice for, **D4994 (11.02)**
Separation of Ignitable Liquid Residues from Fire Debris

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**

Eluent trapping techniques
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**

Elution chromatography
See **Liquid chromatography (LC)**

EMAT (electromagnetic acoustic transducer)
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Ultrasonic Surface Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, Practice for, **E1962 (03.03)**
Ultrasonic Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, Practice for, **E1816 (03.03)**

Embalming
Disposable Embalming Gloves for Single-Use Applications, Specification for, **D7198 (09.02)**

Embankments
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Use of Foundry Sand in Structural Fill and Embankments, Practice for, **D7765 (04.09)**

Embedded dirt removal (of vacuum cleaners)
Sa **Dirt removal effectiveness (of vacuum cleaners)**
Assessing Carpet Cleaning Effectiveness in Terms of Visual Appearance Change When Cleaned with a Wet Extraction Cleaning System, Test Method for, **F2828 (15.08)**

Embedded dust
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**

Embedded steel reinforcement
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**

Embedment
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**

Embossed depth
Embossed Depth of Resilient Floor Coverings, Test Method for, **F373 (15.04)**

Embossed/grooved/ribbed stair treads
Resilient Stair Treads, Specification for, **F2169 (15.04)**

Embrittlement
Assessing the Tendency of Industrial Boiler Waters to Cause Embrittlement (USBM Embrittlement Detector Method), Practice for, **D807 (11.01)**
Corrosion of Low-Embrittling Cadmium Plate by Aircraft Maintenance Chemicals, Test Method for, **F1111 (15.03)**
Determination of Susceptibility of Metals to Embrittlement in Hydrogen Containing Environments at High Pressure, High Temperature, or Both, Test Method for, **G142 (03.02)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Residual Embrittlement in Metallic Coated, Externally Threaded Articles, Fasteners, and Rod—Inclined Wedge Method, Test Method for, **B839 (02.05)**

Embrittlement—hydrogen
See **Hydrogen embrittlement (HE)**

Embryonated eggs
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**

Embryos
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**

Emcor test
Determination of Corrosion-Preventive Properties of Lubricating Greases Under Dynamic Wet Conditions (Emcor Test), Test Method for, **D6138 (05.03)**

EMD administration/certification
See **Emergency medical dispatch (EMD) system**

Emergencies
Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, Practice for, **F1591 (13.02)**

Emergency egress
Portable and Permanent Emergency Escape Ladders for Residential Use, Specification for, **F2175 (15.11)**

Emergency gear stowage locker
Steel Emergency Gear Stowage Locker, Specification for, **F1018 (01.07)**

Emergency management
Additive Manufacturing File Format (AMF) Version 1.1, Specification for, **E2915 (15.08)**
Credentialing for Access to an Incident or Event Site, Guide for, **E2842 (15.08)**
Hospital Preparedness and Response, Guide for, **E2413 (15.08)**
Resource Management in Emergency Management and Homeland Security, Guide for, **E2640 (15.08)**
Responder Family Support Service, Practice for, **E2732 (15.08)**

Emergency medical dispatch (EMD) system
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Minimum Training of Dispatchers and Telecommunicators of SAR Incidents, Guide for, **F2662 (13.02)**
Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, Practice for, **F1552 (13.02)**

Emergency medical services (EMS)
Communicating an EMS Patient Report to Receiving Medical Facilities, Practice for, **F2076 (13.02)**
Defining the Performance of First Aid Providers in Occupational

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Settings, Guide for, **F2171 (13.02)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**
Development and Operation of Level 1 Pediatric Trauma Facilities, Guide for, **F1286 (13.02)**
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Services, Terminology Relating to, **F1177 (13.02)**
Emergency Medical Services System (EMSS) Telecommunications, Guide for, **F1220 (13.02)**
Establishing and Operating a Public Information, Education, and Relations Program for Emergency Medical Service Systems, Guide for, **F1268 (13.02)**
Establishing Operating Emergency Medical Services and Management Information Systems, or Both, Guide for, **F1629 (13.02)**
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**
Financing and Financial Accountability of Medical Transportation Systems, Guide for, **F1493 (13.02)**
Information Access Privileges to Health Information, Guide for, **E1986 (14.01)**
Interagency Information Exchange, Guide for, **F1221 (13.02)**
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**
Performance of Prehospital Automated Defibrillation, Practice for, **F1255 (13.02)**
Planning for and Response to a Multiple Casualty Incident, Guide for, **F1288 (13.02)**
Providing Essential Data Needed in Advance for Prehospital Emergency Medical Services, Guide for, **F1652 (13.02)**
Qualification and Training of EMS Air Medical Patient Care Providers, Guide for, **F1229 (13.02)**
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**
Scope of Performance of Emergency Medical Services Ambulance Operators, Guide for, **F1517 (13.02)**
Scope of Performance of First Responders Who Provide Emergency Medical Care, Guide for, **F1287 (13.02)**
Scope of Performance of Triage in a Prehospital Environment, Guide for, **F1653 (13.02)**
Selection and Use for Pelvic Ring Circumferential Compression Stabilization Devices (PRCCSD), Guide for, **F2428 (13.02)**
Structures and Responsibilities of Emergency Medical Services Systems Organizations, Guide for, **F1086 (13.02)**
Training and Evaluation of First Responders Who Provide Emergency Medical Care, Guide for, **F1453 (13.02)**
Training Emergency Medical Services Ambulance Operations, Guide for, **F1705 (13.02)**
View of Emergency Medical Care in the Electronic Health Record, Practice for, **E1744 (14.01)**

Emergency medical services (EMS)—specifications
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**

Emergency medical services instructor
Selection and Practice of Emergency Medical Services Instructor for Advanced Emergency Medical Technician, Guide for, **F1257 (13.02)**
Selection and Practice of Emergency Medical Services Instructor for Emergency Medical Technician (EMT) Training Programs, Guide for, **F1256 (13.02)**

Emergency medical services systems (EMSS)
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**

Emergency medical technician (EMT)
Selection and Practice of Emergency Medical Services Instructor for Advanced Emergency Medical Technician, Guide for, **F1257 (13.02)**
Training the Emergency Medical Technician (Paramedic), Guide for, **F1651 (13.02)**

Emergency medical technician (EMT) (Basic)
Selection and Practice of Emergency Medical Services Instructor for Emergency Medical Technician (EMT) Training Programs, Guide for, **F1256 (13.02)**
Training and Evaluation of First Responders Who Provide Emergency Medical Care, Guide for, **F1453 (13.02)**
Training the Emergency Medical Technician (Basic), Practice for, **F1031 (13.02)**
Training the Emergency Medical Technician to Perform Patient Examination Techniques, Guide for, **F1285 (13.02)**

Emergency medical transport delivery systems
Medical Oxygen Delivery Systems for EMS Ground Vehicles, Specification for, **F1949 (13.02)**

Emergency muster lists
Preparing and Locating Emergency Muster Lists, Practice for, **F1270 (01.07)**

Emergency operations center (EOC)
Additive Manufacturing File Format (AMF) Version 1.1, Specification for, **E2915 (15.08)**
Emergency Operations Center (EOC) Development, Guide for, **E2668 (15.08)**

Emergency procedures
Community Emergency Preparedness for Persons with Disabilities, Guide for, **E2951 (15.08)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**

Emergency rafts
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**

Emergency response
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Continuous Pitch/Roll Ramps, Test Method for, **E2826 (15.08)**
Evaluating Emergency Response Robot Capabilities: Human-System Interaction (HSI): Search Tasks: Random Mazes with Complex Terrain, Test Method for, **E2853 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Gaps, Test Method for, **E2801 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Hurdles, Test Method for, **E2802 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Inclined Planes, Test Method for, **E2803 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Stairs/Landings, Test Method for, **E2804 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Crossing Pitch/Roll Ramps, Test Method for, **E2827 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Symmetric Stepfields, Test Method for, **E2828 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Maneuvering Tasks: Sustained Speed, Test Method for, **E2829 (15.08)**
Evaluating Emergency Response Robot Capabilities: Radio Communication: Line-of-Sight Range, Test Method for, **E2854 (15.08)**
Evaluating Emergency Response Robot Capabilities: Radio Communication: Non-Line-of-Sight Range, Test Method for, **E2855 (15.08)**
Evaluating the Mobility Capabilities of Emergency Response Ro-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

bots Using Towing Tasks: Grasped Sleds, Test Method for, **E2830 (15.08)**
Radiological Emergency Response, Practice for, **E2601 (15.08)**
Rapid Assessment of Gamma-ray Emitting Radionuclides in Environmental Media by Gamma Spectrometry, Practice for the, **D7784 (11.02)**
Resource Management in Emergency Management and Homeland Security, Guide for, **E2640 (15.08)**
Responder Family Support Service, Practice for, **E2732 (15.08)**

Emergency services volunteers
Workers Compensation Coverage of Emergency Services Volunteers, Practice for, **F2047 (13.02)**

Emergency site access
Credentialing for Access to an Incident or Event Site, Guide for, **E2842 (15.08)**

Emergency spills
See **Oil spill control systems**

Emergent macrophyte
Conducting Renewal Phytotoxicity Tests With Freshwater Emergent Macrophytes, Guide for, **E1841 (11.06)**

Emergent stem temperature corrections
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**

EMF drift
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

EMF (electromotive force)
See **Electromotive force (EMF)**

EMI (electromagnetic interference)
Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, Specification for, **B904 (02.05)**
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**

Emission measurement
Competence of Air Emission Testing Bodies, Practice for, **D7036 (11.07)**

Emission monitoring
Collection and Analysis of Visible Emissions from Candles as They Burn, Test Method for, **F2326 (15.11)**
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**
Determination of Volatile Organic Compounds (Excluding Formaldehyde) Emissions from Wood-Based Panels Using Small Environmental Chambers Under Defined Test Conditions, Practice for, **D6330 (11.07)**
Determining Emission Profiles of Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6177 (11.07)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6178 (11.07)**
Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D6670 (11.07)**
Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Guide for, **D6485 (11.07)**
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**
Sampling of Process Vents with a Portable Gas Chromatograph, Practice for, **D6060 (11.07)**

Emission rate
Sampling Surface Soil for Radionuclides, Practice for, **C998 (12.01)**

Emission spectrochemical analysis
See **Spectrochemical analysis**

Emission spectrography
See **Spectrographic analysis**

Emission spectrometry
Sa **Spectrometry**
Optimization, Calibration, and Validation of Inductively Coupled Plasma-Atomic Emission Spectrometry (ICP-AES) for Elemental Analysis of Petroleum Products and Lubricants, Practice for, **D7260 (05.04)**

Emission spectroscopy
Sa **Spectroscopy—emission**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Emission testing
Determination of Particulate Matter Emissions Collected by a Dilution Tunnel, Test Method for, **E2515 (04.12)**
Determining Particulate Matter Emissions from Pellet Heaters, Test Method for, **E2779 (04.12)**
Determining Particulate Matter Emissions from Wood Heaters, Test Method for, **E2780 (04.12)**
Emission Cells for the Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D7143 (11.07)**
Rapid Screening of VOC Emissions from Products Using Micro-Scale Chambers, Practice for, **D7706 (11.07)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Spraying, Sampling, Packaging, and Test Specimen Preparation of Spray Polyurethane Foam (SPF) Insulation for Testing of Emissions Using Environmental Chambers, Practice for, **D7859 (11.07)**
Test Fueling Masonry Heaters, Test Method for, **E2817 (04.12)**

Emission testing—stacks and flues
Average Velocity in a Duct (Pitot Tube Method), Test Method for, **D3154 (11.07)**
Average Velocity in a Duct Using a Thermal Anemometer, Test Method for, **D3464 (11.07)**
Calibration of Type S Pitot Tubes, Practice for, **D3796 (11.07)**
Laboratories Engaged in Sampling and Analysis of Atmospheres and Emissions, Guide for, **D3614 (11.07)**
Oxides of Nitrogen in Gaseous Combustion Products (Phenol-Disulfonic Acid Procedures), Test Method for, **D1608 (11.07)**
Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**

Emissivity
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, Test Methods for, **E1897 (03.03)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**

Emissometers
Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers, Test Method for, **C1371 (04.06)**

Emittance
Calorimetric Determination of Hemispherical Emittance and the Ratio of Solar Absorptance to Hemispherical Emittance Using Solar Simulation, Test Method for, **E434 (15.03)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**
Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers, Test Method for, **C1371 (04.06)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Normal Spectral Emittance at Elevated Temperatures, Test Method for, **E307 (15.03)**
Normal Spectral Emittance at Elevated Temperatures of Nonconducting Specimens, Test Method for, **E423 (15.03)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Reflective Insulation for Building Applications, Specification for, **C1224 (04.06)**
Sheet Radiant Barriers for Building Construction Applications, Specification for, **C1313/C1313M (04.06)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Total Hemispherical Emittance of Surfaces up to 1400°C, Test Method for, **C835 (04.06)**
Total Normal Emittance of Surfaces Using Inspection-Meter Techniques, Test Methods for, **E408 (15.03)**
Using Flame Photometric Detectors in Gas Chromatography, Practice for, **E840 (03.06)**

Empirical knowledge
Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, Practice for, **E122 (14.02)**
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**

Employee safety
See **Safety precautions**

Empty containers
Leakage Testing of Empty Rigid Containers by Vacuum Method, Test Method for, **D4991 (15.10)**

Empty medical packaging
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**

EMS-MIS
Establishing Operating Emergency Medical Services and Management Information Systems, or Both, Guide for, **F1629 (13.02)**

Emulsification
Collecting Skimmer Performance Data in Controlled Environments, Guide for, **F631 (11.05)**
Emulsification/Suspension of Multiphase Fluid Waste Materials, Practice for, **D5761 (05.02)**
Evaluation of the Ability of Engine Oil to Emulsify Water and Simulated Ed85 Fuel, Test Method for, **D7563 (05.04)**

Emulsified asphalt
Accelerated Polishing of Aggregates or Pavement Surfaces Using a Small-Wheel, Circular Track Polishing Machine, Practice for, **E660 (04.03)**
Asphalt-Base Emulsions for Use as Protective Coatings for Metal, Specification for, **D1187/D1187M (04.04)**
Cationic Emulsified Asphalt, Specification for, **D2397/D2397M (04.03)**
Determination of Emulsified Asphalt Residue by Moisture Analyzer, Test Method for, **D7404 (04.03)**
Determination of Residue of Emulsified Asphalt by Low Temperature Vacuum Distillation, Test Method for, **D7403 (04.03)**
Determining Cement Mixing of Emulsified Asphalt, Test Method for, **D6935 (04.03)**
Determining Demulsibility of Emulsified Asphalt, Test Method for, **D6936 (04.03)**
Determining Density of Emulsified Asphalt, Test Method for, **D6937 (04.03)**
Determining the Viscosity of Emulsified Asphalts Using a Rotational Paddle Viscometer, Test Method for, **D7226 (04.03)**
Distillation of Emulsified Asphalt, Test Method for, **D6997 (04.03)**
Emulsified Asphalt, Specification for, **D977 (04.03)**
Emulsified Asphalt Adhesive for Adhering Roof Insulation, Specification for, **D3747 (04.04)**
Emulsified Asphalt Used as a Protective Coating for Roofing, Specification for, **D1227 (04.04)**
Evaluating Aggregate Coating using Emulsified Asphalts, Practice for, **D6998 (04.03)**
Freezing of Emulsified Asphalts, Practice for, **D6929 (04.03)**
Hydrogen Gas Generation of Aluminum Emulsified Asphalt Used as a Protective Coating for Roofing, Test Method for, **D6356/D6356M (04.04)**
Identifying Cationic Emulsified Asphalts, Practice for, **D7402 (04.03)**
Oversized Particles in Emulsified Asphalts (Sieve Test), Test Method for, **D6933 (04.03)**
Recovering Residue from Emulsified Asphalt Using Low Temperature Evaporative Technique, Practice for, **D7497 (04.03)**
Residue by Evaporation of Emulsified Asphalt, Test Method for, **D6934 (04.03)**
Selection and Use of Emulsified Asphalts, Practice for, **D3628 (04.03)**
Settlement and Storage Stability of Emulsified Asphalts, Test Method for, **D6930 (04.03)**
Viscosity of Emulsified Asphalt by Saybolt Furol Viscometer, Test Method for, **D7496 (04.03)**

Emulsified asphalt cold mixture
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**

Emulsified recycling agent
Classifying Emulsified Recycling Agents, Practice for, **D5505 (04.03)**

Emulsified refined coal tar
Sa **Coal tar—specifications**
Application of Emulsified Coal-Tar Pitch (Mineral Colloid Type), Practice for, **D3423/D3423M (04.04)**
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Emulsified Refined Coal Tar (Mineral Colloid Type), Specification for, **D5727/D5727M (04.04)**
Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade), Specification for, **D6946/D6946M (04.04)**
Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade), Specification for, **D6945/D6945M (04.04)**

Emulsion adhesives
Polyvinyl Acetate-Based Emulsion Adhesives, Specification for, **D4317 (15.06)**

Emulsion characteristics
Emulsification Characteristics of Pesticide Emulsifiable Concentrates, Test Method for, **E1116 (11.05)**
Water Separability of Petroleum Oils and Synthetic Fluids, Test Method for, **D1401 (05.01)**

Emulsion floor polishes
Sa **Floor polish**
Sa **Floor polish (water emulsion)**
Accelerated Aging of Liquid Water-Emulsion Floor Polishes, Test Method for, **D1791 (15.04)**
Freeze/Thaw Resistance of Polymer Floor Polishes, Test Method for, **D3209 (15.04)**

Emulsion paints
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**

Emulsion polybutadiene (EBR)
Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Including Mixtures With Oil, Test Methods for, **D3185 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Emulsion polymers
Determination of Free Formaldehyde in Emulsion Polymers by Liquid Chromatography, Test Method for, **D5910 (06.03)**
Emulsions (water-in-oil)
Determining Corrosivity of Crude Oils, Guide for, **G205 (03.02)**
Dispersion Stability of New (Unused) Rolling Oil Dispersions in Water, Test Method for, **D3342 (05.01)**
Stability of Water-in-Oil Emulsions Under Low to Ambient Temperature Cycling Conditions, Test Method for, **D3709 (05.01)**
Storage Stability of Water-in-Oil Emulsions by the Oven Test Method, Test Method for, **D3707 (05.01)**
Emulsion vehicles (for paints/related coatings)
Blocking Resistance of Architectural Paints, Test Method for, **D4946 (06.02)**
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Minimum Film Formation Temperature (MFFT) of Emulsion Vehicles, Test Method for, **D2354 (06.03)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
EMV (equipment movement velocity)
Calculation of Asset Movement Velocity (AMV), Practice for, **E2497 (04.12)**
Enamel coatings
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Durability of Finish of Zippers to Drycleaning, Test Method for, **D2058 (07.01)**
Durability of Finish of Zippers to Laundering, Test Method for, **D2051 (07.01)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Magnet-Wire Enamels, Test Methods for, **D3288/D3288M (10.02)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, Practice for, **C824 (15.02)**
Enamelled wire
Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, Test Method for, **D4880 (10.02)**
Enamels–magnet wire
Magnet-Wire Enamels, Test Methods for, **D3288/D3288M (10.02)**
ENB (5-ethylidenenorbornene)
Rubber, Raw—Determination of 5-Ethylidenenorbornene (ENB) or Dicyclopentadiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers, Test Methods for, **D6047 (09.01)**
Encapsulants/encapsulation
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**
Installation of Polyethylene (PE) and Encapsulated Cement Mortar Formed in Place Lining System (FIPLS) for the Rehabilitation of Water Pipelines, Practice for, **F2719 (08.04)**
Non-Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1795 (04.11)**
Polyethylene (PE) and Cement Materials for an Encapsulated Cement Mortar Formed in Place Liner System (FIPLS) for the Rehabilitation of Water Pipelines, Specification for, **F2718 (08.04)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Guide for, **E1796 (04.11)**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Encapsulants (electronic)
See **Electronic encapsulants**
Encapsulants/encapsulation—specifications
Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1797 (04.11)**
Encarsia formosa **Gahan**
Encarsia formosa Gahan (*Hymenoptera:Aphelinidae*), Specification for, **E2199 (11.05)**
Encased burial (EB)
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**
Encasement
Polyethylene Encasement for Ductile Iron Pipe for Water or Other Liquids, Practice for, **A674 (01.02)**
Encircling coil method
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, Practice for, **E703 (03.03)**
Enclosed air space
Installation and Use of Reflective Insulation in Building Constructions, Practice for, **C727 (04.06)**
Enclosed carbon-arc
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Enclosed openings
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Enclosed-scale thermometers
Sa **Thermometers**
ASTM Liquid-in-Glass Thermometers, Specification for, **E1 (14.03)**
Enclosures
Building Enclosure Commissioning, Practice for, **E2813 (04.12)**
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Testing Materials for Aerospace Plastic Transparent Enclosures, Guide for, **F790 (15.03)**
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**
En core sampler
Using the Disposable En Core Sampler for Sampling and Storing Soil for Volatile Organic Analysis, Practice for, **D6418 (11.04)**
Encrustation
Maintenance and Rehabilitation of Groundwater Monitoring Wells, Guide for, **D5978 (04.09)**
End dam
Detailing of EIFS-Clad Wall Assemblies, Guide for, **E2511 (04.12)**
Reduction of Efflorescence Potential in New Masonry Walls, Guide for, **C1400 (04.05)**
ENDF/A file
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**

--`,,`,,`,`,,`,,,,``````,,-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

End grain pitting
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Measuring Intergranular Attack or End Grain Pitting on Metals Caused by Aircraft Chemical Processes, Practice for, **F2111 (15.03)**
End-grain wood materials
See **Wood products (structural)**
End hardness
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
End-item examination
Quality Assurance of Pressure-Sensitive Tapes, Practice for, **D3715/D3715M (15.10)**
End-joints
End-Joints in Structural Wood Products, Test Methods for, **D7469 (04.10)**
Evaluating Elevated Temperature Performance of Adhesives Used in End-Jointed Lumber, Practice for, **D7374 (04.10)**
Evaluating Elevated Temperature Performance of End-Jointed Lumber Studs, Practice for, **D7470 (04.10)**
Endlaps
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Endoscope
Bronchoscopes (Rigid), Specification for, **F1218 (13.02)**
Endothermic temperature analysis
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Endotoxin
Determination of Endotoxin Concentrations in Water-Miscible Metalworking Fluids, Test Method for, **E2657 (11.03)**
Determination of Endotoxin on Sterile Medical Gloves, Guide for, **D7102 (09.02)**
Endotoxin units (EU)
Determination of Endotoxin Concentrations in Water-Miscible Metalworking Fluids, Test Method for, **E2657 (11.03)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, Guide for, **E2148 (11.03)**
Endpoint analysis
Sa **Failure end point**
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**
Selecting and Using Ecological Endpoints for Contaminated Sites, Guide for, **E1848 (11.05)**
End-quench hardness
Carbon and Alloy Steel Bars Subject to End-Quench Hardenability Requirements, Specification for, **A304 (01.05)**
Determining Hardenability of Steel, Test Methods for, **A255 (01.05)**
Steel Bars Subject to Restricted End-Quench Hardenability Requirements, Specification for, **A914/A914M (01.05)**
End-rings
Packing Material, Graphitic or Carbon Braided Yarn, Specification for, **F2191 (01.07)**
End seal testing
Flexible Pre-Insulated Piping, Specification for, **F2165 (08.04)**
Endurance
Using a 1.707-m 67.23-in. Diameter Laboratory Test Roadwheel in Testing Tires, Practice for, **F551/F551M (09.02)**
End-use performance
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
End walls
Polyethylene Stay In Place Form System for End Walls for Drainage Pipe, Specification for, **D7082 (08.03)**
Energetic materials
Assessing the Environmental and Human Health Impacts of New Energetic Compounds, Guide for, **E2552 (11.06)**
Energy absorption
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Static Energy Absorption Properties of Honeycomb Sandwich Core Materials, Test Method for, **D7336/D7336M (15.03)**
Energy analysis
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Estimating Stray Radiant Power Ratio of Dispersive Spectrophotometers by the Opaque Filter Method, Test Method for, **E387 (03.06)**
Measuring Plasma Arc Gas Enthalpy by Energy Balance, Practice for, **E341 (15.03)**
Performance of Large Open Vat Fryers, Test Method for, **F2144 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Refrigerated Buffet and Preparation Tables, Test Method for, **F2143 (15.12)**
Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials, Test Methods for, **D5045 (08.02)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**
Energy conservation
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Measuring Benefit-to-Cost and Savings-to-Investment Ratios for Buildings and Building Systems, Practice for, **E964 (04.11)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Energy consumption
Commercial Coffee Brewers, Test Method for, **F2990 (15.12)**
Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, Test Method for, **F2494 (15.09)**
Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, Test Method for, **F2495 (15.09)**
Determining Energy Consumption of Vacuum Cleaners, Test Method for, **F2756 (15.08)**
Dispensers, Powdered Iced Tea, Specification for, **F1023 (15.12)**
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**
Performance of Commercial Patio Heaters, Test Method for, **F2644 (15.12)**
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
Performance of Cook-and-Hold Ovens, Test Method for, **F3051 (15.12)**
Performance of Hot Food Holding Cabinets, Test Method for, **F2140 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Energy deposition
Estimating Stray Radiant Power Ratio of Dispersive Spectrophotometers by the Opaque Filter Method, Test Method for, **E387 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Energy deposition—electron radiation
Identifying Chemical Effects and Matrix Effects in Auger Electron Spectroscopy, Guide for, **E984 (03.06)**
Literature Describing Properties of Electrostatic Electron Spectrometers, Guide for, **E1016 (03.06)**
Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy, Guide for, **E983 (03.06)**
Energy deposition—ionizing radiation
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Calculating Absorbed Dose From Gamma or X Radiation, Practice for, **E666 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Using the Fricke Dosimetry System, Practice for, **E1026 (12.02)**
Energy deposition—neutron radiation
Sa **Neutron radiation—nuclear materials/applications**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Energy detectors
See **Threshold detectors**
Energy-dispersive spectroscopy (EDS)
Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1375 (10.04)**
Examination of Hardened Concrete Using Scanning Electron Microscopy, Guide for, **C1723 (04.02)**
Gunshot Residue Analysis by Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry, Guide for, **E1588 (14.02)**
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D4294 (05.02)**
Energy-dispersive x-ray analysis (EDXA)
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Energy-dispersive x-ray fluorescence (EDXRF)
Sa **XRF (X-ray fluorescence)**
Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), Test Method for, **F2980 (10.04)**
Analysis of Uranium and Thorium in Soils by Energy Dispersive X-Ray Fluorescence Spectroscopy, Test Method for, **C1255 (12.01)**
Determination of Low Concentrations of Uranium in Oils and Organic Liquids by X-ray Fluorescence, Test Method for, **C1343 (12.01)**
Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**
Low Sulfur in Automotive Fuels by Energy-Dispersive X-ray Fluorescence Spectrometry Using a Low-Background Proportional Counter, Test Method for, **D7212 (05.04)**
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**
Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **D5839 (11.04)**
X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, Guide for, **D5381 (06.01)**
Energy dissipation
Determining Friction Energy Dissipation in Reciprocating Tribosystems, Guide for, **G203 (03.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Energy efficiency
Data Collection for Sustainability Assessment of Building Products, Practice for, **E2129 (04.12)**
Environmental Impact Analysis of Commercial Food Service Equipment, Practice for, **F2916 (15.12)**
Performance of a Pasta Cooker, Test Method for, **F1784 (15.12)**
Performance of Braising Pans, Test Method for, **F1786 (15.12)**
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Performance of Rotisserie Ovens, Test Method for, **F1787 (15.12)**
Performance of Staff-Serve Hot Deli Cases, Test Method for, **F2472 (15.12)**
Performance of Steam Kettles, Test Method for, **F1785 (15.12)**
Performance of Underfired Broilers, Test Method for, **F1695 (15.12)**
Energy fracture toughness
See **Fracture toughness (K_{Ic})**
Energy monitoring energy performance data
Building Energy Performance Assessment for a Building Involved in a Real Estate Transaction, Practice for, **E2797 (11.05)**
Enhanced Performance of Combination Oven in Various Modes, Test Method for, **F2861 (15.12)**
Energy (plunger)
Energy Absorbed by a Tire When Deformed by Slow-Moving Plunger, Test Method for, **F414 (09.02)**
Energy release rate
Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials, Test Methods for, **D5045 (08.02)**
Engagement
Evaluating the Engagement Between Windows and Insect Screens as an Integral System, Test Method for, **E1748 (04.11)**
Engine coolant corrosivity
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**
Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
Engine Coolant Corrosion Protection Under Accelerated Thermal and Oxidizing Conditions Using a Rotating Pressure Vessel, Test Method for, **D7820 (15.05)**
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**
Simulated Service Corrosion Testing of Engine Coolants, Test Method for, **D2570 (15.05)**
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**
Engine coolants/concentrates
1,3 Propanediol (PDO) Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D7518 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Analysis of Engine Coolant for Chloride and Other Anions by Ion Chromatography, Test Method for, **D5827 (15.05)**
Boiling Point of Engine Coolants, Test Method for, **D1120 (15.05)**
Compatibility of Supplemental Coolant Additives (SCAs) and Engine Coolant Concentrates, Test Method for, **D5828 (15.05)**
Density and Relative Density of Engine Coolant Concentrates and Aqueous Engine Coolants by Digital Density Meter, Test Method for, **D5931 (15.05)**
Density or Relative Density of Engine Coolant Concentrates and Engine Coolants By The Hydrometer, Test Method for, **D1122 (15.05)**
Detecting Glycol-Base Antifreeze in Used Lubricating Oils, Test Methods for, **D2982 (05.01)**
Determination of Acids and Glycol Esters in Ethylene Glycol, Test Method for, **D7736 (15.05)**
Determination of Denatonium Ion in Engine Coolant by HPLC, Test Method for, **D7304 (15.05)**
Determination of Silicon and Other Elements in Engine Coolant by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **D6130 (15.05)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Engine Coolant Grade Glycerin, Specification for, **D7640 (15.05)**
Engine Coolants and Related Fluids, Terminology for, **D4725 (15.05)**
Foaming Tendencies of Engine Coolants at Room Temperature, Test Method for, **D4921 (15.05)**
Foaming Tendencies of Engine Coolants in Glassware, Test Method for, **D1881 (15.05)**
Foaming Tendencies of Non-Aqueous Engine Coolants in Glassware, Test Method for, **D7840 (15.05)**
Freezing Point of Aqueous Engine Coolants, Test Method for, **D1177 (15.05)**
Fully-Formulated 1,3 Propanediol (PDO) Base Engine Coolant for Heavy-Duty Engines, Specification for, **D7517 (15.05)**
Fully-Formulated Glycerin Base Engine Coolant for Heavy-Duty Engines, Specification for, **D7715 (15.05)**
Percent Ash Content of Engine Coolants, Test Method for, **D1119 (15.05)**
pH of Engine Coolants and Antirusts, Test Method for, **D1287 (15.05)**
Purity of 1,3-Propanediol (Gas Chromatographic Method), Test Method for, **D7515 (15.05)**
Reserve Alkalinity of Engine Coolants and Antirusts, Test Method for, **D1121 (15.05)**
Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, Practice for, **D1176 (15.05)**
Silicon in Engine Coolant Concentrates by Atomic Absorption Spectroscopy, Test Method for, **D6129 (15.05)**
Stop-Leak Additives for Engine Coolants, Test Method for Testing, **D3147 (15.05)**
Temperature and Hard Water Stability of Engine Coolants, Test Method for, **D7437 (15.05)**
Thermal Conductivity, Thermal Diffusivity and Volumetric Heat Capacity of Engine Coolants and Related Fluids by Transient Hot Wire Liquid Thermal Conductivity Method, Test Method for, **D7896 (15.05)**
Trace Chloride Ion in Engine Coolants, Test Method for, **D3634 (15.05)**
Trace Ethylene Glycol in Used Engine Oil, Test Method for, **D4291 (05.02)**
Use of the Refractometer for Field Test Determination of the Freezing Point of Aqueous Engine Coolants, Test Method for, **D3321 (15.05)**
Water in Engine Coolant Concentrate by the Karl Fischer Reagent Method, Test Methods for, **D1123 (15.05)**

Engine coolants/concentrates—specifications
ASTM Reference Fluid for Coolant Tests, Specification for, **D3585 (15.05)**
Engine Coolant Grade 1,3-Propanediol (PDO), Specification for, **D7388 (15.05)**
Engine Coolant Grade Glycol, Specification for, **E1177 (15.05)**
Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, Specification for, **D6210 (15.05)**
Glycol Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D3306 (15.05)**
Industrial Grade Ethylene Glycol, Specification for, **E1119 (15.05)**
Low Silicate Ethylene Glycol Base Engine Coolant for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), Specification for, **D4985 (15.05)**
Recycled Glycol Base Engine Coolant Concentrate for Automobile and Light-Duty Service, Specification for, **D6472 (15.05)**
Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, Specification for, **D6471 (15.05)**
Stop-Leak Additive for Engine Coolants Used in Light Duty Service, Specification for, **D6107 (15.05)**
Supplemental Coolant Additives (SCAs) for Use in Precharging Coolants for Heavy-Duty Engines, Specification for, **D5752 (15.05)**

Engine deposits
See **Deposit (internal combustion engine) formation**

Engineered aerospace materials/applications
Selecting Aerospace and General Purpose Adhesives and Sealants, Guide for, **D6465 (15.06)**
Selection of Spacecraft Materials, Practice for the, **E1997 (15.03)**

Engineered electrodeposited coatings
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Electrodeposited Coatings of Palladium- Cobalt Alloy for Engineering Use, Specification for, **B984 (02.05)**
Engineering Chromium Electroplating, Guide for, **B177/B177M (02.05)**
Preparation of Chromium for Electroplating with Chromium, Practice for, **B630 (02.05)**

Engineered electrodeposited coatings—specifications
Autocatalytic (Electroless) Nickel-Phosphorus Coatings on Metal, Specification for, **B733 (02.05)**
Autocatalytic Nickel Boron Coatings for Engineering Use, Specification for, **B607 (02.05)**
Electrodeposited Coatings of Gold for Engineering Uses, Specification for, **B488 (02.05)**
Electrodeposited Coatings of Palladium for Engineering Use, Specification for, **B679 (02.05)**
Electrodeposited Coatings of Palladium-Nickel for Engineering Use, Specification for, **B867 (02.05)**
Electrodeposited Coatings of Rhodium for Engineering Use, Specification for, **B634 (02.05)**
Electrodeposited Coatings of Silver for Engineering Use, Specification for, **B700 (02.05)**
Electrodeposited Copper for Engineering Uses, Specification for, **B734 (02.05)**
Electrodeposited Engineering Chromium Coatings on Ferrous Substrates, Specification for, **B650 (02.05)**
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**

Engineered medical products
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Characterization and Testing of Raw or Starting Biomaterials for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tissue-Engineered Medical Products, Guide for, **F2027 (13.01)**

Engineered structural design
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Engineering and Design Criteria for Rigid Wall Relocatable Structures, Specification for, **E1925 (04.11)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**

Engineered wood fiber
Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment, Specification for, **F2075 (15.07)**
Standard Test Method for Collection of Volatile Organic Compounds Emitted During Simulated Manufacturing of Engineered Wood Products Via a Sealed Caul Plate Method, Test Method for, **D7770 (04.10)**

Engineering applications
Sa **Computerized systems**
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Determining Bending Yield Moment of Nails, Test Method for, **F1575 (01.08)**
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, Test Method for, **C1331 (15.01)**
Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1499 (15.01)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Security Engineering Symbols, Practice for, **F967 (15.08)**
Selecting Cleaning Agents and Processes, Guide for, **D6361/D6361M (15.05)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Strength Properties of Adhesives in Cleavage Peel by Tension Loading (Engineering Plastics-to-Engineering Plastics), Test Method for, **D3807 (15.06)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**

Engineering applications—specifications
Copper-Brazed Steel Tubing, Specification for, **A254/A254M (01.01)**
Ferritic Malleable Iron Castings, Specification for, **A47/A47M (01.02)**
Hard-Coat Anodizing of Magnesium for Engineering Applications, Specification for, **B893 (02.05)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**
Welded Brass Tube, Specification for, **B587 (02.01)**

Engineering controls
Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, Guide for, **E2435 (11.05)**
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**

Engineering criteria/design
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**
Tensile Properties of Plastics, Test Method for, **D638 (08.01)**

Engineering criteria/design—soil/rock/related materials
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Determining the Normalized Penetration Resistance of Sands for Evaluation of Liquefaction Potential, Practice for, **D6066 (04.09)**
Determining the Specification Conformance of Geosynthetics, Practice for, **D4759 (04.13)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Soil, Rock, and Contained Fluids, Terminology Relating to, **D653 (04.08)**
Using Rock-Mass Classification Systems for Engineering Purposes, Guides for, **D5878 (04.09)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**

Engineering economics
Sa **Building economics**
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**
Measuring Life-Cycle Costs of Buildings and Building Systems, Practice for, **E917 (04.11)**
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**

Engineering specification requirements
Machine/Process Capability Study Procedure, Practice for, **F1503 (01.08)**

Engine (lubricating) oils
Sa **Lubricating oils—specifications**
Determination of Low Levels of Phosphorus in ILSAC GF 4 and Similar Grade Engine Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D7040 (05.04)**
Determination of Moderately High Temperature Piston Deposits by Thermo-Oxidation Engine Oil Simulation Test—TEOST MHT, Test Method for, **D7097 (05.04)**
Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7111 (05.04)**
Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, Test Method for, **D7110 (05.04)**

Engine oils (automotive)
Sa **Automotive engine fuels/oils—specifications**
Bench Oxidation of Engine Oils by ROBO Apparatus, Test Method for, **D7528 (05.04)**
Evaluation of the Ability of Engine Oil to Emulsify Water and Simulated Ed85 Fuel, Test Method for, **D7563 (05.04)**
Measuring the Merit of Dispersancy of In-Service Engine Oils with Blotter Spot Method, Test Method for, **D7899 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Engine oil volatility
See **Volatility—petroleum products**
Engines
Fully-Formulated Glycerin Base Engine Coolant for Heavy-Duty Engines, Specification for, **D7715 (15.05)**
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**
Engines (aircraft)
Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, Test Method for, **F945 (15.03)**
Engine wear
Evaluation of Automotive Engine Oils in the Sequence IIIG, Spark-Ignition Engine, Test Method for, **D7320 (05.04)**
Enhanced oxidation
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Enhancement-mode MOSFETs
See **MOSFETs**
Enhancer tubes
Seamless and Welded Nickel Alloy Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B924 (02.04)**
Seamless Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B903 (02.01)**
Welded Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B919 (02.01)**
Enrichment
Uranium Hexafluoride for Enrichment, Specification for, **C787 (12.01)**
Enrichment meter principle
Measurement of, Test Method for, **C1514 (12.01)**
Entanglement
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Enteral feeding devices
Enteral Feeding Devices with a Retention Balloon, Test Methods for, **F2528 (13.02)**
Enterobacter aerogenes
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**
Enteroviruses
Enterococci in Water Using Enterolert, Test Method for, **D6503 (11.02)**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Enthalpy
Sa **Thermal analysis (TA)**
Measurement of Enthalpy of Fusion, Percent Crystallinity, and Melting Point of Ultra-High-Molecular Weight Polyethylene by Means of Differential Scanning Calorimetry, Test Method for, **F2625 (13.02)**
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Enthalpy of vaporization/sublimation
Calculating Heat of Vaporization or Sublimation from Vapor Pressure Data, Practice for, **E2071 (14.02)**
Entombment
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Entrainment coefficient
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Entrainment separators
Entrainment Separators for Use in Marine Piping Applications, Specification for, **F1006 (01.07)**
Entrance angle
Sa **Retroreflective marking materials**
Describing Retroreflection, Practice for, **E808 (06.01)**
Entrapment/entanglement
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**
Entry control
Adjusting the Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors, Practice for, **C1269 (12.01)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
Enumeration
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Enumeration (of bacteria)
Enumeration of Non-Tuberculosis, Practice for, **E2563 (11.03)**
Enveloped gaskets
Sealability of Enveloped Gaskets, Test Method for, **F112 (09.02)**
Environment
Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, Guide for, **E2435 (11.05)**
Artists' Paint Waste Disposal in Smaller Commercial or Educational Settings, Guide for, **D7355 (06.02)**
Assessing the Environmental and Human Health Impacts of New Energetic Compounds, Guide for, **E2552 (11.06)**
Estimating the Environmental Load of Residential Wastewater, Practice for, **E2717 (04.12)**
Evaluation and Selection of Accommodations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2772 (04.12)**
Environmental acoustics
Sa **Sound transmission—building materials/applications**
Building and Environmental Acoustics, Terminology Relating to, **C634 (04.06)**
Measurement of the Normalized Insertion Loss of Doors, Test Method for, **E2964 (04.06)**
Environmental aggressiveness (of water/soil)
Asbestos-Cement Pipe, Test Methods for, **C500/C500M (04.05)**
Environmental analytical laboratories
Preparing a Training Program for Environmental Analytical Laboratories, Guide for, **D5829 (11.04)**
Environmental assessment
Environmental Management of Underground Storage Tank Systems Storing Hazardous Substances or Petroleum, Guide for, **E2681 (11.05)**
Estimation of LNAPL Transmissivity, Guide for, **E2856 (11.05)**
Greener Cleanups, Guide for, **E2893 (11.05)**
Integrating Sustainable Objectives into Cleanup, Guide for, **E2876 (11.05)**
Environmental baseline surveys (EBS)
Conducting Environmental Baseline Surveys, Practice for, **D6008 (11.05)**
Environmental chamber
Determination of Mold Growth on Coated Building Products Designed for Interior Applications Using an Environmental Chamber and Indirect Inoculation, Test Method for, **D7855/D7855M (06.01)**
Environmental conditioning
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Environmental contamination
See **Contamination—environmental**
Environmental control/fate
Sa **Acute toxicity tests**
Sa **Benthic macroinvertebrates (collecting)**
Sa **Field testing—environmental materials/applications**
Sa **Toxicity/toxicology**
Biological Effects and Environmental Fate, Terminology Relating to, **E943 (11.06)**
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, Test Method for, **C1512 (04.06)**
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**
Conducting Hazard Analysis-Critical Control Point (HACCP) Evaluations, Guide for, **E2590 (11.06)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**
Estimating Monetary Costs and Liabilities for Environmental Matters, Guide for, **E2137 (11.05)**
Framework for a Consensus-based Environmental Decision-making Process, Guide for, **E2348 (11.05)**
Hazard Potential of Chemicals, Terminology Relating to, **E1445 (14.02)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Property Condition Assessments: Baseline Property Condition Assessment Process, Guide for, **E2018 (11.05)**
Quality Planning and Field Implementation of a Water Quality Measurement Program, Guide for, **D5612 (11.01)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Risk-Based Corrective Action Applied at Petroleum Release Sites, Guide for, **E1739 (11.05)**
Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, Test Method for, **E1597 (12.02)**
Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, Practice for, **E2088 (15.03)**
Shear Strength of Adhesives Using Pin-and-Collar Specimen, Test Method for, **D4562 (15.06)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, Guide for, **F1872 (11.05)**
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**
Environmental control/fate—aerospace applications
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, Test Method for, **E1235 (15.03)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Preparation of Aerospace Contamination Control Plans, Practice for, **E1548 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Environmental control/fate—building applications
Data Collection for Sustainability Assessment of Building Products, Practice for, **E2129 (04.12)**
Development of Fire-Hazard-Assessment Standards, Guide for, **E1546 (04.07)**
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Environmental control/fate—marine (shipboard)
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Environmental control/fate—oil spill control systems
See **Oil spill control systems**
Environmental control/fate—waste
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, Practice for, **D5283 (11.04)**
Environmental corrosion testing
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, Test Method for, **B826 (02.04)**
Environmental cost element structure (ECES)
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**
Environmental cracking
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**
Environmental degradation
Sa **Degradation—environmental materials/applications**
Exposing and Testing Plastics that Degrade in the Environment by a Combination of Oxidation and Biodegradation, Guide for, **D6954 (08.03)**
Environmental health view
Occupational/Environmental Health View of the Electronic Health Record, Practice for the, **E2473 (14.01)**
Environmental hydrogen embrittlement (EHE)
See **Hydrogen embrittlement (HE)**
Environmental liability
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**
Environmentally assisted cracking (EAC)
See **EAC (environmentally assisted cracking)**
Environmental media
Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, Guide for, **E2435 (11.05)**
Evaluation and Selection of Audio Visual (AV) and Production for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2745 (04.12)**
Environmental monitoring
Applying Statistical Methods for Assessment and Corrective Action Environmental Monitoring Programs, Guide for, **D7048 (04.09)**
Assessing Biodegradability of Hydraulic Fluids, Guide for, **D6006 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Assessment of Attaining Clean Up Level for Site Closure, Practice for, **D6597 (11.04)**
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Data Assessment for Environmental Waste Management Activities, Guide for, **D6233 (11.04)**
Environmental Monitoring Plans for Decommissioning of Nuclear Facilities, Guide for, **E1819 (12.02)**
Environmental Regulatory Compliance Audits, Practice for, **E2107 (11.05)**
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Hydraulic Fluids for Environmental Impact, Classification of, **D6046 (05.02)**
Installing and Operating Settlement Platforms for Monitoring Vertical Deformations, Guide for, **D6598 (04.09)**
Sampling and Testing of Possible Carbon Black Fugitive Emissions or Other Environmental Particulate, or Both, Practice for, **D6602 (09.01)**
Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, Guide for, **D6232 (11.04)**

Environmental noise measurements
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**

Environmental organic compounds
Chlorine in Organic Compounds by Sodium Peroxide Bomb Ignition, Test Method for, **E256 (15.05)**
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Determination of Low Concentrations of Uranium in Oils and Organic Liquids by X-ray Fluorescence, Test Method for, **C1343 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Total Nitrogen in Organic Materials by Modified Kjeldahl Method, Test Method for, **E258 (15.05)**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**

Environmental organic compounds—specifications
Apparatus For Microdetermination of Carbon and, Specification for, **E191 (14.04)**

Environmental performance
Building Energy Performance Assessment for a Building Involved in a Real Estate Transaction, Practice for, **E2797 (11.05)**
Environmental Compliance Performance Assessment, Guide for, **E2365 (11.05)**

Environmental pollution prevention
Selecting Cleaning Agents and Processes, Guide for, **D6361/D6361M (15.05)**

Environmental sampling/testing
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Data Assessment for Environmental Waste Management Activities, Guide for, **D6233 (11.04)**
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Selection and Optimization of Sampling Design, Guide for, **D6311 (11.04)**
Packaging and Shipping Environmental Samples for Laboratory Analysis, Guide for, **D6911 (04.09)**
Preparing a Training Program for Environmental Analytical Laboratories, Guide for, **D5829 (11.04)**
Quantification of a ***Pseudomonas aeruginosa*** Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, Test Method for, **E2196 (11.05)**
Representative Sampling for Management of Waste and Contaminated Media, Guide for, **D6044 (11.04)**
Sampling Airborne Microorganisms at Municipal Solid-Waste Processing Facilities, Practice for, **E884 (11.04)**
Sampling Granular Carriers and Granular Pesticides, Test Method for, **E725 (11.05)**
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**
Sampling Waste and Soils for Volatile Organic Compounds, Guide for, **D4547 (11.04)**
Sampling With a Composite Liquid Waste Sampler (COLIWASA), Practice for, **D5495 (11.04)**
Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, Guide for, **D6232 (11.04)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**
Using Probability Sampling Methods in Studies of Indoor Air Quality in Buildings, Guide for, **D5791 (11.07)**
Using the Disposable En Core Sampler for Sampling and Storing Soil for Volatile Organic Analysis, Practice for, **D6418 (11.04)**
Wipe Sampling Materials for Lead in Surface Dust, Specification for, **E1792 (04.11)**

Environmental site assessment (ESA)
Assessment of Attaining Clean Up Level for Site Closure, Practice for, **D6597 (11.04)**
Basic Assessment and Management of Greenhouse Gases, Guide for, **E2725 (11.05)**
Building Energy Performance Assessment for a Building Involved in a Real Estate Transaction, Practice for, **E2797 (11.05)**
Collecting Treatment Process Design Data at a Contaminated Site—A Site Contaminated With Chemicals of Interest, Guide for, **D7294 (11.04)**
Data and Information Options for Conducting an Ecological Risk Assessment at Contaminated Sites, Guide for, **E2020 (11.05)**
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**
Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities, Classification of, **D5746 (11.05)**
Environmental Site Assessments: Phase I Environmental Site Assessment Process, Practice for, **E1527 (11.05)**
Environmental Site Assessments: Phase I Environmental Site Assessment Process for Forestland or Rural Property, Practice for, **E2247 (11.05)**
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**
Environmental Site Characterization in Cold Regions, Guide for, **D5995 (04.09)**
Estimating Monetary Costs and Liabilities for Environmental Matters, Guide for, **E2137 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Financial Disclosures Attributed to Climate Change, Guide for, **E2718 (11.05)**
Installation of Direct Push Groundwater Monitoring Wells, Guide for, **D6724 (04.09)**
Limited Environmental Due Diligence: Transaction Screen Process, Practice for, **E1528 (11.05)**
Obtaining Samples of Geosynthetic Clay Liners, Practice for, **D6072/D6072M (04.13)**
Remedy Selection Integrating Risk-Based Corrective Action and Non-Risk Considerations, Guide for, **E2616 (11.05)**
Risk-Based Corrective Action, Guide for, **E2081 (11.05)**
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**
Selecting and Using Ecological Endpoints for Contaminated Sites, Guide for, **E1848 (11.05)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**
Using the Frequency Domain Electromagnetic Method for Subsurface Investigations, Guide for, **D6639 (04.09)**
Vapor Encroachment Screening on Property Involved in Real Estate Transactions, Guide for, **E2600 (11.05)**

Environmental site assessment (ESA)—petroleum spills
Cone Penetrometer Technology Characterization of Petroleum Contaminated Sites with Nitrogen Laser-Induced Fluorescence, Practice for, **D6187 (04.09)**

Environmental site assessment (ESA)—soil/rock
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
Collection and Handling of Soils Obtained in Core Barrel Samplers for Environmental Investigations, Practice for, **D6640 (11.04)**
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
pH of Soils, Test Method for, **D4972 (04.08)**
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**
Selection of Drilling Methods for Environmental Site Characterization, Guide for, **D6286 (04.09)**
Selection of Methods for Estimating Soil Loss by Erosion, Guide for, **D6629 (04.09)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Subsurface Site Characterization of Test Pits for On-Site Septic Systems, Practice for, **D5921 (04.09)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**

Environmental site assessment (ESA)—water
Selection and Documentation of Existing Wells for Use in Environmental Site Characterization and Monitoring, Guide for, **D5980 (04.09)**
Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, Guide for, **E1850 (11.06)**

Environmental stability
Dissolution Testing of Calcium Phosphate Granules, Fabricated Forms, and Coatings, Test Method for, **F1926/F1926M (13.01)**

Environmental stress
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**

Environmental stress crack resistance (ESCR)
Sa **Stress cracking tests**
Determining Residual Stresses in Extruded or Molded Sulfone Plastic (SP) Parts by Immersion in Various Chemical Reagents, Practice for, **D7474 (08.03)**
Environmental Stress Crack Resistance (ESCR) of Plastic Tighthead Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Environmental Stress Crack Resistance (ESCR) of Threaded Plastic Closures, Test Method for, **D5419 (08.03)**
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
Environmental Stress-Cracking of Ethylene Plastics, Test Method for, **D1693 (08.01)**

Environmental test chamber
Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D6670 (11.07)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**

Environmental tobacco smoke (ETS)
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on Solanesol, Test Method for, **D6271 (11.07)**
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on UVPM and FPM, Test Methods for, **D5955 (11.07)**
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**

Environmental verification
Environmental and Performance Verification of Factory-Applied Liquid Coatings, Guide for, **D7270 (06.02)**

Environmental water
Determination of Bisphenol A in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7574 (11.02)**
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**
Determination of Nonylphenol, Bisphenol A, p-tert -Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Gas Chromatography Mass Spectrometry, Test Method for, **D7065 (11.02)**
Determination of Nonylphenol, p-*tert*-Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7485 (11.02)**

Environments (gaseous)
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**

Enzymes
Measurement of the Biological Activity of Ricin, Practice for, **E2805 (15.08)**

Enzymes (alkaline protease)
Assay for Alkaline Protease, Test Method of, **D3048 (15.04)**

EOAT (engine oil aeration test)
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**

Eohaustorius estuarius
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**

EPA pattern diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Analyses, Guide for, **D5738 (04.08)**

EPD (eye protective devices)
See **Eye protectors**

EPDM (Ethylene propylene diene terpolymer)
Ethylene Propylene Diene Terpolymer (EPDM) Sheet Used In Geomembrane Applications, Specification for, **D7465 (04.13)**
Selection of Test Methods for Ethylene Propylene Diene Terpolymer (EPDM) Geomembranes, Guide for, **D7106 (04.13)**

EP (extreme-pressure) lubricants
Determining Extreme Pressure Properties of Lubricating Greases Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5706 (05.02)**
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), Test Methods for, **D3233 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), Test Method for, **D2783 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), Test Method for, **D2782 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Grease (Four-Ball Method), Test Method for, **D2596 (05.01)**
Measurement of Load-Carrying Capacity of Lubricating Grease (Timken Method), Test Method for, **D2509 (05.01)**
Measuring Friction and Wear Properties of Extreme Pressure (EP) Lubricating Oils Using SRV Test Machine, Test Method for, **D6425 (05.03)**
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**
Oxidation Characteristics of Extreme-Pressure Lubrication Oils, Test Methods for, **D2893 (05.01)**

Epichlorohydrin
See **Chemicals**

Epidemiological investigation
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, Guide for, **E848 (06.01)**

Epidermis
See **Skin**

Epifluorescence microscopy
Sa **Microscopic examination**
Enumeration of Aquatic Bacteria by Epifluorescence Microscopy Counting Procedure, Test Method for, **D4455 (11.02)**
Simultaneous Enumeration of Total and Respiring Bacteria in Aquatic Systems by Microscopy, Test Method for, **D4454 (11.02)**

Epitaxial gallium arsenide phosphide
See **Gallium arsenide phosphide**

EPMA (electron probe microanalyzer)
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**

EPM/EPDM materials/applications
Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, Test Methods for, **D3900 (09.01)**
Rubber—Evaluation of EPDM (Ethylene Propylene Diene Terpolymers) Including Mixtures With Oil, Test Methods for, **D3568 (09.01)**
Rubber, Raw—Determination of 5-Ethylidenenorbornene (ENB) or Dicyclopentadiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers, Test Methods for, **D6047 (09.01)**

EPM/EPDM materials/applications—specifications
Ozone-Resistant Ethylene-Alkene Polymer Insulation, Specification for, **D2802 (10.02)**

EPM/EPDM roofing materials/applications
Design of Standard Flashing Details for EPDM Roof Membranes, Guide for, **D6369 (04.04)**
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**
Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, Specification for, **D4811/D4811M (04.04)**
Time-to-Failure (Creep-Rupture) of Adhesive Joints Fabricated from EPDM Roof Membrane Material, Practice for, **D6383/D6383M (04.04)**
Vulcanized Rubber Sheets Used in Waterproofing Systems, Specification for, **D6134 (04.04)**

Epoxide equivalent weight (EEW)
Epoxy Content of Epoxy Resins, Test Method for, **D1652 (06.03)**

Epoxy adhesives
Peel Resistance of Adhesives (T-Peel Test), Test Method for, **D1876 (15.06)**

Epoxy-carbon fiber prepreg
See **Carbon fiber-epoxy prepregs**

Epoxy-coated pipe piles—specifications
Fusion Bonded Epoxy-Coated Pipe Piles, Specification for, **A972/A972M (01.01)**

Epoxy-coated steel bars—specifications
Epoxy-Coated Prefabricated Steel Reinforcing Bars, Specification for, **A934/A934M (01.04)**
Epoxy-Coated Steel Dowels for Concrete Pavement, Specification for, **A1078/A1078M (01.04)**
Epoxy-Coated Steel Reinforcing Bars, Specification for, **A775/A775M (01.04)**
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**

Epoxy-coated steel wire—specifications
Epoxy-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A884/A884M (01.04)**
Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, Specification for, **A882/A882M (01.04)**
Steel Wire, Epoxy-Coated, Specification for, **A899 (01.03)**

Epoxy (EP) plastics
Implantable Thermoset Epoxy Plastics, Criteria for, **F602 (13.01)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**

Epoxy (EP) plastics—specifications
Epoxy (Flexible) Adhesive For Bonding Metallic And Nonmetallic Materials, Specification For, **D6412/D6412M (15.06)**
Epoxy Molding Compounds, Specification for, **D3013 (08.01)**
Epoxy Resins, Specification for, **D1763 (08.01)**
Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**

Epoxy resin bonding systems (for concrete)
Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear, Test Method for, **C882/C882M (04.02)**
Epoxy-Resin-Base Bonding Systems for Concrete, Specification for, **C881/C881M (04.02)**
Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, Test Method for, **C884/C884M (04.02)**

Epoxy resin pipe fittings
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**

Epoxy resin pipe fittings—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Epoxy resins
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Epoxy Content of Epoxy Resins, Test Method for, **D1652 (06.03)**
Hydrolyzable Chloride Content of Liquid Epoxy Resins, Test Methods for, **D1726 (06.03)**
Peel Resistance of Adhesives (T-Peel Test), Test Method for, **D1876 (15.06)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Testing Epoxy Resins, Guide for, **D4142 (06.03)**
Total Chlorine in Epoxy Resins and Compounds, Test Method for, **D4301 (06.03)**

Epoxy resins—specifications
Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, Specification for, **E1556 (04.11)**
Epoxy Resins, Specification for, **D1763 (08.01)**

EPR/ESR dosimetry
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**

EPR test
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**

EPS (expanded polystyrene) geofoam
Expanded Polystyrene ("EPS") Thermal Insulation Boards for Use in Exterior Insulation and Finish Systems ("EIFS"), Specification For, **E2430/E2430M (04.12)**
Rigid Cellular Polystyrene Geofoam, Specification for, **D6817/D6817M (04.13)**
Use of Expanded Polystyrene (EPS) Geofoam in Geotechnical Projects, Guide for, **D7180/D7180M (04.13)**

EPS (expanded polystyrene) insulation
Expanded Polystyrene ("EPS") Thermal Insulation Boards for Use in Exterior Insulation and Finish Systems ("EIFS"), Specification For, **E2430/E2430M (04.12)**

Epsom salt
Determination of Magnesium Sulfate (Epsom Salt) in Leather, Test Method for, **D6017 (15.04)**
Determining the Presence of Lead Salts in Leather, Test Method for, **D6018 (15.04)**

Epstein cores
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**

Epstein test frame
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**

Equal-width/discharge-increment sampling
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**

Equations
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**

Equestrian headgear
Protective Headgear Used in Horse Sports and Horseback Riding, Specification for, **F1163 (15.07)**

Equiaxed grains
Sa **Grain size**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**

Equibiaxial flexural strength
Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1499 (15.01)**

Equilibration
Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration, Test Method for, **C1430 (12.01)**

Equilibration and mixing
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**

Equilibrium
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, Test Method for, **D3702 (05.01)**

Equilibrium boiling point
Boiling Point of Engine Coolants, Test Method for, **D1120 (15.05)**

Equilibrium catalysts
Sa **Catalysts/catalyst carriers**
Determining Activity and Selectivity of Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, Test Method for, **D5154 (05.05)**
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**

Equilibrium conditioning
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Equilibrium headspace
Measurement of Hydrogen Sulfide in the Vapor Phase Above Residual Fuel Oils, Test Method for, **D5705 (05.02)**

Equilibrium heel angle
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**

Equilibrium method
Flash Point by the Equilibrium Method With a Closed-Cup Apparatus, Test Method for, **D3941 (06.01)**
Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus, Test Method for, **D3934 (06.01)**

Equilibrium moisture
Sa **Moisture analysis**
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Equilibrium Moisture of Coal at 96 to 97 Percent Relative Humidity and 30°C, Test Method for, **D1412 (05.06)**
Moisture Conditioning of Wood and Wood-Based Materials, Guide for, **D4933 (04.10)**

Equilibrium temperature
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Equilibrium water level
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
Equine
Level 1 (Basic) Mounted Search and Rescue (MSAR) Responder, Guide for, **F2794 (13.02)**
Equine racing
Body Protectors Used in Equine Racing, Specification for, **F2681 (15.07)**
Equipment
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Classification of Asset Physical Location Information, Practice for, **E2499 (04.12)**
Data Characteristics of Equipment Records, Practice for, **E2604 (04.12)**
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Equipment Control Matrix (ECM), Practice for, **E2608 (04.12)**
Evaluation, Calibration, and Correlation of E274 Friction Measurement Systems and Equipment, Guide for the, **E2793 (04.03)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**
Moveable Property Storage, Practice for, **E2715 (04.12)**
Obtaining In-Service Samples of Lubricating Grease, Practice for, **D7718 (05.04)**
Physical Placement of an Entity-Controlled Supplemental Identification Label, Practice for, **E2631 (04.12)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Specification for Equipment and Supplies in Sexual Assault Investigations, Practice for, **E2124 (14.02)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Verification of Process Analytical Technology (PAT) Enabled Control Systems, Guide for, **E2629 (14.02)**
Equipment—bakery
Bread Slicing Machines, Specification for, **F2646 (15.12)**
Bun Slicing Machines, Specification for, **F2645 (15.12)**
Equipment calibration
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Equipment (for handling bituminous pavement)
Sampling Compacted Bituminous Mixtures for Laboratory Testing, Practice for, **D5361/D5361M (04.03)**
Equipment (for sampling water)
Sa **Sampling water analysis applications**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**
Equipment-generated continuous noise
Measurement of Equipment-Generated Continuous Noise for Assessment of Health Hazards, Practice for, **E2202 (04.06)**
Equipment malfunction
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
Equipment management process maturity (EMPM)
Equipment Management Process Maturity (EMPM) Model, Practice for, **E2452 (04.12)**
Equipment movement velocity (EMV)
Calculation of Asset Movement Velocity (AMV), Practice for, **E2497 (04.12)**
Equipment roster form
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**
Equipment safety design
See **Safety precautions**
Equipment standardization
Standardizing Equipment for Electromagnetic Testing of Seamless Aluminum-Alloy Tube, Practice for, **E215 (03.03)**
Equipment utility
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**
Equipotential bond mat
Temporary Protective Equipotential Bond Mat To Be Used on De-Energized Equipment, Specification for, **F2715 (10.03)**
Equitorial tracking mount
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Equivalence testing
Conducting Equivalence Testing in Laboratory Applications, Practice for, **E2935 (14.02)**
Equivalent design load
Determining Load Resistance of Glass in Buildings, Practice for, **E1300 (04.11)**
Equivalent free-fall drop height
Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, Test Methods for, **D4168 (15.10)**
Equivalent monoenergetic neutron fluence
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Equivalent penetrameter
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**
Equivalent single-axle load (ESAL)
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Equivalent static load method
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**
Equivalent thickness
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Equivalent visual color ratings
Color of Liquids Using Tristimulus Colorimetry, Test Method for, **D5386 (06.04)**
Equivalent weight
Sa **Weight**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Equiviscous temperature (EVT)
Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D450/D450M (04.04)**
Equotip hardness
Leeb Hardness Testing of Steel Products, Test Method for, **A956 (01.05)**
Erasability
Determining the Erasability of Inked Ribbons, Test Method for, **F362/F362M (15.09)**
E-rating
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**
Erection
Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, Guide for, **D5364 (08.03)**
Ergonomics
Integration of Ergonomics/Human Factors into New Occupational Systems, Guide for, **E2350 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Erichsen test
Ball Punch Deformation of Metallic Sheet Material, Test Method for, **E643 (03.01)**
Erodibility
Erodibility Determination of Soil in the Field or in the Laboratory by the Jet Index Method, Test Method for, **D5852 (04.08)**
Erosion
Air Erosion of Sprayed Fire-Resistive Materials (SFRMs) Applied to Structural Members, Test Method for, **E859 (04.11)**
Analysis and Interpretation of Test Data for Articulating Concrete Block (ACB) Revetment Systems in Open Channel Flow, Guide for, **D7276 (04.09)**
Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, Guide for, **G117 (03.02)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Determination of Temporary Ditch Check Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D7208 (04.09)**
Dust Erosion Resistance of Optical and Infrared Transparent Materials and Coatings, Test Method for, **F1864 (15.03)**
Erosion of Solid Materials by Cavitating Liquid Jet, Test Method for, **G134 (03.02)**
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Evaluating Degree of Erosion of Exterior Paints, Test Method for, **D662 (06.01)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Performance Testing of Articulating Concrete Block (ACB) Revetment Systems for Hydraulic Stability in Open Channel Flow, Test Method for, **D7277 (04.09)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Selection of Methods for Estimating Soil Loss by Erosion, Guide for, **D6629 (04.09)**
Wear and Erosion, Terminology Relating to, **G40 (03.02)**
Erosion—electrical insulating materials
Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, Test Method for, **D2132 (10.01)**
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**
Erosion control materials/applications
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Construction of Live Fascines on Slopes, Practice for, **D6599 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Soil from Rain Splash and Associated Runoff Under Bench-Scale Conditions, Index Test Method for, **D7101 (04.09)**
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Field Determination of Rapid Specific Gravity of Rock and Man-made Materials for Erosion Control, Test Method for, **D5779/D5779M (04.08)**
Live Staking, Practice for, **D6765 (04.09)**
Measuring Mass Per Unit Area of Erosion Control Blankets, Test Method for, **D6475 (04.09)**
Measuring Nominal Thickness of Rolled Erosion Control Products, Test Method for, **D6525 (04.13)**
Placement of Riprap Revetments, Guide for, **D6825 (04.09)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Specific Gravity And Absorption of Rock For Erosion Control, Test Method For, **D6473 (04.09)**
Specifying Rock to Fill Gabions, Revet Mattresses, and Gabion Mattresses, Practice for, **D6711 (04.09)**
Specifying Standard Sizes of Stone for Erosion Control, Practice for, **D6092 (04.09)**
Erosion control materials/applications—specifications
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**
Topsoil Used for Landscaping Purposes, Specification for, **D5268 (04.08)**
Erosion-corrosion
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Determining Synergism Between Wear and Corrosion, Guide for, **G119 (03.02)**
Erosion-resistant revetment
Analysis and Interpretation of Test Data for Articulating Concrete Block (ACB) Revetment Systems in Open Channel Flow, Guide for, **D7276 (04.09)**
Installation of Articulating Concrete Block (ACB) Revetment Systems, Practice for, **D6884 (04.09)**
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Placement of Riprap Revetments, Guide for, **D6825 (04.09)**
Error analysis
Sa **Statistical methods**
Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, Practice for, **E122 (14.02)**
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Preparing and Interpreting Precision and Bias Statements in Test Method Standards Used in the Nuclear Industry, Guide for, **C1215 (12.01)**
Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus, Test Method for, **C177 (04.06)**
Error detection/correction
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**
Error propagation
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Errors
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Errors (in derived quantities)
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Erucamide (slip)
Determination of Antioxidants and Erucamide Slip Additives in Polyethylene Using Liquid Chromatography (LC), Test Method for, **D6953 (08.03)**
Determination of Phenolic Antioxidants and Erucamide Slip Additives in Polypropylene Homopolymer Formulations Using

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Liquid Chromatography (LC), Test Method for, **D6042 (08.03)**

ERW line pipe
See **Electric-resistance-welded (ERW) steel pipe—specifications**

Erythematous reaction
Human Repeat Insult Patch Testing of Medical Gloves, Test Method for, **D6355 (09.02)**

ESCA (electron spectroscopy for chemical analysis)
See **Auger electron spectroscopy (AES)**

Escape
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**

Escape ladder
Portable and Permanent Emergency Escape Ladders for Residential Use, Specification for, **F2175 (15.11)**

Escape routes
Photoluminescent (Phosphorescent) Safety Markings, Specification for, **E2072 (06.01)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Escherichia coli
Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E2276 (11.05)**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**

Eschka method
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Total Sulfur in the Analysis Sample of Refuse-Derived Fuel, Test Methods for, **E775 (11.04)**

Escort vessels
Escort Vessel Evaluation and Selection, Guide for, **F1878 (01.07)**

ESCS (expanded shale/clay/slate)
Use of Expanded Shale, Clay and Slate (ESCS) as a Mineral Component in the Growing Media and the Drainage Layer for Vegetative (Green) Roof Systems, Specification for, **E2788 (04.04)**

Escutcheon nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

ESD (electrostatic static discharge) materials/applications
Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, Specification for, **B904 (02.05)**
Determining the Effectiveness of Membrane Switch ESD Shielding, Test Method for, **F1812 (10.04)**
ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, Specification for, **E1549/E1549M (15.03)**
Foot Protection, Test Methods for, **F2412 (15.07)**

ES (extremity splints)
Characteristics for Extremity Splints, Guide for, **F1555 (13.02)**

ESR (erythrocyte sedimentation rate)
Glass Westergren Tube, Disposable, Specification for, **E1046 (14.04)**
Glass Westergren Tube, Reusable, Specification for, **E923 (14.04)**

Establishment
Identification and Establishment of a Quality Assurance Program for Medical Transcription, Guide for, **E2117 (14.01)**

Ester content
Determination of Fatty Acids and Esters in Glycerin, Test Method for, **D7638 (15.05)**
Sampling and Testing Plasticizers Used in Plastics, Test Methods for, **D1045 (08.01)**

Ester functionality
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**

Esters
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**
Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7398 (05.04)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Ester Value of Solvents and Thinners, Test Method for, **D1617 (06.04)**
Ethyl Acetate (All Grades), Specification for, **D4614 (06.04)**
Heptane Miscibility of Lacquer Solvents, Test Method for, **D1476 (06.04)**
Hexyl Acetate, Specification for, **D5137 (06.04)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Isobutyl Acetate (95 % Grade), Specification for, **D1718 (06.04)**
n-Butyl Acetate (All Grades), Specification for, **D4615 (06.04)**
n-Propyl Acetate (96 % Grade), Specification for, **D3130 (06.04)**
Primary Amyl Acetate, Synthetic (98 % Grade), Specification for, **D3540 (06.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**

Ester value
Ester Value of Solvents and Thinners, Test Method for, **D1617 (06.04)**

Estimated survival probability
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**

Estimate tire load
Sa **Tire testing**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**

Estimating character
Sampling Aggregates, Practice for, **D75/D75M (04.03)**

Estimation/estimates
Estimating the Environmental Load of Residential Wastewater, Practice for, **E2717 (04.12)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Seismic Risk Assessment of Buildings, Guide for, **E2026 (04.11)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Within-laboratory Quantitation Estimation (WQE), Practice for, **D7783 (11.01)**

Estuarine environments
Sa **Oil spill control systems**
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting In-situ Field Bioassays With Caged Bivalves, Guide for, **E2122 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting Static and Flow-Through Acute Toxicity Tests With

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mysids From the West Coast of the United States, Guide for, **E1463 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**

Estuarine environments—collecting benthic macroinvertebrates
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**

ETBE (ethyl *tert*-butyl ether)
Analysis of Ethyl tert-Butyl Ether (ETBE) by Gas Chromatography, Test Method for, **D7796 (05.04)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, Specification for, **D7618 (05.04)**

Etched foil resistance strain gages
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**

Etching (materials/process)
Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, Methods of, **D2674 (15.06)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Liquid and Gelled Acid Etching of Concrete, Practice for, **D4260 (06.02)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Microetching Metals and Alloys, Practice for, **E407 (03.01)**
Polishing and Etching Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D5671 (05.06)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**

Etch pit density (EPD)
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**

Etch structures
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**

ETFE (ethylene-tetrafluoroethylene)
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**

ETFE (ethylene-tetrafluoroethylene)—specicifications
Modified ETFE-Fluoropolymer Molding and Extrusion Materials, Specification for, **D3159 (08.01)**

Ethane
Ethane Thermophysical Property Tables, Specification for, **D3984 (05.06)**

Ethane content
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**

Ethanol
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Blending Mid-Level Ethanol Fuel Blends for Flexible-Fuel Vehicles with Automotive Spark-Ignition Engines, Practice for, **D7794 (05.04)**
Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D4806 (05.02)**
Determination of Ethanol and Methanol Content in Fuels Containing Greater than 20% Ethanol by Gas Chromatography, Test Method for, **D5501 (05.02)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**
Determination of pHe of Ethanol, Denatured Fuel Ethanol, and Fuel Ethanol (Ed75-Ed85), Test Method for, **D6423 (05.03)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Determining the Accelerated Iron Corrosion Rating of Denatured Fuel Ethanol and Ethanol Fuel Blends, Test Method for, **D7577 (05.04)**
Ethanol Fuel Blends for Flexible-Fuel Automotive Spark-Ignition Engines, Specification for, **D5798 (05.02)**
Existent Inorganic Sulfate in Ethanol by Potentiometric Titration, Test Method for, **D7318 (05.04)**
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**

Ethanolamines
Determination of Diethanolamine, Triethanolamine, N-Methyldiethanolamine and N-Ethyldiethanolamine in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7599 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ethanol-chlorobenzene (ECB) dosimetry system
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
Ethanol soluble extractives
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Ethanol-toluene solubility
Ethanol-Toluene Solubility of Wood, Test Method for, **D1107 (04.10)**
Ethenylpridine
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**
Ether
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Trace Oxygenates in Automotive Spark-Ignition Engine Fuel by Multidimensional Gas Chromatography, Test Method for, **D7754 (05.04)**
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**
Etherification
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**
Ethical requirements
Requirements for Psychophysiological Detection of Deception (PDD) Examiners, Guide for, **E2065 (14.02)**
Ethnicity
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
2-Ethoxyethanol
2-Ethoxyethanol, Specification for, **D331 (06.04)**
2-Ethoxy ethyl acetate
2-Ethoxyethyl Acetate (99 % Grade), Specification for, **D3728 (06.04)**
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
Ethoxylated surfactants
See **Surfactants**
Ethoxyl content
Ethylcellulose, Test Methods for, **D914 (06.03)**
Ethoxyl substitution
Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D4794 (06.03)**
Ethyl acetate
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
Ethyl Acetate (All Grades), Specification for, **D4614 (06.04)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Ethyl acrylate
Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, Test Method for, **D3594 (08.02)**
Ethyl Acrylate, Specification for, **D3548 (06.04)**
Ethylbenzene
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**
Ethylbenzene, Specification for, **D3193 (06.04)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Trace Chloride in Liquid Aromatic Hydrocarbons, Test Method for, **D5194 (06.04)**
Ethylbenzene in mineral spirits
Aromatics in Mineral Spirits by Gas Chromatography, Test Methods for, **D3257 (06.04)**
Ethyl butylether
See **ETBE (ethyl** *tert*-butyl ether)
Ethylcellulose (EC)
Sa **Cellulose and cellulose derivatives**
Ethyl Cellulose Molding and Extrusion Compounds, Specification for, **D787 (08.01)**
Ethylcellulose, Test Methods for, **D914 (06.03)**
Ethylene
Analysis of Ethylene Product, Guide for, **D5234 (05.02)**
Determination of Hydrocarbon Impurities in Ethylene by Gas Chromatography, Test Method for, **D6159 (05.03)**
Determining Gel Content in Crosslinked Ethylene Plastics Using Pressurized Liquid Extraction, Test Method for, **D7567 (08.03)**
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**
Ethylene-acrylic acid (EAA) copolymer
Acid Content of Ethylene-Acrylic Acid Copolymers, Test Method for, **D4094 (08.02)**
Ethylene-alkene polymer
Ozone-Resistant Ethylene-Alkene Polymer Insulation, Specification for, **D2802 (10.02)**
Ethylene chemiluminescence method
Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, Test Method for, **D5149 (11.07)**
Ethylene content
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**
Ethylenediamine tetraacetic acid (Na_4EDTA)
Sa **EDTA method**
Ethylene Diamine Tetraacetate (EDTA) in Soaps or Synthetic Detergents, Test Method for, **D1767 (15.04)**
Ethylene dibromide (EDB)
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**
Ethylene dichloride
Sa **Solvents**
Technical Grade Ethylene Dichloride, Specification for, **D5960 (15.05)**
Ethylene-ethyl acrylate (EEA) copolymer
Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, Test Method for, **D3594 (08.02)**
Ethylene glycol
Sa **Engine coolants/concentrates**
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Detecting Glycol-Base Antifreeze in Used Lubricating Oils, Test Methods for, **D2982 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Acids and Glycol Esters in Ethylene Glycol, Test Method for, **D7736 (15.05)**
Low Concentrations of Diethlyene Glycol in Ethylene Glycol by Gas Chromatography, Test Methods for, **E611 (15.05)**
Purity of 1,3-Propanediol (Gas Chromatographic Method), Test Method for, **D7515 (15.05)**
Trace Ethylene Glycol in Used Engine Oil, Test Method for, **D4291 (05.02)**
Use of the Refractometer for Field Test Determination of the Freezing Point of Aqueous Engine Coolants, Test Method for, **D3321 (15.05)**

Ethylene glycol—specifications
Engine Coolant Grade Glycol, Specification for, **E1177 (15.05)**
Ethylene Glycol, Specification for, **D2693 (06.04)**
Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, Specification for, **D6210 (15.05)**
Glycol Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D3306 (15.05)**
Industrial Grade Ethylene Glycol, Specification for, **E1119 (15.05)**
Low Silicate Ethylene Glycol Base Engine Coolant for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), Specification for, **D4985 (15.05)**
Polyester Grade Ethylene Glycol, Specification for, **E2470 (15.05)**

Ethylene oxide (ETO)
Ethylene Oxide Content of Polyethoxylated Nonionic Surfactants, Test Method for, **D2959 (15.04)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**

Ethylene oxide (ETO)—workplace
Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), Test Method for, **D4413 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), Test Method for, **D5578 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**

Ethylene plastics
Sa **Polyethylene (PE) sheet and film—specifications**
Absorption Coefficient of Ethylene Polymer Material Pigmented with Carbon Black, Test Method for, **D3349 (10.02)**
Carbon Black Content in Olefin Plastics, Test Method for, **D1603 (08.01)**
Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, Test Method for, **D3594 (08.02)**
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**
Dilute Solution Viscosity of Ethylene Polymers, Test Method for, **D1601 (08.01)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Environmental Stress-Cracking of Ethylene Plastics, Test Method for, **D1693 (08.01)**
Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials, Specification for, **D4020 (08.02)**

Ethylene plastics—specifications
Sa **Polyethylene (PE)—specifications**
Crosslinkable Ethylene Plastics, Specification for, **D2647 (08.01)**

Ethylene product concentration
Analysis of Ethylene Product, Guide for, **D5234 (05.02)**

Ethylene-propylene copolymers
Measurement of Hexane Extractable Content of Polyolefins, Test Method for, **D5227 (08.03)**
Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, Test Methods for, **D3900 (09.01)**

Ethylene propylene diene terpolymer (EPDM)
Selection of Test Methods for Ethylene Propylene Diene Terpolymer (EPDM) Geomembranes, Guide for, **D7106 (04.13)**

Ethylene-vinyl acetate (EVA) copolymer
Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene–Vinyl Acetate (EVA) Copolymers By Gas Chromatography, Test Method for, **D4275 (08.02)**
Determination of the Vinyl Acetate Content of Ethylene-Vinyl Acetate (EVA) Copolymers by Fourier Transform Infrared Spectroscopy (FT-IR), Test Method for, **D5594 (08.03)**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Measurement of Hexane Extractable Content of Polyolefins, Test Method for, **D5227 (08.03)**

2-Ethylhexanol
2-Ethylhexanol, Specification for, **D1969 (06.04)**
Ethyl Methyl Pentanol Content and Purity Value of 2-Ethylhexanol By Gas Chromatography, Test Method for, **D5008 (06.04)**

2-Ethylhexyl alcohol
2-Ethylhexanol, Specification for, **D1969 (06.04)**

Ethyl iodide
Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D4794 (06.03)**

Ethyl mercaptan
Determination of Ethyl Mercaptan in LP-Gas Vapor, Test Method for, **D5305 (05.02)**

Ethyl methyl pentanol content
Ethyl Methyl Pentanol Content and Purity Value of 2-Ethylhexanol By Gas Chromatography, Test Method for, **D5008 (06.04)**

Ethyl silicate (inorganic) primer
Sa **Primers**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**

Ethyl *tertiary*-butylether
See **ETBE (ethyl *tert*-butyl ether)**

Eukaryotic cells
Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, Guide for, **E2186 (11.06)**

Eureka test
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**

European Committee for Standardization
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**

European diesel injector method
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus, Test Method for, **D6278 (05.03)**
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus at 30 and 90 Cycles, Test Method for, **D7109 (05.04)**

Eutectic electrical contact alloy
Silver-Copper Eutectic Electrical Contact Alloy, Specification for, **B628 (02.04)**

Evacuated chamber method
Vapor-Liquid Ratio Temperature Determination of Fuels (Evacuated Chamber Method), Test Method for, **D5188 (05.02)**

Evacuated reflective insulation
Sa **Thermal insulating materials**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**

Evacuation
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Evacuation Route Diagrams, Guide for, **E2238 (11.03)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Multi-Story Building External Evacuation Controlled Descent Devices, Specification for, **E2484 (04.12)**
Multi-Story Building External Evacuation Platform Rescue Systems, Specification for, **E2513 (04.12)**

Evacuation route diagrams (ERDs)
Evacuation Route Diagrams, Guide for, **E2238 (11.03)**

Evaluated nuclear data file
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**

Evaluation—building components/applications
Building Enclosure Commissioning, Practice for, **E2813 (04.12)**
Evaluating Water Leakage of Building Walls, Guide for, **E2128 (04.12)**
Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components, Practice for, **E699 (14.02)**

Evaluation—laboratory testing
See **Laboratory analysis/evaluation**

Evaluation devices/systems
Sa in vitro Evaluation
Certification of Personnel Engaged in the Testing of Soil and Rock, Practice for, **D5255 (04.08)**
Development of an Independent Third-Party Verification of Reference Materials, Guide for, **F2717 (15.12)**
Establishing and Operating a Public Information, Education, and Relations Program for Emergency Medical Service Systems, Guide for, **F1268 (13.02)**
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar Specimens, Test Method for, **D6532 (06.02)**
Evaluation, Calibration, and Correlation of E274 Friction Measurement Systems and Equipment, Guide for the, **E2793 (04.03)**
Livestock, Meat, and Poultry Evaluation Devices, Test Method for, **F2343 (15.12)**
Livestock, Meat, and Poultry Evaluation Systems, Terminology for, **F2463 (15.12)**
Planar Flaw Height Sizing by Ultrasonics, Guide for, **E2192 (03.03)**
the Evaluation of Measurements Made by Online Coal Analyzers, Guide to, **D6543 (05.06)**
the Preparation and Evaluation of Liquid Baths Used for Temperature Calibration by Comparison, Guide for, **E2488 (14.03)**
User Requirements for Livestock, Meat, and Poultry Evaluation Devices or Systems, Practice for, **F2341 (15.12)**

Evaporation calorimetry
See **Calorimeter**

Evaporation loss
Estimating Apparent Vapor Pressures and Molecular Weights of Lubricating Oils, Test Method for, **D2878 (05.01)**
Evaporation Loss of Lubricating Greases and Oils, Test Method for, **D972 (05.01)**
Evaporation Loss of Lubricating Greases Over Wide-Temperature Range, Test Method for, **D2595 (05.01)**
Evaporation Loss of Lubricating Oils by the Noack Method, Test Method for, **D5800 (05.02)**
Evaporation Loss of Lubricating Oils by Thermogravimetric Analyzer (TGA) Noack Method, Test Method for, **D6375 (05.03)**
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**

Evaporation rate/time
Evaporation Rates of Volatile Liquids by Shell Thin-Film Evaporometer, Test Methods for, **D3539 (06.01)**
Relative Evaporation Time of Halogenated, Test Method for, **D1901 (15.05)**

Evaporation residue
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**
Residue by Evaporation of Emulsified Asphalt, Test Method for, **D6934 (04.03)**

Evaporative mass transfer
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**

Evaporators/evaporation
Copper-Beryllium Welded Heat Exchanger and Condenser Tube (UNS No. C17510), Specification for, **B944 (02.01)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Evaluating Plastic Shrinkage Cracking of Restrained Fiber Reinforced Concrete (Using a Steel Form Insert), Test Method for, **C1579 (04.02)**
Evaporation and Drying of Analytical Solutions, Test Method for, **D4902 (15.04)**
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**

Evaporators/evaporation—specifications
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Dishes, Evaporating, Platinum, Specification for, **E786 (14.04)**
Mechanically Refrigerated Shipboard Air Conditioner, Specification for, **F1433 (01.07)**
Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, Specification for, **F1513 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

Evenness
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**

Event data recorder (EDR)
Collection of Non-Volatile Memory Data in Evidentiary Vehicle Electronic Control Units, Guide for the, **E2493 (14.02)**

Evidence
Acceptance of Evidence Based on the Results of Probability Sampling, Practice for, **E141 (14.02)**
Analysis of Clandestine Drug Laboratory Evidence, Guide for, **E2882 (14.02)**
Collection and Preservation of Information and Physical Items by a Technical Investigator, Practice for, **E1188 (14.02)**
Computer Forensics, Practice for, **E2763 (14.02)**
Education and Training in Computer Forensics, Guide for, **E2678 (14.02)**
Receiving, Documenting, Storing, and Retrieving Evidence in a Forensic Science Laboratory, Practice for, **E1492 (14.02)**
Sexual Assault Investigation, Examination, and Evidence Collection, Guide for, **E1843 (14.02)**
Techniques in Land Search, Guide for, **F1633 (13.02)**
Transmittal of Evidence in Sexual Assault Investigation, Practice for, **E2123 (14.02)**

Evidence transmittal
Microcrystal Testing in Forensic Analysis of Phencyclidine and Its Analogues, Guide for, **E2125 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evolution-absorption method
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Evolution-volumetric method
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Evolved formaldehyde
Measurement of Evolved Formaldehyde from Water Reducible Air-Dry Coatings, Test Method for, **D6191 (06.01)**
Examination
PDD Examination Standards of Practice, Guide for, **E2062 (14.02)**
Examination gloves (medical)
Sa **Medical examination gloves**
Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs, Practice for, **D6978 (09.02)**
Determination of Expiration Dating for Medical Gloves, Practice for, **D7160 (09.02)**
Determination of Real Time Expiration Dating of Mature Medical Gloves Stored Under Typical Warehouse Conditions, Practice for, **D7161 (09.02)**
Polychloroprene Examination Gloves for Medical Application, Specification for, **D6977 (09.02)**
Examiners
Organizations Engaged in the Certification of Personnel Testing and Inspecting Bituminous Paving Materials, Practice for, **D5506 (04.03)**
Requirements for Psychophysiological Detection of Deception (PDD) Examiners, Guide for, **E2065 (14.02)**
Excavation site
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Excess-energy pendulum-impact test
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Excess flow valve (EFV)
Excess Flow Valves for Natural Gas Service, Specification for, **F2138 (08.04)**
Performance Testing of Excess Flow Valves, Test Method for, **F1802 (08.04)**
Exchange capacity
Measuring the Exchange Complex and Cation Exchange Capacity of Inorganic Fine-Grained Soils, Test Method for, **D7503 (04.09)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**
Excitation
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Exciting current—alternating-current
Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, Test Method for, **A697/A697M (03.04)**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**
Exciting force/power
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
EXCO test
Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), Test Method for, **G34 (03.02)**
Exempted solvents
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Exempt volatile compounds
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Exercise bicycles
Sa **Bicycle equipment—specifications**
Evaluating Design and Performance Characteristics of Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, Test Methods for, **F3023 (15.07)**
Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, Specification for, **F1250 (15.07)**
Exfiltration rate
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Exfoliation corrosion
Sa **Corrosion**
Conducting Exfoliation Corrosion Tests in Aluminum Alloys, Guide for, **G112 (03.02)**
Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), Test Method for, **G34 (03.02)**
Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), Test Method for, **G66 (03.02)**
Exhaust emissions
Evaluating the Sustained Air Performance and Exhaust Emission Efficiencies of Central Vacuum Cleaning Units, Test Method for, **F2826 (15.08)**
Exhaust gas leakage
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**
Exhaust port blockage
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Engines Other Than Outboards, Test Method for, **D4857 (05.02)**

Exhaust silencers
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**

Exhaust system design
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**

Exhaust venting system
Room Heaters, Pellet Fuel-Burning Type, Specification for, **E1509 (04.11)**

Existent gum
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**

Exit velocity
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**

Exogenous inclusion
See **Inclusions—metals/alloys**

Exothermic
Measuring the Reactivity of Hydraulic Refractory Castables using Exothermic Profile, Guide for, **C1656 (15.01)**

Exothermic temperature analysis
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Constant-Temperature Stability of Chemical Materials, Test Method for, **E487 (14.02)**
Determination of Reactivity of Unsaturated Polyesters and Vinyl Esters at 180.0°F (82.2°C), Test Method for, **D7029 (08.03)**
Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, Test Method for, **E2041 (14.02)**
Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, Test Method for, **E2160 (14.02)**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**

Expandable foam adhesives
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**

Expandable shelter panels
Sa **Tactical shelters**
Shelter, Tactical, Expandable, One-Side, Specification for, **E1977 (04.11)**
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**

Expanded-metal shipbuilding materials
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Metal, Expanded, Steel, Specification for, **F1267 (01.03)**

Expanded polystyrene geofoam (EPS)
Sampling of Expanded Polystyrene Geofoam Specimens, Practice for, **D7557/D7557M (04.13)**
Use of Expanded Polystyrene (EPS) Geofoam in Geotechnical Projects, Guide for, **D7180/D7180M (04.13)**

Expanded rubbers
Flexible Cellular Materials—Sponge or Expanded Rubber, Specification for, **D1056 (08.01)**

Expander devices
Soft-Tissue Expander Devices, Specification for, **F1441 (13.01)**

Expansion
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Expansion (Pin Test) of Copper and Copper-Alloy Pipe and Tubing, Test Method for, **B153 (02.01)**
Expansion or Contraction of Coal by the Sole-Heated Oven, Test Method for, **D2014 (05.06)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, Test Method for, **E831 (14.02)**
Measuring Expansion of Intumescent Materials Used in Firestop and Joint Systems, Test Methods for, **E2786 (04.12)**
Moisture Expansion of Fired Whiteware Products, Test Method for, **C370 (15.02)**
Potential Expansion of Aggregates from Hydration Reactions, Test Method for, **D4792/D4792M (04.03)**
Rubber Hose, Test Methods for, **D380 (09.02)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Expansion—cement materials/applications
Autoclave Expansion of Hydraulic Cement, Test Method for, **C151/C151M (04.01)**
Expansion of Hydraulic Cement Mortar Bars Stored in Water, Test Method for, **C1038/C1038M (04.01)**
Expansive Hydraulic Cement, Specification for, **C845/C845M (04.01)**
Potential Expansion of Portland-Cement, Test Method for, **C452/C452M (04.01)**
Restrained Expansion of Expansive Cement Mortar, Test Method for, **C806 (04.01)**

Expansion—concrete materials/applications
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**
Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C940 (04.02)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Restrained Expansion of Shrinkage-Compensating Concrete, Test Method for, **C878/C878M (04.02)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**

Fabric roofing applications—specifications
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**

Expansion bearings—specifications
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

Expansion gates
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**

Expansion index (EI)
Expansion Index of Soils, Test Method for, **D4829 (04.08)**

Expansion joint fillers
Preformed Closed-Cell Polyolefin Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D7174 (04.03)**

Expansion joints
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**
Asphaltic Plug Joints for Bridges, Specification for, **D6297 (04.03)**
Circular Metallic Bellows Type Expansion Joint for HVAC Piping Applications, Specification for, **F2934 (01.07)**
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Design of Standard Flashing Details for EPDM Roof Membranes, Guide for, **D6369 (04.04)**
Determining the Fire Resistance of Continuity Head-of-Wall Joint Systems Installed Between Rated Wall Assemblies and Nonrated Horizontal Assemblies, Test Method for, **E2837 (04.07)**
Elastomeric Strip Seals with Steel Locking Edge Rails Used in Expansion Joint Sealing, Specification for, **D5973 (04.03)**
High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, Specification for, **D6909 (09.02)**
Non-Metallic Expansion Joints, Specification for, **F1123 (01.07)**
Pipeline Expansion Joints of the Packed Slip Type for Marine Application, Specification for, **F1007 (01.07)**
Standard Details for Adhered Sheet Waterproofing, Guide for, **D5898/D5898M (04.04)**

Expansion method
Vapor Pressure of Liquefied Petroleum Gases (LPG) (Expansion Method), Test Method for, **D6897 (05.03)**

Expansion pressure
One-Dimensional Expansion, Shrinkage, and Uplift Pressure of Soil-Lime Mixtures, Test Methods for, **D3877 (04.08)**
Resistance, Test Method for, **D2844/D2844M (04.08)**

Expansive alkali-silica reactivity
Determination of Length Change of Concrete Due to Alkali-Silica Reaction, Test Method for, **C1293 (04.02)**

Expected capacity
Determining Reporting Conditions and Expected Capacity for Photovoltaic Non-Concentrator Systems, Practice for, **E2939 (12.02)**

Expected value analysis
See **Value analysis (VA)**

Expedited site characterization
See **Environmental site assessment (ESA)**

Experimental absorption samplers
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

Experimental design/evaluation
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Design of Experiments, Terminology Relating to, **E1325 (14.02)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Room Fire Experiments, Guide for, **E603 (04.07)**
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**

Experimental technique/instrumentation
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**

Experts
Forensic Engineering, Guide to, **E2713 (14.02)**

Expiration dating
Determination of Expiration Dating for Medical Gloves, Practice for, **D7160 (09.02)**
Determination of Real Time Expiration Dating of Mature Medical Gloves Stored Under Typical Warehouse Conditions, Practice for, **D7161 (09.02)**

Explorations
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**

Explosion hazards
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Deployment of Blast Resistant Trash Receptacles in Crowded Places, Guide for, **E2831/E2831M (15.08)**

Explosions/explosives
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**
Shredder Explosion Protection, Practice for, **E1248 (11.04)**
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**
Trash Receptacles Subjected to Blast Resistance Testing, Specification for, **E2740 (15.08)**

Explosion suppressant
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HCFC Blend B (CF3CCl 2H, Ar, and CF4), Practice for, **D7123 (15.05)**
Handling, Transportation, and Storage of HFC Blend B (CH2FCF 3, CHF2 CF3, and CO2), Practice for, **D7326 (15.05)**
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Handling, Transportation, and Storage of IG-55 Ar N2, Practice for, **D7324 (15.05)**

Explosive
Verifying Minimum Acceptable Performance of Trace Explosive Detectors, Practice for, **E2520 (15.08)**

Explosive charge
Blast Resistance of Trash Receptacles, Test Method for, **E2639 (15.08)**

Explosive trace detector (ETD)
Determining Limits of Detection in Explosive Trace Detectors, Test Method for, **E2677 (15.08)**

Exponential dilution method
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**

Exponential distribution
Factors and Procedures for Applying the MIL-STD-105 Plans in Life and Reliability Inspection, Practice for, **E2555 (14.02)**
Life and Reliability Testing Based on the Exponential Distribution, Practice for, **E2696 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Statistical Analysis of Service Life Data, Guide for, **G166 (14.04)**
Export packaging
Export Packaged Laboratory Apparatus, Specification for, **E921 (14.04)**
Exposed lining
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Exposure assessment
Asbestos Exposure Assessments for Repetitive Maintenance and Installation Tasks, Practice for, **D7886 (11.07)**
Exposure chamber method
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Exposure index DPA (displacements per atom)
Characterizing Neutron Exposures in Iron and Low Alloy Steels in Terms of Displacements Per Atom (DPA), E 706(ID), Practice for, **E693 (12.02)**
Exposure (personnel)
Sa **Safety precautions**
Air Sampling Strategies for Worker and Workplace Protection, Guide for, **E1370 (11.07)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, Specification for, **E2731 (15.08)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Exposure resistance
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Exposures
Conducting Exposures in Outdoor Glass-Covered Exposure Apparatus with Air Circulation, Practice for, **G201 (14.04)**
Selecting Wood Substrates for Weathering Evaluations of Architectural Coatings, Practice for, **D7787/D7787M (06.02)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Exposure tests
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Dermal Wipe Sampling for the Subsequent Determination of Metals and Metalloids, Practice for, **D7822 (11.07)**
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Metal Black Panel and White Panel Temperature Devices for Natural Weathering Tests, Specification for, **G179 (14.04)**
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Selecting and Characterizing Weathering Reference Materials, Practice for, **G156 (14.04)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Exposure tests—adhesives
Durability Assessment of Adhesive Joints Stressed in Peel, Test Method for, **D2918 (15.06)**
Effect of Moisture and Temperature on Adhesive Bonds, Practice for, **D1151 (15.06)**
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**
Exposure tests—atmospheric
Accelerated Aging of Pressure-Sensitive Tapes, Practice for, **D3611 (15.10)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Atmospheric Exposure of Adhesive-Bonded Joints and Structures, Practice for, **D1828 (15.06)**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Minimizing Effects of Aerosols in the Wet Metal Removal Environment, Practice for, **E1972 (11.03)**
Oxidation Mass Loss of Manufactured Carbon and Graphite Materials in Air, Test Method for, **C1179 (05.05)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Selecting and Constructing Exposure Scenarios for Assessment of Exposures to Alkyd and Latex Interior Paints, Practice for, **D6669 (11.07)**
Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, Specification for, **A755/A755M (01.06)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Exposure tests—carbon-arc apparatus
Accelerated Weathering of Pressure-Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus, Practice for, **D3815/D3815M (15.10)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Exposure of Adhesive Specimens to Artificial Light, Practice for, **D904 (15.06)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Filtered Open-Flame Carbon-Arc Exposures of Plastics, Practice for, **D1499 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**

Exposure tests—corrosive environments
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**

Exposure tests—electrodeposited coatings
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**

Exposure tests—electronic components/devices
Exposure of Membrane Switches to Temperature and Relative Humidity, Test Method for, **F1596 (10.04)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**

Exposure tests—fluorescent-UV apparatus
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), Practice for, **D4799/D4799M (04.04)**

Exposure tests—light
Aggregate Layer Hiding Power, Test Method for, **D5081/D5081M (04.04)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Lightfastness of Pigments Used in Artists' Paints, Test Methods for, **D4303 (06.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**

Exposure tests—nonmetallic materials
Addressing Variability in Exposure Testing of Nonmetallic Materials, Guide for, **G141 (14.04)**
Relating to Natural and Artificial Weathering Tests of Nonmetallic Materials, Terminology, **G113 (14.04)**

Exposure tests—organic coatings
Detergent Resistance of Organic Finishes, Practice for, **D2248 (06.01)**
Determining the Effect of Overbaking on Organic Coatings, Practice for, **D2454 (06.01)**
Evaluating Coatings For High Temperature Service, Test Methods for, **D2485 (06.01)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Making Cementitious Panels for Testing Coatings, Practice for, **D1734 (06.02)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**

Exposure tests—plastics
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Exposure of Photodegradable Plastics in a Xenon Arc Apparatus, Practice for, **D5071 (08.02)**
Filtered Open-Flame Carbon-Arc Exposures of Plastics, Practice for, **D1499 (08.01)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Outdoor Exposure Testing of Photodegradable Plastics, Practice for, **D5272 (08.03)**
Outdoor Weathering of Plastics, Practice for, **D1435 (08.01)**
Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, Practice for, **D4364 (08.02)**
Permeability of Thermoplastic Containers to Packaged Reagents or Proprietary Products, Test Method for, **D2684 (08.01)**
Xenon-Arc Exposure of Plastics Intended for Indoor Applications, Practice for, **D4459 (08.02)**
Xenon-Arc Exposure of Plastics Intended for Outdoor Applications, Practice for, **D2565 (08.01)**

Exposure tests—ultraviolet
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**

Exposure tests—ultraviolet-cured coatings
Estimating Package Stability of Coatings for Ultraviolet Curing, Test Method for, **D4144 (06.01)**
Reporting Cure Times of Ultraviolet-Cured Coatings, Practice for, **D3732 (06.02)**

Exposure tests—water
See **Water exposure apparatus**

Exposure time
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**

Ex-situ inspection/analysis
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**

Extended capacity
Measurement of Backpack Capacity, Test Method for, **F2153 (15.07)**

Extended corresponding states model
LNG Density Calculation Models, Specification for, **D4784 (05.06)**

Extended gas analysis
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**

Extended life mortar
Extended Life Mortar for Unit Masonry, Specification for, **C1142 (04.05)**

Extended logistic function
Analytically Describing Depth-Profile and Linescan-Profile Data by an Extended Logistic Function, Practice for, **E1636 (03.06)**

Extended product responsibility
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**

Extender pigments
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, Test Method for, **D5380 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, Guide for, **D5381 (06.01)**

Extenders
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**

Extending oils
Various Types of Petroleum Oils for Rubber Compounding Use, Classification for, **D2226 (09.01)**

Extensibility
Extensibility After Heat Aging of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1522 (04.04)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**

Extensible boom aerial personnel device
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**

Extension
Grain Crack and Extension of Leather by the Mullen Test, Test Method for, **D2210 (15.04)**
Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**

Extensional viscosity
Relative Extensional Viscosity of Agricultural Spray Tank Mixes, Test Method for, **E2408 (11.05)**

Extension force
Extension Force of Partially Oriented Yarn, Test Method for, **D5344 (07.02)**

Extension poles (paint)
Cautionary Labeling of Extension Poles For Use With Paint Applicators Distributed In North America, Specification for, **D7054 (06.02)**

Extension recovery
Extension-Recovery and Adhesion of Latex Sealants, Test Method for, **C736 (04.07)**

Extension-under-load
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Extension wire
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Extensometers
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Verification and Classification of Extensometer Systems, Practice for, **E83 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**

Extent of burning
Sa **Burning characteristics**
Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, Test Method for, **D635 (08.01)**

Exterior adhesive applications
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**

Exterior building applications
Building Enclosure Commissioning, Practice for, **E2813 (04.12)**
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Evaluation of Exterior Building Wall Materials, Products, and Systems, Guide for, **E1825 (04.11)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**

Exterior building stone
Sa **Dimension stone—specifications**
Assessment and Maintenance of Exterior Dimension Stone Masonry Walls and Facades, Guide for, **C1496 (04.07)**
Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, Guide for, **C1515 (04.07)**
Marble Dimension Stone, Specification for, **C503/C503M (04.07)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**

Exterior coatings
Conducting Exterior Exposure Tests of Paints on Wood, Practice for, **D1006/D1006M (06.01)**
Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, Practice for, **D3456 (06.01)**
Evaluating Degree of Checking of Exterior Paints, Test Method for, **D660 (06.01)**
Evaluating Degree of Cracking of Exterior Paints, Test Method for, **D661 (06.01)**
Evaluating Degree of Erosion of Exterior Paints, Test Method for, **D662 (06.01)**
Evaluating Degree of Flaking (Scaling) of Exterior Paints, Test Method for, **D772 (06.01)**
Resistance to Wind-Driven Rain for Exterior Coatings Applied on Masonry, Practice for, **D6904 (06.02)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Testing Water-Borne Architectural Coatings, Guide for, **D5324 (06.02)**

Exterior doors
Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E283 (04.11)**
Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems, Practice for, **E1425 (04.11)**
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Field Measurement of Air Leakage Through Installed Exterior Windows and Doors, Test Method for, **E783 (04.11)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**

Exterior doors—specifications
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**

Exterior exposure tests
Sa **Accelerated aging/testing**
Sa **Weathering**
Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Conducting Exterior Exposure Tests of Finishes for Thermal Insulation, Test Method for, **C488 (04.06)**
Conducting Exterior Exposure Tests of Paints and Coatings on Metal Substrates, Practice for, **D1014 (06.01)**
Conducting Exterior Exposure Tests of Paints on Wood, Practice for, **D1006/D1006M (06.01)**
Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, Practice for, **D3456 (06.01)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**

Exterior gypsum soffit board
Gypsum Board, Specification for, **C1396/C1396M (04.01)**

Exterior gypsum substrate
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**

Exterior insulation/finish system (EIFS)
Sa **EIFS (exterior insulation/finish systems)**
Expanded Polystyrene ("EPS") Thermal Insulation Boards for Use in Exterior Insulation and Finish Systems ("EIFS"), Specification For, **E2430/E2430M (04.12)**
Field Pull Testing of an In-Place Exterior Insulation and Finish System Clad Wall Assembly, Test Method for, **E2359/E2359M (04.12)**
Freeze/Thaw Resistance of Exterior Insulation and Finish Systems (EIFS) and Water Resistive Barrier Coatings, Test Method for, **E2485/E2485M (04.12)**
Impact Resistance of Class PB and PI Exterior Insulation and Finish Systems (EIFS), Test Method for, **E2486/E2486M (04.12)**
PB Exterior Insulation and Finish Systems, Specification for, **E2568 (04.12)**
Use of Test Methods, Practice for, **E2321 (04.12)**

Exterior lathing/furring
See **Gypsum products—lath**

Exterior metal roof panel systems
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**

Exterior moldings
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**

Exterior pipeline coatings
Cathodic Disbonding of Exterior Pipeline Coatings at Elevated Temperatures Using Interior Heating, Test Method for, **D6676/D6676M (06.02)**

Exterior profile
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, Specification for, **F964 (01.06)**

Exterior profile extrusions
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**

Exterior surface cleaning
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**

Exterior walls
Application of Exterior Gypsum Panel Products for Use as Sheathing, Specification for, **C1280 (04.01)**
Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure, Test Method for, **E2707 (04.07)**
Evaluating Water Leakage of Building Walls, Guide for, **E2128 (04.12)**
Evaluation of Exterior Building Wall Materials, Products, and Systems, Guide for, **E1825 (04.11)**
the Specification and Evaluation of Pre-Construction Laboratory Mockups of Exterior Wall Systems, Practice for, **E2099 (04.11)**
Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, Specification for, **E2556/E2556M (04.12)**

Exterior windows
Sa **Windows/window assemblies**
Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E283 (04.11)**
Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems, Practice for, **E1425 (04.11)**
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Field Measurement of Air Leakage Through Installed Exterior Windows and Doors, Test Method for, **E783 (04.11)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**

Exterior windows—specifications
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**

Exterior wood stains
Testing Exterior Wood Stains and Clear Water Repellents, Guide for, **D6763 (06.02)**

External calibration
Analysis of Benzene by Gas Chromatography with External Calibration, Test Method for, **D7360 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, Test Method for, **D5917 (06.04)**

External evacuation
Multi-Story Building External Evacuation Controlled Descent Devices, Specification for, **E2484 (04.12)**

External hydrogen embrittlement (EHE)
See **Hydrogen embrittlement (HE)**

Externally threaded articles/fasteners/rods
Residual Embrittlement in Metallic Coated, Externally Threaded Articles, Fasteners, and Rod—Inclined Wedge Method, Test Method for, **B839 (02.05)**

External pressure resistance
External Pressure Resistance of "Fiberglass", Test Method for, **D2924 (08.03)**

External pressure testing
See **Pressure testing**

External radiation exposure control
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**

External sealing bands
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, Specification for, **C877 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**

External skeletal fixators
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**

External standards
Reporting Mass Spectral Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1504 (03.06)**

External stress corrosion cracking (ESCC)
Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, Test Method for, **C692 (04.06)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**

External threaded fasteners
See **Fasteners (metal)**

External threading
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**

Extinction ratio
See **Contrast ratio**

Extinguishing characteristics
Determining the Flammability Characteristics of Nonrigid Solid Plastics, Test Method for, **D4804 (08.02)**
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**

Extractable matter content
Carbon Black—Solvent Extractables, Test Method for, **D4527 (09.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Extractable Matter in Wool and Other Animal Fibers, Test Method for, **D1574 (07.01)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**
Measurement of Hexane Extractable Content of Polyolefins, Test Method for, **D5227 (08.03)**
Quantity of Water-Extractable Matter in Membrane Filters, Test Method for, **D3861 (11.02)**
Rubber—Chemical Analysis of Extractables, Test Methods for, **D5774 (09.01)**
Water Extractable Residue from Particulate Ion-Exchange Resins, Test Method for, **D5627 (11.02)**

Extractable matter content—textile fabrics/fibers
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Extractable Matter in Textiles, Test Method for, **D2257 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Wool Content of Raw Wool—Laboratory Scale, Test Method for, **D584 (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Yarns Spun on the Woolen System, Tolerances for, **D2644 (07.01)**

Extract analysis
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Extracted aggregate
Mechanical Size Analysis of Extracted Aggregate, Test Method for, **D5444 (04.03)**
Sequential Batch Extraction of Waste with Acidic Extraction Fluid, Test Method for, **D5284 (11.04)**

Extracted ion chromatogram
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Extraction chromatography
Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, Practice for, **C1614 (12.01)**
Lead-210 in Water, Test Method for, **D7535 (11.02)**
Separation of Beryllium from Other Metals in Digestion and Extraction Solutions from Workplace Dust Samples, Practice for, **D7441 (11.07)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**
the Determination of Technetium-99 in Soil, Guide for, **C1387 (12.01)**
Extraction methods
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, Test Method for, **E2242 (03.05)**
Determination of Antioxidants and Erucamide Slip Additives in Polyethylene Using Liquid Chromatography (LC), Test Method for, **D6953 (08.03)**
Determination of Beryllium in the Workplace by Extraction and Optical Fluorescence Detection, Test Method for, **D7202 (11.07)**
Determination of Hydrogen Sulfide in Fuel Oils by Rapid Liquid Phase Extraction, Test Method for, **D7621 (05.04)**
Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, Practice for, **G136 (14.04)**
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, Test Method for, **D5263 (05.06)**
Extraction of Medical Plastics, Practice for, **F619 (13.01)**
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Extraction of Tannins from Raw and Spent Materials, Practice for, **D6405 (15.04)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
Resistance of Plastic Films to Extraction by Chemicals, Test Method for, **D1239 (08.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Sediment in Crude Oils and Fuel Oils by the Extraction Method, Test Method for, **D473 (05.01)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Shake Extraction of Mining Waste by the Synthetic Precipitation Leaching Procedure, Test Method for, **D6234 (11.04)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**
Unsaponifiable Matter in Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Method for, **D1065 (06.03)**
Extractive direct interface FTIR analysis
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Extractive-free wood
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Extractives
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Extractive scintillator
Uranium in Drinking Water by High-Resolution Alpha-Liquid-Scintillation Spectrometry, Test Method for, **D6239 (11.02)**
Extractives content
Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials, Practice for, **F34 (15.10)**
Dichloromethane-Soluble Matter in Cellulose, Test Method for, **D3971 (06.03)**
Extractives (in wood)
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Extractives (volatile/nonvolatile)
Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, Test Method for, **F1349 (15.10)**
Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**
Temperature Measurement and Profiling for Microwave Susceptors, Test Method for, **F874 (15.10)**
Extra-deep drawing steel
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**
Extra-discal single level spinal constructs
Static, Dynamic, and Wear Assessment of Extra-Discal Single Level Spinal Constructs, Test Method for, **F2624 (13.02)**
Extra-heavy-duty jacket—specifications
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**
Extra-iron clinching cut nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Extraneous ink
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Extra-strong copper bus pipe/tube
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Extreme fiber (in bending)
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Extreme heat transfer rates
Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, Test Method for, **E598 (15.03)**
Extreme pressure gear oils
Sa **EP (extreme-pressure) lubricants**
Evaluation of the Load Carrying Properties of Lubricants Used for Final Drive Axles, Under Conditions of High Speed and Shock Loading, Test Method for, **D7452 (05.04)**
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**
Extreme storage condition simulation
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Extreme value statistics
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Extremity splints (ES)
Characteristics for Extremity Splints, Guide for, **F1555 (13.02)**
Extrication device
Spinal Immobilization and Extrication (SPINE) Device Characteristics, Guide for, **F1556 (13.02)**
Extrinsic semiconductor materials
See **Conductance and conductivity (electrical)**
Extrudability
Determination of Extrudability of Cartridge Adhesives, Test Method for, **D5267 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Extrudability of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2452 (04.07)**
Extrudability, After Package Aging, of Latex Sealants, Test Method for, **C731 (04.07)**
Extrusion Rate and Application Life of Elastomeric Sealants, Test Method for, **C603 (04.07)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Extrudable sealant
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**

Extruded aluminum parts
Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, Test Method for, **D3260 (06.02)**

Extruded and compression molded sheeting
Extruded and Compression-Molded Shapes Made from Polyetherimide (PEI), Specification for, **D7293 (08.03)**
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**

Extruded bars/rods/wire
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**

Extruded catalyst particles
Radial Crush Strength of Extruded Catalyst and Catalyst Carrier Particles, Test Method for, **D6175 (05.05)**

Extruded polymeric insulation
Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, Test Method for, **D6097 (10.02)**

Extruded rubber products
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Rubber PropertyExtrudability of Unvulcanized Compounds, Test Method for, **D2230 (09.01)**

Extruded single-wall soffit
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**

Extruded tee connections
Non-Reinforced Extruded Tee Connections for Piping Applications, Specification for, **F2014 (01.07)**

Extruder filtration test
Separation of Contaminants in Polymers Using an Extruder Filter Test, Practice for, **D6265 (08.03)**

Extrusion
Compressive Strength of Gaskets at Elevated Temperatures, Test Method for, **F1574 (09.02)**

Extrusion alloys
Copper-Beryllium Alloy Forgings and Extrusions Alloys (UNS Nos. C17500 and C17510), Specification for, **B870 (02.01)**

Extrusion coatings
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**

Extrusion compounds (plastic)
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**

Extrusion compounds (plastic)—specifications
Sa **Molding/extrusion compounds/materials—specifications**
Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, Test Method for, **D2152 (08.04)**
Extruded and Compression Molded Rod and Heavy-Walled Tubing Made from Polytetrafluoroethylene (PTFE), Specification for, **D6457 (08.03)**
Extruded and Compression Molded Shapes Made from Polycarbonate (PC), Specification for, **D6098 (08.03)**
Extruded, Compression Molded and Injection Molded Polyoxymethylene Shapes (POM), Specification for, **D6100 (08.03)**
FEP-Fluorocarbon Molding and Extrusion Materials, Specification for, **D2116 (08.01)**
Modified ETFE-Fluoropolymer Molding and Extrusion Materials, Specification for, **D3159 (08.01)**
Perfluoroalkoxy (PFA)-Fluoropolymer Tubing, Specification for, **D6867 (08.03)**
Polycarbonate (PC) Unfilled and Reinforced Material, Specification for, **D3935 (08.02)**
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**
Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, Classification System and Basis for Specifications for, **D3965 (08.02)**
Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials, Specification for, **D3222 (08.02)**

Extrusion melt/flow test
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**

Extrusion plastometer
Melt Flow Rates of Thermoplastics by Extrusion Plastometer, Test Method for, **D1238 (08.01)**

Extrusion press heat treatment
Extrusion Press Solution Heat Treatment for Aluminum Alloys, Practice for, **B807/B807M (02.02)**

Extrusions
Aluminum Alloy Extrusions Press Cooled from an Elevated Temperature Shaping Process for Production of T1, T2, T5 and T10–Type Tempers, Practice for, **B945 (02.02)**
Copper-Beryllium Alloy (UNS Nos. C17000 and C17200) Forgings and Extrusions, Specification for, **B570 (02.01)**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Estimating the Quality of Extruded Poly (Vinyl Chloride) (PVC) Pipe by the Heat Reversion Technique, Practice for, **F1057 (08.04)**
Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), Test Method for, **G34 (03.02)**
Extrusion Rate and Application Life of Elastomeric Sealants, Test Method for, **C603 (04.07)**
Extrusion Rate of Elastomeric Sealants, Test Method for, **C1183/C1183M (04.07)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions, Specification for, **D3678 (08.03)**

Exudation
Evaluate Leaching of Water-Soluble Materials from Latex Paint Films, Practice to, **D7190 (06.02)**
Testing of Glass Exudation from AZS Fusion-Cast Refractories, Test Method for, **C1223 (15.01)**

Eyebolts (steel)
Sa **Steel bolting materials**
Alloy Steel Eyebolts, Specification for, **F541 (01.08)**
Carbon Steel Lifting Eyes, Specification for, **A489 (01.08)**

Eye irritation
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Eye protectors
Air Soft Field Operation, Practice for, **F2940 (15.07)**
Eye and Face Protective Equipment for Hockey Players, Specification for, **F513 (15.07)**
Eye Protective Devices for Paintball Sports, Specification for, **F1776 (15.07)**
Eye Protectors for Field Hockey, Specification for, **F2713 (15.07)**
Eye Protectors for Selected Sports, Specification for, **F803 (15.07)**
Eye Protectors for Women's Lacrosse, Specification for, **F3077 (15.07)**
Goggle- and Spectacle-Type Eye Protectors for Selected Motor Sports, Specification for, **F2812 (15.07)**
Ski and Snowboard Goggles, Specification for, **F659 (15.07)**
Eye-to-scope distance (ETS)
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**

F

FAAS (flame atomic absorption spectrometry)
Analysis of Nickel Alloys by Flame Atomic Absorption Spectrometry, Test Method for, **E1835 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Compressive Strength of Gaskets at Elevated Temperatures, Test Method for, **F1574 (09.02)**
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, Test Method for, **E1600 (03.05)**
Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, Test Method for, **E1613 (04.11)**
Determination of Lead in Workplace Air Using Flame or Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6785 (11.07)**
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Determination of Silver in Copper Concentrates by Flame Atomic Absorption Spectrometry, Test Method for, **E1898 (03.05)**
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Measurement of Metals in Workplace Atmospheres by Flame Atomic Absorption Spectrophotometry, Practice for, **D4185 (11.07)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Fabricated fittings
Fabricated Fittings of Butt-Fused Polyethylene (PE) Plastic Pipe, Fittings, Sheet Stock, Plate Stock, or Block Stock, Specification for, **F2206 (08.04)**
Type PSM Poly(Vinyl Chloride) (PVC) SDR 51 and SDR 64 Sewer Pipe and Fittings, Specification for, **F2658 (08.04)**
Fabricated geomembrane panels
Identification, Packaging, Handling, Storage and Deployment of Fabricated Geomembrane Panels, Guide for, **D7865 (04.13)**
Fabricated materials
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, Guide for, **D5364 (08.03)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Extensively Irradiation-Crosslinked Ultra-High Molecular Weight Polyethylene Fabricated Forms for Surgical Implant Applications, Guide for, **F2565 (13.02)**
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**
Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, Practice for, **D5168 (15.10)**
Fabrication of Fiberboard Shipping Boxes, Practice for, **D5118/D5118M (15.10)**
Fabrication of Neutron Radiographic Sensitivity Indicators, Practice for, **E2023 (03.03)**
Fabrication of the Neutron Radiographic Beam Purity Indicators, Practice for, **E2003 (03.03)**
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Material Selection and Fabrication of Reference Blocks for the Pulsed Longitudinal Wave Ultrasonic Testing of Metal and Metal Alloy Production Material, Guide for, **E1158 (03.03)**
Selection of Structural Details for Ship Construction, Guide for, **F1455 (01.07)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Fabricated materials—specifications
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Fine Silver Electrical Contact Fabricated Material, Specification for, **B742 (02.04)**
Fuel Oil Meters of the Volumetric Positive Displacement Type, Specification for, **F1172 (01.07)**
High Purity Calcium Sulfate Hemihydrate or Dihydrate for Surgical Implants, Specification for, **F2224 (13.01)**
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Drainage and DWV Fabricated Fittings, Specification for, **F1866 (08.04)**
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**
Spray Shields for Mechanical Joints, Specification for, **F1138 (01.07)**
Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), Classification System and Basis for Specification for, **D4634 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fabrication
Fabrication Of Cellular Glass Pipe And Tubing Insulation, Specification for, **C1639 (04.06)**
Fabrication (of medical devices)
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Fabrication welds
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Fabric count
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Warp (End) and Filling (Pick) Count of Woven Fabrics, Test Method for, **D3775 (07.01)**
Fabric filter
Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media, Test Method for, **D6830 (11.07)**
PM Detector and Bag Leak Detector Manufacturers to Certify Conformance with Design and Performance Specifications for Cement Plants, Practice for, **D7392 (11.07)**
Fabric-formed concrete (FFC)
Flow of Fine Aggregate Concrete for Fabric Formed Concrete (Flow Cone Method), Test Method for, **D6449 (04.09)**
Selection of Test Methods for Fabrics Used for Fabric Formed Concrete (FFC), Guide for the, **D6685 (04.09)**
Fabric length
Length of Woven Fabric, Test Methods for, **D3773/D3773M (07.01)**
Fabric performance—textiles
Sa **Performance—textiles**
Formatting Cutting Data to Drive Numerically Controlled Fabric Cutting Machines, Practice for, **D6672 (07.02)**
Sewn Products Pattern Data Interchange—Data Format, Practice for, **D6673 (07.02)**
Fabric pilling
See **Pilling resistance**
Fabric printer ribbons
Abrasiveness of Ink-Impregnated Fabric Printer Ribbons and Other Web Materials, Test Method for, **G56 (03.02)**
Amount of Ink Deposit on Fabric Type Ribbons, Practice for, **F1782 (15.09)**
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Determining the Drive Torque for Film and Fabric Ribbon Cartridges, Test Method for, **F1520 (15.09)**
Measuring the Ribbon Exit Force for Film and Fabric Cartridges, Test Method for, **F1225 (15.09)**
Fabric-reinforced geomembranes
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**
Fabric roofing applications
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Fabric softeners
Evaluating Fabric Softeners, Guide for, **D5237 (15.04)**
Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, Test Method for, **D5070 (15.04)**
Fabric stability
Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, Test Method for, **D4912/D4912M (07.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Fabric weave
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Woven High Stretch Fabrics Used in Apparel, Specification for, **D7507 (07.02)**
Facade service history
Periodic Inspection of Building Facades for Unsafe Conditions, Practice for, **E2270 (04.12)**
Facades (of buildings)
See **Building facades**
Face
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Face anchors
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Faced thermal insulation—specifications
Sa **Thermal insulating materials—specifications**
Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, Specification for, **C1126 (04.06)**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Flexible Fibrous Glass Insulation for Metal Buildings, Specification for, **C991 (04.06)**
Face glazing and bedding compounds
Sa **Caulking compounds and sealants**
Sa **Glazing compounds/applications**
Sa **Sealants**
Tack-Free Time of Caulking Compounds and Sealants, Test Method for, **D2377 (04.07)**
Faceguards
Protective Headgear with Faceguard Used in Bull Riding, Specification for, **F2530 (15.07)**
Face masks (medical)
See **Medical face masks**
Face protective equipment
Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure, Practice for, **F2621 (10.03)**
Determining the Arc Rating and Standard Specification for Eye or Face Protective Products, Test Method for, **F2178 (10.03)**
Face protectors for sports activities—specifications
Sa **Protective headgear—specifications**
Eye and Face Protective Equipment for Hockey Players, Specification for, **F513 (15.07)**
Face Guards for Youth Baseball, Specification for, **F910 (15.07)**
Head and Face Protective Equipment for Ice Hockey Goaltenders, Specification for, **F1587 (15.07)**
Ski and Snowboard Goggles, Specification for, **F659 (15.07)**
Face towels
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Facial dimensions
Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile, Test Method for, **C499 (15.02)**
Facial implants
Sa **Orthopaedic medical devices—specifications**
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Silicone Elastomer Facial Implants, Specification for, **F881 (13.01)**
Facial moisturizers
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**
Facilities
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Building Floor Area Measurements for Facility Management, Practice for, **E1836/E1836M (04.11)**
Facility Management (Building-Related), Terminology of, **E1480 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Serviceability of an Office Facility for Facility Protection, Classification for, **E1665 (04.11)**

Facility characterization
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**

Facility investigations/management
Organizing and Managing Building Data, Practice for, **E2166 (04.12)**

Facility occupants
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**

Facing
Wall Covering, Specification for, **F1141 (15.11)**

Facing brick
Sa **Brick—specifications**
Facing Brick (Solid Masonry Units Made from Clay or Shale), Specification for, **C216 (04.05)**

Facing compressive stress
Edgewise Compressive Strength of Sandwich Constructions, Test Method for, **C364/C364M (15.03)**

Facing modulus/stress
Core Shear Properties of Sandwich Constructions by Beam Flexure, Test Method for, **C393/C393M (15.03)**
Facing Properties of Sandwich Constructions by Long Beam Flexure, Test Method for, **D7249/D7249M (15.03)**

Facings
Determining Fungi Resistance of Insulation Materials and Facings, Test Method for, **C1338 (04.06)**
Facing Cleavage of Sandwich Panels, Test Method for, **E2004 (04.11)**

Facing tile
See **Clay products (structural)—tile**

Facsimile machines
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, Test Method for, **F1943 (15.09)**
Evaluating Thermal Paper Employing a Facsimile Thermal Printer as a Test Instrument, Test Method for, **F1320 (15.09)**
Examination of Documents Produced with Toner Technology, Guide for, **E2390 (14.02)**

Factorial experiment
Design of Experiments, Terminology Relating to, **E1325 (14.02)**

Factory-applied adhesive
Measurement of Asphalt Shingle Mechanical Uplift Resistance, Test Method for, **D6381/D6381M (04.04)**

Factory-applied coatings
Sa **Organic coatings**
Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, Test Method for, **D3260 (06.02)**
Environmental and Performance Verification of Factory-Applied Liquid Coatings, Guide for, **D7270 (06.02)**
Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, Practice for, **D5722 (06.01)**

Factory-assembled anodeless risers/fittings
Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems, Specification for, **F1973 (08.04)**
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**

Fading
Visual Evaluation of the Lightfastness of Art Materials by the User, Practice for, **D5398 (06.02)**

Fafnir friction test
Fretting Wear Protection by Lubricating Greases, Test Method for, **D4170 (05.02)**

Fahrenheit
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Failure analysis
Doubler Plate Repairs for Non-Classed Ship Structures, Guide for, **F2991 (01.07)**
Non-Destructive Evaluation of Adhesion of Installed Weatherproofing Sealant Joints Using a Rolling Device, Practice for, **C1736 (04.07)**

Failure end point
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT), Test Method for, **D6723 (04.03)**
Failure End Point in Accelerated and Outdoor Weathering of Bituminous Materials, Test Method for, **D1670/D1670M (04.04)**
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**

Failure end point—adhesives
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**
Conducting Creep Tests of Metal-to-Metal Adhesives, Practice for, **D1780 (15.06)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, Practice for, **D5266 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Joints, Test Method for, **D5041 (15.06)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Heat-Fail Temperature in Shear of Hot Melt Adhesives, Test Method for, **D4498 (15.10)**

Failure end point—building constructions/materials
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Evaluating Failure of Structural Sealant Glazing, Guide for, **C1392 (04.07)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Toughness of Wood-Based Structural Panels, Test Method for, **D3499 (04.10)**
Use of Joint Sealants, Guide for, **C1193 (04.07)**

Failure end point—electronic components/devices
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**

Failure end point—glass
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**

Failure end point—marine applications
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Failure end point—metals/alloys
Corrosion-Related Failure Analysis, Guide for, **G161 (03.02)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**

Failure end point—packaging
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**

Failure end point—paints/related coatings
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Sampling of Coating Films, Practice for, **D6206 (06.02)**

Failure end point—plastics
Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, Specification for, **F877 (08.04)**
Environmental Stress Crack Resistance (ESCR) of Threaded Plastic Closures, Test Method for, **D5419 (08.03)**
Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), Test Method for, **D5420 (08.03)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter, Specification for, **D2239 (08.04)**
Polyethylene (PE) Plastic Tubing, Specification for, **D2737 (08.04)**
Polyethylene (PE) Thermoplastic High-Pressure Irrigation Pipeline Systems, Specification for, **F771 (08.04)**
Time-to-Failure of Plastic Pipe Under Constant Internal Pressure, Test Method for, **D1598 (08.04)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**

Failure end point—soil/related materials
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, Test Method for, **D5397 (04.13)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**

Failure end point—textile materials/applications
Failure in Sewn Seams of Woven Apparel Fabrics, Test Method for, **D1683/D1683M (07.01)**

Failure mode and effect analysis (FMEA)
Applying Failure Mode and Effect Analysis (FMEA) to In-Service Lubricant Testing, Guide for, **D7874 (05.04)**

Failure strain testing
Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT), Test Method for, **D6723 (04.03)**

Failure stress
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**

Falex method
Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, Test Method for, **D2714 (05.01)**
Endurance (Wear) Life and Load-Carrying Capacity of Solid Film Lubricants (Falex Pin and Vee Method), Test Method for, **D2625 (05.01)**
Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), Test Methods for, **D3233 (05.01)**
Measuring Wear Properties of Fluid Lubricants (Falex Pin and Vee Block Method), Test Method for, **D2670 (05.01)**
Wear Preventive Properties of Lubricating Greases Using the (Falex) Block on Ring Test Machine in Oscillating Motion, Test Method for, **D3704 (05.01)**

Falling ball test
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**

Falling dart method
See **Free-falling dart method**

Falling head test
Biological Clogging of Geotextile or Soil/Geotextile Filters, Test Method for, **D1987 (04.13)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Saturated Water Permeability of Granular Drainage Media Falling-Head Method for Vegetative (Green) Roof Systems, Test Method for, **E2396 (04.04)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**

Falling needle viscometer
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**

Falling pendulum test
Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus, Test Method for, **D1424 (07.01)**

Falling rod viscometer
Sa **Viscometers**
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**

Falling sand abrasion test
Abrasion Resistance of Organic Coatings by Falling Abrasive, Test Methods for, **D968 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Falling steel ball test
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**
Falling stream method
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Falling weight deflectometer (FWD)
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Falling weight test
Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight), Test Method for, **D2444 (08.04)**
High Speed Puncture Properties of Plastic Films Using Load and Displacement Sensors, Test Method for, **D7192 (08.03)**
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), Test Method for, **D5420 (08.03)**
Impact Resistance of Monolithic Polycarbonate Sheet by Means of a Falling Weight, Test Method for, **F736 (15.03)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Fall protection materials/applications
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Treestand Fall Arrest System, Test Method for, **F2337 (15.07)**
Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, Safety Specification for, **F2006 (15.11)**
Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, Specification for, **F2090 (15.11)**
False positive/negative
Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, Practice for, **D6250 (11.04)**
FAME (fatty acid methyl esters)
Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7398 (05.04)**
Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier Transform Infrared Spectroscopy – Rapid Screening Method, Test Method for, **D7797 (05.04)**
Family support during emergencies
Responder Family Support Service, Practice for, **E2732 (15.08)**
Fan blades
Examination of Fiberglass Reinforced Plastic Fan Blades Using Acoustic Emission, Practice for, **E2076/E2076M (03.03)**
Fan coat
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Fan-induced wind
Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), Test Method for, **D3161/D3161M (04.04)**
Fan pressurization method
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**
Determining Air Leakage of Air Distribution Systems by Fan Pressurization, Test Methods for, **E1554/E1554M (04.11)**
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Fans
Fiber-Reinforced Plastic Fans and Blowers, Specification for, **D4167 (08.03)**
Faraday cage
Static Electrification, Test Method for, **D4470 (10.02)**
Faraday's Law
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Farm engines
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Farm-field fencing
Metallic-Coated, Steel-Woven Wire Fence Fabric, Specification for, **A116 (01.06)**
Farnswell-Munsell 100 hue test
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
Fascines
Construction of Live Fascines on Slopes, Practice for, **D6599 (04.09)**
Fast bubble technique
Dynamic Surface Tension by the Fast-Bubble Technique, Test Method for, **D3825 (05.02)**
Fast burst reactors (FBR)
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Fastener locking effectiveness
Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, Practice for, **F1179 (01.07)**
Fastener pull-through resistance
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**
Measuring the Fastener Pull-Through Resistance of a, Test Method for, **D7332/D7332M (15.03)**
Fasteners
Accelerated Corrosion Testing for Mechanical Fasteners, Guide for, **F2832 (01.08)**
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Determining the Capability of Roofing and Waterproofing Materials to Seal around Fasteners, Test Method for, **D7349/D7349M (04.04)**
Determining the Relative Corrosion Performance of Driven Fasteners in Contact with Treated Wood, Test Method for, **G198 (03.02)**
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
Fluid Tightness Ability of Adhesives Used on Threaded Fasteners, Test Method for, **D5657 (15.06)**
Holding Strength of Tack and Prong Fastener Attached Buttons, Test Method for, **D7842/D7842M (07.02)**
Load-Indicating Externally Threaded Fasteners, Specification for, **F2482 (01.08)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Nonferrous Hex Socket, Slotted Headless, and Square Head Set Screws, Specification for, **F3042 (01.08)**
Peel Strength (T Method) of Hook and Loop Touch Fasteners, Test Method for, **D5170 (07.02)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**
Residual Embrittlement in Metallic Coated, Externally Threaded Articles, Fasteners, and Rod—Inclined Wedge Method, Test Method for, **B839 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners, Test Method for, **D5169 (07.02)**
System-Based, Customer-Centered Quality Plan for Manufacturers, Guide for, **F2688 (01.08)**
Torque Strength of Adhesives Used on Threaded Fasteners, Test Method for, **D5649 (15.06)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**
Zinc Alloy Thermo-Diffusion Coatings (TDC) on Steel Fasteners, Hardware, and Other Products, Specification for, **A1059/A1059M (01.06)**
Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners, Specification for, **F2329 (01.08)**

Fasteners (metal)
Sa **Nails**
Sa **Steel bolting materials**
Collated and Cohered Fasteners and Their Application Tools, Terminology of, **F592 (01.08)**
Corrosion Resistance of Ferrous Metal Fastener Assemblies Used in Roofing and Waterproofing, Test Method for, **D6294/D6294M (04.04)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Determining the Relative Corrosion Performance of Driven Fasteners in Contact with Treated Wood, Test Method for, **G198 (03.02)**
Fastener Sampling for Specified Mechanical Properties and Performance Inspection, Practice for, **F1470 (01.08)**
Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, Practice for, **F1179 (01.07)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Resistance to Unsnapping of Snap Fasteners, Test Method for, **D4846 (07.02)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Shear Strength of Adhesives Using Pin-and-Collar Specimen, Test Method for, **D4562 (15.06)**

Fasteners (metal)—specifications
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Carbon Steel Track Bolts and Nuts, Specification for, **A183 (01.04)**
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, Specification for, **F959 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), Specification for, **F959M (01.08)**
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Hardened Steel Washers, Specification for, **F436 (01.08)**
Hardened Steel Washers (Metric), Specification for, **F436M (01.08)**
High-Strength Steel Bolts, Classes 10.9 and 10.9.3, for Structural Steel Joints (Metric), Specification for, **A490M (01.08)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**
Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners, Specification for, **A354 (01.08)**
Stainless Steel Metric Bolts, Screws, and Studs, Specification for, **F738M (01.08)**
Structural Bolts, Alloy Steel, Heat Treated, 150 ksi Minimum Tensile Strength, Specification for, **A490 (01.08)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**
Zinc/Aluminum Corrosion Protective Coatings for Fasteners, Specification for, **F1136/F1136M (01.08)**

Fasteners (structural)
Sa **Structural analysis/applications**
Anchors and Fasteners in Concrete and Masonry, Terminology for, **E2265 (04.12)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Fastener torque specifications
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**

Fastest minute
Characterizing Surface Wind Using a Wind Vane and Rotating Anemometer, Practice for, **D5741 (11.07)**

FAST (function analysis system technique)
Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**

Fast neutron dosimetry
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**

Fast neutron flux/fluence
Sa **Electromagnetic (eddy current) testing**
Sa **Neutron activation reactions**
Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), Test Method for, **E854 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Aluminum, Test Method for, **E266 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Copper, Test Method for, **E523 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Iron, Test Method for, **E263 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel, Test Method for, **E264 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, Test Method for, **E1297 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Measuring Neutron Fluence and Average Energy from, Test Method for, **E496 (12.02)**
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring Reaction Rates by Analysis of Barium-140 From Fission Dosimeters, Test Method for, **E393 (12.02)**
Measuring Reaction Rates by Radioactivation of Neptunium-237, Test Method for, **E705 (12.02)**
Measuring Reaction Rates by Radioactivation of Uranium-238, Test Method for, **E704 (12.02)**
Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, Test Method for, **E385 (12.02)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**

Fast screening
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**

Fatality/injury/illness/incident investigation
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**

Fat content
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**

Fate (environmental)
Assessing the Environmental and Human Health Impacts of New Energetic Compounds, Guide for, **E2552 (11.06)**

Fathead minnow
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Fathometer
Calibrating a Fathometer Using a Bar Check Method, Practice for, **D6318 (11.01)**

Fatigue
See **Fracture testing**
Ambient Temperature Fatigue Life of Metallic Bonded Resistance Strain Gages, Test Method for, **E1949 (03.01)**
Bicycle Frames, Test Methods for, **F2711 (15.07)**
Condition 1 Bicycle Forks, Specification for, **F2899 (15.07)**
Conducting Force Controlled Constant Amplitude Axial Fatigue Tests of Metallic Materials, Practice for, **E466 (03.01)**
Conducting Rotating Bending Fatigue Tests of Solid Round Fine Wire, Test Method for, **E2948 (03.01)**
Constant Amplitude of Force Controlled Fatigue Testing of Acrylic Bone Cement Materials, Test Method for, **F2118 (13.01)**
Creep-Fatigue Crack Growth Testing, Test Method for, **E2760 (03.01)**
Creep-Fatigue Testing, Test Method for, **E2714 (03.01)**
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Fatigue Properties of Adhesives in Shear by Tension Loading (Metal/Metal), Test Method for, **D3166 (15.06)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Fretting Fatigue Testing, Guide for, **E2789 (03.01)**
Inspection of Transparent Parts by Prism, Practice for, **F2108 (15.03)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Measurement of Fatigue Crack Growth Rates, Test Method for, **E647 (03.01)**
Occipital-Cervical and Occipital-Cervical-Thoracic Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F2706 (13.02)**
Open-Hole Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D7615/D7615M (15.03)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Presentation of Constant Amplitude Fatigue Test Results for Metallic Materials, Practice for, **E468 (03.01)**
Relating to Fatigue and Fracture Testing, Terminology, **E1823 (03.01)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**
Rubber Property—Extension Cycling Fatigue, Test Method for, **D4482 (09.01)**
Rubber Property—Heat Generation and Flexing Fatigue In Compression, Test Methods for, **D623 (09.01)**
Shear Fatigue of Sandwich Core Materials, Test Method for, **C394/C394M (15.03)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Strain-Controlled Fatigue Testing, Test Method for, **E606/E606M (03.01)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Tension-Tension Fatigue of Polymer Matrix Composite Materials, Test Method for, **D3479/D3479M (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, Practice for, **E467 (03.01)**

Fatigue—Cu/Cu alloys
Bending Fatigue Testing for Copper-Alloy Spring Materials, Test Method for, **B593 (02.01)**

Fatigue—plastics
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Flexural Fatigue Properties of Plastics, Test Method for, **D7774 (08.03)**
Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D6115 (15.03)**
Uniaxial Fatigue Properties of Plastics, Test Method for, **D7791 (08.03)**

Fatigue—surgical implant materials
Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**
Corrosion Fatigue Testing of Metallic Implant Materials, Practice for, **F1801 (13.01)**
Cyclic Fatigue Testing of Metal Tibial Tray Components of Total Knee Joint Replacements, Practice for, **F1800 (13.01)**
Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, Test Methods for, **F2345 (13.01)**
Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, Test Method for, **F1798 (13.01)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F1717 (13.01)**

Fatigue—tire cord materials/applications
Fatigue of Tire Cords (Disc Fatigue Test), Test Method for, **D6588/D6588M (07.02)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**

Fatigue cracking analysis
Creep-Fatigue Crack Growth Testing, Test Method for, **E2760 (03.01)**
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**
Measurement of Initiation Toughness in Surface Cracks Under Tension and Bending, Test Method for, **E2899 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**

Fatigue delamination growth
Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D6115 (15.03)**

Fatigue life
Determining Fatigue Failure of Compacted Asphalt Concrete Subjected to Repeated Flexural Bending, Test Method for, **D7460 (04.03)**

Fatliquors
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of Inorganic Salt Content of Sulfated and Sulfonated Oils, Test Method for, **D5566 (15.04)**
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Determination of Neutral Fatty Matter Contained in Fats and Oils, Test Method for, **D5560 (15.04)**
Determination of the Ash Content of Fats and Oils, Test Method for, **D5347 (15.04)**
Determination of the Cloud Point of Oil, Test Method for, **D5551 (15.04)**
Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds, Test Method for, **D5556 (15.04)**
Determination of the Moisture and Volatile Content of Sulfonated and Sulfated Oils by Hot-Plate Method, Test Method for, **D5349 (15.04)**
Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds, Test Method for, **D5346 (15.04)**
Determination of the Saponification Value of Fats and Oils, Test Method for, **D5558 (15.04)**
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**

Fats
Dichloromethane Solubles in Wood, Test Method for, **D1108 (04.10)**
Ethanol-Toluene Solubility of Wood, Test Method for, **D1107 (04.10)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**

Fats and oils
Determination of Inorganic Salt Content of Sulfated and Sulfonated Oils, Test Method for, **D5566 (15.04)**
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Determination of Neutral Fatty Matter Contained in Fats and Oils, Test Method for, **D5560 (15.04)**
Determination of the Ash Content of Fats and Oils, Test Method for, **D5347 (15.04)**
Determination of the Iodine Value of Fats and Oils, Test Method for, **D5554 (15.04)**
Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds, Test Method for, **D5556 (15.04)**
Determination of the Moisture and Volatile Content of Sulfonated and Sulfated Oils by Hot-Plate Method, Test Method for, **D5349 (15.04)**
Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds, Test Method for, **D5346 (15.04)**
Determination of the Saponification Value of Fats and Oils, Test Method for, **D5558 (15.04)**
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Determining the Melting Point of Fats and Oils, Test Method for, **D5440 (15.04)**

Fatty acid methyl esters (FAME)
Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7398 (05.04)**
Determination of the Fatty Acid Methyl Ester (FAME) Content of a Blend of Biodiesel and Petroleum-Based Diesel Fuel Oil Using Mid-Infrared Spectroscopy, Test Method for, **D7806 (05.04)**
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**

Fatty acids—tests
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7398 (05.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Color of Transparent Liquids (Gardner Color Scale), Test Method for, **D1544 (06.01)**
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of Biodiesel (Fatty Acid Methyl Esters) Content in Diesel Fuel Oil Using Mid Infrared Spectroscopy (FTIR-ATR-PLS Method), Test Method for, **D7371 (05.04)**
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of Iodine Value of Tall Oil Fatty Acids, Test Method for, **D5768 (06.03)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, Test Methods for, **D5974 (06.03)**
Identification of Oils and Oil Acids in Solvent-Reducible Paints, Test Method for, **D2245 (06.01)**
Measuring Color After Heating of Tall Oil Fatty Acids, Test Method for, **D1981 (06.03)**
Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1240 (06.03)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Specific Gravity of Oils and Liquid Fats, Test Method for, **D5355 (15.04)**
Titer of Fatty Acids, Test Method for, **D1982 (06.03)**

Fatty acids and rosin acids content
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**

Fatty acids content
Determination of Fatty Acids and Esters in Glycerin, Test Method for, **D7638 (15.05)**
Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1585 (06.03)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**

Fatty alkyl sulfates
Sa **Detergent materials/systems**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fatty amines
Total, Primary, Secondary, and Tertiary Amine Values of Fatty Amines by Alternative Indicator Method, Test Methods for, **D2074 (06.03)**

Fatty matter content
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of Neutral Fatty Matter Contained in Fats and Oils, Test Method for, **D5560 (15.04)**
Sampling and Testing of Flaked Aluminum Powders and Pastes, Test Methods for, **D480 (06.03)**

Fatty nitrogen compounds
Identification of Oils and Oil Acids in Solvent-Reducible Paints, Test Method for, **D2245 (06.01)**

Faucets
Sa **Shipbuilding piping materials—specifications**
Faucets, Single and Double, Compression and Self-Closing Type, Shipboard, Specification for, **F1245 (01.07)**

Faujasite crystal zeolites
Sa **Zeolite catalysts**
Determination of Relative X-ray Diffraction Intensities of Faujasite-Type Zeolite-Containing Materials, Test Method for, **D3906 (05.05)**
Determination of the Unit Cell Dimension of a Faujasite-Type Zeolite, Test Method for, **D3942 (05.05)**

Fault rate
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

Faults
Classifying and Counting Faults in Spun Yarns in Electronic Tests, Test Method for, **D6197 (07.02)**

Fault tolerance
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**

Fault zones
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**

FBSID
Sa **Spinal cord immobilization**
Full Body Spinal Immobilization Devices (FBSID) Characteristics, Guide for, **F1557 (13.02)**

FCC (fluid catalytic cracking) catalysts
Cyclic Deactivation of Fluid Catalytic Cracking (FCC) Catalysts with Metals, Guide for, **D7206/D7206M (05.05)**
Determining Activity and Selectivity of Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, Test Method for, **D5154 (05.05)**
Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, Guide for, **D4463/D4463M (05.05)**
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**
Testing Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, Test Method for, **D3907/D3907M (05.05)**

FDA migration cell
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**

F distribution
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**

Feather-filled products
Sa **Down-/feather-filled products**
Feather and Down Fillings for Textile Products, Performance Specification for, **D4522 (07.02)**

Feature intersections
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**

Fecal coliform bacteria
Low Levels of Coliphages in Water, Test Method for, **D6734 (11.02)**

Fecal pollution/contamination
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**

Federal remediation programs
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**

Feed and bleed system
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**

Feed efficiency
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**

Feeders
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**

Feed flow rate
Operating Characteristics of Home Reverse Osmosis Devices, Test Method for, **D5615 (11.02)**

Feedstock
Boiling Range Distribution of Petroleum Fractions by Gas Chromatography, Test Method for, **D2887 (05.01)**
Carbon Content in Carbon Black Feedstock Oils, Test Method for, **D7662 (09.01)**
Fluorocarbon Feedstock Grade Chloroform, Specification for, **D7509 (15.05)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Sulfur Content in Carbon Black Feedstock Oils, Test Method for, **D7679 (09.01)**
Xylenes for, Specification for, **D5211 (06.04)**

Feedwater
Water Analysis for Electrodialysis/Electrodialysis Reversal Applications, Guide for, **D5091 (11.02)**

Feedwater heater tubes—specifications
Carbon Steel and Low-Alloy Steel Pressure-Vessel-Component Forgings with Mandatory Toughness Requirements, Specification for, **A765/A765M (01.05)**
Seamless and Welded Austenitic Stainless Steel Feedwater Heater Tubes, Specification for, **A688/A688M (01.01)**
Seamless and Welded Ferritic Stainless Steel Feedwater Heater Tubes, Specification for, **A803/A803M (01.01)**
Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes, Specification for, **A556/A556M (01.01)**
Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, Specification for, **A213/A213M (01.01)**

Feel
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Feldspar
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**
Felicity effect/ratio
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Felt
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Trapezoid Tearing Strength of Geotextiles, Test Method for, **D4533 (04.13)**
Felt—specifications
Felt, Specification for, **D2475 (07.01)**
Felted asbestos
Asbestos Lap, Specification for, **D1061/D1061M (04.05)**
Felt roofing/waterproofing materials
Kerosine Number of Unsaturated (Dry) Felt by Vacuum Method, Test Method for, **D6136/D6136M (04.04)**
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**
Felt roofing/waterproofing materials—specifications
Sa **Roofing materials/applications**
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Roll Roofing (Organic Felt), Specification for, **D6380/D6380M (04.04)**
Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, Specification for, **D4869/D4869M (04.04)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Felt thermal insulation—specifications
Sa **Glass thermal insulation—specifications**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
FEMA incident planning
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**
Femoral surgical components
Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, Test Methods for, **F2345 (13.01)**
Determining Femoral Head Penetration into Acetabular Components of Total Hip Replacement Using Clinical Radiographs, Test Method for, **F2385 (13.01)**
Evaluating Mobile Bearing Knee Dislocation, Test Method for, **F2724 (13.02)**
Evaluation of Modular Connection of Proximally Fixed Femoral Hip Prosthesis, Practice for, **F2580 (13.02)**
Impingement of Acetabular Prostheses, Test Method for, **F2582 (13.02)**
Femoral surgical components—specifications
Femoral ProsthesesMetallic Implants, Specification for, **F2068 (13.01)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
Fences—privacy inserts
Polymer Privacy Insert Slats for Chain Link Fabric and Privacy Chain Link Fabric Manufactured Containing Pre-Installed Privacy Slats, Specification for, **F3000/F3000M (01.06)**
Fences/fencing materials
Barbed Tape, Terminology Relating to, **F1379 (01.06)**
Design and Construction of Chain Link Security Fencing, Guide for, **F2611 (01.06)**
Design and Construction of Expanded Metal Security Fences and Barriers, Guide for, **F2780 (01.06)**
Fences for Above-Ground and In-ground Skate Park Facilities, Guide for, **F2698 (01.06)**
Fences for Baseball and Softball Fields, Guide for, **F2000 (01.06)**
Fences for Commercial and Public Outdoor Water Spray/Play Areas, Guide for, **F2699 (01.06)**
Fences for Non-Residential Outdoor Swimming Pools, Hot Tubs, and Spas, Guide for, **F2409 (01.06)**
Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas, Guide for, **F1908 (01.06)**
Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, Safety Performance Specification for, **F2049 (01.06)**
Installation of Barbed Tape, Practice for, **F1911 (01.06)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Fence Systems, Practice for, **F1999 (01.06)**
Self-Closing/Self-Latching General-Purpose Gates, Guide for, **F2630 (01.06)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Testing Forced Entry, Ballistic and Low Impact Resistance of Security Fence Systems, Practice for, **F2781 (01.06)**
Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) for Meshes of 6 in., Specification for, **F2453/F2453M (01.06)**
Fences/fencing materials—specifications
Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials, Specification for, **F537 (01.06)**
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Expanded Metal Fence Systems for Security Purposes, Specification for, **F2548 (01.06)**
Fence Fittings, Specification for, **F626 (01.06)**
Industrial and Commercial Horizontal Slide Gates, Specification for, **F1184 (01.06)**
Industrial and Commercial Steel Swing Gates, Specification for, **F900 (01.06)**
Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, Specification for, **A854/A854M (01.06)**
Metallic-Coated, Steel-Woven Wire Fence Fabric, Specification for, **A116 (01.06)**
Ornamental Aluminum Fence Systems, Specification for, **F2957 (01.06)**
Ornamental Fences Employing Steel Tubular Pickets, Specification for, **F2589 (01.06)**
Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures, Specification for, **F1083 (01.06)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence, Specification for, **F1665 (01.06)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence, Specification for, **F1664 (01.06)**
Polyvinyl Chloride (PVC), Polyolefin and Other Polymer-Coated Steel Chain Link Fence Fabric, Specification for, **F668 (01.06)**
Residential Chain Link Fence Gates, Specification for, **F654 (01.06)**
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, Specification for, **F964 (01.06)**
Silt Fence Materials, Specification for, **D6461 (04.09)**
Standard Colors for Polymer-Coated Chain Link Fence Materials,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **F934 (01.06)**
Steel Fence Posts, Hot Wrought, Specification for, **A702 (01.05)**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**
Vinyl-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A933/A933M (01.04)**
Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated), Specification for, **A974 (01.06)**
Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), Specification for, **A390 (01.06)**

Fences/fencing materials (chain-link)
Sa **Chain-link fence/fencing systems**
Design and Construction of Chain Link Security Fencing, Guide for, **F2611 (01.06)**
Polymer Privacy Insert Slats for Chain Link Fabric and Privacy Chain Link Fabric Manufactured Containing Pre-Installed Privacy Slats, Specification for, **F3000/F3000M (01.06)**

Fences/fencing materials (mesh)
Removable Mesh Fencing for Swimming Pools, Hot Tubs, and Spas, Design and Performance Specification for, **F2286 (15.11)**
Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) for Meshes of 6 in., Specification for, **F2453/F2453M (01.06)**
Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) with Variable Mesh Patterns or Meshes Greater than 6 in., Specification for, **F2919/F2919M (01.06)**

Fences/fencing materials (removable)
Removable Mesh Fencing for Swimming Pools, Hot Tubs, and Spas, Design and Performance Specification for, **F2286 (15.11)**

Fencing (sports) applications/testing/equipment—specifications
Shock Attenuation Properties of Fencing Surfaces, Specification for, **F1543 (15.07)**

Fenestration systems
Sa **Windows/window assemblies**
Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2240 (04.12)**
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**
Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E2319 (04.12)**
Determining Steady State Thermal Transmittance of Fenestration Systems, Practice for, **E1423 (04.11)**
Determining the Effects of Temperature Cycling on Fenestration Products, Practice for, **E2264 (04.12)**
Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies, Test Method for, **E2025 (04.11)**
Flat Glass, Specification for, **C1036 (15.02)**
Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, Test Method for, **E1084 (12.02)**
Structural Performance of Thermal Barriers in Fenestration Products, Test Method for, **E2692 (04.12)**

FEP (fluorinated ethylene-propylene) copolymer
See **Perfluoro(ethylene-propylene)(FEP) copolymer**

Fermentation cycles
Ash in Biomass, Test Method for, **E1755 (05.06)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**

Ferric chloride
Detecting mu-phase in Wrought Nickel-Rich, Chromium, Molybdenum-Bearing Alloys, Practice for, **G209 (03.02)**

Ferric chloride corrosion test
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**
Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, Test Methods for, **G48 (03.02)**

Ferric ions
Thiocyanate in Water, Test Method for, **D4193 (11.02)**

Ferric oxide (Fe_20_3) content
Analysis of Barium Sulfate Pigment, Test Methods for, **D715 (06.03)**

Ferric sulfate-sulfuric acid test
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**

Ferric sulfate test
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**

Ferrite content
Steel Casting, Austenitic Alloy, Estimating Ferrite Content Thereof, Practice for, **A800/A800M (01.02)**
Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, Practice for, **A799/A799M (01.02)**

Ferrite core eddy current probes
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**

Ferrite grains
See **Grain size**

Ferrite pigments
See **Iron oxide pigments—black (natural/synthetic)**

Ferrites
Sa **Isotropic microwave ferrites**
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**
Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, Test Method for, **C1356 (04.01)**
Sintered Ceramic Ferrite Permanent Magnets, Specification for, **A1054 (03.04)**
Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Inductor Applications, Specification for, **A1009 (03.04)**

Ferritic iron castings
Ferritic Malleable Iron Castings, Specification for, **A47/A47M (01.02)**

Ferritic magnetic alloys
Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, Specification for, **A838 (03.04)**

Ferritic materials
Determining Neutron Exposures for Nuclear Reactor, Practice for, **E1035 (12.02)**

Ferritic stainless steel
Sa **Austenitic stainless steel**
Sa **Martensitic stainless steel**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**
Detecting Detrimental Phases in Lean Duplex Austenitic/Ferritic Stainless Steels, Test Method for, **A1084 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Drop-Weight Tear Tests of Ferritic Steels, Test Method for, **E436 (03.01)**
Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, Guide for, **A959 (01.03)**

Ferritic stainless steel—specifications
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, Specification for, **A838 (03.04)**
Free-Machining Stainless Steel Bars, Specification for, **A582/A582M (01.03)**
Free-Machining Stainless Steel Wire and Wire Rods, Specification for, **A581/A581M (01.03)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Stainless Steel Wire, Specification for, **A580/A580M (01.03)**

Ferritic steel
Sa **Austenitic steel**
Determination of Reference Temperature, T_o, for Ferritic Steels in the Transition Range, Test Method for, **E1921 (03.01)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**

Ferritic steel castings—specifications
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Castings, Austenitic-Ferritic (Duplex) Stainless Steel, for Pressure-Containing Parts, Specification for, **A995/A995M (01.02)**
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
Ferritic Malleable Iron Castings, Specification for, **A47/A47M (01.02)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Steel Castings, Ferritic and Martensitic, for Pressure-Containing and Other Applications, for Low-Temperature Service, Specification for, **A757/A757M (01.02)**
Steel Castings, Ferritic and Martensitic, for Pressure-Containing Parts, Suitable for Low-Temperature Service, Specification for, **A352/A352M (01.02)**
Steel Castings, Martensitic Stainless and Alloy, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A217/A217M (01.02)**

Ferritic steel forgings—specifications
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**

Ferritic steel pipe—specifications
Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service, Specification for, **A369/A369M (01.01)**
Centrifugally Cast Ferritic Alloy Steel Pipe for High-Temperature Service, Specification for, **A426/A426M (01.01, 01.02)**
Centrifugally Cast Ferritic/Austenitic Stainless Steel Pipe for Corrosive Environments, Specification for, **A872/A872M (01.02)**
Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, Specification for, **A928/A928M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A790/A790M (01.01)**
Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service, Specification for, **A335/A335M (01.01)**
Spray-Formed Seamless Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A949/A949M (01.01)**
Welded Ferritic-Martensitic Stainless Steel Pipe, Specification for, **A1053/A1053M (01.01)**
Wrought Ferritic, Ferritic/Austenitic, and Martensitic Stainless Steel Piping Fittings, Specification for, **A815/A815M (01.01)**

Ferritic steel tube—specifications
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
General Requirements for Carbon and Low Alloy Steel Tubes, Specification for, **A450/A450M (01.01)**
General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, Specification for, **A1016/A1016M (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless and Welded Ferritic and Martensitic Stainless Steel Tubing for General Service, Specification for, **A268/A268M (01.01)**
Seamless and Welded Ferritic Stainless Steel Feedwater Heater Tubes, Specification for, **A803/A803M (01.01)**
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, Specification for, **A789/A789M (01.01)**
Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, Specification for, **A213/A213M (01.01)**

Ferroalloys
Sa **Stainless steel alloying additives**
Chemical Analysis of Chromium and Ferrochromium, Test Methods for, **E363 (03.05)**
Chemical Analysis of Ferroniobium, Test Methods for, **E367 (03.05)**
Determination of Calcium and Magnesium in Magnesium Ferrosilicon by EDTA Titration, Test Method for, **E372 (03.05)**
Ferroalloys and Other Alloying Materials, General Requirements, Specification for, **A1025/A1025M (01.02)**
Sampling and Testing Ferroalloys for Determination of Size, Test Methods for, **A610 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Sizes of Ferroalloys and Alloy Additives, Specification for, **A835/A835M (01.02)**
Steel, Stainless Steel, Related Alloys, and Ferroalloys, Terminology Relating to, **A941 (01.01, 01.02, 01.03, 01.04, 01.05)**

Ferroboron
Ferroboron, Specification for, **A323 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**

Ferrochrome-silicon
Ferrochrome-Silicon, Specification for, **A482/A482M (01.02)**

Ferrochromium
Chemical Analysis of Chromium and Ferrochromium, Test Methods for, **E363 (03.05)**
Ferrochromium, Specification for, **A101 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**

Ferrocolumbium
Ferrocolumbium, Specification for, **A550 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ferrocopper
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**
Ferromagnetic material/testing
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**
In-Line, Full Flow, Inductive Sensor for Ferromagnetic and Nonferromagnetic Wear Debris Determination and Diagnostics for Aero-Derivative and Aircraft Gas Turbine Engine Bearings, Practice for, **D7685 (05.04)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, Guide for, **E2337/E2337M (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Ferromagnetic pipe/tube
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, Practice for, **E2096/E2096M (03.03)**
Ferromagnetic sputtering target
Pass Through Flux of Circular Magnetic Sputtering Targets, Test Method for, **F1761 (10.04)**
Ferromagnetic wire rope
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**
Ferromanganese
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Ferromanganese—specifications
Ferromanganese, Specification for, **A99 (01.02)**
Ferromanganese-Silicon, Specification for, **A701/A701M (01.02)**
Ferromolybdenum
Ferromolybdenum, Specification for, **A132 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Ferronickel
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**
Ferroniobium
Chemical Analysis of Ferroniobium, Test Methods for, **E367 (03.05)**
Ferrophosphorus
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Ferrosilicon
Determination of Calcium and Magnesium in Magnesium Ferrosilicon by EDTA Titration, Test Method for, **E372 (03.05)**
Ferrosilicon, Specification for, **A100 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Ferrotitanium
Ferrotitanium, Specification for, **A324 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Ferrotungsten
Ferrotungsten, Specification for, **A144 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Ferrous alloys (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**
Detached dwellings
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Functionality, Guide for, **E2351 (04.12)**
Ferrous castings
Sa **Steel castings**
Magnetic Particle Indications on Ferrous Castings, Reference Photographs for, **E125 (03.03)**
Ferrous-ferric reference solutions
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**
Ferrous inch balls
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Ferrous iron content
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Ferrous Iron in Iron Oxides, Test Method for, **D3872 (06.03)**
Ferrous metal pipe and fittings
Sa **Plastic-lined ferrous metal pipe/fittings/flanges—specifications**
Plastic-Lined Ferrous Metal Pipe, Fittings, and Flanges, Specification for, **F1545 (08.04)**
Ferrous metals/alloys
Sa **Iron products (general)**
Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating, Test Method of, **B78 (02.04)**
Contact Ultrasonic Testing of Weldments, Practice for, **E164 (03.03)**
Corrosion Resistance of Ferrous Metal Fastener Assemblies Used in Roofing and Waterproofing, Test Method for, **D6294/D6294M (04.04)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Electromagnetic (Eddy Current) Sorting of Ferrous Metals, Practice for, **E566 (03.03)**
Evaluating Machining Performance of Ferrous Metals Using an Automatic Screw/Bar Machine, Test Method for, **E618 (01.05)**
Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Hot Tin and Hot Tin/Lead Dip on Ferrous and Non-Ferrous Metals, Specification for, **A1074 (01.06)**
Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B439 (02.05)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Metallographically Estimating the Observed Case Depth of Fer-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

rous Powder Metallurgy (PM) Parts, Test Method for, **B931 (02.05)**
Microindentation Hardness of Powder Metallurgy (PM) Materials, Test Method for, **B933 (02.05)**
Powder Forged (PF) Ferrous Materials, Specification for, **B848 (02.05)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**

Ferrous metals/alloys—specifications
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**
Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, Specification for, **B603 (02.04)**
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, Specification for, **B200 (02.05)**
Ferroboron, Specification for, **A323 (01.02)**
Ferrochrome-Silicon, Specification for, **A482/A482M (01.02)**
Ferrochromium, Specification for, **A101 (01.02)**
Ferrocolumbium, Specification for, **A550 (01.02)**
Ferromanganese, Specification for, **A99 (01.02)**
Ferromanganese-Silicon, Specification for, **A701/A701M (01.02)**
Ferromolybdenum, Specification for, **A132 (01.02)**
Ferrosilicon, Specification for, **A100 (01.02)**
Ferrotitanium, Specification for, **A324 (01.02)**
Ferrovanadium, Specification for, **A102 (01.02)**
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Metal Injection Molding (MIM) Ferrous Materials, Specification for, **B883 (02.05)**
Microindentation Hardness of Powder Metallurgy (PM) Materials, Test Method for, **B933 (02.05)**
Municipal Ferrous Scrap, Specification for, **E702 (11.04)**
Sizes of Ferroalloys and Alloy Additives, Specification for, **A835/A835M (01.02)**
Steam Treatment of Ferrous Powder Metallurgy (PM) Materials, Guide for, **B935 (02.05)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**

Ferrous metals/alloys (thermostats)
See **Thermostat metals**

Ferrous needle bearing rollers
Rollers, Bearing, Needle, Ferrous, Solid, Specification for, **F2511 (01.08)**

Ferrous oxide content
See **Iron oxide content**

Ferrous pigments
Ochre Pigment, Specification for, **D85 (06.03)**

Ferrous scrap
Municipal Ferrous Scrap, Specification for, **E702 (11.04)**

Ferrous sulfate reduction
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**

Ferrous sulfate titration
Nitrogen Content of Soluble Nitrocellulose—Alternative Method, Test Method for, **D4795 (06.03)**

Ferrovanadium
Ferrovanadium, Specification for, **A102 (01.02)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**

Ferroxyl test
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**

"Ferrozine" method
Iron in Trace Quantities Using the FerroZine Method, Test Method for, **E1615 (15.05)**

Ferrozirconium
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**

Ferrule attachment
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**
In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, Specification for, **F2249 (10.03)**

Ferrule dimensions
Physical Characterization of Paint Brushes, Practice for, **D5301 (06.02)**

Fertility
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**

Fertilization
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**

Fescues
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**

Fe-Si steels—specifications
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**

FETAX
See **Frog embryo teratogenesis assay-xenopus (FETAX)**

FGD systems
See **Flue gas desulfurization (FGD)**

Fiber analysis
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**
Annealing Point and Strain Point of Glass by Fiber Elongation, Test Method for, **C336 (15.02)**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Size-Differentiated Counting of Particles and Fibers Released from Cleanroom Wipers Using Optical and Scanning Electron Microscopy, Test Method for, **E2090 (15.03)**

Fiber analysis—textiles
Determining Flax Fiber Widths Using Image Analysis, Test Method for, **D7879 (07.02)**
Diameter of Wool and Other Animal Fibers By Sirolan-Laserscan Fiber Diameter Analyser, Test Method for, **D6466 (07.02)**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Fiber Cohesion in Sliver and Top (Static Tests), Test Method for, **D2612 (07.01)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Neps, Vegetable Matter, and Colored Fiber in Wool Top, Test Method for, **D1770 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fiberboard
Sa **Wood products (fiber/particle panel materials)**
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Fiberboard containers
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle and Constant Stress, Test Method for, **D2860/D2860M (15.10)**
Determining Interior Dimensions of Fiberboard Boxes (Box Gage Method), Test Method for, **D2658 (15.10)**
Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, Practice for, **D5168 (15.10)**
Fabrication of Fiberboard Shipping Boxes, Practice for, **D5118/D5118M (15.10)**
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, Practice for, **D5639/D5639M (15.10)**
Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**
Fiberboard containers—specifications
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Fiberboard thermal insulation
See **Block and board thermal insulation**
Fiber-cement products
Non-Asbestos Fiber-Reinforced Cement Products, Terminology for, **C1154 (04.05)**
Fiber-cement products—specifications
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Non-Asbestos Fiber-Cement Conduit, Specification for, **C1448/C1448M (04.05)**
Non-Asbestos Fiber-Cement Nonpressure Sewer Pipe, Specification for, **C1449/C1449M (04.05)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Non-Asbestos Fiber-Cement Storm Drain Pipe, Specification for, **C1450/C1450M (04.05)**
Non-Asbestos Fiber-Cement Underdrain Pipe, Specification for, **C1447/C1447M (04.05)**
Fiber colorant
Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, Guide for, **E2227 (14.02)**
Fiber containers
Pressure-Sensitive Tape for Sealing Fiber Containers and Cans, Specification for, **D6590/D6590M (15.10)**
Fiber content
Constituent Content of Composite Materials, Test Methods for, **D3171 (15.03)**
Determination of Wood Fiber in Asbestos Cement, Test Method for, **C1096/C1096M (04.05)**
Laboratory Determination of the Fiber Content of Peat Samples by Dry Mass, Test Method for, **D1997 (04.08)**
Organic Fiber Content of Asbestos-Cement Products, Test Method for, **C458/C458M (04.05)**
Overlength Fiber Content of Manufactured Staple Fiber, Test Method for, **D3513 (07.01)**
Fiber density
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Fiber diameter analyzer
Sa **Diameter—textile fabrics/fibers**
Diameter of Wool and Other Animal Fibers By Sirolan-Laserscan Fiber Diameter Analyser, Test Method for, **D6466 (07.02)**
Fiberglass—specifications
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**
Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, Specification for, **D6298 (04.04)**
Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, Specification for, **D5359 (11.04)**
Packing, Fiberglass, Braided, Rope, and Wick, Specification for, **F2087 (01.07)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Fiberglass boats
Evaluation of Fiberglass Boat Polish and Wax, Practice for, **D4330 (15.04)**
Fiberglass orthopaedic casting tape
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**
Fiberglass pipe
Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, Test Method for, **D2925 (08.03)**
Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, Test Method for, **D3681 (08.03)**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, Test Method for, **D2143 (08.03)**
External Pressure Resistance of "Fiberglass", Test Method for, **D2924 (08.03)**
Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, Test Method for, **D2105 (08.03)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**
Fiberglass pipe—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, Specification for, **D3840 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe, Specification for, **D3517 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe, Specification for, **D3754 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe, Specification for, **D3262 (08.03)**
Centrifugally Cast "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Specification for, **D2997 (08.03)**
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermoset-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ting Resin) Flanges, Specification for, **D5421 (08.03)**
Contact-Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Corrosion Resistant Pipe and Fittings, Specification for, **D6041 (08.03)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
Filament-Wound "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Specification for, **D2996 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**

Fiberglass-reinforced bituminous sheet
Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, Specification for, **D6298 (04.04)**

Fiberglass-reinforced plastics (FRP)
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, Practice for, **E1888/E1888M (03.03)**
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, Guide for, **D5364 (08.03)**
Determining Damage-Based Design Stress for Glass Fiber Reinforced Plastic (GFRP) Materials Using Acoustic Emission, Practice for, **E2478 (03.03)**
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Examination of Fiberglass Reinforced Plastic Fan Blades Using Acoustic Emission, Practice for, **E2076/E2076M (03.03)**
Fiberglass-Reinforced Plastic (FRP) Rod and Tube Used in Live Line Tools, Specification for, **F711 (10.03)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Fiberglass scrim
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**

Fiber length
Bulk Properties of Textured Yarns, Test Method for, **D4031 (07.01)**
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Fiber Length of Wool in Scoured Wool and in Card Sliver, Test Method for, **D1575 (07.01)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Labeled Length per Holder of Sewing Thread, Specification for, **D3693 (07.01)**
Length and Length Distribution of Cotton Fibers (Array Method), Test Method for, **D1440 (07.01)**
Length and Length Distribution of Manufactured Staple Fibers (Single-Fiber Test), Test Method for, **D5103 (07.02)**
Length and Length Uniformity of Cotton Fibers by Photoelectric Measurement, Test Method for, **D1447 (07.01)**
Length of Fiber in Wool Top, Test Method for, **D519 (07.01)**
Length of Woven Fabric, Test Methods for, **D3773/D3773M (07.01)**
Measuring Zipper Dimensions, Test Methods for, **D2060 (07.01)**
Overlength Fiber Content of Manufactured Staple Fiber, Test Method for, **D3513 (07.01)**
Sampling and Testing Staple Length of Grease Wool, Test Method of, **D1234 (07.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Yarn Crimp and Yarn Take-up in Woven Fabrics, Test Method for, **D3883 (07.01)**

Fiber length distribution
McNett Wet Classification of Dual Asbestos Fiber, Test Method for, **D2589/D2589M (04.05)**

Fiber-mat reinforced cement substrate sheets
Non-Asbestos Fiber-Mat Reinforced Cementitious Backer Units, Specification for, **C1325 (04.05)**

Fiber morphology/identification
Sa **Particulate contamination**
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**

Fiber mulch
Determining Water Holding Capacity of Fiber Mulches for Hydraulic Planting, Test Method for, **D7367 (04.09)**

Fiber-optic cable
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Fiber-optic cable—specifications
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**

Fiber-optic light
See **Light transmission and reflection**

Fiber optic position switch
Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, Specification for, **F2071 (01.07)**

Fiber optic pressure transducer
Transducers, Pressure and Differential, Pressure, Electrical and Fiber-Optic, Specification for, **F2070 (01.07)**

Fiber optic seal
Passive Fiber Optic Seals, Classification for, **F1699 (15.08)**

Fiber optic spectrochemical analysis
Determination of the Red Dye Concentration and Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, Test Method for, **D6756 (05.03)**
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**

Fiber optic waveguide
Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, Guide for, **E1653 (03.06)**

Fiber orientation
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Fiber pull
Repositionable Note Pad, Specification for, **D6787/D6787M (15.10)**

Fiber-reinforced cement
Abuse-Resistant Nondecorated Interior Gypsum Panel Products and Fiber-Reinforced Cement Panels, Classification for, **C1629/C1629M (04.01)**
Alkali Resistant (AR) Glass Fiber for GFRC and Fiber-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reinforced Concrete and Cement, Specification for, **C1666/C1666M (04.05)**

Fiber-reinforced composites
Sa **High modulus fibrous composites**
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**
Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, Test Method for, **C1337 (15.01)**
Fiber Reinforced Aluminum Matrix Composite (AMC) Core Wire for Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B976 (02.03)**
Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites, Test Method for, **C1341 (15.01)**
Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, Test Method for, **D6415/D6415M (15.03)**
Measuring the Damage Resistance of a Fiber-Reinforced Polymer-Matrix Composite to a Concentrated Quasi-Static Indentation Force, Test Method for, **D6264/D6264M (15.03)**
Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D6115 (15.03)**
Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, Guide for, **E1434 (15.03)**
Separation of Contaminants in Polymers Using an Extruder Filter Test, Practice for, **D6265 (08.03)**
Transverse Shear Strength of Fiber-reinforced Polymer Matrix Composite Bars, Test Method for, **D7617/D7617M (15.03)**

Fiber-reinforced concrete
Sa **Concrete reinforcement—specifications**
Alkali Resistant (AR) Glass Fiber for GFRC and Fiber-Reinforced Concrete and Cement, Specification for, **C1666/C1666M (04.05)**
Cellulose Fibers for Fiber-Reinforced Concrete, Specification for, **D7357 (06.03)**
Evaluating Plastic Shrinkage Cracking of Restrained Fiber Reinforced Concrete (Using a Steel Form Insert), Test Method for, **C1579 (04.02)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Flexural Toughness of Fiber Reinforced Concrete (Using Centrally Loaded Round Panel), Test Method for, **C1550 (04.02)**
Obtaining Average Residual-Strength of Fiber-Reinforced Concrete, Test Method for, **C1399/C1399M (04.02)**

Fiber-reinforced materials
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**

Fiber-reinforced mortar
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**

Fiber-reinforced-plastic (FRP)
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**
Fiber-Reinforced Plastic Fans and Blowers, Specification for, **D4167 (08.03)**
Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**
Lap Shear Adhesion for Fiber Reinforced Plastic (FRP) Bonding, Test Method for, **D5868 (15.06)**

Fiber reinforced polymers
Alkali Resistance of Fiber Reinforced Polymer (FRP) Matrix Composite Bars used in Concrete Construction, Test Method for, **D7705/D7705M (15.03)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Determining Tensile Properties of Fiber Reinforced Polymer Matrix Composites Used for Strengthening of Civil Structures, Test Method for, **D7565/D7565M (15.03)**
Measuring the Fastener Pull-Through Resistance of a, Test Method for, **D7332/D7332M (15.03)**
Pull-Off Strength for FRP Bonded to Concrete Substrate, Test Method for, **D7522/D7522M (15.03)**
Tensile Creep Rupture of Fiber Reinforced Polymer Matrix Composite Bars, Test Method for, **D7337/D7337M (15.03)**
Tensile Properties of Fiber Reinforced Polymer Matrix Composite Bars, Test Method for, **D7205/D7205M (15.03)**
Through-Thickness "Flatwise" Tensile Strength and Elastic Modulus of a Fiber-Reinforced Polymer Matrix Composite Material, Test Method for, **D7291/D7291M (15.03)**

Fiber-reinforcement orientation codes
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**

Fibers
Sa **Textile fibers**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Fiber Cohesion in Sliver and Top (Static Tests), Test Method for, **D2612 (07.01)**
Fiber Shedding of Paint Roller Covers, Test Method for, **D7804 (06.02)**
Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, Guide for, **E2227 (14.02)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
Measuring Hairiness of Yarns by the Photo-Electric Apparatus, Guide for, **D5647 (07.02)**
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**
Polyolefin Chopped Strands for Use in Concrete, Specification for, **D7508/D7508M (07.02)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, Practice for, **D7200 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), Practice for, **D7201 (11.07)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**

Fiber-stabilized thermal insulation
Cellulosic Fiber Stabilized Thermal Insulation, Specification for, **C1497 (04.06)**

Fiber stress
See **Flexural testing**

Fiber-tear (FT)
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**

Fibrated aluminum roof coatings
See **Roofing membranes**

Fibre rope
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fibrograph method
Length and Length Uniformity of Cotton Fibers by Photoelectric Measurement, Test Method for, **D1447 (07.01)**
Fibrosampler method
Overlength Fiber Content of Manufactured Staple Fiber, Test Method for, **D3513 (07.01)**
Fibrous coverage
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Fibrous/film-wrapped magnet wire
See **Magnet wire**
Fibrous glass materials/applications (specifications)
Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, Specification for, **C1290 (04.06)**
Sound-Absorbing Board, Fibrous Glass, Perforated Fibrous Glass Cloth Faced, Specification for, **F2154 (01.07)**
Fibrous insulation
Sa **Loose-fill thermal insulation**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Fibrous magnesium silicate
See **Magnesium silicate pigment**
Fibrous materials
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Fibrous nonwoven sheet material
Determination of Ion Exchange Capacity (IEC) in Grafted Battery Separator, Test Method for, **D7131 (10.02)**
Fickian moisture diffusion material properties
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Field-applied adhesive
Measurement of Asphalt Shingle Mechanical Uplift Resistance, Test Method for, **D6381/D6381M (04.04)**
Field area
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Field density
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Field equipment
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**
Evaluating Performance of On-Site Extraction and Field-Portable Electrochemical or Spectrophotometric Analysis for Lead, Guide for, **E1775 (04.11)**
Field equipment/applications—specifications
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Field fabrication
Sa **Fabricated materials—specifications**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, Test Method for, **C1512 (04.06)**
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**
Field investigations
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods, Test Method for, **D6214/D6214M (04.13)**
Documenting a Ground-Water Modeling Code, Guide for, **D6171 (04.09)**
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Physical Evidence Labeling and Related Documentation, Guide for, **E1459 (14.02)**
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Surface Site Characterization for On-Site Septic Systems, Practice for, **D5879 (04.09)**
Field metallographic replicas
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**
Field-of-view
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Field operations
Paintball Field Operation, Practice for, **F1777 (15.07)**
Field overburden analysis
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Field performance of cement flowability
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**
Field-portable analytical equipment
Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, Test Method for, **E2143 (03.06)**
Field preservation (of samples)
Field Preservation of Groundwater Samples, Guide for, **D6517 (04.09)**
Field pyranometers
See **Pyranometer equipment/method**
Field radiometers
Indoor Transfer of Calibration from Reference to Field Pyranometers, Test Method for, **G207 (14.04)**
Transfer of Calibration From Reference to Field Radiometers, Test Method for, **E824 (14.04)**
Field repair
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Field requirements
Presentation Format of Elemental Cost Estimates, Summaries, and Analyses, Practice for, **E2514 (04.12)**
Field-saturated hydraulic conductivity
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Field service tube
Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, Specification for, **B280 (02.01)**
Field sound transmission class (FSTC)
Rating Sound Insulation, Classification for, **E413 (04.06)**
Field sprayers
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Preparing Field Sprayer Calibration Procedures, Guide for, **E549 (11.05)**
Field testing
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Conducting Wear Tests on Textiles, Guide for, **D3181 (07.01)**
Determining the Effect of Fluid Selection on Hydraulic System or Component Efficiency, Practice for, **D7721 (05.04)**
Evaluation, Calibration, and Correlation of E274 Friction Measurement Systems and Equipment, Guide for the, **E2793 (04.03)**
Examination of Drillstring Threads Using the Alternating Current Field Measurement Technique, Practice for, **E2928/E2928M (03.03)**
Field Test Determination of Urea Concentration in Diesel Exhaust Fluid (DEF), Test Method for, **D7821 (15.05)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Low-Pressure Air Test of Vitrified Clay Pipe Lines, Test Method for, **C828 (04.05)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Relative Abrasiveness of Synthetic Turf Playing Surfaces, Test Method for, **F1015 (15.07)**
Sampling and Testing Grout, Test Method for, **C1019 (04.05)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, Test Method for, **E2143 (03.06)**
Field testing—aerospace materials/applications
Field Sampling of Aerospace Fluids in Containers, Practice for, **F302 (15.03)**
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Measuring the Transmissivity of Transparent Parts, Test Method for, **F1316 (15.03)**
Field testing—atmospheric analysis
Collection and Measurement of Dustfall (Settleable Particulate Matter), Test Method for, **D1739 (11.07)**
Field Measurement of Air Leakage Through Installed Exterior Windows and Doors, Test Method for, **E783 (04.11)**
Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, Test Method for, **D4323 (11.07)**
Field testing—building materials
Determining Air Leakage of Air Distribution Systems by Fan Pressurization, Test Methods for, **E1554/E1554M (04.11)**
Determining Airtightness of Buildings Using an Orifice Blower Door, Test Methods for, **E1827 (04.11)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Frost/Dew Point of Sealed Insulating Glass Units in the Vertical Position, Test Method for, **E576 (04.11)**
Use of Joint Sealants, Guide for, **C1193 (04.07)**
Field testing—coal
Collection of Channel Samples of Coal in a Mine, Practice for, **D4596 (05.06)**
Field testing—concrete/aggregates
Corrosion Potentials of Uncoated Reinforcing Steel in Concrete, Test Method for, **C876 (03.02, 04.02)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), Test Method for, **C939 (04.02)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C1103 (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C1103M (04.05)**
Making and Curing Concrete Test Specimens in the Field, Practice for, **C31/C31M (04.02)**
Reducing Samples of Aggregate to Testing Size, Practice for, **C702/C702M (04.02)**
Slump of Hydraulic-Cement Concrete, Test Method for, **C143/C143M (04.02)**
Field testing—corrosion
Conducting and Evaluating Galvanic Corrosion Tests in Electrolytes, Guide for, **G71 (03.02)**
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Field testing—engine coolants
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**
Use of the Refractometer for Field Test Determination of the Freezing Point of Aqueous Engine Coolants, Test Method for, **D3321 (15.05)**
Field testing—environmental materials/applications
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Biological Effects and Environmental Fate, Terminology Relating to, **E943 (11.06)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting In-situ Field Bioassays With Caged Bivalves, Guide for, **E2122 (11.06)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Corrosion Testing of Aluminum-Based Spent Nuclear Fuel in Support of Repository Disposal, Guide for, **C1431 (12.01)**
Evaluating Performance of On-Site Extraction and Field-Portable Electrochemical or Spectrophotometric Analysis for Lead, Guide for, **E1775 (04.11)**
Field Collection of Organic Compounds from Surfaces Using Wipe Sampling, Practice for, **D6661 (11.04)**
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Sampling of Drums and Similar Containers by Field Personnel, Guide for, **D6063 (11.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling Waste and Soils for Volatile Organic Compounds, Guide for, **D4547 (11.04)**

Field testing—geosynthetics
Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods, Test Method for, **D6214/D6214M (04.13)**
In Field Immersion Testing of Geosynthetics, Practice for, **D5496 (04.13)**
Measuring the Filtration Compatibility of Soil-Geotextile Systems, Test Method for, **D5101 (04.13)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**
Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**
the Nondestructive Testing of Geomembrane Seams using the Spark Test, Practice for, **D6365 (04.13)**

Field testing—ground water/aquifers
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**
Methods for Measuring Well Discharge, Guide for, **D5737 (04.08)**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**

Field testing—insulating oils
Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, Practice for, **D3284 (10.03)**
Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field, Test Method for, **D1524 (10.03)**

Field testing—natural gas
Carbon Dioxide in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4984 (05.06)**
Mercaptans in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D1988 (05.06)**

Field testing—paints/related coatings/materials
Assessing the Condition of Aged Coatings on Steel Surfaces, Guide for, **D5065 (06.02)**
Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Conducting a Patch Test to Assess Coating Compatibility, Practice for, **D5064 (06.02)**
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Qualitative Tests for the Presence of Water Repellents and Preservatives in Wood Products, Test Method for, **D2921 (06.02)**

Field testing—pavement surfaces
Detecting Delaminations in Bridge Decks Using Infrared Thermography, Test Method for, **D4788 (04.03)**
Determining Field VMA based on the Maximum Specific Gravity of the Mix (Gmm), Test Method for, **D6995 (04.03)**
Effect of Water on Bituminous-Coated Aggregate Using Boiling Water, Practice for, **D3625/D3625M (04.03)**
Sand Equivalent Value of Soils and Fine Aggregate, Test Method for, **D2419 (04.03)**
Standard Guide for the Evaluation, and Calibration, Continuous Friction Measurement Equipment (CFME), Guide for, **E2883 (04.03)**
Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures, Test Method for, **D2041/D2041M (04.03)**

Field testing—petroleum products
Chlorine in Used Petroleum Products (Field Test Kit Method), Test Methods for, **D5384 (05.02)**
Determining Water Separation Characteristics of Aviation Turbine Fuels by Portable Separometer, Test Method for, **D3948 (05.02)**
Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, Test Method for, **D4308 (05.02)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**
Rapid Field Test for Trace Lead in Unleaded Gasoline (Colorimetric Method), Test Method for, **D3348 (05.01)**
Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, Test Method for, **D5984 (05.02)**

Field testing—pipe construction/applications
Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, Test Method for, **D2925 (08.03)**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Field Leak Testing of Polyethylene (PE) and Crosslinked Polyethylene (PEX) Pressure Piping Systems Using Hydrostatic Pressure, Practice for, **F2164 (08.04)**
In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, Practice for, **E2096/E2096M (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Field testing—polishes
Field Evaluation of Automotive Polish, Practice for, **D4955 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Field testing—rock
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Field Determination of Rapid Specific Gravity of Rock and Manmade Materials for Erosion Control, Test Method for, **D5779/D5779M (04.08)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Rock Bolt Anchor Pull Test, Test Method for, **D4435 (04.08)**
Rock Bolt Long-Term Load Retention Test, Test Method for, **D4436 (04.08)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Field testing—roofing
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Field testing—soil
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Conducting Laboratory Soil Toxicity Tests with the Nematode, Guide for, **E2172 (11.06)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Density of Bentonitic Slurries, Test Method for, **D4380 (04.08)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Erodibility Determination of Soil in the Field or in the Laboratory by the Jet Index Method, Test Method for, **D5852 (04.08)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, Test Method for, **D5093 (04.08)**
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
Field Vane Shear Test in Cohesive Soil, Test Method for, **D2573 (04.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Monitoring Ground Movement Using Probe-Type Inclinometers, Test Method for, **D6230 (04.09)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Preserving and Transporting Soil Samples, Practices for, **D4220 (04.08)**
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Sand Equivalent Value of Soils and Fine Aggregate, Test Method for, **D2419 (04.03)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**
Field testing—solar materials
Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, Practices for, **E745 (12.02)**
Field testing—sound transmission
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures, Test Method for, **E1007 (04.06)**
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Rating Sound Insulation, Classification for, **E413 (04.06)**
Field testing—thermal insulation
Conducting Exterior Exposure Tests of Finishes for Thermal Insulation, Test Method for, **C488 (04.06)**
In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, Practice for, **C1046 (04.06)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insula-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tion Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**

Field testing—waste treatment
General Planning of Waste Sampling, Guide for, **D4687 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, Practice for, **D5283 (11.04)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**

Field testing—water
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**
Field Determination of Water Penetration of Masonry Wall Surfaces, Test Method for, **C1601 (04.05)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
On-Line pH Measurement of Water of Low Conductivity, Test Method for, **D5128 (11.01)**
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**
pH of Water, Test Methods for, **D1293 (11.01)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Quality Planning and Field Implementation of a Water Quality Measurement Program, Guide for, **D5612 (11.01)**
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Sampling of Waterborne Oils, Practices for, **D4489 (11.02)**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**

Field testing—wood products
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**

Field vane shear test
Field Vane Shear Test in Cohesive Soil, Test Method for, **D2573 (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**

Field verification
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**

Fifth wheel test
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**

Figure 8-type communication/electrical cables
Zinc-Coated Steel Strand for Messenger Support of Figure 8 Cable, Specification for, **A640 (01.06)**

Figure skating
Skating and Ice Hockey Playing Facilities, Guide for, **F1703 (15.07)**

Figures-of-merit
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**

Filament-reinforced adhesive tape
Pressure-Sensitive Tape for Packaging, Filament-Reinforced, Specification for, **D5330/D5330M (15.10)**

Filaments
Bulk Density of Level Paintbrush Filaments, Test Method for, **D5959 (06.02)**
Bulk Density of Tapered Paintbrush Filaments, Test Method for, **D6737 (06.02)**
Measuring Curl in Paint Brush Filling Material, Practice for, **D6957 (06.02)**

Filament-wound materials
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**

Filament-wound plastic pipe
Sa **Shipping containers/materials/applications**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
Filament-Wound "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Specification for, **D2996 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**
Reinforced Epoxy Resin Gas Pressure Pipe and Fittings, Specification for, **D2517 (08.03)**

Filament-wound pressure vessels
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**
Examination of Gas-Filled Filament-Wound Composite Pressure Vessels Using Acoustic Emission, Practice for, **E2191/E2191M (03.03)**
Shearography of Polymer Matrix Composites, Sandwich Core Materials and Filament-Wound Pressure Vessels in Aerospace Applications, Practice for, **E2581 (03.03)**

Filament yarn
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Extension Force of Partially Oriented Yarn, Test Method for, **D5344 (07.02)**
Measuring Hairiness of Yarns by the Photo-Electric Apparatus, Guide for, **D5647 (07.02)**
Yarn Number Using Automatic Tester, Test Method for, **D6587 (07.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Filar micrometer
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Filatov water chemistry
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
File test—coating adhesion
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Filiform corrosion resistance
Sa **Corrosion**
Filiform Corrosion Resistance of Organic Coatings on Metal, Guide for Testing, **D2803 (06.01)**
Testing Primers and Primer Surfacers Over Preformed Metal, Practice for, **D3322 (06.02)**
Filled epoxy-coated steel wire
Sa **Epoxy-coated steel wire—specifications**
Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, Specification for, **A882/A882M (01.04)**
Filled-hole compressive (FHC) testing
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
Filled-hole tensile (FHT) testing
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
Filled polytetrafluoroethylene (PTFE)
See **PTFE (polytetrafluoroethylene)—specifications**
Filler content
Filler Content of Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1579 (15.06)**
Filler metals
Brazing Filler Metals for Electron Devices, Specification for, **F106 (10.04)**
Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, Specification for, **A928/A928M (01.01)**
Fillers
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Corrosivity Index of Plastics and Fillers, Test Method for, **D4350 (08.02)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
Rubber Property—Macro-Dispersion of Fillers in Compounds, Test Method for, **D7723 (09.01)**
Fillers analysis
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Rubber Compounding MaterialsGround Coal, Classification for, **D5377 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
Filler settlement
Chemical-Resistant Sulfur Mortar, Specification for, **C287 (04.05)**
Fillers (joint) for concrete
See **Joint fillers (concrete)**
Fillet joints
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Fill gas
Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, Test Method for, **E2269 (04.12)**
Determining Argon Concentration in Sealed Insulating Glass Units Using Spark Emission Spectroscopy, Test Method for, **E2649 (04.12)**
Filling/filter funnels
Common Laboratory Glass Funnels, Specification for, **E1095 (14.04)**
Filling/flooding compounds
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, Test Methods for, **D4568 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**
Filling yarns
Bow and Skew in Woven and Knitted Fabrics, Test Method for, **D3882 (07.01)**
Fills
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Film
Sa **Flexible barrier materials**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), Test Method for, **D2872 (04.03)**
Effects of Heat and Air on Asphaltic Materials (Thin-Film Oven Test), Test Method for, **D1754/D1754M (04.03)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, Practice for, **C419 (04.06)**
Measurement of Thickness of Coatings Over Fabric Reinforcement, Test Method for, **D7635/D7635M (04.04)**
Measurements Taken on Thin, Reflecting Films, Terminology Relating to, **E2444 (03.01)**
Peel Cling of Stretch Wrap Film, Test Method for, **D5458 (15.10)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**
Sheet Materials for Curing Concrete, Specification for, **C171 (04.02)**
Thickness of Foil, Thin Sheet, and Film by Mass Measurement, Test Method for, **E252 (02.02)**
Water Loss from a Mortar Specimen Through Liquid Membrane-Forming Curing Compounds for Concrete, Test Method for, **C156 (04.02)**
Film—electrical conductors/applications
Hydrophobic Surface Films by the Atomizer Test, Test Method for, **F21 (15.03)**
Hydrophobic Surface Films by the Water-Break Test, Test Method for, **F22 (15.03)**
Film—paints/related coatings/materials
Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, Test Methods for, **D1640 (06.01)**
Film Hardness by Pencil Test, Test Method for, **D3363 (06.01)**
Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, Test Method for, **D5380 (06.01)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Minimum Film Formation Temperature (MFFT) of Emulsion Vehicles, Test Method for, **D2354 (06.03)**
Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, Practice for, **D5722 (06.01)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Preparing Drawdowns of Artists' Paste Paints, Practice for, **D4941 (06.02)**
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**

Film—plastic
See **Plastic sheet and film**

Film—stretch wrap material
See **Stretch wrap films/materials**

Film adherence/flexibility
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Film adhesive
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**
Shelter, Tactical, Expandable, One-Side, Specification for, **E1977 (04.11)**
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**
Shelter, Tactical, Nonexpandable, Specification for, **E1976 (04.11)**
Structural Film Adhesives for Honeycomb Sandwich Panels, Specification for, **E865 (04.11)**

Film formation
Sweep Test of Bituminous Emulsion Surface Treatment Samples, Test Method for, **D7000 (04.03)**
Testing Low Temperature Film-Formation of Latex Paints by Visual Observation, Practice for, **D7306 (06.02)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Film-insulated conductor
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Film-insulated magnet wire
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**

Film integrity
Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, Practice for, **D5722 (06.01)**

Film performance score (FPS)
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**

Film porosity
Porosity of Paint Film by Mineral Oil Absorption, Test Method for, **D6583 (06.02)**

Film property
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**

Film (radiologic/radioscopic)
Controlling the Quality of Industrial Radiographic Film Processing, Guide for, **E999 (03.03)**
Determining Relative Image Quality Response of Industrial Radiographic Imaging Systems, Practice for, **E746 (03.03)**

Film ribbons/cartridges
Determining the Drive Torque for Film and Fabric Ribbon Cartridges, Test Method for, **F1520 (15.09)**
Measuring the Ribbon Exit Force for Film and Fabric Cartridges, Test Method for, **F1225 (15.09)**
Testing Flake of Single-Strike Film Typewriter Ribbons, Practice for, **F627 (15.09)**

Film solution leak test
Leaks Using Bubble Emission Techniques, Practice for, **E515 (03.03)**

Film speed
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Film systems
Classification of Film Systems for Industrial Radiography, Test Method for, **E1815 (03.03)**

Filterability
Determining Filterability of Aviation Turbine Fuel, Test Method for, **D6824 (05.03)**
Determining Filterability of Middle Distillate Fuel Oils, Test Method for, **D6426 (05.03)**
Evaluating Compatibility of Mixtures of Hydraulic Fluids, Practice for, **D7752 (05.04)**
Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), Test Method for, **D4539 (05.02)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, Test Method for, **D6794 (05.03)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time, Test Method for, **D6795 (05.03)**

Filter bedding stone
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**
Specifying Standard Sizes of Stone for Erosion Control, Practice for, **D6092 (04.09)**

Filter Debris Analysis (FDA)
Lubrication and Hydraulic Filter Debris Analysis (FDA) for Condition Monitoring of Machinery, Practice for, **D7898 (05.04)**

Filter drainage
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**

Filter flasks
Laboratory Glass Boiling Flasks, Specification for, **E1403 (14.04)**
Laboratory Glass Conical Flasks, Specification for, **E1404 (14.04)**
Laboratory Glass Dewar Flask, Specification for, **E1379 (14.04)**
Laboratory Glass Distillation Flasks, Specification for, **E1405 (14.04)**
Laboratory Glass Filter Flasks, Specification for, **E1406 (14.04)**
Laboratory Glass Multiple Neck Distilling/Boiling Flasks, Specification for, **E1378 (14.04)**

Filter media
Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media, Test Method for, **D6830 (11.07)**
Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity in Fabric and Air Filter Media, Test Method for, **E2722 (11.05)**

Filter paper
Laboratory Filter Papers, Specification for, **E832 (14.04)**
Measuring the Ignition Strength of Cigarettes, Test Method for, **E2187 (04.07)**

Filter-separator units
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Filters/filter procedures
Sa **Particle analysis**
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Evaluating Primary Disposable Bag Integrity for Vacuum Cleaners, Test Methods for, **F494 (15.08)**
Filtration Rate of Ceramic Whiteware Clays, Test Method for, **C866 (15.02)**
Gas Flow Resistance Testing of Filtration Media, Methods for, **F778 (11.07)**
Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, Test Method for, **E128 (14.04)**
Measurement of Soil Potential (Suction) Using Filter Paper, Test Method for, **D5298 (04.08)**
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**

Filters/filter procedures—atmospheric analysis
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Determination of Sulfuric Acid Mist in Workplace Atmospheres Collected on Mixed Cellulose Ester Filters (Ion Chromatographic Analysis), Test Method for, **D4856 (11.07)**
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**
Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, Test Method for, **D4765 (11.07)**
Measurement of Metals in Workplace Atmospheres by Flame Atomic Absorption Spectrophotometry, Practice for, **D4185 (11.07)**
Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), Test Method for, **D3267 (11.07)**

Filters/filter procedures—marine applications
Filters Used in Air or Nitrogen Systems, Specification for, **F1791 (01.07)**

Filters/filter procedures—petroleum analysis
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Coagulated Pentane Insolubles in Used Lubricating Oils by Paper Filtration (LMOA Method), Test Method for, **D7317 (05.04)**
Determining Filter Blocking Tendency, Test Method for, **D2068 (05.01)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, Test Method for, **D4898 (05.02)**
Oil Content of Petroleum Waxes, Test Method for, **D721 (05.01)**
Particulate Contaminant in Aviation Fuel by Line Sampling, Test Method for, **D2276 (05.01)**
Particulate Contamination in Aviation Fuels by Laboratory Filtration, Test Method for, **D5452 (05.02)**
Pentane Insolubles by Membrane Filtration, Test Method for, **D4055 (05.02)**
Sediment in Crude Oil by Membrane Filtration, Test Method for, **D4807 (05.02)**

Filters/filter procedures—water testing
Sa **Membrane filters (MF)**
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Comparing Particle Size in the Use of Alternative Types of Particle Counters, Practice for, **F660 (11.01)**
Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, Practice for, **D5465 (11.02)**
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**
Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, Test Methods for, **D5907 (11.01)**
Integrity Testing of Water Filtration Membrane Systems, Practice for, **D6908 (11.02)**
Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, Practice for, **D4188 (11.01)**
Silt Density Index (SDI) of Water, Test Method for, **D4189 (11.01)**

Filter tip samplers
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

Filtration
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Determination of Fuel Filter Blocking Potential of Biodiesel (B100) Blend Stock by Cold Soak Filtration Test (CSFT), Test Method for, **D7501 (05.04)**
Determining Flow Rate of Water and Suspended Solids Retention from a Closed Geosynthetic Bag, Test Method for, **D7880/D7880M (04.13)**
Determining Initial, Fractional, Filtration Efficiency of a Vacuum Cleaner System, Test Method for, **F1977 (15.08)**
Determining the Number of Constrictions "***m***" of Non-Woven Geotextiles as a Complementary Filtration Property, Practice for, **D7178 (04.13)**
Processing In-service Fluid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **D7670 (05.04)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Filtration performance
Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media, Test Method for, **D6830 (11.07)**
Determining Filtering Efficiency and Flow Rate of the Filtration Component of a Sediment Retention Device, Test Method for, **D5141 (04.13)**
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**

Final column temperature
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**

Final dissolution rates (R_f)
Dissolution Testing of Calcium Phosphate Granules, Fabricated Forms, and Coatings, Test Method for, **F1926/F1926M (13.01)**

Final drive axle
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Evaluation of the Load Carrying Properties of Lubricants Used

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

for Final Drive Axles, Under Conditions of High Speed and Shock Loading, Test Method for, **D7452 (05.04)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**

Finance
Financing and Financial Accountability of Medical Transportation Systems, Guide for, **F1493 (13.02)**

Financial statements
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**
Financial Disclosures Attributed to Climate Change, Guide for, **E2718 (11.05)**
the Recognition of Impaired or Retired Personal Property, Practice for, **E2378 (04.12)**

Fine aggregate
Aggregate for Masonry Mortar, Specification for, **C144 (04.05)**
Aggregates for Masonry Grout, Specification for, **C404 (04.05)**
Bulk Density ("Unit Weight") and Voids in Aggregate, Test Method for, **C29/C29M (04.02)**
Centrifuge Kerosine Equivalent, Test Method for, **D5148 (04.03)**
Concrete Aggregates, Specification for, **C33/C33M (04.02)**
Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate, Test Method for, **C128 (04.02)**
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Determining The Relative Density (Specific Gravity) And Absorption Of Fine Aggregates Using Infrared, Test Method for, **D7172 (04.03)**
Effect of Organic Impurities in Fine Aggregate on Strength of Mortar, Test Method for, **C87/C87M (04.02)**
Fine Aggregate for Bituminous Paving Mixtures, Specification for, **D1073 (04.03)**
Flow of Fine Aggregate Concrete for Fabric Formed Concrete (Flow Cone Method), Test Method for, **D6449 (04.09)**
Lightweight Particles in Aggregate, Test Method for, **C123/C123M (04.02)**
Organic Impurities in Fine Aggregates for Concrete, Test Method for, **C40/C40M (04.02)**
Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, Test Method for, **C1777 (04.02)**
Resistance of Fine Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D7428 (04.03)**
Sand Equivalent Value of Soils and Fine Aggregate, Test Method for, **D2419 (04.03)**
Sieve Analysis of Fine and Coarse Aggregates, Test Method for, **C136 (04.02)**
Steel Slag Aggregates for Bituminous Paving Mixtures, Specification for, **D5106 (04.03)**
Surface Moisture in Fine Aggregate, Test Method for, **C70 (04.02)**
Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), Test Methods for, **C1252 (04.02)**

Fine aggregate concrete
Flow of Fine Aggregate Concrete for Fabric Formed Concrete (Flow Cone Method), Test Method for, **D6449 (04.09)**

Fine catalyst particles
Sa **Catalysts/catalyst carriers**
Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, Test Method for, **D4781 (05.05)**

Fine-coal fractions
Sa **Coal products**
Determining the Washability Characteristics of Coal, Test Method for, **D4371 (05.06)**

Fine fescues
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**

Fine-grained carbon/graphite materials
Scleroscope Hardness Testing of Carbon and Graphite Materials, Test Method for, **C886 (05.05)**

Fine-grained graphite
Sa **Graphite**
Rockwell Hardness of Graphite Materials, Test Method for, **C748 (05.05)**

Fine-grained soil
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, Test Method for, **D5093 (04.08)**
Measuring the Exchange Complex and Cation Exchange Capacity of Inorganic Fine-Grained Soils, Test Method for, **D7503 (04.09)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**

Fine-grain steel
Alloy Structural Steel Plates, Specification for, **A829/A829M (01.04)**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**
Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, Specification for, **A656/A656M (01.04)**

Fine nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Fineness
Sa **Particle analysis**
Sa **Yarn number**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Micronaire Reading of Cotton Fibers, Test Method for, **D1448 (07.01)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**
Sampling and Fineness Test of Pulverized Coal, Test Method for, **D197 (05.06)**
Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, Test Methods for, **C311/C311M (04.02)**

Fineness—grade assignment
Fineness of Types of Alpaca, Specification for, **D2252 (07.01)**
Fineness of Wool or Mohair and Assignment of Grade, Specifications for, **D3991 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**

Fineness—hydraulic cement (blended/portland)
Fineness of Hydraulic Cement and Raw Materials by the 300-μm (No. 50), 150-μm (No. 100), and 75-μm (No. 200) Sieves by Wet Methods, Test Method for, **C786/C786M (04.01)**
Fineness of Hydraulic Cement by Air-Permeability Apparatus, Test Methods for, **C204 (04.01)**
Fineness of Hydraulic Cement by the 45-m (No. 325) Sieve, Test Method for, **C430 (04.01)**
Fineness of Portland Cement by the Turbidimeter, Test Method for, **C115/C115M (04.01)**
Hydrated Hydraulic Lime for Structural Purposes, Specification for, **C141/C141M (04.01)**

Fineness of grind (dispersion)
Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage, Test Method for, **D1210 (06.01)**
Fineness of Grind of Printing Inks By the NPIRI Grindometer, Test Method for, **D1316 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fines
Measurement of Fines and Dust Particles on Plastic Pellets by Wet Analysis, Test Method for, **D7486 (08.03)**
Fines content
Carbon Black, Pelleted Fines and Attrition, Test Method for, **D1508 (09.01)**
McNett Wet Classification of Dual Asbestos Fiber, Test Method for, **D2589/D2589M (04.05)**
Turner and Newall (T and N) Wet-Length Classification of Asbestos, Test Method for, **C1121/C1121M (04.05)**
Wash Test of Asbestos, Test Method for, **C1120/C1120M (04.05)**
Fine wire
Sa **Steel wire**
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Fine-wire bunch-stranded conductor
Fine-Wire Bunch-Stranded and Rope-Lay Bunch-Stranded Copper Conductors for Use as Electrical Conductors, Specification for, **B738 (02.03)**
Finfish
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Finger cots
Sa **Rubber medical/surgical applications**
Natural Rubber Finger Cots, Specification for, **D3772 (09.02)**
Finger-jointed lumber
Sa **Adhesive joints**
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
End-Joints in Structural Wood Products, Test Methods for, **D7469 (04.10)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Fingernail regions
Evaluation of Antimicrobial Handwash Formulations by Utilizing Fingernail Regions, Test Method for, **E1327 (11.05)**
Fingerpads
Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E2276 (11.05)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Finished motor/aviation gasoline
Determination of Benzene and Toluene in Finished Motor and Aviation Gasoline by Gas Chromatography, Test Method for, **D3606 (05.01)**
Determination of Benzene, Toluene, and Total Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, Test Method for, **D5769 (05.02)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Finishing process/finishes
Dimensions and Tolerances for Plastic Bottles, Specification for, **D2911 (08.01)**
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Finished Parts Made from Polyimide Resin, Specification for, **D6456 (08.03)**
Finishing Hydrated Lime, Specification for, **C206 (04.01)**
Sampling Metal Powders, Practices for, **B215 (02.05)**
Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, Test Method for, **D2047 (15.04)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Finishing process/finishes—glass fabrics for plastic laminates
See **Glass fabrics/fibers/textile products—specifications**
Finishing process/finishes—leather
Cracking Resistance of Leather, Test Method for, **D6075 (15.04)**
Flexibility and Adhesion of Finish on Leather, Test Method for, **D6182 (15.04)**
Resistance of Finish to Heat Aging (Finish Stability), Test Method for, **D7912 (15.04)**
Tackiness of Finish on Leather, Test Method for, **D6183 (15.04)**
Finishing tape
Measuring Abrasion Resistance of Materials by Abrasive Loop Contact, Test Method for, **G174 (03.02)**
Finish lime
Sa **Lime materials/applications—specifications**
Lime Putty for Structural Purposes, Specification for, **C1489 (04.01)**
Finish nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Finite closed-cup flash point methods
See **Flash point**
Finite element analysis
Finite Element Analysis (FEA) of Metallic Vascular Stents Subjected to Uniform Radial Loading, Guide for, **F2514 (13.02)**
Finite Element Analysis (FEA) of Non-Modular Metallic Orthopaedic Hip Femoral Stems, Practice for, **F2996 (13.02)**
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**
Fire alarms (marine)
See **Fire fighting systems—marine applications**
Fire analysis models
Evaluating the Predictive Capability of Deterministic Fire Models, Guide for, **E1355 (04.07)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Fire and rescue services
See **SAR (search and rescue) operations**
Firearm container
Youth-Resistant Firearms Containers (YRFCs), Specification for, **F2456 (15.11)**
Firearm locking devices
Non-Integral Firearm Locking Devices, Safety Specification for, **F2369 (15.11)**
Fire assay method
Determination of Gold in Activated Carbon by Fire Assay Gravimetry, Test Method for, **E1568 (03.05)**
Determination of Gold in Copper Concentrates by Fire Assay Gravimetry, Test Method for, **E1805 (03.05)**
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**
Fire assay slag recycling
Silver Corrections in Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Fire Assay Slag Recycling and Cupel Proof Gravimetry, Practice for, **E2296 (03.05)**
Fire axe test
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Fire barrier
Application of Hose Stream, Practice for, **E2226 (04.07)**
Determining Fire Resistance of Perimeter Fire Barriers Using

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Intermediate-Scale, Multi-story Test Apparatus, Test Method for, **E2307 (04.07)**
On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barriers, Practice for, **E2393 (04.12)**

Firebox brick
Firebox Brick for Residential Fireplaces, Specification for, **C1261 (04.05)**

Firebox parts
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**

Firebrick
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**

Fireclay brick
Sa **Refractories (fireclay)**
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**
Fireclay and High-Alumina Mortars, Classification of, **C1655 (15.01)**

Fire clay mortar
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**

Fireclay refractories
See **Refractories (fireclay)**

Fire damper
Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction, Test Method for, **E2912 (04.07)**

Fired ceramic whitewares
See **Ceramic whitewares**

Fire debris samples
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Preserving Ignitable Liquids and Ignitable Liquid Residue Extracts from Fire Debris Samples, Practice for, **E2451 (14.02)**
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), Practice for, **E2154 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**

Fired masonry unit
Sa **Masonry units**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**

Fired whiteware products
Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Test Method for, **C373 (15.02)**

Fire endurance rating
Application of Hose Stream, Practice for, **E2226 (04.07)**
Calculating the Superimposed Load on Wood-frame Walls for Standard Fire-Resistance Tests, Practice for, **D6513 (04.10)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Fire Resistive Grease Duct Enclosure Systems, Test Methods for, **E2336 (04.07)**
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**

Fire extinguishing agents
Handling, Transportation, and Storage of HCFC Blend B (CF3CCl 2H, Ar, and CF4), Practice for, **D7123 (15.05)**
Handling, Transportation, and Storage of HFC Blend B (CH2FCF 3, CHF2 CF3, and CO2), Practice for, **D7326 (15.05)**
Handling, Transportation, and Storage of IG-55 Ar N2, Practice for, **D7324 (15.05)**

Firefighter—protective clothing
Measuring the Transmitted and Stored Energy of Firefighter Protective Clothing Systems, Test Method for, **F2731 (11.03)**

Fire-fighting agent
Sa **Fire suppressants**
Halon 1211, Bromochlorodifluoromethane (CF2BrCl), Specification for, **D7673/D7673M (15.05)**

Fire fighting systems—marine applications
Construction of Fire and Foam Station Cabinets, Specification for, **F1333 (01.07)**
Fire Hose Nozzles, Specification for, **F1546 (01.07)**
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
International Shore Connections for Marine Fire Applications, Specification for, **F1121 (01.07)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Steel Emergency Gear Stowage Locker, Specification for, **F1018 (01.07)**
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**

Fire fighting systems—specifications
Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use, Specification for, **A795/A795M (01.01)**
Cooking Fire Suppression Blankets, Specification for, **F1989 (15.11)**

Fire hazard assessment
Development of Fire Hazard Assessment Standards of Electrotechnical Products, Guide for, **D5425 (10.02)**
Development of Fire-Hazard-Assessment Standards, Guide for, **E1546 (04.07)**
Development of Fire-Risk-Assessment Standards, Guide for, **E1776 (04.07)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Fire Hazard Assessment of Rail Transportation Vehicles, Guide for, **E2061 (04.07)**
Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, Guide for, **E2280 (04.07)**
Flammability Potential Screening Analysis of Waste, Test Methods for, **D4982 (11.04)**
Measuring Smoke Toxicity for Use in Fire Hazard Analysis, Test Method for, **E1678 (04.07)**

Fire investigation
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Studying Fire Incidents in Oxygen Systems, Guide for, **G145 (14.04)**

Fire limit
Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, Test Method for, **G125 (14.04)**

Fireman's outfit locker
Steel Emergency Gear Stowage Locker, Specification for, **F1018 (01.07)**

Fireplace lighters
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**

Fireplaces
Determining Particulate Matter Emissions from Fires in Wood-Burning Fireplaces, Test Method for, **E2558 (04.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Particulate Matter Emissions from Pellet Heaters, Test Method for, **E2779 (04.12)**
Firebox Brick for Residential Fireplaces, Specification for, **C1261 (04.05)**
Installing Clay Flue Lining, Practice for, **C1283 (04.05)**

Fire-point
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**

Fireproofing tile
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**

Fire propagation apparatus (FPA)
Measurement of Material Flammability Using a Fire Propagation Apparatus (FPA), Test Methods for, **E2058 (04.07)**

Fire-refined coppers
Sa **Copper (refined/refinery shapes)—specifications**
Coppers, Classification of, **B224 (02.01)**

Fire resistance
Determination of Fire Resistance of Aircraft Hydraulic Fluids by Autoignition Temperature, Test Method for, **D2155 (05.01)**
Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure, Test Method for, **E2707 (04.07)**
Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus, Test Method for, **E2307 (04.07)**
Determining the Fire Resistance of Continuity Head-of-Wall Joint Systems Installed Between Rated Wall Assemblies and Nonrated Horizontal Assemblies, Test Method for, **E2837 (04.07)**
Extension of Data from Penetration Firestop System Tests Conducted in Accordance with ASTM, Guide for, **E2750 (04.07)**
Fire Resistive Grease Duct Enclosure Systems, Test Methods for, **E2336 (04.07)**
Fire Resistive Metallic HVAC Duct Systems, Test Methods for, **E2816 (04.07)**
Fire-Resistance Experiments, Guide for, **E2748 (04.07)**
Flame Resistant Rainwear for Protection Against Flame Hazards, Specification for, **F2733 (11.03)**
Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids, Test Method for, **D5306 (05.02)**
Measuring the Uniformity of Furnace Exposure on Test Specimens, Practice for, **E2749 (04.07)**
On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barriers, Practice for, **E2393 (04.12)**

Fire-resistant booms
In-Situ Burning of Oil Spills on Water: Environmental and Operational Considerations, Guide for, **F1788 (11.05)**
In-Situ Burning of Spilled Oil: Fire-Resistant Boom, Guide for, **F2152 (11.05)**

Fire-resistant classification
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**

Fire-resistant fluids
Biodegradable Fire Resistant Hydraulic Fluids, Specification for, **D7044 (05.04)**
Phosphate Ester Based Fluids for Turbine Lubrication, Specification for, **D4293 (05.02)**

Fire-resistant joint systems
Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus, Test Method for, **E2307 (04.07)**
Fire-Resistive Joint Systems, Test Method for, **E1966 (04.07)**

Fire-resistant materials/testing
Sa **Sprayed fire-resistive materials (SFRMs)**
Application of Hose Stream, Practice for, **E2226 (04.07)**
Behavior of Materials in a Vertical Tube Furnace at 750°C, Test Method for, **E136 (04.07)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E760 (04.11)**
Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement, Test Method for, **E2886/E2886M (04.07)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Fire Resistive Grease Duct Enclosure Systems, Test Methods for, **E2336 (04.07)**
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Fire-Resistive Joint Systems, Test Method for, **E1966 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**

Fire-resistant materials/testing—specifications
Sa **Flame-resistant (FR) clothing/materials—specifications**
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Lock-Strip Gaskets, Specification for, **C542 (04.07)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**

Fire-retardant-treated wood/wood-base materials
Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing, Practice for, **D2898 (04.10)**
Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing, Practice for, **D6305 (04.10)**
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber, Test Method for, **D5664 (04.10)**
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Hygroscopic Properties of Fire-Retardant Wood and Wood-Based Products, Test Method for, **D3201/D3201M (04.10)**

Fire risk/safety
Development of Fire Hazard Assessment Standards of Electrotechnical Products, Guide for, **D5425 (10.02)**
Development of Fire-Hazard-Assessment Standards, Guide for, **E1546 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Development of Fire-Risk-Assessment Standards, Guide for, **E1776 (04.07)**
Flash Point by Tag Closed Cup Tester, Test Method for, **D56 (05.01)**
Portable and Permanent Emergency Escape Ladders for Residential Use, Specification for, **F2175 (15.11)**
Preparation of Fire-Test-Response Standards, Practice for, **E535 (04.07)**

Fire safety
Fire Prevention for Photovoltaic Panels, Modules, and Systems, Guide for, **E2908 (12.02)**
Fire Safety for Candle Accessories, Specification for, **F2601 (15.11)**
Fire Safety for Candles, Specification for, **F2417 (15.11)**

Fire sprinklers
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**

Fire stops
Extension of Data from Penetration Firestop System Tests Conducted in Accordance with ASTM, Guide for, **E2750 (04.07)**
Fire Resistive Metallic HVAC Duct Systems, Test Methods for, **E2816 (04.07)**
Longevity Assessment of Firestop Materials Using Differential Scanning Calorimetry, Practice for, **E2923 (04.12)**
Measuring Expansion of Intumescent Materials Used in Firestop and Joint Systems, Test Methods for, **E2786 (04.12)**
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**

Fire suppressants
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HCFC Blend B (CF3CCl 2H, Ar, and CF4), Practice for, **D7123 (15.05)**
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Handling, Transportation, and Storage of IG-55 Ar N2, Practice for, **D7324 (15.05)**

Fire suppressants—specifications
Halon 1211, Bromochlorodifluoromethane (CF2BrCl), Specification for, **D7673/D7673M (15.05)**
HFC-125 (Pentafluoroethane, C_2HF_5), Specification for, **D6231 (15.05)**
HFC-227ea, 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Specification for, **D6064 (15.05)**

Fire supression towels
Cooking Fire Suppression Blankets, Specification for, **F1989 (15.11)**

Fire testing
Sa **Burning characteristics**
Sa **Flash point**
Sa **Ignition**
Assessment of Measurement Uncertainty in Fire Tests, Guide for, **E2536 (04.07)**
Conducting an Interlaboratory Study to Determine Precision Estimates for a Fire Test Method with Fewer Than Six Participating Laboratories, Practice for, **E2653 (04.07)**
Extension of Data from Penetration Firestop System Tests Conducted in Accordance with ASTM, Guide for, **E2750 (04.07)**
Fire Resistive Grease Duct Enclosure Systems, Test Methods for, **E2336 (04.07)**
Fire Resistive Metallic HVAC Duct Systems, Test Methods for, **E2816 (04.07)**
Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction, Test Method for, **E2912 (04.07)**
Fire Testing of School Bus Seat Assemblies, Test Method for, **E2574/E2574M (04.07)**
Fire-Resistance Experiments, Guide for, **E2748 (04.07)**
Flammability of Aerosol Products, Test Methods for, **D3065 (15.10)**
Laboratory Monitors, Guide for, **E2335 (04.07)**
Lighters, Consumer Safety Specification for, **F400 (15.11)**
Measuring the Uniformity of Furnace Exposure on Test Specimens, Practice for, **E2749 (04.07)**
Specimen Preparation and Mounting of Caulks and Sealants to Assess Surface Burning Characteristics, Practice for, **E2690 (04.07)**
Specimen Preparation and Mounting of Site-Fabricated Stretch Systems to Assess Surface Burning Characteristics, Practice for, **E2573 (04.07)**
Specimen Preparation and Mounting of Tapes to Assess Surface Burning Characteristics, Practice for, **E2688 (04.07)**
Specimen Preparation and Mounting of Wood Products to Assess Surface Burning Characteristics, Practice for, **E2579 (04.07)**

Fire testing—building materials
Air Erosion of Sprayed Fire-Resistive Materials (SFRMs) Applied to Structural Members, Test Method for, **E859 (04.11)**
Application of Hose Stream, Practice for, **E2226 (04.07)**
Behavior of Materials in a Tube Furnace with a Cone-shaped Airflow Stabilizer, at 750°C, Test Method for, **E2652 (04.07)**
Behavior of Materials in a Vertical Tube Furnace at 750°C, Test Method for, **E136 (04.07)**
Calculating the Superimposed Load on Wood-frame Walls for Standard Fire-Resistance Tests, Practice for, **D6513 (04.10)**
Combustible Properties of Treated Wood by the Fire-Tube Apparatus, Test Method for, **E69 (04.10)**
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Detention Locks for Swinging Doors, Test Methods for, **F1577 (15.08)**
Detention Sliding Door Locking Device Assembly, Test Methods for, **F1643 (15.08)**
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Development of Fire-Hazard-Assessment Standards, Guide for, **E1546 (04.07)**
Development of Fire-Risk-Assessment Standards, Guide for, **E1776 (04.07)**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement, Test Method for, **E2886/E2886M (04.07)**
Evaluating the Predictive Capability of Deterministic Fire Models, Guide for, **E1355 (04.07)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Fire Resistive Grease Duct Enclosure Systems, Test Methods for, **E2336 (04.07)**
Fire Standards, Terminology of, **E176 (04.07)**
Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**
Fire Tests of Penetration Firestop Systems, Test Method for, **E814 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fire Tests of Roof Coverings, Test Methods for, **E108 (04.07)**
Fire-Resistance Experiments, Guide for, **E2748 (04.07)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Full-Scale Oxygen Consumption Calorimetry Fire Tests, Practice for, **E2067 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Measurement of Gases Present or Generated During Fires, Guide for, **E800 (04.07)**
Measuring Smoke Toxicity for Use in Fire Hazard Analysis, Test Method for, **E1678 (04.07)**
Petrographic Examination of Hardened Concrete, Practice for, **C856 (04.02)**
Preparation of Fire-Test-Response Standards, Practice for, **E535 (04.07)**
Room Fire Experiments, Guide for, **E603 (04.07)**
Room Fire Test of Wall and Ceiling Materials and Assemblies, Test Method for, **E2257 (04.07)**
Selection of Fire Test Methods for the Assessment of Upholstered Furnishings in Detention and Correctional Facilities, Guide for, **F1870 (15.08)**
Specimen Preparation and Mounting of Reflective Insulation, Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics, Practice for, **E2599 (04.07)**
Surface Burning Characteristics of Building Materials, Test Method for, **E84 (04.07)**
Surface Flammability of Materials Using a Radiant Heat Energy Source, Test Method for, **E162 (04.07)**

Fire testing—consumer materials/applications
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**

Fire testing—electrical insulating materials
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, Specification for, **D2220 (10.01)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**

Fire testing—floors/flooring materials
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**
Evaluating the Fire-Test-Response of Deck Structures to Burning Brands, Test Method for, **E2726/E2726M (04.07)**

Fire testing—gases
Designing Systems for Oxygen Service, Guide for, **G88 (14.04)**
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**
Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, Test Method for, **G125 (14.04)**

Fire testing—gaskets
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Lock-Strip Gaskets, Specification for, **C542 (04.07)**

Fire testing—hose stream test
Sa **Hose stream test**
Fire Resistive Grease Duct Enclosure Systems, Test Methods for, **E2336 (04.07)**

Fire testing—paints/related coatings/materials
Fire Retardancy of Paints (Cabinet Method), Test Method for, **D1360 (06.01)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Small-Scale Evaluation of Fire-Retardant Paints (2-Foot Tunnel Method), Test Method of, **D3806 (06.01)**
Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, Test Method for, **D4206 (06.01)**

Fire testing—petroleum products
Flash and Fire Points by Cleveland Open Cup Tester, Test Method for, **D92 (05.01)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**

Fire testing—plastics
Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, Test Method for, **D3014 (08.01)**

Fire testing—rubber/cellular materials
Horizontal Burning Characteristics of Cellular Polymeric Materials, Test Method for, **D4986 (08.02)**
Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, Test Method for, **D5132 (08.03)**
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**

Fire testing—surface flammability
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**

Fire testing—textile materials/applications
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Fire-test response
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Evaluating the Under-Deck Fire Test Response of Deck Materials, Test Method for, **E2632/E2632M (04.07)**
Fire Hazard Assessment of Rail Transportation Vehicles, Guide for, **E2061 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater, Test Method for, **E2102 (04.07)**
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**
Preparation of Fire-Test-Response Standards, Practice for, **E535 (04.07)**
Surface Flammability of Materials Using a Radiant Heat Energy Source, Test Method for, **E162 (04.07)**
Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, Test Method for, **D6113 (10.02)**

Fire toxicity
Measuring Smoke Toxicity for Use in Fire Hazard Analysis, Test Method for, **E1678 (04.07)**

Fire-tube apparatus
Combustible Properties of Treated Wood by the Fire-Tube Apparatus, Test Method for, **E69 (04.10)**

Firing refractory concrete specimens
Firing Refractory Concrete Specimens, Practice for, **C865 (15.01)**

Firmness
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**

First aid
Defining the Performance of First Aid Providers in Occupational Settings, Guide for, **F2171 (13.02)**
Evaluation of First Aid Antiseptic Drug Products, Test Method for, **E1589 (11.05)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**

First degree burn
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**

First filament break
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**

First-ply roofing
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**
Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing, Specification for, **D2626/D2626M (04.04)**

First responders (FR)
Sa **Emergency medical services (EMS)**
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**
Scope of Performance of First Responders Who Provide Emergency Medical Care, Guide for, **F1287 (13.02)**
Training and Evaluation of First Responders Who Provide Emergency Medical Care, Guide for, **F1453 (13.02)**
Training First Responders Who Practice in Wilderness, Delayed, or Prolonged Transport Settings, Guide for, **F1655 (13.02)**

Fischer reagent method (for water content)
See **Karl Fischer reagent method**

Fischer Tropsche wax
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**

Fisher-Johns apparatus
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**

Fisher subsieve sizer
Estimating Average Particle Size of Metal Powders and Related Compounds Using Air Permeability, Test Methods for, **B330 (02.05)**

Fishes
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Evaluating Effects of Contaminants on Odor and Taste of Exposed Fish, Practice for, **E1810 (15.08)**
Fish and Wildlife Incident Monitoring and Reporting, Guide for, **E1849 (11.06)**
Fish Sampling, Classification for, **D4211 (11.02)**
Measurement of Behavior During Fish Toxicity Tests, Guide for, **E1711 (11.06)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Sampling Fish with Rotenone, Practice for, **D4131 (11.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**

Fish paper
Sa **Electrical insulating vulcanized fiber**
Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, Specification for, **D710 (10.01)**

Fission by-products
Sa **Fast neutron flux/fluence**
Calculation of Dose Equivalent Xenon (DEX) for Radioactive Xenon Fission Products in Reactor Coolant, Practice for, **D7727 (11.02)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**

Fission by-products—gamma emitting
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Gamma Energy Emission from Fission and Decay Products in Uranium Hexafluoride and Uranyl Nitrate Solution, Test Method for, **C1295 (12.01)**

Fit (chemically-protective clothing)
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**

Fitness
Elliptical Trainers, Specification for, **F2810 (15.07)**
Evaluating Design and Performance Characteristics of Elliptical Trainers, Test Methods for, **F2811 (15.07)**
Statistically Evaluating Measurand Alarm Limits when Using Oil Analysis to Monitor Equipment and Oil for Fitness and Contamination, Guide for, **D7720 (05.04)**

Fitness eqiuipment—accessibility
Evaluating the Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Test Method for, **F3022 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fitness equipment—evaluation of
Evaluating the Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Test Method for, **F3022 (15.07)**
Fitness equipment—specifications
Evaluating Design and Performance Characteristics of Fitness Equipment, Test Methods for, **F2571 (15.07)**
Fitness Equipment, Specification for, **F2276 (15.07)**
Fitness Equipment and Fitness Facility Safety Signage and Labels, Specification for, **F1749 (15.07)**
Selectorized Strength Equipment, Specification for, **F2216 (15.07)**
Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Specification for, **F3021 (15.07)**
Fitness equipment—universal design
Evaluating the Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Test Method for, **F3022 (15.07)**
Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Specification for, **F3021 (15.07)**
Fitting covers
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Fittings
Sa **Flanges/fittings/valves/parts**
Sa **Steel fittings—specifications**
30 to 60 in. 750 to 1500 mm Triple Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2763 (08.04)**
Cast Iron Soil Pipe and Fittings, Specification for, **A74 (01.02)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Corrugated Polyethylene Pipe and Fittings for Mine Leachate Applications, Specification for, **F2986 (08.04)**
Electrofusion Type Polyamide-12 Fittings for Outside Diameter Controlled Polyamide-12 Pipe and Tubing for Gas Distribution, Specification for, **F2767 (08.04)**
Fence Fittings, Specification for, **F626 (01.06)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**
Measuring and Estimating Quantities of Insulated Piping and Components, Guide for, **C1409 (04.06)**
Polyamide 12 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2785 (08.04)**
Pressure Test on Glass Pipe, Test Method for, **C601 (15.02)**
Fittings—plastic
See **Plastic pipe/tubing/fittings**
See **Polyethylene (PE) pipe—specifications**
See **Polyethylene (PE) tube—specifications**
See **Poly(vinyl chloride)(PVC) fittings—specifications**
Fittings—welding
Factory-Made Wrought Aluminum and Aluminum-Alloy Welding Fittings, Specification for, **B361 (02.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings, Specification for, **B363 (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Welding Fittings, Specification for, **B653/B653M (02.04)**
Wrought High-Strength Ferritic Steel Butt-Welding Fittings, Specification for, **A860/A860M (01.01)**
Fitting threads
Modified Stub ACME Thread Joint with Elastomeric Seal in Plastic Piping Components, Specification for, **F2768 (08.04)**
Taper Pipe Threads 60° for Thermoplastic Pipe and Fittings, Specification for, **F1498 (08.04)**
Five gallon open-head containers
Cautionary Labeling for Five-Gallon Open-Head Plastic Containers, Specification for, **F1615 (15.11)**
Five year review of standards
Annual Review of Test Methods and Specifications for Plastics, Guide for, **D4968 (08.02)**
Fixation devices/applications
Sa **Orthopaedic medical devices—specifications**
Absorbable Plates and Screws for Internal Fixation Implants, Specification and Test Methods for, **F2502 (13.02)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Fixation Pins and Wires, Specification for, **F366 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Surgical Fixation Wire (UNS S31673), Specification for, **F1350 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**
Fixed abrasive
Measuring Abrasion Resistance of Materials by Abrasive Loop Contact, Test Method for, **G174 (03.02)**
Fixed alignment adhesion tester
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Fixed alkali
Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils, Test Method for, **D5564 (15.04)**
Fixed-bearing ball-cup wear applications
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Fixed bed reactors
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**
Fixed blade broadhead performance
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**
Fixed braking slip
Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, Specification for, **E1551 (04.03)**
Fixed carbon
Ash in the Analysis Sample of Coal and Coke from Coal, Test Method for, **D3174 (05.06)**
Moisture in the Analysis Sample of Coal and Coke, Test Method for, **D3173 (05.06)**
Proximate Analysis of Coal and Coke, Practice for, **D3172 (05.06)**
Volatile Matter in the Analysis Sample of Coal and Coke, Test Method for, **D3175 (05.06)**
Fixed cells
Using Fluorescence Microscopy to Quantify the Spread Area of Fixed Cells, Guide for, **F2998 (13.02)**
Fixed detention hollow metal vision system
Detention Hollow Metal Vision Systems, Test Methods for, **F1592 (15.08)**
Fixed-fixed beams
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Fixed foam firefighting systems
Shipboard Fixed Foam Firefighting Systems, Test Method for, **F1994 (01.07)**
Fixed gases
Solubility of Fixed Gases in Low-Boiling Liquids, Test Method for, **D3429 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fixed-head test
Deep Foundations Under Lateral Load, Test Methods for, **D3966/D3966M (04.08)**
Fixed-length clampstick live line tool
Clampstick Type Live Line Tools, Specification for, **F1825 (10.03)**
Fixed point
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Fixed slip technique
Measuring the Skid Resistance of Pavements and Other Trafficked Surfaces Using a Continuous Reading, Fixed-Slip Technique, Test Method for, **E2340/E2340M (04.03)**
Fixed sound source
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Fixed water content
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Fixed wavelength photometric detectors
Sa **Photometry**
Testing Fixed-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E685 (03.06)**
Fixed-wing aircraft
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Handling of Unmanned Aircraft Systems at Divert Airfields, Practice for, **F2849 (15.11)**
Production Acceptance in the Manufacture of a Fixed Wing Light Sport Aircraft, Practice for, **F3035 (15.11)**
Fizeau interferometer
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
FKM
Rubber and Rubber Latices—Nomenclature, Practice for, **D1418 (09.01)**
Flagging
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Flagging documents
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**
Flake
Aluminum Powder and Paste Pigments for Paints, Specification for, **D962 (06.03)**
Flaked powders
Sampling and Testing of Flaked Aluminum Powders and Pastes, Test Methods for, **D480 (06.03)**
Flake white
See **Basic carbonate white lead pigment**
Flaking
Evaluating Degree of Flaking (Scaling) of Exterior Paints, Test Method for, **D772 (06.01)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Testing Flake of Single-Strike Film Typewriter Ribbons, Practice for, **F627 (15.09)**
Flame
Terminology Relating to Candles and Associated Accessory Items, Guide for, **F1972 (15.11)**
Flame arresters
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**
Flame atomic absorption spectrometry (FAAS)
Sa **FAAS (flame atomic absorption spectrometry)**
Zinc Analysis of Floor Polishes and Floor Polish Polymers By Flame Atomic Absorption (A.A.), Test Method for, **D6827 (15.04)**
Flame atomic absorption spectroscopy
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Flame cleaning
Use of Pictorial Surface Preparation Standards and Guides for Painting Steel Surfaces, Practice for, **D2200 (06.02)**
Flame detectors
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Flame emission spectroscopy
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**
Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, Test Method for, **D3605 (05.01)**
Flame extinction coefficient
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Flame graphite furnace AAS
Sa **Graphite furnace atomic absorption spectrometry (GFAAS)**
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Flame heat release
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Flame height
Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, Test Method for, **D3014 (08.01)**
Lighters, Consumer Safety Specification for, **F400 (15.11)**
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**
Flame impact testing
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**
Flame impingement
Effects of Flame Impingement on Materials Used in Protective Clothing Not Designated Primarily for Flame Resistance, Test Method for, **F1358 (11.03)**
Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement, Test Method for, **E2886/E2886M (04.07)**
Flame ionization detectors (FID)
Sa **Gas chromatography (GC)**
Calculation of Gas Chromatographic Response Factors, Practice for, **D4626 (05.02)**
Determination of Boiling Range Distribution of Distillates and Lubricating Base Oils—in Boiling Range from 100 to 735°C by Gas Chromatography, Test Method for, **D7500 (05.04)**
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**
Determination of Oxygenates in C2, C3, C4, and C5 Hydrocarbon Matrices by Gas Chromatography and Flame Ionization Detection, Test Method for, **D7423 (05.04)**
Determination of Residual Acetaldehyde in Polyethylene Terephthalate Bottle Polymer Using an Automated Static Head-Space Sampling Device and a Capillary GC with a Flame Ionization Detector, Test Method for, **F2013 (15.10)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Total Hydrocarbons in Hydrogen by FID Based Total Hydrocarbon (THC) Analyzer, Test Method for, **D7675 (05.06)**
Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, Test Method for, **D4864 (05.02)**
Determining Residual Solvents in Packaging Materials, Test Methods for, **F1884 (15.10)**
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**

Flameless atomic absorption spectrometry
Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1834 (03.05)**
Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1852 (03.05)**

Flameless cold vapor atomic absorption
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**

Flame photometric detectors (FPD)
Determination of Total Sulfur in Light Hydrocarbons, Motor Fuels, and Oils by Online Gas Chromatography with Flame Photometric Detection, Test Method for, **D7041 (05.04)**
Determination of Trace Thiophene in Refined Benzene by Gas Chromatography, Test Method for, **D4735 (06.04)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Trace Carbonyl Sulfide in Propylene by Gas Chromatography, Test Method for, **D5303 (05.02)**
Using Flame Photometric Detectors in Gas Chromatography, Practice for, **E840 (03.06)**

Flame photometry
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection, Test Method for, **D6228 (05.06)**
On-line Determination of Sodium in Water, Test Method for, **D2791 (11.01)**
Sodium in Residual Fuel Oil (Flame Photometric Method), Test Method for, **D1318 (05.01)**

Flame-producing consumer products
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**

Flame projection test
Flammability of Aerosol Products, Test Methods for, **D3065 (15.10)**

Flame propagation
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**
Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids, Test Method for, **D5306 (05.02)**

Flame resistance
Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement, Test Method for, **E2886/E2886M (04.07)**
Flame Resistant Rainwear for Protection Against Flame Hazards, Specification for, **F2733 (11.03)**

Flame-resistant (FR) clothing/materials
Sa **Fire-resistant materials/testing**
Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing, Practice for, **F1731 (11.03)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Flame Resistance of Textiles (Vertical Test), Test Method for, **D6413/D6413M (07.02)**
Home Laundering Care and Maintenance of Flame, Thermal and Arc Resistant Clothing, Guide for, **F2757 (11.03)**
Industrial Laundering of Flame, Thermal, and Arc Resistant Clothing, Guide for, **F1449 (11.03)**
Radiant Heat Performance of Flame Resistant Clothing Materials with Burn Injury Prediction, Test Method for, **F2702 (11.03)**
Radiant Heat Resistance of Flame Resistant Clothing Materials with Continuous Heating, Test Method for, **F1939 (11.03)**
Retained Sewn Seam Strength After Exposures to Hot Air and Open Flame, Specification for, **D7571 (07.02)**
Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Burn Injury Prediction, Test Method for, **F2703 (11.03)**
Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Continuous Heating, Test Method for, **F2700 (11.03)**

Flame-resistant (FR) clothing/materials—specifications
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**
Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards, Performance Specification for, **F1506 (10.03)**
Labeling Protective Clothing as Heat and Flame Resistant, Performance Specification for, **F2302 (11.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Flame retardants
Analytical Testing of Substances of Very High Concern in Materials and Products, Guide for, **F2931 (10.04)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**

Flame-sprayed coatings
Adhesion or Cohesion Strength of Thermal Spray Coatings, Test Method for, **C633 (02.05)**
Metallographic Preparation of Thermal Sprayed Coatings, Guide for, **E1920 (03.01)**

Flame spread
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Small-Scale Evaluation of Fire-Retardant Paints (2-Foot Tunnel Method), Test Method of, **D3806 (06.01)**
Specimen Preparation and Mounting of Caulks and Sealants to Assess Surface Burning Characteristics, Practice for, **E2690 (04.07)**
Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics, Practice for, **E2231 (04.07)**
Specimen Preparation and Mounting of Reflective Insulation, Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics, Practice for, **E2599 (04.07)**
Specimen Preparation and Mounting of Tapes to Assess Surface Burning Characteristics, Practice for, **E2688 (04.07)**
Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) Wall or Ceiling Coverings, and of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Facings and Wood Veneers Intended to be Applied on Site Over a Wood Substrate, to Assess Surface Burning Characteristics, Practice for, **E2404 (04.07)**
Specimen Preparation and Mounting of Wood Products to Assess Surface Burning Characteristics, Practice for, **E2579 (04.07)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Flame spread index
Acoustically Absorptive Materials Applied by Trowel or Spray, Classification for, **E1042 (04.06)**
Extended Duration Surface Burning Characteristics of Building Materials (30 min Tunnel Test), Test Method for, **E2768 (04.07)**
Surface Burning Characteristics of Building Materials, Test Method for, **E84 (04.07)**
Surface Flammability of Materials Using a Radiant Heat Energy Source, Test Method for, **E162 (04.07)**

Flaming ignition
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**

Flammability
Sa **Flash point**
Determining Flammability Characteristics of Plastics and Other Solid Materials Using Microscale Combustion Calorimetry, Test Method for, **D7309 (08.03)**
Evaluate Edge Binding Components Used in Mattresses After Exposure to An Open Flame, Test Method to, **D7016/D7016M (07.02)**
Fire Safety for Candle Accessories, Specification for, **F2601 (15.11)**
Fire Standards, Terminology of, **E176 (04.07)**
Flammability of a Membrane Switch in Defined Assembly, Test Method for, **F2866 (10.04)**
Flammability Potential Screening Analysis of Waste, Test Methods for, **D4982 (11.04)**
Flash Point by Continuously Closed Cup (CCCFP) Tester, Test Method for, **D6450 (05.03)**
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Flammability—aerospace materials
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**

Flammability—building materials
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Measuring the Ignition Strength of Cigarettes, Test Method for, **E2187 (04.07)**
Surface Burning Characteristics of Building Materials, Test Method for, **E84 (04.07)**
Surface Flammability of Materials Using a Radiant Heat Energy Source, Test Method for, **E162 (04.07)**

Flammability—chemicals
Concentration Limits of Flammability of Chemicals (Vapors and Gases), Test Method for, **E681 (14.02)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**
Flammability of Aerosol Products, Test Methods for, **D3065 (15.10)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**

Flammability—electrical insulating materials
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Flexible Treated Sleeving Used for Electrical Insulation, Test Methods for, **D350 (10.01)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Natural (Vegetable Oil) Ester Fluids Used in Electrical Apparatus, Specification for, **D6871 (10.03)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**

Flammability—floors/flooring systems
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**

Flammability—gaseous mixtures
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Evaluating the Age Resistance of Polymeric Materials Used in Oxygen Service, Practices for, **G114 (14.04)**
Limiting Oxygen (Oxidant) Concentration in Gases and Vapors, Test Methods for, **E2079 (14.02)**

Flammability—gaskets
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**
Lock-Strip Gaskets, Specification for, **C542 (04.07)**

Flammability—liquids
Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**

Flammability—paints/related coatings/materials
Fire Retardancy of Paints (Cabinet Method), Test Method for, **D1360 (06.01)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Small-Scale Evaluation of Fire-Retardant Paints (2-Foot Tunnel Method), Test Method of, **D3806 (06.01)**
Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, Test Method for, **D4206 (06.01)**

Flammability—petroleum products
Discrimination Between Flammability Ratings of F = 0 and F = 1, Test Method for, **D6668 (05.03)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
Flash Point by Tag Closed Cup Tester, Test Method for, **D56 (05.01)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids, Test Method for, **D5306 (05.02)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flammability—plastics
Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, Practice for, **D5207 (08.03)**
Determining the Flammability Characteristics of Nonrigid Solid Plastics, Test Method for, **D4804 (08.02)**
Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, Test Method for, **D3014 (08.01)**
Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, Specification for, **D5025 (08.02)**
Measurement of Material Flammability Using a Fire Propagation Apparatus (FPA), Test Methods for, **E2058 (04.07)**
Measuring the Comparative Burning Characteristics and Resistance to Burn-Through of Solid Plastics Using a 125-mm Flame, Test Method for, **D5048 (08.02)**
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**
Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), Test Method for, **D2863 (08.01)**
Polyphenylene Ether (PPE) Materials, Classification System and Basis for Specification for, **D4349 (08.02)**

Flammability—rubber
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**

Flammability—textile fabrics/fibers
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Flame Resistance of Textiles (Vertical Test), Test Method for, **D6413/D6413M (07.02)**
Flammability of Apparel Textiles, Test Method for, **D1230 (07.01)**
Flammability of Blankets, Test Method for, **D4151 (07.01)**
Flammability of Textiles Used In Children's Sleepwear, Test Method for, **D6545 (07.02)**
Measuring the Ignition Strength of Cigarettes, Test Method for, **E2187 (04.07)**
Proficiency Test Program for Fabrics, Guide for, **D6674 (07.02)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Retained Sewn Seam Strength After Exposures to Hot Air and Open Flame, Specification for, **D7571 (07.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Flammability limit
Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, Test Method for, **G125 (14.04)**

Flammability ratings
Discrimination Between Flammability Ratings of F = 0 and F = 1, Test Method for, **D6668 (05.03)**

Flange buttons
Impact Resistance of Plastic Sew-Through Buttons, Test Method for, **D5171 (07.02)**

Flanges/fittings/valves/parts
Dimensions of Knife-Edge Flanges, Specification for, **E2734/E2734M (03.06)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**
Selecting Bolting Lengths for Piping System Flanged Joints, Practice for, **F704 (01.07)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**

Flanges/fittings/valves/parts—specifications
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Gray Iron Castings for Valves, Flanges, and Pipe Fittings, Specification for, **A126 (01.02)**
High-Temperature Bolting, with Expansion Coefficients Comparable to Austenitic Stainless Steels, Specification for, **A453/A453M (01.01)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Non-Metallic Expansion Joints, Specification for, **F1123 (01.07)**
Valve Label Plates, Specification for, **F992 (01.07)**
Valve Locking Devices, Specification for, **F993 (01.07)**

Flanges/fittings/valves/parts (copper alloy castings)
See **Copper alloy castings—specifications**

Flanges/fittings/valves/parts (plastic)(specifications)
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D5421 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**
Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**

Flanking sound transmission/analysis
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, Test Method for, **C1363 (04.06)**

Flared fittings
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**

Flash evaporator
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**

Flash ignition temperatures
See **Ignition—building materials**

Flashing
Sa **Roofing membranes**
Asphalt Roof Cement, Asbestos-Free, Specification for, **D4586/D4586M (04.04)**
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Copper Sheet and Strip for Building Construction, Specification for, **B370 (02.01)**
Design of Standard Flashing Details for EPDM Roof Membranes, Guide for, **D6369 (04.04)**
Detailing of EIFS-Clad Wall Assemblies, Guide for, **E2511 (04.12)**
Evaluation of Water Leakage Performance of Masonry Wall Drainage Systems, Test Method for, **C1715 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**
Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, Specification for, **D4811/D4811M (04.04)**
Pre-Patinated Copper for Architectural Applications, Specification for, **B882 (02.01)**
Reduction of Efflorescence Potential in New Masonry Walls, Guide for, **C1400 (04.05)**
Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing, Specification for, **D6221 (04.04)**
Standard Details for Adhered Sheet Waterproofing, Guide for, **D5898/D5898M (04.04)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Flashlamps (gas-filled)
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**

Flashlights
Flashlights on Vessels, Specification for, **F1014 (01.07)**

Flash/no flash method
Flash Point by Small Scale Closed Cup Tester, Test Methods for, **D3828 (05.02)**
Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus, Test Method for, **D3934 (06.01)**
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**

Flashover guide
Room Fire Experiments, Guide for, **E603 (04.07)**

Flash point
Calculated Flash Point from Simulated Distillation Analysis of Distillate Fuels, Test Method for, **D7215 (05.04)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Determining Ignition Temperature of Plastics, Test Method for, **D1929 (08.01)**
Fire Standards, Terminology of, **E176 (04.07)**
Flammability of Aerosol Products, Test Methods for, **D3065 (15.10)**
Flash Point by Modified Continuously Closed Cup (MCCCFP) Tester, Test Method for, **D7094 (05.04)**
Flash Point by Small Scale Closed Cup Tester (Ramp Method), Test Method for, **D7236 (05.04)**
Flash Point of Cutback Asphalt with Tag Open-Cup Apparatus, Test Method for, **D3143/D3143M (04.03)**

Flash point—liquids
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Flash and Fire Points by Cleveland Open Cup Tester, Test Method for, **D92 (05.01)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Flash Point by Continuously Closed Cup (CCCFP) Tester, Test Method for, **D6450 (05.03)**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
Flash Point by Small Scale Closed Cup Tester, Test Methods for, **D3828 (05.02)**
Flash Point by Tag Closed Cup Tester, Test Method for, **D56 (05.01)**
Flash Point by the Equilibrium Method With a Closed-Cup Apparatus, Test Method for, **D3941 (06.01)**
Flash Point of Liquids by Small Scale Closed-Cup Apparatus, Test Methods for, **D3278 (06.01)**
Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus, Test Method for, **D3934 (06.01)**
Middle Distillate Fuel Storage Stability at 43°C (110°F), Test Method for, **D4625 (05.02)**
Selection and Use of ASTM Standards for the Determination of Flash Point of Chemicals by Closed Cup Methods, Test Method for, **E502 (14.02)**
Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, Test Method for, **D4206 (06.01)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**

Flash X-ray machines (FXR)
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**

Flasks (laboratory)—specifications
Glass and Oxygen Combustion Flask, Specification for, **E205 (14.04)**
Laboratory Glass Boiling Flasks, Specification for, **E1403 (14.04)**
Laboratory Glass Conical Flasks, Specification for, **E1404 (14.04)**
Laboratory Glass Dewar Flask, Specification for, **E1379 (14.04)**
Laboratory Glass Distillation Flasks, Specification for, **E1405 (14.04)**
Laboratory Glass Filter Flasks, Specification for, **E1406 (14.04)**
Laboratory Glass Kjeldahl Flasks, Specification for, **E1377 (14.04)**
Laboratory Glass Microvolumetric Vessels (Volumetric Flasks and Centrifuge Tubes), Specification for, **E237 (14.04)**
Laboratory Glass Multiple Neck Distilling/Boiling Flasks, Specification for, **E1378 (14.04)**
Laboratory Glass Volumetric Apparatus, Specification for, **E694 (14.04)**
Laboratory Glass Volumetric Flasks, Specification for, **E288 (14.04)**
Laboratory Glass Volumetric Flasks, Special Use, Specification for, **E1878 (14.04)**

Flat aggregate particles
Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate, Test Method for, **D4791 (04.03)**

Flat asbestos-cement sheet
Flat Asbestos-Cement Sheets, Specification for, **C220 (04.05)**

Flat asbestos sheet
Sa **Asbestos-cement**
Asbestos-Cement Flat Products, Test Methods for, **C459/C459M (04.05)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Flat bar steel
See **Alloy steel bars—specifications**

Flat bundle method
Breaking Strength and Elongation of Cotton Fibers (Flat Bundle Method), Test Method for, **D1445/D1445M (07.01)**

Flat carbon steel strapping materials
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**

Flat composite panels
Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation, Guide for, **D5687/D5687M (15.03)**
Ultrasonic Testing of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2580 (03.03)**

Flat conveyor belting
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**

Flat glass
Determining the Resistance of Single Glazed Annealed Architectural Flat Glass to Thermal Loadings, Practice for, **E2431 (04.12)**
Instrumental Reflectance Measurement of Color for Flat Glass,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Coated, and Uncoated, Practice for, **C1650 (15.02)**
Instrumental Transmittance Measurement of Color for Flat Glass, Coated and Uncoated, Practice for, **C1649 (15.02)**
Measurement of Roll Wave Optical Distortion in Heat-Treated Flat Glass, Test Method for, **C1651 (15.02)**
Measuring Optical Distortion in Flat Glass Products Using Digital Photography of Grids, Test Method for, **C1652/C1652M (15.02)**
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Personal Protective Equipment for the Handling of Flat Glass, Guide for, **E2875/E2875M (11.03)**
Visual Color Evaluation of Transparent Sheet Materials, Practice for, **E1478 (06.01)**

Flat glass—specifications
Architectural Flat Glass Clad Polycarbonate, Specification for, **C1349 (15.02)**
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**
Flat Glass, Specification for, **C1036 (15.02)**
Glasses, Portlight, Circular, Fully Tempered, Specification for, **C1443 (15.02)**
Heat-Strengthened and Fully Tempered Flat Glass, Specification for, **C1048 (15.02)**
Laminated Architectural Flat Glass, Specification for, **C1172 (15.02)**
Silvered Flat Glass Mirror, Specification for, **C1503 (15.02)**

Flat interior latex paint
See **Latex paints**

Flatjack method
In Situ Compressive Stress Within Solid Unit Masonry Estimated Using Flatjack Measurements, Test Method for, **C1196 (04.05)**
In Situ Measurement of Masonry Deformability Properties Using the Flatjack Method, Test Method for, **C1197 (04.05)**
In Situ Measurement Of Masonry Mortar Joint Shear Strength Index, Test Methods for, **C1531 (04.05)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**

Flat-link chain
Weldless Chain, Specification for, **A466/A466M (01.05)**

Flatness
Determining FF Floor Flatness and FL Floor Levelness Numbers, Test Method for, **E1155 (04.11)**
Determining FF Floor Flatness and FL Floor Levelness Numbers (Metric), Test Method for, **E1155M (04.11)**
Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, Test Method for, **C550 (04.06)**
Measuring Zipper Dimensions, Test Methods for, **D2060 (07.01)**

Flatness—metallic materials/applications
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**
Measuring Flatness Characteristics of Steel Sheet Products, Practice for, **A1030/A1030M (01.06)**

Flat panel composites
Radiologic Examination of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2662 (03.03)**

Flat panel displays
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, Practice for, **F1711 (10.04)**

Flat plate calorimeter
See **Calorimeter**

Flat plate dilatometer
Performing the Flat Plate Dilatometer, Test Method for, **D6635 (04.09)**

Flat-plate solar collectors
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Rubber Seals Used in Flat-Plate Solar Collectors, Specification for, **D3667 (09.02)**

Flat-rolled electrical steel
Sa **Electrical resistance/resistivity**
Determining Interlaminar Resistance of Insulating Coatings Using Two Adjacent Test Surfaces, Test Method for, **A937/A937M (03.04)**
Flat-Rolled Electrical Steels for Magnetic Applications, Specification for, **A345 (03.04)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, Test Method for, **A971/A971M (03.04)**
Nonoriented Electrical Steel Fully Processed Types, Specification for, **A677 (03.04)**
Nonoriented Electrical Steel, Semiprocessed Types, Specification for, **A683 (03.04)**
Thin-Gauge Nonoriented Electrical Steel Fully Processed Types, Specification for, **A1086 (03.04)**

Flat-rolled magnetic materials
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**

Flat-rolled nickel alloy plate/sheet/strip
General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet, and Strip, Specification for, **B906 (02.04)**

Flat-rolled steel
Steel Wire, Carbon and Alloy Specialty Spring Quality, Specification for, **A1000/A1000M (01.03)**

Flat-rolled toroidal core specimens
Alternating-Current Magnetic Properties of Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A927/A927M (03.04)**

Flat sandwich constructions
Edgewise Compressive Strength of Sandwich Constructions, Test Method for, **C364/C364M (15.03)**

Flat sheet filter medium
See **Filters/filter procedures**

Flat slab tops
Precast Reinforced Concrete Manhole Sections, Specification for, **C478 (04.05)**
Precast Reinforced Concrete Manhole Sections (Metric), Specification for, **C478M (04.05)**

Flat steel wire
Steel, Flat Wire, Carbon, Cold-Rolled, Specification for, **A805/A805M (01.03)**

Flattening test
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
Flattening of Copper and Copper-Alloy Pipe and Tube, Test Method for, **B968/B968M (02.01)**

Flat thermal insulation
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**

Flat top crown staples
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Flat tread plate
Aluminum-Alloy Rolled Tread Plate, Specification for, **B632/B632M (02.02)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**

Flat weldment
Sa **Welding/welds**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Radiographic Examination of Weldments, Test Method for, **E1032 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flat wire/strip—specifications
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**
Flatwise compressive strength
Flatwise Compressive Properties of Sandwich Cores, Test Method for, **C365/C365M (15.03)**
Flatwise flexural impact testing
Flatwise Flexural Impact Resistance of Rigid Plastics, Test Method for, **D6395 (08.03)**
Flatwise tensile strength
Flatwise Tensile Strength of Sandwich Constructions, Test Method for, **C297/C297M (15.03)**
Through-Thickness "Flatwise" Tensile Strength and Elastic Modulus of a Fiber-Reinforced Polymer Matrix Composite Material, Test Method for, **D7291/D7291M (15.03)**
Flat yarns
Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, Test Method for, **D6774 (07.02)**
Flavor
Sa **Sensory analysis—foods and beverages**
Odor or Flavor Transfer or Both from Rigid Polymeric Packaging, Test Method for, **E2609 (15.08)**
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**
Flaw detection
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**
Fractography and Characterization of Fracture Origins in Advanced Ceramics, Practice for, **C1322 (15.01)**
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**
Polarized Light Detection of Flaws in Aerospace Transparency Heating Elements, Practice for, **F319 (15.03)**
Ultrasonic Surface Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, Practice for, **E1962 (03.03)**
Flax fiber and products
Sa **Bast and leaf fibers/products**
Assessing Clean Flax Fiber Fineness, Test Method for, **D7025 (07.02)**
Color Measurement of Flax Fiber, Test Method for, **D6961/D6961M (07.02)**
Flax and Linen, Terminology Relating to, **D6798 (07.02)**
Measurement of Shives in Retted Flax, Test Method for, **D7076 (07.02)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Flax fiber widths
Determining Flax Fiber Widths Using Image Analysis, Test Method for, **D7879 (07.02)**
Fleet management
Fleet Management, Guide for, **E2962 (04.12)**
Fleet management system (FMS) network
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**
Flex abrasion test
Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method), Test Method for, **D3885 (07.01)**
Flex/abrasion tester maintenance
Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method), Test Method for, **D3885 (07.01)**
Flex durability
Conditioning Flexible Barrier Materials for Flex Durability, Practice for, **F392/F392M (15.10)**
Flexibility
Coating Flexibility of Prepainted Sheet, Test Method for, **D4145 (06.02)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus, Test Method for, **F137 (15.04)**
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Rubber Property—Brittleness Point of Flexible Polymers and Coated Fabrics, Test Methods for, **D2137 (09.01)**
Shrinkage and Tenacity of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2453 (04.07)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Flexibility—adhesives
Flexibility Determination of Hot-Melt Adhesives by Mandrel Bend Test Method, Test Method for, **D3111 (15.10)**
Flexibility Determination of Supported Adhesive Films by Mandrel Bend, Test Method for, **D4338 (15.06)**
Peel Resistance of Adhesives (T-Peel Test), Test Method for, **D1876 (15.06)**
Flexibility—fabrics
Coated Fabrics—Low-Temperature Bend Test, Test Method for, **D2136 (09.01)**
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Flexibility—gasket materials
Flexibility of Non-Metallic Gasket Materials, Test Method for, **F147 (09.02)**
Nonmetallic Gasket Materials, Classification System for, **F104 (09.02)**
Flexibility—insulation
Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, Test Methods for, **C1101/C1101M (04.06)**
Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, Specification for, **C1290 (04.06)**
Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, Specification for, **C534/C534M (04.06)**
Flexibility—leather
Flex Testing of Finish on Upholstery Leather, Test Method for, **D2097 (15.04)**
Flexibility and Adhesion of Finish on Leather, Test Method for, **D6182 (15.04)**
Flexibility—plastics
Apparent Bending Modulus of Plastics by Means of a Cantilever Beam, Test Method for, **D747 (08.01)**
FEP-Fluorocarbon Tube, Specification for, **D3296 (08.02)**
PTFE Tubing, Miniature Beading and Spiral Cut Tubing, Specification for, **D3295 (08.02)**
Flexibility—roofing/waterproofing materials
Flexibility of Roofing and Waterproofing Materials and Membranes, Test Method for, **D5683/D5683M (04.04)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Flexibility—sealants
Aging Effects of Artificial Weathering on Latex Sealants, Test Method for, **C732 (04.07)**
Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C711 (04.07)**
Low-Temperature Flexibility of Latex Sealants After Artificial Weathering, Test Method for, **C734 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Low-Temperature Flexibility of Preformed Tape Sealants, Test Method for, **C765 (04.07)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**

Flexibility—textile materials/applications
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**

Flexible barrier materials
Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications, Specification for, **B479 (02.02)**
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**
Conditioning Flexible Barrier Materials for Flex Durability, Practice for, **F392/F392M (15.10)**
Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials, Practice for, **F34 (15.10)**
Detecting Leaks in Nonporous Packaging or Flexible Barrier Materials by Dye Penetration, Test Method for, **F3039 (15.10)**
Flexible Barrier Packaging, Terminology Relating to, **F17 (15.10)**
Making Heatseals for Determination of Heatsealability of Flexible Webs as Measured by Seal Strength, Practices for, **F2029 (15.10)**
Mechanical Seal Strength Testing for Round Cups and Bowl Containers with Flexible Peelable Lids, Test Method for, **F2824 (15.10)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using Various Sensors, Test Method for, **F2622 (15.10)**
Rate of Grease Penetration of Flexible Barrier Materials (Rapid Method), Test Method for, **F119 (15.10)**
Seal Strength of Flexible Barrier Materials, Test Method for, **F88/F88M (15.10)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, Specification for, **E2556/E2556M (04.12)**
Water Vapor Transmission Rate of Sheet Materials Using Dynamic Relative Humidity Measurement, Test Method for, **E398 (15.10)**
Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, Test Method for, **F1249 (15.10)**
Writing a Specification for Flexible Barrier Rollstock Materials, Guide for, **F99 (15.10)**
Writing a Specification for Sterilizable Peel Pouches, Guide for, **F2559/F2559M (15.10)**

Flexible cellular materials
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, Test Method for, **D5132 (08.03)**
Installation of Flexible Closed Cell Preformed Insulation in Tube and Sheet Form, Guide for, **C1710 (04.06)**
Microcellular Urethanes—Flexural Recovery, Test Method for, **D3768 (08.02)**
Microcellular Urethanes—High-Temperature Sag, Test Method for, **D3769 (08.02)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**
Testing Flexible Cellular Materials Measurement of Indentation Force Deflection Using a 25-mm (1-in.) Deflection Technique, Test Method for, **D5672 (08.03)**

Flexible cellular materials—specifications
Flexible Cellular Materials Made From Polyolefin Plastics, Specification for, **D4819 (08.02)**
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Flexible Cellular Materials—Sponge or Expanded Rubber, Specification for, **D1056 (08.01)**
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**
Flexible Cellular Rubber Chemically Blown, Specification for, **D6576 (08.03)**
Polyimide Flexible Cellular Thermal and Sound Absorbing Insulation, Specification for, **C1482 (04.06)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**

Flexible composite materials
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**

Flexible electrical cable
In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, Specification for, **F2249 (10.03)**

Flexible joint sealants
Sa **Joint sealants (concrete)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**

Flexible mechanical couplings
Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications, Specification for, **F1548 (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**

Flexible membrane liners (FMLs)
Selection of Test Methods for Flexible Polypropylene Geomembranes, Guide for the, **D6434 (04.13)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**

Flexible metal hose
Copper Alloy Strip for Flexible Metal Hose, Specification for, **B508 (02.01)**

Flexible packaging materials
Burst Testing of Flexible Package Seals Using Internal Air Pressurization Within Restraining Plates, Test Method for, **F2054/F2054M (15.10)**
Design and Evaluation of Primary Flexible Packaging for Medical Products, Guide for, **F2097 (15.10)**
Detecting Seal Leaks in Porous Medical Packaging by Dye Penetration, Test Method for, **F1929 (15.10)**
Evaluating Ink or Coating Adhesion to Flexible Packaging Materials Using Tape, Practice for, **F2252/F2252M (15.10)**
Evaluation of Chemical Resistance of Printed Inks and Coatings on Flexible Packaging Materials, Practice for, **F2250 (15.10)**
Linear Measurement Using Precision Steel Rule, Test Method for, **F2203 (15.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Thickness Measurement of Flexible Packaging Material, Test Method for, **F2251 (15.10)**

Flexible pavements
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flexible plate loading method
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Flexible polypropylene
Flexible Polypropylene Reinforced (fPP-R) and Nonreinforced (fPP) Geomembranes, Specification for, **D7613 (04.13)**
Flexible pre-insulated pipe
Flexible Pre-Insulated Piping, Specification for, **F2165 (08.04)**
Flexible retort food containers
Use and Handling of Flexible Retort Food Pouches in the Processing Environment, Guide for, **F1278 (15.10)**
Flexible sheets
Reinforced White PIB Sheet Used in Roofing Membrane, Specification for, **D7067 (04.04)**
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**
Thermoplastic Polyolefin Based Sheet Roofing, Specification for, **D6878/D6878M (04.04)**
Flexible steel pipe
Multilayer Thermoplastic And Flexible Steel Pipe And Connections, Specification for, **F2805 (08.04)**
Flexible substrates
Rubber Property—Adhesion to Flexible Substrate, Test Methods for, **D413 (09.01)**
Flexible surgical implant materials
Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, Practice for, **F1992 (13.01)**
Flexible surgical implant materials—specifications
Elastomeric Flexible Hinge Finger Total Joint Implants, Specification for, **F1781 (13.01)**
Fixation Pins and Wires, Specification for, **F366 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**
Flexible thermal insulation
Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, Test Methods for, **C1101/C1101M (04.06)**
Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, Specification for, **C1427 (04.06)**
Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, Specification for, **C1290 (04.06)**
Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, Specification for, **C534/C534M (04.06)**
Flexible transition couplings
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Flexible tubing
Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, Specification for, **F2207 (08.04)**
Flexible water vapor retarders
Thermal Integrity of Flexible Water Vapor Retarders, Test Method for, **C1263 (04.06)**
Flexing fatigue
Rubber Deterioration—Crack Growth, Test Method for, **D813 (09.01)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**
Rubber Property—Heat Generation and Flexing Fatigue In Compression, Test Methods for, **D623 (09.01)**
Flexivity
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Thermostat Metal Sheet and Strip, Specification for, **B388 (02.04)**
Flex life
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Flex tail assembly
Creasing or Bending a Membrane Switch, Membrane Switch Flex Tail Assembly or Membrane Switch Component, Practice for, **F1683 (10.04)**
Flex testing—vacuum cleaner hose
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**
Flexural bond strength
Sa **Bond strength**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**
Flexural stiffness
Determining Sandwich Beam Flexural and Shear Stiffness, Practice for, **D7250/D7250M (15.03)**
Facing Properties of Sandwich Constructions by Long Beam Flexure, Test Method for, **D7249/D7249M (15.03)**
Flexural testing
Sa **Modulus of elasticity**
Conducting Flexural Tests on Beams and Girders for Building Construction, Guide for, **E529 (04.11)**
Determining Fatigue Failure of Compacted Asphalt Concrete Subjected to Repeated Flexural Bending, Test Method for, **D7460 (04.03)**
Establishing Characteristic Values for Flexural Properties of Structural Glued Laminated Timber by Full-Scale Testing, Practice for, **D7341 (04.10)**
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Flexural Performance of Fiber-Reinforced Concrete (Using Beam With Third-Point Loading), Test Method for, **C1609/C1609M (04.02)**
Flexural Properties of Polymer Matrix Composite Materials, Test Method for, **D7264/D7264M (15.03)**
Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**
Flexural Strength of Advanced Ceramics at Ambient Temperature—Cylindrical Rod Strength, Test Method for, **C1684 (15.01)**
Flexural Strength of Dimension Stone, Test Method for, **C880/C880M (04.07)**
Flexural Strength of Hydraulic-Cement Mortars, Test Method for, **C348 (04.01)**
Flexural Strength of Manufactured Carbon and Graphite Articles Using Four-Point Loading at Room Temperature, Test Method for, **C651 (05.05)**
Flexure Testing of Slate (Breaking Load, Modulus of Rupture, Modulus of Elasticity), Test Methods of, **C120/C120M (04.07)**
Modulus of Rupture in Bending of Electrode Graphite, Test Method for, **C1025 (05.05)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Transverse Rupture Strength of Cemented Carbides, Test Method for, **B406 (02.05)**
Flexural testing—adhesives
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
Flexural testing—asbestos-cement products
Asbestos-Cement Conduit, Specification for, **C875 (04.05)**
Asbestos-Cement Fiberboard Insulating Panels, Specification for, **C551/C551M (04.05)**
Asbestos-Cement Organic-Foam Core Insulating Panels, Specification for, **C659 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Asbestos-Cement Pipe, Test Methods for, **C500/C500M (04.05)**
Corrugated Asbestos-Cement Sheets, Specification for, **C221 (04.05)**
Corrugated Asbestos-Cement Sheets for Bulkheading, Specification for, **C746 (04.05)**
Semidense Mineral Fiber Siding, Specification for, **C725 (04.05)**
Strength Imparted by Asbestos to a Cementitious Matrix, Test Method for, **D3752 (04.05)**

Flexural testing—building materials
Core Shear Properties of Sandwich Constructions by Beam Flexure, Test Method for, **C393/C393M (15.03)**
Flexural Modulus of Elasticity of Dimension Stone, Test Method for, **C1352/C1352M (04.07)**
Flexure Creep of Sandwich Constructions, Test Method for, **C480/C480M (15.03)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**

Flexural testing—ceramics
Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, Test Methods for, **C1421 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, Test Method for, **C1576 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures, Test Method for, **C1465 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**
Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, Test Method for, **C1525 (15.01)**
Effect of Surface Grinding on Flexure Strength of Advanced Ceramics, Test Method for, **C1495 (15.01)**
Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites, Test Method for, **C1341 (15.01)**
Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1161 (15.01)**
Flexural Strength of Advanced Ceramics at Elevated Temperatures, Test Method for, **C1211 (15.01)**
Flexural Strength of Advanced Ceramics with Engineered Porosity (Honeycomb Cellular Channels) at Ambient Temperatures, Test Method for, **C1674 (15.01)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**

Flexural testing—concrete
Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR), Test Method for, **D6648 (04.03)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Flexural Properties of Thin-Section Glass-Fiber-Reinforced Concrete (Using Simple Beam With Third-Point Loading), Test Method for, **C947 (04.05)**
Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading), Test Method for, **C293/C293M (04.02)**
Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading), Test Method for, **C78/C78M (04.02)**
Flexural Toughness of Fiber Reinforced Concrete (Using Centrally Loaded Round Panel), Test Method for, **C1550 (04.02)**
Making and Curing Concrete Test Specimens in the Field, Practice for, **C31/C31M (04.02)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**
Obtaining Average Residual-Strength of Fiber-Reinforced Concrete, Test Method for, **C1399/C1399M (04.02)**
Preparing Coupons for Flexural and Washout Tests on Glass Fiber Reinforced Concrete, Practice for, **C1228 (04.05)**

Flexural testing—electrical insulating materials
Bond Strength of Electrical Insulating Varnishes by the Helical Coil Test, Test Method for, **D2519 (10.02)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials, Test Methods for, **D790 (08.01)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Thermal Endurance of Electrical Insulating Varnishes by the Helical Coil Method, Test Method for, **D3145 (10.02)**
Thermal Endurance of Rigid Electrical Insulating Materials, Test Method for, **D2304 (10.01)**

Flexural testing—insulating materials/applications
Breaking Load and Flexural Properties of Block-Type Thermal Insulation, Test Methods for, **C203 (04.06)**
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Testing Cellular Glass Insulation Block, Test Methods of, **C240 (04.06)**

Flexural testing—masonry units
Bond Strength of Mortar to Masonry Units, Test Method for, **C952 (04.05)**
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Flexural testing—plastics
Compressive and Flexural Creep and Creep-Rupture of Plastic Lumber and Shapes, Test Methods for, **D6112 (08.03)**
Flexural Fatigue Properties of Plastics, Test Method for, **D7774 (08.03)**
Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**
Flexural Properties of Unreinforced and Reinforced Plastic Lumber and Related Products, Test Methods for, **D6109 (08.03)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials, Test Methods for, **D790 (08.01)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, Test Method for, **D6272 (08.03)**
Microcellular Urethanes—Flexural Recovery, Test Method for, **D3768 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics, Test Methods for, **D2990 (08.01)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**

Flexural testing—soil
Flexural Strength of Soil-Cement Using Simple Beam with Third-Point Loading, Test Method for, **D1635/D1635M (04.08)**
Making and Curing Soil-Cement Compression and Flexure Test Specimens in the Laboratory, Practice for, **D1632 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flexural testing—wood products
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Flexzone 7L
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Flight
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Design and Performance Requirements for Powered Parachute Aircraft, Specification for, **F2244 (15.11)**
Unmanned Aircraft System (UAS) Visual Range Flight Operations, Practice for, **F2500 (15.11)**
Flight training supplement (FTS)
Pilot's Operating Handbook (POH) for Light Sport Airplane, Specification for, **F2746 (15.11)**
Required Product Information to be Provided with, Specification for, **F2457 (15.11)**
Required Product Information to be Provided with an Airplane, Specification for, **F2745 (15.11)**
Floating piston cylinder
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**
Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, Practice for, **D6849 (05.03)**
Floating roller test
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**
Float/sink flasks
Determining the Washability Characteristics of Coal, Test Method for, **D4371 (05.06)**
Float test
Float Test for Bituminous Materials, Test Method for, **D139 (04.03)**
Float-zone technique
See **Silicon semiconductors**
Flocculation
Coagulation-Flocculation Jar Test of Water, Practice for, **D2035 (11.02)**
Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, Practice for, **D4188 (11.01)**
Flocked bedspread fabrics
Woven, Knitted, or Flocked Bedspread Fabrics, Performance Specification for, **D4037 (07.01)**
Flooding compounds
See **Filling/flooding compounds**
Floods
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**
Indirect Measurements of Discharge by Step-Backwater Method, Test Method for, **D5388 (11.01)**
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Operation of a Gaging Station, Guide for, **D5674 (11.02)**
Flood test
Flood Testing Horizontal Waterproofing Installations, Guide for, **D5957 (04.04)**
Floor-ceiling assemblies
Calculating the Superimposed Load on Wood-frame Floor-Ceiling Assemblies for Standard Fire-Resistance Tests, Practice for, **D7746 (04.10)**
Determination of Impact Insulation Class (IIC), Classification for, **E989 (04.06)**
Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures, Test Method for, **E1007 (04.06)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine, Test Method for, **E492 (04.06)**
Floor construction
Measuring Relative Resistance of Wall, Floor, and Roof Construction to Impact Loading, Test Method of, **E695 (04.11)**
Floor dust
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Floor gratings
Metal, Expanded, Steel, Specification for, **F1267 (01.03)**
Flooring
Polyolefin Composition Floor Tile, Specification for, **F3009 (15.04)**
Flooring/floor covering systems
Sa **Resilient flooring**
Bonded Rubber Crumb Floor Coverings, Specification for, **F3041 (15.04)**
Collection of Coal Samples from Core, Practice for, **D5192 (05.06)**
Collection of Dislodgeable Pesticide Residues from Floors, Practice for, **D6333 (11.07)**
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**
Determining FF Floor Flatness and FL Floor Levelness Numbers, Test Method for, **E1155 (04.11)**
Determining FF Floor Flatness and FL Floor Levelness Numbers (Metric), Test Method for, **E1155M (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Development of Fire-Hazard-Assessment Standards, Guide for, **E1546 (04.07)**
Evaluate the Effect of Dynamic Rolling Load over Resilient Floor Covering System, Practice to, **F2753 (15.04)**
Evaluating Adhesive and the Effects of Plasticizer Found Within Polyvinyl Chloride-Backed Floor Coverings, Practice for, **D7888 (15.06)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**
Gravity Load Testing of Floors and Low Slope Roofs, Practice for, **E196 (04.11)**
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Preparing Panel Underlayments, Thick Poured Gypsum Concrete Underlayments, Thick Poured Lightweight Cellular Concrete Underlayments, and Concrete Subfloors with Underlayment Patching Compounds to Receive Resilient Flooring, Practice for, **F2678 (15.04)**
Relative Abrasiveness of Synthetic Turf Playing Surfaces, Test Method for, **F1015 (15.07)**
Reporting Slip Resistance Test Results, Practice for, **F2048 (15.07)**
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, Test Method for, **D2047 (15.04)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
the Installation of Self-Leveling Underlayment and the Preparation of Surface to Receive Resilient Flooring, Practice for, **F2873 (15.04)**

Flooring/floor covering systems—specifications
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Athletic Performance Properties of Indoor Sports Floor Systems, Specification for, **F2772 (15.07)**
Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, Specification for, **E1993/E1993M (04.11)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Industrial Floor Brick, Specification for, **C410 (04.05)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Metal, Expanded, Steel, Specification for, **F1267 (01.03)**
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**
Resilient Stair Treads, Specification for, **F2169 (15.04)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Rubber Floor Tile, Specification for, **F1344 (15.04)**
Rubber Sheet Floor Covering With Backing, Specification for, **F1860 (15.04)**
Rubber Sheet Floor Covering Without Backing, Specification for, **F1859 (15.04)**
Sheet Linoleum Floor Covering, Specification for, **F2034 (15.04)**
Sheet Vinyl Floor Covering with Backing, Specification for, **F1303 (15.04)**
Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**
Test Carpets and Pads for Vacuum Cleaner Testing, Specification for, **F655 (15.08)**
Vinyl Composition Floor Tile, Specification for, **F1066 (15.04)**
Vinyl Sheet Floor Covering Without Backing, Specification for, **F1913 (15.04)**
Water Emulsion Floor Polish, Specification for, **D4078 (15.04)**

Flooring/floor covering systems (concrete)
Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, Specification for, **E1993/E1993M (04.11)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, Test Method for, **C1028 (15.02)**
Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, Test Method for, **E2179 (04.06)**
Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, Test Method for, **F1869 (15.04)**
Preliminary Evaluation of Comparative Moisture Condition of Concrete, Gypsum Cement and Other Floor Slabs and Screeds Using a Non-Destructive Electronic Moisture Meter, Guide for, **F2659 (15.04)**
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**
Preparing Panel Underlayments, Thick Poured Gypsum Concrete Underlayments, Thick Poured Lightweight Cellular Concrete Underlayments, and Concrete Subfloors with Underlayment Patching Compounds to Receive Resilient Flooring, Practice for, **F2678 (15.04)**

Flooring/floor covering systems (rubber/vinyl)
Sa **Rubber flooring**
Resilient Stair Treads, Specification for, **F2169 (15.04)**

Flooring/floor covering systems (textiles)
Sa **Pile yarn floor coverings**
Binding Sites per Unit Length or Width of Pile Yarn Floor Coverings, Test Method for, **D5793 (07.02)**
Floor Coverings and Textile Upholstered Furniture, Terminology Relating to, **D5253 (07.02)**
Ignition Characteristics of Finished Textile Floor Covering Materials, Test Method for, **D2859 (04.07)**
Mass Per Unit Area of Pile Yarn Floor Coverings, Test Method for, **D5848 (07.02)**
Relating to Pile Floor Coverings, Terminology, **D5684 (07.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Tuft Bind of Pile Yarn Floor Coverings, Test Method for, **D1335 (07.01)**
Tuft Height of Pile Floor Coverings, Test Method for, **D5823 (07.02)**

Flooring/floor covering systems (tile)
Application of Floor Polishes to Maintain Multilayer Composite Tile or Flooring, Practice for, **D4386 (15.04)**
Application of Floor Polishes to Maintain Vinyl Composition Tile or Flooring, Practice for, **D3564 (15.04)**
Deflection of Resilient Floor Tile, Test Method for, **F1304 (15.04)**
Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, Test Method for, **F2199 (15.04)**
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Polyester Composition Floor Tile, Specification for, **F2982 (15.04)**
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Quality of Cut (Joint Tightness) of Resilient Floor Tile, Test Method for, **F511 (15.04)**
Resistance to Impact for Resilient Floor Tile, Test Method for, **F1265 (15.04)**
Rubber Floor Tile, Specification for, **F1344 (15.04)**
Size and Squareness of Resilient Floor Tile by Dial Gage Method, Test Method for, **F2055 (15.04)**
Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**

Flooring/floor covering systems (wood)
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, Practice for, **F1482 (15.04)**
Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads, Test Method for, **E661 (04.11)**
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flooring nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Floor machine
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Floor mounted kettles
Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1602 (15.12)**
Floorplan size
Illustrating the Footprint of a Backpacking or Mountaineering Tent, Specification for, **F1933 (15.07)**
Floor plate
See **Rolled steel—specifications**
Floor polish
Acid Number of Certain Alkali-Soluble Resins, Test Method for, **D3643 (15.04)**
Application of Floor Polishes to Maintain Multilayer Composite Tile or Flooring, Practice for, **D4386 (15.04)**
Application of Floor Polishes to Maintain Vinyl Composition Tile or Flooring, Practice for, **D3564 (15.04)**
Clarity and Yellowness of Liquid Water-Based Clear Floor Polishes, Test Method for, **D3430 (15.04)**
Detergent Resistance of Floor Polish Films, Test Method for, **D3207 (15.04)**
Freeze/Thaw Resistance of Wax Emulsion Floor Polish, Test Method for, **D5678 (15.04)**
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**
Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, Test Method for, **D2047 (15.04)**
Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes, Practice for, **D4095 (15.04)**
Viscosity of Silicone Fluids, Test Method for, **D4283 (15.04)**
Zinc Analysis of Floor Polishes and Floor Polish Polymers By Flame Atomic Absorption (A.A.), Test Method for, **D6827 (15.04)**
Floor polish—specifications
Water Emulsion Floor Polish, Specification for, **D4078 (15.04)**
Floor polish (water emulsion)
60° Specular Gloss of Emulsion Floor Polish, Test Method for, **D1455 (15.04)**
Accelerated Aging of Liquid Water-Emulsion Floor Polishes, Test Method for, **D1791 (15.04)**
Application of Emulsion Floor Polishes to Substrates for Testing Purposes, Test Methods for, **D1436 (15.04)**
Comparing Colors of Films from Water-Emulsion Floor Polishes, Test Method for, **D3210 (15.04)**
Evaluation of Spray-Buff Products on Test Floors, Practice for, **D3758 (15.04)**
Freeze/Thaw Resistance of Polymer Floor Polishes, Test Method for, **D3209 (15.04)**
Long-Term Removability Properties of Emulsion Floor Polishes, Test Method for, **D1792 (15.04)**
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Nonvolatile Matter (Total Solids) in Water-Emulsion Floor Polishes, Solvent-Based Floor Polishes, and Polymer-Emulsion Floor Polishes, Test Method for, **D2834 (15.04)**
Preparing Specifications for Water-Emulsion Floor Polishes, Guide for, **D3440 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Recoatability of Water-Emulsion Floor Polishes, Test Method for, **D3153 (15.04)**
Sediment in Water-Emulsion Polishes by Centrifuge, Test Method for, **D1290 (15.04)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Water Emulsion Floor Polish, Specification for, **D4078 (15.04)**
Water Spotting of Emulsion Floor Polishes, Test Method for, **D1793 (15.04)**
Floor/roof assemblies (of gypsum board)
See **Gypsum products**
Floor testing
Measuring the Coefficient of Friction for Evaluation of Slip Performance of Footwear and Test Surfaces/Flooring Using a Whole Shoe Tester, Test Method for, **F2913 (15.07)**
Reporting Slip Resistance Test Results, Practice for, **F2048 (15.07)**
Floor tile
Polyolefin Composition Floor Tile, Specification for, **F3009 (15.04)**
Floor tolerance estimates
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Floor wax
Freeze/Thaw Resistance of Wax Emulsion Floor Polish, Test Method for, **D5678 (15.04)**
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**
Flotation
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**
Laboratory Froth Flotation of Coal in a Mechanical Cell, Test Method for, **D5114 (05.06)**
Nonmetallic Gasket Materials, Classification System for, **F104 (09.02)**
Flotation tube
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**
Flounce
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Flour
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Flowability
Flowability and Bearing Area of Chemical-Resistant Polymer Machinery Grouts, Test Method for, **C1339 (04.02)**
Flow and flow rate
Determining Flow Rate of Water and Suspended Solids Retention from a Closed Geosynthetic Bag, Test Method for, **D7880/D7880M (04.13)**
Determining the Consistency of Viscous Liquids Using a Consistometer, Test Method for, **F1080 (15.03)**
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**
Enteral Feeding Devices with a Retention Balloon, Test Methods for, **F2528 (13.02)**
Fusion Flow of Porcelain Enamel Frits (Flow-Button Methods), Test Methods for, **C374 (02.05)**
Measured Speed of Oil Diffusion Pumps, Test Method for, **E295 (15.03)**
Measuring Consistency of Castable Refractory Using a Flow Table, Test Method for, **C1445 (15.01)**
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Permeability of Refractories, Test Method for, **C577 (15.01)**
Prerinse Spray Valves, Test Method for, **F2324 (15.12)**
Resin Flow of Carbon Fiber-Epoxy Prepreg, Test Method for, **D3531/D3531M (15.03)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**

Flow and flow rate—airflow systems/devices
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Volumetric and Mass Flow Rate Measurement in a Duct Using Tracer Gas Dilution, Test Method for, **E2029 (04.11)**

Flow and flow rate—asphalts
Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, Test Method for, **D4957 (04.03)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**

Flow and flow rate—atmospheric
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**
Determining the Performance of a Cup Anemometer or Propeller Anemometer, Test Method for, **D5096 (11.07)**

Flow and flow rate—cement/concrete
Flow of Fine Aggregate Concrete for Fabric Formed Concrete (Flow Cone Method), Test Method for, **D6449 (04.09)**
Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), Test Method for, **C939 (04.02)**
Flow of Hydraulic Cement Mortar, Test Method for, **C1437 (04.01)**
Flow Table for Use in Tests of Hydraulic Cement, Specification for, **C230/C230M (04.01)**
Slump Flow of Self-Consolidating Concrete, Test Method for, **C1611/C1611M (04.02)**

Flow and flow rate—environmental studies
Characterizing the Performance of Refuse Size-Reduction Equipment, Test Method for, **E959 (11.04)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**

Flow and flow rate—filters
Gas Flow Resistance Testing of Filtration Media, Methods for, **F778 (11.07)**

Flow and flow rate—insulations
Inclined Plate Flow for Thermosetting Coating Powders, Test Method for, **D4242 (06.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**

Flow and flow rate—metal powders
Flow Rate of Metal Powders Using the Carney Funnel, Test Methods for, **B964 (02.05)**
Flow Rate of Metal Powders Using the Hall Flowmeter Funnel, Test Methods for, **B213 (02.05)**
Volumetric Flow Rate of Metal Powders Using the Arnold Meter and Hall Flowmeter Funnel, Test Method for, **B855 (02.05)**

Flow and flow rate—paints/related coatings/materials
High-Shear Viscosity Using a Cone/Plate Viscometer, Test Method for, **D4287 (06.01)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Viscosity of Paints and Related Materials by ISO Flow Cups, Test Method for, **D5125 (06.01)**

Flow and flow rate—petroleum products
Sa **Viscosity—petroleum products**
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**
Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), Test Method for, **D4539 (05.02)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**
Kinematic Viscosity of Volatile and Reactive Liquids, Test Method for, **D4486 (05.02)**
Measuring Apparent Viscosity of Lubricating Greases, Test Method for, **D1092 (05.01)**
Pour Point of Petroleum Products, Test Method for, **D97 (05.01)**
Pour Point of Petroleum Products (Robotic Tilt Method), Test Method for, **D6892 (05.03)**
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**

Flow and flow rate—rubber
Rubber Cements, Test Methods for, **D816 (09.01)**
Rubber—Measurement of Processing Properties Using Capillary Rheometry, Test Methods for, **D5099 (09.01)**

Flow and flow rate—sealants
Flow Characteristics of Preformed Tape Sealants, Test Method for, **C1266 (04.07)**
Rheological (Flow) Properties of Elastomeric Sealants, Test Method for, **C639 (04.07)**

Flow and flow rate—semiconductor applications
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Determination of Oxygen Contribution by Gas Distribution System Components, Test Method for, **F1396 (10.04)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**

Flow and flow rate—soil/rock/related materials
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
Biological Clogging of Geotextile or Soil/Geotextile Filters, Test Method for, **D1987 (04.13)**
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Determining Filtering Efficiency and Flow Rate of the Filtration Component of a Sediment Retention Device, Test Method for, **D5141 (04.13)**
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Tech-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

nique, Test Method for, **D4631 (04.08)**
Erodibility Determination of Soil in the Field or in the Laboratory by the Jet Index Method, Test Method for, **D5852 (04.08)**
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**
Permeability of Rocks by Flowing Air, Test Method for, **D4525 (04.08)**
Sampling Freshly Mixed Controlled Low-Strength Material, Practice for, **D5971/D5971M (04.09)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**

Flow and flow rate—solar collectors
Determining Thermal Performance of Tracking Concentrating Solar Collectors, Test Method for, **E905 (12.02)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Specifying Thermal Performance of Geothermal Power Systems, Guide for, **E974 (12.02)**

Flow and flow rate—thermoplastics
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**
Determining Inherent Viscosity of Poly(Ethylene Terephthalate) (PET) by Glass Capillary Viscometer, Test Method for, **D4603 (08.02)**
FEP-Fluorocarbon Molding and Extrusion Materials, Specification for, **D2116 (08.01)**
Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications, Test Method for, **D3364 (08.02)**
Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, Test Method for, **D5422 (08.03)**
Melt Flow Rates of Thermoplastics by Extrusion Plastometer, Test Method for, **D1238 (08.01)**
Modified ETFE-Fluoropolymer Molding and Extrusion Materials, Specification for, **D3159 (08.01)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Performance Testing of Excess Flow Valves, Test Method for, **F1802 (08.04)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Poly(Vinyl Chloride) Resins, Specification for, **D1755 (08.01)**
Spiral Flow of Low-Pressure Thermosetting Molding Compounds, Test Method for, **D3123 (08.01)**
Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, Test Method for, **D3795 (08.02)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**

Flow and flow rate—water
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**
Developing a Stage-Discharge Relation for Open Channel Flow, Practice for, **D5541 (11.01)**
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**
Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, Test Method for, **D5093 (04.08)**
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**
Indirect Measurements of Discharge by Step-Backwater Method, Test Method for, **D5388 (11.01)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, Test Method for, **D5389 (11.01)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Open-Channel Flow Measurement of Water with Thin-Plate Weirs, Test Method for, **D5242 (11.01)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**
Operating Characteristics of Reverse Osmosis and Nanofiltration Devices, Test Methods for, **D4194 (11.02)**
Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, Guide for, **D5640 (11.02)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Testing Vertical Strip Drains in the Crimped Condition, Test Method for, **D6918 (04.13)**
Water Analysis for Reverse Osmosis and Nanofiltration Application, Guide for, **D4195 (11.02)**

Flow cavitation
Erosion of Solid Materials by Cavitating Liquid Jet, Test Method for, **G134 (03.02)**

Flowcell detection
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**

Flowcharting repeatability/reproducibility
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**

Flow charts
Annual Review of Test Methods and Specifications for Plastics, Guide for, **D4968 (08.02)**
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**

Flowcoat
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**

Flow cone method
Flow of Fine Aggregate Concrete for Fabric Formed Concrete (Flow Cone Method), Test Method for, **D6449 (04.09)**

Flow control
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**

Flow cup(s)
Viscosity by Dip-Type Viscosity Cups, Test Method for, **D4212 (06.01)**
Viscosity by Ford Viscosity Cup, Test Method for, **D1200 (06.01)**
Viscosity of Paints and Related Materials by ISO Flow Cups,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D5125 (06.01)**
"Flowers-of-sulfur"
Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur"), Test Method for, **B809 (02.05)**
Flowers of sulfur atmosphere
See **Workplace air/atmospheres**
Flow function
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Flowing air test
Measurement of the Permeability of Unsaturated Porous Materials by Flowing Air, Test Method for, **D6539 (04.09)**
Flowing fluid sampling
Sa **Sampling aerospace materials**
Sampling for Particles in Aerospace Fluids and Components, Practices for, **F303 (15.03)**
Flowing liquid junction
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**
Flow injection analysis (FIA)
Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D6888 (11.02)**
Free Cyanide with Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7237 (11.02)**
Total Cyanide by Segmented Flow Injection Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, Test Method for, **D7511 (11.02)**
Total Cyanide in Water by Micro Distillation followed by Flow Injection Analysis with Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7284 (11.02)**
Flow meter
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
"Flow-out" behavior
Flow Characteristics of Preformed Tape Sealants, Test Method for, **C1266 (04.07)**
Flow programming
Supercritical Fluid Chromatography Terms and Relationships, Guide for, **E1449 (03.06)**
Flow properties
Calculating Viscosity of a Blend of Petroleum Products, Practice for, **D7152 (05.04)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**
Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using Rotorless Shear Rheometers, Test Method for, **D7605 (09.01)**
Flow rate calibration
Determining the Flow Rate of Water and Suspended Solids from a Geotextile Bag, Test Method for, **D7701 (04.13)**
Flow Rate Adjustment of Personal Sampling Pumps, Practice for, **D5337 (11.07)**
Flow table
Measuring Consistency of Castable Refractory Using a Flow Table, Test Method for, **C1445 (15.01)**
Flow-through acute toxicity
See **Acute toxicity tests**
Flow-through test chambers
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Fluctuation
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
Flue gas
Sa **Smoke density**
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Flue gas desulfurization (FGD)
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Methods for, **D5499 (06.02)**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**
Flue linings
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Installing Clay Flue Lining, Practice for, **C1283 (04.05)**
Fluence
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**
Application and Analysis of Radiometric Monitors for Reactor Vessel Surveillance, E706 (IIIA), Test Method for, **E1005 (12.02)**
Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), Test Method for, **E854 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**
Determining Thermal Neutron Reaction Rates and Thermal Neutron Fluence Rates by Radioactivation Techniques, Test Method for, **E262 (12.02)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Neutron Fluence and Average Energy from, Test Method for, **E496 (12.02)**
Measuring Neutron Fluence Rates by Radioactivation of Cobalt and Silver, Test Method for, **E481 (12.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Fluence-transfer
Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, Guide for, **E2005 (12.02)**
Fluency (language)
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Flues
See **Stacks/flues**
Fluid aging
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Fluid catalytic cracking (FCC) catalysts
Sa **FCC (fluid catalytic cracking) catalysts**
Cyclic Deactivation of Fluid Catalytic Cracking (FCC) Catalysts with Metals, Guide for, **D7206/D7206M (05.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Chemical Elements in Fluid Catalytic Cracking Catalysts by X-ray Fluorescence Spectrometry (XRF), Guide for, **D7085 (05.05)**
Sample Preparation of Fluid Catalytic Cracking Catalysts and Zeolites for Elemental Analysis by Inductively Coupled Plasma Atomic Emission Spectroscopy, Practice for, **D7442 (05.05)**

Fluid chemistry
Sampling Two-Phase Geothermal Fluid for Purposes of Chemical Analysis, Practice for, **E1675 (12.02)**

Fluid classification
Performance Evaluation of Hydraulic Fluids for Piston Pumps, Guide for, **D6813 (05.03)**

Fluid conditioner fittings
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**

Fluid conductivity/resistivity logging
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Fluid constituent content
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**

Fluid discharge
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Fluid-flow modeling
Subsurface Flow and Transport Modeling, Guide for, **D5880 (04.09)**

Fluid-hydrocarbon-fueled pool fires
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**

Fluid immersion
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**

Fluidity
Determination of Low Temperature Fluidity and Appearance of Hydraulic Fluids, Test Method for, **D6351 (05.03)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**

Fluidization segregation
Measuring Fluidization Segregation Tendencies of Powders, Practice for, **D6941 (04.09)**

Fluid loss
Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, Guide for, **D6141 (04.13)**

Fluid lubricants
Sa **Lubricants (fluid)**
Determining the Tribological Behavior and the Relative Lifetime of a Fluid Lubricant using the Spiral Orbit Tribometer, Test Method for, **F2661 (01.08)**

Fluid meters
Gas Flow Resistance Testing of Filtration Media, Methods for, **F778 (11.07)**

Fluid pressure
See **Pressure testing**

Fluid resistance
Adhesion of Solid Film Lubricants, Test Method for, **D2510 (05.01)**
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Performance of Materials Used in Medical Face Masks, Specification for, **F2100 (11.03)**

Fluids
Processing In-service Fluid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **D7670 (05.04)**
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**

Fluid tightness
Fluid Tightness Ability of Adhesives Used on Threaded Fasteners, Test Method for, **D5657 (15.06)**

Fluid transport systems
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**

Fluid waste materials
Emulsification/Suspension of Multiphase Fluid Waste Materials, Practice for, **D5761 (05.02)**

Flumes
Methods for Measuring Well Discharge, Guide for, **D5737 (04.08)**
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Open Channel Flow Measurement of Water with the Parshall Flume, Test Method for, **D1941 (11.01)**
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, Guide for, **D5640 (11.02)**

Fluoranthene/Fluorene
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Fluor-chrome-arsenate-phenol
See **Wood preservatives**

Fluorescence
Sa **XRF (X-ray fluorescence)**
Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, Practice for, **E991 (06.01)**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, Practice for, **E1247 (06.01)**
Determination of Beryllium in Soil, Rock, Sediment, and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, Test Method for, **D7458 (04.09)**
Determination of Beryllium in the Workplace by Extraction and Optical Fluorescence Detection, Test Method for, **D7202 (11.07)**
Determination of Total Sulfur in Aromatic Hydrocarbons and Related Chemicals by Ultraviolet Fluorescence, Test Method for, **D7183 (06.04)**
Determination of Total Sulfur in Liquid Hydrocarbon Based Fuels by Continuous Injection, Air Oxidation and Ultraviolet Fluorescence Detection, Test Method for, **D7620 (05.04)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, Test Method for, **D7551 (05.06)**
Fluorescence—Instrument Calibration and Qualification, Guide for, **E2719 (03.06)**
Image Stability of Chemical Carbonless Paper to Light, Test Method for, **F767 (15.09)**
Luminance Ratio of a Fluorescent Specimen using a Narrow Band Source, Test Method for, **E2630 (06.01)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fluorescence—atmospheric analysis
Determination of Hydrogen Peroxide and Combined Organic Peroxides in Atmospheric Water Samples by Peroxidase Enzyme Fluorescence Method, Test Method for, **D6363 (11.07)**
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on UVPM and FPM, Test Methods for, **D5955 (11.07)**

Fluorescence—petroleum products
Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, Test Method for, **D5453 (05.02)**
Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, Test Method for, **D1319 (05.01)**

Fluorescence—water analysis
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Enumeration of Aquatic Bacteria by Epifluorescence Microscopy Counting Procedure, Test Method for, **D4455 (11.02)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Simultaneous Enumeration of Total and Respiring Bacteria in Aquatic Systems by Microscopy, Test Method for, **D4454 (11.02)**

Fluorescence microscopy
Using Fluorescence Microscopy to Quantify the Spread Area of Fixed Cells, Guide for, **F2998 (13.02)**

Fluorescence polarization
Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7220 (05.04)**

Fluorescence spectrochemical analysis
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Linearity of Fluorescence Measuring Systems, Test Method for, **E578 (03.06)**
Mercury Sampling and Analysis in Natural Gas by Atomic Fluorescence Spectroscopy, Test Method for, **D6350 (05.06)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, Test Method for, **E2143 (03.06)**
Wavelength Accuracy and Spectral Bandwidth of Fluorescence Spectrometers, Test Method for, **E388 (03.06)**

Fluorescent coatings
Light Source Products for Inspection of Fluorescent Coatings, Specification for, **E2501 (06.01)**
Luminance Ratio of a Fluorescent Specimen using a Narrow Band Source, Test Method for, **E2630 (06.01)**

Fluorescent image analysis
Quantification of Calcium Deposits in Osteogenic Culture of Progenitor Cells Using Fluorescent Image Analysis, Practice for, **F2997 (13.02)**

Fluorescent indicator adsorption
See **Liquid chromatography (LC)**

Fluorescent lamps/lighting
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Accelerated Testing of the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting and WindowFiltered Daylight, Practice for, **F1946/F1946M (15.09)**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Determining the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting, Practice for, **F1945 (15.09)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**

Fluorescent liquid penetrant testing
Sa **Penetrant inspection**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**

Fluorescent magnetic particle inspection
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**

Fluorescent penetrant examination
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Fluorescent Penetrant Inspection of Metallic Surgical Implants, Practice for, **F601 (13.01)**

Fluorescent-retroreflective sheeting/marking materials
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**

Fluorescent specimens
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**
Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, Practice for, **E2153 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**

Fluorescent UV-light apparatus
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), Practice for, **D4799/D4799M (04.04)**
Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, Practice for, **D6625 (15.04)**
Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics, Practice for, **D5208 (08.03)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**

Fluorescent UV-water apparatus
Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, Practice for, **D6625 (15.04)**
Fluorescent UV-Condensation Exposures of Paint and Related Coatings, Practice for, **D4587 (06.01)**

Fluorescent water-soluble cleaning agents
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fluoride compounds
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**

Fluoride content
Acidity of Sulfur Hexafluoride, Test Method for, **D2284 (10.03)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Fluoride Ion in Water, Test Methods for, **D1179 (11.01)**

Fluoride content—atmosphere/plant tissues
Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Semiautomated Method), Test Methods for, **D3270 (11.07)**
Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Test Method for, **D3266 (11.07)**
Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, Test Method for, **D4765 (11.07)**
Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), Test Method for, **D3268 (11.07)**
Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), Test Method for, **D3267 (11.07)**

Fluoride (ion) analysis
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Fluoride Ion in Water, Test Methods for, **D1179 (11.01)**
Fluoride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D3868 (11.02)**
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**

Fluoride-resistant brick
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**

Fluoride selective electrode
Fluoride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D3868 (11.02)**

Fluorinated hydrocarbon
HFC-227ea, 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Specification for, **D6064 (15.05)**

Fluorine-containing compounds
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**

Fluorine content
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, Test Method for, **D5987 (05.06)**
Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D3761 (05.06)**
Total Fluorine, Chlorine and Sulfur in Aromatic Hydrocarbons and Their Mixtures by Oxidative Pyrohydrolytic Combustion followed by Ion Chromatography Detection (Combustion Ion Chromatography-CIC), Test Method for, **D7359 (06.04)**

Fluorine content—nuclear materials/applications
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Determination of Total Chlorine and Fluorine in Uranium Dioxide and Gadolinium Oxide, Test Method for, **C1502 (12.01)**

Fluorocarbon content
Fluorocarbon Feedstock Grade Chloroform, Specification for, **D7509 (15.05)**

Fluorocarbon fibers
Sa **Man-made textile fibers**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**

Fluorocarbon film
Unsintered Pigmented Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Specification for, **D7193 (08.03)**

Fluorocarbon terpolymer elastomer
High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, Specification for, **D6909 (09.02)**

Fluorohydrocarbon plastics
Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials, Specification for, **D3222 (08.02)**

Fluorometric determination
Aluminum in Water, Test Method for, **D857 (11.01)**
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Fluorescence—Instrument Calibration and Qualification, Guide for, **E2719 (03.06)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**

Fluoropolymer heat-shrinkable tubing
Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2902 (10.02)**

Fluoropolymer micro powder
Low Molecular Weight PTFE and FEP Micronized Powders, Classification for, **D5675 (08.03)**

Fluoropolymers
CPT-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7471 (08.03)**
EFEP-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7472 (08.03)**
High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, Specification for, **D6909 (09.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Low Molecular Weight PTFE and FEP Micronized Powders, Classification for, **D5675 (08.03)**
Melt Flow Rates of Thermoplastics by Extrusion Plastometer, Test Method for, **D1238 (08.01)**

Fluoropolymers—FEP (fluorinated ethylene-propylene)
See **Perfluoro(ethylene-propylene)(FEP) copolymer**

Fluoropolymers—PFA (perfluoro (alkoxyalkane) copolymer)
See **PFA (perfluoro(alkoxyalkane)) copolymer**

Fluoropolymers—PTFE (polytetrafluoroethylene)
See **PTFE (polytetrafluoroethylene)**

Fluoropolymers—PVDF (polyvinylidene fluoride)
See **Poly(vinylidene fluoride)(PVDF)**

Fluoropolymers—TFE (tetrafluoroethylene)
See **Tetrafluoroethylene (TFE)**

Fluoropolymers—VDF (vinylidene fluoride)
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**

Fluoropolymer tubing
Perfluoroalkoxy (PFA)-Fluoropolymer Tubing, Specification for, **D6867 (08.03)**

Fluoroprotein
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Fluoroptic thermometry
Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, Test Method for, **F1349 (15.10)**
Temperature Measurement and Profiling for Microwave Susceptors, Test Method for, **F874 (15.10)**

Fluoroscopic X-ray imaging
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**

Fluorspar
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Determination of Calcium Fluoride in Fluorspar by Complexometric Titrimetry, Test Method for, **E815 (03.05)**
Determination of Silica in Fluorspar by Silico-Molybdate Visible Spectrometry, Test Method for, **E463 (03.05)**

Flush decks
Portable Intermediate Flush Deck Stanchion, Specification for, **F987 (01.07)**

Flush (engine)
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**

Flusher
Evaluation of Flushing Vehicles for Pigment Wetting Using a Vacuum Modified Sigma Blade Mixer, Practice for, **D6336 (06.03)**

Flush hinged door
Sa **Shipbuilding steel materials (doors)**
Doors, Furniture, Marine, Specification for, **F782 (01.07)**

Flushing
Carbon Black—Non-Dispersible Matter by Mechanical Flushing (NDM), Test Method for, **D7724 (09.01)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**

Fluvial sediment
Sa **Sediment**
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**

Flux
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter, Test Method for, **D5887 (04.13)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Flux cored solder
Sa **Solder/soldering applications**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Solder Metal, Specification for, **B32 (02.04)**

Flux leak testing
Sa **Leak testing**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**

Flux voltage
Sa **Voltage**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**

Fly ash
Blended Supplementary Cementitious Materials, Specification for, **C1697 (04.02)**
Characterization of Coal Fly Ash and Clean Coal Combustion Fly Ash for Potential Uses, Guide for, **D5759 (11.04)**
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Design of Stabilization of Soil and Soil-Like Materials with Self-Cementing Fly Ash, Practice for, **D7762 (04.09)**
Determination of Beryllium in Soil, Rock, Sediment, and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, Test Method for, **D7458 (04.09)**
Evaluation of Alternative Supplementary Cementitious Materials (ASCM) for Use in Concrete, Guide for, **C1709 (04.02)**
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Silica in Refuse-Derived Fuel (RDF) and RDF Ash, Test Method for, **E887 (11.04)**
Use of Foundry Sand in Structural Fill and Embankments, Practice for, **D7765 (04.09)**

Fly ash and other pozzolans
Sa **Pozzolans**
Characterizing Fly Ash for Use in Soil Stabilization, Practice for, **D5239 (04.08)**
Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, Specification for, **C618 (04.02)**
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Pozzolanic Blended Materials in Construction Applications, Specification for, **D5370 (11.04)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, Test Methods for, **C311/C311M (04.02)**

Flying brand test
Fire Tests of Roof Coverings, Test Methods for, **E108 (04.07)**

Flying insects
See **Insecticides**

FMS architecture
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**

Foam—aqueous media
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Foam ADC
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Foam and beam panels
Adhesive Bonding of Aluminum Facings in Foam and Beam Type Shelters, Practice for, **E1801 (04.11)**
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**
Foam and beam panels—specifications
Adhesive for Bonding Foam Cored Sandwich Panels (160°F Elevated Humidity Service), Type I Panels, Specification for, **E1800 (04.11)**
Adhesive for Bonding Foam Cored Sandwich Panels (200°F Elevated Humidity Service), Type II Panels, Specification for, **E1794 (04.11)**
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Shelter, Electrical, Equipment S-280/G, Specification for, **E1975 (04.11)**
Foamed-in-place thermal insulation
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Foam-filled fenders
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Foam firefighting systems
Shipboard Fixed Foam Firefighting Systems, Test Method for, **F1994 (01.07)**
Foam friability index
Relative Abrasiveness of Synthetic Turf Playing Surfaces, Test Method for, **F1015 (15.07)**
Foam hardness
Composite Foam Hardness-Durometer Hardness, Test Method for, **F1957 (15.07)**
Testing Flexible Cellular Materials Measurement of Indentation Force Deflection Using a 25-mm (1-in.) Deflection Technique, Test Method for, **D5672 (08.03)**
Foaming chemicals
Foaming Agents for Use in Producing Cellular Concrete Using Preformed Foam, Test Method for, **C796/C796M (04.02)**
Foaming Agents Used in Making Preformed Foam for Cellular Concrete, Specification for, **C869/C869M (04.02)**
Foaming Tendencies of Non-Aqueous Engine Coolants in Glassware, Test Method for, **D7840 (15.05)**
Foaming properties
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**
Foaming Characteristics of Lubricating Oils, Test Method for, **D892 (05.01)**
Foaming Properties of Surface-Active Agents, Test Method for, **D1173 (15.04)**
Foaming Tendencies of Engine Coolants at Room Temperature, Test Method for, **D4921 (15.05)**
Foaming Tendencies of Engine Coolants in Glassware, Test Method for, **D1881 (15.05)**
Foaming Tendencies of Non-Aqueous Engine Coolants in Glassware, Test Method for, **D7840 (15.05)**
High Temperature Foaming Characteristics of Lubricating Oils, Test Method for, **D6082 (05.02)**
Foam-in-place cushioning materials
Sa **Cushioning materials**
Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, Test Methods for, **D4168 (15.10)**
Foam layer
Measuring Thickness of Resilient Floor Covering With Foam Layer, Test Method for, **F387 (15.04)**
Foam plastic insulation
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Foam rubber
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Foam stability
Foam Stability of Hand Dishwashing Detergents, Guide for, **D4009 (15.04)**
Foam station cabinets
Construction of Fire and Foam Station Cabinets, Specification for, **F1333 (01.07)**
Foam thermal insulating materials
Flexible Polymeric Foam Sheet Insulation Used as a Thermal and Sound Absorbing Liner for Duct Systems, Specification for, **C1534 (04.06)**
Focal detector distance (FDD)/object distance (FOD)
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Focal length
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**
Focal size
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Focus
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Fogging of insulating glass units
Testing Resistance to Fogging in Insulating Glass Units, Test Method for, **E2189 (04.12)**
Fog tracking
Sa **Track resistance—electrical insulating materials**
Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, Test Method for, **D2132 (10.01)**
Foil
Aluminum Foil for Capacitors, Specification for, **B373 (02.02)**
Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications, Specification for, **B479 (02.02)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**
Tension Testing of Metallic Foil, Test Methods of, **E345 (03.01)**
Thickness of Foil, Thin Sheet, and Film by Mass Measurement, Test Method for, **E252 (02.02)**
Foil-backed gypsum board
Gypsum Board, Specification for, **C1396/C1396M (04.01)**
Foil extraction
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Foil heater apparatus
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Foil sensor measurement
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Folded PVC pipe
Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, Specification for, **F1504 (08.04)**
Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Specification for, **F1871 (08.04)**
Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits, Practice for, **F1947 (08.04)**
Installation of Folded/Formed Poly (Vinyl Chloride) (PVC) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Practice for, **F1867 (08.04)**
Folding boxboard
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
Folding cartons
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Folding chairs
Children's Chairs and Stools, Consumer Safety Specification for, **F2613 (15.11)**
Folding endurance
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Folding/force applications
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Foley (balloon) catheter
Foley Catheter, Performance Specification for, **F623 (13.01)**
Folin pipet
Sa **Pipets (laboratory)—specifications**
Glass Micro Folin Pipet, Disposable, Specification for, **E1092 (14.04)**
Food
Bulk Sampling, Handling, and Preparing Edible Vegetable Oils for Sensory Evaluation, Practice for, **E1346 (15.08)**
Evaluation and Selection of Food and Beverage for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2773 (04.12)**
Food Preparation and Food Handling (Food Service) Gloves, Specification for, **D7329 (09.02)**
Serving Protocol for Sensory Evaluation of Foods and Beverages, Guide for, **E1871 (15.08)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Food—packaging
Determining Effect of Packaging on Food and Beverage Products During Storage, Practice for, **E460 (15.08)**
Use and Handling of Flexible Retort Food Pouches in the Processing Environment, Guide for, **F1278 (15.10)**
Food—waste processing
Commercial Food Waste Disposers, Specification for, **F917 (15.12)**
Commercial Food Waste Pulper and Waterpress Assembly, Specification for, **F1150 (15.12)**
Food Waste Pulper Without Waterpress Assembly, Specification for, **F1899 (15.12)**
Food chain protection
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Food cutter
Food Cutters (Electric), Specification for, **F1126 (15.12)**
Food-handler handwash formulations—adults
Determining the Bacteria-Reducing Effectiveness of Food-Handler Handwash Formulations Using Hands of Adults, Test Method for, **E2946 (11.05)**
Food irradiation
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in Electron Beam and X-ray (Bremsstrahlung) Irradiation Facilities for Food Processing, Practice for, **ISO/ASTM51431 (12.02)**
Dosimetry in Radiation Research on Food and Agricultural Products, Guide for, **ISO/ASTM51900 (12.02)**
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, Guide for, **F1355 (12.02)**
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Selection and Use of Packaging Materials for Foods to Be Irradiated, Guide for, **F1640 (12.02)**
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**
Food mixer
Mixing Machines, Food, Electric, Specification for, **F952 (15.12)**
Food processor
Food Processors, Electric, Specification for, **F1568 (15.12)**
Food service equipment
Sa **Cooking/food service equipment—specifications**
Bread Slicing Machines, Specification for, **F2646 (15.12)**
Bun Slicing Machines, Specification for, **F2645 (15.12)**
Enhanced Performance of Combination Oven in Various Modes, Test Method for, **F2861 (15.12)**
Environmental Impact Analysis of Commercial Food Service Equipment, Practice for, **F2916 (15.12)**
Food Service Equipment, Terminology Relating to, **F1827 (15.12)**
Heavy-Duty Ranges, Gas and Electric, Specification for, **F2521 (15.12)**
Hot Food Holding Tables, Specification for, **F2796 (15.12)**
Ice Making Machines, Icemaker-Dispensers, and Ice Dispensing Equipment, Specification for, **F2432 (15.12)**
Induction Cooktops, Counter Top, Drop-in Mounted, or Floor Standing, Specification for, **F2834 (15.12)**
Laboratory Requirements Necessary to Test Commercial Cooking and Warming Appliances to ASTM Test Methods, Guide for, **F2875 (15.12)**
Performance of Cook-and-Hold Ovens, Test Method for, **F3051 (15.12)**
Prerinse Spray Valves, Test Method for, **F2324 (15.12)**
Underfired Broilers, Specification for, **F2835 (15.12)**
Food service equipment manual
Food Service Equipment Manuals, Specification for, **F760 (15.12)**
Food service gloves
Detection of Holes in Polyethylene Food Service Gloves, Test Method for, **D7246 (09.02)**
Food Preparation and Food Handling (Food Service) Gloves, Specification for, **D7329 (09.02)**
Food simulants
Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**
Food simulating solvents
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**
Food waste pulper
Food Waste Pulper Without Waterpress Assembly, Specification for, **F1899 (15.12)**
Football helmets
Football Helmets, Specification for, **F717 (15.07)**
Shock-Attenuation Characteristics of Protective Headgear for Football, Test Method for, **F429 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Foot-candles
Viewing Conditions for Visual Inspection of Membrane Switches, Practice for, **F1595 (10.04)**
Footprint
Illustrating the Footprint of a Backpacking or Mountaineering Tent, Specification for, **F1933 (15.07)**
Footprints (in tires)
Characteristics and Performance of Tires, Terminology Relating to the, **F538 (09.02)**
Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, Test Method for, **F762/F762M (09.02)**
Standard Rib Tire for Pavement Skid-Resistance Tests, Specification for, **E501 (04.03)**
Standard Smooth Tire for Pavement Skid-Resistance Tests, Specification for, **E524 (04.03)**
Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, Practice for, **F870 (09.02)**
Foot protective devices
Foot Protection for Chain Saw Users, Specification for, **F1818 (11.03)**
Measurement of Cut Resistance to Chain Saw of Foot Protective Devices, Test Method for, **F1458 (11.03)**
Foot traffic
Abrasion Resistance of Stone Subjected to Foot Traffic, Test Method for, **C241/C241M (04.07)**
Assessment of Surface Appearance Change in Pile Floor Coverings Using Standard Reference Scales, Test Method for, **D7330 (07.02)**
Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, Practice for, **D6119 (07.02)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Footwear
Sa **Athletic footwear**
Measuring the Coefficient of Friction for Evaluation of Slip Performance of Footwear and Test Surfaces/Flooring Using a Whole Shoe Tester, Test Method for, **F2913 (15.07)**
Performance Requirements for Protective (Safety) Toe Cap Footwear, Specification for, **F2413 (15.07)**
Performance Requirements for Soft Toe Protective Footwear (Non-Safety / Non-Protective Toe), Specification for, **F2892 (15.07)**
Safety and Traction for Footwear, Terminology Relating to, **F1646 (15.07)**
Selection of Walkway Surfaces and Treatments When Considering Aggressive Contaminant Conditions in Commercial and Industrial (Not Including Construction) Environments, Guide for, **F2965 (15.07)**
Water Resistance of Footwear Using a Walking Step Simulator, Test Method for, **F1900 (15.07)**
Footwear—soles/heels/related materials
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Determining Dielectric Strength of Dielectric Footwear, Test Method for, **F1116 (10.03)**
Determining the Longitudinal Load Required to Detach High Heels from Footwear, Test Method for, **F2232 (15.07)**
Dielectric Footwear, Specification for, **F1117 (10.03)**
Evaluation of Buffable Shoe Polish, Practice for, **D4002 (15.04)**
Measuring the Coefficient of Friction for Evaluation of Slip Performance of Footwear and Test Surfaces/Flooring Using a Whole Shoe Tester, Test Method for, **F2913 (15.07)**
Performance Requirements for Soft Toe Protective Footwear (Non-Safety / Non-Protective Toe), Specification for, **F2892 (15.07)**
Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, Guide for, **F1240 (15.07)**
Ranking of Test Data Obtained for Measurement of Slip Resistance of Footwear Sole, Heel, and Related Materials, Practice for, **F695 (15.07)**
Resistance of Shoe Upper Leather to Artificial Perspiration, Test Method for, **D2322 (15.04)**
Rubber Property—Abrasion Resistance (Footwear Abrader), Test Method for, **D1630 (09.01)**
Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, Test Method for, **D2047 (15.04)**
Urethane Microcellular Shoe Soling Materials, Specification for, **D3851 (08.02)**
Using a Horizontal Pull Slipmeter (HPS), Test Method for, **F609 (15.07)**
Footwear abrader
Rubber Property—Abrasion Resistance (Footwear Abrader), Test Method for, **D1630 (09.01)**
Force
Calibration of Force-Measuring Instruments for Verifying the Force Indication of Testing Machines, Practice of, **E74 (03.01)**
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Force, Deformation and Related Properties of Textiles, Terminology Related to, **D4848 (07.02)**
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**
Manual Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D3481 (15.10)**
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Force at specified elongation
Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2731 (07.01)**
Force calibration of CRL machines
Tensile Testing Machines for Textiles, Specification for, **D76/D76M (07.01)**
Forced-choice data sets
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Estimating Thurstonian Discriminal Distances, Practice for, **E2262 (15.08)**
Paired Preference Test, Test Method for, **E2263 (15.08)**
Forced circulation water baths
Gravity-Convection and Forced-Circulation Water Baths, Specification for, **E715 (14.04)**
Forced-convection ovens
Sa **Ovens**
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Gravity-Convection and Forced-Ventilation Ovens, Specification for, **E145 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Force decay
Vulcanized Rubber and Thermoplastic Elastomer—Determination of Force Decay (Stress Relaxation) in Compression, Test Method for, **D6147 (09.01)**
Forced entry
Testing Forced Entry, Ballistic and Low Impact Resistance of Security Fence Systems, Practice for, **F2781 (01.06)**
Forced entry resistance
Sa **Security systems and equipment**
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact, Test Methods for, **F842 (04.12)**
Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact, Test Methods for, **F588 (04.12)**
Padlocks, Performance Specification for, **F883 (15.08)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Testing Forced Entry, Ballistic and Low Impact Resistance of Security Fence Systems, Practice for, **F2781 (01.06)**
Timed Evaluation of Forced-Entry-Resistant Systems, Test Method for, **F3038 (15.08)**
Forced-entry-resistance systems—timed evaluation of
Timed Evaluation of Forced-Entry-Resistant Systems, Test Method for, **F3038 (15.08)**
Force-displacement curve
Measuring the Force-Displacement of a Membrane Switch, Test Method for, **F2592 (10.04)**
Force-draw curve
Determination of Percent of Let-Off for Archery Bows, Test Method for the, **F1880 (15.07)**
Determining the Force-Draw and Let-Down Curves for Archery Bows, Test Method for, **F1832 (15.07)**
Determining the Rating Velocities of a Compound Archery Bow, Specification for, **F1544 (15.07)**
Forced vibrations
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Force-elongation curves
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**
Forceps
General Workmanship and Performance Measurements of Hemostatic Forceps, Specification for, **F1026 (13.01)**
Hemostatic Forceps, Terminology Relating to, **F921 (13.01)**
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb Type), Specification for, **F1613 (13.01)**
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb-Type), Terminology for, **F1638 (13.01)**
Force pulse
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
Force reduction
Athletic Performance Properties of Indoor Sports Floor Systems, Specification for, **F2772 (15.07)**
Evaluating the Force Reduction Properties of Surfaces for Athletic Use, Test Method for, **F2569 (15.07)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Force-to-actuate pumps
Determining the Peak Force-to-Actuate of a Mechanical Pump Dispenser, Test Method for, **D6534 (15.10)**
Force transducer
Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), Test Method for, **E556/E556M (04.03)**
Calibration of Braking/Tractive Measuring Devices for Testing Tires, Practice for, **F377 (09.02)**
Force verification
Force Verification of Testing Machines, Practices for, **E4 (03.01)**
Ford viscometer
Viscosity by Ford Viscosity Cup, Test Method for, **D1200 (06.01)**
Fore and aft stability
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Forehead thermometers
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Foreign language instruction
Assessing Language Proficiency, Practice for, **F2889 (15.11)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Foreign materials
Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, Guide for, **F1240 (15.07)**
Foreign matter content
Sa **Contamination**
Liquid Optical Adhesive, Specification for, **D2851 (15.06)**
Presence of Foreign Matter on Printed Wiring Board Contacts, Test Method for, **B885 (02.04)**
Foreign odors
Evaluating Foreign Odors in Paper Packaging, Practice for, **E619 (15.08)**
Forensic
Education and Training in Computer Forensics, Guide for, **E2678 (14.02)**
Forensic Digital Image Processing, Guide for, **E2825 (14.02)**
Forensic Engineering, Guide to, **E2713 (14.02)**
Preservation of Liquid Soaked Documents, Guide for, **E2711 (14.02)**
Forensic document examiners
Examination of Dry Seal Impressions, Guide for, **E2286 (14.02)**
Examination of Fracture Patterns and Paper Fiber Impressions on Single-Strike Film Ribbons and Typed Text, Guide for, **E2287 (14.02)**
Examination of Mechanical Checkwriter Impressions, Guide for, **E2285 (14.02)**
Examination of Questioned Documents, Terminology Relating to, **E2195 (14.02)**
Examination of Rubber Stamp Impressions, Guide for, **E2289 (14.02)**
Examination of Typewritten Items, Guide for, **E2494 (14.02)**
Expressing Conclusions of Forensic Document Examiners, Terminology for, **E1658 (14.02)**
Minimum Training Requirements for Forensic Document Examiners, Guide for, **E2388 (14.02)**
Physical Match of Paper Cuts, Tears, and Perforations in Forensic Document Examinations, Guide for, **E2288 (14.02)**
Preservation of Charred Documents, Guide for, **E2710 (14.02)**
Scope of Work of Forensic Document Examiners, Guide for, **E444 (14.02)**
Use of Image Capture and Storage Technology in Forensic Document Examination, Practice for, **E2765 (14.02)**
Forensic engineers
Collection and Preservation of Information and Physical Items by a Technical Investigator, Practice for, **E1188 (14.02)**
Forensic Engineering, Guide to, **E2713 (14.02)**
Forensic investigation/analysis
Collection and Preservation of Information and Physical Items by a Technical Investigator, Practice for, **E1188 (14.02)**
Computer Forensics, Practice for, **E2763 (14.02)**
Determination of Concentrations of Elements in Glass Samples Using Inductively Coupled Plasma Mass Spectrometry (ICP-MS) for Forensic Comparisons, Test Method for, **E2330 (14.02)**
Determination of Trace Elements in Soda-Lime Glass Samples Using Laser Ablation Inductively Coupled Plasma Mass Spectrometry for Forensic Comparisons, Test Method for, **E2927 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Digital and Multimedia Evidence Examination, Terminology for, **E2916 (14.02)**
Examination of Documents Produced with Toner Technology, Guide for, **E2390 (14.02)**
Examination of Dry Seal Impressions, Guide for, **E2286 (14.02)**
Examination of Fracture Patterns and Paper Fiber Impressions on Single-Strike Film Ribbons and Typed Text, Guide for, **E2287 (14.02)**
Examination of Handwritten Items, Guide for, **E2290 (14.02)**
Examination of Mechanical Checkwriter Impressions, Guide for, **E2285 (14.02)**
Examination of Rubber Stamp Impressions, Guide for, **E2289 (14.02)**
Expressing Conclusions of Forensic Document Examiners, Terminology for, **E1658 (14.02)**
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
Forensic Comparison of Glass Using Micro X-ray Fluorescence (μ-XRF) Spectrometry, Test Method for, **E2926 (14.02)**
Forensic Examination of Fabrics and Cordage, Guide for, **E2225 (14.02)**
Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, Guide for, **E2227 (14.02)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Investigation of Investigating Carbon Monoxide Poisoning Incidents, Practice for, **E2292 (14.02)**
Microcrystal Testing in Forensic Analysis of Cocaine, Guide for, **E1968 (14.02)**
Microcrystal Testing in Forensic Analysis of Methamphetamine and Amphetamine, Guide for, **E1969 (14.02)**
Microcrystal Testing in Forensic Analysis of Phencyclidine and Its Analogues, Guide for, **E2125 (14.02)**
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**
Physical Evidence Labeling and Related Documentation, Guide for, **E1459 (14.02)**
Physical Match of Paper Cuts, Tears, and Perforations in Forensic Document Examinations, Guide for, **E2288 (14.02)**
Preserving Ignitable Liquids and Ignitable Liquid Residue Extracts from Fire Debris Samples, Practice for, **E2451 (14.02)**
Quality Control of Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2031 (14.02)**
Receiving, Documenting, Storing, and Retrieving Evidence in a Forensic Science Laboratory, Practice for, **E1492 (14.02)**
Relating to Forensic Science, Terminology, **E1732 (14.02)**
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Sampling Seized Drugs for Qualitative and Quantitative Analysis, Guide for, **E2548 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**
Using Infrared Spectroscopy in Forensic Paint Examinations, Guide for, **E2937 (14.02)**
Validation of Seized-Drug Analytical Methods, Practice for, **E2549 (14.02)**

Forensic paint analysis
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Microspectrophotometry and Color Measurement in Forensic Paint Analysis, Guide for, **E2808 (14.02)**
Using Infrared Spectroscopy in Forensic Paint Examinations, Guide for, **E2937 (14.02)**
Using Scanning Electron Microscopy/X-Ray Spectrometry in Forensic Paint Examinations, Guide for, **E2809 (14.02)**

Forensic psychophysiology
Sa **PDD (psychophysiological detection of deception)**
Calibration and Functionality Checks Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2063 (14.02)**
Conduct of PDD Screening Examinations, Guide for, **E2386 (14.02)**
Conduct of Research in Psychophysiological Detection of Deception (Polygraph), Practice for, **E1954 (14.02)**
Forensic Psychophysiology, Terminology Relating to, **E2035 (14.02)**
Instrumentation, Sensors and Operating Software Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Guide for, **E2439 (14.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders, Guide for, **E2162 (14.02)**
PDD Examination Standards of Practice, Guide for, **E2062 (14.02)**
PDD Paired Testing, Guide for, **E2324 (14.02)**
Requirements for Psychophysiological Detection of Deception (PDD) Examiners, Guide for, **E2065 (14.02)**

Forensic sexual assault investigation
Minimum Training Requirements for Examiners Conducting Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders in Treatment, Probation or Other Similar Programs, Guide for, **E2163 (14.02)**
Preparation of Laboratory Analysis Requests in Sexual Assault Investigations, Specifications for, **E2057 (14.02)**
Sexual Assault Investigation, Examination, and Evidence Collection, Guide for, **E1843 (14.02)**

Forestland
Environmental Site Assessments: Phase I Environmental Site Assessment Process for Forestland or Rural Property, Practice for, **E2247 (11.05)**
Sampling Forest Trees for Determination of Clear Wood Properties, Practice for, **D5536 (04.10)**

Forest management plan
Categorizing Wood and Wood-Based Products According to Their Fiber Sources, Practice for, **D7612 (04.10)**
Evaluating the Attributes of a Forest Management Plan, Guide for, **D7480 (04.10)**

Forging billets—specifications
Sa **Steel billets and blooms**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**

Forging brass
See **UNS C37700 (forging brass)**

Forgings
Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), Test Method for, **G34 (03.02)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Magnetic Particle Examination of Steel Forgings, Practice for, **A275/A275M (01.05)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Stainless Steel Forgings, Ferritic/Austenitic (Duplex), for Pressure Vessels and Related Components, Specification for, **A1049/A1049M (01.05)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Ultrasonic Examination from Bored Surfaces of Cylindrical Forgings, Practice for, **A939/A939M (01.05)**
Ultrasonic Examination of Steel Forgings, Practice for, **A388/A388M (01.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Forgings—specifications
Hafnium and Hafnium Alloy Strip, Sheet, and Plate, Specification for, **B776 (02.04)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Plates, Carbon Steel, for Forging and Similar Applications, Specification for, **A827/A827M (01.04)**
Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, Specification for, **B639 (02.04)**
Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service, Specification for, **A638/A638M (01.03)**
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**
Steel Forgings, Carbon and Alloy, for General Industrial Use, Specification for, **A668/A668M (01.05)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Turnbuckles, Swaged, Welded, Forged, Specification for, **F1145 (01.07)**
Zirconium and Zirconium Alloy Forgings, Specification for, **B493/B493M (02.04)**
Forgings (alloy steel)
See **Alloy steel forgings—specifications**
Forgings (ball/roller bearings)
Sa **Ball/roller bearings**
High-Carbon Anti-Friction Bearing Steel, Specification for, **A295/A295M (01.05)**
Forgings (carbon steel)
See **Carbon steel forgings—specifications**
Forgings (copper alloy)
See **Copper alloy forgings—specifications**
Forgings (corrugating paper machinery)
Forged Steel Rolls Used for Corrugating Paper Machinery, Specification for, **A649/A649M (01.05)**
Forgings (stainless steel)
See **Stainless steel forgings—specifications**
Forgings (surgical implants)
See **Surgical implant forgings—specifications**
Forgings (turbine rotors/disks/shafts)
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**
Ultrasonic Examination of Turbine and Generator Steel Rotor Forgings, Practice for, **A418/A418M (01.05)**
Vacuum-Treated Steel Forgings for Generator Rotors, Specification for, **A469/A469M (01.05)**
Forgings (zinc-coated (galvanized))
Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**
Fork-tip impact resistance
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Fork truck handling
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Fork wear
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
Formability (in steel specifications)
See **Improved formability steel**
Formability testing
Bend Test for Determining the Formability of Copper and Copper Alloy Strip, Test Method for, **B820 (02.01)**
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel, Test Method for, **D4146 (06.02)**
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**
Formaldehyde
Acidity of Formaldehyde Solutions, Test Method for, **D2379 (06.04)**
Concentration of Formaldehyde Solutions, Test Method for, **D2194 (06.04)**
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Determination of Free Formaldehyde in Emulsion Polymers by Liquid Chromatography, Test Method for, **D5910 (06.03)**
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**
Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber, Test Method for, **D6007 (04.10)**
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Iron in Formaldehyde Solutions, Test Method for, **D2087 (06.04)**
Laboratory Measurement of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings, Test Method for, **D6902 (06.01)**
Methanol Content of Formaldehyde Solutions, Test Method for, **D2380 (06.04)**
Nonvolatile Content of Urea-Formaldehyde Resin Solutions, Test Method for, **D1490 (15.06)**
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**
Rapid Screening of VOC Emissions from Products Using Micro-Scale Chambers, Practice for, **D7706 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Formaldehyde—specifications
Sa **Thermal insulating cement**
Cellular Melamine Thermal and Sound-Absorbing Insulation, Specification for, **C1410 (04.06)**
Formaldehyde 50 % Grade Uninhibited and 37 % Grade Inhibited and Uninhibited, Specification for, **D2378 (06.04)**
Melamine-Formaldehyde Molding Compounds, Specification for, **D704 (08.01)**
Urea-Formaldehyde Molding Compounds, Specification for, **D705 (08.01)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**
Formaldehyde and aldehyde
Cellular Melamine Thermal and Sound-Absorbing Insulation, Specification for, **C1410 (04.06)**
Formaldehyde release
Measurement of Evolved Formaldehyde from Water Reducible Air-Dry Coatings, Test Method for, **D6191 (06.01)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**
Formate
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Formatting data
Formats for Collection and Compilation of Corrosion Data for Metals for Computerized Database Input, Guide for, **G107 (03.02)**
Formatting Cutting Data to Drive Numerically Controlled Fabric Cutting Machines, Practice for, **D6672 (07.02)**
Recommended Format of Wear Test Data Suitable for Databases, Guide for, **G118 (03.02)**
Sewn Products Pattern Data Interchange—Data Format, Practice for, **D6673 (07.02)**
Formboard
Sa **Gypsum products—specifications**
Gypsum Formboard, Specification for, **C318/C318M (04.01)**
Formboard—structural insulating
See **Block and board thermal insulation**
Formed-in-place gaskets
Determination of Volatile Content for Formed-in-Place Gaskets (FIPG) Silicone Adhesives and Sealants for Transportation Applications, Practice for, **F2524 (09.02)**
Formed in Place Liner System (FIPLS)
Installation of Polyethylene (PE) and Encapsulated Cement Mortar Formed in Place Lining System (FIPLS) for the Rehabilitation of Water Pipelines, Practice for, **F2719 (08.04)**
Polyethylene (PE) and Cement Materials for an Encapsulated Cement Mortar Formed in Place Liner System (FIPLS) for the Rehabilitation of Water Pipelines, Specification for, **F2718 (08.04)**
Formed-in-place sealants
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Form factor
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Formic acid
Acidity of Formaldehyde Solutions, Test Method for, **D2379 (06.04)**
Formic Acid in Glacial Acetic Acid, Test Method for, **D3546 (06.04)**
Form of product specifications
Editorial Procedures and Form of Product Specifications for Steel, Stainless Steel, and Related Alloys, Guide for, **A994 (01.01)**
Forms
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**
Forms for exposure tests
See **Records management**
Formulation physical constants
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**
Formwork removal
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Forstner bit
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**
Fortin-type mercurial barometers
Measuring Surface Atmospheric Pressure, Test Methods for, **D3631 (11.07)**
Forty-eight hour testing
Sa **Ninety-six hour test**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Forwarding time
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Forward mode
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Fossil fuel-fired power plants
Specifying Thermal Performance of Geothermal Power Systems, Guide for, **E974 (12.02)**
Fouling tendency
Detection of Fouling and Degradation of Particulate Ion Exchange Materials, Guide for, **D5217 (11.02)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**
Water Extractable Residue from Particulate Ion-Exchange Resins, Test Method for, **D5627 (11.02)**
Foundation design
Sa **Environmental site assessment (ESA)**
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Foundation piles
See **Piles**
Foundation units
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Fountains
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Four-ball method
Determination of the Coefficient of Friction of Lubricants Using the Four-Ball Wear Test Machine, Test Method for, **D5183 (05.02)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), Test Method for, **D2783 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Grease (Four-Ball Method), Test Method for, **D2596 (05.01)**
Wear Preventive Characteristics of Lubricating Fluid (Four-Ball Method), Test Method for, **D4172 (05.02)**
Wear Preventive Characteristics of Lubricating Grease (Four-Ball Method), Test Method for, **D2266 (05.01)**
Four electrodes method
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
Fourier-Transform infrared (FTIR) analysis
Condition Monitoring of In-Service Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Practice for, **E2412 (05.04)**
Condition Monitoring of Oxidation in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7414 (05.04)**
Condition Monitoring of Phosphate Antiwear Additives in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7412 (05.04)**
Condition Monitoring of Soot in In-Service Lubricants by Trend Analysis using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7844 (05.04)**
Condition Monitoring of Sulfate By-Products in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7415 (05.04)**
Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier Transform Infrared Spectroscopy – Rapid Screening Method, Test Method for, **D7797 (05.04)**
Measurement of Percent Crystallinity of Polyetheretherketone (PEEK) Polymers by Means of Specular Reflectance Fourier Transform Infrared Spectroscopy (R-FTIR), Test Method for, **F2778 (13.02)**
Set-Up and Operation of Fourier Transform Infrared (FT-IR) Spectrometers for In-Service Oil Condition Monitoring, Practice for, **D7418 (05.04)**

Fourier-transform nuclear magnetic resonance (FT-NMR) spectrometers
Measuring and Reporting Performance of Fourier-Transform Nuclear Magnetic Resonance (FT-NMR) Spectrometers for Liquid Samples, Practice for, **E2977 (03.06)**

Four-point bending
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, Test Method for, **D6272 (08.03)**
Metallic Bone Plates, Specification and Test Method for, **F382 (13.01)**

Four-point flexure
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, Test Method for, **C1576 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**

Four-point loaded beam method
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1161 (15.01)**
Modulus of Rupture in Bending of Electrode Graphite, Test Method for, **C1025 (05.05)**

Four-point probe method
Sa **Probe methods**
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, Practice for, **F1711 (10.04)**
Sheet Resistance of Thin Metallic Films With a Collinear Four-Probe Array, Test Method for, **F390 (10.04)**

Four-stroke diesel engine
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**

Fourteen-day testing
See **Ten-day testing**
See **Twenty-eight day testing**

Four variable equation
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**

Four-week test
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**

FPAPV (flow-proportioned average property value)
Determining a Flow-Proportioned Average Property Value (FPAPV) for a Collected Batch of Process Stream Material Using Stream Analyzer Data, Practice for, **D6624 (05.03)**

FPP (flexible polypropylene)
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**

Fractional deflection
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**

Fractional distillation
Sa **Distillation**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**

Fractional factorial design/experiment
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**
Design of Experiments, Terminology Relating to, **E1325 (14.02)**

Fractional filtration effeciency (FFE)
Determining Initial, Fractional, Filtration Efficiency of a Vacuum Cleaner System, Test Method for, **F1977 (15.08)**

Fractional penetration
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**

Fractionation products
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, Test Methods for, **D5974 (06.03)**

Fraction negative (FN)
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**

Fractography
Fractography and Characterization of Fracture Origins in Advanced Ceramics, Practice for, **C1322 (15.01)**
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**

Fracture
Determination of Quasistatic Fracture Toughness of Welds, Practice for, **E2818 (03.01)**
Determining Fracture Energy of Asphalt-Aggregate Mixtures Using the Disk-Shaped Compact Tension Geometry, Test Method for, **D7313 (04.03)**
Doubler Plate Repairs for Non-Classed Ship Structures, Guide for, **F2991 (01.07)**

Fracture appearance transition temperature (FATT)
Sa **Temperature tests**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**

Fractured faces/particles
Determining the Percentage of Fractured Particles in Coarse Aggregate, Test Method for, **D5821 (04.03)**

Fractured rock aquifers
See **Aquifers**

Fracture fixation
See **Fixation devices/applications**

Fracture fixation devices
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**

Fracture instability
Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions, Test Method for, **E2472 (03.01)**

Fracture mirrors
Fractographic Analysis of Fracture Mirror Sizes in Ceramics and Glasses, Practice for, **C1678 (15.01)**
Fractography and Characterization of Fracture Origins in Advanced Ceramics, Practice for, **C1322 (15.01)**

Fracture patterns
Examination of Fracture Patterns and Paper Fiber Impressions on Single-Strike Film Ribbons and Typed Text, Guide for, **E2287 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Physical Match of Paper Cuts, Tears, and Perforations in Forensic Document Examinations, Guide for, **E2288 (14.02)**

Fractures (skeletal)
See **Flexible surgical implant materials**

Fracture testing
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT), Test Method for, **D6723 (04.03)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**

Fracture testing—adhesive bonds
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Joints, Test Method for, **D5041 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**

Fracture testing—advanced ceramics
Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, Test Methods for, **C1421 (15.01)**
Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1161 (15.01)**
Fractography and Characterization of Fracture Origins in Advanced Ceramics, Practice for, **C1322 (15.01)**

Fracture testing—composites
Mixed Mode I-Mode II Interlaminar Fracture Toughness of Unidirectional Fiber Reinforced Polymer Matrix Composites, Test Method for, **D6671/D6671M (15.03)**
Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D5528 (15.03)**

Fracture testing—glass
Fractographic Analysis of Fracture Mirror Sizes in Ceramics and Glasses, Practice for, **C1678 (15.01)**
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**

Fracture testing—metals/alloys
K-R Curve Determination, Test Method for, **E561 (03.01)**
Determination of Reference Temperature, T_o, for Ferritic Steels in the Transition Range, Test Method for, **E1921 (03.01)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Drop-Weight Tear Tests of Ferritic Steels, Test Method for, **E436 (03.01)**
Dynamic Tear Testing of Metallic Materials, Test Method for, **E604 (03.01)**
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Fracture Testing with Surface-Crack Tension Specimens, Practice for, **E740/E740M (03.01)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Measurement of Fracture Toughness, Test Method for, **E1820 (03.01)**
Measurement of Initiation Toughness in Surface Cracks Under Tension and Bending, Test Method for, **E2899 (03.01)**
Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, Guide for, **B909 (02.02)**
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**
Relating to Fatigue and Fracture Testing, Terminology, **E1823 (03.01)**
Translaminar Fracture Toughness of Laminated and Pultruded Polymer Matrix Composite Materials, Test Method for, **E1922 (03.01)**

Fracture testing—nuclear reactors
Analysis and Interpretation of Light-Water Reactor Surveillance Results, Practice for, **E853 (12.02)**
In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, Guide for, **E509/E509M (12.02)**

Fracture testing—plastics
Determining J-R Curves of Plastic Materials, Test Method for, **D6068 (08.03)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials, Test Methods for, **D5045 (08.02)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**

Fracture testing—rock
Sa **Aquifers**
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**

Fracture toughness (K_{Ic})
Determination of Fracture Toughness of Graphite at Ambient Temperature, Test Method for, **D7779 (05.05)**
Determination of Quasistatic Fracture Toughness of Welds, Practice for, **E2818 (03.01)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Measurement of Fracture Toughness, Test Method for, **E1820 (03.01)**
Measurement of Initiation Toughness in Surface Cracks Under Tension and Bending, Test Method for, **E2899 (03.01)**
Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, Guide for, **B909 (02.02)**

Fragility
Mechanical-Shock Fragility of Products, Using Shock Machines, Test Methods for, **D3332 (15.10)**

Fragmentation
Blast Resistance of Trash Receptacles, Test Method for, **E2639 (15.08)**

Fragrance analysis
Quantitative Attribute Evaluation of Fragrance/Odors for Shampoos and Hair Conditioners by Trained Assessors, Guide for, **E2049 (15.08)**

Frame child carrier
Frame Child Carriers, Consumer Safety Specification for, **F2549 (15.11)**

Framed building constructions
Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings, Test Methods for, **E2126 (04.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Frame pack (internal/external)
Measurement of Backpack Capacity, Test Method for, **F2153 (15.07)**
Framework
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**
Franklin tester
Surface Insulation Resistivity of Single-Strip Specimens, Test Method for, **A717/A717M (03.04)**
Fraunhofer diffraction instrumentation
Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, Test Method for, **B822 (02.05)**
Free acid
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Acid Number of Certain Alkali-Soluble Resins, Test Method for, **D3643 (15.04)**
Acid Number of Styrene-Maleic Anhydride Resins, Test Method for, **D3644 (15.04)**
Free acid content
Sa **Acidity, alkalinity, pH**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Free calcium oxide content
See **Calcium oxide (CaO) content**
Free carbon dioxide
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Free core samplers
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Free-cutting brass
Sa **Brass**
Sa **Bronze**
Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines, Specification for, **B16/B16M (02.01)**
Free-cutting copper rod/bar
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**
Free cyanide
Sa **Cyanides**
Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D6888 (11.02)**
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**
Understanding Cyanide Species, Guide for, **D6696 (11.02)**
Free drainage samplers
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Free-draining soils
See **Cohesionless soil**
Free-fall drop tester
Bridge Impact Testing, Test Method for, **D5265 (15.10)**
Drop Test of Loaded Containers by Free Fall, Test Method for, **D5276 (15.10)**
Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, Test Methods for, **D4168 (15.10)**
Free-falling dart method
Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Falling Dart (Tup or Falling Mass), Test Method for, **D5628 (08.03)**
Impact Resistance of Plastic Film by the Free-Falling Dart Method, Test Methods for, **D1709 (08.01)**
Resistance to Puncture of Cushioned Resilient Floor Coverings, Test Method for, **F924 (15.04)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**
Free fall test method
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Free fatty acids
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**
Free film method
Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, Practice for, **C419 (04.06)**
Free-flowing metal powders
Apparent Density of Free-Flowing Metal Powders Using the Hall Flowmeter Funnel, Test Method for, **B212 (02.05)**
Apparent Density of Metal Powders and Related Compounds Using the Arnold Meter, Test Method for, **B703 (02.05)**
Free formaldehyde
Determination of Free Formaldehyde in Emulsion Polymers by Liquid Chromatography, Test Method for, **D5910 (06.03)**
Free halogens
Free Halogens in Halogenated Organic Solvents and Their Admixtures, Test Method for, **D4755 (15.05)**
Free-machining steel—specifications
Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, Specification for, **A838 (03.04)**
Free-Machining Stainless Steel Bars, Specification for, **A582/A582M (01.03)**
Free-Machining Stainless Steel Wire and Wire Rods, Specification for, **A581/A581M (01.03)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Steel Bars, Alloys, for Nitriding, Specification for, **A355 (01.05)**
Free monomers
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Free phenols
See **Phenolic compounds**
Free-running crosshead speed
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Free silica content
Sa **Silica content**
Analysis of Barium Sulfate Pigment, Test Methods for, **D715 (06.03)**
Free-swelling index
Free-Swelling Index of Coal, Test Method for, **D720 (05.06)**
Free-turning drum
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Free vibration
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Free water contamination
Free Water, Particulate and Other Contamination in Aviation Fuels (Visual Inspection Procedures), Test Method for, **D6986 (05.04)**
Free water content
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**
Water in Insulating Liquids by Coulometric Karl Fischer Titration, Test Method for, **D1533 (10.03)**
Freeze drying method
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Preservation of Liquid Soaked Documents, Guide for, **E2711 (14.02)**
Freeze protection
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Freezers
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**
Reach-in Refrigerators, Freezers, Combination Refrigerator/Freezers, and Thaw Cabinets, Specification for, **F2520 (15.12)**
Freeze-thaw stability
Determining the Freeze Thaw Stability of Adhesives, Practice for, **D7149 (15.06)**
Extrudability, After Package Aging, of Latex Sealants, Test Method for, **C731 (04.07)**
Freeze/Thaw Resistance of Exterior Insulation and Finish Systems (EIFS) and Water Resistive Barrier Coatings, Test Method for, **E2485/E2485M (04.12)**
Freeze-thaw test
Freeze-thaw and De-icing Salt Durability of Solid Concrete Interlocking Paving Units, Test Method for, **C1645/C1645M (04.05)**
Freeze/Thaw Resistance of Exterior Insulation and Finish Systems (EIFS) and Water Resistive Barrier Coatings, Test Method for, **E2485/E2485M (04.12)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Resistance of Cured Coatings to Thermal Cycling, Practice for, **D6944 (06.02)**
Freezing and thawing
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Asbestos-Cement Flat Sheet for Cooling Tower Fill, Specification for, **C1082 (04.05)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Evaluation of the Effect of Water Repellent Treatments on Freeze-Thaw Resistance of Hydraulic Cement Mortar Specimens, Test Method for, **D5860 (06.02)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Freeze-Thaw Stability of Multicolor Lacquers, Test Method for, **D2337 (06.01)**
Freezing Point of Aqueous Ethylene Glycol Base Engine Coolants by Automatic Phase Transition Method, Test Method for, **D6660 (15.05)**
Measuring the Resistance of Ceramic and Glass Tile to Freeze-Thaw Cycling, Test Method for, **C1026 (15.02)**
Resistance of Cured Coatings to Thermal Cycling, Practice for, **D6944 (06.02)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Use of Foundry Sand in Structural Fill and Embankments, Practice for, **D7765 (04.09)**
Freezing and thawing—concrete/aggregate
Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, Test Method for, **C1262 (04.05)**
Freeze-thaw and De-icing Salt Durability of Solid Concrete Interlocking Paving Units, Test Method for, **C1645/C1645M (04.05)**
Making and Curing Test Specimens for Evaluating Resistance of Coarse Aggregate to Freezing and Thawing in Air-Entrained Concrete, Practice for, **C1646/C1646M (04.02)**
Resistance of Concrete to Rapid Freezing and Thawing, Test Method for, **C666/C666M (04.02)**
Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals, Test Method for, **C672/C672M (04.02)**
Freezing and thawing—polishes
Freeze/Thaw Resistance of Polymer Floor Polishes, Test Method for, **D3209 (15.04)**
Freeze/Thaw Resistance of Wax Emulsion Floor Polish, Test Method for, **D5678 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Freezing and thawing—soil/rock
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Frost Heave and Thaw Weakening Susceptibility of Soils, Test Methods for, **D5918 (04.09)**
Freezing point
Freezing Point of Aviation Fuels (Automatic Laser Method), Test Method for, **D7153 (05.04)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**
Freezing point—petroleum products/applications
Corrosion-Preventive Properties of Lubricating Greases in Presence of Dilute Synthetic Sea Water Environments, Test Method for, **D5969 (05.02)**
Freezing Point of Aqueous Engine Coolants, Test Method for, **D1177 (15.05)**
Freezing Point of Aviation Fuels, Test Method for, **D2386 (05.01)**
Freezing Point of Aviation Fuels (Automatic Fiber Optical Method), Test Method for, **D7154 (05.04)**
Freezing Point of Aviation Fuels (Automatic Phase Transition Method), Test Method for, **D5972 (05.02)**
Freezing Points of High-Purity Hydrocarbons, Test Method for, **D1015 (05.01)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Use of the Refractometer for Field Test Determination of the Freezing Point of Aqueous Engine Coolants, Test Method for, **D3321 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Freezing-point measuring equipment
Preparation and Use of an Ice-Point Bath as a Reference Temperature, Practice for, **E563 (14.03)**
French blue
See **Iron blue pigment**
French (Charriere) size (FR)
Bronchoscopes (Rigid), Specification for, **F1218 (13.02)**
French fries test
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
French process
Zinc Oxide Pigments, Specification for, **D79 (06.03)**
Frequency domain electromagnetic method
Using the Frequency Domain Electromagnetic Method for Subsurface Investigations, Guide for, **D6639 (04.09)**
Frequency factor
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Frequency measurements
Sa **Statistical methods**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**
Frequency membrane switch
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**
Frequency-weighted sound level
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Fresh fluid cracking catalysts
See **Catalysts/catalyst carriers**
Fresh food
Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, Guide for, **F1355 (12.02)**
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
Freshly-mixed concrete
See **Ready-mixed concrete—specifications**
Fresh water
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**
Assessing Biodegradability of Hydraulic Fluids, Guide for, **D6006 (05.02)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting In-situ Field Bioassays With Caged Bivalves, Guide for, **E2122 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Renewal Phytotoxicity Tests With Freshwater Emergent Macrophytes, Guide for, **E1841 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Fish Sampling, Classification for, **D4211 (11.02)**
Indirect Measurements of Discharge by Step-Backwater Method, Test Method for, **D5388 (11.01)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Sampling Fish with Rotenone, Practice for, **D4131 (11.02)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Total Mercury in Water, Test Method for, **D3223 (11.01)**
Fresh water—collecting benthic macroinvertebrates
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Fresh water—ecological considerations in oil spill response
Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces, Guide for, **F1279 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies, Guide for, **F1210 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Ponds and Sloughs, Guide for, **F1209 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks, Guide for, **F1231 (11.05)**
Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces, Guide for, **F1280 (11.05)**
Freshwater fish
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**
Freshwater mussels
Conducting Laboratory Toxicity Tests with Freshwater Mussels, Guide for, **E2455 (11.06)**
Fresnel-reflector system
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Performing Accelerated Outdoor Weathering of Nonmetallic Ma-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

terials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**
Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, Practice for, **D4364 (08.02)**
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**

Fretting corrosion testing
Damage to Contacting Solid Surfaces under Fretting Conditions, Test Method for, **G204 (03.02)**
Electrical Contacts and Their Use, Terminology Relating to, **B542 (02.04)**
Fretting Corrosion Testing of Modular Implant Interfaces: Hip Femoral Head-Bore and Cone Taper Interface, Practice for, **F1875 (13.01)**
Fretting Fatigue Testing, Guide for, **E2789 (03.01)**
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**

Fretting sensitivity
Evaluating Connectability Characteristics of Electrical Conductor Materials, Test Methods for, **B896 (02.04)**

Fretting wear protection
Sa **Wear testing**
Determining Fretting Wear Resistance of Lubricating Greases Under High Hertzian Contact Pressures Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7594 (05.04)**
Fretting Wear Protection by Lubricating Greases, Test Method for, **D4170 (05.02)**

Frey four-axis diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

FRGP (fiber-reinforced gypsum panels)
Sa **Gypsum products—specifications**
Fiber-Reinforced Gypsum Panel, Specification for, **C1278/C1278M (04.01)**

Friability (mass loss)
Drop Shatter Test for Coal, Test Method of, **D440 (05.06)**
Strength Properties of Prefabricated Architectural Acoustical Tile or Lay-In Ceiling Panels, Test Methods for, **C367/C367M (04.06)**
Tumbler Test for Coal, Test Method of, **D441 (05.06)**
Tumbling Friability of Preformed Block-Type and Preformed Pipe-Covering-Type Thermal Insulation, Test Method for, **C421 (04.06)**

Friable asbestos-containing building materials
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**

Friable particles content
Clay Lumps and Friable Particles in Aggregates, Test Method for, **C142/C142M (04.02)**

Fricke dosimeter
Sa **Dosimetry**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Using the Fricke Dosimetry System, Practice for, **E1026 (12.02)**

Friction coefficients
Sa **Coefficient of friction (COF)—floor surfaces**
Determination of the Breakaway Friction Characteristics of Rolling Element Bearings, Test Method for, **G182 (03.02)**
Determining Friction Energy Dissipation in Reciprocating Tribosystems, Guide for, **G203 (03.02)**
Measuring and Reporting Friction Coefficients, Guide for, **G115 (03.02)**

Friction cone penetrometers
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**

Friction connectors
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**

Friction/frictional properties
Sa **Coefficient of friction (COF)**
Coefficient of Friction, Yarn to Solid Material, Test Method for, **D3108/D3108M (07.01)**
Coefficient of Friction, Yarn to Yarn, Test Method for, **D3412/D3412M (07.01)**
Correlations of Mu Values of Continuous Friction Measurement Equipment to Determine Maintenance Levels for Use at Airports, Practice for, **E2666 (04.03)**
Determining Tribomechanical Properties of Grease Lubricated Plastic Socket Suspension Joints Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7420 (05.04)**
Evaluation, Calibration, and Correlation of E274 Friction Measurement Systems and Equipment, Guide for the, **E2793 (04.03)**
Measuring Friction and Wear Properties of Extreme Pressure (EP) Lubricating Oils Using SRV Test Machine, Test Method for, **D6425 (05.03)**
Ranking Resistance of Plastics to Sliding Wear Using Block-on-Ring Wear Test—Cumulative Wear Method, Test Method for, **G176 (03.02)**
Reporting Friction and Wear Test Results of Manufactured Carbon and Graphite Bearing and Seal Materials, Guide for, **C808 (05.05)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**

Friction/frictional properties—insulating materials
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Friction/frictional properties—metallic materials
Digital Data Acquisition in Wear and Friction Measurements, Guide for, **G163 (03.02)**
Measurement of Web/Roller Friction Characteristics, Test Method for, **G143 (03.02)**
Measuring and Reporting Friction Coefficients, Guide for, **G115 (03.02)**
Ranking Resistance of Plastic Materials to Sliding Wear Using a Block-On-Ring Configuration, Test Method for, **G137 (03.02)**

Friction/frictional properties—paving mixtures
See **Pavement surfaces (friction analysis)**

Friction/frictional properties—petroleum applications
Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, Test Method for, **D2714 (05.01)**
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), Test Method for, **D6079 (05.02)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**
Fretting Wear Protection by Lubricating Greases, Test Method for, **D4170 (05.02)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5707 (05.02)**
Wear Life of Solid Film Lubricants in Oscillating Motion, Test Method for, **D2981 (05.01)**

Friction tape
Friction Tape, Specification for, **D4514 (10.02)**
Friction Tapes, Test Methods for, **D69 (10.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Friction tests
Conducting Friction Tests of Piston Ring and Cylinder Liner Materials Under Lubricated Conditions, Test Method for, **G181 (03.02)**
Determination of the Breakaway Friction Characteristics of Rolling Element Bearings, Test Method for, **G182 (03.02)**
Determining Friction Energy Dissipation in Reciprocating Tribosystems, Guide for, **G203 (03.02)**
Friction test tire
A Size 10 × 4–5 Smooth-Tread Friction Test Tire, Specification for, **E1844 (04.03)**
Friedel principles
Measuring Optical Retardation and Analyzing Stress in Glass, Test Method for, **F218 (15.02)**
Friedel (Senarmont) polarimeter
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Frit
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method, Test Method for, **C372 (15.02)**
Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, Practice for, **C824 (15.02)**
Frog embryo teratogenesis assay-xenopus (FETAX)
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**
Front-mounted bicycle child carriers
Rear-Mounted Bicycle Child Carriers, Specification and Test Method for, **F1625 (15.07)**
Front of center
Designation of the Balance Point Location for Archery Arrows, Specification for, **F1435 (15.07)**
Frost resistance
Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System, Test Method for, **D7148 (10.02)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Making and Curing Test Specimens for Evaluating Resistance of Coarse Aggregate to Freezing and Thawing in Air-Entrained Concrete, Practice for, **C1646/C1646M (04.02)**
Measuring the Resistance of Ceramic and Glass Tile to Freeze-Thaw Cycling, Test Method for, **C1026 (15.02)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Resistance of Concrete to Rapid Freezing and Thawing, Test Method for, **C666/C666M (04.02)**
Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals, Test Method for, **C672/C672M (04.02)**
Froude number
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Frozen food
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
Performance of Self-Contained Soft Serve and Shake Machines, Test Method for, **F2795 (15.12)**
Frozen food concentrates
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**
Frozen-freeze-dried cryosection analysis
Tissue Cryosection Analysis with SIMS, Practice for, **E1880 (03.06)**
Frozen-hydrated cryosection analysis
Tissue Cryosection Analysis with SIMS, Practice for, **E1880 (03.06)**
Frozen soil
Description of Frozen Soils (Visual-Manual Procedure), Practice for, **D4083 (04.08)**
Frozen Soil and Rock, Terminology Relating to, **D7099 (04.09)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**
Laboratory Determination of Strength Properties of Frozen Soil at a Constant Rate of Strain, Test Method for, **D7300 (04.09)**
FRP chimney liners
Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, Guide for, **D5364 (08.03)**
FRP fan blades
Examination of Fiberglass Reinforced Plastic Fan Blades Using Acoustic Emission, Practice for, **E2076/E2076M (03.03)**
Fruit
Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, Guide for, **F1355 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Fruit fly
Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, Guide for, **F1355 (12.02)**
Fruit and vegetable boxes
Testing Wood-Base Panel Corner Impact Resistance, Test Method for, **D6643 (04.10)**
Fryers
Deep-Fat Fryers, Gas or Electric, Open, Specification for, **F1963 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Frying pans
Frying and Braising Pans, Tilting Type, Specification for, **F1047 (15.12)**
FT (fully-tempered) flat glass
Heat-Strengthened and Fully Tempered Flat Glass, Specification for, **C1048 (15.02)**
FTIR analysis
Sa **Spectrometry**
Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D5292 (05.02)**
Condition Monitoring of Nitration in In-Service Petroleum and Hydrocarbon-Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7624 (05.04)**
Describing and Measuring Performance of Fourier Transform Mid-Infrared (FT-MIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1421 (03.06)**
Describing and Measuring Performance of Laboratory Fourier Transform Near-Infrared (FT-NIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1944 (03.06)**
Determination of Biodiesel (Fatty Acid Methyl Esters) Content in Diesel Fuel Oil Using Mid Infrared Spectroscopy (FTIR-ATR-PLS Method), Test Method for, **D7371 (05.04)**
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, Test Method for, **E1754 (15.05)**
Determination of Low Levels of Water in Liquid Chlorine by

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
Determination of Structural Features in Polyolefins and Polyolefin Copolymers by Infrared Spectrophotometry (FT-IR), Practice for, **D5576 (08.03)**
Determination of the Amount of Polypropylene (PP) in Polypropylene/LDPE Mixtures Using Infrared Spectrophotometer (FTIR), Test Method for, **D7399 (08.03)**
Determination of the Oxidation of Used Lubricants by FT-IR Using Peak Area Increase Calculation, Test Method for, **D7214 (05.04)**
Determination of the Vinyl Acetate Content of Ethylene-Vinyl Acetate (EVA) Copolymers by Fourier Transform Infrared Spectroscopy (FT-IR), Test Method for, **D5594 (08.03)**
Determination of Trace Gaseous Contaminants in Hydrogen Fuel by Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D7653 (05.06)**
Field Determination of In-Service Fluid Properties Using IR Spectroscopy, Test Method for, **D7889 (05.04)**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
FT-IR Fingerprinting of a Non-Aqueous Liquid Paint as Supplied in the Manufacturers Container, Guide for, **D7588 (06.01)**
Identification of Polymer Layers or Inclusions by Fourier Transform Infrared Microspectroscopy (FT-IR), Practice for, **D5477 (08.03)**
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Practice for, **E1982 (03.06)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Guide for, **E1865 (03.06)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**
Rubber Chemicals—Determination of Infrared Absorption Characteristics, Practice for, **D2702 (09.01)**
Solvent-Free Membrane Recoverable Oil and Grease by Infrared Determination, Test Method for, **D7575 (11.02)**
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**
Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6248 (08.03)**

FTIR reference spectra
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**

Fuel cells
Determination of Total Hydrocarbons in Hydrogen by FID Based Total Hydrocarbon (THC) Analyzer, Test Method for, **D7675 (05.06)**
Sampling of High Pressure Hydrogen and Related Fuel Cell Feed Gases, Practice for, **D7606 (05.06)**

Fuel conductivity
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**

Fuel contamination
Sa **Contamination—petroleum products**
Determination of Trace Gaseous Contaminants in Hydrogen Fuel by Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D7653 (05.06)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Water Separation Properties of Light and Middle Distillate, and Compression and Spark Ignition Fuels, Test Method for, **D7451 (05.04)**

Fuel degradation
Thermal Oxidation Stability of Aviation Turbine Fuels, Test Method for, **D3241 (05.01)**

Fuel dilution
Determination of Fuel Dilution for In-Service Engine Oils by Gas Chromatography, Test Method for, **D7593 (05.04)**
Gasoline Diluent in Used Gasoline Engine Oils by Distillation, Test Method for, **D322 (05.01)**
Gasoline Diluent in Used Gasoline Engine Oils by Gas Chromatography, Test Method for, **D3525 (05.01)**
Removing Volatile Contaminants from Used Engine Oils by Stripping, Test Method for, **D3607 (05.01)**

Fuel distribution systems
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**

Fuel economy
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIB Spark Ignition Engine, Test Method for, **D6837 (05.03)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, Test Method for, **D7589 (05.04)**

Fuel element cladding
See **Nuclear fuel cladding**

Fuel ethanol (Ed70-Ed85)
Ethanol Fuel Blends for Flexible-Fuel Automotive Spark-Ignition Engines, Specification for, **D5798 (05.02)**

Fuel ethanol (Ed75-Ed85)
Determination of Existent and Potential Inorganic Sulfate and Total Inorganic Chloride in Fuel Ethanol by Ion Chromatography Using Aqueous Sample Injection, Test Method for, **D7328 (05.04)**
Determination of Existent and Potential Sulfate and Inorganic Chloride in Fuel Ethanol and Butanol by Direct Injection Suppressed Ion Chromatography, Test Method for, **D7319 (05.04)**
Determination of pHe of Ethanol, Denatured Fuel Ethanol, and Fuel Ethanol (Ed75-Ed85), Test Method for, **D6423 (05.03)**

Fuel fabrication/reprocessing plants
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**

Fuel filterability/cleanliness
Determining Filter Blocking Tendency, Test Method for, **D2068 (05.01)**
Determining Filterability of Aviation Turbine Fuel, Test Method for, **D6824 (05.03)**
Determining Filterability of Middle Distillate Fuel Oils, Test Method for, **D6426 (05.03)**
Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), Test Method for, **D4539 (05.02)**

Fuel gas distribution systems
See **Gas delivery/distribution systems**

Fuel gas piping
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**

Fuel grade ethanol
Determination of Ethanol and Methanol Content in Fuels Containing Greater than 20% Ethanol by Gas Chromatography, Test Method for, **D5501 (05.02)**

Fuel heat exhanger
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fuel hopper
Room Heaters, Pellet Fuel-Burning Type, Specification for, **E1509 (04.11)**
Fueling hose reels
Manually Operated Fueling Hose Reels, Specification for, **F1347 (01.07)**
Fuel injector shear stability test (FISST)
Fuel Injector Shear Stability Test (FISST) for Polymer Containing Fluids, Test Method for, **D5275 (05.02)**
Fuel insolubles
Assessing Middle Distillate Fuel Storage Stability by Oxygen Overpressure, Test Method for, **D5304 (05.02)**
High Temperature Stability of Middle Distillate Fuels, Test Method for, **D6468 (05.03)**
Fuel methanol (M85)
Fuel Methanol (M70-M85) for Automotive Spark-Ignition Engines, Specification for, **D5797 (05.02)**
Fuel microbiology
Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, Practice for, **D6974 (05.04)**
Interlaboratory Studies for Microbiological Test Methods, Guide for, **D7847 (05.04)**
Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, Practice for, **D7464 (05.04)**
Fuel oils
Sa **Distillate fuels**
(Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), Test Method for, **D3227 (05.01)**
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**
Aromatic Types Analysis of Gas-Oil Aromatic Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D3239 (05.01)**
Ash from Petroleum Products, Test Method for, **D482 (05.01)**
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**
Calculated Flash Point from Simulated Distillation Analysis of Distillate Fuels, Test Method for, **D7215 (05.04)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Cleanliness and Compatibility of Residual Fuels by Spot Test, Test Method for, **D4740 (05.02)**
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Conradson Carbon Residue of Petroleum Products, Test Method for, **D189 (05.01)**
Determination of Aluminum and Silicon in Fuel Oils by Ashing, Fusion, Inductively Coupled Plasma Atomic Emission Spectrometry, and Atomic Absorption Spectrometry, Test Methods for, **D5184 (05.02)**
Determination of High Temperature Deposits by Thermo-Oxidation Engine Oil Simulation Test, Test Method for, **D6335 (05.03)**
Determination of Hydrogen Sulfide in Fuel Oils by Rapid Liquid Phase Extraction, Test Method for, **D7621 (05.04)**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Determining Filterability of Middle Distillate Fuel Oils, Test Method for, **D6426 (05.03)**
Diesel Fuel Oil, Biodiesel Blend (B6 to B20), Specification for, **D7467 (05.04)**
Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels, Test Method for, **D4868 (05.02)**
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Hydrogen In Petroleum Fractions, Test Method for, **D1018 (05.01)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Microbial Contamination in Fuels and Fuel Systems, Guide for, **D6469 (05.03)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Pour Point of Petroleum Products, Test Method for, **D97 (05.01)**
Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), Test Method for, **D5949 (05.02)**
Pour Point of Petroleum Products (Automatic Tilt Method), Test Method for, **D5950 (05.02)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Ramsbottom Carbon Residue of Petroleum Products, Test Method for, **D524 (05.01)**
Receipt, Storage, and Handling of Fuels for Gas Turbines, Practice for, **D4418 (05.02)**
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**
Saybolt Viscosity, Test Method for, **D88 (04.04)**
Sediment in Crude Oils and Fuel Oils by the Extraction Method, Test Method for, **D473 (05.01)**
Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D4294 (05.02)**
Sulfur in Petroleum Products by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D2622 (05.01)**
Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, Test Method for, **D3605 (05.01)**
Vapor-Liquid Ratio Temperature Determination of Fuels (Evacuated Chamber Method), Test Method for, **D5188 (05.02)**
Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure), Test Method for, **D1796 (05.01)**
Fuel oils—specifications
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Commercial Boiler Fuels With Used Lubricating Oils, Specification for, **D6823 (05.03)**
Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D4806 (05.02)**
Fuel Oils, Specification for, **D396 (05.01)**
Gas Turbine Fuel Oils, Specification for, **D2880 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Industrial Burner Fuels from Used Lubricating Oils, Specification for, **D6448 (05.03)**
Kerosine, Specification for, **D3699 (05.01)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Fuel oils (marine applications)
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**

Fuel oils (marine applications)—specifications
Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, Specification for, **F1567 (01.07)**
Fuel Oil Meters of the Volumetric Positive Displacement Type, Specification for, **F1172 (01.07)**
Rotary Positive Displacement Distillate Fuel Pumps, Specification for, **F1718 (01.07)**

Fuel quality
Adenosine Triphosphate (ATP) Content of Microorganisms in Fuel, Fuel/Water Mixtures and Fuel Associated Water, Test Method for, **D7463 (05.04)**

Fuel rail
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**

Fuel reservoir
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**

Fuel resistance
Solvent and Fuel Resistance of Traffic Paint, Test Method for, **D2792 (06.02)**

Fuels (test medias)
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**

Fuel sulfur
(Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), Test Method for, **D3227 (05.01)**
Active Sulfur in Cutting Oils, Test Method for, **D1662 (05.01)**
Corrosive Sulfur in Electrical Insulating Oils, Test Method for, **D1275 (10.03)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Chemiluminescence, Test Method for, **D5504 (05.06)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection, Test Method for, **D6228 (05.06)**
Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, Test Method for, **D5453 (05.02)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), Test Methods for, **D6750 (05.03)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**
Sulfur Compounds in Light Petroleum Liquids by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D5623 (05.02)**
Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6334 (05.03)**
Sulfur in Liquefied Petroleum Gases (Oxy-Hydrogen Burner or Lamp), Test Method for, **D2784 (05.01)**
Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D4294 (05.02)**
Sulfur in Petroleum Gas by Oxidative Microcoulometry, Test Method for, **D3246 (05.01)**
Sulfur in Petroleum Products (General High Pressure Decomposition Device Method), Test Method for, **D129 (05.01)**
Sulfur in Petroleum Products (High-Temperature Method), Test Method for, **D1552 (05.01)**
Sulfur in Petroleum Products (Lamp Method), Test Method for, **D1266 (05.01)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Sulfur in Petroleum Products by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D2622 (05.01)**
Total Sulfur in Fuel Gases by Combustion and Barium Chloride Titration, Test Method for, **D1072 (05.06)**
Total Sulfur in Gaseous Fuels by Hydrogenolysis and, Test Method for, **D4468 (05.06)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**
Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry, Test Method for, **D3120 (05.01)**

Fuel system icing inhibitors
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**

Fuel systems
Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, Practice for, **D7464 (05.04)**
Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), Test Method for, **D5949 (05.02)**
Pour Point of Petroleum Products (Automatic Tilt Method), Test Method for, **D5950 (05.02)**

Fuel transfer
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Fuel/water partitioning
Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, Practice for, **E1259 (11.05)**

Fugitive emissions
Sampling and Testing of Possible Carbon Black Fugitive Emissions or Other Environmental Particulate, or Both, Practice for, **D6602 (09.01)**

Full body spinal immobilization devices (FBSID)
See **Spinal cord immobilization**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Full bore flow
Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, Test Method for, **D2925 (08.03)**
Full-car simulation model
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Full-color copier
Estimating Toner Usage in Full-Color Copiers Utilizing Dry Mono- or Dual-Component Toners, Test Method for, **F1424 (15.09)**
Full complement bearing
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**
Full encirclement
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**
Fuller board
Sa **Pressboard (electrical insulating)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Full-scale testing
Sa **Interlaboratory testing**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Establishing Characteristic Values for Flexural Properties of Structural Glued Laminated Timber by Full-Scale Testing, Practice for, **D7341 (04.10)**
Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D6670 (11.07)**
Full-Scale Oxygen Consumption Calorimetry Fire Tests, Practice for, **E2067 (04.07)**
Full-size cribs
See **Cribs**
Full width applications
Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full-Width Applications, Test Method to, **D6140 (04.13)**
Fully-adhered waterproofing systems
Application of Fully Adhered Hot-Applied Reinforced Waterproofing Systems, Guide for, **D6622 (04.04)**
Application of Fully Adhered, Cold-Applied, Prefabricated Reinforced Modified Bituminous Membrane Waterproofing Systems, Guide for, **D6769/D6769M (04.04)**
Fully formulated heavy duty engine coolant
Fully-Formulated 1,3 Propanediol (PDO) Base Engine Coolant for Heavy-Duty Engines, Specification for, **D7517 (15.05)**
Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, Specification for, **D6210 (15.05)**
Fully-tempered (FT) flat glass
Glasses, Portlight, Circular, Fully Tempered, Specification for, **C1443 (15.02)**
Measuring Optical Distortion in Flat Glass Products Using Digital Photography of Grids, Test Method for, **C1652/C1652M (15.02)**
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**
Fume hoods
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Functional additions (to cement/concrete)
See **Additives—cement/concrete**
Functional chemical group classification
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Functional design/requirements
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**
Functional errors
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Functional inspection
Functional and Wear Evaluation of Motion-Preserving Lumbar Total Facet Prostheses, Practice for, **F2694 (13.02)**
Functionality
Calibration and Functionality Checks Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2063 (14.02)**
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Describing the Functionality of a Ground-Water Modeling Code, Guide for, **D6033 (04.09)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Functionality, Guide for, **E2351 (04.12)**
Functional stability
Basic Functional Stability of a Mechanical Pump Dispenser, Test Method for, **D6633 (15.10)**
Functional statistical relation
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Functional wet volume
Measuring Maximum Functional Wet Volume of Utility Vacuum Cleaners, Test Method for, **F1410 (15.08)**
Function analysis
Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**
Performing Value Engineering (VE)/Value Analysis (VA) of Projects, Products and Processes, Practice for, **E1699 (04.11)**
Fundamental resonant frequencies
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Fungal contamination
Assessment Of Fungal Growth in Buildings, Guide for, **D7338 (11.07)**
Categorization and Quantification of Airborne Fungal Structures in an Inertial Impaction Sample by Optical Microscopy, Test Method for, **D7391 (11.07)**
Determining Fungus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using Fingerpads of Adults, Test Method for, **E2613 (11.05)**
Fungal influence/resistance
1 % Sodium Hydroxide Solubility of Wood, Test Method for, **D1109 (04.10)**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Determining Fungi Resistance of Insulation Materials and Facings, Test Method for, **C1338 (04.06)**
Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environmental Chambers, Guide for, **D6329 (11.07)**
Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, Practice for, **D6974 (05.04)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Evaluating the Resistance of the Surface of Wet Blue to the Growth of Fungi in an Environmental Chamber, Test Method for, **D7584 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Evaluation of Microbicides Used in Cooling Water Systems, Practice for, **E645 (11.05)**
Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), Test Method for, **D4445 (04.10)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Mold Growth Resistance of Wet Blue, Test Method for, **D4576 (15.04)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Preservatives in Water-Containing Cosmetics, Test Method for, **E640 (11.05)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**

Fungal influence/resistance—adhesives
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, Test Methods for, **D4783 (15.06)**

Fungal influence/resistance—paints/related coatings
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, Guide for, **D4610 (06.01)**
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**
Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, Test Method for, **D3274 (06.01)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**

Fungal influence/resistance—paper
Efficacy of Fungal Control Agents as Preservatives for Aqueous-Based Products Used in the Paper Industry, Test Method for, **E875 (11.05)**
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**

Fungal influence/resistance—polymers
Determining Resistance of Synthetic Polymeric Materials to Fungi, Practice for, **G21 (14.04)**

Fungal material
Collection of Fungal Material From Surfaces by Tape Lift, Practice for, **D7910 (11.07)**
Collection of Total Airborne Fungal Structures via Inertial Impaction Methodology, Practice for, **D7788 (11.07)**

Fun karts
Consumer Recreational Use of Fun-Karts, Safety Guide for, **F1928 (15.11)**
Design, Manufacture, and Operation of Concession Go-Karts and Facilities, Practice for, **F2007 (15.07)**
Safety and Performance of Fun-Karts, Specification for, **F2011 (15.11)**

Funnels (laboratory)—specifications
Common Laboratory Glass Funnels, Specification for, **E1095 (14.04)**
Laboratory Glass Separatory Funnels, Specification for, **E1096 (14.04)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

2-Furaldehyde
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**

Furan
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D5421 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**

Furanic compounds
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**

Furfuraldehyde
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**

Furfuryl alcohol
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**

Furnace butt-welded steel pipe
High-Strength Low-Alloy Welded and Seamless Steel Pipe, Specification for, **A714 (01.01)**
Steel Line Pipe, Black, Furnace-Butt-Welded, Specification for, **A1037/A1037M (01.01)**

Furnace oils
Industrial Burner Fuels from Used Lubricating Oils, Specification for, **D6448 (05.03)**

Furnaces
Arsenic in Water, Test Methods for, **D2972 (11.01)**
Beryllium in Water, Test Methods for, **D3645 (11.01)**
Calibration of Refractory Metal Thermocouples Using a Radiation Thermometer, Test Method for, **E452 (14.03)**
Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, Test Method for, **A991/A991M (01.03)**
Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique, Test Method for, **D4218 (08.02)**
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Heat Treatment of Magnesium Alloys, Practice for, **B661 (02.02)**
Measuring Viscosity of Glass Above the Softening Point, Practice for, **C965 (15.02)**
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Minimum Autoignition Temperature of Dust Clouds, Test Method for, **E1491 (14.02)**
Nonvolatile and Pigment Content of Electrocoat Baths, Test Methods for, **D5145 (06.01)**
Palladium in Molecular Sieve Catalyst by Wet Chemistry, Test Method for, **D4782 (05.05)**
Pigment Content of Paints by Low-Temperature Ashing, Test Method for, **D4451 (06.01)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Rubber Compounding Materials—Determination of Ash Content, Test Methods for, **D4574 (09.01)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Selenium in Water, Test Methods for, **D3859 (11.01)**
Sulfur in the Analysis Sample of Coal and Coke Using High-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Temperature Tube Furnace Combustion, Test Method for, **D4239 (05.06)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Total Chemically Bound Nitrogen in Water by Pyrolysis and Chemiluminescence Detection, Test Method for, **D5176 (11.02)**
Total Solids and Ash Content in Leather Finishing Materials, Test Method for, **D4906 (15.04)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**
Vanadium in Water, Test Method for, **D3373 (11.01)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Furnaces—specifications
Apparatus For Microdetermination of Carbon and, Specification for, **E191 (14.04)**
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Mortar, Refractory (High-Temperature, Air-Setting), Specification for, **F1097 (01.07)**

Furnace spectrophotometric procedure
See **Spectrophotometry**

Furnace testing
Measuring the Uniformity of Furnace Exposure on Test Specimens, Practice for, **E2749 (04.07)**
Thermal Qualification of Type B Packages for Radioactive Material, Practice for, **E2230 (04.07)**

Furnishings
Home Furnishings, Terminology Relating to, **D7023 (07.02)**

Furniture
Access Depth Under Furniture of Vacuum Cleaners, Test Method for, **F420 (15.08)**
Cigarette Ignition Resistance of Components of Upholstered Furniture, Test Methods for, **E1353 (04.07)**
Cigarette Ignition Resistance of Mock-Up Upholstered Furniture Assemblies, Test Method for, **E1352 (04.07)**
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, Guide for, **E2280 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**
Home Furnishings, Terminology Relating to, **D7023 (07.02)**
Knitted Upholstery Fabrics for Indoor Furniture, Performance Specification for, **D4771/D4771M (07.02)**
Testing Wood-Base Panel Corner Impact Resistance, Test Method for, **D6643 (04.10)**

Furniture—marine applications
Chest of Drawers (Chiffonier), Steel, Marine, Specification for, **F822 (01.07)**
Desk, Log, Marine, Steel, with Cabinet, Specification for, **F823 (01.07)**
Doors, Furniture, Marine, Specification for, **F782 (01.07)**
Drawers, Furniture, Marine, Steel, Specification for, **F825 (01.07)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Tables, Mess, Marine, Steel, Specification for, **F824 (01.07)**
Tops, Furniture, Marine, Steel, Specification for, **F826 (01.07)**

Furniture—polish
Sa **Polishes**
Evaluation of Furniture Polish, Practice for, **D3751/D3751M (15.04)**

Furol viscosity
Saybolt Viscosity, Test Method for, **D88 (04.04)**
Viscosity of Emulsified Asphalt by Saybolt Furol Viscometer, Test Method for, **D7496 (04.03)**

Furring channels
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**

Furring tile
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**

Furtak water type diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Furyl//furfuryl//furfurol//furfural
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**

Fused apparel fabrics
Performance of Bonded, Fused, and Laminated Apparel Fabrics, Specification for, **D3135 (07.01)**

Fused-ring aromatics
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**

Fused silica capillary columns
Installing Fused Silica Open Tubular Capillary Columns in Gas Chromatographs, Practice for, **E1510 (03.06)**

Fuser oil
Estimating the Performance of a Fuser Oil in an Electrostatic Copier or Printer, Practice for, **F1434 (15.09)**

Fuses
Low Melting Point Alloys, Specification for, **B774 (02.04)**

Fusibility
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**
Fusibility of Refuse-Derived Fuel (RDF) Ash, Test Method for, **E953/E953M (11.04)**

Fusion
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium with Powder Bed Fusion, Specification for, **F2924 (10.04)**
Determination of Fusion Temperature of Dry Electrostatic Heat-Fixing Toners, Practice for, **F706 (15.09)**
Fusion Flow of Porcelain Enamel Frits (Flow-Button Methods), Test Methods for, **C374 (02.05)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Heat Fusion Joining of Polyethylene Pipe and Fittings, Practice for, **F2620 (08.04)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Plastic-Coated Fabrics—Completeness of Fusion of PVC Dispersion Coatings, Test Method for, **D4005 (09.02)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fusion—plastics
Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, Test Method for, **D2152 (08.04)**
Electrofusion Joining Polyolefin Pipe and Fittings, Practice for, **F1290 (08.04)**
Fusion of Poly(Vinyl Chloride) (PVC) Compounds Using a Torque Rheometer, Practice for, **D2538 (08.01)**
Fusion-bonded aerospace materials
Sa **Aerospace applications**
Shear Strength of Fusion Bonded Polycarbonate Aerospace Glazing Material, Test Method for, **F734 (15.03)**
Fusion-bonded epoxy-coated steel materials
Fusion Bonded Epoxy-Coated Pipe Piles, Specification for, **A972/A972M (01.01)**
Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, Specification for, **A950/A950M (01.04)**
Fusion-cast refractories
Fusion-Cast Refractory Blocks and Shapes, Classification for, **C1547 (15.01)**
Testing of Glass Exudation from AZS Fusion-Cast Refractories, Test Method for, **C1223 (15.01)**
Fusion-hydrochloric acid dehydration method
Corrosion-Resistant High-Silicon Iron Castings, Specification for, **A518/A518M (01.02)**
Fusion joints
Heat Fusion Joining of Polyethylene Pipe and Fittings, Practice for, **F2620 (08.04)**
Qualification of Polyethylene Saddle-Fused Joints, Practice for, **F905 (08.04)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Fusion-welded materials/applications
Sa **Electric-fusion-welded Ni/Ni alloy pipe**
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**
Soundness of Welds in Steel by Comparison to Graded ASTM, Radiographic Examination for, **E1955 (03.03)**
Steel Fusion Welds, Reference Radiographs for, **E390 (03.03)**
Fusion-welded materials/applications—specifications
Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, Specification for, **A537/A537M (01.04)**
Steel Bars, Alloy, Hot-Wrought, for Elevated Temperature or Pressure-Containing Parts, or Both, Specification for, **A739 (01.05)**
Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, Specification for, **A1020/A1020M (01.01)**
Structural Carbon Steel Plates of Improved Toughness, Specification for, **A573/A573M (01.04)**
Fuzz
Measuring Hairiness of Yarns by the Photo-Electric Apparatus, Guide for, **D5647 (07.02)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Elastomeric Pad, Test Method for, **D3514/D3514M (07.01)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
FZG visual method
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**

G

gabions
Assembly and Placement of Double-Twisted Wire Mesh Gabions and Revet Mattresses, Practice for, **D7014 (04.09)**
Gabion structures
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Specifying Rock to Fill Gabions, Revet Mattresses, and Gabion Mattresses, Practice for, **D6711 (04.09)**
Gabion structures—specifications
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated), Specification for, **A974 (01.06)**
GA-CAT abrasion tester
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Determination of Abrasion and Smudge Resistance of Images Produced from Office Products (GA-CAT Method), Practice for, **F1486 (15.09)**
Gadolinia
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Specification for, **C922 (12.01)**
Gadolinium oxide powder (nuclear grade)
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Determination of Uranium or Gadolinium (or both) in Gadolinium Oxide-Uranium Oxide Pellets or by X-Ray Fluorescence (XRF), Test Method for, **C1456 (12.01)**
Nuclear-Grade Gadolinium Oxide (Gd, Specification for, **C888 (12.01)**
Gadolinium oxide-uranium dioxide powder/pellets
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Determination of Total Chlorine and Fluorine in Uranium Dioxide and Gadolinium Oxide, Test Method for, **C1502 (12.01)**
Determination of Uranium or Gadolinium (or both) in Gadolinium Oxide-Uranium Oxide Pellets or by X-Ray Fluorescence (XRF), Test Method for, **C1456 (12.01)**
Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration, Test Method for, **C1430 (12.01)**
Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Specification for, **C922 (12.01)**
Gaffs
Personal Climbing Equipment, Specifications for, **F887 (10.03)**
Gage length
Archery Bow ComponentCord Material, Test Method for, **F1752 (15.07)**
Gages
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
In Situ Stress and Modulus of Deformation Using Flatjack

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Method, Test Method for, **D4729 (04.08)**
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**
Measuring Heat Flux Using Flush-Mounted Insert Temperature-Gradient Gages, Test Method for, **E2683 (15.03)**
Measuring Heat Flux Using Surface-Mounted One-Dimensional Flat Gages, Test Method for, **E2684 (15.03)**
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**

Gages—ships
Sa **Shipbuilding steel materials—specifications**
Gage Piping Assemblies, Specification for, **F721 (01.07)**

Gages—vapor pressure
See **Vapor pressure (VP_x)**

Gage selection criteria
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**

Gage vapor pressure
Gage Vapor Pressure of Liquefied Petroleum (LP) Gases (LP-Gas Method), Test Method for, **D1267 (05.01)**
Pressure Calibration of Thermal Analyzers, Test Method for, **E2744 (14.02)**

Gaging station
Operation of a Gaging Station, Guide for, **D5674 (11.02)**

Gaiters
Measurement of Cut Resistance to Chain Saw of Foot Protective Devices, Test Method for, **F1458 (11.03)**

Galactic cosmic rays
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**

Galactose
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**

Galfan alloy
GALFAN, Specification for, **B750 (02.04)**

Galling-resistant materials/applications
Galling Resistance of Material Couples, Test Method for, **G196 (03.02)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**

Gallium arsenide
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**

Gallium arsenide phosphide
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**

Gallium content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Gallons per minute
Prerinse Spray Valves, Test Method for, **F2324 (15.12)**

Galvanic cell
On-Line Measurement of Low-Level Dissolved Oxygen in Water, Test Method for, **D5462 (11.02)**

Galvanic chromate coatings
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**

Galvanic corrosion
Conducting and Evaluating Galvanic Corrosion Tests in Electrolytes, Guide for, **G71 (03.02)**
Conducting and Evaluating Laboratory Corrosion Tests in Soils, Practice for, **G162 (03.02)**
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Corrosiveness of Lubricating Fluid to Bimetallic Couple, Test Method for, **D6547 (05.03)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Standard Test Method for Evaluating the Potential for Galvanic Corrosion for Medical Implants, Test Method for, **F3044 (13.02)**

Galvanized materials/structures/surfaces
Sa **Hot-dip (galvanized) coatings**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**
Preparation of New, Continuous Zinc-Coated (Galvanized) Steel Surfaces for Painting, Guide for, **D7396 (06.02)**
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Painting, Practice for, **D6386 (06.02)**
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, Practice for, **D7803 (06.02)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Zinc-Coated (Galvanized) Steel Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1060/A1060M (01.04)**

Galvanized materials/structures/surfaces—specifications
Sa **Hot-dip (galvanized) coatings**
Continuous Galvanizing Grade (CGG) Zinc Alloys for Hot-Dip Galvanizing of Sheet Steel, Specification for, **B852 (02.04)**
Corrugated Steel Box Culverts, Specification for, **A964/A964M (01.06)**
Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric), Specification for, **A740 (01.06)**
Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, Specification for, **A854/A854M (01.06)**
Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**
Zinc–Coated (Galvanized) Carbon Steel Wire, Specification for, **A641/A641M (01.06)**
Zinc-5 % Aluminum (Hot-Dip) Coatings on Iron and Steel Products, Specification for, **A1072/A1072M (01.06)**

Galvanized steel bolts
See **Steel bolting materials—specifications**

Galvanized steel tubular pickets
Ornamental Fences Employing Galvanized Steel Tubular Pickets, Specification for, **F2408 (01.06)**

Galvannealed steel sheet—specifications
Sa **Steel sheet—specifications**
Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**

Galvanometer-voltmeter method
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**

Galvanostaircase polarization (GSCP)
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**

Galvanostatic measurement
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**

Gamma alumina
Gamma Alumina Content in Catalysts Containing Silica and Alumina by X-ray Powder Diffraction, Test Method for, **D4926 (05.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gamma counting
The Separation of Americium from Plutonium by Ion Exchange, Practice for, **C1414 (12.01)**
Gamma irradiation facility
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Gamma logging
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Gamma radiation
Sa **Irradiance/irradiation**
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Effects of Gamma Radiation on Coatings for Use in Nuclear Power Plants, Test Method for, **D4082 (06.02)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Interpretation of Existing Field Instrumentation to Influence Emergency Response Decisions, Guide for, **D7316 (11.02)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Performance Characterization of Dosimeters and Dosimetry Systems for Use in Radiation Processing, Guide for, **ISO/ASTM52701 (12.02)**
Radioscopic Examination of Castings, Practice for, **E1734 (03.03)**
Radioscopic Examination of Weldments, Test Method for, **E1416 (03.03)**
Radioscopy, Guide for, **E1000 (03.03)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Gamma radiation—electronic components/devices
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, Guide for, **E721 (12.02)**
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, Guide for, **E720 (12.02)**
Gamma radiation—nuclear materials/applications
Calculating Absorbed Dose From Gamma or X Radiation, Practice for, **E666 (12.02)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Determination of Plutonium Isotopic Composition by Gamma-Ray Spectrometry, Test Method for, **C1030 (12.01)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Gamma Energy Emission from Fission and Decay Products in Uranium Hexafluoride and Uranyl Nitrate Solution, Test Method for, **C1295 (12.01)**
Nondestructive Assay of Special Nuclear Material Holdup Using Gamma-Ray Spectroscopic Methods, Test Method for, **C1455 (12.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
The Separation of Americium from Plutonium by Ion Exchange, Practice for, **C1414 (12.01)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Use of Radiation-Sensitive Indicators, Guide for, **ISO/ASTM51539 (12.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
Gamma radiation—soil/rock
Density of Bituminous Concrete in Place by Nuclear Methods, Test Method for, **D2950/D2950M (04.03)**
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Gamma radiation—water
High-Resolution Gamma-Ray Spectrometry of Water, Practice for, **D3649 (11.02)**
Low-Level Analysis of Iodine Radioisotopes in Water, Test Method for, **D4785 (11.02)**
Measurement of Radioactivity, Practices for the, **D3648 (11.02)**
NaI(Tl) Gamma-Ray Spectrometry of Water, Practice for, **D4962 (11.02)**
Rapid Assessment of Gamma-ray Emitting Radionuclides in Environmental Media by Gamma Spectrometry, Practice for the, **D7784 (11.02)**
Gamma-ray spectrometry
Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, Practice for, **C1614 (12.01)**
Determination of Iodine-129 In Uranium Oxide, Guide for the, **C1638 (12.01)**
Determination of Plutonium Isotopic Composition by Gamma-Ray Spectrometry, Test Method for, **C1030 (12.01)**
High-Resolution Gamma-Ray Spectrometry of Soil Samples, Guide for, **C1402 (12.01)**
High-Resolution Gamma-Ray Spectrometry of Water, Practice for, **D3649 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Low-Level Analysis of Iodine Radioisotopes in Water, Test Method for, **D4785 (11.02)**
NaI(Tl) Gamma-Ray Spectrometry of Water, Practice for, **D4962 (11.02)**
Nondestructive Analysis of Special Nuclear Materials in Homogeneous Solutions by Gamma-Ray Spectrometry, Test Method for, **C1221 (12.01)**
Nondestructive Assay of Radioactive Material by Tomographic Gamma Scanning, Test Method for, **C1718 (12.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
Use of Modeling for Passive Gamma Measurements, Guide for, **C1726/C1726M (12.01)**

Gamma strip
Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, Test Method for, **A971/A971M (03.04)**

Gamma/X-radiography
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**

Gap-filling adhesives
Adhesives, Terminology of, **D907 (15.06)**
Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, Test Method for, **D3931 (15.06)**

Gap-filling adhesives—specifications
Sa **Adhesives—specifications**
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**

Garbage
Blast Resistance of Trash Receptacles, Test Method for, **E2639 (15.08)**
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**

Garden hose
See **Rubber hose**

Gardner-Coleman method
Oil Absorption of Pigments by Gardner-Coleman Method, Test Method for, **D1483 (06.01)**

Gardner color
Sa **Color—paints/related coatings/materials**
Color of Pine Chemicals and Related Products (Instrumental Determination of Gardner Color), Test Method for, **D6166 (06.03)**
Color of Transparent Liquids (Gardner Color Scale), Test Method for, **D1544 (06.01)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**

Gardner-Holdt viscosity
Sa **Viscosity**
Testing Tall Oil, Test Methods for, **D803 (06.03)**
Viscosity of Transparent Liquids by Bubble Time Method, Test Method for, **D1545 (06.01)**

Gardner impact test
Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), Test Method for, **D5420 (08.03)**

Garment leather
Resistance to Wetting of Garment-Type Leathers, Test Method for, **D1913 (15.04)**

Garments
Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing, Practice for, **F1731 (11.03)**
Conducting Wear Tests on Textiles, Guide for, **D3181 (07.01)**
ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, Specification for, **E1549/E1549M (15.03)**
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Seamless Knit Garments Including Intimates and Swimwear, Performance Specification for, **D7268 (07.02)**

Garment sizes
Body Dimensions for Apparel Sizing, Terminology Relating to, **D5219 (07.02)**
Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**
Body Measurements for Boys, Sizes 4H to 20H Husky, Tables of, **D6860/D6860M (07.02)**
Body Measurements for Boys, Sizes 8 to 14 Slim and 8 to 20 Regular, Tables of, **D6458 (07.02)**
Body Measurements for Children, Infant Sizes—Preemie to 24 Months, Tables of, **D4910/D4910M (07.02)**
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Body Measurements for Juniors, Sizes 0 to 19, Tables of, **D6829 (07.02)**
Body Measurements for Mature Men, ages 35 and older, Sizes Thirty-Four to Fifty-Two (34 to 52) Short, Regular, and Tall, Tables of, **D6240/D6240M (07.02)**
Body Measurements for Misses Maternity Sizes Two to Twenty-Two (2-22), Table of, **D7197 (07.02)**
Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**

Garnet paper
Rubber Property—Abrasion Resistance (Footwear Abrader), Test Method for, **D1630 (09.01)**

Gas
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**
Microscopical Determination of the Reflectance of Vitrinite Dispersed in Sedimentary Rocks, Test Method for, **D7708 (05.06)**
Reinforced Polyethylene Composite Pipe For The Transport Of Oil And Gas And Hazardous Liquids, Specification for, **F2896 (08.04)**
Sampling Gas from a Transformer Under Positive Pressure, Practice for, **D2759 (10.03)**
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**
Specification for Crosslinked Polyethylene (PEX) Material Gas Pressure Pipe and Tubing, Specification for, **F2818 (08.04)**

Gas absorption
Gassing of Electrical Insulating Liquids Under Electrical Stress and Ionization (Modified Pirelli Method), Test Method for, **D2300 (10.03)**

Gas adsorption
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, Test Method for, **D1993 (09.01)**

Gas analysis
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Hydrogen Sulfide in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4810 (05.06)**
Methane Thermophysical Property Tables, Specification for, **D3956 (05.06)**
Sampling Pressurized Gas for Gas Analysis, Practice for, **F307 (15.03)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Total Sulfur in Gaseous Fuels by Hydrogenolysis and, Test Method for, **D4468 (05.06)**

Gas atomized powder
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**

Gas chromatographic effluent spectra
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Gas chromatography (GC)
Analysis of Benzene by Gas Chromatography with External Calibration, Test Method for, **D7360 (06.04)**
Analysis of Cyclohexane by Gas Chromatography (Effective Carbon Number), Test Method for, **D7871 (06.04)**
Analysis of Cyclohexane by Gas Chromatography (External Standard), Test Method for, **D7266 (06.04)**
Analysis of Ethyl tert-Butyl Ether (ETBE) by Gas Chromatography, Test Method for, **D7796 (05.04)**
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography (External Standard), Test Method for, **D7057 (06.04)**
Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7398 (05.04)**
Boiling Range Distribution of Petroleum Distillates in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7213 (05.04)**
Boiling Range Distribution of Petroleum Distillates with Final Boiling Points up to 538°C by Ultra Fast Gas Chromatography (UF GC), Test Method for, **D7798 (05.04)**
Calculation of Gas Chromatographic Response Factors, Practice for, **D4626 (05.02)**
Determination of Benzene and Total Aromatics in Denatured Fuel Ethanol by Gas Chromatography, Test Method for, **D7576 (05.04)**
Determination of Boiling Range Distribution of Distillates and Lubricating Base Oils—in Boiling Range from 100 to 735°C by Gas Chromatography, Test Method for, **D7500 (05.04)**
Determination of Boiling Range Distribution of Hydrocarbon and Sulfur Components of Petroleum Distillates by Gas Chromatography and Chemiluminescence Detection, Test Method for, **D7807 (05.04)**
Determination of Butanol and Acetone Content of Butanol for Blending with Gasoline by Gas Chromatography, Test Method for, **D7875 (05.04)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Determination of Hydrocarbons and Non-Hydrocarbon Gases in Gaseous Mixtures by Gas Chromatography, Test Method for, **D7833 (05.06)**
Determination of Light Hydrocarbons in Stabilized Crude Oils by Gas Chromatography, Test Method for, **D7900 (05.04)**
Determination of Monomeric Plasticizers in Poly (Vinyl Chloride) (PVC) by Gas Chromatography, Practice for, **D7083 (08.03)**
Determination of Oxygenates in C2, C3, C4, and C5 Hydrocarbon Matrices by Gas Chromatography and Flame Ionization Detection, Test Method for, **D7423 (05.04)**
Determination of Parent and Alkyl Polycyclic Aromatics in Sediment Pore Water Using Solid-Phase Microextraction and Gas Chromatography/Mass Spectrometry in Selected Ion Monitoring Mode, Test Method for, **D7363 (11.02)**
Determination of Residual Methanol in Glycerin by Gas Chromatography, Test Method for, **D7716 (15.05)**
Determination of Residue Composition in Liquefied Petroleum Gas (LPG) Using Automated Thermal Desorption/Gas Chromatography (ATD/GC), Test Method for, **D7828 (05.04)**
Determination of Retained Blowing Agent in Extruded Polystyrene Foam, Test Method for, **D7132 (08.03)**
Determination of the Boiling Range Distribution of Gasoline by Wide-Bore Capillary Gas Chromatography, Test Method for, **D7096 (05.04)**
Determination of Trace Carbon Dioxide, Argon, Nitrogen, Oxygen and Water in Hydrogen Fuel by Jet Pulse Injection and Gas Chromatography/Mass Spectrometer Analysis, Test Method for, **D7649 (05.06)**
Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, Test Method for, **D7652 (05.06)**
Determination of Trace Oxygenates in Automotive Spark-Ignition Engine Fuel by Multidimensional Gas Chromatography, Test Method for, **D7754 (05.04)**
Determination of Trace Thiophene in Refined Benzene by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D7011 (06.04)**
Determining Residual Solvents in Packaging Materials, Test Methods for, **F1884 (15.10)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Gas Chromatograph Based On-line/At-line Analysis for Sulfur Content of Gaseous Fuels, Practice for, **D7165 (05.06)**
Gas Chromatography Terms and Relationships, Practice for, **E355 (03.06)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
Glycol Impurities in Mono-, Di-, Tri- and Tetraethylene Glycol and in Mono- and Dipropylene Glycol, Test Method for, **E2409 (15.05)**
Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, Test Method for, **D7753 (05.04)**
Installing Fused Silica Open Tubular Capillary Columns in Gas Chromatographs, Practice for, **E1510 (03.06)**
On-line/At-line Heating Value Determination of Gaseous Fuels by Gas Chromatography, Practice for, **D7164 (05.06)**
Online Measurement of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatograph and Electrochemical Detection, Test Method for, **D7493 (05.06)**
Packed Column Gas Chromatography, Practice for, **E260 (03.06)**
Purity of 1,3-Propanediol (Gas Chromatographic Method), Test Method for, **D7515 (15.05)**
Purity of Isophorone by Capillary Gas Chromatography, Test Method for, **D7090 (06.04)**
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**
Residues in Liquefied Petroleum (LP) Gases by Gas Chromatography with Liquid, On-Column Injection, Test Method for, **D7756 (05.04)**
Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), Practice for, **E2154 (14.02)**
Speciated Organic Volatile Content of Waterborne Multi-Component Coatings by Gas Chromatography, Test Method for, **D7768 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Testing Electrolytic Conductivity Detectors (ELCD) Used in Gas Chromatography, Practice for, **E1698 (03.06)**
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Testing Thermal Conductivity Detectors Used in Gas Chromatography, Practice for, **E516 (03.06)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and Effective Carbon Number, Test Method for, **D7504 (06.04)**
Use of Electron-Capture Detectors in Gas Chromatography, Practice for, **E697 (03.06)**
Using Flame Photometric Detectors in Gas Chromatography, Practice for, **E840 (03.06)**

Gas chromatography (GC)—atmospheric analysis/gases
Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, Practice for, **D3687 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), Test Method for, **D4413 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), Test Method for, **D5578 (11.07)**
Determination of Gaseous Organic Compounds by Direct Interface Gas Chromatography-Mass Spectrometry, Test Method for, **D6420 (11.07)**
Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), Test Method for, **D5466 (11.07)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Gas chromatography (GC)—chemicals
Analysis of Acetic Anhydride Using Gas Chromatography, Test Method for, **E1616 (15.05)**
Analysis of Acrylonitrile by Gas Chromatography, Test Method for, **E1863 (15.05)**
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Assay of Di-*tert*-Butyl Peroxide Using Gas Chromatography, Test Method for, **E475 (15.05)**
Benzene, Toluene, Xylene (BTX) Concentrates Analysis by Gas Chromatography, Test Method for, **D6563 (06.04)**
Carbon Tetrachloride and Chloroform in Liquid Chlorine by Direct Injection (Gas Chromatographic Procedure), Test Method for, **E806 (15.05)**
Low Concentrations of Diethlyene Glycol in Ethylene Glycol by Gas Chromatography, Test Methods for, **E611 (15.05)**

Gas chromatography (GC)—detergents
Analysis of Linear Detergent Alkylates, Test Methods for, **D4337 (15.04)**

Gas chromatography (GC)—electronic applications
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**

Gas chromatography (GC)—forensic sciences
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**

Gas chromatography (GC)—gaseous fuels
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Determination of Hydrocarbons in Liquefied Petroleum (LP) Gases and Propane/Propene Mixtures by Gas Chromatography, Test Method for, **D2163 (05.01)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection, Test Method for, **D6228 (05.06)**
Sampling of Process Vents with a Portable Gas Chromatograph, Practice for, **D6060 (11.07)**

Gas chromatography (GC)—insulating materials/applications
Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, Test Method for, **D2685 (10.03)**
Analysis of 2,6-Ditertiary-Butyl Para-Cresol and 2,6-Ditertiary-Butyl Phenol in Insulating Liquids by Gas Chromatography, Test Method for, **D4768 (10.03)**
Analysis of Gases Dissolved in Electrical Insulating Oil by Gas Chromatography, Test Method for, **D3612 (10.03)**
Analysis of Polychlorinated Biphenyls in Insulating Liquids by Gas Chromatography, Test Method for, **D4059 (10.03)**
Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, Test Method for, **E2269 (04.12)**

Gas chromatography (GC)—paints/related coatings/materials
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Acetone, Methyl Acetate, and Parachlorobenzotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, Test Method for, **D6438 (06.01)**
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
Analysis of, Test Method for, **D3797 (06.04)**
Analysis of AMS (α-Methylstyrene) by Capillary Gas Chromatography, Test Method for, **D6144 (06.04)**
Analysis of Benzene by Gas Chromatography, Test Method for, **D4492 (06.04)**
Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, Test Method for, **D5713 (06.04)**
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
Analysis of Styrene by Capillary Gas Chromatography, Test Method for, **D5135 (06.04)**
Analysis of Toluene by Capillary Column Gas Chromatography, Test Method for, **D6526 (06.04)**
Aromatics in Mineral Spirits by Gas Chromatography, Test Methods for, **D3257 (06.04)**
Benzene in Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D4367 (06.04)**
Boiling Point Distribution of Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D5399 (06.04)**
Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, Test Methods for, **D6387 (06.03)**
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chro-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

matograph, Test Method for, **D4457 (06.01)**
Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D4794 (06.03)**
Determination of the Individual Volatile Organic Compounds (VOCs) in Air-Dry Coatings by Gas Chromatography, Test Method for, **D6886 (06.01)**
Determination of Trace Thiophene in Refined Benzene by Gas Chromatography, Test Method for, **D4735 (06.04)**
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Direct Injection of Solvent-Reducible Paints Into a Gas Chromatograph for Solvent Analysis, Practice for, **D3271 (06.01)**
Ethyl Methyl Pentanol Content and Purity Value of 2-Ethylhexanol By Gas Chromatography, Test Method for, **D5008 (06.04)**
Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, Test Methods for, **D5974 (06.03)**
Identification of Oils and Oil Acids in Solvent-Reducible Paints, Test Method for, **D2245 (06.01)**
Methoxyl and Hydroxypropyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D3876 (06.03)**
Purity of Methyl Amyl Ketone and Methyl Isoamyl Ketone by Gas Chromatography, Test Method for, **D3893 (06.04)**
Purity of Methyl Ethyl Ketone By Gas Chromatography, Test Method for, **D2804 (06.04)**
Purity of Methyl Isobutyl Ketone by Gas Chromatography, Test Method for, **D3329 (06.04)**
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**
Qualitative Identification of Polymers in Emulsion Paints, Practice for, **D3168 (06.01)**
Tar Acid Composition by Capillary Gas Chromatography, Test Method for, **D5310 (06.04)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**
Trace Benzene in Hydrocarbon Solvents by Capillary Gas Chromatography, Test Method for, **D6229 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, Test Method for, **D2360 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, Test Method for, **D5917 (06.04)**
Uniformity of Traffic Paint Vehicle Solids by Spectroscopy and Gas Chromatography, Practices for, **D2743 (06.02)**
Water Content of Coatings by Direct Injection Into a Gas Chromatograph, Test Method for, **D3792 (06.01)**

Gas chromatography (GC)—petroleum products

Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**
Analysis of High-Purity n-Heptane and Isooctane by Capillary Gas Chromatography, Test Method for, **D2268 (05.01)**
Analysis of Methyl Tert-Butyl Ether (MTBE) by Gas Chromatography, Test Method for, **D5441 (05.02)**
Analysis of Petroleum Waxes by Gas Chromatography, Test Method for, **D5442 (05.02)**
Boiling Point Distribution of Samples with Residues Such as Crude Oils and Atmospheric and Vacuum Residues by High Temperature Gas Chromatography, Test Method for, **D7169 (05.04)**
Boiling Range Distribution of Gasoline and Gasoline Fractions by Gas Chromatography, Test Method for, **D3710 (05.01)**
Boiling Range Distribution of Petroleum Distillates in Boiling Range from 174 to 700°C by Gas Chromatography, Test Method for, **D6352 (05.03)**
Boiling Range Distribution of Petroleum Fractions by Gas Chromatography, Test Method for, **D2887 (05.01)**
Butadiene Dimer and Styrene in Butadiene Concentrates by Gas Chromatography, Test Method for, **D2426 (05.01)**
Butadiene Purity and Hydrocarbon Impurities by Gas Chromatography, Test Method for, **D2593 (05.01)**
Butylene Analysis by Gas Chromatography, Test Method for, **D4424 (05.02)**
Calculation of Gas Chromatographic Response Factors, Practice for, **D4626 (05.02)**
Comparison of Waterborne Petroleum Oils by Gas Chromatography, Test Methods for, **D3328 (11.02)**
Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D4806 (05.02)**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Determination of Benzene and Toluene in Finished Motor and Aviation Gasoline by Gas Chromatography, Test Method for, **D3606 (05.01)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determination of C, Test Method for, **D2427 (05.01)**
Determination of Chemical Species in Marine Fuel Oil by Multidimensional Gas Chromatography – Mass Spectrometry, Test Method for, **D7845 (05.04)**
Determination of Ethanol and Methanol Content in Fuels Containing Greater than 20% Ethanol by Gas Chromatography, Test Method for, **D5501 (05.02)**
Determination of Fuel Dilution for In-Service Engine Oils by Gas Chromatography, Test Method for, **D7593 (05.04)**
Determination of Hydrocarbon Impurities in Ethylene by Gas Chromatography, Test Method for, **D6159 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
Determination of Methanol in Crude Oils by Multidimensional Gas Chromatography, Test Method for, **D7059 (05.04)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Olefin Content of Gasolines by Supercritical-Fluid Chromatography, Test Method for, **D6550 (05.03)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
Determination of Polychlorinated Biphenyls (PCBs) in Waste Materials by Gas Chromatography, Test Method for, **D6160 (05.03)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Chemiluminescence, Test Method for, **D5504 (05.06)**
Determination of Total Monoglycerides, Total Diglycerides, Total Triglycerides, and Free and Total Glycerin in B-100 Bio-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

diesel Methyl Esters by Gas Chromatography, Test Method for, **D6584 (05.03)**
Determination of Total Sulfur in Light Hydrocarbons, Motor Fuels, and Oils by Online Gas Chromatography with Flame Photometric Detection, Test Method for, **D7041 (05.04)**
Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, Test Method for, **D4864 (05.02)**
Estimation of Engine Oil Volatility by Capillary Gas Chromatography, Test Method for, **D6417 (05.03)**
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**
Gasoline Diluent in Used Gasoline Engine Oils by Gas Chromatography, Test Method for, **D3525 (05.01)**
Hydrocarbon Traces in Propylene Concentrates by Gas Chromatography, Test Method for, **D2712 (05.01)**
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**
Paraffin, Naphthene, and Aromatic Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional Gas Chromatography, Test Method for, **D5443 (05.02)**
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**
Sulfur Compounds in Light Petroleum Liquids by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D5623 (05.02)**
Total Olefins in Spark-ignition Engine Fuels by Multidimensional Gas Chromatography, Test Method for, **D6296 (05.03)**
Trace Carbonyl Sulfide in Propylene by Gas Chromatography, Test Method for, **D5303 (05.02)**
Trace Ethylene Glycol in Used Engine Oil, Test Method for, **D4291 (05.02)**

Gas chromatography (GC)—plastics
Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene–Vinyl Acetate (EVA) Copolymers By Gas Chromatography, Test Method for, **D4275 (08.02)**
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**
Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, Test Method for, **D5507 (08.03)**
Determination of Volatiles in Polymers by Static Headspace Gas Chromatography, Practice for, **D4526 (08.02)**
Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography, Test Method for, **D4443 (08.02)**
Purity of Monomeric Plasticizers by Gas Chromatography, Test Method for, **D3465 (08.02)**
Residual Vinyl Chloride Monomer in Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique, Test Method for, **D3749 (08.02)**

Gas chromatography (GC)—rubber products/applications
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**
Rubber Latex—Styrene-Butadiene Copolymer—Determination of Residual Styrene, Test Method for, **D4026 (09.01)**
Rubber—Identification by Pyrolysis-Gas Chromatography, Practice for, **D3452 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6843 (09.01)**

Gas chromatography (GC)—solvents
Analysis of Halogenated Organic Solvents and Their Admixtures by Gas Chromatography, Practice for, **D6806 (15.05)**
Benzene in Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D4367 (06.04)**
Direct Injection of Solvent-Reducible Paints Into a Gas Chromatograph for Solvent Analysis, Practice for, **D3271 (06.01)**
Solvents Analysis in Hazardous Waste Using Gas Chromatography, Test Method for, **D5830 (11.04)**

Gas chromatography (GC)—water
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**
Comparison of Waterborne Petroleum Oils by Gas Chromatography, Test Methods for, **D3328 (11.02)**
Determination of Chlorinated Organic Acid Compounds in Water by Gas Chromatography with an Electron Capture Detector, Test Method for, **D5317 (11.02)**
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, Guide for, **D4128 (11.02)**
Low-Molecular Weight Halogenated Hydrocarbons in Water, Test Method for, **D3973 (11.02)**
Measuring Volatile Organic Matter in Water by Aqueous-Injection Gas Chromatography, Practice for, **D2908 (11.02)**
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**
Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, Test Method for, **D5175 (11.02)**
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, Test Method for, **D3695 (11.02)**

Gas chromatography infrared (GC/IR) analysis
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**

Gas chromatography/mass spectrometry (GC/MS)
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Determination of Benzene, Toluene, and Total Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, Test Method for, **D5769 (05.02)**
Determination of Chemical Species in Marine Fuel Oil by Multidimensional Gas Chromatography – Mass Spectrometry, Test Method for, **D7845 (05.04)**
Determination of Gaseous and Particulate Polycyclic Aromatic Hydrocarbons in Ambient Air (Collection on Sorbent-Backed Filters with Gas Chromatographic/Mass Spectrometric Analysis), Test Method for, **D6209 (11.07)**
Determination of Gaseous Organic Compounds by Direct Interface Gas Chromatography-Mass Spectrometry, Test Method for, **D6420 (11.07)**
Determination of Nonylphenol, Bisphenol A, p-tert -Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Gas Chromatography Mass Spectrometry, Test Method for, **D7065 (11.02)**
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**
Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, Guide for, **D4128 (11.02)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Measurement of Purgeable Organic Compounds in Water by Cap-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

illary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**

Gas comparison pycnometer
True Specific Gravity of Refractory Materials by Gas-Comparison Pycnometer, Test Method for, **C604 (15.01)**

Gas composition
Sa **Composition analysis—petroleum products**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**

Gas concentrations
Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, Test Method for, **E2269 (04.12)**
Determining Argon Concentration in Sealed Insulating Glass Units Using Spark Emission Spectroscopy, Test Method for, **E2649 (04.12)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**

Gas content
Analysis of Gases Dissolved in Electrical Insulating Oil by Gas Chromatography, Test Method for, **D3612 (10.03)**
Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, Practice for, **D3284 (10.03)**
Determination of Gas Content of Coal—Direct Desorption Method, Practice for, **D7569 (05.06)**
Gas Content of Cable and Capacitor Oils, Test Method for, **D831/D831M (10.03)**

Gas convection oven
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**

Gas cylinders
Examination of Gas-Filled Filament-Wound Composite Pressure Vessels Using Acoustic Emission, Practice for, **E2191/E2191M (03.03)**
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**

Gas delivery/distribution systems
Determination of Cycle Life of Automatic Valves for Gas Distribution System Components, Test Method for, **F1373 (10.04)**
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Determination of Oxygen Contribution by Gas Distribution System Components, Test Method for, **F1396 (10.04)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1375 (10.04)**
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**
Scanning Electron Microscope (SEM) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1372 (10.04)**

Gas delivery/distribution systems—specifications
Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems, Specification for, **F1973 (08.04)**
Metallic Mechanical Fittings for Use on Outside Diameter Controlled Thermoplastic Gas Distribution Pipe and Tubing, Specification for, **F1948 (08.04)**
Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F1924 (08.04)**
Pneumatic-Operated, Globe-Style, Control Valves, Specification for, **F1985 (01.07)**

Gas detector tube method
Screening of Reactive Sulfides in Waste, Test Methods for, **D4978 (11.04)**

Gas diffusion
Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D6888 (11.02)**
Film Permeability Determination Using Static Permeability Cells, Test Method for, **E2945 (11.05)**
Free Cyanide with Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7237 (11.02)**
Total Cyanide in Water by Micro Distillation followed by Flow Injection Analysis with Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7284 (11.02)**

Gaseous chemicals
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**

Gaseous chlorides/fluorides
Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, Test Method for, **D6735 (11.07)**

Gaseous disk pressure test
Determination of the Susceptibility of Metallic Materials to Hydrogen Gas Embrittlement (HGE), Test Method for, **F1459 (15.03)**

Gaseous environments
Determination of Gaseous and Particulate Polycyclic Aromatic Hydrocarbons in Ambient Air (Collection on Sorbent-Backed Filters with Gas Chromatographic/Mass Spectrometric Analysis), Test Method for, **D6209 (11.07)**
Determination of Gaseous Hexamethylene Diisocyanate (HDI) in Air with 9-(N-methylaminomethyl) Anthracene Method (MAMA) in the Workplace, Test Method for, **D6562 (11.07)**
Hand-Operated, Globe-Style Valves for Gas (Except Oxygen Gas) and Hydraulic Systems, Specification for, **F1794 (01.07)**
Oxides of Nitrogen in Gaseous Combustion Products (Phenol-Disulfonic Acid Procedures), Test Method for, **D1608 (11.07)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Volatile Matter Content of Activated Carbon Samples, Test Method for, **D5832 (15.01)**

Gaseous fuels
Sa **LPG (liquefied petroleum gases)**
Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), Test Method for, **D4084 (05.06)**
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Automatic Sampling of Gaseous Fuels, Practice for, **D5287 (05.06)**
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Calorific (Heating) Value of Gases in Natural Gas Range by Con-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tinuous Recording Calorimeter, Test Method for, **D1826 (05.06)**
Copper Strip Corrosion by Liquefied Petroleum (LP) Gases, Test Method for, **D1838 (05.01)**
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Chemiluminescence, Test Method for, **D5504 (05.06)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection, Test Method for, **D6228 (05.06)**
Determination of the Heating Value of Gaseous Fuels using Calorimetry and On-line/At-line Sampling, Practice for, **D7314 (05.06)**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases by Ultraviolet Fluorescence, Test Method for, **D6667 (05.03)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**
Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels, Test Method for, **D4868 (05.02)**
Gage Vapor Pressure of Liquefied Petroleum (LP) Gases (LP-Gas Method), Test Method for, **D1267 (05.01)**
Gas Chromatograph Based On-line/At-line Analysis for Sulfur Content of Gaseous Fuels, Practice for, **D7165 (05.06)**
Gaseous Fuels, Terminology Relating to, **D4150 (05.06)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Gravimetric Measurement of Particulate Concentration of Hydrogen Fuel, Test Method for, **D7651 (05.06)**
Hydrogen Sulfide in Liquefied Petroleum (LP) Gases (Lead Acetate Method), Test Method for, **D2420 (05.01)**
Mercury Sampling and Measurement in Natural Gas by Atomic Absorption Spectroscopy, Test Method for, **D5954 (05.06)**
On-line/At-line Heating Value Determination of Gaseous Fuels by Gas Chromatography, Practice for, **D7164 (05.06)**
Online Measurement of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatograph and Electrochemical Detection, Test Method for, **D7493 (05.06)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**
Rubber Hose for Gas Diffusion of Liquefied Petroleum Gas, Test Method for, **D3902 (09.02)**
Sampling of High Pressure Hydrogen and Related Fuel Cell Feed Gases, Practice for, **D7606 (05.06)**
Sampling of Particulate Matter in High Pressure Hydrogen used as a Gaseous Fuel with an In-Stream Filter, Test Method for, **D7650 (05.06)**
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**
Sulfur in Petroleum Gas by Oxidative Microcoulometry, Test Method for, **D3246 (05.01)**
Total Sulfur Analyzer Based On-line/At-line for Sulfur Content of Gaseous Fuels, Practice for, **D7166 (05.06)**
Total Sulfur in Fuel Gases by Combustion and Barium Chloride Titration, Test Method for, **D1072 (05.06)**
Total Sulfur in Gaseous Fuels by Hydrogenolysis and, Test Method for, **D4468 (05.06)**
Universal Oxidation/Thermal Stability Test Apparatus, Guide for, **D4871 (05.02)**
Volatility of Liquefied Petroleum (LP) Gases, Test Method for, **D1837 (05.01)**
Volumetric Measurement of Gaseous Fuel Samples, Test Methods for, **D1071 (05.06)**
Water Vapor Content of Gaseous Fuels by, Test Method for, **D1142 (05.06)**
Water Vapor Content of Gaseous Fuels Using Electronic Moisture Analyzers, Test Method for, **D5454 (05.06)**

Gaseous fuels—specifications
Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D4806 (05.02)**
Liquefied Petroleum (LP) Gases, Specification for, **D1835 (05.01)**

Gaseous hydride AAS
Selenium in Water, Test Methods for, **D3859 (11.01)**

Gaseous oxygen systems/service
Sa **Oxygen service/systems**
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**
Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, Test Method for, **G125 (14.04)**
Special Requirements for Valves Used in Gaseous Oxygen Service, Specification for, **F1792 (01.07)**

Gases
Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, Specification for, **F1508 (01.07)**
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Determination of Hydrocarbons and Non-Hydrocarbon Gases in Gaseous Mixtures by Gas Chromatography, Test Method for, **D7833 (05.06)**
Determination of the Susceptibility of Metallic Materials to Hydrogen Gas Embrittlement (HGE), Test Method for, **F1459 (15.03)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**
Determining Vacuum Chamber Gaseous Environment Using a Cold Finger, Practice for, **E834 (15.03)**
Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, Test Method for, **D2477 (10.03)**
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**
Estimation of Solubility of Gases in Petroleum Liquids, Test Method for, **D2779 (05.01)**
Ethane Thermophysical Property Tables, Specification for, **D3984 (05.06)**
General Planning of Waste Sampling, Guide for, **D4687 (11.04)**
Hand-Operated, Globe-Style Valves for Gas (Except Oxygen Gas) and Hydraulic Systems, Specification for, **F1794 (01.07)**
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Impregnated Activated Carbon Used to Remove Gaseous Radioiodines from Gas Streams, Specification for, **D4069 (15.01)**
Intercomparing Permeation Tubes to Establish Traceability, Guide for, **D4298 (11.07)**
Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, Specification for, **D5025 (08.02)**
Limiting Oxygen (Oxidant) Concentration in Gases and Vapors, Test Methods for, **E2079 (14.02)**
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Measurement of Gases Present or Generated During Fires, Guide for, **E800 (04.07)**
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**
Minimum Ignition Energy and Quenching Distance in Gaseous Mixtures, Test Method for, **E582 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Practice for, **E1982 (03.06)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Packed Column Gas Chromatography, Practice for, **E260 (03.06)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Seamless Copper Tube for Medical Gas Systems, Specification for, **B819 (02.01)**
Solubility of Fixed Gases in Low-Boiling Liquids, Test Method for, **D3429 (05.01)**
Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, Test Method for, **C1069 (15.02)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**
Volatile Matter in the Analysis of Particulate Wood Fuels, Test Method for, **E872 (05.06)**
Volumetric Measurement of Gaseous Fuel Samples, Test Methods for, **D1071 (05.06)**
Water Vapor Content of Gaseous Fuels Using Electronic Moisture Analyzers, Test Method for, **D5454 (05.06)**

Gases—medical applications
See **Anesthesia equipment—specifications**

Gases—natural
See **Natural gas service systems**

Gases—radioactive
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**

Gases (atmospheric)
Sa **Atmospheric analysis**
Average Velocity in a Duct (Pitot Tube Method), Test Method for, **D3154 (11.07)**
Average Velocity in a Duct Using a Thermal Anemometer, Test Method for, **D3464 (11.07)**
Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons, Test Method for, **B810 (02.04)**
Calibration of Type S Pitot Tubes, Practice for, **D3796 (11.07)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), Test Method for, **D4413 (11.07)**
Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, Test Methods for, **D2010/D2010M (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Gases (electrical insulating)
See **Electrical insulating gases**

Gas evolution/absorption
Gassing of Electrical Insulating Liquids Under Electrical Stress and Ionization (Modified Pirelli Method), Test Method for, **D2300 (10.03)**

Gas exposures
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**

Gas-filled flashlamps
See **Lasers and laser applications**

Gas-filled pressure vessels
Sa **Pressure vessel steel**
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**

Gas flow
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Calibrating Gaseous Reference Leaks, Practice for, **E908 (03.03)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Gas Flow Resistance Testing of Filtration Media, Methods for, **F778 (11.07)**
Measured Speed of Oil Diffusion Pumps, Test Method for, **E295 (15.03)**
Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, Practice for, **F1734 (08.04)**

Gas food service equipment
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**

Gas food service equipment—specifications
Convection Oven Gas or Electric, Specification for, **F2092 (15.12)**
Deep-Fat Fryers, Gas or Electric, Open, Specification for, **F1963 (15.12)**
Frying and Braising Pans, Tilting Type, Specification for, **F1047 (15.12)**
Griddles, Single-Sided and Double-Sided, Gas and Electric, Specification for, **F1919 (15.12)**
Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1602 (15.12)**
Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1603 (15.12)**

Gas gathering
Black Crosslinked Polyethylene (PEX) Line Pipe, Fittings and Joints For Oil and Gas Producing Applications, Specification for, **F2905/F2905M (08.04)**

Gasketed conduit
Sa **Conduits—specifications**
Assembly Force of Plastic Underground Conduit Joints That Use Flexible Elastomeric Seals Located in the Bell, Test Method for, **F1429 (08.04)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Gasketed fittings
Poly(Vinyl Chloride) (PVC) Gasketed Sewer Fittings, Specification for, **F1336 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gasketed joint assemblies
Evaluating Flat-Faced Gasketed Joint Assemblies, Practice for, **F145 (09.02)**
Gasketed material composites/laminates
Compressibility and Recovery of Laminated Composite Gasket Materials, Test Method for, **F806 (09.02)**
Multi-Layer Steel (MLS) and Other Metal Layer Gaskets for Transportation Applications, Classification for, **F2325 (09.02)**
Gasketed mechanical couplings (GMC)
Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications, Specification for, **F1548 (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Gasket materials
Hot Compression Properties of Gasket Materials, Test Method for, **F2837 (09.02)**
Sealability of Sheet, Composite, and Solid Form-in-Place Gasket Materials, Test Method for, **F2378 (09.02)**
Gaskets
Adhesion of Gasket Materials to Metal Surfaces, Test Method for, **F607 (09.02)**
Binder Durability of Cork Composition Gasket Materials, Test Method for, **F148 (09.02)**
Comparison of Nonmetallic Flat Gaskets in High Pressure Saturated Steam, Practice for, **F2716 (09.02)**
Compressibility and Recovery of Gasket Materials, Test Method for, **F36 (09.02)**
Compressibility and Recovery of Laminated Composite Gasket Materials, Test Method for, **F806 (09.02)**
Compressive Strength of Gaskets at Elevated Temperatures, Test Method for, **F1574 (09.02)**
Corrosion Testing of Gaskets, Test Method for, **F363 (09.02)**
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**
Creep Relaxation of Laminated Composite Gasket Materials, Test Method for, **F1276 (09.02)**
Density of a Sheet Gasket Material, Test Method for, **F1315 (09.02)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Evaluating Flat-Faced Gasketed Joint Assemblies, Practice for, **F145 (09.02)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Evaluating Thermal Conductivity of Gasket Materials, Practice for, **F433 (09.02)**
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**
Flexibility of Non-Metallic Gasket Materials, Test Method for, **F147 (09.02)**
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Gaskets, Definitions of Terms Relating to, **F118 (09.02)**
Gaskets for Use in Connection with Hub and Spigot Cast Iron Soil Pipe and Fittings for Sanitary Drain, Waste, Vent, and Storm Piping Applications, Test Method for, **C1563 (01.02)**
High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, Specification for, **D6909 (09.02)**
Hot Compression Properties of Gasket Materials, Test Method for, **F2837 (09.02)**
Laminated Composite Gasket Materials, Classification for, **F868 (09.02)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Nonmetallic Gasket Materials, Classification System for, **F104 (09.02)**
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Tension Testing of Nonmetallic Gasket Materials, Test Methods for, **F152 (09.02)**
Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials, Test Method for, **C1083 (04.07)**
Weight Loss of Gasket Materials Upon Exposure to Elevated Temperatures, Test Method for, **F495 (09.02)**
Gaskets—specifications
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, Specification for, **E2203 (04.07)**
Elastomeric Cellular Preformed Gasket and Sealing, Specification for, **C509 (04.07)**
Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F477 (08.04)**
Installing Lock-Strip Gaskets and Infill Glazing Materials, Specification for, **C716 (04.07)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets, Specification for, **C443 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric), Specification for, **C443M (04.05)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Lock-Strip Gaskets, Specification for, **C542 (04.07)**
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints, Specification for, **C505 (04.05)**
Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric), Specification for, **C505M (04.05)**
Packaging, Identification, Shipment, and Storage of Lock-Strip Gaskets, Specification for, **C963 (04.07)**
Poly (Vinyl Chloride) (PVC) Gaskets for Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems, Specification for, **D5926 (08.03)**
Preformed Open–Cell Sponge Rubber Pail and Drum Gaskets, Specification for, **F1909 (09.02)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Rubber Gaskets for Cast Iron Soil Pipe and Fittings, Specification for, **C564 (01.02)**
Rubber Sheet Gaskets, Specification for, **D1330 (09.02)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**
Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F913 (08.04)**
Gaskets (enveloped)
Blow-Out Testing of Preformed Gaskets, Test Method for, **F434 (09.02)**
Corrosion Testing of Gaskets, Test Method for, **F363 (09.02)**
Design and Construction of Nonmetallic Enveloped Gaskets for Corrosive Service, Practice for, **F336 (09.02)**
Sealability of Enveloped Gaskets, Test Method for, **F112 (09.02)**
Gaskets (lock strip)
See **Lock strip gaskets—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gas-leak-detector solutions
Determining Whether Gas-Leak-Detector Fluid Solutions Can Cause Stress Corrosion Cracking of Brass Alloys, Test Method for, **G186 (03.02)**
Leak Detector Solutions Intended for Use on Brasses and Other Copper Alloys, Specification for, **G188 (03.02)**
Gas lift/displacement/piston pumps
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Gas oils
Determining Filterability of Aviation Turbine Fuel, Test Method for, **D6824 (05.03)**
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Gasoline
(Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), Test Method for, **D3227 (05.01)**
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Color of Petroleum Products by the Automatic Tristimulus Method, Test Method for, **D6045 (05.02)**
Corrosiveness to Copper from Petroleum Products by Copper Strip Test, Test Method for, **D130 (05.01)**
Depentanization of Gasoline and Naphthas, Test Method for, **D2001 (05.01)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determination of Butanol and Acetone Content of Butanol for Blending with Gasoline by Gas Chromatography, Test Method for, **D7875 (05.04)**
Determination of C, Test Method for, **D2427 (05.01)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Olefin Content of Gasolines by Supercritical-Fluid Chromatography, Test Method for, **D6550 (05.03)**
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Boiling Range Distribution of Gasoline by Wide-Bore Capillary Gas Chromatography, Test Method for, **D7096 (05.04)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**
Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, Test Method for, **D7753 (05.04)**
Hydrocarbon Types in Low Olefinic Gasoline by Mass Spectrometry, Test Method for, **D2789 (05.01)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, Test Method for, **D7687 (05.04)**
Oxidation Stability of Gasoline (Induction Period Method), Test Method for, **D525 (05.01)**
Oxidation Stability of Spark Ignition Fuel—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7525 (05.04)**
Phosphorus in Gasoline, Test Method for, **D3231 (05.01)**
Preparation of Low-Pressure Gas Blends, Practice for, **D4051 (05.02)**
Preparing Volumetric Blends of Denatured Fuel Ethanol and Gasoline Blendstocks for Laboratory Analysis, Practice for, **D7717 (05.04)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Rapid Field Test for Trace Lead in Unleaded Gasoline (Colorimetric Method), Test Method for, **D3348 (05.01)**
Silicon in Gasoline and Related Products by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7757 (05.04)**
Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6334 (05.03)**
Sulfur in Gasoline, Diesel Fuel, Jet Fuel, Kerosine, Biodiesel, Biodiesel Blends, and Gasoline-Ethanol Blends by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7039 (05.04)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**
Vapor Pressure of Gasoline and Gasoline-Oxygenate Blends (Dry Method), Test Method for, **D4953 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**
Gasoline—aviation
Sa **Aviation fuels**
Evaluation of New Aviation Gasolines and New Aviation Gasoline Additives, Guide for, **D7826 (05.04)**
Gasoline—lead content
Lead in Gasoline by Atomic Absorption Spectroscopy, Test Method for, **D3237 (05.01)**
Lead in Gasoline—Iodine Monochloride Method, Test Method for, **D3341 (05.01)**
Gasoline—nonleaded
Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D4294 (05.02)**
Gasoline alcohol/ether blends
Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, Specification for, **D6227 (05.03)**
Gasoline content—used lubricating oil
Gasoline Diluent in Used Gasoline Engine Oils by Distillation, Test Method for, **D322 (05.01)**
Gasoline Diluent in Used Gasoline Engine Oils by Gas Chromatography, Test Method for, **D3525 (05.01)**
Gasoline diluent
Gasoline Diluent in Used Gasoline Engine Oils by Distillation, Test Method for, **D322 (05.01)**
Gasoline Diluent in Used Gasoline Engine Oils by Gas Chromatography, Test Method for, **D3525 (05.01)**
Gasoline engines
Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, Specification for, **A983/A983M (01.05)**
Gasoline lines
Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gasoline-oxygenate blends
Vapor Pressure of Gasoline and Gasoline-Oxygenate Blends (Dry Method), Test Method for, **D4953 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**
Gasoline sampling
Sampling and Handling of Fuels for Volatility Measurement, Practice for, **D5842 (05.02)**
Gasoline storage
Sa **Containers—gasoline (specifications)**
Ampulization and Storage of Gasoline and Related Hydrocarbon Materials, Practice for, **D6596 (05.03)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**
Gas permeability
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Oxygen Transmission Rate Through Dry Packages Using a Coulometric Sensor, Test Method for, **F1307 (15.10)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Gas-phase adsorption
Gas-Phase Adsorption Testing of Activated Carbon, Guide for, **D5160 (15.01)**
Gas phase diffusion
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Gas phase NDIR
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Gas pipelines
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**
Polyamide 12 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2785 (08.04)**
Selection of Natural Gas Pipelines Suitable for Installation of Optical Fiber Systems, Practice for, **F2350 (04.12)**
Gas pipe renewal
Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, Specification for, **F2207 (08.04)**
Gas pressure
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
Manufacture and Joining of Polyethylene (PE) Gas Pressure Pipe With a Peelable Polypropylene (PP) Outer Layer, Specification for, **F2830 (08.04)**
Polyamide 11 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2945 (08.04)**
Polyamide 12 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2785 (08.04)**
Gas pressure systems/applications
Determination of the Temperature of Above-Ground Plastic Gas Pressure Pipe Within Metallic Casings, Practice for, **F689 (08.04)**
Determining Allowable Tensile Load for Polyethylene (PE) Gas Pipe During Pull-In Installation, Practice for, **F1804 (08.04)**
Examination of Gas-Filled Filament-Wound Composite Pressure Vessels Using Acoustic Emission, Practice for, **E2191/E2191M (03.03)**
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Gas pressure systems/applications—specifications
Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, Specification for, **F2207 (08.04)**
Electric-Fusion (Arc)-Welded Steel Pipe (NPS 4 and Over), Specification for, **A139/A139M (01.01)**
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Poly (Vinyl Chloride) (PVC) Gas Pressure Pipe and Fittings For Maintenance or Repair, Specification for, **F2817 (08.04)**
Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, Specification for, **D2513 (08.04)**
Reinforced Epoxy Resin Gas Pressure Pipe and Fittings, Specification for, **D2517 (08.03)**
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**
Wrought High-Strength Ferritic Steel Butt-Welding Fittings, Specification for, **A860/A860M (01.01)**
Gas pycnometer
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**
Gas recirculation diesel engine
Evaluation of Diesel Engine Oils in T-10 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D6987/D6987M (05.04)**
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7422 (05.04)**
Evaluation of Diesel Engine Oils in the T-11 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7156 (05.04)**
Gas sampling
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Gas seals
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
GAS seamless copper UNS C12200 tube
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**
Gassing characteristics
Determination of Gassing Characteristics of Insulating Liquids Under Thermal Stress, Test Method for the, **D7150 (10.03)**
Gas solubility
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**
Estimation of Solubility of Gases in Petroleum Liquids, Test Method for, **D2779 (05.01)**
Estimation of Solubility of Water in Hydrocarbon and Aliphatic Ester Lubricants, Test Method for, **D4056 (05.02)**
Solubility of Fixed Gases in Low-Boiling Liquids, Test Method for, **D3429 (05.01)**
Gas source multi-collector mass spectrometer
Isotopic Analysis of Uranium Hexafluoride by Single–Standard Gas Source Multiple Collector Mass Spectrometer Method, Test Method for, **C1428 (12.01)**
Gas streams
Calibration of Type S Pitot Tubes, Practice for, **D3796 (11.07)**
Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams, Specification for, **D4069 (15.01)**
Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**
Volumetric and Mass Flow Rate Measurement in a Duct Using Tracer Gas Dilution, Test Method for, **E2029 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gas stripping
Removing Volatile Contaminants from Used Engine Oils by Stripping, Test Method for, **D3607 (05.01)**
Gastight doors
Sa **Shipbuilding steel materials—specifications**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, Specification for, **F1068 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**
Gas tightness
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Gas transmission rate (GTR)
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using Various Sensors, Test Method for, **F2622 (15.10)**
Gastroenteritis
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Gastrointestinal analysis
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**
Gas turbine fuel oils
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**
Air Release Properties of Petroleum Oils, Test Method for, **D3427 (05.01)**
Ash from Petroleum Products, Test Method for, **D482 (05.01)**
Determination of Contaminants in Gas Turbine and Diesel Engine Fuel by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6728 (05.03)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), Test Method for, **D4809 (05.02)**
High Temperature Universal Oxidation Test for Turbine Oils, Test Method for, **D6514 (05.03)**
In-Service Monitoring of Mineral Turbine Oils for Steam, Gas, and Combined Cycle Turbines, Practice for, **D4378 (05.02)**
Oxidation Characteristics of Inhibited Mineral Oils, Test Method for, **D943 (05.01)**
Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel, Test Method for, **D2272 (05.01)**
Receipt, Storage, and Handling of Fuels for Gas Turbines, Practice for, **D4418 (05.02)**
Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water, Test Method for, **D665 (05.01)**
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**
Thermal Oxidative Stability Measurement via Quartz Crystal Microbalance, Practice for, **D7739 (05.04)**
Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, Test Method for, **D3605 (05.01)**
Universal Oxidation Test for Hydraulic and Turbine Oils Using the Universal Oxidation Test Apparatus, Test Method for, **D5846 (05.02)**
Gas turbine fuel oils—specifications
Gas Turbine Fuel Oils, Specification for, **D2880 (05.01)**
Gas turbine generators
Sa **Generator materials—turbine**
Measurement of In-Duct Sound Pressure Levels from Large Industrial Gas Turbines and Fans, Guide for, **E2459 (04.06)**
Gate/alarm section
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Gate and field oxides
Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, Test Method for, **F996 (10.04)**
Gate function load test
Rescue Carabiners, Specification for, **F1956 (13.02)**
Gates
Automated Vehicular Gate Construction, Specification for, **F2200 (01.06)**
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Self-Closing/Self-Latching General-Purpose Gates, Guide for, **F2630 (01.06)**
Gauges
Measuring Rut-Depth of Pavement Surfaces Using a Straightedge, Test Method for, **E1703/E1703M (04.03)**
Gaussian distribution
Statistical Analysis of Service Life Data, Guide for, **G166 (14.04)**
Gaussmeter
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Gavage
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**
Gazda classification diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
GC/ECD
Determination of Polychlorinated Biphenyls (PCBs) in Waste Materials by Gas Chromatography, Test Method for, **D6160 (05.03)**
GC/IR
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
GCL (geosynthetic clay liner)
See **Geosynthetic clay liner (GCL)**
GC/MS system
See **Gas chromatography/mass spectrometry (GC/MS)**
GCP phases (of multiphasic materials)
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**
Gear actuator butterfly valves
Envelope Dimensions for Butterfly Valves—NPS 2 to 24, Specification for, **F1098 (01.07)**
Gear bronze (casting)
Sa **Bronze**
Gear Bronze Alloy Castings, Specification for, **B427 (02.01)**
Gear cleanliness
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Gear failure
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hy-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

poid Drive Axles, Test Method for, **D6121 (05.02)**
Gear lubricants
Sa **Lubricants (fluid)**
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**
Performance of Rear Axle Gear Lubricants Intended for API Category GL-5 Service, Specification for, **D7450 (05.04)**
Gear oils (GO)
Sa **Lubricating oils**
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**
Foaming Characteristics of Lubricating Oils, Test Method for, **D892 (05.01)**
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer, Test Method for, **D2983 (05.01)**
Oxidation Characteristics of Extreme-Pressure Lubrication Oils, Test Methods for, **D2893 (05.01)**
Gears
Carbon and Alloy Steel Forgings for Rings for Reduction Gears, Specification for, **A290/A290M (01.05)**
Evaluation of Moisture Corrosion Resistance of Automotive Gear Lubricants, Test Method for, **D7038 (05.04)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, Specification for, **A291/A291M (01.05)**
Gear scuffing
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Gear teeth
Examination of Mill and Kiln Girth Gear Teeth—Electromagnetic Methods, Practice for, **E2905/E2905M (03.03)**
Gear wear
Sa **Wear testing—petroleum products**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**
Gel absorption chromatography
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Gelation
Determination of Reactivity of Unsaturated Polyesters and Vinyl Esters at 180.0°F (82.2°C), Test Method for, **D7029 (08.03)**
Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7111 (05.04)**
Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, Test Method for, **D7110 (05.04)**
Gelation analysis
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Gel-bulk electrography
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Gel characteristics
Rubber—Determination of Gel, Swelling Index, and Dilute Solution Viscosity, Test Method for, **D3616 (09.01)**
Gel electrophoresis
Identification of Herpes Simplex Virus or Its DNA, Guide for, **E1286 (14.02)**
Gel filtration
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**
Gel foam
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**
Gel insecticides
Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, Test Method for, **E1517 (11.05)**
Gelled rocket propellant
See **Aerospace fluids/propellants**
Gelled vehicle
Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, Practice for, **D5166 (06.03)**
Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, Practice for, **D5165 (06.03)**
Gel permeation chromatography (GPC)
Determining Molecular Weight Distribution and Molecular Weight Averages of Polyolefins by High Temperature Gel Permeation Chromatography, Test Method for, **D6474 (08.03)**
Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by High Performance Size-Exclusion Chromatography, Test Method for, **D5296 (08.03)**
Gels
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Gel-saline prosthesis
Implantable Breast Prostheses, Specification for, **F703 (13.01)**
Gels (fisheyes) content
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**
Determination of Gels (Fisheyes) In General-Purpose Poly(Vinyl Chloride) (PVC) Resins, Practice for, **D3596 (08.02)**
Gel time
Gel Time of Carbon Fiber-Epoxy Prepreg, Test Method for, **D3532/D3532M (15.03)**
Gel Time of Solventless Varnishes, Test Method for, **D3056 (10.02)**
Gel Time of Thermosetting Coating Powder, Test Method for, **D4217 (06.02)**
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
General accounts/conditions/requirements
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
General clinical codes/signs
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**
General delivery requirements
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
General delivery requirements—Cu/Cu-alloy
General Requirements for Copper Alloy Castings, Specification for, **B824 (02.01)**
General Requirements for Wrought Copper Alloy Wire, Specification for, **B250/B250M (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B248 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plate, Sheet, Strip, and Rolled Bar (Metric), Specification for, **B248M (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
General Requirements for Wrought Seamless Copper and Copper-Alloy Tube, Specification for, **B251 (02.01)**
General Requirements for Wrought Seamless Copper and Copper-Alloy Tube (Metric), Specification for, **B251M (02.01)**

General delivery requirements—iron
Common Requirements for Iron Castings for General Industrial Use, Specification for, **A834 (01.02)**

General delivery requirements—Ni/Ni alloys
General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet, and Strip, Specification for, **B906 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube, Specification for, **B829 (02.04)**

General delivery requirements—plastics
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, Specification for, **F1282 (08.04)**

General delivery requirements—steel
Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A781/A781M (01.02)**
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, Specification for, **A961/A961M (01.01)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Ferroalloys and Other Alloying Materials, General Requirements, Specification for, **A1025/A1025M (01.02)**
General Requirements for Alloy and Stainless Steel Pipe, Specification for, **A999/A999M (01.01)**
General Requirements for Carbon and Low Alloy Steel Tubes, Specification for, **A450/A450M (01.01)**
General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, Specification for, **A1016/A1016M (01.01)**
General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A480/A480M (01.03)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
General Requirements for Specialized Carbon and Alloy Steel Pipe, Specification for, **A530/A530M (01.01)**
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
General Requirements for Stainless Steel Wire and Wire Rods, Specification for, **A555/A555M (01.03)**
General Requirements for Steel Plates for Pressure Vessels, Specification for, **A20/A20M (01.04)**
General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel, and Alloy Steel, Specification for, **A510/A510M (01.03)**
Investment Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A957/A957M (01.02)**
Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for, Specification for, **A29/A29M (01.05)**
Steel Castings, General Requirements, for Pressure-Containing Parts, Specification for, **A703/A703M (01.02)**
Steel Forgings, General Requirements, Specification for, **A788/A788M (01.05)**
Steel Investment Castings General Requirements, for Pressure-Containing Parts, Specification for, **A985/A985M (01.02)**
Steel, Sheet and Strip, Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A505 (01.03)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for, Specification for, **A635/A635M (01.03)**
Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A568/A568M (01.03)**
Steel, Strip, Carbon and High-Strength, Low-Alloy, Hot-Rolled, General Requirements for, Specification for, **A749/A749M (01.03)**

General intercept procedures
Determining Average Grain Size, Test Methods for, **E112 (03.01)**

Generally accepted accounting principles (GAAP)
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**

General production conditions
Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, Test Methods for, **D5286 (06.02)**

General purpose balances
See **Balances**

General purpose jacket—specifications
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**

General purpose masking
Pressure-Sensitive Tape for Light-Duty Packaging and General Purpose Masking, Specification for, **D6123/D6123M (15.10)**

General purpose wire/strip—specifications
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**

General requirements
Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**

General vehicular design
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**

Generator materials
Alloy Steel Forgings for Nonmagnetic Retaining Rings for Generators, Specification for, **A289/A289M (01.05)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**

Generator materials—turbine
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Specification for, **A288 (01.05)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Mineral and Synthetic Lubricating Oil Used in Steam or Gas Turbines, Specification for, **D4304 (05.02)**
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Steel Forgings, Stainless, for Compressor and Turbine Airfoils, Specification for, **A982/A982M (01.05)**
Ultrasonic Examination of Turbine-Generator Steel Retaining Rings, Practice for, **A531/A531M (01.05)**
Vacuum-Treated Alloy Steel Forgings for Turbine Rotor Disks and Wheels, Specification for, **A471/A471M (01.05)**

Generator materials—turbine rotors and shafts
Heat Stability of Steam Turbine Shafts and Rotor Forgings, Specification for, **A472/A472M (01.05)**
Ultrasonic Examination of Turbine and Generator Steel Rotor Forgings, Practice for, **A418/A418M (01.05)**
Vacuum-Treated Carbon and Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A470/A470M (01.05)**
Vacuum-Treated Steel Forgings for Generator Rotors, Specification for, **A469/A469M (01.05)**

Generic coating type
Sampling of Coating Films, Practice for, **D6206 (06.02)**

Generic names
Textiles, Terminology Relating to, **D123 (07.01)**

Generic requirements package
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**

Generic vault structures
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Intrusion Resistant Generic Vault Structures, Specification for, **F1247 (15.08)**

Genetic examination
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**
Determination of Purity, Impurities, and Contaminants in Biological Drug Products, Guide for, **E1298 (14.02)**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Identification of Bacteriophage M13 or Its DNA, Guide for, **E1493 (14.02)**
Identification of Herpes Simplex Virus or Its DNA, Guide for, **E1286 (14.02)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Relating to Biotechnology, Terminology, **E1705 (05.06)**

Geochemical characteristics
Distribution Coefficients of Inorganic Species by the Batch Method, Test Method for, **C1733 (12.01)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**

Geochemical classification
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Geocomposite drainage panels
Geocomposites for Pavement Edge Drains and Other High-Flow Applications, Specification for, **D7001 (04.13)**
Water Capture and Media Retention of Geocomposite Drain Layers for Vegetative (Green) Roof Systems, Test Method for, **E2398 (04.04)**

Geocomposites
Determining the Bond Strength (Ply Adhesion) of Geocomposites, Test Method for, **D7005 (04.13)**
for Acceptance Testing Requirements for Geonets and Geonet Drainage Geocomposites, Guide for, **D7273/D7273M (04.13)**
Selection of Test Methods for Prefabricated Vertical Drains (PVD), Guide for, **D6917 (04.13)**

Geoenvironmental applications/exploration
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Direct-Push Groundwater Sampling for Environmental Site Characterization, Guide for, **D6001 (04.09)**
Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5875/D5875M (04.08)**
Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5872/D5872M (04.08)**
Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5782 (04.08)**
Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5783 (04.08)**
Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5876 (04.08)**
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**
Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**

Geographic Information System (GIS)
Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, Guide for, **D5111 (11.07)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**

Geogrid products
Determining Small-Strain Tensile Properties of Geogrids and Geotextiles by In-Air Cyclic Tension Tests, Test Methods for, **D7556 (04.13)**
Flexural Rigidity of Geogrids, Geotextiles and Related Products, Test Method for, **D7748/D7748M (04.13)**
Individual Geogrid Junction Strength, Test Method for, **D7737 (04.13)**

Geohydrologic unit
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**

Geological investigations
Analysis of Spatial Variation in Geostatistical Site Investigations, Guide for, **D5922 (04.09)**
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
Obtaining Intact Block (Cubical and Cylindrical) Samples of Soils, Practices for, **D7015 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Selection of Kriging Methods in Geostatistical Site Investigations, Guide for, **D5923 (04.09)**
Selection of Simulation Approaches in Geostatistical Site Investigations, Guide for, **D5924 (04.09)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5782 (04.08)**
Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5783 (04.08)**
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**
Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**

Geological repository disposal
Characterization of Spent Nuclear Fuel in Support of Geologic Repository Disposal, Guide for, **C1682 (12.01)**

Geomedia sorption
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Distribution Coefficients of Inorganic Species by the Batch Method, Test Method for, **C1733 (12.01)**

Geomembranes
Air Channel Evaluation of Polyvinyl Chloride (PVC) Dual Track Seamed Geomembranes, Specification for, **D7177 (04.13)**
Air-Oven Aging of Polyolefin Geomembranes, Practice for, **D5721 (04.13)**
Determination of 2 % Secant Modulus for Polyethylene Geomembranes, Practice for, **D5323 (04.13)**
Determination of Pyramid Puncture Resistance of Unprotected and Protected Geomembranes, Test Method for the, **D5494 (04.13)**
Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Grab Method, Test Method for, **D7749 (04.13)**
Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Strip Tensile Method, Test Method for, **D7747/D7747M (04.13)**
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Determining Tearing Strength of Internally Reinforced Geomembranes, Test Method for, **D5884 (04.13)**
Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes, Test Method for, **D6693 (04.13)**
Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods, Test Method for, **D6214/D6214M (04.13)**
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
Determining the Integrity of Seams Used in Joining Geomembranes by Pre-manufactured Taped Methods, Test Method for, **D7272 (04.13)**
Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus, Test Method for, **D7238 (04.13)**
Electrical Leak Location on Exposed Geomembranes Using the Water Lance System, Practice for, **D7703 (04.13)**
Electrical Methods for Locating Leaks in Geomembranes Covered with Water or Earth Materials, Practices for, **D7007 (04.13)**
Ethylene Propylene Diene Terpolymer (EPDM) Sheet Used In Geomembrane Applications, Specification for, **D7465 (04.13)**
Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, Test Method for, **D5397 (04.13)**
Flexible Polypropylene Reinforced (fPP-R) and Nonreinforced (fPP) Geomembranes, Specification for, **D7613 (04.13)**
for Acceptance Testing Requirements for Geonets and Geonet Drainage Geocomposites, Guide for, **D7273/D7273M (04.13)**
Geomembrane Seam Evaluation by Vacuum Chamber, Practice for, **D5641 (04.13)**
Grab Tensile Properties of Reinforced Geomembranes, Test Method for, **D7004/D7004M (04.13)**
Hydraulic Pullout Resistance of a Geomembrane with Locking Extensions Embedded in Concrete, Test Method for, **D7853 (04.13)**
Identification, Packaging, Handling, Storage and Deployment of Fabricated Geomembrane Panels, Guide for, **D7865 (04.13)**
Index Puncture Resistance of Geomembranes and Related Products, Test Method for, **D4833/D4833M (04.13)**
Leak Location on Exposed Geomembranes Using the Water Puddle System, Practice for, **D7002 (04.13)**
Leak Location using Geomembranes with an Insulating Layer in Intimate Contact with a Conductive Layer via Electrical Capacitance Technique (Conductive Geomembrane Spark Test), Practice for, **D7240 (04.13)**
Measuring Asperity Height of Textured Geomembranes, Test Method for, **D7466 (04.13)**
Measuring Core Thickness of Textured Geomembranes, Test Method for, **D5994 (04.13)**
Measuring the Nominal Thickness of Geosynthetics, Test Method for, **D5199 (04.13)**
Mechanical Attachment of Geomembrane to Penetrations or Structures, Guide for, **D6497 (04.13)**
Non Reinforced PVC (Polyvinyl Chloride) Geomembrane Seams, Specification for, **D7408 (04.13)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Non-Reinforced Polyvinyl Chloride (PVC) Geomembranes Used in Buried Applications, Specification for, **D7176 (04.13)**
Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, Test Method for, **D5885 (04.13)**
Placement of Blind Actual Leaks during Electrical Leak Location Surveys of Geomembranes, Guide for, **D7909 (04.13)**
Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, Practice for, **D5820 (04.13)**
Selecting Test Methods for Geomembrane Seams, Guide for, **D7700 (04.13)**
Selection of Techniques for Electrical Detection of Leaks in Geomembranes, Guide for, **D6747 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Selection of Test Methods for Ethylene Propylene Diene Terpolymer (EPDM) Geomembranes, Guide for, **D7106 (04.13)**
Selection of Test Methods for Flexible Polypropylene Geomembranes, Guide for the, **D6434 (04.13)**
Selection of Test Methods for Prefabricated Bituminous Geomembranes (PBGM), Guide for the, **D6455 (04.13)**
Strip Tensile Properties of Reinforced Geomembranes, Test Method for, **D7003/D7003M (04.13)**
Tensile Properties of Bituminous Geomembranes (BGM), Test Method for, **D7275 (04.13)**
the Nondestructive Testing of Geomembrane Seams using the Spark Test, Practice for, **D6365 (04.13)**
The Transmission of Gases Through Geomembranes, Guide for Determining, **D7407 (04.13)**
Ultrasonic Testing of Geomembranes, Practice for, **D7006 (04.13)**
Use of an Electrically Conductive Geotextile for Leak Location Surveys, Practice for, **D7852 (04.13)**

Geometrical unsharpness
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**

Geometric analysis
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Drain, Waste, and Vent (DWV) Plastic Fittings Patterns, Specification for, **D3311 (08.04)**
Geometry of Alpine Skis, Terminology for, **F472 (15.07)**
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1424 (15.01)**
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, Practice for, **E1791 (03.06)**
Use of Joint Sealants, Guide for, **C1193 (04.07)**

Geometric analysis—paints/related coatings/materials
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**
Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.2 Degree Observation Angle, Test Method for, **E1709 (06.01)**
Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, Practice for, **E259 (06.01)**
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1331 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**

Geometric dimensions
Oil Spill Response Boom Connection: Z-Connector, Specification for, **F962 (11.05)**
Rubber—Measurement of Dimensions, Practice for, **D3767 (09.01)**

Geometric mean pressure
Carbon Black-Void Volume at Mean Pressure, Test Method for, **D7854 (09.01)**

Geonets
Determining Geonet Breaking Force, Test Method for, **D7179 (04.13)**
for Acceptance Testing Requirements for Geonets and Geonet Drainage Geocomposites, Guide for, **D7273/D7273M (04.13)**
Tests to Evaluate the Chemical Resistance of Geonets to Liquids, Practice for, **D6388 (04.13)**
Time-Dependent (Creep) Deformation Under Constant Pressure for Geosynthetic Drainage Products, Test Method for, **D7406 (04.13)**

Geophysical investigations/geophysics
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Locating Abandoned Wells, Guide for, **D6285 (04.09)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Selecting Surface Geophysical Methods, Guide for, **D6429 (04.09)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Use of the Metal Detection Method for Subsurface Exploration, Guide for, **D7046 (04.09)**
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**

Georigids
Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method, Test Method for, **D6637 (04.13)**
Tests to Evaluate the Chemical Resistance of Geogrids to Liquids, Practice for, **D6213 (04.13)**

Geospatial metadata
Geospatial Data for Representing Coal Mining Features, Practice for, **D7780 (04.09)**
Minimum Geospatial Data for Abandoned Mine Land Problem Areas, Planning Units, Keyword Features, and Project Sites, Practice for, **D7699/D7699M (04.09)**

Geostationary operational environmental satellite (GOES)
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**

Geostatistical site investigation
Analysis of Spatial Variation in Geostatistical Site Investigations, Guide for, **D5922 (04.09)**
Selection of Kriging Methods in Geostatistical Site Investiga-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tions, Guide for, **D5923 (04.09)**
Selection of Simulation Approaches in Geostatistical Site Investigations, Guide for, **D5924 (04.09)**

Geosynthetic clay liner (GCL)
Acceptance Testing Requirements for Geosynthetic Clay Liners, Guide for, **D6495 (04.13)**
Determining Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners, Test Method for, **D6496 (04.13)**
Determining the Internal and Interface Shear Strength of Geosynthetic Clay Liner by the Direct Shear Method, Test Method for, **D6243/D6243M (04.13)**
Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions, Test Method for, **D6766 (04.13)**
Fluid Loss of Clay Component of Geosynthetic Clay Liners, Test Method for, **D5891 (04.13)**
Installation of Geosynthetic Clay Liners, Guide for, **D6102 (04.13)**
Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter, Test Method for, **D5887 (04.13)**
Measuring Mass Per Unit of Geosynthetic Clay Liners, Test Method for, **D5993 (04.13)**
Obtaining Samples of Geosynthetic Clay Liners, Practice for, **D6072/D6072M (04.13)**
Quality Control of Geosynthetic Clay Liners, Practice for, **D5889 (04.13)**
Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, Guide for, **D6141 (04.13)**
Storage and Handling of Geosynthetic Clay Liners, Guide for, **D5888 (04.13)**
Swell Index of Clay Mineral Component of Geosynthetic Clay Liners, Test Method for, **D5890 (04.13)**
Tensile Strength of Geosynthetic Clay Liners, Test Method for, **D6768 (04.13)**

Geosynthetic paving applications
Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full-Width Applications, Test Method to, **D6140 (04.13)**
Hybrid Geosynthetic Paving Mat for Highway Applications, Specification for, **D7239 (04.13)**
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Vertical Compression of Geocomposite Pavement Panel Drains, Test Method for, **D6244 (04.13)**

Geosynthetics
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**
Accelerated Compressive Creep of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, Test Method for, **D7361 (04.13)**
Accelerated Tensile Creep and Creep-Rupture of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, Test Method for, **D6992 (04.13)**
Biological Clogging of Geotextile or Soil/Geotextile Filters, Test Method for, **D1987 (04.13)**
Carboxyl End Group Content of Polyethylene Terephthalate (PET) Yarns, Test Method for, **D7409 (04.13)**
Considerations When Evaluating Direct Shear Results Involving Geosynthetics, Guide for, **D7702/D7702M (04.13)**
Determination of Ply Adhesion Strength of Reinforced Geomembranes, Test Method for, **D6636 (04.13)**
Determining Apparent Opening Size of a Geotextile, Test Method for, **D4751 (04.13)**
Determining Connection Strength Between Geosynthetic Reinforcement and Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6638 (04.13)**
Determining Filtering Efficiency and Flow Rate of the Filtration Component of a Sediment Retention Device, Test Method for, **D5141 (04.13)**
Determining Flow Rate of Water and Suspended Solids Retention from a Closed Geosynthetic Bag, Test Method for, **D7880/D7880M (04.13)**
Determining Geonet Breaking Force, Test Method for, **D7179 (04.13)**
Determining Short-Term Compression Behavior of Geosynthetics, Test Method for, **D6364 (04.13)**
Determining Small-Strain Tensile Properties of Geogrids and Geotextiles by In-Air Cyclic Tension Tests, Test Methods for, **D7556 (04.13)**
Determining Stiffness of Geosynthetics Used as Turf Reinforcement Mats (TRMs), Test Method for, **D6575 (04.13)**
Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method, Test Method for, **D6637 (04.13)**
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Determining the (In-Plane) Hydraulic Transmissivity of a Geosynthetic by Radial Flow, Test Method for, **D6574/D6574M (04.13)**
Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, Test Method for, **D5321/D5321M (04.13)**
Determining the Short-Term Compression Behavior of Turf Reinforcement Mats (TRMs), Test Method for, **D6454 (04.13)**
Determining the Specification Conformance of Geosynthetics, Practice for, **D4759 (04.13)**
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Flexible Polypropylene Reinforced (fPP-R) and Nonreinforced (fPP) Geomembranes, Specification for, **D7613 (04.13)**
Fluid Loss of Clay Component of Geosynthetic Clay Liners, Test Method for, **D5891 (04.13)**
for Acceptance Testing Requirements for Geonets and Geonet Drainage Geocomposites, Guide for, **D7273/D7273M (04.13)**
Geosynthetics, Terminology for, **D4439 (04.13)**
Grab Breaking Load and Elongation of Geotextiles, Test Method for, **D4632/D4632M (04.13)**
Grab Tensile Properties of Reinforced Geomembranes, Test Method for, **D7004/D7004M (04.13)**
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Hydraulic Pullout Resistance of a Geomembrane with Locking Extensions Embedded in Concrete, Test Method for, **D7853 (04.13)**
Identification, Storage, and Handling of Geosynthetic Rolls and Samples, Guide for, **D4873 (04.13)**
In Field Immersion Testing of Geosynthetics, Practice for, **D5496 (04.13)**
Index Puncture Resistance of Geomembranes and Related Products, Test Method for, **D4833/D4833M (04.13)**
Individual Geogrid Junction Strength, Test Method for, **D7737 (04.13)**
Installation of Geosynthetic Clay Liners, Guide for, **D6102 (04.13)**
Laboratory Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids, Practice for, **D5322 (04.13)**
Large Scale Hydrostatic Puncture Testing of Geosynthetics, Test Method for, **D5514/D5514M (04.13)**
Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter, Test Method for, **D5887 (04.13)**
Measuring Asperity Height of Textured Geomembranes, Test Method for, **D7466 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring Geosynthetic Pullout Resistance in Soil, Test Method for, **D6706 (04.13)**
Measuring Geosynthetic-Soil Resilient Interface Shear Stiffness, Test Method for, **D7499/D7499M (04.13)**
Measuring Mass per Unit Area of Geotextiles, Test Method for, **D5261 (04.13)**
Measuring Mass Per Unit of Geosynthetic Clay Liners, Test Method for, **D5993 (04.13)**
Measuring the Filtration Compatibility of Soil-Geotextile Systems, Test Method for, **D5101 (04.13)**
Measuring the Nominal Thickness of Geosynthetics, Test Method for, **D5199 (04.13)**
Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics, Test Method For, **D5596 (04.13)**
Multi-Axial Tension Test for Geosynthetics, Test Method for, **D5617 (04.13)**
Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, Test Method for, **D5885 (04.13)**
Performing the Flat Plate Dilatometer, Test Method for, **D6635 (04.09)**
Placement of Blind Actual Leaks during Electrical Leak Location Surveys of Geomembranes, Guide for, **D7909 (04.13)**
Quality Control of Geosynthetic Clay Liners, Practice for, **D5889 (04.13)**
Sampling of Expanded Polystyrene Geofoam Specimens, Practice for, **D7557/D7557M (04.13)**
Selecting Surface Geophysical Methods, Guide for, **D6429 (04.09)**
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**
Selecting Test Methods for Geomembrane Seams, Guide for, **D7700 (04.13)**
Selection of Test Methods for Prefabricated Vertical Drains (PVD), Guide for, **D6917 (04.13)**
Storage and Handling of Geosynthetic Clay Liners, Guide for, **D5888 (04.13)**
Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**
Swell Index of Clay Mineral Component of Geosynthetic Clay Liners, Test Method for, **D5890 (04.13)**
Tensile Properties of Bituminous Geomembranes (BGM), Test Method for, **D7275 (04.13)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Tests to Evaluate the Chemical Resistance of Geogrids to Liquids, Practice for, **D6213 (04.13)**
Tests to Evaluate the Chemical Resistance of Geonets to Liquids, Practice for, **D6388 (04.13)**
Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, Practice for, **D6389 (04.13)**
The Transmission of Gases Through Geomembranes, Guide for Determining, **D7407 (04.13)**
Time-Dependent (Creep) Deformation Under Constant Pressure for Geosynthetic Drainage Products, Test Method for, **D7406 (04.13)**
Trapezoid Tearing Strength of Geotextiles, Test Method for, **D4533 (04.13)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**

Geosynthetics—sampling
Exposure and Retrieval of Samples to Evaluate Installation Damage of Geosynthetics, Practice for, **D5818 (04.13)**
Obtaining Samples of Geosynthetic Clay Liners, Practice for, **D6072/D6072M (04.13)**
Sampling of Geosynthetics and Rolled Erosion Control Products(RECPs) for Testing, Practice for, **D4354 (04.13)**

Geosynthetics—specifications
Geocomposites for Pavement Edge Drains and Other High-Flow Applications, Specification for, **D7001 (04.13)**

Geotechnical engineering materials/processes
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Soil Exploration and Sampling by Auger Borings, Practice for, **D1452 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, Practice for, **D1587 (04.08)**
Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling, Practice for, **D6151 (04.09)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**

Geotechnical testing
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**
Using Significant Digits in Geotechnical Data, Practice for, **D6026 (04.09)**

Geotextiles
Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, Test Method for, **D4355 (04.13)**
Deterioration of Geotextiles from Outdoor Exposure, Test Method for, **D5970 (04.13)**
Determination of Pyramid Puncture Resistance of Unprotected and Protected Geomembranes, Test Method for the, **D5494 (04.13)**
Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full-Width Applications, Test Method to, **D6140 (04.13)**
Determining Small-Strain Tensile Properties of Geogrids and Geotextiles by In-Air Cyclic Tension Tests, Test Methods for, **D7556 (04.13)**
Determining the Flow Rate of Water and Suspended Solids from a Geotextile Bag, Test Method for, **D7701 (04.13)**
Determining the Number of Constrictions "***m***" of Non-Woven Geotextiles as a Complementary Filtration Property, Practice for, **D7178 (04.13)**
Flexural Rigidity of Geogrids, Geotextiles and Related Products, Test Method for, **D7748/D7748M (04.13)**
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Installation of Articulating Concrete Block (ACB) Revetment Systems, Practice for, **D6884 (04.09)**
Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, Test Method for, **D5885 (04.13)**
Permittivity of Geotextiles Under Load, Test Method for, **D5493 (04.13)**
Placement of Riprap Revetments, Guide for, **D6825 (04.09)**
Pore Size Characteristics of Geotextiles by Capillary Flow Test, Test Method for, **D6767 (04.13)**
Selection of Test Methods for Prefabricated Bituminous Geomembranes (PBGM), Guide for the, **D6455 (04.13)**
Selection of Test Methods for Prefabricated Vertical Drains (PVD), Guide for, **D6917 (04.13)**
Static Puncture Strength of Geotextiles and Geotextile-Related Products Using a 50-mm Probe, Test Method for the, **D6241 (04.13)**
Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, Practice for, **D6389 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of an Electrically Conductive Geotextile for Leak Location Surveys, Practice for, **D7852 (04.13)**
Use of Drainage System Media with Waterproofing Systems, Guide for, **D7492/D7492M (04.04)**

Geothermal energy
Installation of Roof Mounted Photovoltaic Arrays on Steep-Slope Roofs, Practice for, **E2766 (12.02)**

Geothermal resources
Geothermal Energy, Terminology Relating to, **E957 (12.02)**
Installation, Inspection, and Maintenance of Valve-body Pressure-relief Methods for Geothermal and Other High-Temperature Liquid Applications, Practice for, **E1008 (12.02)**
Sampling Two-Phase Geothermal Fluid for Purposes of Chemical Analysis, Practice for, **E1675 (12.02)**
Specifying Thermal Performance of Geothermal Power Systems, Guide for, **E974 (12.02)**
Testing Nonmetallic Seal Materials by Immersion in a Simulated Geothermal Test Fluid, Test Method for, **E1068 (12.02)**
Testing Polymeric Seal Materials for Geothermal or High Temperature Service, or both, Under Sealing Stress, Test Method for, **E1069 (12.02)**

Geothermal resources—specifications
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**

Germanium—semiconductor applications
Sa **Conductance and conductivity (electrical)**
Sa **Crystal lattice structure**
Sa **Silicon semiconductors**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**

Germanium detectors
Determination of Plutonium Isotopic Composition by Gamma-Ray Spectrometry, Test Method for, **C1030 (12.01)**

Germicidal compounds/applications
Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E2276 (11.05)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**

Germicides
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**

Germination
Determination of Rolled Erosion Control Product (RECP) Ability to Encourage Seed Germination and Plant Growth Under Bench-Scale Conditions, Test Method for, **D7322 (04.09)**
Seed Starter Mix, Specification for, **D5539 (04.08)**

GFAAS (graphite furnace AAS)
See **Graphite furnace atomic absorption spectrometry (GFAAS)**

GFRC
See **Glass fiber reinforced concrete (GFRC)**

Ghost firing
Crazing Resistance of Fired Glazed Ceramic Whitewares by a Thermal Shock Method, Test Method for, **C554 (15.02)**

Ghosts
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**

GH viscosity
Viscosity of Transparent Liquids by Bubble Time Method, Test Method for, **D1545 (06.01)**

Gibbs-Ostwald convention
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**

Gieseler plastometer
Plastic Properties of Coal by the Constant-Torque Gieseler Plastometer, Test Method for, **D2639/D2639M (05.06)**

Gilding
See **UNS C21000 (brass, gilding 95%)**

Gillmore needles
Time of Setting of Hydraulic-Cement Paste by Gillmore Needles, Test Method for, **C266 (04.01)**

Gilsonite
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**

Gimball expansion joint
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**

Gingival color
Objective Measurement of Gingival Color Using Digital Still Cameras, Test Method for, **E2545 (06.01)**

Girard four-axis diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Girder rails
Carbon Steel Girder Rails of Plain, Grooved, and Guard Types, Specification for, **A2 (01.04)**
Carbon Steel Tee Rails, Specification for, **A1 (01.04)**

Girdles
Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, Performance Specification for, **D4116 (07.01)**

Girls' clothing
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, Performance Specification for, **D4116 (07.01)**
Women's and Girls' Knitted and Woven Dress Glove Fabrics, Performance Specification for, **D4115 (07.01)**
Women's and Girls' Knitted Blouse and Dress Fabrics, Performance Specification for, **D4235 (07.01)**
Women's and Girls' Knitted Sportswear Fabrics, Performance Specification for, **D4156 (07.01)**
Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, Performance Specification for, **D4155 (07.01)**
Woven Flat Lining Fabrics for Women's and Girls' Apparel, Performance Specification for, **D4114 (07.01)**

Girth gear
Examination of Mill and Kiln Girth Gear Teeth—Electromagnetic Methods, Practice for, **E2905/E2905M (03.03)**

Girth welds
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**

Glacial acetic acid
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Formic Acid in Glacial Acetic Acid, Test Method for, **D3546 (06.04)**
Glacial Acetic Acid, Specification for, **D3620 (06.04)**

Glanidine accelerator
Rubber Chemical Accelerator—Purity by High Performance Liquid Chromatography, Test Methods for, **D5297 (09.01)**

Glass
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spec-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

troscopy, Practice for, **C1109 (12.01)**
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Annealing Point and Strain Point of Glass by Beam Bending, Test Method for, **C598 (15.02)**
Annealing Point and Strain Point of Glass by Fiber Elongation, Test Method for, **C336 (15.02)**
Assignment of the Glass Transition Temperature by Thermomechanical Analysis, Test Method for, **E1545 (14.02)**
Choosing a Method for Determining the Index of Refraction and Dispersion of Glass, Guide for, **C1648 (15.02)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
D-C Volume Resistivity of Glass, Test Method for, **C657 (15.02)**
Density of Glass by Buoyancy, Test Method for, **C693 (15.02)**
Density of Glass by the Sink-Float Comparator, Test Method for, **C729 (15.02)**
Design and Performance of Supported Laminated Glass Walkways, Practice for, **E2751/E2751M (04.12)**
Designing a Process for Cleaning Technical Glasses, Practice for, **C912 (15.02)**
Determining Load Resistance of Glass in Buildings, Practice for, **E1300 (04.11)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Determining Tensile Adhesion Properties of Structural Sealants, Test Method for, **C1135 (04.07)**
Determining the Resistance of Single Glazed Annealed Architectural Flat Glass to Thermal Loadings, Practice for, **E2431 (04.12)**
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Forensic Comparison of Glass Using Micro X-ray Fluorescence (μ-XRF) Spectrometry, Test Method for, **E2926 (14.02)**
Glass and Glass Products, Terminology of, **C162 (15.02)**
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**
Glass Used as a Horizontal Surface in Desks and Tables, Specification for, **F2813 (15.11)**
Hydrophobic Contamination on Glass by Contact Angle Measurement, Test Method for, **C813 (15.02)**
Knoop Indentation Hardness of Glass, Test Method for, **C730 (15.02)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F144 (15.02)**
Measurement of Glass Stress—Optical Coefficient, Test Method for, **C770 (15.02)**
Measurement of Liquidus Temperature of Glass by the Gradient Furnace Method, Practices for, **C829 (15.02)**
Measurement of the Glass Dissolution Rate Using the Single-Pass Flow-Through Test Method, Practice for, **C1662 (12.01)**
Measurement of Viscosity of Glass Between 10, Test Method for, **C1351M (15.02)**
Measurement of Viscosity of Glass Between Softening Point and Annealing Range (Approximately 10, Test Method for, **C1350M (15.02)**
Measuring Viscosity of Glass Above the Softening Point, Practice for, **C965 (15.02)**
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, Test Method for, **D4501 (15.06)**
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**
Softening Point of Glass, Test Method for, **C338 (15.02)**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Strength of Glass by Flexure (Determination of Modulus of Rupture), Test Methods for, **C158 (15.02)**
Substrates Used in Testing Building Seals and Sealants, Guide for, **C1375 (04.07)**
the Performance of Glass in Permanent Glass Railing Systems, Guards, and Balustrades, Specification for, **E2358 (04.12)**
Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E1952 (14.02)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Verification and Calibration of Polarimeters, Practices for, **C1426 (15.02)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**
Young's Modulus, Shear Modulus, and Poisson's Ratio for Glass and Glass-Ceramics by Resonance, Test Method for, **C623 (15.02)**

Glass—specifications

Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, Specification for, **F2179 (15.11)**
Architectural Flat Glass Clad Polycarbonate, Specification for, **C1349 (15.02)**
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules, Specification for, **D3909/D3909M (04.04)**
Bent Glass, Specification for, **C1464 (15.02)**
Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications, Specification for, **C1053 (15.02)**
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**
Coal Tar Glass Felt Used in Roofing and Waterproofing, Specification for, **D4990 (04.04)**
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Flat Glass, Specification for, **C1036 (15.02)**
Glass and Glass Ceramic Biomaterials for Implantation, Specification for, **F1538 (13.01)**
Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, Specification for, **D5359 (11.04)**
Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, Specification for, **D1668 (04.04)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Glasses, Portlight, Circular, Fully Tempered, Specification for, **C1443 (15.02)**
Heat-Strengthened and Fully Tempered Flat Glass, Specification for, **C1048 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Laminated Architectural Flat Glass, Specification for, **C1172 (15.02)**
Pyrolytic and Vacuum Deposition Coatings on Flat Glass, Specification for, **C1376 (15.02)**
Silvered Flat Glass Mirror, Specification for, **C1503 (15.02)**
Type 101 Sealing Glass, Specification for, **F79 (15.02)**
Type 58 Borosilicate Sealing Glass, Specification for, **F105 (15.02)**
Waste Glass as a Raw Material for the Manufacture of Glass Containers, Specification for, **E708 (11.04)**

Glass aerospace materials/applications
Bond Integrity of Transparent Laminates, Test Methods for, **F521 (15.03)**
Intensity of Scratches on Aerospace Glass Enclosures, Test Method for, **F428 (15.03)**
Selection of Test Methods for Interlayer Materials for Aerospace Transparent Enclosures, Guide for, **F942 (15.03)**

Glass ampoules
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**

Glass beads
Determining Apparent Opening Size of a Geotextile, Test Method for, **D4751 (04.13)**
Measuring Gradation of Glass Spheres Using a Flowing Stream Digital Image Analyzer, Test Method for, **D7681 (06.02)**
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**

Glass (borosilicate)
See **Borosilicate glass—specifications**

Glass capillary viscometer
Determining Inherent Viscosity of Poly(Ethylene Terephthalate) (PET) by Glass Capillary Viscometer, Test Method for, **D4603 (08.02)**

Glass-ceramic biomaterial
Glass and Glass Ceramic Biomaterials for Implantation, Specification for, **F1538 (13.01)**

Glass ceramics
Sa **Ceramic materials/applications—specifications**
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Measuring Waste Glass or Glass Ceramic Durability by Vapor Hydration Test, Test Method for, **C1663 (12.01)**
Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, Practice for, **C824 (15.02)**
Strength of Glass by Flexure (Determination of Modulus of Rupture), Test Methods for, **C158 (15.02)**
Young's Modulus, Shear Modulus, and Poisson's Ratio for Glass and Glass-Ceramics by Resonance, Test Method for, **C623 (15.02)**

Glass (coated/uncoated)
Continuity of Coatings in Glassed Steel Equipment by Electrical Testing, Test Method for, **C536 (02.05)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**

Glass containers
Acid Resistance of Ceramic Decorations on Returnable Beer and Beverage Glass Containers, Test Method for, **C735 (15.02)**
Alkali Resistance of Ceramic Decorations on Returnable Beverage Glass Containers, Test Method for, **C675 (15.02)**
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Internal Pressure Strength of Glass Containers, Test Methods for, **C147 (15.02)**
Polariscopic Examination of Glass Containers, Test Methods for, **C148 (15.02)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Resistance of Glass Containers to Chemical Attack, Test Methods for, **C225 (15.02)**
Sampling Glass Containers, Practice for, **C224 (15.02)**
Sampling Protocol for TCLP Testing of Container Glassware, Test Method for, **C1606 (15.02)**
Thermal Shock Resistance of Glass Containers, Test Method for, **C149 (15.02)**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**
Waste Glass as a Raw Material for the Manufacture of Glass Containers, Specification for, **E708 (11.04)**

Glass cullet
Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, Specification for, **D5359 (11.04)**

Glassed steel equipment
Continuity of Coatings in Glassed Steel Equipment by Electrical Testing, Test Method for, **C536 (02.05)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**

Glass electrical/electronic insulation
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Glass-Bonded Mica Used as Electrical Insulation, Test Methods for, **D1039 (10.01)**
High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2754 (10.02)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Measuring Optical Retardation and Analyzing Stress in Glass, Test Method for, **F218 (15.02)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**

Glass electrical/electronic insulation—specifications
Type 58 Borosilicate Sealing Glass, Specification for, **F105 (15.02)**

Glass electrodes
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
pH of Water, Test Methods for, **D1293 (11.01)**

Glass electronic seals
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**
Making and Testing Reference Glass-Metal Bead-Seal, Practice for, **F14 (15.02)**
Making Reference Glass-Metal Butt Seals and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F140 (15.02)**
Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F144 (15.02)**
Molybdenum Wire and Rod for Electronic Applications, Specification for, **F289 (10.04)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Surface Flaws in Tungsten Seal Rod and Wire, Test Method for, **F204 (10.04)**
Tension and Vacuum Testing Metallized Ceramic Seals, Test Method for, **F19 (10.04)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
Type 101 Sealing Glass, Specification for, **F79 (15.02)**
Type 58 Borosilicate Sealing Glass, Specification for, **F105 (15.02)**

Glass enamel applications
Acid Resistance of Ceramic Decorations on Architectural-Type Glass, Test Method for, **C724 (15.02)**
Acid Resistance of Ceramic Decorations on Returnable Beer and Beverage Glass Containers, Test Method for, **C735 (15.02)**
Alkali Resistance of Ceramic Decorations on Returnable Beverage Glass Containers, Test Method for, **C675 (15.02)**
Detergent Resistance of Ceramic Decorations on Glass Tableware, Test Method for, **C676 (15.02)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Sulfide Resistance of Ceramic Decorations on Glass, Test Method for, **C777 (15.02)**

Glass exudation
Testing of Glass Exudation from AZS Fusion-Cast Refractories, Test Method for, **C1223 (15.01)**

Glass fabrics/fibers/textile products
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, Test Method for, **D4912/D4912M (07.02)**
Glass Fiber and Its Products, Terminology Relating to, **D7018/D7018M (07.02)**
Ignition Loss of Glass Fiber Strands and Fabrics, Test Method for, **D4963/D4963M (07.02)**
Textiles, Terminology Relating to, **D123 (07.01)**

Glass fabrics/fibers/textile products—specifications
Sa **Woven glass (for plastic laminates)**
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules, Specification for, **D3462/D3462M (04.04)**
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, Specification for, **D1668 (04.04)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Polytetrafluoroethylene–(PTFE) Coated Glass Fabric, Specification for, **D4969 (08.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**

Glass felt for roofing and waterproofing
Sa **Roofing materials/applications**
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules, Specification for, **D3909/D3909M (04.04)**
Coal Tar Glass Felt Used in Roofing and Waterproofing, Specification for, **D4990 (04.04)**

Glass fiber insulation
Determining the Water Retention (Repellency) Characteristics of Fibrous Glass Insulation (Aircraft Type), Test Method for, **C1511 (04.06)**
Determining Wicking of Fibrous Glass Blanket Insulation (Aircraft Type), Test Method for, **C1559 (04.06)**
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, Specification for, **D5359 (11.04)**

Glass fiber materials/applications
Determination of Glass Fiber Content in Glass Fiber Reinforced Concrete (GFRC)(Wash-Out Test), Test Method for, **C1229 (04.05)**
Glass Fiber Reinforced Thermoplastic Pipe, Specification for, **F2686 (08.04)**
Preparing Coupons for Flexural and Washout Tests on Glass Fiber Reinforced Concrete, Practice for, **C1228 (04.05)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**

Glass-fiber-reinforced cement-based composites
Hot Water Accelerated Aging of Glass-Fiber Reinforced Cement-Based Composites, Test Method for, **C1560 (04.05)**

Glass fiber reinforced concrete (GFRC)
Alkali Resistant (AR) Glass Fiber for GFRC and Fiber-Reinforced Concrete and Cement, Specification for, **C1666/C1666M (04.05)**
Determination of Glass Fiber Content in Glass Fiber Reinforced Concrete (GFRC)(Wash-Out Test), Test Method for, **C1229 (04.05)**
Dry and Wet Bulk Density, Water Absorption, and Apparent Porosity of Thin Sections of Glass-Fiber Reinforced Concrete, Test Method for, **C948 (04.05)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Flexural Properties of Thin-Section Glass-Fiber-Reinforced Concrete (Using Simple Beam With Third-Point Loading), Test Method for, **C947 (04.05)**
Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, Test Method for, **C1230 (04.05)**
Preparing Coupons for Flexural and Washout Tests on Glass Fiber Reinforced Concrete, Practice for, **C1228 (04.05)**
Sampling and Testing Structural Cementitious Panels, Test Method for, **C1704/C1704M (04.05)**
Structural Cementitious Panels, Specification for, **C1705/C1705M (04.05)**

Glass-fiber-reinforced (GRG) materials
Sa **GRG (glass-fiber-reinforced gypsum) materials**
Self-Adhesive Glass Fiber Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7530/D7530M (04.04)**

Glass-fiber-reinforced (GRP) plastics
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Classifying Visual Defects in Glass-Reinforced Plastic Laminate Parts, Practice for, **D2563 (08.01)**
Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**
In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod, Test Method for, **D3914 (08.02)**
Installation Procedures of Vinyl Deck Coverings on Portable

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**
Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F2019 (08.04)**
Reinforced Plastic Pultruded Products, Terminology Relating to, **D3918 (08.02)**
Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics, Test Method for, **D2343 (08.01)**
Tensile Properties of Pultruded Glass-Fiber-Reinforced, Test Method for, **D3916 (08.02)**

Glass-fiber-reinforced (GRP) plastics—specifications
Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6509/D6509M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, Specification for, **D3982 (08.03)**
Contact-Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Corrosion Resistant Pipe and Fittings, Specification for, **D6041 (08.03)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes, Specification for, **D3917 (08.02)**
Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, Specification for, **F1092 (01.07)**
Finished Glass Fabrics Woven From Rovings, Specification for, **D4389/D4389M (07.01)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, Specification for, **D5319 (08.03)**
Glass-Fiber-Reinforced Polyester Manholes and Wetwells, Specification for, **D3753 (08.03)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6162 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6163 (04.04)**

Glass fiber reinforced polyethylene (PE-GF)
Glass Fiber Reinforced Polyethylene (PE-GF) Spiral Wound Large Diameter Pipe, Specification for, **F2720/F2720M (08.04)**

Glass-fiber-reinforced thermosetting resin ("fiberglass")
Sa **Fiberglass pipe—specifications**
Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, Test Method for, **D2925 (08.03)**
Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, Test Method for, **D3681 (08.03)**
External Pressure Resistance of "Fiberglass", Test Method for, **D2924 (08.03)**
Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, Test Method for, **D2105 (08.03)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**

Glass-fiber-reinforcing mesh
Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution, Test Method for, **E2098/E2098M (04.11)**

Glass fiber roving/strands/yarns
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**

Glass-fiber venting base sheet
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**

Glass filaments/fibers
Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, Test Method for, **D6500 (07.02)**
Testing Tire Cords, Tire Cord Fabrics, and Industrial Yarns Made From Glass Filaments, Test Methods for, **D2970/D2970M (07.01)**

Glass laboratory apparatus
Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, Practice for, **D5245 (11.02)**

Glass laboratory apparatus—microchemical
See **Microchemical laboratory apparatus—specifications**

Glass laboratory apparatus—specifications
Sa **Laboratory apparatus—specifications**
Sa **Pipets (laboratory)—specifications**
Autoclavable Protective Coatings on Laboratory Glassware, Specification for, **E1522 (14.04)**
Common Laboratory Glass Funnels, Specification for, **E1095 (14.04)**
Disposable Glass Micropipets, Specification for, **E672 (14.04)**
Glass and Oxygen Combustion Flask, Specification for, **E205 (14.04)**
Glass Capillary Kinematic Viscometers, Specifications and Operating Instructions for, **D446 (05.01)**
Glass Measuring Pipets, Specification for, **E1293 (14.04)**
Glass Micro Folin Pipet, Disposable, Specification for, **E1092 (14.04)**
Glass Prothrombin Pipet, Disposable, Specification for, **E1093 (14.04)**
Glass Serological Pipets (General Purpose and Kahn), Specification for, **E1044 (14.04)**
Glass Stopcocks with Polytetrafluoroethylene (PTFE) Plugs, Specification for, **E911 (14.04)**
Glass Westergren Tube, Disposable, Specification for, **E1046 (14.04)**
Glasses in Laboratory Apparatus, Specification for, **E438 (14.04)**
Graduated Cylinders, Specification for Laboratory Glass, **E1272 (14.04)**
Laboratory Glass Beakers, Specification for, **E960 (14.04)**
Laboratory Glass Boiling Flasks, Specification for, **E1403 (14.04)**
Laboratory Glass Conical Flasks, Specification for, **E1404 (14.04)**
Laboratory Glass Dewar Flask, Specification for, **E1379 (14.04)**
Laboratory Glass Distillation Flasks, Specification for, **E1405 (14.04)**
Laboratory Glass Filter Flasks, Specification for, **E1406 (14.04)**
Laboratory Glass Graduated Burets, Specification for, **E287 (14.04)**
Laboratory Glass Kjeldahl Flasks, Specification for, **E1377 (14.04)**
Laboratory Glass Microvolumetric Vessels (Volumetric Flasks and Centrifuge Tubes), Specification for, **E237 (14.04)**
Laboratory Glass Multiple Neck Distilling/Boiling Flasks, Specification for, **E1378 (14.04)**
Laboratory Glass Separatory Funnels, Specification for, **E1096 (14.04)**
Laboratory Glass Test Tubes, Specification for, **E982 (14.04)**
Laboratory Glass Volumetric Apparatus, Specification for, **E694 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Laboratory Glass Volumetric Flasks, Specification for, **E288 (14.04)**
Laboratory Glass Volumetric Flasks, Special Use, Specification for, **E1878 (14.04)**
Pharmaceutical Glass Graduates, Specification for, **E1094 (14.04)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Glass-lined pressure vessels
Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings, Specification for, **A562/A562M (01.04)**
Titanium-Stabilized Carbon Steel Forgings for Glass-Lined Piping and Pressure Vessel Service, Specification for, **A836/A836M (01.01)**

Glass manufacturing
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**

Glass mat cement sheet
Non-Asbestos Fiber-Mat Reinforced Cementitious Backer Units, Specification for, **C1325 (04.05)**

Glass mat gypsum board
Sa **Gypsum products**
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Glass Mat Gypsum Panels, Specification for, **C1658/C1658M (04.01)**
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**

Glass measurement
Choosing a Method for Determining the Index of Refraction and Dispersion of Glass, Guide for, **C1648 (15.02)**
Determination of Concentrations of Elements in Glass Samples Using Inductively Coupled Plasma Mass Spectrometry (ICP-MS) for Forensic Comparisons, Test Method for, **E2330 (14.02)**
the Automated Determination of Refractive Index of Glass Samples Using the Oil Immersion Method and a Phase Contrast Microscope, Test Method for, **E1967 (14.02)**

Glass molds
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**

Glass mullion system
Structural Sealant Glazing, Guide for, **C1401 (04.07)**

Glass panels
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Preparation of Glass Panels for Testing Paint, Varnish, Lacquer, and Related Products, Practice for, **D3891 (06.01)**

Glass pipe/fittings
Pressure Test on Glass Pipe, Test Method for, **C601 (15.02)**
Thermal Shock Test on Glass Pipe, Test Method of, **C600 (15.02)**

Glass pipe/fittings—specifications
Beaded Process Glass Pipe and Fittings, Specification for, **C1509 (15.02)**
Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications, Specification for, **C1053 (15.02)**

Glass-plastic laminates
See **Laminates**

Glass plate flow
Inclined Plate Flow for Thermosetting Coating Powders, Test Method for, **D4242 (06.02)**

Glass railing systems
the Performance of Glass in Permanent Glass Railing Systems, Guards, and Balustrades, Specification for, **E2358 (04.12)**

Glass raw materials
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**

Glass refractories
Isothermal Corrosion Resistance of Refractories to Molten Glass, Test Method for, **C621 (15.01)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Glass reinforced plastics
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**
Glass Fiber Reinforced Thermoplastic Pipe, Specification for, **F2686 (08.04)**

Glass samples/containers
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
the Automated Determination of Refractive Index of Glass Samples Using the Oil Immersion Method and a Phase Contrast Microscope, Test Method for, **E1967 (14.02)**

Glass sand
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**

Glass sewing threads
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**

Glass spheres
Sieve Analysis of Glass Spheres, Test Method for, **D1214 (06.02)**

Glass spheres (in traffic paint/marking material)
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Roundness of Glass Spheres, Test Method for, **D1155 (06.02)**

Glass structural performance
Determining Load Resistance of Glass in Buildings, Practice for, **E1300 (04.11)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**

Glass thermal insulation
Frost/Dew Point of Sealed Insulating Glass Units, Test Method for, **E546 (04.11)**
Frost/Dew Point of Sealed Insulating Glass Units in the Vertical Position, Test Method for, **E576 (04.11)**
Testing Cellular Glass Insulation Block, Test Methods of, **C240 (04.06)**

Glass thermal insulation—specifications
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Cellular Glass Thermal Insulation, Specification for, **C552 (04.06)**
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Flexible Fibrous Glass Insulation for Metal Buildings, Specification for, **C991 (04.06)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**

Glass-to-metal sealing applications
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**

Glass transition
Glass Transition Temperature (DMA Tg) of Polymer Matrix Composites by Dynamic Mechanical Analysis (DMA), Test Method for, **D7028 (15.03)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Glass transition temperature
Glass Transition Temperature (DMA Tg) of Polymer Matrix Composites by Dynamic Mechanical Analysis (DMA), Test Method for, **D7028 (15.03)**

Glass transition (T_g) temperature
Sa **Temperature tests**
Assignment of a Glass Transition Temperature Using Thermomechanical Analysis: Tension Method, Test Method for, **E1824 (14.02)**
Assignment of the DSC Procedure for Determining Tg of a Polymer or an Elastomeric Compound, Test Method for, **D7426 (09.01)**
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Assignment of the Glass Transition Temperature by Thermomechanical Analysis, Test Method for, **E1545 (14.02)**
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**
Glass Transition Temperatures of Hydrocarbon Resins by Differential Scanning Calorimetry, Practice for, **D6604 (06.03)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
the Assignment of the Glass Transition Temperature by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E2602 (14.02)**

Glass tube
Sealed Tube Chemical Compatibility Test, Test Method for, **D5642 (10.02)**
Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), Test Method for, **D3268 (11.07)**

Glass units
Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, Test Method for, **E2269 (04.12)**

Glass viscosity
Measurement of Viscosity of Glass Between Softening Point and Annealing Range (Approximately 10, Test Method for, **C1350M (15.02)**

Glassware
Deposition on Glassware During Mechanical Dishwashing, Test Method for, **D3556 (15.04)**
Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, Test Method for, **G123 (03.02)**
Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, Practice for, **G36 (03.02)**
Foaming Tendencies of Engine Coolants in Glassware, Test Method for, **D1881 (15.05)**
Foaming Tendencies of Non-Aqueous Engine Coolants in Glassware, Test Method for, **D7840 (15.05)**
Fractographic Analysis of Fracture Mirror Sizes in Ceramics and Glasses, Practice for, **C1678 (15.01)**

Glassware corrosion test
Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**

Glasswashing equipment (commercial)
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**

Glass waste forms
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**

Glazed apertures
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**

Glazed brick
Glazed Brick (Single Fired, Brick Units), Specification for, **C1405 (04.05)**

Glazed ceramic tile
See **Ceramic tile (glazed)**
See **Ceramic whitewares (glazed)**

Glazed curtain walls
Sa **Curtain walls**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**

Glazed opening
Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies, Test Method for, **E2025 (04.11)**

Glaze durability
Determining Visible Abrasion Resistance of Glazed Ceramic Tile, Test Method for, **C1027 (15.02)**

Glaze frits
Linear Thermal Expansion of Glaze Frits and Ceramic Whiteware Materials by the Interferometric Method, Test Method for, **C1300 (15.02)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Ceramic Whiteware Materials by Interferometric Method, Test Method for, **C539 (02.05)**

Glazing compounds/applications
Sa **Sealants**
Ball Drop Impact Resistance of Laminated Architectural Flat Glazing, Specification for, **F3006 (15.08)**
Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, Test Method for, **C1294 (04.07)**
Determining Tensile Adhesion Properties of Structural Sealants, Test Method for, **C1135 (04.07)**
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**
Lock-Strip Gasket Glazing, Guide for, **C964 (04.07)**
Remedying Structural Silicone Glazing, Guide for, **C1487 (04.07)**
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Structural Performance of Thermal Barriers in Fenestration Products, Test Method for, **E2692 (04.12)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds, Test Method for, **C681 (04.07)**
Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials, Test Method for, **C1083 (04.07)**

Glazing compounds/applications—specifications
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Elastomeric Cellular Preformed Gasket and Sealing, Specification for, **C509 (04.07)**
Flat Glass, Specification for, **C1036 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preformed Tape Sealants for Glazing Applications, Specification for, **C1281 (04.07)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Glazing configurations
Electromagnetic Shielding Effectiveness of Glazings, Test Method for, **F3057 (15.08)**

Glazing materials
Glazing and Glazing Systems Subject to Airblast Loadings, Specification for, **F2912 (15.08)**

Glazing materials (solar)
Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, Test Method for, **E1084 (12.02)**

Glazings—electromagnetic shielding effectiveness of
Electromagnetic Shielding Effectiveness of Glazings, Test Method for, **F3057 (15.08)**

Glazing (security) materials/systems
Sa **Security systems and equipment**
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Voluntary Security Performance of Window and Door Assemblies with and without Glazing Impact, Specification for, **E2395 (04.12)**

Glazing surface
Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, Test Method for, **E2355 (04.12)**

GlcNAc
Determining Degree of Deacetylation in Chitosan Salts by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2260 (13.01)**

Gledhill shake flask
Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, Test Method for, **D6139 (05.03)**

Glenoid implant applications/testing
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**
Shoulder Prostheses, Specification for, **F1378 (13.01)**
Static Evaluation of Glenoid Locking Mechanism in Shear, Test Method for, **F1829 (13.01)**

Glidden method
Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1240 (06.03)**

Glider
Design and Performance of a Light Sport Glider, Specification for, **F2564 (15.11)**

Global analysis
Interpretation of Psychophysiological Detection of Deception (Polygraph) Data, Practices for, **E2229 (14.02)**

Global navigation satellite system (GNSS)
Basic Wilderness GPS/GNSS Use (GPS/GNSS-IW) Endorsement, Guide for, **F3071 (13.02)**
Intermediate Wilderness GPS/GNSS Use (GPS/GNSS-IIW) Endorsement, Guide for, **F3072 (13.02)**

Global positioning system (GPS)
Basic Wilderness GPS/GNSS Use (GPS/GNSS-IW) Endorsement, Guide for, **F3071 (13.02)**
Intermediate Wilderness GPS/GNSS Use (GPS/GNSS-IIW) Endorsement, Guide for, **F3072 (13.02)**
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**

Global solar irradiance
Sa **Solar spectral irradiance**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Reference Solar Ultraviolet Spectral Distributions: Hemispherical on 37° Tilted Surface, Tables for, **G177 (14.04)**

Globe style control valves
Pneumatic-Operated, Globe-Style, Control Valves, Specification for, **F1985 (01.07)**

Globe-style valves
Sa **Valves**
Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**
Pressure-Reducing Valves for Water Systems, Shipboard, Specification for, **F1370 (01.07)**

Globule test
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**

Gloephyllum trabeum
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**

Gloss
45-deg Specular Gloss of Ceramic Materials, Test Method for, **C346 (02.05)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Establishing Color and Gloss Tolerances, Practice for, **D3134 (06.01)**
Evaluation of Gloss or Sheen Uniformity, Test Method for, **D3928 (06.02)**
Evaluation of Optical Properties of Powder Coatings, Guide to, **D5382 (06.02)**
Instrumental Measurement of Distinctness-of-Image Gloss of Coating Surfaces, Test Methods for, **D5767 (06.01)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Measuring Mechanistic Aspects of Scratch/Mar Behavior of Paint Coatings by Nanoscratching, Test Method for, **D7187 (06.01)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Reflection Haze of High-Gloss Surfaces, Test Method for, **D4039 (06.01)**
Sample Preparation of Transparent Plastic Films used on Membrane Switch Overlays for Specular Gloss Measurements, Practice for, **F1843 (10.04)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Specular Gloss, Test Method for, **D523 (06.01)**
Specular Gloss of Glazed Ceramic Whitewares and Related Products, Test Method for, **C584 (15.02)**
Specular Gloss of Plastic Films and Solid Plastics, Test Method for, **D2457 (08.01)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Gloss—polishes
60° Specular Gloss of Emulsion Floor Polish, Test Method for, **D1455 (15.04)**
Accelerated Aging of Liquid Water-Emulsion Floor Polishes, Test Method for, **D1791 (15.04)**
Evaluation of Spray-Buff Products on Test Floors, Practice for, **D3758 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Recoatability of Water-Emulsion Floor Polishes, Test Method for, **D3153 (15.04)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Glossary
Emergency Medical Services System (EMSS) Telecommunications, Guide for, **F1220 (13.02)**
Symbols and Definitions Relating to Magnetic Testing, Terminology of, **A340 (03.04)**
Gloss coatings
Sa **High-gloss surfaces**
Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, Test Method for, **D6900 (06.02)**
Glossmeter
Abrasion Resistance of Porcelain Enamels, Test Methods for, **C448 (02.05)**
Glove bag operations
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Gloveboxes
Design Criteria for Plutonium Gloveboxes, Guide for, **C852 (12.01)**
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**
Glove dexterity
Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test, Test Method for, **F2010/F2010M (11.03)**
Glove leather
Slit Tear Resistance of Leather, Test Method for, **D2212 (15.04)**
Gloves
Assessment of Medical Gloves, Guide for, **D7103 (09.02)**
Characterizing Gripping Performance of Gloves Using a Torque Meter, Test Method for, **F2961 (11.03)**
Colorimetric/Spectrophotometric Procedure to Quantify Extractable Chemical Dialkyldithiocarbamate, Thiuram, and Mercaptobenzothiazole Accelerators in Natural Rubber Latex and Nitrile Gloves, Test Method for, **D7558 (09.02)**
Detection of Holes in Polyethylene Food Service Gloves, Test Method for, **D7246 (09.02)**
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Disposable Embalming Gloves for Single-Use Applications, Specification for, **D7198 (09.02)**
Gravimetric Determination of Nonvolatile Residue from Cleanroom Gloves, Test Method for, **E1731 (15.03)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Women's and Girls' Knitted and Woven Dress Glove Fabrics, Performance Specification for, **D4115 (07.01)**
Gloves—Gripping performance of
Characterizing Gripping Performance of Gloves Using a Torque Meter, Test Method for, **F2961 (11.03)**
Gloves—PVC
Disposable Embalming Gloves for Single-Use Applications, Specification for, **D7198 (09.02)**
Poly(vinyl chloride) Gloves for Medical Application, Specification for, **D5250 (09.02)**
Gloves—rubber
Detection of Holes in Medical Gloves, Test Method for, **D5151 (09.02)**
Residual Powder on Medical Gloves, Test Method for, **D6124 (09.02)**
Rubber Examination Gloves, Specification for, **D3578 (09.02)**
Rubber General Purpose, Household or Beautician Gloves, Specification for, **D4679 (09.02)**
Rubber Surgical Gloves, Specification for, **D3577 (09.02)**
Glow discharge mass spectrometer (GDMS)
Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, Test Method for, **F1593 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1845 (10.04)**
Trace Metallic Impurities in Electronic Grade Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1710 (10.04)**
Trace Metallic Impurities in High Purity Copper by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F2405 (10.04)**
Glowing time
See **Flammability**
Glow-wire ignition
Glow-Wire Ignition of Materials, Test Method for, **D6194 (10.02)**
Glucose analysis
Analysis of Sugar in Vegetable Tanning Materials, Test Method for, **D6406 (15.04)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Glue content
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Glued laminated timber (glulam)
Sa **Laminates (wood)**
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Characteristic Values for Flexural Properties of Structural Glued Laminated Timber by Full-Scale Testing, Practice for, **D7341 (04.10)**
Establishing Characteristic Values for Reinforced Glued Laminated Timber (Glulam) Beams Using Mechanics-Based Models, Practice for, **D7199 (04.10)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
Glutaraldehyde
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**
Glycerin
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Determination of Fatty Acids and Esters in Glycerin, Test Method for, **D7638 (15.05)**
Determination of Free and Total Glycerin in Biodiesel Blends by Anion Exchange Chromatography, Test Method for, **D7591 (05.04)**
Determination of Glycerin Assay by Titration (Sodium Meta Periodate), Test Method for, **D7637 (15.05)**
Determination of Residual Methanol in Glycerin by Gas Chromatography, Test Method for, **D7716 (15.05)**
Engine Coolant Grade Glycerin, Specification for, **D7640 (15.05)**
Fully-Formulated Glycerin Base Engine Coolant for Heavy-Duty Engines, Specification for, **D7715 (15.05)**
Glycerin Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D7714 (15.05)**
High-Gravity Glycerin, Specification for, **D1257 (06.04)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**
Glycerin content
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Determination of Total Monoglycerides, Total Diglycerides, Total Triglycerides, and Free and Total Glycerin in B-100 Biodiesel Methyl Esters by Gas Chromatography, Test Method for, **D6584 (05.03)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Glycidyl ethers
Total Chlorine in Epoxy Resins and Compounds, Test Method for, **D4301 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Glycol-base antifreeze
Detecting Glycol-Base Antifreeze in Used Lubricating Oils, Test Methods for, **D2982 (05.01)**
Glycol-base antifreeze—specifications
Recycled Glycol Base Engine Coolant Concentrate for Automobile and Light-Duty Service, Specification for, **D6472 (15.05)**
Glycol ethers
Sa **Chemicals**
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**
Glycol impurities
Glycol Impurities in Mono-, Di-, Tri- and Tetraethylene Glycol and in Mono- and Dipropylene Glycol, Test Method for, **E2409 (15.05)**
Glycols
Sa **Engine coolants/concentrates**
Aqueous Engine Coolant Grade Glycol (53% Nominal), Specification for, **D7713 (15.05)**
Engine Coolant Grade 1,3-Propanediol (PDO), Specification for, **D7388 (15.05)**
Engine Coolant Grade Glycerin, Specification for, **D7640 (15.05)**
G-max
ASTM Standards on Playground Surfacing, Guide for, **F2223 (15.07)**
Impact Attenuation of Playing Surface Systems and Materials, Test Method for, **F355 (15.07)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Goaltenders
Head and Face Protective Equipment for Ice Hockey Goaltenders, Specification for, **F1587 (15.07)**
Goat hair
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**
Goggles
Goggle- and Spectacle-Type Eye Protectors for Selected Motor Sports, Specification for, **F2812 (15.07)**
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**
Ski and Snowboard Goggles, Specification for, **F659 (15.07)**
Goggle-weighted transmissivity
Measuring the Night Vision Goggle-Weighted Transmissivity of Transparent Parts, Test Method for, **F1863 (15.03)**
Go-karts
Consumer Recreational Use of Fun-Karts, Safety Guide for, **F1928 (15.11)**
Design, Manufacture, and Operation of Concession Go-Karts and Facilities, Practice for, **F2007 (15.07)**
Safety and Performance of Fun-Karts, Specification for, **F2011 (15.11)**
Gold alloy—electrical contact materials
Sa **Electrical contact materials**
Sa **Electrical resistance/resistivity**
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Gold Electrical Contact Alloy, Specification for, **B541 (02.04)**
Gold-Copper Alloy Electrical Contact Material, Specification for, **B596 (02.04)**
Gold-Silver-Nickel Electrical Contact Alloy, Specification for, **B477 (02.04)**
Gold-Silver-Platinum Electrical Contact Alloy, Specification for, **B522 (02.04)**
Gold and silver bullion
Determination of Gold in Bullion by Fire Assay Cupellation Analysis, Test Methods for, **E1335 (03.05)**
Gold bronze powder
Gold Bronze Powder, Specification for, **D267 (06.03)**
Gold content
Determination of Gold in Activated Carbon by Fire Assay Gravimetry, Test Method for, **E1568 (03.05)**
Determination of Gold in Bullion by Fire Assay Cupellation Analysis, Test Methods for, **E1335 (03.05)**
Gold decoration
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**
Gold metals/alloys
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**
Chemical Analysis of Refined Gold by Direct Current Plasma Atomic Emission Spectrometry, Test Method for, **E1446 (03.05)**
Determination of Gold in Bullion by Fire Assay Cupellation Analysis, Test Methods for, **E1335 (03.05)**
Determination of Gold in Copper Concentrates by Fire Assay Gravimetry, Test Method for, **E1805 (03.05)**
Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, Test Method for, **E1600 (03.05)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Gold metal/alloys—specifications
Gold Electrical Contact Alloy, Specification for, **B541 (02.04)**
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**
Gold-Copper Alloy Electrical Contact Material, Specification for, **B596 (02.04)**
Gold-Silver-Nickel Electrical Contact Alloy, Specification for, **B477 (02.04)**
Gold-Silver-Platinum Electrical Contact Alloy, Specification for, **B522 (02.04)**
Refined Gold, Specification for, **B562 (02.04)**
Gold plated beads
Mercury Sampling and Measurement in Natural Gas by Atomic Absorption Spectroscopy, Test Method for, **D5954 (05.06)**
Gold-silver electrical contact alloy
See **Electrical contact materials (silver alloy)**
Gold sorbent
Mercury Sampling and Analysis in Natural Gas by Atomic Fluorescence Spectroscopy, Test Method for, **D6350 (05.06)**
Gold wire (for electronic use)
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**
Nondestructive Pull Testing of Wire Bonds, Practice for, **F458 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**
Golf courses
Construction of Sand-based Rootzones for Golf Putting Greens and Tees, Guide for, **F2747 (15.07)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Particle Size Analysis and Sand Shape Grading of Golf Course Putting Green and Sports Field Rootzone Mixes, Test Method for, **F1632 (15.07)**
Gongs
Gong, Sound Signaling, Specification for, **F957 (01.07)**
Goniochromatism
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Goniometer
Corona-Treated Polymer Films Using Water Contact Angle Measurements, Test Method for, **D5946 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Goniophotometry
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Specular Gloss, Test Method for, **D523 (06.01)**
Gooch crucible
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Solubility of Asphalt Materials in Trichloroethylene, Test Method for, **D2042 (04.03)**
Gouache paints
Gouache Paints, Specification for, **D5724 (06.02)**
Gouging
Jaw Crusher Gouging Abrasion Test, Test Method for, **G81 (03.02)**
Government specification
Fire Retardancy of Paints (Cabinet Method), Test Method for, **D1360 (06.01)**
GPEV (general public emergency volunteer)
Workers Compensation Coverage of Emergency Services Volunteers, Practice for, **F2047 (13.02)**
Grab bars
Grab Bars and Accessories Installed in the Bathing Area, Consumer Safety Specification for, **F446 (15.11)**
Grab bars/accessories (for the bathroom)
See **Consumer safety specifications (bathrooms)**
Grab effect
Tack of Pressure-Sensitive Adhesives by Rolling Ball, Test Method for, **D3121 (15.10)**
Grab/grease sampling
Sa **Sampling petroleum products**
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**
Grabhook test
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Grab rails
Performance of Permanent Metal Railing Systems and Rails for Buildings, Test Methods for, **E935 (04.11)**
Grab sampling
Sa **Sampling water analysis applications**
Determination of Radon Decay Product Concentration and Working Level in Indoor Atmospheres by Active Sampling on a Filter, Test Method for, **D6327 (11.07)**
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**
Grab test
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Breaking Strength of Leather by the Grab Method, Test Method for, **D2208 (15.04)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Grab Breaking Load and Elongation of Geotextiles, Test Method for, **D4632/D4632M (04.13)**
Gradation
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Measuring Gradation of Glass Spheres Using a Flowing Stream Digital Image Analyzer, Test Method for, **D7681 (06.02)**
Mechanical Size Analysis of Extracted Aggregate, Test Method for, **D5444 (04.03)**
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**
Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis, Test Methods for, **D6913 (04.09)**
Specifying Standard Sizes of Stone for Erosion Control, Practice for, **D6092 (04.09)**
Grade 100 steel chain
Forged Grade 80 and Grade 100 Steel Lifting Components and Welded Attachment Links, Specification for, **A952/A952M (01.05)**
Grade 100 Alloy Steel Chain, Specification for, **A973/A973M (01.05)**
Grade 80 alloy steel
Forged Grade 80 and Grade 100 Steel Lifting Components and Welded Attachment Links, Specification for, **A952/A952M (01.05)**
Grade 80 Alloy Steel Chain, Specification for, **A391/A391M (01.05)**
Grade 82 aviation fuel
Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, Specification for, **D6227 (05.03)**
Grade 87 aviation fuel
Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, Specification for, **D6227 (05.03)**
Grade 94
Specification for Grade 94 Unleaded Aviation Gasoline Certification and Test Fuel, Specification for, **D7592 (05.04)**
Graded aggregate material
Sa **Aggregate—specifications**
Graded Aggregate Material For Bases or Subbases for Highways or Airports, Specification for, **D2940/D2940M (04.03)**
Graded radiant heat energy
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**
Graded Trinidad lake-modified asphalt binder
Performance Graded Trinidad Lake Modified Asphalt Binder, Specification for, **D6626 (04.03)**
Grade rings
Precast Reinforced Concrete Manhole Sections, Specification for, **C478 (04.05)**
Precast Reinforced Concrete Manhole Sections (Metric), Specification for, **C478M (04.05)**
Grade separation
Corrugated Aluminum Box Culverts, Specification for, **B864/B864M (02.02)**
Grade verification
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Gradient furnace method
Determining Liquidus Temperature of Immobilized Waste Glasses and Simulated Waste Glasses, Test Method for, **C1720 (12.01)**
Measurement of Liquidus Temperature of Glass by the Gradient Furnace Method, Practices for, **C829 (15.02)**
Gradient ratio
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Measuring the Filtration Compatibility of Soil-Geotextile Systems, Test Method for, **D5101 (04.13)**
Grading
Sa **Particle analysis**
Determining the Continuous Grading Temperatures and Continuous Grades for PG Graded Asphalt Binders, Practice for, **D7643 (04.03)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Sampling and Grading Rosin, Test Methods of, **D509 (06.03)**
Sampling and Testing Calcium Chloride for Roads and Structural Applications, Test Method for, **D345 (04.03)**
Sieve Analysis of Fine and Coarse Aggregates, Test Method for, **C136 (04.02)**
Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), Test Methods for, **C1252 (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Grading—textiles
Fineness of Types of Alpaca, Specification for, **D2252 (07.01)**
Fineness of Wool or Mohair and Assignment of Grade, Specifications for, **D3991 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**
Grading Spun Yarns for Appearance, Test Method for, **D2255/D2255M (07.01)**
Lighting Cotton Classing Rooms for Color Grading, Practice for, **D1684 (07.01)**
Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, Practices for, **D5426 (07.02)**
Visually Inspecting and Grading Fabrics, Test Methods for, **D5430 (07.02)**
Grading—wood products
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Graduated laboratory apparatus—specifications
Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, Specification for, **E1380 (14.04)**
Graduated Cylinders, Specification for Laboratory Glass, **E1272 (14.04)**
Laboratory Glass Volumetric Apparatus, Specification for, **E694 (14.04)**
Pharmaceutical Glass Graduates, Specification for, **E1094 (14.04)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Graduated quartz wedge optical retardation procedure
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Graffiti resistance
Determination of Graffiti Resistance, Practice for, **D6578 (06.02)**
Graffitti
Determination of the Effectiveness of Anti-Graffiti Coating for Use on Concrete, Masonry and Natural Stone Surfaces by Pressure Washing, Practice for, **D7089 (06.02)**
Grain cracking
Sa **Leather cracking**
Cracking Resistance of Leather, Test Method for, **D6075 (15.04)**
Grain Crack and Extension of Leather by the Mullen Test, Test Method for, **D2210 (15.04)**
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**
Grain cracking resistance
Grain Crack and Extension of Leather by the Mullen Test, Test Method for, **D2210 (15.04)**
Grain direction coefficient of friction
See **Coefficient of friction (COF)**
Graininess
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Grain oriented electrical steel
Sa **Oriented electrical steel**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
Grain pits
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Grains
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Grain size
Sa **Nondestructive evaluation (NDE)**
Sa **Particle analysis**
Amount of Material in Soils Finer than No. 200 (75-μm) Sieve, Test Methods for, **D1140 (04.08)**
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**
Particle-Size Analysis of Soils, Test Method for, **D422 (04.08)**
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**
Grain stability
Determination of Grain Stability of Calcined Petroleum Coke, Test Method for, **D6791 (05.03)**
Grain structures
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Grain (wood)
Wood and Wood-Based Products, Terminology Relating to, **D9 (04.10)**
Grammage (weight per unit area)
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Gram negative/positive bacteria and yeasts
Sa **Bacteria/bacterial control**
Sa **Fungal influence/resistance**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
Gram-Schmidt reconstruction
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**
Grandidierella japonica
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Granite
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**
Granite—specifications
Granite Dimension Stone, Specification for, **C615/C615M (04.07)**
Granular activated carbon (GAC)
See **Activated carbon—granular**
Granular applicators
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Preparing Granular Pesticide Ground Applicator Calibration Procedures, Guide for, **E550 (11.05)**
Granular aquifers
Development of Groundwater Monitoring Wells in Granular Aquifers, Guide for, **D5521/D5521M (04.08)**
Granular blast furnace
Hydraulic Cement, Performance Specification for, **C1157/C1157M (04.01)**

--`,,`,,`-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Granular carriers/pesticides
Determination of Particles Resulting from the Attrition of Granular Pesticides, Test Method for, **E2316 (11.05)**
Determining Bulk Density of Granular Carriers and Granular Pesticides, Test Methods for, **E727/E727M (11.05)**
Liquid Holding Capacity of Granular Carriers, Test Method for, **E1521 (11.05)**
Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, Test Method for, **E1520 (11.05)**
Resistance to Attrition of Granular Carriers and Granular Pesticides, Test Method for, **E728 (11.05)**
Granular dead-burned refractory dolomite
Hydration of Granular Dead-Burned Refractory Dolomite, Test Method for, **C492 (15.01)**
Granular fill
Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, Specification for, **E1745 (04.11)**
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**
Granular lime
Sa **Quicklime**
Quicklime for Structural Purposes, Specification for, **C5 (04.01)**
Granular loose-fill insulation
Sa **Loose-fill thermal insulation—specifications**
Density of Granular Loose Fill Insulations, Test Methods for, **C520 (04.06)**
Granular magnesium oxide
See **Magnesium oxide (MgO)**
Granular materials
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Granular materials—specifications
Calcium Hypochlorite, Specification for, **E1229 (15.05)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Granular refractory material
Sa **Refractories (general)**
Bulk Density of Granular Refractory Materials, Test Method for, **C357 (15.01)**
Granular soil
Determination of Maximum Dry Unit Weight and Water Content Range for Effective Compaction of Granular Soils Using a Vibrating Hammer, Test Methods for, **D7382 (04.09)**
Permeability of Granular Soils (Constant Head), Test Method for, **D2434 (04.08)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Sand Equivalent Value of Soils and Fine Aggregate, Test Method for, **D2419 (04.03)**
Granular waste
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Granule adhesion
Granule Adhesion to Mineral Surfaced Roofing by Abrasion, Test Method for, **D4977/D4977M (04.04)**
Granule displacement
Granule Cover of Mineral Surfaced Roofing, Test Method for, **D6225/D6225M (04.04)**
Granule embedment
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**
Granules
Percent Dispersibility, Test Method for, **E1945 (11.05)**
Graphical presentation of data
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
for Determining the Effects of Chemical/Solvent Exposure to a Membrane Switch/Graphic Overlay (Spot Test Method), Test Method, **F1598 (10.04)**
Graphic surface record%
Measuring Pavement Roughness Using a Profilograph, Test Method for, **E1274 (04.03)**
Graphite
Air Oxidation of Carbon and Graphite in the Kinetic Regime, Test Method for, **D7542 (05.05)**
Ash in a Graphite Sample, Test Method for, **C561 (05.05)**
Bulk Density by Physical Measurements of Manufactured Carbon and Graphite Articles, Test Method for, **C559 (05.05)**
Bulk Density of As-Manufactured Carbon and Graphite Shapes, Test Method for, **C838 (05.05)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Compressive Strength of Carbon and Graphite, Test Method for, **C695 (05.05)**
Core Sampling of Graphite Electrodes, Practice for, **C783 (05.05)**
Determination of Fracture Toughness of Graphite at Ambient Temperature, Test Method for, **D7779 (05.05)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Determining Nodularity And Nodule Count In Ductile Iron Using Image Analysis, Test Method for, **E2567 (03.01)**
Electrical Resistivity of Manufactured Carbon and Graphite Articles at Room Temperature, Test Method for, **C611 (05.05)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Flexural Strength of Manufactured Carbon and Graphite Articles Using Four-Point Loading at Room Temperature, Test Method for, **C651 (05.05)**
Manufactured Carbon and Graphite, Terminology Relating to, **C709 (05.05)**
Measurements on Small Graphite Specimens, Guide for, **D7775 (05.05)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Moisture in a Graphite Sample, Test Method for, **C562 (05.05)**
Nuclear Graphite Suitable for Components Subjected to Low Neutron Irradiation Dose, Specification for, **D7301 (05.05)**
Oxidation Mass Loss of Manufactured Carbon and Graphite Materials in Air, Test Method for, **C1179 (05.05)**
Real Density of Calcined Petroleum Coke by Xylene Displacement, Test Method for, **D5004 (05.02)**
Reporting Friction and Wear Test Results of Manufactured Carbon and Graphite Bearing and Seal Materials, Guide for, **C808 (05.05)**
Rockwell Hardness of Graphite Materials, Test Method for, **C748 (05.05)**
Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, Guide for, **D6353 (05.03)**
Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, Guide for, **D6354 (05.03)**
Scleroscope Hardness Testing of Carbon and Graphite Materials, Test Method for, **C886 (05.05)**
Sonic Velocity in Manufactured Carbon and Graphite Materials for Use in Obtaining an Approximate Young's Modulus, Test Method for, **C769 (05.05)**
Sulfur in Graphite by Combustion-Iodometric Titration Method, Test Method for, **C816 (05.05)**
Tensile Stress-Strain of Carbon and Graphite, Test Method for, **C749 (05.05)**
Tension Testing of Carbon and Graphite Mechanical Materials, Test Methods for, **C565 (05.05)**
Testing Graphite and Boronated Graphite Materials for High-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Thermal Diffusivity of Carbon and Graphite by Thermal Pulse Method, Test Method for, **C714 (05.05)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**
Total Hemispherical Emittance of Surfaces up to 1400°C, Test Method for, **C835 (04.06)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**

Graphite—specifications
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**
Compacted Graphite Iron Castings, Specification for, **A842 (01.02)**
Impervious Graphite Pipe and Threading, Specification for, **C662 (05.05)**
Packing Material, Graphitic or Carbon Braided Yarn, Specification for, **F2191 (01.07)**
Packing Material, Graphitic, Corrugated Ribbon or Textured Tape, and Die-Formed Ring, Specification for, **F2168 (01.07)**

Graphite electrodes
Apparent Porosity, Apparent Specific Gravity, and Bulk Density of Graphite Electrodes, Test Methods for, **C1039 (05.05)**
Core Sampling of Graphite Electrodes, Practice for, **C783 (05.05)**
Flexural Strength of Manufactured Carbon and Graphite Articles Using Four-Point Loading at Room Temperature, Test Method for, **C651 (05.05)**
Modulus of Rupture in Bending of Electrode Graphite, Test Method for, **C1025 (05.05)**

Graphite fiber materials
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**

Graphite furnace atomic absorption spectrometry (GFAAS)
Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1834 (03.05)**
Arsenic in Uranium Hexafluoride, Test Methods for, **C1219 (12.01)**
Arsenic in Water, Test Methods for, **D2972 (11.01)**
Barium in Water, Atomic Absorption Spectrophotometry, Graphite Furnace, Test Method for, **D4382 (11.01)**
Cobalt in Water, Test Methods for, **D3558 (11.01)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Copper in Water, Test Methods for, **D1688 (11.01)**
Determination of Copper in Jet Fuels by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6732 (05.03)**
Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6442 (06.02)**
Determination of Elements by Graphite Furnace Atomic Absorption Spectrometry, Practice for, **E1184 (03.05)**
Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, Test Method for, **E1613 (04.11)**
Determination of Lead in Workplace Air Using Flame or Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6785 (11.07)**
Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1852 (03.05)**
Determination of Trace Elements in Coal, Coke, and Combustion Residues from Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry, Test Methods for, **D6357 (05.06)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Graphite Furnace Atomic Absorption Spectrometric Determination of Lead and Cadmium Extracted from Ceramic Foodware, Test Method for, **C1466 (15.02)**
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Lead in Water, Test Methods for, **D3559 (11.01)**
Low Level Sodium in High Purity Water by Graphite Furnace Atomic Absorption Spectroscopy, Test Method for, **D6071 (11.01)**
Manganese in Water, Test Methods for, **D858 (11.01)**
Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, Practice for, **D3919 (11.01)**
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**
Selenium in Water, Test Methods for, **D3859 (11.01)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Vanadium in Water, Test Method for, **D3373 (11.01)**

Graphite iron castings
Compacted Graphite Iron Castings, Specification for, **A842 (01.02)**

Graphite lubricants
Sa **Lubricants (solid)**
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**

Graphite (nuclear)
Sa **Nuclear graphite**
Nuclear Graphite Suitable for Components Subjected to Low Neutron Irradiation Dose, Specification for, **D7301 (05.05)**

Grass tennis courts
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**

Grate bars
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**

Gratings
Safe Walking Surfaces, Practice for, **F1637 (15.07)**

Gravel
Abrasion Resistance of Concrete (Underwater Method), Test Method for, **C1138M (04.02)**
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Aggregate Layer Hiding Power, Test Method for, **D5081/D5081M (04.04)**
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Mineral Aggregate Used on Built-Up Roofs, Specification for, **D1863/D1863M (04.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gravel-less applications
Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields, Practice for, **F481 (08.04)**
Graves tear
Tear Resistance (Graves Tear) of Plastic Film and Sheeting, Test Method for, **D1004 (08.01)**
Gravimetric determination
Bulk Density of As-Manufactured Carbon and Graphite Shapes, Test Method for, **C838 (05.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, Test Method for, **C138/C138M (04.02)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Determination of Beryllium in Copper-Beryllium Alloys by Phosphate Gravimetric Method, Test Method for, **E2824 (03.05)**
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**
Determination of Gold in Activated Carbon by Fire Assay Gravimetry, Test Method for, **E1568 (03.05)**
Determination of Gold in Copper Concentrates by Fire Assay Gravimetry, Test Method for, **E1805 (03.05)**
Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), Test Method for, **D6331 (11.07)**
Determination of Silica in Manganese Ores, Iron Ores, and Related Materials by Gravimetry, Test Method for, **E247 (03.05)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**
Extracting Residue from Metallic Medical Components and Quantifying via Gravimetric Analysis, Test Method for, **F2459 (13.01)**
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, Test Method for, **E1235 (15.03)**
Gravimetric Determination of Nonvolatile Residue from Cleanroom Gloves, Test Method for, **E1731 (15.03)**
Gravimetric Measurement of Particulate Concentration of Hydrogen Fuel, Test Method for, **D7651 (05.06)**
Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, Test Method for, **D4898 (05.02)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Particulate Contamination in Aviation Fuels by Laboratory Filtration, Test Method for, **D5452 (05.02)**
Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, Test Method for, **D6217 (05.03)**
Phosphorus in Lubricating Oils and Additives, Test Methods for, **D1091 (05.01)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, Practice for, **D1176 (15.05)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
Test Method for Particulate Contamination of Biodiesel B100 Blend Stock Biodiesel Esters and Biodiesel Blends by Laboratory Filtration, Test Method for, **D7321 (05.04)**
the Determination of Uranium by Ignition and the Oxygen to Uranium (O/U) Atomic Ratio of Nuclear Grade Uranium Dioxide Powders and Pellets, Test Method for, **C1453 (12.01)**
Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, Test Methods for, **D4942 (06.02)**
Gravimetric wear assessment
Gravimetric Measurement of Polymeric Components for Wear Assessment, Practice for, **F2025 (13.01)**
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Gravitational system
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Gravitometers
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**
Gravity castings
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**
Gravity-convection ovens
Gravity-Convection and Forced-Ventilation Ovens, Specification for, **E145 (14.04)**
Gravity convection water baths
Gravity-Convection and Forced-Circulation Water Baths, Specification for, **E715 (14.04)**
Gravity flow applications
12 to 60 in. [300 to 1500 mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Gravity-Flow Storm Sewer and Subsurface Drainage Applications, Specification for, **F2306/F2306M (08.04)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**
Gravity method
Using the Gravity Method for Subsurface Investigation, Guide for, **D6430 (04.09)**
Gravity sedimentation
Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **C958 (15.02)**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**
Gravity sewer pipe
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Selection of Gravity Sewers Suitable for Installation of Optical Fiber Cable and Conduits, Practice for, **F2303 (04.12)**
Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, Practice for, **D2321 (08.04)**
Gravity sewer pipe—specifications
Sa **Sewer pipe (thermoplastic)—specifications**
Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Drain, Waste, and Vent Piping Applications, Specification for, **A888 (01.02)**
Poly (Vinyl Chloride)(PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F1803 (08.04)**
Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings, Specification for, **F679 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F794 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**
Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and Fittings, Specification for, **C1541 (01.02)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**

Gray iron castings
Gray Iron Castings Up to 4, Reference Radiographs for, **E802 (03.03)**
Production and Preparation of Gray Iron Castings for Porcelain Enameling, Practices for, **C660 (02.05)**

Gray iron castings—specifications
Austenitic Gray Iron Castings, Specification for, **A436 (01.02)**
Automotive Gray Iron Castings, Specification for, **A159 (01.02)**
Centrifugally Cast Dual Metal (Gray and White Cast Iron) Cylinders, Specification for, **A667/A667M (01.02)**
Centrifugally Cast White Iron/Gray Iron Dual Metal Abrasion-Resistant Roll Shells, Specification for, **A942/A942M (01.02)**
Gray Iron Castings, Specification for, **A48/A48M (01.02)**
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**
Gray Iron Castings for Pressure-Containing Parts for Temperatures Up to 650°F (350°C), Specification for, **A278/A278M (01.02)**
Gray Iron Castings for Valves, Flanges, and Pipe Fittings, Specification for, **A126 (01.02)**
Statically Cast Permanent Mold Gray Iron Castings, Specification for, **A823 (01.02)**

Gray level intensity
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**

Gray scale
Colorfastness and Transfer of Color in the Washing of Leather, Test Method for, **D2096 (15.04)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Evaluation of Visual Color Difference With a Gray Scale, Test Method for, **D2616 (06.01)**

Grab tensile properties
Grab Tensile Properties of Reinforced Geomembranes, Test Method for, **D7004/D7004M (04.13)**

Grease
Sa **Lubricating grease**
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Dropping Point of Lubricating Grease Over Wide Temperature Range, Test Method for, **D2265 (05.01)**
Instrument and Precision Bearing Lubricants—Part 2 Greases, Guide for, **F2489 (01.08)**
Obtaining In-Service Samples of Lubricating Grease, Practice for, **D7718 (05.04)**
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Rate of Grease Penetration of Flexible Barrier Materials (Rapid Method), Test Method for, **F119 (15.10)**

Grease interceptor tanks
Corrugated High Density Polyethylene (HDPE) Grease Interceptor Tanks, Specification for, **F2649 (08.04)**
Precast Concrete Grease Interceptor Tanks, Specification for, **C1613 (04.05)**

Grease life performance
Sa **Performance—petroleum products/applications**
Life Performance of Automotive Wheel Bearing Grease, Test Method for, **D3527 (05.01)**

Grease particle capture
Grease Particle Capture Efficiency of Commercial Kitchen Filters and Extractors, Test Method for, **F2519 (15.12)**

Green analyses
Evaluation and Selection of Destinations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2741 (04.12)**
Evaluation and Selection of Exhibits for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2742 (04.12)**
Evaluation and Selection of Onsite Offices for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2747 (04.12)**
Evaluation and Selection of Transportation for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2743 (04.12)**

Green buildings
Assessment of Rainwater Quality, Practice for, **E2727 (04.12)**
Data Collection for Sustainability Assessment of Building Products, Practice for, **E2129 (04.12)**
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**
Water Conservation in Buildings Through In-Situ Water Reclamation, Practice for, **E2635 (04.12)**

Green density
Compressibility of Metal Powders in Uniaxial Compaction, Test Method for, **B331 (02.05)**
Density of Compacted or Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B962 (02.05)**

Greener cleanups
Greener Cleanups, Guide for, **E2893 (11.05)**

Green events
Evaluation and Selection of Accommodations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2772 (04.12)**
Evaluation and Selection of Venues for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2774 (04.12)**

Greenhouse gases
Basic Assessment and Management of Greenhouse Gases, Guide for, **E2725 (11.05)**

Greenhouse/growth chambers
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Greenhouse whitefly parasite
Encarsia formosa Gahan (*Hymenoptera:Aphelinidae*), Specification for, **E2199 (11.05)**

Green petroleum coke
Sa **Petroleum coke**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Sieve Analysis of Petroleum Coke, Test Method for, **D5709 (05.02)**
Volatile Matter in Green Petroleum Coke Quartz Crucible Procedure, Test Method for, **D6374 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Green pigments
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Green roof systems
Determination of Dead Loads and Live Loads Associated with Vegetative (Green) Roof Systems, Practice for, **E2397 (04.04)**
Maximum Media Density for Dead Load Analysis of Vegetative (Green) Roof Systems, Test Method for, **E2399 (04.04)**
Saturated Water Permeability of Granular Drainage Media Falling-Head Method for Vegetative (Green) Roof Systems, Test Method for, **E2396 (04.04)**
Selection, Installation, and Maintenance of Plants for Green Roof Systems, Guide for, **E2400 (04.04)**
Vegetative (Green) Roof Systems, Guide for, **E2777 (04.04)**
Water Capture and Media Retention of Geocomposite Drain Layers for Vegetative (Green) Roof Systems, Test Method for, **E2398 (04.04)**
Green silicon carbide/nitride samples
Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**
Greenstone ink blue
See **Iron blue pigment**
Green strength
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Green test bars
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Green tree chips
Moisture Analysis of Particulate Wood Fuels, Test Method for, **E871 (05.06)**
Volatile Matter in the Analysis of Particulate Wood Fuels, Test Method for, **E872 (05.06)**
Greige yarns and cords
Sa **Glass fabrics/fibers/textile products—specifications**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
GRG (glass-fiber-reinforced gypsum) materials
Glass Fiber Reinforced Gypsum Composites, Specification for, **C1355/C1355M (04.01)**
Molded Glass Fiber Reinforced Gypsum Parts, Specification for, **C1381/C1381M (04.01)**
the Installation of Molded Glass Fiber Reinforced Gypsum Parts, Specification for, **C1467/C1467M (04.01)**
Griddles
Griddles, Single-Sided and Double-Sided, Gas and Electric, Specification for, **F1919 (15.12)**
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Performance of Griddles, Test Method for, **F1275 (15.12)**
Grid laterals
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Grid-line slope
Measuring Optical Distortion in Transparent Parts Using Grid Line Slope, Test Method for, **F2156 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**
Grids
Intrusion Resistant Generic Vault Structures, Specification for, **F1247 (15.08)**
Grid suspension systems
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Griess-Saltzman reaction
Nitrogen Dioxide Content of the Atmosphere (Griess-Saltzman Reaction), Test Method for, **D1607 (11.07)**
Nitrogen Oxides (Combined) Content in the Atmosphere by the Griess-Saltzman Reaction, Test Method for, **D3608 (11.07)**
Grill lighters
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**
Grindability
Grindability of Coal by the Hardgrove-Machine Method, Test Method for, **D409/D409M (05.06)**
Hardgrove Grindability Index (HGI) of Petroleum Coke, Test Method for, **D5003 (05.02)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Grinder
Food Cutters (Electric), Specification for, **F1126 (15.12)**
Grind gage
See **Fineness of grind (dispersion)**
Grinding materials/operations
Effect of Surface Grinding on Flexure Strength of Advanced Ceramics, Test Method for, **C1495 (15.01)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Fineness of Grind of Printing Inks By the NPIRI Grindometer, Test Method for, **D1316 (06.02)**
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Metallography, Terminology Relating to, **E7 (03.01)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Preparation of Plastics and Polymeric Specimens for Microstructural Examination, Guide for, **E2015 (03.01)**
Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D6928 (04.03)**
Grind-saw test
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Gripping capacity
Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, Test Method for, **F1798 (13.01)**
Grip slot
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Grit
Rub Abrasion Mar Resistance of High Gloss Coatings, Test Method for, **D6279 (06.02)**
Grit content
Evaluating Mica Pigment, Test Methods for, **D716 (06.03)**
Grit feed method
Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method, Test Method for, **F510/F510M (15.04)**
Grocery bags
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
Groove area analysis/measurement
Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, Test Method for, **F762/F762M (09.02)**
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**
Measuring Groove and Void Depth in Passenger Car Tires, Test Method for, **F421 (09.02)**
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**
Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, Practice for, **F870 (09.02)**
Grooved-type mechanical couplings
Sa **Couplings—specifications**
Performance of Fittings for Use with Gasketed Mechanical Cou-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

plings Used in Piping Applications, Specification for, **F1548 (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**

Gross beta particle count
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**

Gross calorific value
Analysis of Wood Fuels, Test Methods for, **E870 (05.06)**

Gross calorific value—coal and coke
Gross Calorific Value of Coal and Coke, Test Method for, **D5865 (05.06)**

Gross decarburization
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**

Gross defects
Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, Test Method for, **B866 (02.05)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**

Gross leak testing
Sa **Leak testing—electron devices**
Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), Test Method for, **F2096 (15.10)**

Gross mass of tare
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**

Gross samples
Carbon Black, Pelleted—Reduction, Blending, and Drying of Gross Samples for Testing, Practice for, **D5817 (09.01)**
Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, Practice for, **D6883 (05.06)**

Gross-vehicle weight
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**

Ground anchors
Sa **Anchors/anchorage systems**
Evaluating Bond Strength for 0.600-in. 15.24-mm Diameter Steel Prestressing Strand, Grade 270 1860, Uncoated, Used in Prestressed Ground Anchors, Test Method for, **A981/A981M (01.04)**

Ground assessment survey
Surveys to Document and Assess Oiling Conditions on Shorelines, Guide for, **F1686 (11.05)**

Ground atomic oxygen interaction evaluation
Ground Laboratory Atomic Oxygen Interaction Evaluation of Materials for Space Applications, Practices for, **E2089 (15.03)**

Ground-based octane rating
Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**
Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines, Practice for, **D6424 (05.03)**

Ground coal
Rubber Compounding MaterialsGround Coal, Classification for, **D5377 (09.01)**

Ground coat enamels
Steel, Sheet, for Porcelain Enameling, Specification for, **A424/A424M (01.03)**

Ground control stability
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Ground covers
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Ground granulated blast-furnace slag
Sa **Blast furnace iron**
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**
Hydraulic Activity of Slag Cement by Reaction with Alkali, Test Method for, **C1073 (04.02)**

Ground granulated blast-furnace slag—specifications
Slag Cement for Use in Concrete and Mortars, Specification for, **C989/C989M (04.02)**

Grounding
Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, Specifications for, **F855 (10.03)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Grounding jumper assemblies
In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, Specification for, **F2249 (10.03)**

Ground joints (for laboratory use)
Interchangeable Spherical Ground Joints, Specification for, **E677 (14.04)**
Interchangeable Taper-Ground Joints, Specification for, **E676 (14.04)**

Ground lime
See **Quicklime**

Ground path continuity
Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, Test Methods for, **E1462 (12.02)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**

Ground-penetrating radar
Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, Test Method for, **D6087 (04.03)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**

Ground red pepper
Sensory Evaluation of Red Pepper Heat, Test Method for, **E1083 (15.08)**

Ground resistance
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**

Ground stopcocks/stoppers
Interchangeable Taper-Ground Stopcocks And Stoppers, Specification for, **E675 (14.04)**

Ground surface
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**

Ground tire rubber
Asphalt-Rubber Binder, Specification for, **D6114/D6114M (04.03)**

Ground-to-air body signals
Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, Practice for, **F1591 (13.02)**

Ground vehicles
Measurement of Equipment-Generated Continuous Noise for Assessment of Health Hazards, Practice for, **E2202 (04.06)**

Ground water
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Development of Groundwater Monitoring Wells in Granular Aquifers, Guide for, **D5521/D5521M (04.08)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Use of Maps, Guide for, **D6036 (04.09)**
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Distribution Coefficients of Inorganic Species by the Batch Method, Test Method for, **C1733 (12.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Establishing Nomenclature of Ground-Water Aquifers, Guide for, **D6106 (04.09)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
Fluid Loss of Clay Component of Geosynthetic Clay Liners, Test Method for, **D5891 (04.13)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Measuring the Rate of Well Discharge by Circular Orifice Weir, Test Method for, **D5716 (04.08)**
Methods for Measuring Well Discharge, Guide for, **D5737 (04.08)**
Optimization of Ground Water Monitoring Constituents for Detection Monitoring Programs for RCRA Waste Disposal Facilities, Guide for, **D7045 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**
Selection of Methods for Assessing Ground Water or Aquifer Sensitivity and Vulnerability, Guide for, **D6030 (04.09)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Simulation of Subsurface Airflow Using Groundwater Flow Modeling Codes, Guide for, **D5719 (04.08)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5782 (04.08)**
Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5783 (04.08)**
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**
Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**

Ground-water model
Application of a Ground-Water Flow Model to a Site-Specific Problem, Guide for, **D5447 (04.08)**
Calibrating a Ground-Water Flow Model Application, Guide for, **D5981 (04.09)**
Comparing Groundwater Flow Model Simulations to Site-Specific Information, Guide for, **D5490 (04.08)**
Conceptualization and Characterization of Ground-Water Systems, Guide for, **D5979 (04.09)**
Conducting a Sensitivity Analysis for a Groundwater Flow Model Application, Guide for, **D5611 (04.08)**

--`,`,,,`,`,,,,`````````,,-`-`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Defining Boundary Conditions in Groundwater Flow Modeling, Guide for, **D5609 (04.08)**
Defining Initial Conditions in Groundwater Flow Modeling, Guide for, **D5610 (04.08)**
Describing the Functionality of a Ground-Water Modeling Code, Guide for, **D6033 (04.09)**
Developing and Evaluating Ground-Water Modeling Codes, Guide for, **D6025 (04.09)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Documenting a Ground-Water Modeling Code, Guide for, **D6171 (04.09)**
Documenting a Groundwater Flow Model Application, Guide for, **D5718 (04.08)**
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Simulation of Subsurface Airflow Using Groundwater Flow Modeling Codes, Guide for, **D5719 (04.08)**
Subsurface Flow and Transport Modeling, Guide for, **D5880 (04.09)**

Ground-water monitoring/sampling
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Developing Appropriate Statistical Approaches for Groundwater Detection Monitoring Programs, Guide for, **D6312 (04.09)**
Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, Practice for, **D6725 (04.09)**
Direct-Push Groundwater Sampling for Environmental Site Characterization, Guide for, **D6001 (04.09)**
Documenting a Ground-Water Sampling Event, Guide for, **D6089 (04.09)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**
Field Preservation of Groundwater Samples, Guide for, **D6517 (04.09)**
Field Quality Assurance in a Ground-water Sampling Event, Guide for, **D7069 (04.09)**
Installation of Direct Push Groundwater Monitoring Wells, Guide for, **D6724 (04.09)**
Locating Abandoned Wells, Guide for, **D6285 (04.09)**
Maintenance and Rehabilitation of Groundwater Monitoring Wells, Guide for, **D5978 (04.09)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Monitoring Ground Movement Using Probe-Type Inclinometers, Test Method for, **D6230 (04.09)**
Monitoring Well Protection, Practice for, **D5787 (04.08)**
Optimization of Ground Water Monitoring Constituents for Detection Monitoring Programs for RCRA Waste Disposal Facilities, Guide for, **D7045 (04.09)**
Planning and Preparing for a Groundwater Sampling Event, Guide for, **D5903 (04.09)**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Purging Methods for Wells Used for Groundwater Quality Investigations, Guide for, **D6452 (04.09)**
Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, Guide for, **E1943 (11.05)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Selection and Documentation of Existing Wells for Use in Environmental Site Characterization and Monitoring, Guide for, **D5980 (04.09)**
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**
Selection of Drilling Methods for Environmental Site Characterization, Guide for, **D6286 (04.09)**
Selection of Purging and Sampling Devices for Groundwater Monitoring Wells, Guide for, **D6634/D6634M (04.09)**
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Set of Data Elements to Describe a Groundwater Site, Guide for, **D5408 (04.08)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Subsurface Flow and Transport Modeling, Guide for, **D5880 (04.09)**
Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5875/D5875M (04.08)**
Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5872/D5872M (04.08)**
Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5876 (04.08)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**

Ground-water pressure
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C1103 (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C1103M (04.05)**

Ground-water site construction
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**

Ground wire strand
Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand, Specification for, **A363 (01.06)**

Ground wood meal
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**

Group effectiveness
Serviceability of an Office Facility for Meetings and Group Effectiveness, Classification for, **E1661 (04.11)**

Groupings
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

Group sensory thresholds
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**

Grouted prisms
Compressive Strength of Masonry Prisms, Test Method for, **C1314 (04.05)**

Grout fluidifier
Sa **Grouts (preplaced-aggregate (PA) concrete)**
Grout Fluidifier for Preplaced-Aggregate Concrete, Specification for, **C937 (04.02)**

Grout-in-place-liner (GIPL)
Segmental Panel System for the Grout-in-Place-Liner (GIPL) Rehabilitation Method of Existing Man-Entry Size Sewers, Culverts, and Conduits, Specification for, **F2984 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Grouts
Bleed Stability of Cementitious Post-Tensioning Tendon Grout, Test Method for, **C1741 (04.02)**
Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, Test Method for, **C827/C827M (04.02)**
Flowability and Bearing Area of Chemical-Resistant Polymer Machinery Grouts, Test Method for, **C1339 (04.02)**
Measuring Changes in Height of Cylindrical Specimens of Hydraulic-Cement Grout, Test Method for, **C1090 (04.02)**
Mortar and Grout for Unit Masonry, Terminology of, **C1180 (04.05)**
Sampling and Testing Grout, Test Method for, **C1019 (04.05)**
Viscosity of Chemical Grouts by Brookfield Viscometer (Laboratory Method), Test Method for, **D4016 (04.08)**

Grouts—specifications
Aggregates for Masonry Grout, Specification for, **C404 (04.05)**
Grout for Masonry, Specification for, **C476 (04.05)**
Packaged Dry, Hydraulic-Cement Grout (Nonshrink), Specification for, **C1107/C1107M (04.02)**

Grouts (chemical-resistant)
Sa **Chemical-resistant grout**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**

Grouts (preplaced-aggregate (PA) concrete)
Compressive Strength of Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C942 (04.02)**
Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C940 (04.02)**
Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), Test Method for, **C939 (04.02)**
Grout Fluidifier for Preplaced-Aggregate Concrete, Specification for, **C937 (04.02)**
Making Test Cylinders and Prisms for Determining Strength and Density of Preplaced-Aggregate Concrete in the Laboratory, Practice for, **C943 (04.02)**
Proportioning Grout Mixtures for Preplaced-Aggregate Concrete, Practice for, **C938 (04.02)**
Time of Setting of Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C953 (04.02)**
Water Retentivity of Grout Mixtures for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C941 (04.02)**

Growth factors
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Quantification of a ***Pseudomonas aeruginosa*** Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, Test Method for, **E2196 (11.05)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**

Growth rings
Wood and Wood-Based Products, Terminology Relating to, **D9 (04.10)**

Grundofen
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**

Grunerite asbestos (amosite) fibers
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**

Guarded cylinder method
Gas Flow Resistance Testing of Filtration Media, Methods for, **F778 (11.07)**

Guarded flat plate boiloff calorimeter
See **Adiabatic bomb calorimeter**

Guarded heater method
Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, Test Method for, **D5470 (10.02)**

Guarded heat flow technique
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**

Guarded hot box/plate apparatus
See **Hot plate/box methods**

Guard equipment (electrical)
Electrically Insulating Plastic Guard Equipment for Protection of Workers, Test Methods and Specifications for, **F712 (10.03)**

Guardrails/guardrail systems—electrical protective applications
See **Electrical protective equipment**

Guardrails/guardrail systems—specifications
Bunk Beds, Consumer Safety Specification for, **F1427 (15.11)**
Establishing Performance Ratings for Wood-Plastic Composite Deck Boards and Guardrail Systems (Guards or Handrails), Specification for, **D7032 (04.10)**
Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric), Specification for, **A740 (01.06)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Metallic-Coated Steel Wire Rope and Fittings for Highway Guardrail, Specification for, **A741 (01.06)**
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**

Guided platen method
Dynamic Shock Cushioning Characteristics of Packaging Material, Test Method for, **D1596 (15.10)**

Guided wave testing
Guided Wave Testing of Above Ground Steel Piping with Magnetostrictive Transduction, Practice for, **E2929 (03.03)**

Guiding principles
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**

Guinea pigs
Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, Practice for, **F720 (13.01)**

Gulf toadfish
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**

Gum content (washed/unwashed)
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
Ethanol-Toluene Solubility of Wood, Test Method for, **D1107 (04.10)**
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**

Gum (insoluble/soluble/potential)
Oxidation Stability of Aviation Fuels (Potential Residue Method), Test Method for, **D873 (05.01)**

Gummed adhesive tape
Sa **Adhesive tape**
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**

Gum rosin
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**

Gun locks
Non-Integral Firearm Locking Devices, Safety Specification for, **F2369 (15.11)**

Gunnability
Extrudability of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2452 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gunning
Preparing Refractory Castable Specimens by Cold Gunning, Practice for, **C903 (15.01)**

Guns
Sa **Consumer safety specifications**
Gunshot Residue Analysis by Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry, Guide for, **E1588 (14.02)**
Non-Powder Gun Projectiles and Propellants, Consumer Safety Specification for, **F590 (15.11)**
Non-Powder Guns, Consumer Safety Specification for, **F589 (15.11)**
Paintball Marker Threaded-Propellant Source Interface, Specification for, **F1750 (15.07)**

Gunshot residue (GSR)
Gunshot Residue Analysis by Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry, Guide for, **E1588 (14.02)**

Gutters
Copper Sheet and Strip for Building Construction, Specification for, **B370 (02.01)**

Gutter spikes
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Guys (steel wire strand for)
See **Steel wire strand—specifications**

Gypsum and gypsum products
Calibration of Hand-Held Moisture Meters on Gypsum Panels, Test Method for, **C1789 (04.01)**
Glass Mat Gypsum Panels, Specification for, **C1658/C1658M (04.01)**
Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1787 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Test Methods for, **C1764 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1788 (04.01)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**

Gypsum cement
Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing, Practice for, **C1552 (04.05)**
Preliminary Evaluation of Comparative Moisture Condition of Concrete, Gypsum Cement and Other Floor Slabs and Screeds Using a Non-Destructive Electronic Moisture Meter, Guide for, **F2659 (15.04)**

Gypsum concrete
Gypsum Concrete, Specification for, **C317/C317M (04.01)**
Installation of Cast-In-Place Reinforced Gypsum Concrete, Specification for, **C956 (04.01)**
Installation of Thick Poured Gypsum Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2419 (15.04)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**

Gypsum crust method
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**

Gypsum Keene's cement
Gypsum Keene's Cement, Specification for, **C61/C61M (04.01)**

Gypsum panel products—factory laminated
Factory-Laminated Gypsum Panel Products, Specification for, **C1766 (04.01)**

Gypsum panels
Calibration of Hand-Held Moisture Meters on Gypsum Panels, Test Method for, **C1789 (04.01)**

Gypsum plaster
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**

Gypsum plaster—specifications
Application of Gypsum Base to Receive, Specification for, **C844 (04.01)**
Application of Gypsum Veneer Plaster, Specification for, **C843 (04.01)**
Application of Interior Gypsum Plaster, Specification for, **C842 (04.01)**
Application of Portland Cement-Based Plaster, Specification for, **C926 (04.01)**
Bonding Compounds for Interior Gypsum Plastering, Specification for, **C631 (04.01)**
Gypsum Casting Plaster and Gypsum Molding Plaster, Specification for, **C59/C59M (04.01)**
Gypsum Keene's Cement, Specification for, **C61/C61M (04.01)**
Gypsum Plasters, Specification for, **C28/C28M (04.01)**
Gypsum Veneer Plaster, Specification for, **C587 (04.01)**
Inorganic Aggregates for Use in Gypsum Plaster, Specification for, **C35 (04.01)**
Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, Guide for, **C1546 (04.01)**
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Metal Lath, Specification for, **C847 (04.01)**
Surface-Applied Bonding Compounds for Exterior Plastering, Specification for, **C932 (04.01)**
Woven Wire Plaster Base, Specification for, **C1032 (04.01)**

Gypsum products
Abuse-Resistant Nondecorated Interior Gypsum Panel Products and Fiber-Reinforced Cement Panels, Classification for, **C1629/C1629M (04.01)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Gypsum and Related Building Materials and Systems, Terminology Relating to, **C11 (04.01)**
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Water Vapor Transmission of Materials, Test Methods for, **E96/E96M (04.06)**

Gypsum products—lath
Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, Guide for, **C1546 (04.01)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**

Gypsum products—lath (specifications)
Gypsum Board, Specification for, **C1396/C1396M (04.01)**
Installation of Interior Lathing and Furring, Specification for, **C841 (04.01)**
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Metal Lath, Specification for, **C847 (04.01)**
Welded Wire Lath, Specification for, **C933 (04.01)**

Gypsum products—specifications
Sa **Installation—gypsum products**
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Application and Finishing of Gypsum Board, Specification for, **C840 (04.01)**
Application of Exterior Gypsum Panel Products for Use as Sheathing, Specification for, **C1280 (04.01)**
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**
Factory-Laminated Gypsum Panel Products, Specification for, **C1766 (04.01)**
Fiber-Reinforced Gypsum Panel, Specification for, **C1278/C1278M (04.01)**
Glass Fiber Reinforced Gypsum Composites, Specification for, **C1355/C1355M (04.01)**
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**
Gypsum, Specification for, **C22/C22M (04.01)**
Gypsum Board, Specification for, **C1396/C1396M (04.01)**
Gypsum Formboard, Specification for, **C318/C318M (04.01)**
Gypsum Plasters, Specification for, **C28/C28M (04.01)**
Installation of Cast-In-Place Reinforced Gypsum Concrete, Specification for, **C956 (04.01)**
Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, Guide for, **C1546 (04.01)**
Installation of Interior Lathing and Furring, Specification for, **C841 (04.01)**
Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, Specification for, **C1007 (04.01)**
Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products, Specification for, **C754 (04.01)**
Joint Compound and Joint Tape for Finishing Gypsum Board, Specification for, **C475/C475M (04.01)**
Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, Specification for, **C955 (04.01)**
Metal Lath, Specification for, **C847 (04.01)**
Molded Glass Fiber Reinforced Gypsum Parts, Specification for, **C1381/C1381M (04.01)**
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**
Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness, Specification for, **C954 (04.01)**
Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs, Specification for, **C1002 (04.01)**
the Installation of Molded Glass Fiber Reinforced Gypsum Parts, Specification for, **C1467/C1467M (04.01)**
Welded Wire Lath, Specification for, **C933 (04.01)**
Woven Wire Plaster Base, Specification for, **C1032 (04.01)**

Gypsum wallboard nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**

Gypsy head drive units
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**

Gyratory compactor
Measurement of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading, Test Method for, **D7115 (04.03)**
Preparation and Determination of the Relative Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor, Test Method for, **D6925 (04.03)**

Gyratory testing machine (GTM)
Compaction and Shear Properties of Bituminous Mixtures by Means of the U.S. Corps of Engineers Gyratory Testing Machine (GTM), Test Method for, **D3387 (04.03)**

H

H-3 tritium isotope
Tritium in Drinking Water, Test Method for, **D4107 (11.02)**

Habitat enhancement
Live Staking, Practice for, **D6765 (04.09)**

Habitat quality
Estimating Wildlife Exposure Using Measures of Habitat Quality, Guide for, **E2385 (11.06)**

Hackle
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**

Hadfield austenitic manganese steel castings
Steel Castings, Austenitic Manganese, Specification for, **A128/A128M (01.02)**

HAF (heat attenuation factor)
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**

HAFM method
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**

Hafnium
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**

Hafnium—specifications
Hafnium and Hafnium Alloy Strip, Sheet, and Plate, Specification for, **B776 (02.04)**
Hot-Rolled and/or Cold-Finished Hafnium Rod and Wire, Specification for, **B737 (02.04)**

Hafnium-alloyed niobium
See **Niobium-hafnium alloys**

Hafnium content
Determining Hafnium in Zirconium and Zirconium Alloys By Direct Current Plasma-Atomic Emission Spectrometry, Test Method for, **E1552 (03.05)**

Hafnium oxide
Nuclear Grade Hafnium Oxide Pellets, Specification for, **C1076 (12.01)**
Nuclear-Grade Hafnium Oxide Powder, Specification for, **C1098 (12.01)**

Haggenmacher equation
Calculating Heat of Vaporization or Sublimation from Vapor Pressure Data, Practice for, **E2071 (14.02)**

Hail
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Determining Resistance of Photovoltaic Modules to Hail by Im-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

pact with Propelled Ice Balls, Test Method for, **E1038 (12.02)**
Determining Resistance of Solar Collector Covers to Hail by Impact With Propelled Ice Balls, Practice for, **E822 (12.02)**
Hail Impact Resistance of Aerospace Transparent Enclosures, Test Method for, **F320 (15.03)**

Hair
Maximum Cashmere Coarse-Hair Content in Cashmere, Specification for, **D2817 (07.01)**
Quantitative Attribute Evaluation of Fragrance/Odors for Shampoos and Hair Conditioners by Trained Assessors, Guide for, **E2049 (15.08)**

Hairiness
Measuring Hairiness of Yarns by the Photo-Electric Apparatus, Guide for, **D5647 (07.02)**

Half-car simulation model
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**

Half-cell potentials
Corrosion Potentials of Uncoated Reinforcing Steel in Concrete, Test Method for, **C876 (03.02, 04.02)**

Half-size
Sa **Body dimension measurements**
Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**

Halide (ion) content
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**

Halides
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**
Salts in Crude Oil (Electrometric Method), Test Method for, **D3230 (05.01)**

Halides separation
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**

Hall effect measurement
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**

Hall electrolytic conductivity detector (HECD)
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Hall funnel
Flow Rate of Metal Powders Using the Hall Flowmeter Funnel, Test Methods for, **B213 (02.05)**
Volumetric Flow Rate of Metal Powders Using the Arnold Meter and Hall Flowmeter Funnel, Test Method for, **B855 (02.05)**

Halo external fixation device
Cranial Traction Tongs and Halo External Spinal Immobilization Devices, Specification for, **F1831 (13.01)**

Halogenated isobutene/isoprene rubber
Sa **Butyl rubber**
Rubber—Evaluation of BIIR and CIIR (Halogenated Isobutene—Isoprene Rubber), Test Methods for, **D3958 (09.01)**

Halogenated organic solvents
Sa **Solvents**
Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2989 (15.05)**
Analysis of Halogenated Organic Solvents and Their Admixtures by Gas Chromatography, Practice for, **D6806 (15.05)**
Appearance of Admixtures Containing Halogenated Organic Solvents, Test Methods for, **D3741 (15.05)**
Carbon Tetrachloride Activity of Activated Carbon, Test Method for, **D3467 (15.01)**
Color of Halogenated Organic Solvents and, Test Method for, **D2108 (15.05)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Determination of Amine Acid Acceptance (Alkalinity) of Halogenated Organic Solvents, Test Methods for, **D2106 (15.05)**
Free Halogens in Halogenated Organic Solvents and Their Admixtures, Test Method for, **D4755 (15.05)**
Handling, Transportation, and Storage of HFC Blend B (CH2FCF 3, CHF2 CF3, and CO2), Practice for, **D7326 (15.05)**
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**
Nonvolatile Matter in Halogenated Organic, Test Methods for, **D2109 (15.05)**
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
pH of Water Extractions of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2110 (15.05)**
Relative Evaporation Time of Halogenated, Test Method for, **D1901 (15.05)**
Specific Gravity and Density of Halogenated Organic, Test Methods for, **D2111 (15.05)**
Total Acid Acceptance of Halogenated Organic Solvents (Nonreflux Methods), Test Method for, **D2942 (15.05)**
Water in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D3401 (15.05)**
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**

Halogenated organic solvents—specifications
Drycleaning-Grade Perchloroethylene, Specification for, **D4081 (15.05)**
Halon 1211, Bromochlorodifluoromethane (CF2BrCl), Specification for, **D7673/D7673M (15.05)**
Reclaimed 1,1,1-Trichloroethane, Specification for, **D5394 (15.05)**
Reclaimed Methylene Chloride, Specification for, **D5395 (15.05)**
Reclaimed Perchloroethylene, Specification for, **D5396 (15.05)**
Reclaimed Trichloroethylene, Specification for, **D5616 (15.05)**
Trichloroethylene, Technical and Vapor-Degreasing Grade, Specification for, **D4080 (15.05)**
Vapor-Degreasing Grade and General Solvent Grade, Specification for, **D4126 (15.05)**
Vapor-Degreasing Grade Methylene Chloride, Specification for, **D4079 (15.05)**

Halogen compounds
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Free Halogens in Halogenated Organic Solvents and Their Admixtures, Test Method for, **D4755 (15.05)**
Screening Trichloroethylene (TCE)-Contaminated Media Using a Heated Diode Sensor, Practice for, **D7203 (11.04)**

Halohydrocarbons
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**

Halon 1211
Halon 1211, Bromochlorodifluoromethane (CF2BrCl), Specification for, **D7673/D7673M (15.05)**
Handling, Transportation, and Storage of Halon 1211, Bromochlorodifluoromethane (CF2BrCl), Practice for, **D7815 (15.05)**

Halon 1301
Halon 1301, Bromotrifluoromethane (CF3Br), Specification for, **D5632/D5632M (15.05)**
Handling, Transportation, and Storage of Halon 1301, Bromotrif-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

luoromethane (CF3Br), Practice for, **D5631 (15.05)**
Halo-silane coated glass plates
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Halt-of-the-force
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Hamburger patty test
Performance of Griddles, Test Method for, **F1275 (15.12)**
Hammer method
Determination of Rock Hardness by Rebound Hammer Method, Test Method for, **D5873 (04.08)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**
Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5872/D5872M (04.08)**
Hammers
Determining the Normalized Penetration Resistance of Sands for Evaluation of Liquefaction Potential, Practice for, **D6066 (04.09)**
Hamming method
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Hamsters
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Hand folder
Ductility of Oriented Electrical Steel, Test Method for, **A721/A721M (03.04)**
Hand forgings—specifications
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Hand function
Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test, Test Method for, **F2010/F2010M (11.03)**
Handgrab
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**
Handgrips
Selectorized Strength Equipment, Specification for, **F2216 (15.07)**
Hand guns
See **Guns**
Hand-held infant carriers
Hand-Held Infant Carriers, Consumer Safety Specification for, **F2050 (15.11)**
Hand-held moisture meters
Field Calibration and Application of Hand-Held Moisture Meters, Practice for, **D7438 (04.10)**
Laboratory Standardization and Calibration of Hand-Held Moisture Meters, Test Method for, **D4444 (04.10)**
Handheld Point Chemical Vapor Detectors (HPCVD)
Handheld Point Chemical Vapor Detectors (HPCVD) for Homeland Security Applications, Specification for, **E2885 (15.08)**
Hand held power auger sampler
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Hand-held SNM monitors
See **SNM (special nuclear materials)**
Handholes
Hand Hole Design in Corrugated Boxes, Guide for, **D6804 (15.10)**
Handkerchief fabrics
Men's, Women's, and Children's Woven Handkerchief Fabrics, Performance Specification for, **D4153 (07.01)**
Handler skills
Minimum Training of Search Dog Crews or Teams, Guide for, **F1847 (13.02)**
Handles
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**
Handling material
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Bulk Sampling, Handling, and Preparing Edible Vegetable Oils for Sensory Evaluation, Practice for, **E1346 (15.08)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, Practice for, **G147 (14.04)**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Identification, Packaging, Handling, Storage and Deployment of Fabricated Geomembrane Panels, Guide for, **D7865 (04.13)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Measuring Particle Size Distribution of RDF-5, Test Method for, **E1037 (11.04)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Personal Protective Equipment for the Handling of Flat Glass, Guide for, **E2875/E2875M (11.03)**
Pictorial Markings for Handling of Goods, Practice for, **D5445 (15.10)**
Receipt, Storage, and Handling of Fuels for Gas Turbines, Practice for, **D4418 (05.02)**
Rough Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6179 (15.10)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, Guide for, **E848 (06.01)**
Sampling Waste and Soils for Volatile Organic Compounds, Guide for, **D4547 (11.04)**
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**
Use and Handling of Flexible Retort Food Pouches in the Processing Environment, Guide for, **F1278 (15.10)**
Handling material—chemicals
Handling an Acid Degreaser or Still, Practice for, **D4579 (15.05)**
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Handling, Transportation, and Storage of HFC-23 (Trifluoromethane, CHF3), Practice for, **D6127 (15.05)**
Handling, Transportation, and Storage of HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane (CF3CH2CF3), Practice for, **D6427/D6427M (15.05)**
Sampling and Handling Bisphenol A, Practice for, **D4297 (06.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**

Handling material—nuclear/related materials
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**

Handling material—soil/related materials
Sa **Geosynthetics**
Collection and Handling of Soils Obtained in Core Barrel Samplers for Environmental Investigations, Practice for, **D6640 (11.04)**
Handling, Storing, and Preparing Soft Intact Marine Soil, Practices for, **D3213 (04.08)**
Identification, Storage, and Handling of Geosynthetic Rolls and Samples, Guide for, **D4873 (04.13)**
Storage and Handling of Geosynthetic Clay Liners, Guide for, **D5888 (04.13)**

Handling material (for paints/related coatings)
See **Specimen preparation (for testing)—paints/related coatings**

Handling of implants
Sa **Orthopaedic medical devices—specifications**
Care and Handling of Intracranial Aneurysm Clips and Instruments, Practice for, **F700 (13.01)**
Care and Handling of Neurosurgical Implants and Instruments, Practice for, **F701 (13.01)**
Care and Handling of Orthopedic Implants and Instruments, Practice for, **F565 (13.01)**

Handling of specimens (for testing)
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Hand lotions and creams
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**

Hand measurement
Measuring Particle Size Distribution of RDF-5, Test Method for, **E1037 (11.04)**

Hand-operated augers
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Soil Exploration and Sampling by Auger Borings, Practice for, **D1452 (04.08)**

Hand-operated valves
Hand-Operated, Globe-Style Valves for Gas (Except Oxygen Gas) and Hydraulic Systems, Specification for, **F1794 (01.07)**

Handrail systems
Sa **Guardrails/guardrail systems—specifications**
Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, Specification for, **F1092 (01.07)**
Performance of Permanent Metal Railing Systems and Rails for Buildings, Test Methods for, **E935 (04.11)**
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**

Hand sieving
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**

Hand tools
Insulated and Insulating Hand Tools, Specification for, **F1505 (10.03)**

Hand towels
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**

Handwashing/handrubbing agents
Assessment of Antimicrobial Activity for Water Miscible Compounds Using a Time-Kill Procedure, Test Method for, **E2783 (11.05)**
Determining Fungus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using Fingerpads of Adults, Test Method for, **E2613 (11.05)**
Determining the Bacteria-Eliminating Effectiveness of Hand Sanitizer Formulations Using Hands of Adults, Test Method for, **E2755 (11.05)**
Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E2276 (11.05)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Evaluating Relative Effectiveness of Antimicrobial Handwashing Formulations using the Palmar Surface and Mechanical Hand Sampling, Test Method for, **E2870 (11.05)**
Evaluation of Antimicrobial Handwash Formulations by Utilizing Fingernail Regions, Test Method for, **E1327 (11.05)**
Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**
Evaluation of the Effectiveness of Hand Hygiene Topical Antimicrobial Products using, Guide for, **E2897 (11.05)**
Evaluation of the Effectiveness of Handwash Formulations Using the Paper Towel (Palmar) Method of Hand Contamination, Test Method for, **E2784 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**

Hand-welded joints
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**

Handwriting identification
Examination of Handwritten Items, Guide for, **E2290 (14.02)**

Hangers (for ship piping)
Sa **Shipbuilding piping materials—specifications**
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**

Hardboard
Sa **Wood products (structural)**
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Apparatus, Test Method for, **D5795 (06.02)**
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, Practice for, **D5722 (06.01)**

Hard bronze (casting)
See **UNS C93800 (cast high-leaded tin bronze)**

Hardclam
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**

Hard-coat anodized coatings
Hard-Coat Anodizing of Magnesium for Engineering Applications, Specification for, **B893 (02.05)**

Hard copy printing systems
Automatic Identification Hard Copy Printing Systems, Terminology Relating to, **F1294 (15.09)**

Hard-drawn aluminum electrical wire—specifications
Hard-Drawn Aluminum-Clad Steel Wire, Specification for, **B415 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hard-drawn copper electrical wire—specifications
Sa **Copper electrical conductors—specifications**
Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, Specification for, **B902/B902M (02.03)**
Copper-Clad Steel Electrical Conductor for CATV Drop Wire, Specification for, **B869 (02.03)**
Copper-Clad Steel Wire for Electronic Application, Specification for, **B452 (02.03)**
Hard-Drawn Copper Alloy Wires for Electric Conductors, Specification for, **B105 (02.03)**
Hard-Drawn Copper Wire, Specification for, **B1 (02.03)**
Hard-Drawn Copper-Clad Steel Wire, Specification for, **B227 (02.03)**
Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposes, Specification for, **B246 (02.03)**
Hardenability (steel)
Determining Hardenability of Steel, Test Methods for, **A255 (01.05)**
Hardenability (steel)—specifications
Carbon and Alloy Steel Bars Subject to End-Quench Hardenability Requirements, Specification for, **A304 (01.05)**
Cold-Drawn, Stress-Relieved Carbon Steel Bars Subject to Mechanical Property Requirements, Specification for, **A311/A311M (01.05)**
High Hardenability Antifriction Bearing Steel, Specification for, **A485 (01.05)**
Steel Bars Subject to Restricted End-Quench Hardenability Requirements, Specification for, **A914/A914M (01.05)**
Hardened cementitious mixtures
Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), Test Method for, **C1245/C1245M (04.02)**
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**
Hardened concrete
Bulk Electrical Conductivity of Hardened Concrete, Test Method for, **C1760 (04.02)**
Capping Cylindrical Concrete Specimens, Practice for, **C617/C617M (04.02)**
Density and Void Content of Hardened Pervious Concrete, Test Method for, **C1754/C1754M (04.02)**
Density, Absorption, and Voids in Hardened Concrete, Test Method for, **C642 (04.02)**
Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), Test Method for, **C1245/C1245M (04.02)**
Determining the Water Absorption of Hardened Concrete Treated With a Water Repellent Coating, Test Method for, **D6489 (06.02)**
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Length Change of Hardened Hydraulic-Cement Mortar and Concrete, Test Method for, **C157/C157M (04.02)**
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**
Obtaining and Testing Specimens of Hardened Lightweight Insulating Concrete for Compressive Strength, Test Method for, **C513 (04.02)**
Penetration Resistance of Hardened Concrete, Test Method for, **C803/C803M (04.02)**
Petrographic Examination of Hardened Concrete, Practice for, **C856 (04.02)**
Portland-Cement Content of Hardened Hydraulic-Cement Concrete, Test Method for, **C1084 (04.02)**
Pullout Strength of Hardened Concrete, Test Method for, **C900 (04.02)**
Slump of Hydraulic-Cement Concrete, Test Method for, **C143/C143M (04.02)**
Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete, Practice for, **C490/C490M (04.01, 04.02)**
Hardened concrete—specifications
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Hardened mortar
Examination and Analysis of Hardened Masonry Mortar, Test Method for, **C1324 (04.05)**
Hardened steel washers
Hardened Steel Washers, Specification for, **F436 (01.08)**
Hardened Steel Washers (Metric), Specification for, **F436M (01.08)**
Hardeners
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**
Hardgrove machine method
Grindability of Coal by the Hardgrove-Machine Method, Test Method for, **D409/D409M (05.06)**
Hardgrove Grindability Index (HGI) of Petroleum Coke, Test Method for, **D5003 (05.02)**
Hardline communication systems
Selection of Hardline Communication Systems for Confined-Space Rescue, Guide for, **F1764 (13.02)**
Hard metals
Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, Test Method for, **B311 (02.05)**
Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, Test Method for, **B890 (02.05)**
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**
Transverse Rupture Strength of Cemented Carbides, Test Method for, **B406 (02.05)**
Hardness
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Determination of Rock Hardness by Rebound Hammer Method, Test Method for, **D5873 (04.08)**
Hardness assurance
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Hardness change points
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**
Hardness (durometer) range
See **Durometer hardness**
Hardness (indentation)
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Composite Foam Hardness-Durometer Hardness, Test Method for, **F1957 (15.07)**
Hardness Testing of Cemented Carbides, Test Method for, **B294 (02.05)**
Indentation Hardness of Elastomeric-Type Sealants by Means of a Durometer, Test Method for, **C661 (04.07)**
Indentation Hardness of Organic Coatings, Test Methods for, **D1474 (06.01)**
Knoop Indentation Hardness of Advanced Ceramics, Test Method for, **C1326 (15.01)**
Knoop Indentation Hardness of Ceramic Whitewares, Test Method for, **C849 (15.02)**
Knoop Indentation Hardness of Glass, Test Method for, **C730 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Rockwell Hardness of Graphite Materials, Test Method for, **C748 (05.05)**
Vickers Indentation Hardness of Advanced Ceramics, Test Method for, **C1327 (15.01)**

Hardness (indentation)—aluminum alloys
Indentation Hardness of Aluminum Alloys by Means of a Barcol Impressor, Test Method for, **B648 (02.02)**
Indentation Hardness of Aluminum Alloys by Means of a Webster Hardness Gage, Test Method for, **B647 (02.02)**

Hardness (indentation)—metallic materials
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Indentation Hardness of Metallic Materials by Comparison Hardness Testers, Practice for, **A833 (01.05)**
Indentation Hardness of Metallic Materials by Portable Hardness Testers, Test Method for, **E110 (03.01)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness, Hardness Conversion Tables for, **E140 (03.01)**
Rapid Indentation Hardness Testing of Metallic Materials, Practice for, **E103 (03.01)**

Hardness (indentation)—microhardness
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Microhardness of Electroplated Coatings, Test Method for, **B578 (02.05)**

Hardness (indentation)—plastics
Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor, Test Method for, **D2583 (08.01)**
Rockwell Hardness of Plastics and Electrical Insulating Materials, Test Method for, **D785 (08.01)**
Rubber Property—Durometer Hardness, Test Method for, **D2240 (09.01)**
Testing Flexible Cellular Materials Measurement of Indentation Force Deflection Using a 25-mm (1-in.) Deflection Technique, Test Method for, **D5672 (08.03)**

Hardness (indentation)—rubber
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Property—Durometer Hardness, Test Method for, **D2240 (09.01)**
Rubber Property—International Hardness, Test Method for, **D1415 (09.01)**

Hardness tests
Asphalt Plank, Specification for, **D517 (04.03)**
Ball-Pan Hardness of Activated Carbon, Test Method for, **D3802 (15.01)**
Carbon Black—Automated Individual Pellet Hardness, Test Method for, **D5230 (09.01)**
Carbon Black—Individual Pellet Hardness, Test Method for, **D3313 (09.01)**
Determining Variations in Hardness of Film Ribbon Pancakes, Test Method for, **F1151 (15.09)**
Elastomer Compatibility of Lubricating Greases and Fluids, Test Method for, **D4289 (05.02)**
Hardness in Water, Test Method for, **D1126 (11.01)**
Hardness of Electrical Contact Materials, Test Method for, **B277 (02.04)**
Hardness of Mineral Aggregate Used on Built-Up Roofs, Test Method for, **D1865/D1865M (04.04)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Jaw Crusher Gouging Abrasion Test, Test Method for, **G81 (03.02)**
Mechanical Testing of Steel Products—Metric, Test Methods for, **A1058 (01.01, 01.02, 01.03, 01.04, 01.05)**
Nails, Test Methods for, **F680 (01.08)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Portable Hardness Testing by the Ultrasonic Contact Impedance Method, Test Method for, **A1038 (01.05)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Rubber Property—International Hardness, Test Method for, **D1415 (09.01)**
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**
Strength Properties of Prefabricated Architectural Acoustical Tile or Lay-In Ceiling Panels, Test Methods for, **C367/C367M (04.06)**

Hardness tests—aluminum alloys
Indentation Hardness of Aluminum Alloys by Means of a Barcol Impressor, Test Method for, **B648 (02.02)**
Indentation Hardness of Aluminum Alloys by Means of a Webster Hardness Gage, Test Method for, **B647 (02.02)**

Hardness tests—Barcol Impressor
See **Barcol Impressor test**

Hardness tests—Brinell
See **Brinell hardness**

Hardness tests—Knoop (HK)
See **Knoop hardness (HK) number**

Hardness tests—metals
See **Metallic hardness**

Hardness tests—organic coatings
Determining the Hardness of Organic Coatings with a Sward-Type Hardness Rocker, Test Method for, **D2134 (06.01)**
Film Hardness by Pencil Test, Test Method for, **D3363 (06.01)**
Indentation Hardness of Organic Coatings, Test Methods for, **D1474 (06.01)**

Hardness tests—radiation
See **Radiation-hardness testing**

Hardness tests—Rockwell
See **Rockwell hardness**

Hardness tests—Scleroscope
See **Scleroscope hardness**

Hardness tests—Vickers (HV)
See **Vickers hardness (HV)**

Hardness tests—Webster
See **Webster hardness**

Hardness tests—wood products
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**

Hard pitch
See **Pitch**

Hard sphere model
LNG Density Calculation Models, Specification for, **D4784 (05.06)**

Hard surface cleaners
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**
Evaluation of Pre-saturated or Impregnated Towelettes for Hard Surface Disinfection, Practice for, **E2362 (11.05)**
Sensory Evaluation of Household Hard Surface-Cleaning Products with Emphasis on Spray Triggers, Guide for, **E2346/E2346M (15.08)**

Hard-surface photomask blanks
See **Photomasks/photomasking**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hardware
Detention Locks for Swinging Doors, Test Methods for, **F1577 (15.08)**
Digital Data Acquisition in Wear and Friction Measurements, Guide for, **G163 (03.02)**
Hardware Implementation for Computerized Systems, Guide for, **F2218 (01.07)**
Spacecraft Hardware Thermal Vacuum Bakeout, Practice for, **E2900 (15.03)**
Hardware bronze rod/bar/shapes
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**
Hardware cloth
Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric), Specification for, **A740 (01.06)**
Hardware construction/installation
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**
Hardware (iron/steel)
See **Iron products (general)**
Hard water
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Temperature and Hard Water Stability of Engine Coolants, Test Method for, **D7437 (15.05)**
Hardwoods
Ash in Biomass, Test Method for, **E1755 (05.06)**
Commercial Hardwoods and Softwoods, Nomenclature of, **D1165 (04.10)**
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
Harkort test
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Asbestos-Cement Flat Sheet for Cooling Tower Fill, Specification for, **C1082 (04.05)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Harmonic distortion
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Harmonized stainless steel compositions
Specifying Harmonized Standard Grade Compositions for Wrought Carbon, Low-Alloy, and Alloy Steels, Guide for, **A1040 (01.05)**
Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, Guide for, **A959 (01.03)**
Harnesses
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Special Requirements for Aerial Adventure Courses, Practice for, **F2959 (15.07)**
Harness satin
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Harvard apparatus
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Hasps
Performance of Hasps and Other Attachment Devices for Padlocks or Seals, Specification for, **F2155 (15.08)**
Hastelloy alloy
Sa **Nickel alloys**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Tungsten Alloy, Specification for, **B814 (02.04)**
Nickel-Molybdenum Alloy Plate, Sheet, and Strip, Specification for, **B333 (02.04)**
Nickel-Molybdenum Alloy Rod, Specification for, **B335 (02.04)**
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, N10242) Rod, Specification for, **B573 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
Hatch covers
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**
Haunching
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**
Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, Practice for, **D2321 (08.04)**
Hawk
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Clad Steel Reinforced for Use in Overhead Electrical Conductors, Specification for, **B549 (02.03)**
Hawkins' test
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**
Haydite
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**
Haynes alloy 242
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, N10242) Rod, Specification for, **B573 (02.04)**
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, UNS N10242) Plate, Sheet, and Strip, Specification for, **B434 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Hazard analysis-critical control point (HACCP)
Conducting Hazard Analysis-Critical Control Point (HACCP) Evaluations, Guide for, **E2590 (11.06)**
Hazard assessment/potential
Sa **Safety precautions**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**
Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, Test Method for, **F2522 (10.03)**
Drop Weight Impact Sensitivity of Solid-Phase Hazardous Materials, Test Method for, **E680 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Factors and Procedures for Applying the MIL-STD-105 Plans in Life and Reliability Inspection, Practice for, **E2555 (14.02)**
Field Sampling of Coating Films for Analysis for Heavy Metals, Practice for, **D5702 (06.02)**
Hazard Awareness for Search and Rescue Personnel, Guide for, **F2890 (13.02)**

Hazard assessment/potential—buildings
Conducting Visual Assessments for Lead Hazards in Buildings, Practice for, **E2255/E2255M (04.12)**
Disposal of Personal Property, Practice for, **E2306 (04.12)**
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**

Hazard assessment/potential—chemicals
Assessing Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry, Guide for, **E1981 (14.02)**
Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, Test Method for, **E2160 (14.02)**
Reaction Induction Time by Thermal Analysis, Test Method for, **E2046 (14.02)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Hazard assessment/potential—fire
See **Fire hazard assessment**

Hazard assessment/potential—health
See **Health hazards**

Hazard assessment/potential—liquid chemicals
Autoignition Temperature of Liquid Chemicals, Test Method for, **E659 (14.02)**
Concentration Limits of Flammability of Chemicals (Vapors and Gases), Test Method for, **E681 (14.02)**
Constant-Temperature Stability of Chemical Materials, Test Method for, **E487 (14.02)**
Control of Respiratory Hazards in the Metal Removal Fluid Environment, Practice for, **E2889 (11.03)**
Discrimination Between Flammability Ratings of F = 0 and F = 1, Test Method for, **D6668 (05.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**

Hazard assessment/potential—marine systems
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Hazard classifications
Packaging and Shipping Environmental Samples for Laboratory Analysis, Guide for, **D6911 (04.09)**

Hazardous materials (environmental)
Acquisition, Maintenance, Storage, and Use of Hazardous Material Detection Instrumentation, Guide for, **E2852 (15.08)**
Collecting Treatment Process Design Data at a Contaminated Site—A Site Contaminated With Chemicals of Interest, Guide for, **D7294 (11.04)**
Environmental Management of Underground Storage Tank Systems Storing Hazardous Substances or Petroleum, Guide for, **E2681 (11.05)**
Handling Hazardous Biological Materials in Liquid Nitrogen, Guide for, **E1566 (14.02)**
Identifying and Complying With Continuing Obligations, Guide for, **E2790 (11.05)**
In-Situ Burning of Oil Spills in Marshes, Guide for, **F2823 (11.05)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, Practice for, **E1628 (11.03)**
Thermal Rating and Installation of Internal Combustion Engine Packages for use in Hazardous Locations in Marine Applications, Practice for, **F2876 (01.07)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Hazardous materials (HAZMAT) operation
Ruggedness Requirements for HAZMAT Instrumentation, Specification for, **E2851/E2851M (15.08)**

Hazardous materials packaging
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Reinforced Polyethylene Composite Pipe For The Transport Of Oil And Gas And Hazardous Liquids, Specification for, **F2896 (08.04)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**

Hazardous waste materials
Sa **Waste materials/processing/analysis**
Sa **Wastewater testing/treatment**
Accepting, Segregating and Packaging Materials Collected Through Household Hazardous Waste Programs, Guide for, **D6346 (11.04)**
Artists' Paint Waste Disposal in Smaller Commercial or Educational Settings, Guide for, **D7355 (06.02)**
Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, Guide for, **C1571 (12.01)**
Collecting Treatment Process Design Data at a Contaminated Site—A Site Contaminated With Chemicals of Interest, Guide for, **D7294 (11.04)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Determination of Insoluble Solids in Organic Liquid Hazardous Waste, Test Method for, **D6050 (11.04)**
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Household Hazardous Waste Training Outline for Household Hazardous Waste Collection Operations, Guide for, **D6498 (11.04)**
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**
Sampling Consolidated Solids in Drums or Similar Containers, Practice for, **D5679 (11.04)**
Sampling of Tanks by Field Personnel, Practice for, **D7831 (11.04)**
Shipboard Generated Waste Management Audits, Guide for, **F1799 (01.07)**
Solvents Analysis in Hazardous Waste Using Gas Chromatography, Test Method for, **D5830 (11.04)**
Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, Test Method for, **D5530 (11.04)**
Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **D5839 (11.04)**

Haze
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Haze and Luminous Transmittance of Transparent Plastics, Test Method for, **D1003 (08.01)**
Measurement of Gloss of High-Gloss Surfaces by Abridged

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Goniophotometry, Test Methods for, **E430 (06.01)**
Reflection Haze of High-Gloss Surfaces, Test Method for, **D4039 (06.01)**
Resistance of Transparent Plastics to Surface Abrasion, Test Method for, **D1044 (08.01)**

HAZMAT instrumentation—ruggedness requirements for
Ruggedness Requirements for HAZMAT Instrumentation, Specification for, **E2851/E2851M (15.08)**

HBr derivatization method
Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), Test Method for, **D5578 (11.07)**

HB refractometer
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**

HCFC—Blend B
Handling, Transportation, and Storage of HCFC Blend B (CF3CCl 2H, Ar, and CF4), Practice for, **D7123 (15.05)**
HCFC Blend B (CF3CCl2H, Ar, and CF4), Specification for, **D7122 (15.05)**

HCFC (hydrochlorofluorocarbon)
Concentration Limits of Flammability of Chemicals (Vapors and Gases), Test Method for, **E681 (14.02)**

HCTPVs (highly crosslinked thermoplastic vulcanizates)
Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, Classification System for, **D6338 (08.03)**

HDB (hydrostatic design basis)
Sa **Hydrostatic design basis (HDB)**
Acrylonitrile-Butadiene-Styrene (ABS) IPS Dimensioned Pressure Pipe, Specification for, **F2969 (08.04)**

HDI (hexamethylene diisocyanate)
Determination of Aerosol Monomeric and Oligomeric Hexamethylene Diisocyanate (HDl) in Air with (Methoxy-2–phenyl-1) Piperazine (MOPIP) in the Workplace, Test Method for, **D6561 (11.07)**
Determination of Gaseous Hexamethylene Diisocyanate (HDI) in Air with 9-(N-methylaminomethyl) Anthracene Method (MAMA) in the Workplace, Test Method for, **D6562 (11.07)**

HDPE (high-density polyethylene)
Sa **Polyethylene (PE)**
Corrugated High Density Polyethylene (HDPE) Grease Interceptor Tanks, Specification for, **F2649 (08.04)**
Corrugated High Density Polyethylene (HDPE) Water Quality Units, Specification for, **F2737 (08.04)**
Corrugated Polyethylene Pipe and Fittings for Mine Heap Leach Aeration Applications, Specification for, **F2987 (08.04)**
Design of High-Density Polyethylene (HDPE) Manholes for Subsurface Applications, Practice for, **F1759 (08.04)**
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**
Infiltration and Exfiltration Acceptance Testing of Installed Corrugated High Density Polyethylene and Polypropylene Pipelines, Practice for, **F2487 (08.04)**
Notched, Constant Ligament-Stress (NCLS) Test to Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe, Test Method for, **F2136 (08.04)**
Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, Test Methods for, **D6070 (08.04)**

HDPE (high-density polyethylene)—specifications
12 to 30 in. (300 to 750 mm) Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2762 (08.04)**
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**
Resilient Connectors Between Reinforced Concrete Manhole Structures and Corrugated High Density Polyethylene Drainage Pipes, Specification for, **F2510/F2510M (08.04)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

Head cap screws
Sa **Screws—specifications**
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F835 (01.08)**
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F835M (01.08)**
Alloy Steel Socket-Head Cap Screws, Specification for, **A574 (01.08)**
Alloy Steel Socket-Head Cap Screws (Metric), Specification for, **A574M (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F879 (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F879M (01.08)**
Stainless Steel Socket Head Cap Screws, Specification for, **F837 (01.08)**
Stainless Steel Socket Head Cap Screws Metric, Specification for, **F837M (01.08)**

Headed steel reinforcing bars
Headed Steel Bars for Concrete Reinforcement, Specification for, **A970/A970M (01.04)**

Headers (glass-to-metal)
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**

Head form velocity
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**

Headgear—football
See **Football helmets**

Headgear (protective)
Sa **Protective headgear—specifications**
Headgear Used in Soccer, Specification for, **F2439 (15.07)**
Helmets Used in Pole Vaulting, Specification for, **F2400 (15.07)**
Manufacturers for Labeling Headgear Products, Guide for, **F2727 (15.07)**
Protective Headgear Used in Electric Personal Assistive Mobility Devices, Specification for, **F2416 (15.07)**

Head injury criterion (HIC)
ASTM Standards on Playground Surfacing, Guide for, **F2223 (15.07)**
Head and Face Protective Equipment for Ice Hockey Goaltenders, Specification for, **F1587 (15.07)**
Impact Attenuation of Playing Surface Systems and Materials, Test Method for, **F355 (15.07)**

Head lice
See **Lice**

Head of water test
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**

Head-pulley sample
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**

Head residuals
Developing and Evaluating Ground-Water Modeling Codes, Guide for, **D6025 (04.09)**

Headspace analysis
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
the Solid Phase Micro Extraction (SPME) of Water and its Headspace for the Analysis of Volatile and Semi-Volatile Organic Compounds, Practice for, **D6520 (11.02)**

Headspace gas chromatography
Acetone, Methyl Acetate, and Parachlorobenzotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, Test Method for, **D6438 (06.01)**
Determination of Residual Acetaldehyde in Polyethylene Terephthalate Bottle Polymer Using an Automated Static Head-Space Sampling Device and a Capillary GC with a Flame Ionization Detector, Test Method for, **F2013 (15.10)**
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**
Determination of Volatiles in Polymers by Static Headspace Gas Chromatography, Practice for, **D4526 (08.02)**
Determining Residual Solvents in Packaging Materials, Test Methods for, **F1884 (15.10)**
Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography, Test Method for, **D4443 (08.02)**
Residual Vinyl Chloride Monomer in Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique, Test Method for, **D3749 (08.02)**

Headspace sampler
Determination of Residual Acetaldehyde in Polyethylene Terephthalate Bottle Polymer Using an Automated Static Head-Space Sampling Device and a Capillary GC with a Flame Ionization Detector, Test Method for, **F2013 (15.10)**

Health
Assessing the Environmental and Human Health Impacts of New Energetic Compounds, Guide for, **E2552 (11.06)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Surgical Gowns Intended for Use in Healthcare Facilities, Specification for, **F2407 (11.03)**

Health and safety training
Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, Guide for, **E2148 (11.03)**

Healthcare data architecture
Defining and Implementing Pharmacotherapy Information Services within the Electronic Health Record (EHR) Environment and Networked Architectures, Practice for, **E2538 (14.01)**
Implementation of a Voluntary Universal Healthcare Identification System, Guide for, **E2553 (14.01)**
Representation of Human Characteristics Data in Healthcare Information Systems, Specification for the, **E2436 (14.01)**

Healthcare delivery models
An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems, Practice for, **E1715 (14.01)**
Information Modeling, Practice for, **E2145 (14.01)**
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**
Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F1717 (13.01)**

Healthcare documentation/delivery/training
Sa **Emergency medical services (EMS)**
Data Capture through the Dictation Process, Guide for, **E2344 (14.01)**
Healthcare Certificate Policy, Practice for, **E2212 (14.01)**
Relationship Between a Person (Consumer) and a Supplier of an Electronic Personal (Consumer) Health Record, Specification for, **E2211 (14.01)**
Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, Guide for, **E1959 (14.01)**
Training the Emergency Medical Technician (Basic), Practice for, **F1031 (13.02)**
User Authentication and Authorization, Guide for, **E1985 (14.01)**

Healthcare documentation/delivery/training—specifications
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Guideline Elements Model version 3 (GEM III)—Document Model for Clinical Practice Guidelines, Specification for, **E2210 (14.01)**

Healthcare facilities
Surgical Gowns Intended for Use in Healthcare Facilities, Specification for, **F2407 (11.03)**

Healthcare informatics
Defining and Implementing Pharmacotherapy Information Services within the Electronic Health Record (EHR) Environment and Networked Architectures, Practice for, **E2538 (14.01)**
Healthcare Informatics, Terminology for, **E2457 (14.01)**
Implementation of a Voluntary Universal Healthcare Identification System, Guide for, **E2553 (14.01)**
Privilege Management Infrastructure, Guide for, **E2595 (14.01)**
Quality Indicators for Health Classifications, Guide for, **E2522 (14.01)**

Healthcare information systems
Representation of Human Characteristics Data in Healthcare Information Systems, Specification for the, **E2436 (14.01)**

Health care personnel handwash products/tests
See **Handwashing/handrubbing agents**

Health hazards
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Air Sampling Strategies for Worker and Workplace Protection, Guide for, **E1370 (11.07)**
Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), Test Method for, **D4084 (05.06)**
Cautionary Labeling of Portable Gasoline Containers for Consumer Use, Specification for, **F839 (15.11)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), Test Method for, **D4413 (11.07)**
Determination of Particles Resulting from the Attrition of Granular Pesticides, Test Method for, **E2316 (11.05)**
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Determination of Sulfuric Acid Mist in Workplace Atmospheres Collected on Mixed Cellulose Ester Filters (Ion Chromatographic Analysis), Test Method for, **D4856 (11.07)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, Specification for, **E1549/E1549M (15.03)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Hazard Potential of Chemicals, Terminology Relating to, **E1445 (14.02)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, Test Method for, **D4323 (11.07)**
Labeling Art Materials for Chronic Health Hazards, Practice for, **D4236 (06.02)**
Labeling Ceramic Art Materials for Chronic Adverse Health Hazards, Practice for, **C1023 (15.02)**
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Leakage Testing of Empty Rigid Containers by Vacuum Method, Test Method for, **D4991 (15.10)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**
Measurement of Equipment-Generated Continuous Noise for Assessment of Health Hazards, Practice for, **E2202 (04.06)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Portable Kerosene and Diesel Containers for Consumer Use, Specification for, **F976 (15.11)**
Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories, Classification of, **C930 (04.06)**
Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, Practice for, **E1628 (11.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Record Keeping and Record Preservation for Lead Hazard Activities, Practice for, **E2239 (04.12)**
Resistance of Materials Used in Protective Clothing to Penetration by Liquids, Test Method for, **F903 (11.03)**
Respirable Dust in Workplace Atmospheres Using Cyclone Samplers, Test Method for, **D4532 (11.07)**
Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, Guide for, **E848 (06.01)**
Sampling and Handling Bisphenol A, Practice for, **D4297 (06.04)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Strategies for Surface Sampling of Metals and Metalloids for Worker Protection, Guide for, **D7659 (11.07)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**

Health knowledge/information systems
Sa **Patient biographical/medical data**
Amendments to Health Information, Guide for, **E2017 (14.01)**
Audit and Disclosure Logs for Use in Health Information Systems, Specification for, **E2147 (14.01)**
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**
Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, Guide for, **E1869 (14.01)**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Information Access Privileges to Health Information, Guide for, **E1986 (14.01)**
Information Modeling, Practice for, **E2145 (14.01)**
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**

Health record
Developing a Disaster Recovery Plan for Medical Transcription Departments and Businesses, Guide for, **E2682 (14.01)**
Occupational/Environmental Health View of the Electronic Health Record, Practice for the, **E2473 (14.01)**
Quality Indicators for Health Classifications, Guide for, **E2522 (14.01)**

Health-related aerosol fractions
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**

Health status information services
Providing Essential Data Needed in Advance for Prehospital Emergency Medical Services, Guide for, **F1652 (13.02)**

Hearing devices
Describing System Output of Implantable Middle Ear Hearing Devices, Practice for, **F2504 (13.02)**

Heartwood
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**

Heat aging
Sa **Accelerated aging/testing**
Accelerated Aging of Inflatable Restraint Fabrics, Practice for, **D5427 (07.02)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Extensibility After Heat Aging of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1522 (04.04)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Heat Aging of Asbestos Textiles, Test Method for, **D1573/D1573M (04.05)**
Heat Aging of Plastics Without Load, Practice for, **D3045 (08.01)**
Heat and Humidity Aging of Oxidatively Degradable Plastics, Practice for, **D7444 (08.03)**
Resistance of Finish to Heat Aging (Finish Stability), Test Method for, **D7912 (15.04)**

Heat and air effects analysis
Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), Test Method for, **D2872 (04.03)**
Effects of Heat and Air on Asphaltic Materials (Thin-Film Oven Test), Test Method for, **D1754/D1754M (04.03)**
Evaluating the Effects of Heat on Asphalts, Practice for, **D3791/D3791M (04.04)**

Heat and flame response
See **Flammability**
See **Flash point**

Heat detectors
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Heat discoloration
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**

Heat distortion
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

Heated black box exposure test
Sa **Hot plate/box methods**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**

Heated diode sensor
Screening Trichloroethylene (TCE)-Contaminated Media Using a Heated Diode Sensor, Practice for, **D7203 (11.04)**

Heated food products
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**

Heated gas cells
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Heated surfaces
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**

Heated toluene-dibutylamine method
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**

Heater plates
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**

Heaters
Determining Particulate Matter Emissions from Wood Heaters, Test Method for, **E2780 (04.12)**
Performance of Booster Heaters, Test Method for, **F2022 (15.12)**
Performance of Commercial Patio Heaters, Test Method for, **F2644 (15.12)**

Heat evolution factor
Surface Flammability of Materials Using a Radiant Heat Energy Source, Test Method for, **E162 (04.07)**

Heat exchanger materials/applications—copper
Sa **Condenser and heat exchanger systems—copper/copper alloy**
Copper-Beryllium Welded Heat Exchanger and Condenser Tube (UNS No. C17510), Specification for, **B944 (02.01)**

Heat exchanger materials/applications—steel tubes
See **Condenser and heat exchanger systems—steel**

Heat exchangers
Acoustic Pulse Reflectometry Examination of Tube Bundles, Practice for, **E2906/E2906M (03.03)**

Heat flow
Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, Test Method for, **D5334 (04.08)**
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**
Heat Transmission, Symbols for, **C108 (15.01)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Using Heat Flow Meter Apparatus to Measure the Center-of-Panel Thermal Resistivity of Vacuum Panels, Test Method for, **C1667 (04.06)**

Heat flow meter method
Determination of the Thermal Conductivity of Anode Carbons by the Guarded Heat Flow Meter Technique, Test Method for, **D6744 (05.03)**
Determination of Thermal Resistance of Loose-Fill Building Insulation, Practice for, **C687 (04.06)**
Evaluating the Resistance to Thermal Transmission of Materials by the Guarded Heat Flow Meter Technique, Test Method for, **E1530 (14.02)**
Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus, Test Method for, **C518 (04.06)**
Using a Heat Flow Meter Apparatus for Measuring Thermal Storage Properties of Phase Change Materials and Products, Test Method for, **C1784 (04.06)**
Using Heat Flow Meter Apparatus to Measure the Center-of-Panel Thermal Resistivity of Vacuum Panels, Test Method for, **C1667 (04.06)**

Heat flux
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Calibrating Thin Heat Flux Transducers, Practice for, **C1130 (04.06)**
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Determining Steady State Thermal Transmittance of Fenestration Systems, Practice for, **E1423 (04.11)**
Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, Practice for, **C1155 (04.06)**
In-Situ Measurement of Heat Flux and Temperature on Building

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Envelope Components, Practice for, **C1046 (04.06)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater, Test Method for, **E2102 (04.07)**
Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, Test Method for, **E598 (15.03)**
Measuring Heat Flux Using a Copper-Constantan Circular Foil, Heat-Flux Transducer, Test Method for, **E511 (15.03)**
Measuring Heat Flux Using a Water-Cooled Calorimeter, Test Method for, **E422 (15.03)**
Measuring Heat Flux Using Flush-Mounted Insert Temperature-Gradient Gages, Test Method for, **E2683 (15.03)**
Measuring Heat Flux Using Surface-Mounted One-Dimensional Flat Gages, Test Method for, **E2684 (15.03)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus, Test Method for, **C177 (04.06)**
Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus, Test Method for, **C518 (04.06)**
Using a Guarded-Hot-Plate Apparatus or Thin-Heater Apparatus in the Single-Sided Mode, Practice for, **C1044 (04.06)**

Heat flux transducer (HFT)
Determination of the Thermal Conductivity of Anode Carbons by the Guarded Heat Flow Meter Technique, Test Method for, **D6744 (05.03)**
Evaluating the Resistance to Thermal Transmission of Materials by the Guarded Heat Flow Meter Technique, Test Method for, **E1530 (14.02)**

Heat gain/loss
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, Practice for, **C1340/C1340M (04.06)**
Heat Gain to Space Performance of Commercial Kitchen Ventilation/Appliance Systems, Test Method for, **F2474 (15.12)**

Heating elements (electrical)
See **Electrical heating elements**

Heating fuel oils
Cold Filter Plugging Point of Diesel and Heating Fuels, Test Method for, **D6371 (05.03)**
Determination of the Red Dye Concentration and Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, Test Method for, **D6756 (05.03)**
Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7220 (05.04)**

Heating oils
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Effect of Air Supply on Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2157 (05.01)**
Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2156 (05.01)**

Heating panels
Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, Guide for, **C1546 (04.01)**

Heating systems
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Mechanical Symbols, Shipboard—Heating, Ventilation, and Air Conditioning (HVAC), Practice for, **F856 (01.07)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**

Heating systems—solar
Sa **Solar heating/cooling systems**
Determining Thermal Performance of Tracking Concentrating Solar Collectors, Test Method for, **E905 (12.02)**

Heating tests
Sa **Burning characteristics**
Sa **Flammability**
Dark Oven Heat Exposure of Roofing and Waterproofing Materials, Practice for, **D5869 (04.04)**
Determination of Pitch Volatility, Test Method for, **D4893 (05.02)**
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Fire Standards, Terminology of, **E176 (04.07)**
Heat Transmission, Symbols for, **C108 (15.01)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**
Measuring Heat Stability of Resilient Flooring by Color Change, Test Method for, **F1514 (15.04)**
Melting of Hot-Applied Joint and Crack Sealant and Filler for Evaluation, Practice for, **D5167 (04.03)**

Heating tests—adhesives
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Heat Stability of Hot-Melt Adhesives, Test Method for, **D4499 (15.10)**
Heat-Fail Temperature in Shear of Hot Melt Adhesives, Test Method for, **D4498 (15.10)**

Heating tests—aerospace materials
Calculation of Stagnation Enthalpy from Heat Transfer Theory and Experimental Measurements of Stagnation-Point Heat Transfer and Pressure, Test Method for, **E637 (15.03)**
Heat of Ablation, Test Method for, **E458 (15.03)**
Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, Test Method for, **E598 (15.03)**
Measuring Heat Transfer Rate Using a Thin-Skin Calorimeter, Test Method for, **E459 (15.03)**
Measuring Heat-Transfer Rate Using a Thermal Capacitance (Slug) Calorimeter, Test Method for, **E457 (15.03)**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**

Heating tests—asphalts
Asphalt Roof Cement, Asbestos-Containing, Specification for, **D2822/D2822M (04.04)**
Asphalt Roof Coatings, Asbestos-Containing, Specification for, **D2823/D2823M (04.04)**
Evaluating the Effects of Heat on Asphalts, Practice for, **D3791/D3791M (04.04)**
Residue of Specified Penetration, Test Method for, **D243 (04.03)**

Heating tests—building products
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Ac-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

cessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Fire Tests of Roof Coverings, Test Methods for, **E108 (04.07)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Measurement of Particulate Emissions and Heating Efficiency of Solid Fuel-Fired Hydronic Heating Appliances, Test Method for, **E2618 (04.12)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Surface Flammability of Materials Using a Radiant Heat Energy Source, Test Method for, **E162 (04.07)**

Heating tests—chemicals/materials
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry, Test Method for, **E793 (14.02)**
Melting And Crystallization Temperatures By Thermal Analysis, Test Method for, **E794 (14.02)**
Melting Point of Waxes, Test Method for, **F766/F766M (15.09)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Heating tests—coal/coke
Ash in the Analysis Sample of Coal and Coke from Coal, Test Method for, **D3174 (05.06)**
Expansion or Contraction of Coal by the Sole-Heated Oven, Test Method for, **D2014 (05.06)**
Free-Swelling Index of Coal, Test Method for, **D720 (05.06)**
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**
Moisture in the Analysis Sample of Coal and Coke, Test Method for, **D3173 (05.06)**
Plastic Properties of Coal by the Constant-Torque Gieseler Plastometer, Test Method for, **D2639/D2639M (05.06)**
Total Moisture in Coal, Test Method for, **D3302/D3302M (05.06)**
Volatile Matter in the Analysis Sample of Coal and Coke, Test Method for, **D3175 (05.06)**

Heating tests—electrical insulating materials
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Glass-Bonded Mica Used as Electrical Insulation, Test Methods for, **D1039 (10.01)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Ignition of Materials by Hot Wire Sources, Test Method for, **D3874 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, Specification for, **D2220 (10.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**
Thermoplastic Polyethylene Jacket for Electrical Wire and Cable, Specification for, **D2308 (10.01)**

Heating tests—gaskets
Compressibility and Recovery of Laminated Composite Gasket Materials, Test Method for, **F806 (09.02)**
Evaluating Thermal Conductivity of Gasket Materials, Practice for, **F433 (09.02)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**

Heating tests—metals
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**
Heat Stability of Steam Turbine Shafts and Rotor Forgings, Specification for, **A472/A472M (01.05)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**

Heating tests—paints/related coatings/materials
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Determining Stroke Cure Time of Thermosetting Phenol-Formaldehyde Resins, Test Method for, **D4640 (06.03)**
Determining the Color Stability of Hydrocarbon Resins After Heating, Practice for, **D6605 (06.03)**
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**
Evaluating Coatings For High Temperature Service, Test Methods for, **D2485 (06.01)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Measuring Maximum Spontaneous Heating Temperature of Art and Other Materials, Test Method for, **D6801 (06.02)**
Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, Test Method for, **D4206 (06.01)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**

Heating tests—petroleum products
Calculation of Liquid Heat Capacity of Petroleum Distillate Fuels, Test Method for, **D2890 (05.01)**
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels, Test Method for, **D4868 (05.02)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D3338/D3338M (05.01)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D4529 (05.02)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D1405/D1405M (05.01)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, Test Method for, **D240 (05.01)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), Test Method for, **D4809 (05.02)**
Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, Test Method for, **D4781 (05.05)**
Mechanically Tapped Packing Density of Formed Catalyst and Catalyst Carriers, Test Method for, **D4164 (05.05)**
Sediment in Crude Oil by Membrane Filtration, Test Method for, **D4807 (05.02)**
Specific Heat of Liquids and Solids, Test Method for, **D2766 (05.01)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Thermal Stability of Hydraulic Oils, Test Method for, **D2070 (05.01)**
Universal Oxidation/Thermal Stability Test Apparatus, Guide for, **D4871 (05.02)**
Vibratory Packing Density of Formed Catalyst Particles and Catalyst Carriers, Test Method for, **D4180 (05.05)**

Heating tests—plastics
Cellulose Acetate Molding and Extrusion Compounds, Classification System and Basis for Specifications for, **D706 (08.01)**
Cellulose Acetate Propionate Molding and Extrusion Compounds, Classification System and Basis for Specification for, **D1562 (08.01)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Estimating the Quality of Extruded Poly (Vinyl Chloride) (PVC) Pipe by the Heat Reversion Technique, Practice for, **F1057 (08.04)**
Ethyl Cellulose Molding and Extrusion Compounds, Specification for, **D787 (08.01)**
Evaluating the Quality of Molded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings by the Heat Reversion Technique, Test Method for, **F610/F610M (08.04)**
Fusion of Poly(Vinyl Chloride) (PVC) Compounds Using a Torque Rheometer, Practice for, **D2538 (08.01)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Heat Aging of Plastics Without Load, Practice for, **D3045 (08.01)**
Horizontal Burning Characteristics of Cellular Polymeric Materials, Test Method for, **D4986 (08.02)**
Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, Test Method for, **E831 (14.02)**
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**

Heating tests—refractories
Disintegration of Carbon Refractories by Alkali, Test Method for, **C454 (15.01)**
Disintegration of Refractories in an Atmosphere of Carbon Monoxide, Test Method for, **C288 (15.01)**
Drying and Firing Linear Change of Refractory Plastic and Ramming Mix Specimens, Test Method for, **C179 (15.01)**
Heat Transmission, Symbols for, **C108 (15.01)**
Reheat Change of Insulating Firebrick, Test Method for, **C210 (15.01)**
Reheat Change of Refractory Brick, Test Method for, **C113 (15.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**

Heating tests—refuse-derived fuel/waste
Flammability Potential Screening Analysis of Waste, Test Methods for, **D4982 (11.04)**
Fusibility of Refuse-Derived Fuel (RDF) Ash, Test Method for, **E953/E953M (11.04)**
Residual Moisture in a Refuse-Derived Fuel Analysis Sample, Test Method for, **E790 (11.04)**
Thermal Characteristics of Refuse-Derived Fuel Macrosamples, Test Method for, **E955 (11.04)**

Heating tests—rubber
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**
Rubber Compounding Materials—Determination of Volatile Material, Test Methods for, **D4571 (09.01)**
Rubber Property—Heat Generation and Flexing Fatigue In Compression, Test Methods for, **D623 (09.01)**
Rubber Thread—Resistance to Dry Heat, Test Method for, **D3854 (09.02)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**

Heating tests—soil/rock
Calculating Thermal Diffusivity of Rocks, Practice for, **D4612 (04.08)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, Test Method for, **D5335 (04.08)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**

Heating tests—textile materials/applications
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Flammability of Blankets, Test Method for, **D4151 (07.01)**
Measuring the Thermal Insulation of Clothing Using a Heated

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Manikin, Test Method for, **F1291 (11.03)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Heating tests—thermal insulation
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**
Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, Practice for, **C1340/C1340M (04.06)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**
Steady-State Heat Transfer Properties of Pipe Insulation, Test Method for, **C335/C335M (04.06)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**

Heating value determination
On-line/At-line Heating Value Determination of Gaseous Fuels by Gas Chromatography, Practice for, **D7164 (05.06)**

Heat-joining procedures
Heat Fusion Joining of Polyethylene Pipe and Fittings, Practice for, **F2620 (08.04)**
Heat Fusion Joining of Polyolefin Pipe and Fittings, Practice for, **D2657 (08.04)**

Heat loss/savings
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Carbon Black—Heating Loss, Test Methods for, **D1509 (09.01)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Loss on Heating of Oil and Asphaltic Compounds, Test Method for, **D6/D6M (04.04)**
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**
Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing, Test Methods for, **D228/D228M (04.04)**

Heat measurement
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**

Heat of combustion
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**

Heat of fusion
Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry, Test Method for, **E793 (14.02)**

Heat of gasification
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**

Heat of hydration
Heat of Hydration of Hydraulic Cement, Test Method for, **C186 (04.01)**
Measurement of Heat of Hydration of Hydraulic Cementitious Materials Using Isothermal Conduction Calorimetry, Test Method for, **C1702 (04.01)**

Heat of neutralization method
Determining Cement Content of Fresh Soil-Cement (Heat of Neutralization Method), Test Method for, **D5982 (04.09)**

Heat of pyrolysis
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**

Heat of reaction
Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, Test Method for, **E2160 (14.02)**

Heat of transition
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**

Heat of vaporization/sublimation
Calculating Heat of Vaporization or Sublimation from Vapor Pressure Data, Practice for, **E2071 (14.02)**

Heat/rain test
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**

Heat-treated (HT) flat glass
Sa **Glass—specifications**
Heat-Strengthened and Fully Tempered Flat Glass, Specification for, **C1048 (15.02)**
Measurement of Roll Wave Optical Distortion in Heat-Treated Flat Glass, Test Method for, **C1651 (15.02)**

Heat release
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Development of Fire Hazard Assessment Standards of Electrotechnical Products, Guide for, **D5425 (10.02)**
Evaluating the Under-Deck Fire Test Response of Deck Materials, Test Method for, **E2632/E2632M (04.07)**
Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, Guide for, **E2280 (04.07)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Full-Scale Oxygen Consumption Calorimetry Fire Tests, Practice for, **E2067 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, Test Method for, **D6113 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Heat removal
Measuring the Heat Removal Rate of Personal Cooling Systems Using a Sweating Heated Manikin, Test Method for, **F2371 (11.03)**
Heat resistance
Dead Load Resistance of a Sealant in Elevated Temperatures, Test Method for, **C1367 (04.07)**
Evaluation of Materials, Protective Clothing and Equipment for Heat Resistance Using a Hot Air Circulating Oven, Test Method for, **F2894 (11.03)**
Freeze/Thaw Resistance of Polymer Floor Polishes, Test Method for, **D3209 (15.04)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Methods for, **D5499 (06.02)**
Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, Specification for, **B941 (02.03)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Measuring Static Heat Resistance of Self-Cleaning Oven Coating, Test Method for, **B915 (02.05)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rubber Thread—Resistance to Dry Heat, Test Method for, **D3854 (09.02)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**
Heat-resistant protective clothing
Labeling Protective Clothing as Heat and Flame Resistant, Performance Specification for, **F2302 (11.03)**
Heat resisting alloys
Sa **Chromium-nickel-iron alloys**
Castings, Nickel-Aluminum Ordered Alloy, Specification for, **A1002 (01.02)**
Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, Specification for, **B941 (02.03)**
Heat-resisting castings
Castings, Nickel-Aluminum Ordered Alloy, Specification for, **A1002 (01.02)**
Heat-resisting stainless steel alloys
Sa **Stainless steel**
Free-Machining Stainless Steel Bars, Specification for, **A582/A582M (01.03)**
Heat reversion technique
Estimating the Quality of Extruded Poly (Vinyl Chloride) (PVC) Pipe by the Heat Reversion Technique, Practice for, **F1057 (08.04)**
Evaluating the Quality of Molded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings by the Heat Reversion Technique, Test Method for, **F610/F610M (08.04)**
Heat-sanitizing (commercial) dishwashers
See **Dishwashing equipment (commercial)**
Heat sealability
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Hot Seal Strength (Hot Tack) of Thermoplastic Polymers and Blends Comprising the Sealing Surfaces of Flexible Webs, Test Methods for, **F1921/F1921M (15.10)**
Heatsealability (of flexible webs)
Making Heatseals for Determination of Heatsealability of Flexible Webs as Measured by Seal Strength, Practices for, **F2029 (15.10)**
Heat-sealable polymeric films
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**
Heat-sealed packages
Determination of Leaks in Flexible Packaging by Bubble Emission, Test Method for, **D3078 (15.10)**
Water Vapor Transmission of Flexible Heat-Sealed Packages for Dry Products, Test Method for, **D3079 (15.10)**
Heat seal strength
Evaluation of Seal Quality and Integrity Using Airborne Ultrasound, Test Method for, **F3004 (15.10)**
Heatset-type printing inks
Sa **Printing inks/vehicles**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**
Relative Setting of Heatset Printing Inks, Test Method for, **D6073 (06.02)**
Heat-shrinkable cable entry seals
Heat-Shrink Cable Entry Seals (Metric), Specification for, **F1837M (01.07)**
Heat-shrinkable plastic film/sheeting
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**
Heat-shrinkable tubing (electrical insulating)
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Heat-shrinkable tubing (electrical insulating)—specifications
Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3150 (10.02)**
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3144 (10.02)**
Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3149 (10.02)**
Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2902 (10.02)**
Heat stability
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Extrudability, After Package Aging, of Latex Sealants, Test Method for, **C731 (04.07)**
Fusion of Poly(Vinyl Chloride) (PVC) Compounds Using a Torque Rheometer, Practice for, **D2538 (08.01)**
Heat Stability of Hot-Melt Adhesives, Test Method for, **D4499 (15.10)**
Heat Stability of Steam Turbine Shafts and Rotor Forgings, Specification for, **A472/A472M (01.05)**
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Heat stable instrument
Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, Practice for, **F1992 (13.01)**
Heat-strengthened (HS) glass
Bent Glass, Specification for, **C1464 (15.02)**
Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications, Specification for, **C1053 (15.02)**
Measuring Optical Distortion in Flat Glass Products Using Digital Photography of Grids, Test Method for, **C1652/C1652M (15.02)**
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**
Heat transfer
Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, Test Method for, **D4340 (15.05)**
Corrosivity of Water in the Absence of Heat Transfer (Weight

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Loss Method), Test Method for, **D2688 (11.01)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Measure Heat Transfer Through Textile Thermal Barrier Materials, Test Method to, **D7140/D7140M (07.02)**
Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, Test Method for, **E598 (15.03)**
Measuring Heat Flux Using a Water-Cooled Calorimeter, Test Method for, **E422 (15.03)**
Measuring Heat Transfer Rate Using a Thin-Skin Calorimeter, Test Method for, **E459 (15.03)**
Measuring Heat-Transfer Rate Using a Thermal Capacitance (Slug) Calorimeter, Test Method for, **E457 (15.03)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Radiant Heat Performance of Flame Resistant Clothing Materials with Burn Injury Prediction, Test Method for, **F2702 (11.03)**
Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, Test Method for, **C1363 (04.06)**
Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Burn Injury Prediction, Test Method for, **F2703 (11.03)**
Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Continuous Heating, Test Method for, **F2700 (11.03)**

Heat transfer fluids
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Evaluation of Biodegradable Heat Transfer Fluids, Guide for, **D7665 (05.04)**
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, Practices for, **E745 (12.02)**
Thermal Conductivity, Thermal Diffusivity and Volumetric Heat Capacity of Engine Coolants and Related Fluids by Transient Hot Wire Liquid Thermal Conductivity Method, Test Method for, **D7896 (15.05)**
Thermal Stability of Organic Heat Transfer Fluids, Test Method for, **D6743 (05.03)**

Heat transfer (of packages)
Thermal Insulation Performance of Distribution Packages, Test Method for, **D3103 (15.10)**

Heat transfer systems
Sa **Condenser and heat exchanger systems**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Evaluation of Biodegradable Heat Transfer Fluids, Guide for, **D7665 (05.04)**

Heat-treated aluminum alloys
Determining Stress-Corrosion Cracking Resistance of Heat-Treatable Aluminum Alloy Products Using Breaking Load Method, Test Method for, **G139 (03.02)**
Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, Practice for, **G110 (03.02)**
Heat Treatment of Wrought Aluminum Alloys, Practice for, **B918/B918M (02.02)**
Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**

Heat-treated carbon steel fittings
See **Steel fittings—specifications**

Heat-treated steel
Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, Test Method for, **A991/A991M (01.03)**

Heat-treated steel—specifications
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Steel, Closed-Impression Die Forgings for General Industrial Use, Specification for, **A521/A521M (01.05)**

Heat-treated steel bolts
See **Steel bolting materials**

Heat-treated steel sheet and strip
Sa **Steel sheet/strip**
Screws, Alloy Steel, Heat Treated, 1170 MPa Minimum Tensile Strength Metric, Specification for, **F2882M (01.08)**
Screws, Alloy Steel, Heat Treated, 170 ksi Minimum Tensile Strength, Specification for, **F2882 (01.08)**

Heat treating fluids/oils
Determination of Cooling Characteristics of Quench Oils by Cooling Curve Analysis, Test Method for, **D6200 (05.03)**

Heat treatment
Hot Rolling Mill Solution Heat Treatment for Aluminum Alloy Plate, Practice for, **B947 (02.02)**

Heat treatment—metals/alloys
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Heat Treatment of Aluminum-Alloy Castings from All Processes, Practice for, **B917/B917M (02.02)**
Heat Treatment of Magnesium Alloys, Practice for, **B661 (02.02)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**

Heatup energy efficiency
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**

Heat weld method
Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), Practice for, **F1516 (15.04)**

Heave
One-Dimensional Swell or Collapse of Cohesive Soils, Test Methods for, **D4546 (04.08)**

Heavier-than-water fluids
Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water, Test Method for, **D665 (05.01)**
Water Separability of Petroleum Oils and Synthetic Fluids, Test Method for, **D1401 (05.01)**

Heavily-sized textile fabrics
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**

Heavy crudes
See **Crude petroleum products**

Heavy distillate/residual fuel blends
Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, Test Method for, **D6021 (05.02)**

Heavy-duty carabiners
Rescue Carabiners, Specification for, **F1956 (13.02)**

Heavy-duty diesel drain oil
Rotational Viscosity of Heavy Duty Diesel Drain Oils at 100°C, Test Method for, **D6895 (05.03)**

Heavy-duty engine coolants—specifications
Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, Specification for, **D6210 (15.05)**
Low Silicate Ethylene Glycol Base Engine Coolant for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), Specification for, **D4985 (15.05)**
Supplemental Coolant Additives (SCAs) for Use in Precharging

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Coolants for Heavy-Duty Engines, Specification for, **D5752 (15.05)**
Heavy-duty engine oils
Evaluation of Heavy-Duty Engine Oils under High Output Conditions—Caterpillar C13 Test Procedure, Test Method for, **D7549 (05.04)**
Heavy-duty engines
Sa **Engine coolants/concentrates**
Cummins M11 EGR Test, Test Method for, **D6975 (05.04)**
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**
Fully-Formulated 1,3 Propanediol (PDO) Base Engine Coolant for Heavy-Duty Engines, Specification for, **D7517 (15.05)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Rotational Viscosity of Heavy Duty Diesel Drain Oils at 100°C, Test Method for, **D6895 (05.03)**
Heavy-duty jackets—specifications
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**
Heavy-duty shielded couplings—specifications
Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1540 (01.02)**
Heavy-duty strapping materials—specifications
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Heavy element atom percent fission
See **Atom percent fission—uranium/plutonium fuel**
Heavy fuel oils
Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), Test Method for, **D7157 (05.04)**
Determination of the Maximum Flocculation Ratio and Peptizing Power in Residual and Heavy Fuel Oils (Optical Detection Method), Test Method for, **D7060 (05.04)**
Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection), Test Method for, **D7112 (05.04)**
Measuring n-Heptane Induced Phase Separation of Asphaltene from Heavy Fuel Oils as Separability Number by an Optical Device, Test Method for, **D7827 (05.04)**
Heavy leather
Stitch Tear Strength, Single Hole, Test Method for, **D4786 (15.04)**
Heavy metals
Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), Test Method for, **F2980 (10.04)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Field Sampling of Coating Films for Analysis for Heavy Metals, Practice for, **D5702 (06.02)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Heavy metals spot test
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Heavy metal wastes
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Heavy oil residua
Automated Heithaus Titrimetry, Test Method for, **D6703 (04.03)**
Heavy oils
Sa **Distillation—petroleum products**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Measuring n-Heptane Induced Phase Separation of Asphaltene-Containing Heavy Fuel Oils as Separability Number by an Optical Scanning Device, Test Method for, **D7061 (05.04)**
Heavy steel materials/applications
High Strength Steel Castings in Heavy Sections, Specification for, **A1001 (01.02)**
Ultrasonic Examination of Steel Forgings, Practice for, **A388/A388M (01.05)**
Heavy-thickness steel coils—specifications
Seamless and Welded Austenitic Stainless Steel Tubing (Small-Diameter) for General Service, Specification for, **A632 (01.01)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Alloy, Drawing Steel and Structural Steel, Hot-Rolled, Specification for, **A1031/A1031M (01.03)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for, Specification for, **A635/A635M (01.03)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Carbon, Commercial, Drawing, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1018/A1018M (01.03)**
Heavy vehicular paving brick
Heavy Vehicular Paving Brick, Specification for, **C1272 (04.05)**
Heavy-walled PTFE tubing
Extruded Polytetrafluoroethylene (PTFE) Rod, Heavy Walled Tubing and Basic Shapes, Specification for, **D1710 (08.01)**
Heavy-walled steel castings
Heavy-Walled (2 to 4 1/2-in. (50.8 to 114-mm)) Steel Castings, Reference Radiographs for, **E186 (03.03)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Heavy weight deflectometer (HWD)
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Heel marking
Evaluation of Spray-Buff Products on Test Floors, Practice for, **D3758 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Heels
Sa **Footwear—soles/heels/related materials**
Determining the Longitudinal Load Required to Detach High Heels from Footwear, Test Method for, **F2232 (15.07)**
Hegman scale
Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage, Test Method for, **D1210 (06.01)**
Height
Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, Test Method for, **C827/C827M (04.02)**
Measuring the Headroom of a Backpacking or Mountaineering Tent, Test Method for, **F1935 (15.07)**
Height of sides
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Heithaus titrimetry
Automated Heithaus Titrimetry, Test Method for, **D6703 (04.03)**
Helical coil method
Bond Strength of Electrical Insulating Varnishes by the Helical Coil Test, Test Method for, **D2519 (10.02)**
Thermal Endurance of Electrical Insulating Varnishes by the He-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

lical Coil Method, Test Method for, **D3145 (10.02)**
Helical coils
Chemical Resistance of Electrical Insulating Varnishes, Test Method for, **D5638 (10.02)**
Moisture Resistance of Electrical Insulating Varnishes, Test Method for, **D5637 (10.02)**
Helical coils (of thermostat metals)
See **Thermostat metals**
Helical compression springs
Sa **Steel springs—specifications**
Steel Springs, Helical, Heat-Treated, Specification for, **A125 (01.05)**
Helical (parallel axis) gear units
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Helical-seam double submerged-arc welded pipe
Steel Line Pipe, Black, Plain End, Longitudinal and Helical Seam, Double Submerged-Arc Welded, Specification for, **A1005/A1005M (01.01)**
Helical security coils
Installation of Barbed Tape, Practice for, **F1911 (01.06)**
Helical steel wire strand
Sa **Steel wire strand—specifications**
Zinc-Coated Parallel and Helical Steel Wire Structural Strand, Specification for, **A586 (01.06)**
Helicopter inland search and rescue (SAR)—crew chief
Helicopter Inland Search and Rescue (SAR) Crew Chief, Guide for, **F3026 (13.02)**
Helicopter inland search and rescue (SAR)—technician
Helicopter Inland Search and Rescue (SAR) Technician, Guide for, **F2958 (13.02)**
Helium
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Measuring Package and Seal Integrity Using Helium as the Tracer Gas, Test Method for, **F2391 (15.10)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**
Helium-argon//He-H carrier gas
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Helium carrier gas
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Helium content
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Helium leak testing
Sa **Mass spectrometer leak detector (MSLD)**
Leakage Measurement Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Hood Mode, Practice for, **E1603/E1603M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, Practice for, **E499/E499M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, Practice for, **E493/E493M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**
Measuring Package and Seal Integrity Using Helium as the Tracer Gas, Test Method for, **F2391 (15.10)**
Helium pycnometer method
Density of Solid Pitch (Helium Pycnometer Method), Test Method for, **D4892 (05.02)**
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**
Percent Volume Nonvolatile Matter in Clear or Pigmented Coatings Using a Helium Gas Pycnometer, Test Method for, **D6093 (06.01)**
Real Density of Calcined Petroleum Coke by Helium Pycnometer, Test Method for, **D2638 (05.01)**
Helix
Measurement of Camber, Cast, Helix and Direction of Helix of Coiled Wire, Test Method for, **F2754/F2754M (13.02)**
Helmets
Headforms, Specification for, **F2220 (15.07)**
Helmets for Non-Motorized Wheeled Vehicle Used by Infants and Toddlers, Specification for, **F1898 (15.07)**
Protective Headgear Used in Martial Arts, Specification for, **F2397 (15.07)**
Helmets—off-road ATV
Testing Off-Road Motorcycle and ATV Helmets, Specification for, **F3103 (15.07)**
Helmets—off-road motorcycle
Testing Off-Road Motorcycle and ATV Helmets, Specification for, **F3103 (15.07)**
Helmets (sports)
Sa **Protective headgear—specifications**
Sa **Sports protective equipment—specifications**
Helmets Used in Pole Vaulting, Specification for, **F2400 (15.07)**
Manufacturers for Labeling Headgear Products, Guide for, **F2727 (15.07)**
Testing Off-Road Motorcycle and ATV Helmets, Specification for, **F3103 (15.07)**
Helmets (toys)
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Helmholtz coil
Magnetic Shield Efficiency in Attenuating Alternating Magnetic Fields, Test Method for, **A698/A698M (03.04)**
HELP (heat escape lessening posture)
Single Person Cold Water Survival/Rescue Technique: HELP Position, Practice for, **F1729 (13.02)**
Hematite
See **Iron oxide pigments—black (natural/synthetic)**
Hematology
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**
Glass Westergren Tube, Reusable, Specification for, **E923 (14.04)**
Hemi-arthroplasty
Femoral ProsthesesMetallic Implants, Specification for, **F2068 (13.01)**
Hemicellulose
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Hemidydrate calcium sulfate
High Purity Calcium Sulfate Hemihydrate or Dihydrate for Surgical Implants, Specification for, **F2224 (13.01)**
Hemisherical deformation punch test
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**
Hemispherical emittance
See **Emittance**
Hemispherical emittance (total)
See **Total hemispherical emittance**
Hemispherical geometry
Color and Color Difference of Whitewares by Abriged Spectrophotometry, Test Method for, **C1510 (15.02)**
Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, Practice for, **E259 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Hemi-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

spherical Geometry, Test Method for, **E1331 (06.01)**
Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, Practice for, **E1791 (03.06)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**

Hemispherical spectral irradiance
Sa **Irradiance/irradiation—solar**
Reference Solar Spectral Irradiances: Direct Normal and Hemispherical on 37° Tilted Surface, Tables for, **G173 (14.04)**

Hemolysis assessment
Analysis of Hemolytic Properties of Nanoparticles, Test Method for, **E2524 (14.02)**
Assessment of Hemolysis in Continuous Flow Blood Pumps, Practice for, **F1841 (13.01)**
Assessment of Hemolytic Properties of Materials, Practice for, **F756 (13.01)**

Hemostatic forceps
General Workmanship and Performance Measurements of Hemostatic Forceps, Specification for, **F1026 (13.01)**
Hemostatic Forceps, Terminology Relating to, **F921 (13.01)**

Hemp fibers/products
Sa **Bast and leaf fibers/products**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**

Henry's law
Estimation of Solubility of Gases in Petroleum Liquids, Test Method for, **D2779 (05.01)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**

HEPA filters
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Cleaning and Maintaining Controlled Areas and Clean Rooms, Practice for, **E2042/E2042M (15.03)**
Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**

Heparin-coated micropipets
Sa **Pipets (laboratory)—specifications**
Disposable Glass Micro Blood Collection Pipets, Specification for, **E787 (14.04)**

Hepatitis A virus
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**

Hepatocytes
Evaluation of Cytotoxicity of Nanoparticulate Materials in Porcine Kidney Cells and Human Hepatocarcinoma Cells, Test Method for, **E2526 (14.02)**

Heptafluoropropane (CF_3CHFCF_3)
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
HFC-227ea, 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Specification for, **D6064 (15.05)**

***n*-Heptane**
Analysis of High-Purity n-Heptane and Isooctane by Capillary Gas Chromatography, Test Method for, **D2268 (05.01)**
Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), Test Method for, **D7157 (05.04)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Heptane Miscibility of Lacquer Solvents, Test Method for, **D1476 (06.04)**
Measuring n-Heptane Induced Phase Separation of Asphaltene-Containing Heavy Fuel Oils as Separability Number by an Optical Scanning Device, Test Method for, **D7061 (05.04)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**

***n*-Heptane-insolubles content**
n-Heptane Insolubles, Test Method for, **D3279 (04.03)**

Heptane miscibility
Determination of Asphaltenes (Heptane Insolubles) in Crude Petroleum and Petroleum Products, Test Method for, **D6560 (05.03)**
Heptane Miscibility of Lacquer Solvents, Test Method for, **D1476 (06.04)**

Herbaceous materials
Ash in Biomass, Test Method for, **E1755 (05.06)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**

Herbicides
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Determination of Chlorinated Organic Acid Compounds in Water by Gas Chromatography with an Electron Capture Detector, Test Method for, **D5317 (11.02)**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**

Herbivores
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Herbs
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**

Hermetically sealed flexible containers
See **Packing/packaging materials/systems (food)**

Hermeticity—electron devices
Nondestructive Examinations, Terminology for, **E1316 (03.03)**

Hermetic-type motor compressor
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**

Herpes simplex virus (HSV)
Sa **Virology**
Identification of Herpes Simplex Virus or Its DNA, Guide for, **E1286 (14.02)**

Herringbone
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**

Herrlinger-Compton method
Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1240 (06.03)**

Hertzian contact pressure
Determining Extreme Pressure Properties of Lubricating Greases Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5706 (05.02)**
Determining Fretting Wear Resistance of Lubricating Greases Under High Hertzian Contact Pressures Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7594 (05.04)**
Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5707 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Heterocyclic compounds
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
High pressure service applications
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Heterogenous materials/applications
Emulsification/Suspension of Multiphase Fluid Waste Materials, Practice for, **D5761 (05.02)**
Sampling Strategies for Heterogeneous Wastes, Guide for, **D5956 (11.04)**
Yield Stress of Heterogeneous Propellants by Cone Penetration Method, Test Method for, **D2884 (05.01)**
Heterotrophic plate count procedure
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**
Hexacyanoferrate
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**
Hexafluoride
Acidity of Sulfur Hexafluoride, Test Method for, **D2284 (10.03)**
Hexafluoropropane ($CF_3CH_2CF_3$)
Handling, Transportation, and Storage of HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane (CF3CH2CF3), Practice for, **D6427/D6427M (15.05)**
HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane, (CF3CH 2CF3), Specification for, **D6541 (15.05)**
Hexafluoropropylene (HFP)
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
Hexagenia
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Hexagonal poultry fence fabric
Sa **Fences/fencing materials**
Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), Specification for, **A390 (01.06)**
Hexagonal wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Hexagon-head bolts
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**
Hexagon socket screw
Sa **Steel screws—specifications**
Alloy Steel Socket-Head Cap Screws, Specification for, **A574 (01.08)**
Alloy Steel Socket-Head Cap Screws (Metric), Specification for, **A574M (01.08)**
***n*-Hexane**
Commercial Hexanes, Specification for, **D1836 (06.04)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Hexane extraction
Hexane Extraction of Leather, Test Method for, **D3495 (15.04)**
Hexane/Petroleum Ether Extract in Wet Blue and Wet White, Test Method for, **D7674 (15.04)**
Measurement of Hexane Extractable Content of Polyolefins, Test Method for, **D5227 (08.03)**
***n*-Hexane-insoluble matter content**
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Hexanes content
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Chemical Analysis of Zinc Dust (Metallic Zinc Powder), Test Methods for, **D521 (06.03)**
Hexapod walker drum tester
the Operation of the Hexapod Tumble Drum Tester, Practice for, **D5252 (07.02)**
Hexavalent chromium testing
Detection of Hexavalent Chromium On Zinc and Zinc/Aluminum Alloy Coated Steel, Practice for, **D6492 (06.02)**
Determination of Total Suspended Particulate (TSP) Hexavalent Chromium in Ambient Air Analyzed by Ion Chromatography (IC) and Spectrophotometric Measurements, Test Method for, **D7614 (11.07)**
Dissolved Hexavalent Chromium in Water by Ion Chromatography, Test Method for, **D5257 (11.01)**
Identification and Quantification of Chromium, Bromine, Cadmium, Mercury, and Lead in Polymeric Material Using Energy Dispersive X-ray Spectrometry, Test Method for, **F2617 (10.04)**
the Determination of Hexavalent Chromium in Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide, Test Method for, **D6832 (11.07)**
Hex-bar abrasion resistance
Abrasion Resistance of Textile Webbing (Hex Bar Method), Test Method for, **D6770 (07.02)**
Hex cap screws/studs
Stainless Steel and Nickel Alloy Bolts, Hex Cap Screws, and Studs, for Heat Resistance and High Temperature Applications, Specification for, **F2281 (01.08)**
Stainless Steel Bolts, Hex Cap Screws, and Studs, Specification for, **F593 (01.08)**
Hex washer head
Steel Tapping Screws for Cold-Formed Steel Framing Connections, Specification for, **C1513 (04.01)**
Hexyl acetate
Hexyl Acetate, Specification for, **D5137 (06.04)**
Hexylene glycol
Sa **Chemicals**
Hexylene Glycol, Specification for, **D2636 (06.04)**
HFC-125
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
HFC-125 (Pentafluoroethane, C_2HF_5), Specification for, **D6231 (15.05)**
HFC-227ea
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
HFC-227ea, 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Specification for, **D6064 (15.05)**
HFC-23
HFC-23 (Trifluoromethane, CHF, Specification for, **D6126/D6126M (15.05)**
HFC Blend B
HFC Blend B (CH_2FCF_3, CHF_2CF_3, and CO_2), Specification for, **D7327 (15.05)**
HFRR (high-frequency reciprocating rig)
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), Test Method for, **D6079 (05.02)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**
HFT sensitivity
Calibrating Thin Heat Flux Transducers, Practice for, **C1130 (04.06)**
Hide
Brine Saturation Value of Cured (Salt-Preserved) Hides and Skins, Test Method for, **D7476 (15.04)**
Enumeration of Halophilic and Proteolytic Bacteria in Raceway Brine, Brine-Cured Hides and Skins, Test Method for, **D7816 (15.04)**
Enumeration of Proteolytic Bacteria in Fresh (Uncured) Hides and Skins, Test Method for, **D7818 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Enumeration of Yeast and Mold in Raceway Brine, Brine-Cured Hides and Skins, Test Method for, **D7817 (15.04)**
Enumeration of Yeast and Mold on Fresh (Uncured) Hides and Skins, Test Method for, **D7819 (15.04)**
Nitrogen Content (Kjeldahl) and Hide Substance Content of Leather, Wet Blue and Wet White, Test Method for, **D2868 (15.04)**

Hiding power
Aggregate Layer Hiding Power, Test Method for, **D5081/D5081M (04.04)**
Determining the Hiding Power of Paint by Visual Evaluation of Spray Applied Coatings, Test Method for, **D6762 (06.01)**
Granule Cover of Mineral Surfaced Roofing, Test Method for, **D6225/D6225M (04.04)**

Hiding power—paints/coatings
Comparison of the Brush Drag of Latex Paints, Test Method for, **D4958 (06.02)**
Hiding Power of Architectural Paints Applied by Roller, Test Method for, **D5150 (06.02)**
Hiding Power of Paints by Reflectometry, Test Method for, **D2805 (06.01)**
Measuring the Hiding Power of Powder Coatings, Test Methods for, **D6441 (06.02)**
Relative Hiding Power of Paints by the Visual Evaluation of Brushouts, Test Method for, **D344 (06.01)**
Wet-to-Dry Hiding Change, Test Method for, **D5007 (06.02)**

Hierarchy
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Hierarchy of Equipment Identifiers and Boundaries for Reliability, Availability, and Maintainability (RAM) Performance Data Exchange, Classification for, **F2446 (01.07)**

High-alloy steel
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**

High-altitude effects
Determining the Effects of High Altitude on Packaging Systems by Vacuum Method, Test Methods for, **D6653/D6653M (15.10)**

High-alumina plastic refractories
Fireclay and High-Alumina Plastic Refractories and Ramming Mixes, Classification of, **C673 (15.01)**

High-alumina refractories
See **Refractories (alumina)**

High calcium lime/limestone
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**

High-calcium limes
Sa **Hydrated lime**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**

High-carbonate coals
See **Coal products**

High-carbon steel products
Sa **Carbon steel**
High-Carbon Anti-Friction Bearing Steel, Specification for, **A295/A295M (01.05)**
Preparation of High-Carbon Steel for Electroplating, Guide for, **B242 (02.05)**
Steel Tie Plates, Low-Carbon and High-Carbon-Hot-Worked, Specification for, **A67 (01.04)**

High chairs
Sa **Consumer safety specifications (infants/children)**
High Chairs, Consumer Safety Specification for, **F404 (15.11)**

High-coercive magnetic materials
Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, Test Method for, **A977/A977M (03.04)**

High-conductivity copper
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**

High-consistency rubber
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**

High-current arc-erosion test
Arc Erosion Testing of Electrical Contact Materials, Guide for, **B576 (02.04)**

High-density metals
Tungsten Base, High-Density Metal, Specification for, **B777 (02.04)**

High density plastics
Billets made by Winding Molten Extruded Stress-Rated High Density Polyethylene (HDPE), Specification for, **F3034 (08.04)**
Evaluating High-Density Rigid Cellular Plastics, Practice for, **D3748 (08.02)**

High-density polyethylene (HDPE)
Sa **HDPE (high-density polyethylene)**
High-Density Polyethylene (PE) Line Pipe, Specification for, **F2619/F2619M (08.04)**
Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD), Specification for, **F2160 (08.04)**

High-density storage
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**

High dose-rate burnout
Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**

High-efficiency particulate air (HEPA) filters
See **HEPA filters**

High-energy irradiation
See **Neutron radiation—nuclear materials/applications**

High-energy propellants
See **Aerospace rocket propellants**

High exchange (HX) rate chambers
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**

High explosive
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**

High fire-point electrical insulating oils
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**

High-flash aromatic naphthas
Sa **Naphtha and naphtha derivatives**
High-Flash Aromatic Naphthas, Specification for, **D3734 (06.04)**

High float
Float Test for Bituminous Materials, Test Method for, **D139 (04.03)**

High-fluorescence yield
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

High-frequency broadband immersion search units
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**

High-frequency linear-oscillation SRV apparatus
Determining Extreme Pressure Properties of Lubricating Greases Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5706 (05.02)**
Determining Extreme Pressure Properties of Lubricating Oils Using High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7421 (05.04)**
Determining Fretting Wear Resistance of Lubricating Greases Under High Hertzian Contact Pressures Using a High-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7594 (05.04)**
Determining the Wear Volume on Standard Test Pieces Used by High-Frequency, Linear-Oscillation (SRV) Test Machine, Practice for, **D7755 (05.04)**
Determining Tribomechanical Properties of Grease Lubricated Plastic Socket Suspension Joints Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7420 (05.04)**
Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5707 (05.02)**

High-frequency magnetic materials
Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Inductor Applications, Specification for, **A1009 (03.04)**

High-gloss surfaces
Dry Abrasion Mar Resistance of High Gloss Coatings, Test Methods for, **D6037 (06.01)**
Instrumental Measurement of Distinctness-of-Image Gloss of Coating Surfaces, Test Methods for, **D5767 (06.01)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Reflection Haze of High-Gloss Surfaces, Test Method for, **D4039 (06.01)**
Rub Abrasion Mar Resistance of High Gloss Coatings, Test Method for, **D6279 (06.02)**
Specular Gloss, Test Method for, **D523 (06.01)**

High-grade zinc
Sa **Zinc—specifications**
Zinc, Specification for, **B6 (02.04)**

High-gravity glycerins
High-Gravity Glycerin, Specification for, **D1257 (06.04)**

High-head flow
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**

High-humidity exposure tests
See **Humidity**

High impact polystyrene
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**

High-intensity mixer
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**

High-leaded tin bronze (casting)
See **UNS C93200 (cast high-leaded tin bronze)**

High-level disinfection
Determine Efficacy of Disinfection Processes for Reusable Medical Devices (Simulated Use Test), Test Method to, **E1837 (11.05)**

High-level nuclear waste
See **Nuclear scrap and waste materials**

High-lime byproducts
Alkaline Stabilization of Wastewater Treatment Plant Residuals, Guide for, **D6249 (04.01)**

High-load rotational bearings
High Load Rotational Spherical Bearings for Bridges and Structures, Specification for, **D5977 (04.03)**

High magnesium alloysheet/plate
High Magnesium Aluminum-Alloy Sheet and Plate for Marine Service and Similar Environments, Specification for, **B928/B928M (02.02)**

High magnetic saturation alloys
See **Magnetic materials/applications—specifications**

High manganese steel
Analysis of High Manganese Steel by Spark Atomic Emission Spectrometry, Test Method for, **E2209 (03.05)**

High mass-low velocity
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**

High modulus fibrous composites
Acoustic Emission Examination of Plate-like and Flat Panel Composite Structures Used in Aerospace Applications, Practice for, **E2661/E2661M (03.03)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, Test Method for, **D6272 (08.03)**
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
In-Plane Shear Properties of Polymer Matrix Composite Materials by the Rail Shear Method, Test Method for, **D4255/D4255M (15.03)**
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**
Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation, Guide for, **D5687/D5687M (15.03)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, Guide for, **E1434 (15.03)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Tensile Properties of Fiber Reinforced Metal Matrix Composites, Test Method for, **D3552 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**

High modulus fibrous composites—resin-matrix
Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe, Test Method for, **D2290 (08.04)**
Constituent Content of Composite Materials, Test Methods for, **D3171 (15.03)**
Fabrication of Ring Test Specimens for Glass-Resin Composites, Practice for, **D2291 (08.01)**
In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate, Test Method for, **D3518/D3518M (15.03)**
Resin Flow of Carbon Fiber-Epoxy Prepreg, Test Method for, **D3531/D3531M (15.03)**
Short-Beam Strength of Polymer Matrix Composite Materials and Their Laminates, Test Method for, **D2344/D2344M (15.03)**
Tensile Properties of Polymer Matrix Composite Materials, Test Method for, **D3039/D3039M (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tension-Tension Fatigue of Polymer Matrix Composite Materials, Test Method for, **D3479/D3479M (15.03)**
High molecular weight methacrylate sheet
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
High octane
High Octane Unleaded Test Fuel, Specification for, **D7719 (05.04)**
High-performance interior architectural wall coatings
Testing High-Performance Interior Architectural Wall Coatings, Guide for, **D3730 (06.02)**
High-performance liquid chromatography (HPLC)
Sa **HPLC (high performance liquid chromatography)**
Sa **Liquid chromatography (LC)**
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Reverse Phase High Performance Liquid Chromatography, Test Method for, **D7884 (06.04)**
Determination of Denatonium Ion in Engine Coolant by HPLC, Test Method for, **D7304 (15.05)**
High-performance size-exclusion chromatography (HPSEC)
Sa **Gas chromatography (GC)**
Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by High Performance Size-Exclusion Chromatography, Test Method for, **D5296 (08.03)**
High-permeability stainless steel
Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, Specification for, **A838 (03.04)**
High-pressure asher (HPA)
Preparation of Oils and Oily Waste Samples by High-Pressure, High-Temperature Digestion for Trace Element Determinations, Practice for, **C1234 (05.01)**
High-pressure die cast alloy
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
High pressure hydrogen
Sampling of High Pressure Hydrogen and Related Fuel Cell Feed Gases, Practice for, **D7606 (05.06)**
High-pressure laminates
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
High-pressure oxygen environments
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
High-pressure power plants
Sa **Pressure testing**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
High pressure service applications—specifications
Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, Specification for, **A694/A694M (01.01)**
Metal-Arc-Welded Steel Pipe for Use With High-Pressure Transmission Systems, Specification for, **A381 (01.01)**
Polyethylene (PE) Thermoplastic High-Pressure Irrigation Pipeline Systems, Specification for, **F771 (08.04)**
Steel Forgings, Austenitic, for Pressure and High Temperature Parts, Specification for, **A965/A965M (01.05)**
High-pressure steam cookery
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
High-pressure testing
Determination of Susceptibility of Metals to Embrittlement in Hydrogen Containing Environments at High Pressure, High Temperature, or Both, Test Method for, **G142 (03.02)**
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**
High-pressure vacuum lysimeters
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
High-pressure water cutting
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**
High-pressurized valves
Installation, Inspection, and Maintenance of Valve-body Pressure-relief Methods for Geothermal and Other High-Temperature Liquid Applications, Practice for, **E1008 (12.02)**
High-priority alarm signals
See **Alarms**
High-purity aluminum
Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, Test Method for, **F1593 (10.04)**
High-purity benzene
Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, Test Method for, **D5713 (06.04)**
High-purity ethylene
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**
High-purity gas distribution systems
See **Gas delivery/distribution systems**
High-purity metallic sputtering targets
Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, Guide for, **F2113 (10.04)**
High-purity titanium
High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, Specification for, **F1709 (10.04)**
High-purity water
Bio-Applications Grade Water, Guide for, **D5196 (11.01)**
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Evaluating the Kinetic Behavior of Ion Exchange Resins, Practice for, **D6302 (11.02)**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**
Low Level Sodium in High Purity Water by Graphite Furnace Atomic Absorption Spectroscopy, Test Method for, **D6071 (11.01)**
Low-Level Total Silica in High-Purity Water by Flameless Atomic Absorption Spectroscopy, Test Method for, **D4517 (11.02)**
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
On-Line Determination of Cation Conductivity in High Purity Water, Practice for, **D6504 (11.01)**
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**
Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, Test Method for, **D6529 (11.02)**
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**
Reagent Water, Specification for, **D1193 (11.01)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**
Ultra-Pure Water Used in the Electronics and Semiconductor In-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

dustries, Guide for, **D5127 (11.01)**
High-purity zinc
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
High reflectance paint
Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, Practice for, **C1321 (04.06)**
High resilience polyurethane foam
See **Urethane foam**
High-resolution alpha-liquid-scintillation spectrometer
Uranium in Drinking Water by High-Resolution Alpha-Liquid-Scintillation Spectrometry, Test Method for, **D6239 (11.02)**
High-resolution gamma-ray spectral analysis
High-Resolution Gamma-Ray Spectrometry of Soil Samples, Guide for, **C1402 (12.01)**
High-resolution gas chromatography (GC)
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
High-resolution nuclear magnetic resonance (NMR) spectroscopy
See **Nuclear magnetic resonance (NMR) spectrometry**
High-rise building
Multi-Story Building External Evacuation Controlled Descent Devices, Specification for, **E2484 (04.12)**
Multi-Story Building External Evacuation Platform Rescue Systems, Specification for, **E2513 (04.12)**
High school wrestling mats
Competition Wrestling Mats, Specification for, **F1081 (15.07)**
High security areas
Fence Fittings, Specification for, **F626 (01.06)**
High shear conditions
Comparison of the Brush Drag of Latex Paints, Test Method for, **D4958 (06.02)**
Measuring Viscosity at High Shear Rate by Tapered Bearing Simulator Viscometer at 100°C, Test Method for, **D6616 (05.03)**
Quantification of ***Pseudomonas aeruginosa*** Biofilm Grown with High Shear and Continuous Flow using CDC Biofilm Reactor, Test Method for, **E2562 (11.05)**
High-silica/-alumina sands
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
High silicon Bronze A
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**
High-silicon cast iron
Corrosion-Resistant High-Silicon Iron Castings, Specification for, **A518/A518M (01.02)**
High-silicon iron pipe/fittings
Sa **Iron pipe/fittings—specifications**
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**
High-solids digestion
Determining Anaerobic Biodegradation of Plastic Materials Under High-Solids Anaerobic-Digestion Conditions, Test Method for, **D5511 (08.03)**
High-solids membrane
the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces, Guide for, **C1471 (04.04)**
High soot conditions
Cummins M11 EGR Test, Test Method for, **D6975 (05.04)**
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
High speed dilatometry techniques
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
High-speed gearing
Foaming Characteristics of Lubricating Oils, Test Method for, **D892 (05.01)**
High-speed paint dispersion
Incorporating Pigments by High Speed Dispersion, Practice for, **D6619 (06.01)**
High speed puncture properties
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
High-speed rotating inertia members
Tungsten Base, High-Density Metal, Specification for, **B777 (02.04)**
High-speed screw machine
Free-Cutting Bismuth Brass Rod, Bar and Wire, Specification for, **B974/B974M (02.01)**
High speed tool steel
Sa **Tool steel—specifications**
Tool Steel High Speed, Specification for, **A600 (01.05)**
High-strength alloy castings
Aluminum Alloy Castings, High-Strength, Specification for, **B686/B686M (02.02)**
High-Strength Copper-Base and Nickel-Copper Alloy Castings, Reference Radiographs for, **E272 (03.03)**
High-strength high-conductivity copper-alloy wire
High-Strength, High-Conductivity Copper-Alloy Wire for Electronic Application, Specification for, **B624 (02.03)**
High-strength low-alloy (HSLA) steel
Sa **HSLA (high-strength low-alloy) steel—specifications**
High-Strength Low-Alloy Structural Steel Plate Produced by Thermo-Mechanical Controlled Process (TMCP), Specification for, **A1066/A1066M (01.04)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1083/A1083M (01.03)**
Steel, Sheet, Hot Rolled, Carbon, Commercial, Structural, and High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1039/A1039M (01.03)**
High-strength steel castings—specifications
High Strength Steel Castings in Heavy Sections, Specification for, **A1001 (01.02)**
High-strength steel wire—specifications
High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**
High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced, Specification for, **B606/B606M (02.03)**
High-strength structural steel—specifications
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**
High Strength Precipitation Hardening and Duplex Stainless Steel Bolting for Special Purpose Applications, Specification for, **A1082/A1082M (01.01)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Pressure Vessel Plates, Alloy Steel, High-Strength, Quenched and Tempered, Specification for, **A517/A517M (01.04)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for, Specification for, **A635/A635M (01.03)**
Structural Bolts, Steel, Heat Treated 830 MPa Minimum Tensile Strength (Metric), Specification for, **A325M (01.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Structural Bolts, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **A325 (01.08)**
Structural Steel for Ships, Specification for, **A131/A131M (01.04)**
Uncoated High-Strength Steel Bars for Prestressing Concrete, Specification for, **A722/A722M (01.04)**

High-strength wire—specifications
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**

High-strength yellow brass (casting)
See **UNS C86200 (cast manganese bronze)**

High-temperature alloys
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**

High-temperature brick
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**

High-temperature combustion analyzer
Carbon Black—Sulfur Content, Test Methods for, **D1619 (09.01)**
Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, Test Method for, **G144 (14.04)**

High-temperature gas-cooled nuclear reactor
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**

High-temperature gel permeation chromatography
Determining Molecular Weight Distribution and Molecular Weight Averages of Polyolefins by High Temperature Gel Permeation Chromatography, Test Method for, **D6474 (08.03)**

High-temperature guarded hot plate
See **Hot plate/box methods**

High-temperature laminates
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**

High temperature low sag conductors (HTLS)
Concentric-Lay-Stranded Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B978/B978M (02.03)**

High-temperature paint
Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, Practice for, **C1321 (04.06)**

High temperature performance characteristics
Evaluation of Automotive Engine Oils in the Sequence IIIF, Spark-Ignition Engine, Test Method for, **D6984 (05.04)**

High-temperature processing/testing
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
High Temperature Stability of Middle Distillate Fuels, Test Method for, **D6468 (05.03)**
High Temperature Universal Oxidation Test for Turbine Oils, Test Method for, **D6514 (05.03)**
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Sulfur in Petroleum Products (High-Temperature Method), Test Method for, **D1552 (05.01)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**

High-temperature service applications
Determination of Susceptibility of Metals to Embrittlement in Hydrogen Containing Environments at High Pressure, High Temperature, or Both, Test Method for, **G142 (03.02)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, Specification for, **D6909 (09.02)**
High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2754 (10.02)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Installation, Inspection, and Maintenance of Valve-body Pressure-relief Methods for Geothermal and Other High-Temperature Liquid Applications, Practice for, **E1008 (12.02)**
Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, Specification for, **B639 (02.04)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**

High-temperature service applications—nickel
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**

High-temperature service applications—nickel (specifications)
Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, Specification for, **B688 (02.04)**
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-, Specification for, **B719 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Plate, Sheet, and Strip, Specification for, **B718 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, Specification for, **B723 (02.04)**
Nickel-Chromium-Silicon Alloy (UNS N08330) Billets and Bars, Specification for, **B512 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, Specification for, **B710 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Plate, Sheet, and Strip, Specification for, **B536 (02.04)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, Specification for, **B670 (02.04)**
Stainless Steel and Nickel Alloy Bolts, Hex Cap Screws, and Studs, for Heat Resistance and High Temperature Applications, Specification for, **F2281 (01.08)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plate, Sheet, and Strip, Specification for, **B435 (02.04)**
Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**
Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**
Welded Nickel-Iron-Chromium Alloy Pipe, Specification for, **B514 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**

High-temperature service applications—petroleum products
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**
High Temperature Foaming Characteristics of Lubricating Oils, Test Method for, **D6082 (05.02)**
Life Performance of Automotive Wheel Bearing Grease, Test Method for, **D3527 (05.01)**

High-temperature service applications—steel bars
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Free-Machining Stainless Steel Bars, Specification for, **A582/A582M (01.03)**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Stainless Steel Bars and Shapes for Use in Boilers and Other Pressure Vessels, Specification for, **A479/A479M (01.03)**

High-temperature service applications—steel bolting applications
Sa **Steel pipe**
Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications, Specification for, **A193/A193M (01.01)**
Carbon and Alloy Steel Nuts for Bolts for High Pressure or High Temperature Service, or Both, Specification for, **A194/A194M (01.01)**
High-Temperature Bolting, with Expansion Coefficients Comparable to Austenitic Stainless Steels, Specification for, **A453/A453M (01.01)**
Stainless and Alloy-Steel Turbine-Type Bolting Specially Heat Treated for High-Temperature Service, Specification for, **A437/A437M (01.01)**
Stainless Steel and Nickel Alloy Bolts, Hex Cap Screws, and Studs, for Heat Resistance and High Temperature Applications, Specification for, **F2281 (01.08)**

High-temperature service applications—steel castings
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Steel Castings, Alloy, Specially Heat-Treated, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A389/A389M (01.02)**
Steel Castings, Carbon, Suitable for Fusion Welding, for High-Temperature Service, Specification for, **A216/A216M (01.02)**
Steel Castings, Chromium-Nickel-Iron Alloy (25-12 Class), for High-Temperature Service, Specification for, **A447/A447M (01.02)**
Steel Castings, Martensitic Stainless and Alloy, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A217/A217M (01.02)**

High-temperature service applications—steel forgings
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, Specification for, **A694/A694M (01.01)**
Carbon Steel Forgings for Piping Applications, Specification for, **A105/A105M (01.01)**
Martensitic Stainless Steel Forgings and Forging Stock for High-Temperature Service, Specification for, **A1021/A1021M (01.05)**
Steel Forgings, Austenitic, for Pressure and High Temperature Parts, Specification for, **A965/A965M (01.05)**

High-temperature service applications—steel pipe
Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures, Specification for, **A691/A691M (01.01)**
Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service, Specification for, **A369/A369M (01.01)**
Centrifugally Cast Carbon Steel Pipe for High-Temperature Service, Specification for, **A660/A660M (01.02)**
Centrifugally Cast Ferritic Alloy Steel Pipe for High-Temperature Service, Specification for, **A426/A426M (01.01, 01.02)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Seamless Austenitic Steel Pipe for High-Temperature Service, Specification for, **A376/A376M (01.01)**
Seamless Carbon Steel Pipe for High-Temperature Service, Specification for, **A106/A106M (01.01)**
Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service, Specification for, **A335/A335M (01.01)**
Spray-Formed Seamless Austenitic Stainless Steel Pipes, Specification for, **A943/A943M (01.01)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ASMEB36.10M-1996** (Related Material) **(01.01)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ANSI/ASMEB36.19M-1985** (Related Material) **(01.01)**
Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service, Specification for, **A409/A409M (01.01)**

High-temperature service applications—steel plate/sheet
Free-Machining Stainless Steel Plate, Sheet, and Strip, Specification for, **A895 (01.03)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A533/A533M (01.04)**
Pressure Vessel Plates, Carbon Steel, for Intermediate- and Higher-Temperature Service, Specification for, **A515/A515M (01.04)**

High-temperature service applications—steel tube
Centrifugally Cast Iron-Chromium-Nickel High-Alloy Tubing for Pressure Application at High Temperatures, Specification for, **A608/A608M (01.02)**
Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A214/A214M (01.01)**
Seamless and Welded Austenitic Stainless Steel Feedwater Heater Tubes, Specification for, **A688/A688M (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing for General Service, Specification for, **A269 (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless and Welded Ferritic Stainless Steel Feedwater Heater Tubes, Specification for, **A803/A803M (01.01)**
Seamless Carbon Steel Boiler Tubes for High-Pressure Service, Specification for, **A192/A192M (01.01)**
Seamless Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes, Specification for, **A209/A209M (01.01)**
Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **A556/A556M (01.01)**
Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A179/A179M (01.01)**
Seamless Medium-Carbon Steel Boiler and Superheater Tubes, Specification for, **A210/A210M (01.01)**
Seamless Stainless Steel Mechanical Tubing, Specification for, **A511/A511M (01.01)**
Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes, Specification for, **A249/A249M (01.01)**

High-temperature testing
Load Testing Refractory Shapes at High Temperatures, Test Method for, **C16 (15.01)**

High-temperature thermal insulation
Linear Shrinkage of Preformed High-Temperature Thermal Insulation Subjected to Soaking Heat, Test Method for, **C356 (04.06)**
Pneumatically Applied High-Temperature Fiber Thermal Insulation for Industrial Applications, Specification for, **C1685 (04.06)**

High-tensile fence wire
Sa **Fences/fencing materials**
Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, Specification for, **A854/A854M (01.06)**

High titers
Producing High Titers of Viable and Semi-Purified Spores of Clostridium difficile using a Liquid Medium, Test Method for, **E2895 (11.05)**

High-velocity gaseous impact testing
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**

High-velocity water
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**

High-voltage bushing material
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**

High-voltage continuity testing
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**

High-voltage detectors
High Voltage Detectors—Part 1 Capacitive Type to be Used for Voltages Exceeding 600 Volts AC, Specification for, **F1796 (10.03)**

High-voltage rotating machinery
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**

High-voltage rubber insulating tapes
Sa **Electrical insulating tape**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**

High-voltage spark testing
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**

High-volume sampling
Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), Test Method for, **D6331 (11.07)**
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**

High volume subsurface drainage applications
Geocomposites for Pavement Edge Drains and Other High-Flow Applications, Specification for, **D7001 (04.13)**

Highwall reclamation
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Re-contouring and Highwall Reclamation, Guide for, **E2243 (11.05)**

Highway construction
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determining Density of Emulsified Asphalt, Test Method for, **D6937 (04.03)**
Hybrid Geosynthetic Paving Mat for Highway Applications, Specification for, **D7239 (04.13)**
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**

Highway construction—specifications
Sa **Pavement surfaces—specifications**
Graded Aggregate Material For Bases or Subbases for Highways or Airports, Specification for, **D2940/D2940M (04.03)**
Metallic-Coated, Steel-Woven Wire Fence Fabric, Specification for, **A116 (01.06)**
Retroreflective Sheeting for Traffic Control, Specification for, **D4956 (04.03)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Plastic Underdrain Systems for Highway, Airport, and Similar Drainage, Specification for, **F758 (08.04)**

Highway edgedrains/underdrains
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**

Highway performance monitoring system (HPMS)
Computing International Roughness Index of Roads from Longitudinal Profile Measurements, Practice for, **E1926 (04.03)**

Hot-dip processed coatings
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, Practice for, **D7803 (06.02)**
Steel Sheet, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A1079 (01.06)**
Steel Sheet, Twin-Roll Cast, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1063/A1063M (01.06)**
Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1057/A1057M (01.06)**
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**
Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners, Specification for, **F2329 (01.08)**

Highway traffic monitoring device
Highway Traffic Monitoring Devices, Specification for, **E2300 (04.03)**
Highway Traffic Monitoring Truth-in-Data, Practice for, **E2759 (04.03)**

Highway vehicles
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**
Tires, Pneumatic, Low Speed, Off Highway, Test Method for, **F1923 (09.02)**
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**

High-yield-strength steel plate
Sa **Alloy steel plate—specifications**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hill geochemical pattern
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Hillslopes
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Hindered phenol antioxidant
Measurement of Hindered Phenolic and Aromatic Amine Antioxidant Content in Non-zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6971 (05.03)**
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Hinged doors (for ships)
Sa **Shipbuilding steel materials (doors)**
Doors, Furniture, Marine, Specification for, **F782 (01.07)**
Hinged expansion joint
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Hinged manhole cover assembly
Sa **Manhole materials/applications—specifications**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Hinged, Specification for, **F1144 (01.07)**
Hinges
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**
Hintz/Grunhut bar diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Hip anthroplasty devices—metal-on-metal
Optimize Scan Sequences for Clinical Diagnostic Evaluation of Metal-on-Metal Hip Arthroplasty Devices using Magnetic Resonance Imaging, Guide to, **F2978 (13.02)**
Hi-pot test
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Hip prostheses—characterization of wear
Characterization of Wear from the Articulating Surfaces in Retrieved Metal-on-Metal and other Hard-on-Hard Hip Prostheses, Guide for, **F2979 (13.02)**
Hip prostheses—hard-on-hard
Characterization of Wear from the Articulating Surfaces in Retrieved Metal-on-Metal and other Hard-on-Hard Hip Prostheses, Guide for, **F2979 (13.02)**
Hip prostheses—metal-on-metal
Characterization of Wear from the Articulating Surfaces in Retrieved Metal-on-Metal and other Hard-on-Hard Hip Prostheses, Guide for, **F2979 (13.02)**
Optimize Scan Sequences for Clinical Diagnostic Evaluation of Metal-on-Metal Hip Arthroplasty Devices using Magnetic Resonance Imaging, Guide to, **F2978 (13.02)**
Hip replacement prosthesis
Sa **Orthopaedic medical devices—specifications**
Characterization of Wear from the Articulating Surfaces in Retrieved Metal-on-Metal and other Hard-on-Hard Hip Prostheses, Guide for, **F2979 (13.02)**
Evaluation of Modular Connection of Proximally Fixed Femoral Hip Prosthesis, Practice for, **F2580 (13.02)**
Fretting Corrosion Testing of Modular Implant Interfaces: Hip Femoral Head-Bore and Cone Taper Interface, Practice for, **F1875 (13.01)**
Gravimetric Measurement of Polymeric Components for Wear Assessment, Practice for, **F2025 (13.01)**
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Hip replacement prosthesis—specifications
Evaluating Modular Hip and Knee Joint Components, Guide for, **F1814 (13.01)**
Femoral ProsthesesMetallic Implants, Specification for, **F2068 (13.01)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
"Hip-type" wear test
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Histograms
Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, Test Method for, **G123 (03.02)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Histology/histopathology
Sa **Biocompatibility**
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Historical risk (on buildings)
See **Risk analysis—buildings**
Historic masonry/preservation
Mortars for the Repair of Historic Masonry, Specification for, **C1713 (04.05)**
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**
Selection and Use of Stone Consolidants, Guide for, **E2167 (04.12)**
Historic site-use
See **Site identification/investigation/selection**
Hit/miss data
Probability of Detection Analysis for Hit/Miss Data, Practice for, **E2862 (03.03)**
HMX explosives
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
HNBR (hydrogenated nitrile rubber)
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, Test Method for, **D5670 (09.01)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value, Test Method for, **D5902 (09.01)**
Hob cut nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Hockey equipment
Sa **Sports equipment—specifications**
Eye and Face Protective Equipment for Hockey Players, Specification for, **F513 (15.07)**
Eye Protectors for Field Hockey, Specification for, **F2713 (15.07)**
Hockman cycle
Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle), Test Method for, **C719 (04.07)**
Measuring the Time Dependent Modulus of Sealants Using Stress Relaxation, Test Method for, **C1735 (04.07)**
Hogged fuel
Moisture Analysis of Particulate Wood Fuels, Test Method for, **E871 (05.06)**
Volatile Matter in the Analysis of Particulate Wood Fuels, Test Method for, **E872 (05.06)**
Holding energy
Performance of Drawer Warmers, Test Method for, **F2142 (15.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Performance of Staff-Serve Hot Deli Cases, Test Method for, **F2472 (15.12)**

Holding oven
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**

Holding power
See **Adhesion**

Holding strength
Holding Strength of Prong-Ring Attached Snap Fasteners, Test Method for, **D7142 (07.02)**
Holding Strength of Tack and Prong Fastener Attached Buttons, Test Method for, **D7842/D7842M (07.02)**

Holding time
Estimation of Holding Time for Water Samples Containing Organic and Inorganic Constituents, Practice for, **D4841 (11.01)**
Field Preservation of Groundwater Samples, Guide for, **D6517 (04.09)**

Hole count
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Hole-drilling strain-gage method
Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**

Hole elongation
Bearing Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D6873/D6873M (15.03)**

Hole repair
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**

Holes
Detection of Holes in Medical Gloves, Test Method for, **D5151 (09.02)**
Electrical Leak Location on Exposed Geomembranes Using the Water Lance System, Practice for, **D7703 (04.13)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Stitch Tear Strength, Single Hole, Test Method for, **D4786 (15.04)**

Laboratory overburden analysis
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**

Holiday detection
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**
Holiday Detection in Pipeline Coatings, Test Methods for, **G62 (06.02)**
Luminance Ratio of a Fluorescent Specimen using a Narrow Band Source, Test Method for, **E2630 (06.01)**

Holland cloth
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**

Hollow facing brick
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**

Hollow load-bearing masonry units
Sa **Loadbearing masonry units—specifications**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**

Hollow masonry unit
Masonry, Terminology of, **C1232 (04.05)**

Hollow metal
Detention Hollow Metal Vision Systems, Test Methods for, **F1592 (15.08)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**

Hollow-stem auger drilling
Sa **Auger borings**
Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**
Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling, Practice for, **D6151 (04.09)**

Hollow structural sections (HSS)—cold-formed welded carbon steel
Cold-Formed Welded Carbon Steel Hollow Structural Sections (HSS), Specification for, **A1085 (01.01)**

Hollow tube oscillator
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**

Holmesimysis costata
Conducting Static and Flow-Through Acute Toxicity Tests With Mysids From the West Coast of the United States, Guide for, **E1463 (11.06)**

Holography
Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, Practice for, **F1364 (09.02)**

Home fitness equipment
Selectorized Strength Equipment, Specification for, **F2216 (15.07)**

Homeland security
Additive Manufacturing File Format (AMF) Version 1.1, Specification for, **E2915 (15.08)**
Air-Purifying Respiratory Protective Smoke Escape Devices (RPED), Specification for, **E2952 (15.08)**
Bulk Sample Collection and Swab Sample Collection of Visible Powders Suspected of Being Biothreat Agents from Nonporous Surfaces, Practices for, **E2458 (15.08)**
Characterization of, Practice for, **E2800 (15.08)**
Community Emergency Preparedness for Persons with Disabilities, Guide for, **E2951 (15.08)**
Credentialing for Access to an Incident or Event Site, Guide for, **E2842 (15.08)**
Deployment of Blast Resistant Trash Receptacles in Crowded Places, Guide for, **E2831/E2831M (15.08)**
Determination of Aldicarb, Carbofuran, Oxamyl and Methomyl by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7600 (11.02)**
Determination of Diethanolamine, Triethanolamine, N-Methyldiethanolamine and N-Ethyldiethanolamine in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7599 (11.02)**
Determination of Diisopropyl Methylphosphonate, Ethyl Hydrogen Dimethylamidophosphate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Water by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7597 (11.02)**
Determination of Thiodiglycol in Soil Using Pressurized Fluid Extraction Followed by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2787 (15.08)**
Determination of Thiodiglycol in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7598 (11.02)**
Determination of Thiodiglycol on Wipes by Solvent Extraction Followed by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2838 (15.08)**
Determining Limits of Detection in Explosive Trace Detectors,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **E2677 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Stairs/Landings, Test Method for, **E2804 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Crossing Pitch/Roll Ramps, Test Method for, **E2827 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Symmetric Stepfields, Test Method for, **E2828 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Maneuvering Tasks: Sustained Speed, Test Method for, **E2829 (15.08)**
Handheld Point Chemical Vapor Detectors (HPCVD) for Homeland Security Applications, Specification for, **E2885 (15.08)**
Homeland Security Applications, Terminology for, **E2771 (15.08)**
Measurement of the Biological Activity of Ricin, Practice for, **E2805 (15.08)**
Metal Canopy Systems, Specification for, **E2950 (15.08)**
Operational Guidelines for Initial Response to a Suspected Biothreat Agent, Guide for, **E2770 (15.08)**
Personnel Decontamination System to be Used During a Chemical Event, Specification for, **E2739 (15.08)**
Radiological Emergency Response, Practice for, **E2601 (15.08)**
Resource Management in Emergency Management and Homeland Security, Guide for, **E2640 (15.08)**
Ruggedness Requirements for HAZMAT Instrumentation, Specification for, **E2851/E2851M (15.08)**
Stationary Point Chemical Vapor Detectors (SPCVD) for Homeland Security Applications, Specification for, **E2933 (15.08)**
Trash Receptacles Subjected to Blast Resistance Testing, Specification for, **E2740 (15.08)**

Home laundering
Sa **Laundry materials/applications**
Evaluating Color Transfer or Color Loss of Dyed Fabrics in Laundering (Not Suitable for Detergent or Washing Machine Rankings), Guide for, **D5548 (15.04)**

Home safety—specifications
Sa **Consumer safety specifications**
Candle Fire Safety Labeling, Specification for, **F2058 (15.11)**
Hand-Held Infant Carriers, Consumer Safety Specification for, **F2050 (15.11)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**

Homogeneity
Ampulization and Storage of Gasoline and Related Hydrocarbon Materials, Practice for, **D6596 (05.03)**
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Determination of Homogeneity and Miscibility in Automotive Engine Oils, Test Method for, **D6922 (05.03)**
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Explosibility of Dust Clouds, Test Method for, **E1226 (14.02)**
Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, Specification for, **D2835 (04.03)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**

Homogeneous glass
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**

Homogeneous steel bars
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**

Homogeneous wall
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**

Homogenization
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**

Homogenization efficiency of unknown mixers
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**
Sediment in Crude Oil by Membrane Filtration, Test Method for, **D4807 (05.02)**

Homopolymers
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**
Polyoxymethylene (Acetal) for Medical Applications, Specification for, **F1855 (13.01)**

Honeycomb core materials
Sa **Sandwich core materials**
Determining Poisson's Ratio of Honeycomb Cores, Test Method for, **D6790/D6790M (15.03)**
Dimensional Stability of Sandwich Core Materials, Test Method for, **D6772 (15.03)**
Node Tensile Strength of Honeycomb Core Materials, Test Method for, **C363/C363M (15.03)**
Static Energy Absorption Properties of Honeycomb Sandwich Core Materials, Test Method for, **D7336/D7336M (15.03)**
Water Migration in Honeycomb Core Materials, Test Method for, **F1645/F1645M (15.03)**

Honeycomb shelter panels
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, Practice for, **E1307 (04.11)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**

Honeycomb shelter panels—specifications
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Shelter, Tactical, Expandable, One-Side, Specification for, **E1977 (04.11)**
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**
Shelter, Tactical, Nonexpandable, Specification for, **E1976 (04.11)**
Structural Film Adhesives for Honeycomb Sandwich Panels, Specification for, **E865 (04.11)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**

Hood leak test
Leakage Measurement Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Hood Mode, Practice for, **E1603/E1603M (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hoods
Determining the Arc Rating and Standard Specification for Eye or Face Protective Products, Test Method for, **F2178 (10.03)**
Recirculating Hood System for Cooking Appliances, Specification for, **F2800 (15.12)**
Hoods and covers
Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, Specification for, **D3982 (08.03)**
In-Service Care of Insulating Line Hose and Covers, Specification for, **F478 (10.03)**
Rubber Insulating Covers, Specification for, **D1049 (10.03)**
Hook and loop touch fasteners
Peel Strength (T Method) of Hook and Loop Touch Fasteners, Test Method for, **D5170 (07.02)**
Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners, Test Method for, **D5169 (07.02)**
Hook-on chairs
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**
Hookup wire
Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, Specification for, **B470 (02.03)**
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
Hoop
Residential Basketball Systems, Specification for, **F1882 (15.07)**
Hoop stress test
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Time-to-Failure of Plastic Pipe Under Constant Internal Pressure, Test Method for, **D1598 (08.04)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Hoop tensile strength
Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe, Test Method for, **D2290 (08.04)**
Hoop wound polymer matrix composite cylinders
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Hopkins method
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Hopper cars
Carbon Black—Sampling Bulk Shipments, Practice for, **D1900 (09.01)**
Horizontal access tube
Logging In Situ Moisture Content and Density of Soil and Rock by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, Test Method for, **D6031/D6031M (04.09)**
Horizontal burning (HB) rate
Horizontal Burning Characteristics of Cellular Polymeric Materials, Test Method for, **D4986 (08.02)**
Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, Test Method for, **D5132 (08.03)**
Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, Test Method for, **D635 (08.01)**
Horizontal deformation
Sa **Deformation**
Monitoring Ground Movement Using Probe-Type Inclinometers, Test Method for, **D6230 (04.09)**
Horizontal dimension stone
Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, Guide for, **C1515 (04.07)**
Horizontal disc method
Rust-Preventing Characteristics of Steam Turbine Oil in the Presence of Water (Horizontal Disk Method), Test Method for, **D3603 (05.01)**
Horizontal dynamometer pull meter method
Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, Test Method for, **C1028 (15.02)**
Horizontal flame test
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Horizontal fracture
See **Fracture testing—rock**
Horizontal hydraulic conductivity
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**
Horizontal impact testing
Sa **Impact testing**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**
Horizontal linear motion
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Vibration (Horizontal Linear Motion) Test of Products, Test Method for, **D5112 (15.10)**
Horizontally-mounted floor-covering systems
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**
Horizontal plane method
Measuring Rolling Friction Characteristics of a Spherical Shape on a Flat Horizontal Plane, Test Method for, **G194 (03.02)**
Horizontal pull slipmeter (HPS) test
Ranking of Test Data Obtained for Measurement of Slip Resistance of Footwear Sole, Heel, and Related Materials, Practice for, **F695 (15.07)**
Using a Horizontal Pull Slipmeter (HPS), Test Method for, **F609 (15.07)**
Horizontal pyranometers
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Horizontal shear
Sa **Shear testing**
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Horizontal sliding doors
Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact, Test Methods for, **F842 (04.12)**
Sliding Watertight Door Assemblies, Specification for, **F1196 (01.07)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**
Horizontal sliding windows
See **Windows/window assemblies**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Horizontal surfaces
Calculating Solar Reflectance Index of Horizontal and Low-Sloped Opaque Surfaces, Practice for, **E1980 (04.04)**
Glass Used as a Horizontal Surface in Desks and Tables, Specification for, **F2813 (15.11)**
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**
Measuring Solar Reflectance of Horizontal and Low-Sloped Surfaces in the Field, Test Method for, **E1918 (04.04)**
Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity), Test Method for, **F1862/F1862M (11.03)**
Horizontal testing
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**
Measuring Sifting Segregation Tendencies of Bulk Solids, Practice for, **D6940 (04.09)**
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Horizontal turbines
See **Generator materials—turbine**
Horizontal UTM grid lines
Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, Guide for, **F2099 (13.02)**
Horizontal/vertical concrete surfaces
Abrasion Resistance of Horizontal Concrete Surfaces, Test Method for, **C779/C779M (04.02)**
Liquid Membrane-Forming Compounds for Curing Concrete, Specification for, **C309 (04.02)**
Sheet Materials for Curing Concrete, Specification for, **C171 (04.02)**
Horizontal waterproofing installations
Flood Testing Horizontal Waterproofing Installations, Guide for, **D5957 (04.04)**
Horizontal wind velocity
See **Air velocity**
Horn cleats
Cleats, Welded Horn Type, Specification for, **F1074 (01.07)**
Horse
Reins Used in Thoroughbred and Quarter Horse Racing, Specification for, **F2842 (15.07)**
Horseradish peroxidase derivatization
Determination of Hydrogen Peroxide and Combined Organic Peroxides in Atmospheric Water Samples by Peroxidase Enzyme Fluorescence Method, Test Method for, **D6363 (11.07)**
Horse sports—specifications
Body Protectors Used in Horse Sports and Horseback Riding, Specification for, **F1937 (15.07)**
Protective Headgear Used in Horse Sports and Horseback Riding, Specification for, **F1163 (15.07)**
Horticultural applications
Seed Starter Mix, Specification for, **D5539 (04.08)**
Topsoil Used for Landscaping Purposes, Specification for, **D5268 (04.08)**
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**
Hose
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**
Hose (air)
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Hosedown
Hosedown of a Membrane Switch, Test Method for, **F2072 (10.04)**
Hose flex cycle testing
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**
Hose reels
Manually Operated Fueling Hose Reels, Specification for, **F1347 (01.07)**
Hose shank end (marine use)
Quick Disconnect Couplings (6 in. NPS and Smaller), Specification for, **F1122 (01.07)**
Hose stream test
Application of Hose Stream, Practice for, **E2226 (04.07)**
Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**
Fire Tests of Penetration Firestop Systems, Test Method for, **E814 (04.07)**
Fire-Resistive Joint Systems, Test Method for, **E1966 (04.07)**
Hospitality
Evaluation and Selection of Accommodations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2772 (04.12)**
Evaluation and Selection of Venues for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2774 (04.12)**
Hospitals
Hospital Preparedness and Response, Guide for, **E2413 (15.08)**
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**
Rubber-Coated Cloth Hospital Sheeting, Specification for, **D3738 (09.02)**
Hospital sheeting (rubber)
See **Rubber medical/surgical applications**
Hot-application filling compounds
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Hot-applied concrete joint filler/sealer—specifications
Sa **Joint sealants (concrete)**
Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, Specification for, **D5078/D5078M (04.03)**
Melting of Hot-Applied Joint and Crack Sealant and Filler for Evaluation, Practice for, **D5167 (04.03)**
Hot-applied paving mixtures—specifications
Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, Specification for, **D5078/D5078M (04.03)**
Hot-applied paving mixtures
Sa **Pavement surfaces**
Asphalt Content of Hot-Mix Asphalt by Ignition Method, Test Method for, **D6307 (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Hot-applied roofing/waterproofing
Sa **Roofing materials/applications**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**
Hot-applied sealants
Sa **Sealants**
Dead Load Resistance of a Sealant in Elevated Temperatures, Test Method for, **C1367 (04.07)**
Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements, Specification for, **D6690 (04.03)**
Hot bitumen
Adhesion of Mineral Aggregate to Hot Bitumen, Test Method for, **D5100/D5100M (04.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hot cell equipment
General Design Considerations for Hot Cell Equipment, Guide for, **C1533 (12.01)**
Hot Cell Specialized Support Equipment and Tools, Guide for, **C1725 (12.01)**
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**
Hot cell facilities
Hot Cell Specialized Support Equipment and Tools, Guide for, **C1725 (12.01)**
Mechanical Drive Systems for Remote Operation in Hot Cell Facilities, Guide for, **C1615 (12.01)**
Hot chlorinated water
Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, Test Method for, **F2023 (08.04)**
Hot cylindrical bars
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Hot deli cases
Performance of Self-Serve Hot Deli Cases, Test Method for, **F2141 (15.12)**
Hot-dip (galvanized) coatings
Color Codes on Zinc and Zinc Alloy Ingot for Use in Hot-Dip Galvanizing of Steel, Practice for, **B914 (02.04)**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**
Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Painting, Practice for, **D6386 (06.02)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings, Practice for, **A780/A780M (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**
Steel Sheet, Zinc-Aluminum-Magnesium Alloy-Coated by the Hot-Dip Process, Specification for, **A1046/A1046M (01.06)**
Weight Mass of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings, Test Method for, **A90/A90M (01.06)**
Zinc-5 % Aluminum (Hot-Dip) Coatings on Iron and Steel Products, Specification for, **A1072/A1072M (01.06)**
Hot-dip (galvanized) coatings—specifications
GALFAN, Specification for, **B750 (02.04)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**
Suction Strainer Boxes, Specification for, **F986 (01.07)**
Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**
Zinc Coating (Hot-Dip) on Iron and Steel Hardware, Specification for, **A153/A153M (01.06)**
Zinc-Coated (Galvanized) Steel Bars for Concrete Reinforcement, Specification for, **A767/A767M (01.04)**
Zinc-Coated Steel Chain-Link Fence Fabric, Specification for, **A392 (01.06)**
Hot-dip processed coatings—specifications
General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process, Specification for, **A924/A924M (01.06)**
Steel Forgings, General Requirements, Specification for, **A788/A788M (01.05)**
Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process, Specification for, **A792/A792M (01.06)**
Steel Sheet, Aluminum-Coated, by the Hot-Dip Process, Specification for, **A463/A463M (01.06)**
Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**
Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, Specification for, **A755/A755M (01.06)**
Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, Specification for, **A929/A929M (01.06)**
Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, Specification for, **A308/A308M (01.06)**
Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**
Hotels
Commercial Cribs, Consumer Safety Performance Specification for, **F2710 (15.11)**
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**
Hot-finished Ni/NI alloy pipe/tube
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
UNS N08028 Seamless Pipe and Tube, Specification for, **B668 (02.04)**
Hot flame reaction
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**
Hot food holding cabinet
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Hot food holding cabinets
Performance of Hot Food Holding Cabinets, Test Method for, **F2140 (15.12)**
Hot food holding table
Hot Food Holding Tables, Specification for, **F2796 (15.12)**
Hot forging
Sa **Forgings**
Sa **Steel forgings**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Hot-formed seamless/welded steel tubing—specifications
Hot-Formed Welded and Seamless Carbon Steel Structural Tubing, Specification for, **A501 (01.01)**
Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing, Specification for, **A618/A618M (01.01)**
Hot liquids
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with a Hot Liquid Splash, Test Method for, **F2701 (11.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Hot melt adhesives
Sa **Adhesives—specifications**
Adhesives, Terminology of, **D907 (15.06)**
Apparent Viscosity of Hot Melt Adhesives and Coating Materials,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D3236 (05.01)**
Determining the Open Time of Hot Melt Adhesives (Manual Method), Test Method for, **D4497 (15.10)**
Flexibility Determination of Hot-Melt Adhesives by Mandrel Bend Test Method, Test Method for, **D3111 (15.10)**
Heat Stability of Hot-Melt Adhesives, Test Method for, **D4499 (15.10)**
Heat-Fail Temperature in Shear of Hot Melt Adhesives, Test Method for, **D4498 (15.10)**
Qualitative Determination of Adhesion of Adhesives to Substrates by Spot Adhesion, Test Method for, **D3808 (15.06)**

Hot melts
Sa **Wax coatings—specifications**
Apparent Viscosity of Petroleum Waxes Compounded with Additives (Hot Melts), Test Method for, **D2669 (05.01)**

Hot mix asphalt
Determining Field VMA based on the Maximum Specific Gravity of the Mix (Gmm), Test Method for, **D6995 (04.03)**

Hot-mix asphalt (HMA)
Measurement of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading, Test Method for, **D7115 (04.03)**
Preparation and Determination of the Relative Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor, Test Method for, **D6925 (04.03)**

Hot molding
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**

Hot paraffin method
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**

Hot plate/box methods
Sa **Thermal transmission properties**
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**
Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus, Test Method for, **C177 (04.06)**
Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, Test Method for, **C1363 (04.06)**
Thermal Resistance of Batting Systems Using a Hot Plate, Test Method for, **D1518 (07.01)**
Using a Guarded-Hot-Plate Apparatus or Thin-Heater Apparatus in the Single-Sided Mode, Practice for, **C1044 (04.06)**

Hotplate digestion
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Hotplate Digestion of Lead from Composited Wipe Samples, Practice for, **E2913 (04.12)**
Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis, Practice for, **E1645 (04.11)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**

Hot-probe thermal (EMF) conductivity test
See **Probe methods**

Hot-rolled carbon steel
Preparation (by Abrasive Blast Cleaning) of Hot-Rolled Carbon Steel Panels for Testing of Coatings, Practice for, **D7055 (06.02)**
Steel, Sheet, Hot Rolled, Carbon, Commercial, Structural, and High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1039/A1039M (01.03)**

Hot-rolled hafnium rod/wire
Hot-Rolled and/or Cold-Finished Hafnium Rod and Wire, Specification for, **B737 (02.04)**

Hot-rolled stainless steel bars—specifications
Sa **Alloy steel bars—specifications**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Stainless Steel Bars and Shapes, Specification for, **A276 (01.03)**

Hot-rolled steel sheet/strip—specifications
Sa **Steel sheet/strip**
Alloy and Structural Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, Specification for, **A506 (01.03)**
Commercial Steel (CS), Sheet and Strip, Carbon (0.16 Maximum to 0.25 Maximum Percent), Hot-Rolled, Specification for, **A659/A659M (01.03)**
Drawing Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, Specification for, **A507 (01.03)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Seamless and Welded Austenitic Stainless Steel Tubing (Small-Diameter) for General Service, Specification for, **A632 (01.01)**
Steel, Sheet and Strip, Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A505 (01.03)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Alloy, Drawing Steel and Structural Steel, Hot-Rolled, Specification for, **A1031/A1031M (01.03)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for, Specification for, **A635/A635M (01.03)**
Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance, Specification for, **A606/A606M (01.03)**
Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1011/A1011M (01.03)**
Steel, Sheet, Carbon, and High-Strength, Low-Alloy for Pressure Vessels, Specification for, **A414/A414M (01.03)**
Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A568/A568M (01.03)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**
Steel, Strip, Carbon and High-Strength, Low-Alloy, Hot-Rolled, General Requirements for, Specification for, **A749/A749M (01.03)**

Hot rolling
Hot Rolling Mill Solution Heat Treatment for Aluminum Alloy Plate, Practice for, **B947 (02.02)**

Hot rolling mill solution heat treatment
Hot Rolling Mill Solution Heat Treatment for Aluminum Alloy Plate, Practice for, **B947 (02.02)**

Hot salt test
Determining Cracking Susceptibility of Metals Exposed Under Stress to a Hot Salt Environment, Practice for, **G41 (03.02)**

Hot sealing strength
Hot Seal Strength (Hot Tack) of Thermoplastic Polymers and Blends Comprising the Sealing Surfaces of Flexible Webs, Test Methods for, **F1921/F1921M (15.10)**

Hot soak
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hot spots
Detecting Hot Spots Using Point-Net (Grid) Search Patterns, Practice for, **D6982 (11.04)**
Hot Spot Protection Testing of Photovoltaic Modules, Test Method for, **E2481 (12.02)**
Hot sticking (of piston rings)
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Hot-surface testing/evaluation
Hot-Surface Ignition Temperature of Dust Layers, Test Method for, **E2021 (14.02)**
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Hot tack
Hot Seal Strength (Hot Tack) of Thermoplastic Polymers and Blends Comprising the Sealing Surfaces of Flexible Webs, Test Methods for, **F1921/F1921M (15.10)**
Making Heatseals for Determination of Heatsealability of Flexible Webs as Measured by Seal Strength, Practices for, **F2029 (15.10)**
Hot-temperature storage
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**
Hot tubs
Fences for Non-Residential Outdoor Swimming Pools, Hot Tubs, and Spas, Guide for, **F2409 (01.06)**
Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas, Guide for, **F1908 (01.06)**
Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot Tubs, Specification for, **F2387 (15.11)**
Removable Mesh Fencing for Swimming Pools, Hot Tubs, and Spas, Design and Performance Specification for, **F2286 (15.11)**
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Use of a Residential Swimming Pool, Spa, and Hot Tub Safety Audit to Prevent Unintentional Drowning, Guide for, **F2518 (15.11)**
Hot-vacuum extraction
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Hot water porosity test
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**
Hot water sanitizing commercial dishwashing machines
Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, Test Method for, **F1696 (15.12)**
Hot Water and Chemical Sanitizing Commercial Dishwashing Machines, Stationary Rack Type, Specification for, **F857 (15.12)**
Hot Water Sanitizing Commercial Dishwashing Machines, Multiple Tank, Rackless Conveyor Type, Specification for, **F860 (15.12)**
Hot Water Sanitizing Commercial Dishwashing Machines, Single Tank, Conveyor Rack Type, Specification for, **F858 (15.12)**
Hot-water solubility method
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**
Hot water supply/distribution systems—specifications
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems, Specification for, **D2846/D2846M (08.04)**
Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1960 (08.04)**
Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, Specification for, **F877 (08.04)**
Mechanical Cold Expansion Insert Fitting With Compression Sleeve for Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1865 (08.04)**
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F1807 (08.04)**
Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F1961 (08.04)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**
Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F2159 (08.04)**
Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings, Specification for, **F2098 (08.04)**
Hot water temperature control valve
Prerinse Spray Valves, Test Method for, **F2324 (15.12)**
Hot wire sources/applications
Ignition of Materials by Hot Wire Sources, Test Method for, **D3874 (10.02)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Hot wrought steel—specifications
Steel Fence Posts, Hot Wrought, Specification for, **A702 (01.05)**
Hot wrought steel bars—specifications
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
Steel Bars, Alloy, Hot-Wrought or Cold-Finished, Quenched and Tempered, Specification for, **A434 (01.05)**
Steel Bars, Alloy, Hot-Wrought, for Elevated Temperature or Pressure-Containing Parts, or Both, Specification for, **A739 (01.05)**
Steel Bars, Alloy, Standard Grades, Specification for, **A322 (01.05)**
Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for, Specification for, **A29/A29M (01.05)**
Steel Bars, Carbon, Hot-Wrought or Cold-Finished, Special Quality, for Pressure Piping Components, Specification for, **A696 (01.05)**
Steel Bars, Carbon, Hot-Wrought, Special Quality, Specification for, **A576 (01.05)**
Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties, Specification for, **A675/A675M (01.05)**
Steel Bars, Carbon, Merchant Quality, M-Grades, Specification for, **A575 (01.05)**
Steel Bars, Microalloy, Hot-Wrought, Special Quality, for Subsequent Hot Forging, Specification for, **A921/A921M (01.05)**
Steel Bars, Microalloy, Hot-Wrought, Special Quality, Mechanical Properties, Specification for, **A920/A920M (01.05)**
Steel Springs, Helical, Heat-Treated, Specification for, **A125 (01.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hours
Serviceability of an Office Facility for Work Outside Normal Hours or Conditions, Classification for, **E1666 (04.11)**
House depressurization test
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
House fly rearing technique
Nonresidual Liquid Household Insecticides Against Flying Insects, Test Method for, **E652 (11.05)**
Household hazardous waste (HHW) programs
Sa **Hazardous waste materials**
Accepting, Segregating and Packaging Materials Collected Through Household Hazardous Waste Programs, Guide for, **D6346 (11.04)**
Artists Paint Waste Disposal in Private, Non-Commercial Settings, Guide for, **D7354 (06.02)**
Household Hazardous Waste Training Outline for Household Hazardous Waste Collection Operations, Guide for, **D6498 (11.04)**
Household laundry and dishwasher equipment
See **Dishwashing equipment (commercial)**
Household materials/applications
Sa **Gypsum products—specifications**
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Deposition on Glassware During Mechanical Dishwashing, Test Method for, **D3556 (15.04)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Evaluating Stain Removal Performance in Home Laundering, Guide for, **D4265 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Sensory Evaluation of Household Hard Surface-Cleaning Products with Emphasis on Spray Triggers, Guide for, **E2346/E2346M (15.08)**
Household materials/applications—specifications
Rubber General Purpose, Household or Beautician Gloves, Specification for, **D4679 (09.02)**
Household pesticide monitoring
Sa **Pesticides**
Collection of Dislodgeable Pesticide Residues from Floors, Practice for, **D6333 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Household textiles
Selection of Zippers for Care-Labeled Apparel and Household Furnishings, Practice for, **D3692 (07.01)**
Household textiles—specifications
Blanket Products for Institutional and Household Use, Performance Specification for, **D5432 (07.02)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, Specification for, **D6663 (07.02)**
Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**
Woven and Knitted Shower Curtains for Institutional and Household Use, Performance Specification for, **D5378 (07.02)**
Woven Napery and Tablecloth Fabrics: Household and Institutional, Performance Specification for, **D4111 (07.01)**
Woven, Lace, and Knit Household Curtain and Drapery Fabrics, Performance Specification for, **D3691/D3691M (07.01)**
Household vacuum cleaners
Sa **Vacuum cleaners/systems**
Life Evaluation of a Turbine-Powered Nozzle for Household Central Vacuum Cleaning Systems, Test Method for, **F1692 (15.08)**
Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems, Test Method for, **F820 (15.08)**
Motor Life Evaluation of a Canister, Hand-held, Stick, and Utility Type Vacuum Cleaner Without a Driven Agitator, Test Method for, **F1038 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle for Central Vacuum Cleaning Systems, Test Method for, **F1601 (15.08)**
HPGL (Hewlett Packard Graphics Language)
Data Exchange Format for Sewn Product Plotting Devices, Practice for, **D6959 (07.02)**
H-piles
Sa **Structural steel (SS) piles—specifications**
Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, Specification for, **A950/A950M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
HPLC (high performance liquid chromatography)
Sa **Liquid chromatography (LC)**
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
Bromine Chloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2037 (15.05)**
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, Test Method for, **D5932 (11.07)**
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Workplace Atmospheres (1-2 PP Method), Test Method for, **D5836 (11.07)**
Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6379 (05.03)**
Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6591 (05.03)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Determination of Static Dissipater Additives (SDA) in Aviation Turbine Fuel and Middle Distillate Fuels—High Performance Liquid Chromatograph (HPLC) Method, Test Method for, **D7524 (05.04)**
Determination of Total Aromatics and Total Saturates in Lube Basestocks by High Performance Liquid Chromatography (HPLC) with Refractive Index Detection, Test Method for, **D7419 (05.04)**
Dicumyl Peroxide, Assay (Liquid Chromatography), Test Method for, **E755 (15.05)**
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**
Nitrogen Trichloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2036 (15.05)**
Quantitating Non-UV-Absorbing Nonvolatile Extractables from

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**
Rubber Chemical Accelerator—Purity by High Performance Liquid Chromatography, Test Methods for, **D5297 (09.01)**
Rubber Chemical Antidegradants—Purity of, Test Method for, **D5666 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6844 (09.01)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**

HQ
Hydroquinone in Vinyl Acetate, Test Method for, **D2193 (06.04)**

HSLA (high-strength low-alloy) steel
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**

HSLA (high-strength low-alloy) steel—specifications
Sa **Structural steel (SS) plate—specifications**
Anchor Bolts, Steel, 36, 55, and 105-ksi Yield Strength, Specification for, **F1554 (01.08)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
High-Strength Low-Alloy Structural Steel Plate With Atmospheric Corrosion Resistance, Specification for, **A871/A871M (01.04)**
Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, Specification for, **A656/A656M (01.04)**
Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**

HSLA (high-strength low-alloy) steel bars—specifications
High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, Specification for, **A588/A588M (01.04)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

HSLA (high-strength low-alloy) steel pipe—specifications
High-Strength Low-Alloy Welded and Seamless Steel Pipe, Specification for, **A714 (01.01)**

HSLA (high-strength low-alloy) steel plate—specifications
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, Specification for, **A588/A588M (01.04)**
Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**
Pressure Vessel Plates, Alloy Steel and High-Strength Low-Alloy Steel, Quenched-and-Tempered, Specification for, **A734/A734M (01.04)**
Pressure Vessel Plates, High-Strength, Low-Alloy Steel, Specification for, **A737/A737M (01.04)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

HSLA (high-strength low-alloy) steel sheet/strip—specifications
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Carbon, Commercial, Drawing, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1018/A1018M (01.03)**
Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance, Specification for, **A606/A606M (01.03)**
Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1011/A1011M (01.03)**
Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A568/A568M (01.03)**
Steel, Sheet, Carbon, Ultra High Strength Cold Rolled, Specification for, **A980/A980M (01.03)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**
Steel, Strip, Carbon and High-Strength, Low-Alloy, Hot-Rolled, General Requirements for, Specification for, **A749/A749M (01.03)**

HSLA (high-strength low-alloy) steel sheet/tube—specifications
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing, Specification for, **A618/A618M (01.01)**

HSV
See **Herpes simplex virus (HSV)**

H-test adhesion
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**

HTHP corrosion tests
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**

HT/HP hydrogen gas service
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**

Hub
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**

Hubless cast iron soil pipe/fittings—specifications
Sa **Cast iron soil pipe/fittings—specifications**
Cast Iron Couplings Used for Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **A1056 (01.02)**
Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1540 (01.02)**
Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications, Specification for, **A888 (01.02)**
Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1277 (01.02)**

Huck towels
Sa **Bathrooms**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**

Huddle position
Multiple Persons Cold Water Survival/Rescue Technique: Huddle Position, Practice for, **F1728 (13.02)**

Hulls
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Establishing Shipbuilding Quality Requirements for Hull Structure, Outfitting, and Coatings, Practice for, **F2016 (01.07)**
Selection of Structural Details for Ship Construction, Guide for, **F1455 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hulls—specifications
Design and Installation of Overboard Discharge Hull Penetration Connections, Specification for, **F994 (01.07)**
Human characteristics data
Representation of Human Characteristics Data in Healthcare Information Systems, Specification for the, **E2436 (14.01)**
Human contaminants
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Human excised donor cells (HED)
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Human factors
Integration of Ergonomics/Human Factors into New Occupational Systems, Guide for, **E2350 (11.03)**
Human health and safety
Sa **Contamination—environmental**
Sa **Safety precautions**
Assessing the Environmental and Human Health Impacts of New Energetic Compounds, Guide for, **E2552 (11.06)**
Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, Test Method for, **E1517 (11.05)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Nonpowered Bicycle Trailers Designed for Human Passengers, Specification for, **F1975 (15.07)**
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**
Human joint replacement prostheses
Sa **Prostheses—specifications**
Gravimetric Measurement of Polymeric Components for Wear Assessment, Practice for, **F2025 (13.01)**
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Human resources (testing/inspection agencies)
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, Practice for, **D4561 (04.03)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**
Human tissue tolerance
Performing Behind-the-Knee (BTK) Test for Evaluating Skin Irritation Response to Products and Materials That Come Into Repeated or Extended Contact with Skin, Test Method for, **F2808 (13.02)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Humeral prosthetic components
Shoulder Prostheses, Specification for, **F1378 (13.01)**
Humic acids
Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, Test Method for, **D5263 (05.06)**
Humid aging
Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation, Test Method for, **C1258 (04.06)**
Humidified deflection
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**
Humidified gas streams
Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, Test Method for, **D6646 (15.01)**
Humidifiers/humidification
Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**
Humidity
Sa **Atmospheric analysis**
Sa **Relative humidity (RH)**
Sa **Weathering**
Conditioning, Terminology Relating To, **E41 (14.04)**
Conditioning, Chemical, and Thermal Properties, Terminology Relating to, **D4920 (07.02)**
Conducting Cyclic Humidity Exposures, Practice for, **G60 (03.02)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Dimensional Stability of Fabrics to Changes in Humidity and Temperature, Test Method for, **D6207 (07.02)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Effect of Moisture and Temperature on Adhesive Bonds, Practice for, **D1151 (15.06)**
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Exposure of Firestop Materials to Severe Environmental Conditions, Test Method for, **E2785 (04.12)**
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Humidity Calibration (or Conformation) of Humidity Generators for Use with Thermogravimetric Analyzers, Test Method for, **E2551 (14.02)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), Test Method for, **E337 (11.07)**
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**
Rust Protection by Metal Preservatives in the Humidity Cabinet, Test Method for, **D1748 (05.01)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**
Using a Test Chamber for Humidity Conditioning of Test Panels of Pavement Marking Paints, Practice for, **D7539 (06.02)**
Humidity—plastics
Compatibility of Plasticizers in Poly(Vinyl Chloride) Plastics Under Compression, Practice for, **D3291 (08.02)**
Response of Rigid Cellular Plastics to Thermal and Humid Aging, Test Method for, **D2126 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Testing Plasticizer Compatibility in Poly(Vinyl Chloride) (PVC) Compounds Under Humid Conditions, Practice for, **D2383 (08.01)**

Humidity—relative
Using a Test Chamber for Humidity Conditioning of Test Panels of Pavement Marking Paints, Practice for, **D7539 (06.02)**

Humidity cells
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**

Humidity/temperature aging
Heat and Humidity Aging of Oxidatively Degradable Plastics, Practice for, **D7444 (08.03)**

Humification
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**
Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), Test Method for, **D5715 (04.08)**

Humus
See **Peat materials**

Hunter appearance
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Hunting
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**

Hurricanes
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**

Husky boy's clothing sizes
Body Measurements for Boys, Sizes 4H to 20H Husky, Tables of, **D6860/D6860M (07.02)**

HVAC (heating/ventilation/air conditioning) systems
Circular Metallic Bellows Type Expansion Joint for HVAC Piping Applications, Specification for, **F2934 (01.07)**
Evaluating Residential Indoor Air Quality Concerns, Practice for, **D7297 (11.07)**
Externally Applied Reflective Insulation Systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems, Specification for, **C1668 (04.06)**
Fire Resistive Metallic HVAC Duct Systems, Test Methods for, **E2816 (04.07)**
Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, Specification for, **C1290 (04.06)**
HVAC Duct Shapes; Identification and Description of Design Configuration, Practice for, **F1005 (01.07)**
Mechanical Symbols, Shipboard—Heating, Ventilation, and Air Conditioning (HVAC), Practice for, **F856 (01.07)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**

***h*-Values**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**

HVC color vision skill test
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**

Hveem cohesiometer
Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, Test Methods for, **D1560 (04.03)**

HVOF (high velocity oxy-fuel) coatings
Metallographic Preparation of Thermal Sprayed Coatings, Guide for, **E1920 (03.01)**

Hyalella Azteca
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**

Hyaluronan
Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, Guide for, **F2347 (13.01)**

Hybridization
Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, Guide for, **E1873 (14.02)**

Hybrid microelectronic connections
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**

Hybrid spectrometer
Sa **Spectrometry**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**

Hydrated/hydroxylated silicon dioxide
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**

Hydrated iron oxide
Ochre Pigment, Specification for, **D85 (06.03)**

Hydrated lime
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Pozzolanic Hydraulic Lime for Structural Purposes, Specification for, **C1707 (04.01)**
Quicklime and Hydrated Lime for Neutralization of Waste Acid, Test Methods for, **C400 (04.01)**
X-ray Spectrometric Analysis of Lime and Limestone, Test Method for, **C1271 (04.01)**

Hydrated lime—specifications
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Finishing Hydrated Lime, Specification for, **C206 (04.01)**
Hydrated Hydraulic Lime for Structural Purposes, Specification for, **C141/C141M (04.01)**
Hydrated Lime for Masonry Purposes, Specification for, **C207 (04.01)**
Hydrated Lime for Use in Asphalt Cement or Bituminous Paving Mixtures, Specification for, **C1097 (04.01)**
Lime for Use with Pozzolans, Specification for, **C821 (04.01)**
Quicklime and Hydrated Lime for Soil Stabilization, Specification for, **C977 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses, Specification for, **C911 (04.01)**

Hydrated silica
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, Test Method for, **D1993 (09.01)**
Silica, Precipitated, Hydrated—CTAB (Cetyltrimethylammonium Bromide) Surface Area, Test Method for, **D6845 (09.01)**

Hydrated yellow iron oxide
See **Iron oxide pigments—yellow**

Hydrated zinc potassium chromate
See **Zinc pigments—specifications**

Hydration
Chemical Shrinkage of Hydraulic Cement Paste, Test Method for, **C1608 (04.01)**
Hydration of Dead Burned Magnesite or Periclase Grain, Test Method for, **C544 (15.01)**
Hydration of Granular Dead-Burned Refractory Dolomite, Test Method for, **C492 (15.01)**
Hydration Resistance of Basic Bricks and Shapes, Test Method for, **C456 (15.01)**
Potential Expansion of Aggregates from Hydration Reactions,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D4792/D4792M (04.03)**

Hydration kinetics
Measuring Hydration Kinetics of Hydraulic Cementitious Mixtures Using Isothermal Calorimetry, Practice for, **C1679 (04.02)**

Hydraulic activity
Hydraulic Activity of Slag Cement by Reaction with Alkali, Test Method for, **C1073 (04.02)**
Measuring the Reactivity of Hydraulic Refractory Castables using Exothermic Profile, Guide for, **C1656 (15.01)**

Hydraulically-actuated, electronically-controlled unit injector (HEUI)
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**

Hydraulic barrier
Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions, Test Method for, **D6766 (04.13)**
Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter, Test Method for, **D5887 (04.13)**
Measuring the Saturated Hydraulic Conductivity of Paper Industry Sludges, Guide for, **D7243 (04.09)**

Hydraulic bursting strength
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**

Hydraulic cement
Early Stiffening of Hydraulic Cement (Paste Method), Test Method for, **C451 (04.01)**
High-Shear Mixing of Hydraulic Cement Pastes, Practice for, **C1738/C1738M (04.01)**
Measurement of Heat of Hydration of Hydraulic Cementitious Materials Using Isothermal Conduction Calorimetry, Test Method for, **C1702 (04.01)**
Measuring Hydration Kinetics of Hydraulic Cementitious Mixtures Using Isothermal Calorimetry, Practice for, **C1679 (04.02)**
Mortars for the Repair of Historic Masonry, Specification for, **C1713 (04.05)**
Neps in Cotton Fibers, Test Method for, **D5866 (07.02)**
Rapid Hardening Hydraulic Cement, Specification for, **C1600/C1600M (04.01)**
Self-leveling Mortars Containing Hydraulic Cements, Test Methods for, **C1708/C1708M (04.02)**

Hydraulic cement concrete
Sa **Cement-aggregate combinations**
Air Content of Hydraulic Cement Mortar, Test Method for, **C185 (04.01)**
Amount of Water Required for Normal Consistency of Hydraulic Cement Paste, Test Method for, **C187 (04.01)**
Approximation of Optimum SO_3 in Hydraulic Cement Using Compressive Strength, Test Method for, **C563 (04.01)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), Test Method for, **C109/C109M (04.01)**
Compressive Strength of Hydraulic-Cement Mortars, Test Method for, **C349 (04.01)**
Density of Hydraulic Cement, Test Method for, **C188 (04.01)**
Evaluation of Cement Strength Uniformity From a Single Source, Test Method for, **C917 (04.01)**
Evaluation of Laboratories Testing Hydraulic Cement, Practice for, **C1222 (04.01)**
Fineness of Hydraulic Cement and Raw Materials by the 300-μm (No. 50), 150-μm (No. 100), and 75-μm (No. 200) Sieves by Wet Methods, Test Method for, **C786/C786M (04.01)**
Fineness of Hydraulic Cement by Air-Permeability Apparatus, Test Methods for, **C204 (04.01)**
Fineness of Hydraulic Cement by the 45-m (No. 325) Sieve, Test Method for, **C430 (04.01)**
Flexural Strength of Hydraulic-Cement Mortars, Test Method for, **C348 (04.01)**
Heat of Hydration of Hydraulic Cement, Test Method for, **C186 (04.01)**
Hydraulic Cement, Terminology Relating to, **C219 (04.01)**
Length Change of Hardened Hydraulic-Cement Mortar and Concrete, Test Method for, **C157/C157M (04.02)**
Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution, Test Method for, **C1012/C1012M (04.01)**
Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, Test Method for, **C1585 (04.02)**
Mixing Water Used in the Production of Hydraulic Cement Concrete, Specification for, **C1602/C1602M (04.02)**
Portland-Cement Content of Hardened Hydraulic-Cement Concrete, Test Method for, **C1084 (04.02)**
Restrained Expansion of Expansive Cement Mortar, Test Method for, **C806 (04.01)**
Sampling and the Amount of Testing of Hydraulic Cement, Practice for, **C183 (04.01)**
Time of Setting of Hydraulic Cement by Vicat Needle, Test Methods for, **C191 (04.01)**
Time of Setting of Hydraulic-Cement Paste by Gillmore Needles, Test Method for, **C266 (04.01)**
Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar, Test Method for, **C265 (04.01)**

Hydraulic cement concrete—specifications
Sa **Sampling cement/cement products**
Blended Hydraulic Cements, Specification for, **C595/C595M (04.01)**
Expansive Hydraulic Cement, Specification for, **C845/C845M (04.01)**
Flow Table for Use in Tests of Hydraulic Cement, Specification for, **C230/C230M (04.01)**
Functional Additions for Use in Hydraulic Cements, Specification for, **C688 (04.01)**
Hydraulic Cement, Performance Specification for, **C1157/C1157M (04.01)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**
Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, Specification for, **C511 (04.01, 04.02)**
Portland Cement, Specification for, **C150/C150M (04.01)**
Processing Additions for Use in the Manufacture, Specification for, **C465 (04.01)**
Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements, Specification for, **C1005 (04.01)**
Silica Fume Used in Cementitious Mixtures, Specification for, **C1240 (04.02)**

Hydraulic cement grout
Sa **Grouts**
Packaged Dry, Hydraulic-Cement Grout (Nonshrink), Specification for, **C1107/C1107M (04.02)**

Hydraulic cement mortar
Sa **Chemical-resistant mortars**
Compressive Strength of Hydraulic-Cement Mortars, Test Method for, **C349 (04.01)**
Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar Specimens, Test Method for, **D6532 (06.02)**
Evaluation of the Effect of Water Repellent Treatments on Freeze-Thaw Resistance of Hydraulic Cement Mortar Specimens, Test Method for, **D5860 (06.02)**
Flexural Strength of Hydraulic-Cement Mortars, Test Method for, **C348 (04.01)**
Flow of Hydraulic Cement Mortar, Test Method for, **C1437 (04.01)**
Hydraulic Cement Mortars in Chemical-Resistant Masonry, Practice for Use of, **C398 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle, Test Method for, **C807 (04.01)**
Water Retention of Hydraulic Cement-Based Mortars and Plasters, Test Method for, **C1506 (04.01)**
Water-Soluble Chloride in Mortar and Concrete, Test Method for, **C1218/C1218M (04.02)**

Hydraulic-cement strength
Compressive Strength of Hydraulic-Cement Mortars, Test Method for, **C349 (04.01)**
Flexural Strength of Hydraulic-Cement Mortars, Test Method for, **C348 (04.01)**

Hydraulic cement testing sand
Standard Sand, Specification for, **C778 (04.01)**

Hydraulic conductivity
Field Pneumatic Slug (Instantaneous Change in Head) Tests to Determine Hydraulic Properties of Aquifers with Direct Push Groundwater Samplers, Practice for, **D7242/D7242M (04.09)**
Hydraulic Conductivity Compatibility Testing of Soils with Aqueous Solutions, Test Method for, **D7100 (04.09)**
Measurement of Hydraulic Conductivity of Tire Derived Aggregates Using a Rigid Wall Permeameter, Test Method for, **D7760 (04.09)**
Measurement of Hydraulic Conductivity of Unsaturated Soils, Test Methods for, **D7664 (04.09)**
Measuring the Saturated Hydraulic Conductivity of Paper Industry Sludges, Guide for, **D7243 (04.09)**

Hydraulic conductivity reduction
Fluid Loss of Clay Component of Geosynthetic Clay Liners, Test Method for, **D5891 (04.13)**

Hydraulic conductivity/transmissivity
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Determining the (In-Plane) Hydraulic Transmissivity of a Geosynthetic by Radial Flow, Test Method for, **D6574/D6574M (04.13)**
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions, Test Method for, **D6766 (04.13)**
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**
Fluid Loss of Clay Component of Geosynthetic Clay Liners, Test Method for, **D5891 (04.13)**
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Measurement of Hydraulic Conductivity of Porous Material Using a Rigid-Wall, Compaction-Mold Permeameter, Test Method for, **D5856 (04.08)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**

Hydraulic devices
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**

Hydraulic door control systems
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**

Hydraulic failure pressure
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**

Hydraulic fluids/oils
Sa **Lubricants (fluid)**
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Assessing Biodegradability of Hydraulic Fluids, Guide for, **D6006 (05.02)**
Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, Test Method for, **D7647 (05.04)**
Biodegradable Fire Resistant Hydraulic Fluids, Specification for, **D7044 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Corrosiveness of Lubricating Fluid to Bimetallic Couple, Test Method for, **D6547 (05.03)**
Defining the Viscosity Characteristics of Hydraulic Fluids, Practice for, **D6080 (05.02)**
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Determination of Low Temperature Fluidity and Appearance of Hydraulic Fluids, Test Method for, **D6351 (05.03)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Determining the Effect of Fluid Selection on Hydraulic System or Component Efficiency, Practice for, **D7721 (05.04)**
Determining the Shear Strength Between Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6916 (04.13)**
Evaluating Compatibility of Mixtures of Hydraulic Fluids, Practice for, **D7752 (05.04)**
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**
Evaluation of Antimicrobial Agents as Preservatives for Invert Emulsion and Other Water Containing Hydraulic Fluids, Practice for, **E979 (11.05)**
Hydraulic Fluids for Environmental Impact, Classification of, **D6046 (05.02)**
Hydrolytic Stability of Hydraulic Fluids (Beverage Bottle Method), Test Method for, **D2619 (05.01)**
Indicating Wear Characteristics of Petroleum Hydraulic Fluids in a High Pressure Constant Volume Vane Pump, Test Method for, **D6973 (05.04)**
Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids, Test Method for, **D5306 (05.02)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Performance Evaluation of Hydraulic Fluids for Piston Pumps, Guide for, **D6813 (05.03)**
Sonic Shear Stability of Hydraulic Fluids, Test Method for, **D5621 (05.02)**
Thermal Stability of Hydraulic Oils, Test Method for, **D2070 (05.01)**
Universal Oxidation Test for Hydraulic and Turbine Oils Using the Universal Oxidation Test Apparatus, Test Method for, **D5846 (05.02)**
Vapor-Phase Rust-Preventing Characteristics of Hydraulic Fluids, Test Method for, **D5534 (05.02)**
Volatile Matter in Silicone Fluid, Test Method for, **D4559 (10.03)**

Hydraulic fluids/oils—specifications
Mineral Hydraulic Oils, Specification for, **D6158 (05.03)**

Hydraulic fluids/oils (aerospace)
Sa **Aerospace fluids/propellants**
Determination of Fire Resistance of Aircraft Hydraulic Fluids by Autoignition Temperature, Test Method for, **D2155 (05.01)**

Hydraulic fracturing method
See **Fracture testing**

Hydraulic integrity
Hydraulic Integrity of New, Repaired, or Reconstructed Aboveground Storage Tank Bottoms for Petroleum Service, Guide for, **E2256 (11.05)**

Hydraulic lime
Sa **Hydrated lime—specifications**
X-ray Spectrometric Analysis of Lime and Limestone, Test Method for, **C1271 (04.01)**

Hydraulic planting
Determining Water Holding Capacity of Fiber Mulches for Hydraulic Planting, Test Method for, **D7367 (04.09)**

Hydraulic properties
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Field Pneumatic Slug (Instantaneous Change in Head) Tests to Determine Hydraulic Properties of Aquifers with Direct Push Groundwater Samplers, Practice for, **D7242/D7242M (04.09)**
Permittivity of Geotextiles Under Load, Test Method for, **D5493 (04.13)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**

Hydraulic pump tests
Sa **Rigid thermal insulation**
Performance Evaluation of Hydraulic Fluids for Piston Pumps, Guide for, **D6813 (05.03)**

Hydraulic spray nozzles
Hydraulic Spray Nozzles Used in Agriculture, Methods for Testing, **E641 (11.05)**

Hydraulic stationary piston sampler
Sampling of Soil Using the Hydraulically Operated Stationary Piston Sampler, Practice for, **D6519 (04.09)**

Hydraulic systems
Automatic Particle Counting and Particle Shape Classification of Oils Using a Direct Imaging Integrated Tester, Test Method for, **D7596 (05.04)**
Hand-Operated, Globe-Style Valves for Gas (Except Oxygen Gas) and Hydraulic Systems, Specification for, **F1794 (01.07)**
Seamless Cold-Drawn Carbon Steel Tubing for Hydraulic System Service, Specification for, **A822/A822M (01.01)**

Hydraulic turbines
See **Generator materials—turbine**

Hydraulic valve operators
Selection of Valve Operators, Practice for, **F1030 (01.07)**

Hydrazine
Hydrazine in Water, Test Method for, **D1385 (11.01)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**

Hydride generation
Arsenic in Water, Test Methods for, **D2972 (11.01)**
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Selenium in Water, Test Methods for, **D3859 (11.01)**

Hydride orientation
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**

Hydride platelets
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**

Hydrobromic acid-bromine stripping
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**

Hydrocarbon-based lubricants
Condition Monitoring of Nitration in In-Service Petroleum and Hydrocarbon-Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7624 (05.04)**
Condition Monitoring of Oxidation in In-Service Petroleum and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7414 (05.04)**
Condition Monitoring of Phosphate Antiwear Additives in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7412 (05.04)**
Condition Monitoring of Sulfate By-Products in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7415 (05.04)**

Hydrocarbon-based quenching oils
See **Quenching oils**

Hydrocarbon content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Total Hydrocarbons in Hydrogen by FID Based Total Hydrocarbon (THC) Analyzer, Test Method for, **D7675 (05.06)**
Hydrocarbon Traces in Propylene Concentrates by Gas Chromatography, Test Method for, **D2712 (05.01)**
Hydrocarbon Types Analysis of Gas-Oil Saturates Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D2786 (05.01)**
Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, Test Method for, **D1319 (05.01)**
Hydrocarbon Types in Low Olefinic Gasoline by Mass Spectrometry, Test Method for, **D2789 (05.01)**
Hydrocarbon Types in Middle Distillates by Mass Spectrometry, Test Method for, **D2425 (05.01)**
Low-Molecular Weight Halogenated Hydrocarbons in Water, Test Method for, **D3973 (11.02)**

Hydrocarbon content—nonaromatic
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, Test Method for, **D2360 (06.04)**

Hydrocarbon content—volatile
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Hydrocarbon crystals
Freezing Point of Aviation Fuels (Automatic Fiber Optical Method), Test Method for, **D7154 (05.04)**

Hydrocarbon effluents
Determining the Performance of Oil/Water Separators Subjected to a Sudden Release, Practice for, **D6157 (11.02)**

Hydrocarbon fluid samples
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**

Hydrocarbon impurities
Butadiene Purity and Hydrocarbon Impurities by Gas Chromatography, Test Method for, **D2593 (05.01)**
Determination of Hydrocarbon Impurities in Ethylene by Gas Chromatography, Test Method for, **D6159 (05.03)**

Hydrocarbon oils
Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D5292 (05.02)**
Carbon Content in Carbon Black Feedstock Oils, Test Method for, **D7662 (09.01)**
Sulfur Content in Carbon Black Feedstock Oils, Test Method for, **D7679 (09.01)**

Hydrocarbon-oxygenate blends
Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), Test Method for, **D6378 (05.03)**
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**

Hydrocarbon pool fire
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**

Hydrocarbon processing industry (HPI)
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**

Hydrocarbon residues
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**

Hydrocarbon resins
Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, Test Method for, **D6267 (06.03)**
Determining the Color Stability of Hydrocarbon Resins After Heating, Practice for, **D6605 (06.03)**
Glass Transition Temperatures of Hydrocarbon Resins by Differential Scanning Calorimetry, Practice for, **D6604 (06.03)**
Hydrocarbon Resins, Terminology Relating to, **D6440 (06.01)**
Softening Point of Hydrocarbon Resins and Rosin Based Resins by Automated Ring-and-Ball Apparatus, Test Methods for, **D6493 (06.03)**
Testing Alkyd Compatibility with Resin or Resin Solutions, Test Method for, **D6887 (06.03)**

Hydrocarbon-resistant paving coatings
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**

Hydrocarbons
Acidity of Hydrocarbon Liquids and Their Distillation Residues, Test Method for, **D1093 (05.01)**
Ampulization and Storage of Gasoline and Related Hydrocarbon Materials, Practice for, **D6596 (05.03)**
Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**
Analysis of Petroleum Waxes by Gas Chromatography, Test Method for, **D5442 (05.02)**
Bromine Index of Petroleum Hydrocarbons by Electrometric Titration, Test Method for, **D2710 (05.01)**
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**
Characterizing Hydrocarbon Lubricant Base Oils, Guide for, **D6074 (05.02)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Color of Liquids Using Tristimulus Colorimetry, Test Method for, **D5386 (06.04)**
Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, Test Method for, **D1657 (05.01)**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6591 (05.03)**
Determination of Boiling Range Distribution of Hydrocarbon and Sulfur Components of Petroleum Distillates by Gas Chromatography and Chemiluminescence Detection, Test Method for, **D7807 (05.04)**
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Determination of Hydrocarbons and Non-Hydrocarbon Gases in Gaseous Mixtures by Gas Chromatography, Test Method for, **D7833 (05.06)**
Determination of Light Hydrocarbons in Stabilized Crude Oils by Gas Chromatography, Test Method for, **D7900 (05.04)**
Determination of Oxygenates in C2, C3, C4, and C5 Hydrocar-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

bon Matrices by Gas Chromatography and Flame Ionization Detection, Test Method for, **D7423 (05.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, Test Method for, **D7551 (05.06)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases by Ultraviolet Fluorescence, Test Method for, **D6667 (05.03)**
Determining Oxidation Induction Time of Hydrocarbons by Differential Scanning Calorimetry, Test Method for, **E1858 (14.02)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels, Test Method for, **D4868 (05.02)**
Estimation of Net Heat of Combustion of Aviation Fuels, Test Method for, **D4529 (05.02)**
Estimation of Solubility of Water in Hydrocarbon and Aliphatic Ester Lubricants, Test Method for, **D4056 (05.02)**
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), Test Method for, **D4809 (05.02)**
Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, Test Method for, **D7753 (05.04)**
Hydrocarbon Types in Middle Distillates by Mass Spectrometry, Test Method for, **D2425 (05.01)**
Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, Test Method for, **E2664 (15.05)**
Microscopical Determination of the Reflectance of Vitrinite Dispersed in Sedimentary Rocks, Test Method for, **D7708 (05.06)**
Molecular Weight Averages and Molecular Weight Distribution of Hydrocarbon, Rosin and Terpene Resins by Size-Exclusion Chromatography, Practice for, **D6579 (06.03)**
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**
Packing Material, Graphitic or Carbon Braided Yarn, Specification for, **F2191 (01.07)**
Refractive Index and Refractive Dispersion of Hydrocarbon Liquids, Test Method for, **D1218 (05.01)**
Refractive Index of Viscous Materials, Test Method for, **D1747 (05.01)**
Relative Molecular Mass (Molecular Weight) of Hydrocarbons by Thermoelectric Measurement of Vapor Pressure, Test Method for, **D2503 (05.01)**
Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, Test Method for, **D4573 (09.01)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Sampling, Storage, and Handling of Hydrocarbons for Mercury Analysis, Practice for, **D7482 (05.04)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**
Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography, Test Method for, **D2549 (05.01)**
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Hydrocarbons—aliphatic
See **Aliphatic hydrocarbons**

Hydrocarbons—C_1-C_5 (and lighter)
Determination of C, Test Method for, **D2427 (05.01)**
Determination of Carbonyls in C4 Hydrocarbons, Test Method for, **D4423 (05.02)**
Interconversion of Analysis of C5 and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Mass Basis, Practice for, **D2421 (05.01)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**

Hydrocarbons—high-purity
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Freezing Points of High-Purity Hydrocarbons, Test Method for, **D1015 (05.01)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**

Hydrocarbons—light
Determination of Light Hydrocarbons in Stabilized Crude Oils by Gas Chromatography, Test Method for, **D7900 (05.04)**

Hydrocarbons (nonaromatic)
See **Nonaromatic hydrocarbons**

Hydrocarbons (aromatic)
Sa **Aromatic hydrocarbons (AHs)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D7457 (06.04)**

Hydrocarbon solvents
Sa **Solvents**
Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1613 (06.04)**
Aniline Point and Mixed Aniline Point of Petroleum Products and Hydrocarbon Solvents, Test Methods for, **D611 (05.01)**
Benzene in Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D4367 (06.04)**
Boiling Point Distribution of Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D5399 (06.04)**
Distillation Range of Volatile Organic Liquids, Test Method for, **D1078 (06.04)**
Isobutyl Alcohol, Specification for, **D1719 (06.04)**
Kauri-Butanol Value of Hydrocarbon Solvents, Test Method for, **D1133 (06.04)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Trace Benzene in Hydrocarbon Solvents by Capillary Gas Chromatography, Test Method for, **D6229 (06.04)**
Using Octanol-Water Partition Coefficient to Estimate Median

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Hydrocarbon solvents—specifications
1-Propanol (*n*-Propyl Alcohol), Specification for, **D3622 (06.04)**
2-Butoxyethanol, Specification for, **D330 (06.04)**
2-Ethoxyethyl Acetate (99 % Grade), Specification for, **D3728 (06.04)**
2-Ethylhexanol, Specification for, **D1969 (06.04)**
2-Methoxyethanol, Specification for, **D3128 (06.04)**
sec-Butyl Alcohol, Specification for, **D1007 (06.04)**
Acetaldehyde, Specification for, **D4710 (06.04)**
Acetone, Specification for, **D329 (06.04)**
Acrylic Acid, Specification for, **D4416 (06.04)**
Commercial Hexanes, Specification for, **D1836 (06.04)**
Diacetone Alcohol, Specification for, **D2627 (06.04)**
Dibutyl Phthalate, Specification for, **D608 (06.04)**
Diethylene Glycol, Specification for, **D2694 (06.04)**
Dipropylene Glycol Monomethyl Ether, Specification for, **D4836 (06.04)**
Ethyl Acetate (All Grades), Specification for, **D4614 (06.04)**
Ethyl Acrylate, Specification for, **D3548 (06.04)**
Ethylene Glycol, Specification for, **D2693 (06.04)**
Formaldehyde 50 % Grade Uninhibited and 37 % Grade Inhibited and Uninhibited, Specification for, **D2378 (06.04)**
Glacial Acetic Acid, Specification for, **D3620 (06.04)**
Hexyl Acetate, Specification for, **D5137 (06.04)**
Hexylene Glycol, Specification for, **D2636 (06.04)**
High-Flash Aromatic Naphthas, Specification for, **D3734 (06.04)**
High-Gravity Glycerin, Specification for, **D1257 (06.04)**
Isobutyl Acetate (95 % Grade), Specification for, **D1718 (06.04)**
Isobutyl Alcohol, Specification for, **D1719 (06.04)**
Isophorone, Specification for, **D2916 (06.04)**
Isopropyl Acetate (99 % Grade), Specification for, **D3131 (06.04)**
Isopropyl Alcohol, Specification for, **D770 (06.04)**
Methanol (Methyl Alcohol), Specification for, **D1152 (06.04)**
Methyl Acrylate, Specification for, **D4709 (06.04)**
Methyl Amyl Acetate (95 % Grade), Specification for, **D2634 (06.04)**
Methyl Ethyl Ketone, Specification for, **D740 (06.04)**
Methyl Isoamyl Ketone, Specification for, **D2917 (06.04)**
Methyl Isobutyl Carbinol, Specification for, **D2635 (06.04)**
Methyl Isobutyl Ketone, Specification for, **D1153 (06.04)**
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
n-Butyl Alcohol (Butanol), Specification for, **D304 (06.04)**
n-Propyl Acetate (96 % Grade), Specification for, **D3130 (06.04)**
Propylene Glycol and Dipropylene Glycol, Specification for, **D5164 (06.04)**
Propylene Glycol Monomethyl Ether, Specification for, **D4837 (06.04)**
Propylene Glycol Monomethyl Ether Acetate, Specification for, **D4835 (06.04)**
Specification for Methyl n-Amyl Ketone, Specification for, **D4360 (06.04)**
Vinyl Acetate, Specification for, **D2190 (06.04)**
VM&P Naphthas, Specification for, **D3735 (06.04)**

Hydrocephalus shunts
Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, Practice for, **F647 (13.01)**

Hydrochemical facies
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Hydrochloric acid (HCL)
Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2989 (15.05)**
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, Test Method for, **D6735 (11.07)**
Mounting Actinides for Alpha Spectrometry Using Neodymium Fluoride, Practice for, **C1163 (12.01)**
Muriatic Acid (Technical Grade Hydrochloric Acid), Specification for, **E1146 (15.05)**
Operating Performance of Anion-Exchange Materials for Strong Acid Removal, Test Method for, **D3087 (11.02)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**

Hydrodynamic stress
Measurement of Hydraulic Characteristics of Hydrodynamic Stormwater Separators and Underground Settling Devices, Test Method for, **C1745/C1745M (04.05)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**

Hydroelectric turbine lubricants
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**

Hydrofluoric acid
Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, Test Method for, **D6735 (11.07)**

Hydrofluoric acid etching
See **Etching (materials/process)**

Hydrofluoric/sulfuric acid decomposition
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**

Hydrofluorocarbon
HFC-125 (Pentafluoroethane, C_2HF_5), Specification for, **D6231 (15.05)**
HFC-227ea, 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Specification for, **D6064 (15.05)**

Hydrofoils
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**

Hydrofractured rock
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**

Hydrogel
Characterization of Hydrogels used in Regenerative Medicine, Guide for, **F2900 (13.02)**

Hydrogen
Apparatus For Microdetermination of Carbon and, Specification for, **E191 (14.04)**
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**
Determination of Hydrogen in Aluminum and Aluminum Alloys by Inert Gas Fusion, Test Method for, **E2792 (03.05)**
Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, Practice for, **G148 (03.02)**
Gravimetric Measurement of Particulate Concentration of Hydrogen Fuel, Test Method for, **D7651 (05.06)**
Heat Treatment of Magnesium Alloys, Practice for, **B661 (02.02)**
Sampling of High Pressure Hydrogen and Related Fuel Cell Feed Gases, Practice for, **D7606 (05.06)**
Sampling of Particulate Matter in High Pressure Hydrogen used as a Gaseous Fuel with an In-Stream Filter, Test Method for, **D7650 (05.06)**

Hydrogen absorption
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hydrogenated nitrile rubber (HNBR)
See **HNBR (hydrogenated nitrile rubber)**
Hydrogenation catalyst
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**
Hydrogen charging conditions
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**
Hydrogen content
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Hydrogen Content of Middle Distillate Petroleum Products by Low-Resolution Pulsed Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D7171 (05.04)**
Hydrogen content—coal/coke
Determination of Carbon, Hydrogen and Nitrogen in Analysis Samples of Coal and Carbon in Analysis Samples of Coal and Coke, Test Methods for, **D5373 (05.06)**
Hydrogen content—metals/alloys
Carbon and Hydrogen in the Analysis Sample of Refuse-Derived Fuel, Test Method for, **E777 (11.04)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Determination of Hydrogen in Titanium and Titanium Alloys by Inert Gas Fusion Thermal Conductivity/Infrared Detection Method, Test Method for, **E1447 (03.05)**
Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), Test Method for, **E159 (02.05)**
Hydrogen content—nuclear materials
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Determination of Total Hydrogen Content of Uranium Oxide Powders and Pellets by Carrier Gas Extraction, Test Method for, **C1457 (12.01)**
Hydrogen content—petroleum products
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D5292 (05.02)**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Estimation of Hydrogen Content of Aviation Fuels, Test Method for, **D3343 (05.01)**
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**
Hydrogen Content of Aviation Turbine Fuels by Low Resolution Nuclear Magnetic Resonance Spectrometry, Test Method for, **D3701 (05.01)**
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Hydrogen In Petroleum Fractions, Test Method for, **D1018 (05.01)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**
Hydrogen cyanide
Analysis of Acrylonitrile, Test Methods for, **E1178 (15.05)**
Sampling and Determination of Hydrogen Cyanide (HCN) in Combustion Effluents and Other Stationary Sources, Practice for, **D7295 (11.07)**
Hydrogen cycle method
Operating Performance of Particulate Cation-Exchange Materials, Test Methods for, **D1782 (11.02)**
Hydrogen embrittlement (HE)
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Determination of Susceptibility of Metals to Embrittlement in Hydrogen Containing Environments at High Pressure, High Temperature, or Both, Test Method for, **G142 (03.02)**
Determination of the Susceptibility of Metallic Materials to Hydrogen Gas Embrittlement (HGE), Test Method for, **F1459 (15.03)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Electrochemical Measurement of Diffusible Hydrogen in Steels (Barnacle Electrode), Test Method for, **F1113 (15.03)**
Electronic Measurement for Hydrogen Embrittlement From Cadmium-Electroplating Processes, Test Method for, **F326 (15.03)**
Hydrogen Embrittlement Resistance for Steel Wire Hard Drawn Used for Prestressing Concrete Pipe, Test Method for, **A1032 (01.04)**
Hydrogen Embrittlement Testing, Terminology Relating to, **F2078 (15.03)**
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**
Qualifying Coatings for Use on A490 Structural Bolts Relative to Hydrogen Embrittlement, Test Method for, **F2660 (01.08)**
Residual Embrittlement in Metallic Coated, Externally Threaded Articles, Fasteners, and Rod—Inclined Wedge Method, Test Method for, **B839 (02.05)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Hydrogen gas
Determination of Trace Gaseous Contaminants in Hydrogen Fuel by Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D7653 (05.06)**
High Strength Steel Castings in Heavy Sections, Specification for, **A1001 (01.02)**
Sampling of High Pressure Hydrogen and Related Fuel Cell Feed Gases, Practice for, **D7606 (05.06)**
Hydrogen gas generation
Hydrogen Gas Generation of Aluminum Emulsified Asphalt Used as a Protective Coating for Roofing, Test Method for, **D6356/D6356M (04.04)**
Hydrogen ion concentration
Sa **Acidity, alkalinity, pH**
On-Line Measurement of pH, Test Method for, **D6569 (11.01)**
pH of Water, Test Methods for, **D1293 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hydrogen ion exchange
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
On-Line Determination of Cation Conductivity in High Purity Water, Practice for, **D6504 (11.01)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**

Hydrogen loss
Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), Test Method for, **E159 (02.05)**

Hydrogenolysis
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Total Sulfur in Gaseous Fuels by Hydrogenolysis and, Test Method for, **D4468 (05.06)**

Hydrogen peroxide etching (of germanium crystals)
See **Etching (materials/process)**

Hydrogen peroxide (H_2O_2)
Determination of Hydrogen Peroxide and Combined Organic Peroxides in Atmospheric Water Samples by Peroxidase Enzyme Fluorescence Method, Test Method for, **D6363 (11.07)**
Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, Practice for, **G110 (03.02)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**

Hydrogen stress cracking
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**

Hydrogen sulfide
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Determination of Hydrogen Sulfide in Fuel Oils by Rapid Liquid Phase Extraction, Test Method for, **D7621 (05.04)**
Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, Test Method for, **D6646 (15.01)**
Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, Test Method for, **D7652 (05.06)**

Hydrogen sulfide—atmospheric analysis
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, Test Method for, **D4323 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**

Hydrogen sulfide—natural gas
Hydrogen Sulfide in Liquefied Petroleum (LP) Gases (Lead Acetate Method), Test Method for, **D2420 (05.01)**
Hydrogen Sulfide in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4810 (05.06)**

Hydrogen sulfide—petroleum products
Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), Test Method for, **D4084 (05.06)**
Measurement of Hydrogen Sulfide in the Vapor Phase Above Residual Fuel Oils, Test Method for, **D5705 (05.02)**
Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, Test Method for, **D6021 (05.02)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**

Hydrogen sulfide reduction
Determination of Iron in Iron Ores and Related Materials by Dichromate Titrimetry, Test Methods for, **E246 (03.05)**

Hydrogen thermophysical properties—specification
Hydrogen Thermophysical Property Tables, Specification for, **D7265 (05.06)**

Hydrogen uptake data
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**

Hydrogeologic models/investigations
Sa **Ground-water model**
Comparing Groundwater Flow Model Simulations to Site-Specific Information, Guide for, **D5490 (04.08)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**

Hydrograph
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**

Hydrojetting
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Hydrolysed uranium hexafluoride (UF_6)
Isotopic Abundance Analysis of Uranium Hexafluoride and Uranyl Nitrate Solutions by Multi-Collector, Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1477 (12.01)**
Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry, Test Method for, **C1413 (12.01)**

Hydrolysis
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Assessment of Absorbable Polymeric Implants, Guide for, **F2902 (13.02)**
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**

Hydrolytic degradation
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**

Hydrolytic stability
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Hydrolytic Stability of Hydraulic Fluids (Beverage Bottle Method), Test Method for, **D2619 (05.01)**
Rubber Property—Hydrolytic Stability, Test Method for, **D3137 (09.01)**
Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, Performance Specification for, **D3690 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hydrolyzable chlorine
Hydrolyzable Chloride Content of Liquid Epoxy Resins, Test Methods for, **D1726 (06.03)**
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Hydrometer analysis
API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method), Test Method for, **D287 (05.01)**
ASTM Hydrometers, Specification for, **E100 (14.03)**
Density or Relative Density of Engine Coolant Concentrates and Engine Coolants By The Hydrometer, Test Method for, **D1122 (15.05)**
Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, Test Method for, **D1657 (05.01)**
Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, Test Method for, **D6822 (05.03)**
Density, Relative Density, or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method, Test Method for, **D1298 (05.01)**
Dispersive Characteristics of Clay Soil by Double Hydrometer, Test Method for, **D4221 (04.08)**
Inspection, Calibration, and Verification of ASTM Hydrometers, Test Method for, **E126 (14.03)**
Particle-Size Analysis of Soils, Test Method for, **D422 (04.08)**
Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, Test Methods for, **D4659 (08.02)**
Specific Gravity and Density of Halogenated Organic, Test Methods for, **D2111 (15.05)**
Specific Gravity, API Gravity, or Density of Cutback Asphalts by Hydrometer Method, Test Method for, **D3142/D3142M (04.03)**
Thermometry and Hydrometry, Terminology Relating to, **E344 (14.03)**
Hydrometer cylinder
Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, Test Method for, **D6822 (05.03)**
Hydronic heating systems
Measurement of Particulate Emissions and Heating Efficiency of Solid Fuel-Fired Hydronic Heating Appliances, Test Method for, **E2618 (04.12)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hydronic Heating Systems, Specification for, **F1987 (08.04)**
Hydroperoxide number
Hydroperoxide Number of Aviation Turbine Fuels by Voltammetric Analysis, Test Method for, **D6447 (05.03)**
Hydrophilic compounds
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**
Hydrophilic emulsifiers
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Hydrophobic surfaces
Sa **Contamination—environmental**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Hydrophobic Contamination on Glass by Contact Angle Measurement, Test Method for, **C813 (15.02)**
Hydrophobic Surface Films by the Atomizer Test, Test Method for, **F21 (15.03)**
Hydroprocessing
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**
Hydroquinone (HQ)
Hydroquinone in Vinyl Acetate, Test Method for, **D2193 (06.04)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Monomethyl Ether of Hydroquinone in Colorless Monomeric Acrylate Esters and Acrylic Acid, Test Method for, **D3125 (06.04)**
Hydrostatic design basis (HDB)
Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, Test Method for, **D2143 (08.03)**
Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, Test Method for, **D2837 (08.04)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, Specification for, **D2513 (08.04)**
Hydrostatic head pressure
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Hydrostatic heads
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Reinforced Concrete Low-Head Pressure Pipe, Specification for, **C361 (04.05)**
Reinforced Concrete Low-Head Pressure Pipe (Metric), Specification for, **C361M (04.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Hydrostatic leak testing
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Field Leak Testing of Polyethylene (PE) and Crosslinked Polyethylene (PEX) Pressure Piping Systems Using Hydrostatic Pressure, Practice for, **F2164 (08.04)**
Hydrostatic Leak Testing, Practice for, **E1003 (03.03)**
Hydrostatic loading
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**
Hydrostatic pore pressure
Moisture Conditioning Compacted Asphalt Mixture Specimens by Using Hydrostatic Pore Pressure, Practice for, **D7870/D7870M (04.03)**
Hydrostatic pressure test
Sa **Pressure testing**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Evaluating the Quality of Molded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings by the Heat Reversion Technique, Test Method for, **F610/F610M (08.04)**
General Requirements for Specialized Carbon and Alloy Steel Pipe, Specification for, **A530/A530M (01.01)**
Hydrostatic Pressure Resistance of a Liquid-Applied Waterproofing Membrane, Test Method for, **C1306 (04.04)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**
Resistance to Hydrostatic Pressure for Coatings Used in Below Grade Applications Applied to Masonry, Practice for, **D7088 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hydrostatic resistance
Coated Fabrics, Test Methods for, **D751 (09.02)**
Coated Fabrics—Waterproofness, Specification for, **D3393 (09.02)**
Hydrostatic testing
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe, Specification for, **D3517 (08.03)**
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Crosslinked Polyethylene (PEX) Tubing of 0.070 in. Wall and Fittings for Radiant Heating Systems up to 75 psig, Specification for, **F2929 (08.04)**
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
Entrainment Separators for Use in Marine Piping Applications, Specification for, **F1006 (01.07)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Hydrostatic Pressure Resistance of Waterproofing Membranes, Test Method for, **D5385 (04.04)**
Large Scale Hydrostatic Puncture Testing of Geosynthetics, Test Method for, **D5514/D5514M (04.13)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**
Rubber Hose, Test Methods for, **D380 (09.02)**
Safe Use of Oxygen Combustion Bombs, Practice for, **E144 (14.04)**
Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service, Specification for, **A335/A335M (01.01)**
Specimens and Testing Conditions for Testing Polyethylene (PE) Pipe Butt Fusions Using Tensile and Hydrostatic Test Methods, Practice for, **F2928 (08.04)**
Steam Traps and Drains, Specification for, **F1139 (01.07)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Time-to-Failure of Plastic Pipe Under Constant Internal Pressure, Test Method for, **D1598 (08.04)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Hydrostatic testing—cement/concrete applications
Asbestos-Cement Pipe, Test Methods for, **C500/C500M (04.05)**
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Hydrotest monitoring
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Hydrothermal treatment
Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, Guide for, **D4463/D4463M (05.05)**
Hydroxyacetone analysis
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
2-Hydroxybutane
sec-Butyl Alcohol, Specification for, **D1007 (06.04)**
Hydroxyethoxyl substitution
Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D4794 (06.03)**
Hydroxyethylcellulose
Sa **Cellulose and cellulose derivatives**
Hydroxyethylcellulose, Test Methods for, **D2364 (06.03)**
Hydroxylapatite (HA)
Composition of Anorganic Bone for Surgical Implants, Specification for, **F1581 (13.01)**
Composition of Hydroxylapatite for Surgical Implants, Specification for, **F1185 (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings, Practice for, **F2024 (13.01)**
Hydroxyl groups
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Hydroxyl Groups Using Reaction with, Test Method for, **E1899 (15.05)**
Hydroxyl (hydroxide ion) content
Sa **Acidity, alkalinity, pH**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Determination of Percent Hydroxyl on Cellulose Esters by Potentiometric Titration—Alternative Method, Test Method for, **D5897 (06.03)**
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols, Test Method for, **D4273 (08.02)**
Hydroxyl numbers
Chemical Analysis of Alcohol Ethoxylates and Alkylphenol Ethoxylates, Test Methods for, **D4252 (15.04)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**
Polyurethane Raw Materials: Determination of Hydroxyl Numbers of Polyols, Test Methods for Testing, **D4274 (08.02)**
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**
Sulfate Basicity in Leather, Test Method for, **D4654 (15.04)**
Hydroxyl radical
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
5-Hydroxymethyl-2-furfural
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**
Hydroxypropoxy content
Hydroxypropylcellulose, Test Methods for, **D5400 (06.03)**
Hydroxypropylcellulose
Hydroxypropylcellulose, Test Methods for, **D5400 (06.03)**
Hydroxypropyl methylcellulose
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Hydroxypropyl substitution
Methoxyl and Hydroxypropyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D3876 (06.03)**
Hygienic handwashing
Determining Fungus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using Fingerpads of Adults, Test Method for, **E2613 (11.05)**
Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E2276 (11.05)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hygrometer
Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), Test Method for, **E337 (11.07)**
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**
Hygroscopic materials/properties/tests
Blocking Point of Potentially Adhesive Layers, Test Method for, **D1146 (15.06)**
Hygroscopic Moisture (and Other Matter Volatile Under the Test Conditions) in Pigments, Test Methods for, **D280 (06.03)**
Hygroscopic Properties of Fire-Retardant Wood and Wood-Based Products, Test Method for, **D3201/D3201M (04.10)**
Hygroscopic Sorption Isotherms of Building Materials, Test Method for, **C1498 (04.06)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Particle-Size Analysis of Soils, Test Method for, **D422 (04.08)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**
Hygrothermograph
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Hymenoptera: Aphelinidae
Encarsia formosa Gahan (*Hymenoptera:Aphelinidae*), Specification for, **E2199 (11.05)**
Hypalon
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Hypereuctectoid tool steel
Sa **Tool steel—specifications**
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Hyperthermia
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Hypervelocity impact
Tungsten Base, High-Density Metal, Specification for, **B777 (02.04)**
Hypochlorite solutions
Sa **Bleaches**
Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, Practice for, **B920 (02.04)**
Hypoeuctectoid steel phase transformations
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
Hypoid drive axles
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Evaluation of the Load Carrying Properties of Lubricants Used for Final Drive Axles, Under Conditions of High Speed and Shock Loading, Test Method for, **D7452 (05.04)**
Performance of Rear Axle Gear Lubricants Intended for API Category GL-5 Service, Specification for, **D7450 (05.04)**
Hypothesis
Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, Practice for, **D6250 (11.04)**
Hypoxanthine guanine phosphoribosyl transferase
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Hysteresis curve
Measuring the Force-Displacement of a Membrane Switch, Test Method for, **F2592 (10.04)**
Hysteresis effects
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
dc Magnetic Properties of Materials Using Ring and Permeameter Procedures with dc Electronic Hysteresigraphs, Test Method for, **A773/A773M (03.04)**
Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, Test Method for, **A341/A341M (03.04)**
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**
Moisture Conditioning of Wood and Wood-Based Materials, Guide for, **D4933 (04.10)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Scanner and Tip Related Artifacts in Scanning Tunneling Microscopy and Atomic Force Microscopy, Guide to, **E2382 (03.06)**
Hysterigraphs
Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, Test Method for, **A977/A977M (03.04)**

I

Ice
Description of Frozen Soils (Visual-Manual Procedure), Practice for, **D4083 (04.08)**
Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**
Determining Resistance of Photovoltaic Modules to Hail by Impact with Propelled Ice Balls, Test Method for, **E1038 (12.02)**
Ice Making Machines, Icemaker-Dispensers, and Ice Dispensing Equipment, Specification for, **F2432 (15.12)**
Ice balls
Determining Resistance of Photovoltaic Modules to Hail by Impact with Propelled Ice Balls, Test Method for, **E1038 (12.02)**
Determining Resistance of Solar Collector Covers to Hail by Impact With Propelled Ice Balls, Practice for, **E822 (12.02)**
Ice baths
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Ice climbing
Climbing and Mountaineering Carabiners, Specification for, **F1774 (13.02)**
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Ice conditions
In-situ Burning of Oil Spills on Water: Ice Conditions, Guide for, **F2230 (11.05)**
Tire Performance Testing on Snow and Ice Surfaces, Test Methods for, **F1572 (09.02)**
Ice-covered surfaces
Single Wheel Driving Traction in a Straight Line on Snow- and Ice-Covered Surfaces, Test Method for, **F1805 (09.02)**
Ice cream
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**
Performance of Self-Contained Soft Serve and Shake Machines, Test Method for, **F2795 (15.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ice dam protection
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Ice dispensing equipment
Ice Making Machines, Icemaker-Dispensers, and Ice Dispensing Equipment, Specification for, **F2432 (15.12)**
Iced tea
Dispensers, Powdered Iced Tea, Specification for, **F1023 (15.12)**
Ice hockey equipment
Skating and Ice Hockey Playing Facilities, Guide for, **F1703 (15.07)**
Ice hockey equipment—specifications
Sa **Sports equipment—specifications**
Eye and Face Protective Equipment for Hockey Players, Specification for, **F513 (15.07)**
Head and Face Protective Equipment for Ice Hockey Goaltenders, Specification for, **F1587 (15.07)**
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**
Ice load capacity
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Ice-point reference baths
Sa **Thermocouples**
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Preparation and Use of an Ice-Point Bath as a Reference Temperature, Practice for, **E563 (14.03)**
Ice rescue technique
Ice Awls Self-Rescue Technique, Guide for, **F1766 (13.02)**
Ice Staff Self-Rescue Technique, Guide for, **F1765 (13.02)**
Performance of an Ice Rescuer—Level II, Guide for, **F1783 (13.02)**
Ice skating
Helmets Used in Short Track Speed Ice Skating (Not to Include Hockey), Specification for, **F1849 (15.07)**
Layout of Ice Arena, Guide for, **F2442 (15.07)**
ICI cone/plate viscometers
High-Shear Viscosity Using a Cone/Plate Viscometer, Test Method for, **D4287 (06.01)**
Icing inhibitors
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**
ICP-AES (inductively-coupled plasma atomic emission spectrometry)
Sa **Nuclear magnetic resonance (NMR) spectrometry**
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Analysis of Nickel Alloys by Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Method), Test Method for, **E2594 (03.05)**
Calibration Requirements for Elemental Analysis of Petroleum Products and Lubricants, Guide for, **D7578 (05.04)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Describing and Specifying Inductively-Coupled Plasma Atomic Emission Spectrometers, Practice for, **E1479 (03.05)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Aluminum and Silicon in Fuel Oils by Ashing, Fusion, Inductively Coupled Plasma Atomic Emission Spectrometry, and Atomic Absorption Spectrometry, Test Methods for, **D5184 (05.02)**
Determination of Elements in Insulating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7151 (10.03)**
Determination of Impurities in Plutonium: Acid Dissolution, Ion Exchange Matrix Separation, and Inductively Coupled Plasma-Atomic Emission Spectroscopic (ICP/AES) Analysis, Test Method for, **C1432 (12.01)**
Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, Test Method for, **E1613 (04.11)**
Determination of Low Levels of Phosphorus in ILSAC GF 4 and Similar Grade Engine Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D7040 (05.04)**
Determination of Major and Minor Elements in Coal, Coke, and Solid Residues from Combustion of Coal and Coke by Inductively Coupled Plasma—Atomic Emission Spectrometry, Test Method for, **D6349 (05.06)**
Determination of Metals and Metalloids in Airborne Particulate Matter by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7035 (11.07)**
Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, Test Methods for, **D5708 (05.02)**
Determination of Silicon and Other Elements in Engine Coolant by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **D6130 (15.05)**
Determination of Trace Elements in Coal, Coke, and Combustion Residues from Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry, Test Methods for, **D6357 (05.06)**
Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7111 (05.04)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, Test Method for, **D7110 (05.04)**
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D1976 (11.01)**
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Multielement Analysis of Crude Oils Using Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7691 (05.04)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Removal of Uranium or Plutonium, or both, for Impurity Assay in Uranium or Plutonium Materials, Practice for, **C1647 (12.01)**
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**
Separation of Beryllium from Other Metals in Digestion and Extraction Solutions from Workplace Dust Samples, Practice for, **D7441 (11.07)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

ICP-MS (inductively-coupled plasma-mass spectrometry)
- Alternate Actinide Calibration for Inductively Coupled Plasma-Mass Spectrometry, Practice for, **C1590 (12.01)**
- Analysis of Isotopic Composition of Uranium in Nuclear-Grade Fuel Material by Quadrupole Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1474 (12.01)**
- Analysis of Total and Isotopic Uranium and Total Thorium in Soils by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1345 (12.01)**
- Analysis of Urine for Uranium-235 and Uranium-238 Isotopes by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1379 (12.01)**
- Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, Practice for, **C1614 (12.01)**
- Determination of Concentrations of Elements in Glass Samples Using Inductively Coupled Plasma Mass Spectrometry (ICP-MS) for Forensic Comparisons, Test Method for, **E2330 (14.02)**
- Determination of Elements in Airborne Particulate Matter by Inductively Coupled Plasma–Mass Spectrometry, Test Method for, **D7439 (11.07)**
- Determination of Impurities in Nuclear Grade Uranium Compounds by Inductively Coupled Plasma Mass Spectrometry, Test Method for, **C1287 (12.01)**
- Determination of Metals in Lubricating Greases by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D7303 (05.04)**
- Determination of Trace Elements in Coal, Coke, and Combustion Residues from Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry, Test Methods for, **D6357 (05.06)**
- Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
- Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
- Isotopic Abundance Analysis of Uranium Hexafluoride and Uranyl Nitrate Solutions by Multi-Collector, Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1477 (12.01)**
- Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**
- Removal of Uranium or Plutonium, or both, for Impurity Assay in Uranium or Plutonium Materials, Practice for, **C1647 (12.01)**
- the Determination of Impurities in Plutonium Metal: Acid Digestion and Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS) Analysis, Test Method for, **C1637 (12.01)**

IDE (interlaboratory detection estimate)
- 99 %/95 % Interlaboratory Detection Estimate (IDE) for Analytical Methods with Negligible Calibration Error, Practice for, **D6091 (11.01)**

Identification
- Bicycle Serial Numbers, Specification for, **F2268 (15.07)**
- Coding Plastic Manufactured Articles for Resin Identification, Practice for, **D7611/D7611M (08.03)**
- Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**
- Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
- Enhance Identification of Drug Names on Labels, Practice to, **D6398 (15.10)**
- Field Identification of Coatings, Practice for, **D5043 (06.02)**
- Identification and Categorization of Tooling, Practice for, **E2672 (04.12)**
- Identification and Establishment of a Quality Assurance Program for Medical Transcription, Guide for, **E2117 (14.01)**
- Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, Practices for, **D934 (11.02)**
- Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
- Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
- Identification of Metals and Alloys in Computerized Material Property Databases, Guide for, **E1338 (02.05)**
- Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**
- Identification, Packaging, Handling, Storage and Deployment of Fabricated Geomembrane Panels, Guide for, **D7865 (04.13)**
- Identification, Storage, and Handling of Geosynthetic Rolls and Samples, Guide for, **D4873 (04.13)**
- Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
- Preservation of Waterborne Oil Samples, Practice for, **D3325 (11.02)**
- Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
- Sampling of Coating Films, Practice for, **D6206 (06.02)**
- Separation and Identification of Poly(Vinyl Chloride) (PVC) Contamination in Poly(Ethylene Terephthalate) (PET) Flake, Practice for, **D5991 (08.03)**
- the Identification of Trinidad Lake Asphalt in Asphalt Mixes, Practice for, **D6608 (04.03)**

Identification—drugs
- Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
- Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**

Identification descriptors
- *See* **Ground-water monitoring/sampling**

Identification labels/marking
- Identification Marking of Aluminum and Magnesium Products, Practice for, **B666/B666M (02.02)**
- Physical Placement of an Entity-Controlled Supplemental Identification Label, Practice for, **E2631 (04.12)**
- UAS Registration and Marking (Excluding Small Unmanned Aircraft Systems), Practice for, **F2851 (15.11)**

Identifier
- Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**

Idle energy consumption/rate
- Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
- Performance of Conveyor Broilers, Test Method for, **F2239 (15.12)**
- Performance of Drawer Warmers, Test Method for, **F2142 (15.12)**
- Performance of Hot Food Holding Cabinets, Test Method for, **F2140 (15.12)**
- Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**

IDMS (isotope dilution mass spectrometry)
- the Determination of Uranium Content and Isotopic Composition by Isotope Dilution Mass Spectrometry, Test Method for, **C1380 (12.01)**

IDO (iintegrated delivery organizations)
- Information Modeling, Practice for, **E2145 (14.01)**

IDT (indirect tensile strength)
- Indirect Tensile (IDT) Strength of Bituminous Mixtures, Test Method for, **D6931 (04.03)**

IEQ (indoor environmental quality)
- Data Collection for Sustainability Assessment of Building Products, Practice for, **E2129 (04.12)**
- Design of Earthen Wall Building Systems, Guide for, **E2392/E2392M (04.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

IG-100
Handling, Transportation, and Storage of IG-100 (Nitrogen), Practice for, **D7323 (15.05)**
IG-541
Handling, Transportation, and Storage of IG-541 N2, Ar , CO2, Practice for, **D7325 (15.05)**
IG-55
Handling, Transportation, and Storage of IG-55 Ar N2, Practice for, **D7324 (15.05)**
Ignitability
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**
Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, Test Method for, **F1958/F1958M (10.03)**
Development of Fire Hazard Assessment Standards of Electrotechnical Products, Guide for, **D5425 (10.02)**
Ignitable liquid residues
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Preserving Ignitable Liquids and Ignitable Liquid Residue Extracts from Fire Debris Samples, Practice for, **E2451 (14.02)**
Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), Practice for, **E2154 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**
Igniter
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Ignition
Asphalt Content of Hot-Mix Asphalt by Ignition Method, Test Method for, **D6307 (04.03)**
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Ignition Delay and Combustion Delay Using a Constant Volume Combustion Chamber Method, Test Method for, **D7668 (05.05)**
Hot-Surface Ignition Temperature of Dust Layers, Test Method for, **E2021 (14.02)**
Minimum Ignition Energy of a Dust Cloud in Air, Test Method for, **E2019 (14.02)**
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**
the Determination of Uranium by Ignition and the Oxygen to Uranium (O/U) Atomic Ratio of Nuclear Grade Uranium Dioxide Powders and Pellets, Test Method for, **C1453 (12.01)**
Ignition—aerospace materials
Sa **Burning characteristics**
Sa **Fire testing**
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**
Ignition—building materials
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Fire Standards, Terminology of, **E176 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**
Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater, Test Method for, **E2102 (04.07)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Ignition—chemicals
Assessing Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry, Guide for, **E1981 (14.02)**
Autoignition Temperature of Liquid Chemicals, Test Method for, **E659 (14.02)**
Concentration Limits of Flammability of Chemicals (Vapors and Gases), Test Method for, **E681 (14.02)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**
Ignition—consumer materials/applications
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Flammability of Blankets, Test Method for, **D4151 (07.01)**
Measuring the Ignition Strength of Cigarettes, Test Method for, **E2187 (04.07)**
Ignition—electrical insulating materials
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Glow-Wire Ignition of Materials, Test Method for, **D6194 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Ignition of Materials by Hot Wire Sources, Test Method for, **D3874 (10.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Ignition—medical equipment/systems/applications
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**
Ignition—petroleum products
Cetane Number of Diesel Fuel Oil, Test Method for, **D613 (05.05)**
Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Fixed Range Injection Period, Constant Volume Combustion Chamber Method, Test Method for, **D7170 (05.05)**
Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, Test Method for, **D6890 (05.05)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Palladium in Molecular Sieve Catalyst by Wet Chemistry, Test Method for, **D4782 (05.05)**
Spontaneous Heating Values of Liquids and Solids (Differential

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mackey Test), Test Method for, **D3523 (05.01)**

Ignition—plastics
Determining Ignition Temperature of Plastics, Test Method for, **D1929 (08.01)**
Ignition Loss of Cured Reinforced Resins, Test Method for, **D2584 (08.01)**
Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, Specification for, **D5025 (08.02)**
Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), Test Method for, **D2863 (08.01)**

Ignition—rubber/cellular materials
Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment, Test Method for, **G72/G72M (14.04)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Cigarette Ignition Resistance of Components of Upholstered Furniture, Test Methods for, **E1353 (04.07)**
Cigarette Ignition Resistance of Mock-Up Upholstered Furniture Assemblies, Test Method for, **E1352 (04.07)**
Designing Systems for Oxygen Service, Guide for, **G88 (14.04)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Explosibility of Dust Clouds, Test Method for, **E1226 (14.02)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, Test Method for, **D5132 (08.03)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Ignition Temperature of Granular Activated Carbon, Test Method for, **D3466 (15.01)**
Minimum Ignition Energy and Quenching Distance in Gaseous Mixtures, Test Method for, **E582 (14.02)**
Percent Ash Content of Engine Coolants, Test Method for, **D1119 (15.05)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Ignition—textile materials/products
Effects of Flame Impingement on Materials Used in Protective Clothing Not Designated Primarily for Flame Resistance, Test Method for, **F1358 (11.03)**
Ignition Characteristics of Finished Textile Floor Covering Materials, Test Method for, **D2859 (04.07)**
Ignition Loss of Glass Fiber Strands and Fabrics, Test Method for, **D4963/D4963M (07.02)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**

Ignition crucibles
Crucibles, Ignition, Laboratory, Metal, Specification for, **E785 (14.04)**

Ignition impurity correction method
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**

Ignition loss
See **Loss on ignition (LOI)**

Ignition residues
Hydroxypropylcellulose, Test Methods for, **D5400 (06.03)**

Ignition sensitivity
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**

Ignition systems
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**

IGU seal durability
Insulating Glass Unit Performance, Test Method for, **E2188 (04.12)**

IHE (internal hydrogen embrittlement)
Sa **Hydrogen embrittlement (HE)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**

IIR (isobutene-isoprene rubber)
Rubber—Evaluation of IIR (Isobutene-Isoprene Rubber), Test Methods for, **D3188 (09.01)**

I-joists
Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, Specification for, **D5055 (04.10)**

Illness
Defining the Performance of First Aid Providers in Occupational Settings, Guide for, **F2171 (13.02)**

Illuminant-observer weights
Calculation of Weighting Factors for Tristimulus Integration, Practice for, **E2022 (06.01)**

Illumination
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Appearance, Terminology of, **E284 (06.01)**
Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, Practice for, **E991 (06.01)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Illuminators Used for Viewing Industrial Radiographs, Specification for, **E1390 (03.03)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**

Illumination—marine systems/applications
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Illumination—solar devices
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**

ILS design/testing
Conducting an Interlaboratory Study to Determine Precision Estimates for a Fire Test Method with Fewer Than Six Participating Laboratories, Practice for, **E2653 (04.07)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Guide for, **D7778 (05.04)**
Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, Practice for, **E1601 (03.05)**

Image
Serviceability of an Office Facility for Image to the Public and Occupants, Classification for, **E1667 (04.11)**
Use of Image Capture and Storage Technology in Forensic Document Examination, Practice for, **E2765 (14.02)**

Image analysis
Automated Colony Forming Unit (CFU) Assays—Image Acquisition and Analysis Method for Enumerating and Characterizing Cells and Colonies in Culture, Test Method for, **F2944 (13.02)**
Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy, Test Method for, **D3849 (09.01)**
Comparing Correctable Film Ribbons, Practice for, **F1454 (15.09)**
Comparing Particle Size in the Use of Alternative Types of Particle Counters, Practice for, **F660 (11.01)**
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining Flax Fiber Widths Using Image Analysis, Test Method for, **D7879 (07.02)**
Determining Nodularity And Nodule Count In Ductile Iron Using Image Analysis, Test Method for, **E2567 (03.01)**
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Instrumental Measurement of Distinctness-of-Image Gloss of Coating Surfaces, Test Methods for, **D5767 (06.01)**
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Reporting Imaging Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1635 (03.06)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
X-Ray Compton Scatter Tomography, Guide for, **E1931 (03.03)**

Image analysis—aerospace materials
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**

Image analysis—copy materials
Comparative Evaluation of Imaging Properties of Liquid Electrostatic Toners, Practice for, **F505 (15.09)**
Creating Test Targets for Determining the Ink Yield of the Imaging Supplies Used in Ink Jet Printers, Practice for, **F1942 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), Test Method for, **F1478 (15.09)**
Determination of the Effect of Hard Creasing Paper on Images Produced by Business Imaging Systems, Practice for, **F1351 (15.09)**
Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, Practice for, **F1423 (15.09)**
Determining Resolution Capability of Office Copiers, Practice for, **F807 (15.09)**
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Determining the Quality of the Text, Line- and Solid-Fill Output Produced by Ink Jet Printers, Practice for, **F1944 (15.09)**
Determining the Stain Resistance of Images Produced by Ink Jet Printers, Practice for, **F2293 (15.09)**
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**
Estimating Toner and Dispersant Usage in Copiers Utilizing Liquid Developers, Practice for, **F1042 (15.09)**
Evaluating Color Image Output from Color Printers and Copiers, Test Method for, **F1206 (15.09)**
Evaluating Thermal Paper Employing a Facsimile Thermal Printer as a Test Instrument, Test Method for, **F1320 (15.09)**
Evaluation of Image Quality Produced by Carbonless Copy Paper with an Electric or Electronic Typewriter, Practice for, **F686 (15.09)**
Evaluation of One-Time Carbon Paper in Carbon-Interleaved Business Forms by Use of an Electric Typewriter, Practice for, **F597 (15.09)**
Image Evaluation of Electrostatic Business Copies, Practice for, **F360 (15.09)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Image Stability of Chemical Carbonless Paper to Light, Test Method for, **F767 (15.09)**
Ink Jet Printers and Images Made Therefrom, Terminology Relating to, **F1857 (15.09)**
Use of the Electric and Electronic Typewriter as a Test Instrument, Practice for, **F497 (15.09)**
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**
Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, Practice for, **F1442 (15.09)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**

Image analysis—metals/metallic materials
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Evaluating Non-Contacting Optical Strain Measurement Systems, Guide for, **E2208 (03.01)**

Image analysis—radiographic testing
Controlling Quality of Radiological Examination by Using Representative Quality Indicators (RQIs), Practice for, **E1817 (03.03)**
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Design, Manufacture, and Material Grouping Classification of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**
Determining Image Quality in Direct Thermal Neutron Radiographic Examination, Test Method for, **E545 (03.03)**
Determining Relative Image Quality of Industrial Radiographic Film Exposed to X-Radiation from 4 to 25 MeV, Test Method for, **E1735 (03.03)**
Determining Total Image Unsharpness in Radiology, Practice for, **E2002 (03.03)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**

Image interactive localization systems
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**

Image permanence
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Office Products (GA-CAT Method), Practice for, **F1486 (15.09)**
Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), Test Method for, **F1478 (15.09)**
Determination of the Effect of Hard Creasing Paper on Images Produced by Business Imaging Systems, Practice for, **F1351 (15.09)**

Image quality
Classification of Computed Radiology Systems, Practice for, **E2446 (03.03)**

Image quality indicator
Sa **IQI (image quality indicators)**
Radiological Examination Using Digital Detector Arrays, Practice for, **E2698 (03.03)**

Imaging
An Imaging Technique to Measure Rust Creepage at Scribe on Coated Test Panels Subjected to Corrosive Environments, Test Method for, **D7087 (06.01)**
Digital Detector Array Radiology, Guide for, **E2736 (03.03)**
Three-Dimensional (3D) Imaging Systems, Terminology for, **E2544 (10.04)**
Use of Image Capture and Storage Technology in Forensic Document Examination, Practice for, **E2765 (14.02)**

Imaging equipment
Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, Test Method for, **F2494 (15.09)**
Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, Test Method for, **F2495 (15.09)**
Determining the Drying Time of Inkjet Media and Inks Using a Smudge Method, Practice for, **F2498 (15.09)**

IMFD (intramedullary fixation device)
See **Intramedullary fixation devices (IMFDs)**

IMHAD (insulated material handling aerial devices)
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**

Immaturity (of cotton fibers)
See **Maturity—cotton fibers**

Immersion
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Corrosion of Surgical Instruments, Test Method for, **F1089 (13.01)**
Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, Test Method for, **C127 (04.02)**
Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate, Test Method for, **C128 (04.02)**
Ductility of Bituminous Materials, Test Method for, **D113 (04.03)**
Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, Test Method for, **D1075 (04.03)**
Estimating Carbon Saturation by Temperature Rise upon Immersion, Guide for, **D7385 (15.01)**
Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, Test Method to, **C1635 (04.07)**
Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, Practice for, **G110 (03.02)**
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Resistance of Adhesive Bonds to Chemical Reagents, Practice for, **D896 (15.06)**
Resistance of Cured Coatings to Thermal Cycling, Practice for, **D6944 (06.02)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**
Submersion of a Membrane Switch, Test Method for, **F1895 (10.04)**
Water Absorption by Immersion of Thermal Insulation Materials, Test Method for, **C1763 (04.06)**
Water Retention of Rigid Thermal Insulations Following Partial Immersion, Test Method for, **C1134 (04.06)**
Weight Loss (Mass Loss) of Sheet Steel During Immersion in Sulfuric Acid Solution, Test Method for, **C694 (02.05)**

Immersion—aircraft materials
Corrosion of Aircraft Metals by Total Immersion in Maintenance Chemicals, Practice for, **F482 (15.03)**
Corrosion of Low-Embrittling Cadmium Plate by Aircraft Maintenance Chemicals, Test Method for, **F1111 (15.03)**
Sandwich Corrosion Test, Test Method for, **F1110 (15.03)**
Total Immersion Corrosion Test for Aircraft Maintenance Chemicals, Practice for, **F483 (15.03)**

Immersion—cleaning chemicals
Total Immersion Corrosion Test for Soak Tank Metal Cleaners, Guide for, **D1280 (15.04)**

Immersion—coatings
Chemical Resistance of Pipeline Coatings, Test Method for, **G20 (06.02)**
Immersion Testing of Industrial Protective Coatings, Practice for, **D6943 (06.02)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Testing Biofouling Resistance of Marine Coatings Partially Immersed, Practice for, **D5479 (06.02)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**

Immersion—corrosion testing
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
Conducting Exfoliation Corrosion Tests in Aluminum Alloys, Guide for, **G112 (03.02)**
Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Laboratory Immersion Corrosion Testing of Metals, Guide for, **G31 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Immersion—geosynthetics
In Field Immersion Testing of Geosynthetics, Practice for, **D5496 (04.13)**
Laboratory Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids, Practice for, **D5322 (04.13)**
Immersion—plastics
Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, Test Method for, **D2152 (08.04)**
Water Absorption of Plastics, Test Method for, **D570 (08.01)**
Immersion—rubber materials/applications
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Immersion—solar devices
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, Test Method for, **E1597 (12.02)**
Testing Nonmetallic Seal Materials by Immersion in a Simulated Geothermal Test Fluid, Test Method for, **E1068 (12.02)**
Immersion—ultrasonic
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Measurement of the Apparent Attenuation of Longitudinal Ultrasonic Waves by Immersion Method, Practice for the, **E664/E664M (03.03)**
Immersion leak test
Leaks Using Bubble Emission Techniques, Practice for, **E515 (03.03)**
Immersion metallic containment materials
Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, Practices for, **E745 (12.02)**
Immiscible liquids
Laboratory Glass Separatory Funnels, Specification for, **E1096 (14.04)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Immobilization
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**
Immobilization (spinal)
See **Spinal cord immobilization**
Immobilized antimicrobial agents
Determining the Antimicrobial Activity of Antimicrobial Agents Under Dynamic Contact Conditions, Test Method for, **E2149 (11.05)**
Immunological evidence
Identification of Herpes Simplex Virus or Its DNA, Guide for, **E1286 (14.02)**
The Immunological Measurement of Antigenic Protein in Natural Rubber and its Products, Test Method for, **D6499 (09.02)**
Impact
Condition 1 Bicycle Forks, Specification for, **F2899 (15.07)**
Determining Enamel Holdout, Test Method for, **D7786 (06.02)**
Determining Potential Resistance to Degradation of Pervious Concrete by Impact and Abrasion, Test Method for, **C1747/C1747M (04.02)**
Glazing and Glazing Systems Subject to Airblast Loadings, Specification for, **F2912 (15.08)**
Rubber Property—Resilience Using Schob Type Rebound Pendulum, Test Method for, **D7121 (09.01)**
Soil and Turfgrass Characteristics of Natural Playing Surfaces, Terminology Relating to, **F2651 (15.07)**
Impact assessment
Boat Barriers, Test Method for, **F2766 (15.08)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**
Impact attenuation
ASTM Standards on Playground Surfacing, Guide for, **F2223 (15.07)**
Impact Attenuation of Athletic Shoe Cushioning Systems and Materials, Test Method for, **F1976 (15.07)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Public Use Play Equipment for Children 6 Months through 23 Months, Consumer Safety Performance Specification for, **F2373 (15.11)**
Specification, Purchase, Installation and Maintenance of Poured-In-Place Playground Surfacing, Guide for, **F2479 (15.07)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Impact degradation resistance
Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, Test Method for, **E279 (03.05)**
Impact-echo method
Measuring the P-Wave Speed and the Thickness of Concrete Plates Using the Impact-Echo Method, Test Method for, **C1383 (04.02)**
Impact energy
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Impact insulation class (IIC)
Determination of Impact Insulation Class (IIC), Classification for, **E989 (04.06)**
Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, Test Method for, **E2179 (04.06)**
Impact printer ribbon
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Impact printers
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**
Impact protective systems
Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies, Test Method for, **E2025 (04.11)**
Impact resistance
Ball Drop Impact Resistance of Laminated Architectural Flat Glass, Test Method for, **F3007 (15.08)**
Determining Resistance of Photovoltaic Modules to Hail by Impact with Propelled Ice Balls, Test Method for, **E1038 (12.02)**
Determining Resistance of Solar Collector Covers to Hail by Impact With Propelled Ice Balls, Practice for, **E822 (12.02)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Impact Flexibility of Organic Coatings, Test Method for, **D6905 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Impact Resistance of Bituminous Roofing Systems, Test Method for, **D3746 (04.04)**
Impact Resistance of Pipeline Coatings, Test Method for, **G13/G13M (06.02)**
Impact Testing for Shipping Containers and Systems, Test Method for, **D880 (15.10)**
Measuring Relative Resistance of Wall, Floor, and Roof Construction to Impact Loading, Test Method of, **E695 (04.11)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Ski and Snowboard Goggles, Specification for, **F659 (15.07)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Impact resistance—plastics
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight), Test Method for, **D2444 (08.04)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Drafting Impact Test Requirements In Thermoplastic Pipe And Fittings Standards, Practice for, **F725 (08.04)**
Drop Impact Resistance of Blow-Molded Thermoplastic Containers, Test Method for, **D2463 (08.01)**
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
Impact Resistance of Plastic Film by the Free-Falling Dart Method, Test Methods for, **D1709 (08.01)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Impact Resistance of Rigid Poly(Vinyl Chloride) (PVC) Building Products, Test Methods for, **D4226 (08.03)**
Nonrigid Vinyl Chloride Plastic Film and Sheeting, Specification for, **D1593 (08.01)**
Pendulum Impact Resistance of Plastic Film, Test Method for, **D3420 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**

Impact sensitivity threshold technique
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**

Impact sound transmission (building elements)
Sa **Sound transmission—building materials/applications**
Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, Test Method for, **E1414/E1414M (04.06)**
Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures, Test Method for, **E1007 (04.06)**
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine, Test Method for, **E492 (04.06)**
Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, Test Method for, **E2179 (04.06)**
Measurement of Airborne Sound Attenuation between Rooms in Buildings, Test Method for, **E336 (04.06)**
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**

Impact strength
Bicycle Frames, Test Methods for, **F2711 (15.07)**

Impact testing
Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method, Test Method for, **C944/C944M (04.02)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**
Determining Strength Capacities of Structural Insulated Panels, Test Methods for, **E1803 (04.11)**
Drop Weight Impact Sensitivity of Solid-Phase Hazardous Materials, Test Method for, **E680 (14.02)**
Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E760 (04.11)**
High Speed Puncture Properties of Plastic Films Using Load and Displacement Sensors, Test Method for, **D7192 (08.03)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Impact Flexibility of Organic Coatings, Test Method for, **D6905 (06.01)**
Impact Resistance of Ceramic Tableware, Test Method for, **C368 (15.02)**
Impact Testing of Cast Irons, Test Methods for, **A327/A327M (01.02)**
Impact Testing of Sports Surfaces and Equipment, Terminology Relating to, **F2650 (15.07)**
Instrumented Impact Testing of Metallic Materials, Test Method for, **E2298 (03.01)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Measuring the Damage Resistance of a Fiber-Reinforced Polymer Matrix Composite to a Drop-Weight Impact Event, Test Method for, **D7136/D7136M (15.03)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Pole Vault Box Collars, Specification for, **F2949 (15.07)**
Pole Vault Landing Systems, Specification for, **F1162/F1162M (15.07)**
Rubber Property—Brittleness Point of Flexible Polymers and Coated Fabrics, Test Methods for, **D2137 (09.01)**
Tumbler Test for Coke, Test Method for, **D3402/D3402M (05.06)**

Impact testing—adhesives
Impact Strength of Adhesive Bonds, Test Method for, **D950 (15.06)**

Impact testing—aerospace materials
Bird Impact Testing of Aerospace Transparent Enclosures, Test Method for, **F330 (15.03)**
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**
Hail Impact Resistance of Aerospace Transparent Enclosures, Test Method for, **F320 (15.03)**
Impact Resistance of Monolithic Polycarbonate Sheet by Means of a Falling Weight, Test Method for, **F736 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Impact testing—building products
Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies, Test Method for, **E2025 (04.11)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Resistance to Impact for Resilient Floor Tile, Test Method for, **F1265 (15.04)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Impact testing—Charpy
Determining the Charpy Impact Resistance of Notched Specimens of Plastics, Test Method for, **D6110 (08.03)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Impact Testing of Cast Irons, Test Methods for, **A327/A327M (01.02)**
Impact Testing of Miniaturized Charpy V-Notch Specimens, Test Method for, **E2248 (03.01)**
In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds, Practice for, **D3419 (08.02)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Sampling Procedure for Impact Testing of Structural Steel, Specification for, **A673/A673M (01.04)**
Impact testing—consumer safety
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Impact testing—environmental materials/applications
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Impact testing—marine (shipbuilding) materials/applications
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**
Impact testing—pipeline coatings
Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight), Test Method for, **D2444 (08.04)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Impact testing—plastics
Brittleness Temperature of Plastic Sheeting by Impact, Test Method for, **D1790 (08.01)**
Brittleness Temperature of Plastics and Elastomers by Impact, Test Method for, **D746 (08.01)**
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Drafting Impact Test Requirements In Thermoplastic Pipe And Fittings Standards, Practice for, **F725 (08.04)**
Flatwise Flexural Impact Resistance of Rigid Plastics, Test Method for, **D6395 (08.03)**
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), Test Method for, **D5420 (08.03)**
Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Falling Dart (Tup or Falling Mass), Test Method for, **D5628 (08.03)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Impact Resistance of Rigid Poly(Vinyl Chloride) (PVC) Building Products, Test Methods for, **D4226 (08.03)**
In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds, Practice for, **D3419 (08.02)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Impact testing—security systems/equipment
Detention Locks for Swinging Doors, Test Methods for, **F1577 (15.08)**
Detention Sliding Door Locking Device Assembly, Test Methods for, **F1643 (15.08)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Impact testing—sensitivity (of liquid oxygen)
Asphalt Roll Roofing (Organic Felt), Specification for, **D6380/D6380M (04.04)**
Impact testing—shipping materials
Concentrated Impacts to Transport Packages, Test Method for, **D6344 (15.10)**
Evaluation of Horizontal Impact Performance of Load Unitizing Stretch Wrap Films, Test Method for, **D5414 (15.10)**
Impact Testing for Shipping Containers and Systems, Test Method for, **D880 (15.10)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Testing Wood-Base Panel Corner Impact Resistance, Test Method for, **D6643 (04.10)**
Impact testing—soil/rock/related materials
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**
Impact testing—sports applications/equipment
Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear, Test Methods for, **F1446 (15.07)**
Face Guards for Youth Baseball, Specification for, **F910 (15.07)**
Head and Face Protective Equipment for Ice Hockey Goaltenders, Specification for, **F1587 (15.07)**
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**
Impact Attenuation of Athletic Shoe Cushioning Systems and Materials, Test Method for, **F1976 (15.07)**
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**
Impact testing—textile materials/applications
Impact Resistance of Plastic Sew-Through Buttons, Test Method for, **D5171 (07.02)**

--`,,``,,,,``,,,,`````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Impairment
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**
IM-PC engine
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**
Impedance
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Impedance and Absorption of Acoustical Materials by Impedance Tube Method, Test Method for, **C384 (04.06)**
Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis System, Test Method for, **E1050 (04.06)**
In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, Test Method for, **D7698 (04.09)**
Measurement of Impedance of Anodic Coatings on Aluminum, Test Method for, **B457 (02.05)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**
Impedance permeability
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Imperfection
Surface Imperfections on Ceramics, Terminology Relating to, **F109 (15.02)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, Practices for, **D5426 (07.02)**
Imperviousness
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Impervious Graphite Pipe and Threading, Specification for, **C662 (05.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Impingement
Impingement of Acetabular Prostheses, Test Method for, **F2582 (13.02)**
Impingement black
See **Carbon black**
Impingement erosion
Wear and Erosion, Terminology Relating to, **G40 (03.02)**
Impinger method
Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, Test Method for, **D6735 (11.07)**
Implantable breast prostheses
Implantable Breast Prostheses, Specification for, **F703 (13.01)**
Implantable Saline Filled Breast Prosthesis, Specification for, **F2051 (13.01)**
Implantable surgical materials/applications
in vivo Assessment of Implantable Devices Intended to Repair or Regenerate Articular Cartilage, Guide for, **F2451 (13.01)**
Assessment of Compatibility of Absorbable/Resorbable Biomaterials for Implant Applications, Practice for, **F1983 (13.01)**
Describing System Output of Implantable Middle Ear Hearing Devices, Practice for, **F2504 (13.02)**
Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, Practice for, **F647 (13.01)**
Implantable Thermoset Epoxy Plastics, Criteria for, **F602 (13.01)**
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**
Testing for Whole Complement Activation in Serum by Solid Materials, Practice for, **F1984 (13.01)**
Implantable surgical materials/applications—specifications
Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**
Implantable Polytetrafluoroethylene (PTFE) Sheet, Tube, and Rod Shapes Fabricated from Granular Molding Powders, Specification for, **F754 (13.01)**
Implants
Sa **Surgical implants—specifications**
Presentation of End User Labeling Information for Musculoskeletal Implants, Guide for, **F2943 (13.02)**
Reporting and Assessment of Residues on Single Use Implants, Practice for, **F2847 (13.02)**
Implementation design
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**
Implosive samplers
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Impoundment
Assessment of Attaining Clean Up Level for Site Closure, Practice for, **D6597 (11.04)**
Impregnated activated carbon
Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams, Specification for, **D4069 (15.01)**
Impregnated and coated fabrics for roofing/waterproofing
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**
Impregnated basic brick
Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, Practice for, **C1190 (15.01)**
Impregnated bearings
See **Ball/roller bearings**
Impregnated dielectric materials
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Impregnated glass strands
Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics, Test Method for, **D2343 (08.01)**
Impregnated wood
Combustible Properties of Treated Wood by the Fire-Tube Apparatus, Test Method for, **E69 (04.10)**
Impregnation procedures
Electrical Insulating Varnishes, Specification for, **D3955 (10.02)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Impregnation system
Utilization of Mobile, Automated Cured-In-Place Pipe (CIPP) Impregnation Systems, Practice for, **F2994 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Impregnation time
Sampling and Testing Untreated Mica Paper Used for Electrical Insulation, Methods for, **D1677 (10.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Impressed current system
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Imprinting
Print Resistance of Architectural Paints, Test Method for, **D2064 (06.02)**
Print Resistance of Lacquers, Test Method for, **D2091 (06.02)**
Improved formability steel
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, Specification for, **A656/A656M (01.04)**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Carbon, Commercial, Drawing, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1018/A1018M (01.03)**
Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1011/A1011M (01.03)**
Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, Specification for, **A568/A568M (01.03)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specification for, **A1008/A1008M (01.03)**
Impulse breakdown and impulse strength
See **Dielectric breakdown voltage**
Impulse deflection testing device
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Impulse excitation
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Impulse excitation of vibration
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Test Method for, **C1548 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Impulse Excitation of Vibration, Test Method for, **E1876 (03.01)**
Impulse measurement/testing
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Impulse sound measurement
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Impulse voltage
Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions, Test Method for, **D3300 (10.03)**
Impurities
Sa **Contamination**
Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, Test Method for, **D2685 (10.03)**
Analysis of Acetic Anhydride Using Gas Chromatography, Test Method for, **E1616 (15.05)**
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Determination of Purity, Impurities, and Contaminants in Biological Drug Products, Guide for, **E1298 (14.02)**
Determining Acid Extractable Content in Activated Carbon by Ashing, Test Method for, **D6385 (15.01)**
Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, Specification for, **D7618 (05.04)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
the Determination of Impurities in Plutonium Metal: Acid Digestion and Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS) Analysis, Test Method for, **C1637 (12.01)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Impurities—chemicals
Analysis of Acrylonitrile, Test Methods for, **E1178 (15.05)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Impurities—concrete/aggregate/mortar
Effect of Organic Impurities in Fine Aggregate on Strength of Mortar, Test Method for, **C87/C87M (04.02)**
Organic Impurities in Fine Aggregates for Concrete, Test Method for, **C40/C40M (04.02)**
Impurities—electronic materials/applications
Sa **Contamination—semiconductors**
Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, Guide for, **F2113 (10.04)**
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, Test Method for, **F1593 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1845 (10.04)**
Trace Metallic Impurities in Electronic Grade Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1710 (10.04)**
Impurities—medical/surgical materials/applications
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, Guide for, **F2150 (13.01)**
Impurities—nuclear materials
Sa **Trace elements—nuclear materials**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Determination of Impurities in Nuclear Grade Uranium Compounds by Inductively Coupled Plasma Mass Spectrometry, Test Method for, **C1287 (12.01)**
Determination of Impurities in Plutonium: Acid Dissolution, Ion

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Exchange Matrix Separation, and Inductively Coupled Plasma-Atomic Emission Spectroscopic (ICP/AES) Analysis, Test Method for, **C1432 (12.01)**
Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, Test Method for, **C1517 (12.01)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Removal of Uranium or Plutonium, or both, for Impurity Assay in Uranium or Plutonium Materials, Practice for, **C1647 (12.01)**

Impurities—organic compounds
Analysis of Benzene by Gas Chromatography, Test Method for, **D4492 (06.04)**
Analysis of Halogenated Organic Solvents and Their Admixtures by Gas Chromatography, Practice for, **D6806 (15.05)**
Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, Test Method for, **D5713 (06.04)**
Analysis of Styrene by Capillary Gas Chromatography, Test Method for, **D5135 (06.04)**
Analysis of Toluene by Capillary Column Gas Chromatography, Test Method for, **D6526 (06.04)**
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**
Pyridine Bases in Cresylic Acid by Direct Titration, Test Method for, **D4471 (06.04)**
Toluene for Toluene Diisocyanate (TDI) Feedstock, Specification for, **D5606 (06.04)**

Impurities—petroleum products
Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D7862 (05.04)**
Determination of Hydrocarbon Impurities in Ethylene by Gas Chromatography, Test Method for, **D6159 (05.03)**
Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, Test Method for, **D4864 (05.02)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Methyl Tertiary-Butyl Ether (MTBE) for Downstream Blending for Use in Automotive Spark-Ignition Engine Fuel, Specification for, **D5983 (05.02)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**

Impurities—plastics
Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, Test Method for, **D5507 (08.03)**

Impurities—rubber
Rubber Compounding Materials—Free 2-Mercaptobenzothiazole (MBT) in Benzothiazyl Disulfide (MBTS), Test Method for, **D5044 (09.01)**
Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles, Test Method for, **D4934 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6844 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6843 (09.01)**

Impurities—textile fabrics/fibers
Neps, Vegetable Matter, and Colored Fiber in Wool Top, Test Method for, **D1770 (07.01)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**

Impurities—water
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
On-Line Monitoring of Total Carbon, Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5997 (11.01)**

Inaccessible water-containment membranes
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**

Inactivators
Evaluation of Inactivators of Antimicrobial Agents, Test Methods for, **E1054 (11.05)**
Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**

Inanimate surfaces
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**

Incandescent lamps
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Inch series
Inch Series Machine Screws, Carbon Steel, 60 000 psi Tensile Strength, Specification for, **F2403 (01.08)**

Incident command system (ICS)
Canine Search Resources, Classification System for, **F1848 (13.02)**
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**
Scope of Performance of Triage in a Prehospital Environment, Guide for, **F1653 (13.02)**
Training and Evaluation of Individuals Who are Responsible for or Perform Triage in a Prehospital Environment, Guide for, **F1654 (13.02)**
Using the Incident Command System Framework in Managing Search and Rescue Operations, Guide for, **F1422 (13.02)**

Incident electron flux
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Incident energy
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**

Incident report forms
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**

Incidents
Studying Fire Incidents in Oxygen Systems, Guide for, **G145 (14.04)**

Incident site access
Credentialing for Access to an Incident or Event Site, Guide for, **E2842 (15.08)**

Incineration/incinerators
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**

Incipient reaction
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Inclination test
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Inclined fracture
See **Fracture testing—rock**
Inclined impact tester
Sa **Impact testing**
Impact Testing for Shipping Containers and Systems, Test Method for, **D880 (15.10)**
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Inclined plane method
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**
Inclined plate flow
Inclined Plate Flow for Thermosetting Coating Powders, Test Method for, **D4242 (06.02)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Inclining experiment
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Inclinometer
Monitoring Ground Movement Using Probe-Type Inclinometers, Test Method for, **D6230 (04.09)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**
Verifying Performance of a Vertical Inclinometer Probe, Practice for, **D7299 (04.09)**
Inclusion length
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Inclusion (of precision statement variation)
Inclusion of Precision Statement Variation in Specification Limits, Practice for, **D6607 (04.03)**
Inclusions
Sa **Ultrasonic testing**
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**
Identification of Polymer Layers or Inclusions by Fourier Transform Infrared Microspectroscopy (FT-IR), Practice for, **D5477 (08.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics, Test Method For, **D5596 (04.13)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Nonmetallic Inclusion Content of Powders Intended for Powder Forging (PF) Applications, Test Method for, **B796 (02.05)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Inclusions—metals/alloys
Analysis of Low-Alloy Steels by X-Ray Fluorescence Spectrometry, Test Method for, **E1085 (03.05)**
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Nonmetallic Inclusion Content of Powders Intended for Powder Forging (PF) Applications, Test Method for, **B796 (02.05)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**
Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Inclusive
Evaluating the Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Test Method for, **F3022 (15.07)**
Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, Specification for, **F3021 (15.07)**
Incoherent (Compton) scatter
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Incoloy/Inconel
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Precipitation Hardening Nickel Alloys Bar and Wire, Specification for, **B805 (02.04)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, Specification for, **B670 (02.04)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**
Incompatibility
Accepting, Segregating and Packaging Materials Collected Through Household Hazardous Waste Programs, Guide for, **D6346 (11.04)**
Evaluating Compatibility of Binary Mixtures of Lubricating Greases, Practice for, **D6185 (05.03)**
Incompatible boom connector
Emergency Joining of Booms with Incompatible Connectors, Practice for, **F1657/F1657M (11.05)**
Incorporated bound antimicrobials
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Incorporating pigments
Incorporating Pigments by High Speed Dispersion, Practice for, **D6619 (06.01)**
Incremental magnetization
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Incremental step load
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**
Increment core method
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Incubation chamber
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Incubation cups
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**
Incubation room
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**
Indentation
Impact Flexibility of Organic Coatings, Test Method for, **D6905 (06.01)**
Instrumented Indentation Testing, Practice for, **E2546 (03.01)**
Rubber Property—Pusey and Jones Indentation, Test Method for, **D531 (09.01)**
Short-Term Indentation and Residual Indentation of Resilient Floor Covering, Test Methods for, **F1914 (15.04)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**
Static Load Limit, Test Method for, **F970 (15.04)**
Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, Specification for, **A886/A886M (01.04)**
Type A Durometer Hardness Testing of Road Marking Thermoplastic at Elevated Temperatures, Test Method for, **D7735 (06.02)**
Indentation force deflection (IFD)
Testing Flexible Cellular Materials Measurement of Indentation Force Deflection Using a 25-mm (1-in.) Deflection Technique, Test Method for, **D5672 (08.03)**
Indentation hardness
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Type A Durometer Hardness Testing of Road Marking Thermoplastic at Elevated Temperatures, Test Method for, **D7735 (06.02)**
Indentation hardness (of metallic materials)
See **Hardness (indentation)—metallic materials**
Indentation residual deflection force (IRDF)
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Short-Term Indentation and Residual Indentation of Resilient Floor Covering, Test Methods for, **F1914 (15.04)**
Indenter geometry
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Independent computer systems
See **Computerized systems**
Independent spent fuel storage installation (ISFSI)
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**
Independent third-party verification (ITPV)
Development of an Independent Third-Party Verification of Reference Materials, Guide for, **F2717 (15.12)**
Index flux
Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter, Test Method for, **D5887 (04.13)**
Indexing
Ductile-Iron Pressure Pipe, Index of Specifications for, **A377 (01.02)**
Selection and Use of Keywords for Thermal Insulation Test Methods and Standards, Guide for, **C1302 (04.06)**
Indexing documents
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**
Index of hemolysis
Selection of Blood for in vitro Evaluation of Blood Pumps, Practice for, **F1830 (13.01)**
Index of refraction (refractive index)
Sa **Refractive index**
Choosing a Method for Determining the Index of Refraction and Dispersion of Glass, Guide for, **C1648 (15.02)**
Index property
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Index puncture resistance
Index Puncture Resistance of Geomembranes and Related Products, Test Method for, **D4833/D4833M (04.13)**
Index test
Determination of the Point Load Strength Index of Rock and Application to Rock Strength Classifications, Test Method for, **D5731 (04.08)**
Determining Geonet Breaking Force, Test Method for, **D7179 (04.13)**
Determining Short-Term Compression Behavior of Geosynthetics, Test Method for, **D6364 (04.13)**
Determining Small-Strain Tensile Properties of Geogrids and Geotextiles by In-Air Cyclic Tension Tests, Test Methods for, **D7556 (04.13)**
Grab Tensile Properties of Reinforced Geomembranes, Test Method for, **D7004/D7004M (04.13)**
Individual Geogrid Junction Strength, Test Method for, **D7737 (04.13)**
Strip Tensile Properties of Reinforced Geomembranes, Test Method for, **D7003/D7003M (04.13)**
Indian ocher
See **Ocher**
Indian red
See **Iron oxide pigments—red (natural/synthetic)**
Indicator cells
Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, Practice for, **E1536 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, Practice for, **E1532 (14.02)**
Indirect Detection of Mycoplasma in Cell Culture by 4`-6-Diamidino-2-2 Phenylindole (DAPI) Staining, Practice for, **E1533 (14.02)**
Indicator parameters
Purging Methods for Wells Used for Groundwater Quality Investigations, Guide for, **D6452 (04.09)**
Indicators
Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, Specification for, **F959 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), Specification for, **F959M (01.08)**
Evaluating the Attributes of a Forest Management Plan, Guide for, **D7480 (04.10)**
Indigenous ADC
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, Specification for, **D6826 (04.13)**
Indigenous inclusions
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Indigenous species
Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, Guide for, **E1850 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Indirect flow/discharge measurement
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Indirect inoculation
Determination of Mold Growth on Coated Building Products Designed for Interior Applications Using an Environmental Chamber and Indirect Inoculation, Test Method for, **D7855/D7855M (06.01)**
Indirect oxygen service
See **Oxygen service/systems**
Indirect tensile strength (IDT)
Indirect Tensile (IDT) Strength of Bituminous Mixtures, Test Method for, **D6931 (04.03)**
Indirect tension test
Determining the Resilient Modulus of Bituminous Mixtures by Indirect Tension Test, Test Method for, **D7369 (04.03)**
Indirect verification
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**
Indium content
Chemical and Spectrochemical Analysis of Nuclear-Grade Silver-Indium-Cadmium Alloys, Test Methods for, **C760 (12.01)**
Indium low-melting alloys
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Individual sensory thresholds
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Indoor air analysis
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, Guide for, **E1593 (15.08)**
Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), Test Methods for, **D5156 (11.07)**
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**
Determination of Radon Decay Product Concentration and Working Level in Indoor Atmospheres by Active Sampling on a Filter, Test Method for, **D6327 (11.07)**
Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), Test Method for, **D5466 (11.07)**
Determining Emission Profiles of Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6177 (11.07)**
Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environmental Chambers, Guide for, **D6329 (11.07)**
Emission Cells for the Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D7143 (11.07)**
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on Solanesol, Test Method for, **D6271 (11.07)**
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on UVPM and FPM, Test Methods for, **D5955 (11.07)**
Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6178 (11.07)**
Evaluating Residential Indoor Air Quality Concerns, Practice for, **D7297 (11.07)**
Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D6670 (11.07)**
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**
Placement and Use of Diffusion Controlled Passive Monitors for Gaseous Pollutants in Indoor Air, Guide for, **D6306 (11.07)**
Rapid Screening of VOC Emissions from Products Using Micro-Scale Chambers, Practice for, **D7706 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**
Serviceability of an Office Facility for Thermal Environment and Indoor Air Conditions, Classification for, **E2320 (04.12)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Indoor Air Quality, Guide for, **E2267 (04.12)**
Statistical Evaluation of Indoor Air Quality Models, Guide for, **D5157 (11.07)**
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**
Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality and Ventilation, Guide for, **D6245 (11.07)**
Using Probability Sampling Methods in Studies of Indoor Air Quality in Buildings, Guide for, **D5791 (11.07)**
Indoor exposure
Xenon-Arc Exposure of Plastics Intended for Indoor Applications, Practice for, **D4459 (08.02)**
Indoor lighting
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Indoor materials
Emission Cells for the Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D7143 (11.07)**
Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D6670 (11.07)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Indoor upholstery fabrics/materials
Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, Performance Specification for, **D3690 (07.01)**
Indoor use candles
Collection and Analysis of Visible Emissions from Candles as They Burn, Test Method for, **F2326 (15.11)**
Inductance measurement
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, Guide for, **E2337/E2337M (03.03)**
Induction
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, Test Method for, **A341/A341M (03.04)**
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
Saturation Magnetization or Induction of Nonmetallic Magnetic

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Materials, Test Method for, **A894/A894M (03.04)**
Induction furnace
Cast Tool Steel, Specification for, **A597 (01.05)**
Induction heating
Deep-Fat Fryers, Gas or Electric, Open, Specification for, **F1963 (15.12)**
Induction Cooktops, Counter Top, Drop-in Mounted, or Floor Standing, Specification for, **F2834 (15.12)**
Induction logging
Sa **Borehole drilling**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Induction period
Oxidation Stability of Gasoline (Induction Period Method), Test Method for, **D525 (05.01)**
Oxidation Stability of Middle Distillate Fuels—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7545 (05.04)**
Oxidation Stability of Spark Ignition Fuel—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7525 (05.04)**
Inductive loop detectors
Installation of Inductive Loop Detectors, Practice for the, **E2561 (04.03)**
Inductively-coupled plasma (ICP) spectroscopy
Sa **ICP-AES (inductively-coupled plasma atomic emission spectrometry)**
Analysis of Nickel Alloys by Inductively Coupled Plasma Mass Spectrometry (Performance-Based Method), Test Method for, **E2823 (03.05)**
Analysis of Titanium and Titanium Alloys by Direct Current Plasma and Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Test Methodology), Test Method for, **E2371 (03.05)**
Determination of Boron, Silicon, and Technetium in Hydrolyzed Uranium Hexafluoride by Inductively Coupled Plasma—Mass Spectrometer After Removal of Uranium by Solid Phase Extraction, Test Method for, **C1771 (12.01)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Sample Decomposition Using Microwave Heating (With or Without Prior Ashing) for Atomic Spectroscopic Elemental Determination in Petroleum Products and Lubricants, Practice for, **D7876 (05.04)**
Sample Preparation of Fluid Catalytic Cracking Catalysts and Zeolites for Elemental Analysis by Inductively Coupled Plasma Atomic Emission Spectroscopy, Practice for, **D7442 (05.05)**
Industrial applications
Pneumatically Applied High-Temperature Fiber Thermal Insulation for Industrial Applications, Specification for, **C1685 (04.06)**
Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, Practice for, **C1058/C1058M (04.06)**
Industrial aromatic hydrocarbons
Acid Wash Color of Industrial Aromatic Hydrocarbons, Test Method for, **D848 (06.04)**
Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, Test Method for, **D847 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Copper Strip Corrosion by Industrial Aromatic Hydrocarbons, Test Method for, **D849 (06.04)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**
Specific Gravity, Apparent, of Liquid Industrial Chemicals, Test Methods for, **D891 (15.05)**
Industrial atmospheric analysis
See **Workplace air/atmospheres**
Industrial buildings/developments
Sa **Blanket thermal insulation**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Industrial Rope Access, Practice for, **E2505 (04.12)**
Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, Practice for, **C1744 (04.06)**
Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type), Specification for, **C592 (04.06)**
Industrial buildings/developments—specifications
Sa **Brick**
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Industrial Floor Brick, Specification for, **C410 (04.05)**
Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications, Specification for, **C553 (04.06)**
Industrial chemicals
Appearance of Clear, Transparent Liquids (Visual Inspection Procedure), Test Method for, **E2680 (15.05)**
Industrial and Specialty Chemicals, Terminology Relating to, **E1547 (15.05)**
Sampling Industrial Chemicals, Practice for, **E300 (15.05)**
Industrial chemicals—specifications
Sa **Chemicals—specifications**
Calcium Hypochlorite, Specification for, **E1229 (15.05)**
Caustic Potash; Solid (Potassium Hydroxide; Solid), Specification for, **E1456 (15.05)**
Industrial Grade Ethylene Glycol, Specification for, **E1119 (15.05)**
Liquid Chlorine, Specification for, **E1120 (15.05)**
Muriatic Acid (Technical Grade Hydrochloric Acid), Specification for, **E1146 (15.05)**
Reclaimed 1,1,2-Trichloro 1,2,2-Trifluoroethane, Specification for, **D5248 (15.05)**
Industrial cleaning compounds
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Industrial coatings/applications
Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, Test Method for, **D5066 (06.02)**
Determining the Dry Fall (Fog) Properties of Protective Coatings, Practice for, **D7868 (06.02)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Pigment Content of Water-Emulsion Paints by Low-Temperature Ashing, Test Method for, **D3723 (06.01)**
Testing Industrial Protective Coatings, Guide for, **D6577 (06.02)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Viscosity of Paints and Related Materials by ISO Flow Cups, Test Method for, **D5125 (06.01)**
Water Content of Coatings by Direct Injection Into a Gas Chromatograph, Test Method for, **D3792 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Industrial effluents
Total Mercury in Water, Test Method for, **D3223 (11.01)**
Industrial electronic data
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Industrial engineers
Selecting Cleaning Agents and Processes, Guide for, **D6361/D6361M (15.05)**
Industrial fencing
Sa **Chain-link fence/fencing systems—specifications**
Specifying Chain Link Fence, Guide for, **F1553 (01.06)**
Industrial fencing—specifications
Industrial and Commercial Horizontal Slide Gates, Specification for, **F1184 (01.06)**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**
Industrial forgings—specifications
Sa **Carbon steel forgings—specifications**
Steel Forgings, Carbon and Alloy, for General Industrial Use, Specification for, **A668/A668M (01.05)**
Industrial furnace feedstream materials
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Industrial health
Recording Occupational Injuries and Illnesses, Guide for, **E2920 (11.03)**
Industrial laminate
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Industrial limes
See **Hydrated lime—specifications**
Industrial metals/alloys
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Calibrating Thin Heat Flux Transducers, Practice for, **C1130 (04.06)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Examination of Gas-Filled Filament-Wound Composite Pressure Vessels Using Acoustic Emission, Practice for, **E2191/E2191M (03.03)**
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Industrial metals/alloys—specifications
Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A781/A781M (01.02)**
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Stainless Steel Needle Tubing, Specification for, **A908 (01.01)**
Steel Forgings, Microalloy, for General Industrial Use, Specification for, **A909/A909M (01.05)**
Industrial oils
Measurement of Remaining Primary Antioxidant Content In In-Service Industrial Lubricating Oils by Linear Sweep Voltammetry, Guide for, **D7590 (05.04)**
Industrial paints/related coatings
Indicating Oil in Abrasives, Practice for, **D7393 (06.02)**
Replication and Measurement of Concrete Surface Profiles Using Replica Putty, Test Method for, **D7682 (06.02)**
Industrial petroleum products
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), Test Method for, **D6079 (05.02)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**
Industrial Fluid Lubricants by Viscosity System, Classification of, **D2422 (05.01)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Misting Properties of Lubricating Fluids, Test Method for, **D3705 (05.01)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Industrial petroleum products—specifications
Commercial Boiler Fuels With Used Lubricating Oils, Specification for, **D6823 (05.03)**
Industrial Burner Fuels from Used Lubricating Oils, Specification for, **D6448 (05.03)**
Industrial radiographic film processing/testing
Sa **Radiographic examination**
Sa **Reference radiographs**
Classification of Computed Radiology Systems, Practice for, **E2446 (03.03)**
Classification of Film Systems for Industrial Radiography, Test Method for, **E1815 (03.03)**
Controlling the Quality of Industrial Radiographic Film Processing, Guide for, **E999 (03.03)**
Determining Relative Image Quality Response of Industrial Radiographic Imaging Systems, Practice for, **E746 (03.03)**
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Illuminators Used for Viewing Industrial Radiographs, Specification for, **E1390 (03.03)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Storage of Radiographs and Unexposed Industrial Radiographic Films, Guide for, **E1254 (03.03)**
Industrial shipping containers
See **Shipping containers/materials/applications—specifications**
Industrial textiles
Blanket Products for Institutional and Household Use, Performance Specification for, **D5432 (07.02)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**
Industrial thermometers
Accuracy Verification of Industrial Platinum Resistance Thermometers, Guide for, **E2593 (14.03)**
Compacted Mineral-Insulated, Metal-Sheathed Cable Used in Industrial Resistance Thermometers, Specification for, **E2821 (14.03)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Testing Industrial Resistance Thermometers, Test Methods for, **E644 (14.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Industrial waste treatment—specifications
Sa **Waste materials/processing/analysis**
Polymer Concrete Pipe, Specification for, **D6783 (08.03)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Industrial wastewater applications
Fluid Loss of Clay Component of Geosynthetic Clay Liners, Test Method for, **D5891 (04.13)**
Solvent-Free Membrane Recoverable Oil and Grease by Infrared Determination, Test Method for, **D7575 (11.02)**
Industrial water treatment
Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, Test Methods for, **D5907 (11.01)**
Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses, Specification for, **C911 (04.01)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe, Specification for, **C655 (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C655M (04.05)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Industrial woven wire cloth
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Industrial yarns
Testing Tire Cords, Tire Cord Fabrics, and Industrial Yarns Made From Glass Filaments, Test Methods for, **D2970/D2970M (07.01)**
Industry reference materials (IRM)
Biological Properties of Industry Reference Materials (IRM), Specification for, **D7850 (09.02)**
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Indwelling devices
Ureteral Stents, Specification for, **F1828 (13.01)**
Inert atmosphere pyrolysis method
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**
Inert filler content
Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings, Specification for, **F493 (08.04)**
Inert gases
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**
Limiting Oxygen (Oxidant) Concentration in Gases and Vapors, Test Methods for, **E2079 (14.02)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Inert gas fusion
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Determination of Hydrogen in Aluminum and Aluminum Alloys by Inert Gas Fusion, Test Method for, **E2792 (03.05)**
Determination of Hydrogen in Titanium and Titanium Alloys by Inert Gas Fusion Thermal Conductivity/Infrared Detection Method, Test Method for, **E1447 (03.05)**
Determination of Oxygen and Nitrogen in Titanium and Titanium Alloys by Inert Gas Fusion, Test Method for, **E1409 (03.05)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Inertial impaction
Collection of Total Airborne Fungal Structures via Inertial Impaction Methodology, Practice for, **D7788 (11.07)**
Inertial measurement
Computing Ride Number of Roads from Longitudinal Profile Measurements Made by an Inertial Profile Measuring Device, Practice for, **E1489 (04.03)**
Determining Mass and Moment of Inertia of Alpine Skis, Test Method for, **F1722 (15.07)**
Measuring the Longitudinal Profile of Traveled Surfaces with an Accelerometer Established Inertial Profiling Reference, Test Method for, **E950/E950M (04.03)**
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**
Inert materials
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
Infant materials/applications—specifications
Bassinets and Cradles, Consumer Safety Specification for, **F2194 (15.11)**
Body Measurements for Children, Infant Sizes—Preemie to 24 Months, Tables of, **D4910/D4910M (07.02)**
Frame Child Carriers, Consumer Safety Specification for, **F2549 (15.11)**
Hand-Held Infant Carriers, Consumer Safety Specification for, **F2050 (15.11)**
Helmets for Non-Motorized Wheeled Vehicle Used by Infants and Toddlers, Specification for, **F1898 (15.07)**
Infant Bath Seats, Consumer Safety Specification for, **F1967 (15.11)**
Infant Bath Tubs, Consumer Safety Specification for, **F2670 (15.11)**
Infant Bedding and Related Accessories, Consumer Safety Performance Specification for, **F1917 (15.11)**
Infant Bouncer Seats, Consumer Safety Specification for, **F2167 (15.11)**
Infant Swings, Consumer Safety Specification for, **F2088 (15.11)**
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**
Portable Bed Rails, Consumer Safety Specification for, **F2085 (15.11)**
Soft Infant and Toddler Carriers, Consumer Safety Specification for, **F2236 (15.11)**
Volatile N-Nitrosamine Levels in Rubber Nipples on Pacifiers, Specification for, **F1313 (15.11)**
Infant rocker
Infant and Infant/Toddler Rockers, Consumer Safety Specification for, **F3084 (15.11)**
Infant/toddler rocker
Infant and Infant/Toddler Rockers, Consumer Safety Specification for, **F3084 (15.11)**
Infaunal invertebrates
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Infection control
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Evaluating Relative Effectiveness of Antimicrobial Handwashing Formulations using the Palmar Surface and Mechanical Hand Sampling, Test Method for, **E2870 (11.05)**
Infectious fluids
Shipping Possible Infectious Materials, Tissues, and Fluids, Guide for, **F2995 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Infectious materials
Shipping Possible Infectious Materials, Tissues, and Fluids, Guide for, **F2995 (13.02)**
Infectious tissues
Shipping Possible Infectious Materials, Tissues, and Fluids, Guide for, **F2995 (13.02)**
Infiltration
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Infiltration Rate of In Place Pervious Concrete, Test Method for, **C1701/C1701M (04.02)**
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Sealing of Sewers Using Chemical Grouting, Practice for, **F2304 (04.12)**
Infiltration rate
Sa **Filters/filter procedures**
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, Test Method for, **D5093 (04.08)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Porous Concrete Pipe, Specification for, **C654 (04.05)**
Porous Concrete Pipe (Metric), Specification for, **C654M (04.05)**
Infiltrometers
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Inflatable air mattresses
Cautionary Labeling of Inflatable Air Mattresses, Safety Specification for, **F2755 (15.11)**
Inflatable restraints
Accelerated Aging of Inflatable Restraint Fabrics, Practice for, **D5427 (07.02)**
Bursting Strength of Textile Fabrics—Diaphragm Bursting Strength Tester Method, Test Method for, **D3786/D3786M (07.01)**
Determining Dynamic Air Permeability of Inflatable Restraint Fabrics, Test Method for, **D6476 (07.02)**
Determining Physical Properties of Fabrics, Yarns, and Sewing Thread Used in Inflatable Restraints, Practice for, **D5446 (07.02)**
Determining Pressure Decay of Inflatable Restraint Cushions, Test Method for, **D7559/D7559M (07.02)**
Determining Seam Strength in Inflatable Restraint Cushions, Test Method for, **D5822 (07.02)**
Determining Specific Packability of Fabrics Used in Inflatable Restraints, Test Method for, **D6478 (07.02)**
Determining the Edgecomb Resistance of Woven Fabrics Used in Inflatable Restraints, Test Method for, **D6479 (07.02)**
Evaluating the Overpressurization Characteristics of Inflatable Restraint Cushions, Practice for, **D5807 (07.02)**
Evaluating the Performance of Inflatable Restraint Modules, Practice for, **D5428 (07.02)**
Inflatable Restraints, Terminology Relating to, **D6799 (07.02)**
Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, Practices for, **D5426 (07.02)**
Inflated diaphragm method
Abrasion Resistance of Textile Fabrics (Inflated Diaphragm Apparatus), Test Method for, **D3886 (07.01)**
Inflation inspection procedure
Visual Inspection of Electrical Protective Rubber Products, Guide for, **F1236 (10.03)**
Inflation/interest effects
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Inflation pressure testing
Sa **Pressure testing**
Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, Test Method for, **F1112 (09.02)**
In-flight octane rating
Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**
Influence coefficient correction procedures
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Influent reservoir
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Influenzavirus
Sa **Virology**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Evaluation of Effectiveness of Decontamination Procedures for Air-Permeable Materials when Challenged with Biological Aerosols Containing Human Pathogenic Viruses, Test Method for, **E2720 (11.05)**
Evaluation of Effectiveness of Decontamination Procedures for Surfaces When Challenged with Droplets Containing Human Pathogenic Viruses, Test Method for, **E2721 (11.05)**
Information access privileges (IAP)
Information Access Privileges to Health Information, Guide for, **E1986 (14.01)**
Information storage and retrieval
Assessment of Impact of Mobile Data Storage Device (MDSD) Loss, Practice for, **E2674 (04.12)**
Collection and Preservation of Information and Physical Items by a Technical Investigator, Practice for, **E1188 (14.02)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Radioscopy, Practice for, **E1255 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Information/systems
Sa **Health knowledge/information systems**
Assessment of Impact of Mobile Data Storage Device (MDSD) Loss, Practice for, **E2674 (04.12)**
Establishing and Operating a Public Information, Education, and Relations Program for Emergency Medical Service Systems, Guide for, **F1268 (13.02)**
Laboratory Informatics, Guide for, **E1578 (03.06)**
Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, Practice for, **E1628 (11.03)**
Presenting Selected Information on Vacuum Cleaners for Consumer Use, Practice for, **F1411 (15.08)**
Providing Essential Data Needed in Advance for Prehospital Emergency Medical Services, Guide for, **F1652 (13.02)**
Representation of Human Characteristics Data in Healthcare Information Systems, Specification for the, **E2436 (14.01)**
Information technology
Serviceability of an Office Facility for Typical Office Information Technology, Classification for, **E1663 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Infrared absorption method
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Infrared $C0_2$ sensor
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Infrared flash thermography
Infrared Flash Thermography of Composite Panels and Repair Patches Used in Aerospace Applications, Practice for, **E2582 (03.03)**
Infrared imaging systems
Examining Electrical and Mechanical Equipment with Infrared Thermography, Guide for, **E1934 (03.03)**
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Measuring and Compensating for Reflected Temperature Using Infrared Imaging Radiometers, Test Methods for, **E1862 (03.03)**
Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, Test Methods for, **E1897 (03.03)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Noise Equivalent Temperature Difference of Thermal Imaging Systems, Test Method for, **E1543 (03.03)**
Infrared (IR) analysis
Sa **Reflectance and reflectivity**
2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, Test Method for, **D2668 (10.03)**
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Chemical Admixtures for Use in Producing Flowing Concrete, Specification for, **C1017/C1017M (04.02)**
Comparison of Waterborne Petroleum Oils by Infrared Spectroscopy, Test Method for, **D3414 (11.02)**
Detecting Delaminations in Bridge Decks Using Infrared Thermography, Test Method for, **D4788 (04.03)**
Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Establishing Spectrophotometer Performance Tests, Guide for, **E1866 (03.06)**
Evaluating Trans-Vinylene Yield in Irradiated Ultra-High Molecular Weight Polyethylene Fabricated Forms Intended for Surgical Implants by Infrared Spectroscopy, Test Method for, **F2381 (13.01)**
Examination of Electrical Insulating Oils by Infrared Absorption, Practices for, **D2144 (10.03)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, Practice for, **D6805 (04.04)**
Location of Wet Insulation in Roofing Systems Using Infrared Imaging, Practice for, **C1153 (04.06)**
Magnet-Wire Enamels, Test Methods for, **D3288/D3288M (10.02)**
Preparing Specifications for Water-Emulsion Floor Polishes, Guide for, **D3440 (15.04)**
Qualitative Classification of Surfactants by Infrared Absorption, for, **D2357 (15.04)**
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**
Infrared (IR) analysis—aerospace materials/applications
Normal Spectral Emittance at Elevated Temperatures, Test Method for, **E307 (15.03)**
Normal Spectral Emittance at Elevated Temperatures of Nonconducting Specimens, Test Method for, **E423 (15.03)**
Total Normal Emittance of Surfaces Using Inspection-Meter Techniques, Test Methods for, **E408 (15.03)**
Infrared (IR) analysis—Fourier-transform (FTIR)
See **FTIR analysis**
Infrared (IR) analysis—metals/alloys
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Determination of Oxygen in Tantalum Powder by Inert Gas Fusion Technique, Test Method for, **E1569 (03.05)**
Determination of Total Carbon in Mold Powders by Combustion, Test Method for, **E2050 (03.05)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B248 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar (Metric), Specification for, **B248M (02.01)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
General Techniques of Infrared Quantitative Analysis, Practices for, **E168 (03.06)**
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Near Infrared Qualitative Analysis, Practice for, **E1790 (03.06)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, Practice for, **E1791 (03.06)**
Infrared (IR) analysis—paints/related coatings/materials
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, Test Method for, **D2621 (06.01)**
Qualitative Identification of Polymers in Emulsion Paints, Practice for, **D3168 (06.01)**
Infrared (IR) analysis—petroleum products
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Infrared (IR) analysis—plastics
Analysis of Components in Poly(Vinyl Chloride) Compounds Using an Infrared Spectrophotometric Technique, Test Method for, **D2124 (08.01)**
Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, Test Method for, **D3594 (08.02)**
Determination of the Vinyl Acetate Content of Ethylene-Vinyl Acetate (EVA) Copolymers by Fourier Transform Infrared Spectroscopy (FT-IR), Test Method for, **D5594 (08.03)**
Identification of Polymer Layers or Inclusions by Fourier Trans-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

form Infrared Microspectroscopy (FT-IR), Practice for, **D5477 (08.03)**
Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, Test Method for, **F1249 (15.10)**

Infrared (IR) analysis—rubber
Rubber Chemicals—Determination of Infrared Absorption Characteristics, Practice for, **D2702 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, Test Methods for, **D3900 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**

Infrared (IR) analysis—water
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Solvent-Free Membrane Recoverable Oil and Grease by Infrared Determination, Test Method for, **D7575 (11.02)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**

Infrared pyrometer
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**

Infrared spectrometry
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Qualitative Classification of Surfactants by Infrared Absorption, for, **D2357 (15.04)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**

Infrared spectrophotometry
2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, Test Method for, **D2668 (10.03)**
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Describing and Measuring Performance of Fourier Transform Mid-Infrared (FT-MIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1421 (03.06)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, Test Method for, **E1754 (15.05)**
Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Examination of Electrical Insulating Oils by Infrared Absorption, Practices for, **D2144 (10.03)**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, Test Method for, **D2621 (06.01)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Methyl (Comonomer) Content in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6645 (08.03)**
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**
Qualitative Identification of Polymers in Emulsion Paints, Practice for, **D3168 (06.01)**
Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, Test Methods for, **D3900 (09.01)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, Test Method for, **D5670 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**
Uniformity of Traffic Paint Vehicle Solids by Spectroscopy and Gas Chromatography, Practices for, **D2743 (06.02)**
Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems, Practice for, **D6122 (05.02)**
Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6248 (08.03)**

Infrared spectroscopy
Sa **FTIR analysis**
2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, Test Method for, **D2668 (10.03)**
Analysis of Components in Poly(Vinyl Chloride) Compounds Using an Infrared Spectrophotometric Technique, Test Method for, **D2124 (08.01)**
Analysis of In-Service Lubricants Using Particular Four-Part Integrated Tester (Atomic Emission Spectroscopy, Infrared Spectroscopy, Viscosity, and Laser Particle Counter), Test Method for, **D7417 (05.04)**
Comparison of Waterborne Petroleum Oils by Infrared Spectroscopy, Test Method for, **D3414 (11.02)**
Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, Test Method for, **D3594 (08.02)**
Determination of Benzene in Spark-Ignition Engine Fuels Using Mid Infrared Spectroscopy, Test Method for, **D6277 (05.03)**
Determination of Structural Features in Polyolefins and Polyolefin Copolymers by Infrared Spectrophotometry (FT-IR), Practice for, **D5576 (08.03)**
Determination of the Vinyl Acetate Content of Ethylene-Vinyl Acetate (EVA) Copolymers by Fourier Transform Infrared Spectroscopy (FT-IR), Test Method for, **D5594 (08.03)**
Examination of Electrical Insulating Oils by Infrared Absorption, Practices for, **D2144 (10.03)**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
General Techniques of Infrared Quantitative Analysis, Practices for, **E168 (03.06)**
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Identification of Polymer Layers or Inclusions by Fourier Trans-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

form Infrared Microspectroscopy (FT-IR), Practice for, **D5477 (08.03)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Near Infrared Qualitative Analysis, Practice for, **E1790 (03.06)**
Normal Spectral Emittance at Elevated Temperatures, Test Method for, **E307 (15.03)**
Normal Spectral Emittance at Elevated Temperatures of Nonconducting Specimens, Test Method for, **E423 (15.03)**
Preparing Specifications for Water-Emulsion Floor Polishes, Guide for, **D3440 (15.04)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Qualitative Classification of Surfactants by Infrared Absorption, for, **D2357 (15.04)**
Rubber Chemicals—Determination of Infrared Absorption Characteristics, Practice for, **D2702 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Total Normal Emittance of Surfaces Using Inspection-Meter Techniques, Test Methods for, **E408 (15.03)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**
Uniformity of Traffic Paint Vehicle Solids by Spectroscopy and Gas Chromatography, Practices for, **D2743 (06.02)**
Use of Spectral Searching by Curve Matching Algorithms with Data Recorded Using Mid-Infrared Spectroscopy, Guide for, **E2310 (03.06)**
Using Infrared Spectroscopy in Forensic Paint Examinations, Guide for, **E2937 (14.02)**

Infrared thermometers
Calibration and Accuracy Verification of Wideband Infrared Thermometers, Test Method for, **E2847 (14.03)**
Infrared Thermometers for Intermittent Determination of Patient Temperature, Specification for, **E1965 (13.01)**
Selection and Use of Wideband, Low Temperature Infrared Thermometers, Guide for, **E2758 (14.03)**

Infrared transparent materials
Dust Erosion Resistance of Optical and Infrared Transparent Materials and Coatings, Test Method for, **F1864 (15.03)**

Ingestion
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**

Ingot iron
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**

Ingot molds
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**

Ingots
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
GALFAN, Specification for, **B750 (02.04)**
Hafnium and Hafnium Alloy Strip, Sheet, and Plate, Specification for, **B776 (02.04)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Modern Pewter Alloys, Specification for, **B560 (02.04)**
Niobium and Niobium Alloy Ingots, Specification for, **B391 (02.04)**
Sampling Aluminum Ingots, Billets, Castings and Finished or Semi-Finished Wrought Aluminum Products for Compositional Analysis, Practice for, **B985 (02.02)**
Solder Metal, Specification for, **B32 (02.04)**
Tantalum and Tantalum Alloy Ingots, Specification for, **B364 (02.04)**
Titanium and Titanium Ingots, Specification for, **B977 (02.04)**
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**
Zirconium and Zirconium Alloy Ingots, Specification for, **B495 (02.04)**
Zirconium and Zirconium Alloy Ingots for Nuclear Application, Specification for, **B350/B350M (02.04)**

Ingress resistance
Classifying the Degrees of Ingress of Dust and Water into a Membrane Switch, Guide for, **F2865 (10.04)**
Submersion of a Membrane Switch, Test Method for, **F1895 (10.04)**

Inhalable convention
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**

Inhalation esposure chamber
Measurement of Airborne Metal and Metal Oxide Nanoparticle Surface Area Concentration in Inhalation Exposure Chambers using Krypton Gas Adsorption, Test Method for, **E2864 (14.02)**

Inhalation/inhalation exposure
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Determination of Particles Resulting from the Attrition of Granular Pesticides, Test Method for, **E2316 (11.05)**
Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6178 (11.07)**
Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Guide for, **D6485 (11.07)**
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**

Inhalation toxicity
Determination of Particles Resulting from the Attrition of Granular Pesticides, Test Method for, **E2316 (11.05)**

Inherent noise
See **Noise level measurement**
See **Sound transmission—building materials/applications**

Inherent viscosity
Polyphthalamide (PPA) Injection Molding Materials, Specification for, **D5336 (08.03)**

Inhibited formaldehyde
Sa **Formaldehyde**
Formaldehyde 50 % Grade Uninhibited and 37 % Grade Inhibited and Uninhibited, Specification for, **D2378 (06.04)**

Inhibited mineral oils
Sa **Mineral oils**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
High Temperature Universal Oxidation Test for Turbine Oils, Test Method for, **D6514 (05.03)**
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**
Universal Oxidation Test for Hydraulic and Turbine Oils Using the Universal Oxidation Test Apparatus, Test Method for, **D5846 (05.02)**

Inhibition (of test organism)
Evaluation of Antimicrobial Formulations by the Agar Patch Technique, Test Method for, **E1882 (11.05)**

Inhibitors
Colorimetric Determination of, Test Method for, **D4590 (06.04)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using the Rotating Cylinder Electrode, Practice for, **G185 (03.02)**
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted, Practice for, **D5367 (06.02)**
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**
Quantitative Accelerated Laboratory Evaluation of Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, Practice for, **C1617 (04.06)**
Total Inhibitor Content (TBC) of Light Hydrocarbons, Test Method for, **D1157 (05.01)**
Zinc Yellow (Zinc Chromate) Pigments, Specification for, **D478 (06.03)**

Inhibitor stability
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**

Inhibitory potential (toxic chemicals)
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**

Inhomogenous sheet materials
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**

Initial conditions
Defining Initial Conditions in Groundwater Flow Modeling, Guide for, **D5610 (04.08)**
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**

Initial decomposition temperature
Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope, Test Method for, **D2879 (05.01)**

Initial EMT assessment
See **Emergency medical technician (EMT) (Basic)**

Initial particle filtration efficiency
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**

Initial response team
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Operational Guidelines for Initial Response to a Suspected Biothreat Agent, Guide for, **E2770 (15.08)**

Initiation toughness in surface cracks under tension and bending—measurement of
Measurement of Initiation Toughness in Surface Cracks Under Tension and Bending, Test Method for, **E2899 (03.01)**

Initial rate of water absorption
Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, Test Method for, **C1585 (04.02)**

Injected solvent cemented joints
See **Solvent cements for joining thermoplastic pipe/fittings—specifications**

Injection molding/extrusion compounds
Sa **Molding/extrusion compounds/materials—specifications**
Acrylonitrile–Styrene–Acrylate (ASA) and Acrylonitrile–EPDM–Styrene (AES) Plastics and Alloys Molding and Extrusion Materials, Classification System and Basis for Specifications for, **D6865 (08.03)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, Test Method for, **D6289 (08.03)**

Injection molding/extrusion compounds—specifications
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**
Polypropylene Injection and Extrusion Materials, Specification for, **D4101 (08.02)**
Styrene-Acrylonitrile (SAN) Injection and Extrusion Materials, Specification for and Basis for Specifications for, **D4203 (08.02)**

Injection pump rig
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**

Injection water
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**

Injection wells
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**

Injector fouling
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**

Injury
Sa **Emergency medical services (EMS)**
Sa **Sports protective equipment**
Defining the Performance of First Aid Providers in Occupational Settings, Guide for, **F2171 (13.02)**
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**
Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories, Classification of, **C930 (04.06)**
Reduction of Risk of Injury for Archery Overdraws, Guide for, **F1363 (15.07)**
Reporting Incidents that May Involve Criminal or Civil Litigation, Practice for, **E1020 (14.02)**
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**

Ink
Amount of Ink Deposit on Carbon Paper and Inked Ribbons, Other Than Fabric Type, Practice for, **F129 (15.09)**
Amount of Ink Deposit on Fabric Type Ribbons, Practice for, **F1782 (15.09)**
Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter, Test Method for, **D4361 (06.02)**
Assessing the Color Strength and Dispersibility of Alkali Blue Pigment in Hot Melt Carbon Copy Paper Ink, Test Method for, **F843 (15.09)**
Comparing Cover-Up Correction Media, Test Method for, **F935 (15.09)**
Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**
Creating Test Targets for Determining the Ink Yield of the Imaging Supplies Used in Ink Jet Printers, Practice for, **F1942 (15.09)**
Determining the Abrasion Resistance of Inks and Coatings on Membrane Switches Using the Norman Tool RCA Abrader,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **F2357 (10.04)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**
Preparing Prints of Paste Printing Inks by a Motor-Driven Printability Tester, Practice for, **D7680 (06.02)**
Relative Mileage of News Ink on Newsprint, Test Method for, **D7189 (06.02)**
Volatile Content of Radiation Curable Materials, Test Methods for, **D5403 (06.02)**
Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, Test Methods for, **D4942 (06.02)**

Ink adhesion
Determining Ink or Coating Adhesion on Plastic Substrates for Membrane Switch Applications, Test Method for, **F1842 (10.04)**
Evaluating Ink or Coating Adhesion to Flexible Packaging Materials Using Tape, Practice for, **F2252/F2252M (15.10)**

Ink cleanliness
Cleanliness of Carbon Paper, Test Method for, **F854 (15.09)**

Inked ribbons
Abrasiveness of Ink-Impregnated Fabric Printer Ribbons and Other Web Materials, Test Method for, **G56 (03.02)**
Amount of Ink Deposit on Carbon Paper and Inked Ribbons, Other Than Fabric Type, Practice for, **F129 (15.09)**
Carbon Paper and Inked Ribbon Products and Images Made Therefrom, Terminology Relating to, **F221 (15.09)**
Comparing Cover-Up Correction Media, Test Method for, **F935 (15.09)**
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Comparing One-Time Noncorrectable Typewriter Ribbons, Practice for, **F396 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Determination of Character Yield of Inked Fabric Typewriter and Printer Ribbons, Practice for, **F92 (15.09)**
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Determining the Drive Torque for Film and Fabric Ribbon Cartridges, Test Method for, **F1520 (15.09)**
Determining the Erasability of Inked Ribbons, Test Method for, **F362/F362M (15.09)**
Determining the Yield of Wide Inked Computer Ribbons, Test Method for, **F153 (15.09)**
Determining Variations in Hardness of Film Ribbon Pancakes, Test Method for, **F1151 (15.09)**
Determining Winding Torque and Tension of Typewriter Ribbons, Test Method for, **F1050/F1050M (15.09)**
Generating a Test Pattern for Single-Pass Film Ribbons, Practice for, **F1232 (15.09)**
Measuring the Ribbon Exit Force for Film and Fabric Cartridges, Test Method for, **F1225 (15.09)**
Testing Flake of Single-Strike Film Typewriter Ribbons, Practice for, **F627 (15.09)**
Use of the Electric and Electronic Typewriter as a Test Instrument, Practice for, **F497 (15.09)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**

Ink grids
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**

Ink jet materials/applications
Creating Test Targets for Determining the Ink Yield of the Imaging Supplies Used in Ink Jet Printers, Practice for, **F1942 (15.09)**
Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, Practice for, **F1423 (15.09)**
Determining Page Yield of Ink Jet Printer Cartridges--Continuous Printing Method, Practice for, **F2555 (15.09)**
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Determining the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting, Practice for, **F1945 (15.09)**
Determining the Quality of the Text, Line- and Solid-Fill Output Produced by Ink Jet Printers, Practice for, **F1944 (15.09)**
Determining the Relative Lightfastness of Ink Jet Prints Exposed to Window Filtered Daylight Using a Xenon Arc Light Apparatus, Practice for, **F2366 (15.09)**
Determining the Stain Resistance of Images Produced by Ink Jet Printers, Practice for, **F2293 (15.09)**
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**
Evaluating Color Image Output from Color Printers and Copiers, Test Method for, **F1206 (15.09)**
Ink Jet Printers and Images Made Therefrom, Terminology Relating to, **F1857 (15.09)**
Measuring the Dark Stability of Ink Jet Prints, Practice for, **F2035 (15.09)**
Predicting the Lifetime of Ink Jet Prints Stored in Dark Keeping Conditions in Typical Office Environments, Practice for, **F2037 (15.09)**
Testing Ink Jet Cartridge Latency (Start-Up), Practice for, **F2760 (15.09)**
Testing the Shelf Life of Ink Jet Printer Cartridges, Practice for, **F2734 (15.09)**

Inkjet printing media
Determining Page Yield of Ink Jet Printer Cartridges--Continuous Printing Method, Practice for, **F2555 (15.09)**
Determining the Drying Time of Inkjet Media and Inks Using a Smudge Method, Practice for, **F2498 (15.09)**
Determining the Writeability of Print Media, Practice for, **F2294 (15.09)**
Testing Ink Jet Cartridge Latency (Start-Up), Practice for, **F2760 (15.09)**
Testing the Shelf Life of Ink Jet Printer Cartridges, Practice for, **F2734 (15.09)**

Inkometer method
Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter, Test Method for, **D4361 (06.02)**

Ink resin
Preparation of Solvent and Water Based Ink Resin Solutions, Practices for, **D6989 (06.03)**

Ink staining
Evaluating Ink Stainblocking of Architectural Paint Systems by Visual Assessment, Test Method for, **D7514 (06.02)**

Ink yield
Creating Test Targets for Determining the Ink Yield of the Imaging Supplies Used in Ink Jet Printers, Practice for, **F1942 (15.09)**
Determining Page Yield of Ink Jet Printer Cartridges--Continuous Printing Method, Practice for, **F2555 (15.09)**
Determining Yield of Solid Ink Sticks, Practice for, **F2406 (15.09)**

Inlet hose
See **Rubber hose**

Inlet water
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**

In-line eddy-current examination
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

In-motion operating force
Determination of Operating Force of Sliding Windows and Doors, Test Method for, **E2068 (04.11)**
Innerducts
Mechanical Couplings Used on Polyethylene Conduit, Duct and Innerduct, Specification for, **F2176 (08.04)**
Inner edge
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Inner jackets
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**
Inner ring
Annular Ball Bearings for Instruments and Precision Rotating Components, Specification for, **F2332 (01.08)**
Bearing, Roller, Needle: Assembly (Thick Outer Race), Specification for, **F2430 (01.08)**
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**
Ring Bearing, Inner: For Needle Roller Bearing with Thick Outer Ring, Specification for, **F2431 (01.08)**
Ring, Bearing, Inner: for Needle Roller Bearing With Drawn Outer Ring, Specification for, **F2163 (01.08)**
Innersprings
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Innocuous impurities
Determination of Purity, Impurities, and Contaminants in Biological Drug Products, Guide for, **E1298 (14.02)**
Inoculated squares
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Inoculum processing
Assessment of Antimicrobial Activity Using a Time-Kill Procedure, Guide for, **E2315 (11.05)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**
Inorganic aggregate
Inorganic Aggregates for Use in Gypsum Plaster, Specification for, **C35 (04.01)**
Inorganic alkaline detergents
See **Detergent materials/systems**
See **Soda ash (sodium carbonate)**
Inorganic alkalines
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Inorganic anions
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Inorganic carbon (IC)
Low Level Determination of Total Carbon, Inorganic Carbon and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D6317 (11.01)**
On-Line Monitoring of Total Carbon, Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5997 (11.01)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**
Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5904 (11.02)**
Inorganic chemical analysis
Sa **Chemical analysis**
Inorganic Chlorides and Sulfates in Insulating Oils, Test Method for, **D878 (10.03)**
Inorganic chemical analysis—water
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Residual Chlorine in Water, Test Method for, **D1253 (11.01)**
Use of Test Kits to Measure Inorganic Constituents in Water, Guide for, **D5463 (11.01)**
Inorganic coatings
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Attribute Sampling of Metallic and Inorganic Coatings, Test Method for, **B602 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**
Variables Sampling of Metallic and Inorganic Coatings, Test Method of, **B762 (02.05)**
Inorganic coatings—specifications
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Zinc/Aluminum Corrosion Protective Coatings for Fasteners, Specification for, **F1136/F1136M (01.08)**
Inorganic colored pigments
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Inorganic compounds
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Inorganic compounds—water
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Aluminum in Water, Test Method for, **D857 (11.01)**
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Antimony in Water, Test Method for, **D3697 (11.01)**
Arsenic in Water, Test Methods for, **D2972 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Barium in Brackish Water, Seawater, and Brines, Test Method for, **D3651 (11.02)**
Barium in Brines, Seawater, and Brackish Water by Direct-Current Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D3986 (11.02)**
Barium in Water, Atomic Absorption Spectrophotometry, Graphite Furnace, Test Method for, **D4382 (11.01)**
Beryllium in Water, Test Methods for, **D3645 (11.01)**
Boron in Water, Test Method for, **D3082 (11.01)**
Bromide Ion in Water, Test Method for, **D1246 (11.01)**
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Calcium and Magnesium In Water, Test Methods for, **D511 (11.01)**
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
Chloride Ion In Water, Test Methods for, **D512 (11.01)**
Chromium in Water, Test Methods for, **D1687 (11.01)**
Cobalt in Water, Test Methods for, **D3558 (11.01)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Copper in Water, Test Methods for, **D1688 (11.01)**
Cyanogen Chloride in Water, Test Method for, **D4165 (11.02)**
Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, Test Method for, **E1754 (15.05)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Dissolved Oxygen in Water, Test Methods for, **D888 (11.01)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D1976 (11.01)**
Estimation of Chlorine Demand of Water, Practice for, **D1291 (11.02)**
Estimation of Holding Time for Water Samples Containing Organic and Inorganic Constituents, Practice for, **D4841 (11.01)**
Fluoride Ion in Water, Test Methods for, **D1179 (11.01)**
Hardness in Water, Test Method for, **D1126 (11.01)**
Hydrazine in Water, Test Method for, **D1385 (11.01)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Iodide and Bromide Ions in Brackish Water, Seawater, and Brines, Test Methods for, **D3869 (11.02)**
Iron in Water, Test Methods for, **D1068 (11.01)**
Lead in Water, Test Methods for, **D3559 (11.01)**
Low-Level Total Silica in High-Purity Water by Flameless Atomic Absorption Spectroscopy, Test Method for, **D4517 (11.02)**
Manganese in Water, Test Methods for, **D858 (11.01)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, Practice for, **D3919 (11.01)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Molybdenum in Water, Test Method for, **D3372 (11.01)**
Nickel in Water, Test Methods for, **D1886 (11.01)**
Nitrite-Nitrate in Water, Test Methods for, **D3867 (11.01)**
On-line Determination of Sodium in Water, Test Method for, **D2791 (11.01)**
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**
Potassium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4192 (11.01)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Reporting Results of Analysis of Water, Guide for, **D596 (11.01)**
Residual Chlorine in Water, Test Method for, **D1253 (11.01)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Selenium in Water, Test Methods for, **D3859 (11.01)**
Silica in Water, Test Method for, **D859 (11.01)**
Silver in Water, Test Methods for, **D3866 (11.01)**
Sodium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4191 (11.01)**
Strontium in Water, Test Method for, **D3920 (11.01)**
Strontium Ion in Brackish Water, Seawater, and Brines, Test Method for, **D3352 (11.02)**
Sulfate Ion in Water, Test Method for, **D516 (11.01)**
Sulfide Ion in Water, Test Method for, **D4658 (11.01)**
Total and Dissolved Carbon Dioxide in Water, Test Methods for, **D513 (11.01)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**
Total Chemically Bound Nitrogen in Water by Pyrolysis and Chemiluminescence Detection, Test Method for, **D5176 (11.02)**
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**
Total Mercury in Water, Test Method for, **D3223 (11.01)**
Use of Test Kits to Measure Inorganic Constituents in Water, Guide for, **D5463 (11.01)**
Vanadium in Water, Test Method for, **D3373 (11.01)**
Zinc in Water, Test Methods for, **D1691 (11.01)**

Inorganic contaminants
Sa **Contamination**
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Sediments and Soluble Sludge in Service-Aged Insulating Oils, Test Method for, **D1698 (10.03)**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**

Inorganic drier
X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, Guide for, **D5381 (06.01)**

Inorganic fibers
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**

Inorganic insulation
Determining the Moisture Content of Organic and Inorganic Insulation Materials by Weight, Test Method for, **C1616 (04.06)**

Inorganic linings
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**

Inorganic residues
Ash Content in Plastics, Test Method for, **D5630 (08.03)**

Inorganic salts content
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of Inorganic Salt Content of Sulfated and Sulfonated Oils, Test Method for, **D5566 (15.04)**

Inorganic sulfate
Determination of Existent and Potential Inorganic Sulfate and Total Inorganic Chloride in Fuel Ethanol by Ion Chromatography Using Aqueous Sample Injection, Test Method for, **D7328 (05.04)**
Existent Inorganic Sulfate in Ethanol by Potentiometric Titration, Test Method for, **D7318 (05.04)**
Inorganic Sulfate in Surfactants by Potentiometric Lead Titration,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D6174 (15.04)**
Inorganic waste
Use of Coal Combustion Products for Solidification/Stabilization of Inorganic Wastes, Guide for, **E2060 (11.05)**
Inpatient health care
Sa **Patient biographical/medical data—specifications**
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, Guide for, **E1869 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
In-phase axial torsional fatigue test
Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, Practice for, **E2207 (03.01)**
In-place density (of soil)
Sa **Density—soil/rock/related materials**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Density of Topsoil and Blended Soils In-place by the Core Displacement Method, Test Method for, **F3013 (15.07)**
In-Place Density (Unit Weight) and Water Content of Soil Using an Electromagnetic Soil Density Gauge, Test Method for, **D7830/D7830M (04.09)**
In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth), Test Method for, **D6938 (04.09)**
In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, Test Method for, **D7698 (04.09)**
In-place hydraulic conductivity
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**
In-place stiffness
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**
In-place strength
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
In-plane flow
Sa **Flow and flow rate—soil/rock/related materials**
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Determining the (In-Plane) Hydraulic Transmissivity of a Geosynthetic by Radial Flow, Test Method for, **D6574/D6574M (04.13)**
In-plane measurement
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
In-plane shear properties/testing
Sa **Shear testing**
In-Plane Shear Properties of Polymer Matrix Composite Materials by the Rail Shear Method, Test Method for, **D4255/D4255M (15.03)**
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**
In-plant performance
Sa **SNM (special nuclear materials)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Performance Evaluation of In-Plant Walk-Through Metal Detectors, Practice for, **C1309 (12.01)**
In-processing workers' records
Nuclear Facility Transient Worker Records, Specification for, **E1034 (12.02)**
In-process inspection
Fastener Sampling for Specified Mechanical Properties and Performance Inspection, Practice for, **F1470 (01.08)**
Input/output analysis
Describing System Output of Implantable Middle Ear Hearing Devices, Practice for, **F2504 (13.02)**
Insect disinfestation
Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, Guide for, **F1355 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Insecticides
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, Test Method for, **E1517 (11.05)**
Effectiveness of Aerosol and Pressurized Space Spray Insecticides Against Flying Insects, Test Method for, **E653 (11.05)**
Effectiveness of Aerosol and Pressurized Spray Insecticides Against Cockroaches, Test Method for, **E654 (11.05)**
Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Adult Human Lice, Test Method for, **E938/E938M (11.05)**
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**
Laboratory Testing of Non-Commercial Mosquito Repellent Formulations On the Skin, Test Methods for, **E951 (11.05)**
Nonresidual Liquid Household Insecticides Against Flying Insects, Test Method for, **E652 (11.05)**
Insect irradiation
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Insect resistance (of wood)
Sa **Wood preservatives**
Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, Test Method for, **D3345 (04.10)**
Insects
Delphastus catalinae (Horn) (*Coleoptera:Coccinellidae*), Specification for, **E2754 (11.05)**
Eretmocerus eremicus Rose and Zolnerowich (*Hymenoptera: Aphelinidae*), Specification for, **E2753 (11.05)**
Insect screens
Evaluating the Engagement Between Windows and Insect Screens as an Integral System, Test Method for, **E1748 (04.11)**
Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, Test Method for, **D4912/D4912M (07.02)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Insert
Designation of the Balance Point Location for Archery Arrows, Specification for, **F1435 (15.07)**
Inserted surgical blades
Surgical Scissors--Inserted and Non-Inserted Blades, Terminology for, **F1078 (13.01)**
Inserted surgical scissors
Inserted and Noninserted Surgical Scissors, Specification for, **F1079 (13.01)**
Insert fittings
See **Plastic pipe/tubing/fittings—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insertion loss
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**
Measurement of the Normalized Insertion Loss of Doors, Test Method for, **E2964 (04.06)**
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Insertion/withdrawal cycles
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Insert rack
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
In-service engine oils
Determination of Fuel Dilution for In-Service Engine Oils by Gas Chromatography, Test Method for, **D7593 (05.04)**
In-service engine oils—dispersancy
Measuring the Merit of Dispersancy of In-Service Engine Oils with Blotter Spot Method, Test Method for, **D7899 (05.04)**
In-service evaluation/monitoring
Applying Failure Mode and Effect Analysis (FMEA) to In-Service Lubricant Testing, Guide for, **D7874 (05.04)**
Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, Test Method for, **D7647 (05.04)**
End-Joints in Structural Wood Products, Test Methods for, **D7469 (04.10)**
Evaluating Failure of Structural Sealant Glazing, Guide for, **C1392 (04.07)**
Field Determination of In-Service Fluid Properties Using IR Spectroscopy, Test Method for, **D7889 (05.04)**
Field-Based Condition Monitoring of Soot in In-Service Lubricants Using a Fixed-Filter Infrared (IR) Instrument, Test Method for, **D7686 (05.04)**
In-Service Monitoring of Lubricating Oil for Auxiliary Power Plant Equipment, Practice for, **D6224 (05.03)**
In-Service Monitoring of Mineral Turbine Oils for Steam, Gas, and Combined Cycle Turbines, Practice for, **D4378 (05.02)**
In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, Specification for, **F2249 (10.03)**
Lubrication and Hydraulic Filter Debris Analysis (FDA) for Condition Monitoring of Machinery, Practice for, **D7898 (05.04)**
Microscopic Characterization of Particles from In-Service Lubricants by Analytical Ferrography, Practice for, **D7690 (05.04)**
Practical Lubricant Condition Data Trend Analysis, Guide for, **D7669 (05.04)**
Processing In-service Fluid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **D7670 (05.04)**
Set-Up and Operation of Fourier Transform Infrared (FT-IR) Spectrometers for In-Service Oil Condition Monitoring, Practice for, **D7418 (05.04)**
In-service evaluation/monitoring—medical applications
In-Service Care of Insulating Blankets, Specification for, **F479 (10.03)**
In-Service Care of Insulating Gloves and Sleeves, Specification for, **F496 (10.03)**
In-Service Care of Insulating Line Hose and Covers, Specification for, **F478 (10.03)**
Insets
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Inside diameter-controllled pipe/tube
See **Controlled diameters (inside)**
Inside-out mode
Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, Practice for, **E493/E493M (03.03)**
In-situ biological sampling
See **Sampling biological materials**
In-situ inspection/analysis
In Situ Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), Test Method for, **F2214 (13.01)**
Conducting In-situ Field Bioassays With Caged Bivalves, Guide for, **E2122 (11.06)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, Practice for, **E2096/E2096M (03.03)**
In Situ Measurement of Masonry Deformability Properties Using the Flatjack Method, Test Method for, **C1197 (04.05)**
In Situ Measurement Of Masonry Mortar Joint Shear Strength Index, Test Methods for, **C1531 (04.05)**
In-Situ Burning of Spilled Oil: Fire-Resistant Boom, Guide for, **F2152 (11.05)**
In-Situ Structural Silicone Glazing Evaluation, Guide for, **C1394 (04.07)**
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Location of Wet Insulation in Roofing Systems Using Infrared Imaging, Practice for, **C1153 (04.06)**
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Selection and Use of Portable Radiological Survey Instruments for Performing In Situ Radiological Assessments to Support Unrestricted Release from Further Regulatory Controls, Guide for, **E1893 (12.02)**
Testing Leave-On Products Using In-Situ Methods, Guide for, **E2361 (11.05)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
In-situ oil spill response/treatment
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**
In-Situ Burning of Oil Spills in Marshes, Guide for, **F2823 (11.05)**
In-Situ Burning of Oil Spills on Water: Environmental and Operational Considerations, Guide for, **F1788 (11.05)**
In-situ Burning of Oil Spills on Water: Ice Conditions, Guide for, **F2230 (11.05)**
In-Situ Burning of Spilled Oil: Ignition Devices, Guide for, **F1990 (11.05)**
In-situ soil/rock testing/analysis
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Field Vane Shear Test in Cohesive Soil, Test Method for, **D2573 (04.08)**
Logging In Situ Moisture Content and Density of Soil and Rock by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, Test Method for, **D6031/D6031M (04.09)**
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**
Insoluble ash content
Insoluble Ash of Vegetable-Tanned Leather, Test Method for, **D2875 (15.04)**
Insoluble carbonates content
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insoluble contaminant content
See **Contamination**
Insoluble matter content
Acid-Insoluble Content of Copper and Iron Powders, Test Method for, **E194 (02.05)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Determination of Insoluble Solids in Organic Liquid Hazardous Waste, Test Method for, **D6050 (11.04)**
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Determining Soluble Solids and Insolubles in Extracts of Vegetable Tanning Materials, Test Method for, **D6402 (15.04)**
Insoluble Residue in Carbonate Aggregates, Test Method for, **D3042 (04.03)**
n-Heptane Insolubles, Test Method for, **D3279 (04.03)**
Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, Test Method for, **D4670 (08.02)**
Quinoline-Insoluble (QI) Content of Tar and Pitch, Test Method for, **D2318 (05.01)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
Toluene-Insoluble (TI) Content of Tar and Pitch, Test Method for, **D4072 (05.02)**
Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), Test Method for, **D4312 (05.02)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**
Insoluble matter content—fats/oils/soaps
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Insoluble matter content—paints/related coatings/materials
Chemical Analysis of Red Lead, Test Methods of, **D49 (06.03)**
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Insoluble matter content—petroleum products
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Coagulated Pentane Insolubles in Used Lubricating Oils by Paper Filtration (LMOA Method), Test Method for, **D7317 (05.04)**
Determination of Oxidation Stability and Insolubles Formation of Inhibited Turbine Oils at 120 °C Without the Inclusion of Water (Dry TOST Method), Test Method for, **D7873 (05.04)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Hydraulic Fluids for Environmental Impact, Classification of, **D6046 (05.02)**
Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, Test Method for, **D4898 (05.02)**
Insolubles in Used Lubricating Oils, Test Method for, **D893 (05.01)**
Pentane Insolubles by Membrane Filtration, Test Method for, **D4055 (05.02)**
Insoluble matter content—rubber
Rubber Chemicals—Determination of Percent Sulfur by Extraction, Test Methods for, **D4578 (09.01)**
Rubber Compounding Materials—Sulfur, Classification for, **D4528 (09.01)**
Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles, Test Method for, **D4934 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Insoluble residue content
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Insolubles removal
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Inspected fire stops
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**
Inspection
Auditing Amusement Rides and Devices, Guide for, **F2974 (15.07)**
Certification Bodies that Certify Personnel Engaged in Inspection and Testing of Construction Activities and Materials Used in Construction, Including Special Inspection, Practice for, **E2833 (14.02)**
Fastener Sampling for Specified Mechanical Properties and Performance Inspection, Practice for, **F1470 (01.08)**
Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, Practice for, **F1063 (15.07)**
In-Service Care of Insulating Blankets, Specification for, **F479 (10.03)**
Inspection and Evaluation of Tampering of Security Seals, Guide for, **F1158 (15.08)**
Inspection of Aircraft Electrical Wiring Systems, Practice for, **F2696 (15.11)**
Inspection of Transparent Parts by Prism, Practice for, **F2108 (15.03)**
Inspection of Underground Precast Concrete Utility Structures, Practice for, **C1037 (04.05)**
Inspection, Calibration, and Verification of ASTM Hydrometers, Test Method for, **E126 (14.03)**
Intumescent Coatings, Practice for, **E2924 (04.12)**
Laser Technologies for Direct Measurement of Cross Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, Practice for, **F3095 (04.12)**
Luminance Ratio of a Fluorescent Specimen using a Narrow Band Source, Test Method for, **E2630 (06.01)**
Maintenance and the Development of Maintenance Manuals for Light Sport Aircraft, Practice for, **F2483 (15.11)**
Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**
Minimum Requirements for Accreditation Bodies that Accredit Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D7495 (04.03)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Sampling a Stream of Product by Variables Indexed by AQL, Practice for, **E2762 (14.02)**
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**
Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, Specification for, **A903/A903M (01.02)**
Use of a Calibration Device to Demonstrate the Inspection Capa-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

bility of an Interferometric Laser Imaging Nondestructive Tire Inspection System, Practice for, **F1364 (09.02)**
Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, Practices for, **D5426 (07.02)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Visual Inspection of Electrical Protective Rubber Products, Guide for, **F1236 (10.03)**

Inspection—buildings
Conducting Inspections of Building Facades for Unsafe Conditions, Guide for, **E2841 (04.12)**
Evaluating Water Leakage of Building Walls, Guide for, **E2128 (04.12)**
Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components, Practice for, **E699 (14.02)**
On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barriers, Practice for, **E2393 (04.12)**
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**
Periodic Inspection of Building Facades for Unsafe Conditions, Practice for, **E2270 (04.12)**

Inspection—coating applications
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Developing a Training Program for Personnel Performing Coating and Lining Work Inspection for Nuclear Facilities, Guide for, **D5498 (06.02)**
Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, Guide for, **D5163 (06.02)**
Establishing Procedures to Qualify and Certify Personnel Performing Coating and Lining Work Inspection in Nuclear Facilities, Guide for, **D4537 (06.02)**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Painting Inspectors (Metal Substrates), Guide for, **D3276 (06.02)**
Quality Assurance for Protective Coatings Applied to Nuclear Facilities, Practice for, **D3843 (06.02)**

Inspection—marine vessels
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Inspection of Marine Surface Preparation and Coating Application, Practice for, **F941 (01.07)**
Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, Practice for, **F1179 (01.07)**
Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, Practice for, **F940 (01.07)**
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**

Inspection agencies
See **Testing and inspection agencies**

Inspection geometry
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**

Inspection personnel/inspectors
Developing a Training Program for Personnel Performing Coating and Lining Work Inspection for Nuclear Facilities, Guide for, **D5498 (06.02)**
Establishing Procedures to Qualify and Certify Personnel Performing Coating and Lining Work Inspection in Nuclear Facilities, Guide for, **D4537 (06.02)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Painting Inspectors (Metal Substrates), Guide for, **D3276 (06.02)**

Instability
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**

In-stack inertial microbalance measurement system
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**

Installation
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Installation of Walk-Through Metal Detectors, Guide for, **C1238 (12.01)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**

Installation—acoustic materials
Architectural Design and Installation Practices for Sound Isolation between Spaces Separated by Operable Partitions, Guide for, **E557 (04.06)**
Installation of Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels in Areas Subject to Earthquake Ground Motions, Practice for, **E580/E580M (04.06)**
Installation of Metal Ceiling Suspension Systems for, Practice for, **C636/C636M (04.06)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**

Installation—building materials/applications
Application of Sprayed Fire-Resistive Materials (SFRMs), Practice for, **E1513 (04.11)**
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**
Determination of Installed Thickness of Pneumatically Applied Loose-Fill Building Insulation, Test Method for, **C1374 (04.06)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Installing Clay Flue Lining, Practice for, **C1283 (04.05)**
Installing Lock-Strip Gaskets and Infill Glazing Materials, Specification for, **C716 (04.07)**
Installing Radon Mitigation Systems in Existing Low-Rise Residential Buildings, Practice for, **E2121 (04.12)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**

Installation—fences
Construction of Chain-Link Tennis Court Fence, Practice for, **F969 (01.06)**
Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials, Specification for, **F537 (01.06)**
Installation of Chain-Link Fence, Practice for, **F567 (01.06)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Fence Systems, Practice for, **F1999 (01.06)**

Installation—flooring applications
Application of Emulsion Floor Polishes to Substrates for Testing Purposes, Test Methods for, **D1436 (15.04)**
Application of Floor Polishes to Maintain Multilayer Composite Tile or Flooring, Practice for, **D4386 (15.04)**
Application of Floor Polishes to Maintain Vinyl Composition Tile or Flooring, Practice for, **D3564 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating Ceramic Floor Tile Installation Systems Using the Robinson-Type Floor Tester, Test Method for, **C627 (15.02)**
Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, Practice for, **F1482 (15.04)**
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**
Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), Practice for, **F1516 (15.04)**
Sealing Seams of Resilient Sheet Flooring Products by Use of Liquid Seam Sealers, Practice for, **F693 (15.04)**

Installation—geosynthetic applications
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Installation of Geosynthetic Clay Liners, Guide for, **D6102 (04.13)**
Obtaining Samples of Geosynthetic Clay Liners, Practice for, **D6072/D6072M (04.13)**

Installation—ground water/subsurface devices/applications
Construction of Live Fascines on Slopes, Practice for, **D6599 (04.09)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, Practice for, **D6725 (04.09)**
Exposure and Retrieval of Samples to Evaluate Installation Damage of Geosynthetics, Practice for, **D5818 (04.13)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Installation of Direct Push Groundwater Monitoring Wells, Guide for, **D6724 (04.09)**
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**
Installing and Operating Settlement Platforms for Monitoring Vertical Deformations, Guide for, **D6598 (04.09)**
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5875/D5875M (04.08)**
Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5872/D5872M (04.08)**
Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5782 (04.08)**
Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5783 (04.08)**
Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5876 (04.08)**
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**
Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**

Installation—gypsum products
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Application and Finishing of Gypsum Board, Specification for, **C840 (04.01)**
Application of Class PB Exterior Insulation and Finish Systems (EIFS) and EIFS with Drainage, Practice for, **C1397 (04.01)**
Application of Exterior Gypsum Panel Products for Use as Sheathing, Specification for, **C1280 (04.01)**
Application of Gypsum Base to Receive, Specification for, **C844 (04.01)**
Application of Gypsum Veneer Plaster, Specification for, **C843 (04.01)**
Application of Interior Gypsum Plaster, Specification for, **C842 (04.01)**
Application of Portland Cement-Based Plaster, Specification for, **C926 (04.01)**
Bonding Compounds for Interior Gypsum Plastering, Specification for, **C631 (04.01)**
Installation of Cast-In-Place Reinforced Gypsum Concrete, Specification for, **C956 (04.01)**
Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, Guide for, **C1546 (04.01)**
Installation of Interior Lathing and Furring, Specification for, **C841 (04.01)**
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, Specification for, **C1007 (04.01)**
Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products, Specification for, **C754 (04.01)**
Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, Specification for, **C955 (04.01)**
Metal Lath, Specification for, **C847 (04.01)**
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness, Specification for, **C954 (04.01)**
Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs, Specification for, **C1002 (04.01)**
the Installation of Molded Glass Fiber Reinforced Gypsum Parts, Specification for, **C1467/C1467M (04.01)**

Installation—marine applications
Construction of Sounding Tube and Striker Plate for Tank Sounding, Guide for, **F1386 (01.07)**
Design and Installation of Overboard Discharge Hull Penetration Connections, Specification for, **F994 (01.07)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Installation Procedures for Fitting Chocks to Marine Machinery Foundations, Practice for, **F1309 (01.07)**
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Platforms in Cargo Tanks, Practice for, **F1385 (01.07)**
Portable Intermediate Flush Deck Stanchion, Specification for, **F987 (01.07)**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**

Installation—nuclear materials
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Installation—plastic pipe materials/applications
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**
Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits, Practice for, **F1947 (08.04)**
Installation of Folded/Formed Poly (Vinyl Chloride) (PVC) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Practice for, **F1867 (08.04)**
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, Practice for, **D4756 (08.03)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F1743 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F2019 (08.04)**
Selection of Gravity Sewers Suitable for Installation of Optical Fiber Cable and Conduits, Practice for, **F2303 (04.12)**

Installation—roofing/waterproofing
Application of Asphalt Based Protection Board, Guide for, **D6451 (04.04)**
Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks, Guide for, **C981 (04.04)**
Evaluating Adhesion of Installed Weatherproofing Sealant Joints, Practice for, **C1521 (04.07)**
Extrusion Rate and Application Life of Elastomeric Sealants, Test Method for, **C603 (04.07)**
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course, Guide for, **C898/C898M (04.04)**

Installation—security materials/applications
Installation of Barbed Tape, Practice for, **F1911 (01.06)**
Installation of Exit Devices in Security Areas, Practice for, **F571 (15.08)**

Installation—solar devices
Installation and Service of Solar Domestic Water Heating Systems for One- and Two-Family Dwellings, Practice for, **E1056 (12.02)**
Installation and Service of Solar Space Heating Systems for One- and Two-Family Dwellings, Practice for, **E683 (12.02)**
Installation, Inspection, and Maintenance of Valve-body Pressure-relief Methods for Geothermal and Other High-Temperature Liquid Applications, Practice for, **E1008 (12.02)**

Installation—testing instruments/devices
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Installing Fused Silica Open Tubular Capillary Columns in Gas Chromatographs, Practice for, **E1510 (03.06)**
Obtaining Samples of Geosynthetic Clay Liners, Practice for, **D6072/D6072M (04.13)**
Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, Guide for, **E1350 (14.03)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Installation—thermal insulating materials
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Design Considerations and Spray Application of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C945 (04.06)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Installation and Use of Reflective Insulation in Building Constructions, Practice for, **C727 (04.06)**
Installation of Cellulosic and Mineral Fiber Loose-Fill Thermal Insulation, Practice for, **C1015 (04.06)**
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**
Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories, Classification of, **C930 (04.06)**
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**

Installation—underground (water supply systems)
See **Underground installation—water supply/distribution systems**

Installed exterior doors
See **Exterior doors—specifications**

Installed exterior windows
See **Exterior windows—specifications**

Instantaneous head test
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**

Instantaneous profile (IP) method
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**

Instantaneous specific heat
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**

Institutional buildings
Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, Guide for, **C1515 (04.07)**
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**

Institutional controls
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**

Institutional supplies
Deposition on Glassware During Mechanical Dishwashing, Test Method for, **D3556 (15.04)**

Institutional supplies—specifications
Labeling for Upright Brooms for Consumer and Institutional Use, Specification for, **F2367 (15.11)**
Labeling for Wet Mops for Consumer and Institutional Use, Specification for, **F2368 (15.11)**

Institutional supplies (food service equipment)
See **Cooking/food service equipment—specifications**

Institutional supplies (textiles)
Blanket Products for Institutional and Household Use, Performance Specification for, **D5432 (07.02)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, Specification for, **D6663 (07.02)**
Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**
Woven and Knitted Shower Curtains for Institutional and Household Use, Performance Specification for, **D5378 (07.02)**
Woven Napery and Tablecloth Fabrics: Household and Institutional, Performance Specification for, **D4111 (07.01)**

Instructions
Chemical Protective Clothing: Wearing, Care, and Maintenance Instructions, Practice for, **F2061 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Treestand Instructions, Practice for, **F2123 (15.07)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Instructor qualification
Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, Practice for, **F1552 (13.02)**

Instrumental flammability testing
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**

Instrumental indentation
Instrumented Indentation Testing, Practice for, **E2546 (03.01)**

Instrumental measurement
Sa **Ultrasonic testing**
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Carbon Black—Automated Individual Pellet Hardness, Test Method for, **D5230 (09.01)**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Description of Thermal Analysis and Rheology Apparatus, Practice for, **E1953 (14.02)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Instrumented Package Shock Testing For Determination of Package Performance, Practice for, **D6537 (15.10)**
Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, Test Method for, **C609 (15.02)**
Measuring Optical Reflectivity of Transparent Materials, Test Method for, **F1252 (15.03)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

Instrumental measurement—atmospheric analysis
Sa **Atmospheric analysis**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**

Instrumental measurement—coal/coke
Determination of Carbon, Hydrogen and Nitrogen in Analysis Samples of Coal and Carbon in Analysis Samples of Coal and Coke, Test Methods for, **D5373 (05.06)**
the Evaluation of Measurements Made by Online Coal Analyzers, Guide to, **D6543 (05.06)**

Instrumental measurement—color/light
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Color of Liquids Using Tristimulus Colorimetry, Test Method for, **D5386 (06.04)**
Computing the Colors of Objects by Using the CIE System, Practice for, **E308 (06.01)**
Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, Practice for, **E1247 (06.01)**
Establishing Spectrophotometer Performance Tests, Guide for, **E1866 (03.06)**
Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, Practice for, **E805 (06.01)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Polyurethane Raw Materials: Instrumental Measurement of Tristimulus CIELAB Color and Yellowness Index of Liquids, Test Method for, **D7133 (08.03)**
Rectification of Spectrophotometric Bandpass Differences, Practice for, **E2729 (06.01)**
Reducing the Effect of Variability of Color Measurement by Use of Multiple Measurements, Practice for, **E1345 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1331 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**

Instrumental measurement—corrosion
Sa **Corrosion**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**

Instrumental measurement—detergents
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**

Instrumental measurement—electrodeposited coatings
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**

Instrumental measurement—environmental applications
Demonstrating and Assessing Whether a Chemical Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, Guide for, **D6956 (11.04)**
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**

Instrumental measurement—metals/alloys
Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E882 (03.05)**
Determination of Tin Coating Weights for Electrolytic Tin Plate,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Methods for, **A630 (01.06)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**

Instrumental measurement—paints/related coatings/materials
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates, Practice for, **D2244 (06.01)**
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Color Measurement of Flax Fiber, Test Method for, **D6961/D6961M (07.02)**
Color of Pine Chemicals and Related Products (Instrumental Determination of Gardner Color), Test Method for, **D6166 (06.03)**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Evaluation of Color for Thermoplastic Traffic Marking Materials, Test Method for, **D4960 (06.02)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Instrumental Measurement of Distinctness-of-Image Gloss of Coating Surfaces, Test Methods for, **D5767 (06.01)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Relative Tinting Strength of White Pigments by Reflectance Measurements, Test Method for, **D2745 (06.01)**
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**

Instrumental measurement—petroleum products
Sa **Petroleum products**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), Test Method for, **D5949 (05.02)**
Pour Point of Petroleum Products (Automatic Tilt Method), Test Method for, **D5950 (05.02)**
Pour Point of Petroleum Products (Rotational Method), Test Method for, **D5985 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**

Instrumental measurement—plastics
Color Determination of Plastic Pellets, Test Method for, **D6290 (08.03)**
Plastics: Dynamic Mechanical Properties: In Torsion, Test Method for, **D5279 (08.03)**

Instrumental measurement—rubber materials/applications
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**

Instrumental measurement—spectrochemical
Sa **Nuclear magnetic resonance (NMR) spectrometry**
Sa **Spectrometry**
Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, Practice for, **E386 (03.06)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, Test Method for, **E1613 (04.11)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Linearity of Fluorescence Measuring Systems, Test Method for, **E578 (03.06)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**

Instrumental measurement—spectroradiometric
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**

Instrumental measurement—textiles
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**

Instrumental measurement—water
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Dissolved Oxygen in Water, Test Methods for, **D888 (11.01)**
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**
Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, Test Method for, **D5389 (11.01)**
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**
pH of Water, Test Methods for, **D1293 (11.01)**

Instrumental parameters
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**

Instrumentation
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**

Instrumentation specifications
Examination of Fiberglass Reinforced Plastic Fan Blades Using Acoustic Emission, Practice for, **E2076/E2076M (03.03)**

Instruments
See **Surgical instruments**

Insulated deck covering
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**

Insulated digger derricks
Acoustic Emission Testing of Insulated and Non-Insulated Digger Derricks, Test Method for, **F1797 (10.03)**

Insulated flat surfaces/pipes
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

of Computer Programs, Practice for, **C680 (04.06)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, Practice for, **C585 (04.06)**
Steady-State Heat Transfer Properties of Pipe Insulation, Test Method for, **C335/C335M (04.06)**

Insulated gate field-effect (semiconductor) devices
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**

Insulated hand tools
Insulated and Insulating Hand Tools, Specification for, **F1505 (10.03)**

Insulated hood
Determining Relative Humidity on the Surface of Concrete Floor Slabs Using Relative Humidity Probe Measurement and Insulated Hood, Test Method for, **F2420 (15.04)**

Insulated material handling aerial devices (IMHAD)
See **IMHAD (insulated material handling aerial devices)**

Insulated panels
Determining Strength Capacities of Structural Insulated Panels, Test Methods for, **E1803 (04.11)**
Structural Insulated Panel (SIP) Adhesives for Laminating Oriented Strand Board (OSB) to Rigid Cellular Polystryene Thermal Insulation Core Materials, Specification for, **D7446 (15.06)**

Insulated pipe/equipment systems
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**
Measuring and Estimating Quantities of Insulated Piping and Components, Guide for, **C1409 (04.06)**

Insulated thermocouple wire—specifications
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**

Insulated wire and cable
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, Test Methods for, **D4568 (10.02)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**

Insulated wire and cable—specifications
19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, Specification for, **B786/B786M (02.03)**
19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, Specification for, **B787/B787M (02.03)**
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Concentric-Lay-Stranded Conductors of 8000 Series Aluminum Alloy for Subsequent Covering or Insulation, Specification for, **B801 (02.03)**
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
Crosslinked Polyethylene Insulation for Wire and, Specification for, **D2656 (10.02)**
Crosslinked Polyethylene Insulation for Wire and Cable Rated 0 to 2000 V, Specification for, **D2655 (10.02)**
Flexible Insulated Temporary By-Pass Jumpers, Specification for, **F2321 (10.03)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Friction Tape, Specification for, **D4514 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, Specification for, **B784 (02.03)**
Ozone-Resistant Ethylene-Alkene Polymer Insulation, Specification for, **D2802 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 C Operation, Specification for, **D4246 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, Specification for, **D4245 (10.02)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, Specification for, **D2220 (10.01)**
Thermoplastic Polyethylene Insulation for Electrical Wire and Cable, Specification for, **D1351 (10.01)**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

Insulated wire and cable jacket
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Selecting Jacketing Materials for Thermal Insulation, Guide for, **C1423 (04.06)**
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Insulated wire and cable jacket—specifications
Determining the Properties of Jacketing Materials for Thermal Insulation, Practice for, **C921 (04.06)**
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorinated Polyethylene (CM) Jackets For Wire and Cable, Specification for, **D4313 (10.02)**
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**
Poly(Vinyl Chloride) Jacket for Wire and Cable, Specification for, **D1047 (10.01)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Thermoplastic Polyethylene Jacket for Electrical Wire and Cable, Specification for, **D2308 (10.01)**

Insulating board
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Mineral Wool Roof Insulation Board, Specification for, **C726 (04.06)**

Insulating brick
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insulating coating systems
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Determining Interlaminar Resistance of Insulating Coatings Using Two Adjacent Test Surfaces, Test Method for, **A937/A937M (03.04)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Insulating Coatings for Electrical Steels by Composition, Relative Insulating Ability and Application, Classification of, **A976 (03.04)**
Specific Bendability of Pipeline Coatings, Test Method for, **G10 (06.02)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**
Insulating concrete
Compressive Strength of Lightweight Insulating Concrete, Test Method for, **C495/C495M (04.02)**
Flat Wall Insulating Concrete Form (ICF) Systems, Specification for, **E2634 (04.12)**
Lightweight Aggregates for Insulating Concrete, Specification for, **C332 (04.02)**
Insulating firebrick
See **Refractories (bricks and shapes)**
Insulating fluids—specifications
Sa **Electrical insulating liquids**
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**
Natural (Vegetable Oil) Ester Fluids Used in Electrical Apparatus, Specification for, **D6871 (10.03)**
Insulating gases
Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, Test Method for, **D2477 (10.03)**
Insulating glass (IG)
Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, Test Method for, **C1294 (04.07)**
Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications, Test Method for, **C1265 (04.07)**
Insulating Glass Unit Performance, Test Method for, **E2188 (04.12)**
Insulating Glass Unit Performance and Evaluation, Specification for, **E2190 (04.12)**
Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, Test Method for, **E2355 (04.12)**
Secondary Edge Sealants for Structurally Glazed Insulating Glass Units, Specification for, **C1369 (04.07)**
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Testing Resistance to Fogging in Insulating Glass Units, Test Method for, **E2189 (04.12)**
Insulating liquids
Determination of Gassing Characteristics of Insulating Liquids Under Thermal Stress, Test Method for the, **D7150 (10.03)**
Insulating materials
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Conditioning of Thermal Insulating Materials, Practice for, **C870 (04.06)**
Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers, Test Method for, **C1371 (04.06)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
Static Electrification, Test Method for, **D4470 (10.02)**
Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus, Test Method for, **C177 (04.06)**
Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus, Test Method for, **C518 (04.06)**
Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, Test Method for, **D6113 (10.02)**
Using a Guarded-Hot-Plate Apparatus or Thin-Heater Apparatus in the Single-Sided Mode, Practice for, **C1044 (04.06)**
Insulating materials (electrical)
See **Electrical insulating liquids**
Insulating mineral oil
See **Mineral insulating oil**
Insulating refractories
See **Refractories (brick and shapes)—insulating**
Insulating specimens
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Building Seals and Sealants, Terminology of, **C717 (04.07)**
Burst Testing of Flexible Package Seals Using Internal Air Pressurization Within Restraining Plates, Test Method for, **F2054/F2054M (15.10)**
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Passive Fiber Optic Seals, Classification for, **F1699 (15.08)**
Reporting Friction and Wear Test Results of Manufactured Carbon and Graphite Bearing and Seal Materials, Guide for, **C808 (05.05)**
Rubber Shaft Seals Determination of Recovery From Bending, Test Method for, **D6515 (09.02)**
Testing Nonmetallic Seal Materials by Immersion in a Simulated Geothermal Test Fluid, Test Method for, **E1068 (12.02)**
Testing Polymeric Seal Materials for Geothermal or High Temperature Service, or both, Under Sealing Stress, Test Method for, **E1069 (12.02)**
Insulating specimens—specifications
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, Specification for, **C877 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**
Insulating storm windows
See **Windows/window assemblies**
Insulating tape
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Insulating tape—specifications
Friction Tape, Specification for, **D4514 (10.02)**
High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2754 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insulation
Acidity of Sulfur Hexafluoride, Test Method for, **D2284 (10.03)**
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Application of Class PB Exterior Insulation and Finish Systems (EIFS) and EIFS with Drainage, Practice for, **C1397 (04.01)**
Chlorine Content of Polybutenes Used for Electrical Insulation, Test Method for, **D2522 (10.03)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution, Test Method for, **E2098/E2098M (04.11)**
Determining Wicking of Fibrous Glass Blanket Insulation (Aircraft Type), Test Method for, **C1559 (04.06)**
Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation, Test Method for, **C1258 (04.06)**
Externally Applied Reflective Insulation Systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems, Specification for, **C1668 (04.06)**
Flexible Aerogel Insulation, Specification for, **C1728 (04.06)**
Industrial Thermal Insulation Systems, Guide for, **C1696 (04.06)**
Installation of Flexible Closed Cell Preformed Insulation in Tube and Sheet Form, Guide for, **C1710 (04.06)**
Measuring Thermal Insulation of Sleeping Bags Using a Heated Manikin, Test Method for, **F1720 (15.07)**
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Insulation—aluminum jacketing for
Aluminum Jacketing for Insulation, Specification for, **C1729M (04.06)**

Insulation—specifications
Aluminum Jacketing for Insulation, Specification for, **C1729M (04.06)**
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, Specification for, **D5359 (11.04)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Silicone Fluid Used for Electrical Insulation, Specification for, **D4652 (10.03)**

Insulation adhesion//compression//shrinkback
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Insulation (aircraft)
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**

Insulation defects
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

Insulation (for wire and cable)
See **Insulated wire and cable—specifications**

Insulation index
Oxyacetylene Ablation Testing of Thermal Insulation Materials, Test Method for, **E285 (15.03)**

Insulation integrity
Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, Test Methods for, **E1462 (12.02)**

Insulation materials
Determining Fungi Resistance of Insulation Materials and Facings, Test Method for, **C1338 (04.06)**

Insulation resistance
Sa **Electrical resistance/resistivity**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**
Determining the Insulation Resistance of a Membrane Switch, Test Method for, **F1689 (10.04)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, Test Methods for, **E1462 (12.02)**
Measuring the Insulation Resistance of Mineral-Insulated, Metal-Sheathed Thermocouples and Thermocouple Cable at Room Temperature, Test Method for, **E780 (14.03)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 90°C Operation, Specification for, **D6096 (10.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, Guide for, **E1350 (14.03)**
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**
Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, Test Method for, **F1662 (10.04)**
Wet Insulation Integrity Testing of Photovoltaic Arrays, Test Method for, **E2047 (12.02)**
Wet Insulation Integrity Testing of Photovoltaic Modules, Test Methods for, **E1802 (12.02)**

Insulation shields
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
Longitudinal Measurement of Volume Resistivity for Extruded Crosslinked and Thermoplastic Semiconducting Conductor and Insulation Shielding Materials, Test Method for, **D6095 (10.02)**

Insulation shipboard monitors—specifications
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**
Insulation Monitors for Shipboard Electrical Systems Metric, Specification for, **F1669M (01.07)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insulation substrate
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Poly(Vinyl Chloride) Sheet Roofing, Specification for, **D4434/D4434M (04.04)**
Static Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5602/D5602M (04.04)**
Intact rock strength
Compressive Strength and Elastic Moduli of Intact Rock Core Specimens under Varying States of Stress and Temperatures, Test Methods for, **D7012 (04.09)**
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**
Intake air mass flow sensor installation
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**
Intake valve deposits
Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D6201 (05.03)**
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**
Integral background subtraction
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Integral data
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Integral electrometers
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Integral fins
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Seamless and Welded Nickel Alloy Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B924 (02.04)**
Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer, Specification for, **B891 (02.04)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**
Integral flange
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D5421 (08.03)**
Integral mode dosimetry
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**
Integral random uncertainty
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**
Integral wearing surfaces
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Integrated charge transfer
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Integrated circuits
Destructive Shear Testing of Ball Bonds, Test Methods for, **F1269 (10.04)**
Integrated Circuit Lead Frame Material, Specification for, **F375 (10.04)**
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**
Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Integrated sample
Collection of Integrated Samples for the Speciation of Biomass (Biogenic) and Fossil-Derived Carbon Dioxide Emitted from Stationary Emissions Sources, Practice for, **D7459 (11.07)**
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Integrating sphere reflectometer
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**
Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, Practice for, **E1791 (03.06)**
Integrity performance testing
Miscibility of Emulsified Asphalts, Practice for, **D6999 (04.03)**
Integrity testing
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Determining Integrity of Seals for Flexible Packaging by Visual Inspection, Test Method for, **F1886/F1886M (15.10)**
Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods, Test Method for, **D6214/D6214M (04.13)**
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Integrity Testing of Water Filtration Membrane Systems, Practice for, **D6908 (11.02)**
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**
Integrity tests—environmental applications
Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, Test Method for, **D6760 (04.09)**
Intensity calibration/correction
the Relative Intensity Correction of Raman Spectrometers, Guide for, **E2911 (03.06)**
Intensive care
See **Patient biographical/medical data—specifications**
Interagency communication
Assessing Language Proficiency, Practice for, **F2889 (15.11)**
Interagency Information Exchange, Guide for, **F1221 (13.02)**
Intercept
Statistical Treatment of Thermoanalytical Data, Practice for, **E1970 (14.02)**
Intercept length/count
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Auto-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

matic Image Analysis, Test Methods for, **E1382 (03.01)**
Interchangeable ground laboratory apparatus—specifications
Interchangeable Spherical Ground Joints, Specification for, **E677 (14.04)**
Interchangeable Taper-Ground Joints, Specification for, **E676 (14.04)**
Interchangeable Taper-Ground Stopcocks And Stoppers, Specification for, **E675 (14.04)**
Interchemical wet film gage
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Intercoat adhesion
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Testing Primers and Primer Surfacers Over Preformed Metal, Practice for, **D3322 (06.02)**
Interconnected porosity
Oil Content, Oil-Impregnation Efficiency, and Interconnected Porosity of Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B963 (02.05)**
Interconnection bonds
Destructive Shear Testing of Ball Bonds, Test Methods for, **F1269 (10.04)**
Interconnection mechanisms
Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, Test Method for, **F1798 (13.01)**
Interconversion
Interconversion of Analysis of C5 and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Mass Basis, Practice for, **D2421 (05.01)**
Intercrystalline corrosion
Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test), Test Method for, **G67 (03.02)**
Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, Practice for, **G110 (03.02)**
Interdendritic ditches
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Interelement effects
Sa **Matrix data/programs**
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, Test Method for, **B890 (02.05)**
Interface circuitry
Determining Circuit Resistance of a Membrane Switch, Test Method for, **F1680 (10.04)**
Determining Current Carrying Capacity of a Membrane Switch Circuit, Test Method for, **F1681 (10.04)**
Interface profile analysis
Analytically Describing Depth-Profile and Linescan-Profile Data by an Extended Logistic Function, Practice for, **E1636 (03.06)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Measuring Widths of Interfaces in Sputter Depth Profiling Using SIMS, Guide for, **E1438 (03.06)**
Interface shear testing
Sa **Shear testing—geosynthetics**
Considerations When Evaluating Direct Shear Results Involving Geosynthetics, Guide for, **D7702/D7702M (04.13)**
Determining the Internal and Interface Shear Strength of Geosynthetic Clay Liner by the Direct Shear Method, Test Method for, **D6243/D6243M (04.13)**
Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, Test Method for, **D5321/D5321M (04.13)**
Interfacial tension
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**
Surface and Interfacial Tension of Solutions of Surface-Active Agents, Test Methods for, **D1331 (06.01)**
Interference contrast microscopy
See **Microscopic examination**
Interferences
Microetching Metals and Alloys, Practice for, **E407 (03.01)**
Sampling, Preservation and Mitigating Interferences in Water Samples for Analysis of Cyanide, Practice for, **D7365 (11.02)**
Interferograms/Interferometry
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Linear Thermal Expansion of Glaze Frits and Ceramic Whiteware Materials by the Interferometric Method, Test Method for, **C1300 (15.02)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Ceramic Whiteware Materials by Interferometric Method, Test Method for, **C539 (02.05)**
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, Practice for, **F1364 (09.02)**
Intergranular attack (IGA)
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test), Test Method for, **G67 (03.02)**
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**
Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, Practice for, **G110 (03.02)**
Measuring Intergranular Attack or End Grain Pitting on Metals Caused by Aircraft Chemical Processes, Practice for, **F2111 (15.03)**
Interim remedial action
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**
Interior applications
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Interior-communication switchboards
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Interior dimensions
Determining Interior Dimensions of Fiberboard Boxes (Box Gage Method), Test Method for, **D2658 (15.10)**
Interior flooring
See **Flooring/floor covering systems**
Interior heating test
Cathodic Disbonding of Exterior Pipeline Coatings at Elevated Temperatures Using Interior Heating, Test Method for, **D6676/D6676M (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Interior lathing and furring
Sa **Gypsum products—lath**
Application of Interior Gypsum Plaster, Specification for, **C842 (04.01)**
Installation of Interior Lathing and Furring, Specification for, **C841 (04.01)**
Interior mold environments
See **Bacteria/bacterial control**
Interior moldings
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Interior paints/coatings
Sa **Latex paints**
Sa **Solventborne paints/coatings**
Sa **Varnishes**
Burnish Resistance of Latex Paints, Test Method for, **D6736 (06.02)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Scrub Resistance of Wall Paints, Test Methods for, **D2486 (06.02)**
Selecting and Constructing Exposure Scenarios for Assessment of Exposures to Alkyd and Latex Interior Paints, Practice for, **D6669 (11.07)**
Testing High-Performance Interior Architectural Wall Coatings, Guide for, **D3730 (06.02)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Testing Water-Borne Architectural Coatings, Guide for, **D5324 (06.02)**
Interior-profile-extrusions
Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions, Specification for, **D3678 (08.03)**
Interior radiation control coating systems (IRCCS)
Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, Practice for, **C1321 (04.06)**
Interior sound levels
Sa **Sound transmission—building materials/applications**
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**
Interior steel doors (for ships)
See **Shipbuilding steel materials (doors)**
Interior wet area application
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Interlaboratory study (ILS)
Conducting an Interlaboratory Study to Determine Precision Estimates for a Fire Test Method with Fewer Than Six Participating Laboratories, Practice for, **E2653 (04.07)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Guide for, **D7778 (05.04)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method with Multi-Valued Measurands, Practice for, **E2480 (06.01)**
Interlaboratory Studies for Microbiological Test Methods, Guide for, **D7847 (05.04)**
Interpretation and Use of Results from Interlaboratory Testing of Chemical Analysis Methods, Guide for, **E1763 (03.05)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Statistical Procedures to Use in Developing and Applying Test Methods, Guide for, **E1488 (14.02)**
Interlaboratory testing
Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, Guide for, **G117 (03.02)**
Committee D01 for Conducting an Interlaboratory Study for the Purpose of Determining the Precision of a Test Method, Guide for, **D6631 (06.01)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Practice for, **E691 (14.02)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Corrosion-Resistant High-Silicon Iron Castings, Specification for, **A518/A518M (01.02)**
Laboratory Monitors, Guide for, **E2335 (04.07)**
Preparing Plastic Film Specimens for a Round-Robin Study, Practice for, **D4204 (08.02)**
Statistical Analysis of One-Sample and Two-Sample Interlaboratory Proficiency Testing Programs, Practice for, **E2489 (14.02)**
Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, Practice for, **D6708 (05.03)**
Interlaboratory testing—chemicals
Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, Practice for, **E1601 (03.05)**
Interpretation and Use of Results from Interlaboratory Testing of Chemical Analysis Methods, Guide for, **E1763 (03.05)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**
Interlaboratory testing—construction materials
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**
Conducting an Interlaboratory Test Program to Determine the Precision of Test Methods for Construction Materials, Practice for, **C802 (04.02)**
Evaluation of Laboratories Testing Hydraulic Cement, Practice for, **C1222 (04.01)**
Preparing Precision and Bias Statements for Test Methods for Construction Materials, Practice for, **C670 (04.02)**
Interlaboratory testing—rubber/carbon black
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Using a 1.707-m 67.23-in. Diameter Laboratory Test Roadwheel in Testing Tires, Practice for, **F551/F551M (09.02)**
Interlaboratory testing—textiles
Proficiency Test Program for Fabrics, Guide for, **D6674 (07.02)**
Stiffness of Fabric by Blade/Slot Procedure, Test Method for, **D6828 (07.02)**
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**
Interlaboratory testing—water
99 %/95 % Interlaboratory Detection Estimate (IDE) for Analytical Methods with Negligible Calibration Error, Practice for, **D6091 (11.01)**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Interlaboratory Quantitation Estimate, Practice for, **D6512 (11.01)**
Interlaminar composites
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**
Interlaminar fracture toughness
Mixed Mode I-Mode II Interlaminar Fracture Toughness of Unidirectional Fiber Reinforced Polymer Matrix Composites, Test Method for, **D6671/D6671M (15.03)**
Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reinforced Polymer Matrix Composites, Test Method for, **D5528 (15.03)**

Interlaminar resistance
Determining Interlaminar Resistance of Insulating Coatings Using Two Adjacent Test Surfaces, Test Method for, **A937/A937M (03.04)**

Interlaminar shear strength
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Interlaminar Shear Strength of 1–D and 2–D Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures, Test Method for, **C1425 (15.01)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**

Interlaminar tensile strength
Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, Test Method for, **D6415/D6415M (15.03)**

Interlayer materials
Selection of Test Methods for Interlayer Materials for Aerospace Transparent Enclosures, Guide for, **F942 (15.03)**
Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, Test Method for, **F1362 (15.03)**
Testing Materials for Aerospace Plastic Transparent Enclosures, Guide for, **F790 (15.03)**

Interleukins
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**

Interlocking concrete paving units
Pavement Condition Index Surveys for Interlocking Concrete Roads and Parking Lots, Practice for, **E2840 (04.03)**
Solid Concrete Interlocking Paving Units, Specification for, **C936/C936M (04.05)**

Intermediate density structural wall sheathing
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**

Intermediate precision method
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), Test Method for, **D4809 (05.02)**

Intermediate sampling receiver
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**

Intermediate scale calorimeter (ICAL)
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**

Intermediate sheathing (thermal insulation)
See **Block and board thermal insulation**

Intermediate temper aluminum electrical conductors
Aluminum 1350 Round Wire, Annealed and Intermediate Tempers, for Electrical Purposes, Specification for, **B609/B609M (02.03)**

Intermediate-temperature service applications—steel plate
Pressure Vessel Plates, Carbon Steel, for Intermediate- and Higher-Temperature Service, Specification for, **A515/A515M (01.04)**

Intermediate-tensile strength carbon steel plate
Low and Intermediate Tensile Strength Carbon Steel Plates, Specification for, **A283/A283M (01.04)**

Intermetallic phase detection
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**

Intermittences
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**

Intermittent flame exposure test
Sa **Flammability**
Fire Tests of Roof Coverings, Test Methods for, **E108 (04.07)**

Intermittent temperature measurement
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**
Phase Change-Type Disposable Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E825 (13.01)**

Intermodal surface transport
Securement of Cargo in Intermodal and Unimodal Surface Transport, Practices for, **D5728 (15.10)**

Internal combustion engines
Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Thermal Rating and Installation of Internal Combustion Engine Packages for use in Hazardous Locations in Marine Applications, Practice for, **F2876 (01.07)**

Internal deposits (internal combustion engines)
See **Deposit (internal combustion engine) formation**

Internal discontinuities
Straight Beam Ultrasonic Examination of Rolled Steel Structural Shapes, Specification for, **A898/A898M (01.04)**

Internal fixation
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**

Internal fluid containment
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**

Internal friction testing
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**

Internal hardness testing
See **Hardness (indentation)**

Internal indicator method
Acid Number of Naval Stores Products Including Tall Oil and Other Related Products, Test Methods for, **D465 (06.03)**
Saponification Number of Naval Store Products Including Tall Oil and Other Related Products, Test Methods for, **D464 (06.03)**

Internally-operated valves
Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**

Internally reinforced geomembranes
Determining Tearing Strength of Internally Reinforced Geomembranes, Test Method for, **D5884 (04.13)**

Internal mixing
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**

Internal oxidation
Silver-Tin Oxide Contact Material, Guide for, **B844 (02.04)**

Internal pressure/testing
Sa **Pressure testing**
Burst Testing of Flexible Package Seals Using Internal Air Pressurization Within Restraining Plates, Test Method for, **F2054/F2054M (15.10)**
Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), Test Method for, **F2096 (15.10)**
Environmental Stress Crack Resistance (ESCR) of Plastic Tight-head Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Internal radiation exposure control
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Internal rate of return
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**
Internal referencing
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**
Internal reflection infrared spectroscopy (IRS)
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Internal release detection devices
See **Release detection devices**
Internal security
Sa **Security systems and equipment**
Establishing Security Seal Control and Accountability Procedures, Guide for, **F946 (15.08)**
Internal standards
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Internal stress
Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, Test Method for, **B636 (02.05)**
Measurements of Internal Stresses in Organic Coatings by Cantilever (Beam) Method, Test Method for, **D6991 (06.01)**
Internal tearing resistance
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Internal temperature measurement
Internal Temperature Measurements in Low-Conductivity Materials, Practice for, **E377 (15.03)**
Internal threaded fasteners
See **Steel bolting materials**
Internal threading
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**
Internal voids
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
International cyanide management code
Selection of ASTM Analytical Methods for Implementation of International Cyanide Management Code Guidance, Guide for, **D7728 (11.02)**
International free style mats
Competition Wrestling Mats, Specification for, **F1081 (15.07)**
International friction index (IFI)
Calculating International Friction Index of a Pavement Surface, Practice for, **E1960 (04.03)**
International Roughness Index (IRI)
Computing International Roughness Index of Roads from Longitudinal Profile Measurements, Practice for, **E1926 (04.03)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
International runway friction index
Calculating the International Runway Friction Index, Practice for, **E2100 (04.03)**
International scale of 1990 (ITS-90)
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
International shore connections
International Shore Connections for Marine Fire Applications, Specification for, **F1121 (01.07)**
International test methods
International Test Methods Associated with Textile Care Procedures, Guide to, **D6322 (07.02)**
Interoperability
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**
Interparticle friction
Volumetric Flow Rate of Metal Powders Using the Arnold Meter and Hall Flowmeter Funnel, Test Method for, **B855 (02.05)**
Interparticle oxide networks
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Interply bituminous material
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Interpretation of data
Sa **Data analysis**
Interpretation of Mass Spectral Data Acquired with Time-of-Flight Secondary Ion Mass Spectroscopy, Guide for, **E2695 (03.06)**
Inter-reactivity chart
the Preparation of a Binary Chemical Compatibility Chart, Guide for, **E2012 (14.02)**
Intersection marking
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**
Intersection turning movement
Acquiring Intersection Turning Movement Traffic Data, Practice for, **E2667 (04.03)**
Interstitial gas
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Interstitial water chemistry
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Intertidal environments—oil spill control/response
Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces, Guide for, **F1279 (11.05)**
Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments, Guide for, **F2205 (11.05)**
Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces, Guide for, **F1280 (11.05)**
Interval of uncertainty
See **Precision**
Interval resistance
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Interval scales
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**
Intervener physician
Sa **Emergency medical services (EMS)**
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**
Intervertebral body fusion devices
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**
Interzone attenuation
Measuring the Interzone Attenuation of Open Office Components, Test Method for, **E1111 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Intracranial aneurysm clips
Care and Handling of Intracranial Aneurysm Clips and Instruments, Practice for, **F700 (13.01)**
Intracutaneous injection
Evaluating Material Extracts by Intracutaneous Injection in the Rabbit, Practice for, **F749 (13.01)**
Intramedullary fixation devices (IMFDs)
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Intraorganizational testing control
Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**
Intravenous injection
Evaluating Material Extracts by Systemic Injection in the Mouse, Practice for, **F750 (13.01)**
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
Intrinsic elastic recoil
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**
Intrinsic stability
Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), Test Method for, **D7157 (05.04)**
Intrinsic thermocouples
Sa **Thermocouples**
Thermal Diffusivity by the Flash Method, Practice for, **E2585 (14.02)**
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Intrinsic viscosity
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Intrinsic Viscosity of Cellulose, Test Method for, **D1795 (06.03)**
Intrusion
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Intrusive flow measurement
Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, Test Method for, **D5089 (11.01)**
Intumescent coatings
Intumescent Coatings, Practice for, **E2924 (04.12)**
Inventory analysis/control
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**
Disposal of Personal Property, Practice for, **E2306 (04.12)**
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**
Inventory Control and Handling of Biological Material Maintained at Low Temperatures, Guide for, **E1565 (14.02)**
Inverse methods
Calibrating a Ground-Water Flow Model Application, Guide for, **D5981 (04.09)**
Inverse modeling parameters
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Inversion
Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, Specification for, **F2207 (08.04)**
Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, Practice for, **F2561 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Invertebrates
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Inverted probe machine method
Sa **Probe methods**
Pressure-Sensitive Tack of Adhesives Using an Inverted Probe Machine, Test Method for, **D2979 (15.10)**
Invert emulsion
Vapor-Phase Rust-Preventing Characteristics of Hydraulic Fluids, Test Method for, **D5534 (05.02)**
Investigation
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**
Collection and Preservation of Information and Physical Items by a Technical Investigator, Practice for, **E1188 (14.02)**
Specification for Equipment and Supplies in Sexual Assault Investigations, Practice for, **E2124 (14.02)**
Studying Fire Incidents in Oxygen Systems, Guide for, **G145 (14.04)**
Techniques in Land Search, Guide for, **F1633 (13.02)**
Transmittal of Evidence in Sexual Assault Investigation, Practice for, **E2123 (14.02)**
Investment castings
Heat Treatment of Aluminum-Alloy Castings from All Processes, Practice for, **B917/B917M (02.02)**
Investment Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A997 (01.02)**
Investment Steel Castings for Aerospace Applications, Reference Radiographs of, **E192 (03.03)**
Investment castings—specifications
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Castings, Investment, Carbon and Low Alloy Steel for General Application, and Cobalt Alloy for High Strength at Elevated Temperatures, Specification for, **A732/A732M (01.02)**
Investment Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A957/A957M (01.02)**
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Steel Investment Castings General Requirements, for Pressure-Containing Parts, Specification for, **A985/A985M (01.02)**
Investments in buildings
See **Building economics**
In vivo
in vivo Evaluation of Osteoinductive Potential for Materials Containing Demineralized Bone (DBM), Guide for, **F2529 (13.02)**
Iodide content
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Iodide ion (soluble) content
Iodide and Bromide Ions in Brackish Water, Seawater, and Brines, Test Methods for, **D3869 (11.02)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**
Iodine
Determination of Iodine-129 In Uranium Oxide, Guide for the, **C1638 (12.01)**
Iodine adsorption number
Carbon Black—Iodine Adsorption Number, Test Method for, **D1510 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Iodine Number of Activated Carbon, Test Method for, **D4607 (15.01)**

Iodine isotope removal
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**

Iodine monochloride method
Lead in Gasoline—Iodine Monochloride Method, Test Method for, **D3341 (05.01)**

Iodine-pyridine-sulfur dioxide reagent
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**

Iodine reagent method
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**

Iodine reduction
Polyurethane Raw Materials: Determination of Water Content of Polyols, Test Method for, **D4672 (08.02)**
Water in Engine Coolant Concentrate by the Karl Fischer Reagent Method, Test Methods for, **D1123 (15.05)**

Iodine removal
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Iodine retention test
Nuclear-Grade Activated Carbon, Test Method for, **D3803 (15.01)**

Iodine solution
Low-Level Analysis of Iodine Radioisotopes in Water, Test Method for, **D4785 (11.02)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**

Iodine value
Determination of Iodine Value of Tall Oil Fatty Acids, Test Method for, **D5768 (06.03)**
Determination of the Iodine Value of Fats and Oils, Test Method for, **D5554 (15.04)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value, Test Method for, **D5902 (09.01)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Iodometric procedure
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**

Iodophor
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**

Ion analysis
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**

Ion beam sputtering
Reporting of Ion Beam Parameters Used in Surface Analysis, Guide for, **E1577 (03.06)**

Ion chromatography (IC)
Sa **Gas chromatography (GC)**
Analysis of Engine Coolant for Chloride and Other Anions by Ion Chromatography, Test Method for, **D5827 (15.05)**
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Bromate, Bromide, Chlorate, and Chlorite in Drinking Water by Suppressed Ion Chromatography, Test Methods for, **D6581 (11.01)**
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Chloride in Mono-, Di- and Tri-ethylene Glycol by Ion Chromatography, Test Method for, **E2469 (15.05)**
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**
Determination of Anions in Cathodic Electrocoat Permeates by Ion Chromatography, Guide for, **D5794 (06.01)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Determination of Existent and Potential Inorganic Sulfate and Total Inorganic Chloride in Fuel Ethanol by Ion Chromatography Using Aqueous Sample Injection, Test Method for, **D7328 (05.04)**
Determination of Existent and Potential Sulfate and Inorganic Chloride in Fuel Ethanol and Butanol by Direct Injection Suppressed Ion Chromatography, Test Method for, **D7319 (05.04)**
Determination of Free and Total Glycerin in Biodiesel Blends by Anion Exchange Chromatography, Test Method for, **D7591 (05.04)**
Determination of Total Suspended Particulate (TSP) Hexavalent Chromium in Ambient Air Analyzed by Ion Chromatography (IC) and Spectrophotometric Measurements, Test Method for, **D7614 (11.07)**
Determination of Volatile Inorganic Acids (HCl, HBr, and HNO, Test Method for, **D7773 (11.07)**
Dissolved Hexavalent Chromium in Water by Ion Chromatography, Test Method for, **D5257 (11.01)**
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**
Testing Conductivity Detectors Used in Liquid and Ion Chromatography, Practice for, **E1511 (03.06)**
Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, Test Method for, **D5987 (05.06)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**

Ion chromatography (IC)—atmospheric analysis
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Determination of Sulfuric Acid Mist in Workplace Atmospheres Collected on Mixed Cellulose Ester Filters (Ion Chromatographic Analysis), Test Method for, **D4856 (11.07)**
Quality Assurance Protocols for Chemical Analysis of Atmospheric Wet Deposition, Guide for, **D6328 (11.07)**
the Determination of Hexavalent Chromium in Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide, Test Method for, **D6832 (11.07)**

Ion concentration
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**

Ion displacement
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ion exchange capacity (IEC)
Capacity of Mixed Bed Ion Exchange Cartridges, Test Method for, **D7513 (11.02)**
Determination of Ion Exchange Capacity (IEC) in Grafted Battery Separator, Test Method for, **D7131 (10.02)**
Ion exchange chromatography
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Determination of Sulfuric Acid Mist in Workplace Atmospheres Collected on Mixed Cellulose Ester Filters (Ion Chromatographic Analysis), Test Method for, **D4856 (11.07)**
Dissolved Hexavalent Chromium in Water by Ion Chromatography, Test Method for, **D5257 (11.01)**
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Testing Conductivity Detectors Used in Liquid and Ion Chromatography, Practice for, **E1511 (03.06)**
Ion exchange materials/applications
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Evaluating the Kinetic Behavior of Ion Exchange Resins, Practice for, **D6302 (11.02)**
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Low-Level Analysis of Iodine Radioisotopes in Water, Test Method for, **D4785 (11.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**
Preparation of Samples for Identification of Waterborne Oils, Practice for, **D3326 (11.02)**
Recordkeeping Microfiltration and Ultrafiltration Systems, Guide for, **D7285 (11.02)**
The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, Practice for, **C1411 (12.01)**
The Separation of Americium from Plutonium by Ion Exchange, Practice for, **C1414 (12.01)**
Water Extractable Residue from Particulate Ion-Exchange Resins, Test Method for, **D5627 (11.02)**
Ion exchange resins
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Column Capacity of Particulate Mixed Bed IonExchange Materials, Test Method for, **D3375 (11.02)**
Detection of Fouling and Degradation of Particulate Ion Exchange Materials, Guide for, **D5217 (11.02)**
Estimating the Organic Fouling of Particulate Anion Exchange Resins, Test Method for, **D5042 (11.02)**
Operating Performance of Anion-Exchange Materials for Strong Acid Removal, Test Method for, **D3087 (11.02)**
Operating Performance of Particulate Cation-Exchange Materials, Test Methods for, **D1782 (11.02)**
Physical and Chemical Properties of Powdered Ion Exchange Resins, Test Methods for, **D4456 (11.02)**
Precoat Capacity of Powdered Ion-Exchange Resins, Test Methods for, **D4266 (11.02)**
Sampling Particulate Ion-Exchange Materials, Practices for, **D2687 (11.02)**
Ion exchange separation
Radiochemical Determination of Uranium Isotopes in Urine by Alpha Spectrometry, Test Method for, **C1473 (12.01)**
Ionic conductivity/resistivity
Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System, Test Method for, **D7148 (10.02)**
Ionic contamination
Sa **Contamination**
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Ionic deposition
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**
Ionic/organic extractables
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Ion implanted external standards
Reporting Mass Spectral Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1504 (03.06)**
Ionizable contaminants
Specific Aqueous Conductance of Trichlorotrifluoroethane, Test Method for, **D3448 (15.05)**
Ionization materials/applications
Ionization Gage Application to Space Simulators, Practice for, **E296 (15.03)**
Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, Test Method for, **D6529 (11.02)**
Ionization smoke detectors
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Ionizing radiation
Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 80 and 300 keV, Practice for, **ISO/ASTM51818 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Dosimetry in Radiation Research on Food and Agricultural Products, Guide for, **ISO/ASTM51900 (12.02)**
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**
Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Performance Characterization of Dosimeters and Dosimetry Systems for Use in Radiation Processing, Guide for, **ISO/ASTM52701 (12.02)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, Test Method for, **F996 (10.04)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Use of Radiation-Sensitive Indicators, Guide for, **ISO/ASTM51539 (12.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
Using the Fricke Dosimetry System, Practice for, **E1026 (12.02)**

Ion mass spectrometry
See **Mass spectrometry**

Ion mobility
Verifying Minimum Acceptable Performance of Trace Explosive Detectors, Practice for, **E2520 (15.08)**

Ionogenic contamination
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**

Ion selective electrode method
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chloride Ion In Water, Test Methods for, **D512 (11.01)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Fluoride Ion in Water, Test Methods for, **D1179 (11.01)**
Ion-Selective Electrodes, Terminology Used with, **D4127 (11.01)**
Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, Test Method for, **D4765 (11.07)**
On-line Determination of Sodium in Water, Test Method for, **D2791 (11.01)**
Sulfide Ion in Water, Test Method for, **D4658 (11.01)**
Total Chlorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D4208 (05.06)**
Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, Test Method for, **D5987 (05.06)**
Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D3761 (05.06)**

Ion sputtering
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**

Ion transport
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**

Iosipescu
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**

IQE (interlaboratory quantitation estimate)
Interlaboratory Quantitation Estimate, Practice for, **D6512 (11.01)**

IQI (image quality indicators)
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining Relative Image Quality of Industrial Radiographic Film Exposed to X-Radiation from 4 to 25 MeV, Test Method for, **E1735 (03.03)**
Fabrication of Neutron Radiographic Sensitivity Indicators, Practice for, **E2023 (03.03)**
Fabrication of the Neutron Radiographic Beam Purity Indicators, Practice for, **E2003 (03.03)**
Radiographic Examination, Practice for, **E1742/E1742M (03.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**

IRB (industry reference black)
Carbon Black—Evaluation of an Industry Reference Black, Practice for, **D4122 (09.01)**

IRCCS (interior radiation control coating systems)
Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, Practice for, **C1321 (04.06)**

IRDF
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**

Iridium
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Refined Iridium, Specification for, **B671 (02.04)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

IRI (international roughness index)
See **International Roughness Index (IRI)**

IR (infrared) analysis
Field-Based Condition Monitoring of Soot in In-Service Lubricants Using a Fixed-Filter Infrared (IR) Instrument, Test Method for, **D7686 (05.04)**

Iris diaphragm diameter
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**

IR (isoprene rubber)
See **Isoprene (IR) rubber**

IRM oils
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Iron
Characterizing Neutron Exposures in Iron and Low Alloy Steels in Terms of Displacements Per Atom (DPA), E 706(ID), Practice for, **E693 (12.02)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Determination of Accelerated Iron Corrosion in Petroleum Products, Test Method for, **D7548 (05.04)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Determining Nodularity And Nodule Count In Ductile Iron Using Image Analysis, Test Method for, **E2567 (03.01)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Iron Staining Materials in Lightweight Concrete Aggregates, Test Method for, **C641 (04.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Iron, Test Method for, **E263 (12.02)**
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**
Multielement Analysis of Crude Oils Using Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7691 (05.04)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Sampling Steel and Iron for Determination of Chemical Composition, Practice for, **E1806 (03.05)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

Iron—specifications
Aluminum for Use in Iron and Steel Manufacture, Specification for, **B37 (02.02)**
Ductile-Iron Pressure Pipe, Index of Specifications for, **A377 (01.02)**
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**
Low-Carbon Magnetic Iron, Specification for, **A848 (03.04)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**
Raw and Burnt Sienna Pigments, Specification for, **D765 (06.03)**
Soft Magnetic Iron Parts Fabricated by Powder Metallurgy (P/M) Techniques, Specification for, **A811 (03.04)**
Zinc Coating (Hot-Dip) on Iron and Steel Hardware, Specification for, **A153/A153M (01.06)**
Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire, Specification for, **A111 (01.06)**

Iron-55
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**

Iron alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Steel Sheet, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A1079 (01.06)**

Iron alloys—specifications
Amorphous Magnetic Core Alloys, Semi-Processed Types, Specification for, **A901 (03.04)**
Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service, Specification for, **A638/A638M (01.03)**
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**

Iron-base corrosion resistant alloys
Evaluating Corrosion Properties of Wrought Iron- and Nickel-Based Corrosion Resistant Alloys for Chemical Process Industries, Guide for, **G157 (03.02)**

Iron-base superalloy forgings
Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service, Specification for, **A638/A638M (01.03)**
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**

Iron blue pigment
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Chemical Analysis of Phthalocyanine Blue and Green Pigments, Test Methods for, **D3256 (06.03)**

Iron bolting materials
Sa **Steel bolting materials**
Roof and Rock Bolts and Accessories, Specification for, **F432 (01.08)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**

Iron castings (malleable)
Sa **Malleable iron castings—specifications**
Flexible Poly (Vinyl Chloride) (PVC) Gaskets used in Connection of Vitreous China Plumbing Fixtures to Sanitary Drainage Systems, Specification for, **A1045 (01.02)**

Iron chips
Iron Chip Corrosion for Water–Miscible Metalworking Fluids, Test Method for, **D4627 (05.02)**

Iron-chromium alloys
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Iron-chromium-aluminum—electrical heating elements
Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating, Test Method of, **B78 (02.04)**
Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, Specification for, **B603 (02.04)**
Iron-chromium castings
Steel Casting, Austenitic Alloy, Estimating Ferrite Content Thereof, Practice for, **A800/A800M (01.02)**
Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, Practice for, **A799/A799M (01.02)**
Iron-chromium castings—specifications
Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application, Specification for, **A743/A743M (01.02)**
Castings, Iron-Chromium-Nickel, Corrosion Resistant, for Severe Service, Specification for, **A744/A744M (01.02)**
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
Centrifugally Cast Iron-Chromium-Nickel High-Alloy Tubing for Pressure Application at High Temperatures, Specification for, **A608/A608M (01.02)**
Steel Castings, Iron-Chromium and Iron-Chromium-Nickel, Heat Resistant, for General Application, Specification for, **A297/A297M (01.02)**
Steel Castings, Stainless, Precipitation Hardening, Specification for, **A747/A747M (01.02)**
Iron cobalt alloys
Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), Specification for, **A801 (03.04)**
Iron contamination
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Iron content
Analysis of Iron and Copper in Vegetable Tanning Materials, Test Method for, **D6407 (15.04)**
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Iron content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Iron content—beryllium
Chemical Analysis of Beryllium, Test Methods for, **E439 (03.05)**
Iron content—chemicals
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Analysis of Sulfuric Acid, Test Methods for, **E223 (15.05)**
Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), Test Methods for, **E291 (15.05)**
Iron Content of Bisphenol A (4,4 - Isopropylidenediphenol), Test Method for, **D6143 (06.04)**
Iron in Trace Quantities Using the 1,10-Phenanthroline Method, Test Method for, **E394 (15.05)**
Iron in Trace Quantities Using the FerroZine Method, Test Method for, **E1615 (15.05)**
Iron content—copper
Chemical Analysis of Manganese-Copper Alloys, Test Methods for, **E581 (03.05)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Iron content—Cu/Cu alloys
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**
Iron content—ferrous alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Iron content—iron ores
Determination of Iron in Iron Ores and Related Materials by Dichromate Titrimetry, Test Methods for, **E246 (03.05)**
Iron content—manganese copper
Chemical Analysis of Manganese-Copper Alloys, Test Methods for, **E581 (03.05)**
Iron content—manganese ore
Determination of Iron in Manganese Ores by Hydrogen Sulfide Reduction-Dichromate Titrimetry, Test Method for, **E316 (03.05)**
Iron content—metals/alloys
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Iron content—Ni/Ni alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Iron content—paint driers
Ferrous Iron in Iron Oxides, Test Method for, **D3872 (06.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Iron in Formaldehyde Solutions, Test Method for, **D2087 (06.04)**
Iron in Paint Driers by EDTA Method, Test Method for, **D3804 (06.01)**
Iron content—petroleum products
Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, Test Methods for, **D5708 (05.02)**
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Iron content—pig lead
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**
Iron content—Ti/Ti alloys
Analysis of Titanium Alloys by X-Ray Fluorescence Spectrometry, Test Method for, **E539 (03.05)**
Iron content—water
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Iron in Water, Test Methods for, **D1068 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**

Iron content—Zn/Zn alloys
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**

Iron (for surgical implants)—specifications
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), Specification for, **F1813 (13.01)**

Iron(II)/chromium(VI) amperometric titration
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**

Ironing
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**

Iron (magnetically soft)
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**

Iron manufacturing
Aluminum for Use in Iron and Steel Manufacture, Specification for, **B37 (02.02)**

Iron-nickel alloy—specifications
Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, Specification for, **F1684 (10.04)**
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**

Iron-nickel-chromium alloys—specifications
Castings, Iron-Nickel-Chromium and Nickel Alloys, Specially Controlled for Pressure Retaining Parts for Corrosive Service, Specification for, **A990/A990M (01.02)**
Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip, Specification for, **B709 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire, Specification for, **B691 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**
Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, Specification for, **B834 (02.04)**

Iron-nickel-cobalt alloys
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**

Iron-nickel-cobalt alloys—specifications
Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, Specification for, **F1684 (10.04)**
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**

Iron ores—chemical analysis
Determination of Aluminum in Iron Ores and Related Materials by EDTA Complexometric Titrimetry, Test Method for, **E738 (03.05)**
Determination of Aluminum in Iron Ores by Flame Atomic Absorption Spectrometry, Test Method for, **E507 (03.05)**
Determination of Calcium and Magnesium in Iron Ores by Flame Atomic Absorption Spectrometry, Test Method for, **E508 (03.05)**
Determination of Copper in Iron Ores and Related Materials by Flame Atomic Absorption Spectrometry, Test Method for, **E841 (03.05)**
Determination of Iron in Iron Ores and Related Materials by Dichromate Titrimetry, Test Methods for, **E246 (03.05)**
Determination of Manganese in Iron Ores by Pyrophosphate (Potentiometric) and Periodate (Photometric) Techniques, Test Methods for, **E314 (03.05)**
Determination of Phosphorus in Iron Ores by Phospho-Molybdenum-Blue Spectrophotometry, Test Method for, **E1070 (03.05)**
Determination of Phosphorus in Iron Ores by Phosphomolybdate Coprecipitation and Nitric Acid Titrimetry, Test Method for, **E278 (03.05)**
Determination of Silica in Manganese Ores, Iron Ores, and Related Materials by Gravimetry, Test Method for, **E247 (03.05)**
Determination of Titanium in Iron Ores and Related Materials by Diantipyrylmethane Ultraviolet Spectrophotometry, Test Method for, **E878 (03.05)**
Sampling and Sample Preparation of Iron Ores and Related Materials for Determination of Chemical Composition and Physical Properties, Practice for, **E877 (03.05)**

Iron ores—pellets
Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, Test Method for, **E279 (03.05)**
Determination of Crushing Strength of Iron Ore Pellets, Test Method for, **E382 (03.05)**

Iron oxide content
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Iron oxide content—coal/coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**

Iron oxide pigments—black (natural/synthetic)
Black Synthetic Iron Oxide, Specification for, **D769 (06.03)**
Ferrous Iron in Iron Oxides, Test Method for, **D3872 (06.03)**

Iron oxide pigments—brown (natural/synthetic)
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Ferrous Iron in Iron Oxides, Test Method for, **D3872 (06.03)**
Natural Red and Brown Iron Oxide Pigments, Specification for, **D3722 (06.03)**
Synthetic Brown Iron Oxide Pigment, Specification for, **D3724 (06.03)**

Iron oxide pigments—red (natural/synthetic)
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Natural Red and Brown Iron Oxide Pigments, Specification for, **D3722 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Synthetic Red Iron Oxide Pigment, Specification for, **D3721 (06.03)**

Iron oxide pigments—yellow
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Yellow Iron Oxide Hydrated, Specification for, **D768 (06.03)**

Iron paint driers
Iron in Paint Driers by EDTA Method, Test Method for, **D3804 (06.01)**

Iron pipe/fittings
Polyethylene Encasement for Ductile Iron Pipe for Water or Other Liquids, Practice for, **A674 (01.02)**

Iron pipe/fittings—specifications
Sa **Steel pipe**
Cast Iron Soil Pipe and Fittings, Specification for, **A74 (01.02)**
Ductile Iron Gravity Sewer Pipe, Specification for, **A746 (01.02)**
Ductile-Iron Pressure Pipe, Index of Specifications for, **A377 (01.02)**
Gray Iron Castings for Valves, Flanges, and Pipe Fittings, Specification for, **A126 (01.02)**
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**
Malleable Iron Flanges, Pipe Fittings, and Valve Parts for Railroad, Marine, and Other Heavy Duty Service at Temperatures Up to 650F (345C), Specification for, **A338 (01.02)**
Rubber Gaskets for Cast Iron Soil Pipe and Fittings, Specification for, **C564 (01.02)**

Iron powder
Acid-Insoluble Content of Copper and Iron Powders, Test Method for, **E194 (02.05)**
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), Test Method for, **E159 (02.05)**
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**

Iron products (general)
Life-Cycle Cost Analysis of Corrosion Protection Systems on Iron and Steel Products, Practice for, **A1068 (01.06)**
Wrought Alloy Steel Rolls for Cold and Hot Reduction, Specification for, **A427/A427M (01.05)**

Iron products (general)—electrodeposited coatings
Coatings of Cadmium Vacuum-Deposited on Iron and Steel, Specification for, **B699 (02.05)**
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**
Electrodeposited Coatings of Zinc on Iron and Steel, Specification for, **B633 (02.05)**
Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, Test Method for, **B636 (02.05)**
Preparation of Lead and Lead Alloys for Electroplating, Guide for, **B319 (02.05)**

Iron products (general)—mechanically deposited coatings
Coatings of Cadmium Mechanically Deposited, Specification for, **B696 (02.05)**
Coatings of Cadmium-Tin Mechanically Deposited, Specification for, **B635 (02.05)**
Coatings of Zinc Mechanically Deposited on Iron and Steel, Specification for, **B695 (02.05)**

Iron products (general)—zinc-coated (hot-dip galvanized)
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Painting, Practice for, **D6386 (06.02)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Zinc Coating (Hot-Dip) on Iron and Steel Hardware, Specification for, **A153/A153M (01.06)**
Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire, Specification for, **A111 (01.06)**

Iron sheets
Weight Mass of Coating on Aluminum-Coated Iron or Steel Articles, Test Method for, **A428/A428M (01.06)**

Iron sheets—zinc-coated (galvanized)
Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**
Weight Mass of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings, Test Method for, **A90/A90M (01.06)**

Iron-silicon steels—specifications
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**

Iron sintered bearings—specifications
Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B439 (02.05)**

Iron solution value
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Irradiance/irradiation
Sa **Nuclear fuels (reactor)**
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Blood Irradiation Dosimetry, Practice for, **ISO/ASTM51939 (12.02)**
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Calibration of a Spectroradiometer Using a Standard Source of Irradiance, Test Method for, **G138 (14.04)**
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Conducting Supplemental Surveillance Tests for Nuclear Power Reactor Vessels, E 706 (IH), Guide for, **E636 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 80 and 300 keV, Practice for, **ISO/ASTM51818 (12.02)**
Dosimetry in Radiation Research on Food and Agricultural Products, Guide for, **ISO/ASTM51900 (12.02)**
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, Test Method for, **E1297 (12.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Reconstitution of Irradiated Charpy-Sized Specimens, Guide for, **E1253 (12.02)**
Reporting Irradiation Results on Graphite, Practice for, **C625 (05.05)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), Guide for, **E1214 (12.02)**
Use of Radiation-Sensitive Indicators, Guide for, **ISO/ASTM51539 (12.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**

Irradiance/irradiation—food
See **Food irradiation**

Irradiance/irradiation—nuclear applications
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Atom Percent Fission in Uranium and Plutonium Fuel (Neodymium-148 Method), Test Method for, **E321 (12.01)**
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Evaluation of Surveillance Capsules from Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E2215 (12.02)**

Irradiance/irradiation—paints/related coatings/materials
Effects of Gamma Radiation on Coatings for Use in Nuclear Power Plants, Test Method for, **D4082 (06.02)**

Irradiance/irradiation—semiconductors
Sa **Solar spectral irradiance**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**

Irradiance/irradiation—solar
Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, Test Method for, **E1362 (12.02)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Determining Thermal Performance of Tracking Concentrating Solar Collectors, Test Method for, **E905 (12.02)**
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, Test Method for, **E903 (12.02)**
Solar Constant and Zero Air Mass Solar Spectral Irradiance Tables, Standard, **E490 (15.03)**
Solar Simulation for Photovoltaic Testing, Specification for, **E927 (12.02)**
Solar Simulation for Thermal Balance Testing of Spacecraft, Practice for, **E491 (15.03)**
Spectral Responsivity Measurements of Photovoltaic Devices, Test Method for, **E1021 (12.02)**

Irradiance/irradiation—surveillance testing
See **Nuclear reactor vessels—surveillance**

Irradiated nuclear fuels
See **Nuclear fuels (reactor)**

Irradiator characteristics
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**

Irregular wear analysis
Measuring Groove and Void Depth in Passenger Car Tires, Test Method for, **F421 (09.02)**

Irregular wear pattern
Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, Practice for, **F1426 (09.02)**

Irrigation management
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**
Operation of a Gaging Station, Guide for, **D5674 (11.02)**
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**

Irrigation piping
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**

Irrigation piping—specifications
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Concrete Pipe for Irrigation or Drainage, Specification for, **C118 (04.05)**
Concrete Pipe for Irrigation or Drainage (Metric), Specification for, **C118M (04.05)**
Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints, Specification for, **C505 (04.05)**
Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric), Specification for, **C505M (04.05)**
Polyethylene (PE) Thermoplastic High-Pressure Irrigation Pipeline Systems, Specification for, **F771 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Irritancy
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Laboratory Testing of Non-Commercial Mosquito Repellent Formulations On the Skin, Test Methods for, **E951 (11.05)**
Performing Behind-the-Knee (BTK) Test for Evaluating Skin Irritation Response to Products and Materials That Come Into Repeated or Extended Contact with Skin, Test Method for, **F2808 (13.02)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Testing Biomaterials in Rabbits for Primary Skin Irritation, Practice for, **F719 (13.01)**
Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, Practice for, **F720 (13.01)**
IR spectroscopy
Field Determination of In-Service Fluid Properties Using IR Spectroscopy, Test Method for, **D7889 (05.04)**
Total Petroleum Hydrocarbons (TPH) in Water and Wastewater with Solvent Extraction using Mid-IR Laser Spectroscopy, Test Method for, **D7678 (11.02)**
Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems, Practice for, **D6122 (05.02)**
Isentropic bulk modulus
Determination of Isothermal Secant and Tangent Bulk Modulus, Test Method for, **D6793 (05.03)**
ISFET (ion-selective field-effect transducer)
On-Line Measurement of pH, Test Method for, **D6569 (11.01)**
ISO/ASTM Standards
Blood Irradiation Dosimetry, Practice for, **ISO/ASTM51939 (12.02)**
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 80 and 300 keV, Practice for, **ISO/ASTM51818 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Dosimetry in Electron Beam and X-ray (Bremsstrahlung) Irradiation Facilities for Food Processing, Practice for, **ISO/ASTM51431 (12.02)**
Dosimetry in Radiation Research on Food and Agricultural Products, Guide for, **ISO/ASTM51900 (12.02)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Use of a Dichromate Dosimetry System, Practice for, **ISO/ASTM51401 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**
Use of a Thermoluminescence-Dosimetry System (TLD System) for Radiation Processing, Practice for, **ISO/ASTM51956 (12.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Use of Radiation-Sensitive Indicators, Guide for, **ISO/ASTM51539 (12.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
ISO blue wool references
Visual Determination of the Lightfastness of Art Materials by Art Technologists, Practice for, **D5383 (06.02)**
Visual Evaluation of the Lightfastness of Art Materials by the User, Practice for, **D5398 (06.02)**
Isobutane
Sa **Butane**
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Isobutanol
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Isobutene (isobutylene)
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Isobutene-isoprene rubber (IIR)
Rubber—Evaluation of IIR (Isobutene-Isoprene Rubber), Test Methods for, **D3188 (09.01)**
Isobutyl acetate
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
Isobutyl Acetate (95 % Grade), Specification for, **D1718 (06.04)**
Isobutyl alcohol
Sa **Chemicals**
Isobutyl Alcohol, Specification for, **D1719 (06.04)**
Isocyanate Groups in Urethane Materials or Prepolymers, Test Method for, **D2572 (06.03)**
Isocyanates
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Isocyanate Groups in Urethane Materials or Prepolymers, Test Method for, **D2572 (06.03)**
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, Test Method for, **D5629 (08.03)**
Polyurethane Raw Materials: Determination of APHA Color in Isocyanates, Test Method for, **D4877 (08.02)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Polyurethane Raw Materials: Determination of Monomer and Isomers in Isocyanates, Test Method for, **D7252 (08.03)**
Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, Test Methods for, **D4659 (08.02)**
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**
Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, Test Methods for, **D4889 (08.02)**
Toluene Diisocyanate, Specification for, **D1786 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Isoelectric point
Measurement of Electrophoretic Mobility and Zeta Potential of Nanosized Biological Materials, Guide for, **E2865 (14.02)**
ISO equivalency
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Annual Review of Test Methods and Specifications for Plastics, Guide for, **D4968 (08.02)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
ISO (International Standards Organization)
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Viscosity of Paints and Related Materials by ISO Flow Cups, Test Method for, **D5125 (06.01)**
Isokinetic sampling
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Sampling Steam, Practice for, **D1066 (11.01)**
The Selection of Maximum Transit-Rate Ratios and Depths for the U.S. Series of Isokinetic Suspended-Sediment Samplers, Practice for, **D6326 (11.01)**
Isolated coarse grains
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Isomer analysis
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**
Isomers
Polyurethane Raw Materials: Determination of Monomer and Isomers in Isocyanates, Test Method for, **D7252 (08.03)**
***Iso*octane**
Analysis of High-Purity n-Heptane and Isooctane by Capillary Gas Chromatography, Test Method for, **D2268 (05.01)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Isopentane
Sa **Pentane**
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Isoperibol bomb calorimeter
Sa **Adiabatic bomb calorimeter**
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Gross Calorific Value of Coal and Coke, Test Method for, **D5865 (05.06)**
Isophorone
Isophorone, Specification for, **D2916 (06.04)**
Purity of Isophorone by Capillary Gas Chromatography, Test Method for, **D7090 (06.04)**
Isoprene (IR) rubber
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Evaluation of IR (Isoprene Rubber), Test Methods for, **D3403 (09.01)**
Isopropanol
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Isopropyl acetate
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
Isopropyl Acetate (99 % Grade), Specification for, **D3131 (06.04)**
Isopropyl alcohol
Sa **Chemicals**
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Isopropyl Alcohol, Specification for, **D770 (06.04)**
Isopropylidenediphenol
Iron Content of Bisphenol A (4,4 - Isopropylidenediphenol), Test Method for, **D6143 (06.04)**
Sampling and Handling Bisphenol A, Practice for, **D4297 (06.04)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**
Solution Color of Bisphenol A (4,4`-Isopropylidenediphenol), Test Method for, **D4789 (06.04)**
ISO protocols
Polypropylene Injection and Extrusion Materials Using ISO Protocol and Methodology, Specification for, **D5857 (08.03)**
Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Methodology, Classification System for, **D7436 (08.03)**
ISO smoke chamber test method
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**
Isostatically pressed steel
Alloy Steel Forgings for High-Strength Pressure Component Application, Specification for, **A723/A723M (01.05)**
Hot Isostatic Pressing of Steel, Stainless Steel, and Related Alloy Castings, Practice for, **A1080 (01.02)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Isoteniscope method
Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope, Test Method for, **D2879 (05.01)**
Isothermal conditions/testing
Accelerated Tensile Creep and Creep-Rupture of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, Test Method for, **D6992 (04.13)**
Constant-Temperature Stability of Chemical Materials, Test Method for, **E487 (14.02)**
Determination of Isothermal Secant and Tangent Bulk Modulus, Test Method for, **D6793 (05.03)**
Determining Oxidation Induction Time of Hydrocarbons by Differential Scanning Calorimetry, Test Method for, **E1858 (14.02)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Measuring Hydration Kinetics of Hydraulic Cementitious Mixtures Using Isothermal Calorimetry, Practice for, **C1679 (04.02)**
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Isothermal supercritical fluid chromatography
Supercritical Fluid Chromatography Terms and Relationships, Guide for, **E1449 (03.06)**

Isotherm techniques
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique, Practice for, **D3860 (15.01)**
Determination of Iodine Number of Activated Carbon, Test Method for, **D4607 (15.01)**
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Hygroscopic Sorption Isotherms of Building Materials, Test Method for, **C1498 (04.06)**
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**

Isotope removal
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**

Isotopic analysis
238Pu Isotopic Abundance By Alpha Spectrometry, Test Method for, **C1415 (12.01)**
Analysis of Isotopic Composition of Uranium in Nuclear-Grade Fuel Material by Quadrupole Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1474 (12.01)**
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Analysis of Total and Isotopic Uranium and Total Thorium in Soils by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1345 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Determination of Plutonium Isotopic Composition by Gamma-Ray Spectrometry, Test Method for, **C1030 (12.01)**
Determination of Uranium or Plutonium Isotopic Composition or Concentration by the Total Evaporation Method Using a Thermal Ionization Mass Spectrometer, Test Method for, **C1672 (12.01)**
Isotopic Abundance Analysis of Uranium Hexafluoride and Uranyl Nitrate Solutions by Multi-Collector, Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1477 (12.01)**
Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry, Test Method for, **C1413 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Double Standard Single-Collector Gas Mass Spectrometer Method, Test Method for, **C1742 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Double-Standard Multi-Collector Gas Mass Spectrometer, Test Method for, **C1429 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Single–Standard Gas Source Multiple Collector Mass Spectrometer Method, Test Method for, **C1428 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Single-Standard Gas Source Mass Spectrometer Method, Test Method for, **C1344 (12.01)**
Pulse Counting System Dead Time Determination by Measuring Isotopic Ratios with SIMS, Practice for, **E2426 (03.06)**
Radiochemical Determination of Plutonium in Soil by Alpha Spectroscopy, Test Method for, **C1001 (12.01)**
Radiochemical Determination of Uranium Isotopes in Soil by Alpha Spectrometry, Test Method for, **C1000 (12.01)**
Uranium and Plutonium Concentrations and Isotopic Abundances by Thermal Ionization Mass Spectrometry, Test Method for, **C1625 (12.01)**

Isotropic carbon/graphite materials
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**

Isotropic microwave ferrites
Complex Dielectric Constant of Nonmetallic Magnetic Materials at Microwave Frequencies, Test Method for, **A893/A893M (03.04)**
Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, Test Method for, **A894/A894M (03.04)**

Isotropic nuclear graphites
Isotropic and Near-isotropic Nuclear Graphites, Specification for, **D7219 (05.05)**

Isotropic reciprocal (non-gyromagnetic) solids
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

Isotropic rock specimens
Calculating Thermal Diffusivity of Rocks, Practice for, **D4612 (04.08)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Laboratory Determination of Pulse Velocities and Ultrasonic Elastic Constants of Rock, Test Method for, **D2845 (04.08)**

ISO viscosity grade (ISO VG)
See **Viscosity—petroleum products**

ISWS machined-nipple test
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**

ITS-90
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**

ITS (intelligent transportation systems) data archiving
Archiving and Retrieving Intelligent Transportation Systems-Generated Data, Guide for, **E2259 (04.03)**
Archiving ITS-Generated Traffic Monitoring Data, Specification for, **E2665 (04.03)**

ITS-RS (intelligient transportation systems-radio service)
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Itumescent materials
Measuring Expansion of Intumescent Materials Used in Firestop and Joint Systems, Test Methods for, **E2786 (04.12)**

Ivory black
Sa **Bone black pigments**
Bone Black Pigment, Specification for, **D210 (06.03)**

Izod impact testing
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds, Practice for, **D3419 (08.02)**
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**

J

Jacket bonding//notch//peel//shrinkback//slip strength
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Jacket for wire/cable
Poly(Vinyl Chloride) Jacket for Wire and Cable, Specification for, **D1047 (10.01)**

Jacketing (for insulated wire/cable)
See **Insulated wire and cable jacket—specifications**

Jacketing materials for thermal insulation
Aluminum Jacketing for Insulation, Specification for, **C1729 (04.06)**
Determining the Properties of Jacketing Materials for Thermal Insulation, Practice for, **C921 (04.06)**
Laminate Protective Jacket and Tape for Use over Thermal Insulation for Outdoor Applications, Specification for, **C1775 (04.06)**
Stainless Steel Jacketing for Insulation, Specification for, **C1767 (04.06)**

Jacket voltage breakdown
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

Jacking
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**

Jacks
Miniature Thermocouple Connectors, Specification for, **E1684 (14.03)**

Jack test
Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, Test Method for, **D4971 (04.08)**

Jamb flashing application
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**

James machine method
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**
Ranking of Test Data Obtained for Measurement of Slip Resistance of Footwear Sole, Heel, and Related Materials, Practice for, **F695 (15.07)**
Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, Test Method for, **D2047 (15.04)**

Jamming/chain stop
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**

Janitorial services
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**

Japanese color discrimination test
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**

Jars
Coagulation-Flocculation Jar Test of Water, Practice for, **D2035 (11.02)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Jaw caliper
Measuring Length of Concrete Cores, Test Method for, **C1542/C1542M (04.02)**

Jaw crusher test
Jaw Crusher Gouging Abrasion Test, Test Method for, **G81 (03.02)**

J-band hanger (for shipboard piping)
Sa **Shipbuilding steel pipe materials—specifications**
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**

JEF
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**

Jelled wellpoint
Installation of Direct Push Groundwater Monitoring Wells, Guide for, **D6724 (04.09)**

JENDL
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**

Jenike shear cell
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**

Jet-B wide-cut aviation fuel
Jet B Wide-Cut Aviation Turbine Fuel, Specification for, **D6615 (05.03)**

Jet evaporation
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**

Jet-fuel resistant joint sealants
See **Joint sealants (concrete)**

Jet impingement method
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors Using Jet Impingement Apparatus, Practice for, **G208 (03.02)**

Jet index method
Erodibility Determination of Soil in the Field or in the Laboratory by the Jet Index Method, Test Method for, **D5852 (04.08)**

Jet turbine fuels
Sa **Aviation fuels—specifications**
Determination of Copper in Jet Fuels by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6732 (05.03)**
Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier Transform Infrared Spectroscopy – Rapid Screening Method, Test Method for, **D7797 (05.04)**
Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7220 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Jewelry
Adult Jewelry, Consumer Safety Specification for, **F2999 (15.11)**
Consumer Product Safety for Children's Jewelry, Specification for, **F2923 (15.11)**
Jewelry bronze
Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
JFTOT (jet fuel thermal oxidation tester)
Thermal Oxidation Stability of Aviation Turbine Fuels, Test Method for, **D3241 (05.01)**
JK inclusion ratings
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Job-mixed portland cement plaster
Aggregate for Job-Mixed Portland Cement-Based Plasters, Specification for, **C897 (04.01)**
Job productivity measurement
Job Productivity Measurement, Practice for, **E2691 (04.12)**
Jobsite handling
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Jockey helmets
Protective Headgear Used in Horse Sports and Horseback Riding, Specification for, **F1163 (15.07)**
John Deere cavitation test
John Deere Coolant Cavitation Test, Test Method for, **D7583 (15.05)**
Joining plastic pipe/tubing/fittings
Sa **Solvent cements for joining thermoplastic pipe/fittings—specifications**
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2661 (08.04)**
Electrofusion Type Polyamide-12 Fittings for Outside Diameter Controlled Polyamide-12 Pipe and Tubing for Gas Distribution, Specification for, **F2767 (08.04)**
Heat Fusion Joining of Polyolefin Pipe and Fittings, Practice for, **D2657 (08.04)**
Infiltration and Exfiltration Acceptance Testing of Installed Corrugated High Density Polyethylene and Polypropylene Pipelines, Practice for, **F2487 (08.04)**
Resilient Connectors Between Reinforced Concrete Manhole Structures and Corrugated High Density Polyethylene Drainage Pipes, Specification for, **F2510/F2510M (08.04)**
Safe Handling of Solvent Cements, Primers, and Cleaners Used for Joining Thermoplastic Pipe and Fittings, Practice for, **F402 (08.04)**
Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F913 (08.04)**
Joint assembly inspection
Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, Practice for, **F1179 (01.07)**
Joint backing
Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants, Specification for, **C1330 (04.07)**
Joint compound
Joint Compound and Joint Tape for Finishing Gypsum Board, Specification for, **C475/C475M (04.01)**
Joint construction
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Joint cut
Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, Test Method for, **F2199 (15.04)**
Joint degradation
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Jointed concrete pavements
See **Pavement surfaces**
Joint fillers
Determination of Water Absorption of Sealant Backing, Test Method for, **C1016 (04.07)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Joint fillers (concrete)
Preformed Expansion Joint Filler for Concrete (Bituminous Type), Specification for, **D994/D994M (04.03)**
Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types), Specification for, **D1751 (04.03)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D1752 (04.03)**
Joint movement
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Determining Modulus, Tear and Adhesion Properties of Precured Elastomeric Joint Sealants, Test Method for, **C1523 (04.07)**
Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, Test Method for, **C1519 (04.07)**
Joint prostheses
Sa **Orthopaedic medical devices—specifications**
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Joint prostheses—specifications
Elastomeric Flexible Hinge Finger Total Joint Implants, Specification for, **F1781 (13.01)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Resurfacing Patellar Prosthesis, Specification for, **F1672 (13.01)**
Joints
Detailing of EIFS-Clad Wall Assemblies, Guide for, **E2511 (04.12)**
Joints for Concrete Gravity Flow Sewer Pipe, Using Rubber Gaskets, Specification for, **C1628 (04.05)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Non-Destructive Evaluation of Adhesion of Installed Weatherproofing Sealant Joints Using a Rolling Device, Practice for, **C1736 (04.07)**
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Joints—specifications
Interchangeable Spherical Ground Joints, Specification for, **E677 (14.04)**
Interchangeable Taper-Ground Joints, Specification for, **E676 (14.04)**
Preformed Architectural Strip Seals for Buildings and Parking Structures, Specification for, **E1783/E1783M (04.11)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Joints (adhesives)
Sa **Adhesive joints**
Determining the Torque Strength of Ultraviolet (UV) Light-Cured Glass/Metal Adhesive Joints, Test Method for, **D3658 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Joints, Test Method for, **D5041 (15.06)**
Symbolizing Adhesive Applications, Practice for, **D7447 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Joints (concrete applications)
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C1103 (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C1103M (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets, Specification for, **C443 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric), Specification for, **C443M (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**
Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints, Specification for, **C505 (04.05)**
Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric), Specification for, **C505M (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C76 (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C76M (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe, Specification for, **C655 (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C655M (04.05)**
Joints (copper)
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Joint sealants (concrete)
Melting of Hot-Applied Joint and Crack Sealant and Filler for Evaluation, Practice for, **D5167 (04.03)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Joint seal geometry
Sa **Geometric analysis**
Use of Joint Sealants, Guide for, **C1193 (04.07)**
Joint seals/sealants
Sa **Glazing compounds/applications**
Sa **Sealants**
Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle), Test Method for, **C719 (04.07)**
Adhesion-in-Peel of Elastomeric Joint Sealants, Test Method for, **C794 (04.07)**
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, Test Method for, **C793 (04.07)**
Extrusion Rate and Application Life of Elastomeric Sealants, Test Method for, **C603 (04.07)**
Indentation Hardness of Elastomeric-Type Sealants by Means of a Durometer, Test Method for, **C661 (04.07)**
Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, Practice for, **D1985 (04.03)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
Rheological (Flow) Properties of Elastomeric Sealants, Test Method for, **C639 (04.07)**
Staining and Color Change of Single- or Multicomponent Joint Sealants, Test Method for, **C510 (04.07)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**
Use of Joint Sealants, Guide for, **C1193 (04.07)**
Use of Joint Sealants with Exterior Insulation and Finish Systems (EIFS), Guide for, **C1481 (04.07)**
Joint seals/sealants—specifications
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, Specification for, **D5249 (04.03)**
Elastomeric Joint Sealants, Specification for, **C920 (04.07)**
Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements, Specification for, **D6690 (04.03)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**
Precured Elastomeric Silicone Joint Sealants, Specification for, **C1518 (04.07)**
Preformed Polychloroprene Elastomeric Joint Seals for Bridges, Specification for, **D3542 (04.03)**
Preformed Polychloroprene Elastomeric Joint Seals for Concrete Pavements, Specification for, **D2628 (04.03)**
Preformed Thermoplastic Vulcanizate Elastomeric Joint Seals for Bridges, Specification for, **D6924 (04.03)**
Joints (laboratory apparatus)
See **Interchangeable ground laboratory apparatus—specifications**
Joints (pipe/tube applications)
Black Crosslinked Polyethylene (PEX) Line Pipe, Fittings and Joints For Oil and Gas Producing Applications, Specification for, **F2905/F2905M (08.04)**
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Making Solvent-Cemented Joints with Poly(Vinyl Chloride) (PVC) Pipe and Fittings, Practice for, **D2855 (08.04)**
Qualification of Polyethylene Saddle-Fused Joints, Practice for, **F905 (08.04)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**
Joints (pipe/tube applications)—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals, Specification for, **D4161 (08.03)**
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Joint Restraint Products for Use with PVC Pipe, Test Method for, **F1674 (08.04)**
Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals, Specification for, **D3212 (08.04)**
Joints for IPS PVC Pipe Using Solvent Cement, Specification for, **D2672 (08.04)**
Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals, Specification for, **D3139 (08.04)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**
Multilayer Pipe Type 2, Compression Fittings, and Compression

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Joints for Hydronic Heating Systems, Specification for, **F1987 (08.04)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**

Joints (roofing)
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**

Joint steel bars—specifications
Sa **Alloy steel bars—specifications**
Heat-Treated Carbon Steel Joint Bars, Microalloyed Joint Bars, and Forged Carbon Steel Compromise Joint Bars, Specification for, **A49 (01.04)**
Steel Joint Bars, Low, Medium, and High Carbon (Non-Heat-Treated), Specification for, **A3 (01.04)**

Joint strength
Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, Specification for, **D5677 (08.03)**
In-Situ Measurement Of Masonry Mortar Joint Shear Strength Index, Test Methods for, **C1531 (04.05)**

Joint systems
Fire-Resistive Joint Systems, Test Method for, **E1966 (04.07)**
Measuring Expansion of Intumescent Materials Used in Firestop and Joint Systems, Test Methods for, **E2786 (04.12)**

Joint tightness
Asbestos-Cement Nonpressure Sewer Pipe, Specification for, **C428/C428M (04.05)**
Quality of Cut (Joint Tightness) of Resilient Floor Tile, Test Method for, **F511 (15.04)**

Joint treatment materials
Joint Compound and Joint Tape for Finishing Gypsum Board, Specification for, **C475/C475M (04.01)**
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**

Joist hangers
Testing and Establishing Allowable Loads of Joist Hangers, Specification for, **D7147 (04.10)**

Jolly balance
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**

Jominy test
Sa **End-quench hardness**
Determining Hardenability of Steel, Test Methods for, **A255 (01.05)**

Jones reduction
Total Molybdenum in Fresh Alumina-Base Catalysts, Test Method for, **D3943 (05.05)**

Jones reductor
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**

de Jongh method
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Journal bearings
See **Ball/roller bearings**

J-R curves
Determining J-R Curves of Plastic Materials, Test Method for, **D6068 (08.03)**

J-ring
Passing Ability of Self-Consolidating Concrete by J-Ring, Test Method for, **C1621/C1621M (04.02)**

JS 700 alloy
See **UNS N08700 (Fe-Ni-Cr alloy, JS 700)**

JSCOF chart
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**

Juggernaut roller
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**

Juices
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**

Jumbo ingot
Configuration of Zinc and Zinc Alloy Jumbo, Block, Half Block, and Slab Ingot, Specification for, **B897 (02.04)**

Jumpers
Flexible Insulated Temporary By-Pass Jumpers, Specification for, **F2321 (10.03)**

Junction box
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**

Junction field-effect (semiconductor) devices
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**

Junction potential
See **Conductance and conductivity (electrical)—water**

Junction resistance
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**

Junction transistors
See **Transistors**

Jungle gym
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**

Junior garment sizes
Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Body Measurements for Juniors, Sizes 0 to 19, Tables of, **D6829 (07.02)**
Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**

Jute
Sa **Textile fibers**
Sheet Linoleum Floor Covering, Specification for, **F2034 (15.04)**

Juvenile mysids
Conducting Static and Flow-Through Acute Toxicity Tests With Mysids From the West Coast of the United States, Guide for, **E1463 (11.06)**

K

Kachelofen/Kakelugn
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**

Kahn serological pipet
Sa **Pipets (laboratory)—specifications**
Glass Serological Pipets (General Purpose and Kahn), Specification for, **E1044 (14.04)**

Kaolinite
See **Aluminum silicate pigments**

Kapok
Textiles, Terminology Relating to, **D123 (07.01)**

Karl Fischer coulometric titrator
Determination of Water in Petroleum Products, Lubricating Oils, and Additives by Coulometric Karl Fischer Titration, Test Method for, **D6304 (05.04)**
Rubber Compounding Materials—Water in Rubber Additives, Test Method for, **D5460 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Karl Fischer reagent method
Sa **Water content**
Determination of Water in Liquid Petroleum Products by Karl Fischer Reagent, Test Method for, **D1744 (05.01)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Karl Fischer reagent method—plastics
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Karl Fischer reagent method—water content
Polyurethane Raw Materials: Determination of Water Content of Polyols, Test Method for, **D4672 (08.02)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Water in Crude Oils by Coulometric Karl Fischer Titration, Test Method for, **D4928 (05.02)**
Water in Crude Oils by Potentiometric Karl Fischer Titration, Test Method for, **D4377 (05.02)**
Water in Engine Coolant Concentrate by the Karl Fischer Reagent Method, Test Methods for, **D1123 (15.05)**
Water in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D3401 (15.05)**
Water in Insulating Liquids by Coulometric Karl Fischer Titration, Test Method for, **D1533 (10.03)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**
Water in Volatile Solvents (Karl Fischer Reagent Titration Method), Test Method for, **D1364 (06.04)**
Water Using Volumetric Karl Fischer Titration, Test Method for, **E203 (15.05)**
Karl Fischer titrimetry
Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, Test Method for, **D5530 (11.04)**
Karst aquifers
See **Aquifers**
Karts
Consumer Recreational Use of Fun-Karts, Safety Guide for, **F1928 (15.11)**
Design, Manufacture, and Operation of Concession Go-Karts and Facilities, Practice for, **F2007 (15.07)**
Kǻss four-coordinate diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Kauri-butanol value
Kauri-Butanol Value of Hydrocarbon Solvents, Test Method for, **D1133 (06.04)**
Keene's cement
Sa **Gypsum products—specifications**
Gypsum Keene's Cement, Specification for, **C61/C61M (04.01)**
Kelvin (K)
Expression of Temperature, Guide for, **E1594 (14.03)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Kelvin thermodynamic temperature scale (KTTS)
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Kemmerer sampler
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**
Kemp fiber content
Med and Kemp Fibers in Wool and Other Animal Fibers by Microprojection, Test Method for, **D2968 (07.01)**
Kentucky bluegrass
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**
Kerfing
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Kernmantle rope
Inspection of Nylon, Polyester, or Nylon/Polyester Blend, or Both Kernmantle Rope, Guide for, **F1740 (13.02)**
Low Stretch and Static Kernmantle Life Safety Rope, Specification for, **F2116 (13.02)**
Kerosine
(Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), Test Method for, **D3227 (05.01)**
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**
Burning Quality of Kerosine, Test Method for, **D187 (05.01)**
Centrifuge Kerosine Equivalent, Test Method for, **D5148 (04.03)**
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Determination of the Red Dye Concentration and Estimation of Saybolt Color of Aviation Turbine Fuels and Kerosine Using a Portable Visible Spectrophotometer, Test Method for, **D7058 (05.04)**
Determining Water Separation Characteristics of Kerosine-Type Aviation Turbine Fuels Containing Additives by Portable Separometer, Test Method for, **D7224 (05.04)**
Effect of Air Supply on Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2157 (05.01)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**
Kerosine Number of Unsaturated (Dry) Felt by Vacuum Method, Test Method for, **D6136/D6136M (04.04)**
Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, Test Method for, **D6217 (05.03)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2156 (05.01)**
Smoke Point of Kerosine and Aviation Turbine Fuel, Test Method for, **D1322 (05.01)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Kerosine—specifications
Kerosine, Specification for, **D3699 (05.01)**
Portable Kerosene and Diesel Containers for Consumer Use, Specification for, **F976 (15.11)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**
Kerosine resistance
Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), Test Method for, **D3161/D3161M (04.04)**
Ketones
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Determination of Carbonyls in C4 Hydrocarbons, Test Method for, **D4423 (05.02)**
Heptane Miscibility of Lacquer Solvents, Test Method for, **D1476 (06.04)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
Purity of Aldehydes and Ketones, Test Method for, **D2192 (06.04)**
Purity of Methyl Amyl Ketone and Methyl Isoamyl Ketone by Gas Chromatography, Test Method for, **D3893 (06.04)**
Purity of Methyl Ethyl Ketone By Gas Chromatography, Test Method for, **D2804 (06.04)**
Purity of Methyl Isobutyl Ketone by Gas Chromatography, Test Method for, **D3329 (06.04)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Ketones—specifications
Ketone Ethylene Ester Based Sheet Roofing, Specification for, **D6754/D6754M (04.04)**
Methyl Ethyl Ketone, Specification for, **D740 (06.04)**
Methyl Isoamyl Ketone, Specification for, **D2917 (06.04)**
Methyl Isobutyl Ketone, Specification for, **D1153 (06.04)**
Specification for Methyl n-Amyl Ketone, Specification for, **D4360 (06.04)**

Kettle fryer
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**

Kettles
Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1602 (15.12)**
Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1603 (15.12)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Key data elements
See **Data elements**

Key referencing
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**

Keywords
Selection and Use of Keywords for Thermal Insulation Test Methods and Standards, Guide for, **C1302 (04.06)**

"k" factor
Centrifuge Kerosine Equivalent, Test Method for, **D5148 (04.03)**

Kidney cells
Evaluation of Cytotoxicity of Nanoparticulate Materials in Porcine Kidney Cells and Human Hepatocarcinoma Cells, Test Method for, **E2526 (14.02)**

Killed steel
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

Killed steel sulfur distribution
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**

Kiln cooler sampling
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**

Kiln dust
Pozzolanic Blended Materials in Construction Applications, Specification for, **D5370 (11.04)**

Kiln gear
Examination of Mill and Kiln Girth Gear Teeth—Electromagnetic Methods, Practice for, **E2905/E2905M (03.03)**

Kimray gravitometer
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**

Kind HS/FT flat glass
Heat-Strengthened and Fully Tempered Flat Glass, Specification for, **C1048 (15.02)**

Kinematic viscosity
Bench Oxidation of Engine Oils by ROBO Apparatus, Test Method for, **D7528 (05.04)**
Calculating Viscosity Index from Kinematic Viscosity at 40 and 100°C, Practice for, **D2270 (05.01)**
Calculating Viscosity of a Blend of Petroleum Products, Practice for, **D7152 (05.04)**
Conversion of Kinematic Viscosity to Saybolt Universal Viscosity or to Saybolt Furol Viscosity, Practice for, **D2161 (05.01)**
Determination of Dynamic Viscosity and Derived Kinematic Viscosity of Liquids by Oscillating Piston Viscometer, Test Method for, **D7483 (05.04)**
Dynamic Viscosity and Density of Liquids by Stabinger Viscometer (and the Calculation of Kinematic Viscosity), Test Method for, **D7042 (05.04)**
Glass Capillary Kinematic Viscometers, Specifications and Operating Instructions for, **D446 (05.01)**
Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity), Test Method for, **D445 (05.01)**
Kinematic Viscosity of Transparent and Opaque Liquids by Automated Houillon Viscometer, Test Method for, **D7279 (05.04)**
Kinematic Viscosity of Volatile and Reactive Liquids, Test Method for, **D4486 (05.02)**
Saybolt Viscosity, Test Method for, **D88 (04.04)**
Viscosity and Viscosity Change After Standing at Low Temperature of Aircraft Turbine Lubricants, Test Method for, **D2532 (05.01)**
Viscosity of Silicone Fluids, Test Method for, **D4283 (15.04)**
Viscosity-Temperature Charts for Liquid Petroleum Products, Practice for, **D341 (05.01)**

Kinematic wall friction angle
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**

Kinetic behavior/characteristics/parameters
Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, Practice for, **E1877 (14.02)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, Test Method for, **E1641 (14.02)**
Detection of Fouling and Degradation of Particulate Ion Exchange Materials, Guide for, **D5217 (11.02)**
Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, Test Method for, **E2041 (14.02)**
Evaluating the Kinetic Behavior of Ion Exchange Resins, Practice for, **D6302 (11.02)**
Evaluation of Methods for Determination of Kinetic Parameters by Thermal Analysis, Practice for, **E2781 (14.02)**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, Test Method for, **E2890 (14.02)**

Kinetic energy
Longevity Assessment of Firestop Materials Using Differential Scanning Calorimetry, Practice for, **E2923 (04.12)**
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**

Kinetic friction analysis
Sa **Coefficient of friction (COF)**
Measuring and Reporting Friction Coefficients, Guide for, **G115 (03.02)**
Static and Kinetic Coefficients of Friction of Plastic Film and Sheeting, Test Method for, **D1894 (08.01)**

Kinetics
Kinetic Parameters by Factor Jump/Modulated Thermogravimetry, Test Methods for, **E2958 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Kirksite
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**

K_{Iscc}
Sa **Fracture toughness (K_{Ic})**
Making and Using Precracked Double Beam Stress Corrosion Specimens, Practice for, **G168 (03.02)**

Kissinger method
Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, Test Method for, **E2890 (14.02)**

Kitagowa tube
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**

Kitchen materials/applications
Sa **Dishwashing equipment (commercial)**
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Commercial Food Waste Disposers, Specification for, **F917 (15.12)**
Determining the Field Performance of Commercial Kitchen Demand Control Ventilation Systems, Practice for, **F2976 (15.12)**
Measuring the Field Performance of Commercial Kitchen Ventilation Systems, Test Method for, **F2975 (15.12)**
Recirculating Hood System for Cooking Appliances, Specification for, **F2800 (15.12)**
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**

Kite diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Kjeldahl method
Apparatus for Microdetermination of Nitrogen by Kjeldahl Method, Specification for, **E147 (14.04)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Laboratory Glass Kjeldahl Flasks, Specification for, **E1377 (14.04)**
Nitrogen Content (Kjeldahl) and Hide Substance Content of Leather, Wet Blue and Wet White, Test Method for, **D2868 (15.04)**
Nitrogen in the Analysis Sample of Refuse-Derived Fuel, Test Methods for, **E778 (11.04)**
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**
Total Nitrogen in Organic Materials by Modified Kjeldahl Method, Test Method for, **E258 (15.05)**

Klett-Summerson
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**

Klosek and McKinley model
LNG Density Calculation Models, Specification for, **D4784 (05.06)**

Knee replacement prosthesis
Cyclic Fatigue Testing of Metal Tibial Tray Components of Total Knee Joint Replacements, Practice for, **F1800 (13.01)**
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**
Evaluating Mobile Bearing Knee Dislocation, Test Method for, **F2724 (13.02)**
Evaluating Mobile Bearing Knee Tibial Baseplate Rotational Stops, Test Method for, **F2722 (13.02)**
Evaluating Mobile Bearing Knee Tibial Baseplate/Bearing Resistance to Dynamic Disassociation, Test Method for, **F2723 (13.02)**
Gravimetric Measurement of Polymeric Components for Wear Assessment, Practice for, **F2025 (13.01)**

Knee replacement prosthesis—specifications
Evaluating Modular Hip and Knee Joint Components, Guide for, **F1814 (13.01)**
Knee Replacement Prosthesis, Specification for, **F2083 (13.01)**

Knee simulator-clinical wear behavior
Evaluating Knee Bearing (Tibial Insert) Endurance and Deformation Under High Flexion, Test Method for, **F2777 (13.02)**

Knife-edge flange
Dimensions of Knife-Edge Flanges, Specification for, **E2734/E2734M (03.06)**

Knife-grade glazing compounds
Sa **Glazing compounds/applications**
Sa **Sealants**
Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds, Test Method for, **C681 (04.07)**

Knife test
Chromates on Aluminum, Specification for, **B449 (02.05)**
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**

Knit drapery fabrics
Woven, Lace, and Knit Household Curtain and Drapery Fabrics, Performance Specification for, **D3691/D3691M (07.01)**

Knitted fabric yield
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**

Knitted textile fabrics
Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method), Test Method for, **D4966 (07.02)**
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Bow and Skew in Woven and Knitted Fabrics, Test Method for, **D3882 (07.01)**
Bow and Skew Using a Measuring Tool, Test Method for, **D7811 (07.02)**
Bursting Strength of Fabrics Constant-Rate-of-Extension (CRE) Ball Burst Test, Test Method for, **D6797 (07.02)**
Bursting Strength of Textile Fabrics—Diaphragm Bursting Strength Tester Method, Test Method for, **D3786/D3786M (07.01)**
Bursting Strength of Textiles—Constant-Rate-of-Traverse (CRT) Ball Burst Test, Test Method for, **D3787 (07.01)**
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Conditioning, Chemical, and Thermal Properties, Terminology Relating to, **D4920 (07.02)**
Conducting Wear Tests on Textiles, Guide for, **D3181 (07.01)**
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Fabrics and Fabric Test Methods, Terminology Relating to, **D4850 (07.02)**
Seamless Knit Garments Including Intimates and Swimwear, Performance Specification for, **D7268 (07.02)**
Snagging Resistance of Fabrics (Bean Bag), Test Method for, **D5362 (07.02)**
Stiffness of Fabric by the Circular Bend Procedure, Test Method for, **D4032 (07.01)**
Stretch Properties of Knitted Fabrics Having Low Power, Test Method for, **D2594 (07.01)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Textiles, Terminology Relating to, **D123 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Knitted textile fabrics—specifications
Blanket Products for Institutional and Household Use, Performance Specification for, **D5432 (07.02)**
Knit Swimwear Fabrics, Performance Specification for, **D3996 (07.01)**
Knitted Necktie and Scarf Fabrics, Performance Specification for, **D4035 (07.01)**
Knitted Upholstery Fabrics for Indoor Furniture, Performance Specification for, **D4771/D4771M (07.02)**
Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, Performance Specification for, **D4154 (07.01)**
Men's and Boys' Knitted Dress Shirt Fabrics, Performance Specification for, **D4119 (07.01)**
Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3782 (07.01)**
Men's and Women's Knitted Career Apparel Fabrics: Dress and Vocational, Performance Specification for, **D3995 (07.01)**
Men's and Women's Sliver Knitted Overcoat and Jacket Fabrics, Performance Specification for, **D3655 (07.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, Performance Specification for, **D4116 (07.01)**
Women's and Girls' Knitted Blouse and Dress Fabrics, Performance Specification for, **D4235 (07.01)**
Women's and Girls' Knitted Sportswear Fabrics, Performance Specification for, **D4156 (07.01)**
Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, Specification for, **D6663 (07.02)**
Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**
Woven and Knitted Shower Curtains for Institutional and Household Use, Performance Specification for, **D5378 (07.02)**
Woven and Warp Knitted Comforter Fabrics, Specification for, **D4769 (07.02)**
Woven, Knitted, or Flocked Bedspread Fabrics, Performance Specification for, **D4037 (07.01)**

Knock characteristics
Calculation of Certain Physical Properties of Liquefied Petroleum (LP) Gases from Compositional Analysis, Practice for, **D2598 (05.01)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**
Motor Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2700 (05.05)**
Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines, Practice for, **D6424 (05.03)**
Research Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2699 (05.05)**
Supercharge Rating of Spark-Ignition Aviation Gasoline, Test Method for, **D909 (05.05)**

Knoop hardness (HK) number
Indentation Hardness of Organic Coatings, Test Methods for, **D1474 (06.01)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Knoop Indentation Hardness of Advanced Ceramics, Test Method for, **C1326 (15.01)**
Knoop Indentation Hardness of Ceramic Whitewares, Test Method for, **C849 (15.02)**
Knoop Indentation Hardness of Glass, Test Method for, **C730 (15.02)**
Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness, Hardness Conversion Tables for, **E140 (03.01)**
Microhardness of Electroplated Coatings, Test Method for, **B578 (02.05)**

Knot configurations
Breaking Tenacity of Manufactured Textile Fibers in Loop or Knot Configurations, Test Methods for, **D3217/D3217M (07.01)**

Knots
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Knot strength
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**

Knowledge (health)
See **Health knowledge/information systems**

Koch style (micro-burets)
Sa **Burets (laboratory)—specifications**
Micro-Burets (Koch Style), Specification for, **E1189 (14.04)**

KOH etch pits
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**

Kohler illumination
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

KOH number
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**

Kool kount test
Total Active Biomass in Cooling Tower Waters (Kool Kount Assay; KKA), Test Method for, **D6530 (11.02)**

Koppers method
Oil Separation from Lubricating Grease by Centrifuging (Koppers Method), Test Method for, **D4425 (05.02)**

Kovats index
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, Test Method for, **D3695 (11.02)**

Kraft electrical insulating paper/paperboard
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**

Krebs unit (KU)
Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer, Test Method for, **D562 (06.01)**

Krems white
See **Basic carbonate white lead pigment**

Kriging methods
Selection of Kriging Methods in Geostatistical Site Investigations, Guide for, **D5923 (04.09)**
Selection of Simulation Approaches in Geostatistical Site Investigations, Guide for, **D5924 (04.09)**

Krypton
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Krypton-85 removal
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Krypton adsorption
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Measurement of Airborne Metal and Metal Oxide Nanoparticle Surface Area Concentration in Inhalation Exposure Chambers using Krypton Gas Adsorption, Test Method for, **E2864 (14.02)**
K (strength constant)
Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B438 (02.05)**
Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B439 (02.05)**
Kubelka-Munk equation
Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, Test Method for, **D6531 (06.02)**
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**
***k*-Values**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
K-welds
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**

L

L-42 test
Evaluation of the Load Carrying Properties of Lubricants Used for Final Drive Axles, Under Conditions of High Speed and Shock Loading, Test Method for, **D7452 (05.04)**
L-605 alloy
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy for Surgical Implant Applications (UNS R30605), Specification for, **F90 (13.01)**
L-60 test
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Label dosimeter
Sa **Dosimetry**
Use of Radiation-Sensitive Indicators, Guide for, **ISO/ASTM51539 (12.02)**
Labeled length (per sewing thread holder)
Labeled Length per Holder of Sewing Thread, Specification for, **D3693 (07.01)**
Labeling of medical devices
Presentation of End User Labeling Information for Musculoskeletal Implants, Guide for, **F2943 (13.02)**
Labeling physical evidence
Physical Evidence Labeling and Related Documentation, Guide for, **E1459 (14.02)**
Labels/labeling
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Cautionary Labeling of Inflatable Air Mattresses, Safety Specification for, **F2755 (15.11)**
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Identification, Storage, and Handling of Geosynthetic Rolls and Samples, Guide for, **D4873 (04.13)**
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Labeling Art Materials for Chronic Health Hazards, Practice for, **D4236 (06.02)**
Labeling Ceramic Art Materials for Chronic Adverse Health Hazards, Practice for, **C1023 (15.02)**
Labeling Chemical Protective Clothing, Practice for, **F1301 (11.03)**
Liner Removal at High Speeds from Pressure-Sensitive Label Stock, Test Methods for, **D5375/D5375M (15.10)**
Manufacturers for Labeling Headgear Products, Guide for, **F2727 (15.07)**
Peel Adhesion of Pressure-Sensitive Label Stocks at a 90 Angle, Test Method for, **D6252/D6252M (15.10)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Presentation of End User Labeling Information for Musculoskeletal Implants, Guide for, **F2943 (13.02)**
Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2642 (15.11)**
Tenderness Marketing Claims Associated with Meat Cuts Derived from Beef, Specification for, **F2925 (15.12)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Treestand Labels, Practice for, **F2121 (15.07)**
Labels/labeling—specifications
Cautionary Labeling for Five-Gallon Open-Head Plastic Containers, Specification for, **F1615 (15.11)**
Cautionary Labeling of Portable Gasoline Containers for Consumer Use, Specification for, **F839 (15.11)**
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**
Labeling for Upright Brooms for Consumer and Institutional Use, Specification for, **F2367 (15.11)**
Labeling for Wet Mops for Consumer and Institutional Use, Specification for, **F2368 (15.11)**
Labels for Small-Volume (100 mL or Less) Parenteral Drug Containers, Specification for, **D4267 (15.10)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Valve Label Plates, Specification for, **F992 (01.07)**
Labels/labeling (textiles)
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Care Symbols for Care Instructions on Textile Products, Guide for, **D5489 (07.02)**
Determining or Confirming Care Instructions for Apparel and Other Textile Products, Guide for, **D3938 (07.01)**
Labeling of UV-Protective Textiles, Specification for, **D6603 (07.02)**
Selection of Zippers for Care-Labeled Apparel and Household Furnishings, Practice for, **D3692 (07.01)**
Laboratory
Sa **Testing and inspection agencies**
Determination of the 99 %/95 % Critical Level (WCL) and a Reliable Detection Estimate (WDE) Based on Within-laboratory Data, Practice for, **D7782 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Establishing the Competence of Laboratories Using ASTM Procedures in the Sampling and Analysis of Coal and Coke, Practice for, **D7448 (05.06)**
Laboratory Informatics, Guide for, **E1578 (03.06)**
Laboratory Requirements Necessary to Test Commercial Cooking and Warming Appliances to ASTM Test Methods, Guide for, **F2875 (15.12)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Within-laboratory Quantitation Estimation (WQE), Practice for, **D7783 (11.01)**

Laboratory—building/construction materials analysis
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, Practice for, **C1077 (04.02)**
Color Stability of Building Construction Sealants as Determined by Laboratory Accelerated Weathering Procedures, Test Method for, **C1501 (04.07)**
Evaluation of Laboratories Testing Hydraulic Cement, Practice for, **C1222 (04.01)**
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Laboratories Engaged in Testing of Building Sealants, Practice for, **C1021 (04.07)**
the Specification and Evaluation of Pre-Construction Laboratory Mockups of Exterior Wall Systems, Practice for, **E2099 (04.11)**

Laboratory—chemical
Sa **Chemical laboratories**
Analysis of Clandestine Drug Laboratory Evidence, Guide for, **E2882 (14.02)**

Laboratory—clinical
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**
Preparation of Laboratory Analysis Requests in Sexual Assault Investigations, Specifications for, **E2057 (14.02)**

Laboratory—coal/coke analysis
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Collection and Preparation of Coke Samples for Laboratory Analysis, Practice for, **D346/D346M (05.06)**
Establishing the Competence of Laboratories Using ASTM Procedures in the Sampling and Analysis of Coal and Coke, Practice for, **D7448 (05.06)**

Laboratory—computerized
See **Computerized systems**

Laboratory—construction materials testing
Accreditation of Testing Agencies for Masonry, Practice for, **C1093 (04.05)**
Compressive Strength of Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C942 (04.02)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**

Laboratory—metals/alloys analysis
Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E882 (03.05)**
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**

Laboratory—nuclear
Establishing a Measurement System Quality Control Program for Analytical Chemistry Laboratories Within the Nuclear Industry, Guide for, **C1210 (12.01)**
Establishing and Maintaining a Quality Assurance Program for Analytical Laboratories Within the Nuclear Industry, Guide for, **C1009 (12.01)**
Qualification of Laboratory Analysts for the Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1297 (12.01)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**

Laboratory—petroleum analysis
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**

Laboratory—spectrochemical
See **Chemical laboratories—spectrochemical**

Laboratory accreditation
See **Accreditation practice**

Laboratory aging/weathering
Accelerated Laboratory Aging of Radial Passenger Car and Light Truck Tires through Load Range E for the Laboratory Generation of Belt Separation, Practice for, **F2838 (09.02)**
Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, Practice for, **G151 (14.04)**
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**
Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**

Laboratory air analysis
Sa **Sampling air/atmospheric materials/applications**
Laboratories Engaged in Sampling and Analysis of Atmospheres and Emissions, Guide for, **D3614 (11.07)**
Laboratory Measurement of Airborne Transmission Loss of Building Partitions and Elements Using Sound Intensity, Test Method for, **E2249 (04.06)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**

Laboratory analysis/evaluation
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under Laboratory Conditions, Test Method for, **D5009 (06.02)**
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Preparing Volumetric Blends of Denatured Fuel Ethanol and Gasoline Blendstocks for Laboratory Analysis, Practice for, **D7717 (05.04)**
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**
Quantification of a ***Pseudomonas aeruginosa*** Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, Test Method for, **E2196 (11.05)**
the Specification and Evaluation of Pre-Construction Laboratory Mockups of Exterior Wall Systems, Practice for, **E2099 (04.11)**

Laboratory animals
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**

Laboratory apparatus
Sa **Laboratory apparatus—specifications**
Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, Practice for, **D5245 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Evaluation of Single-Pan Mechanical Balances, Practice for the, **E319 (14.04)**
Foaming Tendencies of Engine Coolants in Glassware, Test Method for, **D1881 (15.05)**
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, Test Method for, **E128 (14.04)**
Measurement of Radioactivity, Practices for the, **D3648 (11.02)**
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
Safe Use of Oxygen Combustion Bombs, Practice for, **E144 (14.04)**
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Verification and Calibration of Polarimeters, Practices for, **C1426 (15.02)**

Laboratory apparatus—specifications
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**
Apparatus for Determination of Water by Distillation, Specification for, **E123 (14.04)**
Apparatus for Microdetermination of Alkoxyl Groups, Specification for, **E236 (14.04)**
Apparatus For Microdetermination of Carbon and, Specification for, **E191 (14.04)**
Apparatus for Microdetermination of Nitrogen by Kjeldahl Method, Specification for, **E147 (14.04)**
ASTM Hydrometers, Specification for, **E100 (14.03)**
ASTM Liquid-in-Glass Thermometers, Specification for, **E1 (14.03)**
Autoclavable Protective Coatings on Laboratory Glassware, Specification for, **E1522 (14.04)**
Beaded Process Glass Pipe and Fittings, Specification for, **C1509 (15.02)**
Blood Sedimentation Tube, Wintrobe, Glass, Disposable, Specification for, **E1047 (14.04)**
Blood Sedimentation Tube, Wintrobe, Glass, Reusable, Specification for, **E961 (14.04)**
Cell-Type Oven with Controlled Rates of Ventilation, Specification for, **E95 (14.04)**
Clamps, Utility, Laboratory, and Holders, Buret and Clamp, Specification for, **E784 (14.04)**
Clinical Thermometer Probe Covers and Sheaths, Specification for, **E1104 (13.01)**
Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, Specification for, **E1380 (14.04)**
Color Coding of Reusable Laboratory Pipets, Specification for, **E1273 (14.04)**
Color-Coding Pipets or Containers Coated With Anticoagulants, Specification for, **E1048 (14.04)**
Commercially Packaged Laboratory Apparatus, Specification for, **E920 (14.04)**
Common Laboratory Glass Funnels, Specification for, **E1095 (14.04)**
Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, Specification for, **E585/E585M (14.03)**
Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, Specification for, **D3982 (08.03)**
Cover Glasses and Glass Slides for Use in Microscopy, Specification for, **E211 (14.04)**
Crucibles, Ignition, Laboratory, Metal, Specification for, **E785 (14.04)**
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Dishes, Evaporating, Platinum, Specification for, **E786 (14.04)**
Disposable Glass Blood Sample Capillary Tube (Microhematocrit), Specification for, **E734 (14.04)**
Disposable Glass Culture Tubes, Specification for, **E890 (14.04)**
Disposable Glass Micro Blood Collection Pipets, Specification for, **E787 (14.04)**
Disposable Glass Micropipets, Specification for, **E672 (14.04)**
Disposable Glass Serological Pipets, Specification for, **E714 (14.04)**
Disposable Pasteur-Type Pipet, Specification for, **E732 (14.04)**
Distillation Equipment, Specification for, **E133 (14.04)**
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Export Packaged Laboratory Apparatus, Specification for, **E921 (14.04)**
Glass and Oxygen Combustion Flask, Specification for, **E205 (14.04)**
Glass Measuring Pipets, Specification for, **E1293 (14.04)**
Glass Serological Pipets (General Purpose and Kahn), Specification for, **E1044 (14.04)**
Glass Stopcocks with Polytetrafluoroethylene (PTFE) Plugs, Specification for, **E911 (14.04)**
Glass Volumetric (Transfer) Pipets, Specification for, **E969 (14.04)**
Glass Westergren Tube, Disposable, Specification for, **E1046 (14.04)**
Glass Westergren Tube, Reusable, Specification for, **E923 (14.04)**
Glasses in Laboratory Apparatus, Specification for, **E438 (14.04)**
Graduated Cylinders, Specification for Laboratory Glass, **E1272 (14.04)**
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Gravity-Convection and Forced-Circulation Water Baths, Specification for, **E715 (14.04)**
Gravity-Convection and Forced-Ventilation Ovens, Specification for, **E145 (14.04)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Infrared Thermometers for Intermittent Determination of Patient Temperature, Specification for, **E1965 (13.01)**
Interchangeable Spherical Ground Joints, Specification for, **E677 (14.04)**
Interchangeable Taper-Ground Joints, Specification for, **E676 (14.04)**
Interchangeable Taper-Ground Stopcocks And Stoppers, Specification for, **E675 (14.04)**
Laboratory Filter Papers, Specification for, **E832 (14.04)**
Laboratory Glass Beakers, Specification for, **E960 (14.04)**
Laboratory Glass Boiling Flasks, Specification for, **E1403 (14.04)**
Laboratory Glass Conical Flasks, Specification for, **E1404 (14.04)**
Laboratory Glass Dewar Flask, Specification for, **E1379 (14.04)**
Laboratory Glass Distillation Flasks, Specification for, **E1405 (14.04)**
Laboratory Glass Filter Flasks, Specification for, **E1406 (14.04)**
Laboratory Glass Graduated Burets, Specification for, **E287 (14.04)**
Laboratory Glass Kjeldahl Flasks, Specification for, **E1377 (14.04)**
Laboratory Glass Micropipets, Specification for, **E193 (14.04)**
Laboratory Glass Microvolumetric Vessels (Volumetric Flasks

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Centrifuge Tubes), Specification for, **E237 (14.04)**
Laboratory Glass Multiple Neck Distilling/Boiling Flasks, Specification for, **E1378 (14.04)**
Laboratory Glass Separatory Funnels, Specification for, **E1096 (14.04)**
Laboratory Glass Test Tubes, Specification for, **E982 (14.04)**
Laboratory Glass Volumetric Apparatus, Specification for, **E694 (14.04)**
Laboratory Glass Volumetric Flasks, Specification for, **E288 (14.04)**
Laboratory Glass Volumetric Flasks, Special Use, Specification for, **E1878 (14.04)**
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, Specification for, **E667 (13.01)**
Micro-Burets (Koch Style), Specification for, **E1189 (14.04)**
Microscope Objective Thread, Specification for, **E210 (14.04)**
Mineral-Insulated, Metal-Sheathed Base Metal Thermocouples, Specification for, **E608/E608M (14.03)**
Pharmaceutical Glass Graduates, Specification for, **E1094 (14.04)**
Phase Change-Type Disposable Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E825 (13.01)**
Pipet, Blood Diluting, Specification for, **E788 (14.04)**
Pipet, Sahli Hemoglobin, Specification for, **E1045 (14.04)**
Pipets, Milk and Cream Examination, Specification for, **E1043 (14.04)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Preparation of Laboratory Analysis Requests in Sexual Assault Investigations, Specifications for, **E2057 (14.02)**
Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements, Specification for, **C1005 (04.01)**
Reusable Phase-Change-Type Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E1299 (13.01)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Serological Pipet, Disposable Plastic, Specification for, **E934 (14.04)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**
Thermocouple Materials, Platinum-Rhodium Alloys, and Platinum, Specification for, **E1159 (14.03)**
Tungsten-Rhenium Alloy Thermocouple Wire, Specification for, **E696 (14.03)**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**
Weighing and Drying Apparatus for Microchemical Analysis, Specification for, **E124 (14.04)**
Woven Wire Test Sieve Cloth and Test Sieves, Specification for, **E11 (14.02)**

Laboratory apparatus (blood)
See **Blood materials/applications—specifications**

Laboratory apparatus (microchemical)
See **Microchemical laboratory apparatus—specifications**

Laboratory apparatus (plates/screens)
See **Plate and screens (industrial perforated)**

Laboratory apparatus (stopcocks/stoppers)
See **Stopcocks/stoppers**

Laboratory burets
See **Burets (laboratory)—specifications**

Laboratory burning
Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, Practice for, **D5207 (08.03)**
Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, Specification for, **D5025 (08.02)**

Laboratory corrosion tests
Laboratory Immersion Corrosion Testing of Metals, Guide for, **G31 (03.02)**
Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**

Laboratory distillation process
Apparatus for Determination of Water by Distillation, Specification for, **E123 (14.04)**
Distillation Equipment, Specification for, **E133 (14.04)**
Distillation of Petroleum Products at Atmospheric Pressure, Test Method for, **D86 (05.01)**

Laboratory environmental analysis
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Documenting the Standard Operating Procedures Used for the Analysis of Water, Guide for, **D5172 (11.01)**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Laboratory Subsampling of Media Related to Waste Management Activities, Guide for, **D6323 (11.04)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Quality Planning and Field Implementation of a Water Quality Measurement Program, Guide for, **D5612 (11.01)**
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**
Validation of Laboratory Information Management Systems, Guide for, **E2066 (03.06)**

Laboratory filtration
Particulate Contamination in Aviation Fuels by Laboratory Filtration, Test Method for, **D5452 (05.02)**
Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, Test Method for, **D6217 (05.03)**
Test Method for Particulate Contamination of Biodiesel B100 Blend Stock Biodiesel Esters and Biodiesel Blends by Laboratory Filtration, Test Method for, **D7321 (05.04)**

Laboratory flasks
See **Flasks (laboratory)—specifications**

Laboratory froth flotation
Laboratory Froth Flotation of Coal in a Mechanical Cell, Test Method for, **D5114 (05.06)**

Laboratory funnels
See **Funnels (laboratory)—specifications**

Laboratory information management systems (LIMS)
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Guide for, **E2078 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Laboratory Informatics, Guide for, **E1578 (03.06)**
Validation of Laboratory Information Management Systems, Guide for, **E2066 (03.06)**

Laboratory-milled powders
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**

Laboratory mixer
Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, Test Methods for, **D4942 (06.02)**

Laboratory ovens
See **Ovens**

Laboratory piped services
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**

Laboratory pipets
See **Pipets (laboratory)—specifications**

Laboratory productivity/efficiency
Analytical Data Interchange Protocol for Chromatographic Data, Guide for, **E1948 (03.06)**
Analytical Data Interchange Protocol for Chromatographic Data, Specification for, **E1947 (03.06)**

Laboratory roadwheel testing
See **Tire testing**

Laboratory safety
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**

Laboratory scales
See **Scales—specifications**

Laboratory soil/rock analysis
Calibration of Laboratory Mechanical-Rammer Soil Compactors, Practices for, **D2168 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, Guide for, **E1676 (11.06)**
Evaluating Microbial Susceptibility of Nonmetallic Materials By Laboratory Soil Burial, Practice for, **G160 (14.04)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Handling, Storing, and Preparing Soft Intact Marine Soil, Practices for, **D3213 (04.08)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**
Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, Practice for, **D4320/D4320M (04.08)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Peat Samples by Laboratory Testing, Classification of, **D4427 (04.08)**

Laboratory sound transmission testing
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine, Test Method for, **E492 (04.06)**
Laboratory Measurement of Noise Reduction of Sound-Isolating Enclosures, Test Method for, **E596 (04.06)**
Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, Test Method for, **E2179 (04.06)**
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**

Laboratory testing
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Conducting Equivalence Testing in Laboratory Applications, Practice for, **E2935 (14.02)**
Designing Systems for Oxygen Service, Guide for, **G88 (14.04)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
Estimating and Monitoring the Uncertainty of Test Results of a Test Method Using Control Chart Techniques, Practice for, **E2554 (14.02)**
Evaluation of the Effect of Water Repellent Treatments on Freeze-Thaw Resistance of Hydraulic Cement Mortar Specimens, Test Method for, **D5860 (06.02)**
Frost/Dew Point of Sealed Insulating Glass Units in the Vertical Position, Test Method for, **E576 (04.11)**
Laboratory Bias Detection Using Single Test Result from Standard Material, Practice for, **D6617 (05.03)**
Laboratory Determination of Rock Anchor Capacities by Pull and Drop Tests, Test Methods for, **D7401 (04.09)**
Laboratory Measurement of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings, Test Method for, **D6902 (06.01)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Laboratory Monitors, Guide for, **E2335 (04.07)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact, Test Methods for, **F588 (04.12)**
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Radial Light Truck Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Rotating Roadwheel and a Flat Surface, Practice for, **F2869 (09.02)**
Sampling Compacted Bituminous Mixtures for Laboratory Testing, Practice for, **D5361/D5361M (04.03)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Standardizing Cotton Fiber Test Results by Use of Calibration Cotton Standards, Practice for, **D3025 (07.01)**
Sweep Test of Bituminous Emulsion Surface Treatment Samples, Test Method for, **D7000 (04.03)**
Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, Test Method for, **E207 (14.03)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**

Laboratory vibration mill method
Determination of Grain Stability of Calcined Petroleum Coke, Test Method for, **D6791 (05.03)**

Laboratory volumetric apparatus
Calibration of Laboratory Volumetric Apparatus, Practice for, **E542 (14.04)**
Glass Volumetric (Transfer) Pipets, Specification for, **E969 (14.04)**
Laboratory Glass Microvolumetric Vessels (Volumetric Flasks

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Centrifuge Tubes), Specification for, **E237 (14.04)**
Laboratory Glass Volumetric Apparatus, Specification for, **E694 (14.04)**
Laboratory Glass Volumetric Flasks, Specification for, **E288 (14.04)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**

Laboratory waste disposal
Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, Practice for, **D5245 (11.02)**

Laboratory water testing
Certificates of Reference Materials for Water Analysis, Practice for, **D6362 (11.01)**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Optimizing, Controlling and Reporting Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **D6689 (11.01)**
Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), Test Method for, **D4007 (05.02)**

Labor hours
Job Productivity Measurement, Practice for, **E2691 (04.12)**

Lace fabrics
Woven, Lace, and Knit Household Curtain and Drapery Fabrics, Performance Specification for, **D3691/D3691M (07.01)**

Lachance-Traill correction equation
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Lacing wire
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**

Lack of obliqueness
Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, Test Method for, **C550 (04.06)**

Lacquer
Abrasion Resistance of Organic Coatings by Falling Abrasive, Test Methods for, **D968 (06.01)**
Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1613 (06.04)**
Adhesion of Organic Coatings by Scrape Adhesion, Test Method for, **D2197 (06.01)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Block Resistance of Organic Coatings on Wood Panel Substrates, Test Method for, **D2793 (06.02)**
Clear and Pigmented Lacquers, Guide for, **D333 (06.02)**
Density of Liquid Coatings, Inks, and Related Products, Test Method For, **D1475 (06.01)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Determining Particle Size of Multicolor Lacquers, Test Method for, **D2338 (06.02)**
Determining the Effect of Overbaking on Organic Coatings, Practice for, **D2454 (06.01)**
Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, Test Methods for, **D1640 (06.01)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Ester Value of Solvents and Thinners, Test Method for, **D1617 (06.04)**
Flash Point of Liquids by Small Scale Closed-Cup Apparatus, Test Methods for, **D3278 (06.01)**
Freeze-Thaw Stability of Multicolor Lacquers, Test Method for, **D2337 (06.01)**
Indentation Hardness of Organic Coatings, Test Methods for, **D1474 (06.01)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Measurement of Plasticizer Migration From Vinyl Fabrics to Lacquers, Test Method for, **D2199 (06.02)**
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Paint, Related Coatings, Materials, and Applications, Terminology for, **D16 (06.01)**
Preparation of Glass Panels for Testing Paint, Varnish, Lacquer, and Related Products, Practice for, **D3891 (06.01)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Print Resistance of Lacquers, Test Method for, **D2091 (06.02)**
Tensile Properties of Organic Coatings, Test Method for, **D2370 (06.01)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**
Viscosity by Dip-Type Viscosity Cups, Test Method for, **D4212 (06.01)**
Viscosity by Ford Viscosity Cup, Test Method for, **D1200 (06.01)**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**

Lacquer—specifications
Acrylic Acid, Specification for, **D4416 (06.04)**
Specification for Methyl n-Amyl Ketone, Specification for, **D4360 (06.04)**
Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, Specification for, **D3924 (06.01)**

Lacquer solvents
Ester Value of Solvents and Thinners, Test Method for, **D1617 (06.04)**
Heptane Miscibility of Lacquer Solvents, Test Method for, **D1476 (06.04)**
Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1353 (06.04)**

Lacrosse equipment
Eye Protectors for Selected Sports, Specification for, **F803 (15.07)**

Ladders—specifications
Bunk Beds, Consumer Safety Specification for, **F1427 (15.11)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Portable and Permanent Emergency Escape Ladders for Residential Use, Specification for, **F2175 (15.11)**

Ladder treestand
Testing Treestand Ladder, Tripod Stand and Climbing Stick Load Capacity, Practice for, **F2124 (15.07)**

Lading
Securement of Cargo in Intermodal and Unimodal Surface Transport, Practices for, **D5728 (15.10)**

Lagging systems
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**

Lag time
Prediction of Analyzer Sample System Lag Times, Guide for, **D7278 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

LA-ICP-MS—Laser ablation Inductively Coupled Plasma Mass Spectrometry
Determination of Trace Elements in Soda-Lime Glass Samples Using Laser Ablation Inductively Coupled Plasma Mass Spectrometry for Forensic Comparisons, Test Method for, **E2927 (14.02)**
Laitance
Abrading Concrete, Practice for, **D4259 (06.02)**
Liquid and Gelled Acid Etching of Concrete, Practice for, **D4260 (06.02)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Lakes
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**
Lambda DNA
Sa **Genetic examination**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Lamb waves
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**
Lamellar semiconductor materials
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**
Lamellar structures
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Laminar flow rooms
Confirming the Sterility of Membrane Filters, Test Method for, **D4196 (11.02)**
Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**
Laminate codes
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**
Laminated architectural flat glass
Ball Drop Impact Resistance of Laminated Architectural Flat Glass, Test Method for, **F3007 (15.08)**
Ball Drop Impact Resistance of Laminated Architectural Flat Glazing, Specification for, **F3006 (15.08)**
Laminated Architectural Flat Glass, Specification for, **C1172 (15.02)**
Laminated composite gaskets
Sa **Composites**
Compressibility and Recovery of Laminated Composite Gasket Materials, Test Method for, **F806 (09.02)**
Laminated Composite Gasket Materials, Classification for, **F868 (09.02)**
Laminated cores
Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, Test Method for, **A697/A697M (03.04)**
Alternating-Current Magnetic Properties of Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A927/A927M (03.04)**
Laminated fabrics
Sa **Man-made textile fibers**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Laminated gasket materials
Sa **Gaskets**
Creep Relaxation of Laminated Composite Gasket Materials, Test Method for, **F1276 (09.02)**
Laminated glass
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Laminated plastic
Acetone Extraction of Phenolic Molded or Laminated Products, Test Method for, **D494 (08.01)**
Laminate flooring
Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**
Laminate protective jacket and tape
Laminate Protective Jacket and Tape for Use over Thermal Insulation for Outdoor Applications, Specification for, **C1775 (04.06)**
Laminates
Sa **High modulus fibrous composites**
Sa **Structural sandwich constructions**
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Bearing Response of Polymer Matrix Composite Laminates, Test Method for, **D5961/D5961M (15.03)**
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Determining the Bond Strength (Ply Adhesion) of Geocomposites, Test Method for, **D7005 (04.13)**
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**
Open-Hole Tensile Strength of Polymer Matrix Composite Laminates, Test Method for, **D5766/D5766M (15.03)**
Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation, Guide for, **D5687/D5687M (15.03)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, Practice for, **E1307 (04.11)**
Laminates (adhesive applications)
90 Degree Peel Resistance of Adhesives, Test Method for, **D6862 (15.06)**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Applied Weight Per Unit Area of Liquid Adhesive, Practice for, **D899 (15.06)**
Determining the Adhesion of Prints and Laminating Films, Practice for, **F2226 (15.09)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Single-Lap-Joint Laminated Assemblies, Test Method for, **D3165 (15.06)**

Laminates (aerospace)
- Bearing/Bypass Interaction Response of Polymer Matrix Composite Laminates Using 2-Fastener Specimens, Test Method for, **D7248/D7248M (15.03)**
- Bond Integrity of Transparent Laminates, Test Methods for, **F521 (15.03)**
- In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate, Test Method for, **D3518/D3518M (15.03)**
- Selection of Test Methods for Interlayer Materials for Aerospace Transparent Enclosures, Guide for, **F942 (15.03)**
- Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, Test Method for, **F1362 (15.03)**

Laminates (electrical insulation)
- Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
- Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
- Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**

Laminates (electrical insulation)—specifications
- Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
- Laminated Thermosetting Materials, Specification for, **D709 (10.01)**

Laminates (paper/paperboard)
- *See* **Electrical insulating paper/paperboard**

Laminates (plastic)
- Bearing Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D6873/D6873M (15.03)**
- Classifying Visual Defects in Glass-Reinforced Plastic Laminate Parts, Practice for, **D2563 (08.01)**
- Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
- Determining Chemical Resistance of Thermosetting Resins Used in Glass-Fiber-Reinforced Structures Intended for Liquid Service, Practice for, **C581 (08.03)**
- Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
- Evaluating the Resistance of Plastics to Chemical Reagents, Practices for, **D543 (08.01)**
- Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
- Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
- Finished Glass Fabrics Woven From Rovings, Specification for, **D4389/D4389M (07.01)**
- Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
- Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
- Translaminar Fracture Toughness of Laminated and Pultruded Polymer Matrix Composite Materials, Test Method for, **E1922 (03.01)**

Laminates (thermosetting)
- *See* **Reinforced thermosetting plastics (RTP)**

Laminates (wood)
- Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
- Determination of Percent Nonvolatile Content of Liquid Phenolic Resins Used for Wood Laminating, Test Method for, **D4426 (15.06)**
- Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
- Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, Practice for, **D5266 (15.06)**
- Evaluating the Shear Strength of Adhesive Bonds in Laminated Wood Products at Elevated Temperatures, Test Method for, **D7247 (15.06)**
- Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
- Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
- Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
- Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
- Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**
- Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, Practice for, **D1338 (15.06)**

Lamination films
- Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**

Laminations
- Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
- Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
- Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
- Lamination Factor of Amorphous Magnetic Strip, Test Method for, **A900/A900M (03.04)**
- Lamination Factor of Magnetic Materials, Test Method for, **A719/A719M (03.04)**
- Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**

Laminations—specifications
- Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types, Specification for, **A726 (03.04)**
- Perlite Thermal Insulation Board, Specification for, **C728 (04.06)**

Lampblack
- Lampblack Pigment, Specification for, **D209 (06.03)**
- Solvent-Extractable Material in Black Pigments, Test Method for, **D305 (06.03)**

Lamp fuels
- Kerosine, Specification for, **D3699 (05.01)**

Lamp method
- Sulfur in Petroleum Products (Lamp Method), Test Method for, **D1266 (05.01)**

Lamps
- Determining the Uniformity of the Luminance of an Electroluminescent Lamp or Other Diffuse Lighting Device, Test Method for, **F2964 (10.04)**
- Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
- Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**
- Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
- Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, Specification for, **F73 (10.04)**

Lancing
- Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Land drainage piping systems
- 2 to 60 inch [50 to 1500 mm] Annular Corrugated Profile Wall Polyethylene (PE) Pipe and Fittings for Land Drainage Applications, Specification for, **F2648/F2648M (08.04)**
- Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**
- Concrete Pipe for Irrigation or Drainage, Specification for, **C118 (04.05)**
- Concrete Pipe for Irrigation or Drainage (Metric), Specification for, **C118M (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Corrugated Polyethylene (PE) Pipe and Fittings, Specification for, **F405 (08.04)**
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**
Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe, Specification for, **F894 (08.04)**
Polyethylene (PE) Thermoplastic High-Pressure Irrigation Pipeline Systems, Specification for, **F771 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Subsurface Installation of Corrugated Polyethylene Pipe for Agricultural Drainage or Water Table Control, Practice for, **F449 (08.04)**

Landfarming
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**

Landfill
Characterization of Inorganic Process Wastes for Use as Structural Fill, Guide for, **E850 (11.04)**
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under High-Solids Anaerobic-Digestion Conditions, Test Method for, **D5511 (08.03)**
Determining the Aerobic Degradation and Anaerobic Biodegradation of Plastic Materials under Accelerated Bioreactor Landfill Conditions, Test Method for, **D7475 (08.03)**
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
General Planning of Waste Sampling, Guide for, **D4687 (11.04)**
Geosynthetic Alternate Daily Covers, Specification for, **D7008 (04.13)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, Specification for, **D6826 (04.13)**
Use of Scrap Tires in Civil Engineering Applications, Practice for, **D6270 (11.04)**

Land-net location
Set of Data Elements to Describe a Groundwater Site, Guide for, **D5408 (04.08)**

Land rescue
Training for Land Search and Rescue Strike Team/Task Force Leader, Guide for, **F3024 (13.02)**
Training of Level I Land Search Team Member, Guide for, **F2209 (13.02)**
Training of Support Level Land Rescue Team Member (LRT-Support) Member, Guide for, **F2751 (13.02)**
Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, Guide for, **F2099 (13.02)**

Landscaping
Topsoil Used for Landscaping Purposes, Specification for, **D5268 (04.08)**
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**

Land search maps/techniques
Symbols and Markings for Use With Land Search Maps, Practice for, **F1846 (13.02)**
Techniques in Land Search, Guide for, **F1633 (13.02)**
Training a Land Search Tracker, Practice for, **F2852 (13.02)**

Lane marking
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**

Langelier saturation index
Calculation and Adjustment of the Langelier Saturation Index for Reverse Osmosis, Practice for, **D3739 (11.02)**

Langelier water-classification diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Langguth water type diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Language competency
Assessing Language Proficiency, Practice for, **F2889 (15.11)**
Quality Assurance in Translation, Guide for, **F2575 (15.11)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Language interpretation services
Language Interpretation Services, Guide for, **F2089 (15.11)**

Lanthanum content
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**

Lap
Asbestos Lap, Specification for, **D1061/D1061M (04.05)**

Lap cement
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**

Lapis lazuli
See **Ultramarine blue pigment**

Lap joint
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**

Lap joint flange—specifications
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**

Laps
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Strength of Modified Bitumen Sheet Material Laps Using Cold Process Adhesive, Test Methods for, **D7379 (04.04)**

Lap-shear applications/testing
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, Test Method for, **D3163 (15.06)**
Lap Shear Adhesion for Fiber Reinforced Plastic (FRP) Bonding, Test Method for, **D5868 (15.06)**
Lap Shear Strength of Sealants, Test Method for, **C961 (04.07)**
Strength Properties of Adhesively Bonded Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading, Test Method for, **D3164 (15.06)**
Strength Properties of Tissue Adhesives in Lap-Shear by Tension Loading, Test Method for, **F2255 (13.01)**

--```,``,,,``,`,``,,,,``````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**

Lap spacing
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**

Lard
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Large chamber testing
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**

Large diameter integrating sphere
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**

Large diameter plastic pipe—specifications
Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings, Specification for, **F679 (08.04)**
Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe, Specification for, **F894 (08.04)**

Large-formed catalysts
See **Catalysts/catalyst carriers**

Large hydrocarbon pool fire
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**

Larger area density
Evaluation of Larger Area Density and Background on Electrophotographic Printers, Test Method for, **F2036 (15.09)**

Large-scale hydrostatic puncture testing
Large Scale Hydrostatic Puncture Testing of Geosynthetics, Test Method for, **D5514/D5514M (04.13)**

Large scale room fire tests
Room Fire Experiments, Guide for, **E603 (04.07)**

Large shipping cases/crates
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Rough Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6179 (15.10)**

Largest grain observed
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**

Larsen-Lane steam purity analyzer
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**

Larvae
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**

Laser aerosol spectrometer (LAS)
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**

Laser beam-welded steel pipe
Steel Line Pipe, Black, Plain End, Laser Beam Welded, Specification for, **A1006/A1006M (01.01)**

Laser diffraction
Determining Cross-Section Averaged Characteristics of a Spray Using Laser-Diffraction Instruments in a Wind Tunnel Apparatus, Guide for, **E2872 (14.02)**
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**

Laser diffraction particle sizing instruments
Calibration Verification of Laser Diffraction Particle Sizing Instruments Using Photomask Reticles, Test Method for, **E1458 (14.02)**

Laser flash method
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**

Laser particle counter (LPC)
Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, Practice for, **D7416 (05.04)**
Analysis of In-Service Lubricants Using Particular Four-Part Integrated Tester (Atomic Emission Spectroscopy, Infrared Spectroscopy, Viscosity, and Laser Particle Counter), Test Method for, **D7417 (05.04)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**

Laser printers
Laser Printers, Terminology Relating to, **F1457 (15.09)**
Printers, Terminology Relating to, **F909 (15.09)**
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

Lasers and laser applications
3D Imaging Data Exchange, Version 1.0, Specification for, **E2807 (10.04)**
Calculating Thermal Diffusivity of Rocks, Practice for, **D4612 (04.08)**
Characterization of Proteins by Electrophoretic Mobility, Test Method for, **E1470 (14.02)**
Cone Penetrometer Technology Characterization of Petroleum Contaminated Sites with Nitrogen Laser-Induced Fluorescence, Practice for, **D6187 (04.09)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, Test Method for, **C1070 (15.01)**
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**
Particle Size Distribution of Catalytic Material by Laser Light Scattering, Test Method for, **D4464 (05.05)**
Trace Uranium in Water by Pulsed-Laser Phosphorimetry, Test Method for, **D5174 (11.02)**
Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, Practice for, **F1364 (09.02)**

Laser scattering
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**

Laser sintering—metal
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium ELI (Extra Low Interstitial) with Powder Bed Fusion, Specification for, **F3001 (10.04)**

Laser technology
Best Practices for Safe Application of 3D Imaging Technology, Practice for, **E2641 (10.04)**
Laser Technologies for Direct Measurement of Cross Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, Practice for, **F3095 (04.12)**
Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

CCTV Camera System, Practice for, **F3080 (04.12)**
Laser-Fused Stainless Steel Bars, Plates, and Shapes, Specification for, **A1069/A1069M (01.03)**

Lashings
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**

Lastrile fibers
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**

Latches
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**
Self-Closing/Self-Latching General-Purpose Gates, Guide for, **F2630 (01.06)**

Latchup
Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**

Later-age strength
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**

Lateral control
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Lateral dispersion
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**

Lateral displacement
Design, Testing, and Construction of Micro-Surfacing, Practice for, **D6372 (04.03)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**

Lateral flame spread
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**

Lateral heat flow
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**

Laterally-loaded nailed connections
Determining Bending Yield Moment of Nails, Test Method for, **F1575 (01.08)**

Lateral pipe
Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, Practice for, **F2561 (08.04)**

Laterals
Sealing Lateral Connections and lines from the mainline Sewer Systems by the Lateral Packer Method, Using Chemical Grouting, Practice for, **F2454 (04.12)**

Laterals (concrete)
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals, Specification for, **C1478 (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals (Metric), Specification for, **C1478M (04.05)**

Lateral stability
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**

Latex bonding agents
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**

Latex coatings
Evaluating Accelerated Efflorescence of Latex Coatings, Practice for, **D7072 (06.02)**

Latexes/powders (polymeric)
Evaluating Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Test Methods for, **C1439 (04.02)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**

Latex foam
Sa **Flexible cellular materials**
Aerosol Polyurethane and Aerosol Latex Foam Sealants, Specification for, **C1620 (04.07)**
Measuring the Yield for Aerosol Foam Sealants, Test Method for, **C1536 (04.07)**

Latex gloves
Disposable Embalming Gloves for Single-Use Applications, Specification for, **D7198 (09.02)**
Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**

Latex paints
Sa **Waterborne coatings**
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, Methods of, **D2674 (15.06)**
Blocking Resistance of Architectural Paints, Test Method for, **D4946 (06.02)**
Burnish Resistance of Latex Paints, Test Method for, **D6736 (06.02)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates, Practice for, **D2244 (06.01)**
Coarse Particles in Pigments, Test Methods for, **D185 (06.03)**
Color Development in Tinted Latex Paints, Test Method for, **D5326 (06.02)**
Comparison of the Brush Drag of Latex Paints, Test Method for, **D4958 (06.02)**
Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer, Test Method for, **D562 (06.01)**
Density of Liquid Coatings, Inks, and Related Products, Test Method For, **D1475 (06.01)**
Determining the Relative Tinting Strength of Chromatic Paints, Test Method for, **D4838 (06.02)**
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, Test Methods for, **D1640 (06.01)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Evaluation of Gloss or Sheen Uniformity, Test Method for, **D3928 (06.02)**
Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage, Test Method for, **D1210 (06.01)**
Hiding Power of Architectural Paints Applied by Roller, Test Method for, **D5150 (06.02)**
Hiding Power of Paints by Reflectometry, Test Method for, **D2805 (06.01)**
High-Shear Viscosity Using a Cone/Plate Viscometer, Test Method for, **D4287 (06.01)**
Identification of Crystalline Pigments and Extenders in Paint by

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

X-Ray Diffraction Analysis, Test Method for, **D5380 (06.01)**
Leveling of Paints by Draw-Down Method, Test Method for, **D4062 (06.02)**
Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3717 (06.01)**
Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3718 (06.01)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3624 (06.01)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**
Open Time of Latex Paints, Test Method for, **D7488 (06.02)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
Preparing Drawdowns of Artists' Paste Paints, Practice for, **D4941 (06.02)**
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**
Qualitative Identification of Polymers in Emulsion Paints, Practice for, **D3168 (06.01)**
Relative Hiding Power of Paints by the Visual Evaluation of Brushouts, Test Method for, **D344 (06.01)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**
Sampling Liquid Paints and Related Pigmented Coatings, Practice for, **D3925 (06.01)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Scrub Resistance of Wall Paints, Test Methods for, **D2486 (06.02)**
Selecting and Constructing Exposure Scenarios for Assessment of Exposures to Alkyd and Latex Interior Paints, Practice for, **D6669 (11.07)**
Specular Gloss, Test Method for, **D523 (06.01)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**
Testing Low Temperature Film-Formation of Latex Paints by Visual Observation, Practice for, **D7306 (06.02)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**
Volatile Content of Coatings, Test Method for, **D2369 (06.01)**
Volume Nonvolatile Matter in Clear or Pigmented Coatings, Test Method for, **D2697 (06.01)**
Washability Properties of Interior Architectural Coatings, Test Method for, **D3450 (06.02)**
Water Content of Coatings by Direct Injection Into a Gas Chromatograph, Test Method for, **D3792 (06.01)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, Test Method for, **D6900 (06.02)**
Wet-to-Dry Hiding Change, Test Method for, **D5007 (06.02)**

Latex paints—selection and use of test procedures
Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings, Practice for, **D3960 (06.01)**
Testing Latex Vehicles, Guide for, **D4143 (06.03)**

Latex paints—specifications
Sa **Paint materials/applications—specifications**
Artists' Acrylic Dispersion Paints, Specification for, **D5098 (06.02)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**

Latex sealants
Sa **Sealants—specifications**
Aging Effects of Artificial Weathering on Latex Sealants, Test Method for, **C732 (04.07)**
Extension-Recovery and Adhesion of Latex Sealants, Test Method for, **C736 (04.07)**
Extrudability, After Package Aging, of Latex Sealants, Test Method for, **C731 (04.07)**
Latex Sealants, Specification for, **C834 (04.07)**
Low-Temperature Flexibility of Latex Sealants After Artificial Weathering, Test Method for, **C734 (04.07)**
Paintability of Latex Sealants, Guide for, **C1520 (04.07)**
Volume Shrinkage of Latex Sealants During Cure, Test Method for, **C1241 (04.07)**

Latex spheres
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**

Latex suspensions
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Latex vehicles
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**

Lath
Sa **Gypsum products—lath**
Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1787 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Test Methods for, **C1764 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1788 (04.01)**

Lath nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Latitude
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**

Laue method
Determining the Orientation of a Metal Crystal, Test Method for, **E82 (03.01)**

Laundering (protective clothing)
Home Laundering Care and Maintenance of Flame, Thermal and Arc Resistant Clothing, Guide for, **F2757 (11.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Launderometer
Evaluation of Laundry Sanitizers and Disinfectants, Test Method for, **E2274 (11.05)**

Laundry additives
Evaluation of Laundry Sanitizers and Disinfectants, Test Method for, **E2274 (11.05)**

Laundry blue pigment
See **Ultramarine blue pigment**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Laundry materials/applications
Sa **Soap**
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Colorfastness and Transfer of Color in the Washing of Leather, Test Method for, **D2096 (15.04)**
Colorfastness of Zippers to Laundering, Test Method for, **D2057 (07.01)**
Determination of Area Stability of Leather to Laundering, Test Method for, **D6013 (15.04)**
Determining or Confirming Care Instructions for Apparel and Other Textile Products, Guide for, **D3938 (07.01)**
Durability of Finish of Zippers to Laundering, Test Method for, **D2051 (07.01)**
Evaluating Color Transfer or Color Loss of Dyed Fabrics in Laundering (Not Suitable for Detergent or Washing Machine Rankings), Guide for, **D5548 (15.04)**
Evaluating Stain Removal Performance in Home Laundering, Guide for, **D4265 (15.04)**
Evaluation of Launderable Woven Dress Shirts and Sports Shirts, Practice for, **D4231 (07.01)**
Evaluation of Laundry Sanitizers and Disinfectants, Test Method for, **E2274 (11.05)**
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Sustainable Laundry Best Management Practices, Practice for, **D7841 (07.02)**
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**

Laundry materials/applications—specifications
Performance of Bonded, Fused, and Laminated Apparel Fabrics, Specification for, **D3135 (07.01)**
Sodium Bicarbonate, Specification for, **D928 (15.04)**

Laundry sanitizer/disinfectant
Evaluation of Laundry Sanitizers and Disinfectants, Test Method for, **E2274 (11.05)**
Evaluation of Laundry Sanitizers and Disinfectants for Use in High Efficiency Washing Operations, Test Method for, **E2406 (11.05)**

Lawn care
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**

Lawn mowers
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Layered concrete construction
Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), Test Method for, **C1245/C1245M (04.02)**

Layered elastic theory
Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, Guide for, **D5858 (04.03)**

Layered ferrite-pearlite structures
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**

Layered geotextile fabrics
See **Geosynthetics**

Layers
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**

Lay factor (electrical conductor wire)
Sa **Stranded aluminum electrical conductors—specifications**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors (AAC/TW), Specification for, **B778 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW), Specification for, **B779 (02.03)**

Lay-in panel ceilings
Installation of Metal Ceiling Suspension Systems for, Practice for, **C636/C636M (04.06)**
the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, Specification for, **C635/C635M (04.06)**

Layout/building factors
Serviceability of an Office Facility for Layout and Building Factors, Classification for, **E1664 (04.11)**

LC50 test
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

L_c (crystallite thickness)
Determination of Crystallite Size (Lc of Calcined Petroleum Coke by X-Ray Diffraction, Test Method for, **D5187 (05.02)**

LC/IR (liquid chromatography/infrared analysis)
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**

LCL/LCTL (longitudinal conversion/transfer loss)
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

L-cocaine
Microcrystal Testing in Forensic Analysis of Cocaine, Guide for, **E1968 (14.02)**

LD50 test
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**

L/D ratio
Determining the, Test Method for, **E803 (03.03)**

Leachable lead (Pb)
Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), Guide for, **E1908 (04.11)**

Leachate drainage
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Leachates/leaching
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, Test Method for, **C1308 (12.01)**
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spec-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

troscopy, Practice for, **C1109 (12.01)**
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**
Corrugated Polyethylene Pipe and Fittings for Mine Leachate Applications, Specification for, **F2986 (08.04)**
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields, Practice for, **F481 (08.04)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**
Sequential Batch Extraction of Waste with Acidic Extraction Fluid, Test Method for, **D5284 (11.04)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Shake Extraction of Mining Waste by the Synthetic Precipitation Leaching Procedure, Test Method for, **D6234 (11.04)**
Shake Extraction of Solid Waste with Water, Practice for, **D3987 (11.04)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Tests to Evaluate the Chemical Resistance of Geonets to Liquids, Practice for, **D6388 (04.13)**
Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, Practice for, **D6389 (04.13)**
Use of Scrap Tires in Civil Engineering Applications, Practice for, **D6270 (11.04)**
Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, Test Method for, **D2448 (06.03)**

Leaching tanks
See **Septic tank systems**

Lead
Hotplate Digestion of Lead from Composited Wipe Samples, Practice for, **E2913 (04.12)**
Ultrasonic Extraction of Lead from Composited Wipe Samples, Practice for, **E2914 (04.12)**

Lead—in children's products
Determination of Lead in Paint Layers and Similar Coatings or in Substrates and Homogenous Materials by Energy Dispersive X-Ray Fluorescence Spectrometry Using Multiple Monochromatic Excitation Beams, Test Method for, **F2853 (10.04)**

Lead abatement
Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, Test Method for, **E1613 (04.11)**
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Non-Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1795 (04.11)**
Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1797 (04.11)**
Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), Guide for, **E1908 (04.11)**
Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Guide for, **E1796 (04.11)**
Selection of Lead Hazard Reduction Methods for Identified Risks in Residential Housing or Child Occupied Facilities, Practice for, **E2252 (04.12)**

Lead acetate test
Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), Test Method for, **D4084 (05.06)**
Hydrogen Sulfide in Liquefied Petroleum (LP) Gases (Lead Acetate Method), Test Method for, **D2420 (05.01)**
Screening of Reactive Sulfides in Waste, Test Methods for, **D4978 (11.04)**
Testing Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B201 (02.05)**

Lead alloy-coated copper wire
Bunch-Stranded Copper Conductors for Electrical Conductors, Specification for, **B174 (02.03)**
Concentric-Lay-Stranded Copper Conductors, Hard, Medium-Hard, or Soft, Specification for, **B8 (02.03)**
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**
Cored, Annular, Concentric-Lay-Stranded Copper Conductors, Specification for, **B226 (02.03)**
Lead-Coated and Lead-Alloy-Coated Soft Copper Wire for Electrical Purposes, Specification for, **B189 (02.03)**
Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, Specification for, **B784 (02.03)**
Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members, for Electrical Conductors, Specification for, **B172 (02.03)**
Rope-Lay-Stranded Copper Conductors Having Concentric-Stranded Members, for Electrical Conductors, Specification for, **B173 (02.03)**

Lead/cadmium (in zinc oxide)
Rubber Compounding Material—Zinc Oxide, Test Methods for, **D4315 (09.01)**

Lead carbonate
Basic Carbonate White Lead Pigment, Specification for, **D81 (06.03)**

Lead chromate
Determining the Presence of Lead Salts in Leather, Test Method for, **D6018 (15.04)**

Lead chromate pigment
Sa **Chrome green pigment**
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**

Lead-coated copper sheet/strip
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**

Lead (conductors in electron tubes)
See **Wire—electronic devices**

Lead content
Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), Test Method for, **F2980 (10.04)**
Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1834 (03.05)**
Consumer Product Safety for Children's Jewelry, Specification for, **F2923 (15.11)**
Lead in Water, Test Methods for, **D3559 (11.01)**
Lead-210 in Water, Test Method for, **D7535 (11.02)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Total Lead Content in Synthetic Turf Fibers, Specification for, **F2765 (15.07)**
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Lead content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Lead content—cadmium
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**
Lead content—ceramic materials
Graphite Furnace Atomic Absorption Spectrometric Determination of Lead and Cadmium Extracted from Ceramic Foodware, Test Method for, **C1466 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Surfaces, Test Method for, **C738 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Tile, Test Method for, **C895 (15.02)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Lead content—Cu/Cu alloys
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**
Lead content—ferrous alloys
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Lead content—gasoline
Lead in Gasoline by Atomic Absorption Spectroscopy, Test Method for, **D3237 (05.01)**
Lead in Gasoline by X-Ray Spectroscopy, Test Methods for, **D5059 (05.02)**
Lead in Gasoline—Iodine Monochloride Method, Test Method for, **D3341 (05.01)**
Rapid Field Test for Trace Lead in Unleaded Gasoline (Colorimetric Method), Test Method for, **D3348 (05.01)**
Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, Test Method for, **D3605 (05.01)**
Lead content—metals
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Lead content—Zn/Zn alloys
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**
Lead dioxide technique
Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, Test Methods for, **D2010/D2010M (11.07)**
Leaded automotive gasoline
See **Automotive engine fuels/oils—specifications**
Leaded brass extruded shapes
Sa **UNS C31400 (hardware bronze; leaded commercial bronze)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, Specification for, **B455 (02.01)**
Leaded brass plate/sheet/strip
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**
Leaded brass rod/bar/shapes
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Low Leaded Brass Rod, Bar and Shapes, Specification for, **B981/B981M (02.01)**
Leaded brass wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Leaded commercial bronze
See **UNS C31400 (hardware bronze; leaded commercial bronze)**
Leaded manganese bronze (casting)
See **UNS C86400 (cast leaded manganese bronze)**
Leaded Muntz metal
See **UNS C36500 (leaded Muntz metal, uninhibited)**
Leaded naval brass
See **UNS C48200 (naval brass, medium leaded)**
Leaded nickel bronze (casting)
See **UNS C97300 (cast nickel-silver)**
Leaded nickel silver (casting)
See **UNS C97300 (cast nickel-silver)**
Leaded red brass
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**
Leaded red brass (casting)
See **UNS C83600 (cast leaded red brass)**
Leaded semi-red brass (casting)
See **UNS C84200 (cast semi-red brass)**
Leaded tin bronze
See **UNS C92200 (cast leaded tin bronze)**
Leaded yellow brass (casting)
See **UNS C85200 (cast leaded yellow brass)**
Leaded zinc oxide
Analysis of White Zinc Pigments, Test Methods for, **D3280 (06.03)**
Lead frames (for integrated circuits)
See **Integrated circuits**
Lead hazard reduction activity
Clearance Examinations Following Lead Hazard Reduction Activities in Dwellings, and in Other Child-Occupied Facilities, Practice for, **E2271 (04.12)**
Selection of Lead Hazard Reduction Methods for Identified Risks in Residential Housing or Child Occupied Facilities, Practice for, **E2252 (04.12)**
Lead metals/alloys
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Determining the Presence of Lead Salts in Leather, Test Method for, **D6018 (15.04)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Preparation of Lead and Lead Alloys for Electroplating, Guide for, **B319 (02.05)**
Lead metals/alloys—specifications
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, Specification for, **B455 (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Ferrous Alloys, Specification for, **B200 (02.05)**
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Refined Lead, Specification for, **B29 (02.04)**
Solder Metal, Specification for, **B32 (02.04)**
White Metal Bearing Alloys, Specification for, **B23 (02.04)**

Lead oxide content
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Lead peroxide content
Chemical Analysis of Red Lead, Test Methods of, **D49 (06.03)**
Monitoring Atmospheric SO2 Deposition Rate for Atmospheric Corrosivity Evaluation, Practice for, **G91 (03.02)**

Lead release
Lead and Cadmium Extracted from Glazed Ceramic Surfaces, Test Method for, **C738 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Tile, Test Method for, **C895 (15.02)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Lead and Cadmium Release from Porcelain Enamel, Test Method for, **C872 (02.05)**

Lead salts
Determining the Presence of Lead Salts in Leather, Test Method for, **D6018 (15.04)**

Lead screening testing
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1834 (03.05)**
Analysis of White Zinc Pigments, Test Methods for, **D3280 (06.03)**
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Chemical Analysis of Basic Lead Silicochromate, Test Methods for, **D1844 (06.03)**
Chemical Analysis of Red Lead, Test Methods of, **D49 (06.03)**
Clearance Examinations Following Lead Hazard Reduction Activities in Dwellings, and in Other Child-Occupied Facilities, Practice for, **E2271 (04.12)**
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Conducting Lead Hazard Assessments of Dwellings and of Other Child-Occupied Facilities, Guide for, **E2115 (04.12)**
Conducting Visual Assessments for Lead Hazards in Buildings, Practice for, **E2255/E2255M (04.12)**
Detection of Lead in Paint and Dried Paint Films, Test Method for, **D3618 (06.01)**
Detection of Lead in Paint by Direct Aspiration Atomic Absorption Spectroscopy, Test Method for, **D4834 (06.01)**
Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, Test Method for, **E1613 (04.11)**
Determination of Lead in Paint Layers and Similar Coatings or in Substrates and Homogenous Materials by Energy Dispersive X-Ray Fluorescence Spectrometry Using Multiple Monochromatic Excitation Beams, Test Method for, **F2853 (10.04)**
Determination of Lead in Workplace Air Using Flame or Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6785 (11.07)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Evaluating Performance of On-Site Extraction and Field-Portable Electrochemical or Spectrophotometric Analysis for Lead, Guide for, **E1775 (04.11)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Lead in Paint Driers by EDTA Method, Test Method for, **D2374 (06.01)**
Lead in Water, Test Methods for, **D3559 (11.01)**
Liquid Paint Driers, Test Methods for, **D564 (06.01)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Performance Evaluation of the Portable X-Ray Fluorescence Spectrometer for the Measurement of Lead in Paint Films, Practice for, **E2120 (04.12)**
Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis, Practice for, **E1645 (04.11)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Record Keeping and Record Preservation for Lead Hazard Activities, Practice for, **E2239 (04.12)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), Guide for, **E1908 (04.11)**
Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, Practice for, **E1979 (04.11)**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**

Lead screening testing—specifications
Wipe Sampling Materials for Lead in Surface Dust, Specification for, **E1792 (04.11)**

Lead-silver alloys
Solder Metal, Specification for, **B32 (02.04)**

Lead tetraacetate oxidation
Formic Acid in Glacial Acetic Acid, Test Method for, **D3546 (06.04)**

Lead-tin alloys/coatings
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, Specification for, **B200 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Solder Metal, Specification for, **B32 (02.04)**
Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, Specification for, **A308/A308M (01.06)**
White Metal Bearing Alloys, Specification for, **B23 (02.04)**

Lead-tin-silver alloys
Solder Metal, Specification for, **B32 (02.04)**

Leaf fibers
See **Bast and leaf fibers/products**
See **Textile fibers**

Leafing aluminum pigment
See **Aluminum powder and paste**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Leafing pigment
Aluminum Powder and Paste Pigments for Paints, Specification for, **D962 (06.03)**
Gold Bronze Powder, Specification for, **D267 (06.03)**
Leafing properties
Sampling and Testing of Flaked Aluminum Powders and Pastes, Test Methods for, **D480 (06.03)**
Leaf springs
Carbon and Alloy Steel Bars for Springs, Specification for, **A689 (01.05)**
Leakage current
Determining the Insulation Resistance of a Membrane Switch, Test Method for, **F1689 (10.04)**
Leak inhibitors
See **Engine coolants/concentrates**
Leak testing
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, Practices for, **D3923 (11.02)**
Determining Air Change in a Single Zone by Means of a Tracer Gas Dilution, Test Method for, **E741 (04.11)**
Determining Product Leakage from a Package with a Mechanical Pump Dispenser, Test Method for, **D6834 (15.10)**
Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E283 (04.11)**
Electrically Insulating Plastic Guard Equipment for Protection of Workers, Test Methods and Specifications for, **F712 (10.03)**
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**
Field Leak Testing of Polyethylene (PE) Pressure Piping Systems Using Gaseous Media Under Pressure (Pneumatic Leak Testing), Practice for, **F2786 (08.04)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
Hydraulic Integrity of New, Repaired, or Reconstructed Aboveground Storage Tank Bottoms for Petroleum Service, Guide for, **E2256 (11.05)**
Hydrostatic Leak Testing, Practice for, **E1003 (03.03)**
Infiltration and Exfiltration Acceptance Testing of Installed Corrugated High Density Polyethylene and Polypropylene Pipelines, Practice for, **F2487 (08.04)**
Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**
Interchangeable Spherical Ground Joints, Specification for, **E677 (14.04)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Leak Location using Geomembranes with an Insulating Layer in Intimate Contact with a Conductive Layer via Electrical Capacitance Technique (Conductive Geomembrane Spark Test), Practice for, **D7240 (04.13)**
Leaks Using Bubble Emission Techniques, Practice for, **E515 (03.03)**
Leaks Using Ultrasonics, Practice for, **E1002 (03.03)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Pressure Decay Leak Test Method, Practice for, **E2930 (03.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Selection of a Leak Testing Method, Guide for, **E432 (03.03)**
Sheathed Thermocouples and Sheathed Thermocouple Cable, Test Methods for, **E839 (14.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Leak testing—building constructions/materials
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**
Determining Air Change in a Single Zone by Means of a Tracer Gas Dilution, Test Method for, **E741 (04.11)**
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Determining Airtightness of Buildings Using an Orifice Blower Door, Test Methods for, **E1827 (04.11)**
Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E283 (04.11)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Water Penetration and Leakage Through Masonry, Test Method for, **E514/E514M (04.05)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Leak testing—electron devices
Tension and Vacuum Testing Metallized Ceramic Seals, Test Method for, **F19 (10.04)**
Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**
Leak testing—engine coolants
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**
Stop-Leak Additives for Engine Coolants, Test Method for Testing, **D3147 (15.05)**
Leak testing—gas
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Calibrating Gaseous Reference Leaks, Practice for, **E908 (03.03)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Leakage Measurement Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Hood Mode, Practice for, **E1603/E1603M (03.03)**
Leaks Using Bubble Emission Techniques, Practice for, **E515 (03.03)**
Leaks Using Ultrasonics, Practice for, **E1002 (03.03)**
Leak testing—gasket materials
Sealability of Enveloped Gaskets, Test Method for, **F112 (09.02)**
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**
Leak testing—geosynthetics
Electrical Methods for Locating Leaks in Geomembranes Covered with Water or Earth Materials, Practices for, **D7007 (04.13)**
Large Scale Hydrostatic Puncture Testing of Geosynthetics, Test Method for, **D5514/D5514M (04.13)**
Leak Location on Exposed Geomembranes Using the Water Puddle System, Practice for, **D7002 (04.13)**
Placement of Blind Actual Leaks during Electrical Leak Location Surveys of Geomembranes, Guide for, **D7909 (04.13)**
Selection of Techniques for Electrical Detection of Leaks in Geomembranes, Guide for, **D6747 (04.13)**
Use of an Electrically Conductive Geotextile for Leak Location Surveys, Practice for, **D7852 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Leak testing—mass spectrometer leak detector (MSLD)
Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, Practice for, **E499/E499M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, Practice for, **E493/E493M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**
Leak testing—medical/surgical materials/applications
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Leak testing—packaging applications/containers
Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), Test Method for, **F2096 (15.10)**
Determination of Leaks in Flexible Packaging by Bubble Emission, Test Method for, **D3078 (15.10)**
Gross Leakage of Liquids from Containers with Threaded or Lug-Style Closures, Test Methods for, **D5094/D5094M (15.10)**
Leakage Testing of Empty Rigid Containers by Vacuum Method, Test Method for, **D4991 (15.10)**
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Leak testing—petroleum products
Determining the Leakage Tendencies of Automotive Wheel Bearing Grease Under Accelerated Conditions, Test Method for, **D4290 (05.02)**
Leaky aquifers
Sa **Aquifers**
Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Leaning liner
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Learning
Certificate Programs, Practice for, **E2659 (14.02)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Least cost analysis (LCA)
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Least squares calculation
Benchmark Testing of Light Water Reactor Calculations, Guide for, **E2006 (12.02)**
Calibration of the Electron Binding-Energy Scale of an X-Ray Photoelectron Spectrometer, Practice for, **E2108 (03.06)**
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**
Leather
Sa **Footwear—soles/heels/related materials**
Abrasion Resistance of Leather (Rotary Platform, Abraser Method), Test Method for, **D7255 (15.04)**
Apparent Density of Leather, Test Method for, **D2346 (15.04)**
Blocking, Test Method for, **D6116 (15.04)**
Breaking Strength of Leather by the Grab Method, Test Method for, **D2208 (15.04)**
Brine Saturation Value of Cured (Salt-Preserved) Hides and Skins, Test Method for, **D7476 (15.04)**
Buckle Tear Strength of Leather, Test Method for, **D4831 (15.04)**
Bursting Strength of Leather by the Ball Method, Test Method for, **D2207 (15.04)**
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Chromic Oxide in Leather (Perchloric Acid Oxidation), Test Method for, **D2807 (15.04)**
Cold-Crack Resistance of Upholstery Leather, Test Method for, **D1912 (15.04)**
Colorfastness and Transfer of Color in the Washing of Leather, Test Method for, **D2096 (15.04)**
Colorfastness of Crocking of Leather, Test Method for, **D5053 (15.04)**
Compressibility of Leather, Test Method for, **D2213 (15.04)**
Conditioning Leather and Leather Products for Testing, Practice for, **D1610 (15.04)**
Corrosion Produced by Leather in Contact with Metal, Test Method for, **D1611 (15.04)**
Cracking Resistance of Leather, Test Method for, **D6075 (15.04)**
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of Area Stability of Leather to Laundering, Test Method for, **D6013 (15.04)**
Determination of Dynamic Water Absorption of Leather Surfaces, Test Method for, **D6014 (15.04)**
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of Inorganic Salt Content of Sulfated and Sulfonated Oils, Test Method for, **D5566 (15.04)**
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Determination of Magnesium Sulfate (Epsom Salt) in Leather, Test Method for, **D6017 (15.04)**
Determination of Neutral Fatty Matter Contained in Fats and Oils, Test Method for, **D5560 (15.04)**
Determination of Nitrogen, Water Extractable in Leather, Test Method for, **D6016 (15.04)**
Determination of Resistance of Leather to (Bleeding) Color Stain Transfer, Test Method for, **D6012 (15.04)**
Determination of Sediment in Moellon, Test Method for, **D5439 (15.04)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Determination of the Cloud Point of Oil, Test Method for, **D5551 (15.04)**
Determination of the Iodine Value of Fats and Oils, Test Method for, **D5554 (15.04)**
Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds, Test Method for, **D5556 (15.04)**
Determination of the Saponification Value of Fats and Oils, Test Method for, **D5558 (15.04)**
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils, Test Method for, **D5564 (15.04)**
Determination of the Unsaponifiable Nonvolatile Matter in Sulfated Oils, Test Method for, **D5553 (15.04)**
Determining Moisture in Raw and Spent Materials, Test Method for, **D6403 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining the Area Stability of Wet Blue Submersed in Boiling Water, Test Method for, **D7477 (15.04)**
Determining the Melting Point of Fats and Oils, Test Method for, **D5440 (15.04)**
Determining the Presence of Lead Salts in Leather, Test Method for, **D6018 (15.04)**
Dynamic Water Resistance of Shoe Upper Leather by the Dow Corning Leather Tester, Test Method for, **D2098 (15.04)**
Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, Test Method for, **D2099 (15.04)**
Elongation of Leather, Test Method for, **D2211 (15.04)**
Evaluating the Resistance of the Surface of Wet Blue to the Growth of Fungi in an Environmental Chamber, Test Method for, **D7584 (15.04)**
Evaluation of Buffable Shoe Polish, Practice for, **D4002 (15.04)**
Extraction of Tannins from Raw and Spent Materials, Practice for, **D6405 (15.04)**
Flex Testing of Finish on Upholstery Leather, Test Method for, **D2097 (15.04)**
Flexibility and Adhesion of Finish on Leather, Test Method for, **D6182 (15.04)**
Grain Crack and Extension of Leather by the Mullen Test, Test Method for, **D2210 (15.04)**
Hexane Extraction of Leather, Test Method for, **D3495 (15.04)**
Hexane/Petroleum Ether Extract in Wet Blue and Wet White, Test Method for, **D7674 (15.04)**
Insoluble Ash of Vegetable-Tanned Leather, Test Method for, **D2875 (15.04)**
Leather, Terminology Relating to, **D1517 (15.04)**
Measuring Area of Leather Test Specimens, Test Method for, **D2347 (15.04)**
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**
Measuring the Relative Stiffness of Leather by Means of a Torsional Wire Apparatus, Test Method for, **D2821 (15.04)**
Measuring Thickness of Leather Test Specimens, Test Method for, **D1813 (15.04)**
Measuring Thickness of Leather Units, Test Method for, **D1814 (15.04)**
Mold Growth Resistance of Wet Blue, Test Method for, **D4576 (15.04)**
Nitrocellulose in Finish on Leather, Test Method for, **D4907 (15.04)**
Nitrogen Content (Kjeldahl) and Hide Substance Content of Leather, Wet Blue and Wet White, Test Method for, **D2868 (15.04)**
Permeability of Leather to Water Vapor, Test Method for, **D5052 (15.04)**
pH of Leather, Test Method for, **D2810 (15.04)**
Resistance of Colored Leather to Bleeding, Test Method for, **D5552 (15.04)**
Resistance of Finish to Heat Aging (Finish Stability), Test Method for, **D7912 (15.04)**
Resistance of Shoe Upper Leather to Artificial Perspiration, Test Method for, **D2322 (15.04)**
Resistance to Wetting of Garment-Type Leathers, Test Method for, **D1913 (15.04)**
Sampling Leather for Physical and Chemical Tests, Practice for, **D2813 (15.04)**
Shrinkage Temperature of Leather, Test Method for, **D6076 (15.04)**
Slit Tear Resistance of Leather, Test Method for, **D2212 (15.04)**
Static Water Absorption of Leather, Test Method for, **D6015 (15.04)**
Stitch Tear Strength of Leather, Double Hole, Test Method for, **D4705 (15.04)**
Stitch Tear Strength, Single Hole, Test Method for, **D4786 (15.04)**
Sulfate Basicity in Leather, Test Method for, **D4654 (15.04)**
Sulfates in Leather (Total, Neutral, and Combined Acid), Test Methods for, **D4655 (15.04)**
Tackiness of Finish on Leather, Test Method for, **D6183 (15.04)**
Tearing Strength, Tongue Tear of Leather, Test Method for, **D4704 (15.04)**
Tensile Strength of Leather, Test Method for, **D2209 (15.04)**
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**
Thermal Conductivity of Leather, Practice for, **D7340 (15.04)**
Total Ash in Leather, Test Method for, **D2617 (15.04)**
Total Chlorides in Leather, Test Method for, **D4653 (15.04)**
Total Solids and Ash Content in Leather Finishing Materials, Test Method for, **D4906 (15.04)**
Trapezoid Tearing Strength of Leather, Test Method for, **D6077 (15.04)**
Volatile Matter (Moisture) of Leather by Oven Drying, Test Method for, **D3790 (15.04)**
Water Absorption (Static) of Vegetable Tanned Leather, Test Method for, **D1815 (15.04)**
Water-Soluble Matter of Vegetable-Tanned Leather, Test Method for, **D2876 (15.04)**
Width of Leather, Test Method for, **D1516 (15.04)**

Leather—specifications
Leather Protectors for Rubber Insulating Gloves and Mittens, Specification for, **F696 (10.03)**

Leather cleaning/softening compounds
Determination of Organically Combined Sulfuric Anhydride Ash-Gravimetric, Test Method C, Test Method for, **D5352 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Extraction Titration, Test Method B, Test Method for, **D5351 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Titration, Test Method A, Test Method for, **D5350 (15.04)**
Determination of the Ash Content of Fats and Oils, Test Method for, **D5347 (15.04)**
Determination of the Moisture and Volatile Content of Sulfonated and Sulfated Oils by Hot-Plate Method, Test Method for, **D5349 (15.04)**
Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene, Test Method for, **D5348 (15.04)**
Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds, Test Method for, **D5346 (15.04)**
Determination of Total Active Ingredients in Sulfonated and Sulfated Oils, Test Method for, **D5354 (15.04)**
Determination of Total Desulfated Fatty Matter, Test Method for, **D5353 (15.04)**

Leather cracking
Breaking Strength of Leather by the Grab Method, Test Method for, **D2208 (15.04)**
Bursting Strength of Leather by the Ball Method, Test Method for, **D2207 (15.04)**
Cold-Crack Resistance of Upholstery Leather, Test Method for, **D1912 (15.04)**
Cracking Resistance of Leather, Test Method for, **D6075 (15.04)**
Grain Crack and Extension of Leather by the Mullen Test, Test Method for, **D2210 (15.04)**
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**
Resistance of Shoe Upper Leather to Artificial Perspiration, Test Method for, **D2322 (15.04)**

Leather tanning materials
See **Tanning analysis/materials**

Leave-on products
Testing Leave-On Products Using In-Situ Methods, Guide for, **E2361 (11.05)**

Ledge rock
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**

Left hand doors (for ships)
See **Shipbuilding steel materials (doors)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Legends
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**
Legibility
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
Measurement of Comparative Legibility by Means of Polarizing Filter Instrumentation, Test Method for, **D7298 (15.10)**
Legionnaires Disease (Legionellosis)
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Legislation
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**
Leg protection
Leg Protection for Chain Saw Users, Specification for, **F1897 (11.03)**
Legs
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**
Lemna Gibba
Conducting Static Toxicity Tests With, Guide for, **E1415 (11.06)**
Length
Bulk Properties of Textured Yarns, Test Method for, **D4031 (07.01)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**
Determining Dimensions of Thermoplastic Pipe and Fittings, Test Method for, **D2122 (08.04)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Filling Material Shedding of Paint Brushes, Test Method for, **D7834 (06.02)**
Friction Tapes, Test Methods for, **D69 (10.01)**
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Length Change Calibration of Thermomechanical Analyzers, Test Method for, **E2113 (14.02)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Measurement of Sleeping Bags, Test Method for, **F2568 (15.07)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Measuring Warpage of Ceramic Tile, Test Method for, **C485 (15.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Sampling and Testing Staple Length of Grease Wool, Test Method of, **D1234 (07.01)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Width and Length of Pressure-Sensitive Tape, Guide for, **D5750/D5750M (15.10)**
Length—classification
McNett Wet Classification of Dual Asbestos Fiber, Test Method for, **D2589/D2589M (04.05)**
Turner and Newall (T and N) Wet-Length Classification of Asbestos, Test Method for, **C1121/C1121M (04.05)**
Length—concrete materials/applications
Measuring Length of Concrete Cores, Test Method for, **C1542/C1542M (04.02)**
Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, Test Method for, **C174/C174M (04.02)**
Length—fiber
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Length-adjusted RMS waveheight
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Length of inclusions
Sa **Inclusions**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Length-of-stain detector tubes
Carbon Dioxide in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4984 (05.06)**
Determination of Ethyl Mercaptan in LP-Gas Vapor, Test Method for, **D5305 (05.02)**
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Hydrogen Sulfide in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4810 (05.06)**
Measurement of Hydrogen Sulfide in the Vapor Phase Above Residual Fuel Oils, Test Method for, **D5705 (05.02)**
Mercaptans in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D1988 (05.06)**
Water Vapor in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4888 (05.06)**
Length-of-stain dosimetry
Sa **Dosimetry**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Length of tape (in roll)
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Length per unit mass
See **Yarn number**
Lengthwise dimensional instability
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Leno weave
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Lentinus lepidus
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**
Leptocheirus Plumuulosus
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Let-down curve
Determining the Force-Draw and Let-Down Curves for Archery Bows, Test Method for, **F1832 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Letgoes
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Lethal concentrations
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**
Lethality (LD50 value)
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Lethal toxic potency values
Measuring Smoke Toxicity for Use in Fire Hazard Analysis, Test Method for, **E1678 (04.07)**
Lethargy
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**
Let-off
Determination of Percent of Let-Off for Archery Bows, Test Method for the, **F1880 (15.07)**
Letters
Letters and Numerals for Ships, Specification for, **F906 (01.07)**
Level crossing counting
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Leveling characteristics
Determining FF Floor Flatness and FL Floor Levelness Numbers, Test Method for, **E1155 (04.11)**
Determining FF Floor Flatness and FL Floor Levelness Numbers (Metric), Test Method for, **E1155M (04.11)**
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Leveling of Paints by Draw-Down Method, Test Method for, **D4062 (06.02)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
Preparing a Solution of Alkali–Soluble Resins, Practice for, **D3837 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Levelness indices
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Level of concern
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**
Level of inspection (coatings)
See **Inspection—coating applications**
Level one/zero
Describing and Measuring Performance of Fourier Transform Mid-Infrared (FT-MIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1421 (03.06)**
Level reduction
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Level zero/one
Describing and Measuring Performance of Fourier Transform Mid-Infrared (FT-MIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1421 (03.06)**
Describing and Measuring Performance of Laboratory Fourier Transform Near-Infrared (FT-NIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1944 (03.06)**
Lever-arm ratio
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Lever butterfly valves
Envelope Dimensions for Butterfly Valves—NPS 2 to 24, Specification for, **F1098 (01.07)**
Lexicons
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Liability
Sa **Product evaluation—litigation or claim**
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**
Lice
Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, Test Method for, **E1517 (11.05)**
Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Adult Human Lice, Test Method for, **E938/E938M (11.05)**
Licensed professional engineer
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Licensing
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**
Requirements for Psychophysiological Detection of Deception (PDD) Examiners, Guide for, **E2065 (14.02)**
Lidded sludge/water sampler
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**
Lid support mechanisms
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Lie detection
Conduct of Research in Psychophysiological Detection of Deception (Polygraph), Practice for, **E1954 (14.02)**
Lifeboats/liferafts
Sa **SAR (search and rescue) operations**
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**
Searchlights on Motor Lifeboats, Specification for, **F1003 (01.07)**
Life cycle assessment (LSA)
Additive Manufacturing—Coordinate Systems and Test Methodologies, Terminology for, **E2921 (04.12)**
Greener Cleanups, Guide for, **E2893 (11.05)**
Sustainability Relative to the Performance of Buildings, Terminology for, **E2114 (04.12)**
Life cycle assessments—minimum criteria for comparing whole building LCAs
Additive Manufacturing—Coordinate Systems and Test Methodologies, Terminology for, **E2921 (04.12)**
Life-cycle cost (LCC) analysis
Sa **Building economics**
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Determining the Life-Cycle Cost of Ownership of Personal Property, Practice for, **E2453 (04.12)**
Disposal of Personal Property, Practice for, **E2306 (04.12)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Life-Cycle Cost Analysis of Corrosion Protection Systems on Iron and Steel Products, Practice for, **A1068 (01.06)**
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Cul-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

verts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Measuring Life-Cycle Costs of Buildings and Building Systems, Practice for, **E917 (04.11)**
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**
Performing Value Engineering (VE)/Value Analysis (VA) of Projects, Products and Processes, Practice for, **E1699 (04.11)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**

Life cycle (of aquatic organisms)
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**

Lifejacket
Sa **Water rescue**
Water Rescue Personal Flotation Device (PFD), Guide for, **F1823 (13.02)**

Life preservers
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**

Lifesaving aid/equipment
Sa **Emergency medical services (EMS)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**
Low Stretch and Static Kernmantle Life Safety Rope, Specification for, **F2116 (13.02)**
Training the Emergency Medical Technician (Basic), Practice for, **F1031 (13.02)**

Life support (basic)
See **Basic life support (BLS)**

Lifetime analysis
Predicting the Lifetime of Ink Jet Prints Stored in Dark Keeping Conditions in Typical Office Environments, Practice for, **F2037 (15.09)**

LIF (lithium-fluoride)-based photo-fluorescent film dosimetry system
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**

Lift coefficient (C_L)
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Lifting eyes
Carbon Steel Lifting Eyes, Specification for, **A489 (01.08)**

Lifting seats (automatic)
Self-Rising Seat Mechanisms, Test Method for, **F851 (15.11)**

Lifting slings
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**

Lift-off correction media
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**

Ligand displacement
Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D6888 (11.02)**

Light aging
Sa **Accelerated aging/testing**
Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**

Light analysis
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Preparing Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D2797/D2797M (05.06)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Use of UV-A and Visible Light Sources and Meters used in the Liquid Penetrant and Magnetic Particle Methods, Guide for, **E2297 (03.03)**

Light and water apparatus
Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, Practice for, **D6625 (15.04)**

Light-colored surfaces
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**

Light commercial buildings
Linoleum Floor Tile, Specification for, **F2195 (15.04)**

Light distillates
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Sizing and Counting Particles in Light and Middle Distillate Fuels, by Automatic Particle Counter, Test Method for, **D7619 (05.04)**

Light duty engine service
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**
Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, Test Method for, **D5966 (05.02)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIB Spark Ignition Engine, Test Method for, **D6837 (05.03)**

Light duty engine service—specifications
Glycol Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D3306 (15.05)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Recycled Glycol Base Engine Coolant Concentrate for Automobile and Light-Duty Service, Specification for, **D6472 (15.05)**
Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, Specification for, **D6471 (15.05)**
Stop-Leak Additive for Engine Coolants Used in Light Duty Service, Specification for, **D6107 (15.05)**

Light duty packaging
Pressure-Sensitive Tape for Light-Duty Packaging and General Purpose Masking, Specification for, **D6123/D6123M (15.10)**

Light-duty pressure-sensitive tapes
Dispensability of Light–Duty Pressure–Sensitive Film Tape, Test Method for, **D6295/D6295M (15.10)**

Light-duty rescue carabiners
Rescue Carabiners, Specification for, **F1956 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Light element
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Lightening power
See **Tinting strength**
Lighters
Sa **Consumer safety specifications**
Lighters, Consumer Safety Specification for, **F400 (15.11)**
Lighter-than-air
Design and Performance Requirements for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2355 (15.11)**
Light exposure
Accelerated Weathering of Pressure-Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus, Practice for, **D3815/D3815M (15.10)**
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), Practice for, **D4799/D4799M (04.04)**
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method), Practice for, **D4798/D4798M (04.04)**
Colorfastness of Zippers to Light, Test Method for, **D2053 (07.01)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, Test Method for, **D4355 (04.13)**
Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, Test Method for, **C1070 (15.01)**
Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, Practice for, **G178 (14.04)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, Practice for, **G151 (14.04)**
Exposure of Adhesive Specimens to Artificial Light, Practice for, **D904 (15.06)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Lightfastness of Pigments Used in Artists' Paints, Test Methods for, **D4303 (06.02)**
Measuring Optical Reflectivity of Transparent Materials, Test Method for, **F1252 (15.03)**
Measuring the Light Penetration of a Turf Reinforcement Mat (TRM), Test Method for, **D6567 (04.13)**
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Reporting Cure Times of Ultraviolet-Cured Coatings, Practice for, **D3732 (06.02)**
Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Using Flame Photometric Detectors in Gas Chromatography, Practice for, **E840 (03.06)**
Light exposure—plastics
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Enclosed Carbon-Arc Exposures of Plastics, Practice for, **D6360 (08.03)**
Filtered Open-Flame Carbon-Arc Exposures of Plastics, Practice for, **D1499 (08.01)**
Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics, Practice for, **D5208 (08.03)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, Practice for, **D4364 (08.02)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**
Xenon-Arc Exposure of Plastics Intended for Indoor Applications, Practice for, **D4459 (08.02)**
Xenon-Arc Exposure of Plastics Intended for Outdoor Applications, Practice for, **D2565 (08.01)**
Light exposure—sealants
Conducting Tests on Sealants Using Artificial Weathering Apparatus, Practice for, **C1442 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Lightfastness
Accelerated Testing of the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting and WindowFiltered Daylight, Practice for, **F1946/F1946M (15.09)**
Artists' Acrylic Dispersion Paints, Specification for, **D5098 (06.02)**
Artists' Colored Pencils, Specification for, **D6901 (06.02)**
Determining the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting, Practice for, **F1945 (15.09)**
Determining the Relative Lightfastness of Ink Jet Prints Exposed to Window Filtered Daylight Using a Xenon Arc Light Apparatus, Practice for, **F2366 (15.09)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, Practice for, **G151 (14.04)**
Lightfastness of Pigments Used in Artists' Paints, Test Methods for, **D4303 (06.02)**
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**
Visual Determination of the Lightfastness of Art Materials by Art Technologists, Practice for, **D5383 (06.02)**
Visual Evaluation of the Lightfastness of Art Materials by the User, Practice for, **D5398 (06.02)**
Xenon-Arc Exposure of Plastics Intended for Indoor Applications, Practice for, **D4459 (08.02)**
Light-fiber-tear failure (LFT)
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**
Light fixtures
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Light frame construction
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**
Mineral-Fiber Blanket Thermal Insulation for Light Frame Con-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

struction and Manufactured Housing, Specification for, **C665 (04.06)**

Light-gaged steel sheet piling
See **Structural steel (SS) piles—specifications**

Light gage steel sheet piling
Sa **Structural steel (SS) piles—specifications**
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**

Light hydrocarbons
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, Test Method for, **D1657 (05.01)**
Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, Test Method for, **D4308 (05.02)**
Interconversion of Analysis of C5 and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Mass Basis, Practice for, **D2421 (05.01)**
Total Inhibitor Content (TBC) of Light Hydrocarbons, Test Method for, **D1157 (05.01)**
Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry, Test Method for, **D3120 (05.01)**

Light impact value (IV)
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**

Light industrial fence
See **Fences/fencing materials**

Lighting
Lighting Cotton Classing Rooms for Color Grading, Practice for, **D1684 (07.01)**

Lighting fixtures/lamps
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**

Lighting inspection procedure
Visual Inspection of Electrical Protective Rubber Products, Guide for, **F1236 (10.03)**

Lighting rods
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**

Light microscopes
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**

Lightning
Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials Using Impulse Waves, Test Method for, **D3426 (10.02)**

Light non-aqueous phase liquid (LNAPL)
Estimation of LNAPL Transmissivity, Guide for, **E2856 (11.05)**

Light petroleum liquids
Sulfur Compounds in Light Petroleum Liquids by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D5623 (05.02)**

Light reflectance/reflectivity
Acoustical Ceiling Products, Classification for, **E1264 (04.06)**

Light resistance
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**

Light scattering
Characterization of Proteins by Electrophoretic Mobility, Test Method for, **E1470 (14.02)**
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Determination of Weight-Average Molecular Weight of Polymers By Light Scattering, Test Method for, **D4001 (08.02)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Measurement of Particle Size Distribution of Nanomaterials in Suspension by Photon Correlation Spectroscopy (PCS), Guide for, **E2490 (14.02)**
Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, Test Method for, **B822 (02.05)**

Light ship displacement
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**

Light source products
Light Source Products for Inspection of Fluorescent Coatings, Specification for, **E2501 (06.01)**

Light sport aircraft (LSA)
Compliance Audits to ASTM Standards on Light Sport Aircraft, Practice for, **F2839 (15.11)**
Compliance with Light Sport Aircraft Standards, Guide for, **F2930 (15.11)**
Design and Manufacture of Electric Propulsion Units for Light Sport Aircraft, Practice for, **F2840 (15.11)**
Design and Manufacture of Reciprocating Compression Ignition Engines for Light Sport Aircraft, Practice for, **F2538 (15.11)**
Design and Performance of a Light Sport Glider, Specification for, **F2564 (15.11)**
Design and Testing of Light Sport Aircraft Propellers, Specification for, **F2506 (15.11)**
Light Sport Aircraft, Terminology for, **F2626 (15.11)**
Light Sport Aircraft Manufacturer's Quality Assurance System, Specification for, **F2972 (15.11)**
Maintenance and the Development of Maintenance Manuals for Light Sport Aircraft, Practice for, **F2483 (15.11)**
Pilot's Operating Handbook (POH) for Light Sport Airplane, Specification for, **F2746 (15.11)**
Production Acceptance in the Manufacture of a Fixed Wing Light Sport Aircraft, Practice for, **F3035 (15.11)**
Required Product Information to be Provided with an Airplane, Specification for, **F2745 (15.11)**

Light sport airplane (LSA)
Continued Airworthiness System for Weight-Shift-Control Aircraft, Specification for, **F2425 (15.11)**
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Design and Manufacture of Reciprocating Spark Ignition Engines for Light Sport Aircraft, Practice for, **F2339 (15.11)**
Design and Performance Requirements for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2355 (15.11)**
Manufacturer Quality Assurance System for Weight-Shift-Control Aircraft, Practice for, **F2448 (15.11)**
Production Acceptance Test Procedures for Weight-Shift-Control Aircraft, Practice for, **F2447 (15.11)**
Quality Assurance in the Manufacture of Fixed Wing Light Sport Aircraft, Practice for, **F2279 (15.11)**
Required Product Information to be Provided with an Airplane, Specification for, **F2745 (15.11)**
Required Product Information to be Provided with Lighter-Than-Air Light Sport Aircraft, Specification for, **F2427 (15.11)**

Light sport airplane (LSA)—Lighter-than-air
Required Product Information to be Provided with Lighter-Than-Air Light Sport Aircraft, Specification for, **F2427 (15.11)**

Light sport airplane (LSA)—specifications
Airframe Emergency Parachutes, Specification for, **F2316 (15.11)**
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Design and Performance Requirements for Powered Parachute

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aircraft, Specification for, **F2244 (15.11)**
Design and Testing of Light Sport Aircraft Propellers, Specification for, **F2506 (15.11)**

Light sport glider
Design and Performance of a Light Sport Glider, Specification for, **F2564 (15.11)**

Light sport gyroplane
Continued Airworthiness System for Light Sport Gyroplane Aircraft, Practice for, **F2415 (15.11)**
Design and Performance of Light Sport Gyroplane Aircraft, Specification for, **F2352 (15.11)**
Manufacturer Quality Assurance Program for Light Sport Gyroplane Aircraft, Specification for, **F2449 (15.11)**

Light stability
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**

Light table test
Pinhole Determination in Aluminum and Aluminum Alloy Plain Foil by Means of a Light Table, Method for, **B926 (02.02)**

Light traffic paving brick
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**

Light transmission and reflection
Absorption Coefficient of Ethylene Polymer Material Pigmented with Carbon Black, Test Method for, **D3349 (10.02)**
Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates, Practice for, **D2244 (06.01)**
Coefficient of Retroreflection of Retroreflective Sheeting Utilizing the Coplanar Geometry, Test Method for, **E810 (06.01)**
Color of Asbestos, Test Method for, **D2985/D2985M (04.05)**
Computing the Colors of Objects by Using the CIE System, Practice for, **E308 (06.01)**
Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, Test Methods for, **D3824 (11.07)**
Describing Retroreflection, Practice for, **E808 (06.01)**
Determination of Weight-Average Molecular Weight of Polymers By Light Scattering, Test Method for, **D4001 (08.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Diffuse Light Transmission Factor of Reinforced Plastics Panels, Test Method for, **D1494 (08.03)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Evaluation of Visual Color Difference With a Gray Scale, Test Method for, **D2616 (06.01)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Haze and Luminous Transmittance of Transparent Plastics, Test Method for, **D1003 (08.01)**
Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, Practice for, **E805 (06.01)**
Illuminators Used for Viewing Industrial Radiographs, Specification for, **E1390 (03.03)**
Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, Practice for, **E811 (06.01)**
Measuring Photometric Characteristics of Retroreflectors, Practice for, **E809 (06.01)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Polishing and Etching Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D5671 (05.06)**
Preparing Coke Samples for Microscopical Analysis by Reflected Light, Practice for, **D3997/D3997M (05.06)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Radioscopy, Guide for, **E1000 (03.03)**
Retroreflectance of Horizontal Coatings, Test Method for, **D4061 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Specifying Color by the Munsell System, Practice for, **D1535 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**
Visual Evaluation of Metamerism, Practice for, **D4086 (06.01)**

Light truck tires
Sa **Tire testing**
Accelerated Laboratory Aging of Radial Passenger Car and Light Truck Tires through Load Range E for the Laboratory Generation of Belt Separation, Practice for, **F2838 (09.02)**
Accelerated Laboratory Roadwheel Generation of Belt Separation in Radial Passenger Car and Light Truck Tires through Load Range E, Test Method for, **F3015 (09.02)**
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**
Radial Light Truck Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Rotating Roadwheel and a Flat Surface, Practice for, **F2869 (09.02)**
Static Measurements on Tires for Passenger Cars, Light Trucks, and Medium Duty Vehicles, Test Method for, **F1502 (09.02)**
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**

Light-/water-exposure apparatus
See **Exposure tests—light**

Light-water nuclear reactor vessels
Sa **Nuclear reactor vessels—light-water cooled**
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**

Light water reactor (LWR)
Characterization of Spent Nuclear Fuel in Support of Geologic Repository Disposal, Guide for, **C1682 (12.01)**
Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, Guide for, **E2956 (12.02)**

Light water reactor (LWR) pressure vessels—Monitoring the neutron exposure of
Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, Guide for, **E2956 (12.02)**

Lightweight aggregate
Iron Staining Materials in Lightweight Concrete Aggregates, Test Method for, **C641 (04.02)**
Lightweight Aggregate for Internal Curing of Concrete, Specification for, **C1761/C1761M (04.02)**
Lightweight Aggregates for Concrete Masonry Units, Specifica-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tion for, **C331/C331M (04.02)**
Lightweight Aggregates for Insulating Concrete, Specification for, **C332 (04.02)**
Lightweight Aggregates for Structural Concrete, Specification for, **C330/C330M (04.02)**
Lightweight Particles in Aggregate, Test Method for, **C123/C123M (04.02)**
Obtaining and Testing Specimens of Hardened Lightweight Insulating Concrete for Compressive Strength, Test Method for, **C513 (04.02)**

Lightweight apparatus—specifications
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**
Shelter, Electrical Equipment, Lightweight, Specification for, **E2377 (04.12)**

Lightweight concrete
Compressive Strength of Lightweight Insulating Concrete, Test Method for, **C495/C495M (04.02)**
Determining Density of Structural Lightweight Concrete, Test Method for, **C567/C567M (04.02)**

Light Weight Deflectometer (LWD)
Measuring Deflections with a Light Weight Deflectometer (LWD), Test Method for, **E2583 (04.03)**

Lightweight fill
Use of Scrap Tires in Civil Engineering Applications, Practice for, **D6270 (11.04)**

Lignin content
Acid-Insoluble Lignin in Wood, Test Method for, **D1106 (04.10)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Methoxyl Groups in Wood and Related Materials, Test Method for, **D1166 (04.10)**

Lignite
Sa **Coal products**
Coals by Rank, Classification of, **D388 (05.06)**
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**

Lignocellulosic materials
See **Cellulose and cellulose derivatives**

Lignosulfonates
Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, Test Method for, **D4900 (15.04)**

Lime content
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**

Lime content—soil-lime mixtures
Lime Content of Uncured Soil-Lime Mixtures, Test Method for, **D3155 (04.08)**
One-Dimensional Expansion, Shrinkage, and Uplift Pressure of Soil-Lime Mixtures, Test Methods for, **D3877 (04.08)**
Unconfined Compressive Strength of Compacted Soil-Lime Mixtures, Test Methods for, **D5102 (04.08)**

Lime/limestone uniformity
Evaluation of Limestone or Lime Uniformity From a Single Source, Practice for, **C1164 (04.01)**

Lime materials/applications
Commercial Use of Lime Kiln Dusts and Portland Cement Kiln Dusts, Guide for, **D5050 (11.04)**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, Test Method for, **C1105 (04.02)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Pozzolanic Blended Materials in Construction Applications, Specification for, **D5370 (11.04)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**

Lime materials/applications—specifications
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Fly Ash and Other Pozzolans for Use With Lime for Soil Stabilization, Specification for, **C593 (04.01)**
Lime Putty for Structural Purposes, Specification for, **C1489 (04.01)**
Pozzolanic Hydraulic Lime for Structural Purposes, Specification for, **C1707 (04.01)**

Lime materials/applications (hydrated)
See **Hydrated lime**

Lime materials/applications (quicklime)
See **Quicklime**

Lime putty
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**

Lime-stabilized soil
Sa **Soil-lime mixtures**
Coring and Logging Soil-Cement or Lime-Stabilized Soil, Guide for, **D6236 (04.09)**

Limestone
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Evaluation of Limestone or Lime Uniformity From a Single Source, Practice for, **C1164 (04.01)**
Lime and Limestone (as used by the Industry), Terminology Relating to, **C51 (04.01)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**
X-ray Spectrometric Analysis of Lime and Limestone, Test Method for, **C1271 (04.01)**

Limestone—specifications
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Limestone Dimension Stone, Specification for, **C568/C568M (04.07)**
Limestone for Animal Feed Use, Specification for, **C706 (04.01)**
Limestone for Dusting of Coal Mines, Specification for, **C737 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses, Specification for, **C911 (04.01)**

Limestone dimension stone
Limestone Dimension Stone, Specification for, **C568/C568M (04.07)**

Limestone drop test
Impact Resistance of Pipeline Coatings, Test Method for, **G13/G13M (06.02)**

Limited-purpose method
Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36-mm (No. 8 Sieve) Topsize, Test Method for, **D2961 (05.06)**

Limiting oxygen (oxidant) concentration
Limiting Oxygen (Oxidant) Concentration in Gases and Vapors, Test Methods for, **E2079 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Limiting values
Sa **Statistical methods**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**
Limiting viscosity number
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Limit of detection (LOD)
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Determining Limits of Detection in Explosive Trace Detectors, Test Method for, **E2677 (15.08)**
Fluorescence—Instrument Calibration and Qualification, Guide for, **E2719 (03.06)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**
Limit of flammability
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
Limit of quantitation (LOQ)
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Determination of a Pooled Limit of Quantitation, Practice for, **D6259 (05.03)**
Limits of flammability (of chemicals)
Sa **Flammability—chemicals**
Concentration Limits of Flammability of Chemicals (Vapors and Gases), Test Method for, **E681 (14.02)**
Limit switch
Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, Specification for, **F2071 (01.07)**
Limonite
See **Ocher**
Limulus **amebocyte lysate (LAL) assay**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
LINAC (linear accelerator)
See **Electron linear accelerator**
Linear attenuation
Calibrating and Measuring CT Density, Test Method for, **E1935 (03.03)**
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Linear bias correction
Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, Practice for, **D6708 (05.03)**
Linear calibration function
Calibration of the Electron Binding-Energy Scale of an X-Ray Photoelectron Spectrometer, Practice for, **E2108 (03.06)**
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**
Linear changes/linearity
Calculating Areas, Volume, and Linear Change of Refractory Shapes, Practice for, **C1407 (15.01)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, Test Method for, **F2199 (15.04)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Linear Deformation and Breaking Strength of Alpine Skis, Test Method for, **F780 (15.07)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Linear Measurement Using Precision Steel Rule, Test Method for, **F2203 (15.10)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Linear Shrinkage of Preformed High-Temperature Thermal Insulation Subjected to Soaking Heat, Test Method for, **C356 (04.06)**
Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, Test Method for, **E831 (14.02)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Refractive Index Detectors Used in Liquid Chromatography, Practice for, **E1303 (03.06)**
Reheat Change of Refractory Brick, Test Method for, **C113 (15.01)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**
Vibration (Horizontal Linear Motion) Test of Products, Test Method for, **D5112 (15.10)**
Linear changes/linearity—metals/alloys
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Linearity of Fluorescence Measuring Systems, Test Method for, **E578 (03.06)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Wear Testing with a Pin-on-Disk Apparatus, Test Method for, **G99 (03.02)**
Linear changes/linearity—plastics
Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature, Test Method for, **D1204 (08.01)**
Linear Dimensional Changes of Plastics Caused by Exposure to Heat and Moisture, Test Method for, **D1042 (08.01)**
Linear cooling rate method
Cloud Point of Petroleum Products (Linear Cooling Rate Method), Test Method for, **D5772 (05.02)**
Linear density
Sa **Yarn number**
Linear Density of Elastomeric Yarns (Short Length Specimens), Test Method for, **D2591 (07.01)**
Linear Density of Elastomeric Yarns (Skein Specimens), Test Method for, **D6717 (07.02)**
Linear Density of Textile Fibers, Test Methods for, **D1577 (07.01)**
Tensile Testing of Aramid Yarns, Test Methods for, **D7269/D7269M (07.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tensile Testing of High Performance Polyethylene Tapes, Test Methods for, **D7744/D7744M (07.02)**
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**
Woven Asbestos Tape, Specification for, **D315/D315M (04.05)**

Linear detergent alkylates
Analysis of Linear Detergent Alkylates, Test Methods for, **D4337 (15.04)**

Linear displacement
Calibration of Linear Displacement Sensor Systems Used to Measure Micromotion, Practice for, **F2537 (13.02)**
Diagonal Tension (Shear) in Masonry Assemblages, Test Method for, **E519/E519M (04.05)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**

Linear elastic behavior
Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D5528 (15.03)**

Linear energy transfer (LET)
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**

Linear expansion coefficients
Thermostat Component Alloys, Specification for, **B753 (02.04)**

Linear flame propagation rate
Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids, Test Method for, **D5306 (05.02)**

Linear integrated circuits
See **Integrated circuits**

Linear intercept (Heyn) procedure
Determining Average Grain Size, Test Methods for, **E112 (03.01)**

Linear low density polyethylene (LLDPE)
See **LLDPE (linear low-density polyethylene)**

Linearly-reciprocating ball-on-flat sliding wear
Linearly Reciprocating Ball-on-Flat Sliding Wear, Test Method for, **G133 (03.02)**

Linear openings
Fire-Resistive Joint Systems, Test Method for, **E1966 (04.07)**

Linear polarization
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**

Line call-out specifications
Anaerobic Single-Component Adhesives (AN), Specification for, **D5363 (15.06)**

Linear range
Testing Conductivity Detectors Used in Liquid and Ion Chromatography, Practice for, **E1511 (03.06)**

Linear reciprocating wear motion
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**

Linear regression analysis
See **Statistical methods**

Linear retention index
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**

Linear shrinkage
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**

Linear sweep voltammetry
Measurement of Antioxidant Content in Lubricating Greases by Linear Sweep Voltammetry, Test Method for, **D7527 (05.04)**
Measurement of Hindered Phenolic and Aromatic Amine Antioxidant Content in Non-zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6971 (05.03)**
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Measurement of Remaining Primary Antioxidant Content In In-Service Industrial Lubricating Oils by Linear Sweep Voltammetry, Guide for, **D7590 (05.04)**

Linear temperature measurement
Calibration of Temperature Scale for Thermogravimetry, Practice for, **E1582 (14.02)**

Linear thermal expansion
Determination of the Linear Coefficient of Thermal Expansion of Plastic Lumber and Plastic Lumber Shapes Between –30 and 140°F (–34.4 and 60°C), Test Method for, **D6341 (08.03)**
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**
Linear Thermal Expansion of Glaze Frits and Ceramic Whiteware Materials by the Interferometric Method, Test Method for, **C1300 (15.02)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Ceramic Whiteware Materials by Interferometric Method, Test Method for, **C539 (02.05)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method, Test Method for, **C372 (15.02)**
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, Test Method for, **E831 (14.02)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measuring Thermal Expansion and Creep of Refractories Under Load, Test Method of, **C832 (15.01)**

Linear thermal expansion—glass
Assignment of the Glass Transition Temperature by Thermomechanical Analysis, Test Method for, **E1545 (14.02)**
Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, Practice for, **C824 (15.02)**

Linear thermal expansion—plastics
Coefficient of Linear Thermal Expansion of Plastics Between –30°C and 30°C with a Vitreous Silica Dilatometer, Test Method for, **D696 (08.01)**

Linear thermal expansion—rock
Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, Test Method for, **D5335 (04.08)**
Measurement of Thermal Expansion of Rock Using Dilatometer, Test Methods for, **D4535 (04.08)**

Linear threshold voltage
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**

Linear traverse (Rosiwal) method
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**

Linear treadwear
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**

Linear variable displacement transducers (LVDTs)
In Situ Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), Test Method for, **F2214 (13.01)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Line blind valves
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Line call-out
Nonmetallic Gasket Materials, Classification System for, **F104 (09.02)**
Polyamide Molding and Extrusion Materials (PA), Classification System for and Basis of Specification for, **D6779 (08.03)**
Polyoxymethylene Molding and Extrusion Materials (POM), Classification System and Basis for Specification for, **D6778 (08.03)**
Rubber Products in Automotive Applications, Classification System for, **D2000 (09.02)**
Thermoplastic Elastomer-Ether-Ester Molding and Extrusion Materials (TEEE), Classification System for, **D6835 (08.03)**
Line call-out specifications—plastics
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
Extruded Rods and Bars Made From Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC), Specification for, **D6263 (08.03)**
Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, Classification System for, **D6338 (08.03)**
Liquid Crystal Polymers Molding and Extrusion Materials (LCP), Classification System and Basis for Specification for, **D5138 (08.03)**
Nylon Injection and Extrusion Materials (PA), Classification System for, **D4066 (08.02)**
Poly (Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ISO Methods, Classification System and Basis for Specification for, **D6358 (08.03)**
Polyamide-Imide (PAI) Molding and Extrusion Materials, Classification System for, **D5204 (08.03)**
Polycarbonate (PC) Unfilled and Reinforced Material, Specification for, **D3935 (08.02)**
Polyetherimide (PEI) Materials, Classification System and Basis for Specification for, **D5205 (08.03)**
Polyphthalamide (PPA) Injection Molding Materials, Specification for, **D5336 (08.03)**
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**
Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods, Classification System for and Basis for Specification for, **D4067 (08.02)**
Specifying Plastic Materials, Classification System for, **D4000 (08.02)**
Styrene-Acrylonitrile (SAN) Injection and Extrusion Materials, Specification for and Basis for Specifications for, **D4203 (08.02)**
Sulfone Plastics (SP), Specification for, **D6394 (08.03)**
Writing Material Standards in the Classification, Guide for, **D5740 (08.03)**
Line hose—rubber insulating
In-Service Care of Insulating Line Hose and Covers, Specification for, **F478 (10.03)**
Rubber Insulating Line Hose, Specification for, **D1050 (10.03)**
Line image analysis
Determining the Quality of the Text, Line- and Solid-Fill Output Produced by Ink Jet Printers, Practice for, **F1944 (15.09)**
Linen
Sa **Bast and leaf fibers/products**
Flax and Linen, Terminology Relating to, **D6798 (07.02)**
Line pair gage
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Line-pairs per millimeter
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Line pipe
Black Crosslinked Polyethylene (PEX) Line Pipe, Fittings and Joints For Oil and Gas Producing Applications, Specification for, **F2905/F2905M (08.04)**
High-Density Polyethylene (PE) Line Pipe, Specification for, **F2619/F2619M (08.04)**
Steel Line Pipe, Black, Plain-End, Seamless, Specification for, **A1024/A1024M (01.01)**
Line position/resolution
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Line printer
Printers, Terminology Relating to, **F909 (15.09)**
Liner
30 to 60 in. 750 to 1500 mm Triple Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2763 (08.04)**
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Geomembrane Seam Evaluation by Vacuum Chamber, Practice for, **D5641 (04.13)**
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**
John Deere Coolant Cavitation Test, Test Method for, **D7583 (15.05)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Linerboard
Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, Test Method for, **D3889/D3889M (15.10)**
Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle and Constant Stress, Test Method for, **D2860/D2860M (15.10)**
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
Water Vapor Transmission of Shipping Containers—Constant and Cycle Methods, Test Methods for, **D4279 (15.10)**
Liner/linings—specifications
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**
Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**
Liner pipe
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
The Sectional Repair of Damaged Pipe By Means of An Inverted Cured-In-Place Liner, Practice for, **F2599 (08.04)**
Liner pipe/plate—specifications
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Special Applications, Specification for, **A978/A978M (01.06)**
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**

Liner removal
Liner Removal at High Speeds from Pressure-Sensitive Label Stock, Test Methods for, **D5375/D5375M (15.10)**

Liners
Measurement of Cut Resistance to Chain Saw of Foot Protective Devices, Test Method for, **F1458 (11.03)**

Liner thickness
Sa **Thickness—plastics**
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**

Line scan
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**

Line-source heater
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**

Line-source probe technique
Thermal Conductivity of Plastics by Means of a Transient Line-Source Technique, Test Method for, **D5930 (08.03)**

Line spread
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**

Line spread function
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**

Line-type fences
See **Fences/fencing materials**

Line velocity reduction
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**

Line waviness (LW) index
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**

Line wire
Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire, Specification for, **A111 (01.06)**

Lingerie
Brassiere, Slip, Lingerie and Underwear Fabrics, Performance Specification for, **D7019 (07.02)**

Linguistics
Quality Assurance in Translation, Guide for, **F2575 (15.11)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Lining
Establishing Procedures to Monitor the Performance of Safety-Related Coating Service Level III Lining Systems in an Operating Nuclear Power Plant, Guide for, **D7167 (06.02)**
Installing Clay Flue Lining, Practice for, **C1283 (04.05)**

Lining industry
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**

Linings
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Protective Coating and Lining Work for Power Generation Facilities, Terminology Relating to, **D4538 (06.02)**

Linings—fabric
Woven Flat Lining Fabrics for Women's and Girls' Apparel, Performance Specification for, **D4114 (07.01)**

Linoleum—specifications
Sa **Resilient flooring**
Linoleum Floor Tile, Specification for, **F2195 (15.04)**
Sheet Linoleum Floor Covering, Specification for, **F2034 (15.04)**

Linseed oils
Oil Absorption of Pigments by Gardner-Coleman Method, Test Method for, **D1483 (06.01)**
Oil Absorption of Pigments by Spatula Rub-out, Test Method for, **D281 (06.01)**

Lint content
Fiber Shedding of Paint Roller Covers, Test Method for, **D7804 (06.02)**
Non-Lint Content of Cotton, Test Method for, **D2812 (07.01)**
Water in Lint Cotton by Oven Evaporation Combined with Volumetric Karl Fischer Titration, Test Method for, **D7785 (07.02)**

Lintels
Manufactured Concrete Masonry Lintels, Specification for, **C1623 (04.05)**

Lipkin bicapillary pycnometer test
Density and Relative Density (Specific Gravity) of Viscous Materials by Lipkin Bicapillary Pycnometer, Test Method for, **D1481 (05.01)**

Lipophilic emulsification
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**

Lip-seal pressure
Lock-Strip Gaskets, Specification for, **C542 (04.07)**

Liquefaction
Determining the Normalized Penetration Resistance of Sands for Evaluation of Liquefaction Potential, Practice for, **D6066 (04.09)**
Energy Measurement for Dynamic Penetrometers, Test Method for, **D4633 (04.08)**
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**

Liquefied petroleum cylinder
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**
Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, Practice for, **D6849 (05.03)**

Liquefied petroleum (LP) gases
Sa **LPG (liquefied petroleum gases)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, Test Method for, **D7551 (05.06)**

Liquid absorption
Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure, Test Methods for, **C830 (15.01)**

Liquid adhesives
Applied Weight Per Unit Area of Liquid Adhesive, Practice for, **D899 (15.06)**
Determination of Percent Nonvolatile Content of Liquid Phenolic Resins Used for Wood Laminating, Test Method for, **D4426 (15.06)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Liquid Optical Adhesive, Specification for, **D2851 (15.06)**
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**
Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, Practice for, **D1338 (15.06)**

--`,,`,,`,`,,`,,,,``````,,-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Liquid air-entraining admixtures
See **Additives—cement/concrete**
See **Concrete admixtures**
Liquid and paste fluxes
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Liquid-applied roofing/waterproofing materials
Sa **Roofing membranes**
Crack Bridging Ability of Liquid-Applied Waterproofing Membrane, Test Method for, **C1305 (04.04)**
Extensibility After Heat Aging of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1522 (04.04)**
Hydrostatic Pressure Resistance of a Liquid-Applied Waterproofing Membrane, Test Method for, **C1306 (04.04)**
Liquid Applied Acrylic Coating Used in Roofing, Specification for, **D6083 (04.04)**
Liquid Applied Moisture Cured Polyurethane Coating Used in Spray Polyurethane Foam Roofing System, Specification for, **D6947/D6947M (04.04)**
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Liquid-Applied Silicone Coating Used in Spray Polyurethane Foam Roofing Systems, Specification for, **D6694/D6694M (04.04)**
Nonvolatile Content of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1250 (04.04)**
Testing Elastomeric and Plastomeric Roofing and Waterproofing Materials, Index of Methods for, **D3105 (04.04)**
Liquid-applied sealants
Sa **Glazing compounds/applications**
Secondary Edge Sealants for Structurally Glazed Insulating Glass Units, Specification for, **C1369 (04.07)**
Liquid bath soaps
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Liquid chemicals
Constant-Temperature Stability of Chemical Materials, Test Method for, **E487 (14.02)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, Test Method for, **E1754 (15.05)**
Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Relative Resistance of Printed Matter to Liquid Chemicals by a Sandwich Technique, Practice for, **D6688 (06.02)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**
Liquid chemicals—agricultural applications
Agricultural Chemical Application, Terminology Relating to, **E1102 (11.05)**
Agricultural Tank Mix Adjuvants, Terminology Relating to, **E1519 (11.05)**
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Handling Hazardous Biological Materials in Liquid Nitrogen, Guide for, **E1566 (14.02)**
Nonresidual Liquid Household Insecticides Against Flying Insects, Test Method for, **E652 (11.05)**
Spreading of Liquid Agricultural Spray Mixtures, Test Method for, **E2044 (11.05)**
Liquid chlorine
Sa **Chlorine/chlorine-based compounds**
Carbon Tetrachloride and Chloroform in Liquid Chlorine by Direct Injection (Gas Chromatographic Procedure), Test Method for, **E806 (15.05)**
Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, Test Method for, **F2263 (08.04)**
Mercury in Liquid Chlorine, Test Method for, **E506 (15.05)**
Moisture and Residue in Liquid Chlorine, Test Method for, **E410 (15.05)**
Nitrogen Trichloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2036 (15.05)**
Liquid chlorine—specifications
Liquid Chlorine, Specification for, **E1120 (15.05)**
Liquid chromatography (LC)
Sa **Gas chromatography (GC)**
Sa **HPLC (high performance liquid chromatography)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**
Bromine Chloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2037 (15.05)**
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Determination of Aldicarb, Carbofuran, Oxamyl and Methomyl by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7600 (11.02)**
Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6379 (05.03)**
Determination of Bisphenol A in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7574 (11.02)**
Determination of Bisphenol A in Soil, Sludge and Biosolids by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7858 (11.04)**
Determination of Diethanolamine, Triethanolamine, N-Methyldiethanolamine and N-Ethyldiethanolamine in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7599 (11.02)**
Determination of Diisopropyl Methylphosphonate, Ethyl Hydrogen Dimethylamidophosphate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Water by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7597 (11.02)**
Determination of Diisopropyl Methylphosphonate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Soil by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **E2866 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Dioctyl Sulfosuccinate in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7730 (11.02)**
Determination of Free Formaldehyde in Emulsion Polymers by Liquid Chromatography, Test Method for, **D5910 (06.03)**
Determination of Nonylphenol, p-*tert*-Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7485 (11.02)**
Determination of Phenolic Antioxidants and Erucamide Slip Additives in Polypropylene Homopolymer Formulations Using Liquid Chromatography (LC), Test Method for, **D6042 (08.03)**
Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, Test Method for, **D5186 (05.02)**
Determination of Thiodiglycol in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7598 (11.02)**
Determination of Thiodiglycol on Wipes by Solvent Extraction Followed by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2838 (15.08)**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Dicumyl Peroxide, Assay (Liquid Chromatography), Test Method for, **E755 (15.05)**
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**
Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, Test Method for, **D1319 (05.01)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Liquid Chromatography Terms and Relationships, Practice for, **E682 (03.06)**
Nitrogen Trichloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2036 (15.05)**
Refractive Index Detectors Used in Liquid Chromatography, Practice for, **E1303 (03.06)**
Rubber Chemical Accelerator—Purity by High Performance Liquid Chromatography, Test Methods for, **D5297 (09.01)**
Rubber Chemical Antidegradants—Purity of, Test Method for, **D5666 (09.01)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography, Test Method for, **D2549 (05.01)**
Supercritical Fluid Chromatography Terms and Relationships, Guide for, **E1449 (03.06)**
Testing Conductivity Detectors Used in Liquid and Ion Chromatography, Practice for, **E1511 (03.06)**
Testing Fixed-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E685 (03.06)**
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**

Liquid chromatography (LC)—water analysis
Determination of Aldicarb, Aldicarb Sulfone, Aldicarb Sulfoxide, Carbofuran, Methomyl, Oxamyl, and Thiofanox in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7645 (11.02)**
Determination of Bromadiolone, Brodifacoum, Diphacinone and Warfarin in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7644 (11.02)**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**

Liquid coating encapsulation product
Non-Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1795 (04.11)**
Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1797 (04.11)**
Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Guide for, **E1796 (04.11)**

Liquid coatings
Environmental and Performance Verification of Factory-Applied Liquid Coatings, Guide for, **D7270 (06.02)**
Measuring Total Water and Volatiles in Liquid Coatings Which Produce Cure Water Upon Heating, Test Method for, **D7245 (06.01)**

Liquid coatings (applications/testing)
Testing Exterior Wood Stains and Clear Water Repellents, Guide for, **D6763 (06.02)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**

Liquid contaminant
Sa **Contamination**
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**

Liquid conveyance
Electric-Fusion (Arc)-Welded Steel Pipe (NPS 4 and Over), Specification for, **A139/A139M (01.01)**

Liquid crystal polymers (LCP)
Liquid Crystal Polymers Molding and Extrusion Materials (LCP), Classification System and Basis for Specification for, **D5138 (08.03)**

Liquid density
Sa **Density**
Dynamic Viscosity and Density of Liquids by Stabinger Viscometer (and the Calculation of Kinematic Viscosity), Test Method for, **D7042 (05.04)**

Liquid developed copiers
Determination of Color Response of Electrostatic Copying System, Black and White Output, Practice for, **F974 (15.09)**

Liquid dielectric
Sa **Dielectric breakdown voltage**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**

Liquid dispersion
Liquid Dispersion of Metal Powders and Related Compounds for Particle Size Analysis, Guide for, **B821 (02.05)**

Liquid distribution systems
Pneumatic-Operated, Globe-Style, Control Valves, Specification for, **F1985 (01.07)**

Liquid dosimeter
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**

Liquid driers
See **Paint driers**

Liquid drop size analysis
Data Criteria and Processing for Liquid Drop Size Analysis, Practice for Determining, **E799 (14.02)**
Determining Cross-Section Averaged Characteristics of a Spray Using Laser-Diffraction Instruments in a Wind Tunnel Apparatus, Guide for, **E2872 (14.02)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**

Liquid environments
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
Examination of Liquid-Filled Atmospheric and Low-Pressure Metal Storage Tanks Using Acoustic Emission, Practice for, **E1930/E1930M (03.03)**
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**
Vapor Pressure of Liquids by Ebulliometry, Test Method for, **E1719 (14.02)**

Liquid epoxy plastics
See **Epoxy (EP) plastics—specifications**

Liquid epoxy resins
Epoxy Content of Epoxy Resins, Test Method for, **D1652 (06.03)**
Hydrolyzable Chloride Content of Liquid Epoxy Resins, Test Methods for, **D1726 (06.03)**

Liquid epoxy resins (for concrete)
See **Epoxy resin bonding systems (for concrete)**

Liquid exclusion chromatography (LEC)
Use of Liquid Exclusion Chromatography Terms and Relationships, Practice for, **D3016 (08.01)**

Liquid extraction
Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials, Practice for, **F34 (15.10)**
Determination of Iodine-129 In Uranium Oxide, Guide for the, **C1638 (12.01)**
Determining Gel Content in Crosslinked Ethylene Plastics Using Pressurized Liquid Extraction, Test Method for, **D7567 (08.03)**
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**
Laboratory Glass Separatory Funnels, Specification for, **E1096 (14.04)**
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**

Liquid fertilizers
Evaluation of Physical Compatibility of Pesticides in Aqueous Tank Mixtures by the Dynamic Shaker Method, Practice for, **E1518 (11.05)**

Liquid filtration
Sa **Filters/filter procedures**
Determining Bacterial Retention of Membrane Filters Utilized for Liquid Filtration, Test Method for, **F838 (14.02)**

Liquid heat capacity
Sa **Heating tests**
Calculation of Liquid Heat Capacity of Petroleum Distillate Fuels, Test Method for, **D2890 (05.01)**

Liquid heating/cooling systems (solar)
See **Solar heating/cooling systems**

Liquid holding capacity (LHC)
Liquid Holding Capacity of Granular Carriers, Test Method for, **E1521 (11.05)**

Liquid impingement erosion
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**

Liquid-in-glass thermometers
Sa **Thermometers**
Digital Contact Thermometers, Guide for, **E2877 (14.03)**
Inspection and Verification of Thermometers, Test Method for, **E77 (14.03)**
Reporting Thermometer Calibrations, Practice for, **E2623 (14.03)**

Liquid-in-glass thermometers—specifications
ASTM Liquid-in-Glass Thermometers, Specification for, **E1 (14.03)**
Liquid-in-Glass ASTM Thermometers with Low-Hazard Precision Liquids, Specification for, **E2251 (14.03)**

Liquid insecticides
Sa **Insecticides**
Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, Test Method for, **E1517 (11.05)**

Liquid level-indicating electrical equipment
Indicators, Sight, Liquid Level, Direct and Indirect Reading, Tubular Glass/Plastic, Specification for, **F2045 (01.07)**
Liquid Level Indicating Equipment, Electrical, Specification for, **F2044 (01.07)**

Liquid limit of soil
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Liquid Limit, Plastic Limit, and Plasticity Index of Soils, Test Methods for, **D4318 (04.08)**

Liquid medium
Producing High Titers of Viable and Semi-Purified Spores of Clostridium difficile using a Liquid Medium, Test Method for, **E2895 (11.05)**

Liquid membrane-forming compounds
Liquid Membrane-Forming Compounds for Curing Concrete, Specification for, **C309 (04.02)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Water Loss from a Mortar Specimen Through Liquid Membrane-Forming Curing Compounds for Concrete, Test Method for, **C156 (04.02)**

Liquid meniscus
Disposable Glass Micropipets, Specification for, **E672 (14.04)**

Liquid natural gas
See **Natural gas service systems**

Liquid nitrogen
Handling Hazardous Biological Materials in Liquid Nitrogen, Guide for, **E1566 (14.02)**

Liquid nitrogen vapor pressure/temperature
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**

Liquid oxygen (LOX) systems
Sa **Oxygen-enriched systems/environments**
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**

Liquid paint driers
Liquid Paint Driers, Specification for, **D600 (06.04)**

Liquid particles
Relating to Liquid Particles and Atomization, Terminology, **E1620 (14.02)**

Liquid penetration
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Liquid Penetrant Inspection, Reference Photographs for, **E433 (03.03)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, Specification for, **A903/A903M (01.02)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**
Use of UV-A and Visible Light Sources and Meters used in the

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Liquid Penetrant and Magnetic Particle Methods, Guide for, **E2297 (03.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**

Liquid pesticide formulation
Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, Test Method for, **F2130 (11.03)**

Liquid petroleum sampling
See **Sampling petroleum products**

Liquid phase spectra
Determination of Hydrogen Sulfide in Fuel Oils by Rapid Liquid Phase Extraction, Test Method for, **D7621 (05.04)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Liquid phenolic resins
Sa **Phenolic resins**
Determination of Percent Nonvolatile Content of Liquid Phenolic Resins Used for Wood Laminating, Test Method for, **D4426 (15.06)**

Liquid photosensitive photoresists
See **Photomasks/photomasking**

Liquid pitches
See **Pitch**

Liquid residues
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**

Liquids
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Calculation of Gas Chromatographic Response Factors, Practice for, **D4626 (05.02)**
Chemical Resistance of Pipeline Coatings, Test Method for, **G20 (06.02)**
Determination of Slurry Abrasivity (Miller Number) and Slurry Abrasion Response of Materials (SAR Number), Test Method for, **G75 (03.02)**
Determining the Consistency of Viscous Liquids Using a Consistometer, Test Method for, **F1080 (15.03)**
Determining Whether a Material Is a Liquid or a Solid, Test Method for, **D4359 (06.01)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
Flash Point by Tag Closed Cup Tester, Test Method for, **D56 (05.01)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
Gross Leakage of Liquids from Containers with Threaded or Lug-Style Closures, Test Methods for, **D5094/D5094M (15.10)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Iron Chip Corrosion for Water–Miscible Metalworking Fluids, Test Method for, **D4627 (05.02)**
Kinematic Viscosity of Transparent and Opaque Liquids by Automated Houillon Viscometer, Test Method for, **D7279 (05.04)**
Kinematic Viscosity of Volatile and Reactive Liquids, Test Method for, **D4486 (05.02)**
Liquid Holding Capacity of Granular Carriers, Test Method for, **E1521 (11.05)**
Liquid-in-Glass ASTM Thermometers with Low-Hazard Precision Liquids, Specification for, **E2251 (14.03)**
Permeability of Rocks by Flowing Air, Test Method for, **D4525 (04.08)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Polyurethane Raw Materials: Determination of APHA Color in Isocyanates, Test Method for, **D4877 (08.02)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**
Polyurethane Raw Materials: Determination of Viscosity of Polyols, Test Methods for, **D4878 (08.02)**
Preparation of Liquid Blends for Use as Analytical Standards, Practice for, **D4307 (05.02)**
Preparation of Plastic Packagings Containing Liquids for United Nations (UN) Drop Testing, Guide for, **D7790 (15.10)**
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**
Sampling of Liquids in Waste Management Activities Using a Peristaltic Pump, Practice for, **D7353 (11.04)**
Specific Gravity of Oils and Liquid Fats, Test Method for, **D5355 (15.04)**
Specific Heat of Liquids and Solids, Test Method for, **D2766 (05.01)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Static Electrification, Test Method for, **D4470 (10.02)**
Stress Crazing of Acrylic Plastics in Contact with Liquid or Semi-Liquid Compounds, Test Method for, **F484 (15.03)**
Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, Test Method for, **D4206 (06.01)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Thermal Conductivity of Liquids, Test Method for, **D2717 (05.01)**
Universal Oxidation/Thermal Stability Test Apparatus, Guide for, **D4871 (05.02)**
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Viscosity of Transparent Liquids by Bubble Time Method, Test Method for, **D1545 (06.01)**

Liquids—geosynthetic/geothermal applications
Laboratory Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids, Practice for, **D5322 (04.13)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Tests to Evaluate the Chemical Resistance of Geogrids to Liquids, Practice for, **D6213 (04.13)**
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**
Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, Practice for, **D6389 (04.13)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**

Liquids—laboratory applications
Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment, Test Method for, **G72/G72M (14.04)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Determining Vapor Pressure by Thermal Analysis, Test Method for, **E1782 (14.02)**
Glass Measuring Pipets, Specification for, **E1293 (14.04)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**
Water Using Volumetric Karl Fischer Titration, Test Method for, **E203 (15.05)**

Liquids—leather applications
Cooling of Analytical Solutions, Practice for, **D4904 (15.04)**
Evaporation and Drying of Analytical Solutions, Test Method for, **D4902 (15.04)**
Preparation of Solution of Liquid Vegetable Tannin Extracts, Practice for, **D4901 (15.04)**
Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, Practice for, **D4905 (15.04)**
Total Solids and Ash Content in Leather Finishing Materials, Test Method for, **D4906 (15.04)**

Liquids—light nonaqueous phase
Development of Conceptual Site Models and Remediation Strategies for Light Nonaqueous-Phase Liquids Released to the Subsurface, Guide for, **E2531 (11.05)**

Liquids—marine environments
Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, Specification for, **F1508 (01.07)**
Mechanically Refrigerated Shipboard Air Conditioner, Specification for, **F1433 (01.07)**
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**

Liquids—nuclear waste
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**

Liquids—paint/related coatings
Color of Transparent Liquids (Gardner Color Scale), Test Method for, **D1544 (06.01)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**

Liquids—paper applications
Relative Resistance of Printed Matter to Liquid Chemicals by a Sandwich Technique, Practice for, **D6688 (06.02)**

Liquids—petroleum applications
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**

Liquid samples
Measuring and Reporting Performance of Fourier-Transform Nuclear Magnetic Resonance (FT-NMR) Spectrometers for Liquid Samples, Practice for, **E2977 (03.06)**

Liquid sampling
See **Sampling liquids**
See **Sampling water analysis applications**

Liquid scintillation counting
99Tc in Water by Solid Phase Extraction Disk, Test Method for, **D7168 (11.02)**
Alpha and Beta Activity in Water By Liquid Scintillation Counting, Test Method for, **D7283 (11.02)**
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Determination of Technetium-99 in Uranium Hexafluoride by Liquid Scintillation Counting, Test Method for, **C1539 (12.01)**
Tritium in Drinking Water, Test Method for, **D4107 (11.02)**

Liquid scintillation spectrometry
Set-up, Calibration, and Quality Control of Instruments Used for Radioactivity Measurements, Practice for, **D7282 (11.02)**
the Determination of Technetium-99 in Soil, Guide for, **C1387 (12.01)**

Liquid silicone rubber
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**

Liquids immersion
Sa **Immersion**
Bulk Density and Volume of Solid Refractories by Wax Immersion, Test Method for, **C914 (15.01)**
Durability of Sealants Exposed to Continuous Immersion in Liquids, Test Method for, **C1247 (04.07)**
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**

Liquids immersion—effect on rubber
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Property—Change in Length During Liquid Immersion, Test Method for, **D1460 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**

Liquid-tight integrity
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**

Liquidus temperature
Determining Liquidus Temperature of Immobilized Waste Glasses and Simulated Waste Glasses, Test Method for, **C1720 (12.01)**
Measurement of Liquidus Temperature of Glass by the Gradient Furnace Method, Practices for, **C829 (15.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Liquid waste
Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, Test Method for, **D5232 (11.04)**
Flammability Potential Screening Analysis of Waste, Test Methods for, **D4982 (11.04)**
General Planning of Waste Sampling, Guide for, **D4687 (11.04)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Screening of Oxidizers in Waste, Test Method for, **D4981 (11.04)**
Screening of Reactive Sulfides in Waste, Test Methods for, **D4978 (11.04)**
Tests to Evaluate the Chemical Resistance of Geogrids to Liquids, Practice for, **D6213 (04.13)**
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**
Tests to Evaluate the Chemical Resistance of Geonets to Liquids, Practice for, **D6388 (04.13)**
Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, Practice for, **D6389 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **D5839 (11.04)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Liquid water permeability
Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Apparatus, Test Method for, **D5795 (06.02)**

Liquid wax
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**

Liquid hydrocarbon fuel
Determination of Total Sulfur in Light Hydrocarbons, Motor Fuels, and Oils by Online Gas Chromatography with Flame Photometric Detection, Test Method for, **D7041 (05.04)**
Determination of Total Sulfur in Liquid Hydrocarbon Based Fuels by Continuous Injection, Air Oxidation and Ultraviolet Fluorescence Detection, Test Method for, **D7620 (05.04)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), Test Method for, **D4809 (05.02)**

Liquified elevated temperatures
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Liquors
Analysis of Tannery Liquors, Test Method for, **D6408 (15.04)**

Listening
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Listeria
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**

Lithium/beryllium targets
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**

Lithium content
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Lithium, Potassium, and Sodium Ions in Brackish Water, Seawater, and Brines by Atomic Absorption Spectrophotometry, Test Method for, **D3561 (11.02)**

Lithographic materials/applications
Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, Test Methods for, **D4942 (06.02)**

Lithographic ink resins
Determining the Compatibility of Resin/Solvent Mixtures by Precipitation Temperature (Cloud Point), Test Methods for, **D6038 (06.03)**
Testing Alkyd Compatibility with Resin or Resin Solutions, Test Method for, **D6887 (06.03)**

Lithology
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**

Litigation
Reporting Opinions of Scientific or Technical Experts, Practice for, **E620 (14.02)**
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**

LITP (land based information technology platform)
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**

Live line tools
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Clampstick Type Live Line Tools, Specification for, **F1825 (10.03)**
Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, Test Method for, **F2522 (10.03)**
Fiberglass-Reinforced Plastic (FRP) Rod and Tube Used in Live Line Tools, Specification for, **F711 (10.03)**
High Voltage Detectors—Part 1 Capacitive Type to be Used for Voltages Exceeding 600 Volts AC, Specification for, **F1796 (10.03)**
Live Line and Measuring Telescoping Tools, Specification for, **F1826 (10.03)**

Live load
Determination of Dead Loads and Live Loads Associated with Vegetative (Green) Roof Systems, Practice for, **E2397 (04.04)**
Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures, Practice for, **C890 (04.05)**

Live stake construction
Live Staking, Practice for, **D6765 (04.09)**

Livestock food products/systems
Development of an Independent Third-Party Verification of Reference Materials, Guide for, **F2717 (15.12)**
Livestock, Meat, and Poultry Evaluation Devices, Test Method for, **F2343 (15.12)**
Livestock, Meat, and Poultry Evaluation Systems, Terminology for, **F2463 (15.12)**
User Requirements for Livestock, Meat, and Poultry Evaluation Devices or Systems, Practice for, **F2341 (15.12)**

Livestock food products/systems—specifications
Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, Specification for, **F2342/F2342M (15.12)**
Limestone for Animal Feed Use, Specification for, **C706 (04.01)**

Livestock materials/applications
Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, Specification for, **F2340 (15.12)**

L-/LC-LK-bead
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**

LLDPE (linear low-density polyethylene)
Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance, Test Method for, **D5017 (08.02)**
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**

LLDPE (linear low density polyethylene)—specifications
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**

LLNA (local lymph node assay)
Evaluation of Delayed Contact Hypersensitivity Using the Murine Local Lymph Node Assay (LLNA), Practice for, **F2148 (13.01)**

LMDPE (linear medium density polyethylene)
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

LNG density calculation
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Load and resistance factor design (LRFD)
Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design, Specification for, **D5457 (04.10)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD, Specification for, **C1577 (04.05)**
Load-bearing base
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**
Loadbearing masonry units—specifications
Sa **Masonry units—specifications**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Loadbearing Concrete Masonry Units, Specification for, **C90 (04.05)**
Manufactured Concrete Masonry Lintels, Specification for, **C1623 (04.05)**
Structural Clay Load-Bearing Wall Tile, Specification for, **C34 (04.05)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Loadbearing steel—specifications
Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, Specification for, **C1007 (04.01)**
Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, Specification for, **C955 (04.01)**
Load-bearing steel studs (for gypsum products)
See **Gypsum products—specifications**
Load-bearing tile
See **Clay products (structural)—tile**
Load capacity
Load Capacity of Treestand Seats, Test Method for, **F2531 (15.07)**
Load-carrying capacity
Determining Extreme Pressure Properties of Solid Bonded Films Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7217 (05.04)**
Pin-Type Bearing Test of Metallic Materials, Test Method for, **E238 (03.01)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Testing Treestand Load Capacity, Practice for, **F2120 (15.07)**
Treestand Repetitive Loading Capability, Test Method for, **F2128 (15.07)**
Load-carrying capacity—lubricants
Endurance (Wear) Life and Load-Carrying Capacity of Solid Film Lubricants (Falex Pin and Vee Method), Test Method for, **D2625 (05.01)**
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Evaluation of the Load Carrying Properties of Lubricants Used for Final Drive Axles, Under Conditions of High Speed and Shock Loading, Test Method for, **D7452 (05.04)**
Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), Test Methods for, **D3233 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), Test Method for, **D2782 (05.01)**
Measurement of Load-Carrying Capacity of Lubricating Grease (Timken Method), Test Method for, **D2509 (05.01)**
Load-carrying piles
Fusion Bonded Epoxy-Coated Pipe Piles, Specification for, **A972/A972M (01.01)**
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**
Load cells
Bicycle Frames, Test Methods for, **F2711 (15.07)**
Calibration of Braking/Tractive Measuring Devices for Testing Tires, Practice for, **F377 (09.02)**
Validating New Area Reference Skid Measurement Systems and Equipment, Guide for, **E1890 (04.03)**
Load controlled cyclic triaxial technique
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**
Load-displacement testing
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Measurement of Fracture Toughness, Test Method for, **E1820 (03.01)**
Load distribution limit
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Loaded wheel test
Design, Testing, and Construction of Micro-Surfacing, Practice for, **D6372 (04.03)**
Load hold
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Loading
Elastic Modulus by Thermomechanical Analysis Using Three-Point Bending and Controlled Rate of Loading, Test Method for, **E2769 (14.02)**
Loading tests
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**
Compressive Stress of Porcelain Enamels by Loaded-Beam Method, Test Method for, **C839 (02.05)**
Electrical Resistance of Tires Under Load On the Test Bench, Test Method for, **F1971 (09.02)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Measuring Deflections using a Portable Impulse Plate Load Test Device, Test Method for, **E2835 (04.03)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Tensile Strength Characteristics of Oil Spill Response Boom, Test Methods for, **F1093 (11.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Loading tests—adhesives
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Creep Properties of Adhesives in Shear by Compression Loading (Metal-to-Metal), Test Method for, **D2293 (15.06)**
Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, Test Method for, **D3931 (15.06)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**
Heat-Fail Temperature in Shear of Hot Melt Adhesives, Test Method for, **D4498 (15.10)**
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Measuring Strength and Shear Modulus of Nonrigid Adhesives

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

by the Thick-Adherend Tensile-Lap Specimen, Test Method for, **D3983 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), Test Method for, **D2295 (15.06)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**

Loading tests—building constructions/materials
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Calculating the Superimposed Load on Wood-frame Walls for Standard Fire-Resistance Tests, Practice for, **D6513 (04.10)**
Compressibility and Recovery of Laminated Composite Gasket Materials, Test Method for, **F806 (09.02)**
Compression-Recovery of Tape Sealant, Test Method for, **C972 (04.07)**
Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design, Specification for, **D5457 (04.10)**
Conducting Flexural Tests on Beams and Girders for Building Construction, Guide for, **E529 (04.11)**
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings, Test Methods for, **E2126 (04.12)**
Deglazing Force of Fenestration Products, Test Methods for, **E987 (04.11)**
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**
Determining Load Resistance of Glass in Buildings, Practice for, **E1300 (04.11)**
Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E760 (04.11)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Gravity Load Testing of Floors and Low Slope Roofs, Practice for, **E196 (04.11)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Measuring Relative Resistance of Wall, Floor, and Roof Construction to Impact Loading, Test Method of, **E695 (04.11)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads, Test Method for, **E661 (04.11)**
Reporting Data from Structural Tests of Building Constructions, Elements, Connections, and Assemblies, Practice for, **E575 (04.11)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**
Static Load Test for Shear Resistance of Framed Walls for Buildings, Practice for, **E564 (04.11)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Static Load Testing of Truss Assemblies, Practice for, **E73 (04.11)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, Specification for, **C635/C635M (04.06)**

Loading tests—ceramics
Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1161 (15.01)**
Flexural Strength of Advanced Ceramics at Elevated Temperatures, Test Method for, **C1211 (15.01)**
Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, Test Method for, **C1358 (15.01)**
Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, Test Method for, **C1273 (15.01)**

Loading tests—children's equipment
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
High Chairs, Consumer Safety Specification for, **F404 (15.11)**
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**

Loading tests—concrete
Bond Strength of Mortar to Masonry Units, Test Method for, **C952 (04.05)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**
Minimum Structural Design Loading for Underground Precast Concrete Utility Structures, Practice for, **C857 (04.05)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**

Loading tests—flooring
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**
Evaluate the Effect of Dynamic Rolling Load over Resilient Floor Covering System, Practice to, **F2753 (15.04)**
Static Load Limit, Test Method for, **F970 (15.04)**

Loading tests—geosynthetics
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**
Permittivity of Geotextiles Under Load, Test Method for, **D5493 (04.13)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**

Loading tests—leather
Buckle Tear Strength of Leather, Test Method for, **D4831 (15.04)**
Stitch Tear Strength of Leather, Double Hole, Test Method for, **D4705 (15.04)**
Tearing Strength, Tongue Tear of Leather, Test Method for, **D4704 (15.04)**

Loading tests—metals/alloys
Bend Test for Determining the Formability of Copper and Copper Alloy Strip, Test Method for, **B820 (02.01)**
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

of Ferritic Steels, Test Method for, **E1221 (03.01)**
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Operating Salt Spray (Fog) Apparatus, Practice for, **B117 (03.02)**
Pin-Type Bearing Test of Metallic Materials, Test Method for, **E238 (03.01)**
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Shear Testing of Aluminum Alloys, Test Method for, **B769 (02.02)**
Shear Testing of Thin Aluminum Alloy Products, Test Method for, **B831 (02.02)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**

Loading tests—pavement surfaces
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**

Loading tests—petroleum products
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), Test Method for, **D2782 (05.01)**
Measurement of Load-Carrying Capacity of Lubricating Grease (Timken Method), Test Method for, **D2509 (05.01)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**

Loading tests—plastics
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Compressive Properties of Rigid Plastics, Test Method for, **D695 (08.01)**
Deflection Temperature of Plastics Under Flexural Load in the Edgewise Position, Test Method for, **D648 (08.01)**
Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading, Test Method for, **D2412 (08.04)**
Determining J-R Curves of Plastic Materials, Test Method for, **D6068 (08.03)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
In-Plane Shear Strength of Reinforced Plastics, Test Method for, **D3846 (08.02)**
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**
Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials, Test Methods for, **D5045 (08.02)**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**
Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, Test Method for, **D3795 (08.02)**

Loading tests—pressure-sensitive tapes
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**

Loading tests—refractories
Load Testing Refractory Shapes at High Temperatures, Test Method for, **C16 (15.01)**
Measuring Thermal Expansion and Creep of Refractories Under Load, Test Method of, **C832 (15.01)**

Loading tests—rock/related materials
Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, Test Method for, **D4971 (04.08)**
Direct Tensile Strength of Intact Rock Core Specimens, Test Method for, **D2936 (04.08)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
Modulus of Rupture of Dimension Stone, Test Method for, **C99/C99M (04.07)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Rock Bolt Anchor Pull Test, Test Method for, **D4435 (04.08)**
Rock Bolt Long-Term Load Retention Test, Test Method for, **D4436 (04.08)**
Splitting Tensile Strength of Intact Rock Core Specimens, Test Method for, **D3967 (04.08)**
the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, Test Methods for, **D3999/D3999M (04.08)**

Loading tests—roofing materials
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Tensile-Tear Strength of Bituminous Roofing Membranes, Test Method for, **D4073 (04.04)**
Testing Load-Strain Properties of Roofing Membranes, Practice for, **D2523 (04.04)**

Loading tests—shipping materials
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Determining Compressive Resistance of Shipping Containers, Components, and Unit Loads, Test Method for, **D642 (15.10)**
Evaluating Load Containment Performance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5415 (15.10)**
Pallets and Related Structures Employed in Materials Handling

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Shipping, Test Methods for, **D1185 (15.10)**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Short Term Creep Performance of Corrugated Fiberboard Containers Under Constant Load Using a Compression Test Machine, Test Method for, **D7030 (15.10)**

Loading tests—soil/related materials
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Deep Foundations Under Lateral Load, Test Methods for, **D3966/D3966M (04.08)**
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, Practice for, **D4320/D4320M (04.08)**
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
One-Dimensional Swell or Collapse of Cohesive Soils, Test Methods for, **D4546 (04.08)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**
Unconfined Compressive Strength Index of Chemical-, Test Method for, **D4219 (04.08)**

Loading tests—sports equipment
Linear Deformation and Breaking Strength of Alpine Skis, Test Method for, **F780 (15.07)**
Torsion Characteristic of Alpine Skis, Test Method for, **F779 (15.07)**

Loading tests—surgical materials/applications
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**

Loading tests—textiles
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Elongation of Narrow Elastic Fabrics (Static-Load Testing), Test Method for, **D5278/D5278M (07.02)**

Load-measuring machines
Force Verification of Testing Machines, Practices for, **E4 (03.01)**

Load-on-the-test bench
Electrical Resistance of Tires Under Load On the Test Bench, Test Method for, **F1971 (09.02)**

Load ratio
Determining Load Ratios for Technical Rescue Systems and Equipment, Guide for, **F2491 (13.02)**

Load sharing
Evaluating System Effects in Repetitive-Member Wood Assemblies, Guide for, **D6555 (04.10)**

Load transducer calibration
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**

Load unitization
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**

Load-wear index
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), Test Method for, **D2783 (05.01)**

Load (weight) cell
Equal Arm Balances, Test Method for, **E1270 (14.04)**

Lobe wear measurement
Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, Test Method for, **D6891 (05.03)**

Local anesthetics
See **Anesthesia equipment—specifications**

Local emergency medical services (EMS)
Sa **Emergency medical services (EMS)**
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**

Local flaws (LF)
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**

Localized corrosion
Conducting and Evaluating Laboratory Corrosion Tests in Soils, Practice for, **G162 (03.02)**
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**

Local remediation programs
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**

Locating abandoned wells
See **Abandoned wells**

Location/Access/Wayfinding
Serviceability of an Office Facility for Location, Access and Wayfinding, Classification for, **E1669 (04.11)**

Locations
Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, Guide for, **D5111 (11.07)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**
Location of Wet Insulation in Roofing Systems Using Infrared Imaging, Practice for, **C1153 (04.06)**
Thermal Rating and Installation of Internal Combustion Engine Packages for use in Hazardous Locations in Marine Applications, Practice for, **F2876 (01.07)**

Locking devices
Security of Swinging Door Assemblies, Test Methods for, **F476 (15.08)**

Locking fasteners
Hydraulic Pullout Resistance of a Geomembrane with Locking Extensions Embedded in Concrete, Test Method for, **D7853 (04.13)**
Torque Strength of Adhesives Used on Threaded Fasteners, Test Method for, **D5649 (15.06)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**

Locking mechanisms (of tapers)
Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**

Locks
Classifying the Relative Performance of the Physical Properties of Security Seals, Practice for, **F1157 (15.08)**
Detention Locks for Swinging Doors, Test Methods for, **F1577 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Detention Sliding Door Locking Device Assembly, Test Methods for, **F1643 (15.08)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Inspection and Evaluation of Tampering of Security Seals, Guide for, **F1158 (15.08)**
Valve Locking Devices, Specification for, **F993 (01.07)**

Lock strip gaskets
Lock-Strip Gasket Glazing, Guide for, **C964 (04.07)**

Lock strip gaskets—specifications
Sa **Gaskets**
Installing Lock-Strip Gaskets and Infill Glazing Materials, Specification for, **C716 (04.07)**
Lock-Strip Gaskets, Specification for, **C542 (04.07)**
Packaging, Identification, Shipment, and Storage of Lock-Strip Gaskets, Specification for, **C963 (04.07)**

Locomotive engines
Sa **Railroad locomotive engines**
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**

Locomotory activities
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**

Loft
Measuring Sleeping Bag Loft, Test Method for, **F1932/F1932M (15.07)**

Log $_{10}$ reduction
Assessment of Antimicrobial Activity Using a Time-Kill Procedure, Guide for, **E2315 (11.05)**

Logarithmic viscosity number
Determining Logarithmic Viscosity Number of Poly(Vinyl Chloride) (PVC) in Formulated Compounds, Test Method for, **D3591 (08.02)**

Logarithms
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**

Log buildings
Sa **Wood products (structural)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**

Log calibration and standardization
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Log death time
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**

Log desks (for ships)
Desk, Log, Marine, Steel, with Cabinet, Specification for, **F823 (01.07)**
Tops, Furniture, Marine, Steel, Specification for, **F826 (01.07)**

Logging
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Coring and Logging Soil-Cement or Lime-Stabilized Soil, Guide for, **D6236 (04.09)**
Determining Rock Quality Designation (RQD) of Rock Core, Test Method for, **D6032 (04.09)**
Direct Push Technology for Volatile Contaminant Logging with the Membrane Interface Probe (MIP), Practice for, **D7352 (04.09)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Logistic function
Analytically Describing Depth-Profile and Linescan-Profile Data by an Extended Logistic Function, Practice for, **E1636 (03.06)**

Log-normal distribution
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Statistical Analysis of Service Life Data, Guide for, **G166 (14.04)**

Log reduction value (LRV)
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**

Long barbed tape obstacles
Long Barbed Tape Obstacles, Specification for, **F1910 (01.06)**

Long bar steel
See **Alloy steel bars—specifications**

Long board
Full Body Spinal Immobilization Devices (FBSID) Characteristics, Guide for, **F1557 (13.02)**

Long cores
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**

Longevity assessment
Longevity Assessment of Firestop Materials Using Differential Scanning Calorimetry, Practice for, **E2923 (04.12)**

Longitude
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**

Longitudinal application rate
Estimating Application Rate of Bituminous Distributors, Practice for, **D2995 (04.03)**

Longitudinal control
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Longitudinal corrugation
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**

Longitudinal dispersion
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**

Longitudinal frequencies
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**

Longitudinally-oriented discontinuities
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**

Longitudinally welded pipe
Steel Line Pipe, Black, Plain End, Longitudinal and Helical Seam, Double Submerged-Arc Welded, Specification for, **A1005/A1005M (01.01)**

Longitudinal magnetization
See **Magnetic particle inspection**

Longitudinal profile
Classification of Automated Pavement Condition Survey Equipment, Guide for, **E1656/E1656M (04.03)**
Computing International Roughness Index of Roads from Longitudinal Profile Measurements, Practice for, **E1926 (04.03)**
Computing Ride Number of Roads from Longitudinal Profile Measurements Made by an Inertial Profile Measuring Device, Practice for, **E1489 (04.03)**
Friction Coefficient Measurements Between Tire and Pavement Using a Variable Slip Technique, Test Method for, **E1859/E1859M (04.03)**
Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, Test Method for, **D2105 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring Pavement Roughness Using a Profilograph, Test Method for, **E1274 (04.03)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
Measuring the Longitudinal Profile of Traveled Surfaces with an Accelerometer Established Inertial Profiling Reference, Test Method for, **E950/E950M (04.03)**
Simulating Profilograph Response to Longitudinal Profiles of Traveled Surfaces, Practice for, **E2955 (04.03)**
Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, Practices for, **E2034 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**

Longitudinal record linkage
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**

Longitudinal/shear vibration
Structural Performance of Thermal Barriers in Fenestration Products, Test Method for, **E2692 (04.12)**

Longitudinal waves
Sa **Ultrasonic testing**
Detection and Evaluation of Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves, Practice for, **E1001 (03.03)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Measuring the Ultrasonic Velocity in Polyethylene Tank Walls Using Lateral Longitudinal (LCR) Waves, Practice for, **E2479 (03.03)**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**

Long-span slabs
See **Gypsum products**

Long-term behavior/performance
Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, Test Method for, **F2199 (15.04)**
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, Test Method for, **F2263 (08.04)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, Practice for, **F1734 (08.04)**
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**

Long-term chemical interaction
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Long-term drift
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**

Long-term hydrostatic strength/pressure
Sa **Hydrostatic testing**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Time-to-Failure of Plastic Pipe Under Constant Internal Pressure, Test Method for, **D1598 (08.04)**

Long-term instability
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**

Long-term noise
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**

Long-term variability
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**

Long-term weld factor
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**

Long-terne steel sheet
Sa **Steel sheet**
Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, Specification for, **A308/A308M (01.06)**
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**

Loop carpets
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Edge Ravel Resistance of Finished Loop Pile, Pile Yarn Floor Covering, Test Method for, **D7267 (07.02)**

Loop configurations
Breaking Tenacity of Manufactured Textile Fibers in Loop or Knot Configurations, Test Methods for, **D3217/D3217M (07.01)**

Loop fasteners
Peel Strength (T Method) of Hook and Loop Touch Fasteners, Test Method for, **D5170 (07.02)**
Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners, Test Method for, **D5169 (07.02)**

Loop joints
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**

Loop resistance
Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, Guide for, **E1350 (14.03)**

Loop tack
Loop Tack, Test Methods for, **D6195 (15.10)**

Loose bituminous paving mixtures
Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6857/D6857M (04.03)**

Loose bulk density
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**
Determination of Loose and Tapped Bulk Density of Plutonium Oxide, Test Method for, **C1770 (12.01)**
Determining Loose and Tapped Bulk Densities of Powders using a Graduated Cylinder, Test Methods for, **D7481 (04.09)**

Loose-fill rubber
Loose-Fill Rubber for Use as a Playground Safety Surface under and around Playground Equipment, Specification for, **F3012 (15.07)**

Loose-fill thermal insulation
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Density of Granular Loose Fill Insulations, Test Methods for, **C520 (04.06)**
Determination of Installed Thickness of Pneumatically Applied Loose-Fill Building Insulation, Test Method for, **C1374 (04.06)**
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Determination of Thermal Resistance of Loose-Fill Building Insulation, Practice for, **C687 (04.06)**
Determining Blown Density of Pneumatically Applied Loose-Fill Mineral Fiber Thermal Insulation, Guide for, **C1574 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Development of Coverage Charts for Loose-Fill Thermal Building Insulations, Guide for, **C1630 (04.06)**
Installation of Cellulosic and Mineral Fiber Loose-Fill Thermal Insulation, Practice for, **C1015 (04.06)**

Loose-fill thermal insulation—specifications
Cellulosic Fiber Loose-Fill Thermal Insulation, Specification for, **C739 (04.06)**
Cellulosic Fiber Stabilized Thermal Insulation, Specification for, **C1497 (04.06)**
Mineral Fiber Loose-Fill Thermal Insulation, Specification for, **C764 (04.06)**
Perlite Loose Fill Insulation, Specification for, **C549 (04.06)**
Vermiculite Loose Fill Thermal Insulation, Specification for, **C516 (04.06)**

Loose finish
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**

Loose flange joint
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**

Loose tubes
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Lorentz forces
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**

Los Angeles test
Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, Test Method for, **C535 (04.02)**
Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, Test Method for, **C131/C131M (04.02)**

Loss damage estimation
Addressing and Reporting Loss, Damage, or Destruction of Tangible Property, Practice for, **E2131 (04.12)**
Seismic Risk Assessment of Buildings, Guide for, **E2026 (04.11)**

Loss index
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

Loss modulus
Loss Modulus Conformance of Dynamic Mechanical Analyzers, Test Method for, **E2425 (14.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**

Loss of adhesion
Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, Test Method for, **D6900 (06.02)**

Loss of color
Evaluating Color Transfer or Color Loss of Dyed Fabrics in Laundering (Not Suitable for Detergent or Washing Machine Rankings), Guide for, **D5548 (15.04)**

Loss of ductility
See **Ductility**

Loss of metallic cross-sectional area (LMA)
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**

Loss of pile
Pile Fabric Abrasion, Test Method for, **D4685 (07.02)**

Loss of sterility
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**

Loss of strength (in bonded specimens)
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**

Loss of tread depth
Sa **Tire testing**
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**

Loss on attrition
Attrition and Abrasion of Catalysts and Catalyst Carriers, Test Method for, **D4058 (05.05)**

Loss on drying
Loss-On-Drying by Thermogravimetry, Test Method for, **E1868 (14.02)**

Loss on evaporation
See **Evaporation loss**

Loss on ignition (LOI)
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Common Properties of Certain Pigments, Test Methods for, **D1208 (06.03)**
Ignition Loss of Glass Fiber Strands and Fabrics, Test Method for, **D4963/D4963M (07.02)**
Loss on Ignition (LOI) of Solid Combustion Residues, Test Methods for, **D7348 (05.06)**
Organic Matter Content of Athletic Field Rootzone Mixes, Test Methods for, **F1647 (15.07)**
Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, Test Methods for, **C831 (15.01)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**
Weight Loss of Gasket Materials Upon Exposure to Elevated Temperatures, Test Method for, **F495 (09.02)**

Loss prevention
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**

Lost persons/subjects
Sa **SAR (search and rescue) operations**
Techniques in Land Search, Guide for, **F1633 (13.02)**

Lost wax castings
General Requirements for Copper Alloy Castings, Specification for, **B824 (02.01)**

Lotions
Sa **Soap**
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**

Lot size
Carbon Black—Evaluation of Standard Reference Blacks, Practice for, **D6915 (09.01)**
Sampling a Stream of Product by Variables Indexed by AQL, Practice for, **E2762 (14.02)**

Loudness
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**

Loudspeakers
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**

Louse
See **Lice**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Louver cloth
Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, Test Method for, **D4912/D4912M (07.02)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Louvers
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Low-alloy/carbon steel plate
Sa **Carbon steel plate—specifications**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Low-alloy high-strength steel
See **HSLA (high-strength low-alloy) steel—specifications**
Low-alloy steel
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Analysis of Low-Alloy Steels by X-Ray Fluorescence Spectrometry, Test Method for, **E1085 (03.05)**
Characterizing Neutron Exposures in Iron and Low Alloy Steels in Terms of Displacements Per Atom (DPA), E 706(ID), Practice for, **E693 (12.02)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1852 (03.05)**
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
High-Strength Quenched and Tempered Low-Alloy Steel Forged Parts for Pressure Vessels, Specification for, **A592/A592M (01.05)**
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
Specifying Harmonized Standard Grade Compositions for Wrought Carbon, Low-Alloy, and Alloy Steels, Guide for, **A1040 (01.05)**
Low-alloy steel—specifications
Castings, Investment, Carbon and Low Alloy Steel for General Application, and Cobalt Alloy for High Strength at Elevated Temperatures, Specification for, **A732/A732M (01.02)**
Cold-Formed Electric-Fusion (Arc) Welded High-Strength Low-–Alloy Structural Tubing in Shapes, with 50 ksi 345 MPa Minimum Yield Point, Specification for, **A1065/A1065M (01.01)**
Headed Steel Bars for Concrete Reinforcement, Specification for, **A970/A970M (01.04)**
Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement, Specification for, **A706/A706M (01.04)**
Low-boiling ingredients
Extractable Matter in Textiles, Test Method for, **D2257 (07.01)**
Low-boiling liquids
Solubility of Fixed Gases in Low-Boiling Liquids, Test Method for, **D3429 (05.01)**
Low-carbon magnetic iron—specifications
Low-Carbon Magnetic Iron, Specification for, **A848 (03.04)**
Low-carbon nickel alloys—specifications
Sa **Nickel-molybdenum-chromium alloys—specifications**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum-Gadolinium Alloy Plate, Sheet, and Strip, Specification for, **B932 (02.04)**
Low-carbon steel
Deformed and Plain, Low-Carbon, Chromium, Steel Bars for Concrete Reinforcement, Specification for, **A1035/A1035M (01.04)**
Preparation of Low-Carbon Steel for Electroplating, Practice for, **B183 (02.05)**
Low-carbon steel plate—specifications
Sa **Carbon steel plate—specifications**
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Steel Tie Plates, Low-Carbon and High-Carbon-Hot-Worked, Specification for, **A67 (01.04)**
Steel Tubes, Low-Carbon or High-Strength Low-Alloy, Tapered for Structural Use, Specification for, **A595/A595M (01.01)**
Low concentration particulate matter measurement
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**
Low concentrations (of elements)
Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3717 (06.01)**
Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3718 (06.01)**
Low Concentrations of Diethlyene Glycol in Ethylene Glycol by Gas Chromatography, Test Methods for, **E611 (15.05)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3624 (06.01)**
Low-conductivity materials
Internal Temperature Measurements in Low-Conductivity Materials, Practice for, **E377 (15.03)**
Low conductivity water
Continuous Measurement of Dissolved Ozone in Low Conductivity Water, Test Method for the, **D7677 (11.01)**
On-Line pH Measurement of Water of Low Conductivity, Test Method for, **D5128 (11.01)**
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**
Low-constraint conditions
Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions, Test Method for, **E2472 (03.01)**
Low cover/profile structure
Corrugated Aluminum Box Culverts, Specification for, **B864/B864M (02.02)**
Corrugated Steel Box Culverts, Specification for, **A964/A964M (01.06)**
Low-density mineral fiber insulation
Sa **Mineral fiber insulation**
Determination of the Thermal Resistance of Low-Density Blanket-Type Mineral Fiber Insulation, Guide for, **C653 (04.06)**
Low-density polyethylene (LDPE)
Sa **LLDPE (linear low-density polyethylene)**
Sa **Polyethylene (PE)**
Determination of the Amount of Polypropylene (PP) in Polypropylene/LDPE Mixtures Using Infrared Spectrophotometer (FTIR), Test Method for, **D7399 (08.03)**
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Low-emittance insulation
Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, Practice for, **C1744 (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction, Practice for, **C1743 (04.06)**
Installation and Use of Reflective Insulation in Building Constructions, Practice for, **C727 (04.06)**
Sheet Radiant Barriers for Building Construction Applications, Specification for, **C1313/C1313M (04.06)**

Low-emittance paint
Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, Practice for, **C1321 (04.06)**

Low-emittance surfaces
See **Emittance**

Low energy air gun (LEAG)
Low Energy Air Gun (LEAG) Warnings, Specification for, **F2654 (15.07)**
Low Energy Air Guns, Specification for, **F2748 (15.07)**

Low energy air gun (LEAG) warnings
Low Energy Air Gun (LEAG) Warnings, Specification for, **F2654 (15.07)**

Low-energy radiation
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**

Lower coercive force
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**

Lower specification limit (LSL)
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**

Low exchange (LX) rate chambers
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**

Low expansion alloy
Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, Specification for, **F1684 (10.04)**

Low-hazard precision liquids
Liquid-in-Glass ASTM Thermometers with Low-Hazard Precision Liquids, Specification for, **E2251 (14.03)**

Low-head pressure pipe
See **Reinforced thermosetting-resin pipe (RTRP)—specifications**

Low-heat chilies
Sensory Evaluation of Low Heat Chilies, Test Method for, **E1395 (15.08)**

Low insulating resistance values
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**

Low ionic strength solutions
Contact Compatibility Between Asphaltic Materials (Oliensis Test), Test Method for, **D1370/D1370M (04.04)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**

Low lead method
Lead in Gasoline by X-Ray Spectroscopy, Test Methods for, **D5059 (05.02)**

Low-level contact resistance
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**

Low-level particulates
Measurement of On-line Integrated Samples of Low Level Suspended Solids and Ionic Solids in Process Water by X-Ray Fluorescence (XRF), Test Method for, **D6502 (11.01)**

Low-level radioactive waste sites
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**

Low levels of water
Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, Test Method for, **E1754 (15.05)**
Low-Level Analysis of Iodine Radioisotopes in Water, Test Method for, **D4785 (11.02)**

Low-melting alloys
Low Melting Point Alloys, Specification for, **B774 (02.04)**

Low-molecular weight halogenated hydrocarbons
Low-Molecular Weight Halogenated Hydrocarbons in Water, Test Method for, **D3973 (11.02)**

Low olefinic gasoline
Hydrocarbon Types in Low Olefinic Gasoline by Mass Spectrometry, Test Method for, **D2789 (05.01)**

Low permeability
Sa **Permeability**
Permeability of Feebly Magnetic Materials, Test Methods for, **A342/A342M (03.04)**

Low power stretch
Stretch Properties of Knitted Fabrics Having Low Power, Test Method for, **D2594 (07.01)**

Low-power transistors
See **Transistors**

Low-pressure aboveground storage tanks
Examination of Liquid-Filled Atmospheric and Low-Pressure Metal Storage Tanks Using Acoustic Emission, Practice for, **E1930/E1930M (03.03)**

Low-pressure air test
Sa **Air pressure testing**
Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**
Low-Pressure Air Test of Vitrified Clay Pipe Lines, Test Method for, **C828 (04.05)**

Low-pressure die castings
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**

Low-pressure gas blends
Preparation of Low-Pressure Gas Blends, Practice for, **D4051 (05.02)**

Low-pressure steam
Rubber Sheet Gaskets, Specification for, **D1330 (09.02)**

Low-pressure steam cookery
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**

Low-relaxation steel wire strand
See **Steel wire strand—specifications**

Low resolution detector
Measurement of, Test Method for, **C1514 (12.01)**

Low-rise residential buildings
Design and Construction of Low-Rise Frame Building Wall Systems to Resist Water Intrusion, Guide for, **E2266 (04.12)**
Installing Radon Mitigation Systems in Existing Low-Rise Residential Buildings, Practice for, **E2121 (04.12)**
Radon Control Options for the Design and Construction of New Low-Rise Residential Buildings, Practice for, **E1465 (04.11)**

Low-silicate engine coolant
Low Silicate Ethylene Glycol Base Engine Coolant for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), Specification for, **D4985 (15.05)**

Low silicate ethylene glycol
See **Ethylene glycol**

Low-silicon Bronze B
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**

Low-sloped roofs
Determining and Evaluating Causes of Water Leakage of Low-Sloped Roofs, Guide for, **D7053/D7053M (04.04)**
Gravity Load Testing of Floors and Low Slope Roofs, Practice for, **E196 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Low Slope Insulated Roof Membrane Assembly Performance, Guide for, **D6630 (04.04)**
Quantification of Air Intrusion in Low-Sloped Mechanically Attached Membrane Roof Assemblies, Test Method for, **D7586/D7586M (04.04)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Low-sloped surfaces
Calculating Solar Reflectance Index of Horizontal and Low-Sloped Opaque Surfaces, Practice for, **E1980 (04.04)**
Measuring Solar Reflectance of Horizontal and Low-Sloped Surfaces in the Field, Test Method for, **E1918 (04.04)**

Low-speed tires
Tires, Pneumatic, Low Speed, Off Highway, Test Method for, **F1923 (09.02)**

Low-strain integrity
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**

Low-stress elongation (LSE) test
Sa **Elongation**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, Test Method for, **B279 (02.03)**

Low stretch/static kermantle rope
Low Stretch and Static Kernmantle Life Safety Rope, Specification for, **F2116 (13.02)**

Low-temperature cabinets
Rubber Conditioning For Low Temperature Testing, Practice for, **D832 (09.01)**

Low-temperature cook oven
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**

Low-temperature flexibility
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**

Low-temperature guarded hot plate
See **Hot plate/box methods**
See **Thermal transmission properties**

Low-temperature laminates
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**

Low-temperature maintenance/preservation
Inventory Control and Handling of Biological Material Maintained at Low Temperatures, Guide for, **E1565 (14.02)**

Low-temperature service applications
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**

Low-temperature service applications—steel
Alloy Steel Eyebolts, Specification for, **F541 (01.08)**
Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, Specification for, **A320/A320M (01.01)**
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Electric-Fusion-Welded Steel Pipe for Atmospheric and Lower Temperatures, Specification for, **A671/A671M (01.01)**
Forged Carbon and Alloy Steel Flanges for Low-Temperature Service, Specification for, **A707/A707M (01.01)**
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service, Specification for, **A420/A420M (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing for General Service, Specification for, **A269 (01.01)**
Seamless and Welded Carbon and Alloy-Steel Tubes for Low-Temperature Service, Specification for, **A334/A334M (01.01)**
Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, Specification for, **A333/A333M (01.01)**
Seamless Carbon Steel Pipe for Atmospheric and Lower Temperatures, Specification for, **A524 (01.01)**
Steel Castings, Ferritic and Martensitic, for Pressure-Containing and Other Applications, for Low-Temperature Service, Specification for, **A757/A757M (01.02)**
Steel Castings, Ferritic and Martensitic, for Pressure-Containing Parts, Suitable for Low-Temperature Service, Specification for, **A352/A352M (01.02)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ASMEB36.10M-1996** (Related Material) **(01.01)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ANSI/ASMEB36.19M-1985** (Related Material) **(01.01)**

Low-temperature service applications—steel plate
Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service, Specification for, **A516/A516M (01.04)**
Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, Specification for, **A662/A662M (01.04)**
Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, Specification for, **A738/A738M (01.04)**
Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**

Low-temperature storage facilities
Design and Maintenance of Low-Temperature Storage Facilities for Maintaining Cryopreserved Biological Materials, Guide for, **E1564 (14.02)**

Low-temperature testing
Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, Test Method for, **D3889/D3889M (15.10)**
Determination of Gassing Characteristics of Insulating Liquids Under Thermal Stress, Test Method for the, **D7150 (10.03)**
Determination of Yield Stress and Apparent Viscosity of Used Engine Oils at Low Temperature, Test Method for, **D6896 (05.03)**
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**
Low-Temperature Torque of Ball Bearing Grease, Test Method for, **D1478 (05.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Low-temperature testing—petroleum products/applications
Apparent Viscosity of Engine Oils and Base Stocks Between –5 and –35°C Using Cold-Cranking Simulator, Test Method for, **D5293 (05.02)**
Determination of Low Temperature Fluidity and Appearance of Hydraulic Fluids, Test Method for, **D6351 (05.03)**
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**
Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), Test Method for, **D4539 (05.02)**
Freezing Point of Aviation Fuels, Test Method for, **D2386 (05.01)**
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer, Test Method for, **D2983 (05.01)**

Low-temperature testing—rubber
Coated Fabrics—Low-Temperature Bend Test, Test Method for, **D2136 (09.01)**
Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), Test Method for, **D1329 (09.01)**
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Rubber Conditioning For Low Temperature Testing, Practice for, **D832 (09.01)**
Rubber Hose, Test Methods for, **D380 (09.02)**
Rubber Property—Brittleness Point of Flexible Polymers and Coated Fabrics, Test Methods for, **D2137 (09.01)**
Rubber Property—Compression Set at Low Temperatures, Test Method for, **D1229 (09.01)**
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**
Rubber—Directions for Achieving Subnormal Test Temperatures, Practice for, **D3847 (09.01)**

Low-temperature testing—water
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**
Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5904 (11.02)**

Low-temperature viscosity
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**

Low-tensile strength carbon steel plate
Low and Intermediate Tensile Strength Carbon Steel Plates, Specification for, **A283/A283M (01.04)**

Low thermal expansion
Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, Specification for, **F1684 (10.04)**

Low-to-ambient temperature testing
Stability of Water-in-Oil Emulsions Under Low to Ambient Temperature Cycling Conditions, Test Method for, **D3709 (05.01)**

Low velocity projectile (LVP) marker
Low Velocity Projectile Marker, Specification for, **F2574 (15.07)**
Low Velocity Resilient Material Projectile, Specification for, **F2573 (15.07)**

Low velocity resilient material (LVRM) projectile
Low Velocity Projectile Marker, Specification for, **F2574 (15.07)**
Low Velocity Resilient Material Projectile, Specification for, **F2573 (15.07)**

Low VOC primer
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**

Low-voltage continuity
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Low-voltage insulating tape
See **Insulating tape**

Low-voltage rubber insulating tapes
Sa **Rubber electrical insulating tape**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**

Low-voltage wet sponge test
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**

Low yield to tensile ratio
Structural Steel with Low Yield to Tensile Ratio for Use in Buildings, Specification for, **A1043/A1043M (01.04)**

LPG (liquefied petroleum gases)
Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**
Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), Test Method for, **D4084 (05.06)**
Calculation of Certain Physical Properties of Liquefied Petroleum (LP) Gases from Compositional Analysis, Practice for, **D2598 (05.01)**
Copper Strip Corrosion by Liquefied Petroleum (LP) Gases, Test Method for, **D1838 (05.01)**
Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, Test Method for, **D1657 (05.01)**
Determination of Ethyl Mercaptan in LP-Gas Vapor, Test Method for, **D5305 (05.02)**
Determination of Hydrocarbons in Liquefied Petroleum (LP) Gases and Propane/Propene Mixtures by Gas Chromatography, Test Method for, **D2163 (05.01)**
Determination of Residue Composition in Liquefied Petroleum Gas (LPG) Using Automated Thermal Desorption/Gas Chromatography (ATD/GC), Test Method for, **D7828 (05.04)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases by Ultraviolet Fluorescence, Test Method for, **D6667 (05.03)**
Dynamic Surface Tension by the Fast-Bubble Technique, Test Method for, **D3825 (05.02)**
Gage Vapor Pressure of Liquefied Petroleum (LP) Gases (LP-Gas Method), Test Method for, **D1267 (05.01)**
Hydrogen Sulfide in Liquefied Petroleum (LP) Gases (Lead Acetate Method), Test Method for, **D2420 (05.01)**
Interconversion of Analysis of C5 and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Mass Basis, Practice for, **D2421 (05.01)**
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**
Residues in Liquefied Petroleum (LP) Gases, Test Method for, **D2158 (05.01)**
Residues in Liquefied Petroleum (LP) Gases by Gas Chromatography with Liquid, On-Column Injection, Test Method for, **D7756 (05.04)**
Rubber Hose for Gas Diffusion of Liquefied Petroleum Gas, Test Method for, **D3902 (09.02)**
Sulfur in Liquefied Petroleum Gases (Oxy-Hydrogen Burner or Lamp), Test Method for, **D2784 (05.01)**
Vapor Pressure of Liquefied Petroleum Gases (LPG) (Expansion Method), Test Method for, **D6897 (05.03)**
Volatility of Liquefied Petroleum (LP) Gases, Test Method for, **D1837 (05.01)**
Volumetric Measurement of Gaseous Fuel Samples, Test Methods for, **D1071 (05.06)**
Water Vapor Content of Gaseous Fuels Using Electronic Moisture Analyzers, Test Method for, **D5454 (05.06)**

LPG (liquefied petroleum gases)—sampling
Sampling Liquefied Petroleum (LP) Gases, Manual Method, Practice for, **D1265 (05.01)**
Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, Practice for, **D6849 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

LPG (liquefied petroleum gases)—specifications
Liquefied Petroleum (LP) Gases, Specification for, **D1835 (05.01)**
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**
LQL sampling plan
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**
L-rating
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**
LTFT (low temperature flow test)
Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), Test Method for, **D4539 (05.02)**
LTPD (lot tolerance percent defective)
Use of Process Oriented AOQL and LTPD Sampling Plans, Practice for, **E1994 (14.02)**
Lubricant biodegradability
Sa **Biodegradation—petroleum products**
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**
Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, Test Method for, **D6139 (05.03)**
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**
Lubricant detection
Determination of Surface Lubrication on Flexible Webs, Test Method for, **G164 (03.02)**
Determination of the Breakaway Friction Characteristics of Rolling Element Bearings, Test Method for, **G182 (03.02)**
Lubricant powder
Low Molecular Weight PTFE and FEP Micronized Powders, Classification for, **D5675 (08.03)**
Lubricants
Analysis of In-Service Lubricants Using Particular Four-Part Integrated Tester (Atomic Emission Spectroscopy, Infrared Spectroscopy, Viscosity, and Laser Particle Counter), Test Method for, **D7417 (05.04)**
Applying Failure Mode and Effect Analysis (FMEA) to In-Service Lubricant Testing, Guide for, **D7874 (05.04)**
Aquatic Toxicity Testing of Lubricants: Sample Preparation and Results Interpretation, Practice for, **D6081 (05.02)**
Biodegradability and Ecotoxicity of Lubricants, Terminology Relating to, **D6384 (05.03)**
Calibration Requirements for Elemental Analysis of Petroleum Products and Lubricants, Guide for, **D7578 (05.04)**
Characterizing Hydrocarbon Lubricant Base Oils, Guide for, **D6074 (05.02)**
Condition Monitoring of Soot in In-Service Lubricants by Trend Analysis using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7844 (05.04)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Coolant Compatibility of Way Lubricants, Test Method for, **D6553 (05.03)**
Cummins ISM Test, Test Method for, **D7468 (05.04)**
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**
Determination of the Oxidation of Used Lubricants by FT-IR Using Peak Area Increase Calculation, Test Method for, **D7214 (05.04)**
Determining Compatibility of Personal Lubricants with Natural Rubber Latex Condoms, Test Method for, **D7661 (09.02)**
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**
Estimation of Engine Oil Volatility by Capillary Gas Chromatography, Test Method for, **D6417 (05.03)**
Evaluation of Automotive Engine Oils for Valve-Train Wear Performance in Cummins ISB Medium-Duty Diesel Engine, Test Method for, **D7484 (05.04)**
Evaluation of Corrosiveness of Diesel Engine Oil at 121 °C, Test Method for, **D5968 (05.02)**
Evaluation of Corrosiveness of Diesel Engine Oil at 135 °C, Test Method for, **D6594 (05.03)**
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7422 (05.04)**
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Evaluation of Moisture Corrosion Resistance of Automotive Gear Lubricants, Test Method for, **D7038 (05.04)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Field-Based Condition Monitoring of Soot in In-Service Lubricants Using a Fixed-Filter Infrared (IR) Instrument, Test Method for, **D7686 (05.04)**
High Temperature Foaming Characteristics of Lubricating Oils, Test Method for, **D6082 (05.02)**
Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, Specification for, **D2835 (04.03)**
Microscopic Characterization of Particles from In-Service Lubricants, Guide for, **D7684 (05.04)**
Microscopic Characterization of Particles from In-Service Lubricants by Analytical Ferrography, Practice for, **D7690 (05.04)**
Optimization, Calibration, and Validation of Atomic Absorption Spectrometry for Metal Analysis of Petroleum Products and Lubricants, Practice for, **D7740 (05.04)**
Optimization, Calibration, and Validation of Inductively Coupled Plasma-Atomic Emission Spectrometry (ICP-AES) for Elemental Analysis of Petroleum Products and Lubricants, Practice for, **D7260 (05.04)**
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**
Oxidation Stability of Lubricants by Thin-Film Oxygen Uptake (TFOUT) Catalyst B, Test Method for, **D7098 (05.04)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**
Performance of Rear Axle Gear Lubricants Intended for API Category GL-5 Service, Specification for, **D7450 (05.04)**
Petroleum, Petroleum Products, and Lubricants, Terminology Relating to, **D4175 (05.02)**
Practical Lubricant Condition Data Trend Analysis, Guide for, **D7669 (05.04)**
Predicting Biodegradability of Lubricants Using a Bio-kinetic Model, Test Method for, **D7373 (05.04)**
Pyrolysis Solids Content in Pyrolysis Liquids by Filtration of Solids in Methanol, Test Method for, **D7579 (05.04)**
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**
Self-Assessment of Quality System Practices in Petroleum Products and Lubricant Testing Laboratories, Guide for, **D7776 (05.04)**
Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, Test Method for, **D5984 (05.02)**
Thermal Stability of Way Lubricants, Test Method for, **D6203 (05.03)**
Lubricants—surgical/medical applications
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Lubricants (fluid)
Sa **Lubricating oils**
Acid Number of Petroleum Products by Potentiometric Titration,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D664 (05.01)**
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Corrosiveness of Lubricating Fluid to Bimetallic Couple, Test Method for, **D6547 (05.03)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Coefficient of Friction of Lubricants Using the Four-Ball Wear Test Machine, Test Method for, **D5183 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Determining the Tribological Behavior and the Relative Lifetime of a Fluid Lubricant using the Spiral Orbit Tribometer, Test Method for, **F2661 (01.08)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**
Estimation of Solubility of Water in Hydrocarbon and Aliphatic Ester Lubricants, Test Method for, **D4056 (05.02)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Industrial Fluid Lubricants by Viscosity System, Classification of, **D2422 (05.01)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), Test Methods for, **D3233 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), Test Method for, **D2783 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), Test Method for, **D2782 (05.01)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Measuring Wear Properties of Fluid Lubricants (Falex Pin and Vee Block Method), Test Method for, **D2670 (05.01)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Viscosity and Viscosity Change After Standing at Low Temperature of Aircraft Turbine Lubricants, Test Method for, **D2532 (05.01)**
Volatilization Rates of Lubricants in Vacuum, Test Method for, **D2715 (05.01)**
Wear Preventive Characteristics of Lubricating Fluid (Four-Ball Method), Test Method for, **D4172 (05.02)**

Lubricants (fluid)—specifications
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Phosphate Ester Based Fluids for Turbine Lubrication, Specification for, **D4293 (05.02)**

Lubricants (solid)
Adhesion of Solid Film Lubricants, Test Method for, **D2510 (05.01)**
Corrosion Characteristics of Solid Film Lubricants, Test Method for, **D2649 (05.01)**
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Endurance (Wear) Life and Load-Carrying Capacity of Solid Film Lubricants (Falex Pin and Vee Method), Test Method for, **D2625 (05.01)**
Thermal Shock Sensitivity of Solid Film Lubricants, Test Method for, **D2511 (05.01)**
Wear Life of Solid Film Lubricants in Oscillating Motion, Test Method for, **D2981 (05.01)**

Lubricated materials/testing
Conducting Friction Tests of Piston Ring and Cylinder Liner Materials Under Lubricated Conditions, Test Method for, **G181 (03.02)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**

Lubricated PTFE
Standard Test Methods for Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Guide to, **D6040 (08.03)**

Lubricating grease
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method), Test Method for, **D808 (05.01)**
Cone Penetration of Lubricating Grease, Test Methods for, **D217 (05.01)**
Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment, Test Methods for, **D1403 (05.01)**
Detection of Copper Corrosion from Lubricating Grease, Test Method for, **D4048 (05.02)**
Determination of Corrosion-Preventive Properties of Lubricating Greases Under Dynamic Wet Conditions (Emcor Test), Test Method for, **D6138 (05.03)**
Determination of Metals in Lubricating Greases by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D7303 (05.04)**
Determining Corrosion Preventive Properties of Lubricating Greases, Test Method for, **D1743 (05.01)**
Determining Extreme Pressure Properties of Lubricating Greases Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5706 (05.02)**
Determining Fretting Wear Resistance of Lubricating Greases Under High Hertzian Contact Pressures Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7594 (05.04)**
Determining the Leakage Tendencies of Automotive Wheel Bearing Grease Under Accelerated Conditions, Test Method for, **D4290 (05.02)**
Determining the Resistance of Lubricating Grease to Water Spray, Test Method for, **D4049 (05.02)**
Determining the Water Washout Characteristics of Lubricating Greases, Test Method for, **D1264 (05.01)**
Determining the Wear Volume on Standard Test Pieces Used by High-Frequency, Linear-Oscillation (SRV) Test Machine, Practice for, **D7755 (05.04)**
Determining Tribomechanical Properties of Grease Lubricated Plastic Socket Suspension Joints Using a High-Frequency,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Linear-Oscillation (SRV) Test Machine, Test Method for, **D7420 (05.04)**
Dropping Point of Lubricating Grease, Test Method for, **D566 (05.01)**
Dropping Point of Lubricating Grease Over Wide Temperature Range, Test Method for, **D2265 (05.01)**
Elastomer Compatibility of Lubricating Greases and Fluids, Test Method for, **D4289 (05.02)**
Estimation of Deleterious Particles in Lubricating Grease, Test Method for, **D1404/D1404M (05.01)**
Evaluating Compatibility of Binary Mixtures of Lubricating Greases, Practice for, **D6185 (05.03)**
Evaporation Loss of Lubricating Greases and Oils, Test Method for, **D972 (05.01)**
Evaporation Loss of Lubricating Greases Over Wide-Temperature Range, Test Method for, **D2595 (05.01)**
Fretting Wear Protection by Lubricating Greases, Test Method for, **D4170 (05.02)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Instrument and Precision Bearing Lubricants—Part 2 Greases, Guide for, **F2489 (01.08)**
Life of Lubricating Greases in Ball Bearings at Elevated Temperatures, Test Method for, **D3336 (05.01)**
Life Performance of Automotive Wheel Bearing Grease, Test Method for, **D3527 (05.01)**
Low-Temperature Torque of Ball Bearing Grease, Test Method for, **D1478 (05.01)**
Low-Temperature Torque of Grease-Lubricated Wheel Bearings, Test Method for, **D4693 (05.02)**
Measurement of Antioxidant Content in Lubricating Greases by Linear Sweep Voltammetry, Test Method for, **D7527 (05.04)**
Measurement of Extreme-Pressure Properties of Lubricating Grease (Four-Ball Method), Test Method for, **D2596 (05.01)**
Measurement of Load-Carrying Capacity of Lubricating Grease (Timken Method), Test Method for, **D2509 (05.01)**
Measuring Apparent Viscosity of Lubricating Greases, Test Method for, **D1092 (05.01)**
Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5707 (05.02)**
Obtaining In-Service Samples of Lubricating Grease, Practice for, **D7718 (05.04)**
Oil Separation from Lubricating Grease (Conical Sieve Method), Test Method for, **D6184 (05.03)**
Oil Separation from Lubricating Grease by Centrifuging (Koppers Method), Test Method for, **D4425 (05.02)**
Oil Separation from Lubricating Grease During Storage, Test Method for, **D1742 (05.01)**
Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, Test Method for, **D5483 (05.02)**
Oxidation Stability of Lubricating Greases by the Oxygen Pressure Vessel Method, Test Method for, **D942 (05.01)**
Roll Stability of Lubricating Grease, Test Method for, **D1831 (05.01)**
Shear Stability of Lubricating Grease in Presence of Water (Water Stability Test), Test Method for, **D7342 (05.04)**
Wear Preventive Characteristics of Lubricating Grease (Four-Ball Method), Test Method for, **D2266 (05.01)**
Wear Preventive Properties of Lubricating Greases Using the (Falex) Block on Ring Test Machine in Oscillating Motion, Test Method for, **D3704 (05.01)**

Lubricating grease—specifications
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**

Lubricating oils
Air Release Properties of Petroleum Oils, Test Method for, **D3427 (05.01)**
Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, Test Method for, **D4628 (05.02)**
Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, Practice for, **D7416 (05.04)**
Apparent Viscosity of Engine Oils and Base Stocks Between –5 and –35°C Using Cold-Cranking Simulator, Test Method for, **D5293 (05.02)**
Ash from Petroleum Products, Test Method for, **D482 (05.01)**
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, Test Method for, **D7647 (05.04)**
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Characterizing Hydrocarbon Lubricant Base Oils, Guide for, **D6074 (05.02)**
Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method), Test Method for, **D808 (05.01)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Demulsibility Characteristics of Lubricating Oils, Test Method for, **D2711 (05.01)**
Detecting Glycol-Base Antifreeze in Used Lubricating Oils, Test Methods for, **D2982 (05.01)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Boiling Range Distribution of Distillates and Lubricating Base Oils—in Boiling Range from 100 to 735°C by Gas Chromatography, Test Method for, **D7500 (05.04)**
Determination of Fuel Dilution for In-Service Engine Oils by Gas Chromatography, Test Method for, **D7593 (05.04)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of Moisture in New and In-Service Lubricating Oils and Additives by Relative Humidity Sensor, Test Method for, **D7546 (05.04)**
Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Coefficient of Friction of Lubricants Using the Four-Ball Wear Test Machine, Test Method for, **D5183 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Determination of Water in Petroleum Products, Lubricating Oils, and Additives by Coulometric Karl Fischer Titration, Test Method for, **D6304 (05.04)**
Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6595 (05.03)**
Determining Extreme Pressure Properties of Lubricating Oils Using High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7421 (05.04)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Estimating Apparent Vapor Pressures and Molecular Weights of Lubricating Oils, Test Method for, **D2878 (05.01)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating Compatibility of Mixtures of Turbine Lubricating Oils, Practice for, **D7155 (05.04)**
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Evaporation Loss of Lubricating Greases and Oils, Test Method for, **D972 (05.01)**
Evaporation Loss of Lubricating Oils by the Noack Method, Test Method for, **D5800 (05.02)**
Evaporation Loss of Lubricating Oils by Thermogravimetric Analyzer (TGA) Noack Method, Test Method for, **D6375 (05.03)**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
Foaming Characteristics of Lubricating Oils, Test Method for, **D892 (05.01)**
Gasoline Diluent in Used Gasoline Engine Oils by Distillation, Test Method for, **D322 (05.01)**
Gasoline Diluent in Used Gasoline Engine Oils by Gas Chromatography, Test Method for, **D3525 (05.01)**
High Temperature Foaming Characteristics of Lubricating Oils, Test Method for, **D6082 (05.02)**
In-Service Monitoring of Lubricating Oil for Auxiliary Power Plant Equipment, Practice for, **D6224 (05.03)**
Insolubles in Used Lubricating Oils, Test Method for, **D893 (05.01)**
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids, Test Method for, **D5306 (05.02)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer, Test Method for, **D2983 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), Test Method for, **D2782 (05.01)**
Measuring Friction and Wear Properties of Extreme Pressure (EP) Lubricating Oils Using SRV Test Machine, Test Method for, **D6425 (05.03)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, Test Method for, **D6794 (05.03)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time, Test Method for, **D6795 (05.03)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Misting Properties of Lubricating Fluids, Test Method for, **D3705 (05.01)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Nitrogen in Petroleum and Petroleum Products by Boat-Inlet Chemiluminescence, Test Method for, **D5762 (05.02)**
Oxidation Characteristics of Extreme-Pressure Lubrication Oils, Test Methods for, **D2893 (05.01)**
Oxidation Induction Time of Lubricating Oils by Pressure Differential Scanning Calorimetry (PDSC), Test Method for, **D6186 (05.03)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Pentane Insolubles by Membrane Filtration, Test Method for, **D4055 (05.02)**
Phosphorus in Lubricating Oils and Additives, Test Methods for, **D1091 (05.01)**
Phosphorus in Lubricating Oils and Additives by Quinoline Phosphomolybdate Method, Test Method for, **D4047 (05.02)**
Pour Point of Petroleum Products, Test Method for, **D97 (05.01)**
Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), Test Method for, **D5949 (05.02)**
Pour Point of Petroleum Products (Automatic Tilt Method), Test Method for, **D5950 (05.02)**
Precipitation Number of Lubricating Oils, Test Method for, **D91 (05.01)**
Predicting the Borderline Pumping Temperature of Engine Oil, Test Method for, **D3829 (05.02)**
Removing Volatile Contaminants from Used Engine Oils by Stripping, Test Method for, **D3607 (05.01)**
Semiquantitative Micro Determination of Acid Number of Lubricating Oils During Oxidation Testing, Test Method for, **D5770 (05.02)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**
Thermal Stability of Hydraulic Oils, Test Method for, **D2070 (05.01)**
Total Nitrogen in Lubricating Oils and Fuel Oils by Modified Kjeldahl Method, Test Method for, **D3228 (05.01)**
Trace Ethylene Glycol in Used Engine Oil, Test Method for, **D4291 (05.02)**
Trace Sediment in Lubricating Oils, Test Method for, **D2273 (05.01)**

Lubricating oils—specifications
Commercial Boiler Fuels With Used Lubricating Oils, Specification for, **D6823 (05.03)**
Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, Specification for, **F1567 (01.07)**
Industrial Burner Fuels from Used Lubricating Oils, Specification for, **D6448 (05.03)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Mineral and Synthetic Lubricating Oil Used in Steam or Gas Turbines, Specification for, **D4304 (05.02)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Tanks, 5 and 10-Gal (20 and 40-L) Lube Oil Dispensing, Specification for, **F670 (01.07)**

Lubricity/lubricating properties
Comparing Metal Removal Fluids Using the Tapping Torque Test Machine, Test Method for, **D5619 (05.02)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), Test Method for, **D6079 (05.02)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**

Ludwig water-classification diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Luggage inspection
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**

Luggin probe
Conducting Potentiodynamic Polarization Resistance Measurements, Test Method for, **G59 (03.02)**

Lugol's iodine solution
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**

Lug-style child-resistant closures
Measurement of Vertical Downward Forces to Disengage Type IIA Lug-Style Child-Resistant Closures, Test Methods for, **D3469 (15.10)**

Lug-type butterfly valves
Envelope Dimensions for Butterfly Valves—NPS 2 to 24, Specification for, **F1098 (01.07)**

Lumbar pack
Measurement of Backpack Capacity, Test Method for, **F2153 (15.07)**

Lumber
Sa **Wood products (structural)**
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Assigning Allowable Properties for Mechanically Graded Lumber, Practice for, **D6570 (04.10)**
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**
Evaluating Elevated Temperature Performance of Adhesives Used in End-Jointed Lumber, Practice for, **D7374 (04.10)**
Evaluating Elevated Temperature Performance of End-Jointed Lumber Studs, Practice for, **D7470 (04.10)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Evaluating Structural Capacities of Rim Board Products and Assemblies, Specification for, **D7672 (04.10)**
Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber, Test Method for, **D5664 (04.10)**
Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), Test Method for, **D4445 (04.10)**
Mechanical Fasteners in Plastic Lumber and Shapes, Test Methods for, **D6117 (08.03)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Standardization and Calibration of In-Line Dry Lumber Moisture Meters, Test Methods for, **D6782 (04.10)**
Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**

Lumber—specifications
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**

Lumber (plastic)
Compressive Properties of Plastic Lumber and Shapes, Test Method for, **D6108 (08.03)**
Polyethylene-Based Structural-Grade Plastic Lumber for Outdoor Applications, Specification for, **D7568 (08.03)**

Lumbricid earthworm
Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, Guide for, **E1676 (11.06)**

Lumbriculus variegatus
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**

Lumen
Enteral Feeding Devices with a Retention Balloon, Test Methods for, **F2528 (13.02)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**

Luminance
Sa **Transmissivity and reflectivity**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Determining Color of a Membrane Switch Backlit with Diffuse Light Source, Test Method for, **F2359 (10.04)**
Determining Luminance of a Membrane Switch Backlit with Diffuse Light Source, Test Method for, **F2360 (10.04)**
Determining the Luminance Curve of an Electroluminescent Lamp at Ambient Conditions, Test Method for, **F2771 (10.04)**
Determining the Uniformity of the Luminance of an Electroluminescent Lamp or Other Diffuse Lighting Device, Test Method for, **F2964 (10.04)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Illuminators Used for Viewing Industrial Radiographs, Specification for, **E1390 (03.03)**
Luminance Ratio of a Fluorescent Specimen using a Narrow Band Source, Test Method for, **E2630 (06.01)**
Measurement of the Luminance Coefficient Under Diffuse Illumination of Pavement Marking Materials Using a Portable Reflectometer, Test Method for, **E2302 (06.01)**
Measuring Optical Reflectivity of Transparent Materials, Test Method for, **F1252 (15.03)**
Measuring the Coefficient of Retroreflected Luminance of Pavement Markings in a Standard Condition of Continuous Wetting (RL-2), Test Method for, **E2832 (06.01)**
Measuring the Transmissivity of Transparent Parts, Test Method for, **F1316 (15.03)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Photopic Luminance of Photoluminescent (Phosphorescent) Markings, Test Method for, **E2073 (06.01)**
Retroreflectance of Horizontal Coatings, Test Method for, **D4061 (06.01)**

Luminescent materials/applications
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fluorescence—Instrument Calibration and Qualification, Guide for, **E2719 (03.06)**
Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, Practice for, **E2153 (06.01)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**

Luminescent materials/applications—specifications
Photoluminescent (Phosphorescent) Safety Markings, Specification for, **E2072 (06.01)**

Luminous (photometric) transmittance/reflectance
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**

Luminous reflectance factor
Sa **Reflectance and reflectivity**
Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**

Luminous transmittance
See **Transmittance and reflectance**

Lump coke
Sa **Coke**
Apparent and True Specific Gravity and Porosity of Lump Coke, Test Method for, **D167 (05.06)**
Measuring Coke Reactivity Index (CRI) and Coke Strength After Reaction (CSR), Test Method for, **D5341 (05.06)**

Lump lime
Sa **Quicklime**
Quicklime for Structural Purposes, Specification for, **C5 (04.01)**

Lycopodium
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**

Lysimeters
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

M

M13 bacteriophage
Identification of Bacteriophage M13 or Its DNA, Guide for, **E1493 (14.02)**

Macadam pavements
See **Pavement surfaces—specifications**

Macbeth PCM II^3 print contrast meter
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**

Maceral
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**

Mace test method
Snagging Resistance of Fabrics (Mace), Test Method for, **D3939/D3939M (07.01)**

Machine chain
Sa **Steel chain—specifications**
Machine and Coil Chain, Specification for, **A467/A467M (01.05)**

Machine copy count
Estimating Toner and Dispersant Usage in Copiers Utilizing Liquid Developers, Practice for, **F1042 (15.09)**

Machine direction elastic recovery
Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**

Machined magnetic core components
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**

Machined-nipple tests
Sa **Corrosivity**
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**

Machine-made flanges
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**

Machine-made reinforced thermosetting resin pipe
See **Reinforced thermosetting-resin pipe (RTRP)—specifications**

Machine-operated augers
Sa **Auger borings**
Soil Exploration and Sampling by Auger Borings, Practice for, **D1452 (04.08)**

Machine/process potential study procedure
Machine/Process Capability Study Procedure, Practice for, **F1503 (01.08)**

Machinery—condition monitoring
Lubrication and Hydraulic Filter Debris Analysis (FDA) for Condition Monitoring of Machinery, Practice for, **D7898 (05.04)**

Machinery (for ships)
Sa **Shipbuilding steel materials—specifications**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Machinery grouts
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Flowability and Bearing Area of Chemical-Resistant Polymer Machinery Grouts, Test Method for, **C1339 (04.02)**

Machine screws
Inch Series Machine Screws, Carbon Steel, 60 000 psi Tensile Strength, Specification for, **F2403 (01.08)**

Machine spiral wound PVC liner pipe
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**

Machine washable bedcoverings
See **Beds**

Machine-washable T-shirts
the Evaluation of Machine Washable T-Shirts, Practice for, **D6321/D6321M (07.02)**

Machining and weighing method
Obtaining Char Density Profile of Ablative Materials by Machining and Weighing, Test Method for, **E471 (15.03)**

Machining performance/testing
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Evaluating Machining Performance of Ferrous Metals Using an Automatic Screw/Bar Machine, Test Method for, **E618 (01.05)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**

Mackey test
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

MAC (mean aerodynamic chord)
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
MAC (medium access control)
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
Macroetching
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Macroetch Testing of Consumable Electrode Remelted Steel Bars and Billets, Practice for, **A604/A604M (01.05)**
Macroetch Testing of Tool Steel Bars, Practice for, **A561 (01.05)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Macroinvertebrates
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Macrophages
Evaluation of the Effect of Nanoparticulate Materials on the Formation of Mouse Granulocyte-Macrophage Colonies, Test Method for, **E2525 (14.02)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**
Macroreticular resin (XAD-8)
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Macroscopic analysis
Determining the Effective Elastic Parameter for X-Ray Diffraction Measurements of Residual Stress, Test Method for, **E1426 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Galling Resistance of Material Couples, Test Method for, **G196 (03.02)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Macrostructural examination
Sa **Structural analysis/applications**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Macrotexture depth/profile
Calculating Pavement Macrotexture Mean Profile Depth, Practice for, **E1845 (04.03)**
Measuring Pavement Macrotexture Depth Using a Volumetric Technique, Test Method for, **E965 (04.03)**
MADA (multiattribute decision analysis)
See **Multiattribute decision analysis (MADA)**
Maeser test
Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, Test Method for, **D2099 (15.04)**
Magazine covers
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Magnesia-carbon brick
Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, Practice for, **C1190 (15.01)**
Magnesian lime (ML)
Sa **Hydrated lime—specifications**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses, Specification for, **C911 (04.01)**
Magnesia partially stabilized zirconia (Mg-PSZ)
High-Purity Dense Magnesia Partially Stabilized Zirconia (Mg-PSZ) for Surgical Implant Applications, Specification for, **F2393 (13.01)**
Magnesite refractories
See **Refractories (magnesite)**
Magnesium
Aluminum- and Magnesium-Alloy Products, Terminology Relating to, **B881 (02.02)**
Analysis of Magnesium and Magnesium Alloys by Atomic Emission Spectrometry, Test Method for, **B954 (02.02)**
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Hard-Coat Anodizing of Magnesium for Engineering Applications, Specification for, **B893 (02.05)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Sampling Magnesium and Magnesium Alloys for Spectrochemical Analysis, Practice for, **B953 (02.02)**
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**
Magnesium alloy castings
Codification of Unalloyed Magnesium and Magnesium-Alloys, Cast and Wrought, Practice for, **B951 (02.02)**
Inspection of Aluminum and Magnesium Castings, Reference Radiographs for, **E155 (03.03)**
Inspection of Aluminum and Magnesium Die Castings, Reference Radiographs for, **E505 (03.03)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products, Test Methods for, **B557 (02.02)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products (Metric), Test Methods for, **B557M (02.02)**
Magnesium alloy castings—specifications
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Magnesium alloys
Aluminum- and Magnesium-Alloy Products, Terminology Relating to, **B881 (02.02)**
Analysis of Magnesium and Magnesium Alloys by Atomic Emis-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

sion Spectrometry, Test Method for, **B954 (02.02)**
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Codification of Unalloyed Magnesium and Magnesium-Alloys, Cast and Wrought, Practice for, **B951 (02.02)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Heat Treatment of Magnesium Alloys, Practice for, **B661 (02.02)**
Identification Marking of Aluminum and Magnesium Products, Practice for, **B666/B666M (02.02)**
Packaging/Packing of Aluminum and Magnesium Products, Practices for, **B660 (02.02)**
Preparation of Magnesium Alloy Surfaces for Painting, Practices for, **D1732 (02.05)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Sampling Magnesium and Magnesium Alloys for Spectrochemical Analysis, Practice for, **B953 (02.02)**
Temper Designations of Magnesium Alloys, Cast and Wrought, Practice for, **B296 (02.02)**

Magnesium alloys—specifications
High Magnesium Aluminum-Alloy Sheet and Plate for Marine Service and Similar Environments, Specification for, **B928/B928M (02.02)**
Magnesium Alloy Anodes for Cathodic Protection, Specification for, **B843 (02.02)**
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Magnesium-Alloy Sheet and Plate, Specification for, **B90/B90M (02.02)**

Magnesium anodes
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Magnesium Alloy Anodes for Cathodic Protection, Specification for, **B843 (02.02)**

Magnesium carbonate
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**

Magnesium chloride content
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**

Magnesium chloride test
Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, Practice for, **G36 (03.02)**

Magnesium content
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Chemical Analysis of Sodium Chloride, Test Methods for, **E534 (15.05)**

Magnesium content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Magnesium content—atmospheric analysis
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**

Magnesium content—metals/alloys
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Determination of Calcium and Magnesium in Magnesium Ferrosilicon by EDTA Titration, Test Method for, **E372 (03.05)**

Magnesium content—iron ores
Determination of Calcium and Magnesium in Iron Ores by Flame Atomic Absorption Spectrometry, Test Method for, **E508 (03.05)**

Magnesium content—nuclear materials
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**

Magnesium content—petroleum products
Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, Test Method for, **D4628 (05.02)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

Magnesium content—water
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Calcium and Magnesium In Water, Test Methods for, **D511 (11.01)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Hardness in Water, Test Method for, **D1126 (11.01)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**

Magnesium content—Zn/Zn alloys
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**

Magnesium ferrosilicon
Determination of Calcium and Magnesium in Magnesium Ferrosilicon by EDTA Titration, Test Method for, **E372 (03.05)**

Magnesium ion removal (from water)
Operating Performance of Particulate Cation-Exchange Materials, Test Methods for, **D1782 (11.02)**

Magnesium oxide (MgO)
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Magnesium oxide (MgO) content
Analysis of Magnesium Silicate Pigment, Test Methods for, **D717 (06.03)**
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**

Magnesium oxide (MgO) content—coal and coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**

Magnesium silicate pigment
Analysis of Magnesium Silicate Pigment, Test Methods for, **D717 (06.03)**
Magnesium Silicate Pigment (Talc), Specification for, **D605 (06.03)**

Magnesium sulfate
Determination of Magnesium Sulfate (Epsom Salt) in Leather, Test Method for, **D6017 (15.04)**
Determining the Presence of Lead Salts in Leather, Test Method for, **D6018 (15.04)**
Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate, Test Method for, **D5240/D5240M (04.08)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**

Magnet holdings
Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, Test Method for, **D4501 (15.06)**

Magnetic alloys
Evaluating Hygrothermal Corrosion Resistance of Permanent Magnet Alloys, Test Method for, **A1071/A1071M (03.04)**

Magnetic alloys (soft)
50 Nickel-50 Iron Powder Metallurgy Soft Magnetic Parts, Specification for, **A904 (03.04)**
Electrical Resistivity of Soft Magnetic Alloys, Test Method for, **A712 (03.04)**
Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, Specification for, **A838 (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Soft Magnetic Iron Parts Fabricated by Powder Metallurgy (P/M) Techniques, Specification for, **A811 (03.04)**
Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Inductor Applications, Specification for, **A1009 (03.04)**
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**

Magnetically-induced properties
Measurement of Magnetically Induced Displacement Force on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2052 (13.01)**
Measurement of Magnetically Induced Torque on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2213 (13.01)**

Magnetic amplifier cores
Magnetic Properties of Magnetic Amplifier Cores, Test Method for, **A598/A598M (03.04)**

Magnetic coercivity (Hcs)
Determination of Coercivity (Hcs) of Cemented Carbides, Test Method for, **B887 (02.05)**

Magnetic data storage media
Pass Through Flux of Circular Magnetic Sputtering Targets, Test Method for, **F1761 (10.04)**

Magnetic flux
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**

Magnetic materials/applications
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**
Lamination Factor of Amorphous Magnetic Strip, Test Method for, **A900/A900M (03.04)**
Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, Test Method for, **A977/A977M (03.04)**
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, Test Method for, **B279 (02.03)**

Magnetic materials/applications—specifications
50 Nickel-50 Iron Powder Metallurgy Soft Magnetic Parts, Specification for, **A904 (03.04)**
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Amorphous Magnetic Core Alloys, Semi-Processed Types, Specification for, **A901 (03.04)**
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Specification for, **A288 (01.05)**
Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types, Specification for, **A726 (03.04)**
Flat-Rolled Electrical Steels for Magnetic Applications, Specification for, **A345 (03.04)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, Specification for, **A838 (03.04)**
Identification of Standard Electrical Steel Grades in ASTM Specifications, Practice for, **A664 (03.04)**
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Low-Carbon Magnetic Iron, Specification for, **A848 (03.04)**
Soft Magnetic Iron Parts Fabricated by Powder Metallurgy (P/M) Techniques, Specification for, **A811 (03.04)**
Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Inductor Applications, Specification for, **A1009 (03.04)**
Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), Specification for, **A801 (03.04)**
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Magnetic/metallic sputtering targets
Sa **Sputtering process/targets**
Pass Through Flux of Circular Magnetic Sputtering Targets, Test Method for, **F1761 (10.04)**
Magnetic particle inspection
Sa **Nondestructive evaluation (NDE)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Magnetic Particle Examination of Continuous Grain Flow Crankshaft Forgings, Specification for, **A986/A986M (01.05)**
Magnetic Particle Examination of Large Crankshaft, Specification for, **A456/A456M (01.05)**
Magnetic Particle Examination of Steel Forgings, Practice for, **A275/A275M (01.05)**
Magnetic Particle Examination of Steel Forgings Using Alternating Current, Practice for, **A966/A966M (01.05)**
Magnetic Particle Indications on Ferrous Castings, Reference Photographs for, **E125 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, Specification for, **A903/A903M (01.02)**
Magnetic permeability
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Coaxial Air Line, Test Method for, **D7449/D7449M (10.02)**
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**
Magnetic properties
Sa **A-C (alternating-current) magnetic properties**
Sa **D-c magnetic properties**
Sa **Electrical contact materials**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Complex Dielectric Constant of Nonmetallic Magnetic Materials at Microwave Frequencies, Test Method for, **A893/A893M (03.04)**
Electromagnetic (Eddy Current) Sorting of Ferrous Metals, Practice for, **E566 (03.03)**
Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, Practice for, **E703 (03.03)**
Lamination Factor of Magnetic Materials, Test Method for, **A719/A719M (03.04)**
Magnetic Particle Examination of Steel Forgings Using Alternating Current, Practice for, **A966/A966M (01.05)**
Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, Test Method for, **A977/A977M (03.04)**
Magnetic Properties of Magnetic Amplifier Cores, Test Method for, **A598/A598M (03.04)**
Magnetic Shield Efficiency in Attenuating Alternating Magnetic Fields, Test Method for, **A698/A698M (03.04)**
Measuring Power Frequency Magnetic Properties of Flat-Rolled Electrical Steels Using Small Single Sheet Testers, Guide for, **A1036 (03.04)**
Permeability of Feebly Magnetic Materials, Test Methods for, **A342/A342M (03.04)**
Sampling and Procurement Testing of Magnetic Materials, Practice for, **A34/A34M (03.04)**
Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, Test Method for, **A894/A894M (03.04)**
Symbols and Definitions Relating to Magnetic Testing, Terminology of, **A340 (03.04)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Magnetic resonance testing
Sa **MRI (magnetic resonance imaging)**
Evaluation of MR Image Artifacts from Passive Implants, Test Method for, **F2119 (13.01)**
Marking Medical Devices and Other Items for Safety in the Magnetic Resonance Environment, Practice for, **F2503 (13.02)**
Measurement of Magnetically Induced Torque on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2213 (13.01)**
Magnetic retaining rings
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Specification for, **A288 (01.05)**
Magnetic saturation (MS)
Determination of Coercivity (Hcs) of Cemented Carbides, Test Method for, **B887 (02.05)**
Determination of Magnetic Saturation (Ms) of Cemented Carbides, Test Method for, **B886 (02.05)**
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Magnetic shields
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic Shielding Effectiveness of Durable Rigid Wall Relocatable Structures, Test Method for, **E1851 (04.11)**
Magnetic Shield Efficiency in Attenuating Alternating Magnetic Fields, Test Method for, **A698/A698M (03.04)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Magnetic shields—specifications
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Magnetic testing
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Alternating-Current Magnetic Properties of Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A927/A927M (03.04)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, Test Method for, **A977/A977M (03.04)**
Magnetic Rating of Asbestos Fiber and Asbestos Textiles, Test Method for, **D1118/D1118M (04.05)**
Sampling and Procurement Testing of Magnetic Materials, Practice for, **A34/A34M (03.04)**
Symbols and Definitions Relating to Magnetic Testing, Terminology of, **A340 (03.04)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Magnetic testing—coating thickness
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Magnetic transition standards
Calibration of Temperature Scale for Thermogravimetry, Practice for, **E1582 (14.02)**
Magnetism
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Magnetite
See **Iron oxide pigments—black (natural/synthetic)**
Magnetometer
Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, Test Method for, **A894/A894M (03.04)**
Magnetostriction
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Magnetostrictive transduction
Guided Wave Testing of Above Ground Steel Piping with Magnetostrictive Transduction, Practice for, **E2929 (03.03)**
Magnet wire
Aluminum Rectangular and Square Wire for Electrical Purposes, Specification for, **B324 (02.03)**
Bond Strength of Electrical Insulating Varnishes by the Twisted-Coil Test, Test Method for, **D4882 (10.02)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Flexible Treated Sleeving Used for Electrical Insulation, Test Methods for, **D350 (10.01)**
Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, Test Method for, **D4880 (10.02)**
Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, Test Method for, **B279 (02.03)**
Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, Test Method for, **D4881 (10.02)**
Magnet wire—film-insulated
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Magnet-Wire Enamels, Test Methods for, **D3288/D3288M (10.02)**
Thermal Endurance Characteristics of Electrical Insulating Varnishes Applied Over Film-Insulated Magnet Wire, Test Method for, **D3251 (10.02)**
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**
Magnification
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Calibrating the, Practice for, **E2530 (03.06)**
Calibrating the Magnification of a Scanning Electron Microscope, Practice for, **E766 (03.01)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**
Magnifying sights
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**
Magnitude estimation rating
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Magnitude scaling tests
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
Mahalanobis distance
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Near Infrared Qualitative Analysis, Practice for, **E1790 (03.06)**
Mainframe
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Main propulsion engine
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**
Maintainability
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Maintenance
Application of Floor Polishes to Maintain Multilayer Composite Tile or Flooring, Practice for, **D4386 (15.04)**
Assessment and Maintenance of Exterior Dimension Stone Masonry Walls and Facades, Guide for, **C1496 (04.07)**
Chemical Protective Clothing: Wearing, Care, and Maintenance Instructions, Practice for, **F2061 (11.03)**
Correlations of Mu Values of Continuous Friction Measurement Equipment to Determine Maintenance Levels for Use at Airports, Practice for, **E2666 (04.03)**
Industrial Laundering of Flame, Thermal, and Arc Resistant Clothing, Guide for, **F1449 (11.03)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Maintenance and the Development of Maintenance Manuals for Light Sport Aircraft, Practice for, **F2483 (15.11)**
Maintenance of Aircraft Electrical Wiring Systems, Practice for, **F2799 (15.11)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Selection of Structural Details for Ship Construction, Guide for, **F1455 (01.07)**
Serviceability of an Office Facility for Management of Operations and Maintenance, Classification for, **E1670 (04.11)**
Sodium Chloride, Specification for, **D632 (04.03)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Maintenance—sports environments
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**
Construction and Maintenance of Skinned Areas on Baseball and Softball Fields, Guide for, **F2107 (15.07)**
Maintenance chemicals
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Maintenance cleaning
Cleaning and Maintaining Controlled Areas and Clean Rooms, Practice for, **E2042/E2042M (15.03)**
Maintenance coatings
Assessing the Condition of Aged Coatings on Steel Surfaces, Guide for, **D5065 (06.02)**
Conducting a Patch Test to Assess Coating Compatibility, Practice for, **D5064 (06.02)**
Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, Guide for, **D5163 (06.02)**
Maintenance manual
Maintenance and Development of Maintenance Manuals for Light Unmanned Aircraft System (UAS), Practice for, **F2584 (15.11)**
Maintenance (of ground-water wells)
Sa **Ground-water monitoring/sampling**
Development of Groundwater Monitoring Wells in Granular Aquifers, Guide for, **D5521/D5521M (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Maintenance waste
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Major/minor elements
Determination of Major and Minor Elements in Coal, Coke, and Solid Residues from Combustion of Coal and Coke by Inductively Coupled Plasma—Atomic Emission Spectrometry, Test Method for, **D6349 (05.06)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Malathion
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Male condoms
Male Condoms Made from Polyurethane, Specification for, **D6324 (09.02)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Maleic acid content
Acid Number (Empirical) of Maleic Anhydride (MAH) Grafted Waxes, Test Method for, **D7389 (15.04)**
Maleic anhydride
Acid Number (Empirical) of Maleic Anhydride (MAH) Grafted Waxes, Test Method for, **D7389 (15.04)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), Classification System and Basis for Specification for, **D4634 (08.02)**
Malleable iron castings—specifications
Automotive Malleable Iron Castings, Specification for, **A602 (01.02)**
Cupola Malleable Iron, Specification for, **A197/A197M (01.02)**
Ferritic Malleable Iron Castings, Specification for, **A47/A47M (01.02)**
Malleable Iron Flanges, Pipe Fittings, and Valve Parts for Railroad, Marine, and Other Heavy Duty Service at Temperatures Up to 650F (345C), Specification for, **A338 (01.02)**
Pearlitic Malleable Iron, Specification for, **A220/A220M (01.02)**
Malodor rating
Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, Guide for, **E1593 (15.08)**
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Mammalian cell mutagenicity
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Mammalian *in vivo* bone marrow nucleus assay
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**
Management information systems (MIS)
Establishing Operating Emergency Medical Services and Management Information Systems, or Both, Guide for, **F1629 (13.02)**
Management of material property databases
See **Computerized material property databases**
Management of operations
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**
Serviceability of an Office Facility for Manageability, Classification for, **E1701 (04.11)**
Serviceability of an Office Facility for Management of Operations and Maintenance, Classification for, **E1670 (04.11)**
Management systems
Laboratory Informatics, Guide for, **E1578 (03.06)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Mandrels
Determining the Effects of Creasing a Membrane Switch or Assembly, Test Method for, **F2749 (10.04)**
Electroforming with Nickel and Copper, Guide for, **B832 (02.05)**
Molybdenum Wire and Rod for Electronic Applications, Specification for, **F289 (10.04)**
Mandrel test apparatus
Flexibility Determination of Hot-Melt Adhesives by Mandrel Bend Test Method, Test Method for, **D3111 (15.10)**
Flexibility Determination of Supported Adhesive Films by Mandrel Bend, Test Method for, **D4338 (15.06)**
Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus, Test Method for, **F137 (15.04)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Man-entry sewers/conduits
Sa **Conduits**
Poly (Vinyl Chloride)(PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits, Specification for, **F1735 (08.04)**
Segmental Panel System for the Grout-in-Place-Liner (GIPL) Rehabilitation Method of Existing Man-Entry Size Sewers, Culverts, and Conduits, Specification for, **F2984 (08.04)**
Manganese
Black Synthetic Iron Oxide, Specification for, **D769 (06.03)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Liquid Paint Driers, Test Methods for, **D564 (06.01)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Raw and Burnt Sienna Pigments, Specification for, **D765 (06.03)**
Synthetic Red Iron Oxide Pigment, Specification for, **D3721 (06.03)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Manganese alloying additives—specifications
Sa **Stainless steel alloying additives**
Electrolytic Manganese Metal, Specification for, **A601/A601M (01.02)**
Ferromanganese, Specification for, **A99 (01.02)**
Ferromanganese-Silicon, Specification for, **A701/A701M (01.02)**
Silicomanganese, Specification for, **A483/A483M (01.02)**
Manganese alloys—specifications
Pressure Vessel Plates, Alloy Steel, Manganese-Vanadium-Nickel, Specification for, **A225/A225M (01.04)**
Pressure Vessel Plates, Carbon Steel, Manganese-Silicon, Specification for, **A299/A299M (01.04)**
Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings, Specification for, **A562/A562M (01.04)**
Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Inductor Applications, Specification for, **A1009 (03.04)**
Steel Castings, Austenitic Manganese, Specification for, **A128/A128M (01.02)**
Manganese alloy steel plate—specifications
Pressure Vessel Plates, Alloy Steel, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A302/A302M (01.04)**
Pressure Vessel Plates, Alloy Steel, Manganese-Vanadium-Nickel, Specification for, **A225/A225M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A533/A533M (01.04)**
Pressure Vessel Plates, Carbon Steel, High-Strength Manganese, Specification for, **A455/A455M (01.04)**
Pressure Vessel Plates, Carbon Steel, Manganese-Silicon, Specification for, **A299/A299M (01.04)**
Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings, Specification for, **A562/A562M (01.04)**
Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**
Structural Carbon Steel Plates of Improved Toughness, Specifica-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tion for, **A573/A573M (01.04)**
Manganese aluminum bronze (casting)
See **UNS C95700 (cast aluminum bronze)**
Manganese bronze (casting)
See **UNS C86200 (cast manganese bronze)**
Manganese bronze (leaded)—casting
See **UNS C86400 (cast leaded manganese bronze)**
Manganese bronze (rod/bar/shape)
Manganese Bronze Rod, Bar, and Shapes, Specification for, **B138/B138M (02.01)**
Manganese content
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Manganese in Paint Driers by EDTA Method, Test Method for, **D2375 (06.01)**
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**
Manganese content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Manganese content—beryllium
Chemical Analysis of Beryllium, Test Methods for, **E439 (03.05)**
Manganese content—Cu/Cu alloys
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Manganese content—iron ore
Determination of Manganese in Iron Ores by Pyrophosphate (Potentiometric) and Periodate (Photometric) Techniques, Test Methods for, **E314 (03.05)**
Manganese content—manganese copper alloys
Chemical Analysis of Manganese-Copper Alloys, Test Methods for, **E581 (03.05)**
Manganese content—manganese ore
Determination of Manganese (IV) in Manganese Ores by Redox Titrimetry, Test Methods for, **E465 (03.05)**
Determination of Manganese in Manganese Ores by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, Test Method for, **E248 (03.05)**
Manganese content—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Manganese-Copper Alloys, Test Methods for, **E581 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Manganese content—Ni/Ni alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Manganese content—petroleum products
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Manganese in Gasoline By Atomic Absorption Spectroscopy, Test Method for, **D3831 (05.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**
Manganese content—rubber
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Manganese content—steel
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Manganese content—water
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Manganese in Water, Test Methods for, **D858 (11.01)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Manganese-copper alloys
Chemical Analysis of Manganese-Copper Alloys, Test Methods for, **E581 (03.05)**
Manganese dioxide (MnO_2) content
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**
Manganese isotope removal
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Manganese-molybdenum-columbium alloy
Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**
Manganese-molybdenum-nickel alloy—specifications
Pressure Vessel Plates, Alloy Steel, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A302/A302M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A533/A533M (01.04)**
Manganese-nickel aluminum bronze (casting)
See **UNS C95700 (cast aluminum bronze)**
Manganese ores
Determination of Iron in Manganese Ores by Hydrogen Sulfide Reduction-Dichromate Titrimetry, Test Method for, **E316 (03.05)**
Determination of Manganese (IV) in Manganese Ores by Redox Titrimetry, Test Methods for, **E465 (03.05)**
Determination of Manganese in Manganese Ores by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, Test Method for, **E248 (03.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Silica in Manganese Ores, Iron Ores, and Related Materials by Gravimetry, Test Method for, **E247 (03.05)**

Manganese oxide content
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Manganese sulfide
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**

Manganese surgical materials/applications—specifications
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**
Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Manganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), Specification for, **F1314 (13.01)**
Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108), Specification for, **F2229 (13.01)**

Manganic oxide content
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**

Manhole materials/applications
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1244 (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), Test Method for, **C1244M (04.05)**
Design of High-Density Polyethylene (HDPE) Manholes for Subsurface Applications, Practice for, **F1759 (08.04)**
Installing a Protective Cementitious Liner System in Sanitary Sewer Manholes, Practice for, **F2551 (04.12)**

Manhole materials/applications—specifications
Concrete Masonry Units for Construction of Catch Basins and Manholes, Specification for, **C139 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**
Glass-Fiber-Reinforced Polyester Manholes and Wetwells, Specification for, **D3753 (08.03)**
Manhole Cover Assembly, Bolted, Raised, Oiltight and Watertight, Specification for, **F1143 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Specification for, **F1142 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Hinged, Specification for, **F1144 (01.07)**
Precast Reinforced Concrete Manhole Sections, Specification for, **C478 (04.05)**
Precast Reinforced Concrete Manhole Sections (Metric), Specification for, **C478M (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures and Corrugated High Density Polyethylene Drainage Pipes, Specification for, **F2510/F2510M (08.04)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**

Manifold heat controls
Sa **Electrical contact materials**
Mechanical Torque Rate of Spiral Coils of Thermostat Metal, Test Method for, **B362 (02.04)**

Manifold papers
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**

Manifolds
Pressure-Reducing Manifolds for Air or Nitrogen Systems, Specification for, **F1685 (01.07)**

Manifold temperature
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**

Manikin
Sa **Mannequin**
Measuring the Evaporative Resistance of Clothing Using a Sweating Manikin, Test Method for, **F2370 (11.03)**
Measuring the Heat Removal Rate of Personal Cooling Systems Using a Sweating Heated Manikin, Test Method for, **F2371 (11.03)**

Man-in-simulant testing
Man-In-Simulant Test (MIST) for Protective Ensembles, Test Method for, **F2588 (11.03)**

Manipulation system
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**
Radioscopy, Practice for, **E1255 (03.03)**

Man-made rock
Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, Test Method for, **C1335 (04.06)**

Man-made structures/systems
Determining the Specification Conformance of Geosynthetics, Practice for, **D4759 (04.13)**
Field Determination of Rapid Specific Gravity of Rock and Man-made Materials for Erosion Control, Test Method for, **D5779/D5779M (04.08)**

Man-made textile fibers
Sa **Textile fibers**
Breaking Tenacity of Manufactured Textile Fibers in Loop or Knot Configurations, Test Methods for, **D3217/D3217M (07.01)**
Bulk Properties of Textured Yarns, Test Method for, **D4031 (07.01)**
Crimp Frequency of Manufactured Staple Fibers, Test Method for, **D3937 (07.01)**
Determining the Presence of Sizing in Nylon or Polyester Fabric, Practice for, **D6613 (07.02)**
Diameter of Wool and Other Animal Fibers by Microprojection, Test Method for, **D2130 (07.01)**
Elongation of Narrow Elastic Fabrics (Static-Load Testing), Test Method for, **D5278/D5278M (07.02)**
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Length and Length Distribution of Manufactured Staple Fibers (Single-Fiber Test), Test Method for, **D5103 (07.02)**
Linear Density of Elastomeric Yarns (Short Length Specimens), Test Method for, **D2591 (07.01)**
Linear Density of Elastomeric Yarns (Skein Specimens), Test Method for, **D6717 (07.02)**
Manufactured Organic-Base Filament Single Yarns, Tolerances for, **D2497 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling Manufactured Staple Fibers, Sliver, or Tow for Testing, Practice for, **D3333 (07.01)**
Snagging Resistance of Fabrics (Mace), Test Method for, **D3939/D3939M (07.01)**
Tables of Commercial Moisture Regains and Commercial Allowances for Textile Fibers, Standard, **D1909 (07.01)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**
Textiles, Terminology Relating to, **D123 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Water Retention of Textile Fibers (Centrifuge Procedure), Test Method for, **D2402 (07.01)**

Man-made textile fibers—specifications
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**

Mannequin
Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, Test Method for, **F1958/F1958M (10.03)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**
Measuring Thermal Insulation of Sleeping Bags Using a Heated Manikin, Test Method for, **F1720 (15.07)**

Mannose
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**

Manometer
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**

Manometric visual determination
Sa **Visual examination**
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**

MANOVA (multivariate analysis of variance)
Time-Intensity Evaluation of Sensory Attributes, Guide for, **E1909 (15.08)**

Manual actuated valve operators
Sa **Steel valves—specifications**
Selection of Valve Operators, Practice for, **F1030 (01.07)**

Manual cold filter plugging point
Cold Filter Plugging Point of Diesel and Heating Fuels, Test Method for, **D6371 (05.03)**

Manual depth measurement
Sa **Depth profiling**
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**

Manual digestion method
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**

Manual door control systems
Sa **Watertight doors**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**

Manual gravimetric method
Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), Test Method for, **D6331 (11.07)**

Manual injection headspace analysis
See **Headspace analysis**

Manual (lever/gear actuator) butterfly valves
Envelope Dimensions for Butterfly Valves—NPS 2 to 24, Specification for, **F1098 (01.07)**

Manually operated fueling hose reels
Manually Operated Fueling Hose Reels, Specification for, **F1347 (01.07)**

Manual method
Determining the Open Time of Hot Melt Adhesives (Manual Method), Test Method for, **D4497 (15.10)**
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Freezing Point of Aviation Fuels, Test Method for, **D2386 (05.01)**
Sampling Liquefied Petroleum (LP) Gases, Manual Method, Practice for, **D1265 (05.01)**

Manual processing
Controlling the Quality of Industrial Radiographic Film Processing, Guide for, **E999 (03.03)**

Manuals
Food Service Equipment Manuals, Specification for, **F760 (15.12)**

Manual safety covers (MSC)
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**

Manual sampling (of coal products)
Sa **Coal sampling systems**
Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, Practice for, **D6883 (05.06)**

Manual sampling (of petroleum products)
Sa **Sampling petroleum products**
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**

Manual sorting method
Determination of the Composition of Unprocessed Municipal Solid Waste, Test Method for, **D5231 (11.04)**

Manual transmission lubricants
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**

Manufacturability
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**

Manufacture—aircraft materials/applications
Production Acceptance in the Manufacture of a Fixed Wing Light Sport Aircraft, Practice for, **F3035 (15.11)**

Manufactured anode
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**

Manufactured carbon and graphite products
Nuclear Graphite Suitable for Components Subjected to Low Neutron Irradiation Dose, Specification for, **D7301 (05.05)**

Manufactured carbon/graphite
Manufactured Carbon and Graphite, Terminology Relating to, **C709 (05.05)**
Sonic Velocity in Manufactured Carbon and Graphite Materials for Use in Obtaining an Approximate Young's Modulus, Test Method for, **C769 (05.05)**

Manufactured concrete/masonry units
Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, Test Method for, **C1262 (04.05)**

Manufactured fiber
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Overlength Fiber Content of Manufactured Staple Fiber, Test Method for, **D3513 (07.01)**
Textile Fibers, Guide for, **D7641 (07.02)**
Manufactured gas
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Manufactured housing/buildings
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Agencies Engaged in System Analysis and Compliance Assurance for Manufactured Building, Specification for, **E541 (14.02)**
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**
Evaluating Capabilities of Agencies Involved in System Analysis and Compliance Assurance for Manufactured Building, Practice for, **E651/E651M (14.02)**
Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing, Specification for, **C665 (04.06)**
Room Heaters, Pellet Fuel-Burning Type, Specification for, **E1509 (04.11)**
Manufactured masonry units
Installation Methods for Adhered Manufactured Stone Masonry Veneer, Practice for, **C1780 (04.05)**
Reduction of Efflorescence Potential in New Unit Pavement Systems, Guide for, **C1791 (04.05)**
Manufactured sand
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Manufacturers
Development of Fire-Risk-Assessment Standards, Guide for, **E1776 (04.07)**
Manufacturing engineers
Selecting Cleaning Agents and Processes, Guide for, **D6361/D6361M (15.05)**
Manufacturing processes
Additive Manufacturing File Format (AMF) Version 1.2, Specification for, **F2915 (10.04)**
Additive Manufacturing—Coordinate Systems and Test Methodologies, Terminology for, **F2921 (10.04)**
Carbon Black—Calculation of Process Indexes From an Analysis of Process Control Data, Practice for, **D4583 (09.01)**
Classifying the Relative Performance of the Physical Properties of Security Seals, Practice for, **F1157 (15.08)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, Test Method for, **D5066 (06.02)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Establishing Security Seal Control and Accountability Procedures, Guide for, **F946 (15.08)**
Inspection and Evaluation of Tampering of Security Seals, Guide for, **F1158 (15.08)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains, Specification for, **C1504 (04.05)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric), Specification for, **C1504M (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, Specification for, **C1417 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), Specification for, **C1417M (04.05)**
Manufacturing Characterization of Digital Detector Arrays, Practice for, **E2597/E2597M (03.03)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Polyethylene Plastics Molding and Extrusion Materials, Specification for, **D4976 (08.02)**
Polyphenylene Ether (PPE) Materials, Classification System and Basis for Specification for, **D4349 (08.02)**
Sampling Bituminous Materials, Practice for, **D140/D140M (04.03)**
Sampling Bituminous Paving Mixtures, Practice for, **D979/D979M (04.03)**
Standard Test Method for Collection of Volatile Organic Compounds Emitted During Simulated Manufacturing of Engineered Wood Products Via a Sealed Caul Plate Method, Test Method for, **D7770 (04.10)**
Use and Handling of Flexible Retort Food Pouches in the Processing Environment, Guide for, **F1278 (15.10)**
Manufacturing processes—consumer materials/applications
Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures, Practice for, **F1159 (15.07)**
Design, Manufacture, and Operation of Concession Go-Karts and Facilities, Practice for, **F2007 (15.07)**
Quality Assurance in the Manufacture of Fixed Wing Light Sport Aircraft, Practice for, **F2279 (15.11)**
Quality, Manufacture, and Construction of Amusement Rides and Devices, Practice for, **F1193 (15.07)**
Maple block tensile strength test
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Maple strip lap shear test
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
MAP (modified atmosphere packaging)
Selection and Use of Packaging Materials for Foods to Be Irradiated, Guide for, **F1640 (12.02)**
Mapping surface geophysics
See **Geophysical investigations/geophysics**
MAPP (maximum acceptable payback period)
Sa **Building economics**
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**
Maps
Symbols and Markings for Use With Land Search Maps, Practice for, **F1846 (13.02)**
Maraging chromium-nickel-iron alloys
See **Chromium-nickel-iron alloys**
Marble
Marble Dimension Stone, Specification for, **C503/C503M (04.07)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**
Marcelled wire
Metallic-Coated Steel Marcelled Tension Wire for Use With Chain Link Fence, Specification for, **A824 (01.06)**
Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcelled Tension Wire, Specification for, **A817 (01.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Marine applications
Sealless Lube Oil Pump with Oil Through Motor for Marine Applications, Specification for, **F2798 (01.07)**
Thermal Rating and Installation of Internal Combustion Engine Packages for use in Hazardous Locations in Marine Applications, Practice for, **F2876 (01.07)**
Marine bulkhead applications
Sa **Bulkheads**
Mechanical Static Load Testing of Non-Structural Marine Joiner Bulkheads, Test Method for, **F3040/F3040M (01.07)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**
Marine coatings systems/applications
Sa **Antifouling coating system**
Establishing Shipbuilding Quality Requirements for Hull Structure, Outfitting, and Coatings, Practice for, **F2016 (01.07)**
Evaluating Biofouling Resistance and Physical Performance of Marine Coating Systems, Practice for, **D6990 (06.02)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Inspection of Marine Surface Preparation and Coating Application, Practice for, **F941 (01.07)**
Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, Practice for, **F940 (01.07)**
Testing Biofouling Resistance of Marine Coatings Partially Immersed, Practice for, **D5479 (06.02)**
Marine custody transfer
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**
Marine distillate fuels
See **Distillate fuels**
Marine environments
Sa **Environmental control/fate**
Sa **Sediment**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting In-situ Field Bioassays With Caged Bivalves, Guide for, **E2122 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting Static and Flow-Through Acute Toxicity Tests With Mysids From the West Coast of the United States, Guide for, **E1463 (11.06)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Determining Aerobic Biodegradation of Plastic Materials in the Marine Environment by a Defined Microbial Consortium or Natural Sea Water Inoculum, Test Method for, **D6691 (08.03)**
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Exposing and Evaluating Metals and Alloys in Surface Seawater, Practice for, **G52 (03.02)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Non-Floating Biodegradable Plastics in the Marine Environment, Specification for, **D7081 (08.03)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**
Sewage and Graywater Flow Through Treatment Systems, Specification for, **F2363/F2363M (01.07)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Weight Attrition of Plastic Materials in the Marine Environment by Open System Aquarium Incubations, Test Method for, **D7473 (08.03)**
Marine environments—oil spill control/response
Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces, Guide for, **F1279 (11.05)**
Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments, Guide for, **F2205 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies, Guide for, **F1210 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Ponds and Sloughs, Guide for, **F1209 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks, Guide for, **F1231 (11.05)**
Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces, Guide for, **F1280 (11.05)**
Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, Guide for, **F1872 (11.05)**
Marine fats
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Marine fenders
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Marine fire fighting systems
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Marine fuels
Determination of Chemical Species in Marine Fuel Oil by Multidimensional Gas Chromatography – Mass Spectrometry, Test Method for, **D7845 (05.04)**
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**
Marine meiobenthic copepod
Conducting Renewal Microplate-Based Life-Cycle Toxicity Tests with a Marine Meiobenthic Copepod, Guide for, **E2317 (11.06)**
Marine oil spills
Cleaning of Various Oiled Shorelines and Habitats, Guide for, **F2464 (11.05)**
Marine piping
See **Shipbuilding piping materials—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Marine recreational equipment
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**
Marine sleeping quarters
See **Sleeping materials/applications (marine)—specifications**
Marine software systems
Transition and Performance of Marine Software Systems Maintenance, Guide for, **F1716 (01.07)**
Marine soils
Carbonate Content of Soils, Test Method for Rapid Determination of, **D4373 (04.08)**
Handling, Storing, and Preparing Soft Intact Marine Soil, Practices for, **D3213 (04.08)**
Pore Water Extraction and Determination of the Soluble Salt Content of Soils by Refractometer, Test Method for, **D4542 (04.08)**
Marine systems/subsystems/equipment
Sa **Shipbuilding steel materials—specifications**
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**
Cable Splicing Installations, Guide for, **F1835 (01.07)**
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Escort Vessel Evaluation and Selection, Guide for, **F1878 (01.07)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Installation Procedures for Fitting Chocks to Marine Machinery Foundations, Practice for, **F1309 (01.07)**
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**
Preparing and Locating Emergency Muster Lists, Practice for, **F1270 (01.07)**
Sealless Lube Oil Pump with Oil Through Motor for Marine Applications, Specification for, **F2798 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Temperature Monitoring Equipment, Specification for, **F2362 (01.07)**
Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), Practice for, **F1332 (01.07)**
Vessel-Related Technical Information for Use in Developing an Electronic Database and Ship Safety Record, Guide for, **F2001 (01.07)**
Weight Control Technical Requirements for Surface Ships, Guide for, **F1808 (01.07)**
Marine systems/subsystems/equipment—specifications
Domestic Use Doors and Frames, Steel, Interior, Marine, Specification for, **F821/F821M (01.07)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Faucets, Single and Double, Compression and Self-Closing Type, Shipboard, Specification for, **F1245 (01.07)**
Flexible, Expansion-Type Ball Joints for Marine Applications, Specification for, **F1298 (01.07)**
High Magnesium Aluminum-Alloy Sheet and Plate for Marine Service and Similar Environments, Specification for, **B928/B928M (02.02)**
Indicators, Sight, Liquid Level, Direct and Indirect Reading, Tubular Glass/Plastic, Specification for, **F2045 (01.07)**
Insulation Monitors for Shipboard Electrical Systems Metric, Specification for, **F1669M (01.07)**
International Shore Connections for Marine Fire Applications, Specification for, **F1121 (01.07)**
Liquid Level Indicating Equipment, Electrical, Specification for, **F2044 (01.07)**
Pressure-Reducing Valves for Water Systems, Shipboard, Specification for, **F1370 (01.07)**
Sewage and Graywater Flow Through Treatment Systems, Specification for, **F2363/F2363M (01.07)**
Shipboard Oil Pollution Abatement System, Specification for, **F2283 (01.07)**
Sliding Watertight Door Assemblies, Specification for, **F1196 (01.07)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**
Solid State Bargraph Meters for Shipboard Use Metric, Specification for, **F1755M (01.07)**
Special Requirements for Valves Used in Gaseous Oxygen Service, Specification for, **F1792 (01.07)**
Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, Specification for, **F1271 (01.07)**
Steam Traps and Drains, Specification for, **F1139 (01.07)**
Tables, Mess, Marine, Steel, Specification for, **F824 (01.07)**
Tachometers, Various, Specification for, **F2046 (01.07)**
Marine systems/subsystems/equipment (steel)—specifications
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**
Tables, Mess, Marine, Steel, Specification for, **F824 (01.07)**
Marine vessels
Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, Test Method for, **E2664 (15.05)**
Mariotte tube
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Markers—specifications
Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, Specification for, **D4280 (04.03)**
Plowable, Raised Retroreflective Pavement Markers, Specification for, **D4383 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**
Market surveys
Sensory Evaluation of Products by Children and Minors, Guide for, **E2299 (15.08)**
Marking
Commercial Packaging, Practice for, **D3951 (15.10)**
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Identification Marking of Aluminum and Magnesium Products, Practice for, **B666/B666M (02.02)**
Marking Medical Devices and Other Items for Safety in the Magnetic Resonance Environment, Practice for, **F2503 (13.02)**
Metallographic Sample Preparation of Cemented Tungsten Carbides, Guide for, **B665 (02.05)**
Permanent Marking of Orthopaedic Implant Components, Practice for, **F983 (13.01)**
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**
Surface Preparation and Marking of Metallic Surgical Implants, Practice for, **F86 (13.01)**
Symbols and Markings for Use With Land Search Maps, Practice for, **F1846 (13.02)**
Marking documents
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Marking of pallets
Treatment and/or Marking of Wood Packaging Materials, Practice for, **D6253 (15.10)**
Marking wheel procedure
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Mark V separatometer
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Mar resistance
Mar Resistance of Organic Coatings, Test Method for, **D5178 (06.01)**
Rub Abrasion Mar Resistance of High Gloss Coatings, Test Method for, **D6279 (06.02)**
Marsh funnel viscisity
Marsh Funnel Viscosity of Clay Construction Slurries, Test Method for, **D6910/D6910M (04.09)**
Martensite-to-austenite transformation temperature
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Martensitic stainless steel
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, Guide for, **A959 (01.03)**
Martensitic stainless steel bars—specifications
Free-Machining Stainless Steel Bars, Specification for, **A582/A582M (01.03)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Stainless Steel Bars for Compressor and Turbine Airfoils, Specification for, **A1028 (01.03)**
Martensitic stainless steel castings—specifications
Castings, Carbon, Low-Alloy, and Martensitic Stainless Steel, Ultrasonic Examination Thereof, Practice for, **A609/A609M (01.02)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Steel Castings, Ferritic and Martensitic, for Pressure-Containing and Other Applications, for Low-Temperature Service, Specification for, **A757/A757M (01.02)**
Steel Castings, Ferritic and Martensitic, for Pressure-Containing Parts, Suitable for Low-Temperature Service, Specification for, **A352/A352M (01.02)**
Steel Castings, Martensitic Stainless and Alloy, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A217/A217M (01.02)**
Martensitic stainless steel flanges/valves—specifications
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Martensitic stainless steel forgings—specifications
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Martensitic Stainless Steel Forgings and Forging Stock for High-Temperature Service, Specification for, **A1021/A1021M (01.05)**
Stainless Steel Forgings, Specification for, **A473 (01.03, 01.05)**
Martensitic stainless steel pipe—specifications
Welded Ferritic-Martensitic Stainless Steel Pipe, Specification for, **A1053/A1053M (01.01)**
Wrought Ferritic, Ferritic/Austenitic, and Martensitic Stainless Steel Piping Fittings, Specification for, **A815/A815M (01.01)**
Martensitic stainless steel plate/sheet/strip—specifications
Higher-Strength Martensitic Stainless Steel Plate, Sheet, and Strip, Specification for, **A1010/A1010M (01.03)**
Martensitic stainless steel tube—specifications
Seamless and Welded Ferritic and Martensitic Stainless Steel Tubing for General Service, Specification for, **A268/A268M (01.01)**
Martensitic stainless steel wire—specifications
Free-Machining Stainless Steel Wire and Wire Rods, Specification for, **A581/A581M (01.03)**
Stainless Steel Wire, Specification for, **A580/A580M (01.03)**
Martensitic steel
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**
Martindale testers
Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method), Test Method for, **D4966 (07.02)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Masked plastic sheet
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Masking sound measurement
Sa **Sound transmission—building materials/applications**
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**
Masonry
Adhered Manufactured Stone Masonry Veneer Units, Specification for, **C1670/C1670M (04.05)**
Autoclaved Aerated Concrete (AAC), Specification for, **C1693 (04.05)**
Conducting Strength Tests of Masonry Wall Panels, Test Methods for, **C1717 (04.05)**
Construction and Testing of Autoclaved Aerated Concrete (AAC) Masonry, Practice for, **C1692 (04.05)**
Determination of the Effectiveness of Anti-Graffiti Coating for Use on Concrete, Masonry and Natural Stone Surfaces by Pressure Washing, Practice for, **D7089 (06.02)**
Evaluation of Water Leakage Performance of Masonry Wall Drainage Systems, Test Method for, **C1715 (04.05)**
Installation and Testing of Reinforced Autoclaved Aerated Concrete (AAC) Units, Practice for, **C1686 (04.05)**
Mortars for the Repair of Historic Masonry, Specification for, **C1713 (04.05)**
Reinforced Autoclaved Aerated Concrete (AAC) Elements, Specification for, **C1694 (04.05)**
Resistance to Hydrostatic Pressure for Coatings Used in Below Grade Applications Applied to Masonry, Practice for, **D7088 (06.02)**
Test Fueling Masonry Heaters, Test Method for, **E2817 (04.12)**
Thin-bed Mortar for Autoclaved Aerated Concrete (AAC) Masonry, Specification for, **C1660 (04.05)**
Masonry assemblages
Anchors and Fasteners in Concrete and Masonry, Terminology for, **E2265 (04.12)**
Bond Strength of Mortar to Masonry Units, Test Method for, **C952 (04.05)**
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**
Diagonal Tension (Shear) in Masonry Assemblages, Test Method for, **E519/E519M (04.05)**
Installation Methods for Adhered Manufactured Stone Masonry Veneer, Practice for, **C1780 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Making Cementitious Panels for Testing Coatings, Practice for, **D1734 (06.02)**
Masonry, Terminology of, **C1232 (04.05)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**
Reduction of Efflorescence Potential in New Unit Pavement Systems, Guide for, **C1791 (04.05)**
Resistance to Wind-Driven Rain for Exterior Coatings Applied on Masonry, Practice for, **D6904 (06.02)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Selection, Removal, and Shipment of Manufactured Masonry Units and Masonry Specimens from Existing Construction, Practice for, **C1532/C1532M (04.05)**
Staining and Color Change of Single- or Multicomponent Joint Sealants, Test Method for, **C510 (04.07)**
Staining from Sealants, Test Method for, **D2203 (04.07)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Surface Cleaning Concrete Masonry Units for Coating, Practice for, **D4261 (06.02)**
Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**
Water Penetration and Leakage Through Masonry, Test Method for, **E514/E514M (04.05)**

Masonry assemblages—specifications
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**

Masonry cement
Masonry Cement, Specification for, **C91/C91M (04.01)**
Preblended Dry Mortar Mix for Unit Masonry, Specification for, **C1714/C1714M (04.05)**

Masonry chimneys
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**

Masonry heater
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**

Masonry joint reinforcement
Steel Wire for Masonry Joint Reinforcement, Specification for, **A951/A951M (01.04)**

Masonry mortar
Sa **Mortar**
Bond Strength of Chemical-Resistant Mortars, Test Method for, **C321 (04.05)**
Bond Strength of Mortar to Masonry Units, Test Method for, **C952 (04.05)**
In Situ Measurement Of Masonry Mortar Joint Shear Strength Index, Test Methods for, **C1531 (04.05)**
Mortar and Grout for Unit Masonry, Terminology of, **C1180 (04.05)**
Mortars for the Repair of Historic Masonry, Specification for, **C1713 (04.05)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Pullout Resistance of Ties and Anchors Embedded in Masonry Mortar Joints, Test Method for, **E754 (04.11)**
Rate of Water Absorption of Masonry Mortars, Test Method for, **C1403 (04.05)**

Masonry mortar—specifications
Aggregate for Masonry Mortar, Specification for, **C144 (04.05)**
Extended Life Mortar for Unit Masonry, Specification for, **C1142 (04.05)**
Masonry Cement, Specification for, **C91/C91M (04.01)**
Mortar for Unit Masonry, Specification for, **C270 (04.05)**
Mortars for the Repair of Historic Masonry, Specification for, **C1713 (04.05)**
Packaged, Dry, Combined Materials for Surface Bonding Mortar, Specification for, **C887 (04.05)**

Masonry mortar and grout
Accreditation of Testing Agencies for Masonry, Practice for, **C1093 (04.05)**
Bond Strength of Mortar to Masonry Units, Test Method for, **C952 (04.05)**
Examination and Analysis of Hardened Masonry Mortar, Test Method for, **C1324 (04.05)**
Measuring the Drying Shrinkage of Masonry Mortar, Test Method for, **C1148 (04.05)**
Sampling and Testing Grout, Test Method for, **C1019 (04.05)**

Masonry mortar and grout—specifications
Admixtures for Masonry Mortars, Specification for, **C1384 (04.05)**
Aggregate for Masonry Mortar, Specification for, **C144 (04.05)**
Aggregates for Masonry Grout, Specification for, **C404 (04.05)**
Extended Life Mortar for Unit Masonry, Specification for, **C1142 (04.05)**
Grout for Masonry, Specification for, **C476 (04.05)**
Hydrated Lime for Masonry Purposes, Specification for, **C207 (04.01)**
Masonry Cement, Specification for, **C91/C91M (04.01)**
Mortar for Unit Masonry, Specification for, **C270 (04.05)**

Masonry nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Masonry prisms
Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing, Practice for, **C1552 (04.05)**
Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, Specification for, **C1716/C1716M (04.05)**
Compressive Strength of Masonry Prisms, Test Method for, **C1314 (04.05)**

Masonry strength
Conducting Strength Tests of Masonry Wall Panels, Test Methods for, **C1717 (04.05)**
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Evaluating Masonry Bond Strength, Test Methods for, **C1357 (04.05)**

Masonry substrates
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**

Masonry units
Accreditation of Testing Agencies for Masonry, Practice for, **C1093 (04.05)**
Application of Hose Stream, Practice for, **E2226 (04.07)**
Calcium Silicate Brick (Sand-Lime Brick), Specification for, **C73 (04.05)**
Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing, Practice for, **C1552 (04.05)**
Diagonal Tension (Shear) in Masonry Assemblages, Test Method for, **E519/E519M (04.05)**
Evaluating Masonry Bond Strength, Test Methods for, **C1357 (04.05)**
Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, Test Method for, **C1262 (04.05)**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
In Situ Compressive Stress Within Solid Unit Masonry Estimated Using Flatjack Measurements, Test Method for, **C1196 (04.05)**
In Situ Measurement of Masonry Deformability Properties Using the Flatjack Method, Test Method for, **C1197 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Installing Clay Flue Lining, Practice for, **C1283 (04.05)**
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Masonry, Terminology of, **C1232 (04.05)**
Preparation of Field Removed Manufactured Masonry Units and Masonry Specimens for Testing, Practice for, **C1587 (04.05)**
Reduction of Efflorescence Potential in New Masonry Walls, Guide for, **C1400 (04.05)**
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Splitting Tensile Strength of Masonry Units, Test Method for, **C1006 (04.05)**
Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**
Unreinforced Autoclaved Aerated Concrete (AAC) Masonry Units, Specification for, **C1691 (04.05)**
Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Test Method for, **C414 (04.05)**

Masonry units—specifications
Building Brick (Solid Masonry Units Made From Clay or Shale), Specification for, **C62 (04.05)**
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Chemical-Resistant Carbon Brick, Specification for, **C1160 (04.05)**
Chemical-Resistant Ceramic Tower Packings, Specification for, **C515 (05.05)**
Chemical-Resistant Masonry Units, Specification for, **C279 (04.05)**
Chemically Setting Silicate and Silica Chemical-Resistant Mortars, Specification for, **C466 (04.05)**
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Concrete Building Brick, Specification for, **C55 (04.05)**
Concrete Facing Brick, Specification for, **C1634 (04.05)**
Concrete Masonry Units for Construction of Catch Basins and Manholes, Specification for, **C139 (04.05)**
Facing Brick (Solid Masonry Units Made from Clay or Shale), Specification for, **C216 (04.05)**
Heavy Vehicular Paving Brick, Specification for, **C1272 (04.05)**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Industrial Floor Brick, Specification for, **C410 (04.05)**
Lightweight Aggregates for Concrete Masonry Units, Specification for, **C331/C331M (04.02)**
Loadbearing Concrete Masonry Units, Specification for, **C90 (04.05)**
Nonloadbearing Concrete Masonry Units, Specification for, **C129 (04.05)**
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Steel Wire for Masonry Joint Reinforcement, Specification for, **A951/A951M (01.04)**
Structural Clay Facing Tile, Specification for, **C212 (04.05)**
Structural Clay Load-Bearing Wall Tile, Specification for, **C34 (04.05)**
Structural Clay Nonloadbearing Screen Tile, Specification for, **C530 (04.05)**
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**
Thin Veneer Brick Units Made From Clay or Shale, Specification for, **C1088 (04.05)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**

Masonry water repellents
Determination of the Nonvolatile Content in Silanes, Siloxanes and Silane-Siloxane Blends Used in Masonry Water Repellent Treatments, Test Method for, **D5095 (06.02)**

Mass
Carbon Black, Pelleted—Mass Strength, Test Method for, **D1937 (09.01)**
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Composition or Purity of a Solid Waste Materials Stream, Test Method for, **E889 (11.04)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Determining Mass and Moment of Inertia of Alpine Skis, Test Method for, **F1722 (15.07)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Heat of Ablation, Test Method for, **E458 (15.03)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Laboratory Determination of the Fiber Content of Peat Samples by Dry Mass, Test Method for, **D1997 (04.08)**
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**
Package Yield of Plastic Film, Test Method for, **D4321 (08.02)**
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Sediment in Crude Oil by Membrane Filtration, Test Method for, **D4807 (05.02)**
Thickness of Foil, Thin Sheet, and Film by Mass Measurement, Test Method for, **E252 (02.02)**

Mass—commercial mass
Calculation of Commercial Weight and Yield of Scoured Wool, Top, and Noil for Various Commercial Compositions, Practice for, **D2720 (07.01)**
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**
Manufactured Organic-Base Filament Single Yarns, Tolerances for, **D2497 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Yarns Spun on the Woolen System, Tolerances for, **D2644 (07.01)**

Mass attenuation coefficient
Calibrating and Measuring CT Density, Test Method for, **E1935 (03.03)**

Mass balance
Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, Guide for, **C1571 (12.01)**
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**

Mass basis (for interconversion analysis)
Interconversion of Analysis of C5 and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Mass Basis, Practice for, **D2421 (05.01)**

Mass concentration
Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), Test Method for, **D6331 (11.07)**
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mass emission rate
Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**
Mass flow
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Volumetric and Mass Flow Rate Measurement in a Duct Using Tracer Gas Dilution, Test Method for, **E2029 (04.11)**
Mass flow controller (MFC)
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Mass flux
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Mass fractions
Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder, Test Methods for, **C1494 (15.01)**
Mass loss—corrosion
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using Rotating Cage, Practice for, **G184 (03.02)**
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using the Rotating Cylinder Electrode, Practice for, **G185 (03.02)**
Laboratory Immersion Corrosion Testing of Metals, Guide for, **G31 (03.02)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Using Atmospheric Pressure Rotating Cage, Test Method for, **G202 (03.02)**
Mass loss corrosion rate (MLCR)
Quantitative Accelerated Laboratory Evaluation of Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, Practice for, **C1617 (04.06)**
Mass loss testing
Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), Test Method for, **D3389 (09.02)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Determination of Slurry Abrasivity (Miller Number) and Slurry Abrasion Response of Materials (SAR Number), Test Method for, **G75 (03.02)**
Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, Test Method for, **D3014 (08.01)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Loss-On-Drying by Thermogravimetry, Test Method for, **E1868 (14.02)**
Mass Loss and Residue Measurement Validation of Thermogravimetric Analyzers, Test Method for, **E2402 (14.02)**
Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater, Test Method for, **E2102 (04.07)**
Measurement of Mass Loss versus Time for One-Dimensional Drying of Saturated Concretes, Test Method for, **C1792 (04.02)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Operating Salt Spray (Fog) Apparatus, Practice for, **B117 (03.02)**
Oxidation Mass Loss of Manufactured Carbon and Graphite Materials in Air, Test Method for, **C1179 (05.05)**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment, Test Method for, **E595 (15.03)**
Tumbling Friability of Preformed Block-Type and Preformed Pipe-Covering-Type Thermal Insulation, Test Method for, **C421 (04.06)**
Volatility Rate by Thermogravimetry, Test Methods for, **E2008 (14.02)**
Weight Loss (Mass Loss) of Sheet Steel During Immersion in Sulfuric Acid Solution, Test Method for, **C694 (02.05)**
Mass moment of inertia
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Mass percent concentration
Preparation of Liquid Blends for Use as Analytical Standards, Practice for, **D4307 (05.02)**
Mass percent oxygen
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Mass per unit area
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, Test Method for, **E1235 (15.03)**
Mass Per Unit Area (Weight) of Fabric, Test Methods for, **D3776/D3776M (07.01)**
Mass Per Unit Area of Paper and Paperboard of Aramid Papers (Basis Weight), Test Method for, **D646 (07.01)**
Mass Per Unit Area of Pile Yarn Floor Coverings, Test Method for, **D5848 (07.02)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measuring Mass Per Unit Area of Erosion Control Blankets, Test Method for, **D6475 (04.09)**
Measuring Mass per Unit Area of Geotextiles, Test Method for, **D5261 (04.13)**
Measuring Mass per Unit Area of Turf Reinforcement Mats, Test Method for, **D6566 (04.13)**
Measuring Mass Per Unit of Geosynthetic Clay Liners, Test Method for, **D5993 (04.13)**
Mass per unit time/length/volume/force/energy/power
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Mass per unit volume
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Laboratory Compaction Characteristics of Soil Using Modified

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**
Pore Water Extraction and Determination of the Soluble Salt Content of Soils by Refractometer, Test Method for, **D4542 (04.08)**
Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, Test Method for, **D5220 (04.08)**

Mass-range grading
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**

Mass scale calibration
Mass Scale Calibration of Thermogravimetric Analyzers, Test Method for, **E2040 (14.02)**

Mass spectrometer leak detector (MSLD)
Sa **Discontinuities**
Leakage Measurement Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Hood Mode, Practice for, **E1603/E1603M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, Practice for, **E499/E499M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, Practice for, **E493/E493M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**

Mass spectrometry
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Guide for, **E2078 (03.06)**
Determination of Aldicarb, Carbofuran, Oxamyl and Methomyl by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7600 (11.02)**
Determination of Bisphenol A in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7574 (11.02)**
Determination of Bisphenol A in Soil, Sludge and Biosolids by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7858 (11.04)**
Determination of Diethanolamine, Triethanolamine, N-Methyldiethanolamine and N-Ethyldiethanolamine in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7599 (11.02)**
Determination of Diisopropyl Methylphosphonate, Ethyl Hydrogen Dimethylamidophosphate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Water by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7597 (11.02)**
Determination of Diisopropyl Methylphosphonate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Soil by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **E2866 (15.08)**
Determination of Dioctyl Sulfosuccinate in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7730 (11.02)**
Determination of Dipropylene Glycol Monobutyl Ether and Ethylene Glycol Monobutyl Ether in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7731 (11.02)**
Determination of Nonylphenol Polyethoxylates (NPnEO, $3 \leq n \leq 18$) and Octylphenol Polyethoxylates (OPnEO, $2 \leq n \leq 12$) in Water by Single Reaction Monitoring (SRM) Liquid Chromatography/ Tandem Mass Spectrometry (LC/MS/MS), Practice for, **D7742 (11.02)**
Determination of Nonylphenol, p-*tert*-Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7485 (11.02)**
Determination of Parent and Alkyl Polycyclic Aromatics in Sediment Pore Water Using Solid-Phase Microextraction and Gas Chromatography/Mass Spectrometry in Selected Ion Monitoring Mode, Test Method for, **D7363 (11.02)**
Determination of Thiodiglycol in Soil Using Pressurized Fluid Extraction Followed by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2787 (15.08)**
Determination of Thiodiglycol in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7598 (11.02)**
Determination of Thiodiglycol on Wipes by Solvent Extraction Followed by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2838 (15.08)**
Determination of Volatile Organic Compounds Emitted from Carpet using a Specific Sorbent Tube and Thermal Desorption / Gas Chromatography, Test Method for, **D7339 (11.07)**
Determining the Biobased Content of Solid, Liquid, and Gaseous Samples Using Radiocarbon Analysis, Test Methods for, **D6866 (08.03)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Isotopic Analysis of Uranium Hexafluoride by Double Standard Single-Collector Gas Mass Spectrometer Method, Test Method for, **C1742 (12.01)**
Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), Test Method for, **D7134 (08.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**
Sheathed Thermocouples and Sheathed Thermocouple Cable, Test Methods for, **E839 (14.03)**

Mass spectrometry—atmospheric analysis
Determination of Gaseous Organic Compounds by Direct Interface Gas Chromatography-Mass Spectrometry, Test Method for, **D6420 (11.07)**
Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), Test Method for, **D5466 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Mass spectrometry—electronic materials/applications
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, Test Method for, **F1593 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1845 (10.04)**

Mass spectrometry—metals/alloys
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
Measuring Widths of Interfaces in Sputter Depth Profiling Using SIMS, Guide for, **E1438 (03.06)**
Reporting Mass Spectral Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1504 (03.06)**
Reporting Sputter Depth Profile Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1162 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mass spectrometry—nuclear materials/applications
238Pu Isotopic Abundance By Alpha Spectrometry, Test Method for, **C1415 (12.01)**
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Analysis of Urine for Uranium-235 and Uranium-238 Isotopes by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1379 (12.01)**
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Impurities in Nuclear Grade Uranium Compounds by Inductively Coupled Plasma Mass Spectrometry, Test Method for, **C1287 (12.01)**
Isotopic Abundance Analysis of Uranium Hexafluoride and Uranyl Nitrate Solutions by Multi-Collector, Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1477 (12.01)**
Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry, Test Method for, **C1413 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Double-Standard Multi-Collector Gas Mass Spectrometer, Test Method for, **C1429 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Single–Standard Gas Source Multiple Collector Mass Spectrometer Method, Test Method for, **C1428 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Single-Standard Gas Source Mass Spectrometer Method, Test Method for, **C1344 (12.01)**
the Determination of Technetium-99 in Soil, Guide for, **C1387 (12.01)**
the Determination of Uranium Content and Isotopic Composition by Isotope Dilution Mass Spectrometry, Test Method for, **C1380 (12.01)**
The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, Practice for, **C1411 (12.01)**

Mass spectrometry—petroleum
Aromatic Types Analysis of Gas-Oil Aromatic Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D3239 (05.01)**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Hydrocarbon Types Analysis of Gas-Oil Saturates Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D2786 (05.01)**
Hydrocarbon Types in Low Olefinic Gasoline by Mass Spectrometry, Test Method for, **D2789 (05.01)**
Hydrocarbon Types in Middle Distillates by Mass Spectrometry, Test Method for, **D2425 (05.01)**

Mass spectrometry—water
Determination of Aldicarb, Aldicarb Sulfone, Aldicarb Sulfoxide, Carbofuran, Methomyl, Oxamyl, and Thiofanox in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7645 (11.02)**
Determination of Bromadiolone, Brodifacoum, Diphacinone and Warfarin in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7644 (11.02)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, Guide for, **D4128 (11.02)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**

Mass strength
Carbon Black, Pelleted—Mass Strength, Test Method for, **D1937 (09.01)**

Mass transfer coefficient
Film Permeability Determination Using Static Permeability Cells, Test Method for, **E2945 (11.05)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**

Mass transit
Sa **Railroad steel materials**
Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, Specification for, **A729/A729M (01.05)**
Determining Rail-to-Earth Resistance, Practice for, **G165 (03.02)**

Mass/volume ratio
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Master alloy addition agents
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**

Masterbatches
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**

Master coil
Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, Test Method for, **A971/A971M (03.04)**

Master heat process
Investment Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A957/A957M (01.02)**
Steel Investment Castings General Requirements, for Pressure-Containing Parts, Specification for, **A985/A985M (01.02)**

Master schedules
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**

Master viscometers
Basic Calibration of Master Viscometers and Viscosity Oil Standards, Practice for, **D2162 (05.01)**

Mastic adhesives
Determining Open Assembly Time of Carpet Mastic Adhesives, Test Method for, **D6325 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mastic (bituminous)
See **Bituminous materials/applications**
Mastic coatings (for thermal insulating materials)
See **Thermal insulating materials (mastic coatings)**
Mastics
Mastics and Coatings Used With Thermal Insulation, Test Methods for, **C461 (04.06)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Material emissions
Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D6670 (11.07)**
Material evaluation/selection
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Material extracts (in biomedical materials)
Extraction of Medical Plastics, Practice for, **F619 (13.01)**
Material fabrication
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Material flammability parameters
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Material handling
See **Handling material**
Material identification
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
Materiality
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**
Material performance
Formats for Collection and Compilation of Corrosion Data for Metals for Computerized Database Input, Guide for, **G107 (03.02)**
Material properties
Acoustic Emission Examination of Small Parts, Guide for, **E1932 (03.03)**
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**
Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, Test Method for, **D5422 (08.03)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Material properties—specifications
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**
Material property characteristics
Evaluating Material Property Characteristic Values for Polymeric Composites for Civil Engineering Structural Applications, Practice for, **D7290 (15.03)**
Material service life
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Material shipping
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Materials selection/storage data
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Materials separation
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**
Maternity apparel
Body Measurements for Misses Maternity Sizes Two to Twenty-Two (2-22), Table of, **D7197 (07.02)**
Mathematical fire models
Sa **Fire testing**
Measuring Smoke Toxicity for Use in Fire Hazard Analysis, Test Method for, **E1678 (04.07)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Mathematical medicine
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Mathematical models/modeling
Sa **Building economics**
Sa **Geometric analysis**
Sa **Ground-water model**
Sa **Models/modeling**
Sa **Statistical methods**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, Guide for, **E1682 (06.01)**
Rating-Scale Measures Relevant to the Electronic Health Record, Practice for, **E2171 (14.01)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**
Matheson Kitagowa tube
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Mating bearing surfaces (of prostheses)
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
Matric potential
Determination of the Soil Water Characteristic Curve for Desorption Using Hanging Column, Pressure Extractor, Chilled Mirror Hygrometer, or Centrifuge, Test Methods for, **D6836 (04.09)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Matrix assisted laser desorption/ionization (MALDI)
Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), Test Method for, **D7134 (08.03)**
Matrix correction
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Matrix data/programs
Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, Guide for, **F2150 (13.01)**
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
Identifying Chemical Effects and Matrix Effects in Auger Electron Spectroscopy, Guide for, **E984 (03.06)**
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**
Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, Test Method for, **E385 (12.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**
Matrix digestion
Constituent Content of Composite Materials, Test Methods for, **D3171 (15.03)**
Matrix-isolation method
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Matrix solids cotent
Constituent Content of Composite Prepreg, Test Methods for, **D3529M (15.03)**
Matrix spiking
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Mats
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Matting
Assessment of Surface Appearance Change in Pile Floor Coverings Using Standard Reference Scales, Test Method for, **D7330 (07.02)**
Rubber Insulating Matting, Specification for, **D178 (10.03)**
Mattresses
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Evaluate Edge Binding Components Used in Mattresses After Exposure to An Open Flame, Test Method to, **D7016/D7016M (07.02)**
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Smoldering Combustion Potential of Cotton-Based Batting, Test Method for, **D5238 (07.02)**
Specifying Rock to Fill Gabions, Revet Mattresses, and Gabion Mattresses, Practice for, **D6711 (04.09)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Mattress support
Bunk Beds, Consumer Safety Specification for, **F1427 (15.11)**
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
Mattsson's solution
Use of Mattson's Solution of pH 7.2 to Evaluate the Stress-Corrosion Cracking Susceptibility of Copper-Zinc Alloys, Practice for, **G37 (03.02)**
Maturity
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**
Maturity—cotton fibers
Sa **Micronaire reading**
Maturity of Cotton Fibers (Sodium Hydroxide Swelling and Polarized Light Procedures), Test Method for, **D1442 (07.01)**
Micronaire Reading of Cotton Fibers, Test Method for, **D1448 (07.01)**
Maturity method
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Maucha 6-/16-vector radial diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
M. avium
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**
Maxi-horizontal directional drilling
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**
Maximum acceptable payback period
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**
Maximum air power point
Measuring Air Performance Characteristics of Vacuum Cleaner Motor/Fan Systems, Test Method for, **F2105 (15.08)**
Maximum arc length
Arc Erosion Testing of Electrical Contact Materials, Guide for, **B576 (02.04)**
Maximum bending strain
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Maximum cashmere coarse-hair content
Maximum Cashmere Coarse-Hair Content in Cashmere, Specification for, **D2817 (07.01)**
Maximum continuous rating (MCR)
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**
Maximum dose
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Maximum dry density
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Moisture-Density (Unit Weight) Relations of Soil-Cement Mixtures, Test Methods for, **D558 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Maximum dry volume
Measuring Maximum Dry Volume of Utility Vacuum Cleaners, Test Method for, **F1326 (15.08)**
Maximum dynamic puncture load
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
maximum effective case depth
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Maximum empty weight
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Maximum excitation
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Maximum experimental safe gap (MESG)
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**
Maximum flocculation ratio
Determination of the Maximum Flocculation Ratio and Peptizing Power in Residual and Heavy Fuel Oils (Optical Detection Method), Test Method for, **D7060 (05.04)**
Maximum inclusion length
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Maximum pore diameter
Foaming Characteristics of Lubricating Oils, Test Method for, **D892 (05.01)**
Maximum pour point temperature
Pour Point of Crude Oils, Test Method for, **D5853 (05.02)**
Maximum-rate process
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Maximum spherical diameter
Sa **Diameter**
Non-Powder Gun Projectiles and Propellants, Consumer Safety Specification for, **F590 (15.11)**
Maximum spontaneous heating temperature
Measuring Maximum Spontaneous Heating Temperature of Art and Other Materials, Test Method for, **D6801 (06.02)**
Maximum tolerable error
Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, Practice for, **E122 (14.02)**
Maximum transit-rate ratios/depths
The Selection of Maximum Transit-Rate Ratios and Depths for the U.S. Series of Isokinetic Suspended-Sediment Samplers, Practice for, **D6326 (11.01)**
Maximum use temperature
Estimating the Maximum Use Temperature of Thermal Insulations, Practice for, **C447 (04.06)**
Maximum voltage
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**
MBTH
Aldehydes in Mono-, Di-, and Triethylene Glycol (Spectrophotometric Method), Test Method for, **E2313 (15.05)**
MBTS
See **Mercaptobenzothiazole sulfenamide (MBTS)**
MCI (multiple casualty incident)
Planning for and Response to a Multiple Casualty Incident, Guide for, **F1288 (13.02)**
McNett wet classification
Sa **Particle analysis**
McNett Wet Classification of Dual Asbestos Fiber, Test Method for, **D2589/D2589M (04.05)**
McNicoll method
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
MDC (minimum detectable concentration)
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
MDI (methylenediphenyldiisocyanate)
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, Test Method for, **D5629 (08.03)**
MDPE (medium density polyethylene)
Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, Test Methods for, **D6070 (08.04)**
MDTD (minimum detectable temperature differences)
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Minimum Resolvable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1213 (03.03)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Mean concentration
Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, Practice for, **D6250 (11.04)**
Mean Darcy permeability coefficient
Determining the Mean Darcy Permeability Coefficient for a Porous Tissue Scaffold, Guide for, **F2952 (13.02)**
Mean-failure energy/height/weight
Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), Test Method for, **D5420 (08.03)**
Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Falling Dart (Tup or Falling Mass), Test Method for, **D5628 (08.03)**
Mean flow pore size
Pore Size Characteristics of Membrane Filters by Bubble Point and Mean Flow Pore Test, Test Methods for, **F316 (11.02)**
Mean intercept length
Stereological Evaluation of Porous Coatings on Medical Implants, Test Method for, **F1854 (13.01)**
Mean maximum reflectance
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
Mean panel rating (MPR)
Computing Ride Number of Roads from Longitudinal Profile Measurements Made by an Inertial Profile Measuring Device, Practice for, **E1489 (04.03)**
Mean profile depth (MPD)
Calculating International Friction Index of a Pavement Surface, Practice for, **E1960 (04.03)**
Calculating Pavement Macrotexture Mean Profile Depth, Practice for, **E1845 (04.03)**
Means comparisons
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**
Mean service life
See **Service life processing/analysis**
Mean specific heat
See **Specific heat thermal capacity**
Mean test temperature
Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, Practice for, **C1058/C1058M (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mean texture depth (MTD)
Calculating International Friction Index of a Pavement Surface, Practice for, **E1960 (04.03)**
Calculating Pavement Macrotexture Mean Profile Depth, Practice for, **E1845 (04.03)**
Measurand
Assessment of Measurement Uncertainty in Fire Tests, Guide for, **E2536 (04.07)**
Statistically Evaluating Measurand Alarm Limits when Using Oil Analysis to Monitor Equipment and Oil for Fitness and Contamination, Guide for, **D7720 (05.04)**
Measured energy input rate
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Measured physical properties
See **Physical properties/dimensions/characteristics**
Measurement endpoint
Determining and Expressing Precision of Measurement Results, in the Analysis of Water, as Relative Standard Deviation, Utilizing DQCALC Software, Practice for, **D7729 (11.01)**
Selecting and Using Ecological Endpoints for Contaminated Sites, Guide for, **E1848 (11.05)**
Measurement processes/systems
Sa **Instrumental measurement**
Sa **Statistical methods**
Basic Statistics in Committee D19 on Water, Practice for, **D4375 (11.01)**
Calculation of Gas Chromatographic Response Factors, Practice for, **D4626 (05.02)**
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Continuous Measurement of Turbidity Above 1 Turbidity Unit (TU), Test Method for the, **D7725 (11.01)**
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Establishing Calibration for a Measurement Method Used to Analyze Nuclear Fuel Cycle Materials, Guide for, **C1156 (12.01)**
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Mass Loss and Residue Measurement Validation of Thermogravimetric Analyzers, Test Method for, **E2402 (14.02)**
Measurement of Body Armor Wearers, Practice for, **E2902 (15.08)**
Measurement of Lubricant Generated Insoluble Color Bodies in In-Service Turbine Oils using Membrane Patch Colorimetry, Test Method for, **D7843 (05.04)**
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**
Measurement Systems Analysis (MSA), Guide for, **E2782 (14.02)**
Measuring and Estimating Quantities of Insulated Piping and Components, Guide for, **C1409 (04.06)**
Measuring the Wear Volumes of Piston Ring Segments Run against Flat Coupons in Reciprocating Wear Tests, Guide for, **G206 (03.02)**
Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, Test Method for, **B873 (02.05)**
On-Line Colorimetric Measurement of Silica, Test Method for, **D7126 (11.01)**
Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Water Samples, Guide for, **D6568 (11.01)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
the Evaluation of Measurements Made by Online Coal Analyzers, Guide to, **D6543 (05.06)**
Use of the Terms Precision and Bias in ASTM Test Methods, Practice for, **E177 (14.02)**
Measurement processes/systems—specifications
Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, Specification for, **F2342/F2342M (15.12)**
Glass Measuring Pipets, Specification for, **E1293 (14.04)**
Measurement uncertainty
Assessment of Measurement Uncertainty in Fire Tests, Guide for, **E2536 (04.07)**
Estimating Uncertainty of Test Results Derived from Spectrophotometry, Practice for, **E2867 (06.01)**
Estimation of Measurement Uncertainty for Data from Regression-based Methods, Practice for, **D7366 (11.01)**
Measuring area
Determination of Area Stability of Leather to Laundering, Test Method for, **D6013 (15.04)**
Melt-processible fluoropolymers
E-CTFE-Fluoroplastic Molding, Extrusion, and Coating Materials, Classification System for, **D3275 (08.02)**
Measuring speed
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Meat
Development of an Independent Third-Party Verification of Reference Materials, Guide for, **F2717 (15.12)**
Irradiation of Pre-packaged Processed Meat and Poultry Products to Control Pathogens and Other Microorganisms, Guide for, **E2449 (12.02)**
Livestock, Meat, and Poultry Evaluation Devices, Test Method for, **F2343 (15.12)**
Livestock, Meat, and Poultry Evaluation Systems, Terminology for, **F2463 (15.12)**
Tenderness Marketing Claims Associated with Meat Cuts Derived from Beef, Specification for, **F2925 (15.12)**
User Requirements for Livestock, Meat, and Poultry Evaluation Devices or Systems, Practice for, **F2341 (15.12)**
Meat irradiation
Sa **Food irradiation**
Irradiation of Pre-packaged Processed Meat and Poultry Products to Control Pathogens and Other Microorganisms, Guide for, **E2449 (12.02)**
Meat materials/applications
Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, Specification for, **F2340 (15.12)**
Irradiation of Pre-packaged Processed Meat and Poultry Products to Control Pathogens and Other Microorganisms, Guide for, **E2449 (12.02)**
Mechanical analysis/testing
Sa **Dynamic mechanical analysis (DMA)**
Sa **Impact testing**
Sa **Shear testing**
Sa **Tensile properties/testing**
19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, Specification for, **B786/B786M (02.03)**
19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, Specification for, **B787/B787M (02.03)**
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**
Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Hydrogen Embrittlement Testing, Terminology Relating to, **F2078 (15.03)**
Mechanical Attachment of Geomembrane to Penetrations or Structures, Guide for, **D6497 (04.13)**
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Mechanical Size Analysis of Extracted Aggregate, Test Method for, **D5444 (04.03)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Mechanical-Shock Fragility of Products, Using Shock Machines, Test Methods for, **D3332 (15.10)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, Guide for, **E1434 (15.03)**
Small Punch Testing of Ultra-High Molecular Weight Polyethylene Used in Surgical Implants, Test Method for, **F2183 (13.01)**

Mechanical applications
Polytetrafluoroethylene–(PTFE) Coated Glass Fabric, Specification for, **D4969 (08.02)**

Mechanical cell
Laboratory Froth Flotation of Coal in a Mechanical Cell, Test Method for, **D5114 (05.06)**

Mechanical checkwriter impressions
Examination of Mechanical Checkwriter Impressions, Guide for, **E2285 (14.02)**

Mechanical cleaning
Sa **Descaling**
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Mechanical compression
Carbon Black—Oil Absorption Number of Compressed Sample (COAN), Test Method for, **D3493 (09.01)**

Mechanical contact switch
Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, Specification for, **F2071 (01.07)**

Mechanical couplings
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**

Mechanical damage
Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, Test Method for, **B866 (02.05)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Specific Bendability of Pipeline Coatings, Test Method for, **G10 (06.02)**

Mechanical devices
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**

Mechanical dishwasher detergents
Deposition on Glassware During Mechanical Dishwashing, Test Method for, **D3556 (15.04)**

Mechanical dissection
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**

Mechanical door control systems
See **Shipbuilding steel materials (doors)**

Mechanical drive systems
Mechanical Drive Systems for Remote Operation in Hot Cell Facilities, Guide for, **C1615 (12.01)**

Mechanical dry sieving
See **Sieve analysis**

Mechanical efficiency (of engines)
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**

Mechanical fasteners
Accelerated Corrosion Testing for Mechanical Fasteners, Guide for, **F2832 (01.08)**
F16 Mechanical Fasteners, Terminology for, **F1789 (01.08)**
Mechanical Fasteners in Plastic Lumber and Shapes, Test Methods for, **D6117 (08.03)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**

Mechanical fitting
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**

Mechanical fittings
Constant Tensile Load Joint Test (CTLJT), Test Method for, **F1588 (08.04)**
Mechanical Couplings Used on Polyethylene Conduit, Duct and Innerduct, Specification for, **F2176 (08.04)**
Metallic Mechanical Fittings for Use on Outside Diameter Controlled Thermoplastic Gas Distribution Pipe and Tubing, Specification for, **F1948 (08.04)**
Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F1924 (08.04)**
Polyamide 11 (PA 11) and Polyamide 12 (PA12) Mechanical Fittings for Use on Outside Diameter Controlled Polyamide 11 and Polyamide 12 Pipe and Tubing, Specification for, **F2145 (08.04)**

Mechanical force
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**

Mechanical forming process
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**

Mechanical handling
Evaluation of Mechanical Handling of Unitized Loads Secured with Stretch Wrap Films, Test Method for, **D5331 (15.10)**
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Performance Testing of Shipping Containers and Systems, Practice for, **D4169 (15.10)**

Mechanical joint category 1/3
Constant Tensile Load Joint Test (CTLJT), Test Method for, **F1588 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mechanical joints
Spray Shields for Mechanical Joints, Specification for, **F1138 (01.07)**
Mechanically assembled chain slings
Grade 80 and Grade 100 Alloy Steel Chain Slings for Overhead Lifting, Specification for, **A906/A906M (01.05)**
Mechanically attached fittings (MAF)
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Mechanically deposited coatings
Sa **Coatings**
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Mechanically deposited coatings—specifications
Coatings of Cadmium Mechanically Deposited, Specification for, **B696 (02.05)**
Coatings of Cadmium-Tin Mechanically Deposited, Specification for, **B635 (02.05)**
Coatings of Cadmium-Zinc Mechanically Deposited, Specification for, **B816 (02.05)**
Coatings of Zinc Mechanically Deposited on Iron and Steel, Specification for, **B695 (02.05)**
Mechanically-fastened attachment systems
Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, Specification for, **E2556/E2556M (04.12)**
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Mechanically graded lumber
Assigning Allowable Properties for Mechanically Graded Lumber, Practice for, **D6570 (04.10)**
Mechanically refrigerated air conditioner
Mechanically Refrigerated Shipboard Air Conditioner, Specification for, **F1433 (01.07)**
Mechanically refrigerated dehumidifier
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Mechanically-tapped packing density
Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, Test Method for, **D4781 (05.05)**
Mechanical materials
Tension Testing of Carbon and Graphite Mechanical Materials, Test Methods for, **C565 (05.05)**
Mechanical measurement
In Situ Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), Test Method for, **F2214 (13.01)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Mechanical mixing
Laboratory Preparation of Soil-Lime Mixtures Using Mechanical Mixer, Practice for, **D3551 (04.08)**
Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency, Practice for, **C305 (04.01)**
Mechanical muller
Evaluating the Relative Tint Undertone of Titanium Dioxide Pigments, Test Method for, **D6131 (06.01)**
Mechanical performance considerations
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**
Mechanical piping
See **Shipbuilding piping materials—specifications**
Mechanical process
Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, Practice for, **C1058/C1058M (04.06)**
Mechanical properties
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Evaluating Mechanical and Physical Properties of Wood-Plastic Composite Products, Guide for, **D7031 (04.10)**
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber, Test Method for, **D5664 (04.10)**
Fastener Sampling for Specified Mechanical Properties and Performance Inspection, Practice for, **F1470 (01.08)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Measurement of Mechanical Properties During Charged-Particle Irradiation, Practice for, **E821 (12.02)**
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Pearlitic Malleable Iron, Specification for, **A220/A220M (01.02)**
Sampling and Procurement Testing of Magnetic Materials, Practice for, **A34/A34M (03.04)**
Steel Bars, Carbon, Merchant Quality, Mechanical Properties, Specification for, **A663/A663M (01.05)**
Steel Bars, Selection Guide, Composition, and Mechanical Properties, Practice for, **A400 (01.05)**
Surveillance Testing of High-Temperature Nuclear Component Materials, Practice for, **E531 (12.02)**
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**
Testing Multi-Wire Steel Strand, Test Methods for, **A1061/A1061M (01.04)**
Unused Rope with Special Electrical Properties, Specification for, **F1701 (10.03)**
Verifying Computer-Generated Test Results Through The Use Of Standard Data Sets, Guide for, **E2443 (03.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy for Surgical Implant Applications (UNS R56320), Specification for, **F3046 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mechanical properties—plastics
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Mechanical protection
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Mechanical pulps
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Mechanical pump dispensers
Sa **Pump dispensers**
Basic Functional Stability of a Mechanical Pump Dispenser, Test Method for, **D6633 (15.10)**
Basic Storage Stability of a Mechanical Pump Dispenser, Test Method for, **D6654 (15.10)**
Compatibility of Mechanical Pump Dispenser Components, Test Method for the, **D4333/D4333M (15.10)**
Determination of Component Retention of a Mechanical Pump Dispenser, Test Method for, **D4335 (15.10)**
Determination of the Dip Tube Retention of a Mechanical Pump Dispenser, Test Method for the, **D4334 (15.10)**
Determination of the Output Per Stroke of a Mechanical Pump Dispenser, Test Methods for, **D4336 (15.10)**
Determining Product Leakage from a Package with a Mechanical Pump Dispenser, Test Method for, **D6834 (15.10)**
Determining the Dip Tube Length of a Mechanical Pump Dispenser, Test Method for, **D6535/D6535M (15.10)**
Determining the Peak Force-to-Actuate of a Mechanical Pump Dispenser, Test Method for, **D6534 (15.10)**
Measuring the Dip Tube Length of a Mechanical Pump Dispenser, Test Method for, **D6536/D6536M (15.10)**
Mechanical Pump Dispensers, Terminology Relating to, **D6655 (15.10)**
Number of Strokes to Prime a Mechanical Pump Dispenser, Test Method for, **D3890 (15.10)**
Mechanical-rammer
Calibration of Laboratory Mechanical-Rammer Soil Compactors, Practices for, **D2168 (04.08)**
Mechanical recorders
Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, Test Methods for, **D5895 (06.01)**
Mechanical refrigeration
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**
Mechanical removal method
Accumulated Deposition in a Steam Generator Tube, Test Methods for, **D3483 (11.02)**
Mechanical resonance frequencies
Young's Modulus, Shear Modulus, and Poisson's Ratio for Glass and Glass-Ceramics by Resonance, Test Method for, **C623 (15.02)**
Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance, Test Method for, **C848 (15.02)**
Mechanical restraint couplings
Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications, Specification for, **F1548 (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Mechanical rubbing machine
Determining the Solvent Resistance of an Organic Coating using a Mechanical Rubbing Machine, Test Method for, **D7835/D7835M (06.02)**
Mechanical sampling systems
Sa **Sampling**
Mechanical Sampling of Coal, Practice for, **D7430 (05.06)**
Sampling and Sample Preparation of Iron Ores and Related Materials for Determination of Chemical Composition and Physical Properties, Practice for, **E877 (03.05)**
Mechanical seals
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Mechanical sensing systems
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Mechanical springs
Metallic Coated Carbon Steel Wire, Coated at Size and Drawn to Size for Mechanical Springs, Specification for, **A764 (01.06)**
Steel Wire, Carbon and Alloy Specialty Spring Quality, Specification for, **A1000/A1000M (01.03)**
Steel Wire, Cold-Drawn for Mechanical Springs, Specification for, **A227/A227M (01.03)**
Steel Wire, Quenched and Tempered for Mechanical Springs, Specification for, **A229/A229M (01.03)**
Mechanical stability
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**
Mechanical stress
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Determining the Adhesion of Print Media Utilizing Mechanical Stress: Two Different Test Methods—Score/Tape and Cross Hatch, Practice for, **F2452 (15.09)**
Mechanical surface slope stabilization
Live Staking, Practice for, **D6765 (04.09)**
Mechanical symbols
Mechanical Symbols, Shipboard—Heating, Ventilation, and Air Conditioning (HVAC), Practice for, **F856 (01.07)**
Mechanical systems
Examining Electrical and Mechanical Equipment with Infrared Thermography, Guide for, **E1934 (03.03)**
Mechanical torque rate
Mechanical Torque Rate of Spiral Coils of Thermostat Metal, Test Method for, **B362 (02.04)**
Mechanical tubing—specifications
Cold-Drawn Buttweld Carbon Steel Mechanical Tubing, Specification for, **A512 (01.01)**
Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing, Specification for, **A513/A513M (01.01)**
Seamless Carbon and Alloy Steel Mechanical Tubing, Specification for, **A519 (01.01)**
Seamless Stainless Steel Mechanical Tubing, Specification for, **A511/A511M (01.01)**
Welded Stainless Steel Mechanical Tubing, Specification for, **A554 (01.01)**
Mechanical uplift resistance
Measurement of Asphalt Shingle Mechanical Uplift Resistance, Test Method for, **D6381/D6381M (04.04)**
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Mechanical waves
Ultrasonic Testing of Geomembranes, Practice for, **D7006 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mechanics
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Mechanized tape test
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Mechanized ultrasonic testing
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**
Media
Determining the Drying Time of Inkjet Media and Inks Using a Smudge Method, Practice for, **F2498 (15.09)**
Laboratory Subsampling of Media Related to Waste Management Activities, Guide for, **D6323 (11.04)**
Maximum Media Density for Dead Load Analysis of Vegetative (Green) Roof Systems, Test Method for, **E2399 (04.04)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Median lethal dose
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Median time-to-failure
See **Time-to-failure (TTF)**
Media supports
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Medical and surgical materials and devices
Standard Test Method for Evaluating the Potential for Galvanic Corrosion for Medical Implants, Test Method for, **F3044 (13.02)**
Medical bone screws
See **Orthopaedic medical devices (bone screws)**
Medical data
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Medical devices/equipment
in vivo Assessment of Implantable Devices Intended to Repair or Regenerate Articular Cartilage, Guide for, **F2451 (13.01)**
Assessment of Intravascular Medical Device Materials on Partial Thromboplastin Time (PTT), Test Method for, **F2382 (13.01)**
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Biocompatibility Evaluation of Medical Device Packaging Materials, Guide for, **F2475 (15.10)**
Evaluating Knee Bearing (Tibial Insert) Endurance and Deformation Under High Flexion, Test Method for, **F2777 (13.02)**
Evaluating Mobile Bearing Knee Tibial Baseplate Rotational Stops, Test Method for, **F2722 (13.02)**
Evaluating Mobile Bearing Knee Tibial Baseplate/Bearing Resistance to Dynamic Disassociation, Test Method for, **F2723 (13.02)**
Extracting Residue from Metallic Medical Components and Quantifying via Gravimetric Analysis, Test Method for, **F2459 (13.01)**
Identification of Shelf-life Test Attributes for Endovascular Devices, Guide for, **F2914 (13.02)**
Marking Medical Devices and Other Items for Safety in the Magnetic Resonance Environment, Practice for, **F2503 (13.02)**
Measurement of Positional Accuracy of Computer Assisted Surgical Systems, Practice for, **F2554 (13.02)**
Measurement of Straightness of Bar, Rod, Tubing and Wire to be used for Medical Devices, Test Methods for, **F2819 (13.02)**
Mechanical and Functional Characterization of Nucleus Devices, Guide for, **F2789 (13.02)**
Medical and Surgical Materials and Devices, Terminology Relating to, **F2809 (13.02)**
Medical Oxygen Delivery Systems for EMS Ground Vehicles, Specification for, **F1949 (13.02)**
Medical Screwdriver Bits, Specification for, **F116 (13.01)**
Medical-Grade Ultra-High Molecular Weight Polyethylene Yarns, Specification for, **F2848 (13.02)**
Pre-clinical *in vivo* Evaluation in Critical Size Segmental Bone Defects, Guide for, **F2721 (13.02)**
Reporting and Assessment of Residues on Single Use Implants, Practice for, **F2847 (13.02)**
Security Checkpoint Metal Detector Screening of Persons with Medical Devices, Practice for, **F2401 (15.08)**
Selecting Tests to Evaluate Potential Neurotoxicity of Medical Devices, Guide for, **F2901 (13.02)**
Testing Absorbable Stents, Guide for, **F3036 (13.02)**
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Testing for Classical Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2567 (13.02)**
Tissue Engineered Medical Products (TEMPs) for Reinforcement of Tendon and Ligament Surgical Repair, Guide for, **F2903 (13.02)**
Ureteral Stents, Specification for, **F1828 (13.01)**
Medical device testing
Standard Test Method for Evaluating the Potential for Galvanic Corrosion for Medical Implants, Test Method for, **F3044 (13.02)**
Medical dispatch
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Medical emergencies
Sa **Emergency medical services (EMS)**
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**
Medical examination gloves—specifications
Nitrile Examination Gloves for Medical Application, Specification for, **D6319 (09.02)**
Poly(vinyl chloride) Gloves for Medical Application, Specification for, **D5250 (09.02)**
Rubber Examination Gloves, Specification for, **D3578 (09.02)**
Rubber Surgical Gloves, Specification for, **D3577 (09.02)**
Medical examination gloves
Sa **Rubber medical/surgical applications**
Assessment of Medical Gloves, Guide for, **D7103 (09.02)**
Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs, Practice for, **D6978 (09.02)**
Detection of Holes in Medical Gloves, Test Method for, **D5151 (09.02)**
Determination of Bactericidal Efficacy on the Surface of Medical Examination Gloves, Test Methods for, **D7907 (09.02)**
Determination of Expiration Dating for Medical Gloves, Practice for, **D7160 (09.02)**
Determination of Real Time Expiration Dating of Mature Medical Gloves Stored Under Typical Warehouse Conditions, Practice for, **D7161 (09.02)**
Human Repeat Insult Patch Testing of Medical Gloves, Test Method for, **D6355 (09.02)**
Residual Powder on Medical Gloves, Test Method for, **D6124 (09.02)**
Medical face masks
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**
Evaluating the Bacterial Filtration Efficiency (BFE) of Medical Face Mask Materials, Using a Biological Aerosol of, Test Method for, **F2101 (11.03)**
Performance of Materials Used in Medical Face Masks, Specification for, **F2100 (11.03)**
Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity), Test Method for, **F1862/F1862M (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Medical implants
Standard Test Method for Evaluating the Potential for Galvanic Corrosion for Medical Implants, Test Method for, **F3044 (13.02)**
Medical implants—galvanic corrosion, evaluating the potential for
Standard Test Method for Evaluating the Potential for Galvanic Corrosion for Medical Implants, Test Method for, **F3044 (13.02)**
Medical materials/applications—specifications
Sa **Metallic surgical implant materials—specifications**
Sa **Polymers (surgical applications)—specifications**
Audit and Disclosure Logs for Use in Health Information Systems, Specification for, **E2147 (14.01)**
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Disposable Glass Serological Pipets, Specification for, **E714 (14.04)**
High-Purity Dense Aluminum Oxide for Medical Application, Specification for, **F603 (13.01)**
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**
Knee Replacement Prosthesis, Specification for, **F2083 (13.01)**
Labels for Small-Volume (100 mL or Less) Parenteral Drug Containers, Specification for, **D4267 (15.10)**
Natural Rubber Finger Cots, Specification for, **D3772 (09.02)**
Performance of Materials Used in Medical Face Masks, Specification for, **F2100 (11.03)**
Phase Change-Type Disposable Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E825 (13.01)**
Polyoxymethylene (Acetal) for Medical Applications, Specification for, **F1855 (13.01)**
Rubber Surgical Drainage Tubes, Penrose-Type, Specification for, **D3579 (09.02)**
Rubber-Coated Cloth Hospital Sheeting, Specification for, **D3738 (09.02)**
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part I—Formulations and Uncured Materials, Guide for, **F2038 (13.01)**
Ureteral Stents, Specification for, **F1828 (13.01)**
Medical oxygen regulator
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**
Medical protective gloves
Radiation Attenuating Protective Gloves, Specification for, **D7866 (09.02)**
Medical recorders
Sa **Records management**
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, Test Method for, **F1943 (15.09)**
Medical/surgical packaging materials
Accelerated Aging of Sterile Barrier Systems for Medical Devices, Guide for, **F1980 (15.10)**
Biocompatibility Evaluation of Medical Device Packaging Materials, Guide for, **F2475 (15.10)**
Design and Evaluation of Primary Flexible Packaging for Medical Products, Guide for, **F2097 (15.10)**
Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), Test Method for, **F2096 (15.10)**
Detecting Seal Leaks in Porous Medical Packaging by Dye Penetration, Test Method for, **F1929 (15.10)**
Determining Integrity of Seals for Flexible Packaging by Visual Inspection, Test Method for, **F1886/F1886M (15.10)**
Identification of Shelf-life Test Attributes for Endovascular Devices, Guide for, **F2914 (13.02)**
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Shipping Possible Infectious Materials, Tissues, and Fluids, Guide for, **F2995 (13.02)**
Medical technician
Training the Emergency Medical Technician (Basic), Practice for, **F1031 (13.02)**
Medical transcription
Data Capture through the Dictation Process, Guide for, **E2344 (14.01)**
Developing a Disaster Recovery Plan for Medical Transcription Departments and Businesses, Guide for, **E2682 (14.01)**
Identification and Establishment of a Quality Assurance Program for Medical Transcription, Guide for, **E2117 (14.01)**
Medical Transcription Workstations, Guide for, **E2502 (14.01)**
Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, Guide for, **E1959 (14.01)**
Medical transportation
Financing and Financial Accountability of Medical Transportation Systems, Guide for, **F1493 (13.02)**
Medical X-ray fluoroscopy
Determining Protection Provided by X-ray Shielding Garments Used in Medical X-ray Fluoroscopy from Sources of Scattered X-Rays, Test Method for, **F3094 (11.03)**
Medications
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
Medium-alloy steel
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Medium bronze (casting)
See **UNS C94500 (cast high-leaded tin bronze)**
Medium-curing asphalt
Cationic Emulsified Asphalt, Specification for, **D2397/D2397M (04.03)**
Cutback Asphalt (Medium-Curing Type), Specification for, **D2027/D2027M (04.03)**
Emulsified Asphalt, Specification for, **D977 (04.03)**
Medium density fiberboard (MDF)
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Medium duty vehicles
Static Measurements on Tires for Passenger Cars, Light Trucks, and Medium Duty Vehicles, Test Method for, **F1502 (09.02)**
Medium-enriched uranium
Uranium Metal Enriched to More than 15 % and Less Than 20 %, Specification for, **C1462 (12.01)**
Medium-hard-drawn copper wire
Sa **Hard-drawn copper electrical wire—specifications**
Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, Specification for, **B902/B902M (02.03)**
Medium-Hard-Drawn Copper Wire, Specification for, **B2 (02.03)**
Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrical Purposes, Specification for, **B246 (02.03)**
Medium-leaded naval brass
See **UNS C48200 (naval brass, medium leaded)**
Medium priority alarm signals
See **Alarms**
Medium speed diesel engine
Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, Specification for, **A983/A983M (01.05)**
Magnetic Particle Examination of Continuous Grain Flow Crankshaft Forgings, Specification for, **A986/A986M (01.05)**
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**
Medium-voltage rubber insulating tapes
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**
MED medical gas tube
Seamless Copper Tube for Medical Gas Systems, Specification for, **B819 (02.01)**
Med (medullated) fiber content
Med and Kemp Fibers in Wool and Other Animal Fibers by Microprojection, Test Method for, **D2968 (07.01)**
Meetings effectiveness
Evaluation and Selection of Communication and Marketing Materials for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2746 (04.12)**
Serviceability of an Office Facility for Meetings and Group Effectiveness, Classification for, **E1661 (04.11)**
Megohmeter test
Electrical Resistance of Conductive and Static Dissipative Resilient Flooring, Test Method for, **F150 (15.04)**
Measuring the Insulation Resistance of Mineral-Insulated, Metal-Sheathed Thermocouples and Thermocouple Cable at Room Temperature, Test Method for, **E780 (14.03)**
Sheathed Thermocouples and Sheathed Thermocouple Cable, Test Methods for, **E839 (14.03)**
MEHQ (monomethyl ether of hydroquinone)
Monomethyl Ether of Hydroquinone in Colorless Monomeric Acrylate Esters and Acrylic Acid, Test Method for, **D3125 (06.04)**
MEK (methyl ethyl ketone) resistance
See **Methyl ethyl ketone (MEK)**
Melamine adhesives
Filler Content of Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1579 (15.06)**
Nonvolatile Content of Liquid Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1582 (15.06)**
Melamine-formaldehyde-based coatings
Laboratory Measurement of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings, Test Method for, **D6902 (06.01)**
Melamine-formaldehyde (MF) plastics
Cellular Melamine Thermal and Sound-Absorbing Insulation, Specification for, **C1410 (04.06)**
Melamine-Formaldehyde Molding Compounds, Specification for, **D704 (08.01)**
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**
Melamine thermal/sound-absorbing insulation
Cellular Melamine Thermal and Sound-Absorbing Insulation, Specification for, **C1410 (04.06)**
Melt-extracted steel fibers
Steel Fibers for Fiber-Reinforced Concrete, Specification for, **A820/A820M (01.04)**
Melt flow
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Melt flow rate (of thermoplastics)
Sa **Flow and flow rate—thermoplastics**
Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications, Test Method for, **D3364 (08.02)**
Melt index
Low Molecular Weight PTFE and FEP Micronized Powders, Classification for, **D5675 (08.03)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Methodology, Classification System for, **D7436 (08.03)**
Use of a Melt Index Strand for Determining Density of Polyethylene, Practice for, **D2839 (08.01)**
Melting
Determine Melting Temperature of Synthetic Fibers, Test Method to, **D7138 (07.02)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Melting/crystallization temperatures
See **Temperature tests**
Melting furnace
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Melting point
Calibration of Temperature Scale for Thermogravimetry, Practice for, **E1582 (14.02)**
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**
Determining the Melting Point of Fats and Oils, Test Method for, **D5440 (15.04)**
Drop Melting Point of Petroleum Wax, Including Petrolatum, Test Method for, **D127 (05.01)**
FEP-Fluorocarbon Molding and Extrusion Materials, Specification for, **D2116 (08.01)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Melting of Hot-Applied Joint and Crack Sealant and Filler for Evaluation, Practice for, **D5167 (04.03)**
Melting Point of Petroleum Wax (Cooling Curve), Test Method for, **D87 (05.01)**
Melting Point of Waxes, Test Method for, **F766/F766M (15.09)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
Softening Point of Certain Alkali-Soluble Resins, Test Method for, **D3642 (15.04)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Melting process steel
Pressure Vessel Plates, 5 % and 5 1/2 % Nickel Alloy Steels, Specially Heat Treated, Specification for, **A645/A645M (01.04)**
Melting range
Rubber Chemicals—Determination of Melting Range, Test Methods for, **D1519 (09.01)**
Melting test for cleanness and spatter
Brazing Filler Metals for Electron Devices, Specification for, **F106 (10.04)**
Melt-processible fluoropolymers—specifications
FEP-Fluorocarbon Molding and Extrusion Materials, Specification for, **D2116 (08.01)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Modified ETFE-Fluoropolymer Molding and Extrusion Materials, Specification for, **D3159 (08.01)**
Perfluoroalkoxy (PFA)-Fluorocarbon Resin Molding and Extrusion Materials, Specification for, **D3307 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Perfluoroalkoxy (PFA)-Fluoropolymer Tubing, Specification for, **D6867 (08.03)**
Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials, Specification for, **D3222 (08.02)**

Melt viscosity
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**

Melt wire temperature monitors
Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), Guide for, **E1214 (12.02)**

Membrane
Crack Bridging Ability of Liquid-Applied Waterproofing Membrane, Test Method for, **C1305 (04.04)**
Hydrostatic Pressure Resistance of a Liquid-Applied Waterproofing Membrane, Test Method for, **C1306 (04.04)**
Measurement of Lubricant Generated Insoluble Color Bodies in In-Service Turbine Oils using Membrane Patch Colorimetry, Test Method for, **D7843 (05.04)**

Membrane color
Particulate Contamination in Aviation Fuels by Laboratory Filtration, Test Method for, **D5452 (05.02)**

Membrane conductivity detection
Low Level Determination of Total Carbon, Inorganic Carbon and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D6317 (11.01)**
On-Line Monitoring of Total Carbon, Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5997 (11.01)**
Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5904 (11.02)**

Membrane curing (of concrete)
See **Curing (of concrete)**

Membrane drainage wall system
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**

Membrane filter samplers
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

Membrane filters (MF)
Determining Bacterial Retention of Membrane Filters Utilized for Liquid Filtration, Test Method for, **F838 (14.02)**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, Practice for, **D6974 (05.04)**
Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, Test Method for, **D6217 (05.03)**
Pore Size Characteristics of Membrane Filters by Bubble Point and Mean Flow Pore Test, Test Methods for, **F316 (11.02)**
Processing In-service Fluid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **D7670 (05.04)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, Practice for, **D7200 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), Practice for, **D7201 (11.07)**
Sediment in Crude Oil by Membrane Filtration, Test Method for, **D4807 (05.02)**

Membrane filters (MF)—aerospace fluids
Microscopical Sizing and Counting Particles from Aerospace Fluids on Membrane Filters, Test Methods for, **F312 (15.03)**
Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **F311 (15.03)**

Membrane filters (MF)—water testing
Autoclavability of Membrane Filters, Test Methods for, **D4199 (11.02)**
Confirming the Sterility of Membrane Filters, Test Method for, **D4196 (11.02)**
Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, Practice for, **D5465 (11.02)**
Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, Test Methods for, **D4198 (11.02)**
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**
Integrity Testing of Water Filtration Membrane Systems, Practice for, **D6908 (11.02)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**
Quantity of Water-Extractable Matter in Membrane Filters, Test Method for, **D3861 (11.02)**
Retention Characteristics of 0.2-µm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, Test Method for, **D3862 (11.01)**
Retention Characteristics of 0.40 to 0.45-µm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, Test Method for, **D3863 (11.02)**
Shake Extraction of Solid Waste with Water, Practice for, **D3987 (11.04)**

Membrane-forming liquid
See **Liquid membrane-forming compounds**

Membrane interface probe (MIP)
Direct Push Technology for Volatile Contaminant Logging with the Membrane Interface Probe (MIP), Practice for, **D7352 (04.09)**

Electrofusion polyethylene (PE) plastics
Electrofusion Joining Polyolefin Pipe and Fittings, Practice for, **F1290 (08.04)**
Electrofusion Type Polyamide-12 Fittings for Outside Diameter Controlled Polyamide-12 Pipe and Tubing for Gas Distribution, Specification for, **F2767 (08.04)**

Membranes
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Pressure Driven Membrane Separation Element/Bundle Evaluation, Practice for, **D7601 (11.02)**
Static Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5602/D5602M (04.04)**

Membrane switches
Classifying the Degrees of Ingress of Dust and Water into a Membrane Switch, Guide for, **F2865 (10.04)**
Contact Closure Cycling of a Membrane Switch, Test Method for, **F1578 (10.04)**
Creasing or Bending a Membrane Switch, Membrane Switch Flex Tail Assembly or Membrane Switch Component, Practice for, **F1683 (10.04)**
Determining Circuit Resistance of a Membrane Switch, Test Method for, **F1680 (10.04)**
Determining Color of a Membrane Switch Backlit with Diffuse

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Light Source, Test Method for, **F2359 (10.04)**
Determining Current Carrying Capacity of a Membrane Switch Circuit, Test Method for, **F1681 (10.04)**
Determining Ink or Coating Adhesion on Plastic Substrates for Membrane Switch Applications, Test Method for, **F1842 (10.04)**
Determining Luminance of a Membrane Switch Backlit with Diffuse Light Source, Test Method for, **F2360 (10.04)**
Determining the Abrasion Resistance of Inks and Coatings on Membrane Switches Using the Norman Tool RCA Abrader, Test Method for, **F2357 (10.04)**
Determining the Capacitance of a Membrane Switch, Test Method for, **F1663 (10.04)**
Determining the Contact Bounce Time of a Membrane Switch, Test Method for, **F1661 (10.04)**
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**
Determining the Effectiveness of Membrane Switch ESD Shielding, Test Method for, **F1812 (10.04)**
Determining the Effects of Atmospheric Pressure Variation on a Membrane Switch, Test Method for, **F1762 (10.04)**
Determining the Effects of Bending a Membrane Switch or Assembly, Test Method for, **F2750 (10.04)**
Determining the Effects of Creasing a Membrane Switch or Assembly, Test Method for, **F2749 (10.04)**
Determining the Electrical Resistivity of a Printed Conductive Material, Test Method for, **F1896 (10.04)**
Determining the Insulation Resistance of a Membrane Switch, Test Method for, **F1689 (10.04)**
Determining the Shear Strength of the Bond between a Surface Mount Device (SMD) and Substrate in a Membrane Switch, Test Method for, **F1995 (10.04)**
Exposure of Membrane Switches to Temperature and Relative Humidity, Test Method for, **F1596 (10.04)**
Flammability of a Membrane Switch in Defined Assembly, Test Method for, **F2866 (10.04)**
for Determining the Effects of Chemical/Solvent Exposure to a Membrane Switch/Graphic Overlay (Spot Test Method), Test Method, **F1598 (10.04)**
Hosedown of a Membrane Switch, Test Method for, **F2072 (10.04)**
Measuring the Force-Displacement of a Membrane Switch, Test Method for, **F2592 (10.04)**
Membrane Switches, Terminology for, **F2112 (10.04)**
Non-Destructive Short Circuit Testing of a Membrane Switch, Test Method for, **F2073 (10.04)**
Sample Preparation of Transparent Plastic Films used on Membrane Switch Overlays for Specular Gloss Measurements, Practice for, **F1843 (10.04)**
Silver Migration for Membrane Switch Circuitry, Test Method for, **F1996 (10.04)**
Submersion of a Membrane Switch, Test Method for, **F1895 (10.04)**
Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, Test Method for, **F1662 (10.04)**
Viewing Conditions for Visual Inspection of Membrane Switches, Practice for, **F1595 (10.04)**

Membrane technology
Coated Fabrics Used for Oil Spill Control and Storage, Test Methods for, **F715 (11.05)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Hemiarthroplasty
Shoulder Prostheses, Specification for, **F1378 (13.01)**

Men's clothing
Body Measurements for Mature Men, ages 35 and older, Sizes Thirty-Four to Fifty-Two (34 to 52) Short, Regular, and Tall, Tables of, **D6240/D6240M (07.02)**
Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, Performance Specification for, **D4154 (07.01)**
Men's and Boys' Knitted Dress Shirt Fabrics, Performance Specification for, **D4119 (07.01)**
Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3782 (07.01)**
Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3780 (07.01)**
Men's and Women's Dress and Vocational Career Apparel Fabrics, Performance Specification for, **D4232 (07.01)**
Men's and Women's Knitted Career Apparel Fabrics: Dress and Vocational, Performance Specification for, **D3995 (07.01)**
Men's and Women's Sliver Knitted Overcoat and Jacket Fabrics, Performance Specification for, **D3655 (07.01)**
Men's, Women's, and Children's Woven Handkerchief Fabrics, Performance Specification for, **D4153 (07.01)**
Woven Drycleanable Coat Fabrics, Performance Specification for, **D3562 (07.01)**
Woven Swimwear Fabrics, Performance Specification for, **D3994 (07.01)**

Mercantile vaults
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**

Mercaptans
Mercaptan Content of the Atmosphere, Test Method for, **D2913 (11.07)**
Mercaptans in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D1988 (05.06)**
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**

Mercaptan sulfur content
Sa **Sulfur**
(Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), Test Method for, **D3227 (05.01)**

Mercaptobenzothiazole (MBT)
Colorimetric/Spectrophotometric Procedure to Quantify Extractable Chemical Dialkyldithiocarbamate, Thiuram, and Mercaptobenzothiazole Accelerators in Natural Rubber Latex and Nitrile Gloves, Test Method for, **D7558 (09.02)**
Rubber Chemicals—2-Mercaptobenzothiazole (MBT)—Assay, Test Method for, **D1991 (09.01)**
Rubber Compounding Materials—Free 2-Mercaptobenzothiazole (MBT) in Benzothiazyl Disulfide (MBTS), Test Method for, **D5044 (09.01)**

Mercaptobenzothiazole sulfenamide (MBTS)
Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, Test Method for, **D4936 (09.01)**
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Rubber Compounding Materials—Water in Rubber Additives, Test Method for, **D5460 (09.01)**
Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles, Test Method for, **D4934 (09.01)**

Mercenaria mercenaria
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**

Merchant quality steel bars
Sa **Alloy steel bars—specifications**
Steel Bars, Carbon, Merchant Quality, M-Grades, Specification for, **A575 (01.05)**
Steel Bars, Carbon, Merchant Quality, Mechanical Properties, Specification for, **A663/A663M (01.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mercuric nitrate
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
Mercurimetric titration
Chloride Ion In Water, Test Methods for, **D512 (11.01)**
Mercurous nitrate test
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Mercury
Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, Practice for, **E2293 (03.05)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3624 (06.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Total Mercury in Water, Test Method for, **D3223 (11.01)**
Mercury—chemicals
Mercury in Caustic Soda (Sodium Hydroxide) and Caustic Potash (Potassium Hydroxide), Test Methods for, **E538 (15.05)**
Mercury in Liquid Chlorine, Test Method for, **E506 (15.05)**
Mercury—coal
Total Mercury in Coal and Coal Combustion Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, Test Methods for, **D6414 (05.06)**
Total Mercury in Coal and Coal Combustion Residues by Direct Combustion Analysis, Test Method for, **D6722 (05.06)**
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**
Mercury—natural gas
Mercury Sampling and Analysis in Natural Gas by Atomic Fluorescence Spectroscopy, Test Method for, **D6350 (05.06)**
Mercury Sampling and Measurement in Natural Gas by Atomic Absorption Spectroscopy, Test Method for, **D5954 (05.06)**
Mercury—soil analysis
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Mercury cathode cell
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Mercury immersion
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**
Mercury-in-glass thermometers
Digital Contact Thermometers, Guide for, **E2877 (14.03)**
Mercury meniscus
Disposable Glass Micropipets, Specification for, **E672 (14.04)**
Mercury intrusion porosimetry
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**
Determining Pore Volume Distribution of Catalysts and Catalyst Carriers by Mercury Intrusion Porosimetry, Test Method for, **D4284 (05.05)**
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**
Mercury U-tube method
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
Merry-go-round
Sa **Consumer safety specifications (playgrounds)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Mesh designation number
Sieve Analysis of Metal Powders, Test Method for, **B214 (02.05)**
Mesh (for steel pipe)
Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, Specification for, **A810 (01.06)**
Mesh top sieve
Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36-mm (No. 8 Sieve) Topsize, Test Method for, **D2961 (05.06)**
Mesh-type gates
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Mesityl oxide
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
Mesophase
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Messages
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**
Messenger bailers
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Messengers (steel wire strand for)
See **Steel wire strand—specifications**
Messenger support
Zinc-Coated Steel Strand for Messenger Support of Figure 8 Cable, Specification for, **A640 (01.06)**
Metabolic activation
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Metabolites
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Metacenter
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Metadata
Metadata to Support Archived Data Management Systems, Practice for, **E2468 (04.03)**
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**
Metal alloy wire
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Metal-arc-welded steel pipe
Sa **Electric-resistance-welded (ERW) steel pipe—specifications**
Metal-Arc-Welded Steel Pipe for Use With High-Pressure Transmission Systems, Specification for, **A381 (01.01)**
Metal-based neutron absorbing material systems
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**
Metal-bearing ores
Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, Test Methods for, **E1915 (03.05)**
Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, Practice for, **E2293 (03.05)**
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Coarser for Metal-Bearing Ores and Related Materials, Test Method for, **E389 (03.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Finer for Metal-Bearing Ores and Related Materials, Test Method for, **E276 (03.05)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**
Silver Corrections in Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Fire Assay Slag Recycling and Cupel Proof Gravimetry, Practice for, **E2296 (03.05)**

Metal buildings
Flexible Fibrous Glass Insulation for Metal Buildings, Specification for, **C991 (04.06)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**

Metal canopy systems
Metal Canopy Systems, Specification for, **E2950 (15.08)**

Metal casting
Safety Requirements in Metal Casting Operations: Sand Preparation, Molding, and Core Making; Melting and Pouring; and Cleaning and Finishing, Practice for, **E2349 (11.03)**

Metal catalysts
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**

Metal ceiling suspension systems
Sa **Ceiling suspension systems**
Installation of Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels in Areas Subject to Earthquake Ground Motions, Practice for, **E580/E580M (04.06)**
Installation of Metal Ceiling Suspension Systems for, Practice for, **C636/C636M (04.06)**
the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, Specification for, **C635/C635M (04.06)**

Metal/ceramic brazing
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**

Metal chips
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Metal cleaners
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Cleaning Metals Prior to Electroplating, Guide for, **B322 (02.05)**
Reclaimed Perchloroethylene, Specification for, **D5396 (15.05)**
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**
Total Immersion Corrosion Test for Soak Tank Metal Cleaners, Guide for, **D1280 (15.04)**

Metal compressed-N-sleeves
Cold-Expansion Fittings With Metal Compression-Sleeves for Cross-Linked Polyethylene (PEX) Pipe, Specification for, **F2080 (08.04)**

Metal cones/conical fittings
Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, Test Methods for, **F2345 (13.01)**

Metal connectors
Testing and Establishing Allowable Loads of Joist Hangers, Specification for, **D7147 (04.10)**

Metal-containing (petroleum) additives
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**

Metal content
Measurement of Metals in Workplace Atmospheres by Flame Atomic Absorption Spectrophotometry, Practice for, **D4185 (11.07)**
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**

Metal content—water
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**

Metal corrosion (by leather)
Corrosion Produced by Leather in Contact with Metal, Test Method for, **D1611 (15.04)**

Metal crucibles
Crucibles, Ignition, Laboratory, Metal, Specification for, **E785 (14.04)**

Metal crystals
Determining the Orientation of a Metal Crystal, Test Method for, **E82 (03.01)**

Metal cyanide complexes
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**

Metal detection/metal detector
Adjusting the Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors, Practice for, **C1269 (12.01)**
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, Practice for, **F1468 (15.08)**
Installation of Walk-Through Metal Detectors, Guide for, **C1238 (12.01)**
Performance Evaluation of In-Plant Walk-Through Metal Detectors, Practice for, **C1309 (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
Security Checkpoint Metal Detector Screening of Persons with Medical Devices, Practice for, **F2401 (15.08)**
Use of the Metal Detection Method for Subsurface Exploration, Guide for, **D7046 (04.09)**

Metal doors
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**

Metal doors—specifications
Sa **Doors/door assemblies—specifications**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**

Metal electrical conductors
Change of Resistance With Temperature of Metallic Materials for Electrical Heating, Test Method for, **B70 (02.04)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Resistivity of Electrical Conductor Materials, Test Method for, **B193 (02.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Resistivity of Metallically Conducting Resistance and, Test Method for, **B63 (02.04)**
Rockwell Hardness of Metallic Materials, Test Methods for, **E18 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Uninsulated Metallic Electrical Conductors, Terminology Relating to, **B354 (02.03)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**

Metal electronic components/devices
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Making and Testing Reference Glass-Metal Bead-Seal, Practice for, **F14 (15.02)**
Making Reference Glass-Metal Butt Seals and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F140 (15.02)**
Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F144 (15.02)**
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, Test Method for, **F1894 (10.04)**
Sag of Tungsten Wire, Test Method for, **F269 (10.04)**
Scanning Electron Microscope (SEM) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1372 (10.04)**
Sheet Resistance of Thin Metallic Films With a Collinear Four-Probe Array, Test Method for, **F390 (10.04)**
Surface Flaws in Tungsten Seal Rod and Wire, Test Method for, **F204 (10.04)**
Tension and Vacuum Testing Metallized Ceramic Seals, Test Method for, **F19 (10.04)**

Metal electronic components/devices—specifications
Aluminum Oxide Powder, Specification for, **F7 (10.04)**
Brazing Filler Metals for Electron Devices, Specification for, **F106 (10.04)**
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**
Integrated Circuit Lead Frame Material, Specification for, **F375 (10.04)**
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**
Molybdenum Flattened Wire for Electron Tubes, Specification for, **F364 (10.04)**
Molybdenum Wire and Rod for Electronic Applications, Specification for, **F289 (10.04)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, Specification for, **F73 (10.04)**

Metal fabrication strain analysis
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**

Metal fasteners
See **Fasteners (metal)—specifications**

Metal fatigue testing
Ambient Temperature Fatigue Life of Metallic Bonded Resistance Strain Gages, Test Method for, **E1949 (03.01)**

Metal fences
Design and Construction of Expanded Metal Security Fences and Barriers, Guide for, **F2780 (01.06)**
Design and Construction of Ornamental Steel Picket Fence Systems for Security Purposes, Guide for, **F2814 (01.06)**
Expanded Metal Fence Systems for Security Purposes, Specification for, **F2548 (01.06)**

Metal flake pigment materials
Multiangle Color Measurement of Metal Flake Pigmented Materials, Practice for, **E2194 (06.01)**

Metal flow
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**

Metal foil electrodes
Sa **Metallic foil**
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**

Metal foil surface
Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, Specification for, **D6298 (04.04)**

Metal framing finishes
Structural Sealant Glazing, Guide for, **C1401 (04.07)**

Metal glide adhesion
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**

Metal halide burners
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**

Metal head designs
Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**

Metal industry
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**

Metal injection molded (MIM) parts
Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, Test Method for, **B311 (02.05)**
Metal Injection Molded Cobalt-28Chromium-6Molybdenum Components for Surgical Implant Applications, Specification for, **F2886 (13.02)**
Metal Injection Molded Titanium-6Aluminum-4Vanadium Components for Surgical Implant Applications, Specification for, **F2885 (13.02)**
Metal Injection Molded Unalloyed Titanium Components for Surgical Implant Applications, Specification for, **F2989 (13.02)**

Metal insert fittings
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Tubing, Specification for, **F2434 (08.04)**

Metal insert fittings—specifications
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F1807 (08.04)**
Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings, Specification for, **F2098 (08.04)**

Metalized/ceramic seals (for electronic devices)
See **Seals—electronic applications (specifications)**

Metal jacketing
Concentration of Pinhole Detections in Moisture Barriers on Metal Jacketing, Test Method for, **C1785 (04.06)**

Metal lath
Sa **Gypsum products**
Installation of Interior Lathing and Furring, Specification for, **C841 (04.01)**
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Laboratory Aging of Sandwich Constructions, Test Method for, **C481 (15.03)**
Metal Lath, Specification for, **C847 (04.01)**
Welded Wire Lath, Specification for, **C933 (04.01)**

Metal layer gaskets
Multi-Layer Steel (MLS) and Other Metal Layer Gaskets for Transportation Applications, Classification for, **F2325 (09.02)**

Metallic abrasive blasting
Sa **Abrasive blasting**
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**

Metallic adhesives
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), Test Method for, **D1002 (15.06)**
Cleavage Strength of Metal-to-Metal Adhesive Bonds, Test Method for, **D1062 (15.06)**
Conducting Creep Tests of Metal-to-Metal Adhesives, Practice for, **D1780 (15.06)**
Creep Properties of Adhesives in Shear by Compression Loading (Metal-to-Metal), Test Method for, **D2293 (15.06)**
Creep Properties of Adhesives in Shear by Tension Loading (Metal-to-Metal), Test Method for, **D2294 (15.06)**
Fatigue Properties of Adhesives in Shear by Tension Loading (Metal/Metal), Test Method for, **D3166 (15.06)**
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), Test Method for, **D2295 (15.06)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**

Metallic adhesives—specifications
Sa **Adhesives—specifications**
Epoxy (Flexible) Adhesive For Bonding Metallic And Nonmetallic Materials, Specification For, **D6412/D6412M (15.06)**

Metallic bellows expansion joints
Circular Metallic Bellows Type Expansion Joint for HVAC Piping Applications, Specification for, **F2934 (01.07)**
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**

Metallic bone plates
Metallic Bone Plates, Specification and Test Method for, **F382 (13.01)**

Metallic bone screws
See **Orthopaedic medical devices (bone screws)**

Metallic brown
See **Iron oxide pigments—brown (natural/synthetic)**

Metallic-coated steel materials
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Using Hand Micrometers to Measure the Thickness of Nonmetallic and Metallic-Coated Steel Sheet, Practice for, **A1073/A1073M (01.06)**

Metallic-coated steel materials—specifications
Copper-Clad Steel Wire Strand, Specification for, **A460 (01.06)**
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Steel Forgings, General Requirements, Specification for, **A788/A788M (01.05)**
Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced, Specification for, **A657/A657M (01.06)**
Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated), Specification for, **A974 (01.06)**
Zinc-5 % Aluminum (Hot-Dip) Coatings on Iron and Steel Products, Specification for, **A1072/A1072M (01.06)**

Metallic coated steel pipe
Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe, Test Method for, **A926 (01.06)**

Metallic-coated steel pipe—specifications
Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains, Specification for, **A760/A760M (01.06)**
Corrugated Steel Pipe, Polymer Precoated for Sewers and Drains, Specification for, **A762/A762M (01.06)**
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**

Metallic-coated steel wire—specifications
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
Metallic Coated Carbon Steel Wire, Coated at Size and Drawn to Size for Mechanical Springs, Specification for, **A764 (01.06)**
Metallic-Coated Steel Marcelled Tension Wire for Use With Chain Link Fence, Specification for, **A824 (01.06)**
Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, Specification for, **A854/A854M (01.06)**
Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcelled Tension Wire, Specification for, **A817 (01.06)**
Metallic-Coated, Steel-Woven Wire Fence Fabric, Specification for, **A116 (01.06)**
Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated), Specification for, **A974 (01.06)**
Zinc-Coated Steel Structural Wire Rope, Specification for, **A603 (01.06)**

Metallic coatings
Adhesion or Cohesion Strength of Thermal Spray Coatings, Test Method for, **C633 (02.05)**
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Attribute Sampling of Metallic and Inorganic Coatings, Test Method for, **B602 (02.05)**
Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, Practice for, **B489 (02.05)**
Cleaning Metals Prior to Electroplating, Guide for, **B322 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Coating Flexibility of Prepainted Sheet, Test Method for, **D4145 (06.02)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Evaluating Degree of Blistering of Paints, Test Method for, **D714 (06.01)**
Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, Test Method for, **B866 (02.05)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, Test Method for, **B636 (02.05)**
Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section, Test Method for, **B487 (02.05)**
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur"), Test Method for, **B809 (02.05)**
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Residual Embrittlement in Metallic Coated, Externally Threaded Articles, Fasteners, and Rod—Inclined Wedge Method, Test Method for, **B839 (02.05)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Selection of Porosity and Gross Defect Tests for Electrodeposits and Related Metallic Coatings, Guide for, **B765 (02.05)**
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Solderability of Metallic-Coated Products, Test Method for, **B678 (02.05)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Temperature-Resistance Constants of Sheet Materials for Shunts and Precision Resistors, Test Method for, **B114 (02.04)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
Testing Primers and Primer Surfacers Over Preformed Metal, Practice for, **D3322 (06.02)**
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**
Variables Sampling of Metallic and Inorganic Coatings, Test Method of, **B762 (02.05)**
Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) for Meshes of 6 in., Specification for, **F2453/F2453M (01.06)**

Metallic coatings—specifications
Autocatalytic (Electroless) Nickel-Phosphorus Coatings on Metal, Specification for, **B733 (02.05)**
Autocatalytic Nickel Boron Coatings for Engineering Use, Specification for, **B607 (02.05)**
Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, Specification for, **B904 (02.05)**
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**
Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, Specification for, **B470 (02.03)**
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**
Nickel-Coated Soft or Annealed Copper Wire, Specification for, **B355 (02.03)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**
Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced, Specification for, **A657/A657M (01.06)**
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Metallic contaminants
Sa **Contamination—semiconductors**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**

Metallic copper powder
Metallic Copper Powder for Use in Antifouling Paints, Specification for, **D964 (06.03)**

Metallic coupons
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**

Metallic cross-sectional areas
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**

Metallic failure analysis
Corrosion-Related Failure Analysis, Guide for, **G161 (03.02)**

Metallic foil
Tension Testing of Metallic Foil, Test Methods of, **E345 (03.01)**
Thickness of Foil, Thin Sheet, and Film by Mass Measurement, Test Method for, **E252 (02.02)**

Metallic foil insulation
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Installation and Use of Reflective Insulation in Building Constructions, Practice for, **C727 (04.06)**
Metallic gas piping
Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, Specification for, **F2207 (08.04)**
Metallic hardness
Brinell Hardness of Metallic Materials, Test Method for, **E10 (03.01)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Indentation Hardness of Aluminum Alloys by Means of a Barcol Impressor, Test Method for, **B648 (02.02)**
Indentation Hardness of Metallic Materials by Comparison Hardness Testers, Practice for, **A833 (01.05)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Leeb Hardness Testing of Steel Products, Test Method for, **A956 (01.05)**
Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness, Hardness Conversion Tables for, **E140 (03.01)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Scleroscope Hardness Testing of Metallic Materials, Practice for, **E448 (03.01)**
Metallic implantable strands/cables
Metallic Implantable Strands and Cables, Specification for, **F2180 (13.01)**
Metallic jacketing
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Selecting Jacketing Materials for Thermal Insulation, Guide for, **C1423 (04.06)**
Metallic piping systems
Internal Non Structural Epoxy Barrier Coating Material Used In Rehabilitation of Metallic Pressurized Piping Systems, Practice for, **F2831 (08.04)**
Metallic reflective insulation
Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, Specification for, **E667 (13.01)**
Metallic scaffolds
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Metallic sheet materials
Ball Punch Deformation of Metallic Sheet Material, Test Method for, **E643 (03.01)**
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Bulge-Forming Superplastic Metallic Sheet, Test Methods for, **E2712 (03.01)**
Determining the Superplastic Properties of Metallic Sheet Materials, Test Method for, **E2448 (03.01)**
Metallic silicide
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**
Metallic steel sheet
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**
Metallic steel sheet—specifications
General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process, Specification for, **A924/A924M (01.06)**
Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process, Specification for, **A792/A792M (01.06)**
Steel Sheet, Aluminum-Coated, by the Hot-Dip Process, Specification for, **A463/A463M (01.06)**
Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members, Specification for, **A1003/A1003M (01.06)**
Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**
Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, Specification for, **A742/A742M (01.06)**
Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, Specification for, **A755/A755M (01.06)**
Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, Specification for, **A929/A929M (01.06)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**
Metallic substrates
Sa **Substrates—metallic**
Evaluating Polymeric Lining Systems for Water Immersion in Coating Service Level III Safety-Related Applications on Metal Substrates, Guide for, **D7230 (06.02)**
Metallic surface analysis
Sa **Surface analysis**
Measurement of Surface Roughness of Abrasive Blast Cleaned Metal Surfaces Using a Portable Stylus Instrument, Test Method for, **D7127 (06.02)**
Metallic surgical implant materials
Corrosion Fatigue Testing of Metallic Implant Materials, Practice for, **F1801 (13.01)**
Fluorescent Penetrant Inspection of Metallic Surgical Implants, Practice for, **F601 (13.01)**
Pitting or Crevice Corrosion of Metallic Surgical Implant Materials, Test Method for, **F746 (13.01)**
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**
Stereological Evaluation of Porous Coatings on Medical Implants, Test Method for, **F1854 (13.01)**
Metallic surgical implant materials—specifications
Femoral ProsthesesMetallic Implants, Specification for, **F2068 (13.01)**
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**
Metallic Implantable Strands and Cables, Specification for, **F2180 (13.01)**
Metallic Medical Bone Screws, Specification and Test Methods for, **F543 (13.01)**
Surface Preparation and Marking of Metallic Surgical Implants, Practice for, **F86 (13.01)**
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
Unalloyed Tantalum for Surgical Implant Applications (UNS R05200, UNS R05400), Specification for, **F560 (13.01)**
Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), Specification for, **F688 (13.01)**
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**
Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Man-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), Specification for, **F1314 (13.01)**
Wrought Titanium-15 Molybdenum Alloy for Surgical Implant Applications (UNS R58150), Specification for, **F2066 (13.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108), Specification for, **F2229 (13.01)**

Metallic thermal spray coatings
Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, Test Method for, **F1978 (13.01)**

Metallic uranium spent fuel
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**

Metallic weapon detector
Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, Practice for, **F1468 (15.08)**

Metallic zinc
Chemical Analysis of Zinc Dust (Metallic Zinc Powder), Test Methods for, **D521 (06.03)**
The Determination of Metallic Zinc Content in Both Zinc Dust Pigment and in Cured Films of Zinc-Rich Coatings, Test Method for, **D6580 (06.01)**

Metallization burnout
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**

Metallization thickness (of silicon wafers)
See **Thickness—semiconductors**

Metallized ceramic seals
Tension and Vacuum Testing Metallized Ceramic Seals, Test Method for, **F19 (10.04)**

Metallized plastics
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**

Metallizing
Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, Specification for, **B833 (02.04)**

Metallographic analysis/inspection
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Determining Volume Fraction by Systematic Manual Point Count, Test Method for, **E562 (03.01)**
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**
Examination and Evaluation of Pitting Corrosion, Guide for, **G46 (03.02)**
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Measuring Intergranular Attack or End Grain Pitting on Metals Caused by Aircraft Chemical Processes, Practice for, **F2111 (15.03)**
Metallographic Identification of Microstructure in Cemented Carbides, Guide for, **B657 (02.05)**
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Metallographically Estimating the Observed Case Depth of Ferrous Powder Metallurgy (PM) Parts, Test Method for, **B931 (02.05)**
Metallography, Terminology Relating to, **E7 (03.01)**
Microetching Metals and Alloys, Practice for, **E407 (03.01)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Nonmetallic Inclusion Content of Powders Intended for Powder Forging (PF) Applications, Test Method for, **B796 (02.05)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, Test Method for, **F945 (15.03)**
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**

Metallographic laboratory safety
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**

Metallographic preparation
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Metallographic Preparation of Thermal Sprayed Coatings, Guide for, **E1920 (03.01)**
Metallographic Sample Preparation of Cemented Tungsten Carbides, Guide for, **B665 (02.05)**
Production and Preparation of Powder Metallurgy (PM) Test Specimens, Practices for, **B925 (02.05)**
Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**

Metal loss
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**

Metallurgical coke
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**
Preparing Coke Samples for Microscopical Analysis by Reflected Light, Practice for, **D3997/D3997M (05.06)**

Metallurgical materials/applications
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, Test Method for, **E1600 (03.05)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Drying of Metal Bearing Ores, Concentrates, and Related Metal-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

lurgical Materials for the Determination of Mercury, Practice for, **E2293 (03.05)**
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Metal Injection Molded Cobalt-28Chromium-6Molybdenum Components for Surgical Implant Applications, Specification for, **F2886 (13.02)**
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**
Powder Metallurgy, Terminology of, **B243 (02.05)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**
Silver Corrections in Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Fire Assay Slag Recycling and Cupel Proof Gravimetry, Practice for, **E2296 (03.05)**

Metallurgical requirements
Investment Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A957/A957M (01.02)**
Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A958/A958M (01.02)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy for Surgical Implant Applications (UNS R56320), Specification for, **F3046 (13.02)**

Metallurgical structure
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Conducting Creep, Creep-Rupture, and Stress-Rupture Tests of Metallic Materials, Test Methods for, **E139 (03.01)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Conducting Force Controlled Constant Amplitude Axial Fatigue Tests of Metallic Materials, Practice for, **E466 (03.01)**
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Determination of the Susceptibility of Metallic Materials to Hydrogen Gas Embrittlement (HGE), Test Method for, **F1459 (15.03)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, Practice for, **G129 (03.02)**

Metal matrix composites
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**

Metal mechanical cold flare compression fittings
Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F1961 (08.04)**

Metal melting pots
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**

Metal mesh-covered thermal insulation
Sa **Reflective insulation**
Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type), Specification for, **C592 (04.06)**

Metal-metal cyanide complex salts
Understanding Cyanide Species, Guide for, **D6696 (11.02)**

Metal-mine waste-rock weathering
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**

Metal-oxide-silicon (MOS) structures
See **MOS (metal-oxide-silicon) structures**

Metal powder parts (sintered)
See **Sintered metal powder parts**

Metal powders
Apparent Density of Free-Flowing Metal Powders Using the Hall Flowmeter Funnel, Test Method for, **B212 (02.05)**
Apparent Density of Metal Powders and Related Compounds Using the Arnold Meter, Test Method for, **B703 (02.05)**
Apparent Density of Non-Free-Flowing Metal Powders Using the Carney Funnel, Test Method for, **B417 (02.05)**
Cleanliness of Powder Metallurgy (PM) Bearings and Structural Parts, Test Method for, **B970 (02.05)**
Compressibility of Metal Powders in Uniaxial Compaction, Test Method for, **B331 (02.05)**
Flow Rate of Metal Powders Using the Carney Funnel, Test Methods for, **B964 (02.05)**
Flow Rate of Metal Powders Using the Hall Flowmeter Funnel, Test Methods for, **B213 (02.05)**
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Liquid Dispersion of Metal Powders and Related Compounds for Particle Size Analysis, Guide for, **B821 (02.05)**
Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), Test Method for, **E159 (02.05)**
Measuring Dimensional Changes Associated with Processing Metal Powders, Test Method for, **B610 (02.05)**
Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, Test Method for, **B873 (02.05)**
Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**
Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, Test Method for, **B822 (02.05)**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**
Powder Metallurgy, Terminology of, **B243 (02.05)**
Powder Metallurgy (PM) Titanium and Titanium Alloy Structural Components, Specification for, **B988 (02.05)**
Sampling Metal Powders, Practices for, **B215 (02.05)**
Sieve Analysis of Metal Powders, Test Method for, **B214 (02.05)**
Surface Finish of Powder Metallurgy (PM) Products, Test Method for, **B946 (02.05)**
Transverse Rupture Strength of Powder Metallurgy (PM) Specimens, Test Method for, **B528 (02.05)**
Volumetric Flow Rate of Metal Powders Using the Arnold Meter and Hall Flowmeter Funnel, Test Method for, **B855 (02.05)**

Metal powders—specifications
Metallic Copper Powder for Use in Antifouling Paints, Specification for, **D964 (06.03)**
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**
Tungsten Base, High-Density Metal, Specification for, **B777 (02.04)**

Metal powders (refractory)
See **Refractory metal powders**

Metal powder structural materials
See **Powder metallurgy (P/M) materials—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Metal preservatives
Rust Protection by Metal Preservatives in the Humidity Cabinet, Test Method for, **D1748 (05.01)**
Metal pressure boundaries
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Metal primer—specifications
Sa **Primers—specifications**
Zinc Yellow (Zinc Chromate) Pigments, Specification for, **D478 (06.03)**
Metal rails/railing systems
See **Railing systems (metal)**
Metal removal fluid aerosols
Comparing Metal Removal Fluids Using the Tapping Torque Test Machine, Test Method for, **D5619 (05.02)**
Control of Respiratory Hazards in the Metal Removal Fluid Environment, Practice for, **E2889 (11.03)**
Minimizing Effects of Aerosols in the Wet Metal Removal Environment, Practice for, **E1972 (11.03)**
Metal roof panel systems
Water Penetration of Metal Roof Panel Systems by Static Water Pressure Head, Test Method for, **E2140 (04.12)**
Metals—coil-coated
Outdoor Evaluation of Wet Stack Storage Conditions on Coil-Coated Metals, Practice for, **D7376 (06.02)**
Metals and alloys numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**
Metals and metallic materials
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Analysis of Low-Alloy Steels by X-Ray Fluorescence Spectrometry, Test Method for, **E1085 (03.05)**
Bend Testing of Material for Ductility, Test Methods for, **E290 (03.01)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Conducting Proficiency Tests in the Chemical Analysis of Metals, Ores, and Related Materials, Practice for, **E2027 (03.05)**
Conducting Time-for-Rupture Notch Tension Tests of Materials, Test Methods for, **E292 (03.01)**
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Dynamic Tear Testing of Metallic Materials, Test Method for, **E604 (03.01)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**
Evaluating Machining Performance of Ferrous Metals Using an Automatic Screw/Bar Machine, Test Method for, **E618 (01.05)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Identification of Metals and Alloys in Computerized Material Property Databases, Guide for, **E1338 (02.05)**
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**
Instrumented Impact Testing of Metallic Materials, Test Method for, **E2298 (03.01)**
Jaw Crusher Gouging Abrasion Test, Test Method for, **G81 (03.02)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, Test Method for, **E831 (14.02)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Linearly Reciprocating Ball-on-Flat Sliding Wear, Test Method for, **G133 (03.02)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Material Selection and Fabrication of Reference Blocks for the Pulsed Longitudinal Wave Ultrasonic Testing of Metal and Metal Alloy Production Material, Guide for, **E1158 (03.03)**
Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, Test Method for, **E128 (14.04)**
Measurement of Metals in Workplace Atmospheres by Flame Atomic Absorption Spectrophotometry, Practice for, **D4185 (11.07)**
Measuring Abrasion Using the Dry Sand/Rubber Wheel Apparatus, Test Method for, **G65 (03.02)**
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Microetching Metals and Alloys, Practice for, **E407 (03.01)**
Modified Salt Spray (Fog) Testing, Practice for, **G85 (03.02)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**
Pin-Type Bearing Test of Metallic Materials, Test Method for, **E238 (03.01)**
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**
Plastic Strain Ratio, Test Method for, **E517 (03.01)**
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**
Radiographic Examination, Practice for, **E1742/E1742M (03.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Radiographic Examination of Metallic Castings, Test Method for, **E1030 (03.03)**
Radioscopy, Guide for, **E1000 (03.03)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Rapid Indentation Hardness Testing of Metallic Materials, Practice for, **E103 (03.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Resonant Ultrasound Spectroscopy for Defect Detection in Both

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Silicon Metal, Specification for, **A922 (01.02)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Tensile Strain-Hardening Exponents (n -Values) of Metallic Sheet Materials, Test Method for, **E646 (03.01)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Total Hemispherical Emittance of Surfaces up to 1400°C, Test Method for, **C835 (04.06)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**
Wear and Erosion, Terminology Relating to, **G40 (03.02)**

Metals and metallic materials—chemical analysis
See **Chemical analysis—metals/alloys**

Metals and metallic materials—corrosion
See **Corrosion**

Metals and metallic materials—electrical/electronic applications
See **Metal electronic components/devices**

Metals and metallic materials—fire/heat testing
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**

Metals and metallic materials—inclusion rating
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**

Metals and metallic materials—irradiation
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, Test Method for, **C1517 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**

Metals and metallic materials—paint applications
Determination of Chromium Treatment Weight on Metal Substrates by X-Ray Fluorescence, Practice for, **D5723 (06.02)**
Determining Extractability of Metals from Art Materials, Test Method for, **D5517 (06.02)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**

Metals and metallic materials—resource recovery
Sa **Resource recovery**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**

Metals and metallic materials—ultrasound
See **Ultrasonic testing**

Metals content
Collection of Surface Dust by Micro-vacuum Sampling for Subsequent Metals Determination, Practice for, **D7144 (11.07)**
Determination of Metals in Lubricating Greases by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D7303 (05.04)**

Metal-screen heater apparatus
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**

Metals (for surgical implants)
Sa **Orthopaedic medical devices—specifications**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**

Metals (for surgical implants)—cobalt alloys
See **Cobalt alloys (for surgical implants)—specifications**

Metals (for surgical implants)—stainless steel
See **Stainless steel surgical applications—specifications**

Metals (for surgical implants)—titanium alloys
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**
Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), Specification for, **F67 (13.01)**
Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), Specification for, **F1813 (13.01)**
Wrought Titanium-15 Molybdenum Alloy for Surgical Implant Applications (UNS R58150), Specification for, **F2066 (13.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), Specification for, **F136 (13.01)**

Metals free steam deactivation
Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, Guide for, **D4463/D4463M (05.05)**

Metals grade identification/verification/sorting
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**

Metal shear plates
258-in. and 4-in. Diameter Metal Shear Plates for Use in Wood Constructions, Specification for, **D5933 (04.10)**

Metal-sheathed thermocouples (specifications)
Sa **Thermocouples—specifications**
Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, Specification for, **E585/E585M (14.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Compacted Mineral-Insulated, Metal-Sheathed, Noble Metal Thermocouples and Thermocouple Cable, Specification for, **E2181/E2181M (14.03)**
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Mineral-Insulated, Metal-Sheathed Base Metal Thermocouples, Specification for, **E608/E608M (14.03)**

Metal-sheathed thermometers (specifications)
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**

Metals ignition
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**

Metals measurement
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**

Metal sorting
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**

Metal springs
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**

Metal-surfaced hot plate apparatus
See **Thermal transmission properties**

Metal surfaces
Adhesion of Gasket Materials to Metal Surfaces, Test Method for, **F607 (09.02)**
Filiform Corrosion Resistance of Organic Coatings on Metal, Guide for Testing, **D2803 (06.01)**
Strategies for Surface Sampling of Metals and Metalloids for Worker Protection, Guide for, **D7659 (11.07)**
Total Hemispherical Emittance of Surfaces up to 1400°C, Test Method for, **C835 (04.06)**

Metal surfaces—specifications
258-in. and 4-in. Diameter Metal Shear Plates for Use in Wood Constructions, Specification for, **D5933 (04.10)**
Asphalt-Base Emulsions for Use as Protective Coatings for Metal, Specification for, **D1187/D1187M (04.04)**
Integrated Circuit Lead Frame Material, Specification for, **F375 (10.04)**

Metal testing
Spectrometric Analysis of Reactive and Refractory Metals, Guide for, **E2626 (03.05)**

Metal-to-glass seals
See **Seals—electronic applications (specifications)**

Metal-to-metal contact
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), Test Method for, **D1002 (15.06)**
Cleavage Strength of Metal-to-Metal Adhesive Bonds, Test Method for, **D1062 (15.06)**
Conducting Creep Tests of Metal-to-Metal Adhesives, Practice for, **D1780 (15.06)**
Creep Properties of Adhesives in Shear by Compression Loading (Metal-to-Metal), Test Method for, **D2293 (15.06)**
Creep Properties of Adhesives in Shear by Tension Loading (Metal-to-Metal), Test Method for, **D2294 (15.06)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), Test Method for, **D2295 (15.06)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**

Metal-to-metal peel strength
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**

Metal weight loss
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**

Metalworking fluids/related media
Sa **Heat treating fluids/oils**
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Comparing Metal Removal Fluids Using the Tapping Torque Test Machine, Test Method for, **D5619 (05.02)**
Determination of Endotoxin Concentrations in Water-Miscible Metalworking Fluids, Test Method for, **E2657 (11.03)**
Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, Test Method for, **E1687 (11.03)**
Enumeration of, Practice for, **E2564 (11.03)**
Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, Test Method for, **E1428 (11.05)**
Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**
Iron Chip Corrosion for Water–Miscible Metalworking Fluids, Test Method for, **D4627 (05.02)**
Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids, Test Method for, **E2694 (11.03)**
Metal Removal Fluid Aerosol in Workplace Atmospheres, Test Method for, **D7049 (11.07)**
Metalworking Fluids and Operations, Terminology for, **E2523 (11.03)**
Metalworking Fluids and Related Materials, Classification for, **D2881 (05.01)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
Prevention of Dermatitis in the Wet Metal Removal Fluid Environment, Practice for, **E2693 (11.03)**
Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**
Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, Guide for, **E2148 (11.03)**

Metamerism
Evaluation of Optical Properties of Powder Coatings, Guide to, **D5382 (06.02)**
Visual Evaluation of Metamerism, Practice for, **D4086 (06.01)**

Metaxylene
See *meta*-Xylene

Meteoric water mobility
Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, Test Method for, **E2242 (03.05)**

Meter bar materials
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**

100 Meter capillary high resolution gas chromatography
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**

Meteorological conditions/tests
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Determining Air Change in a Single Zone by Means of a Tracer

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gas Dilution, Test Method for, **E741 (04.11)**
Determining the Operational Comparability of Meteorological Measurements, Practice for, **D4430 (11.07)**
Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), Test Method for, **E337 (11.07)**
Measuring Surface Atmospheric Pressure, Test Methods for, **D3631 (11.07)**

Metering box heat loss
Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, Test Method for, **C1363 (04.06)**

Metering system
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Laboratory Standardization and Calibration of Hand-Held Moisture Meters, Test Method for, **D4444 (04.10)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**

Metering tube
Hard-Drawn Copper Capillary Tube for Restrictor Applications, Specification for, **B360 (02.01)**

Metering wall transducer output
Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, Test Method for, **C1363 (04.06)**

Methacrylate plastics
Sa **PMMA (poly(methyl methacrylate))—specifications**
Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, Test Method for, **D4864 (05.02)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Poly(Methyl Methacrylate) (PMMA) Molding and Extrusion Compounds, Classification System for, **D788 (08.01)**

Methamphetamine
Microcrystal Testing in Forensic Analysis of Methamphetamine and Amphetamine, Guide for, **E1969 (14.02)**

Methane—specifications
Methane Thermophysical Property Tables, Specification for, **D3956 (05.06)**

Methane (CH_4) equivalent
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**

Methane content
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**
Polyurethane Raw Materials: Determination of Unsaturation of Polyols, Test Methods for, **D4671 (08.02)**

Methanol extract
Volatile Loss From Plastics Using Activated Carbon Methods, Test Methods for, **D1203 (08.01)**

Methanolic sodium hydroxide solution
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**

Methanol (methyl alcohol)
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Determination of Methanol in Crude Oils by Multidimensional Gas Chromatography, Test Method for, **D7059 (05.04)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**
Determination of Residual Methanol in Glycerin by Gas Chromatography, Test Method for, **D7716 (15.05)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, Test Method for, **D4864 (05.02)**
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, Specification for, **D7618 (05.04)**
Fuel Methanol (M70-M85) for Automotive Spark-Ignition Engines, Specification for, **D5797 (05.02)**
Methanol (Methyl Alcohol), Specification for, **D1152 (06.04)**
Methanol Content of Formaldehyde Solutions, Test Method for, **D2380 (06.04)**
Methanol Extract of Vinyl Chloride Resins, Test Method for, **D2222 (08.01)**
Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, Test Method for, **E2664 (15.05)**
Methyl Tertiary-Butyl Ether (MTBE) for Downstream Blending for Use in Automotive Spark-Ignition Engine Fuel, Specification for, **D5983 (05.02)**
Permanganate Time of Acetone and Methanol, Test Method for, **D1363 (06.04)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Pyrolysis Solids Content in Pyrolysis Liquids by Filtration of Solids in Methanol, Test Method for, **D7579 (05.04)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Solution Color of Bisphenol A (4,4`-Isopropylidenediphenol), Test Method for, **D4789 (06.04)**

Methenamine pill test
Ignition Characteristics of Finished Textile Floor Covering Materials, Test Method for, **D2859 (04.07)**

Method detection limit
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**

Method detection limit (MDL)
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**

Methodology
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Methoxyethanol
2-Methoxyethanol, Specification for, **D3128 (06.04)**
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Methoxyl content
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Methoxyl groups
Methoxyl Groups in Wood and Related Materials, Test Method for, **D1166 (04.10)**
Methoxyl/hydroxypropyl substitution
Methoxyl and Hydroxypropyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D3876 (06.03)**
***p*-Methoxyphenol (MEHQ)**
Analysis of Acrylonitrile, Test Methods for, **E1178 (15.05)**
Methoxypropanol
Sa **Engine coolants/concentrates**
Propylene Glycol Monomethyl Ether, Specification for, **D4837 (06.04)**
Methyl acetate
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Acetone, Methyl Acetate, and Parachlorobenzotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, Test Method for, **D6438 (06.01)**
Methyl acrylate
Methyl Acrylate, Specification for, **D4709 (06.04)**
Methyl alcohol
Sa **Methanol (methyl alcohol)**
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Methylaminomethyl anthracene (MAMA) method
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, Test Method for, **D5932 (11.07)**
Determination of Gaseous Hexamethylene Diisocyanate (HDI) in Air with 9-(N-methylaminomethyl) Anthracene Method (MAMA) in the Workplace, Test Method for, **D6562 (11.07)**
Methyl amyl acetate
Methyl Amyl Acetate (95 % Grade), Specification for, **D2634 (06.04)**
Methyl amyl alcohol
See **Methyl isobutyl carbinol**
Methyl amyl ketone (MAK)
Purity of Methyl Amyl Ketone and Methyl Isoamyl Ketone by Gas Chromatography, Test Method for, **D3893 (06.04)**
Specification for Methyl n-Amyl Ketone, Specification for, **D4360 (06.04)**
Methylbenzene
See **Toluene**
Methylbenzofuran
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
Methyl-benzothiazolinone hydrazone hydrochloride (MBTH)
Aldehydes in Mono-, Di-, and Triethylene Glycol (Spectrophotometric Method), Test Method for, **E2313 (15.05)**
***n*-Methylcarbamates**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
***n*-Methylcarbamoyloximes**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Methylcellulose
See **Cellulose and cellulose derivatives**
Methyl chloroform
Reclaimed 1,1,1-Trichloroethane, Specification for, **D5394 (15.05)**
Vapor-Degreasing Grade and General Solvent Grade, Specification for, **D4126 (15.05)**
Methyl content
Methyl (Comonomer) Content in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6645 (08.03)**
Methylcyclohexane
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Methylene blue active substances (MBAS)
Sa **Alkylbenzene compounds**
Soaps and Other Detergents, Terminology Relating to, **D459 (15.04)**
Methylene blue index
Methylene Blue Index of Clay, Test Method for, **C837 (15.02)**
Methylene blue value
Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, Test Method for, **C1777 (04.02)**
Methylene chloride (MeCl)
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Reclaimed Methylene Chloride, Specification for, **D5395 (15.05)**
Technical Grade Methylene Chloride, Specification for, **D4701 (15.05)**
Vapor-Degreasing Grade Methylene Chloride, Specification for, **D4079 (15.05)**
Methylene diphenyldiisocyanate (MDI)
See **MDI (methylenediphenyldiisocyanate)**
Methylene-*bis*-(4-phenylisocyanate)
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**
Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, Test Methods for, **D4889 (08.02)**
Methyl esters
Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7398 (05.04)**
Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier Transform Infrared Spectroscopy – Rapid Screening Method, Test Method for, **D7797 (05.04)**
Determination of Total Monoglycerides, Total Diglycerides, Total Triglycerides, and Free and Total Glycerin in B-100 Biodiesel Methyl Esters by Gas Chromatography, Test Method for, **D6584 (05.03)**
Methyl ethyl carbinol
sec-Butyl Alcohol, Specification for, **D1007 (06.04)**
Methyl ethyl ketone (MEK)
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
Methyl Ethyl Ketone, Specification for, **D740 (06.04)**
Purity of Methyl Ethyl Ketone By Gas Chromatography, Test Method for, **D2804 (06.04)**
Methyl-furfural
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**
Methyl group content
Absorbance of Polyethylene Due to Methyl Groups, Test Methods for, **D2238 (08.01)**
Methyl iodide penetration test
Nuclear-Grade Activated Carbon, Test Method for, **D3803 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Methyl isoamyl ketone (MIAK)
Methyl Isoamyl Ketone, Specification for, **D2917 (06.04)**
Purity of Methyl Amyl Ketone and Methyl Isoamyl Ketone by Gas Chromatography, Test Method for, **D3893 (06.04)**
Methyl isobutyl carbinol
Methyl Isobutyl Carbinol, Specification for, **D2635 (06.04)**
Methyl isobutyl ketone (MIBK)
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Methyl Isobutyl Ketone, Specification for, **D1153 (06.04)**
Purity of Methyl Isobutyl Ketone by Gas Chromatography, Test Method for, **D3329 (06.04)**
Methyl mercaptan content
Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, Test Method for, **D7652 (05.06)**
Methyl methacrylate plastics
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Methyl-propanol
Isobutyl Alcohol, Specification for, **D1719 (06.04)**
Methylstyrene
Analysis of AMS (α-Methylstyrene) by Capillary Gas Chromatography, Test Method for, **D6144 (06.04)**
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
Colorimetric Determination of, Test Method for, **D4590 (06.04)**
Polymer Content of Styrene Monomer and AMS (α–Methylstyrene), Test Methods for, **D2121 (06.04)**
Methyl *tert*-butylether (MTBE)
See **MTBE (methyl *tert*-butylether)**
Metric dimensions
Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (Metric SDR-PR), Specification for, **F2806 (08.04)**
Determining Metric Dimensions of Standard Series Refractory Brick and Shapes, Practice for, **C861 (15.01)**
Dimensions of a Modular Series of Refractory Brick and Shapes, Practice for, **C909 (15.01)**
Selection of Wire and Cable Size in AWG or Metric Units, Practice for, **F1883 (01.07)**
Standard Metric Sizes of Electrical Conductors, Specification for, **B682 (02.03)**
Use of Metric Units of Measure for Reporting Properties of Refractory Materials (COMMITTEE C-8 SUPPLEMENT TO E 380), Practice for, **C899 (15.01)**
Metric practice—SI (International System of Units)
Sa **SI (International System of Units)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), Practice for, **F1332 (01.07)**
Metric units for maritime applications
Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), Practice for, **F1332 (01.07)**
Metallizing of ceramics
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**
Mettler method
Softening Point of Asphalt and Pitch (Mettler Cup-and-Ball Method), Test Method for, **D3461 (05.01)**
Softening Point of Pitches (Mettler Softening Point Method), Test Method for, **D3104 (05.01)**
Softening Point Resins (Mettler Cup and Ball Method), Test Method for, **D6090 (06.03)**
1MeV equivalent fluence
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Meyer-Overton toxicity
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**
MFFT (minimum film formation temperature)
Minimum Film Formation Temperature (MFFT) of Emulsion Vehicles, Test Method for, **D2354 (06.03)**
M-grade steel bars
Steel Bars, Carbon, Merchant Quality, M-Grades, Specification for, **A575 (01.05)**
Mica
Dissipation Factor and Permittivity (Dielectric Constant) of Mica, Test Method for, **D1082 (10.01)**
Glass-Bonded Mica Used as Electrical Insulation, Test Methods for, **D1039 (10.01)**
Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors, Specification for, **D748 (10.01)**
Natural Muscovite Block Mica and Thins Based on Visual Quality, Classification for, **D351 (10.01)**
Natural Muscovite Mica Splittings, Classification for, **D2131 (10.01)**
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Sampling and Testing Untreated Mica Paper Used for Electrical Insulation, Methods for, **D1677 (10.01)**
Mica paper
Sa **Electronic materials/applications**
Sampling and Testing Untreated Mica Paper Used for Electrical Insulation, Methods for, **D1677 (10.01)**
Mica pigment
Evaluating Mica Pigment, Test Methods for, **D716 (06.03)**
Wet Ground Mica Pigments, Specification for, **D607 (06.03)**
Mice
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Evaluating Material Extracts by Systemic Injection in the Mouse, Practice for, **F750 (13.01)**
Evaluation of Delayed Contact Hypersensitivity Using the Murine Local Lymph Node Assay (LLNA), Practice for, **F2148 (13.01)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Subcutaneous Screening Test for Implant Materials, Practice for, **F1408 (13.01)**
Michel-Lévy chart
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**
Michelson interferometer
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
MICR (magnetic ink character recognition)
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Microactivity test
Determining Activity and Selectivity of Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, Test Method for, **D5154 (05.05)**
Testing Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, Test Method for, **D3907/D3907M (05.05)**
Microalgae
Conducting Sexual Reproduction Tests with Seaweeds, Guide for, **E1498 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**

Microalloy steel—specifications
Sa **Steel forgings**
Heat-Treated Carbon Steel Joint Bars, Microalloyed Joint Bars, and Forged Carbon Steel Compromise Joint Bars, Specification for, **A49 (01.04)**
Steel Bars, Microalloy, Hot-Wrought, Special Quality, for Subsequent Hot Forging, Specification for, **A921/A921M (01.05)**
Steel Bars, Microalloy, Hot-Wrought, Special Quality, Mechanical Properties, Specification for, **A920/A920M (01.05)**
Steel Forgings, Microalloy, for General Industrial Use, Specification for, **A909/A909M (01.05)**

Microbial contamination
Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids, Test Method for, **E2694 (11.03)**
Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, Test Method for, **D7687 (05.04)**
Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**
Using Aerosol Filtration for Measuring the Performance of Porous Packaging Materials as a Surrogate Microbial Barrier, Test Method for, **F2638 (15.10)**

Microbial environments
Assessment of Antimicrobial Activity Using a Time-Kill Procedure, Guide for, **E2315 (11.05)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determining Aerobic Biodegradation of Plastic Materials in the Marine Environment by a Defined Microbial Consortium or Natural Sea Water Inoculum, Test Method for, **D6691 (08.03)**
Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, Practice for, **D5465 (11.02)**
Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environmental Chambers, Guide for, **D6329 (11.07)**
Evaluation of Inactivators of Antimicrobial Agents, Test Methods for, **E1054 (11.05)**
Microbial Contamination in Fuels and Fuel Systems, Guide for, **D6469 (05.03)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**

Microbicides
Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**
Evaluation of Antimicrobial Agents as Preservatives for Invert Emulsion and Other Water Containing Hydraulic Fluids, Practice for, **E979 (11.05)**
Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**

Microbiological examination
Sa **Bacteria/bacterial control**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Characterization of, Practice for, **E2800 (15.08)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, Practice for, **E1536 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, Practice for, **E1531 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, Practice for, **E1532 (14.02)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environmental Chambers, Guide for, **D6329 (11.07)**
Evaluating Microbial Susceptibility of Nonmetallic Materials By Laboratory Soil Burial, Practice for, **G160 (14.04)**
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**
Evaluation of Antimicrobial Handwash Formulations by Utilizing Fingernail Regions, Test Method for, **E1327 (11.05)**
Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, Practice for, **E1259 (11.05)**
Evaluation of Microbicides Used in Cooling Water Systems, Practice for, **E645 (11.05)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Indirect Detection of Mycoplasma in Cell Culture by 4`-6-Diamidino-2-2 Phenylindole (DAPI) Staining, Practice for, **E1533 (14.02)**
Interlaboratory Studies for Microbiological Test Methods, Guide for, **D7847 (05.04)**
Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, Practice for, **D7464 (05.04)**
Microbial Contamination in Fuels and Fuel Systems, Guide for, **D6469 (05.03)**
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
Minimizing Effects of Aerosols in the Wet Metal Removal Environment, Practice for, **E1972 (11.03)**
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Microbiological examination—paints/related coatings
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, Practice for, **D3456 (06.01)**
Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, Guide for, **D4610 (06.01)**
Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, Test Method for, **D3274 (06.01)**
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Microbiological stability
Evaluation of Aqueous Polymer Quenchants, Guide for, **D6666 (05.03)**

Microbiological water quality
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Cleaning Laboratory Glassware, Plasticware, and Equipment

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Used in Microbiological Analyses, Practice for, **D5245 (11.02)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Documenting the Standard Operating Procedures Used for the Analysis of Water, Guide for, **D5172 (11.01)**
Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, Practice for, **E1259 (11.05)**
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, Practice for, **D4025 (11.02)**
Retention Characteristics of 0.2-μm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, Test Method for, **D3862 (11.01)**
Retention Characteristics of 0.40 to 0.45-μm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, Test Method for, **D3863 (11.02)**

Micro-burets
Sa **Burets (laboratory)—specifications**
Micro-Burets (Koch Style), Specification for, **E1189 (14.04)**

Micro-carbon residue
Determination of Carbon Residue (Micro Method), Test Method for, **D4530 (05.02)**

Microcellular shoe soling material
Urethane Microcellular Shoe Soling Materials, Specification for, **D3851 (08.02)**

Microcellular urethanes
Sa **Urethanes—microcellular**
Microcellular Urethane Materials, Test Methods for, **D3489 (08.02)**

Microchemical laboratory apparatus—specifications
Sa **Laboratory apparatus—specifications**
Apparatus for Microdetermination of Alkoxyl Groups, Specification for, **E236 (14.04)**
Apparatus For Microdetermination of Carbon and, Specification for, **E191 (14.04)**
Apparatus for Microdetermination of Nitrogen by Kjeldahl Method, Specification for, **E147 (14.04)**
Glass and Oxygen Combustion Flask, Specification for, **E205 (14.04)**
Laboratory Glass Microvolumetric Vessels (Volumetric Flasks and Centrifuge Tubes), Specification for, **E237 (14.04)**
Weighing and Drying Apparatus for Microchemical Analysis, Specification for, **E124 (14.04)**

Microchemistry
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**

Microcircuits
Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**

Micro COD testing
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**

Microcosm test
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**

Microcoulometry
Sa **Coulometry—microcoulometry**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D7457 (06.04)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**

Microcracks
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**

Microcrystalline wax
Sa **Petroleum wax**
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**

Microcrystal testing
Microcrystal Testing in Forensic Analysis of Cocaine, Guide for, **E1968 (14.02)**
Microcrystal Testing in Forensic Analysis of Methamphetamine and Amphetamine, Guide for, **E1969 (14.02)**
Microcrystal Testing in Forensic Analysis of Phencyclidine and Its Analogues, Guide for, **E2125 (14.02)**

Micro-Deval apparatus
Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D6928 (04.03)**
Resistance of Fine Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D7428 (04.03)**

Microdiffusion process
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**

Microelectromechanical systems (MEMS)
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Measurements Taken on Thin, Reflecting Films, Terminology Relating to, **E2444 (03.01)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**

Microelectronic device processing—water
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
Reagent Water, Specification for, **D1193 (11.01)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**

Microelectronic devices
Sa **Electronic encapsulants**
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**

Microencapsulated cells
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**

Microetching
Microetching Metals and Alloys, Practice for, **E407 (03.01)**

Microextraction
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**
Acetone, Methyl Acetate, and Parachlorobenzotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, Test Method for, **D6438 (06.01)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, Test Method for, **D5175 (11.02)**
the Solid Phase Micro Extraction (SPME) of Water and its Headspace for the Analysis of Volatile and Semi-Volatile Organic Compounds, Practice for, **D6520 (11.02)**

Microfiltration (MF)
Sa **Membrane filters (MF)**
Pressure Driven Membrane Separation Element/Bundle Evaluation, Practice for, **D7601 (11.02)**
Recordkeeping Microfiltration and Ultrafiltration Systems, Guide for, **D7285 (11.02)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Micro focus x-ray tubes
Measurement of the Effective Focal Spot Size of Mini and Micro Focus X-ray Tubes, Test Method for, **E2903 (03.03)**

Micrographs
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**

Microhematocrit procedures
Disposable Glass Blood Sample Capillary Tube (Microhematocrit), Specification for, **E734 (14.04)**

Microindentation hardness method
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Microindentation Hardness of Powder Metallurgy (PM) Materials, Test Method for, **B933 (02.05)**

Micro-isotherm technique
Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations, Practice for, **D5919 (15.01)**

Micrometer bend test
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

Micrometer measurement
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Lamination Factor of Amorphous Magnetic Strip, Test Method for, **A900/A900M (03.04)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Physical Dimensions of Solid Plastics Specimens, Test Methods for, **D5947 (08.03)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Thickness Measurement of Flexible Packaging Material, Test Method for, **F2251 (15.10)**
Using Hand Micrometers to Measure the Thickness of Nonmetallic and Metallic-Coated Steel Sheet, Practice for, **A1073/A1073M (01.06)**

Micromotion
Calibration of Linear Displacement Sensor Systems Used to Measure Micromotion, Practice for, **F2537 (13.02)**

Micronaire reading
Micronaire Reading of Cotton Fibers, Test Method for, **D1448 (07.01)**
Resistance to Airflow as an Indication of Average Fiber Diameter of Wool Top, Card Sliver, and Scoured Wool, Test Method for, **D1282 (07.01)**

Micronucleus assay
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**

Microorganisms
Adenosine Triphosphate (ATP) Content of Microorganisms in Fuel, Fuel/Water Mixtures and Fuel Associated Water, Test Method for, **D7463 (05.04)**
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Confirming the Sterility of Membrane Filters, Test Method for, **D4196 (11.02)**
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environmental Chambers, Guide for, **D6329 (11.07)**
Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, Test Methods for, **D4198 (11.02)**
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**
Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**
Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, Practice for, **E1259 (11.05)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Irradiation of Pre-packaged Processed Meat and Poultry Products to Control Pathogens and Other Microorganisms, Guide for, **E2449 (12.02)**
Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids, Test Method for, **E2694 (11.03)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Preservatives in Water-Containing Cosmetics, Test Method for, **E640 (11.05)**
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**
Sampling Airborne Microorganisms at Municipal Solid-Waste

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Processing Facilities, Practice for, **E884 (11.04)**
Microphones
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis System, Test Method for, **E1050 (04.06)**
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**
Micropipets
Laboratory Glass Micropipets, Specification for, **E193 (14.04)**
Micropore volume
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**
Determining Micropore Volume and Zeolite Area of a Catalyst, Test Method for, **D4365 (05.05)**
Microporous thermal insulation
Microporous Thermal Insulation, Specification for, **C1676 (04.06)**
Micro powder
Low Molecular Weight PTFE and FEP Micronized Powders, Classification for, **D5675 (08.03)**
Micro-pressure transducer
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Microprojection
Cashmere Coarse-Hair Content in Cashmere, Test Method for, **D2816 (07.01)**
Counting Partial Cleavages in Wool and Other Animal Fibers, Test Method for, **D4510 (07.02)**
Diameter of Wool and Other Animal Fibers by Microprojection, Test Method for, **D2130 (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Med and Kemp Fibers in Wool and Other Animal Fibers by Microprojection, Test Method for, **D2968 (07.01)**
Microroughness
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Microsampling
Identification of Polymer Layers or Inclusions by Fourier Transform Infrared Microspectroscopy (FT-IR), Practice for, **D5477 (08.03)**
Microscopical infrared analysis
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
Microscopic examination
Alkali Resistance of Ceramic Decorations on Returnable Beverage Glass Containers, Test Method for, **C675 (15.02)**
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Carbon Black—Dispersion in Rubber, Test Methods for, **D2663 (09.01)**
Cover Glasses and Glass Slides for Use in Microscopy, Specification for, **E211 (14.04)**
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Fractography and Characterization of Fracture Origins in Advanced Ceramics, Practice for, **C1322 (15.01)**
Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, Test Method for, **D4898 (05.02)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Melting Point of Waxes, Test Method for, **F766/F766M (15.09)**
Microscope Objective Thread, Specification for, **E210 (14.04)**
Microscopic Characterization of Particles from In-Service Lubricants, Guide for, **D7684 (05.04)**
Microscopic Characterization of Particles from In-Service Lubricants by Analytical Ferrography, Practice for, **D7690 (05.04)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Microscopy, Terminology of, **E175 (03.01)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Wear Layer Thickness of Resilient Floor Coverings by Optical Measurement, Test Method for, **F410 (15.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Microscopic examination—advanced ceramics
Knoop Indentation Hardness of Advanced Ceramics, Test Method for, **C1326 (15.01)**
Vickers Indentation Hardness of Advanced Ceramics, Test Method for, **C1327 (15.01)**
Microscopic examination—aerospace materials
Microscopical Sizing and Counting Particles from Aerospace Fluids on Membrane Filters, Test Methods for, **F312 (15.03)**
Microscopic examination—atmospheric
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Microscopic examination—cemented carbides
Apparent Porosity in Cemented Carbides, Test Method for, **B276 (02.05)**
Metallographic Identification of Microstructure in Cemented Carbides, Guide for, **B657 (02.05)**
Microscopic examination—coal
Microscopical Determination of the Maceral Composition of Coal, Test Method for, **D2799 (05.06)**
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
Polishing and Etching Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D5671 (05.06)**
Preparing Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D2797/D2797M (05.06)**
Microscopic examination—coke
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**
Preparing Coke Samples for Microscopical Analysis by Reflected Light, Practice for, **D3997/D3997M (05.06)**
Microscopic examination—concrete
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Petrographic Examination of Hardened Concrete, Practice for, **C856 (04.02)**

Microscopic examination—electronic materials
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Sizing and Counting Airborne Particulate Contamination in Cleanrooms and Other Dust-Controlled Areas, Test Method for, **F25/F25M (15.03)**

Microscopic examination—metallic/inorganic coatings
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section, Test Method for, **B487 (02.05)**
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Thickness of Diffusion Coating, Test Methods for, **C664 (02.05)**

Microscopic examination—metals/alloys
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**
Examination and Evaluation of Pitting Corrosion, Guide for, **G46 (03.02)**
Measuring and Reporting Probe Tip Shape in Scanning Probe Microscopy, Practice for, **E1813 (03.06)**
Microetching Metals and Alloys, Practice for, **E407 (03.01)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Microscopic examination—paints/related coatings
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**

Microscopic examination—paper materials/applications
Determination of Fusion Temperature of Dry Electrostatic Heat-Fixing Toners, Practice for, **F706 (15.09)**

Microscopic examination—plastics
Index of Refraction of Transparent Organic Plastics, Test Method for, **D542 (08.01)**

Microscopic examination—textiles
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Maturity of Cotton Fibers (Sodium Hydroxide Swelling and Polarized Light Procedures), Test Method for, **D1442 (07.01)**
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**

Microscopic examination—water
Analysis of Phytoplankton in Surface Water by the Sedgwick-Rafter Method, Test Method for, **D4148 (11.02)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Enumeration of Aquatic Bacteria by Epifluorescence Microscopy Counting Procedure, Test Method for, **D4455 (11.02)**
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**
Iron Bacteria in Water and Water-Formed Deposits, Test Method for, **D932 (11.02)**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Simultaneous Enumeration of Total and Respiring Bacteria in Aquatic Systems by Microscopy, Test Method for, **D4454 (11.02)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**

Microsection scanning
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**

Microseismic activity
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**

Microsep
See **Separometer test**

Micro-Separometer Mark V model
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**

Microspectrophotometry
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Microspectrophotometry and Color Measurement in Forensic Paint Analysis, Guide for, **E2808 (14.02)**

Microstructures
Sa **Structural analysis/applications**
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Detecting mu-phase in Wrought Nickel-Rich, Chromium, Molybdenum-Bearing Alloys, Practice for, **G209 (03.02)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique, Test Method for, **C1332 (15.01)**
Metallographic Identification of Microstructure in Cemented Carbides, Guide for, **B657 (02.05)**
Microetching Metals and Alloys, Practice for, **E407 (03.01)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Preparation of Plastics and Polymeric Specimens for Microstructural Examination, Guide for, **E2015 (03.01)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), Test Method for, **B930 (02.05)**
Steel Casting, Austenitic Alloy, Estimating Ferrite Content Thereof, Practice for, **A800/A800M (01.02)**
Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, Practice for, **A799/A799M (01.02)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**

Micro-surfacing
Design, Testing, and Construction of Micro-Surfacing, Practice for, **D6372 (04.03)**

Microtensile specimens
Tensile Properties of Plastics by Use of Microtensile Specimens, Test Method for, **D1708 (08.01)**

Microvacuum sampling
Collection of Surface Dust by Micro-vacuum Sampling for Subsequent Metals Determination, Practice for, **D7144 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**

Microwave circuitry
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**

Microwave communication
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**

Microwave digestion
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis, Practice for, **E1645 (04.11)**
the Determination of Technetium-99 in Soil, Guide for, **C1387 (12.01)**

Microwave dissolution
Preparation and Dissolution of Uranium Materials for Analysis, Practice for, **C1347 (12.01)**

Microwave extraction
Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis, Practice for, **E1645 (04.11)**

Microwave frequencies
Complex Dielectric Constant of Nonmetallic Magnetic Materials at Microwave Frequencies, Test Method for, **A893/A893M (03.04)**
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Coaxial Air Line, Test Method for, **D7449/D7449M (10.02)**
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**
Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, Test Method for, **A894/A894M (03.04)**

Microwave furnace method
Carbon Black—Ash Content, Test Methods for, **D1506 (09.01)**

Microwave ovens/procedures
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Calibration of Microwave Ovens, Test Method for, **F1317 (15.10)**
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Determination of Microwave Safe for Reheating for Ceramicware, Test Method for, **C1607 (15.02)**
Determination of Moisture Content of Particulate Wood Fuels Using a Microwave Oven, Test Method for, **E1358 (05.06)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, Practice for, **D5166 (06.03)**
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
Temperature Measurement and Profiling for Microwave Susceptors, Test Method for, **F874 (15.10)**

Microwave ovens/procedures—specifications
Ovens, Microwave, Electric, Specification for, **F1360 (15.12)**

Microwave procedures
Sample Decomposition Using Microwave Heating (With or Without Prior Ashing) for Atomic Spectroscopic Elemental Determination in Petroleum Products and Lubricants, Practice for, **D7876 (05.04)**

Microwave susceptors
Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, Test Method for, **F1349 (15.10)**
Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**

Micro X-ray fluorescence spectrometry
Forensic Comparison of Glass Using Micro X-ray Fluorescence (μ-XRF) Spectrometry, Test Method for, **E2926 (14.02)**

Middle distillate fuels
Sa **Distillate fuels**
Determination of Fuel Filter Blocking Potential of Biodiesel (B100) Blend Stock by Cold Soak Filtration Test (CSFT), Test Method for, **D7501 (05.04)**
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Determination of Static Dissipater Additives (SDA) in Aviation Turbine Fuel and Middle Distillate Fuels—High Perfor-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

mance Liquid Chromatograph (HPLC) Method, Test Method for, **D7524 (05.04)**
Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7111 (05.04)**
Determining Filterability of Middle Distillate Fuel Oils, Test Method for, **D6426 (05.03)**
Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, Test Method for, **D7110 (05.04)**
High Temperature Stability of Middle Distillate Fuels, Test Method for, **D6468 (05.03)**
Hydrocarbon Types in Middle Distillates by Mass Spectrometry, Test Method for, **D2425 (05.01)**
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Hydrogen Content of Middle Distillate Petroleum Products by Low-Resolution Pulsed Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D7171 (05.04)**
Oxidation Stability of Biodiesel (B100) and Blends of Biodiesel with Middle Distillate Petroleum Fuel (Accelerated Method), Test Method for, **D7462 (05.04)**
Oxidation Stability of Middle Distillate Fuels—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7545 (05.04)**
Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, Test Method for, **D6217 (05.03)**
Sizing and Counting Particles in Light and Middle Distillate Fuels, by Automatic Particle Counter, Test Method for, **D7619 (05.04)**

Middle distillate fuel storage stability
Assessing Middle Distillate Fuel Storage Stability by Oxygen Overpressure, Test Method for, **D5304 (05.02)**

Mid-infrared (MIR) analysis
Determination of the Fatty Acid Methyl Ester (FAME) Content of a Blend of Biodiesel and Petroleum-Based Diesel Fuel Oil Using Mid-Infrared Spectroscopy, Test Method for, **D7806 (05.04)**
Establishing Spectrophotometer Performance Tests, Guide for, **E1866 (03.06)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**

Mie scattering
Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, Test Method for, **B822 (02.05)**

Migrant polymer systems
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**

Migration
Determination of Resistance of Leather to (Bleeding) Color Stain Transfer, Test Method for, **D6012 (15.04)**
Measurement of Plasticizer Migration From Vinyl Fabrics to Lacquers, Test Method for, **D2199 (06.02)**
Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, Test Method for, **F1349 (15.10)**

Migration stain
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**

Miniature specimen testing
Small Punch Testing of Ultra-High Molecular Weight Polyethylene Used in Surgical Implants, Test Method for, **F2183 (13.01)**

Mildew/mildew protection
Sa **Fungal influence/resistance**
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**
Zinc Oxide Pigments, Specification for, **D79 (06.03)**

Mild steel
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**

Military applications
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**

Military deployment/installations
Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities, Classification of, **D5746 (11.05)**

Milk shakes
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**

Milk testing
Pipets, Milk and Cream Examination, Specification for, **E1043 (14.04)**

Mill annealed alloys
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**

Mill edge
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

Miller number
Determination of Slurry Abrasivity (Miller Number) and Slurry Abrasion Response of Materials (SAR Number), Test Method for, **G75 (03.02)**

Milliequivalency
Acid and Base Milliequivalent Content of Electrocoat Bath, Test Methods for, **D4370 (06.01)**

Millimeter-wave
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

Milling processes
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Water Used in Milling of Porcelain Enamel, Classification of, **C375 (02.05)**

Mill products
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**

Mill scale
Sa **Descaling**
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**

Mill tailings
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**

Milori blue
See **Iron blue pigment**

MIL-STD-105
Factors and Procedures for Applying the MIL-STD-105 Plans in Life and Reliability Inspection, Practice for, **E2555 (14.02)**

Mimeo paper
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

MIM (metal injected molded) applications
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Metal Injection Molding (MIM) Ferrous Materials, Specification for, **B883 (02.05)**
Microindentation Hardness of Powder Metallurgy (PM) Materials, Test Method for, **B933 (02.05)**
Steam Treatment of Ferrous Powder Metallurgy (PM) Materials, Guide for, **B935 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mineral acid dissolution
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Mineral-acid-insoluble matter
Acid-Insoluble Content of Copper and Iron Powders, Test Method for, **E194 (02.05)**
Mineral acids
Determination of Uranium in Mineral Acids by X-Ray Fluorescence, Test Method for, **C1254 (12.01)**
Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, Test Method for, **C1370 (04.05)**
Mineral admixtures
Silica Fume Used in Cementitious Mixtures, Specification for, **C1240 (04.02)**
Mineral aggregate
Sa **Aggregate**
Clay Lumps and Friable Particles in Aggregates, Test Method for, **C142/C142M (04.02)**
Constituents of Concrete Aggregates, Descriptive Nomenclature for, **C294 (04.02)**
Hardness of Mineral Aggregate Used on Built-Up Roofs, Test Method for, **D1865/D1865M (04.04)**
Materials Finer than 75-μm (No. 200) Sieve in Mineral Aggregates by Washing, Test Method for, **C117 (04.02)**
Mineral Aggregate Used on Built-Up Roofs, Specification for, **D1863/D1863M (04.04)**
Moisture in Mineral Aggregate Used on Built-Up Roofs, Test Method for, **D1864/D1864M (04.04)**
Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, Test Method for, **D6928 (04.03)**
Mineral aggregate—specifications
Aggregate for Job-Mixed Portland Cement-Based Plasters, Specification for, **C897 (04.01)**
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Mineral amendment
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**
Mineral-asphalt mixtures
Sieve Analysis of Granular Mineral Surfacing For Asphalt Roofing Products, Test Method for, **D451/D451M (04.04)**
Sieve Analysis of Surfacing for Asphalt Roofing Products, Test Method for, **D452/D452M (04.04)**
Mineral brown
See **Iron oxide pigments—brown (natural/synthetic)**
Mineral calcining process
Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, Test Method for, **D6735 (11.07)**
Mineral colloid coal tar
Application of Emulsified Coal-Tar Pitch (Mineral Colloid Type), Practice for, **D3423/D3423M (04.04)**
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Emulsified Refined Coal Tar (Mineral Colloid Type), Specification for, **D5727/D5727M (04.04)**
Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade), Specification for, **D6946/D6946M (04.04)**
Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade), Specification for, **D6945/D6945M (04.04)**
Mineral conversion
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Mineral exploration
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**
Mineral fats
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Mineral fiber insulation
Sa **Blanket thermal insulation**
Sa **Block and board thermal insulation**
Sa **Loose-fill thermal insulation**
Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, Test Methods for, **C1101/C1101M (04.06)**
Conditioning of Thermal Insulating Materials, Practice for, **C870 (04.06)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Determination of Installed Thickness of Pneumatically Applied Loose-Fill Building Insulation, Test Method for, **C1374 (04.06)**
Determination of the Thermal Resistance of Low-Density Blanket-Type Mineral Fiber Insulation, Guide for, **C653 (04.06)**
Determining Blown Density of Pneumatically Applied Loose-Fill Mineral Fiber Thermal Insulation, Guide for, **C1574 (04.06)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Installation of Cellulosic and Mineral Fiber Loose-Fill Thermal Insulation, Practice for, **C1015 (04.06)**
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**
Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, Test Method for, **C1335 (04.06)**
Parting Strength of Mineral Fiber Batt- and Blanket-Type Insulation, Test Method for, **C686 (04.06)**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**
Mineral fiber insulation—specifications
Expanded or Exfoliated Vermiculite Thermal Insulating Cement, Specification for, **C196 (04.06)**
Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type), Specification for, **C592 (04.06)**
Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications, Specification for, **C553 (04.06)**
Mineral Fiber Hydraulic-Setting Thermal Insulating and Finishing Cement, Specification for, **C449 (04.06)**
Mineral Fiber Loose-Fill Thermal Insulation, Specification for, **C764 (04.06)**
Mineral Fiber Pipe Insulation, Specification for, **C547 (04.06)**
Mineral Fiber Thermal Insulating Cement, Specification for, **C195 (04.06)**
Mineral Wool Roof Insulation Board, Specification for, **C726 (04.06)**
Perpendicularly Oriented Mineral Fiber Roll and Sheet Thermal Insulation for Pipes and Tanks, Specification for, **C1393 (04.06)**
Spray-Applied Mineral Fiber Thermal and Sound Absorbing Insulation, Specification for, **C1014 (04.06)**
Mineral fiber siding
Sa **Asbestos-cement**
Semidense Mineral Fiber Siding, Specification for, **C725 (04.05)**
Mineral filler
Ash Content in Plastics, Test Method for, **D5630 (08.03)**
Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, Test Method for, **C1777 (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mineral filler content
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Mineral filler (for paving mixtures)
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Mineral Filler For Bituminous Paving Mixtures, Specification for, **D242/D242M (04.03)**
Sieve Analysis of Mineral Filler for Bituminous Paving Mixtures, Test Method for, **D546 (04.03)**
Mineral-insulated, metal-sheathed (MIMS) cable
Compacted Mineral-Insulated, Metal-Sheathed Cable Used in Industrial Resistance Thermometers, Specification for, **E2821 (14.03)**
Mineral insulated cable
Compacted Mineral-Insulated, Metal-Sheathed Cable Used in Industrial Resistance Thermometers, Specification for, **E2821 (14.03)**
Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, Specification for, **E585/E585M (14.03)**
Compacted Mineral-Insulated, Metal-Sheathed, Noble Metal Thermocouples and Thermocouple Cable, Specification for, **E2181/E2181M (14.03)**
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**
Mineral-insulated thermocouples
Mineral-Insulated, Metal-Sheathed Base Metal Thermocouples, Specification for, **E608/E608M (14.03)**
Mineral insulating oil
Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, Test Method for, **D6802 (10.03)**
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**
Oxidation Stability of Mineral Insulating Oil, Test Method for, **D2440 (10.03)**
Particle Count in Mineral Insulating Oil Using Automatic Optical Particle Counters, Test Method for, **D6786 (10.03)**
Mineral insulating oil—specifications
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**
Mineral Insulating Oil Used in Electrical Apparatus, Specification for, **D3487 (10.03)**
Mineralization
Determining Aerobic Biodegradation of Plastic Materials in Soil, Test Method for, **D5988 (08.03)**
Mineral oils
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**
Carbonizable Substances in White Mineral Oil, Test Method for, **D565 (05.01)**
Detecting Glycol-Base Antifreeze in Used Lubricating Oils, Test Methods for, **D2982 (05.01)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Evaluation of White Mineral Oils by Ultraviolet Absorption, Test Method for, **D2269 (05.01)**
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Mineral and Synthetic Lubricating Oil Used in Steam or Gas Turbines, Specification for, **D4304 (05.02)**
Oxidation Characteristics of Extreme-Pressure Lubrication Oils, Test Methods for, **D2893 (05.01)**
Oxidation Characteristics of Inhibited Mineral Oils, Test Method for, **D943 (05.01)**
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water, Test Method for, **D665 (05.01)**
Ultraviolet Absorbance and Absorptivity of Petroleum Products, Test Method for, **D2008 (05.01)**
Universal Oxidation Test for Hydraulic and Turbine Oils Using the Universal Oxidation Test Apparatus, Test Method for, **D5846 (05.02)**
Mineral oils—specifications
Mineral Hydraulic Oils, Specification for, **D6158 (05.03)**
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
Mineral reinforced plastics
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**
Minerals
Constituents of Aggregates for Radiation-Shielding Concrete, Descriptive Nomenclature of, **C638 (04.02)**
Constituents of Concrete Aggregates, Descriptive Nomenclature for, **C294 (04.02)**
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Mineral salts agar (MSA)
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Mineral spirits
Aromatics in Mineral Spirits by Gas Chromatography, Test Methods for, **D3257 (06.04)**
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**
Mineral stabilizers
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Mineral Stabilizer Content of Prefabricated Bituminous Geomembranes (BGM), Test Method for, **D7274 (04.13)**
Mineral-surfaced asphalt plank
Asphalt Plank, Specification for, **D517 (04.03)**
Mineral-surfaced roofing
Sa **Roofing materials/applications—specifications**
Granule Adhesion to Mineral Surfaced Roofing by Abrasion, Test Method for, **D4977/D4977M (04.04)**
Granule Cover of Mineral Surfaced Roofing, Test Method for, **D6225/D6225M (04.04)**
Mineral-surfaced roofing—specifications
Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules, Specification for, **D3909/D3909M (04.04)**
Asphalt Roll Roofing (Organic Felt), Specification for, **D6380/D6380M (04.04)**
Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules, Specification for, **D3462/D3462M (04.04)**
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**
Class A Asphalt Shingles Surfaced with Mineral Granules, Specification for, **D3018/D3018M (04.04)**
Mine rock
Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, Test Method for, **E2242 (03.05)**
Recovery of Aqueous Cyanides by Extraction from Mine Rock and Soil, Guide for, **D7572 (11.02)**
Mines
Collection of Channel Samples of Coal in a Mine, Practice for, **D4596 (05.06)**
Geospatial Data for Representing Coal Mining Features, Practice for, **D7780 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Rock Bolt Anchor Pull Test, Test Method for, **D4435 (04.08)**
Rock Bolt Long-Term Load Retention Test, Test Method for, **D4436 (04.08)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, Practice for, **D7200 (11.07)**

Mine spoil treatment
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**

Miniature brushes
Preparing Specifications for Miniature Brushes of Composite Materials for Sliding Electric Contacts, Guide for, **B613 (02.04)**

Miniature sandmill method
Color and Strength of Color Pigments by Use of a Miniature Sandmill, Test Method for, **D3022 (06.01)**

Miniature thermocouple connectors
Miniature Thermocouple Connectors, Specification for, **E1684 (14.03)**

Miniature vane shear test
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**

Miniaturized Charpy v-notch specimens
Impact Testing of Miniaturized Charpy V-Notch Specimens, Test Method for, **E2248 (03.01)**

Miniaturized Optical Method
Cloud Point of Petroleum Products (Miniaturized Optical Method), Test Method for, **D7397 (05.04)**

Mini focus x-ray tubes
Measurement of the Effective Focal Spot Size of Mini and Micro Focus X-ray Tubes, Test Method for, **E2903 (03.03)**

Minifracturing
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**

Mini method
Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), Test Method for, **D6378 (05.03)**
Determination of Vapor Pressure of Crude Oil: VPCR, Test Method for, **D6377 (05.03)**
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**

Minimized spangle coating
Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**

Minimum autoignition temperature
Minimum Autoignition Temperature of Dust Clouds, Test Method for, **E1491 (14.02)**

Minimum corrosion characteristics
Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, Practice for, **A1004/A1004M (01.06)**

Minimum detectable concentration (MDC)
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**

Minimum detection limit (MDL)
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Water in Insulating Liquids by Coulometric Karl Fischer Titration, Test Method for, **D1533 (10.03)**

Minimum dose
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**

Minimum explosible concentration (MEC)
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**

Minimum film formation temperature (MFFT)
Sa **Film—paints/related coatings/materials**
Minimum Film Formation Temperature (MFFT) of Emulsion Vehicles, Test Method for, **D2354 (06.03)**

Minimum ignition energy (MIE)
Sa **Ignition**
Minimum Ignition Energy of a Dust Cloud in Air, Test Method for, **E2019 (14.02)**

Minimum instrumentation requirements
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**

Minimum oxygen concentration
Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), Test Method for, **D2863 (08.01)**

Minimum performance specifications
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**

Minimum pour point temperature
Pour Point of Crude Oils, Test Method for, **D5853 (05.02)**

Minimum requirements
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**

Minimum scope of assembly
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**

Minimum seal width
Determining Integrity of Seals for Flexible Packaging by Visual Inspection, Test Method for, **F1886/F1886M (15.10)**

Minimum set of data elements
Minimum Set of Data Elements to Identify a Soil Sampling Site, Practice for, **D5911/D5911M (04.09)**

Minimum test-gas pressure
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**

Minimum training standards
Minimum Training of Search Dog Crews or Teams, Guide for, **F1847 (13.02)**

Mining waste
Shake Extraction of Mining Waste by the Synthetic Precipitation Leaching Procedure, Test Method for, **D6234 (11.04)**

Mini-rotary viscometer
Determination of Yield Stress and Apparent Viscosity of Used Engine Oils at Low Temperature, Test Method for, **D6896 (05.03)**
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Predicting the Borderline Pumping Temperature of Engine Oil, Test Method for, **D3829 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

M. intracellulare
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**

Mirrors
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Fractography and Characterization of Fracture Origins in Advanced Ceramics, Practice for, **C1322 (15.01)**
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**

Mirrors—specifications
Flat Glass, Specification for, **C1036 (15.02)**

Misalignment
GALFAN, Specification for, **B750 (02.04)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**

Mischmetal alloy-coated steel wire
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Extra-High-Strength and Ultra-High-Strength Class A Zinc–5% Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B958/B958M (02.03)**

Mischmetal alloy-coated steel wire—specifications
GALFAN, Specification for, **B750 (02.04)**
High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**
Metallic Coated or Aluminum Clad Stranded Steel Core for Use in Overhead Electrical Conductors, Specification for, **B500/B500M (02.03)**
Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, Specification for, **A854/A854M (01.06)**
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**
Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Specification for, **B802/B802M (02.03)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, Specification for, **A856/A856M (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric, Specification for, **F1345 (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Overhead Ground Wire Strand, Specification for, **A925 (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand, Specification for, **A855/A855M (01.06)**

Miscibility
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Determination of Homogeneity and Miscibility in Automotive Engine Oils, Test Method for, **D6922 (05.03)**
Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, Test Method for, **D5232 (11.04)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Heptane Miscibility of Lacquer Solvents, Test Method for, **D1476 (06.04)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Water Miscibility of Water-Soluble Solvents, Test Method for, **D1722 (06.04)**

Misses
Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**

Missile impact testing
Impact Resistance of Bituminous Roofing Systems, Test Method for, **D3746 (04.04)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**

Missing persons
Techniques in Land Search, Guide for, **F1633 (13.02)**

Mist
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**

Mist lubrication systems
Sa **Lubricants (fluid)**
Misting Properties of Lubricating Fluids, Test Method for, **D3705 (05.01)**

Mites
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**

Mitigating chemical spills
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Mixed aniline point
Sa **Aniline**
Aniline Point and Mixed Aniline Point of Petroleum Products and Hydrocarbon Solvents, Test Methods for, **D611 (05.01)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**

Mixed-bed ion-exchange resins
Sa **Resins**
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Capacity of Mixed Bed Ion Exchange Cartridges, Test Method for, **D7513 (11.02)**
Column Capacity of Particulate Mixed Bed IonExchange Materials, Test Method for, **D3375 (11.02)**
Evaluating the Kinetic Behavior of Ion Exchange Resins, Practice for, **D6302 (11.02)**

Mixed failure
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**

Mixed flowing gas (MFG)
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Mixed Flowing Gas (MFG) Tests for Electrical Contacts, Guide for, **B845 (02.04)**

Mixed isomers
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**

Mixed lots (of metals)
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**

Mixed mode I-mode II interlaminar fracture toughness
Mixed Mode I-Mode II Interlaminar Fracture Toughness of Unidirectional Fiber Reinforced Polymer Matrix Composites, Test Method for, **D6671/D6671M (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mixed nonferrous metals
Municipal-Mixed Nonferrous Metals (MNM), Classification for, **E956 (11.04)**
Mixed oxides (MOX)
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**
Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, Test Method for, **C1204 (12.01)**
Mixed pigments
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**
Mixing
High-Shear Mixing of Hydraulic Cement Pastes, Practice for, **C1738/C1738M (04.01)**
Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency, Practice for, **C305 (04.01)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**
Use of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Practice for, **C397 (04.05)**
Mixing hazards
the Preparation of a Binary Chemical Compatibility Chart, Guide for, **E2012 (14.02)**
Mixing machines
Mixing Machines, Food, Electric, Specification for, **F952 (15.12)**
Mixing properties
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**
Mixing rooms
Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, Specification for, **C511 (04.01, 04.02)**
Mixing rules
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Mixing water
Measurement of Solids in Water, Test Method for, **C1603 (04.02)**
Mixing Water Used in the Production of Hydraulic Cement Concrete, Specification for, **C1602/C1602M (04.02)**
Mixtures (oil/water)
Evaluating Compatibility of Mixtures of Hydraulic Fluids, Practice for, **D7752 (05.04)**
Sampling Oil/Water Mixtures for Oil Spill Recovery Equipment, Guide for, **F1084 (11.05)**
MLA (mouse lymphoma assay)
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
ML (medio-laterial) shear test
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**
MLR (multilinear regression)
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**
Validation of Empirically Derived Multivariate Calibrations, Practice for, **E2617 (03.06)**
MMT (methylcyclopentadienyl manganese tricarbonyl)
Manganese in Gasoline By Atomic Absorption Spectroscopy, Test Method for, **D3831 (05.02)**
Mobile data storage device
Assessment of Impact of Mobile Data Storage Device (MDSD) Loss, Practice for, **E2674 (04.12)**
Mobile homes
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Mobile retroreflectometers
Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness, Test Method for, **E2177 (06.01)**
Mobile warmer oven
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Mobility
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Continuous Pitch/Roll Ramps, Test Method for, **E2826 (15.08)**
Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, Test Method for, **E2242 (03.05)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Gaps, Test Method for, **E2801 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Hurdles, Test Method for, **E2802 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Inclined Planes, Test Method for, **E2803 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Stairs/Landings, Test Method for, **E2804 (15.08)**
Evaluating the Mobility Capabilities of Emergency Response Robots Using Towing Tasks: Grasped Sleds, Test Method for, **E2830 (15.08)**
Tangible Property Mobility Index (MI), Practice for, **E2676 (04.12)**
Mock leno weave
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Model "C" wet film thickness gage
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Models/modeling
Sa **Statistical methods**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, Guide for, **E1682 (06.01)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Use of Modeling for Passive Gamma Measurements, Guide for, **C1726/C1726M (12.01)**
Models/modeling—atmospheric analysis
Statistical Evaluation of Atmospheric Dispersion Model Performance, Guide for, **D6589 (11.07)**
Statistical Evaluation of Indoor Air Quality Models, Guide for, **D5157 (11.07)**
Models/modeling—environmental
Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, Test Method for, **C1308 (12.01)**
Development and Use of Oil-Spill Trajectory Models, Practice for, **F2067 (11.05)**
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**
Models/modeling—fire analysis
See **Fire analysis models**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Models/modeling—ground water
See **Ground-water model**
Models/modeling—healthcare delivery
See **Healthcare delivery models**
Moderate-temperature service applications—steel plate
Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service, Specification for, **A516/A516M (01.04)**
Modified Ames test
Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, Test Method for, **E1687 (11.03)**
Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, Guide for, **E2148 (11.03)**
Modified atmosphere packaging (MAP)
Selection and Use of Packaging Materials for Foods to Be Irradiated, Guide for, **F1640 (12.02)**
Modified bitumen
Cyclic Thermal Shock of SBS-Modified Bituminous Roofing Sheets with Factory-Applied Metal Surface, Test Method for, **D7051 (04.04)**
Sampling and Analysis of Modified Bitumen Roof Systems, Practice for, **D7636/D7636M (04.04)**
Modified bituminous roofing/waterproofing materials
Application of Heat Weldable Atactic Polypropylene (APP) Modified Bituminous Waterproofing Membranes Systems for New Building Decks, Practice for, **D6950/D6950M (04.04)**
Application of Self-Adhering Modified Bituminous Waterproofing, Practice for, **D6135 (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6509/D6509M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**
Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), Test Method for, **D5849/D5849M (04.04)**
Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, Specification for, **D6298 (04.04)**
SEBS-Modified Mopping Asphalt Used in Roofing, Specification for, **D6152/D6152M (04.04)**
Strength of Modified Bitumen Sheet Material Laps Using Cold Process Adhesive, Test Methods for, **D7379 (04.04)**
Modified chromium-vanadium alloy steel wire
See **Steel wire (chromium alloy)—specifications**
Modified copper conductors
Sa **Copper electrical conductors—specifications**
Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, Specification for, **B784 (02.03)**
Modified cube method
Compressive Strength of Soil-Cement Using Portions of Beams Broken in Flexure (Modified Cube Method), Test Method for, **D1634 (04.08)**
Modified Davies and Gray technique
Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, Test Method for, **C1267 (12.01)**
Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, Test Method for, **C1204 (12.01)**
Modified ferroxyl test
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**
Modified grab test
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Modified Hantush method
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Modified isocyanates
See **Isocyanates**
Modified Kjeldahl method
Total Nitrogen in Organic Materials by Modified Kjeldahl Method, Test Method for, **E258 (15.05)**
Modified mortar
Admixtures for Masonry Mortars, Specification for, **C1384 (04.05)**
Modified pegboard test
Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test, Test Method for, **F2010/F2010M (11.03)**
Modified Pirelli method
Gassing of Electrical Insulating Liquids Under Electrical Stress and Ionization (Modified Pirelli Method), Test Method for, **D2300 (10.03)**
Modified point-count method
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**
Modified-rail test
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Modified spray-jet device
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Modified Vicat needle
Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle, Test Method for, **C807 (04.01)**
Modified Wolfe-potentiometric method
See **Wolfe-potentiometric method**
Modified wood
See **Wood products**
Modular concrete blocks
Determining Connection Strength Between Geosynthetic Reinforcement and Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6638 (04.13)**
Determining the Shear Strength Between Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6916 (04.13)**
Modular gage boards
See **Shipbuilding steel materials (gages)**
Modularity
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Modular prostheses
Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, Test Methods for, **F2345 (13.01)**
Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**
Determining the Forces for Disassembly of Modular Acetabular Devices, Test Method for, **F1820 (13.01)**
Evaluating Modular Hip and Knee Joint Components, Guide for, **F1814 (13.01)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Fretting Corrosion Testing of Modular Implant Interfaces: Hip Femoral Head-Bore and Cone Taper Interface, Practice for, **F1875 (13.01)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Modular transfer function (MTF)
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**
Modulated differential scanning calorimetry (MDSC)
the Assignment of the Glass Transition Temperature by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E2602 (14.02)**
Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E1952 (14.02)**
Modules
Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**
Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, Test Methods for, **E1462 (12.02)**
Modulus
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Determining Modulus, Tear and Adhesion Properties of Precured Elastomeric Joint Sealants, Test Method for, **C1523 (04.07)**
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**
Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, Practice for, **D4320/D4320M (04.08)**
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Modulus—soil/rock applications
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, Test Method for, **D4971 (04.08)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**
Modulus—static
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Modulus of elasticity
Sa **Tensile properties/testing**
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Breaking Load and Flexural Properties of Block-Type Thermal Insulation, Test Methods for, **C203 (04.06)**
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Determining Tensile Properties of Fiber Reinforced Polymer Matrix Composites Used for Strengthening of Civil Structures, Test Method for, **D7565/D7565M (15.03)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Impulse Excitation of Vibration, Test Method for, **E1876 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Sonic Resonance, Test Method for, **E1875 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Flexural Modulus of Elasticity of Dimension Stone, Test Method for, **C1352/C1352M (04.07)**
Flexural Properties of Ceramic Whiteware Materials, Test Methods for, **C674 (15.02)**
Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites, Test Method for, **C1341 (15.01)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Flexure Testing of Slate (Breaking Load, Modulus of Rupture, Modulus of Elasticity), Test Methods of, **C120/C120M (04.07)**
Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, Test Method for, **D2105 (08.03)**
Measuring Compressive Properties of Thermal Insulations, Test Method for, **C165 (04.06)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Modulus of Elasticity of Thermostat Metals (Cantilever Beam Method), Test Method for, **B223 (02.04)**
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**
Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus, Test Method for, **C1419 (15.01)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Modulus of elasticity—concrete
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression, Test Method for, **C469/C469M (04.02)**
Modulus of elasticity—plastics
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Tensile Properties of Thin Plastic Sheeting, Test Method for, **D882 (08.01)**
Modulus of elasticity—wood products
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Based Products, Practice for, **D2915 (04.10)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**

Modulus of rigidity
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Stiffness Properties of Plastics as a Function of Temperature by Means of a Torsion Test, Test Method for, **D1043 (08.01)**
Structural Panels in Planar Shear (Rolling Shear), Test Methods for, **D2718 (04.10)**
Structural Panels in Shear Through-the-Thickness, Test Methods for, **D2719 (04.10)**

Modulus of rupture (MOR)
Breaking Load and Flexural Properties of Block-Type Thermal Insulation, Test Methods for, **C203 (04.06)**
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Flexural Properties of Ceramic Whiteware Materials, Test Methods for, **C674 (15.02)**
Flexural Properties of Thin-Section Glass-Fiber-Reinforced Concrete (Using Simple Beam With Third-Point Loading), Test Method for, **C947 (04.05)**
Flexural Strength of Manufactured Carbon and Graphite Articles Using Four-Point Loading at Room Temperature, Test Method for, **C651 (05.05)**
Flexure Testing of Slate (Breaking Load, Modulus of Rupture, Modulus of Elasticity), Test Methods of, **C120/C120M (04.07)**
Modulus of Rupture in Bending of Electrode Graphite, Test Method for, **C1025 (05.05)**
Modulus of Rupture of Dimension Stone, Test Method for, **C99/C99M (04.07)**
Modulus of Rupture of Unfired Clays, Test Method for, **C689 (15.02)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Strength Imparted by Asbestos to a Cementitious Matrix, Test Method for, **D3752 (04.05)**
Strength of Glass by Flexure (Determination of Modulus of Rupture), Test Methods for, **C158 (15.02)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**

Modulus of rupture (MOR)—refractories
Coking Large Shapes of Carbon-Bearing Materials, Practice for, **C607 (15.01)**
Cold Bonding Strength of Refractory Mortar, Test Method for, **C198 (15.01)**
Cold Crushing Strength and Modulus of Rupture of Refractories, Test Methods for, **C133 (15.01)**
Modulus of Rupture of Carbon-Containing Refractory Materials at Elevated Temperatures, Test Method for, **C1099 (15.01)**
Modulus of Rupture of Refractory Materials at Elevated Temperatures, Test Method for, **C583 (15.01)**
Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, Test Method for, **C1171 (15.01)**

Moellon
Determination of Sediment in Moellon, Test Method for, **D5439 (15.04)**

Mohair top/yarn/fabric
Sa **Textile fibers**
Fineness of Wool or Mohair and Assignment of Grade, Specifications for, **D3991 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**

Mohr-Coulomb strength envelope
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**

Mohr strength envelopes
Direct Shear Test of Soils Under Consolidated Drained Conditions, Test Method for, **D3080/D3080M (04.08)**

Mohr stress circles
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**

Moist cabinets and rooms
Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, Specification for, **C511 (04.01, 04.02)**

Moist fine fraction
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**

Moist heat aging
Sa **Accelerated aging/testing**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**

Moist sulfur dioxide (SO_2) test
Conducting Moist SO, Practice for, **G87 (03.02)**

Moisture—conditioning
Moisture Conditioning Compacted Asphalt Mixture Specimens by Using Hydrostatic Pore Pressure, Practice for, **D7870/D7870M (04.03)**

Moisture absorption
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**

Moisture analysis
Sa **Water content**
Carbon Black—Heating Loss, Test Methods for, **D1509 (09.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Conditioning, Terminology Relating To, **E41 (14.04)**
Conducting Moist SO, Practice for, **G87 (03.02)**
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Determination of Moisture in Plastics by Relative Humidity Sensor, Test Method for, **D7191 (08.03)**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Moisture in a Graphite Sample, Test Method for, **C562 (05.05)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**
Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, Test Method for, **D5530 (11.04)**
Use of Scrap Tire-Derived Fuel, Practice for, **D6700 (11.04)**

Moisture analysis—adhesives
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Durability Assessment of Adhesive Joints Stressed in Peel, Test Method for, **D2918 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Effect of Moisture and Temperature on Adhesive Bonds, Practice for, **D1151 (15.06)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Moisture analysis—aggregate
Moisture in Mineral Aggregate Used on Built-Up Roofs, Test Method for, **D1864/D1864M (04.04)**
Surface Moisture in Fine Aggregate, Test Method for, **C70 (04.02)**
Total Evaporable Moisture Content of Aggregate by Drying, Test Method for, **C566 (04.02)**

Moisture analysis—asbestos materials/applications
Moisture Content of Asbestos Fiber, Test Method for, **D2987/D2987M (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Moisture analysis—asphalt/bituminous materials
Determination of Emulsified Asphalt Residue by Moisture Analyzer, Test Method for, **D7404 (04.03)**
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, Test Method for, **D1075 (04.03)**
Moisture or Volatile Distillates in Bituminous Paving Mixtures, Test Method for, **D1461 (04.03)**

Moisture analysis—building materials/applications
Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, Test Method for, **F1869 (15.04)**

Moisture analysis—ceramic materials/applications
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Free Moisture in Ceramic Whiteware Clays, Test Method for, **C324 (15.02)**
Moisture Expansion of Fired Whiteware Products, Test Method for, **C370 (15.02)**

Moisture analysis—chemicals
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Chemical Analysis of Sodium Chloride, Test Methods for, **E534 (15.05)**
Moisture and Residue in Liquid Chlorine, Test Method for, **E410 (15.05)**
Water in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D3401 (15.05)**

Moisture analysis—coal/coke
Equilibrium Moisture of Coal at 96 to 97 Percent Relative Humidity and 30°C, Test Method for, **D1412 (05.06)**
Moisture in the Analysis Sample of Coal and Coke, Test Method for, **D3173 (05.06)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Proximate Analysis of Coal and Coke, Practice for, **D3172 (05.06)**
Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36-mm (No. 8 Sieve) Topsize, Test Method for, **D2961 (05.06)**
Total Moisture in Coal, Test Method for, **D3302/D3302M (05.06)**

Moisture analysis—concrete
Chemical Admixtures for Concrete, Specification for, **C494/C494M (04.02)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, Test Method for, **F1869 (15.04)**
Preliminary Evaluation of Comparative Moisture Condition of Concrete, Gypsum Cement and Other Floor Slabs and Screeds Using a Non-Destructive Electronic Moisture Meter, Guide for, **F2659 (15.04)**

Moisture analysis—detergent materials
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds, Test Method for, **D5556 (15.04)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Moisture analysis—geosynthetics
Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, Test Method for, **D4355 (04.13)**
Electrical Methods for Locating Leaks in Geomembranes Covered with Water or Earth Materials, Practices for, **D7007 (04.13)**
Measuring Mass Per Unit of Geosynthetic Clay Liners, Test Method for, **D5993 (04.13)**

Moisture analysis—insulating materials/applications
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Moisture Resistance of Electrical Insulating Varnishes, Test Method for, **D5637 (10.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Moisture analysis—leather
Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene, Test Method for, **D5348 (15.04)**
Determining Moisture in Raw and Spent Materials, Test Method for, **D6403 (15.04)**
Volatile Matter (Moisture) of Leather by Oven Drying, Test Method for, **D3790 (15.04)**

Moisture analysis—medical/surgical devices/applications
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**

Moisture analysis—metals/related materials
Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, Practice for, **E2293 (03.05)**

Moisture analysis—nuclear materials
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**

Moisture analysis—paints/related coatings/materials
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, Test Method for, **D2065 (06.02)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Ethylcellulose, Test Methods for, **D914 (06.03)**
Hydroxyethylcellulose, Test Methods for, **D2364 (06.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Hygroscopic Moisture (and Other Matter Volatile Under the Test Conditions) in Pigments, Test Methods for, **D280 (06.03)**
Indicating Moisture in Concrete by the Plastic Sheet Method, Test Method for, **D4263 (06.02)**
Moisture in Cellulose, Test Methods for, **D1348 (06.03)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**

Moisture analysis—petroleum products
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Determination of Moisture in New and In-Service Lubricating Oils and Additives by Relative Humidity Sensor, Test Method for, **D7546 (05.04)**
Gross Moisture in Green Petroleum Coke, Test Method for, **D4931 (05.02)**

Moisture analysis—plastics
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**
Polyphthalamide (PPA) Injection Molding Materials, Specification for, **D5336 (08.03)**

Moisture analysis—polymers
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**

Moisture analysis—refractories
Hydration of Dead Burned Magnesite or Periclase Grain, Test Method for, **C544 (15.01)**
Moisture in Activated Carbon, Test Methods for, **D2867 (15.01)**
Sampling Particulate Ion-Exchange Materials, Practices for, **D2687 (11.02)**

Moisture analysis—refuse-derived fuel/RDF
Moisture Analysis of Particulate Wood Fuels, Test Method for, **E871 (05.06)**
Residual Moisture in a Refuse-Derived Fuel Analysis Sample, Test Method for, **E790 (11.04)**
Thermal Characteristics of Refuse-Derived Fuel Macrosamples, Test Method for, **E955 (11.04)**

Moisture analysis—soil/rock
Sa **Soil-moisture analysis**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**

Moisture analysis—textile fabrics/fibers
Assigning a Standard Commercial Moisture Content for Wool and Its Products, Practice for, **D2118 (07.01)**
Conditioning, Chemical, and Thermal Properties, Terminology Relating to, **D4920 (07.02)**
Moisture in Cotton by Oven-Drying, Test Method for, **D2495 (07.01)**
Moisture in Wool by Distillation With Toluene, Test Method for, **D2462 (07.01)**
Moisture in Wool by Oven-Drying, Test Method for, **D1576 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Sampling Wool for Moisture, Practice for, **D2525 (07.01)**
Tables of Commercial Moisture Regains and Commercial Allowances for Textile Fibers, Standard, **D1909 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Moisture analysis—wood products
Chemical Analysis of Wood Charcoal, Test Method for, **D1762 (04.10)**
Determination of Moisture Content of Particulate Wood Fuels Using a Microwave Oven, Test Method for, **E1358 (05.06)**
Direct Moisture Content Measurement of Wood and Wood-Base Materials, Test Methods for, **D4442 (04.10)**
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Field Calibration and Application of Hand-Held Moisture Meters, Practice for, **D7438 (04.10)**
Hygroscopic Properties of Fire-Retardant Wood and Wood-Based Products, Test Method for, **D3201/D3201M (04.10)**
Laboratory Standardization and Calibration of Hand-Held Moisture Meters, Test Method for, **D4444 (04.10)**
Moisture Analysis of Particulate Wood Fuels, Test Method for, **E871 (05.06)**
Moisture Conditioning of Wood and Wood-Based Materials, Guide for, **D4933 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Standardization and Calibration of In-Line Dry Lumber Moisture Meters, Test Methods for, **D6782 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**

Moisture barrier
Aluminum Jacketing for Insulation, Specification for, **C1729 (04.06)**
Concentration of Pinhole Detections in Moisture Barriers on Metal Jacketing, Test Method for, **C1785 (04.06)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**

Moisture-capillary relations
See **Capillary-moisture relations**

Moisture content
Determination of Moisture in New and In-Service Lubricating Oils and Additives by Relative Humidity Sensor, Test Method for, **D7546 (05.04)**
Determining the Moisture Content of Organic and Inorganic Insulation Materials by Weight, Test Method for, **C1616 (04.06)**
Moisture Retention Curves of Porous Building Materials Using Pressure Plates, Test Method for, **C1699 (04.06)**
Standardization and Calibration of In-Line Dry Lumber Moisture Meters, Test Methods for, **D6782 (04.10)**

Moisture content (of raw/cooked food)
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Moisture control
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Moisture-controlled concrete masonry units
Nonloadbearing Concrete Masonry Units, Specification for, **C129 (04.05)**
Moisture cure
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**
Moisture-density (MD) relationships
Calibration of Laboratory Mechanical-Rammer Soil Compactors, Practices for, **D2168 (04.08)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**
Moisture-Density (Unit Weight) Relations of Soil-Cement Mixtures, Test Methods for, **D558 (04.08)**
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Moisture determination
Determination of Moisture in Plastics by Loss in Weight, Test Method for, **D6980 (08.03)**
Moisture diffusivity
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Moisture flow
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**
Moisture loss
See **Water retention**
Moisture meter
Calibration of Hand-Held Moisture Meters on Gypsum Panels, Test Method for, **C1789 (04.01)**
Preliminary Evaluation of Comparative Moisture Condition of Concrete, Gypsum Cement and Other Floor Slabs and Screeds Using a Non-Destructive Electronic Moisture Meter, Guide for, **F2659 (15.04)**
Moisture permeation cell
Water Vapor Diffusion Resistance and Air Flow Resistance of Clothing Materials Using the Dynamic Moisture Permeation Cell, Test Methods for, **F2298 (11.03)**
Moistureproofing walls
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Moisture protection (for anchors)
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Moisture resistance
Aluminum Jacketing for Insulation, Specification for, **C1729 (04.06)**
Moisture Resistance of Electrical Insulating Varnishes, Test Method for, **D5637 (10.02)**
Moisture vapor processing
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**
Molar absorptivities
Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6248 (08.03)**
Molar concentration
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Molar substitution (MS)
Hydroxyethylcellulose, Test Methods for, **D2364 (06.03)**
Mold
Assessment Of Fungal Growth in Buildings, Guide for, **D7338 (11.07)**
Categorization and Quantification of Airborne Fungal Structures in an Inertial Impaction Sample by Optical Microscopy, Test Method for, **D7391 (11.07)**
Collection of Fungal Material from Surfaces by Swab, Practice for, **D7789 (11.07)**
Collection of Fungal Material From Surfaces by Tape Lift, Practice for, **D7910 (11.07)**
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**
Evaluating the Resistance of the Surface of Wet Blue to the Growth of Fungi in an Environmental Chamber, Test Method for, **D7584 (15.04)**
Readily Observable Mold and Conditions Conducive to Mold in Commercial Buildings: Baseline Survey Process, Guide for, **E2418 (11.05)**
Mold construction (for grout)
Sampling and Testing Grout, Test Method for, **C1019 (04.05)**
Molded cellular materials—irregularly shaped
Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, Test Method for, **D7710 (08.03)**
Molded glass fiber reinforced gypsum
the Installation of Molded Glass Fiber Reinforced Gypsum Parts, Specification for, **C1467/C1467M (04.01)**
Molded nylon (PA)
See **Nylon plastics (PA)**
Molded rubber products
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Molded shipping/storage drums
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**
Molded urethane foam
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Mold growth on coated building products designed for interior applications—determination of
Determination of Mold Growth on Coated Building Products Designed for Interior Applications Using an Environmental Chamber and Indirect Inoculation, Test Method for, **D7855/D7855M (06.01)**
Molding
Safety Requirements in Metal Casting Operations: Sand Preparation, Molding, and Core Making; Melting and Pouring; and Cleaning and Finishing, Practice for, **E2349 (11.03)**
Molding compounds (thermosetting)
See **Thermosetting plastics—specifications**
Molding/extrusion compounds/materials
Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, Test Method for, **D2152 (08.04)**
Bearing Strength of Plastics, Test Method for, **D953 (08.01)**
Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets, Practice for, **D4703 (08.02)**
CPT-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7471 (08.03)**
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**
EFEP-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7472 (08.03)**
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
In-Line Screw-Injection Molding Test Specimens From Thermo-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

setting Compounds, Practice for, **D3419 (08.02)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, Test Method for, **D6289 (08.03)**
Measuring Shrinkage from Mold Dimensions of Thermoplastics, Test Method of, **D955 (08.01)**
Poly (Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ISO Methods, Classification System and Basis for Specification for, **D6358 (08.03)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**
Recycled Post-Consumer Polyethylene Film Sources for Molding and Extrusion Materials, Classification for, **D5491 (08.03)**
Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods, Classification System for and Basis for Specification for, **D4067 (08.02)**
Transfer Molding Test Specimens of Thermosetting Compounds, Practice for, **D1896/D1896M (08.01)**
Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Methodology, Classification System for, **D7436 (08.03)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**

Molding/extrusion compounds/materials—specifications
Cellulose Acetate Butyrate Molding and Extrusion Compounds, Classification System and Basis for Specification for, **D707 (08.01)**
Cellulose Acetate Molding and Extrusion Compounds, Classification System and Basis for Specifications for, **D706 (08.01)**
Cellulose Acetate Propionate Molding and Extrusion Compounds, Classification System and Basis for Specification for, **D1562 (08.01)**
Ethyl Cellulose Molding and Extrusion Compounds, Specification for, **D787 (08.01)**
Extruded and Compression Molded Basic Shapes Made from Thermoplastic Polyester (TPES), Specification for, **D6261 (08.03)**
Extruded and Compression Molded Shapes Made from Poly(Vinylidene Fluoride) (PVDF), Specification for, **D6713 (08.03)**
Extruded and Compression Molded Shapes Made from Polycarbonate (PC), Specification for, **D6098 (08.03)**
Extruded, Compression Molded and Injection Molded Polyoxymethylene Shapes (POM), Specification for, **D6100 (08.03)**
Extruded, Compression Molded, and Injection Molded Basic Shapes of Poly(aryl ether ketone) (PAEK), Specification for, **D6262 (08.03)**
Filled Compounds of Polytetrafluoroethylene (PTFE) Molding and Extrusion Materials, Specification for, **D4745 (08.02)**
Liquid Crystal Polymers Molding and Extrusion Materials (LCP), Classification System and Basis for Specification for, **D5138 (08.03)**
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**
Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds, Specification for, **D2287 (08.01)**
Nylon Injection and Extrusion Materials (PA), Classification System for, **D4066 (08.02)**
Perfluoroalkoxy (PFA)-Fluorocarbon Resin Molding and Extrusion Materials, Specification for, **D3307 (08.02)**
Perfluoroalkoxy (PFA)-Fluoropolymer Tubing, Specification for, **D6867 (08.03)**
Polyamide-Imide (PAI) Molding and Extrusion Materials, Classification System for, **D5204 (08.03)**
Polybutylene (PB) Plastics Molding and Extrusion Materials, Classification System for, **D2581 (08.01)**
Polycarbonate (PC) Unfilled and Reinforced Material, Specification for, **D3935 (08.02)**
Polyetherimide (PEI) Materials, Classification System and Basis for Specification for, **D5205 (08.03)**
Polyethylene Plastics Extrusion Materials for Wire and Cable, Specification for, **D1248 (08.01)**
Polyethylene Plastics Molding and Extrusion Materials, Specification for, **D4976 (08.02)**
Polyphthalamide (PPA) Injection Molding Materials, Specification for, **D5336 (08.03)**
Polypropylene Injection and Extrusion Materials Using ISO Protocol and Methodology, Specification for, **D5857 (08.03)**
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**
Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, Classification System and Basis for Specifications for, **D3965 (08.02)**
Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), Classification System and Basis for Specification for, **D4634 (08.02)**
Syndiotactic Polystyrene Molding and Extrusion (SPS), Classification System for and Basis for Specifications for, **D6339 (08.03)**
Thermoplastic Polyester (TPES) Injection and Extrusion Materials Based on ISO Test Methods, Classification System for, **D5927 (08.03)**
Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials, Specification for, **D4020 (08.02)**
Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials, Specification for, **D3222 (08.02)**
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**

Molding/extrusion materials (ABS)
See **Acrylonitrile-butadiene-styrene (ABS)**

Molding/extrusion materials (PCTFE)
See **PCTFE (polychlorotrifluoroethylene)—specifications**

Molding/extrusion materials (PE)
Sa **Polyethylene (PE) pipe—specifications**
Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Methodology, Classification System for, **D7436 (08.03)**

Molding/extrusion materials (PET)
See **PET (poly(ethylene terephthalate))**

Molding/extrusion materials (PPS)
See **Poly(phenylene sulfide)(PPS)**

Molding/extrusion materials (propylene (PP) plastics)
See **Nylon plastics (PA)**
See **Propylene (PP) plastics**

Molding/extrusion materials (PTFE)
See **PTFE (polytetrafluoroethylene)**

Molding/extrusion materials (PVC)
See **Poly(vinyl chloride)(PVC)—specifications**

Molding/extrusion materials (TFE)
See **Tetrafluoroethylene (TFE)**

Molding index
Molding Index of Thermosetting Molding Powder, Test Method for, **D731 (08.01)**

Molding shrinkage
Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, Test Method for, **D6289 (08.03)**

Molding test
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**

Mold powders
Determination of Total Carbon in Mold Powders by Combustion, Test Method for, **E2050 (03.05)**

Mold resistance
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**

Molds
Sa **Bacteria/bacterial control**
Sa **Fungal influence/resistance**
Adhesive, Casein-Type, Specification for, **D4689 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Surface Temperature of Molds for Plastics, Practice for, **D957 (08.01)**
Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), Test Method for, **D4445 (04.10)**
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Mold Growth Resistance of Wet Blue, Test Method for, **D4576 (15.04)**
Molds for Forming Concrete Test Cylinders Vertically, Specification for, **C470/C470M (04.02)**
Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders, Test Method for, **D4832 (04.08)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**

Mold shrinkage
Measuring Shrinkage from Mold Dimensions of Thermoplastics, Test Method of, **D955 (08.01)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**

Mold surface temperature
Determining Surface Temperature of Molds for Plastics, Practice for, **D957 (08.01)**

Molecular absorption spectrometry
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Determination of Titanium in Nickel Alloys by Diantipyrylmethane Spectrophotometry, Test Method for, **E1938 (03.05)**

Molecular biology
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**

Molecular contaminant
Sa **Contamination**
QCM Measurement of Spacecraft Molecular Contamination in Space, Practice for, **E2311 (15.03)**

Molecular contaminant generation/migration/deposition
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Sizing and Counting Particulate Contaminant In and On Clean Room Garments, Test Method for, **F51/F51M (15.03)**

Molecular contamination
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**

Molecular mass average
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), Test Method for, **D7134 (08.03)**

Molecular mass distribution (MMD)
Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), Test Method for, **D7134 (08.03)**

Molecular movement
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Liquids, Test Method for, **F903 (11.03)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Molecular properties
Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, Test Method for, **D5422 (08.03)**

Molecular sieve catalyst
Sa **Catalysts/catalyst carriers**
Palladium in Molecular Sieve Catalyst by Atomic Absorption, Test Method for, **D5153 (05.05)**
Palladium in Molecular Sieve Catalyst by Wet Chemistry, Test Method for, **D4782 (05.05)**

Molecular spectroscopy
Sa **Spectroscopy**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, Practice for, **E958 (03.06)**
General Techniques of Infrared Quantitative Analysis, Practices for, **E168 (03.06)**
General Techniques of Ultraviolet-Visible Quantitative Analysis, Practices for, **E169 (03.06)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Measuring and Reporting Performance of Fourier-Transform Nuclear Magnetic Resonance (FT-NMR) Spectrometers for Liquid Samples, Practice for, **E2977 (03.06)**
Molecular Spectroscopy, Terminology Relating to, **E131 (03.06)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Near Infrared Qualitative Analysis, Practice for, **E1790 (03.06)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
the Relative Intensity Correction of Raman Spectrometers, Guide for, **E2911 (03.06)**
Use of Spectral Searching by Curve Matching Algorithms with Data Recorded Using Mid-Infrared Spectroscopy, Guide for, **E2310 (03.06)**

Molecular structure
Sa **Structural analysis/applications**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**

Molecular virology
Identification of Herpes Simplex Virus or Its DNA, Guide for, **E1286 (14.02)**

Molecular weight
In Situ Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), Test Method for, **F2214 (13.01)**
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Dissolving Polymer Materials, Practice for, **D5226 (08.03)**
Estimating Apparent Vapor Pressures and Molecular Weights of Lubricating Oils, Test Method for, **D2878 (05.01)**

--```,``,,,``,``,,,,``````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Estimation of Mean Relative Molecular Mass of Petroleum Oils from Viscosity Measurements, Test Method for, **D2502 (05.01)**

Relative Molecular Mass (Molecular Weight) of Hydrocarbons by Thermoelectric Measurement of Vapor Pressure, Test Method for, **D2503 (05.01)**

Viscosity of Cellulose by Cuprammonium Ball Fall, Test Method for, **D6188 (06.03)**

Molecular weight—average

Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**

Determination of Weight-Average Molecular Weight of Polymers By Light Scattering, Test Method for, **D4001 (08.02)**

Determining Molecular Weight Distribution and Molecular Weight Averages of Polyolefins by High Temperature Gel Permeation Chromatography, Test Method for, **D6474 (08.03)**

Molecular Weight Averages and Molecular Weight Distribution of Hydrocarbon, Rosin and Terpene Resins by Size-Exclusion Chromatography, Practice for, **D6579 (06.03)**

Molecular weight—distribution

Determining Molecular Weight Distribution and Molecular Weight Averages of Polyolefins by High Temperature Gel Permeation Chromatography, Test Method for, **D6474 (08.03)**

Molecular Weight Averages and Molecular Weight Distribution of Hydrocarbon, Rosin and Terpene Resins by Size-Exclusion Chromatography, Practice for, **D6579 (06.03)**

Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by High Performance Size-Exclusion Chromatography, Test Method for, **D5296 (08.03)**

Moleing

Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Molluscs

Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**

Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**

Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**

Mol percent impurity

Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**

Molten aromatic hydrocarbons

Color of Solid Aromatic Hydrocarbons and Related Materials in the Molten State (Platinum-Cobalt Scale), Test Method for, **D1686 (06.04)**

Molten extruded stress-rated high density polyethylene (HDPE)—billets made by

Billets made by Winding Molten Extruded Stress-Rated High Density Polyethylene (HDPE), Specification for, **F3034 (08.04)**

Molten flow

See **Flow and flow rate—soil/rock/related materials**

Molten glass

Isothermal Corrosion Resistance of Refractories to Molten Glass, Test Method for, **C621 (15.01)**

Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Molten KOH etch technique

Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**

Molten metal

Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**

Molten substances

Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**

Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Molybdate pigment

Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**

Molybdate Orange Pigments, Specification for, **D2218 (06.03)**

Molybdate-reactive silica

Silica in Water, Test Method for, **D859 (11.01)**

Molybdenum

Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**

De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**

Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**

Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**

On-Line Colorimetric Measurement of Silica, Test Method for, **D7126 (11.01)**

Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**

Preparation of Molybdenum and Molybdenum Alloys for Electroplating, Practice for, **B629 (02.05)**

Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**

Molybdenum—specifications

Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, Specification for, **B387 (02.04)**

Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, Specification for, **B386 (02.04)**

Molybdenum Oxide Products, Specification for, **A146 (01.02)**

Tool Steel High Speed, Specification for, **A600 (01.05)**

Molybdenum alloying additives

Ferromolybdenum, Specification for, **A132 (01.02)**

Molybdenum Oxide Products, Specification for, **A146 (01.02)**

Molybdenum alloys

Preparation of Molybdenum and Molybdenum Alloys for Electroplating, Practice for, **B629 (02.05)**

Molybdenum alloys—specifications

Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, Specification for, **B387 (02.04)**

Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, Specification for, **B386 (02.04)**

Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**

Pressure Vessel Plates, Alloy Steel, Molybdenum, Specification for, **A204/A204M (01.04)**

Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Nickel-Chromium-Molybdenum, Specification for, **A543/A543M (01.04)**

Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**

Molybdenum content

Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**

Molybdate Orange Pigments, Specification for, **D2218 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Total Molybdenum in Fresh Alumina-Base Catalysts, Test Method for, **D3943 (05.05)**

Molybdenum content—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**

Molybdenum content—Ni/Ni alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**

Molybdenum content—steel
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**

Molybdenum content—uranium oxide
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**

Molybdenum content—water
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Molybdenum in Water, Test Method for, **D3372 (11.01)**

Molybdenum disulfide lubricants
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**

Molybdenum (electronic applications)
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**
Molybdenum Flattened Wire for Electron Tubes, Specification for, **F364 (10.04)**
Molybdenum Wire and Rod for Electronic Applications, Specification for, **F289 (10.04)**
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**

Molybdenum high-speed tool steel
Sa **Tool steel—specifications**
Tool Steel High Speed, Specification for, **A600 (01.05)**

Molybdenum oxide products
Molybdenum Oxide Products, Specification for, **A146 (01.02)**

Molybdenum powder
Sa **Metal powders**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**

Molybdenum (surgical implants)—specifications
Sa **Cobalt-chromium-molybdenum alloy**
35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), Specification for, **F961 (13.01)**
Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), Specification for, **F799 (13.01)**
Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), Specification for, **F1377 (13.01)**
Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications (UNS R30035), Specification for, **F562 (13.01)**
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), Specification for, **F688 (13.01)**
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**
Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Manganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), Specification for, **F1314 (13.01)**
Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), Specification for, **F1813 (13.01)**
Wrought Titanium-15 Molybdenum Alloy for Surgical Implant Applications (UNS R58150), Specification for, **F2066 (13.01)**

Moly orange
See **Molybdate pigment**

Momentary illumination technique
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**

Moment-carrying capacity
Sa **Load-carrying capacity**
Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, Specification for, **D5055 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**

Moment of inertia
Determining Mass and Moment of Inertia of Alpine Skis, Test Method for, **F1722 (15.07)**
Determining Thermoplastic Pipe Wall Stiffness, Test Method for, **F2433 (08.04)**
Measuring Moment of Inertia and Center of Percussion of a Baseball or Softball Bat, Test Method for, **F2398 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Moments
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Monel
Sa **Nickel alloys**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Copper Alloy Rod, Bar, and Wire, Specification for, **B164 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip, Specification for, **B599 (02.04)**
Monetary costs
Estimating Monetary Costs and Liabilities for Environmental Matters, Guide for, **E2137 (11.05)**
Monitoring
Carbon Black—Validation of Test Method Precision and Bias, Guide for, **D4821 (09.01)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Estimating Toner and Dispersant Usage in Copiers Utilizing Liquid Developers, Practice for, **F1042 (15.09)**
Gas Chromatograph Based On-line/At-line Analysis for Sulfur Content of Gaseous Fuels, Practice for, **D7165 (05.06)**
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
Natural Gas Sample-Handling and Conditioning Systems for Pipeline Instrumentation, Practice for, **D5503 (05.06)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**
Selection, Assignment, and Monitoring of Persons To Be Utilized as Assessors/Auditors or Technical Experts, Guide for, **E2159 (14.02)**
Monitoring—building constructions
Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, Specification for, **D5055 (04.10)**
Monitoring—electronic devices/systems
Sa **Electrical conductors (semiconductors)—specifications**
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
Monitoring—ground-water analysis
See **Ground-water monitoring/sampling**
Monitoring—marine (shipping) applications
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Monitoring—nuclear applications
Establishing Procedures to Monitor the Performance of Safety-Related Coating Service Level III Lining Systems in an Operating Nuclear Power Plant, Guide for, **D7167 (06.02)**
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, Guide for, **C1169 (12.01)**
Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), Guide for, **E1214 (12.02)**
Monitoring—petroleum testing
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
In-Service Monitoring of Lubricating Oil for Auxiliary Power Plant Equipment, Practice for, **D6224 (05.03)**
In-Service Monitoring of Mineral Turbine Oils for Steam, Gas, and Combined Cycle Turbines, Practice for, **D4378 (05.02)**
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**
Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, Practice for, **D6849 (05.03)**
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**
Monitoring—water analysis
See **Water quality monitoring**
Monitor method (for particle counting)
See **Particle counters/counting**
Monobasic organic acids
See **Organic compounds**
Mono-chlorophenol
See **Phenolic compounds**
Monochromatic light exposure
See **Light transmission and reflection**
Monochromatic light (for semiconductor thickness)
See **Thickness—semiconductors**
Monochromatic wavelength dispersive x-ray fluorescence (MWDXRF)
Chlorine in Aromatics by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7536 (06.04)**
Silicon in Gasoline and Related Products by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7757 (05.04)**
Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7220 (05.04)**
Sulfur in Gasoline, Diesel Fuel, Jet Fuel, Kerosine, Biodiesel, Biodiesel Blends, and Gasoline-Ethanol Blends by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7039 (05.04)**
Monochromators
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Monochrome image analysis
Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, Practice for, **F1423 (15.09)**
Mono-component development
Estimating Toner Usage in Full-Color Copiers Utilizing Dry Mono- or Dual-Component Toners, Test Method for, **F1424 (15.09)**
Monocrystalline perfection
Sa **Crystal lattice structure**
Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, Test Method for, **F1404 (10.04)**
Monocrystalline silicon
See **Silicon semiconductors**
Monocyclic aromatic hydrocarbons
Sa **Aromatic hydrocarbons (AHs)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, Test Method for, **D2360 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and Effective Carbon Number, Test Method for, **D7504 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, Test Method for, **D5917 (06.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Monocyclic terpene hydrocarbons
See **Dipentene**
Monodisperse particulate materials
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**
Monoethylene glycol (MEG)
Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, Test Method for, **E2679 (15.05)**
Aldehydes in Mono-, Di-, and Triethylene Glycol (Spectrophotometric Method), Test Method for, **E2313 (15.05)**
Chloride in Mono-, Di- and Tri-ethylene Glycol by Ion Chromatography, Test Method for, **E2469 (15.05)**
Glycol Impurities in Mono-, Di-, Tri- and Tetraethylene Glycol and in Mono- and Dipropylene Glycol, Test Method for, **E2409 (15.05)**
Ultraviolet Transmittance of Monoethylene Glycol (Ultraviolet Spectrophotometric Method), Test Method for, **E2193 (15.05)**
Monohydrate of ferric oxide
See **Iron oxide pigments—yellow**
Monolithic advanced ceramics
Sa **Advanced ceramics**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**
Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, Test Method for, **C1291 (15.01)**
Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique, Test Method for, **C1332 (15.01)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, Test Method for, **C1273 (15.01)**
Tensile Strength of Monolithic Advanced Ceramics at Elevated Temperatures, Test Method for, **C1366 (15.01)**
Monolithic chemical-resistant surfacings
See **Chemical-resistant monolithic surfacings**
Monolithic mass
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Monolithic precast concrete utility structures
See **Precast concrete products—specifications**
Monolithic refractories
See **Refractories (monolithic)**
Monolithic surfacings (chemical-resistant)
Sa **Chemical-resistant monolithic surfacings**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Monolithic vinyl floor tile
Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**
Monolithic waste forms
Sa **Nuclear scrap and waste materials**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Monomer cast
Extruded and Monomer Cast Shapes Made from Nylon (PA), Specification for, **D5989 (08.03)**
Monomer content
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Monomer grade vinyl chloride
Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, Test Method for, **D5507 (08.03)**
Monomeric acrylate esters (colorless)
Monomethyl Ether of Hydroquinone in Colorless Monomeric Acrylate Esters and Acrylic Acid, Test Method for, **D3125 (06.04)**
Monomeric HDI (hexamethylene diisocyanate)
Determination of Aerosol Monomeric and Oligomeric Hexamethylene Diisocyanate (HDI) in Air with (Methoxy-2–phenyl-1) Piperazine (MOPIP) in the Workplace, Test Method for, **D6561 (11.07)**
Monomeric plasticizers
Determination of Monomeric Plasticizers in Poly (Vinyl Chloride) (PVC) by Gas Chromatography, Practice for, **D7083 (08.03)**
Purity of Monomeric Plasticizers by Gas Chromatography, Test Method for, **D3465 (08.02)**
Monomers
Polyurethane Raw Materials: Determination of Monomer and Isomers in Isocyanates, Test Method for, **D7252 (08.03)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Monomer sequence
Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2259 (13.01)**
Monomethyl ether of hydroquinone (MEHQ)
See **MEHQ (monomethyl ether of hydroquinone)**
Monosaccharides
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Monotonic compressive strength
Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1424 (15.01)**
Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, Test Method for, **C1358 (15.01)**
Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature, Test Method for, **C1323 (15.01)**
Monotonic uniaxial loading
Monotonic Axial Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramic Tubular Test Specimens at Ambient Temperature, Test Method for, **C1773 (15.01)**
Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1499 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**
Montan ester wax
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**
Monte Carlo method
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mooney viscosity testing
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber Property—Processability of Emulsion SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer (Delta Mooney), Test Methods for, **D3346 (09.01)**
Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), Test Methods for, **D1646 (09.01)**
Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney Viscosity Target Values, Practice for, **D5605 (09.01)**
Moore's outlier test
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Mooring
Chocks, Panama, Mooring Cast Steel, Specification for, **F2935 (01.07)**
Chocks, Ship Mooring, Cast Steel, Specification for, **F2936 (01.07)**
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
MOPIP (methoxy-2-phenyl-1 piperazine)
Determination of Aerosol Monomeric and Oligomeric Hexamethylene Diisocyanate (HDl) in Air with (Methoxy-2–phenyl-1) Piperazine (MOPIP) in the Workplace, Test Method for, **D6561 (11.07)**
Mopping asphalt
Sa **Asphalt roofing materials—specifications**
SEBS-Modified Mopping Asphalt Used in Roofing, Specification for, **D6152/D6152M (04.04)**
Mop skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**
Morpholine
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Morphology
Sa **Fiber morphology/identification**
Categorization and Quantification of Airborne Fungal Structures in an Inertial Impaction Sample by Optical Microscopy, Test Method for, **D7391 (11.07)**
Characterization of Particles, Practice for, **F1877 (13.01)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Visualizing Particulate Sizes and Morphology of Particles Contained in Hydrogen Fuel by Microscopy, Test Method for, **D7634 (05.06)**
Mortar
Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method, Test Method for, **C944/C944M (04.02)**
Autogenous Strain of Cement Paste and Mortar, Test Method for, **C1698 (04.02)**
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**
Determining Age at Cracking and Induced Tensile Stress Characteristics of Mortar and Concrete under Restrained Shrinkage, Test Method for, **C1581/C1581M (04.02)**
Evaluation of the Effect of Water Repellent Treatments on Freeze-Thaw Resistance of Hydraulic Cement Mortar Specimens, Test Method for, **D5860 (06.02)**
Fireclay and High-Alumina Mortars, Classification of, **C1655 (15.01)**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, Test Method for, **C1585 (04.02)**
Quality Assurance of Mortars, Guide for, **C1586 (04.05)**
Reduction of Efflorescence Potential in New Masonry Walls, Guide for, **C1400 (04.05)**
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**
Self-leveling Mortars Containing Hydraulic Cements, Test Methods for, **C1708/C1708M (04.02)**
Thin-bed Mortar for Autoclaved Aerated Concrete (AAC) Masonry, Specification for, **C1660 (04.05)**
Time of Setting of Concrete Mixtures by Penetration Resistance, Test Method for, **C403/C403M (04.02)**
Water-Soluble Chloride in Mortar and Concrete, Test Method for, **C1218/C1218M (04.02)**
Mortar—specifications
Aggregate for Masonry Mortar, Specification for, **C144 (04.05)**
Chemical-Resistant Sulfur Mortar, Specification for, **C287 (04.05)**
Chemically Setting Silicate and Silica Chemical-Resistant Mortars, Specification for, **C466 (04.05)**
Extended Life Mortar for Unit Masonry, Specification for, **C1142 (04.05)**
Mortar Cement, Specification for, **C1329/C1329M (04.01)**
Mortar for Unit Masonry, Specification for, **C270 (04.05)**
Mortar, Refractory (High-Temperature, Air-Setting), Specification for, **F1097 (01.07)**
Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, Specification for, **C387/C387M (04.02)**
Packaged, Dry, Combined Materials for Surface Bonding Mortar, Specification for, **C887 (04.05)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Pozzolanic Hydraulic Lime for Structural Purposes, Specification for, **C1707 (04.01)**
Preblended Dry Mortar Mix for Unit Masonry, Specification for, **C1714/C1714M (04.05)**
Silica Fume Used in Cementitious Mixtures, Specification for, **C1240 (04.02)**
Slag Cement for Use in Concrete and Mortars, Specification for, **C989/C989M (04.02)**
Mortar aggregate ratio test method
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Mortar bars
Expansion of Hydraulic Cement Mortar Bars Stored in Water, Test Method for, **C1038/C1038M (04.01)**
Potential Alkali Reactivity of Aggregates (Mortar-Bar Method), Test Method for, **C1260 (04.02)**
Potential Alkali Reactivity of Cement-Aggregate, Test Method for, **C227 (04.02)**
Mortar (bond strength)
Bond Strength of Chemical-Resistant Mortars, Test Method for, **C321 (04.05)**
Bond Strength of Mortar to Masonry Units, Test Method for, **C952 (04.05)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mortar cement
Mortar Cement, Specification for, **C1329/C1329M (04.01)**
Thin-bed Mortar for Autoclaved Aerated Concrete (AAC) Masonry, Specification for, **C1660 (04.05)**
Mortar (cement mortar)
See **Cement mortars—specifications**
Mortar (chemical-resistant)
See **Chemical-resistant mortars**
Mortar (masonry)
Sa **Masonry mortar—specifications**
Preblended Dry Mortar Mix for Unit Masonry, Specification for, **C1714/C1714M (04.05)**
Thin-bed Mortar for Autoclaved Aerated Concrete (AAC) Masonry, Specification for, **C1660 (04.05)**
Mortar method
Early Stiffening of Hydraulic Cement (Mortar Method), Test Method for, **C359 (04.01)**
Mortar panels
Making Cementitious Panels for Testing Coatings, Practice for, **D1734 (06.02)**
Mortar (portland cement mortar)
Early Stiffening of Hydraulic Cement (Mortar Method), Test Method for, **C359 (04.01)**
Early Stiffening of Hydraulic Cement (Paste Method), Test Method for, **C451 (04.01)**
Potential Expansion of Portland-Cement, Test Method for, **C452/C452M (04.01)**
Mortar (refractory)
See **Refractory mortar**
Mortar resistance
Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, Test Method for, **D3260 (06.02)**
Mortar-set attachment systems
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Mortar (silicate/silica)
Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Test Method for, **C414 (04.05)**
Mortar strength
Compressive Strength of Hydraulic-Cement Mortars, Test Method for, **C349 (04.01)**
Flexural Strength of Hydraulic-Cement Mortars, Test Method for, **C348 (04.01)**
Mortising
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
MOSFETs
Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, Test Method for, **F996 (10.04)**
MOS (metal-oxide-silicon) structures
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**
Mosquitos
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**
Laboratory Testing of Non-Commercial Mosquito Repellent Formulations On the Skin, Test Methods for, **E951 (11.05)**
Most probable number (MPN)
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**
Most-probable-number technique
Sulfate-Reducing Bacteria in Water and Water-Formed Deposits, Test Methods for, **D4412 (11.02)**
Motels
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**
Motion
Functional and Wear Evaluation of Motion-Preserving Lumbar Total Facet Prostheses, Practice for, **F2694 (13.02)**
Motor compressors
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**
Motorcycles
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Motor/fan system
Measuring Air Performance Characteristics of Vacuum Cleaner Motor/Fan Systems, Test Method for, **F2105 (15.08)**
Motor fuels
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of Olefin Content of Gasolines by Supercritical-Fluid Chromatography, Test Method for, **D6550 (05.03)**
Determination of Total Sulfur in Light Hydrocarbons, Motor Fuels, and Oils by Online Gas Chromatography with Flame Photometric Detection, Test Method for, **D7041 (05.04)**
Preparation of Low-Pressure Gas Blends, Practice for, **D4051 (05.02)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**
Motorized treadmills
Evaluating Design and Performance Characteristics of Motorized Treadmills, Test Methods for, **F2106 (15.07)**
Motorized Treadmills, Specification for, **F2115 (15.07)**
Motor life evaluation
Sa **Vacuum cleaners/systems**
Motor Life Evaluation of a Built-In (Central Vacuum) Vacuum Cleaner, Test Method for, **F884 (15.08)**
Motor Life Evaluation of a Canister, Hand-held, Stick, and Utility Type Vacuum Cleaner Without a Driven Agitator, Test Method for, **F1038 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle, Test Method for, **F922 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle for Central Vacuum Cleaning Systems, Test Method for, **F1601 (15.08)**
Motor Life Evaluation of an Upright Vacuum Cleaner, Test Method for, **F555 (15.08)**
Motor octane
Calculation of Certain Physical Properties of Liquefied Petroleum (LP) Gases from Compositional Analysis, Practice for, **D2598 (05.01)**
Motor octane number (MON)
Sa **Knock characteristics**
Analysis of High-Purity n-Heptane and Isooctane by Capillary Gas Chromatography, Test Method for, **D2268 (05.01)**
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**
Motor Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2700 (05.05)**
Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines, Practice for, **D6424 (05.03)**
Research Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2699 (05.05)**

--```,`,,,`,`,`,,,,``````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Motor oil
Sa **Fuel oils**
Screening Fuels in Soils, Test Method for, **D5831 (11.04)**
Motors
Boat Barriers, Test Method for, **F2766 (15.08)**
Motor vehicles
Boat Barriers, Test Method for, **F2766 (15.08)**
Goggle- and Spectacle-Type Eye Protectors for Selected Motor Sports, Specification for, **F2812 (15.07)**
Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, Test Method for, **D5132 (08.03)**
Mottling
Pressure Mottling and Blocking Resistance of Organic Coatings on Metal Substrates, Test Method for, **D3003 (06.02)**
Mountaineering equipment
Sa **Climbing and mountaineering equipment—specifications**
Labeling of Backpacking and Mountaineering Tents and Bivouac Sacks, Practice for, **F2441 (15.07)**
Mountain endorsement
Training of Personnel Operating in Mountainous Terrain (Mountain Endorsement), Guide for, **F3027 (13.02)**
Mountaintop removal/mining
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Mounted pans
Frying and Braising Pans, Tilting Type, Specification for, **F1047 (15.12)**
Mounting area (skis)
See **Alpine skis (binding/mounting area)**
Mounting materials
Determining the Adhesion of Prints and Laminating Films, Practice for, **F2226 (15.09)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Mounting test specimens
Sa **Specimen preparation (for testing)**
Mounting Test Specimens During Sound Absorption Tests, Practices for, **E795 (04.06)**
Mounting Test Specimens for Sound Transmission Loss Testing of Naval and Marine Ship Bulkhead Treatment Materials, Practices for, **E1123 (04.06)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Moused hook
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**
Mouth
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Mouth actuated toys
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Mouth protectors
Care and Use of Athletic Mouth Protectors, Practice for, **F697 (15.07)**
Movable soccer goals
Safer Use of Movable Soccer Goals, Guide for, **F1938 (15.11)**
Special Tip-Resistant Movable Soccer Goals, Safety Specification for, **F2673 (15.11)**
Moveable durable property
Moveable Property Storage, Practice for, **E2715 (04.12)**
Movement calculation
Calculating Movement and Other Effects When Establishing Sealant Joint Width, Guide for, **C1472 (04.07)**
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Moving vehicles
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Mowing athletic playing surfaces
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**
1M-PC multiple test programs
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
MQOs
Demonstrating and Assessing Whether a Chemical Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, Guide for, **D6956 (11.04)**
MRI (magnetic resonance imaging)
Cranial Traction Tongs and Halo External Spinal Immobilization Devices, Specification for, **F1831 (13.01)**
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**
Measurement of Magnetically Induced Displacement Force on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2052 (13.01)**
Measurement of Magnetically Induced Torque on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2213 (13.01)**
Measurement of Radio Frequency Induced Heating On or Near Passive Implants During Magnetic Resonance Imaging, Test Method for, **F2182 (13.01)**
Optimize Scan Sequences for Clinical Diagnostic Evaluation of Metal-on-Metal Hip Arthroplasty Devices using Magnetic Resonance Imaging, Guide to, **F2978 (13.02)**
MSCR (multiple stress creep and recovery)
Multiple Stress Creep and Recovery (MSCR) of Asphalt Binder Using a Dynamic Shear Rheometer, Test Method for, **D7405 (04.03)**
MSDS (material safety data sheet)
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, Practice for, **E1628 (11.03)**
MSI integrated circuits
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
MSLD
See **Mass spectrometer leak detector (MSLD)**
MTAC (multiple test acceptance criteria)
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
MTB complex
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**
MTBE (methyl *tert*-butylether)
Analysis of Methyl Tert-Butyl Ether (MTBE) by Gas Chromatography, Test Method for, **D5441 (05.02)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Methyl Tertiary-Butyl Ether (MTBE) for Downstream Blending for Use in Automotive Spark-Ignition Engine Fuel, Specification for, **D5983 (05.02)**

mTEC agar
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**

MTF (modular transfer function)
See **Modular transfer function (MTF)**

Mucilage
See **Adhesives**

Mucilloid
Mucilloid Content of Plantago Insularis (Ovata, Psyllium), Test Method for, **D7047 (04.09)**

Mud balance
Density of Bentonitic Slurries, Test Method for, **D4380 (04.08)**

Mud mats
Standard Details for Adhered Sheet Waterproofing, Guide for, **D5898/D5898M (04.04)**

Muffle-furnace technique
Ash Content in Plastics, Test Method for, **D5630 (08.03)**
Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique, Test Method for, **D4218 (08.02)**
Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, Test Method for, **C1517 (12.01)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Nonvolatile and Pigment Content of Electrocoat Baths, Test Methods for, **D5145 (06.01)**
Palladium in Molecular Sieve Catalyst by Wet Chemistry, Test Method for, **D4782 (05.05)**

Mufflers
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**

Mullen hydrostatic tester
Coated Fabrics, Test Methods for, **D751 (09.02)**

Mullen test
Grain Crack and Extension of Leather by the Mullen Test, Test Method for, **D2210 (15.04)**

Muller device
Color and Strength of Chromatic Pigments with a Mechanical Muller, Test Method for, **D387 (06.01)**
Dispersion of Chromatic Pigments with a Mechanical Muller, Practice for, **D7540 (06.01)**

Mullite refractories
See **Refractories (mullite)**

Mull technique
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Multiangle color measurement
Multiangle Color Measurement of Metal Flake Pigmented Materials, Practice for, **E2194 (06.01)**

Multiattribute decision analysis (MADA)
Sa **Building economics**
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**

Multiaxial impact testing
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
Time-to-Failure of Plastics Using Plane Strain Tensile Specimens, Test Method for, **F2018 (08.04)**

Multiaxial tension test
Multi-Axial Tension Test for Geosynthetics, Test Method for, **D5617 (04.13)**

Multicell capillary viscometer
Measuring Apparent Viscosity at High-Temperature and High-Shear Rate by Multicell Capillary Viscometer, Test Method for, **D5481 (05.02)**

Multichannel analyzer
NaI(Tl) Gamma-Ray Spectrometry of Water, Practice for, **D4962 (11.02)**

Multi-coat systems
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**

Multi-collector gas mass spectrometer
Isotopic Analysis of Uranium Hexafluoride by Double-Standard Multi-Collector Gas Mass Spectrometer, Test Method for, **C1429 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Single–Standard Gas Source Multiple Collector Mass Spectrometer Method, Test Method for, **C1428 (12.01)**

Multi-collector inductively-coupled mass spectrometry
Isotopic Abundance Analysis of Uranium Hexafluoride and Uranyl Nitrate Solutions by Multi-Collector, Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1477 (12.01)**

Multicolor lacquers
Freeze-Thaw Stability of Multicolor Lacquers, Test Method for, **D2337 (06.01)**

Multicomponent paints
Sa **Latex paints**
Sa **Solventborne paints/coatings**
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Volatile Content of Coatings, Test Method for, **D2369 (06.01)**

Multicomponent samples
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**

Multicomponent textile fibers
Multicomponent Textile Fibers, Terminology Related to, **D4466 (07.02)**

Multicomponent thermostat metal
See **Thermostat metals**

Multiconductor insulated wire/cable
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**

Multi-dimensional gas chromatography
Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, Test Method for, **D5507 (08.03)**
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**
Total Olefins in Spark-ignition Engine Fuels by Multidimensional Gas Chromatography, Test Method for, **D6296 (05.03)**

Multidirectional magnetization
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**

Multi-directional polymer matrix composite laminates
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**

Multi-family outdoor play areas
Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, Safety Performance Specification for, **F2049 (01.06)**

Multiglazing storm doors
See **Doors/door assemblies**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Multilayer
Multilayer Thermoplastic And Flexible Steel Pipe And Connections, Specification for, **F2805 (08.04)**
Multilayer ceramic capacitors
See **Capacitors**
See **Ceramic electrical/electronic devices/applications**
Multilayer composite flooring
Sa **Flooring/floor covering systems**
Application of Floor Polishes to Maintain Multilayer Composite Tile or Flooring, Practice for, **D4386 (15.04)**
Multilayer composite pipe
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hydronic Heating Systems, Specification for, **F1987 (08.04)**
Multilayer Polyethylene-Polyamide (PE-PA) Pipe for Pressure Piping Applications, Specification for, **F2807 (08.04)**
Multilayered liquids
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**
Multilayer gas adsorption
Carbon Black—Total and External Surface Area by Nitrogen Adsorption, Test Method for, **D6556 (09.01)**
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Multilayer nickel deposit
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Multi-layer polyethylene (PE) tube—specifications
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Tubing OD Controlled SDR9, Specification for, **F2262 (08.04)**
Multi-layer steel (MLS)
Multi-Layer Steel (MLS) and Other Metal Layer Gaskets for Transportation Applications, Classification for, **F2325 (09.02)**
Multimode optical fibers
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Multinotch applicator
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**
Multipass gas cells
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Multiphase flow
Emulsification/Suspension of Multiphase Fluid Waste Materials, Practice for, **D5761 (05.02)**
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Sampling Strategies for Heterogeneous Wastes, Guide for, **D5956 (11.04)**
Multiphase glass ceramic waste forms
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Multiphase metals
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Multiple basin wash technique
Assessment of an Antibacterial Handwash Product by Multiple Basin Wash Technique, Test Method for, **E1883 (11.05)**
Multiple bituminous surface treatments
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Multiple crevice assembly (MCA)
Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, Test Methods for, **G48 (03.02)**
Multiple criteria/objective decision analysis
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Multiple-filament surface-ionization mass spectrometric method
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Multiple forced-choice method
Determination of Odor and Taste Thresholds By a Forced-Choice Ascending Concentration Series Method of Limits, Practice for, **E679 (15.08)**
Multiple graduations
Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, Specification for, **E1380 (14.04)**
Multiple ground-water samples
See **Ground-water monitoring/sampling**
Multiple headspace extraction
Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, Test Method for, **D6021 (05.02)**
Multiple image analysis
Sa **Image analysis**
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Multiple neck distilling/boiling flasks
Laboratory Glass Multiple Neck Distilling/Boiling Flasks, Specification for, **E1378 (14.04)**
Multiple occupancy swings
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Multiple-opening contractions
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Multiple persons survival/rescue
Multiple Persons Cold Water Survival/Rescue Technique: Huddle Position, Practice for, **F1728 (13.02)**
Multiple photomask registration
See **Photomasks/photomasking**
Multiple ply roofing membranes—specifications
Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6509/D6509M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**
Multiple-pulse method
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**
Multiple scattering
Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, Test Method for, **B822 (02.05)**
Multiple sheet lift
Repositionable Note Pad, Specification for, **D6787/D6787M (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Multiple stress creep and recovery (MSCR)
Multiple Stress Creep and Recovery (MSCR) of Asphalt Binder Using a Dynamic Shear Rheometer, Test Method for, **D7405 (04.03)**
Multiple-tank dishwashing machines
See **Dishwashing equipment (commercial)**
Multiple test programs
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Multiple workstation control
Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**
Optimizing, Controlling and Reporting Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **D6689 (11.01)**
Multiplex strainers
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Multiplicity counting
Nondestructive Assay of Plutonium by Passive Neutron Multiplicity Counting, Test Method for, **C1500 (12.01)**
Multiplier phototubes
Describing Photomultiplier Detectors in Emission and Absorption Spectrometry, Practice for, **E520 (03.05)**
Multi-ply materials/applications
Determining the Bond Strength (Ply Adhesion) of Geocomposites, Test Method for, **D7005 (04.13)**
Multi-ply roofing membranes—specifications
Measuring Voids in Roofing and Waterproofing Membranes, Test Method for, **D5076/D5076M (04.04)**
Multipoint krypton adsorption
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Multipoint method
Sa **Nitrogen adsorption surface area**
Carbon Black—Total and External Surface Area by Nitrogen Adsorption, Test Method for, **D6556 (09.01)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Multipoint surface area
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**
Multipositional plastic chair
Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, Performance Requirements for, **F1858 (15.11)**
Multipurpose automotive grease
Sa **Lubricating grease**
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**
Multi-rib tensile method
Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method, Test Method for, **D6637 (04.13)**
Multi-stand (roll) forming mill
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**
Multi-valued measurands
Conducting an Interlaboratory Study to Determine the Precision of a Test Method with Multi-Valued Measurands, Practice for, **E2480 (06.01)**
Multivariate analyses
Establishing a Linear Correlation Relationship Between Analyzer and Primary Test Method Results Using Relevant ASTM Standard Practices, Guide for, **D7235 (05.04)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Multivariate Data Analysis in Pharmaceutical Development and Manufacturing Applications, Guide for, **E2891 (14.02)**
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Validation of Empirically Derived Multivariate Calibrations, Practice for, **E2617 (03.06)**
Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems, Practice for, **D6122 (05.02)**
Multi-wall bags
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
Multi-wheeled profilograph
Measuring Pavement Roughness Using a Profilograph, Test Method for, **E1274 (04.03)**
Multi-whythe masonry
Sa **Masonry units**
In Situ Compressive Stress Within Solid Unit Masonry Estimated Using Flatjack Measurements, Test Method for, **C1196 (04.05)**
Mu-meter method
Testing Side Force Friction on Paved Surfaces Using the Mu-Meter, Test Method for, **E670 (04.03)**
Municipal sewage
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**
Municipal sewer sludge
Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, Test Method for, **D6139 (05.03)**
Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, Test Method for, **D5210 (08.03)**
Municipal solid waste (MSW)
Sa **Resource recovery**
Sa **Waste materials/processing/analysis**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Compatibility of Screening Analysis of Waste, Practices for, **D5058 (11.04)**
Determination of the Composition of Unprocessed Municipal Solid Waste, Test Method for, **D5231 (11.04)**
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**
Determining Biodegradability of Materials Exposed to Municipal Solid Waste Composting Conditions by Compost Respirometry, Test Method for, **D5929 (11.04)**
Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, Test Method for, **D5232 (11.04)**
Determining the Stability of Compost by Measuring Oxygen Consumption, Test Method for, **D5975 (11.04)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Flammability Potential Screening Analysis of Waste, Test Methods for, **D4982 (11.04)**
General Planning of Waste Sampling, Guide for, **D4687 (11.04)**
Municipal Ferrous Scrap, Test Methods for, **E701 (11.04)**
Municipal-Mixed Nonferrous Metals (MNM), Classification for, **E956 (11.04)**
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Screening Apparent Specific Gravity and Bulk Density of Waste, Test Method for, **D5057 (11.04)**
Screening of Oxidizers in Waste, Test Method for, **D4981 (11.04)**
Screening of Reactive Sulfides in Waste, Test Methods for, **D4978 (11.04)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**
Wetting and Drying Test of Solid Wastes, Test Method for, **D4843 (11.04)**

Municipal solid waste (MSW)—specifications
Geosynthetic Alternate Daily Covers, Specification for, **D7008 (04.13)**
Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, Specification for, **D5359 (11.04)**
Municipal Ferrous Scrap, Specification for, **E702 (11.04)**
Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, Specification for, **D6826 (04.13)**

Munsell color system
Appearance, Terminology of, **E284 (06.01)**
Determination of Color Response of Electrostatic Copying System, Black and White Output, Practice for, **F974 (15.09)**
Specifying Color by the Munsell System, Practice for, **D1535 (06.01)**

Muntz metal
See **UNS C28000 (Muntz metal, 60 %)**

Muntz metal (leaded)
Sa **UNS C36500 (leaded Muntz metal, uninhibited)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**

Muriatic acid
Muriatic Acid (Technical Grade Hydrochloric Acid), Specification for, **E1146 (15.05)**

Murine local lymph node assay (LLNA)
Evaluation of Delayed Contact Hypersensitivity Using the Murine Local Lymph Node Assay (LLNA), Practice for, **F2148 (13.01)**

Muscovite mica—specifications
Natural Muscovite Mica Splittings, Classification for, **D2131 (10.01)**
Wet Ground Mica Pigments, Specification for, **D607 (06.03)**

Musculoskeletal implants
Presentation of End User Labeling Information for Musculoskeletal Implants, Guide for, **F2943 (13.02)**

Musculoskeletal system
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Assessment of the Ultra High Molecular Weight Polyethylene (UHMWPE) Used in Orthopedic and Spinal Devices, Guide for, **F2759 (13.02)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**

Music amphitheater
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**

Music spring wire
Sa **Steel springs—specifications**
Steel Wire, Music Spring Quality, Specification for, **A228/A228M (01.03)**

Mussel
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**

Muster lists
Preparing and Locating Emergency Muster Lists, Practice for, **F1270 (01.07)**

Muster stations
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**

Mutagenicity
Sa **Genetic examination**
Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, Test Method for, **E1687 (11.03)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**

Mutual conductance/capacitance
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

Mutual inductance bridge
Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, Guide for, **E2337/E2337M (03.03)**

MWF endotoxin concentration
See **Water-miscible metalworking fluids (MWF)**

Mycobactericides
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**

Mycobacterium terrae
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**

Mycobacterium tuberculosis **(MTBC) complex**
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**
Enumeration of Non-Tuberculosis, Practice for, **E2563 (11.03)**

Mycoplasma
Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, Practice for, **E1536 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, Practice for, **E1531 (14.02)**
Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, Practice for, **E1532 (14.02)**
Indirect Detection of Mycoplasma in Cell Culture by 4`-6-Diamidino-2-2 Phenylindole (DAPI) Staining, Practice for, **E1533 (14.02)**

Mysids
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Static and Flow-Through Acute Toxicity Tests With Mysids From the West Coast of the United States, Guide for, **E1463 (11.06)**

Mytilus edulis
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

N

Na_4EDTA
See **Ethylenediamine tetraacetic acid (Na_4EDTA)**

Nail-base fiberboard sheathing thermal insulation
See **Block and board thermal insulation**

Nail bones/plates
Sa **Orthopaedic medical devices—specifications**
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**

Nailhead pull-through
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**

Nail pull resistance
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**
Mechanical Fasteners in Plastic Lumber and Shapes, Test Methods for, **D6117 (08.03)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**

Nails
Determining Bending Yield Moment of Nails, Test Method for, **F1575 (01.08)**
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Nails, Test Methods for, **F680 (01.08)**
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**
Nails for Use with Wood and Wood-Base Materials, Terminology of, **F547 (01.08)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**

Names (of drugs)
Enhance Identification of Drug Names on Labels, Practice to, **D6398 (15.10)**

NAMLT test
Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test), Test Method for, **G67 (03.02)**

Nanofiltration (NF) materials/applications
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Operating Characteristics of Reverse Osmosis and Nanofiltration Devices, Test Methods for, **D4194 (11.02)**
Pressure Driven Membrane Separation Element/Bundle Evaluation, Practice for, **D7601 (11.02)**
Recordkeeping for Reverse Osmosis and Nanofiltration Systems, Guide for, **D4472 (11.02)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**
Used for Microfiltration, Ultrafiltration, Nanofiltration and Reverse Osmosis Membrane Processes, Terminology, **D6161 (11.02)**
Water Analysis for Reverse Osmosis and Nanofiltration Application, Guide for, **D4195 (11.02)**

Nanoparticles
Analysis of Hemolytic Properties of Nanoparticles, Test Method for, **E2524 (14.02)**
Evaluation of Cytotoxicity of Nanoparticulate Materials in Porcine Kidney Cells and Human Hepatocarcinoma Cells, Test Method for, **E2526 (14.02)**
Measurement of Airborne Metal and Metal Oxide Nanoparticle Surface Area Concentration in Inhalation Exposure Chambers using Krypton Gas Adsorption, Test Method for, **E2864 (14.02)**
Measurement of Particle Size Distribution of Nanomaterials in Suspension by Nanoparticle Tracking Analysis (NTA), Guide for, **E2834 (14.02)**
Measurement of Particle Size Distribution of Nanomaterials in Suspension by Photon Correlation Spectroscopy (PCS), Guide for, **E2490 (14.02)**
Size Measurement of Nanoparticles Using Atomic Force Microscopy, Guide for, **E2859 (14.02)**

Nanosecond event detection
Nanosecond Event Detection for Electrical Contacts and Connectors, Test Method for, **B878 (02.04)**

Nanotechnology
Calculation of Mean Sizes/Diameters and Standard Deviations of Particle Size Distributions, Practice for, **E2578 (14.02)**
Evaluation of the Effect of Nanoparticulate Materials on the Formation of Mouse Granulocyte-Macrophage Colonies, Test Method for, **E2525 (14.02)**
Handling Unbound Engineered Nanoscale Particles in Occupational Settings, Guide for, **E2535 (14.02)**
Investigation/Study/Assay Tab-Delimited Format for Nanotechnologies (ISA-TAB-Nano): Standard File Format for the Submission and Exchange of Data on Nanomaterials and Characterizations, Guide for, **E2909 (14.02)**
Measurement of Airborne Metal and Metal Oxide Nanoparticle Surface Area Concentration in Inhalation Exposure Chambers using Krypton Gas Adsorption, Test Method for, **E2864 (14.02)**
Measurement of Electrophoretic Mobility and Zeta Potential of Nanosized Biological Materials, Guide for, **E2865 (14.02)**

Napery/tablecloth fabrics
Woven Napery and Tablecloth Fabrics: Household and Institutional, Performance Specification for, **D4111 (07.01)**

Naphtha and naphtha derivatives
Acid Wash Color of Industrial Aromatic Hydrocarbons, Test Method for, **D848 (06.04)**
Acidity in Aviation Turbine Fuel, Test Method for, **D3242 (05.01)**
Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, Test Method for, **D847 (06.04)**
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Depentanization of Gasoline and Naphthas, Test Method for, **D2001 (05.01)**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
High-Flash Aromatic Naphthas, Specification for, **D3734 (06.04)**
Paraffin, Naphthene, and Aromatic Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Gas Chromatography, Test Method for, **D5443 (05.02)**
Precipitation Number of Lubricating Oils, Test Method for, **D91 (05.01)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D4294 (05.02)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**
VM&P Naphthas, Specification for, **D3735 (06.04)**

Naphthalenes
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Naphthalene Hydrocarbons in Aviation Turbine Fuels by Ultraviolet Spectrophotometry, Test Method for, **D1840 (05.01)**
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**

Naphthenes
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**
Paraffin, Naphthene, and Aromatic Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional Gas Chromatography, Test Method for, **D5443 (05.02)**

Naphthenic process oil
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**

Napped fabrics
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**

Narcosis
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Narrow-band-pass instrumentation
Sa **Spectrophotometry**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**

Narrow elastic fabrics
Elongation of Narrow Elastic Fabrics (Static-Load Testing), Test Method for, **D5278/D5278M (07.02)**

Narrow packages
Bridge Impact Testing, Test Method for, **D5265 (15.10)**

Nasal exposure
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**

Nasopharyngeal airways
See **Anesthesia equipment—specifications**

Natelson pipets
Sa **Pipets (laboratory)—specifications**
Disposable Glass Micro Blood Collection Pipets, Specification for, **E787 (14.04)**

National air medical transport units
See **Emergency medical services (EMS)**

Nationality/country of origin
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
UAS Registration and Marking (Excluding Small Unmanned Aircraft Systems), Practice for, **F2851 (15.11)**

National Lubricating Grease Institute (NLGI)
Cone Penetration of Lubricating Grease, Test Methods for, **D217 (05.01)**

Natural attenuation
Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, Guide for, **E1943 (11.05)**

Natural building stone
Sa **Dimension stone—specifications**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**

Natural cement
See **Cement**
See **Hydrated lime—specifications**

Natural drying oils
See **Drying oils**

Natural ester
Natural (Vegetable Oil) Ester Fluids Used in Electrical Apparatus, Specification for, **D6871 (10.03)**

Natural fibers
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Textile Fibers, Guide for, **D7641 (07.02)**

Natural gamma log
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**

Natural gas-fired reciprocating engines
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**

Natural gas-liquid (NGL) mixtures
Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**
LNG Density Calculation Models, Specification for, **D4784 (05.06)**

Natural gas/Petroleum products—gaseous fuels
Analysis of Oxygen in Gaseous Fuels (Electrochemical Sensor Method), Test Method for, **D7607/D7607M (05.06)**
Online Measurement of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatograph and Electrochemical Detection, Test Method for, **D7493 (05.06)**

Natural gas service systems
Sa **Gaseous fuels**
Sa **LPG (liquefied petroleum gases)**
Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), Test Method for, **D4084 (05.06)**
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Calorific (Heating) Value of Gases in Natural Gas Range by Continuous Recording Calorimeter, Test Method for, **D1826 (05.06)**
Carbon Dioxide in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4984 (05.06)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Chemiluminescence, Test Method for, **D5504 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection, Test Method for, **D6228 (05.06)**
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**
Hydrogen Sulfide in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4810 (05.06)**
Mercaptans in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D1988 (05.06)**
Mercury Sampling and Analysis in Natural Gas by Atomic Fluorescence Spectroscopy, Test Method for, **D6350 (05.06)**
Mercury Sampling and Measurement in Natural Gas by Atomic Absorption Spectroscopy, Test Method for, **D5954 (05.06)**
Natural Gas Odor Intensity, Test Methods for, **D6273 (05.06)**
Natural Gas Sample-Handling and Conditioning Systems for Pipeline Instrumentation, Practice for, **D5503 (05.06)**
Operation and Maintenance of Integrated Natural Gas Pipelines and Optical Fiber Systems, Practice for, **F2349 (04.12)**
Polyamide 12 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2785 (08.04)**
Sampling Gas from a Transformer Under Positive Pressure, Practice for, **D2759 (10.03)**
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**
Tracking and Traceability Encoding System of Natural Gas Distribution Components (Pipe, Tubing, Fittings, Valves, and Appurtenances), Specification for, **F2897 (08.04)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**
Water Vapor Content of Gaseous Fuels by, Test Method for, **D1142 (05.06)**
Water Vapor in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4888 (05.06)**

Natural gas service systems—specifications
Excess Flow Valves for Natural Gas Service, Specification for, **F2138 (08.04)**
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**

Natural grassland ecosystem
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Natural iron oxide pigments
See **Iron oxide pigments—black (natural/synthetic)**
See **Iron oxide pigments—brown (natural/synthetic)**
See **Iron oxide pigments—red (natural/synthetic)**
See **Iron oxide pigments—yellow**

Natural light
Exposure of Adhesive Specimens to Artificial Light, Practice for, **D904 (15.06)**

Natural-matrix bed-sediment reference samples
Sa **Sediment**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**

Natural mineral aggregate
See **Mineral aggregate**

Natural moisture method
Sa **Moisture analysis**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**

Natural pigments
Ferrous Iron in Iron Oxides, Test Method for, **D3872 (06.03)**
Natural Red and Brown Iron Oxide Pigments, Specification for, **D3722 (06.03)**

Natural playing surfaces
Density of Topsoil and Blended Soils In-place by the Core Displacement Method, Test Method for, **F3013 (15.07)**

Natural pozzolans
See **Pozzolans**

Natural rubber (NR)
Analysis of Aqueous Extractable Protein in Natural Rubber and Its Products Using the Modified Lowry Method, Test Method for, **D5712 (09.02)**
Carbon Black Evaluation in NR (Natural Rubber), Test Methods for, **D3192 (09.01)**
Immunological Measurement of Four Principal Allergenic Proteins (Hev b 1, 3, 5 and 6.02) in Natural Rubber and Its Products Derived from Latex, Test Method for, **D7427 (09.02)**
Petroleum Waxes for Use in Rubber Compounding, Classification for, **D4924 (09.01)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Rubber From Natural Sources—Plasticity Retention Index (PRI), Test Method for, **D3194 (09.01)**
Rubber from Natural Sources—Sampling and Sample Preparation, Practice for, **D1485 (09.01)**
Rubber Products in Automotive Applications, Classification System for, **D2000 (09.02)**
Rubber Property—Extension Cycling Fatigue, Test Method for, **D4482 (09.01)**
Rubber—Evaluation of NR (Natural Rubber), Practice for, **D3184 (09.01)**

Natural rubber (NR)—specifications
Natural Rubber (NR) Technical Grades, Specification for, **D2227 (09.01)**
Rubber Bales From Natural SourcesLimit on Coating, Specification for, **D2449 (09.01)**

Natural rubber (NR) latex
Colorimetric/Spectrophotometric Procedure to Quantify Extractable Chemical Dialkyldithiocarbamate, Thiuram, and Mercaptobenzothiazole Accelerators in Natural Rubber Latex and Nitrile Gloves, Test Method for, **D7558 (09.02)**
Determining Compatibility of Personal Lubricants with Natural Rubber Latex Condoms, Test Method for, **D7661 (09.02)**
Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**
Immunological Measurement of Four Principal Allergenic Proteins (Hev b 1, 3, 5 and 6.02) in Natural Rubber and Its Products Derived from Latex, Test Method for, **D7427 (09.02)**
Rubber and Rubber Latices—Nomenclature, Practice for, **D1418 (09.01)**
Rubber Latex—Styrene-Butadiene Copolymer—Determination of Residual Styrene, Test Method for, **D4026 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber—Chemical Analysis for Polystyrene Blocks In SBR (Styrene-Butadiene Rubber) and Styrene-Reinforced Latices, Test Method for, **D3314 (09.01)**

Natural rubber (NR) latex—specifications
Natural Rubber Finger Cots, Specification for, **D3772 (09.02)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**

Natural sand
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**

Natural grass field system
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Natural waxes
Sa **Waxes—natural and synthetic**
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**
Natural weathering
Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, Practice for, **G147 (14.04)**
Metal Black Panel and White Panel Temperature Devices for Natural Weathering Tests, Specification for, **G179 (14.04)**
Outdoor Weathering of Plastics, Practice for, **D1435 (08.01)**
Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, Practice for, **D4364 (08.02)**
Relating to Natural and Artificial Weathering Tests of Nonmetallic Materials, Terminology, **G113 (14.04)**
Natural yellow oxide
See **Ocher**
Naval architects
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Naval brass
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Naval stores
Acid Number of Naval Stores Products Including Tall Oil and Other Related Products, Test Methods for, **D465 (06.03)**
Color of Pine Chemicals and Related Products (Instrumental Determination of Gardner Color), Test Method for, **D6166 (06.03)**
Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1585 (06.03)**
Pine Chemicals, Including Tall Oil and Related Products, Terminology Relating to, **D804 (06.03)**
Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1240 (06.03)**
Unsaponifiable Matter in Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Method for, **D1065 (06.03)**
Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, Guide for Determining, **D4140 (06.01)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Navy test
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
NBC survivability
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
NB (net benefits)
Measuring Net Benefits and Net Savings for Investments in Buildings and Building Systems, Practice for, **E1074 (04.11)**
NBR polymer
See **Acrylonitrile-butadiene (NBR) polymer**
NBS abrader
Rubber Property—Abrasion Resistance (Footwear Abrader), Test Method for, **D1630 (09.01)**
NBS-Brungraber slip-resistance tester
Slip-Resistant Bathing Facilities, Consumer Safety Specification for, **F462 (15.11)**
nC_7-asphaltenes
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
NCLS (notched constant ligament stress) test
Notched, Constant Ligament-Stress (NCLS) Test to Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe, Test Method for, **F2136 (08.04)**
N-d-M method
Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, Test Method for, **D3238 (05.01)**
NDT laboratories
Sa **Nondestructive evaluation (NDE)**
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
NDT (nil-ductility transition) temperature
Guided Wave Testing of Above Ground Steel Pipework Using Piezoelectric Effect Transduction, Practice for, **E2775 (03.03)**
Neanthes arenaceodentata
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Neanthes polychaetes
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Near-infrared analysis/instruments
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Establishing Spectrophotometer Performance Tests, Guide for, **E1866 (03.06)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Near Infrared Qualitative Analysis, Practice for, **E1790 (03.06)**
Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, Practice for, **E1791 (03.06)**
Near-monodisperse spherical particulate material
See **Particle analysis**
Near real-time radioscopy
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Neck container/closure integrity
Determining Product Leakage from a Package with a Mechanical Pump Dispenser, Test Method for, **D6834 (15.10)**
Necklace structure
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Neckties
Knitted Necktie and Scarf Fabrics, Performance Specification for, **D4035 (07.01)**
Woven Necktie and Scarf Fabrics, Performance Specification for, **D3785 (07.01)**
Necropsy
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**
Necrosis
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Needle bearing
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**
Ring, Bearing, Inner: for Needle Roller Bearing With Drawn Outer Ring, Specification for, **F2163 (01.08)**
Roller, Bearing, Needle, Ferrous, Solid, Spherical End, Specification for, **F2443 (01.08)**
Rollers, Bearing, Needle, Ferrous, Solid, Specification for, **F2511 (01.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Needle holders
Stainless Steel Suture Needle Holders-General Workmanship Requirements and Corresponding Test Methods, Specification for, **F1325 (13.01)**
Needle insertion method
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Needle penetration (of petroleum wax)
Needle Penetration of Petroleum Waxes, Test Method for, **D1321 (05.01)**
Needle-punched geosynthetic clay liner
Determining Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners, Test Method for, **D6496 (04.13)**
Needle roller bearing
Bearing, Roller, Needle: Assembly (Thick Outer Race), Specification for, **F2430 (01.08)**
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**
Bearing, Roller, Needle: Thick Outer Ring With Rollers and Cage, Specification for, **F2246 (01.08)**
Ring Bearing, Inner: For Needle Roller Bearing with Thick Outer Ring, Specification for, **F2431 (01.08)**
Ring, Bearing, Inner: for Needle Roller Bearing With Drawn Outer Ring, Specification for, **F2163 (01.08)**
Roller, Bearing, Needle, Ferrous, Solid, Spherical End, Specification for, **F2443 (01.08)**
Needles
Bend Testing of Needles Used in Surgical Sutures, Test Method for, **F1874 (13.01)**
Protective Clothing Material Resistance to Hypodermic Needle Puncture, Test Method for, **F2878 (11.03)**
Puncture Resistance of Materials Used in Containers for Discarded Medical Needles and Other Sharps, Specification for, **F2132 (13.01)**
Needle test
Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, Test Method for, **D3756 (10.02)**
Needle tubing
Stainless Steel Needle Tubing, Specification for, **A908 (01.01)**
Needs assessment
Planning for and Response to a Multiple Casualty Incident, Guide for, **F1288 (13.02)**
Negative air pressure (vacuum) method
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, Test Method for, **C1214 (04.05)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), Test Method for, **C1214M (04.05)**
Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure, Test Method for, **C1618 (04.05)**
Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure (Metric), Test Method for, **C1618M (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1244 (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), Test Method for, **C1244M (04.05)**
Negative buoyancy pipe
Sa **Steel pipe**
Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, Specification for, **A810 (01.06)**
Negative insertion loss
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**
Negative pressure filtration
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**
Negative temperature coefficient
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Negligee/nightgown fabrics
Bathrobe, Dressing Gown, Negligee, Nightgown, and Pajama Fabrics, Performance Specification for, **D7021 (07.02)**
Negligible calibration error
99 %/95 % Interlaboratory Detection Estimate (IDE) for Analytical Methods with Negligible Calibration Error, Practice for, **D6091 (11.01)**
Neir mass spectrometer
Isotopic Analysis of Uranium Hexafluoride by Single-Standard Gas Source Mass Spectrometer Method, Test Method for, **C1344 (12.01)**
Nelson hanger (for shipboard piping)
Sa **Shipbuilding steel pipe materials—specifications**
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**
Nematicides (nematode control agents)
Conducting Laboratory Soil Toxicity Tests with the Nematode, Guide for, **E2172 (11.06)**
Neodymium-148 method
Atom Percent Fission in Uranium and Plutonium Fuel (Neodymium-148 Method), Test Method for, **E321 (12.01)**
Neodymium-doped laser materials
See **Lasers and laser applications**
Neodymium fluoride
Mounting Actinides for Alpha Spectrometry Using Neodymium Fluoride, Practice for, **C1163 (12.01)**
Neodymium fluoride mounting
The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, Test Method for, **C1205 (12.01)**
Neolite heel test
Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, Test Method for, **C1028 (15.02)**
Neoplastic response
Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, Guide for, **F1439 (13.01)**
Neoprene
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, Practice for, **C1231/C1231M (04.02)**
Nephelometric turbidity
Determination of Turbidity Below 5 NTU in Static Mode, Test Method for, **D6855 (11.01)**
On-Line Measurement of Turbidity Below 5 NTU in Water, Test Method for, **D6698 (11.01)**
Neps content (of cotton)
Neps, Vegetable Matter, and Colored Fiber in Wool Top, Test Method for, **D1770 (07.01)**
Water-Soluble Sulfate in Soil, Test Method for, **C1580 (04.02)**
Neptunium
Determination of Plutonium and Neptunium in Uranium Hexafluoride and U-Rich Matrix by Alpha Spectrometry, Guide for, **C1561 (12.01)**
Neptunium-237
Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, Practice for, **C1614 (12.01)**
Determination of Neptunium-237 in Soil, Guide for, **C1475 (12.01)**
Measuring Reaction Rates by Radioactivation of Neptunium-237, Test Method for, **E705 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Neptunium content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Nernstian response
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Nernst-Latimer convention
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Nessler reagent method
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Nessler tubes
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**
Nested experiment
Design of Experiments, Terminology Relating to, **E1325 (14.02)**
Net benefits analysis (of buildings)
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**
Net carrier density (in semiconductors)
See **Density—electronic applications**
NetCDF
Analytical Data Interchange Protocol for Mass Spectrometric Data, Guide for, **E2078 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**
NETD (noise equivalent temperature difference)
Noise Equivalent Temperature Difference of Thermal Imaging Systems, Test Method for, **E1543 (03.03)**
Nets
Design, Manufacture, Installation and Testing of Climbing Nets and Netting/Mesh used in Amusement Rides, Devices, Play Areas and Attractions, Practice for, **F2375 (15.07)**
Network
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**
Network parameters
In Situ Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), Test Method for, **F2214 (13.01)**
Network referencing
Network Level Pavement Management, Guide for, **E1166 (04.03)**
Neuromuscular signs
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**
Neurosurgical medical devices/applications
Sa **Orthopaedic medical devices—specifications**
Care and Handling of Intracranial Aneurysm Clips and Instruments, Practice for, **F700 (13.01)**
Care and Handling of Neurosurgical Implants and Instruments, Practice for, **F701 (13.01)**
Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, Practice for, **F647 (13.01)**
Neurosurgical medical devices/applications—specifications
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**
Preformed Cranioplasty Plates, Specification for, **F452 (13.01)**
Neurotoxicity
Selecting Tests to Evaluate Potential Neurotoxicity of Medical Devices, Guide for, **F2901 (13.02)**
Neutral fatty matter
Determination of Neutral Fatty Matter Contained in Fats and Oils, Test Method for, **D5560 (15.04)**
Neutralization
Evaluation of Inactivators of Antimicrobial Agents, Test Methods for, **E1054 (11.05)**
Quicklime and Hydrated Lime for Neutralization of Waste Acid, Test Methods for, **C400 (04.01)**
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**
Neutralization numbers
Sa **Acidity, alkalinity, pH**
Acid and Base Number by Color-Indicator Titration, Test Method for, **D974 (05.01)**
Acid Number of Petroleum Products by Potentiometric Titration, Test Method for, **D664 (05.01)**
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Neutralizer solutions
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Neutralizer toxicity
Evaluation of Inactivators of Antimicrobial Agents, Test Methods for, **E1054 (11.05)**
Neutralizing capability
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Neutral oil content
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Neutral salt spray test
See **Salt spray (fog) testing**
Neutral sodium chloride solution
Evaluating the Corrosion Resistance of Stainless Steel Powder Metallurgy (PM) Parts/Specimens by Immersion in a Sodium Chloride Solution, Test Methods for, **B895 (02.05)**
Neutral sulfates
Sulfates in Leather (Total, Neutral, and Combined Acid), Test Methods for, **D4655 (15.04)**
Neutron absorbing materials
Sa **Energy deposition—ionizing radiation**
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Determining Equivalent Boron Contents of Nuclear Materials, Practice for, **C1233 (12.01)**
Neutron absorption
Determination of Effective Boron-10 Areal Density in Aluminum Neutron Absorbers using Neutron Attenuation Measurements, Test Method for, **E2971 (03.03)**
Neutron activation foils
Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, Guide for, **E720 (12.02)**
Neutron activation reactions
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Determining Thermal Neutron Reaction Rates and Thermal Neutron Fluence Rates by Radioactivation Techniques, Test Method for, **E262 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aluminum, Test Method for, **E266 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Copper, Test Method for, **E523 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Iron, Test Method for, **E263 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel, Test Method for, **E264 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, Test Method for, **E1297 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Measuring Neutron Fluence and Average Energy from, Test Method for, **E496 (12.02)**
Measuring Neutron Fluence Rates by Radioactivation of Cobalt and Silver, Test Method for, **E481 (12.02)**
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**
Measuring Reaction Rates by Analysis of Barium-140 From Fission Dosimeters, Test Method for, **E393 (12.02)**
Measuring Reaction Rates by Radioactivation of Neptunium-237, Test Method for, **E705 (12.02)**
Measuring Reaction Rates by Radioactivation of Uranium-238, Test Method for, **E704 (12.02)**
Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, Test Method for, **E385 (12.02)**

Neutron adsorption
Low-Carbon Nickel-Chromium-Molybdenum-Gadolinium Alloy Plate, Sheet, and Strip, Specification for, **B932 (02.04)**

Neutron attenuation
Determination of Effective Boron-10 Areal Density in Aluminum Neutron Absorbers using Neutron Attenuation Measurements, Test Method for, **E2971 (03.03)**
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**

Neutron counting
Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System, Test Method for, **C1493 (12.01)**
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**
Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, Test Method for, **C1207 (12.01)**

Neutron damage
See **Damage assessment—nuclear materials/applications**

Neutron dosimetry
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**

Neutron exposure
Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, Guide for, **E2956 (12.02)**

Neutron flux—oxygen content
Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, Test Method for, **E385 (12.02)**

Neutron flux/fluence
Sa **Thermal neutron flux**
Analysis and Interpretation of Light-Water Reactor Surveillance Results, Practice for, **E853 (12.02)**
Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments, Practice for, **E1006 (12.02)**
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**
Application and Analysis of Radiometric Monitors for Reactor Vessel Surveillance, E706 (IIIA), Test Method for, **E1005 (12.02)**
Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), Test Method for, **E854 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Conducting Supplemental Surveillance Tests for Nuclear Power Reactor Vessels, E 706 (IH), Guide for, **E636 (12.02)**
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**
Measurement of Mechanical Properties During Charged-Particle Irradiation, Practice for, **E821 (12.02)**
Measuring Neutron Fluence and Average Energy from, Test Method for, **E496 (12.02)**
Measuring Neutron Fluence Rates by Radioactivation of Cobalt and Silver, Test Method for, **E481 (12.02)**
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**

Neutronic properties
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**

Neutron moderators
Making Quality Nondestructive Assay Measurements, Guide for, **C1592/C1592M (12.01)**

Neutron-photon environments
Application of CaF, Practice for, **E2450 (12.02)**

Neutron porosity log
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**

Neutron radiation
Asphalt Content of Bituminous Mixtures by the Nuclear Method, Test Methods for, **D4125/D4125M (04.03)**
Measurement of Beam Divergence and Alignment in Neutron Radiologic Beams, Test Method for, **E2861 (03.03)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**

Neutron radiation—concrete
Density of Bituminous Concrete in Place by Nuclear Methods, Test Method for, **D2950/D2950M (04.03)**

Neutron radiation—nuclear materials/applications
Analysis and Interpretation of Light-Water Reactor Surveillance Results, Practice for, **E853 (12.02)**
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Application of Neutron Transport Methods for Reactor Vessel Surveillance, E706 (IID), Guide for, **E482 (12.02)**
Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, Guide for, **E2005 (12.02)**
Characterizing Neutron Exposures in Iron and Low Alloy Steels

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

in Terms of Displacements Per Atom (DPA), E 706(ID), Practice for, **E693 (12.02)**
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, Guide for, **E721 (12.02)**
Determining Neutron Exposures for Nuclear Reactor, Practice for, **E1035 (12.02)**
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**
Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, Practice for, **E1854 (12.02)**
Measurement of Mechanical Properties During Charged-Particle Irradiation, Practice for, **E821 (12.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, Guide for, **E720 (12.02)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**

Neutron radiation—soil
Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, Test Method for, **D5220 (04.08)**

Neutron radiographic testing
Sa **Radiographic examination**
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Determining Image Quality in Direct Thermal Neutron Radiographic Examination, Test Method for, **E545 (03.03)**
Determining the, Test Method for, **E803 (03.03)**
Fabrication of Neutron Radiographic Sensitivity Indicators, Practice for, **E2023 (03.03)**
Fabrication of the Neutron Radiographic Beam Purity Indicators, Practice for, **E2003 (03.03)**
Thermal Neutron Radiography of Materials, Practices for, **E748 (03.03)**

Neutron sensors
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, Guide for, **E721 (12.02)**
Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, Guide for, **E720 (12.02)**

Neutron transport calculations
Benchmark Testing of Light Water Reactor Calculations, Guide for, **E2006 (12.02)**

Newspaper/newsprint
Ash in Biomass, Test Method for, **E1755 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Relative Mileage of News Ink on Newsprint, Test Method for, **D7189 (06.02)**

New species grouping
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**

Newtonian behavior
Apparent Viscosity of Adhesives Having Shear-Rate-Dependent Flow Properties Using Rotational Viscometry, Test Method for, **D2556 (15.06)**

Newtonian fluids
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Kinematic Viscosity of Volatile and Reactive Liquids, Test Method for, **D4486 (05.02)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Viscosity by Ford Viscosity Cup, Test Method for, **D1200 (06.01)**
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**

New unit pavement systems—reduction of efflorescence potential
Reduction of Efflorescence Potential in New Unit Pavement Systems, Guide for, **C1791 (04.05)**

New Zealand rabbits
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Evaluating Material Extracts by Intracutaneous Injection in the Rabbit, Practice for, **F749 (13.01)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**
Testing Biomaterials in Rabbits for Primary Skin Irritation, Practice for, **F719 (13.01)**

Nickel
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**
Electroforming with Nickel and Copper, Guide for, **B832 (02.05)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel, Test Method for, **E264 (12.02)**
Multielement Analysis of Crude Oils Using Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7691 (05.04)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**

Nickel—specifications
Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, Specification for, **B904 (02.05)**
Castings, Nickel and Nickel Alloy, Specification for, **A494/A494M (01.02)**
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys, Specification for, **B880 (02.04)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Nickel, Specification for, **B39 (02.04)**
Nickel Rod and Bar, Specification for, **B160 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nickel alloy
Additive Manufacturing Nickel Alloy (UNS N06625) with Powder Bed Fusion, Specification for, **F3056 (10.04)**
Additive Manufacturing Nickel Alloy (UNS N07718) with Powder Bed Fusion, Specification for, **F3055 (10.04)**
Nickel alloy additives
Sa **Stainless steel alloying additives**
Nickel Oxide Sinter, Specification for, **A636 (01.02)**
Nickel alloy bolting materials—specifications
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Precipitation-Hardening Bolting (UNS N07718) for High Temperature Service, Specification for, **A1014/A1014M (01.01)**
Stainless Steel and Nickel Alloy Bolts, Hex Cap Screws, and Studs, for Heat Resistance and High Temperature Applications, Specification for, **F2281 (01.08)**
Nickel alloy castings—specifications
Castings, Iron-Nickel-Chromium and Nickel Alloys, Specially Controlled for Pressure Retaining Parts for Corrosive Service, Specification for, **A990/A990M (01.02)**
Castings, Nickel and Nickel Alloy, Specification for, **A494/A494M (01.02)**
Castings, Nickel-Aluminum Ordered Alloy, Specification for, **A1002 (01.02)**
Nickel alloy coatings
Preparation of Nickel Alloys for Electroplating, Practice for, **B558 (02.05)**
Nickel alloy coatings—specifications
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**
Nickel alloy electrical heating elements
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**
Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, Test Method for, **B76 (02.04)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Nickel alloy flanges/fittings/valves/parts—specifications
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled 8 and 9% Nickel Alloy Steel Flanges, Fittings, Valves, and Parts for Low-Temperature Service, Specification for, **A522/A522M (01.01)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Nickel alloy forgings—specifications
Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A859/A859M (01.05)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Precipitation Hardening Nickel-Copper-Aluminum Alloy, Specification for, **B865 (02.04)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Nickel alloy pipe
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Nickel alloy pipe—specifications
Sa **Nickel alloy tube—specifications**
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube, Specification for, **B829 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
Nickel Seamless Pipe and Tube, Specification for, **B161 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, Specification for, **B723 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloys, Specification for, **B444 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B759 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten-Alloys, Specification for, **B757 (02.04)**
Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, Specification for, **B834 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
UNS N08028 Seamless Pipe and Tube, Specification for, **B668 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Pipe, Specification for, **B725 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**
Nickel alloy plate/sheet/strip—specifications
Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, Specification for, **B688 (02.04)**
General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet, and Strip, Specification for, **B906 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sheet, and Strip, Specification for, **B709 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Plate, Sheet, and Strip, Specification for, **B424 (02.04)**
Nickel Plate, Sheet, and Strip, Specification for, **B162 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip, Specification for, **B582 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Tungsten Alloy, Specification for, **B814 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Plate, Sheet, and Strip, Specification for, **B718 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy, Specification for, **B443 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B755 (02.04)**
Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip, Specification for, **B127 (02.04)**
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip, Specification for, **B620 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip, Specification for, **B599 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Plate, Sheet, and Strip, Specification for, **B536 (02.04)**
Nickel-Molybdenum Alloy Plate, Sheet, and Strip, Specification for, **B333 (02.04)**
Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, Specification for, **B670 (02.04)**
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, Specification for, **B435 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**

Nickel alloy rod/bar/wire—specifications
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire, Specification for, **B691 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, Specification for, **B649 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Nickel Rod and Bar, Specification for, **B160 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-, Specification for, **B719 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625), Nickel-Chromium-Molybdenum-Silicon Alloy (UNS N06219), and Nickel-Chromium-Molybdenum-Tungsten Alloy (UNS N06650) Rod and Bar, Specification for, **B446 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloy, Specification for, **B756 (02.04)**
Nickel-Chromium-Silicon Alloy (UNS N08330) Billets and Bars, Specification for, **B512 (02.04)**
Nickel-Copper Alloy Rod, Bar, and Wire, Specification for, **B164 (02.04)**
Nickel-Iron-Chromium Alloy Rod and Bar, Specification for, **B408 (02.04)**
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod, Specification for, **B621 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes, Specification for, **B511 (02.04)**
Nickel-Molybdenum Alloy Rod, Specification for, **B335 (02.04)**
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, N10242) Rod, Specification for, **B573 (02.04)**
Precipitation Hardening Nickel Alloys Bar and Wire, Specification for, **B805 (02.04)**
Precipitation Hardening Nickel-Copper-Aluminum Alloy, Specification for, **B865 (02.04)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Rod and Bar, Specification for, **B425 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod, Specification for, **B572 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, Specification for, **B473 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**

Nickel alloys
Analysis of Ni-Base Alloys by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E2465 (03.05)**
Analysis of Nickel Alloys by Flame Atomic Absorption Spectrometry, Test Method for, **E1835 (03.05)**
Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1834 (03.05)**
Analysis of Nickel Alloys by Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Method), Test Method for, **E2594 (03.05)**
Analysis of Nickel Alloys by Inductively Coupled Plasma Mass Spectrometry (Performance-Based Method), Test Method for, **E2823 (03.05)**
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Detecting mu-phase in Wrought Nickel-Rich, Chromium, Molybdenum-Bearing Alloys, Practice for, **G209 (03.02)**
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel, Test Method for, **E264 (12.02)**

Nickel alloys—specifications
General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys, Specification for, **B880 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Nickel, Specification for, **B39 (02.04)**
Nickel Oxide Sinter, Specification for, **A636 (01.02)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**

Nickel alloys (chemical analysis)
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Determination of Titanium in Nickel Alloys by Diantipyrylmethane Spectrophotometry, Test Method for, **E1938 (03.05)**

Nickel alloys (corrosion testing)
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, Practice for, **G36 (03.02)**
Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, Test Methods for, **G48 (03.02)**

Nickel alloys (electronic applications)
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**

Nickel alloys (electronic applications)—specifications
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Integrated Circuit Lead Frame Material, Specification for, **F375 (10.04)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**

Nickel alloys (powder metallurgy applications)
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, Specification for, **B834 (02.04)**

Nickel alloy steel plate—specifications
Nickel and Nickel-Base Alloy-Clad Steel Plate, Specification for, **A265 (01.04)**
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Pressure Vessel Plates, 5 % and 5 1/2 % Nickel Alloy Steels, Specially Heat Treated, Specification for, **A645/A645M (01.04)**
Pressure Vessel Plates, Alloy Steel, Double-Normalized and Tempered 9 % Nickel, Specification for, **A353/A353M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered 8 and 9 % Nickel, Specification for, **A553/A553M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Nickel-Chromium-Molybdenum, Specification for, **A543/A543M (01.04)**
Pressure Vessel Plates, Low-Carbon Age-Hardening Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Steel, Specification for, **A736/A736M (01.04)**
Steel Plates, 9% Nickel Alloy, for Pressure Vessels, Produced by the Direct-Quenching Process, Specification for, **A844/A844M (01.04)**

Nickel alloy steel plate (for welded pressure vessels)
Nickel and Nickel-Base Alloy-Clad Steel Plate, Specification for, **A265 (01.04)**
Pressure Vessel Plates, 5 % and 5 1/2 % Nickel Alloy Steels, Specially Heat Treated, Specification for, **A645/A645M (01.04)**
Pressure Vessel Plates, Alloy Steel, Double-Normalized and Tempered 9 % Nickel, Specification for, **A353/A353M (01.04)**
Pressure Vessel Plates, Alloy Steel, Nickel, Specification for, **A203/A203M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered 8 and 9 % Nickel, Specification for, **A553/A553M (01.04)**
Steel Plates, 9% Nickel Alloy, for Pressure Vessels, Produced by the Direct-Quenching Process, Specification for, **A844/A844M (01.04)**

Nickel alloy tube
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Electromagnetic (Eddy-Current) Examination of Nickel and Nickel Alloy Tubular Products, Practice for, **E571 (03.03)**
Videoborescoping of Tubular Products for Sanitary Applications, Guide for, **A1015 (01.01)**

Nickel alloy tube—specifications
Sa **Nickel alloy pipe—specifications**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube, Specification for, **B829 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
Nickel Seamless Pipe and Tube, Specification for, **B161 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloys, Specification for, **B444 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B758 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B759 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Tube, Specification for, **B739 (02.04)**
Seamless and Welded Nickel Alloy Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B924 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
UNS N08028 Seamless Pipe and Tube, Specification for, **B668 (02.04)**
UNS N08367 Welded Tube, Specification for, **B676 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Tube, Specification for, **B674 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**

Nickel alloy (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**

Nickel aluminum castings
Castings, Nickel-Aluminum Ordered Alloy, Specification for, **A1002 (01.02)**

Nickel boron
Autocatalytic Nickel Boron Coatings for Engineering Use, Specification for, **B607 (02.05)**

Nickel bronze (leaded)—casting
See **UNS C97300 (cast nickel-silver)**

Nickel-chromium alloy coatings
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, Test Method for, **B651 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**

Nickel-chromium alloys
Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, Test Method for, **B76 (02.04)**
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**

Nickel-chromium alloys—specifications
Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements, Specification for, **B344 (02.04)**
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Electrodeposited Coatings of Copper Plus Nickel Plus, Specification for, **B456 (02.05)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip, Specification for, **B582 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Tungsten Alloy, Specification for, **B814 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-, Specification for, **B719 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Plate, Sheet, and Strip, Specification for, **B718 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Seamless Pipe and Tube, Specification for, **B722 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, Specification for, **B723 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Tube, Specification for, **B726 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy, Specification for, **B443 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625), Nickel-Chromium-Molybdenum-Silicon Alloy (UNS N06219), and Nickel-Chromium-Molybdenum-Tungsten Alloy (UNS N06650) Rod and Bar, Specification for, **B446 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloys, Specification for, **B444 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloy, Specification for, **B756 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B759 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B755 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B758 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten-Alloys, Specification for, **B757 (02.04)**
Nickel-Chromium-Silicon Alloy (UNS N08330) Billets and Bars, Specification for, **B512 (02.04)**
Precipitation Hardening Nickel Alloys Bar and Wire, Specification for, **B805 (02.04)**
Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, Specification for, **B670 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, Specification for, **B435 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod, Specification for, **B572 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**
UNS N08367 and UNS N08926 Welded Pipe, Specification for, **B804 (02.04)**
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Tube, Specification for, **B674 (02.04)**
Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**
Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**

Nickel-chromium-cobalt-molybdenum alloy—specifications
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**

Nickel-chromium-iron alloys
Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, Test Method for, **B76 (02.04)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**

Nickel-chromium-iron alloys—specifications
Castings, Nickel and Nickel Alloy, Specification for, **A494/A494M (01.02)**
Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements, Specification for, **B344 (02.04)**
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**
Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**

Nickel-chromium-iron-molybdenum-copper alloys—specifications
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip, Specification for, **B582 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

Nickel-chromium-iron-molybdenum-tungsten alloys—specifications
Nickel-Chromium-Iron-Molybdenum-Tungsten Alloy, Specification for, **B814 (02.04)**

Nickel-chromium-iron-silicon alloys—specifications
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**

Nickel-chromium-molybdenum alloys—specifications
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Nickel-Chromium-Molybdenum, Specification for, **A543/A543M (01.04)**
Quenched and Tempered Carbon and Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A541/A541M (01.05)**
Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, Specification for, **A508/A508M (01.05)**
UNS N08367 and UNS N08926 Welded Pipe, Specification for, **B804 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**

Nickel-chromium-molybdenum-cobalt-tungsten-iron-silicon alloy—specifications
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-, Specification for, **B719 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Plate, Sheet, and Strip, Specification for, **B718 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Seamless Pipe and Tube, Specification for, **B722 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, Specification for, **B723 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Alloy (UNS N06333) Welded Tube, Specification for, **B726 (02.04)**

Nickel-chromium-molybdenum-columbium alloys—specifications
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy, Specification for, **B443 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625), Nickel-Chromium-Molybdenum-Silicon Alloy (UNS N06219), and Nickel-Chromium-Molybdenum-Tungsten Alloy (UNS N06650) Rod and Bar, Specification for, **B446 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloys, Specification for, **B444 (02.04)**
Water Trap for Diesel Exhaust, Specification for, **F1431 (01.07)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**

Nickel-chromium-molybdenum-iron alloys—specifications
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, Specification for, **B435 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod, Specification for, **B572 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

Nickel-chromium-molybdenum-iron-columbium alloys—specifications
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**

Nickel-chromium-molybdenum-silicon alloys—specifications
Nickel-Chromium-Molybdenum-Columbium Alloy, Specification for, **B443 (02.04)**

Nickel-chromium-molybdenum-tungsten alloys
Nickel-Chromium-Molybdenum-Tungsten Alloy, Specification for, **B756 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B759 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B755 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B758 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten-Alloys, Specification for, **B757 (02.04)**

Nickel-chromium-silicon alloys—specifications
Nickel-Chromium-Silicon Alloy (UNS N08330) Billets and Bars, Specification for, **B512 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Tube, Specification for, **B739 (02.04)**

Nickel-clad steel
Nickel and Nickel-Base Alloy-Clad Steel Plate, Specification for, **A265 (01.04)**

Nickel-coated braid
Nickel-Coated Braid and Ribbon Flat Copper Wire Intended for use in Electronic Application, Specification for, **B972 (02.03)**

Nickel-coated copper-clad steel wire
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**

Nickel coatings
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Thin Chromium Coatings by Spot Test, Guide for, **B556 (02.05)**
Nickel on Steel for Porcelain Enameling by Photometric Analysis, Test Method for, **C715 (02.05)**
Nickel on Steel for Porcelain Enameling by X-Ray Emission Spectrometry, Test Method for, **C810 (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings, Practice for, **B281 (02.05)**
Preparation of Lead and Lead Alloys for Electroplating, Guide for, **B319 (02.05)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Preparation of Nickel Alloys for Electroplating, Practice for, **B558 (02.05)**
Preparation of Nickel for Electroplating with Nickel, Practice for, **B343 (02.05)**
Preparation of Titanium and Titanium Alloys, Practice for, **B481 (02.05)**
Preparation of Tungsten and Tungsten Alloys for Electroplating, Practice for, **B482 (02.05)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Nickel coatings—specifications
Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, Specification for, **B904 (02.05)**
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**
Nickel-Coated Soft or Annealed Copper Wire, Specification for, **B355 (02.03)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**

Nickel-cobalt alloy
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

Nickel content
Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, Test Method for, **G123 (03.02)**

Nickel content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Nickel content—beryllium
Chemical Analysis of Beryllium, Test Methods for, **E439 (03.05)**

Nickel content—coal/coke
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**

Nickel content—Cu/Cu alloys
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**

Nickel content—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emis-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

sion Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**

Nickel content—miscellaneous metals/alloys
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**

Nickel content—Ni/Ni alloys
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**

Nickel content—petroleum products
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, Test Methods for, **D5708 (05.02)**
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**
Total Nickel in Fresh Alumina-Base Catalysts, Test Method for, **D4481 (05.05)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

Nickel content—stainless steel
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**

Nickel content—water
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Nickel in Water, Test Methods for, **D1886 (11.01)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**

Nickel-copper alloy
Electroforming with Nickel and Copper, Guide for, **B832 (02.05)**
High-Strength Copper-Base and Nickel-Copper Alloy Castings, Reference Radiographs for, **E272 (03.03)**

Nickel-copper alloy—specifications
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip, Specification for, **B127 (02.04)**
Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube, Specification for, **B165 (02.04)**
Nickel-Copper Alloy Rod, Bar, and Wire, Specification for, **B164 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Precipitation Hardening Nickel-Copper-Aluminum Alloy, Specification for, **B865 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Tube, Specification for, **B730 (02.04)**

Nickel-copper alloy steel—specifications
Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A859/A859M (01.05)**
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Castings, Nickel and Nickel Alloy, Specification for, **A494/A494M (01.02)**
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Pressure Vessel Plates, Low-Carbon Age-Hardening Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Steel, Specification for, **A736/A736M (01.04)**

Nickel-copper-aluminum alloys
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**

Nickel-copper-silicon
Castings, Nickel and Nickel Alloy, Specification for, **A494/A494M (01.02)**

Nickel crucible method
Density of Semi-Solid and Solid Bituminous Materials (Nickel Crucible Method), Test Method for, **D3289 (04.03)**

Nickel electrical/electronic applications
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**

Nickel electrical/electronic applications—specifications
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Integrated Circuit Lead Frame Material, Specification for, **F375 (10.04)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**

Nickel-iron alloy
Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, Test Method for, **G61 (03.02)**
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**
Preparation of Nickel Alloys for Electroplating, Practice for, **B558 (02.05)**

Nickel-iron alloy—specifications
50 Nickel-50 Iron Powder Metallurgy Soft Magnetic Parts, Specification for, **A904 (03.04)**
Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, Specification for, **B688 (02.04)**
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip, Specification for, **B709 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire, Specification for, **B691 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Plate, Sheet, and Strip, Specification for, **B424 (02.04)**
Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, Specification for, **B649 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B409 (02.04)**
Nickel-Iron-Chromium Alloy Rod and Bar, Specification for, **B408 (02.04)**
Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip, Specification for, **B620 (02.04)**
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod, Specification for, **B621 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire, Specification for, **B672 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip, Specification for, **B599 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Copper Alloy, Specification for, **B423 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes, Specification for, **B511 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, Specification for, **B710 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Tube, Specification for, **B739 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Plate, Sheet, and Strip, Specification for, **B536 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Rod and Bar, Specification for, **B425 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, Specification for, **B473 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**
UNS N08028 Seamless Pipe and Tube, Specification for, **B668 (02.04)**
UNS N08367 Welded Pipe, Specification for, **B675 (02.04)**
UNS N08367 Welded Tube, Specification for, **B676 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**

Nickel-iron-chromium alloys—specifications
Sa **Iron-chromium castings—specifications**
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip, Specification for, **B709 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B409 (02.04)**
Nickel-Iron-Chromium Alloy Rod and Bar, Specification for, **B408 (02.04)**
Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, Specification for, **B473 (02.04)**
UNS N08367 Welded Pipe, Specification for, **B675 (02.04)**
UNS N08367 Welded Tube, Specification for, **B676 (02.04)**
Welded Nickel-Iron-Chromium Alloy Pipe, Specification for, **B514 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**

Nickel-iron-chromium-columbium (Nb)-titanium-aluminum alloy
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**

Nickel-iron-chromium-molybdenum alloys—specifications
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip, Specification for, **B620 (02.04)**
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod, Specification for, **B621 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

Nickel-iron-chromium-molybdenum-columbium alloys—specifications
Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire, Specification for, **B672 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip, Specification for, **B599 (02.04)**

Nickel-iron-chromium-molybdenum-copper alloys—specifications
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Plate, Sheet, and Strip, Specification for, **B424 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Copper Alloy, Specification for, **B423 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Rod and Bar, Specification for, **B425 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**

Nickel-iron-chromium-molybdenum-copper-low carbon alloys—specifications
Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, Specification for, **B649 (02.04)**
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Tube, Specification for, **B674 (02.04)**

Nickel-iron-chromium-silicon alloys—specifications
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes, Specification for, **B511 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, Specification for, **B710 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Tube, Specification for, **B739 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Plate, Sheet, and Strip, Specification for, **B536 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**

Nickel-manganese alloy
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**

Nickel-molybdenum alloys—specifications
Castings, Nickel and Nickel Alloy, Specification for, **A494/A494M (01.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel-Molybdenum Alloy Plate, Sheet, and Strip, Specification for, **B333 (02.04)**
Nickel-Molybdenum Alloy Rod, Specification for, **B335 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

Nickel-molybdenum-chromium alloys—specifications
Castings, Nickel and Nickel Alloy, Specification for, **A494/A494M (01.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**

Nickel-molybdenum-chromium-iron alloys—specifications
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, N10242) Rod, Specification for, **B573 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, UNS N10242) Plate, Sheet, and Strip, Specification for, **B434 (02.04)**

Nickel-molybdenum-iron alloy—specifications
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**

Nickel oxide sinter
Nickel Oxide Sinter, Specification for, **A636 (01.02)**

Nickel-phosphorus (autocatalytic)
See **Autocatalytic coatings**

Nickel silver alloy—specifications
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**
Materials for Copper Base Powder Metallurgy (PM) Structural Parts, Specification for, **B823 (02.05)**

Nickel silver (casting)
See **UNS C97300 (cast nickel-silver)**

Nickel steel
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**

Nickel surgical implant applications—specifications
35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), Specification for, **F961 (13.01)**
Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications (UNS R30035), Specification for, **F562 (13.01)**
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy for Surgical Implant Applications (UNS R30605), Specification for, **F90 (13.01)**
Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), Specification for, **F688 (13.01)**
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**

Nickel titanium
Tension Testing of Nickel-Titanium Superelastic Materials, Test Method for, **F2516 (13.02)**

Nickel-titanium-magnesium alloy
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**

Nickel-titanium surgical implant alloys
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Measurement of Straightness of Bar, Rod, Tubing and Wire to be used for Medical Devices, Test Methods for, **F2819 (13.02)**
Nickel-Titanium Shape Memory Alloys, Terminology for, **F2005 (13.01)**
Transformation Temperature of Nickel-Titanium Alloys by Thermal Analysis, Test Method for, **F2004 (13.01)**

Nickel-titanium surgical implant alloys—specifications
Wrought Nickel-Titanium Shape Memory Alloys for Medical Devices and Surgical Implants, Specification for, **F2063 (13.01)**
Wrought Seamless Nickel-Titanium Shape Memory Alloy Tube for Medical Devices and Surgical Implants, Specification for, **F2633 (13.02)**

Nicotine
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**

Nicrofer 6219Si
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**

NICROSIL-NISIL thermocouple system
See **Thermocouples**

Nightgown fabrics
Bathrobe, Dressing Gown, Negligee, Nightgown, and Pajama Fabrics, Performance Specification for, **D7021 (07.02)**

Nighttime conditions
Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, Practice for, **E811 (06.01)**
Measuring the Night Vision Goggle-Weighted Transmissivity of Transparent Parts, Test Method for, **F1863 (15.03)**

Nil-ductility transition (NDT) temperature
Sa **Temperature tests**
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**

Nimonic 80A alloy
Sa **Nickel alloys**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**

Ninety-six hour test
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting Static and Flow-Through Acute Toxicity Tests With Mysids From the West Coast of the United States, Guide for, **E1463 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**

Niobium and niobium alloys
Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, Test Method for, **E1297 (12.02)**

Niobium and niobium alloys—specifications
Niobium and Niobium Alloy Bar, Rod, and Wire, Specification for, **B392 (02.04)**
Niobium and Niobium Alloy Ingots, Specification for, **B391 (02.04)**
Niobium and Niobium Alloy Seamless and Welded Tubes, Specification for, **B394 (02.04)**
Niobium and Niobium Alloy Strip, Sheet, and Plate, Specification for, **B393 (02.04)**
Niobium-Titanium Alloy Billets, Bar, and Rod for Superconducting Applications, Specification for, **B884 (02.04)**
Reactive and Refractory Metal Clad Plate, Specification for, **B898 (02.04)**

Niobium and niobium surgical implant alloys—specifications
Wrought Titanium-13Niobium-13Zirconium Alloy for Surgical Implant Applications (UNS R58130), Specification for, **F1713 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), Specification for, **F1472 (13.01)**
Wrought Titanium-6Aluminum-7Niobium Alloy for Surgical Implant Applications (UNS R56700), Specification for, **F1295 (13.01)**

Niobium-hafnium alloys
Niobium-Hafnium Alloy Bar and Wire, Specification for, **B655/B655M (02.04)**
Niobium-Hafnium Alloy Foil, Sheet, Strip, and Plate, Specification for, **B654/B654M (02.04)**
Niobium-Hafnium Alloy Ingots, Specification for, **B652/B652M (02.04)**

Nipples
Volatile N-Nitrosamine Levels in Rubber Nipples on Pacifiers, Specification for, **F1313 (15.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nipples for steel pipe
Sa **Steel pipe**
Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**
NIR (near infrared) spectroscopy
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**
Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems, Practice for, **D6122 (05.02)**
Nitinol
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Tension Testing of Nickel-Titanium Superelastic Materials, Test Method for, **F2516 (13.02)**
Nitrate (ion) analysis
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Nitrate reductase
Nitrite-Nitrate in Water by Nitrate Reductase, Test Method for, **D7781 (11.02)**
Nitrates
Determination of Nitrogen, Water Extractable in Leather, Test Method for, **D6016 (15.04)**
Nitrate solutions
Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, Test Method for, **C1307 (12.01)**
Nitration
Condition Monitoring of Nitration in In-Service Petroleum and Hydrocarbon-Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7624 (05.04)**
Field Determination of In-Service Fluid Properties Using IR Spectroscopy, Test Method for, **D7889 (05.04)**
Nitration grade/pure benzene/benzol
See **Benzene—paints/related coatings/materials**
Nitration grade/pure toluene/toluol
See **Toluene**
Nitration-grade xylene
See **Xylene (nitration grade)**
Nitric acid
Ash Content of Adhesives, Test Methods for, **D5040 (15.06)**
Assay of Nitric Acid, Test Method for, **E1584 (15.05)**
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**
Nitric acid extraction
Nitric Acid-Extraction of Elements from Ores and Related Metallurgical Materials by Closed Vessel Microwave Heating, Practice for, **E2941 (03.05)**
Nitric acid/hydrofluoric acid test
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test), Test Method for, **G67 (03.02)**
Nitric acid-insoluble uranium
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Nitric oxide
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Nitriding
Steel Bars, Alloys, for Nitriding, Specification for, **A355 (01.05)**
Nitrile-butadiene rubber (NBR)
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**
Nitrile rubber
Nitrile Examination Gloves for Medical Application, Specification for, **D6319 (09.02)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, Test Method for, **D5670 (09.01)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value, Test Method for, **D5902 (09.01)**
Nitriloacetates (NTA)
Determination of Nitrilotriacetates in Detergents, Test Method for, **D4954 (15.04)**
Nitrite/nitrate content
Nitrite-Nitrate in Water, Test Methods for, **D3867 (11.01)**
Nitrite-Nitrate in Water by Nitrate Reductase, Test Method for, **D7781 (11.02)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**
Nitroaromatic/nitrosamine explosives
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
Nitrobenzene content
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Nitrocellulose
Sa **Cellulose and cellulose derivatives**
Nitrocellulose in Finish on Leather, Test Method for, **D4907 (15.04)**
Nitrogen Content of Soluble Nitrocellulose—Alternative Method, Test Method for, **D4795 (06.03)**
Soluble Nitrocellulose Base Solutions, Guide for, **D365 (06.02)**
Nitrogen
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Determination of Nitrogen, Water Extractable in Leather, Test Method for, **D6016 (15.04)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Determination of Trace Carbon Dioxide, Argon, Nitrogen, Oxygen and Water in Hydrogen Fuel by Jet Pulse Injection and Gas Chromatography/Mass Spectrometer Analysis, Test Method for, **D7649 (05.06)**
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Handling Hazardous Biological Materials in Liquid Nitrogen, Guide for, **E1566 (14.02)**
Handling, Transportation, and Storage of IG-100 (Nitrogen), Practice for, **D7323 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Organic Nitrogen in Paper and Paperboard, Test Method for, **D982 (10.01)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Trace Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D6069 (06.04)**
Ultra Low Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D7184 (06.04)**

Nitrogen—specifications
Apparatus for Microdetermination of Nitrogen by Kjeldahl Method, Specification for, **E147 (14.04)**
Nitrogen Gas as an Electrical Insulating Material, Specification for, **D1933 (10.03)**

Nitrogen adsorption
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Determining Micropore Volume and Zeolite Area of a Catalyst, Test Method for, **D4365 (05.05)**
Surface Area of Catalysts and Catalyst Carriers, Test Method for, **D3663 (05.05)**

Nitrogen adsorption surface area
Carbon Black—Total and External Surface Area by Nitrogen Adsorption, Test Method for, **D6556 (09.01)**
Evaluating the Effective Surface Area of Zinc Oxide in Rubber, Test Method for, **D4620 (09.01)**
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, Test Method for, **D1993 (09.01)**
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**
Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, Test Method for, **C1069 (15.02)**

Nitrogen atmospheres
Automatic Shut-Off Valves (Also Known as Excess Flow Valves, EFV) for Air or Nitrogen Service, Specification for, **F1793 (01.07)**
Filters Used in Air or Nitrogen Systems, Specification for, **F1791 (01.07)**
Pressure-Reducing Manifolds for Air or Nitrogen Systems, Specification for, **F1685 (01.07)**
Pressure-Reducing Valves for Air or Nitrogen Systems, Specification for, **F1795 (01.07)**

Nitrogen carrier gas
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**

Nitrogen content
Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, Test Method for, **D2685 (10.03)**
Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder, Test Methods for, **C1494 (15.01)**
Nitrogen Content (Kjeldahl) and Hide Substance Content of Leather, Wet Blue and Wet White, Test Method for, **D2868 (15.04)**
Nitrogen Content of Soluble Nitrocellulose—Alternative Method, Test Method for, **D4795 (06.03)**
Nitrogen in the Analysis Sample of Refuse-Derived Fuel, Test Methods for, **E778 (11.04)**
Total Nitrogen in Organic Materials by Modified Kjeldahl Method, Test Method for, **E258 (15.05)**
Total Nitrogen in Peat Materials, Test Method for, **D2973 (04.08)**

Nitrogen content—coal/coke
Determination of Carbon, Hydrogen and Nitrogen in Analysis Samples of Coal and Carbon in Analysis Samples of Coal and Coke, Test Methods for, **D5373 (05.06)**

Nitrogen content—metals/alloys
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**

Nitrogen content—nuclear materials
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**

Nitrogen content—petroleum products
Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, Test Method for, **D2597 (05.01)**
Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, Test Methods for, **D5291 (05.02)**
Nitrogen in Petroleum and Petroleum Products by Boat-Inlet Chemiluminescence, Test Method for, **D5762 (05.02)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**
Total Nitrogen in Lubricating Oils and Fuel Oils by Modified Kjeldahl Method, Test Method for, **D3228 (05.01)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**

Nitrogen content—rubber
Rubber Compounding Materials—Determination of the Basic Nitrogen Content in Rubber Antioxidant: Polymerized TMQ, Test Method for, **D5376 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Nitrogen content—water
Ammonia Nitrogen In Water, Test Methods for, **D1426 (11.01)**
Total Chemically Bound Nitrogen in Water by Pyrolysis and Chemiluminescence Detection, Test Method for, **D5176 (11.02)**
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**

Nitrogen desorption isotherm
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**

Nitrogen digestion analysis
Laboratory Glass Kjeldahl Flasks, Specification for, **E1377 (14.04)**

Nitrogen dioxide (NO_2) content
Nitrogen Dioxide Content of the Atmosphere (Griess-Saltzman Reaction), Test Method for, **D1607 (11.07)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nitrogen gas
High Strength Steel Castings in Heavy Sections, Specification for, **A1001 (01.02)**
Permeability of Powder Metallurgy (PM) Bearings Using Nitrogen Gas, Test Method for, **B966 (02.05)**
Nitrogen impurities
Pyridine Bases in Cresylic Acid by Direct Titration, Test Method for, **D4471 (06.04)**
Nitrogen laser-induced fluorescence
Cone Penetrometer Technology Characterization of Petroleum Contaminated Sites with Nitrogen Laser-Induced Fluorescence, Practice for, **D6187 (04.09)**
Nitrogen oxides
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, Test Methods for, **D3824 (11.07)**
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**
Nitrogen Oxides (Combined) Content in the Atmosphere by the Griess-Saltzman Reaction, Test Method for, **D3608 (11.07)**
Oxides of Nitrogen in Gaseous Combustion Products (Phenol-Disulfonic Acid Procedures), Test Method for, **D1608 (11.07)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Nitrogen-phosphorus detectors
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Nitrogen strengthened alloys—specifications
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**
Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Manganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), Specification for, **F1314 (13.01)**
Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108), Specification for, **F2229 (13.01)**
Nitrogen trichloride
Nitrogen Trichloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2036 (15.05)**
Nitrosamine
Volatile N-Nitrosamine Levels in Rubber Nipples on Pacifiers, Specification for, **F1313 (15.11)**
NLGI chassis/wheel bearing service/grease classification
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**
NMR spectrometer
See **Nuclear magnetic resonance (NMR) spectrometry**
Noack method
Evaporation Loss of Lubricating Oils by the Noack Method, Test Method for, **D5800 (05.02)**
Evaporation Loss of Lubricating Oils by Thermogravimetric Analyzer (TGA) Noack Method, Test Method for, **D6375 (05.03)**
Noble gas ions
Calculation of Dose Equivalent Xenon (DEX) for Radioactive Xenon Fission Products in Reactor Coolant, Practice for, **D7727 (11.02)**
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Noble metal coatings
Sa **Gold alloy—electrical contact materials**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Noble metal electrodes
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**
Noble metals
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Nondestructive Pull Testing of Wire Bonds, Practice for, **F458 (10.04)**
Noble metal thermocouples
Compacted Mineral-Insulated, Metal-Sheathed, Noble Metal Thermocouples and Thermocouple Cable, Specification for, **E2181/E2181M (14.03)**
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**
Nock slot
Center Serving Diameter Dimensions for Archery Bow Strings, Guide for, **F1436 (15.07)**
Designation of the Balance Point Location for Archery Arrows, Specification for, **F1435 (15.07)**
Node bond strength
Node Tensile Strength of Honeycomb Core Materials, Test Method for, **C363/C363M (15.03)**
Node-to-node bond strength
See **Bond strength**
Nodulated loose-fill thermal insulation
Mineral Fiber Loose-Fill Thermal Insulation, Specification for, **C764 (04.06)**
NOEC (no observable effect concentration)
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**
No flow point
No Flow Point and Pour Point of Petroleum Products, Test Method for, **D7346 (05.04)**
No-flow testing conditions
Determination of Cycle Life of Automatic Valves for Gas Distribution System Components, Test Method for, **F1373 (10.04)**
Noise analysis
Electrochemical Noise Measurement, Guide for, **G199 (03.02)**
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Noise and sensitivity
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Noise equivalent absorbance (NEA)
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Noise isolation class (NIC)
Rating Sound Insulation, Classification for, **E413 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Noise level measurement
Sa **Sound transmission—building materials/applications**
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Acoustical Ceiling Products, Classification for, **E1264 (04.06)**
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Measurement of Equipment-Generated Continuous Noise for Assessment of Health Hazards, Practice for, **E2202 (04.06)**
Measurement of Outdoor A-Weighted Sound Levels, Guide for, **E1014 (04.06)**
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Refractive Index Detectors Used in Liquid Chromatography, Practice for, **E1303 (03.06)**
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**
Noise metrics
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Noise pollution level (PNL)
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Noise reduction
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Noise reduction coefficient
Acoustically Absorptive Materials Applied by Trowel or Spray, Classification for, **E1042 (04.06)**
Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method, Test Method for, **C423 (04.06)**
Nomarski differential microscopy
Sa **Microscopic examination**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Nomenclature
Sa **Terminology**
Commercial Hardwoods and Softwoods, Nomenclature of, **D1165 (04.10)**
Constituents of Concrete Aggregates, Descriptive Nomenclature for, **C294 (04.02)**
Emergency Medical Services System (EMSS) Telecommunications, Guide for, **F1220 (13.02)**
Establishing Nomenclature of Ground-Water Aquifers, Guide for, **D6106 (04.09)**
Nomenclature for Wire Leads Used as Conductors in Electron Tubes, Practice for, **F85 (10.04)**
Nomenclature of Reference Materials of Committee D24, Classification for, **D7849 (09.01)**
Rubber and Rubber Latices—Nomenclature, Practice for, **D1418 (09.01)**
Nominal diameter (in materials/analysis)
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**
Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, Specification for, **B258 (02.03)**
Using a 1.707-m 67.23-in. Diameter Laboratory Test Roadwheel in Testing Tires, Practice for, **F551/F551M (09.02)**
Nominal joint width
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Nominally linear motion delamination/wear test
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Nominal resistance
Determining Bending Yield Moment of Nails, Test Method for, **F1575 (01.08)**
Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements, Specification for, **B344 (02.04)**
Nominal scales
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**
Nominal size
Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, Practice for, **C585 (04.06)**
Lap-Joint Type Flange Adapters for Polyethylene Pressure Pipe in Nominal Pipe Sizes, Specification for, **F2880 (08.04)**
Nominal thickness
Measuring Nominal Thickness of Rolled Erosion Control Products, Test Method for, **D6525 (04.13)**
Measuring the Nominal Thickness of Geosynthetics, Test Method for, **D5199 (04.13)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Nominal yield
Package Yield of Plastic Film, Test Method for, **D4321 (08.02)**
Nonabrasive surface cleaning
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Nonabrasive testing
Damage to Contacting Solid Surfaces under Fretting Conditions, Test Method for, **G204 (03.02)**
Wear Testing with a Pin-on-Disk Apparatus, Test Method for, **G99 (03.02)**
Nonabsorptive bituminous mixtures
Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, Test Method for, **D2726/D2726M (04.03)**
Nonadiabatic determination
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
***n*-Nonane**
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Nonaqueous potentiometric titration
Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, Test Method for, **E2679 (15.05)**
Nonarcing operations
Specifying the Chemical Compositions for Electrical Contact Materials (Arcing and Nonarcing), Guide for, **B772 (02.04)**
Nonaromatic hydrocarbons
Sa **Hydrocarbons**
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**
Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography, Test Method for, **D2549 (05.01)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chromatography, Test Method for, **D2360 (06.04)**
Nonaromatic impurities
Analysis of Benzene by Gas Chromatography, Test Method for, **D4492 (06.04)**
Nonasbestos fiber-cement materials
Non-Asbestos Fiber-Reinforced Cement Products, Terminology for, **C1154 (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Nonasbestos fiber-cement materials—specifications
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**
Non-Asbestos Fiber-Cement Conduit, Specification for, **C1448/C1448M (04.05)**
Non-Asbestos Fiber-Cement Nonpressure Sewer Pipe, Specification for, **C1449/C1449M (04.05)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Non-Asbestos Fiber-Cement Storm Drain Pipe, Specification for, **C1450/C1450M (04.05)**
Non-Asbestos Fiber-Cement Underdrain Pipe, Specification for, **C1447/C1447M (04.05)**
Non-Asbestos Fiber-Mat Reinforced Cementitious Backer Units, Specification for, **C1325 (04.05)**
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Nonbituminous organic roof membranes
Sa **Bituminous roofing materials**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Noncarbonated beverages
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**
Nonchemically-bonded refractory specimens
Pressing and Drying Refractory Plastic and Ramming Mix Specimens, Practice for, **C1054 (15.01)**
Non-chromate coatings
Testing Non-Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B940 (02.05)**
Noncohesive sediment alluvial data
Elements of a Complete Data Set for Non-Cohesive Sediments, Guide for, **D5387 (11.01)**
Noncombustible matter content
Thermal Characteristics of Refuse-Derived Fuel Macrosamples, Test Method for, **E955 (11.04)**
Noncombustible properties
See **Burning characteristics**
See **Fire testing**
See **Flammability**
See **Ignition**
Noncombustible substrates
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Noncommercial mosquito repellents
Laboratory Testing of Non-Commercial Mosquito Repellent Formulations On the Skin, Test Methods for, **E951 (11.05)**
Nonconcentrated water flow
Silt Fence Installation, Practice for, **D6462 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**
Nonconcentrator multijunction PV cells/modules
Measurement of Electrical Performance and Spectral Response of Nonconcentrator Multijunction Photovoltaic Cells and Modules, Test Methods for, **E2236 (12.02)**
Nonconcentrator terrestrial photovoltaic reference cells
Sa **Solar collectors**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Noncondensable gases
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**
Nonconductive coatings
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**
Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, Test Method for, **B244 (02.05)**
Nonconductive linings
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Nonconforming items
Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Nonconformities, Using Attribute Data, When There is a Zero Response in the Sample, Practice for, **E2334 (14.02)**
Noncontact technique
Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, Practice for, **F1844 (10.04)**
Noncontact thermometer
Selection and Use of Wideband, Low Temperature Infrared Thermometers, Guide for, **E2758 (14.03)**
Nonconvection food service equipment
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Nonconventional testing procedures
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**
Noncrosslinked polyolefin thermal insulation
Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, Specification for, **C1427 (04.06)**
Noncryogenic materials/applications
Liquid Sampling of Noncryogenic Aerospace Propellants, Practice for, **F309 (15.03)**
Nondestructive deflection testing
Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, Guide for, **D5858 (04.03)**
Nondestructive evaluation (NDE)
Acoustic Emission Examination of Plate-like and Flat Panel Composite Structures Used in Aerospace Applications, Practice for, **E2661/E2661M (03.03)**
Acoustic Emission Examination of Small Parts, Guide for, **E1932 (03.03)**
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Characterization of Coatings Using Conformable Eddy-Current Sensors without Coating Reference Standards, Practice for, **E2338 (03.03)**
Computed Radiography, Guide for, **E2007 (03.03)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**
Conducting a Repeatability and Reproducibility Study on Test Equipment for Nondestructive Testing, Guide for, **F1469 (01.08)**
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE), Practice for, **E2339 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Digital Radiographic (DR) Test Methods, Practice for, **E2699 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Ultrasonic Test Methods, Practice for, **E2663 (03.03)**
Digital Imaging and Communication Nondestructive Evaluation (DICONDE) for Computed Radiography (CR) Test Methods, Practice for, **E2738 (03.03)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes, Practice for, **E243 (03.03)**
Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, Test Method for, **D6087 (04.03)**
Evaluating Capabilities of Nondestructive Testing Agencies, Guide for, **E1359 (03.03)**
Examining Electrical and Mechanical Equipment with Infrared Thermography, Guide for, **E1934 (03.03)**
Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, Practice for, **E127 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
In Situ Measurement Of Masonry Mortar Joint Shear Strength Index, Test Methods for, **C1531 (04.05)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Making Quality Nondestructive Assay Measurements, Guide for, **C1592/C1592M (12.01)**
Measurement of the Apparent Attenuation of Longitudinal Ultrasonic Waves by Immersion Method, Practice for the, **E664/E664M (03.03)**
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, Test Methods for, **E1897 (03.03)**
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Nondestructive Evaluation of Wood-Based Flexural Members Using Transverse Vibration, Test Methods for, **D6874 (04.10)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic, Nonconductive Coatings Applied to Non-Ferrous Metals, Practice for, **D7091 (06.01)**
Physical and Chemical Properties of Powdered Ion Exchange Resins, Test Methods for, **D4456 (11.02)**
Planar Flaw Height Sizing by Ultrasonics, Guide for, **E2192 (03.03)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**
Radiographic Examination, Practice for, **E1742/E1742M (03.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Radioscopic Examination of Castings, Practice for, **E1734 (03.03)**
Standardizing Equipment for Electromagnetic Testing of Seamless Aluminum-Alloy Tube, Practice for, **E215 (03.03)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**
the Selection, Training and Qualification of Nondestructive Assay (NDA) Personnel, Guide for, **C1490 (12.01)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**
Ultrasonic Pulse-Echo Straight-Beam Contact Testing, Practice for, **E114 (03.03)**
Ultrasonic Surface Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, Practice for, **E1962 (03.03)**
Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, Practice for, **F1364 (09.02)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**

Nondestructive evaluation (NDE)—acoustic emission (AE)
See **Acoustic emission (AE) testing**

Nondestructive evaluation (NDE)—concrete/masonry
Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, Guide for, **D5858 (04.03)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
In Situ Measurement of Masonry Deformability Properties Using the Flatjack Method, Test Method for, **C1197 (04.05)**
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Penetration Resistance of Hardened Concrete, Test Method for, **C803/C803M (04.02)**
Pullout Strength of Hardened Concrete, Test Method for, **C900 (04.02)**
Pulse Velocity Through Concrete, Test Method for, **C597 (04.02)**
Rebound Number of Hardened Concrete, Test Method for, **C805/C805M (04.02)**

Nondestructive evaluation (NDE)—electromagnetic testing
See **Electromagnetic (eddy current) testing**

Nondestructive evaluation (NDE)—electronic applications
Non-Destructive Short Circuit Testing of a Membrane Switch, Test Method for, **F2073 (10.04)**
Ultrasonic C-Scan Bond Evaluation of Sputtering, Practice for, **F1512 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**

Nondestructive evaluation (NDE)—geosynthetics
Geomembrane Seam Evaluation by Vacuum Chamber, Practice for, **D5641 (04.13)**
Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, Practice for, **D5820 (04.13)**
the Nondestructive Testing of Geomembrane Seams using the Spark Test, Practice for, **D6365 (04.13)**
Ultrasonic Testing of Geomembranes, Practice for, **D7006 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nondestructive evaluation (NDE)—Laue method
Determining the Orientation of a Metal Crystal, Test Method for, **E82 (03.01)**
Nondestructive evaluation (NDE)—magnetic particle inspection
See **Magnetic particle inspection**
Nondestructive evaluation (NDE)—metallic/inorganic coatings
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, Test Method for, **B244 (02.05)**
Variables Sampling of Metallic and Inorganic Coatings, Test Method of, **B762 (02.05)**
Nondestructive evaluation (NDE)—metallic materials
Castings, Iron-Nickel-Chromium and Nickel Alloys, Specially Controlled for Pressure Retaining Parts for Corrosive Service, Specification for, **A990/A990M (01.02)**
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Examination and Evaluation of Pitting Corrosion, Guide for, **G46 (03.02)**
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**
In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, Practice for, **E2096/E2096M (03.03)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**
Nondestructive evaluation (NDE)—nonmetallic materials
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
In Situ Compressive Stress Within Solid Unit Masonry Estimated Using Flatjack Measurements, Test Method for, **C1196 (04.05)**
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Polarized Light Detection of Flaws in Aerospace Transparency Heating Elements, Practice for, **F319 (15.03)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Nondestructive evaluation (NDE)—nuclear applications
C26.10 Nondestructive Assay Methods, Terminology of, **C1673 (12.01)**
Measurement of, Test Method for, **C1514 (12.01)**
Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System, Test Method for, **C1493 (12.01)**
Nondestructive Analysis of Special Nuclear Materials in Homogeneous Solutions by Gamma-Ray Spectrometry, Test Method for, **C1221 (12.01)**
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**
Nondestructive Assay of Plutonium by Passive Neutron Multiplicity Counting, Test Method for, **C1500 (12.01)**
Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, Test Method for, **C1207 (12.01)**
Nondestructive Assay of Plutonium, Tritium and 241Am by Calorimetric Assay, Test Method for, **C1458 (12.01)**
Nondestructive Assay of Special Nuclear Material Holdup Using Gamma-Ray Spectroscopic Methods, Test Method for, **C1455 (12.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Nondestructive evaluation (NDE)—packaging materials/applications
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Nondestructive evaluation (NDE)—paints/related coatings
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Nondestructive Measurement of Dry Film Thickness of Applied Organic Coatings Using an Ultrasonic Gage, Test Method for, **D6132 (06.01)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**
Nondestructive evaluation (NDE)—penetrant inspection
See **Penetrant inspection**
Nondestructive evaluation (NDE)—radiographic
Sa **Radiographic examination**
Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**
Nondestructive evaluation (NDE)—reference radiographs
See **Reference radiographs**
Nondestructive evaluation (NDE)—soil/rock/related materials
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**
Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, Test Method for, **D3434 (15.06)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, Test Method for, **D5220 (04.08)**
Nondestructive evaluation (NDE)—surgical implants
Fluorescent Penetrant Inspection of Metallic Surgical Implants, Practice for, **F601 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**

Nondestructive evaluation (NDE)—testing/inspection agencies
See **Testing and inspection agencies**

Nondestructive evaluation (NDE) personnel
the Selection, Training and Qualification of Nondestructive Assay (NDA) Personnel, Guide for, **C1490 (12.01)**

Nondestructive examination
Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts, Practice for, **E2534 (03.03)**

Nondestructive photoelastic measurement
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**

Nondestructive testing
Acoustic Emission Examination of Welded Steel Sphere Pressure Vessels Using Thermal Pressurization, Practice for, **E2863 (03.03)**
Acoustic Pulse Reflectometry Examination of Tube Bundles, Practice for, **E2906/E2906M (03.03)**
Digital Detector Array Performance Evaluation and Long-Term Stability, Practice for, **E2737 (03.03)**
Digital Radiography of Cast Metallic Implants, Practice for, **F2895 (13.02)**
Eddy Current Testing of Electrically Conducting Materials Using Conformable Sensor Arrays, Guide for, **E2884 (03.03)**
Evaluating Performance Characteristics of Phased-Array Ultrasonic Testing Instruments and Systems, Guide for, **E2491 (03.03)**
Evaluating the Condition of Concrete Plates Using the Impulse-Response Method, Practice for, **C1740 (04.02)**
Examination of Drillstring Threads Using the Alternating Current Field Measurement Technique, Practice for, **E2928/E2928M (03.03)**
Guided Wave Testing of Above Ground Steel Piping with Magnetostrictive Transduction, Practice for, **E2929 (03.03)**
Measurement of the Effective Focal Spot Size of Mini and Micro Focus X-ray Tubes, Test Method for, **E2903 (03.03)**
Nondestructive Testing of Polymer Matrix Composites Used in Aerospace Applications, Guide for, **E2533 (03.03)**
Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, Specification for, **A1048/A1048M (01.05)**
Probability of Detection Analysis for Hit/Miss Data, Practice for, **E2862 (03.03)**
Qualification and Long-Term Stability of Computed Radiology Systems, Practice for, **E2445 (03.03)**
Radiological Examination Using Digital Detector Arrays, Practice for, **E2698 (03.03)**
Steel Castings up to 2 in. (50.8 mm) in Thickness, Digital Reference Images for, **E2868 (03.03)**
Use of Modeling for Passive Gamma Measurements, Guide for, **C1726/C1726M (12.01)**

Nondispersive clay soil
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**

Nondispersive infrared analysis
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**

Nondispersive spectrometry
See **Spectrometry**

Nondistillate fuel oil
Pour Point of Petroleum Products, Test Method for, **D97 (05.01)**

Nonelectrical wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**

Nonelectrified wire
Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, Specification for, **A854/A854M (01.06)**

Nonelectrolytic conversion coatings
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**

Nonemergency escape (egress) windows
Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, Safety Specification for, **F2006 (15.11)**
Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, Specification for, **F2090 (15.11)**

Nonequiaxed grains
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**

Nonequilibrium conditions
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**

Nonequilibrium transient photocurrents
See **Current measurement—semiconductors**

Nonexpandable shelter panels
Sa **Tactical shelters**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Shelter, Electrical, Equipment S-280/G, Specification for, **E1975 (04.11)**
Shelter, Tactical, Nonexpandable, Specification for, **E1976 (04.11)**

Nonextreme pressure gear oils
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**

Nonextruding expansion joint fillers
Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types), Specification for, **D1751 (04.03)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**

Nonferromagnetic steel
Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, Guide for, **E2337/E2337M (03.03)**

Nonferrous bolting materials
Sa **Fasteners (metal)**
Sa **Steel bolting materials**
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**

Nonferrous fasteners—screws
Nonferrous Hex Socket, Slotted Headless, and Square Head Set Screws, Specification for, **F3042 (01.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nonferrous inch balls
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**

Nonferrous metals/alloys
Sa **Metals and metallic materials**
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**
Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, Practice for, **E703 (03.03)**
Evaluation of Corrosiveness of Diesel Engine Oil at 135 °C, Test Method for, **D6594 (05.03)**
Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), Test Method for, **G34 (03.02)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Hot Tin and Hot Tin/Lead Dip on Ferrous and Non-Ferrous Metals, Specification for, **A1074 (01.06)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Modified Salt Spray (Fog) Testing, Practice for, **G85 (03.02)**
Municipal-Mixed Nonferrous Metals (MNM), Classification for, **E956 (11.04)**
Relating to Non-ferrous Metals and Alloys, Terminology, **B899 (02.04)**
Sampling Nonferrous Metals and Alloys in Cast Form for Determination of Chemical Composition, Practice for, **E88 (03.05)**
Sampling Wrought Nonferrous Metals and Alloys for Determination of Chemical Composition, Practice for, **E55 (03.05)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Shear Testing of Aluminum Alloys, Test Method for, **B769 (02.02)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**
Use of Color Codes for Zinc Casting Alloy Ingot, Practice for the, **B908 (02.04)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**

Nonferrous metals/alloys—specifications
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Materials for Copper Base Powder Metallurgy (PM) Structural Parts, Specification for, **B823 (02.05)**
Nonferrous Hex Socket, Slotted Headless, and Square Head Set Screws, Specification for, **F3042 (01.08)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**

Nonfibrated aluminum roof coatings
See **Aluminum roofing materials—specifications**
See **Roofing materials/applications**

Nonfibrous material
Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, Test Method for, **C1335 (04.06)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**

Non-fill
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**

Nonfilm detection
Radioscopy, Guide for, **E1000 (03.03)**

Nonfilm-forming organic treatments
Water Vapor Transmission of NonFilm Forming Treatments Used on Cementitious Panels, Test Method for, **D6490 (06.02)**

Nonfilterable matter
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, Test Methods for, **D5907 (11.01)**

Non-flame-resistant materials
Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, Test Method for, **F1958/F1958M (10.03)**

Nonfood contact surfaces
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**

Non-free-flowing metal powders
Apparent Density of Metal Powders and Related Compounds Using the Arnold Meter, Test Method for, **B703 (02.05)**
Apparent Density of Non-Free-Flowing Metal Powders Using the Carney Funnel, Test Method for, **B417 (02.05)**

Non-full-size baby cribs
See **Cribs**

Nongraduated glassware
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Nongyromagnetic solids
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

Nonhalogenated organic solvents
See **Solvents**

Nonhazardous materials/applications
ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, Specification for, **E1549/E1549M (15.03)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**

Nonhazardous waste
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**

Nonheatset printing inks
Coarse Particles in Printing Ink Dispersions, Test Method for, **D2067 (06.02)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Volatile Content of Sheet-Fed and Coldset Web Offset Printing Inks, Test Method for, **D6419 (06.02)**

Nonhexavalent chromium conversion coatings
Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, Specification for, **B921 (02.05)**

Nonhomogeneous materials
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Non-human control
Biological Effects and Environmental Fate, Terminology Relating to, **E943 (11.06)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**
Non-human control—agricultural chemicals
See **Agricultural materials/applications**
Non-human control—algae
See **Algae**
Non-human control—fungal influence
See **Fungal influence/resistance**
Non-human control—herbicides
See **Herbicides**
Non-human control—insecticides
See **Insecticides**
Non-human control—pesticides
See **Pesticides**
Non-human control—phytoplankton
See **Phytoplankton**
Non-human control—slimicides
See **Slimicides**
Non-human control—virucidal agents
See **Virology**
Nonhydratable refractory material
Bulk Density of Granular Refractory Materials, Test Method for, **C357 (15.01)**
Nonimaging light-scattering instruments
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Nonimmunologic skin response
Human Repeat Insult Patch Testing of Medical Gloves, Test Method for, **D6355 (09.02)**
Nonimpact printers
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Noninserted surgical blades
Inserted and Noninserted Surgical Scissors, Specification for, **F1079 (13.01)**
Surgical Scissors--Inserted and Non-Inserted Blades, Terminology for, **F1078 (13.01)**
Noninserted surgical scissors
Inserted and Noninserted Surgical Scissors, Specification for, **F1079 (13.01)**
Noninvasive monitoring
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**
Nonionic surfactants
Sa **Surfactants**
Cloud Point of Nonionic Surfactants, Test Method for, **D2024 (15.04)**
Nonlaboratory testing
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Nonleafing aluminum pigment
Sa **Aluminum powder and paste**
Aluminum Powder and Paste Pigments for Paints, Specification for, **D962 (06.03)**
Nonleaky confined aquifer
Sa **Aquifers**
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
Non-letter designated thermocouple combinations
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Nonlinear calibration function
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**
Nonlinear thickness (of silicon slices)
See **Thickness—semiconductors**
Nonlinear treadwear
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**
Nonlint content
Non-Lint Content of Cotton, Test Method for, **D2812 (07.01)**
Nonload-bearing concrete masonry units
Sa **Masonry units**
Nonloadbearing Concrete Masonry Units, Specification for, **C129 (04.05)**
Nonload-bearing steel studs
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Nonload-bearing tile
Structural Clay Nonloadbearing Screen Tile, Specification for, **C530 (04.05)**
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**
Nonmagnetic coatings
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, Test Method for, **B244 (02.05)**
Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic, Nonconductive Coatings Applied to Non-Ferrous Metals, Practice for, **D7091 (06.01)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**
Nonmagnetic heat exchanger tubes
In Situ Electromagnetic (Eddy-Current) Examination of Nonmagnetic Heat Exchanger Tubes, Practice for, **E690 (03.03)**
Nonmagnetic materials
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**
Nonmagnetic metals
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Nonmagnetic retaining rings
Alloy Steel Forgings for Nonmagnetic Retaining Rings for Generators, Specification for, **A289/A289M (01.05)**
Nonmetallic-coated steel sheet
Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, Practice for, **A1004/A1004M (01.06)**
Using Hand Micrometers to Measure the Thickness of Nonmetallic and Metallic-Coated Steel Sheet, Practice for, **A1073/A1073M (01.06)**
Nonmetallic coatings
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nonmetallic coatings—specifications
Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members, Specification for, **A1003/A1003M (01.06)**
Nonmetallic composite material
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Nonmetallic expansion joints
Non-Metallic Expansion Joints, Specification for, **F1123 (01.07)**
Nonmetallic gasket materials
Comparison of Nonmetallic Flat Gaskets in High Pressure Saturated Steam, Practice for, **F2716 (09.02)**
Nonmetallic Gasket Materials, Classification System for, **F104 (09.02)**
Nonmetallic inclusions
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Nonmetallic Inclusion Content of Powders Intended for Powder Forging (PF) Applications, Test Method for, **B796 (02.05)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Nonmetallic jacketing
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Selecting Jacketing Materials for Thermal Insulation, Guide for, **C1423 (04.06)**
Nonmetallic liquids
Thermal Conductivity of Liquids, Test Method for, **D2717 (05.01)**
Nonmetallic magnetic materials
Sa **Electrical contact materials**
Sa **Magnetic materials/applications—specifications**
Complex Dielectric Constant of Nonmetallic Magnetic Materials at Microwave Frequencies, Test Method for, **A893/A893M (03.04)**
Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, Test Method for, **A894/A894M (03.04)**
Nonmetallic materials
Acid-Insoluble Content of Copper and Iron Powders, Test Method for, **E194 (02.05)**
Addressing Variability in Exposure Testing of Nonmetallic Materials, Guide for, **G141 (14.04)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Chemical-Resistant Nonmetallic Materials, Terminology Relating to, **C904 (04.05)**
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, Practice for, **G147 (14.04)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Design and Construction of Nonmetallic Enveloped Gaskets for Corrosive Service, Practice for, **F336 (09.02)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Epoxy (Flexible) Adhesive For Bonding Metallic And Nonmetallic Materials, Specification For, **D6412/D6412M (15.06)**
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**
Evaluating Microbial Susceptibility of Nonmetallic Materials By Laboratory Soil Burial, Practice for, **G160 (14.04)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, Practice for, **G151 (14.04)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Filtered Open-Flame Carbon-Arc Exposures of Plastics, Practice for, **D1499 (08.01)**
Flexibility of Non-Metallic Gasket Materials, Test Method for, **F147 (09.02)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Radiographic Examination, Practice for, **E1742/E1742M (03.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Tension Testing of Nonmetallic Gasket Materials, Test Methods for, **F152 (09.02)**
Testing Nonmetallic Seal Materials by Immersion in a Simulated Geothermal Test Fluid, Test Method for, **E1068 (12.02)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**
Nonmetallic materials—honeycomb core sandwich panels
See **Honeycomb shelter panels**
Non metallic plaster bases
Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1787 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1788 (04.01)**
NMOC (non-methane organic compounds)
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Non-mineral tanning agents
Calculation of (Non-Mineral) Combined Tanning Agents and Degree of Tannage, Practice for, **D6020 (15.04)**
Nonmonetary attributes
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Non-Newtonian behavior
Apparent Viscosity of Adhesives Having Shear-Rate-Dependent Flow Properties Using Rotational Viscometry, Test Method for, **D2556 (15.06)**
Non-Newtonian bitumens
Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, Test Method for, **D4957 (04.03)**
Non-Newtonian coatings
Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, Practice for, **D5166 (06.03)**
Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, Practice for, **D5165 (06.03)**
Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, Test Methods for, **D2196 (06.01)**
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Viscosity by Ford Viscosity Cup, Test Method for, **D1200 (06.01)**
Non-Newtonian fluids
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**
Nonnormally distributed data
See **Statistical methods**
Nonnormal paraffin hydrocarbons
Analysis of Petroleum Waxes by Gas Chromatography, Test Method for, **D5442 (05.02)**
Nonnuclear applications
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**
Nonnuclear manufacturing waste streams
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Nonoccupational exposure monitoring
Sa **Workplace air/atmospheres**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Noncontacting optical strain measurement systems
Evaluating Non-Contacting Optical Strain Measurement Systems, Guide for, **E2208 (03.01)**
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Nonoriented electrical steel
Sa **Electrical steel**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
Ductility of Nonoriented Electrical Steel, Test Method for, **A720/A720M (03.04)**
Nonoriented electrical steel—specifications
Nonoriented Electrical Steel Fully Processed Types, Specification for, **A677 (03.04)**
Nonoriented Electrical Steel, Semiprocessed Types, Specification for, **A683 (03.04)**
Thin-Gauge Nonoriented Electrical Steel Fully Processed Types, Specification for, **A1086 (03.04)**
Nonoxide ceramic reference specimens
Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**
Nonoxidizing chemicals
Packing Material, Graphitic or Carbon Braided Yarn, Specification for, **F2191 (01.07)**
Nonpetroleum derivatives (of fuel)
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**
Nonpetroleum hydraulic fluids
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), Test Method for, **D2782 (05.01)**
Nonplastic ceramic materials
See **Ceramic powders (nonplastic)**
Nonplowable pavement markers
Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, Specification for, **D4280 (04.03)**
Nonporous coatings
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Nonporous materials
Assessment of Surface Texture of Non-Porous Biomaterials in Two Dimensions, Guide for, **F2791 (13.02)**
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**
Nonporous metallic/nonmetallic materials
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Nonporous packaging
Detecting Leaks in Nonporous Packaging or Flexible Barrier Materials by Dye Penetration, Test Method for, **F3039 (15.10)**
Pressure Decay Leak Test for Flexible Packages With and Without Restraining Plates, Test Methods for, **F2095 (15.10)**
Nonporous surfaces
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**
Nonpowder guns
See **Consumer safety specifications (guns)**
Nonpowered bicycle trailers
Nonpowered Bicycle Trailers Designed for Human Passengers, Specification for, **F1975 (15.07)**
Nonpowered scooters
Non-Powered Scooters, Consumer Safety Specification for, **F2264 (15.11)**
Nonpressure piping
Installing Asbestos-Cement Nonpressure Pipe, Guide for, **C966 (04.05)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**

Nonpressure piping—specifications
Sa **Pressure vessel steel**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, Specification for, **D3840 (08.03)**
Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping, Specification for, **D2680 (08.04)**
Asbestos-Cement Nonpressure Sewer Pipe, Specification for, **C428/C428M (04.05)**
Coextruded Poly(Vinyl Chloride) (PVC) Non-Pressure Plastic Pipe Having Reprocessed-Recycled Content, Specification for, **F1760 (08.04)**
Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**
Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, Specification for, **F1504 (08.04)**
Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications, Specification for, **A888 (01.02)**
Joints for IPS PVC Pipe Using Solvent Cement, Specification for, **D2672 (08.04)**
Non-Asbestos Fiber-Cement Nonpressure Sewer Pipe, Specification for, **C1449/C1449M (04.05)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications, Specification for, **D4396 (08.02)**
Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD), Specification for, **F2160 (08.04)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Nonprobalistic statistical techniques
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**

Nonprocess water
Strontium-90 in Water, Test Method for, **D5811 (11.02)**

Nonradioactive waste sites
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**

Nonrandom sampling
Sampling Strategies for Heterogeneous Wastes, Guide for, **D5956 (11.04)**

Nonreactive dyes
Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, Guide for, **E2227 (14.02)**

Nonrecording water level devices
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**

Nonreferee method
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**

Nonreflux method
Total Acid Acceptance of Halogenated Organic Solvents (Nonreflux Methods), Test Method for, **D2942 (15.05)**

Nonreinforced concrete pipe—specifications
See **Concrete pipe (nonreinforced)—specifications**

Nonreinforced extruded tee connections
Non-Reinforced Extruded Tee Connections for Piping Applications, Specification for, **F2014 (01.07)**

Nonreinforced geomembrane seams
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
Non Reinforced PVC (Polyvinyl Chloride) Geomembrane Seams, Specification for, **D7408 (04.13)**

Nonreinforced liquid coating encapsulation product
Non-Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1795 (04.11)**
Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Guide for, **E1796 (04.11)**

Nonreinforced plastics
Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes, Test Method for, **D6693 (04.13)**

Nonrepetitive static plate load tests
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**

Nonrepudiation
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**

Nonresidential dwellings
Plastic Chairs for Outdoor Use, Performance Requirements for, **F1561 (15.11)**

Nonresidual liquid household insecticides
Sa **Insecticides**
Nonresidual Liquid Household Insecticides Against Flying Insects, Test Method for, **E652 (11.05)**

Nonresonant vibratory data
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**

Non-re-usable geosynthetic ADC
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**

Nonrigid completely-bounded openings
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**

Nonrigid packaging
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**

Nonrigid plastics
Determining the Flammability Characteristics of Nonrigid Solid Plastics, Test Method for, **D4804 (08.02)**
Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature, Test Method for, **D1204 (08.01)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, Test Method for, **D1922 (08.01)**

Nonrigid plastics—specifications
Nonrigid Vinyl Chloride Plastic Film and Sheeting, Specification for, **D1593 (08.01)**
Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds, Specification for, **D2287 (08.01)**
Nonrigid Vinyl Chloride Polymer Tubing, Specification for, **D922 (10.01)**

Nonrinsed nonhexavalent chromium conversion coatings
Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, Specification for, **B921 (02.05)**

Nonsag joint sealants
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Use of Joint Sealants, Guide for, **C1193 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nonsealed medical packaging
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Nonshielded mechanical couplings
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**
Nonshrink hydraulic cement grout
Packaged Dry, Hydraulic-Cement Grout (Nonshrink), Specification for, **C1107/C1107M (04.02)**
Nonskid deck covering
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Non-stress relieved aluminum products
Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, Guide for, **B909 (02.02)**
Nonstructural applications
Sa **Structural analysis/applications**
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Nonsulfur crosslinking agents
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Nonsuspension bicycle forks
Condition 3 Bicycle Forks, Specification for, **F2274 (15.07)**
Non-tannins content
Determining Non-Tannins and Tannin in Extracts of Vegetable Tanning Materials, Test Method for, **D6401 (15.04)**
Nontight (ship) doors
See **Shipbuilding steel materials (doors)**
Nontoxic foul release surfaces
Measurement of Barnacle Adhesion Strength in Shear, Test Method for, **D5618 (06.02)**
Nontraditional aggregate
Nontraditional Coarse Aggregates for Bituminous Paving Mixtures, Specification for, **D6155 (04.03)**
Nontraditional environments
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**
Nontransparent glass
Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, Specification for, **F2179 (15.11)**
Non-tuberculosis
Enumeration of Non-Tuberculosis, Practice for, **E2563 (11.03)**
Nonupholstered units
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Non-urban atmospheric locations
Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, Guide for, **D5111 (11.07)**
Non-UV-absorbing nonvolatile extractables
Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**
Nonvolatile acidity
See **Acidity, alkalinity, pH**
Nonvolatile components
Calibration of Microwave Ovens, Test Method for, **F1317 (15.10)**
Nonvolatile extractables
Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, Test Method for, **F1349 (15.10)**
Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**
Nonvolatile matter content
Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, Specification for, **D2824/D2824M (04.04)**
Asphalt Roof Cement, Asbestos-Containing, Specification for, **D2822/D2822M (04.04)**
Asphalt Roof Coatings, Asbestos-Containing, Specification for, **D2823/D2823M (04.04)**
Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials, Practice for, **F34 (15.10)**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Determination of the Unsaponifiable Nonvolatile Matter in Sulfated Oils, Test Method for, **D5553 (15.04)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Nonvolatile Content of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1250 (04.04)**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**
Nonvolatile Residue of Polymerization-Grade Butadiene, Test Method for, **D1025 (05.01)**
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
Percent Volume Nonvolatile Matter in Clear or Pigmented Coatings Using a Helium Gas Pycnometer, Test Method for, **D6093 (06.01)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Nonvolatile matter content—adhesives
Amylaceous Matter in Adhesives, Test Method for, **D1488 (15.06)**
Determination of Percent Nonvolatile Content of Liquid Phenolic Resins Used for Wood Laminating, Test Method for, **D4426 (15.06)**
Filler Content of Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1579 (15.06)**
Nonvolatile Content of Aqueous Adhesives, Test Method for, **D1489 (15.06)**
Nonvolatile Content of Liquid Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1582 (15.06)**
Nonvolatile Content of Urea-Formaldehyde Resin Solutions, Test Method for, **D1490 (15.06)**
Nonvolatile matter content—chemicals
Analysis of Sulfuric Acid, Test Methods for, **E223 (15.05)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Nonvolatile Matter in Halogenated Organic, Test Methods for, **D2109 (15.05)**
Nonvolatile Matter of Agricultural Adjuvant Solutions by Thermogravimetry, Test Method for, **E2043 (11.05)**
Nonvolatile matter content—paints/related coatings/materials
Acid and Base Milliequivalent Content of Electrocoat Bath, Test Methods for, **D4370 (06.01)**
Determination of the Nonvolatile Content in Silanes, Siloxanes and Silane-Siloxane Blends Used in Masonry Water Repellent Treatments, Test Method for, **D5095 (06.02)**
Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans, Test Method for, **D5200 (06.01)**
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Determining Volatile and Nonvolatile Content of Paint and Related Coatings, Guide for, **D2832 (06.01)**
Determining Volatile and Nonvolatile Content of Pigments, Guide for, **D4139 (06.03)**

--`,,`,,`-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nonvolatile and Pigment Content of Electrocoat Baths, Test Methods for, **D5145 (06.01)**
Nonvolatile Content of Resin Solutions, Test Methods for, **D1259 (06.01)**
Nonvolatile Content of Varnishes, Test Methods for, **D1644 (06.01)**
Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1353 (06.04)**
Percent Solids in Titanium Dioxide Slurries, Test Methods for, **D3926 (06.03)**
Rapid Determination of the Nonvolatile Content of Coatings by Loss in Weight, Test Method for, **D7232 (06.01)**
Sampling and Testing of Flaked Aluminum Powders and Pastes, Test Methods for, **D480 (06.03)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, Guide for Determining, **D4140 (06.01)**
Volatile Content of Coatings, Test Method for, **D2369 (06.01)**
Volume Nonvolatile Matter in Clear or Pigmented Coatings, Test Method for, **D2697 (06.01)**

Nonvolatile matter content—polishes
Nonvolatile Matter (Total Solids) in Water-Emulsion Floor Polishes, Solvent-Based Floor Polishes, and Polymer-Emulsion Floor Polishes, Test Method for, **D2834 (15.04)**
Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes, Practice for, **D4095 (15.04)**

Nonvolatile matter content—waste materials
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**

Nonvolatile metals
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**

Nonvolatile organic compounds
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Total Ash in Wet Blue or Wet White, Test Method for, **D6716 (15.04)**

Nonvolatile residue (NVR)
Cleaning of Materials and Components by Ultrasonic Techniques, Practice for, **G131 (14.04)**
Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, Test Method for, **G144 (14.04)**
Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, Practice for, **G136 (14.04)**
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, Test Method for, **E1235 (15.03)**
Gravimetric Determination of Nonvolatile Residue from Cleanroom Gloves, Test Method for, **E1731 (15.03)**
Gravimetric Determination of Nonvolatile Residue From Cleanroom Wipers, Test Method for, **E1560 (15.03)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Nonvolatile Matter in Halogenated Organic, Test Methods for, **D2109 (15.05)**
Nonvolatile Residue of Polymerization-Grade Butadiene, Test Method for, **D1025 (05.01)**
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**

Nonvulcanized polymeric membrane
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**

Nonvulcanized rubber sheet
Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, Specification for, **D4811/D4811M (04.04)**

Nonwoven fabrics
Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, Practice for, **D1338 (15.06)**

Nonwoven geotextile fabrics
Sa **Geosynthetics**
Determining the Number of Constrictions "***m***" of Non-Woven Geotextiles as a Complementary Filtration Property, Practice for, **D7178 (04.13)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**

Nonwoven textile fabrics
Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method), Test Method for, **D3885 (07.01)**
Abrasion Resistance of Textile Fabrics (Uniform Abrasion), Guide for, **D4158 (07.01)**
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Bursting Strength of Textile Fabrics—Diaphragm Bursting Strength Tester Method, Test Method for, **D3786/D3786M (07.01)**
Bursting Strength of Textiles—Constant-Rate-of-Traverse (CRT) Ball Burst Test, Test Method for, **D3787 (07.01)**
Snagging Resistance of Fabrics (Mace), Test Method for, **D3939/D3939M (07.01)**
Stiffness of Fabric by the Circular Bend Procedure, Test Method for, **D4032 (07.01)**
Woven, Knitted, or Flocked Bedspread Fabrics, Performance Specification for, **D4037 (07.01)**

No-pick-up time
No-Pick-Up Time of Traffic Paint, Test Method for, **D711 (06.02)**

Normal finishing hydrated lime
See **Hydrated lime**

Normal (Gaussian) distribution
Statistical Analysis of Service Life Data, Guide for, **G166 (14.04)**

Normalization
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**

Normalization of sound pressure level
Determination of Decay Rates for Use in Sound Insulation Test Methods, Test Method for, **E2235 (04.06)**

Normalized noise isolation class (NNIC)
Rating Sound Insulation, Classification for, **E413 (04.06)**

Normalized penetration resistance
Determining the Normalized Penetration Resistance of Sands for Evaluation of Liquefaction Potential, Practice for, **D6066 (04.09)**

Normalized steel
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Normally distributed data
Sa **Statistical methods**
Applying Statistics to Analysis of Corrosion Data, Guide for, **G16 (03.02)**
Normal mode
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Normal paraffin
Analysis of Petroleum Waxes by Gas Chromatography, Test Method for, **D5442 (05.02)**
Normal/total/diffuse reflectance/transmittance
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Normal voltage mode
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Capillary Electrophoresis with Normal Voltage Mode, Test Method for, **D7882 (06.04)**
North American football
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
North Carolina State University friction tester
See **Tire testing**
Northern pike
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Notation
Basic Statistics in Committee D19 on Water, Practice for, **D4375 (11.01)**
Notched-bar impact
Sa **Impact testing**
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**
Notched plastic specimens
Determining the Charpy Impact Resistance of Notched Specimens of Plastics, Test Method for, **D6110 (08.03)**
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, Test Method for, **D5397 (04.13)**
Notches
Conducting Time-for-Rupture Notch Tension Tests of Materials, Test Methods for, **E292 (03.01)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**
Notch joint
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Notch sensitivity
Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Notch testing
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Notch toughness
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**
Wrought-Carbon Steel Butt-Welding Piping Fittings with Improved Notch Toughness, Specification for, **A758/A758M (01.01)**
Note pad
Repositionable Note Pad, Specification for, **D6787/D6787M (15.10)**
Novoloid fibers
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
Nozzles
Application of Hose Stream, Practice for, **E2226 (04.07)**
Hydraulic Spray Nozzles Used in Agriculture, Methods for Testing, **E641 (11.05)**
Life Evaluation of a Turbine-Powered Nozzle for Household Central Vacuum Cleaning Systems, Test Method for, **F1692 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle, Test Method for, **F922 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle for Central Vacuum Cleaning Systems, Test Method for, **F1601 (15.08)**
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**
***n-/p*-Channel MOSFETs**
See **MOSFETs**
NPD
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
NPIRI grindometer
Fineness of Grind of Printing Inks By the NPIRI Grindometer, Test Method for, **D1316 (06.02)**
Np (neptunium) content
See **Neptunium content**
N-propyl bromide
Solubility of Asphalt Materials in N-Propyl Bromide, Test Method for, **D7553 (04.03)**
NPS piping
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
NRE neutron measurements
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**
NRLXRF correction procedure
Sa **XRF (X-ray fluorescence)**
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
***n*th order reactions**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
NTU (nephelometric turbidity unit)
Determination of Turbidity Below 5 NTU in Static Mode, Test Method for, **D6855 (11.01)**
Nuclear applications
Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, Guide for, **E2956 (12.02)**
Nuclear applications/materials—steel (specifications)
Alloy-Steel Bolting for Special Applications, Specification for, **A540/A540M (01.01)**
Borated Stainless Steel Plate, Sheet, and Strip for Nuclear Application, Specification for, **A887 (01.03)**
Centrifugally Cast Austenitic Steel Pipe for High-Temperature Service, Specification for, **A451/A451M (01.01, 01.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, Specification for, **A508/A508M (01.05)**

Nuclear applications/materials
Benchmark Testing of Light Water Reactor Calculations, Guide for, **E2006 (12.02)**
Calculation of Average Energy Per Disintegration (Ē) for a Mixture of Radionuclides in Reactor Coolant, Practice for, **D5411 (11.02)**
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Determining Equivalent Boron Contents of Nuclear Materials, Practice for, **C1233 (12.01)**
Hafnium and Hafnium Alloy Strip, Sheet, and Plate, Specification for, **B776 (02.04)**
High-Resolution Gamma-Ray Spectrometry of Water, Practice for, **D3649 (11.02)**
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Nuclear Materials, Terminology Relating to, **C859 (12.01)**
Nuclear-Grade Beryllium Oxide Powder, Specification for, **C708 (12.01)**
Nuclear-Grade Hafnium Oxide Powder, Specification for, **C1098 (12.01)**
Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**
Qualification and Acceptance of Boron Based Metallic Neutron Absorbers for Nuclear Criticality Control for Dry Cask Storage Systems and Transportation Packaging, Practice for, **C1671 (12.01)**
Qualification of Laboratory Analysts for the Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1297 (12.01)**
Thermal Neutron Radiography of Materials, Practices for, **E748 (03.03)**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**

Nuclear applications/materials—nickel alloy
Low-Carbon Nickel-Chromium-Molybdenum-Gadolinium Alloy Plate, Sheet, and Strip, Specification for, **B932 (02.04)**

Nuclear applications/materials—steel
Design of Surveillance Programs for Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E185 (12.02)**
Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**
In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, Guide for, **E509/E509M (12.02)**

Nuclear applications/materials—waste streams
See **Nuclear scrap and waste materials**

Nuclear applications/materials—zirconium/zirconium alloys
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, Specification for, **B351/B351M (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Zirconium and Zirconium Alloy Ingots for Nuclear Application, Specification for, **B350/B350M (02.04)**
Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application, Specification for, **B352/B352M (02.04)**
Zirconium Sponge and Other Forms of Virgin Metal for Nuclear Application, Specification for, **B349/B349M (02.04)**

Nuclear backscatter
Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, Test Method for, **D6347/D6347M (05.06)**

Nuclear coatings specialist
Establishing Qualifications for a Nuclear Coatings Specialist, Guide for, **D7108 (06.02)**

Nuclear coating work inspection
Developing a Training Program for Personnel Performing Coating and Lining Work Inspection for Nuclear Facilities, Guide for, **D5498 (06.02)**
Establishing Procedures to Qualify and Certify Personnel Performing Coating and Lining Work Inspection in Nuclear Facilities, Guide for, **D4537 (06.02)**
Quality Assurance for Protective Coatings Applied to Nuclear Facilities, Practice for, **D3843 (06.02)**

Nuclear facilities
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Establishing a Quality Assurance Program for Uranium Conversion Facilities, Guide for, **C1188 (12.01)**
Establishing and Maintaining a Quality Assurance Program for Analytical Laboratories Within the Nuclear Industry, Guide for, **C1009 (12.01)**
Establishing Procedures to Monitor the Performance of Safety-Related Coating Service Level III Lining Systems in an Operating Nuclear Power Plant, Guide for, **D7167 (06.02)**
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, Specification for, **E667 (13.01)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Nuclear Facility Transient Worker Records, Specification for, **E1034 (12.02)**
Preparing Characterization Plans for Decommissioning Nuclear Facilities, Guide for, **E1892 (12.02)**
Qualification of Laboratory Analysts for the Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1297 (12.01)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**

Nuclear facility decommissioning
Sa **Decommissioning operations**
Post-Deactivation Surveillance and Maintenance of Radiologically Contaminated Facilities, Guide for, **E2420 (12.02)**
Preparing Waste Management Plans for Decommissioning Nuclear Facilities, Guide for, **E2421 (12.02)**

Nuclear fuel cladding
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**

Nuclear fuel cycle
Characterization of Spent Nuclear Fuel in Support of Geologic Repository Disposal, Guide for, **C1682 (12.01)**
Distribution Coefficients of Inorganic Species by the Batch Method, Test Method for, **C1733 (12.01)**
Hot Cell Specialized Support Equipment and Tools, Guide for, **C1725 (12.01)**
Measuring Waste Glass or Glass Ceramic Durability by Vapor Hydration Test, Test Method for, **C1663 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nuclear fuel pellets
Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Specification for, **C922 (12.01)**
Sintered Uranium Dioxide Pellets, Specification for, **C776 (12.01)**
Nuclear fuels (reactor)
Analysis of Isotopic Composition of Uranium in Nuclear-Grade Fuel Material by Quadrupole Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1474 (12.01)**
Arsenic in Uranium Hexafluoride, Test Methods for, **C1219 (12.01)**
Atom Percent Fission in Uranium and Plutonium Fuel (Neodymium-148 Method), Test Method for, **E321 (12.01)**
Bulk Sampling of Liquid Uranium Hexafluoride, Practice for, **C1052 (12.01)**
Calculation of Average Energy Per Disintegration ($\bar{E}$) for a Mixture of Radionuclides in Reactor Coolant, Practice for, **D5411 (11.02)**
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Drying Behavior of Spent Nuclear Fuel, Guide for, **C1553 (12.01)**
Establishing a Quality Assurance Program for Uranium Conversion Facilities, Guide for, **C1188 (12.01)**
Establishing Calibration for a Measurement Method Used to Analyze Nuclear Fuel Cycle Materials, Guide for, **C1156 (12.01)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, Guide for, **C1169 (12.01)**
Nuclear Materials, Terminology Relating to, **C859 (12.01)**
Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Qualification of Laboratory Analysts for the Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1297 (12.01)**
Sampling of Gaseous Uranium Hexafluoride, Practice for, **C1703 (12.01)**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Nuclear fuels (reactor)—specifications
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Nuclear Grade Hafnium Oxide Pellets, Specification for, **C1076 (12.01)**
Nuclear Grade Zirconium Oxide Pellets, Specification for, **C1066 (12.01)**
Nuclear-Grade Aluminum Oxide Powder, Specification for, **C1031 (12.01)**
Nuclear-Grade Boron Carbide Powder, Specification for, **C750 (12.01)**
Nuclear-Grade Silver-Indium-Cadmium Alloy, Specification for, **C752 (12.01)**
Nuclear-Grade, Sinterable Uranium Dioxide Powder, Specification for, **C753 (12.01)**
Sintered Uranium Dioxide Pellets, Specification for, **C776 (12.01)**
Uranium Hexafluoride Enriched to Less Than 5 %, Specification for, **C996 (12.01)**
Uranium Metal Enriched to More than 15 % and Less Than 20 %, Specification for, **C1462 (12.01)**
Uranium Oxides with a 235U Content of Less Than 5 % for Dissolution Prior to Conversion to Nuclear-Grade Uranium Dioxide, Specification for, **C1334 (12.01)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**
Nuclear graphite
Isotropic and Near-isotropic Nuclear Graphites, Specification for, **D7219 (05.05)**
Measurements on Small Graphite Specimens, Guide for, **D7775 (05.05)**
Reporting Irradiation Results on Graphite, Practice for, **C625 (05.05)**
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**
Nuclear magnetic resonance (NMR) spectrometry
Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D5292 (05.02)**
Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, Practice for, **E386 (03.06)**
Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance, Test Method for, **D5017 (08.02)**
Determining Degree of Deacetylation in Chitosan Salts by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2260 (13.01)**
Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2259 (13.01)**
Hydrogen Content of Aviation Turbine Fuels by Low Resolution Nuclear Magnetic Resonance Spectrometry, Test Method for, **D3701 (05.01)**
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols, Test Method for, **D4273 (08.02)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**
Nuclear materials/applications
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Nuclear materials/applications—specifications
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Nuclear Facility Transient Worker Records, Specification for, **E1034 (12.02)**
Nuclear Grade Hafnium Oxide Pellets, Specification for, **C1076 (12.01)**
Nuclear Grade Zirconium Oxide Pellets, Specification for, **C1066 (12.01)**
Nuclear-Grade Aluminum Oxide Powder, Specification for, **C1031 (12.01)**
Nuclear-Grade Boron Carbide Pellets, Specification for, **C751 (12.01)**
Nuclear-Grade Boron Carbide Powder, Specification for, **C750 (12.01)**
Nuclear-Grade Gadolinium Oxide (Gd, Specification for, **C888 (12.01)**
Nuclear-Grade Plutonium Dioxide Powder, Sinterable, Specification for, **C757 (12.01)**
Nuclear-Grade Silver-Indium-Cadmium Alloy, Specification for, **C752 (12.01)**
Nuclear-Grade Uranyl Nitrate Solution or Crystals, Specification for, **C788 (12.01)**
Nuclear-Grade, Sinterable Uranium Dioxide Powder, Specification for, **C753 (12.01)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sintered (Uranium-Plutonium) Dioxide Pellets, Specification for, **C833 (12.01)**
Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Specification for, **C922 (12.01)**
Sintered Uranium Dioxide Pellets, Specification for, **C776 (12.01)**
Uranium Hexafluoride Enriched to Less Than 5 %, Specification for, **C996 (12.01)**
Uranium Hexafluoride for Enrichment, Specification for, **C787 (12.01)**
Uranium Metal Enriched to More than 15 % and Less Than 20 %, Specification for, **C1462 (12.01)**
Uranium Ore Concentrate, Specification for, **C967 (12.01)**
Uranium Oxides with a 235U Content of Less Than 5 % for Dissolution Prior to Conversion to Nuclear-Grade Uranium Dioxide, Specification for, **C1334 (12.01)**

Nuclear materials management
See **SNM (special nuclear materials)**

Nuclear methods
Asphalt Content of Bituminous Mixtures by the Nuclear Method, Test Methods for, **D4125/D4125M (04.03)**
Density of Bituminous Concrete in Place by Nuclear Methods, Test Method for, **D2950/D2950M (04.03)**
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Determination of Loose and Tapped Bulk Density of Plutonium Oxide, Test Method for, **C1770 (12.01)**
In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth), Test Method for, **D6938 (04.09)**
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Logging In Situ Moisture Content and Density of Soil and Rock by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, Test Method for, **D6031/D6031M (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, Test Method for, **D5220 (04.08)**

Nuclear metrology
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, Guide for, **E2956 (12.02)**

Nuclear poisons
Determining Equivalent Boron Contents of Nuclear Materials, Practice for, **C1233 (12.01)**

Nuclear reactor vessels
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Determining Neutron Exposures for Nuclear Reactor, Practice for, **E1035 (12.02)**
Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, Practice for, **E1854 (12.02)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Nuclear Materials, Terminology Relating to, **C859 (12.01)**
Nuclear-Grade Activated Carbon, Test Method for, **D3803 (15.01)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Surveillance Testing of High-Temperature Nuclear Component Materials, Practice for, **E531 (12.02)**

Nuclear reactor vessels—coatings applications
Abrading Concrete, Practice for, **D4259 (06.02)**
Chemical Resistance of Coatings and Linings for Use in Nuclear Power Plants, Test Method for, **D3912 (06.02)**
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Developing a Training Program for Personnel Performing Coating and Lining Work Inspection for Nuclear Facilities, Guide for, **D5498 (06.02)**
Effects of Gamma Radiation on Coatings for Use in Nuclear Power Plants, Test Method for, **D4082 (06.02)**
Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, Guide for, **D5163 (06.02)**
Evaluating Coatings Used in Light-Water Nuclear Power Plants at Simulated Design Basis Accident (DBA) Conditions, Test Method for, **D3911 (06.02)**
Indicating Moisture in Concrete by the Plastic Sheet Method, Test Method for, **D4263 (06.02)**
Indicating Oil or Water in Compressed Air, Test Method for, **D4285 (06.02)**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Liquid and Gelled Acid Etching of Concrete, Practice for, **D4260 (06.02)**
Management of Non-Conforming Coatings in Coating Service Level I Areas of Nuclear Power Plants, Guide for, **D7491 (06.02)**
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
pH of Chemically Cleaned or Etched Concrete Surfaces, Test Method for, **D4262 (06.02)**
Protective Coating and Lining Work for Power Generation Facilities, Terminology Relating to, **D4538 (06.02)**
Quality Assurance for Protective Coatings Applied to Nuclear Facilities, Practice for, **D3843 (06.02)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Surface Cleaning Concrete for Coating, Practice for, **D4258 (06.02)**
Surface Cleaning Concrete Masonry Units for Coating, Practice for, **D4261 (06.02)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**

Nuclear reactor vessels—light-water cooled
Analysis and Interpretation of Light-Water Reactor Surveillance Results, Practice for, **E853 (12.02)**
Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments, Practice for, **E1006 (12.02)**
Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), Test Method for, **E854 (12.02)**
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Benchmark Testing of Light Water Reactor Calculations, Guide for, **E2006 (12.02)**
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Design of Surveillance Programs for Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E185 (12.02)**
Evaluation of Surveillance Capsules from Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E2215 (12.02)**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, Guide for, **E509/E509M (12.02)**
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), Guide for, **E1214 (12.02)**
Water Analysis for Electrodialysis/Electrodialysis Reversal Applications, Guide for, **D5091 (11.02)**

Nuclear reactor vessels—qualifications for painters
Determining Coating Contractor Qualifications for Nuclear Powered Electric Generation Facilities, Practice for, **D4286 (06.02)**
Establishing Procedures to Qualify and Certify Personnel Performing Coating and Lining Work Inspection in Nuclear Facilities, Guide for, **D4537 (06.02)**
Qualification of Coating Applicators for Application of Coatings to Concrete Surfaces, Practice for, **D4227 (06.02)**
Qualification of Coating Applicators for Application of Coatings to Steel Surfaces, Practice for, **D4228 (06.02)**

Nuclear reactor vessels—surveillance
Analysis and Interpretation of Light-Water Reactor Surveillance Results, Practice for, **E853 (12.02)**
Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments, Practice for, **E1006 (12.02)**
Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), Test Method for, **E910 (12.02)**
Application and Analysis of Radiometric Monitors for Reactor Vessel Surveillance, E706 (IIIA), Test Method for, **E1005 (12.02)**
Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), Test Method for, **E854 (12.02)**
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Application of Neutron Transport Methods for Reactor Vessel Surveillance, E706 (IID), Guide for, **E482 (12.02)**
Characterizing Neutron Exposures in Iron and Low Alloy Steels in Terms of Displacements Per Atom (DPA), E 706(ID), Practice for, **E693 (12.02)**
Conducting Supplemental Surveillance Tests for Nuclear Power Reactor Vessels, E 706 (IH), Guide for, **E636 (12.02)**
Design of Surveillance Programs for Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E185 (12.02)**
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**
Evaluation of Surveillance Capsules from Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E2215 (12.02)**
In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, Guide for, **E509/E509M (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Reconstitution of Irradiated Charpy-Sized Specimens, Guide for, **E1253 (12.02)**
Security Engineering Symbols, Practice for, **F967 (15.08)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
Surveillance Testing of High-Temperature Nuclear Component Materials, Practice for, **E531 (12.02)**

Nuclear records management
See **Records management**

Nuclear research emulsions (NRE)
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**

Nuclear scrap and waste materials
Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, Test Method for, **C1308 (12.01)**
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System, Test Method for, **C1493 (12.01)**
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**
Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, Test Method for, **C1207 (12.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Preparation and Dissolution of Uranium Materials for Analysis, Practice for, **C1347 (12.01)**
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**
Splitting Tensile Strength for Brittle Nuclear Waste Forms, Test Method for, **C1144 (12.01)**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, Test Method for, **C1267 (12.01)**

Nuclear surface moisture
Calibration Facility Setup for Nuclear Surface Gauges, Guide for, **D7013/D7013M (04.09)**
Nuclear Surface Moisture and Density Gauge Calibration, Guide for, **D7759 (04.09)**

Nuclear technology
Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, Guide for, **E2956 (12.02)**

Nuclear test reactor
Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, Practice for, **E1854 (12.02)**

Nuclear transportation packaging
Thermal Qualification of Type B Packages for Radioactive Material, Practice for, **E2230 (04.07)**

Nuclear waste glasses
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**

Nucleic acid
Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, Guide for, **E1873 (14.02)**
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Poly-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

merase Chain Reaction Technique, Guide for, **E2048 (14.02)**
Nuclei detectors (in processing electronic devices)
Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**
Nucleus device
Mechanical and Functional Characterization of Nucleus Devices, Guide for, **F2789 (13.02)**
Nude test
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**
Numbering system (UNS)
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**
Number of priming strokes
Number of Strokes to Prime a Mechanical Pump Dispenser, Test Method for, **D3890 (15.10)**
Numerals
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**
Letters and Numerals for Ships, Specification for, **F906 (01.07)**
Numerical analysis
Interpretation of Psychophysiological Detection of Deception (Polygraph) Data, Practices for, **E2229 (14.02)**
Numerical designation (for fabric grading)
Visually Inspecting and Grading Fabrics, Test Methods for, **D5430 (07.02)**
Numerically-controlled fabric cutting machines
Formatting Cutting Data to Drive Numerically Controlled Fabric Cutting Machines, Practice for, **D6672 (07.02)**
Numerical rating system
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
NU (no umbra) technique
Determining the, Test Method for, **E803 (03.03)**
Nursing stations (hospital)
See **Emergency medical services (EMS)**
Nutrient holding capacity
Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, Test Methods for, **D4198 (11.02)**
Nutrients
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Monitoring Aqueous Nutrients in Watersheds, Guide for, **D6146 (11.01)**
Nuts—specifications
Sa **Nonferrous bolting materials**
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **F1852 (01.08)**
Aluminum Transmission Tower Bolts and Nuts, Specification for, **F901 (01.08)**
Carbon and Alloy Steel Nuts, Specification for, **A563 (01.08)**
Carbon and Alloy Steel Nuts (Metric), Specification for, **A563M (01.08)**
Carbon and Alloy Steel Nuts for Bolts for High Pressure or High Temperature Service, or Both, Specification for, **A194/A194M (01.01)**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**
Stainless Steel Nuts, Specification for, **F594 (01.08)**
Style 1 Stainless Steel Metric Nuts (Metric), Specification for, **F836M (01.08)**
Surface Discontinuities of Nuts, Inch and Metric Series, Specification for, **F812 (01.08)**
N-vanillyl-*n*-nonamide
Sensory Evaluation of Low Heat Chilies, Test Method for, **E1395 (15.08)**
Sensory Evaluation of Oleoresin Capsicum, Test Method for, **E1396 (15.08)**
NVR (nonvolatile residue)
See **Nonvolatile residue (NVR)**
Nylon
Sa **Man-made textile fibers**
Determining the Presence of Sizing in Nylon or Polyester Fabric, Practice for, **D6613 (07.02)**
Nylon electrical insulation
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Nylon plastics (PA)
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Extruded and Monomer Cast Shapes Made from Nylon (PA), Specification for, **D5989 (08.03)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Inspection of Nylon, Polyester, or Nylon/Polyester Blend, or Both Kernmantle Rope, Guide for, **F1740 (13.02)**
Nylon Injection and Extrusion Materials (PA), Classification System for, **D4066 (08.02)**
Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe, Specification for, **D2609 (08.04)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Stuffing Tubes, Nylon, and Packing Assemblies (Metric), Specification for, **F1836M (01.07)**
Nyquist frequency response
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**
Nytril fibers
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**

O

Oberst bar
Measuring Vibration-Damping Properties of Materials, Test Method for, **E756 (04.06)**
Object-color specimens
Sa **Color**
Sa **Spectral data**
Computing the Colors of Objects by Using the CIE System, Practice for, **E308 (06.01)**
Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, Practice for, **E1247 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Objective screw thread
Sa **Microscopic examination**
Microscope Objective Thread, Specification for, **E210 (14.04)**
Object-oriented model
An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems, Practice for, **E1715 (14.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Object to film distance
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Oblique-bore stopcocks
See **Stopcocks/stoppers**
Oblique illumination
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Obliqueness test
Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, Test Method for, **C550 (04.06)**
Observation/observed values
Sa **Statistical methods**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Statistical Procedures to Use in Developing and Applying Test Methods, Guide for, **E1488 (14.02)**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**
Observational data/indices
Terminology and Indices to Describe Oiling Conditions on Shorelines, Guide for, **F1687 (11.05)**
Observation/orientation angle
Describing Retroreflection, Practice for, **E808 (06.01)**
Observation wells
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Monitoring Well Protection, Practice for, **D5787 (04.08)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**
Observed case depth
Metallographically Estimating the Observed Case Depth of Ferrous Powder Metallurgy (PM) Parts, Test Method for, **B931 (02.05)**
Observers
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
OBUs (on-board (communications) units)
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
Occipital-cervical
Occipital-Cervical and Occipital-Cervical-Thoracic Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F2706 (13.02)**
Occipital-cervical-thoracic
Occipital-Cervical and Occipital-Cervical-Thoracic Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F2706 (13.02)**
Occluded water removal
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Occlusions
Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, Specification for, **F982 (13.01)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Occupant retention testing
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**
Occupational exposure limit (OEL)
Consensus-based Process for an Occupational Safety and Health Standard that Includes an Occupational Exposure Guideline, Guide for, **E2565 (11.03)**
Occupational health and safety
Sa **Hazard assessment/potential**
Confined Area Entry, Practice for, **D4276 (15.05)**
Consensus-based Process for an Occupational Safety and Health Standard that Includes an Occupational Exposure Guideline, Guide for, **E2565 (11.03)**
Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, Practice for, **E2625 (11.03)**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Handling Unbound Engineered Nanoscale Particles in Occupational Settings, Guide for, **E2535 (14.02)**
Occupational/Environmental Health View of the Electronic Health Record, Practice for the, **E2473 (14.01)**
Prevention of Dermatitis in the Wet Metal Removal Fluid Environment, Practice for, **E2693 (11.03)**
Recording Occupational Injuries and Illnesses, Guide for, **E2920 (11.03)**
Relating to Occupational Health and Safety, Terminology, **E1542 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**
Strategies for Surface Sampling of Metals and Metalloids for Worker Protection, Guide for, **D7659 (11.07)**

Occupational health and safety—atmospheric
Sa **Workplace air/atmospheres**
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, Guide for, **E848 (06.01)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Occupational injury and illnesses—recording
Recording Occupational Injuries and Illnesses, Guide for, **E2920 (11.03)**

Occupational systems
Integration of Ergonomics/Human Factors into New Occupational Systems, Guide for, **E2350 (11.03)**

Ocean-going vessels
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Oceans
Sa **Marine environments**
Determination of Organic Biocide Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6903 (06.02)**
the Preparation of Substitute Ocean Water, Practice for, **D1141 (11.02)**

Ocher
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Ochre Pigment, Specification for, **D85 (06.03)**

OCR (optical character recognition)
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Optical Character Recognition, Terminology Relating to, **F149 (15.09)**

Octagonal wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**

***n*-Octane**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**

Octane number/rating
Sa **Knock characteristics**
Analysis of High-Purity n-Heptane and Isooctane by Capillary Gas Chromatography, Test Method for, **D2268 (05.01)**
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**
Motor Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2700 (05.05)**
Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines, Practice for, **D6424 (05.03)**
Research Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2699 (05.05)**

Octane requirement
Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, Specification for, **D6227 (05.03)**

Octanol/water partition coefficient
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Octave-band
Measurement of Equipment-Generated Continuous Noise for Assessment of Health Hazards, Practice for, **E2202 (04.06)**

Octave filters
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**

Ocular signs
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**

Odor
Determination of the Odor of Adhesives, Test Method for, **D4339 (15.06)**
Evaluating Residential Indoor Air Quality Concerns, Practice for, **D7297 (11.07)**
Natural Gas Odor Intensity, Test Methods for, **D6273 (05.06)**
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**
Odor in Water, Test Method for, **D1292 (11.01)**
Quantitative Attribute Evaluation of Fragrance/Odors for Shampoos and Hair Conditioners by Trained Assessors, Guide for, **E2049 (15.08)**

Odor—chemicals
Detecting Residual Odor of Drycleaning Grade, Test Method for, **D4494 (15.05)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Odor of Petroleum Wax, Test Method for, **D1833 (05.01)**
Odor of Volatile Solvents and Diluents, Test Method for, **D1296 (06.04)**
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**

Odor—food
Determination of Odor and Taste Thresholds By a Forced-Choice Ascending Concentration Series Method of Limits, Practice for, **E679 (15.08)**
Evaluating Effects of Contaminants on Odor and Taste of Exposed Fish, Practice for, **E1810 (15.08)**
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**

Odor—packaging materials
Evaluating Foreign Odors in Paper Packaging, Practice for, **E619 (15.08)**
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**

Odor—paints/related coatings/materials
Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**

Odor—sensory data/evaluation
Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, Guide for, **E1593 (15.08)**
Odor or Flavor Transfer or Both from Rigid Polymeric Packaging, Test Method for, **E2609 (15.08)**
Referencing Suprathreshold Odor Intensity, Practices for, **E544 (15.08)**
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**

Odor—thermal insulation materials
Assessing the Odor Emission of Thermal Insulation Materials, Test Method for, **C1304 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cellulosic Fiber Loose-Fill Thermal Insulation, Specification for, **C739 (04.06)**
Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications, Specification for, **C553 (04.06)**
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**

Odorants
Determination of Ethyl Mercaptan in LP-Gas Vapor, Test Method for, **D5305 (05.02)**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection, Test Method for, **D6228 (05.06)**
Mercaptans in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D1988 (05.06)**
Natural Gas Odor Intensity, Test Methods for, **D6273 (05.06)**
Online Measurement of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatograph and Electrochemical Detection, Test Method for, **D7493 (05.06)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**

Odor/water pollution
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**

Oersted conversion units
See **Conversion units/factors**

OFDA (optical fiber diameter analyzer)
Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, Test Method for, **D6500 (07.02)**

OFDM (orthogonal frequency division multiplexing)
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**

Off-center errors
Top-Loading, Direct-Reading Laboratory Scales and Balances, Test Method of Testing, **E898 (14.04)**

Off-color glass
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**

Offgas system capacity
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Off-highway equipment
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Office environment
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
Determining the Adhesion of Prints and Laminating Films, Practice for, **F2226 (15.09)**
Evaluation and Selection of Onsite Offices for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2747 (04.12)**
Placement and Use of Diffusion Controlled Passive Monitors for Gaseous Pollutants in Indoor Air, Guide for, **D6306 (11.07)**
Predicting the Lifetime of Ink Jet Prints Stored in Dark Keeping Conditions in Typical Office Environments, Practice for, **F2037 (15.09)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Manageability, Classification for, **E1701 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Serviceability of an Office Facility for Structure and Building Envelope, Classification for, **E1700 (04.11)**
Serviceability of an Office Facility for Thermal Environment and Indoor Air Conditions, Classification for, **E2320 (04.12)**
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**

Office environment—sound transmission
See **Sound transmission—office environments**

Office facility serviceability
Serviceability of an Office Facility for Amenities to Attract and Retain Staff, Classification for, **E1668 (04.11)**
Serviceability of an Office Facility for Cleanliness, Classification for, **E1671 (04.11)**
Serviceability of an Office Facility for Facility Protection, Classification for, **E1665 (04.11)**
Serviceability of an Office Facility for Image to the Public and Occupants, Classification for, **E1667 (04.11)**
Serviceability of an Office Facility for Layout and Building Factors, Classification for, **E1664 (04.11)**
Serviceability of an Office Facility for Location, Access and Wayfinding, Classification for, **E1669 (04.11)**
Serviceability of an Office Facility for Management of Operations and Maintenance, Classification for, **E1670 (04.11)**
Serviceability of an Office Facility for Meetings and Group Effectiveness, Classification for, **E1661 (04.11)**
Serviceability of an Office Facility for Sound and Visual Environment, Classification for, **E1662 (04.11)**
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Serviceability of an Office Facility for Support for Office Work, Classification for, **E1660 (04.11)**
Serviceability of an Office Facility for Thermal Environment and Indoor Air Conditions, Classification for, **E2320 (04.12)**
Serviceability of an Office Facility for Typical Office Information Technology, Classification for, **E1663 (04.11)**
Serviceability of an Office Facility for Work Outside Normal Hours or Conditions, Classification for, **E1666 (04.11)**

Officer sleeping quarters
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**

Office waste
Ash in Biomass, Test Method for, **E1755 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**

Offset angular displacement
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**

Offset color proofing press
Preparing Prints of Paste Printing Inks Using a Hand Operated Laboratory Flat-Bed Press, Practice for, **D6487 (06.02)**

Offset yield strength
Sa **Tensile properties/testing**
Determining Offset Yield Strength in Tension for Copper Alloys, Practice for, **B598 (02.01)**

Offshore marine environments
Sa **Marine environments**
Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments, Guide for, **F2205 (11.05)**

Offshore platform welds
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ohmic insulation faults
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**
Ohmmeter
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Oil absorption
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**
Oil Absorption of Pigments by Gardner-Coleman Method, Test Method for, **D1483 (06.01)**
Oil Absorption of Pigments by Spatula Rub-out, Test Method for, **D281 (06.01)**
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Oil absorption number (OAN)
Carbon Black—Oil Absorption Number (OAN), Test Method for, **D2414 (09.01)**
Carbon Black—Oil Absorption Number of Compressed Sample (COAN), Test Method for, **D3493 (09.01)**
Oil acids
Identification of Oils and Oil Acids in Solvent-Reducible Paints, Test Method for, **D2245 (06.01)**
Oil adsorption
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Oil-base caulking/glazing compounds
Sa **Caulking compounds and sealants**
Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds, Test Method for, **C681 (04.07)**
Oil-based ink resin solutions
Preparation of Oil-Based Ink Resin Solutions, Practices for, **D5958 (06.03)**
Oil-base paints
See **Solventborne paints/coatings**
Oil baths
Evaporation Loss of Lubricating Greases and Oils, Test Method for, **D972 (05.01)**
Oil bleed
Oil Separation from Lubricating Grease During Storage, Test Method for, **D1742 (05.01)**
Oil burning
In-Situ Burning of Oil in Ships or Other Vessels, Guide for, **F2533 (11.05)**
Oil canning
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Oil circuit breakers
Sa **Electrical insulating liquids**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field, Test Method for, **D1524 (10.03)**
Oil classification
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Oil condition monitoring
Set-Up and Operation of Fourier Transform Infrared (FT-IR) Spectrometers for In-Service Oil Condition Monitoring, Practice for, **D7418 (05.04)**
Oil consumption
Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), Test Method for, **D6709 (05.03)**
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7422 (05.04)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, Test Method for, **D6681 (05.03)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**
Evaluation of Heavy-Duty Engine Oils under High Output Conditions—Caterpillar C13 Test Procedure, Test Method for, **D7549 (05.04)**
Oil-contaminated shorelines
Surveys to Document and Assess Oiling Conditions on Shorelines, Guide for, **F1686 (11.05)**
Terminology and Indices to Describe Oiling Conditions on Shorelines, Guide for, **F1687 (11.05)**
Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, Guide for, **F1872 (11.05)**
Oil contamination—ecological considerations in oil spill response
Sa **Contamination**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Oil content
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B438 (02.05)**
Indicating Oil in Abrasives, Practice for, **D7393 (06.02)**
Indicating Oil or Water in Compressed Air, Test Method for, **D4285 (06.02)**
Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B439 (02.05)**
Oil Content of Petroleum Waxes, Test Method for, **D721 (05.01)**
Oil Content, Oil-Impregnation Efficiency, and Interconnected Porosity of Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B963 (02.05)**
Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, Test Method for, **D4573 (09.01)**
Oil detection and monitoring
Selection of Airborne Remote Sensing Systems for Detection and Monitoring of Oil on Water, Guide for, **F2327 (11.05)**
Oil diffusion pumps
Measured Speed of Oil Diffusion Pumps, Test Method for, **E295 (15.03)**
Oil field brines
Chloride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D4458 (11.02)**
Oil-field inhibitors
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using Rotating Cage, Practice for, **G184 (03.02)**
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using the Rotating Cylinder Electrode, Practice for, **G185 (03.02)**
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors Using Jet Impingement Apparatus, Practice for, **G208 (03.02)**
Oil field refinery operations
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Oil-filled cables
Gas Content of Cable and Capacitor Oils, Test Method for, **D831/D831M (10.03)**
OiI-filled lead glass
Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, Guide for, **C1572 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Oil films
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Permeability of Powder Metallurgy (PM) Bearings Using Nitrogen Gas, Test Method for, **B966 (02.05)**
Oil filter plugging
Cummins ISM Test, Test Method for, **D7468 (05.04)**
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Oil groove
Bearing, Roller, Needle: Thick Outer Ring With Rollers and Cage, Specification for, **F2246 (01.08)**
Oil identification
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Oil immersion
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
the Automated Determination of Refractive Index of Glass Samples Using the Oil Immersion Method and a Phase Contrast Microscope, Test Method for, **E1967 (14.02)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Oil-impregnated bearings—specifications
Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B438 (02.05)**
Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B439 (02.05)**
Oil impregnation
Oil Content, Oil-Impregnation Efficiency, and Interconnected Porosity of Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B963 (02.05)**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Oiliness
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Oil lines
Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**
Oil migration
Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants, Test Method for, **C772 (04.07)**
Oil mixtures
Rubber—Evaluation of EPDM (Ethylene Propylene Diene Terpolymers) Including Mixtures With Oil, Test Methods for, **D3568 (09.01)**
Oil recovery
Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**
Oil-/resin-base compounds
Extrudability of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2452 (04.07)**
Shrinkage and Tenacity of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2453 (04.07)**
Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds, Test Method for, **C681 (04.07)**
Oil resistance—electrical insulating materials
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Flexible Treated Sleeving Used for Electrical Insulation, Test Methods for, **D350 (10.01)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rubber Products in Automotive Applications, Classification System for, **D2000 (09.02)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Oils
Active Sulfur in Cutting Oils, Test Method for, **D1662 (05.01)**
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Automatic Particle Counting and Particle Shape Classification of Oils Using a Direct Imaging Integrated Tester, Test Method for, **D7596 (05.04)**
Carbon Content in Carbon Black Feedstock Oils, Test Method for, **D7662 (09.01)**
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Determination of the Cloud Point of Oil, Test Method for, **D5551 (15.04)**
Determination of the Iodine Value of Fats and Oils, Test Method for, **D5554 (15.04)**
Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds, Test Method for, **D5556 (15.04)**
Determining the Melting Point of Fats and Oils, Test Method for, **D5440 (15.04)**
Dichloromethane Solubles in Wood, Test Method for, **D1108 (04.10)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Identification of Oils and Oil Acids in Solvent-Reducible Paints, Test Method for, **D2245 (06.01)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**
Loss on Heating of Oil and Asphaltic Compounds, Test Method for, **D6/D6M (04.04)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Reinforced Polyethylene Composite Pipe For The Transport Of Oil And Gas And Hazardous Liquids, Specification for, **F2896 (08.04)**
Rubber—Chemical Analysis of Extractables, Test Methods for, **D5774 (09.01)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Saybolt Viscosity, Test Method for, **D88 (04.04)**
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Oil scale measurement
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Oils (crude)
See **Crude petroleum products**
Oils (diesel)
See **Diesel engine fuel oils**
Oils (drying)
See **Drying oils**
See **Paint driers**
Oil seals
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**
Oils (electrical insulating)
See **Electrical insulating oils**
Oil separation
Oil Separation from Lubricating Grease (Conical Sieve Method), Test Method for, **D6184 (05.03)**
Oil Separation from Lubricating Grease by Centrifuging (Koppers Method), Test Method for, **D4425 (05.02)**
Oil Separation from Lubricating Grease During Storage, Test Method for, **D1742 (05.01)**
Staining Tendency of Asphalt (Stain Index), Test Method for, **D2746 (04.04)**
Oils (fuel)
See **Fuel oils**
Oil shale
See **Shale**
Oils (insulating)
Determination of Elements in Insulating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7151 (10.03)**
Oils (leather)
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Determination of the Ash Content of Fats and Oils, Test Method for, **D5347 (15.04)**
Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds, Test Method for, **D5346 (15.04)**
Oil slick data
Reporting Visual Observations of Oil on Water, Practice for, **F1779 (11.05)**
Oils (lubricating)
Sa **Lubricating oils**
Determining Extreme Pressure Properties of Lubricating Oils Using High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7421 (05.04)**
Oil sludging
Thermal Stability of Hydraulic Oils, Test Method for, **D2070 (05.01)**
Oils (petroleum)
See **Petroleum oils**
Oil spill control systems
Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, Practice for, **F1460 (11.05)**
Classifying Water Bodies for Spill Control Systems, Practice for, **F625/F625M (11.05)**
Coated Fabrics Used for Oil Spill Control and Storage, Test Methods for, **F715 (11.05)**
Collecting Containment Boom Performance Data in Controlled Environments, Guide for, **F2084/F2084M (11.05)**
Collecting Skimmer Performance Data in Controlled Environments, Guide for, **F631 (11.05)**
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Determination of Deposition of Aerially Applied Oil Spill Dispersants, Test Method for, **F1738 (11.05)**
Determining Nameplate Recovery Rate of Stationary Oil Skimmer Systems, Test Method for, **F2709 (11.05)**
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Development and Use of Oil-Spill Trajectory Models, Practice for, **F2067 (11.05)**
Estimating Oil Spill Recovery System Effectiveness, Guide for, **F1780 (11.05)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
In-Situ Burning of Oil Spills on Water: Environmental and Operational Considerations, Guide for, **F1788 (11.05)**
In-situ Burning of Oil Spills on Water: Ice Conditions, Guide for, **F2230 (11.05)**
In-Situ Burning of Spilled Oil: Ignition Devices, Guide for, **F1990 (11.05)**
Laboratory Oil Spill Dispersant Effectiveness Using the Swirling Flask, Test Method for, **F2059 (11.05)**
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**
Qualitative Observations of Skimmer Performance, Guide for, **F2008 (11.05)**
Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**
Reporting Visual Observations of Oil on Water, Practice for, **F1779 (11.05)**
Sampling Oil/Water Mixtures for Oil Spill Recovery Equipment, Guide for, **F1084 (11.05)**
Selection and Operation of Vessel-mounted Camera Systems, Guide for, **F2926 (11.05)**
Spill Response Barriers, Terminology Relating to, **F818 (11.05)**
Surveys to Document and Assess Oiling Conditions on Shorelines, Guide for, **F1686 (11.05)**
Terminology and Indices to Describe Oiling Conditions on Shorelines, Guide for, **F1687 (11.05)**
Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, Guide for, **F1872 (11.05)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Oil spill control systems—booms
Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, Practice for, **F1460 (11.05)**
Emergency Joining of Booms with Incompatible Connectors, Practice for, **F1657/F1657M (11.05)**
In-Situ Burning of Spilled Oil: Fire-Resistant Boom, Guide for, **F2152 (11.05)**
Oil Spill Dispersant Application Equipment: Boom and Nozzle Systems, Guide for, **F1413 (11.05)**
Oil Spill Response Boom Connection: Z-Connector, Specification for, **F962 (11.05)**
Selection of Booms for Oil-Spill Response, Guide for, **F2683 (11.05)**
Selection of Booms in Accordance With Water Body Classifications, Guide for, **F1523 (11.05)**
Tensile Strength Characteristics of Oil Spill Response Boom, Test Methods for, **F1093 (11.05)**
Use of Oil Spill Dispersant Application Equipment During Spill Response: Boom and Nozzle Systems, Guide for, **F1737/F1737M (11.05)**
Oil spill control systems—ecological considerations
Describing Shoreline Response Techniques, Guide for, **F2204 (11.05)**
Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces, Guide for, **F1279 (11.05)**
Ecological Considerations for the Use of Chemical Dispersants in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Oil Spill Response: Tropical Environments, Guide for, **F2205 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies, Guide for, **F1210 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Ponds and Sloughs, Guide for, **F1209 (11.05)**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks, Guide for, **F1231 (11.05)**
Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces, Guide for, **F1280 (11.05)**

Oil spill dispersants
Determining Net Environmental Benefit of Dispersant Use, Guide for, **F2532 (11.05)**
Oil Spill Dispersant Application Equipment: Single-point Spray Systems, Guide for, **F2465/F2465M (11.05)**

Oil spill disposal
In-Situ Burning of Oil in Ships or Other Vessels, Guide for, **F2533 (11.05)**

Oil spill recovery system effectiveness
Determining Nameplate Recovery Rate of Stationary Oil Skimmer Systems, Test Method for, **F2709 (11.05)**
Qualitative Observations of Skimmer Performance, Guide for, **F2008 (11.05)**

Oil spill response
Determining Nameplate Recovery Rate of Stationary Oil Skimmer Systems, Test Method for, **F2709 (11.05)**
In-Situ Burning of Oil in Ships or Other Vessels, Guide for, **F2533 (11.05)**
In-Situ Burning of Oil Spills in Marshes, Guide for, **F2823 (11.05)**
Oil Spill Response Boom Connection: Slide Connector, Specification for, **F2438 (11.05)**
Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**
Selection of Airborne Remote Sensing Systems for Detection and Monitoring of Oil on Water, Guide for, **F2327 (11.05)**
Selection of Booms for Oil-Spill Response, Guide for, **F2683 (11.05)**
Spill Response Barriers, Terminology Relating to, **F818 (11.05)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**
Visually Estimating Oil Spill Thickness on Water, Guide for, **F2534 (11.05)**

Oil spill response—Boom connection
Determining the Buoyancy to Weight Ratio of Oil Spill Containment Boom, Guide for, **F2682 (11.05)**
Oil Spill Response Boom Connection: Slide Connector, Specification for, **F2438 (11.05)**

Oil spill thickness
Visually Estimating Oil Spill Thickness on Water, Guide for, **F2534 (11.05)**

Oils (processing)
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**

Oils (refined)
See **Refined oils**

Oils (rubber extender)
See **Rubber extender oils**

Oil stain observation
Residues in Liquefied Petroleum (LP) Gases, Test Method for, **D2158 (05.01)**

Oils (tall)
See **Tall oil fatty acids**

Oils (test medias)
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**

Oil still furnace parts
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**

Oils (turbine)
See **Gas turbine fuel oils**

Oils (vegetable)
See **Vegetable oils**

Oils (waterborne)
See **Waterborne oils**

Oil-tempered steel wire—specifications
Steel Wire, Carbon and Alloy Specialty Spring Quality, Specification for, **A1000/A1000M (01.03)**
Steel Wire, Chromium-Silicon Alloy, Specification for, **A401/A401M (01.03)**
Steel Wire, Oil-Tempered Carbon Valve Spring Quality, Specification for, **A230/A230M (01.03)**
Steel Wire, Quenched and Tempered for Mechanical Springs, Specification for, **A229/A229M (01.03)**

Oil thickening
Evaluation of Automotive Engine Oils in the Sequence IIIF, Spark-Ignition Engine, Test Method for, **D6984 (05.04)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**

Oiltight manhole cover assembly
Sa **Manhole materials/applications—specifications**
Manhole Cover Assembly, Bolted, Raised, Oiltight and Watertight, Specification for, **F1143 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Specification for, **F1142 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Hinged, Specification for, **F1144 (01.07)**

Oil-treated sulfur
Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, Test Method for, **D4573 (09.01)**

Oil-water mixtures
Sampling Oil/Water Mixtures for Oil Spill Recovery Equipment, Guide for, **F1084 (11.05)**

Oil/water separators
Determining the Performance of Oil/Water Separators Subjected to a Sudden Release, Practice for, **D6157 (11.02)**
Determining the Performance of Oil/Water Separators Subjected to Surface Run-Off, Practice for, **D6104 (11.02)**

Oily liquid extract
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**

Oily matter content
Sampling and Testing of Flaked Aluminum Powders and Pastes, Test Methods for, **D480 (06.03)**

Oily penetrants
See **Penetrant inspection**

Oily ring
Contact Compatibility Between Asphaltic Materials (Oliensis Test), Test Method for, **D1370/D1370M (04.04)**

Oily sludges
Sa **Sludge**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**

Oily waste
Preparation of Oils and Oily Waste Samples by High-Pressure, High-Temperature Digestion for Trace Element Determinations, Practice for, **C1234 (05.01)**
Shipboard Oil Pollution Abatement System, Specification for, **F2283 (01.07)**

Old corrugated containers (OCC)
See **Corrugated board/fiberboard materials/applications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Olefin fibers
See **Man-made textile fibers**
Olefin plastics
6 to 30 in. (152 To 762 mm) Polypropylene (PP) Corrugated Single Wall Pipe And Double Wall Pipe, Specification for, **F2736 (08.04)**
Billets made by Winding Molten Extruded Stress-Rated High Density Polyethylene (HDPE), Specification for, **F3034 (08.04)**
Carbon Black Content in Olefin Plastics, Test Method for, **D1603 (08.01)**
Corrugated Polyethylene Pipe and Fittings for Mine Heap Leach Aeration Applications, Specification for, **F2987 (08.04)**
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6248 (08.03)**
Olefins content
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**
Determination of Olefin Content in Denatured Ethanol by Supercritical Fluid Chromatography, Test Method for, **D7347 (05.04)**
Determination of Olefin Content of Gasolines by Supercritical-Fluid Chromatography, Test Method for, **D6550 (05.03)**
Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, Test Method for, **D7753 (05.04)**
Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, Test Method for, **D1319 (05.01)**
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**
Total Olefins in Spark-ignition Engine Fuels by Multidimensional Gas Chromatography, Test Method for, **D6296 (05.03)**
Oleic acid content
Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1585 (06.03)**
Oleophilic skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**
Oleoresin capsicum
Sensory Evaluation of Oleoresin Capsicum, Test Method for, **E1396 (15.08)**
Oleoresinous varnish-coated glass fabric/tape
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Oliensis test
Contact Compatibility Between Asphaltic Materials (Oliensis Test), Test Method for, **D1370/D1370M (04.04)**
Oligomeric HDI (hexamethylene diisocyanate)
Determination of Aerosol Monomeric and Oligomeric Hexamethylene Diisocyanate (HDl) in Air with (Methoxy-2–phenyl-1) Piperazine (MOPIP) in the Workplace, Test Method for, **D6561 (11.07)**
Olsen cup test
Ball Punch Deformation of Metallic Sheet Material, Test Method for, **E643 (03.01)**
Omnivores
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Oncor
See **Basic lead silicochromate**
One-dimensional drying
Measurement of Mass Loss versus Time for One-Dimensional Drying of Saturated Concretes, Test Method for, **C1792 (04.02)**
One-dimensional swell/settlement potential
One-Dimensional Swell or Collapse of Cohesive Soils, Test Methods for, **D4546 (04.08)**
One-ply roofing systems
Measuring Voids in Roofing and Waterproofing Membranes, Test Method for, **D5076/D5076M (04.04)**
One point calibration
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
One-sided exposure
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1057/A1057M (01.06)**
One-sided test
Paired Preference Test, Test Method for, **E2263 (15.08)**
One-step cleaner
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
One-third octave band sound pressure levels
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Rating Sound Insulation, Classification for, **E413 (04.06)**
One-time carbonizing tissue
One-Time Carbonizing Tissue for Pinholes, Practice for Testing, **F509 (15.09)**
One-time carbon paper
Evaluation of One-Time Carbon Paper in Carbon-Interleaved Business Forms by Use of an Electric Typewriter, Practice for, **F597 (15.09)**
One-time film typewriter ribbons
Testing Flake of Single-Strike Film Typewriter Ribbons, Practice for, **F627 (15.09)**
One-year test
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**
Onions
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
On-line coal analyzers
the Evaluation of Measurements Made by Online Coal Analyzers, Guide to, **D6543 (05.06)**
Online medical direction
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**
Online monitoring
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Gas Chromatograph Based On-line/At-line Analysis for Sulfur Content of Gaseous Fuels, Practice for, **D7165 (05.06)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Online monitoring (in water analysis)
Sa **Water quality monitoring**
Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**
Measurement of On-line Integrated Samples of Low Level Sus-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

pended Solids and Ionic Solids in Process Water by X-Ray Fluorescence (XRF), Test Method for, **D6502 (11.01)**
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
On-Line Determination of Cation Conductivity in High Purity Water, Practice for, **D6504 (11.01)**
On-Line Measurement of Low-Level Dissolved Oxygen in Water, Test Method for, **D5462 (11.02)**
On-Line Measurement of pH, Test Method for, **D6569 (11.01)**
On-Line Measurement of Turbidity Below 5 NTU in Water, Test Method for, **D6698 (11.01)**
On-Line Monitoring of Total Carbon, Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5997 (11.01)**
Total Oxygen Demand in Water, Test Method for, **D6238 (11.02)**

On-line total organic carbon (OLTOC)
Real-time Release Testing of Pharmaceutical Water for the Total Organic Carbon Attribute, Practice for, **E2656 (14.02)**

On-site calibration/testing
See **Calibration**

On-site evaluation/inspection
Sa **Field testing**
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**
Laboratory Monitors, Guide for, **E2335 (04.07)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barriers, Practice for, **E2393 (04.12)**

Ontario hydro method
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**

Opacifier
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**

Opacity monitors
Measuring the Hiding Power of Powder Coatings, Test Methods for, **D6441 (06.02)**
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**

Opacity/opaque materials
Appearance, Terminology of, **E284 (06.01)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, Practice for, **E1247 (06.01)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Hiding Power of Architectural Paints Applied by Roller, Test Method for, **D5150 (06.02)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**

Opaque surfaces
Calculating Solar Reflectance Index of Horizontal and Low-Sloped Opaque Surfaces, Practice for, **E1980 (04.04)**

Opaque wall
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**

Open assembly time
Determining Open Assembly Time of Carpet Mastic Adhesives, Test Method for, **D6325 (15.06)**

Open-barrel samplers
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**

Open-beaker method
Oxidative Aging of Electrical Insulating Petroleum Oils by Open-Beaker Method, Test Method for, **D1934 (10.03)**

Open-cell concrete blocks
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**

Open cell content
Open Cell Content of Rigid Cellular Plastics, Test Method for, **D6226 (08.03)**

Open-cell rubber
Flexible Cellular Rubber Chemically Blown, Specification for, **D6576 (08.03)**

Open channel flow—wastewater
Open Channel Flow Measurement of Water with the Parshall Flume, Test Method for, **D1941 (11.01)**
Open-Channel Flow Measurement of Water with Thin-Plate Weirs, Test Method for, **D5242 (11.01)**
Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, Guide for, **D5640 (11.02)**

Open channel flow—water
Analysis and Interpretation of Test Data for Articulating Concrete Block (ACB) Revetment Systems in Open Channel Flow, Guide for, **D7276 (04.09)**
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
Developing a Stage-Discharge Relation for Open Channel Flow, Practice for, **D5541 (11.01)**
Indirect Measurements of Discharge by Step-Backwater Method, Test Method for, **D5388 (11.01)**
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Open Channel Flow Measurement of Water with the Parshall Flume, Test Method for, **D1941 (11.01)**
Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, Test Method for, **D5389 (11.01)**
Open-Channel Flow Measurement of Water by Velocity-Area Method, Test Method for, **D3858 (11.01)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Open-Channel Flow Measurement of Water with Thin-Plate Weirs, Test Method for, **D5242 (11.01)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**
Operation of a Gaging Station, Guide for, **D5674 (11.02)**
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, Guide for, **D5640 (11.02)**
Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, Test Method for, **D5089 (11.01)**
Velocity Measurements of Water in Open Channels with Rotating

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Element Current Meters, Test Method for, **D4409 (11.01)**
Open-circuit potential
Conducting Potentiodynamic Polarization Resistance Measurements, Test Method for, **G59 (03.02)**
Open-cup flash point methods
Sa **Flash point**
Flash and Fire Points by Cleveland Open Cup Tester, Test Method for, **D92 (05.01)**
Flash Point of Cutback Asphalt with Tag Open-Cup Apparatus, Test Method for, **D3143/D3143M (04.03)**
Open-cut construction
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Open deep-fat fryers
Performance of Large Open Vat Fryers, Test Method for, **F2144 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Open-ended hysteresis
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
Open flame
Retained Sewn Seam Strength After Exposures to Hot Air and Open Flame, Specification for, **D7571 (07.02)**
Open-flame exposure
Sa **Flammability**
Evaluate Edge Binding Components Used in Mattresses After Exposure to An Open Flame, Test Method to, **D7016/D7016M (07.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Open graded friction
Coarse Aggregate for Bituminous Paving Mixtures, Specification for, **D692/D692M (04.03)**
Materials and Construction of Open-Graded Friction Course Plant Mixtures, Guide for, **D6932/D6932M (04.03)**
Open-Graded Friction Course (OGFC) Mix Design, Practice for, **D7064/D7064M (04.03)**
Open-head pails
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Open-hearth steel
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Open-hearth steel—specifications
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Pressure Vessel Plates, High-Strength, Low-Alloy Steel, Specification for, **A737/A737M (01.04)**
Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, Specification for, **A735/A735M (01.04)**
Open-hole compressive strength
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**
Open-Hole Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D7615/D7615M (15.03)**
Open hole tensile strength
Open-Hole Tensile Strength of Polymer Matrix Composite Laminates, Test Method for, **D5766/D5766M (15.03)**
Opening/operating force
Determination of Operating Force of Sliding Windows and Doors, Test Method for, **E2068 (04.11)**
Operability of Zippers, Test Methods for, **D2062 (07.01)**
Opening size
Determining Apparent Opening Size of a Geotextile, Test Method for, **D4751 (04.13)**
Determining the Number of Constrictions "***m***" of Non-Woven Geotextiles as a Complementary Filtration Property, Practice for, **D7178 (04.13)**
Open loop technique
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Open package test
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**
Open-path (OP/FT-IR) analysis
Sa **FTIR analysis**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Guide for, **E1865 (03.06)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Practice for, **E1982 (03.06)**
Open-plan spaces
Sa **Sound transmission—office environments**
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**
Measuring the Interzone Attenuation of Open Office Components, Test Method for, **E1111 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Open Office Acoustics and Applicable ASTM Standards, Guide for, **E1374 (04.06)**
Open refrigeration systems
See **Refrigeration systems**
Open run cables
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Open Systems Interconnection (OSI)
Hardware Implementation for Computerized Systems, Guide for, **F2218 (01.07)**
Open time
Determination of Re-tack Ability of Carpet Adhesives, Practice for, **D7532 (15.06)**
Open Time of Latex Paints, Test Method for, **D7488 (06.02)**
Open-time range
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Determining the Open Time of Hot Melt Adhesives (Manual Method), Test Method for, **D4497 (15.10)**
Open tubular column
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Open tubular column gas chromatography
Analysis of Ethyl tert-Butyl Ether (ETBE) by Gas Chromatography, Test Method for, **D7796 (05.04)**
Analysis of Methyl Tert-Butyl Ether (MTBE) by Gas Chromatography, Test Method for, **D5441 (05.02)**
Open-water bodies
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Open-weather deck handrails
Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, Specification for, **F1092 (01.07)**
Open wood crates
Open and Covered Wood Crates, Specification for, **D6039/D6039M (15.10)**
Operable partition
Sa **Partitions**
Architectural Design and Installation Practices for Sound Isolation between Spaces Separated by Operable Partitions, Guide for, **E557 (04.06)**
Operating characteristics
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, Guide for, **E1682 (06.01)**
Motor Life Evaluation of a Canister, Hand-held, Stick, and Utility Type Vacuum Cleaner Without a Driven Agitator, Test Method for, **F1038 (15.08)**
Operability of Zippers, Test Methods for, **D2062 (07.01)**
Operating Characteristics of Home Reverse Osmosis Devices, Test Method for, **D5615 (11.02)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**
Operating procedures
Design, Manufacture, and Operation of Concession Go-Karts and Facilities, Practice for, **F2007 (15.07)**
Documenting the Standard Operating Procedures Used for the Analysis of Water, Guide for, **D5172 (11.01)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Ownership, Operation, Maintenance, and Inspection of Amusement Rides and Devices, Practice for, **F770 (15.07)**
Special Requirements for Bumper Boats, Practice for, **F2460 (15.07)**
Operating room instruments
See **Surgical instruments**
Operating room safety
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**
Operational conditions/objectives/principals
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Adjusting the Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors, Practice for, **C1269 (12.01)**
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**
Operational conditions/objectives/principals—buildings
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, Practice for, **E1765 (04.11)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Performing Evaluations of Underground Storage Tank Systems for Operational Conformance with 40 CFR, Part 280 Regulations, Guide for, **E1990 (11.05)**
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**
Operational conditions/objectives/principals—medical
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Operational conditions/objectives/principals—nuclear
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Operational conditions/objectives/principals—shipboard
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Operational data report forms
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Operational safety risk assessment
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Operator exposure
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**
Operator precision
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
OP/FT-IR analysis
Sa **FTIR analysis**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Guide for, **E1865 (03.06)**
Ophryotrocha diadema
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Opinions
Reporting Opinions of Scientific or Technical Experts, Practice for, **E620 (14.02)**
Optical adhesive
Liquid Optical Adhesive, Specification for, **D2851 (15.06)**
Optical analysis
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Optical angular deviation
Sa **Angular deviation**
Measuring Optical Angular Deviation of Transparent Parts Using the Double-Exposure Method, Test Method for, **F2469 (15.03)**
Optical character recognition (OCR)
See **OCR (optical character recognition)**
Optical character testers
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**
Optical coefficient
Measurement of Glass Stress—Optical Coefficient, Test Method for, **C770 (15.02)**
Optical comparator
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Optical density
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Determination of Character Yield of Inked Fabric Typewriter and Printer Ribbons, Practice for, **F92 (15.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Determining the Yield of Wide Inked Computer Ribbons, Test Method for, **F153 (15.09)**
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**
Relative Mileage of News Ink on Newsprint, Test Method for, **D7189 (06.02)**
Specific Optical Density of Smoke Generated by Solid Materials, Test Method for, **E662 (04.07)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Optical detection method
Defect Detection and Rating of Plastic Films Using Optical Sensors, Guide for, **D7310 (08.03)**
Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), Test Method for, **D7157 (05.04)**
Determination of the Maximum Flocculation Ratio and Peptizing Power in Residual and Heavy Fuel Oils (Optical Detection Method), Test Method for, **D7060 (05.04)**
Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection), Test Method for, **D7112 (05.04)**

Optical detection stepped cooling method
Cloud Point of Petroleum Products (Constant Cooling Rate Method), Test Method for, **D5773 (05.02)**
Cloud Point of Petroleum Products (Linear Cooling Rate Method), Test Method for, **D5772 (05.02)**
Cloud Point of Petroleum Products (Optical Detection Stepped Cooling Method), Test Method for, **D5771 (05.02)**

Optical distortion/deviation
Measurement of Roll Wave Optical Distortion in Heat-Treated Flat Glass, Test Method for, **C1651 (15.02)**
Measuring Optical Distortion in Flat Glass Products Using Digital Photography of Grids, Test Method for, **C1652/C1652M (15.02)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**

Optical electron microscopy
Size-Differentiated Counting of Particles and Fibers Released from Cleanroom Wipers Using Optical and Scanning Electron Microscopy, Test Method for, **E2090 (15.03)**

Optical emission spectrochemical analysis
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**

Optical emission spectrometry (OES)
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Magnesium and Magnesium Alloys by Atomic Emission Spectrometry, Test Method for, **B954 (02.02)**
Describing and Specifying Inductively-Coupled Plasma Atomic Emission Spectrometers, Practice for, **E1479 (03.05)**
Determination of Various Elements by Direct Current Plasma Atomic Emission Spectrometry, Guide for, **E1097 (03.05)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Sampling and Sample Preparation of Lead and Lead Alloys for Optical Emission Spectrometric OR ICP Analysis, Specification for, **B982 (02.04)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**

Optical emission vacuum spectrometric analysis
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**

Optical endoscope
Bronchoscopes (Rigid), Specification for, **F1218 (13.02)**

Optical fiber/cable/conduit
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**
Operation and Maintenance of Sewers with Optical Fiber Systems, Practice for, **F2462 (04.12)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**
Selection of Gravity Sewers Suitable for Installation of Optical Fiber Cable and Conduits, Practice for, **F2303 (04.12)**
Selection of Natural Gas Pipelines Suitable for Installation of Optical Fiber Systems, Practice for, **F2350 (04.12)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, Guide for, **E1653 (03.06)**
Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, Test Method for, **D6113 (10.02)**

Optical fiber/cable/conduit—specifications
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**

Optical fiber networks
Operation and Maintenance of Integrated Natural Gas Pipelines and Optical Fiber Systems, Practice for, **F2349 (04.12)**
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**

Optical fiber sensing systems
Relating to Optical Fiber Sensing Systems, Terminology, **F3092 (04.12)**

Optical fiber sensing systems—Terminology relating to
Relating to Optical Fiber Sensing Systems, Terminology, **F3092 (04.12)**

Optical instrumentation%
Monitoring of Suspended-Sediment Concentration in Open Channel Flow Using Optical Instrumentation, Guide for, **D7512 (11.01)**

Optical materials/properties/tests
Sa **Refractive index**
Calibration of Refractory Metal Thermocouples Using a Radiation Thermometer, Test Method for, **E452 (14.03)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Comparing Particle Size in the Use of Alternative Types of Par-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ticle Counters, Practice for, **F660 (11.01)**
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Evaluating Non-Contacting Optical Strain Measurement Systems, Guide for, **E2208 (03.01)**
Liquid Optical Adhesive, Specification for, **D2851 (15.06)**
Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**
Measurement of Glass Stress—Optical Coefficient, Test Method for, **C770 (15.02)**
Natural Muscovite Block Mica and Thins Based on Visual Quality, Classification for, **D351 (10.01)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, Practice for, **E259 (06.01)**
Resistance of Transparent Plastics to Surface Abrasion, Test Method for, **D1044 (08.01)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**
Testing Printing Inks and Related Materials, Guide for, **D5010 (06.02)**
Wear Layer Thickness of Resilient Floor Coverings by Optical Measurement, Test Method for, **F410 (15.04)**

Optical materials/properties/tests—aerospace materials
Dust Erosion Resistance of Optical and Infrared Transparent Materials and Coatings, Test Method for, **F1864 (15.03)**
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**
Measuring Optical Reflectivity of Transparent Materials, Test Method for, **F1252 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**

Optical materials/properties/tests—copy materials
Determination of Character Yield of Inked Fabric Typewriter and Printer Ribbons, Practice for, **F92 (15.09)**
Determining the Yield of Wide Inked Computer Ribbons, Test Method for, **F153 (15.09)**
Optical Character Recognition, Terminology Relating to, **F149 (15.09)**

Optical materials/properties/tests—water
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**

Optical microscopy
Sa **Microscopic examination**
Categorization and Quantification of Airborne Fungal Structures in an Inertial Impaction Sample by Optical Microscopy, Test Method for, **D7391 (11.07)**
Identification of Polymer Layers or Inclusions by Fourier Transform Infrared Microspectroscopy (FT-IR), Practice for, **D5477 (08.03)**
Knoop Indentation Hardness of Advanced Ceramics, Test Method for, **C1326 (15.01)**
Measurement of Thickness of Coatings Over Fabric Reinforcement, Test Method for, **D7635/D7635M (04.04)**
Vickers Indentation Hardness of Advanced Ceramics, Test Method for, **C1327 (15.01)**

Optical (non-imaging) light-scattering instruments
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**

Optical orientation (of semiconductor surfaces)
See **Crystal lattice structure**

Optical particle counters
Particle Count in Mineral Insulating Oil Using Automatic Optical Particle Counters, Test Method for, **D6786 (10.03)**

Optical retardation
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**

Optical scatter
Goniometric Optical Scatter Measurements, Practice for, **E2387 (06.01)**

Optical Society of America (OSA)
Specifying Color by Using the Optical Society of America Uniform Color Scales System, Practice for, **E1360 (06.01)**

Optical waveguide dosimetry
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**

Optical (weight) scales
Equal Arm Balances, Test Method for, **E1270 (14.04)**

Optic seal
Passive Fiber Optic Seals, Classification for, **F1699 (15.08)**

Optimization
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**

Optimized data collection design
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Selection and Optimization of Sampling Design, Guide for, **D6311 (11.04)**

Optimizing test method uncertainties
Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**
Optimizing, Controlling and Reporting Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **D6689 (11.01)**

Optimum moisture content
See **Moisture analysis**

Optimum protective performance
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Optional methods
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**

Optoelectronic method
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Opto-electronics module
Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, Specification for, **F2071 (01.07)**
Transducers, Pressure and Differential, Pressure, Electrical and Fiber-Optic, Specification for, **F2070 (01.07)**
Oral/maxillofacial surgery
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Silicone Elastomer Facial Implants, Specification for, **F881 (13.01)**
Oral toxicity
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Conducting Subacute Dietary Toxicity Tests with Avian Species, Practice for, **E857 (11.06)**
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Orange pigments
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Chrome Yellow and Chrome Orange Pigments, Specification for, **D211 (06.03)**
Molybdate Orange Pigments, Specification for, **D2218 (06.03)**
Order entry systems
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Ordinal scales
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**
Ordinary least squares (OLS)
99 %/95 % Interlaboratory Detection Estimate (IDE) for Analytical Methods with Negligible Calibration Error, Practice for, **D6091 (11.01)**
Ordinary-strength steel
Structural Steel for Ships, Specification for, **A131/A131M (01.04)**
Ores
Conducting Proficiency Tests in the Chemical Analysis of Metals, Ores, and Related Materials, Practice for, **E2027 (03.05)**
Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, Test Method for, **E1600 (03.05)**
Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, Practice for, **E2293 (03.05)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**
Silver Corrections in Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Fire Assay Slag Recycling and Cupel Proof Gravimetry, Practice for, **E2296 (03.05)**
Uranium Ore Concentrate, Specification for, **C967 (12.01)**
Ores and related metallurgical materials
Nitric Acid-Extraction of Elements from Ores and Related Metallurgical Materials by Closed Vessel Microwave Heating, Practice for, **E2941 (03.05)**
Organic acid
Determination of Chlorinated Organic Acid Compounds in Water by Gas Chromatography with an Electron Capture Detector, Test Method for, **D5317 (11.02)**
Rubber—Chemical Analysis of Extractables, Test Methods for, **D5774 (09.01)**
Organically combined sulfuric anhydride
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of Organically Combined Sulfuric Anhydride Ash-Gravimetric, Test Method C, Test Method for, **D5352 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Extraction Titration, Test Method B, Test Method for, **D5351 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Titration, Test Method A, Test Method for, **D5350 (15.04)**
Organic analytes
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Organic binder
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Organic carbon (OC)
Low Level Determination of Total Carbon, Inorganic Carbon and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D6317 (11.01)**
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
On-Line Monitoring of Total Carbon, Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5997 (11.01)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**
Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection, Test Method for, **D7573 (11.02)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**
Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5904 (11.02)**
Organic chemicals
Assay of Organic Peroxides, Test Methods for, **E298 (15.05)**
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Packed Column Gas Chromatography, Practice for, **E260 (03.06)**
Solidification Point of Industrial Organic Chemicals by Thermistor, Test Method for, **D6875 (06.04)**
Trace Amounts of Peroxides In Organic Solvents, Test Method for, **E299 (15.05)**
Volatile Matter in Silicone Fluid, Test Method for, **D4559 (10.03)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**
Organic chloride
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Organic coatings
Abrasion Resistance of Organic Coatings by the Taber Abraser, Test Method for, **D4060 (06.01)**
Adhesion of Organic Coatings by Scrape Adhesion, Test Method for, **D2197 (06.01)**
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**
Block Resistance of Organic Coatings on Wood Panel Substrates, Test Method for, **D2793 (06.02)**
Coating Flexibility of Prepainted Sheet, Test Method for, **D4145 (06.02)**
Detergent Resistance of Organic Finishes, Practice for, **D2248 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining the Effect of Overbaking on Organic Coatings, Practice for, **D2454 (06.01)**
Determining the Hardness of Organic Coatings with a Sward-Type Hardness Rocker, Test Method for, **D2134 (06.01)**
Determining the Solvent Resistance of an Organic Coating using a Mechanical Rubbing Machine, Test Method for, **D7835/D7835M (06.02)**
Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, Test Methods for, **D1640 (06.01)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Evaluating Coatings For High Temperature Service, Test Methods for, **D2485 (06.01)**
Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, Test Methods for, **D5895 (06.01)**
Evaluating the Efficiency of Chemical Removers for Organic Coatings, Practice for, **D6189 (06.02)**
Filiform Corrosion Resistance of Organic Coatings on Metal, Guide for Testing, **D2803 (06.01)**
Film Hardness by Pencil Test, Test Method for, **D3363 (06.01)**
Formability of Thin Film Organic Coatings on Steel Over a Biaxially Stretched Dome, Test Method for, **D7093 (06.02)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Mar Resistance of Organic Coatings, Test Method for, **D5178 (06.01)**
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Measurements of Internal Stresses in Organic Coatings by Cantilever (Beam) Method, Test Method for, **D6991 (06.01)**
Measuring Adhesion of Organic Coatings to Plastic Substrates by Direct Tensile Testing, Test Method for, **D5179 (06.01)**
Nondestructive Measurement of Dry Film Thickness of Applied Organic Coatings Using an Ultrasonic Gage, Test Method for, **D6132 (06.01)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Pressure Mottling and Blocking Resistance of Organic Coatings on Metal Substrates, Test Method for, **D3003 (06.02)**
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**
Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact), Test Method for, **D2794 (06.01)**
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**
Salt-Accelerated Outdoor Cosmetic Corrosion Testing of Organic Coatings on Automotive Sheet Steel, Practice for, **D6675 (06.01)**
Tensile Properties of Organic Coatings, Test Method for, **D2370 (06.01)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**

Organic coatings—specifications
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, Specification for, **A950/A950M (01.04)**
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**

Organic compounds
Chlorine in Organic Compounds by Sodium Peroxide Bomb Ignition, Test Method for, **E256 (15.05)**
Field Collection of Organic Compounds from Surfaces Using Wipe Sampling, Practice for, **D6661 (11.04)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Organic compounds—atmospheric
Sa **Atmospheric analysis**
Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, Practice for, **D3687 (11.07)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**
Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D6670 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Mercaptan Content of the Atmosphere, Test Method for, **D2913 (11.07)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Sampling Atmospheres to Collect Organic Compound Vapors (Activated Charcoal Tube Adsorption Method), Practice for, **D3686 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**

Organic compounds—paint materials/applications
Determining Amount of Volatile Organic Compound (VOC) Released from Solventborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D5087 (06.01)**

Organic compounds—petroleum products
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**

Organic compounds—water
1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, Test Method for, **D5316 (11.02)**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
Chlorophyll Content of Algae in Surface Waters, Practices for Measurement of, **D3731 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Cyanides in Water, Test Methods for, **D2036 (11.02)**
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Determination of Nonylphenol, Bisphenol A, p-tert -Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Gas Chromatography Mass Spectrometry, Test Method for, **D7065 (11.02)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Estimating the Organic Fouling of Particulate Anion Exchange Resins, Test Method for, **D5042 (11.02)**
Estimation of Holding Time for Water Samples Containing Organic and Inorganic Constituents, Practice for, **D4841 (11.01)**
Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, Guide for, **D4128 (11.02)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Low Levels of Coliphages in Water, Test Method for, **D6734 (11.02)**
Low-Molecular Weight Halogenated Hydrocarbons in Water, Test Method for, **D3973 (11.02)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, Practice for, **D3919 (11.01)**
Measuring Volatile Organic Matter in Water by Aqueous-Injection Gas Chromatography, Practice for, **D2908 (11.02)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, Test Method for, **D5175 (11.02)**
Phenolic Compounds in Water, Test Methods for, **D1783 (11.02)**
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Purgeable Organic Compounds in Water Using Headspace Sampling, Test Method for, **D3871 (11.02)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**
Total Cyanide by Segmented Flow Injection Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, Test Method for, **D7511 (11.02)**
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**
Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, Test Method for, **D3695 (11.02)**
Water Using Volumetric Karl Fischer Titration, Test Method for, **E203 (15.05)**

Organic contamination (of semiconductors)
See **Contamination—semiconductors**

Organic extraction
The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, Test Method for, **C1205 (12.01)**

Organic felt—specifications
Asphalt Roll Roofing (Organic Felt), Specification for, **D6380/D6380M (04.04)**
Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing, Specification for, **D2626/D2626M (04.04)**
Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, Specification for, **D4869/D4869M (04.04)**
Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D226/D226M (04.04)**
Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D227/D227M (04.04)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**

Organic fibers
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Organic Fiber Content of Asbestos-Cement Products, Test Method for, **C458/C458M (04.05)**

Organic finish coated rubber
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**

Organic fouling
Detection of Fouling and Degradation of Particulate Ion Exchange Materials, Guide for, **D5217 (11.02)**

Organic impurities
Effect of Organic Impurities in Fine Aggregate on Strength of Mortar, Test Method for, **C87/C87M (04.02)**
Organic Impurities in Fine Aggregates for Concrete, Test Method for, **C40/C40M (04.02)**

Organic isocyanates
See **Isocyanates**

Organic linings
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**

Organic liquid hazardous waste (OLHW)
Sa **Hazardous waste materials**
Determination of Insoluble Solids in Organic Liquid Hazardous Waste, Test Method for, **D6050 (11.04)**

Organic liquids
Sa **Volatile organic compounds (VOC)**
Determination of Insoluble Solids in Organic Liquid Hazardous Waste, Test Method for, **D6050 (11.04)**
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**

Organic materials
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sulfated Ash of Organic Materials by Thermogravimetry, Test Method for, **E2403 (14.02)**

Organic matter content
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**
Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings, Practice for, **D3960 (06.01)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Moisture, Ash, and Organic Matter of Peat and Other Organic Soils, Test Methods for, **D2974 (04.08)**
Organic Matter Content of Athletic Field Rootzone Mixes, Test Methods for, **F1647 (15.07)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Sediments and Soluble Sludge in Service-Aged Insulating Oils, Test Method for, **D1698 (10.03)**

Organic matter content—coal samples
Microscopical Determination of the Maceral Composition of Coal, Test Method for, **D2799 (05.06)**

Organic matter content—textiles
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**

Organic oxygenated compounds
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**

Organic peroxides
Sa **Peroxides**
Determination of Hydrogen Peroxide and Combined Organic Peroxides in Atmospheric Water Samples by Peroxidase Enzyme Fluorescence Method, Test Method for, **D6363 (11.07)**
Flash Point of Liquids by Small Scale Closed-Cup Apparatus, Test Methods for, **D3278 (06.01)**

Organic plastic sheet/molded disks
Shear Strength of Plastics by Punch Tool, Test Method for, **D732 (08.01)**

Organic powder coatings
Sa **Powder coatings**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**

Organic soils
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), Test Method for, **D5715 (04.08)**
Moisture, Ash, and Organic Matter of Peat and Other Organic Soils, Test Methods for, **D2974 (04.08)**
Topsoil Used for Landscaping Purposes, Specification for, **D5268 (04.08)**

Organic solutions
Determination of Low Concentrations of Uranium in Oils and Organic Liquids by X-ray Fluorescence, Test Method for, **C1343 (12.01)**

Organic solvents
Sa **Solvents**
Appearance of Admixtures Containing Halogenated Organic Solvents, Test Methods for, **D3741 (15.05)**
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Free Halogens in Halogenated Organic Solvents and Their Admixtures, Test Method for, **D4755 (15.05)**

Organic thiols
Mercaptan Content of the Atmosphere, Test Method for, **D2913 (11.07)**

Organic treat loading
Determining the Organic Treat Loading of Organophilic Clay, Test Methods for, **D7626 (04.09)**

Organic treatments
Water Vapor Transmission of NonFilm Forming Treatments Used on Cementitious Panels, Test Method for, **D6490 (06.02)**

Organic vapor barriers
See **Vapor barriers**

Organic vapor transmission
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**

Organisms
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**

Organisms/aquatic
See **Life cycle (of aquatic organisms)**

Organization (of testing/inspection agencies)
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**

Organo-chlorine
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**

Organochlorine pesticides
Sa **Pesticides**
Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, Test Method for, **D5175 (11.02)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Organo-metallic compounds
Apparatus For Microdetermination of Carbon and, Specification for, **E191 (14.04)**

Organophilic clay
Determining the Organic Treat Loading of Organophilic Clay, Test Methods for, **D7626 (04.09)**

Organophosphates
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Organophosphonates
Determination of Diisopropyl Methylphosphonate, Ethyl Hydrogen Dimethylamidophosphate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Water by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7597 (11.02)**

Organosilanes
Silanes Used in Rubber Formulations, Test Method for, **D6740 (09.01)**

Organosols
See **Plastisols and organosols**

Organotin
Organotin Release Rates of Antifouling Coating Systems in Sea Water, Test Method for, **D5108 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Orientation
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Determining the Orientation of a Metal Crystal, Test Method for, **E82 (03.01)**
Fiber Reinforcement Orientation Codes for Composite Materials, Practice for, **D6507 (15.03)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**

Orientation release stress
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**

Oriented electrical steel
Sa **Electrical steel**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
Ductility of Oriented Electrical Steel, Test Method for, **A721/A721M (03.04)**

Oriented electrical steel—specifications
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**

Oriented fiber reinforcing materials
Sa **High modulus fibrous composites**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Oriented polypropylene (OPP) films
Sa **Propylene (PP) plastics**
Oriented Polypropylene Film, Specification for, **D2673 (08.01)**

Oriented poly(vinyl chloride)(PVCO)
Sa **Poly(vinyl chloride)(PVC)**
Oriented Poly(Vinyl Chloride), PVCO, Pressure Pipe, Specification for, **F1483 (08.04)**

Oriented strand board (OSB)
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Establishing Design Capacities for Oriented Strand Board (OSB) Wood-Based Structural-Use Panels, Practice for, **D7033 (04.10)**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Shear Modulus of Wood-Based Structural Panels, Test Method for, **D3044 (04.10)**
Structural Insulated Panel (SIP) Adhesives for Laminating Oriented Strand Board (OSB) to Rigid Cellular Polystryene Thermal Insulation Core Materials, Specification for, **D7446 (15.06)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Panels in Tension, Test Methods for, **D3500 (04.10)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Wood-Based Structural Panels in Compression, Test Methods for, **D3501 (04.10)**

Orifice blower door
Determining Airtightness of Buildings Using an Orifice Blower Door, Test Methods for, **E1827 (04.11)**

Orifice flow rate method
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**

Orifice weir
Measuring the Rate of Well Discharge by Circular Orifice Weir, Test Method for, **D5716 (04.08)**

Origin
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**

O-rings
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, Practices for, **D3923 (11.02)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**

Ornamental fences
Design and Construction of Ornamental Steel Picket Fence Systems for Security Purposes, Guide for, **F2814 (01.06)**
Ornamental Aluminum Fence Systems, Specification for, **F2957 (01.06)**
Ornamental Fences Employing Galvanized Steel Tubular Pickets, Specification for, **F2408 (01.06)**
Ornamental Fences Employing Steel Tubular Pickets, Specification for, **F2589 (01.06)**

Ornamental wire
Brass Wire, Specification for, **B134/B134M (02.01)**

ORP electrodes
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**

ORP (oxidation reduction potential)
Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, Test Method for, **F2023 (08.04)**

ORSA (off-road severe application) tires
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**

Orthogonal comparisons/projections
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**

Orthogonal orientation
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**

Orthopaedic hip femoral stems—non-modular metallic
Finite Element Analysis (FEA) of Non-Modular Metallic Orthopaedic Hip Femoral Stems, Practice for, **F2996 (13.02)**

Orthopaedic medical devices
Sa **Testing methods—surgical implants**
Assessment of the Ultra High Molecular Weight Polyethylene (UHMWPE) Used in Orthopedic and Spinal Devices, Guide for, **F2759 (13.02)**
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**
Evaluation of MR Image Artifacts from Passive Implants, Test Method for, **F2119 (13.01)**
Finite Element Analysis (FEA) of Non-Modular Metallic Orthopaedic Hip Femoral Stems, Practice for, **F2996 (13.02)**
Measurement of Positional Accuracy of Computer Assisted Surgical Systems, Practice for, **F2554 (13.02)**
Metal Injection Molded Titanium-6Aluminum-4Vanadium Components for Surgical Implant Applications, Specification for, **F2885 (13.02)**
Presentation of End User Labeling Information for Musculoskeletal Implants, Guide for, **F2943 (13.02)**

Orthopaedic medical devices—corrosion
See **Corrosion—surgical implants**

Orthopaedic medical devices—specifications
Acetabular Prostheses, Specification for, **F2091 (13.01)**
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**
Calcium Phosphate Coatings for Implantable Materials, Specification for, **F1609 (13.01)**
Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), Specification for, **F1377 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**
Composition of Anorganic Bone for Surgical Implants, Specification for, **F1581 (13.01)**
Composition of Hydroxylapatite for Surgical Implants, Specification for, **F1185 (13.01)**
Evaluating Modular Hip and Knee Joint Components, Guide for, **F1814 (13.01)**
Fixation Pins and Wires, Specification for, **F366 (13.01)**
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Knee Replacement Prosthesis, Specification for, **F2083 (13.01)**
Medical Screwdriver Bits, Specification for, **F116 (13.01)**
Metallic Bone Staples, Specification and Test Methods for, **F564 (13.01)**
Metallic Medical Bone Screws, Specification and Test Methods for, **F543 (13.01)**
Rigid Polyurethane Foam for Use as a Standard Material for Testing Orthopaedic Devices and Instruments, Specification for, **F1839 (13.01)**
Shoulder Prostheses, Specification for, **F1378 (13.01)**
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part I—Formulations and Uncured Materials, Guide for, **F2038 (13.01)**
Soft-Tissue Expander Devices, Specification for, **F1441 (13.01)**
Total Ankle Replacement Prosthesis, Specification for, **F2665 (13.02)**
Unalloyed Tantalum for Surgical Implant Applications (UNS R05200, UNS R05400), Specification for, **F560 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), Specification for, **F138 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**

Orthopaedic medical devices—specifications (Cr alloy)
Sa **Chromium surgical implant applications—specifications**
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**
Wrought Seamless or Welded and Drawn 18 Chromium-14Nickel-2.5Molybdenum Stainless Steel Small Diameter Tubing for Surgical Implants (UNS S31673), Specification for, **F2257 (13.01)**

Orthopaedic medical devices—specifications (Ti/Ti alloy)
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**
Titanium-6Aluminum-4Vanadium Alloy Castings for Surgical Implants (UNS R56406), Specification for, **F1108 (13.01)**
Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), Specification for, **F67 (13.01)**
Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), Specification for, **F1813 (13.01)**
Wrought Titanium-13Niobium-13Zirconium Alloy for Surgical Implant Applications (UNS R58130), Specification for, **F1713 (13.01)**
Wrought Titanium-15 Molybdenum Alloy for Surgical Implant Applications (UNS R58150), Specification for, **F2066 (13.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), Specification for, **F1472 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), Specification for, **F136 (13.01)**
Wrought Titanium-6Aluminum-7Niobium Alloy for Surgical Implant Applications (UNS R56700), Specification for, **F1295 (13.01)**

Orthopaedic medical devices (bone)
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**

Orthopaedic medical devices (bone)—specifications
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Composition of Anorganic Bone for Surgical Implants, Specification for, **F1581 (13.01)**
Composition of Hydroxylapatite for Surgical Implants, Specification for, **F1185 (13.01)**
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Medical Screwdriver Bits, Specification for, **F116 (13.01)**
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**
Metallic Bone Plates, Specification and Test Method for, **F382 (13.01)**
Metallic Bone Staples, Specification and Test Methods for, **F564 (13.01)**
Metallic Medical Bone Screws, Specification and Test Methods for, **F543 (13.01)**
Preformed Cranioplasty Plates, Specification for, **F452 (13.01)**

Orthopaedic medical devices (bone plates)
Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**
Metallic Bone Plates, Specification and Test Method for, **F382 (13.01)**
Preformed Cranioplasty Plates, Specification for, **F452 (13.01)**

Orthopaedic medical devices (bone screws)
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**
Medical Screwdriver Bits, Specification for, **F116 (13.01)**
Metallic Medical Bone Screws, Specification and Test Methods for, **F543 (13.01)**

Orthopaedic spinal devices
Sa **Spinal implants**
Assessment of the Ultra High Molecular Weight Polyethylene (UHMWPE) Used in Orthopedic and Spinal Devices, Guide for, **F2759 (13.02)**

Orthophosphate content
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**

Orthophosphate conversion
Phosphonate in Brines, Test Method for, **D6501 (11.01)**

Orthoses
Comparison of Rearfoot Motion Control Properties of Running Shoes, Test Method for, **F1833 (15.07)**

Orthoxylene
See *ortho*-Xylene

OSA-UCS notation
Specifying Color by Using the Optical Society of America Uniform Color Scales System, Practice for, **E1360 (06.01)**

Oscillating bearings
Fretting Wear Protection by Lubricating Greases, Test Method for, **D4170 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Oscillating deformation
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Oscillating disk cure meter
Rubber Property—Vulcanization Using Oscillating Disk Cure Meter, Test Method for, **D2084 (09.01)**
Oscillating motion
Determining Extreme Pressure Properties of Lubricating Greases Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5706 (05.02)**
Determining Extreme Pressure Properties of Solid Bonded Films Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7217 (05.04)**
Determining the Wear Volume on Standard Test Pieces Used by High-Frequency, Linear-Oscillation (SRV) Test Machine, Practice for, **D7755 (05.04)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5707 (05.02)**
Wear Life of Solid Film Lubricants in Oscillating Motion, Test Method for, **D2981 (05.01)**
Oscillating pendulum method
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Oscillating piston viscometer
Determination of Dynamic Viscosity and Derived Kinematic Viscosity of Liquids by Oscillating Piston Viscometer, Test Method for, **D7483 (05.04)**
Oscillating sand method
Abrasion Resistance of Transparent Plastics and Coatings Using the Oscillating Sand Method, Test Method for, **F735 (15.03)**
Oscillating shear rheometer
Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, Test Method for, **D6204 (09.01)**
Oscillatory cylinder method
Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder Method), Test Method for, **D4157 (07.01)**
Oscillatory fluctuation
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
Oscillograph
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Oscilloscope
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Thermal Diffusivity of Carbon and Graphite by Thermal Pulse Method, Test Method for, **C714 (05.05)**
OSI (open system interconnection)
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
Osmosis devices (reverse)
Sa **Reverse osmosis (RO) installations**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**
Osteoinductive
in vivo Evaluation of Osteoinductive Potential for Materials Containing Demineralized Bone (DBM), Guide for, **F2529 (13.02)**
Osteosynthesis
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**
Ostwald coefficient
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**
Estimation of Solubility of Gases in Petroleum Liquids, Test Method for, **D2779 (05.01)**
Ostwald viscometer
Glass Capillary Kinematic Viscometers, Specifications and Operating Instructions for, **D446 (05.01)**
Softening Point of Certain Alkali-Soluble Resins, Test Method for, **D3642 (15.04)**
Viscosity of Silicone Fluids, Test Method for, **D4283 (15.04)**
OTVAT (official test vinyl asbestos tile)
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Ounce metal (casting)
Sa **UNS C83600 (cast leaded red brass)**
Composition Bronze or Ounce Metal Castings, Specification for, **B62 (02.01)**
Outboard motors
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Outbreak investigation
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Outdoor cosmetic corrosion testing
Salt-Accelerated Outdoor Cosmetic Corrosion Testing of Organic Coatings on Automotive Sheet Steel, Practice for, **D6675 (06.01)**
Outdoor dynamometer testing
See **Dynamometer testing**
Outdoor evaluation
Outdoor Evaluation of Wet Stack Storage Conditions on Coil-Coated Metals, Practice for, **D7376 (06.02)**
Outdoor exposure testing
Conducting Exposures in Outdoor Glass-Covered Exposure Apparatus with Air Circulation, Practice for, **G201 (14.04)**
Deterioration of Geotextiles from Outdoor Exposure, Test Method for, **D5970 (04.13)**
Outdoor furniture
Child's Plastic Chairs for Outdoor Use, Performance Requirements for, **F1838 (15.11)**
Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, Performance Requirements for, **F1858 (15.11)**
Plastic Chairs for Outdoor Use, Performance Requirements for, **F1561 (15.11)**
Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use, Performance Requirements for, **F1988 (15.11)**
Outdoor measurement
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Outdoor play areas
Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, Safety Performance Specification for, **F2049 (01.06)**
Outdoor service equipment
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Design Considerations and Spray Application of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C945 (04.06)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Repair of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C950/C950M (04.06)**
Outdoor sound measurement
Sa **Sound transmission**
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Measurement of Outdoor A-Weighted Sound Levels, Guide for, **E1014 (04.06)**
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Outdoor weathering
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Conducting Exterior Exposure Tests of Paints and Coatings on Metal Substrates, Practice for, **D1014 (06.01)**
Conducting Exterior Exposure Tests of Paints on Wood, Practice for, **D1006/D1006M (06.01)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Failure End Point in Accelerated and Outdoor Weathering of Bituminous Materials, Test Method for, **D1670/D1670M (04.04)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Outdoor Exposure Testing of Photodegradable Plastics, Practice for, **D5272 (08.03)**
Outdoor Weathering Exposure of Crosslinked Polyethylene (PEX) Tubing, Test Method for, **F2657 (08.04)**
Outdoor Weathering of Construction Seals and Sealants, Practice for, **C1589/C1589M (04.07)**
Outdoor Weathering of Plastics, Practice for, **D1435 (08.01)**
Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, Practice for, **D5722 (06.01)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**
Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight, Practice for, **D5105 (15.10)**
Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, Practice for, **D4364 (08.02)**
Preparation of Test Panels for Accelerated and Outdoor Weathering of Bituminous Coatings, Practice for, **D1669/D1669M (04.04)**
Relating to Natural and Artificial Weathering Tests of Nonmetallic Materials, Terminology, **G113 (14.04)**
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Outer garments
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Outer ring
Bearing, Roller, Needle: Assembly (Thick Outer Race), Specification for, **F2430 (01.08)**
Bearing, Roller, Needle: Thick Outer Ring With Rollers and Cage, Specification for, **F2246 (01.08)**
Outerwear
Drawstrings on Childrens Upper Outerwear, Safety Specification for, **F1816 (15.11)**
Outfitting
Establishing Shipbuilding Quality Requirements for Hull Structure, Outfitting, and Coatings, Practice for, **F2016 (01.07)**
Outflow meter
Measuring Pavement Texture Drainage Using an Outflow Meter, Test Method for, **E2380/E2380M (04.03)**
Outgassing materials/processes
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Determining the Outgassing Potential of Sealant Backing, Test Method for, **C1253 (04.07)**
Metal Powder Skeletal Density by Helium or Nitrogen Pycnometry, Test Method for, **B923 (02.05)**
Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**
Silicone Rubber Room Temperature Vulcanizing Low Outgassing Materials, Specification For, **D6411/D6411M (15.06)**
Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment, Test Method for, **E595 (15.03)**
Outlet pipe
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Outlier rejection
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**
Outliers
Sa **Precision**
Sa **Statistical methods**
Dealing With Outlying Observations, Practice for, **E178 (14.02)**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Outline specifications
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Out-of-phase axial torsional fatigue test
Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, Practice for, **E2207 (03.01)**
Out-of-plane tension
Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, Test Method for, **D6415/D6415M (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Out-of-roundness
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, Specification for, **D2467 (08.04)**
Out of square
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Outpt characterization
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Output per stroke
Determination of the Output Per Stroke of a Mechanical Pump Dispenser, Test Methods for, **D4336 (15.10)**
Output streams
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**
Output transient voltage
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Outside crimped valves
Effective Crimping on Outside Crimped Valves of Aerosol Containers, Test Methods for, **D3076 (15.10)**
Outside diameter control
See **Controlled diameters (outside)**
Outside diameter (of center servings)
Center Serving Diameter Dimensions for Archery Bow Strings, Guide for, **F1436 (15.07)**
Outside influences
Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, Practice for, **F1468 (15.08)**
Outside jackets
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**
Oval head cortical bone screws
Metallic Medical Bone Screws, Specification and Test Methods for, **F543 (13.01)**
Ovata
Mucilloid Content of Plantago Insularis (Ovata, Psyllium), Test Method for, **D7047 (04.09)**
OVCT
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**
Oven aging
Sa **Accelerated aging/testing**
Air-Oven Aging of Polyolefin Geomembranes, Practice for, **D5721 (04.13)**
Oven blister test
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Oven coke
See **Coal/coke products**
Oven-dried biomass
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Oven-drying process
Moisture in Cotton by Oven-Drying, Test Method for, **D2495 (07.01)**
Oven-dry weight
Compressive Strength of Lightweight Insulating Concrete, Test Method for, **C495/C495M (04.02)**
Oven heat stability
Sa **Thermal stability**
Dark Oven Heat Exposure of Roofing and Waterproofing Materials, Practice for, **D5869 (04.04)**
Loss on Heating of Oil and Asphaltic Compounds, Test Method for, **D6/D6M (04.04)**
Oven Heat Stability of Poly(Vinyl Chloride) Compositions, Practice for, **D2115 (08.01)**
Ovens
Coated Fabrics, Test Methods for, **D751 (09.02)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Direct Moisture Content Measurement of Wood and Wood-Base Materials, Test Methods for, **D4442 (04.10)**
Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), Test Method for, **D2872 (04.03)**
Effects of Heat and Air on Asphaltic Materials (Thin-Film Oven Test), Test Method for, **D1754/D1754M (04.03)**
Enhanced Performance of Combination Oven in Various Modes, Test Method for, **F2861 (15.12)**
Evaluation of Materials, Protective Clothing and Equipment for Heat Resistance Using a Hot Air Circulating Oven, Test Method for, **F2894 (11.03)**
Expansion or Contraction of Coal by the Sole-Heated Oven, Test Method for, **D2014 (05.06)**
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Heat Treatment of Magnesium Alloys, Practice for, **B661 (02.02)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Measuring Static Heat Resistance of Self-Cleaning Oven Coating, Test Method for, **B915 (02.05)**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
Performance of Cook-and-Hold Ovens, Test Method for, **F3051 (15.12)**
Performance of Rack Ovens, Test Method for, **F2093 (15.12)**
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**
Thermal Endurance of Rigid Electrical Insulating Materials, Test Method for, **D2304 (10.01)**
Volatile Matter (Moisture) of Leather by Oven Drying, Test Method for, **D3790 (15.04)**
Water in Lint Cotton by Oven Evaporation Combined with Volumetric Karl Fischer Titration, Test Method for, **D7785 (07.02)**
Ovens—food service applications
Enhanced Performance of Combination Oven in Various Modes, Test Method for, **F2861 (15.12)**
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Ovens—specifications
Cell-Type Oven with Controlled Rates of Ventilation, Specification for, **E95 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**
Convection Oven Gas or Electric, Specification for, **F2092 (15.12)**
Gravity-Convection and Forced-Ventilation Ovens, Specification for, **E145 (14.04)**

Oven temperature
Storage Stability of Water-in-Oil Emulsions by the Oven Test Method, Test Method for, **D3707 (05.01)**
Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, Test Method for, **D5591 (07.02)**

Overall dip tube length
Measuring the Dip Tube Length of a Mechanical Pump Dispenser, Test Method for, **D6536/D6536M (15.10)**

Overall fabrics
Women's Woven Coverall, Dungaree, Overall, and Shop Coat Fabrics, Performance Specification for, **D4118 (07.01)**

Overall rate of return
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**

Overbaking (of paints/related coatings)
Determining the Effect of Overbaking on Organic Coatings, Practice for, **D2454 (06.01)**

Overboard discharge
Design and Installation of Overboard Discharge Hull Penetration Connections, Specification for, **F994 (01.07)**

Overcoat/jacket fabrics
Men's and Women's Sliver Knitted Overcoat and Jacket Fabrics, Performance Specification for, **D3655 (07.01)**
Woven Drycleanable Coat Fabrics, Performance Specification for, **D3562 (07.01)**

Overcore
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**

Overdamped well-aquifer system
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**

Overdraws
Reduction of Risk of Injury for Archery Overdraws, Guide for, **F1363 (15.07)**

Overfired broiler
Performance of Upright Overfired Broilers, Test Method for, **F2237 (15.12)**

Overglaze decorations (on ceramic whitewares)
See **Ceramic glass enamel**

Overhang
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**

Overhead
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Presentation Format of Elemental Cost Estimates, Summaries, and Analyses, Practice for, **E2514 (04.12)**

Overhead conductors
ACSR Twisted Pair Conductor (ACSR/TP), Specification for, **B911/B911M (02.03)**
Non-Specular (NS) Surface Finish on Overhead Aluminum Electrical Conductors, Specification for, **B979 (02.03)**

Overhead electrical conductors
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Alloy Reinforced (ACAR, 1350/6201), Specification for, **B524/B524M (02.03)**
Extra-High-Strength and Ultra-High-Strength Class A Zinc–5% Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B958/B958M (02.03)**
Extra-High-Strength and Ultra-High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Overhead Electrical Conductors, Specification for, **B957/B957M (02.03)**
Zinc-Coated (Galvanized) Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B498/B498M (02.03)**

Overhead fluorescent lighting
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Accelerated Testing of the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting and WindowFiltered Daylight, Practice for, **F1946/F1946M (15.09)**
Determining the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting, Practice for, **F1945 (15.09)**

Overhead lifting
Carbon Steel Lifting Eyes, Specification for, **A489 (01.08)**
Grade 80 and Grade 100 Alloy Steel Chain Slings for Overhead Lifting, Specification for, **A906/A906M (01.05)**

Overhead strand—specifications
Sa **Steel wire strand—specifications**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Overhead Ground Wire Strand, Specification for, **A925 (01.06)**
Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand, Specification for, **A363 (01.06)**

Overland nonconcentrated water flow
Silt Fence Installation, Practice for, **D6462 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**

Overlayers (removal)
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Overlay materials/applications
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Tensile Strength of Concrete Surfaces and the Bond Strength or Tensile Strength of Concrete Repair and Overlay Materials by Direct Tension (Pull-off Method), Test Method for, **C1583/C1583M (04.02)**
Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, Test Method for, **C884/C884M (04.02)**
Viewing Conditions for Visual Inspection of Membrane Switches, Practice for, **F1595 (10.04)**

Overlays (of epoxy resins on concrete)
See **Resins (epoxy)(for concrete)**

Overlength fiber content
Overlength Fiber Content of Manufactured Staple Fiber, Test Method for, **D3513 (07.01)**

Overload test
Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, Specification for, **F1075 (01.07)**

Overpressurization
Blast Resistance of Trash Receptacles, Test Method for, **E2639 (15.08)**
Evaluating the Overpressurization Characteristics of Inflatable Restraint Cushions, Practice for, **D5807 (07.02)**
Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, Specification for, **F1271 (01.07)**

Overprint varnish
Determination of Open Time of Oxidative Printing Inks and Overprint Varnishes by a Manual Method, Test Method for, **D7734/D7734M (06.02)**
Evaluation of Chemical Resistance of Printed Inks and Coatings on Flexible Packaging Materials, Practice for, **F2250 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Overseas shipping containers
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**
Overseeding
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**
Overshoe footwear
Dielectric Footwear, Specification for, **F1117 (10.03)**
Overshoot ratio
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**
Oversize particles
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Oversqueeze protection
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Overstrike
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Overtest data
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**
Ovicides
Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, Test Method for, **E1517 (11.05)**
Ownership
Determining the Life-Cycle Cost of Ownership of Personal Property, Practice for, **E2453 (04.12)**
Oxalatge complexation
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Oxalic acid etch test
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Oxidant index
Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, Test Method for, **G125 (14.04)**
Oxidation
Ash in Biomass, Test Method for, **E1755 (05.06)**
Bench Oxidation of Engine Oils by ROBO Apparatus, Test Method for, **D7528 (05.04)**
Condition Monitoring of Oxidation in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7414 (05.04)**
Determination of Open Time of Oxidative Printing Inks and Overprint Varnishes by a Manual Method, Test Method for, **D7734/D7734M (06.02)**
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7422 (05.04)**
Exposing and Testing Plastics that Degrade in the Environment by a Combination of Oxidation and Biodegradation, Guide for, **D6954 (08.03)**
Field Determination of In-Service Fluid Properties Using IR Spectroscopy, Test Method for, **D7889 (05.04)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection, Test Method for, **D7573 (11.02)**
Oxidation induced defects
Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, Test Method for, **D6802 (10.03)**
Oxidation induction time (OIT)
Determining Oxidation Induction Time of Hydrocarbons by Differential Scanning Calorimetry, Test Method for, **E1858 (14.02)**
Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, Test Method for, **D5483 (05.02)**
Oxidation Induction Time of Lubricating Oils by Pressure Differential Scanning Calorimetry (PDSC), Test Method for, **D6186 (05.03)**
Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, Test Method for, **D5885 (04.13)**
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Oxidation onset temperature
Oxidation Onset Temperature of Hydrocarbons by Differential Scanning Calorimetry, Test Methods for, **E2009 (14.02)**
Oxidation rate
Air Oxidation of Carbon and Graphite in the Kinetic Regime, Test Method for, **D7542 (05.05)**
Oxidation-reduction potential (ORP)
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Measurement of Oxidation-Reduction Potential (ORP) of Soil, Test Method for, **G200 (03.02)**
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**
Oxidation stability
Determination of Oxidation Stability and Insolubles Formation of Inhibited Turbine Oils at 120 °C Without the Inclusion of Water (Dry TOST Method), Test Method for, **D7873 (05.04)**
Engine Coolant Corrosion Protection Under Accelerated Thermal and Oxidizing Conditions Using a Rotating Pressure Vessel, Test Method for, **D7820 (15.05)**
Oxidation Stability of Biodiesel (B100) and Blends of Biodiesel with Middle Distillate Petroleum Fuel (Accelerated Method), Test Method for, **D7462 (05.04)**
Oxidation Stability of Lubricants by Thin-Film Oxygen Uptake (TFOUT) Catalyst B, Test Method for, **D7098 (05.04)**
Oxidation Stability of Middle Distillate Fuels—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7545 (05.04)**
Oxidation Stability of Spark Ignition Fuel—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7525 (05.04)**
Oxidation testing
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Bench Oxidation of Engine Oils by ROBO Apparatus, Test Method for, **D7528 (05.04)**
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
Chromic Oxide in Leather (Perchloric Acid Oxidation), Test Method for, **D2807 (15.04)**
Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, Test Method for, **D6802 (10.03)**
Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, Test Method for, **D5263 (05.06)**
Determining the Stability of Compost by Measuring Oxygen Consumption, Test Method for, **D5975 (11.04)**
Evaluating the Extent of Oxidation in Polyethylene Fabricated

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Forms Intended for Surgical Implants, Guide for, **F2102 (13.01)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**
Limiting Oxygen (Oxidant) Concentration in Gases and Vapors, Test Methods for, **E2079 (14.02)**
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**

Oxidation testing—petroleum products
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Determination of High Temperature Deposits by Thermo-Oxidation Engine Oil Simulation Test, Test Method for, **D6335 (05.03)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Determination of the Oxidation of Used Lubricants by FT-IR Using Peak Area Increase Calculation, Test Method for, **D7214 (05.04)**
Determining Oxidation Induction Time of Hydrocarbons by Differential Scanning Calorimetry, Test Method for, **E1858 (14.02)**
Evaluation of Hydrocarbon-Based Quench Oil, Guide for, **D6710 (05.03)**
High Temperature Universal Oxidation Test for Turbine Oils, Test Method for, **D6514 (05.03)**
Middle Distillate Fuel Storage Stability at 43°C (110°F), Test Method for, **D4625 (05.02)**
Mineral Hydraulic Oils, Specification for, **D6158 (05.03)**
Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, Test Method for, **D5483 (05.02)**
Oxidation Mass Loss of Manufactured Carbon and Graphite Materials in Air, Test Method for, **C1179 (05.05)**
Semiquantitative Micro Determination of Acid Number of Lubricating Oils During Oxidation Testing, Test Method for, **D5770 (05.02)**
Thermal Oxidation Stability of Aviation Turbine Fuels, Test Method for, **D3241 (05.01)**
Universal Oxidation Test for Hydraulic and Turbine Oils Using the Universal Oxidation Test Apparatus, Test Method for, **D5846 (05.02)**

Oxidation testing—plastics
Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, Test Method for, **F2023 (08.04)**
Heat Aging of Plastics Without Load, Practice for, **D3045 (08.01)**
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**

Oxidative aging
Oxidative Aging of Electrical Insulating Petroleum Oils by Open-Beaker Method, Test Method for, **D1934 (10.03)**
RubberDeterioration by Heat and Oxygen, Test Method for, **D572 (09.01)**

Oxidative combustion
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Total Fluorine, Chlorine and Sulfur in Aromatic Hydrocarbons and Their Mixtures by Oxidative Pyrohydrolytic Combustion followed by Ion Chromatography Detection (Combustion Ion Chromatography-CIC), Test Method for, **D7359 (06.04)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**
Trace Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D6069 (06.04)**
Ultra Low Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D7184 (06.04)**

Oxidative drying
Determination of Open Time of Oxidative Printing Inks and Overprint Varnishes by a Manual Method, Test Method for, **D7734/D7734M (06.02)**
Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance, Test Method for, **D5909 (06.02)**

Oxidative microcoulometry
Sa **Coulometry—microcoulometry**
Determination of Chlorine in Coal by Oxidative Hydrolysis Microcoulometry, Test Method for, **D6721 (05.06)**
Sulfur in Petroleum Gas by Oxidative Microcoulometry, Test Method for, **D3246 (05.01)**
Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry, Test Method for, **D3120 (05.01)**

Oxidative resistance
Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating, Test Method of, **B78 (02.04)**
Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, Test Method for, **B76 (02.04)**
Evaluating Oxidation Resistance of Silicon Carbide Refractories at Elevated Temperatures, Test Method for, **C863 (15.01)**
Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, Test Method for, **F2263 (08.04)**
Oxidation Stability of Lubricating Greases by the Oxygen Pressure Vessel Method, Test Method for, **D942 (05.01)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**

Oxidative stability
Assessing Middle Distillate Fuel Storage Stability by Oxygen Overpressure, Test Method for, **D5304 (05.02)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Middle Distillate Fuel Storage Stability at 43°C (110°F), Test Method for, **D4625 (05.02)**
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**
Oxidation Characteristics of Extreme-Pressure Lubrication Oils, Test Methods for, **D2893 (05.01)**
Oxidation Characteristics of Inhibited Mineral Oils, Test Method for, **D943 (05.01)**
Oxidation Onset Temperature of Hydrocarbons by Differential Scanning Calorimetry, Test Methods for, **E2009 (14.02)**
Oxidation Stability of Aviation Fuels (Potential Residue Method), Test Method for, **D873 (05.01)**
Oxidation Stability of Distillate Fuel Oil (Accelerated Method), Test Method for, **D2274 (05.01)**
Oxidation Stability of Gasoline (Induction Period Method), Test Method for, **D525 (05.01)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**
Oxidation Stability of Lubricating Greases by the Oxygen Pressure Vessel Method, Test Method for, **D942 (05.01)**
Oxidation Stability of Mineral Insulating Oil, Test Method for, **D2440 (10.03)**
Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel, Test Method for, **D2272 (05.01)**
Universal Oxidation/Thermal Stability Test Apparatus, Guide for, **D4871 (05.02)**

Oxide analysis
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
Portland-Cement Content of Hardened Hydraulic-Cement Concrete, Test Method for, **C1084 (04.02)**
Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**

Oxide-forming impurities/inclusions
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**

Oxide inclusions
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**

Oxide metallization thickness
Sa **Thickness—semiconductors**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section, Test Method for, **B487 (02.05)**

Oxide penetration
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**

Oxide removal
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**

Oxide scale
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Oxides (hydrogen reducible)
Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), Test Method for, **E159 (02.05)**

Oxides of nitrogen content
See **Nitrogen oxides**

Oxidized mercury
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**

Oxidizers
Screening of Oxidizers in Waste, Test Method for, **D4981 (11.04)**

Oxirane
Epoxy Content of Epoxy Resins, Test Method for, **D1652 (06.03)**

Oxyacetylene
Oxyacetylene Ablation Testing of Thermal Insulation Materials, Test Method for, **E285 (15.03)**

Oxygen
Analysis of Oxygen in Gaseous Fuels (Electrochemical Sensor Method), Test Method for, **D7607/D7607M (05.06)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Determination of Oxygen in Copper and Copper Alloys, Test Method for, **E2575 (03.05)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**

Oxygen (active) content
Sa **Active oxygen**
Determination of Oxygen in Copper and Copper Alloys, Test Method for, **E2575 (03.05)**

Oxygenate-containing fuels
Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, Specification for, **D6227 (05.03)**

Oxygenated aromatics
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Reverse Phase High Performance Liquid Chromatography, Test Method for, **D7884 (06.04)**
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Weak Anion Exchange High Performance Liquid Chromatography, Test Method for, **D7883 (06.04)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
Methyl Tertiary-Butyl Ether (MTBE) for Downstream Blending for Use in Automotive Spark-Ignition Engine Fuel, Specification for, **D5983 (05.02)**

Oxygenates
Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D7862 (05.04)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
Determination of Oxygenates in C2, C3, C4, and C5 Hydrocarbon Matrices by Gas Chromatography and Flame Ionization Detection, Test Method for, **D7423 (05.04)**
Determination of Trace Oxygenates in Automotive Spark-Ignition Engine Fuel by Multidimensional Gas Chromatography, Test Method for, **D7754 (05.04)**
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**

Oxygen bomb calorimeter methods
Carbon Black—Sulfur Content, Test Methods for, **D1619 (09.01)**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, Test Method for, **D240 (05.01)**
Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D3761 (05.06)**
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**

Oxygen bomb method
Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method), Test Method for, **D808 (05.01)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**
Sulfur in Petroleum Products (General High Pressure Decomposition Device Method), Test Method for, **D129 (05.01)**
Total Chlorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D4208 (05.06)**
Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D3761 (05.06)**
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**

Oxygen bomb method—oxidation stability
Oxidation Stability of Aviation Fuels (Potential Residue Method), Test Method for, **D873 (05.01)**
Oxidation Stability of Gasoline (Induction Period Method), Test Method for, **D525 (05.01)**
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**
Oxidation Stability of Lubricating Greases by the Oxygen Pressure Vessel Method, Test Method for, **D942 (05.01)**
Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel, Test Method for, **D2272 (05.01)**

Oxygen combustion bombs
Safe Use of Oxygen Combustion Bombs, Practice for, **E144 (14.04)**

Oxygen combustion flask
Carbon Black—Sulfur Content, Test Methods for, **D1619 (09.01)**
Glass and Oxygen Combustion Flask, Specification for, **E205 (14.04)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Determination of Bromine in the Presence of Chlorine by Oxygen Combustion, Practice for, **D3566 (09.01)**

Oxygen concentration
Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, Test Method for, **E2269 (04.12)**
Limiting Oxygen (Oxidant) Concentration in Gases and Vapors, Test Methods for, **E2079 (14.02)**
Limiting Oxygen (Oxidant) Concentration of Combustible Dust Clouds, Test Method for, **E2931 (14.02)**
Oxygen Headspace Analysis of Packages Using Fluorescent Decay, Test Method for, **F2714 (15.10)**

Oxygen consumption
Sa **Fire testing**
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Determining the Stability of Compost by Measuring Oxygen Consumption, Test Method for, **D5975 (11.04)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**

Oxygen consumption calorimeter
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**

Oxygen consumption calorimetry
Carbon Black—Sulfur Content, Test Methods for, **D1619 (09.01)**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Full-Scale Oxygen Consumption Calorimetry Fire Tests, Practice for, **E2067 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**
Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, Test Method for, **D240 (05.01)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, Test Method for, **D3761 (05.06)**
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**

Oxygen-containing compounds
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**

Oxygen content
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder, Test Methods for, **C1494 (15.01)**
Determination of Oxygen in Tantalum Powder by Inert Gas Fusion Technique, Test Method for, **E1569 (03.05)**
Dissolved Oxygen in Water, Test Methods for, **D888 (11.01)**
Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, Test Method for, **D2504 (05.01)**
Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, Test Method for, **E385 (12.02)**

Oxygen content—metals/alloys
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**

Oxygen content—Ti/Ti alloys
Determination of Oxygen and Nitrogen in Titanium and Titanium Alloys by Inert Gas Fusion, Test Method for, **E1409 (03.05)**

Oxygen degradation
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**

Oxygen demand (in water)
Sa **Total oxygen demand (TOD)**
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
On-Line Measurement of Low-Level Dissolved Oxygen in Water,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D5462 (11.02)**
Total Oxygen Demand in Water, Test Method for, **D6238 (11.02)**

Oxygen-enriched systems/environments
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Cleaning of Materials and Components by Ultrasonic Techniques, Practice for, **G131 (14.04)**
Compatibility and Sensitivity of Materials in Oxygen Enriched Atmospheres, Terminology Relating to the, **G126 (14.04)**
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**

Oxygen-free (deoxidized) copper
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**

Oxygen gas
High Strength Steel Castings in Heavy Sections, Specification for, **A1001 (01.02)**

Oxygen gas transmission rate (O_2GTR)
Determination of Oxygen Gas Transmission Rate, Permeability and Permeance at Controlled Relative Humidity Through Barrier Materials Using a Coulometric Detector, Test Method for, **F1927 (15.10)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using Various Sensors, Test Method for, **F2622 (15.10)**
Oxygen Transmission Rate Through Dry Packages Using a Coulometric Sensor, Test Method for, **F1307 (15.10)**

Oxygen index
Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, Test Method for, **G125 (14.04)**
Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), Test Method for, **D2863 (08.01)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Oxygen induction time
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Oxygen material compatibility
Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment, Test Method for, **G72/G72M (14.04)**
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), Test Method for, **D2863 (08.01)**

Oxygen overpressure
Assessing Middle Distillate Fuel Storage Stability by Oxygen Overpressure, Test Method for, **D5304 (05.02)**

Oxygen-pressure method
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**

Oxygen pressure shock test
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**

Oxygen removal ion exchange cartridges
Determining the Capacity of Oxygen Removal Ion Exchange Cartridges, Practice for, **D7903 (11.02)**

Oxygen removal ion exchange cartridges—determining capacity of
Determining the Capacity of Oxygen Removal Ion Exchange Cartridges, Practice for, **D7903 (11.02)**

Oxygen-selective detection
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**

Oxygen service/systems
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Designing Systems for Oxygen Service, Guide for, **G88 (14.04)**
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**
Determination of Oxygen Contribution by Gas Distribution System Components, Test Method for, **F1396 (10.04)**
Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, Test Method for, **G144 (14.04)**
Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, Practice for, **G136 (14.04)**
Evaluating Metals for Oxygen Service, Guide for, **G94 (14.04)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Evaluating the Age Resistance of Polymeric Materials Used in Oxygen Service, Practices for, **G114 (14.04)**
Evaluating the Effectiveness of Cleaning Agents, Test Method for, **G122 (14.04)**
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**
Ground Laboratory Atomic Oxygen Interaction Evaluation of Materials for Space Applications, Practices for, **E2089 (15.03)**
Medical Oxygen Delivery Systems for EMS Ground Vehicles, Specification for, **F1949 (13.02)**
Oxygen Transmission Rate Through Dry Packages Using a Coulometric Sensor, Test Method for, **F1307 (15.10)**
Panama Canal Pilot Platform, Specification for, **F985 (01.07)**
Seamless Copper Tube for Medical Gas Systems, Specification for, **B819 (02.01)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**
Special Requirements for Valves Used in Gaseous Oxygen Service, Specification for, **F1792 (01.07)**
Studying Fire Incidents in Oxygen Systems, Guide for, **G145 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Oxygen-to-metal (O/M) ratio
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration, Test Method for, **C1430 (12.01)**
Oxygen-to-uranium (O/U) atomic ratio
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration, Test Method for, **C1430 (12.01)**
the Determination of Uranium by Ignition and the Oxygen to Uranium (O/U) Atomic Ratio of Nuclear Grade Uranium Dioxide Powders and Pellets, Test Method for, **C1453 (12.01)**
Oxygen uptake
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Oxidation Stability of Middle Distillate Fuels—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7545 (05.04)**
Oxidation Stability of Spark Ignition Fuel—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7525 (05.04)**
Oxy-hydrogen burner/lamp
Sulfur in Liquefied Petroleum Gases (Oxy-Hydrogen Burner or Lamp), Test Method for, **D2784 (05.01)**
Oyster
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Ozone cracking—accelerated
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Ozone (O_3)
Calibration of Ozone Monitors and Certification of Ozone Transfer Standards Using Ultraviolet Photometry, Practice for, **D5110 (11.07)**
Calibration of Ozone Monitors Using Transfer Standards, Practices for, **D5011 (11.07)**
Continuous Measurement of Dissolved Ozone in Low Conductivity Water, Test Method for the, **D7677 (11.01)**
Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), Test Methods for, **D5156 (11.07)**
Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, Test Method for, **D5149 (11.07)**
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Ozone (O_3) aging
Accelerated Aging of Inflatable Restraint Fabrics, Practice for, **D5427 (07.02)**
Ozone (O_3) cracking
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Ozone (O_3) depletion
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**
Ozone (O_3) resistance
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Rubber Insulating Covers, Specification for, **D1049 (10.03)**
Rubber Insulating Gloves, Specification for, **D120 (10.03)**
Rubber Insulating Line Hose, Specification for, **D1050 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**
Ozone (O_3)-resistant insulation
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Ozone (O_3)-resistant insulation—specifications
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 C Operation, Specification for, **D4246 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, Specification for, **D4245 (10.02)**

P

P-10 tube
Dissolution of UF, Practice for, **C1346 (12.01)**
Pacemakers
Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**
Pacific oyster
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Pacifiers
Volatile N-Nitrosamine Levels in Rubber Nipples on Pacifiers, Specification for, **F1313 (15.11)**
Package aging
Extrudability, After Package Aging, of Latex Sealants, Test Method for, **C731 (04.07)**
Packaged bulk density
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**
Packaged dry combined materials
Packaged Dry, Hydraulic-Cement Grout (Nonshrink), Specification for, **C1107/C1107M (04.02)**
Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, Specification for, **C387/C387M (04.02)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Packaged, Pre-Blended, Dry, Combined Materials for Use in Wet or Dry Shotcrete Application, Specification for, **C1480/C1480M (04.02)**
Package integrity test
Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), Test Method for, **F2096 (15.10)**
Evaluation of Seal Quality and Integrity Using Airborne Ultrasound, Test Method for, **F3004 (15.10)**
Measuring Package and Seal Integrity Using Helium as the Tracer Gas, Test Method for, **F2391 (15.10)**
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Oxygen Transmission Rate Through Dry Packages Using a Coulometric Sensor, Test Method for, **F1307 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Packaging and Shipping Environmental Samples for Laboratory Analysis, Guide for, **D6911 (04.09)**

Package stability
Climatic Stressing of Packaging Systems for Single Parcel Delivery, Practice for, **F2825 (15.10)**
Estimating Package Stability of Coatings for Ultraviolet Curing, Test Method for, **D4144 (06.01)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Mechanical Seal Strength Testing for Round Cups and Bowl Containers with Flexible Peelable Lids, Test Method for, **F2824 (15.10)**
Package Stability of Paint, Test Method for, **D1849 (06.02)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**
Sampling Liquid Paints and Related Pigmented Coatings, Practice for, **D3925 (06.01)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**

Packaging
Climatic Stressing of Packaging Systems for Single Parcel Delivery, Practice for, **F2825 (15.10)**
Conducting Internal Pressure Tests on United Nations (UN) Packagings, Guide for, **D7660 (15.10)**
Selection of Substitute, Non-hazardous, Liquid Filling Substances for Packagings Subjected to the United Nations Performance Tests, Guide for, **D7887 (15.10)**

Pack cementation
Aluminum Diffusion Coating Applied by Pack Cementation Process, Specification for, **B875 (02.05)**
Chromium Diffusion Coating Applied by Pack Cementation Process, Specification for, **B874 (02.05)**

Packed column gas chromatography
Sa **Gas chromatography (GC)**
Packed Column Gas Chromatography, Practice for, **E260 (03.06)**

Packed density
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**

Packed slip expansion joints
Pipeline Expansion Joints of the Packed Slip Type for Marine Application, Specification for, **F1007 (01.07)**

Packer pump
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**

Packing density (of catalysts)
Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, Test Method for, **D4781 (05.05)**
Mechanically Tapped Packing Density of Formed Catalyst and Catalyst Carriers, Test Method for, **D4164 (05.05)**
Vibrated Apparent Packing Density of Fine Catalyst and Catalyst Carrier Particles and Powder, Test Method for, **D4512 (05.05)**
Vibratory Packing Density of Formed Catalyst Particles and Catalyst Carriers, Test Method for, **D4180 (05.05)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Packing/packaging materials/systems
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Accelerated Weathering of Pressure-Sensitive Tapes by Xenon-Arc Exposure Apparatus, Practice for, **D6551/D6551M (15.10)**
Accepting, Segregating and Packaging Materials Collected Through Household Hazardous Waste Programs, Guide for, **D6346 (11.04)**
Bridge Impact Testing, Test Method for, **D5265 (15.10)**
Calibration and Use of Torque Meters Used in Packaging Applications, Practice for, **D3474 (15.10)**
Commercial Packaging, Practice for, **D3951 (15.10)**
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Conditioning Containers, Packages, or Packaging Components for Testing, Practice for, **D4332 (15.10)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Determination of Leaks in Flexible Packaging by Bubble Emission, Test Method for, **D3078 (15.10)**
Determining Specific Packability of Fabrics Used in Inflatable Restraints, Test Method for, **D6478 (07.02)**
Determining the Effects of High Altitude on Packaging Systems by Vacuum Method, Test Methods for, **D6653/D6653M (15.10)**
Electrostatic Discharge (ESD) Packaging Materials, Terminology Relating to, **D5077 (15.10)**
Identification, Storage, and Handling of Geosynthetic Rolls and Samples, Guide for, **D4873 (04.13)**
Instrumented Package Shock Testing For Determination of Package Performance, Practice for, **D6537 (15.10)**
Measurement of Torque Retention for Packages with Continuous Thread Closures Using Non-Automated (Manual) Torque Testing Equipment, Test Methods for, **D2063/D2063M (15.10)**
Oxygen Headspace Analysis of Packages Using Fluorescent Decay, Test Method for, **F2714 (15.10)**
Packaging and Distribution Environments, Terminology of, **D996 (15.10)**
Packaging and Shipping Environmental Samples for Laboratory Analysis, Guide for, **D6911 (04.09)**
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Thermal Insulation Performance of Distribution Packages, Test Method for, **D3103 (15.10)**
Transport Packaging Design, Guide for, **D6198 (15.10)**
Vibration (Horizontal Linear Motion) Test of Products, Test Method for, **D5112 (15.10)**
Water Vapor Transmission of Flexible Heat-Sealed Packages for Dry Products, Test Method for, **D3079 (15.10)**

Packing/packaging materials/systems—specifications
Commercially Packaged Laboratory Apparatus, Specification for, **E920 (14.04)**
Export Packaged Laboratory Apparatus, Specification for, **E921 (14.04)**
Packing Material, Graphitic, Corrugated Ribbon or Textured Tape, and Die-Formed Ring, Specification for, **F2168 (01.07)**
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**
Polyethylene Films Made from Medium-Density Polyethylene for General Use and Packaging Applications, Specification for, **D3981 (08.02)**
Pressure-Sensitive Tape for Light-Duty Packaging and General Purpose Masking, Specification for, **D6123/D6123M (15.10)**
Pressure-Sensitive Tape for Packaging, Box Closure, and Sealing, Specification for, **D5486/D5486M (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pressure-Sensitive Tape for Packaging, Filament-Reinforced, Specification for, **D5330/D5330M (15.10)**
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**
Stuffing Tubes, Nylon, and Packing Assemblies (Metric), Specification for, **F1836M (01.07)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Wood Boxes, Specification for, **D6880/D6880M (15.10)**

Packing/packaging materials/systems (food)
Determining Effect of Packaging on Food and Beverage Products During Storage, Practice for, **E460 (15.08)**
Evaluating Foreign Odors in Paper Packaging, Practice for, **E619 (15.08)**
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**
Selection and Use of Packaging Materials for Foods to Be Irradiated, Guide for, **F1640 (12.02)**

Packing/packaging materials/systems (hazardous materials)
See **Hazardous materials (environmental)**

Packing/packaging materials/systems (medical/surgical)
See **Medical/surgical packaging materials**

Packing/packaging materials/systems (metals/alloys)
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**
Packaging/Packing of Aluminum and Magnesium Products, Practices for, **B660 (02.02)**

Packing/packaging materials/systems (paper)
Evaluating Foreign Odors in Paper Packaging, Practice for, **E619 (15.08)**
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**

Packing/packaging materials/systems (plastics)
Non-Floating Biodegradable Plastics in the Marine Environment, Specification for, **D7081 (08.03)**
Packaging/Packing of Plastics, Practice for, **D3892 (08.02)**
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**
Polyethylene Films Made from Medium-Density Polyethylene for General Use and Packaging Applications, Specification for, **D3981 (08.02)**

Packing/packaging materials/systems (pressure-sensitive tape)
Sa **Pressure-sensitive tapes**
Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, Test Method for, **D3889/D3889M (15.10)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Pressure-Sensitive Tape for Light-Duty Packaging and General Purpose Masking, Specification for, **D6123/D6123M (15.10)**
Pressure-Sensitive Tape for Packaging, Box Closure, and Sealing, Specification for, **D5486/D5486M (15.10)**
Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**

Packing volume
Measuring Sleeping Bag Packing Volume, Test Method for, **F1853 (15.07)**

Pack-set index
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**

Paddle belt skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**

Paddle dissolution apparatus
Qualification of Basket and Paddle Dissolution Apparatus, Practice for, **E2503 (14.02)**

Padlocks
Padlocks, Performance Specification for, **F883 (15.08)**
Performance of Hasps and Other Attachment Devices for Padlocks or Seals, Specification for, **F2155 (15.08)**
Privacy Padlocks, Performance Specification for, **F2348 (15.08)**

Pads
Test Carpets and Pads for Vacuum Cleaner Testing, Specification for, **F655 (15.08)**
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, Practice for, **C1231/C1231M (04.02)**

PAH compounds
See **Polycyclic aromatic hydrocarbons (PAHs)**

Pail
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**

Pails
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**

Pain analysis/reduction
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**

Paint (architectural)
Sa **Architectural paints/coatings**
Selecting Wood Substrates for Weathering Evaluations of Architectural Coatings, Practice for, **D7787/D7787M (06.02)**

Paint (automotive)
See **Automotive coatings/paints**

Paint (chromatic)
See **Chromate coatings**

Paint curing
See **Curing characteristics**

Paint driers
Calcium or Zinc in Paint Driers by EDTA Method, Test Method for, **D2613 (06.01)**
Cerium in Paint Driers by Oxidimetric Determination, Test Method for, **D3970 (06.01)**
Determination of Cobalt in Paint Driers by EDTA Method, Test Method for, **D2373 (06.01)**
Iron in Paint Driers by EDTA Method, Test Method for, **D3804 (06.01)**
Lead in Paint Driers by EDTA Method, Test Method for, **D2374 (06.01)**
Liquid Paint Driers, Test Methods for, **D564 (06.01)**
Liquid Paint Driers, Specification for, **D600 (06.04)**
Manganese in Paint Driers by EDTA Method, Test Method for, **D2375 (06.01)**
Total Rare Earth Metals in Paint Driers by EDTA Method, Test Method for, **D3989 (06.01)**
Vanadium in Paint Driers by EDTA Method, Test Method for, **D3988 (06.01)**
Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, Guide for Determining, **D4140 (06.01)**
Zirconium in Paint Driers by EDTA Method, Test Method for, **D3969 (06.01)**

Paint (latex)
Sa **Latex paints**
Evaluate Leaching of Water-Soluble Materials from Latex Paint Films, Practice to, **D7190 (06.02)**

Paint (primer)
See **Primers**

Paint (solvent-reducible)
See **Solventborne paints/coatings**

Paint thinners
Ester Value of Solvents and Thinners, Test Method for, **D1617 (06.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaporation Rates of Volatile Liquids by Shell Thin-Film Evaporometer, Test Methods for, **D3539 (06.01)**
Nature of Solvent Composition in Solvent-Reducible Paints, Test Method for Qualitative Determination of, **D2349 (06.01)**

Paintability
Paintability of Latex Sealants, Guide for, **C1520 (04.07)**
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**

Paint (application)
Application and Evaluation of Brush and Roller Applied Paint Films, Guide for, **D7073 (06.02)**

Paint, applicators
Cautionary Labeling of Extension Poles For Use With Paint Applicators Distributed In North America, Specification for, **D7054 (06.02)**
Testing Fracture of Level Paintbrush Filaments, Test Method for, **D7233 (06.02)**

Paintball marker warnings
Paintball Markers, Specification for, **F2272 (15.07)**
Warnings on Paintball Marker Accessories Used In the Sport of Paintball, Specification for, **F2904 (15.07)**
Warnings on Refillable CO, Specification for, **F2553 (15.07)**

Paintball sports—specifications
6 mm Projectiles Used with Low Energy Air Guns, Specification for, **F2679 (15.07)**
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**
Evaluating Paintball Barrier Netting, Test Method for, **F2278 (15.07)**
Eye Protective Devices for Paintball Sports, Specification for, **F1776 (15.07)**
Installation of Paintball Barrier Netting, Guide for, **F2184 (15.07)**
Low Energy Air Guns, Specification for, **F2748 (15.07)**
Low Velocity Projectile Marker, Specification for, **F2574 (15.07)**
Low Velocity Resilient Material Projectile, Specification for, **F2573 (15.07)**
Paintball Cylinder Burst Disk Assemblies, Specification for, **F2030 (15.07)**
Paintball Field Operation, Practice for, **F1777 (15.07)**
Paintball Marker Barrel Blocking Devices, Specification for, **F2271 (15.07)**
Paintball Marker Threaded-Propellant Source Interface, Specification for, **F1750 (15.07)**
Paintball Markers, Specification for, **F2272 (15.07)**
Paintball Player Safety Briefing, Practice for, **F2801 (15.07)**
Paintball Valve Male Threaded Connection for Use with Approved Cylinders, Specification for, **F2653 (15.07)**
Paintballs Used in the Sport of Paintball, Specification for, **F1979 (15.07)**
Transfilling and Safe Handling of Small CO, Practice for, **F2856 (15.07)**
Transfilling Compressed Air or Nitrogen and Safe Handling of Small Paintball Cylinders, Practice for, **F2773 (15.07)**
Warnings on Paintball Marker Accessories Used In the Sport of Paintball, Specification for, **F2904 (15.07)**
Warnings on Refillable CO, Specification for, **F2553 (15.07)**

Paint brushes
Bulk Density of Level Paintbrush Filaments, Test Method for, **D5959 (06.02)**
Bulk Density of Tapered Paintbrush Filaments, Test Method for, **D6737 (06.02)**
Evaluation of Cleanability of Paint Brushes, Test Method for, **D5913 (06.02)**
Filling Material Shedding of Paint Brushes, Test Method for, **D7834 (06.02)**
Measuring Curl in Paint Brush Filling Material, Practice for, **D6957 (06.02)**
Paint Brush Application Tools, Terminology for, **D7801 (06.02)**
Physical Characterization of Paint Brushes, Practice for, **D5301 (06.02)**
Preparation of Paint Brushes for Evaluation, Practice for, **D5068 (06.02)**
Testing Fracture of Level Paintbrush Filaments, Test Method for, **D7233 (06.02)**

Paint (conductive)
Sa **Conductance and conductivity (electrical)**
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**

Painted aircraft surfaces
Effects of Cleaning and Chemical Maintenance Materials on Painted Aircraft Surfaces, Test Method for, **F502 (15.03)**

Painted steel materials/applications
Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, Practice for, **A1004/A1004M (01.06)**
Evaluating Degree of Rusting on Painted Steel Surfaces, Practice for, **D610 (06.01)**
Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, Specification for, **A755/A755M (01.06)**

Paint film density
Sa **Density—paints/related coatings/materials**
Percent Volume Nonvolatile Matter in Clear or Pigmented Coatings Using a Helium Gas Pycnometer, Test Method for, **D6093 (06.01)**

Paint films
Application and Evaluation of Brush and Roller Applied Paint Films, Guide for, **D7073 (06.02)**
Estimating Critical Surface Tensions, Practice for, **D7541 (06.01)**
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Measuring Mechanistic Aspects of Scratch/Mar Behavior of Paint Coatings by Nanoscratching, Test Method for, **D7187 (06.01)**
Porosity of Paint Film by Mineral Oil Absorption, Test Method for, **D6583 (06.02)**

Paint inspectors
Developing a Training Program for Personnel Performing Coating and Lining Work Inspection for Nuclear Facilities, Guide for, **D5498 (06.02)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Painting Inspectors (Metal Substrates), Guide for, **D3276 (06.02)**

Paint lockers
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Paint (low emittance)
Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, Practice for, **C1321 (04.06)**

Paint manufacturing areas
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**

Paint materials/applications—specifications
2-Butoxyethanol, Specification for, **D330 (06.04)**
2-Ethoxyethanol, Specification for, **D331 (06.04)**
2-Ethoxyethyl Acetate (99 % Grade), Specification for, **D3728 (06.04)**
2-Ethylhexanol, Specification for, **D1969 (06.04)**
2-Methoxyethanol, Specification for, **D3128 (06.04)**
sec-Butyl Alcohol, Specification for, **D1007 (06.04)**
Acetaldehyde, Specification for, **D4710 (06.04)**
Acetone, Specification for, **D329 (06.04)**
Acrylic Acid, Specification for, **D4416 (06.04)**
Artists' Acrylic Dispersion Paints, Specification for, **D5098 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
Artists' Watercolor Paints, Specification for, **D5067 (06.02)**
Black Synthetic Iron Oxide, Specification for, **D769 (06.03)**
Commercial Hexanes, Specification for, **D1836 (06.04)**
Cumene (Isopropylbenzene), Specification for, **D4077 (06.04)**
Cyclohexane 999, Specification for, **D5309 (06.04)**
Diacetone Alcohol, Specification for, **D2627 (06.04)**
Dibutyl Phthalate, Specification for, **D608 (06.04)**
Diethylene Glycol, Specification for, **D2694 (06.04)**
Dipropylene Glycol Monomethyl Ether, Specification for, **D4836 (06.04)**
Ethyl Acetate (All Grades), Specification for, **D4614 (06.04)**
Ethyl Acrylate, Specification for, **D3548 (06.04)**
Ethylbenzene, Specification for, **D3193 (06.04)**
Ethylene Glycol, Specification for, **D2693 (06.04)**
Formaldehyde 50 % Grade Uninhibited and 37 % Grade Inhibited and Uninhibited, Specification for, **D2378 (06.04)**
Glacial Acetic Acid, Specification for, **D3620 (06.04)**
Gouache Paints, Specification for, **D5724 (06.02)**
Hexyl Acetate, Specification for, **D5137 (06.04)**
Hexylene Glycol, Specification for, **D2636 (06.04)**
High Purity, Specification for, **D5136 (06.04)**
High-Flash Aromatic Naphthas, Specification for, **D3734 (06.04)**
High-Gravity Glycerin, Specification for, **D1257 (06.04)**
Isobutyl Acetate (95 % Grade), Specification for, **D1718 (06.04)**
Isobutyl Alcohol, Specification for, **D1719 (06.04)**
Isophorone, Specification for, **D2916 (06.04)**
Isopropyl Alcohol, Specification for, **D770 (06.04)**
Liquid Paint Driers, Specification for, **D600 (06.04)**
Methanol (Methyl Alcohol), Specification for, **D1152 (06.04)**
Methyl Acrylate, Specification for, **D4709 (06.04)**
Methyl Amyl Acetate (95 % Grade), Specification for, **D2634 (06.04)**
Methyl Ethyl Ketone, Specification for, **D740 (06.04)**
Methyl Isoamyl Ketone, Specification for, **D2917 (06.04)**
Methyl Isobutyl Carbinol, Specification for, **D2635 (06.04)**
Methyl Isobutyl Ketone, Specification for, **D1153 (06.04)**
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
n-Butyl Acetate (All Grades), Specification for, **D4615 (06.04)**
n-Butyl Alcohol (Butanol), Specification for, **D304 (06.04)**
n-Propyl Acetate (96 % Grade), Specification for, **D3130 (06.04)**
Nitration Grade Toluene, Specification for, **D841 (06.04)**
Nitration Grade Xylene, Specification for, **D843 (06.04)**
O-Xylene 980, Specification for, **D5471 (06.04)**
Primary Amyl Acetate, Synthetic (98 % Grade), Specification for, **D3540 (06.04)**
Propylene Glycol Monomethyl Ether, Specification for, **D4837 (06.04)**
Propylene Glycol Monomethyl Ether Acetate, Specification for, **D4835 (06.04)**
Refined Benzene-535, Specification for, **D2359 (06.04)**
Refined Benzene-545, Specification for, **D4734 (06.04)**
Refined Phenol, Specification for, **D2439 (06.04)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Specification for Methyl n-Amyl Ketone, Specification for, **D4360 (06.04)**
Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, Specification for, **D3924 (06.01)**
Styrene Monomer, Specification for, **D2827 (06.04)**
Toluene for Toluene Diisocyanate (TDI) Feedstock, Specification for, **D5606 (06.04)**
VM&P Naphthas, Specification for, **D3735 (06.04)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Xylenes for, Specification for, **D5211 (06.04)**

Paint pigments—specifications

Barium Sulfate Pigments, Specification for, **D602 (06.03)**
Basic Carbonate White Lead Pigment, Specification for, **D81 (06.03)**
Basic Lead Silicochromate Pigment, Specification for, **D1648 (06.03)**
Benzene for Cyclohexane Feedstock, Specification for, **D5871 (06.04)**
Bone Black Pigment, Specification for, **D210 (06.03)**
Calcium Borosilicate Pigments, Specification for, **D4288 (06.03)**
Calcium Carbonate Pigments, Specification for, **D1199 (06.03)**
Carbon Black Pigment for Paint, Specification for, **D561 (06.03)**
Chrome Oxide Green Pigment, Specification for, **D263 (06.03)**
Chrome Yellow and Chrome Orange Pigments, Specification for, **D211 (06.03)**
Dry Pigmentary Titanium Dioxide Products, Classification for, **D476 (06.03)**
Ferrous Iron in Iron Oxides, Test Method for, **D3872 (06.03)**
Gold Bronze Powder, Specification for, **D267 (06.03)**
Lampblack Pigment, Specification for, **D209 (06.03)**
Magnesium Silicate Pigment (Talc), Specification for, **D605 (06.03)**
Metallic Copper Powder for Use in Antifouling Paints, Specification for, **D964 (06.03)**
Molybdate Orange Pigments, Specification for, **D2218 (06.03)**
Natural Red and Brown Iron Oxide Pigments, Specification for, **D3722 (06.03)**
Ochre Pigment, Specification for, **D85 (06.03)**
Phthalocyanine Green Pigments, Specification for, **D3021 (06.03)**
Raw and Burnt Sienna Pigments, Specification for, **D765 (06.03)**
Raw and Burnt Umber Pigments, Specification for, **D763 (06.03)**
Red Lead Pigment, Specification for, **D83 (06.03)**
Strontium Chromate Pigment, Specification for, **D1649 (06.03)**
Synthetic Brown Iron Oxide Pigment, Specification for, **D3724 (06.03)**
Synthetic Red Iron Oxide Pigment, Specification for, **D3721 (06.03)**
Wet Ground Mica Pigments, Specification for, **D607 (06.03)**
Yellow Iron Oxide Hydrated, Specification for, **D768 (06.03)**
Zinc Dust Pigment, Specification for, **D520 (06.03)**
Zinc Hydroxy Phosphite Pigment, Specification for, **D4462 (06.03)**
Zinc Oxide Pigments, Specification for, **D79 (06.03)**
Zinc Phosphate Pigments, Specification for, **D6280 (06.03)**
Zinc Yellow (Zinc Chromate) Pigments, Specification for, **D478 (06.03)**

Paint preparation

Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Painting, Practice for, **D6386 (06.02)**
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**

Paint roller

Fiber Shedding of Paint Roller Covers, Test Method for, **D7804 (06.02)**
Paint Roller Application Tools, Terminology for, **D7802 (06.02)**
Preparation of Paint-Roller Covers for Evaluation of Architectural Coatings, Practice for, **D5069 (06.02)**

Paint sampling

Field Sampling of Coating Films for Analysis for Heavy Metals, Practice for, **D5702 (06.02)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Sampling and Grading Rosin, Test Methods of, **D509 (06.03)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Sampling and Testing Pine Oils, Test Methods for, **D802 (06.03)**
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling and Testing Volatile Solvents and Chemical Intermediates for Use in Paint and Related Coatings and Material, Guide for, **D268 (06.04)**
Sampling Liquid Paints and Related Pigmented Coatings, Practice for, **D3925 (06.01)**
Sampling of Coating Films, Practice for, **D6206 (06.02)**
Paint solids
Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, Test Methods for, **D5286 (06.02)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, Practice for, **D5327 (06.02)**
Paint spatter resistance
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**
Paint (spray-applied)
See **Spray-applied coatings**
Paint stripping
Evaluating the Efficiency of Chemical Removers for Organic Coatings, Practice for, **D6189 (06.02)**
Reclaimed Methylene Chloride, Specification for, **D5395 (15.05)**
Paint surfaces
Replication and Measurement of Concrete Surface Profiles Using Replica Putty, Test Method for, **D7682 (06.02)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Paint testing
Sa **Testing methods—paints/related coatings**
Acetone, Methyl Acetate, and Parachlorobenzotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, Test Method for, **D6438 (06.01)**
Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1613 (06.04)**
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**
Block Resistance of Organic Coatings on Wood Panel Substrates, Test Method for, **D2793 (06.02)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Chromates on Aluminum, Specification for, **B449 (02.05)**
Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**
Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, Test Method for, **D4764 (06.01)**
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Determination of Lead in Paint Layers and Similar Coatings or in Substrates and Homogenous Materials by Energy Dispersive X-Ray Fluorescence Spectrometry Using Multiple Monochromatic Excitation Beams, Test Method for, **F2853 (10.04)**
Determination of Mold Growth on Coated Building Products Designed for Interior Applications Using an Environmental Chamber and Indirect Inoculation, Test Method for, **D7855/D7855M (06.01)**
Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, Practice for, **D3456 (06.01)**
Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, Test Method for, **D5589 (06.01)**
Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, Test Method for, **D5590 (06.01)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Evaluating Coatings For High Temperature Service, Test Methods for, **D2485 (06.01)**
Evaluating Degree of Cracking of Exterior Paints, Test Method for, **D661 (06.01)**
Evaluating Degree of Erosion of Exterior Paints, Test Method for, **D662 (06.01)**
Evaluating Degree of Settling of Paint, Test Method for, **D869 (06.01)**
Fire Retardancy of Paints (Cabinet Method), Test Method for, **D1360 (06.01)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Flash Point by Tag Closed Cup Tester, Test Method for, **D56 (05.01)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
FT-IR Fingerprinting of a Non-Aqueous Liquid Paint as Supplied in the Manufacturers Container, Guide for, **D7588 (06.01)**
Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, Test Method for, **D5380 (06.01)**
Inspection of Marine Surface Preparation and Coating Application, Practice for, **F941 (01.07)**
Making Cementitious Panels for Testing Coatings, Practice for, **D1734 (06.02)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Paint, Related Coatings, Materials, and Applications, Terminology for, **D16 (06.01)**
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Porosity of Paint Film by Mineral Oil Absorption, Test Method for, **D6583 (06.02)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, Practice for, **F940 (01.07)**
Selection of Coating Specimens for Appearance Measurements, Practice for, **D3964 (06.01)**
Small-Scale Evaluation of Fire-Retardant Paints (2-Foot Tunnel Method), Test Method of, **D3806 (06.01)**
Soluble Nitrocellulose Base Solutions, Guide for, **D365 (06.02)**
Solvent and Fuel Resistance of Traffic Paint, Test Method for, **D2792 (06.02)**
Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, Specification for, **D3924 (06.01)**
Testing Industrial Protective Coatings, Guide for, **D6577 (06.02)**
Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, Test Method for, **D5530 (11.04)**
Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, Practice for, **E1979 (04.11)**
Uniformity of Traffic Paint Vehicle Solids by Spectroscopy and Gas Chromatography, Practices for, **D2743 (06.02)**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**
Viscosity by Dip-Type Viscosity Cups, Test Method for, **D4212 (06.01)**
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**
Volatile Content of Coatings, Test Method for, **D2369 (06.01)**
Water Content of Paints by Quantitative Calcium Hydride Reaction Test Kit, Test Method for, **D7358 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**
Xenon-Arc Exposures of Paint and Related Coatings, Practice for, **D6695 (06.01)**

Paint thickness
Applying Coil Coatings Using The Wire-Wound Drawdown Bar, Practice for, **D4147 (06.02)**
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**
Nondestructive Measurement of Dry Film Thickness of Applied Organic Coatings Using an Ultrasonic Gage, Test Method for, **D6132 (06.01)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, Practices for, **D823 (06.01)**
Rubber Property—Change in Length During Liquid Immersion, Test Method for, **D1460 (09.01)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**

Paint (traffic)
Sa **Traffic paint**
Evaluating the Water Wash-Off Resistance of Traffic Paints using a Water Faucet, Practice for, **D7377 (06.02)**
Evaluating the Water Wash-Off Resistance of Traffic Paints Using an Atomizing Spray Device, Practice for, **D7538 (06.02)**

Paired comparison test
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**
Directional Difference Test, Test Method for, **E2164 (15.08)**
Paired Preference Test, Test Method for, **E2263 (15.08)**

Paired testing
PDD Paired Testing, Guide for, **E2324 (14.02)**

Pajamas
Bathrobe, Dressing Gown, Negligee, Nightgown, and Pajama Fabrics, Performance Specification for, **D7021 (07.02)**

Pale gold bronze
See **Gold bronze powder**

Palladium
Electrodeposited Coatings of Palladium- Cobalt Alloy for Engineering Use, Specification for, **B984 (02.05)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Palladium in Molecular Sieve Catalyst by Atomic Absorption, Test Method for, **D5153 (05.05)**
Palladium in Molecular Sieve Catalyst by Wet Chemistry, Test Method for, **D4782 (05.05)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**

Palladium alloy electrical contact materials
Electrodeposited Coatings of Palladium for Engineering Use, Specification for, **B679 (02.05)**
Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, Practice for, **B920 (02.04)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Pure Palladium Electrical Contact Material, Specification for, **B683 (02.04)**

Palladium alloy electrical contact materials—specifications
60 % Palladium-40 % Silver Electrical Contact Material, Specification for, **B731 (02.04)**
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Palladium Electrical Contact Alloy, Specification for, **B540 (02.04)**
Palladium-Copper Electrical Contact Material, Specification for, **B685 (02.04)**
Palladium-Silver-Copper Electrical Contact Alloy, Specification for, **B563 (02.04)**
Refined Palladium, Specification for, **B589 (02.04)**

Palladium-nickel electrodeposited coatings
Electrodeposited Coatings of Palladium-Nickel for Engineering Use, Specification for, **B867 (02.05)**

Palladium (titanium plus palladium)—specifications
Sa **Titanium plus palladium—specifications**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**

Pallet marshalling
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**

Pallet nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Pallets
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Impact Testing for Shipping Containers and Systems, Test Method for, **D880 (15.10)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
Rotary Stretch Wrapper Method for Determining the Readability of Passive RFID Transponders on Homogenous Palletized or Unitized Loads, Test Method for, **D7580/D7580M (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Testing Wood-Base Panel Corner Impact Resistance, Test Method for, **D6643 (04.10)**
Treatment and/or Marking of Wood Packaging Materials, Practice for, **D6253 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pallets—specifications
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Palmer-Bowlus flumes
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Panama Canal
Panama Canal Pilot Platform, Specification for, **F985 (01.07)**
Pan and vee block method
See **Falex method**
Pancake
Determining Variations in Hardness of Film Ribbon Pancakes, Test Method for, **F1151 (15.09)**
Pancake head
Steel Tapping Screws for Cold-Formed Steel Framing Connections, Specification for, **C1513 (04.01)**
Pan dishwashing machines
Powered Pot, Pan and Utensil Washing Sinks, Specification for, **F2643 (15.12)**
Washing MachinesPot, Pan, and Utensil, Heat Sanitizing, Commercial Rotary Conveyor Type, Specification for, **F1203 (15.12)**
Panelboard
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**
Panel ceilings
the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, Specification for, **C635/C635M (04.06)**
Panel curvature
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Panel doors (for ships)
See **Shipbuilding steel materials (doors)**
Panel drain
Vertical Compression of Geocomposite Pavement Panel Drains, Test Method for, **D6244 (04.13)**
Panel evaluation
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Panel fences
See **Fences/fencing materials**
Panel hinged door
Doors, Furniture, Marine, Specification for, **F782 (01.07)**
Panel insulation systems
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Panelists
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Descriptive Analysis of Shampoo Performance, Guide for, **E2082 (15.08)**
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Panelization
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Panel preparation
Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation, Guide for, **D5687/D5687M (15.03)**
Panels
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Diffuse Light Transmission Factor of Reinforced Plastics Panels, Test Method for, **D1494 (08.03)**
Establishing Design Capacities for Oriented Strand Board (OSB) Wood-Based Structural-Use Panels, Practice for, **D7033 (04.10)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Fire Prevention for Photovoltaic Panels, Modules, and Systems, Guide for, **E2908 (12.02)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Infrared Flash Thermography of Composite Panels and Repair Patches Used in Aerospace Applications, Practice for, **E2582 (03.03)**
Internal Bond Strength and Thickness Swell of Cellulosic-Based Fiber and Particle Panels After Repeated Wetting, Test Method for, **D7519 (04.10)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) with Variable Mesh Patterns or Meshes Greater than 6 in., Specification for, **F2919/F2919M (01.06)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**
Panels—prefabricated masonry
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**
Sampling and Testing Structural Cementitious Panels, Test Method for, **C1704/C1704M (04.05)**
Structural Cementitious Panels, Specification for, **C1705/C1705M (04.05)**
Panel shear strength (of wood-base panel materials)
See **Shear testing—wood products**
Pan flashing
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
PAP
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Paper
Acoustic Emission Examination of Cast Iron Yankee and Steam Heated Paper Dryers, Practice for, **E2598/E2598M (03.03)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Conditioning Paper and Paper Products for Testing, Practice for, **D685 (15.10)**
Determination of the Effect of Hard Creasing Paper on Images

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Produced by Business Imaging Systems, Practice for, **F1351 (15.09)**
Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance, Test Method for, **D5909 (06.02)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Organic Nitrogen in Paper and Paperboard, Test Method for, **D982 (10.01)**
Paper Used for Vacuum Cleaner Filter Bags, Specification for, **F430 (15.08)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**

Paper—acidity/alkalinity/pH
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Paper—specifications
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

Paper and paperboard
Organic Nitrogen in Paper and Paperboard, Test Method for, **D982 (10.01)**
Preparing Prints of Paste Printing Inks by a Motor-Driven Printability Tester, Practice for, **D7680 (06.02)**

Paper and paperboard (electrical insulating)
See **Electrical insulating paper/paperboard**

Paper-based gasket materials
Sa **Gaskets**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**

Paperboard
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**
Conditioning Containers, Packages, or Packaging Components for Testing, Practice for, **D4332 (15.10)**
Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance, Test Method for, **D5909 (06.02)**
Organic Nitrogen in Paper and Paperboard, Test Method for, **D982 (10.01)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**

Paperboard—specifications
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Sheet Materials for Curing Concrete, Specification for, **C171 (04.02)**

Paper chromatography
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**

Paper damage-creasing
Determination of the Effect of Hard Creasing Paper on Images Produced by Business Imaging Systems, Practice for, **F1351 (15.09)**

Paper fiber/fragments
Examination of Fracture Patterns and Paper Fiber Impressions on Single-Strike Film Ribbons and Typed Text, Guide for, **E2287 (14.02)**
Physical Match of Paper Cuts, Tears, and Perforations in Forensic Document Examinations, Guide for, **E2288 (14.02)**

Paper industry
Efficacy of Fungal Control Agents as Preservatives for Aqueous-Based Products Used in the Paper Industry, Test Method for, **E875 (11.05)**
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**
Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), Practice for, **E723 (11.05)**
Measuring the Saturated Hydraulic Conductivity of Paper Industry Sludges, Guide for, **D7243 (04.09)**

Paper mill machinery
Ductile Iron Castings for Paper Mill Dryer Rolls, Specification for, **A476/A476M (01.02)**
Examination of Paper Machine Rolls Using Acoustic Emission from Crack Face Rubbing, Practice for, **E2907/E2907M (03.03)**
Forged Steel Rolls Used for Corrugating Paper Machinery, Specification for, **A649/A649M (01.05)**

Paper tape method
Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Test Method for, **D3266 (11.07)**

Parachute aircraft—powered
Maintenance and the Development of Maintenance Manuals for Light Sport Aircraft, Practice for, **F2483 (15.11)**

Parachute aircraft--powered
Wing Interface Documentation for Powered Parachute Aircraft, Guide on, **F2426 (15.11)**

Parachutes
Airframe Emergency Parachutes, Specification for, **F2316 (15.11)**

Paraffin coatings
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples, Test Method for, **D1188 (04.03)**

Paraffin-type hydrocarbons content
Sa **Hydrocarbons**
Paraffin, Naphthene, and Aromatic Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional Gas Chromatography, Test Method for, **D5443 (05.02)**

Paraffin wax
Sa **Petroleum wax**
Analysis of Petroleum Waxes by Gas Chromatography, Test Method for, **D5442 (05.02)**
Carbonizable Substances in Paraffin Wax, Test Method for, **D612 (05.01)**

Parallel-fiber-reinforced plastics
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**

Parallel framing systems
Evaluating System Effects in Repetitive-Member Wood Assemblies, Guide for, **D6555 (04.10)**

Parallel geomembranes
Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, Practice for, **D5820 (04.13)**

Paralleliped semiconductor materials
Sa **Electrical conductors**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Parallelism
Friction Tapes, Test Methods for, **D69 (10.01)**
Parallel-plate applications/testing equipment
Apparent Viscosity (Flow) of Roofing Bitumens Using the Parallel Plate Plastometer, Test Method for, **D4989/D4989M (04.04)**
Blocking Load of Plastic Film by the Parallel Plate Method, Test Method for, **D3354 (08.02)**
Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading, Test Method for, **D2412 (08.04)**
Rubber Property—Plasticity and Recovery (Parallel Plate Method), Test Method for, **D926 (09.01)**
Paramagnetic materials
Sa **Magnetic materials/applications**
Permeability of Feebly Magnetic Materials, Test Methods for, **A342/A342M (03.04)**
Paramedic
Training the Emergency Medical Technician (Paramedic), Guide for, **F1651 (13.02)**
Parameters
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Parapets
Design of Standard Flashing Details for EPDM Roof Membranes, Guide for, **D6369 (04.04)**
Parasailing
Monitoring Weather Conditions for Safe Parasail Operation, Guide for, **F2993 (15.07)**
Parasailing, Practices for, **F3099 (15.07)**
Parasite elimination
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Parasites
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Parcel delivery system
Climatic Stressing of Packaging Systems for Single Parcel Delivery, Practice for, **F2825 (15.10)**
Performance Testing of Packages for Single Parcel Delivery Systems, Practice for, **D7386 (15.10)**
Parenteral drug containers/applications
Sa **Drug containers/labels**
Labels for Small-Volume (100 mL or Less) Parenteral Drug Containers, Specification for, **D4267 (15.10)**
Paris yellow
See **Chrome yellow and orange pigment**
Parking areas
Pavement Condition Index Surveys for Interlocking Concrete Roads and Parking Lots, Practice for, **E2840 (04.03)**
Parking structures
Concrete Grid Paving Units, Specification for, **C1319 (04.05)**
Preformed Architectural Compression Seals for Buildings and Parking Structures, Specification for, **E1612/E1612M (04.11)**
Preformed Architectural Strip Seals for Buildings and Parking Structures, Specification for, **E1783/E1783M (04.11)**
Roads and Parking Lots Pavement Condition Index Surveys, Practice for, **D6433 (04.03)**
Parkinson's disease
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**
Parshall flume
Open Channel Flow Measurement of Water with the Parshall Flume, Test Method for, **D1941 (11.01)**
Part descriptors
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Partial cleavages
Counting Partial Cleavages in Wool and Other Animal Fibers, Test Method for, **D4510 (07.02)**
Partial decarburization
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Partial discharge extinction level
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Partial discharges
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**
Partial extraction procedures
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Partial immersion exposure
Testing Biofouling Resistance of Marine Coatings Partially Immersed, Practice for, **D5479 (06.02)**
Partially-bounded openings
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Partially crystalline materials
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Partially oriented yarn
Extension Force of Partially Oriented Yarn, Test Method for, **D5344 (07.02)**
Partially penetrating observation wells
Sa **Observation wells**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Partially-saturated porous materials
Measurement of the Permeability of Unsaturated Porous Materials by Flowing Air, Test Method for, **D6539 (04.09)**
Partial-simulation performance testing
Miscibility of Emulsified Asphalts, Practice for, **D6999 (04.03)**
Partial Thromboplastin Time (PTT)
Assessment of Intravascular Medical Device Materials on Partial Thromboplastin Time (PTT), Test Method for, **F2382 (13.01)**
Particle analysis
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Characterizing the Performance of Refuse Size-Reduction Equipment, Test Method for, **E959 (11.04)**
Data Criteria and Processing for Liquid Drop Size Analysis, Practice for Determining, **E799 (14.02)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Determining the Washability Characteristics of Coal, Test Method for, **D4371 (05.06)**
Microscopic Characterization of Particles from In-Service Lubricants, Guide for, **D7684 (05.04)**
Microscopic Characterization of Particles from In-Service Lubri-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

cants by Analytical Ferrography, Practice for, **D7690 (05.04)**
Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, Test Method for, **E1520 (11.05)**
Particle Size Distribution of Granular Carriers and Granular Pesticides, Test Method for, **E726 (11.05)**
Particle Size of Soaps and Other Detergents, Test Method for, **D502 (15.04)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**
Powder Particle Size Analysis, Guide for, **E2651 (14.02)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Relating to Liquid Particles and Atomization, Terminology, **E1620 (14.02)**
Reporting Particle Size Characterization Data, Practice for, **E1617 (14.02)**
Sampling for Particulate Contamination by Tape Lift, Practice for, **E1216 (15.03)**
Sieve Analysis of Coke, Test Method for the, **D293 (05.06)**
Woven Wire Test Sieve Cloth and Test Sieves, Specification for, **E11 (14.02)**

Particle analysis—aggregate
Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate, Test Method for, **D4791 (04.03)**
Materials Finer than 75-μm (No. 200) Sieve in Mineral Aggregates by Washing, Test Method for, **C117 (04.02)**
Mechanical Size Analysis of Extracted Aggregate, Test Method for, **D5444 (04.03)**

Particle analysis—alumina/quartz/silica
Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, Test Method for, **C1070 (15.01)**
Determining the Particle Size Distribution of Alumina by Centrifugal Photosedimentation, Test Method for, **C1182 (15.02)**
Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **C958 (15.02)**
Particle Size Distribution of Alumina or Quartz Powders by Electrical Sensing Zone Technique, Test Method for, **C690 (15.02)**
Precision Electroformed Wet Sieve Analysis of Nonplastic Ceramic Powders, Guide for, **C925 (15.02)**

Particle analysis—asbestos
McNett Wet Classification of Dual Asbestos Fiber, Test Method for, **D2589/D2589M (04.05)**
Screen Analysis of Asbestos Fibers, Test Method for, **D2947/D2947M (04.05)**

Particle analysis—catalysts
Attrition and Abrasion of Catalysts and Catalyst Carriers, Test Method for, **D4058 (05.05)**
Particle Size Distribution of Catalytic Material by Electronic Counting, Test Method for, **D4438 (05.05)**
Particle Size Distribution of Catalytic Material by Laser Light Scattering, Test Method for, **D4464 (05.05)**
Particle Size Distribution of Catalytic Materials by Sieving, Test Method for, **D4513 (05.05)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Particle analysis—grain size
Determining Average Grain Size, Test Methods for, **E112 (03.01)**

Particle analysis—medical/surgical applications
Characterization of Particles, Practice for, **F1877 (13.01)**
Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, Test Method for, **F1978 (13.01)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**

Particle analysis—metallic materials
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Estimating Average Particle Size of Metal Powders and Related Compounds Using Air Permeability, Test Methods for, **B330 (02.05)**
Liquid Dispersion of Metal Powders and Related Compounds for Particle Size Analysis, Guide for, **B821 (02.05)**
Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, Test Method for, **B822 (02.05)**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**

Particle analysis—paints/related coatings/materials
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Coarse Particles in Pigments, Test Methods for, **D185 (06.03)**
Determining Particle Size of Multicolor Lacquers, Test Method for, **D2338 (06.02)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**

Particle analysis—petroleum products
Estimation of Deleterious Particles in Lubricating Grease, Test Method for, **D1404/D1404M (05.01)**
Sieve Analysis of Petroleum Coke, Test Method for, **D5709 (05.02)**

Particle analysis—plastics
Particle Size (Sieve Analysis) of Plastic Materials, Test Methods for, **D1921 (08.01)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**

Particle analysis—roofing materials
Sieve Analysis of Granular Mineral Surfacing For Asphalt Roofing Products, Test Method for, **D451/D451M (04.04)**
Sieve Analysis of Surfacing for Asphalt Roofing Products, Test Method for, **D452/D452M (04.04)**

Particle analysis—rubber materials
Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), Test Method for, **D4570 (09.01)**
Rubber Chemicals—Wet Sieve Analysis of Sulfur, Test Method for, **D4572 (09.01)**
Rubber Compounding Materials—Determination of Particle Size Distribution of Recycled Vulcanizate Particulate Rubber, Test Methods for, **D5644 (09.01)**
Rubber Compounding Materials—Wet Sieve Analysis of Powdered Rubber Compounding Materials, Test Method for, **D5461 (09.01)**

Particle analysis—soil
Amount of Material in Soils Finer than No. 200 (75-μm) Sieve, Test Methods for, **D1140 (04.08)**
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Dispersive Characteristics of Clay Soil by Double Hydrometer, Test Method for, **D4221 (04.08)**
Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, Practice for, **D421 (04.08)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Particle Size Analysis and Sand Shape Grading of Golf Course

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Putting Green and Sports Field Rootzone Mixes, Test Method for, **F1632 (15.07)**
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**
Particle-Size Analysis of Soils, Test Method for, **D422 (04.08)**
Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis, Test Methods for, **D6913 (04.09)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**

Particle analysis—toners
Particle Size Measurement of Dry Toners, Test Method for, **F577 (15.09)**

Particle analysis—water
Comparing Particle Size in the Use of Alternative Types of Particle Counters, Practice for, **F660 (11.01)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**
Physical and Chemical Properties of Powdered Ion Exchange Resins, Test Methods for, **D4456 (11.02)**
Selection of Methods of Particle Size Analysis of Fluvial Sediments (Manual Methods), Guide for, **D4822 (11.02)**
Silt Density Index (SDI) of Water, Test Method for, **D4189 (11.01)**

Particleboard
Sa **Wood products**
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Wood-Base Fiber and Particle Panel Materials, Terminology Relating to, **D1554 (04.10)**

Particle-bound mercury
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**

Particle characterization
Estimating Degree of Particle Coating of Bituminous-Aggregate Mixtures, Practice for, **D2489/D2489M (04.03)**
Nonsieving Methods of Powder Characterization, Terminology Relating to, **E2589 (14.02)**
Relating to Liquid Particles and Atomization, Terminology, **E1620 (14.02)**
Reporting Particle Size Characterization Data, Practice for, **E1617 (14.02)**
Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), Test Methods for, **C1252 (04.02)**
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**

Particle charge test
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Identifying Cationic Emulsified Asphalts, Practice for, **D7402 (04.03)**

Particle counters/counting
Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, Test Method for, **D7647 (05.04)**
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Determining Initial, Fractional, Filtration Efficiency of a Vacuum Cleaner System, Test Method for, **F1977 (15.08)**
Particle Count in Mineral Insulating Oil Using Automatic Optical Particle Counters, Test Method for, **D6786 (10.03)**
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**
Size-Differentiated Counting of Particles and Fibers Released from Cleanroom Wipers Using Optical and Scanning Electron Microscopy, Test Method for, **E2090 (15.03)**

Particle counters/counting—semiconductors
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**

Particle density
Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, Test Method for, **D7647 (05.04)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**

Particle filtration efficiency
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**
Evaluating the Bacterial Filtration Efficiency (BFE) of Medical Face Mask Materials, Using a Biological Aerosol of, Test Method for, **F2101 (11.03)**
Performance of Materials Used in Medical Face Masks, Specification for, **F2100 (11.03)**

Particle flux
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**

Particle retention
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**

Particle size analysis
Calculation of Mean Sizes/Diameters and Standard Deviations of Particle Size Distributions, Practice for, **E2578 (14.02)**
Measurement of Particle Size Distribution of Nanomaterials in Suspension by Nanoparticle Tracking Analysis (NTA), Guide for, **E2834 (14.02)**
Measuring Gradation of Glass Spheres Using a Flowing Stream Digital Image Analyzer, Test Method for, **D7681 (06.02)**
Powder Particle Size Analysis, Guide for, **E2651 (14.02)**
Sieve Analysis of Metal Powders, Test Method for, **B214 (02.05)**

Particle size characterization
Relating to Liquid Particles and Atomization, Terminology, **E1620 (14.02)**
Reporting Particle Size Characterization Data, Practice for, **E1617 (14.02)**
Visualizing Particulate Sizes and Morphology of Particles Contained in Hydrogen Fuel by Microscopy, Test Method for, **D7634 (05.06)**
Woven Wire Test Sieve Cloth and Test Sieves, Specification for, **E11 (14.02)**

Particle size distribution
Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, Test Method for, **D7647 (05.04)**
Calculation of Mean Sizes/Diameters and Standard Deviations of Particle Size Distributions, Practice for, **E2578 (14.02)**
Carbon Black—Pellet Size Distribution, Test Method for, **D1511 (09.01)**
Determination of Particle Size of Powdered Activated Carbon by Air Jet Sieving, Test Method for, **D5158 (15.01)**
Determination of Particles Resulting from the Attrition of Granular Pesticides, Test Method for, **E2316 (11.05)**
Loose-Fill Rubber for Use as a Playground Safety Surface under and around Playground Equipment, Specification for, **F3012 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring Particle Size Distribution of RDF-5, Test Method for, **E1037 (11.04)**
Particle Size Distribution of Granular Activated Carbon, Test Method for, **D2862 (15.01)**
Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis, Test Methods for, **D6913 (04.09)**
Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**
Reporting Particle Size Characterization Data, Practice for, **E1617 (14.02)**

Particle size reduction
Composite Sampling and Field Subsampling for Environmental Waste Management Activities, Guide for, **D6051 (11.04)**

Particles per pound
Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, Test Method for, **E1520 (11.05)**

Particle volume
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**

Particulate contamination
Sa **Contamination**
Appearance of Clear, Transparent Liquids (Visual Inspection Procedure), Test Method for, **E2680 (15.05)**
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Free Water, Particulate and Other Contamination in Aviation Fuels (Visual Inspection Procedures), Test Method for, **D6986 (05.04)**
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Particulate contamination (aerospace environments)
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Measuring and Counting Particulate Contamination on Surfaces, Test Method for, **F24 (15.03)**
Microscopical Sizing and Counting Particles from Aerospace Fluids on Membrane Filters, Test Methods for, **F312 (15.03)**
Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **F311 (15.03)**
Sampling for Particulate Contamination by Tape Lift, Practice for, **E1216 (15.03)**
Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, Practice for, **E2088 (15.03)**
Sizing and Counting Airborne Particulate Contamination in Cleanrooms and Other Dust-Controlled Areas, Test Method for, **F25/F25M (15.03)**
Sizing and Counting Particulate Contaminant In and On Clean Room Garments, Test Method for, **F51/F51M (15.03)**
Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**

Particulate contamination (petroleum)
Sa **Contamination—petroleum products**
Determination of Lead in Workplace Air Using Flame or Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6785 (11.07)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
Particulate Contaminant in Aviation Fuel by Line Sampling, Test Method for, **D2276 (05.01)**
Particulate Contamination in Aviation Fuels by Laboratory Filtration, Test Method for, **D5452 (05.02)**
Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, Test Method for, **D6217 (05.03)**
Processing In-service Fluid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **D7670 (05.04)**
Test Method for Particulate Contamination of Biodiesel B100 Blend Stock Biodiesel Esters and Biodiesel Blends by Laboratory Filtration, Test Method for, **D7321 (05.04)**

Particulate contamination (semiconductors)
See **Contamination—semiconductors**

Particulate distribution
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**

Particulate filter method
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**

Particulate gaseous fluorides—atmospheric
Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Test Method for, **D3266 (11.07)**
Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, Test Method for, **D4765 (11.07)**
Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), Test Method for, **D3268 (11.07)**
Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), Test Method for, **D3267 (11.07)**

Particulate ion exchange materials
See **Ion exchange materials/applications**

Particulate iron
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Particulate matter content
Determination of Particulate Matter Emissions Collected by a Dilution Tunnel, Test Method for, **E2515 (04.12)**
Determining Particulate Matter Emissions from Fires in Wood-Burning Fireplaces, Test Method for, **E2558 (04.12)**
Determining Particulate Matter Emissions from Pellet Heaters, Test Method for, **E2779 (04.12)**
Determining Particulate Matter Emissions from Wood Heaters, Test Method for, **E2780 (04.12)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
PM Detector and Bag Leak Detector Manufacturers to Certify Conformance with Design and Performance Specifications for Cement Plants, Practice for, **D7392 (11.07)**
Sampling of Particulate Matter in High Pressure Hydrogen used as a Gaseous Fuel with an In-Stream Filter, Test Method for, **D7650 (05.06)**
Test Fueling Masonry Heaters, Test Method for, **E2817 (04.12)**

Particulate matter content—atmosphere
Sa **Atmospheric analysis**
Collection and Measurement of Dustfall (Settleable Particulate Matter), Test Method for, **D1739 (11.07)**
Determination of Benzene-Soluble Particulate Matter in Work-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

place Atmospheres, Test Method for, **D4600 (11.07)**
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**
Determining the Opacity of a Plume in the Outdoor Ambient Atmosphere, Test Method for, **D7520 (11.07)**
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, Test Method for, **D4765 (11.07)**
Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**
Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), Test Method for, **D3268 (11.07)**

Particulate matter content—water
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**

Particulate matter sampling
Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), Test Method for, **D6331 (11.07)**
Determination of Particulate Matter Emissions Collected by a Dilution Tunnel, Test Method for, **E2515 (04.12)**

Particulates
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**
Coating Inspection and Acute Particulate Characterization of Coated Drug-Eluting Vascular Stent Systems, Guide for, **F2743 (13.02)**
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Determination of Total Suspended Particulate (TSP) Hexavalent Chromium in Ambient Air Analyzed by Ion Chromatography (IC) and Spectrophotometric Measurements, Test Method for, **D7614 (11.07)**
Test Fueling Masonry Heaters, Test Method for, **E2817 (04.12)**
Visualizing Particulate Sizes and Morphology of Particles Contained in Hydrogen Fuel by Microscopy, Test Method for, **D7634 (05.06)**

Particulate wood fuels
Determination of Ash Content of Particulate Wood Fuels, Test Method for, **E1534 (05.06)**
Determination of Moisture Content of Particulate Wood Fuels Using a Microwave Oven, Test Method for, **E1358 (05.06)**

Parting strength
Parting Strength of Mineral Fiber Batt- and Blanket-Type Insulation, Test Method for, **C686 (04.06)**

Partition board (gypsum)
See **Gypsum products—specifications**

Partitions
Architectural Design and Installation Practices for Sound Isolation between Spaces Separated by Operable Partitions, Guide for, **E557 (04.06)**
Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**
Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, Specification for, **C1007 (04.01)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine, Test Method for, **E492 (04.06)**
Laboratory Measurement of Noise Reduction of Sound-Isolating Enclosures, Test Method for, **E596 (04.06)**
Measurement of Airborne Sound Attenuation between Rooms in Buildings, Test Method for, **E336 (04.06)**
Rating Sound Insulation, Classification for, **E413 (04.06)**

Partitions—specifications
Fiber-Reinforced Gypsum Panel, Specification for, **C1278/C1278M (04.01)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, Specification for, **D5319 (08.03)**
Metal, Expanded, Steel, Specification for, **F1267 (01.03)**
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**

Partition tile
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**

Partition walls
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**

Part stream sampling
Part-Stream Sampling of Coal, Guide for, **D6609 (05.06)**

Passageways
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Passenger cars
Calibration of Systems Used for Measuring Vehicular Response to Pavement Roughness, Practice for, **E1448/E1448M (04.03)**
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIB Spark Ignition Engine, Test Method for, **D6837 (05.03)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, Test Method for, **D7589 (05.04)**
Measurement of Vehicular Response to Traveled Surface Roughness, Test Method for, **E1082 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Skid Resistance of Paved Surfaces Using a Full-Scale Tire, Test Method for, **E274/E274M (04.03)**
Static Measurements on Tires for Passenger Cars, Light Trucks, and Medium Duty Vehicles, Test Method for, **F1502 (09.02)**
Stopping Distance on Paved Surfaces Using a Passenger Vehicle Equipped With Full-Scale Tires, Test Method for, **E445/E445M (04.03)**
Trailers Used for Measuring Vehicular Response to Road Roughness, Specification for, **E1215 (04.03)**
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**

Passenger car tires
Sa **Tire testing**
Accelerated Laboratory Aging of Radial Passenger Car and Light Truck Tires through Load Range E for the Laboratory Generation of Belt Separation, Practice for, **F2838 (09.02)**
Accelerated Laboratory Roadwheel Generation of Belt Separation in Radial Passenger Car and Light Truck Tires through Load Range E, Test Method for, **F3015 (09.02)**
Determining Change in Groove (or Void) Depth With Distance

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Traveled for Passenger Car Tires, Test Method for, **F762/F762M (09.02)**
Measuring Groove and Void Depth in Passenger Car Tires, Test Method for, **F421 (09.02)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, Test Method for, **F1112 (09.02)**
Tire Performance Testing on Snow and Ice Surfaces, Test Methods for, **F1572 (09.02)**
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**
Use of Scrap Tire-Derived Fuel, Practice for, **D6700 (11.04)**

Passengers
Bicycle Trailer Cycles Designed for Human Passengers, Specification for, **F2917 (15.07)**
Nonpowered Bicycle Trailers Designed for Human Passengers, Specification for, **F1975 (15.07)**

Pass-fail test
Sa **Failure end point**
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Digger Derricks, Test Method for, **F1797 (10.03)**
Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), Test Method for, **D2512 (14.04)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Water and Sediment in Middle Distillate Fuels by Centrifuge, Test Method for, **D2709 (05.01)**

Passivating solutions
Sa **Solvents**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Passivation coating
Chromates on Aluminum, Specification for, **B449 (02.05)**

Passivation treatments
Chemical Passivation Treatments for Stainless Steel Parts, Specification for, **A967/A967M (01.03)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Detection of Hexavalent Chromium On Zinc and Zinc/Aluminum Alloy Coated Steel, Practice for, **D6492 (06.02)**
Passivation of Stainless Steels Using Electropolishing, Specification for, **B912 (02.05)**
Surface Preparation and Marking of Metallic Surgical Implants, Practice for, **F86 (13.01)**

Passive neutron coincidence counting
Making Quality Nondestructive Assay Measurements, Guide for, **C1592/C1592M (12.01)**

Passive-active neutron counting
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**

Passive fire protection
Shock Testing of Structural Insulation of A-Class Divisions Constructed of Steel or Aluminum, Test Method for, **F2877/F2877M (01.07)**

Passive headspace analysis
Sa **Headspace analysis**
Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), Practice for, **E2154 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**

Passive implants
Evaluation of MR Image Artifacts from Passive Implants, Test Method for, **F2119 (13.01)**
Measurement of Magnetically Induced Displacement Force on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2052 (13.01)**
Measurement of Magnetically Induced Torque on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2213 (13.01)**
Measurement of Radio Frequency Induced Heating On or Near Passive Implants During Magnetic Resonance Imaging, Test Method for, **F2182 (13.01)**

Passive neutron counting
Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System, Test Method for, **C1493 (12.01)**
Nondestructive Assay of Plutonium by Passive Neutron Multiplicity Counting, Test Method for, **C1500 (12.01)**

Passive remediation
Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, Guide for, **E1943 (11.05)**

Passive sampler methodology
Sa **Sampling air/atmospheric materials/applications**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**

Passive sampling
Passive Soil Gas Sampling in the Vadose Zone for Source Identification, Spatial Variability Assessment, Monitoring, and Vapor Intrusion Evaluations, Practice for, **D7758 (04.09)**
Placement and Use of Diffusion Controlled Passive Monitors for Gaseous Pollutants in Indoor Air, Guide for, **D6306 (11.07)**

Passive seal
Passive Fiber Optic Seals, Classification for, **F1699 (15.08)**

Pass through flux (PTF)
Pass Through Flux of Circular Magnetic Sputtering Targets, Test Method for, **F1761 (10.04)**

Pasta cooker
Performance of a Pasta Cooker, Test Method for, **F1784 (15.12)**

Paste
Coarse Particles in Pigments, Test Methods for, **D185 (06.03)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**

Paste adhesives
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**
Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, Practice for, **D1338 (15.06)**

Pasted mica
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**

Paste extruded PTFE
Sa **Molding/extrusion compounds/materials—specifications**
Sa **PTFE (polytetrafluoroethylene)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Standard Test Methods for Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Guide to, **D6040 (08.03)**

Paste flux
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Paste method
Early Stiffening of Hydraulic Cement (Paste Method), Test Method for, **C451 (04.01)**
Paste printing inks
Preparing Prints of Paste Printing Inks Using a Hand Operated Laboratory Flat-Bed Press, Practice for, **D6487 (06.02)**
Preparing Prints of Paste Printing Inks with a Printing Gage, Practice for, **D6846 (06.02)**
Pastes (cement)
Measurement of the Rheological Properties of Hydraulic Cementious Paste Using a Rotational Rheometer, Guide for, **C1749 (04.01)**
Paste-type printing ink dispersions
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**
Pasteurization
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
Pasteur-type pipets
Sa **Pipets (laboratory)—specifications**
Disposable Pasteur-Type Pipet, Specification for, **E732 (14.04)**
Paste wax
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**
Pasty tanning extracts
Sa **Tanning analysis/materials**
Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, Practice for, **D4905 (15.04)**
Patching materials
Evaluating Pipeline Coating Patch Materials, Test Method for, **G55 (06.02)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Patch/plug method
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Patch test
Conducting a Patch Test to Assess Coating Compatibility, Practice for, **D5064 (06.02)**
Patellar prosthesis
Resurfacing Patellar Prosthesis, Specification for, **F1672 (13.01)**
Pathogen reduction/elimination
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
Irradiation of Pre-packaged Processed Meat and Poultry Products to Control Pathogens and Other Microorganisms, Guide for, **E2449 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Pathogens
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**
Irradiation of Pre-packaged Processed Meat and Poultry Products to Control Pathogens and Other Microorganisms, Guide for, **E2449 (12.02)**
Selection and Use of Packaging Materials for Foods to Be Irradiated, Guide for, **F1640 (12.02)**
Pathogens—water
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Algal Growth Potential Testing with Pseudokirchneriella subcapitata, Practice for, **D3978 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Enumeration of Aquatic Bacteria by Epifluorescence Microscopy Counting Procedure, Test Method for, **D4455 (11.02)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, Test Method for, **D5175 (11.02)**
Simultaneous Enumeration of Total and Respiring Bacteria in Aquatic Systems by Microscopy, Test Method for, **D4454 (11.02)**
Sulfate-Reducing Bacteria in Water and Water-Formed Deposits, Test Methods for, **D4412 (11.02)**
Patient biographical/medical data
Amendments to Health Information, Guide for, **E2017 (14.01)**
An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems, Practice for, **E1715 (14.01)**
Communicating an EMS Patient Report to Receiving Medical Facilities, Practice for, **F2076 (13.02)**
Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, Guide for, **E1869 (14.01)**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Identification and Establishment of a Quality Assurance Program for Medical Transcription, Guide for, **E2117 (14.01)**
Information Access Privileges to Health Information, Guide for, **E1986 (14.01)**
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**
Rating-Scale Measures Relevant to the Electronic Health Record, Practice for, **E2171 (14.01)**
Structures and Responsibilities of Emergency Medical Services Systems Organizations, Guide for, **F1086 (13.02)**
User Authentication and Authorization, Guide for, **E1985 (14.01)**
View of Emergency Medical Care in the Electronic Health Record, Practice for, **E1744 (14.01)**
Patient biographical/medical data—specifications
Audit and Disclosure Logs for Use in Health Information Systems, Specification for, **E2147 (14.01)**
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Relationship Between a Person (Consumer) and a Supplier of an Electronic Personal (Consumer) Health Record, Specification for, **E2211 (14.01)**
Patient care
Sa **Emergency medical services (EMS)**
Sa **Emergency medical technician (EMT) (Basic)**
Qualification and Training of EMS Air Medical Patient Care Providers, Guide for, **F1229 (13.02)**
Selection and Practice of Emergency Medical Services Instructor for Advanced Emergency Medical Technician, Guide for, **F1257 (13.02)**
Selection and Practice of Emergency Medical Services Instructor for Emergency Medical Technician (EMT) Training Programs, Guide for, **F1256 (13.02)**
Training the Emergency Medical Technician (Paramedic), Guide for, **F1651 (13.02)**
Training the Emergency Medical Technician to Perform Patient Examination Techniques, Guide for, **F1285 (13.02)**
Patient care instruments (specifications)
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Infrared Thermometers for Intermittent Determination of Patient Temperature, Specification for, **E1965 (13.01)**
Phase Change-Type Disposable Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E825 (13.01)**

Patient rooms
Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, Guide for, **E2280 (04.07)**

Patient transport
Selection and Use for Pelvic Ring Circumferential Compression Stabilization Devices (PRCCSD), Guide for, **F2428 (13.02)**

Patio furniture
Child's Plastic Chairs for Outdoor Use, Performance Requirements for, **F1838 (15.11)**
Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, Performance Requirements for, **F1858 (15.11)**
Plastic Chairs for Outdoor Use, Performance Requirements for, **F1561 (15.11)**
Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use, Performance Requirements for, **F1988 (15.11)**

Patio furniture—specifications
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**

Patios
Performance of Commercial Patio Heaters, Test Method for, **F2644 (15.12)**

Pattern diagrams
See **Ground-water model**

Patterned glass
Flat Glass, Specification for, **C1036 (15.02)**

Patterns
Vinyl Composition Floor Tile, Specification for, **F1066 (15.04)**

Pattern tests
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**

Pavement
Construction of Asphalt-Rubber Cape Seal, Practice for, **D7564/D7564M (04.03)**
Data Format for Pavement Profile, Specification for, **E2560 (04.03)**
Pavement Condition Index Surveys for Interlocking Concrete Roads and Parking Lots, Practice for, **E2840 (04.03)**
Standard Guide for the Evaluation, and Calibration, Continuous Friction Measurement Equipment (CFME), Guide for, **E2883 (04.03)**

Pavement condition index survey
Pavement Condition Index Surveys for Interlocking Concrete Roads and Parking Lots, Practice for, **E2840 (04.03)**

Pavement condition surveys
Airport Pavement Condition Index Surveys, Test Method for, **D5340 (04.03)**
Classification of Automated Pavement Condition Survey Equipment, Guide for, **E1656/E1656M (04.03)**
Roads and Parking Lots Pavement Condition Index Surveys, Practice for, **D6433 (04.03)**

Pavement deflection
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Measuring Deflections using a Portable Impulse Plate Load Test Device, Test Method for, **E2835 (04.03)**

Pavement distress
Pavement Distress, Terminology Relating to, **E1778 (04.03)**

Pavement edge drains
Geocomposites for Pavement Edge Drains and Other High-Flow Applications, Specification for, **D7001 (04.13)**

Pavement macrotexture
Calculating Pavement Macrotexture Mean Profile Depth, Practice for, **E1845 (04.03)**

Pavement management system (PMS)
Computing International Roughness Index of Roads from Longitudinal Profile Measurements, Practice for, **E1926 (04.03)**
Prioritization of Data Needs for Pavement Management, Guide for, **E1777 (04.03)**

Pavement marking materials
Evaluating Retroreflective Pavement Markings Using Portable Hand-Operated Instruments, Practice for, **D7585/D7585M (04.03)**
Measurement of Daytime Chromaticity of Pavement Marking Materials Using a Portable Reflection Colorimeter, Test Method for, **E2366 (06.01)**
Measurement of Nighttime Chromaticity of Pavement Marking Materials Using a Portable Retroreflection Colorimeter, Test Method for, **E2367 (06.01)**
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**
Measurement of the Luminance Coefficient Under Diffuse Illumination of Pavement Marking Materials Using a Portable Reflectometer, Test Method for, **E2302 (06.01)**
Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness, Test Method for, **E2177 (06.01)**
Measuring the Coefficient of Retroreflected Luminance of Pavement Markings in a Standard Condition of Continuous Wetting (RL-2), Test Method for, **E2832 (06.01)**
Using a Test Chamber for Humidity Conditioning of Test Panels of Pavement Marking Paints, Practice for, **D7539 (06.02)**

Pavement marking materials—specifications
Sa **Pavement surfaces—specifications**
Color of Pavement Marking Materials, Specification for, **D6628 (04.03)**
Plowable, Raised Retroreflective Pavement Markers, Specification for, **D4383 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**

Pavement marking paint
Sa **Traffic paint**
Using a Test Chamber for Humidity Conditioning of Test Panels of Pavement Marking Paints, Practice for, **D7539 (06.02)**

Pavement ride quality
Computing Ride Number of Roads from Longitudinal Profile Measurements Made by an Inertial Profile Measuring Device, Practice for, **E1489 (04.03)**
Conducting Subjective Pavement Ride Quality Ratings, Guide for, **E1927 (04.03)**

Pavement roughness
Simulating Profilograph Response to Longitudinal Profiles of Traveled Surfaces, Practice for, **E2955 (04.03)**

Pavement surfaces
Sa **Bituminous paving mixtures**
Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, Guide for, **D5858 (04.03)**
Calculating International Friction Index of a Pavement Surface, Practice for, **E1960 (04.03)**
Calculating Pavement Macrotexture Mean Profile Depth, Practice for, **E1845 (04.03)**
Calculating Percent Asphalt Absorption by the Aggregate in an Asphalt Pavement Mixture, Practice for, **D4469 (04.03)**
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Classification of Automated Pavement Condition Survey Equipment, Guide for, **E1656/E1656M (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Conducting Subjective Pavement Ride Quality Ratings, Guide for, **E1927 (04.03)**
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
Design and Construction of Bituminous Surface Treatments, Practice for, **D5360 (04.03)**
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full-Width Applications, Test Method to, **D6140 (04.13)**
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Freeze-thaw and De-icing Salt Durability of Solid Concrete Interlocking Paving Units, Test Method for, **C1645/C1645M (04.05)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Materials for Roads and Pavements, Terminology Relating to, **D8 (04.03)**
Measurement of Vehicular Response to Traveled Surface Roughness, Test Method for, **E1082 (04.03)**
Measuring Pavement Macrotexture Depth Using a Volumetric Technique, Test Method for, **E965 (04.03)**
Measuring Pavement Texture Drainage Using an Outflow Meter, Test Method for, **E2380/E2380M (04.03)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
Measuring Rut-Depth of Pavement Surfaces Using a Straightedge, Test Method for, **E1703/E1703M (04.03)**
Measuring the Longitudinal Profile of Traveled Surfaces with an Accelerometer Established Inertial Profiling Reference, Test Method for, **E950/E950M (04.03)**
Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, Test Method for, **C174/C174M (04.02)**
Moisture or Volatile Distillates in Bituminous Paving Mixtures, Test Method for, **D1461 (04.03)**
Network Level Pavement Management, Guide for, **E1166 (04.03)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
Pavement Distress, Terminology Relating to, **E1778 (04.03)**
Pavement Management Implementation, Guide for, **E1889 (04.03)**
Paving Uses and Application Temperatures for Road Tars, Practice for, **D2728 (04.03)**
Prediction of Asphalt-Bound Pavement Layer Temperatures, Test Method for, **D7228 (04.03)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, Practice for, **D1985 (04.03)**
Prioritization of Data Needs for Pavement Management, Guide for, **E1777 (04.03)**
Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, Practice for, **D4561 (04.03)**
Quantitative Extraction of Bitumen From Bituminous Paving Mixtures, Test Methods for, **D2172/D2172M (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, Guide for, **F1240 (15.07)**
Recovering Residue from Emulsified Asphalt Using Low Temperature Evaporative Technique, Practice for, **D7497 (04.03)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**
Sampling Compacted Bituminous Mixtures for Laboratory Testing, Practice for, **D5361/D5361M (04.03)**
Selection and Use of Emulsified Asphalts, Practice for, **D3628 (04.03)**
Sieve Analysis of Mineral Filler for Bituminous Paving Mixtures, Test Method for, **D546 (04.03)**
Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, Practices for, **E2034 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Sizes of Aggregate for Road and Bridge Construction, Classification for, **D448 (04.03)**
Stopping Distance on Paved Surfaces Using a Passenger Vehicle Equipped With Full-Scale Tires, Test Method for, **E445/E445M (04.03)**
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**
Vehicle-Pavement Systems, Terminology Relating to, **E867 (04.03)**
Vertical Compression of Geocomposite Pavement Panel Drains, Test Method for, **D6244 (04.13)**

Pavement surfaces—specifications

A Size 10 × 4–5 Smooth-Tread Friction Test Tire, Specification for, **E1844 (04.03)**
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Asphalt for Undersealing Portland-Cement Concrete Pavements, Specification for, **D3141/D3141M (04.03)**
Asphalt Plank, Specification for, **D517 (04.03)**
Asphalt-Rubber Binder, Specification for, **D6114/D6114M (04.03)**
Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, Specification for, **D5249 (04.03)**
Calcium Chloride, Specification for, **D98 (04.03)**
Cationic Emulsified Asphalt, Specification for, **D2397/D2397M (04.03)**
Chemically Modified Asphalt Cement for Use in Pavement Construction, Specification for, **D6154 (04.03)**
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Coarse Aggregate for Bituminous Paving Mixtures, Specification for, **D692/D692M (04.03)**
Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements, Specification for, **D5893/D5893M (04.03)**
Cold-Mixed, Cold-Laid Bituminous Paving Mixtures, Specification for, **D4215 (04.03)**
Color of Pavement Marking Materials, Specification for, **D6628 (04.03)**
Concrete Grid Paving Units, Specification for, **C1319 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field, Specification for, **A979/A979M (01.06)**
Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, Specification for, **D5078/D5078M (04.03)**
Cutback Asphalt (Medium-Curing Type), Specification for, **D2027/D2027M (04.03)**
Cutback Asphalt (Rapid-Curing Type), Specification for, **D2028/D2028M (04.03)**
Cutback Asphalt (Slow-Curing Type), Specification for, **D2026/D2026M (04.03)**
Emulsified Asphalt, Specification for, **D977 (04.03)**
Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, Specification for, **D4280 (04.03)**
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Fine Aggregate for Bituminous Paving Mixtures, Specification for, **D1073 (04.03)**
Geocomposites for Pavement Edge Drains and Other High-Flow Applications, Specification for, **D7001 (04.13)**
Graded Aggregate Material For Bases or Subbases for Highways or Airports, Specification for, **D2940/D2940M (04.03)**
Heavy Vehicular Paving Brick, Specification for, **C1272 (04.05)**
High Load Rotational Spherical Bearings for Bridges and Structures, Specification for, **D5977 (04.03)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Inclusion of Precision Statement Variation in Specification Limits, Practice for, **D6607 (04.03)**
Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements, Specification for, **D6690 (04.03)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, Specification for, **D2835 (04.03)**
Mineral Filler For Bituminous Paving Mixtures, Specification for, **D242/D242M (04.03)**
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Nontraditional Coarse Aggregates for Bituminous Paving Mixtures, Specification for, **D6155 (04.03)**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Penetration-Graded Asphalt Cement for Use in Pavement Construction, Specification for, **D946/D946M (04.03)**
Performance Graded Asphalt Binder, Specification for, **D6373 (04.03)**
Performance Graded Trinidad Lake Modified Asphalt Binder, Specification for, **D6626 (04.03)**
Photoluminescent (Phosphorescent) Safety Markings, Specification for, **E2072 (06.01)**
Plain and Steel-Laminated Elastomeric Bearings for Bridges, Specification for, **D4014 (04.03)**
Plowable, Raised Retroreflective Pavement Markers, Specification for, **D4383 (04.03)**
Preformed Expansion Joint Filler for Concrete (Bituminous Type), Specification for, **D994/D994M (04.03)**
Preformed Polychloroprene Elastomeric Joint Seals for Bridges, Specification for, **D3542 (04.03)**
Preformed Polychloroprene Elastomeric Joint Seals for Concrete Pavements, Specification for, **D2628 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**
Retroreflective Sheeting for Traffic Control, Specification for, **D4956 (04.03)**
Road Tar, Specification for, **D490 (04.03)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Plastic Underdrain Systems for Highway, Airport, and Similar Drainage, Specification for, **F758 (08.04)**
Solid Concrete Interlocking Paving Units, Specification for, **C936/C936M (04.05)**
Standard Rib Tire for Pavement Skid-Resistance Tests, Specification for, **E501 (04.03)**
Standard Smooth Tire for Pavement Skid-Resistance Tests, Specification for, **E524 (04.03)**
Trailers Used for Measuring Vehicular Response to Road Roughness, Specification for, **E1215 (04.03)**
Trinidad Lake Modified Asphalt, Specification for, **D5710/D5710M (04.03)**
Viscosity-Graded Asphalt Cement for Use in Pavement Construction, Specification for, **D3381/D3381M (04.03)**

Pavement surfaces (airport)
See **Airport pavement**

Pavement surfaces (friction analysis)
A Size 10 × 4–5 Smooth-Tread Friction Test Tire, Specification for, **E1844 (04.03)**
Accelerated Polishing of Aggregates Using the British Wheel, Practice for the, **D3319 (04.03)**
Calculating the International Runway Friction Index, Practice for, **E2100 (04.03)**
Friction Coefficient Measurements Between Tire and Pavement Using a Variable Slip Technique, Test Method for, **E1859/E1859M (04.03)**
Measuring Paved Surface Frictional Properties Using the Dynamic Friction Tester, Test Method for, **E1911 (04.03)**
Measuring Surface Frictional Properties Using the British Pendulum Tester, Test Method for, **E303 (04.03)**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Ranking of Test Data Obtained for Measurement of Slip Resistance of Footwear Sole, Heel, and Related Materials, Practice for, **F695 (15.07)**
Roads and Parking Lots Pavement Condition Index Surveys, Practice for, **D6433 (04.03)**
Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, Specification for, **E1551 (04.03)**
Testing Side Force Friction on Paved Surfaces Using the Mu-Meter, Test Method for, **E670 (04.03)**
Using a Horizontal Pull Slipmeter (HPS), Test Method for, **F609 (15.07)**

Pavement surfaces (joint concrete sealants)
See **Joint sealants (concrete)**

Pavement surfaces (skid resistance)
Accelerated Polishing of Aggregates or Pavement Surfaces Using a Small-Wheel, Circular Track Polishing Machine, Practice for, **E660 (04.03)**
Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), Test Method for, **E556/E556M (04.03)**
Measuring Pavement Macrotexture Properties Using the Circular Track Meter, Test Method for, **E2157 (04.03)**
Measuring the Skid Resistance of Pavements and Other Trafficked Surfaces Using a Continuous Reading, Fixed-Slip Technique, Test Method for, **E2340/E2340M (04.03)**
Skid Resistance of Paved Surfaces Using a Full-Scale Tire, Test Method for, **E274/E274M (04.03)**
Standard Smooth Tire for Pavement Skid-Resistance Tests, Specification for, **E524 (04.03)**

Pavement texture
Measuring Pavement Texture Drainage Using an Outflow Meter, Test Method for, **E2380/E2380M (04.03)**

Paving materials
Recovery of Asphalt from Solution Using Toluene and the Rotary Evaporator, Practice for, **D7906 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

PAV (pressurized aging vessel)
Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV), Practice for, **D6521 (04.03)**
Payback
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**
PCA (principal components analysis)
Time-Intensity Evaluation of Sensory Attributes, Guide for, **E1909 (15.08)**
PCA (property condition assessment)
Property Condition Assessments: Baseline Property Condition Assessment Process, Guide for, **E2018 (11.05)**
PCBs (polychlorinated biphenyls)
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Analysis of Polychlorinated Biphenyls in Insulating Liquids by Gas Chromatography, Test Method for, **D4059 (10.03)**
Determination of Polychlorinated Biphenyls (PCBs) in Waste Materials by Gas Chromatography, Test Method for, **D6160 (05.03)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, Test Method for, **D5175 (11.02)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
PCBTF (parachlorobenzotrifluoride)
Acetone, Methyl Acetate, and Parachlorobenzotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, Test Method for, **D6438 (06.01)**
PCHR (personal consumer health records)
Relationship Between a Person (Consumer) and a Supplier of an Electronic Personal (Consumer) Health Record, Specification for, **E2211 (14.01)**
PCI (pavement condition index)
See **Pavement condition surveys**
PCR (principal components regression)
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**
Validation of Empirically Derived Multivariate Calibrations, Practice for, **E2617 (03.06)**
PCS—(Personal Cooling System)
Measuring the Performance of Personal Cooling Systems Using Physiological Testing, Test Method for, **F2300 (11.03)**
PCTFE (polychlorotrifluoroethylene)
Aerospace Parts Machined from Polychlorotrifluoroethylene (PCTFE), Specification for, **D7194 (08.03)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
PCTFE (polychlorotrifluoroethylene)—specifications
Parts Machined from Polychlorotrifluoroethylene (PCTFE) and Intended for General Use, Specification for, **D7211 (08.03)**
Polychlorotrifluoroethylene (PCTFE) Extruded Plastic Sheet and Film, Specification for, **D3595 (08.02)**
Polychlorotrifluoroethylene (PCTFE) Plastics, Classification System for, **D1430 (08.01)**
PCT test
See **Product consistency test (PCT)**
PDB (precracked double-beam corrosion specimens)
Making and Using Precracked Double Beam Stress Corrosion Specimens, Practice for, **G168 (03.02)**
PDB (pressure design basis)
Sa **Pressure testing**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
PDD (psychophysiological detection of deception)
Calibration and Functionality Checks Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2063 (14.02)**
Clinical Psychophysiological Detection of Deception (PDD) Examinations for Sex Offenders, Guide for, **E2080 (14.02)**
Conduct of PDD Screening Examinations, Guide for, **E2386 (14.02)**
Conduct of Research in Psychophysiological Detection of Deception (Polygraph), Practice for, **E1954 (14.02)**
Instrumentation, Sensors and Operating Software Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Guide for, **E2439 (14.02)**
Interpretation of Psychophysiological Detection of Deception (Polygraph) Data, Practices for, **E2229 (14.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD), Guide for, **E2064 (14.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders, Guide for, **E2162 (14.02)**
Minimum Training Requirements for Examiners Conducting Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders in Treatment, Probation or Other Similar Programs, Guide for, **E2163 (14.02)**
PDD Examination Standards of Practice, Guide for, **E2062 (14.02)**
PDD Paired Testing, Guide for, **E2324 (14.02)**
Quality Control of Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2031 (14.02)**
Requirements for Psychophysiological Detection of Deception (PDD) Examiners, Guide for, **E2065 (14.02)**
PDSC (pressure differential scanning calorimetry)
Sa **Differential scanning calorimetry (DSC)**
Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, Test Method for, **D5483 (05.02)**
Oxidation Induction Time of Lubricating Oils by Pressure Differential Scanning Calorimetry (PDSC), Test Method for, **D6186 (05.03)**
Peak braking coefficient
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
Peak counting
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Peak efficiency/processing results
Analytical Data Interchange Protocol for Chromatographic Data, Guide for, **E1948 (03.06)**
Analytical Data Interchange Protocol for Chromatographic Data, Specification for, **E1947 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Guide for, **E2078 (03.06)**
Analytical Data Interchange Protocol for Mass Spectrometric Data, Specification for, **E2077 (03.06)**
Peak exciting current—alternating-current magnetic properties
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**

Peak exothermic temperature
See **Exothermic temperature analysis**

Peak exposure
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**

Peak force-to-actuate
Determining the Peak Force-to-Actuate of a Mechanical Pump Dispenser, Test Method for, **D6534 (15.10)**

Peak gust
Characterizing Surface Wind Using a Wind Vane and Rotating Anemometer, Practice for, **D5741 (11.07)**

Peak height
Measuring the Headroom of a Backpacking or Mountaineering Tent, Test Method for, **F1935 (15.07)**

Peakload
Tension Testing of Nonmetallic Gasket Materials, Test Methods for, **F152 (09.02)**

Peak/peak base
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**

Peak permeability
Sa **Permeability**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**

Peak photocurrent
Sa **Current measurement—semiconductors**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**

Peak positive pressure
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**
Glazing and Glazing Systems Subject to Airblast Loadings, Specification for, **F2912 (15.08)**

Peak power
Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, Guide for, **E1653 (03.06)**

Peak shear strength
See **Shear testing**

Peak shifting and quality control
Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**

Peak tire traction
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**

PE/AL/PE pipe
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, Specification for, **F1282 (08.04)**

Pearlitic malleable iron castings
Sa **Malleable iron castings—specifications**
Pearlitic Malleable Iron, Specification for, **A220/A220M (01.02)**

Peat materials
Bulk Density of Peat and Peat Products, Test Methods for, **D4531 (04.08)**
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**
Estimating Peat Deposit Thickness, Practice for, **D4544 (04.08)**
Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), Test Method for, **D5715 (04.08)**
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Laboratory Determination of the Fiber Content of Peat Samples by Dry Mass, Test Method for, **D1997 (04.08)**
Moisture, Ash, and Organic Matter of Peat and Other Organic Soils, Test Methods for, **D2974 (04.08)**
Peat Samples by Laboratory Testing, Classification of, **D4427 (04.08)**
Sampling Processed Peat Materials, Practice of, **D2944 (04.08)**
Seed Starter Mix, Specification for, **D5539 (04.08)**
Total Nitrogen in Peat Materials, Test Method for, **D2973 (04.08)**
Volume Mass, Moisture-Holding Capacity, and Porocity of Saturated Peat Materials, Test Method for, **D2980 (04.08)**
Volume of Processed Peat Materials, Test Method for, **D2978 (04.08)**

Pebble lime
Sa **Quicklime**
Quicklime for Structural Purposes, Specification for, **C5 (04.01)**

Pedagogy
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Pedestrian materials/applications—specifications
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
Industrial Floor Brick, Specification for, **C410 (04.05)**
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**

Pedestrian safety
Measuring the Coefficient of Friction for Evaluation of Slip Performance of Footwear and Test Surfaces/Flooring Using a Whole Shoe Tester, Test Method for, **F2913 (15.07)**

Pediatric facilities/applications
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**
Development and Operation of Level 1 Pediatric Trauma Facilities, Guide for, **F1286 (13.02)**

Plastic shipping materials/applications—specifications
Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, Specification for, **F1092 (01.07)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Pediculus humanus
See **Lice**

PEEK (polyetheretherketone)
Measurement of Percent Crystallinity of Polyetheretherketone (PEEK) Polymers by Means of Specular Reflectance Fourier Transform Infrared Spectroscopy (R-FTIR), Test Method for, **F2778 (13.02)**

Peel adhesion
Sa **Adhesion**
Peel Adhesion of Pressure-Sensitive Label Stocks at a 90 Angle, Test Method for, **D6252/D6252M (15.10)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Peel cling
Peel Cling of Stretch Wrap Film, Test Method for, **D5458 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Peeling machines
Vegetable Peeling Machines, Electric, Specification for, **F1371 (15.12)**
Peel strength tests
Adhesion-in-Peel of Elastomeric Joint Sealants, Test Method for, **C794 (04.07)**
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Determining Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners, Test Method for, **D6496 (04.13)**
Facing Cleavage of Sandwich Panels, Test Method for, **E2004 (04.11)**
Peel Strength (T Method) of Hook and Loop Touch Fasteners, Test Method for, **D5170 (07.02)**
Peel Strength of Metal Electroplated Plastics, Test Method for, **B533 (02.05)**
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, Test Method for, **D3936 (07.01)**
Peel strength tests—adhesives
90 Degree Peel Resistance of Adhesives, Test Method for, **D6862 (15.06)**
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Climbing Drum Peel for Adhesives, Test Method for, **D1781 (15.06)**
Durability Assessment of Adhesive Joints Stressed in Peel, Test Method for, **D2918 (15.06)**
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**
Multi-Modal Strength Testing of Autohesives (Contact Adhesives), Test Methods for, **D1995 (15.06)**
Peel or Stripping Strength of Adhesive Bonds, Test Method for, **D903 (15.06)**
Peel Resistance of Adhesives (T-Peel Test), Test Method for, **D1876 (15.06)**
Strength Properties of Adhesives in Cleavage Peel by Tension Loading (Engineering Plastics-to-Engineering Plastics), Test Method for, **D3807 (15.06)**
Strength Properties of Double Lap Shear Adhesive Joints by Tension Loading, Test Method for, **D3528 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Peel strength tests—electrical conductors
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Peening
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**
Pegboard test
Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test, Test Method for, **F2010/F2010M (11.03)**
Pelleted carbon black
See **Carbon black—pelleted**
Pellet fuel
Determining Particulate Matter Emissions from Pellet Heaters, Test Method for, **E2779 (04.12)**
Room Heaters, Pellet Fuel-Burning Type, Specification for, **E1509 (04.11)**
Pellet guns
See **Consumer safety specifications (guns)**
Pellet hardness
Carbon Black—Automated Individual Pellet Hardness, Test Method for, **D5230 (09.01)**
Carbon Black—Individual Pellet Hardness, Test Method for, **D3313 (09.01)**
Pelletized activated carbon
Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, Test Method for, **D6646 (15.01)**
Pellets
Color Determination of Plastic Pellets, Test Method for, **D6290 (08.03)**
Description of Polymer Pellet Defects, Guide for, **D7711 (08.03)**
Nuclear-Grade Aluminum Oxide Pellets, Specification for, **C785 (12.01)**
Pellets—catalytic cracking
Sa **Catalysts/catalyst carriers**
Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, Test Method for, **D4179 (05.05)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**
Pellet size distribution
Sa **Particle analysis**
Carbon Black—Pellet Size Distribution, Test Method for, **D1511 (09.01)**
Peltier device
Corrosion-Preventive Properties of Lubricating Greases in Presence of Dilute Synthetic Sea Water Environments, Test Method for, **D5969 (05.02)**
Peltier thermoelectric apparatus
Freezing Point of Aviation Fuels (Automatic Phase Transition Method), Test Method for, **D5972 (05.02)**
Pelvic stabilzation—EMS equipment
Selection and Use for Pelvic Ring Circumferential Compression Stabilization Devices (PRCCSD), Guide for, **F2428 (13.02)**
Phenalenes/phenalenones
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Pencil hardness
Film Hardness by Pencil Test, Test Method for, **D3363 (06.01)**
Pendant
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**
Pendulum rebound
Rubber Property—Resilience Using Schob Type Rebound Pendulum, Test Method for, **D7121 (09.01)**
Pendulum test
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining the Izod Pendulum Impact Resistance of Plastics, Test Methods for, **D256 (08.01)**
Dynamic Tear Testing of Metallic Materials, Test Method for, **E604 (03.01)**
Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies, Test Method for, **E2025 (04.11)**
Impact Testing for Shipping Containers and Systems, Test Method for, **D880 (15.10)**
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**
Pendulum Impact Resistance of Plastic Film, Test Method for, **D3420 (08.02)**
Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, Test Method for, **D1922 (08.01)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**

Penetation resistance—protective clothing
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Liquids, Test Method for, **F903 (11.03)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Penetrameters
Sa **Ultrasonic testing**
Controlling Quality of Radiological Examination of Electronic Devices, Practice for, **E801 (03.03)**
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**
Radiographic Examination of Metallic Castings, Test Method for, **E1030 (03.03)**
Radiographic Examination of Weldments, Test Method for, **E1032 (03.03)**

Penetrant inspection
Sa **Discontinuities**
Sa **Nondestructive evaluation (NDE)**
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Fluorescent Penetrant Inspection of Metallic Surgical Implants, Practice for, **F601 (13.01)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Liquid Penetrant Inspection, Reference Photographs for, **E433 (03.03)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Radioscopy, Practice for, **E1255 (03.03)**
Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, Specification for, **A903/A903M (01.02)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**

Penetrating encapsulants
Sa **Encapsulants/encapsulation**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**

Penetrating radiation
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Radiographic Examination, Practice for, **E1742/E1742M (03.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Radiological Examination Using Digital Detector Arrays, Practice for, **E2698 (03.03)**

Penetrating sealers
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**

Penetration
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure, Test Method for, **E2707 (04.07)**
Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, Test Method for, **F2299/F2299M (11.03)**
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Needle Penetration of Petroleum Waxes, Test Method for, **D1321 (05.01)**
Penetration Index of Asbestos, Test Method for, **C1125 (04.05)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Protrusion Puncture Resistance of Stretch Wrap Film, Test Method for, **D5748 (15.10)**
Rate of Grease Penetration of Flexible Barrier Materials (Rapid Method), Test Method for, **F119 (15.10)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**

Penetration—adhesives
Water Penetration Rate of Pressure-Sensitive Tapes, Test Method for, **D3816/D3816M (15.10)**

Penetration—bituminous materials
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Penetration of Bituminous Materials, Test Method for, **D5/D5M (04.03)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Residue of Specified Penetration, Test Method for, **D243 (04.03)**

Penetration—building materials/applications
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**

Penetration—cement/concrete
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Penetration Resistance of Hardened Concrete, Test Method for, **C803/C803M (04.02)**
Penetration-Graded Asphalt Cement for Use in Pavement Construction, Specification for, **D946/D946M (04.03)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Rapid Assessment of Static Segregation Resistance of Self-Consolidating Concrete Using Penetration Test, Test Method for, **C1712 (04.02)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Time of Setting of Concrete Mixtures by Penetration Resistance, Test Method for, **C403/C403M (04.02)**

Penetration—cone
See **Cone penetration**

Penetration—geotextiles
Mechanical Attachment of Geomembrane to Penetrations or Structures, Guide for, **D6497 (04.13)**

Penetration—leather
Dynamic Water Resistance of Shoe Upper Leather by the Dow Corning Leather Tester, Test Method for, **D2098 (15.04)**
Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, Test Method for, **D2099 (15.04)**

Penetration—nuclear materials
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**

Penetration—paint film
Porosity of Paint Film by Mineral Oil Absorption, Test Method for, **D6583 (06.02)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**

Penetration—petroleum productsapplications
Cone Penetration of Lubricating Grease, Test Methods for, **D217 (05.01)**
Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment, Test Methods for, **D1403 (05.01)**
Cone Penetration of Petrolatum, Test Method for, **D937 (05.01)**
Roll Stability of Lubricating Grease, Test Method for, **D1831 (05.01)**
Yield Stress of Heterogeneous Propellants by Cone Penetration Method, Test Method for, **D2884 (05.01)**

Penetration—pipeline coatings
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**

Penetration—protective clothing
Documenting the Results of Airborne Particle Penetration Testing of Protective Clothing Materials, Guide for, **F2053 (11.03)**
Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, Test Method for, **F2130 (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique, Test Method for, **F1819 (11.03)**
Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity), Test Method for, **F1862/F1862M (11.03)**

Penetration—rubber materials/applications
Energy Absorbed by a Tire When Deformed by Slow-Moving Plunger, Test Method for, **F414 (09.02)**
Rubber Property—Durometer Hardness, Test Method for, **D2240 (09.01)**

Penetration—soil
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Estimating Peat Deposit Thickness, Practice for, **D4544 (04.08)**
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**

Penetration—sports equipment
Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear, Test Methods for, **F1446 (15.07)**
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**

Penetration—wood materials/applications
Evaluating Clear Water Repellent Coatings on Wood, Test Method for, **D5401 (06.02)**

Penetration resistance
Determining the Normalized Penetration Resistance of Sands for Evaluation of Liquefaction Potential, Practice for, **D6066 (04.09)**
Estimating Peat Deposit Thickness, Practice for, **D4544 (04.08)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, Test Method for, **F1671/F1671M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood, Test Method for, **F1670/F1670M (11.03)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Standard Penetration Test (SPT) and Split-Barrel Sampling of Soils, Test Method for, **D1586 (04.08)**

Penetration testing
Penetration Testing of Needles Used in Surgical Sutures, Test Method for, **F3014 (13.02)**

Penetrator blade
Stiffness of Fabric by Blade/Slot Procedure, Test Method for, **D6828 (07.02)**

Penetrometer testing
Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment, Test Methods for, **D1403 (05.01)**
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Energy Measurement for Dynamic Penetrometers, Test Method for, **D4633 (04.08)**

Penmanship
Examination of Questioned Documents, Terminology Relating to, **E2195 (14.02)**

Penrose surgical drainage tubes
Sa **Rubber medical/surgical applications**
Rubber Surgical Drainage Tubes, Penrose-Type, Specification for, **D3579 (09.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pensky-Martens closed cup tester
Sa **Flash point**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
Pentachlorophenol
See **Wood preservatives**
Pentafluoroethane (C_2HF_5)
Handling, Transportation, and Storage of HFC Blend B (CH2FCF 3, CHF2 CF3, and CO2), Practice for, **D7326 (15.05)**
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
HFC-125 (Pentafluoroethane, C_2HF_5), Specification for, **D6231 (15.05)**
Pentane
Dependentanization of Gasoline and Naphthas, Test Method for, **D2001 (05.01)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Pentane content
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**
Pentane-insolubles content
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Insolubles in Used Lubricating Oils, Test Method for, **D893 (05.01)**
Pentane Insolubles by Membrane Filtration, Test Method for, **D4055 (05.02)**
Pentane microextraction
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Pepper heat
Sensory Evaluation of Low Heat Chilies, Test Method for, **E1395 (15.08)**
Sensory Evaluation of Oleoresin Capsicum, Test Method for, **E1396 (15.08)**
Pepperhoff method
Microetching Metals and Alloys, Practice for, **E407 (03.01)**
Peptizing power
Determination of the Maximum Flocculation Ratio and Peptizing Power in Residual and Heavy Fuel Oils (Optical Detection Method), Test Method for, **D7060 (05.04)**
Perborates/percarbonates
Active Oxygen in Bleaching Compounds, Test Method for, **D2180 (15.04)**
Perceivable differences
Directional Difference Test, Test Method for, **E2164 (15.08)**
Perceived olfactory intensity
Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, Guide for, **E1593 (15.08)**
Percent bacterial reduction
Assessment of Antimicrobial Activity Using a Time-Kill Procedure, Guide for, **E2315 (11.05)**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Percent bending
Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, Test Method for, **C1273 (15.01)**
Percent dilutability
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**
Percent dispersability
Percent Dispersibility, Test Method for, **E1945 (11.05)**
Percent elongation
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Percent epoxide
Epoxy Content of Epoxy Resins, Test Method for, **D1652 (06.03)**
Percent hydroxyl
Determination of Percent Hydroxyl on Cellulose Esters by Potentiometric Titration—Alternative Method, Test Method for, **D5897 (06.03)**
Percent nitrogen
Polyurethane Raw Materials: Determination of Basicity in Polyols, Expressed as Percent Nitrogen, Test Method for, **D6979 (08.03)**
Percent of let-off
Determination of Percent of Let-Off for Archery Bows, Test Method for the, **F1880 (15.07)**
Percent recovery
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Percent sodium oxide (Na_2O)
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Percent suspensibility
Percent Suspensibility, Test Method for, **E1673 (11.05)**
Percent volatiles
Determining Silicone Volatiles in Silicone Rubber for Transportation Applications, Practice for, **F2466 (09.02)**
Percent volume nonvolatile matter
Percent Volume Nonvolatile Matter in Clear or Pigmented Coatings Using a Helium Gas Pycnometer, Test Method for, **D6093 (06.01)**
Perched ground-water samplers
Sa **Ground-water monitoring/sampling**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Perchloric acid
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Perchloric acid catalyzed method
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Perchloric acid oxidation
Chromic Oxide in Ashed Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6714 (15.04)**
Chromic Oxide in Leather (Perchloric Acid Oxidation), Test Method for, **D2807 (15.04)**
Determination of Chromic Oxide in Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6656 (15.04)**
Perchloroethylene
Sa **Chemicals**
Detecting Residual Odor of Drycleaning Grade, Test Method for, **D4494 (15.05)**
Drycleaning-Grade Perchloroethylene, Specification for, **D4081 (15.05)**
Reclaimed Perchloroethylene, Specification for, **D5396 (15.05)**
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**
Vapor-Degreasing Grade Perchloroethylene, Specification for, **D4376 (15.05)**
Percolation
Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, Test Method for, **E2242 (03.05)**
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Percussion-hammer drilling method
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Percutaneous toxicity
See **Toxicity/toxicology**
Perennial ryegrass
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**
Perfect gas law
Estimation of Solubility of Gases in Petroleum Liquids, Test Method for, **D2779 (05.01)**
Perfluorinated aliphatic ethers (PFAE)
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Perfluoro(alkoxyalkane)(PFA) copolymer
See **PFA (perfluoro(alkoxyalkane)) copolymer**
Perfluoro(ethylene-propylene)(FEP) copolymer
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Perfluoro(ethylene-propylene)(FEP) copolymer—specifications
FEP-Fluorocarbon Molding and Extrusion Materials, Specification for, **D2116 (08.01)**
FEP-Fluorocarbon Sheet and Film, Specification for, **D3368 (08.02)**
FEP-Fluorocarbon Tube, Specification for, **D3296 (08.02)**
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**
Perfluorolpolyethers (PFPE)
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Instrument and Precision Bearing Lubricants—Part 2 Greases, Guide for, **F2489 (01.08)**
Perforated clay
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Perforated concrete pipe—specifications
Perforated Concrete Pipe, Specification for, **C444 (04.05)**
Perforated Concrete Pipe (Metric), Specification for, **C444M (04.05)**
Perforated fibrous glass cloth facing
Sound-Absorbing Board, Fibrous Glass, Perforated Fibrous Glass Cloth Faced, Specification for, **F2154 (01.07)**
Perforated plate/screens (for particle size analysis)
See **Particle analysis**
See **Plate and screens (industrial perforated)**
Perforations
Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D226/D226M (04.04)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Performance
Comparing Metal Removal Fluids Using the Tapping Torque Test Machine, Test Method for, **D5619 (05.02)**
Design and Performance of Light Sport Gyroplane Aircraft, Specification for, **F2352 (15.11)**
Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, Test Method for, **D6646 (15.01)**
Determining the Field Performance of Commercial Kitchen Demand Control Ventilation Systems, Practice for, **F2976 (15.12)**
Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, Test Method for, **F2522 (10.03)**
Impregnated Activated Carbon Used to Remove Gaseous Radioiodines from Gas Streams, Specification for, **D4069 (15.01)**
Measuring the Field Performance of Commercial Kitchen Ventilation Systems, Test Method for, **F2975 (15.12)**
Performance of Staff-Serve Hot Deli Cases, Test Method for, **F2472 (15.12)**
Performance of Water-Bath Rethermalizers, Test Method for, **F2473 (15.12)**
Performance Requirements for Soft Toe Protective Footwear (Non-Safety / Non-Protective Toe), Specification for, **F2892 (15.07)**
Reporting Photovoltaic Non-Concentrator System Performance, Test Method for, **E2848 (12.02)**
Selection of Spacecraft Materials, Practice for the, **E1997 (15.03)**
Specification and Quality Assurance for the Electrical Contact Performance of Crimped Wire Terminations, Guide for, **B942 (02.04)**
Using Aerosol Filtration for Measuring the Performance of Porous Packaging Materials as a Surrogate Microbial Barrier, Test Method for, **F2638 (15.10)**
Verifying Performance of a Vertical Inclinometer Probe, Practice for, **D7299 (04.09)**
Performance—acoustical systems
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Performance—adhesives
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Performance—air analysis instrumentation
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Determining the Performance of a Cup Anemometer or Propeller Anemometer, Test Method for, **D5096 (11.07)**
Evaluating the Performance of Diffusive Samplers, Practice for, **D6246 (11.07)**
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**
Statistical Evaluation of Atmospheric Dispersion Model Performance, Guide for, **D6589 (11.07)**
Performance—aircraft materials/applications
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Performance—building materials/applications
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Building Constructions, Terminology of, **E631 (04.11)**
Conducting Inspections of Building Facades for Unsafe Conditions, Guide for, **E2841 (04.12)**
Cost Estimate Classification System, Classification for, **E2516 (04.12)**
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**
Determining Bending Yield Moment of Nails, Test Method for, **F1575 (01.08)**
Establishing Performance Ratings for Wood-Plastic Composite

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Deck Boards and Guardrail Systems (Guards or Handrails), Specification for, **D7032 (04.10)**
Evaluating Ceramic Floor Tile Installation Systems Using the Robinson-Type Floor Tester, Test Method for, **C627 (15.02)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Evaluating System Effects in Repetitive-Member Wood Assemblies, Guide for, **D6555 (04.10)**
Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS), Test Method for, **E2134/E2134M (04.12)**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components, Practice for, **E699 (14.02)**
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
Facility Management (Building-Related), Terminology of, **E1480 (04.11)**
Guides for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings, Terminology of, **E2151 (04.12)**
Measurement of Particulate Emissions and Heating Efficiency of Solid Fuel-Fired Hydronic Heating Appliances, Test Method for, **E2618 (04.12)**
Measuring Expansion of Intumescent Materials Used in Firestop and Joint Systems, Test Methods for, **E2786 (04.12)**
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Performance of Glazing in Permanent Railing Systems, Guards, and Balustrades, Test Methods for, **E2353 (04.12)**
Performance of Permanent Metal Railing Systems and Rails for Buildings, Test Methods for, **E935 (04.11)**
Performance Testing of Excess Flow Valves, Test Method for, **F1802 (08.04)**
Selection and Use of Stone Consolidants, Guide for, **E2167 (04.12)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Manageability, Classification for, **E1701 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Serviceability of an Office Facility for Structure and Building Envelope, Classification for, **E1700 (04.11)**
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Durability, Guide for, **E2136 (04.12)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Indoor Air Quality, Guide for, **E2267 (04.12)**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Sustainability Relative to the Performance of Buildings, Terminology for, **E2114 (04.12)**
Testing Bond Performance of Bonded Anchors, Test Methods for, **E1512 (04.11)**
Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Methods for, **E605 (04.11)**
Water Penetration of Exterior Windows, Skylights, and Doors by Rapid Pulsed Air Pressure Difference, Test Method for, **E2268 (04.12)**

Performance—building materials/applications (specifications)
Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1540 (01.02)**
Hydraulic Cement, Performance Specification for, **C1157/C1157M (04.01)**
Insulating Glass Unit Performance and Evaluation, Specification for, **E2190 (04.12)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**
Linoleum Floor Tile, Specification for, **F2195 (15.04)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1797 (04.11)**
Room Heaters, Pellet Fuel-Burning Type, Specification for, **E1509 (04.11)**
Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1277 (01.02)**
Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and Fittings, Specification for, **C1541 (01.02)**

Performance—chromatography equipment
Sa **Gas chromatography (GC)**
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**

Performance—cleaning compounds
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**

Performance—consumer products
Bassinets and Cradles, Consumer Safety Specification for, **F2194 (15.11)**
Child's Plastic Chairs for Outdoor Use, Performance Requirements for, **F1838 (15.11)**
Descriptive Analysis of Shampoo Performance, Guide for, **E2082 (15.08)**
Design and Performance Requirements for Powered Parachute Aircraft, Specification for, **F2244 (15.11)**
Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear, Test Methods for, **F1446 (15.07)**
Evaluating Design and Performance Characteristics of Motorized Treadmills, Test Methods for, **F2106 (15.07)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Infant Bath Seats, Consumer Safety Specification for, **F1967 (15.11)**
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insulated and Insulating Hand Tools, Specification for, **F1505 (10.03)**
Motorized Treadmills, Specification for, **F2115 (15.07)**
Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, Performance Requirements for, **F1858 (15.11)**
Performance of Booster Heaters, Test Method for, **F2022 (15.12)**
Plastic Chairs for Outdoor Use, Performance Requirements for, **F1561 (15.11)**
Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use, Performance Requirements for, **F1988 (15.11)**
Portable and Permanent Emergency Escape Ladders for Residential Use, Specification for, **F2175 (15.11)**
Portable Gasoline Containers for Consumer Use, Specification for, **F852 (15.11)**
Residential Pool Alarms, Safety Specification for, **F2208 (15.11)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Soft Contained Play Equipment, Safety Performance Specification for, **F1918 (15.11)**
Treestand Manufacturer Quality Assurance Program, Practice for, **F2275 (15.07)**

Performance—containers/packaging/shipping
Determination of Leaks in Flexible Packaging by Bubble Emission, Test Method for, **D3078 (15.10)**
Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, Practice for, **D5168 (15.10)**
Miscibility of Emulsified Asphalts, Practice for, **D6999 (04.03)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Performance Testing of Shipping Containers and Systems, Practice for, **D4169 (15.10)**
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, Practice for, **D5639/D5639M (15.10)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**

Performance—cooking equipment
See **Cooking energy efficiency (CEE)**

Performance—copy materials
Comparing Correctable Film Ribbons, Practice for, **F1454 (15.09)**
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Estimating the Performance of a Fuser Oil in an Electrostatic Copier or Printer, Practice for, **F1434 (15.09)**
Estimating Toner and Dispersant Usage in Copiers Utilizing Liquid Developers, Practice for, **F1042 (15.09)**
Evaluating Thermal Paper Employing a Facsimile Thermal Printer as a Test Instrument, Test Method for, **F1320 (15.09)**
Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, Practice for, **F1442 (15.09)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**

Performance—detergent materials/applications
Deposition on Glassware During Mechanical Dishwashing, Test Method for, **D3556 (15.04)**
Evaluating Stain Removal Performance in Home Laundering, Guide for, **D4265 (15.04)**
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**

Performance—drainage materials/applications
Testing Vertical Strip Drains in the Crimped Condition, Test Method for, **D6918 (04.13)**

Performance—electrical/electronic systems/applications
Contact Performance Classification of Electrical Connection Systems, Practice for, **B868 (02.04)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Evaluating Connectability Characteristics of Electrical Conductor Materials, Test Methods for, **B896 (02.04)**
Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, Specification for, **F2071 (01.07)**

Performance—electrical insulation
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Performance—emergency medical services (EMS)
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Performance of a Water Rescuer–Level II, Guide for, **F1824 (13.02)**
Performance of a Water Rescuer-Level I, Guide for, **F1739 (13.02)**
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**
Scope of Performance of First Responders Who Provide Emergency Medical Care, Guide for, **F1287 (13.02)**
Scope of Performance of Triage in a Prehospital Environment, Guide for, **F1653 (13.02)**
Training and Evaluation of Individuals Who are Responsible for or Perform Triage in a Prehospital Environment, Guide for, **F1654 (13.02)**

Performance—environmental materials/applications
Collecting Performance Data on Temporary Storage Devices, Guide for, **F1599 (11.05)**
Collecting Skimmer Performance Data in Controlled Environments, Guide for, **F631 (11.05)**
Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, Test Method for, **E1428 (11.05)**
Preservatives in Water-Containing Cosmetics, Test Method for, **E640 (11.05)**
Selection and Use of Stone Consolidants, Guide for, **E2167 (04.12)**

Performance—filters
See **Filtration performance**

Performance—food service equipment
See **Cooking/food service equipment—specifications**

Performance—geosynthetics
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determining the Internal and Interface Shear Strength of Geosynthetic Clay Liner by the Direct Shear Method, Test Method for, **D6243/D6243M (04.13)**
Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, Test Method for, **D5321/D5321M (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring Geosynthetic Pullout Resistance in Soil, Test Method for, **D6706 (04.13)**
Measuring the Filtration Compatibility of Soil-Geotextile Systems, Test Method for, **D5101 (04.13)**
Tensile Strength of Geosynthetic Clay Liners, Test Method for, **D6768 (04.13)**

Performance—glass materials/applications
Insulating Glass Unit Performance, Test Method for, **E2188 (04.12)**
Performance of Glazing in Permanent Railing Systems, Guards, and Balustrades, Test Methods for, **E2353 (04.12)**

Performance—laboratories
Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, Practice for, **E1601 (03.05)**

Performance—laboratory instrumentation/process
Applying Statistical Quality Assurance and Control Charting Techniques to Evaluate Analytical Measurement System Performance, Practice for, **D6299 (05.03)**
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**
Evaluation of Single-Pan Mechanical Balances, Practice for the, **E319 (14.04)**
Force Calibration of Thermomechanical Analyzers, Test Method for, **E2206 (14.02)**
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Gravity-Convection and Forced-Ventilation Ovens, Specification for, **E145 (14.04)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Mass Scale Calibration of Thermogravimetric Analyzers, Test Method for, **E2040 (14.02)**
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, Specification for, **E667 (13.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
Performance Validation in Thermal Analysis, Terminology Relating to, **E2161 (14.02)**
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Radioscopy, Practice for, **E1255 (03.03)**
Radioscopy, Guide for, **E1000 (03.03)**
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Testing Electrolytic Conductivity Detectors (ELCD) Used in Gas Chromatography, Practice for, **E1698 (03.06)**

Performance—marine (shipboard) materials/applications
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Evaluating Biofouling Resistance and Physical Performance of Marine Coating Systems, Practice for, **D6990 (06.02)**
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Transition and Performance of Marine Software Systems Maintenance, Guide for, **F1716 (01.07)**

Performance—medical materials/applications
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**
Defining the Performance of First Aid Providers in Occupational Settings, Guide for, **F2171 (13.02)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**
Performance of an Ice Rescuer—Level II, Guide for, **F1783 (13.02)**
Performance of Prehospital Automated Defibrillation, Practice for, **F1255 (13.02)**
Selection of Blood for in vitro Evaluation of Blood Pumps, Practice for, **F1830 (13.01)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**

Performance—medical materials/applications (specifications)
General Workmanship and Performance Measurements of Hemostatic Forceps, Specification for, **F1026 (13.01)**

Performance—metals/alloys materials/applications
Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, Practice for, **E1601 (03.05)**
Conducting Proficiency Tests in the Chemical Analysis of Metals, Ores, and Related Materials, Practice for, **E2027 (03.05)**
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Electrical Resistivity of Soft Magnetic Alloys, Test Method for, **A712 (03.04)**
Fastener Sampling for Specified Mechanical Properties and Performance Inspection, Practice for, **F1470 (01.08)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Metal Powder Skeletal Density by Helium or Nitrogen Pycnometry, Test Method for, **B923 (02.05)**
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**
Solderability of Metallic-Coated Products, Test Method for, **B678 (02.05)**
Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, Guide for, **E1653 (03.06)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**

Performance—nuclear materials/applications
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, Guide for, **D5163 (06.02)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, Guide for, **C1169 (12.01)**
Nuclear-Grade, Sinterable Uranium Dioxide Powder, Specification for, **C753 (12.01)**

Performance—oil spill control materials/systems
Collecting Containment Boom Performance Data in Controlled Environments, Guide for, **F2084/F2084M (11.05)**
Qualitative Observations of Skimmer Performance, Guide for, **F2008 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**

Performance—packaging materials
Evaluation of Mechanical Handling of Unitized Loads Secured with Stretch Wrap Films, Test Method for, **D5331 (15.10)**
Instrumented Package Shock Testing For Determination of Package Performance, Practice for, **D6537 (15.10)**
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**
Performance Testing of Packages for Single Parcel Delivery Systems, Practice for, **D7386 (15.10)**

Performance—paints/coatings/related applications
Artists' Colored Pencils, Specification for, **D6901 (06.02)**
Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, Guide for, **D5163 (06.02)**
Performance Testing of Process Analyzers for Aromatic Hydrocarbon Materials, Practice for, **D6621 (06.04)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**

Performance—paving materials/applications
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Performance Graded Asphalt Binder, Specification for, **D6373 (04.03)**

Performance—petroleum products/applications
Sa **Instrumental measurement—petroleum products**
Applying Statistical Quality Assurance and Control Charting Techniques to Evaluate Analytical Measurement System Performance, Practice for, **D6299 (05.03)**
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**
Cummins M11 EGR Test, Test Method for, **D6975 (05.04)**
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Defining the Viscosity Characteristics of Hydraulic Fluids, Practice for, **D6080 (05.02)**
Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, Test Method for, **D6890 (05.05)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), Test Methods for, **D6750 (05.03)**
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**
Hydrogen In Petroleum Fractions, Test Method for, **D1018 (05.01)**
Life of Lubricating Greases in Ball Bearings at Elevated Temperatures, Test Method for, **D3336 (05.01)**
Life Performance of Automotive Wheel Bearing Grease, Test Method for, **D3527 (05.01)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Performance Evaluation of Hydraulic Fluids for Piston Pumps, Guide for, **D6813 (05.03)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**
Portable Gasoline Containers for Consumer Use, Specification for, **F852 (15.11)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**

Performance—photovoltaic devices/applications
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**

Performance—plastics
Determination of Antioxidants and Erucamide Slip Additives in Polyethylene Using Liquid Chromatography (LC), Test Method for, **D6953 (08.03)**
Excess Flow Valves for Natural Gas Service, Specification for, **F2138 (08.04)**
Flatwise Flexural Impact Resistance of Rigid Plastics, Test Method for, **D6395 (08.03)**

Performance—polishes
Evaluation of Automotive Polish, Practice for, **D3836 (15.04)**
Evaluation of Buffable Shoe Polish, Practice for, **D4002 (15.04)**
Evaluation of Fiberglass Boat Polish and Wax, Practice for, **D4330 (15.04)**
Evaluation of Furniture Polish, Practice for, **D3751/D3751M (15.04)**
Field Evaluation of Automotive Polish, Practice for, **D4955 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**

Performance—protective clothing/materials applications
Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear, Test Methods for, **F1446 (15.07)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Foot Protection for Chain Saw Users, Specification for, **F1818 (11.03)**
Labeling Protective Clothing as Heat and Flame Resistant, Performance Specification for, **F2302 (11.03)**
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**
Measurement of Cut Resistance to Chain Saw of Foot Protective Devices, Test Method for, **F1458 (11.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Radiant Heat Resistance of Flame Resistant Clothing Materials with Continuous Heating, Test Method for, **F1939 (11.03)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Performance—roofing materials
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Low Slope Insulated Roof Membrane Assembly Performance, Guide for, **D6630 (04.04)**
Performance—rubber materials/applications
Evaluating Tire Traction Performance Data Under Varying Test Conditions, Practice for, **F1650 (09.02)**
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Rubber—Calculation of Producer's Process Performance Indexes, Practice for, **D5406 (09.01)**
Tire Performance Testing on Snow and Ice Surfaces, Test Methods for, **F1572 (09.02)**
Performance—security materials/applications
Classifying the Relative Performance of the Physical Properties of Security Seals, Practice for, **F1157 (15.08)**
Detention Locks for Swinging Doors, Test Methods for, **F1577 (15.08)**
Detention Sliding Door Locking Device Assembly, Test Methods for, **F1643 (15.08)**
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**
Inspection and Evaluation of Tampering of Security Seals, Guide for, **F1158 (15.08)**
Performance Evaluation of In-Plant Walk-Through Metal Detectors, Practice for, **C1309 (12.01)**
Performance of Hasps and Other Attachment Devices for Padlocks or Seals, Specification for, **F2155 (15.08)**
Privacy Padlocks, Performance Specification for, **F2348 (15.08)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**
Performance—spectrochemical equipment
Sa **Spectrometry**
Sa **Spectroscopy**
Describing and Measuring Performance of Fourier Transform Mid-Infrared (FT-MIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1421 (03.06)**
Describing and Measuring Performance of Laboratory Fourier Transform Near-Infrared (FT-NIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1944 (03.06)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Describing and Specifying Inductively-Coupled Plasma Atomic Emission Spectrometers, Practice for, **E1479 (03.05)**
Establishing Spectrophotometer Performance Tests, Guide for, **E1866 (03.06)**
Evaluating Performance of On-Site Extraction and Field-Portable Electrochemical or Spectrophotometric Analysis for Lead, Guide for, **E1775 (04.11)**
Literature Describing Properties of Electrostatic Electron Spectrometers, Guide for, **E1016 (03.06)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**
Performance Evaluation of the Portable X-Ray Fluorescence Spectrometer for the Measurement of Lead in Paint Films, Practice for, **E2120 (04.12)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Testing the Performance of Scanning Raman Spectrometers, Practice for, **E1683 (03.06)**
Performance—sports equipment
Sa **Sports equipment**
Evaluating Design and Performance Characteristics of Selectorized Strength Equipment, Test Methods for, **F2277 (15.07)**
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Soccer Goals, Safety and Performance Specification for, **F2056 (15.11)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Performance—surgical materials/applications
Characterization and Presentation of the Dimensional Attributes of Vascular Stents, Guide for, **F2081 (13.01)**
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**
Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, Guide for, **F1439 (13.01)**
Performance—surgical materials/applications (specifications)
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**
Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**
Cranial Traction Tongs and Halo External Spinal Immobilization Devices, Specification for, **F1831 (13.01)**
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**
Performance of Materials Used in Medical Face Masks, Specification for, **F2100 (11.03)**
Ureteral Stents, Specification for, **F1828 (13.01)**
Performance—textiles
Determining Physical Properties of Fabrics, Yarns, and Sewing Thread Used in Inflatable Restraints, Practice for, **D5446 (07.02)**
Determining the Arc Rating of Materials for Clothing, Test Method for, **F1959/F1959M (10.03)**
Evaluating Color Transfer or Color Loss of Dyed Fabrics in Laundering (Not Suitable for Detergent or Washing Machine Rankings), Guide for, **D5548 (15.04)**
Evaluating the Performance of Inflatable Restraint Modules, Practice for, **D5428 (07.02)**
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Fabric Defects, Terminology Relating to, **D3990 (07.01)**
Formatting Cutting Data to Drive Numerically Controlled Fabric Cutting Machines, Practice for, **D6672 (07.02)**
Proficiency Test Program for Fabrics, Guide for, **D6674 (07.02)**
Sewn Products Pattern Data Interchange—Data Format, Practice for, **D6673 (07.02)**
Snagging Resistance of Fabrics (Bean Bag), Test Method for, **D5362 (07.02)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Stretch Properties of Knitted Fabrics Having Low Power, Test Method for, **D2594 (07.01)**
Tearing Strength of Fabrics by Trapezoid Procedure, Test Method for, **D5587 (07.02)**
Width of Textile Fabric, Test Method for, **D3774 (07.01)**
Woven and Knitted Shower Curtains for Institutional and Household Use, Performance Specification for, **D5378 (07.02)**
Woven High Stretch Fabrics Used in Apparel, Specification for, **D7507 (07.02)**
Performance—themal materials/applications
See **Thermal performance**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Performance—vacuum cleaners
Access Depth Under Furniture of Vacuum Cleaners, Test Method for, **F420 (15.08)**
Air Performance Measurement Plenum Chamber for Vacuum Cleaners, Specification for, **F431 (15.08)**
Life Evaluation of a Turbine-Powered Nozzle for Household Central Vacuum Cleaning Systems, Test Method for, **F1692 (15.08)**
Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems, Test Method for, **F820 (15.08)**
Measuring Air Performance Characteristics of Vacuum Cleaner Motor/Fan Systems, Test Method for, **F2105 (15.08)**
Measuring Air Performance Characteristics of Vacuum Cleaners, Test Method for, **F558 (15.08)**
Motor Life Evaluation of a Built-In (Central Vacuum) Vacuum Cleaner, Test Method for, **F884 (15.08)**
Performance—water analysis equipment
Column Capacity of Particulate Mixed Bed IonExchange Materials, Test Method for, **D3375 (11.02)**
Determining the Performance of Oil/Water Separators Subjected to a Sudden Release, Practice for, **D6157 (11.02)**
Determining the Performance of Oil/Water Separators Subjected to Surface Run-Off, Practice for, **D6104 (11.02)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Operating Characteristics of Home Reverse Osmosis Devices, Test Method for, **D5615 (11.02)**
Operating Performance of Anion-Exchange Materials for Strong Acid Removal, Test Method for, **D3087 (11.02)**
Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, Test Method for, **D6529 (11.02)**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**
Operating Performance of Particulate Cation-Exchange Materials, Test Methods for, **D1782 (11.02)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Performance assessment
Performance Attributes of Waterproofing Membranes Applied to Below-Grade Walls / Vertical Surfaces (Enclosing Interior Spaces), Guide for, **D7832/D7832M (04.04)**
Professional Certification Performance Testing, Practice for, **E2849 (14.02)**
Performance grade (PG)
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Performance—textiles (specifications)
100 % Cotton Denim Fabrics, Specification for, **D6554/D6554M (07.02)**
Blanket Products for Institutional and Household Use, Performance Specification for, **D5432 (07.02)**
Knitted Upholstery Fabrics for Indoor Furniture, Performance Specification for, **D4771/D4771M (07.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, Specification for, **D6663 (07.02)**
Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**
Woven and Warp Knitted Comforter Fabrics, Specification for, **D4769 (07.02)**
Woven Awning and Canopy Fabrics, Performance Specification for, **D4847 (07.02)**
Woven Drycleanable Coat Fabrics, Performance Specification for, **D3562 (07.01)**
Performance testing
Acceptance by Performance Testing for Sieves, Test Method for, **E2427 (14.02)**
Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, Test Method for, **F2522 (10.03)**
Evaluating Design and Performance Characteristics of Elliptical Trainers, Test Methods for, **F2811 (15.07)**
Evaluating the Performance of Systems that Measure Static, Six Degrees of Freedom (6DOF), Pose, Test Method for, **E2919 (10.04)**
Measuring Geosynthetic-Soil Resilient Interface Shear Stiffness, Test Method for, **D7499/D7499M (04.13)**
Performance of Commercial Patio Heaters, Test Method for, **F2644 (15.12)**
Performance Requirements for Protective (Safety) Toe Cap Footwear, Specification for, **F2413 (15.07)**
Professional Certification Performance Testing, Practice for, **E2849 (14.02)**
Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2641 (15.11)**
Performance verification
Acoustic Emission System Performance Verification, Guide for, **E2374 (03.03)**
Environmental and Performance Verification of Factory-Applied Liquid Coatings, Guide for, **D7270 (06.02)**
Verifying Performance of a Vertical Inclinometer Probe, Practice for, **D7299 (04.09)**
Perfumes
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Periclase
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**
Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, Test Method for, **C1356 (04.01)**
Periclse grain
Hydration of Dead Burned Magnesite or Periclase Grain, Test Method for, **C544 (15.01)**
Perimeter deflection
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Perimeter fire barrier system
Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus, Test Method for, **E2307 (04.07)**
On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barriers, Practice for, **E2393 (04.12)**
Periodic building inspection
Periodic Inspection of Building Facades for Unsafe Conditions, Practice for, **E2270 (04.12)**
Peripheral fields of vision/scotomas
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**
Peristatic pumps
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**
Sampling of Liquids in Waste Management Activities Using a Peristaltic Pump, Practice for, **D7353 (11.04)**
Perk
Reclaimed Perchloroethylene, Specification for, **D5396 (15.05)**
Perlite
Inorganic Aggregates for Use in Gypsum Plaster, Specification for, **C35 (04.01)**
Perlite thermal insulation—specifications
Sa **Loose-fill thermal insulation**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Molded Expanded Perlite Block and Pipe Thermal Insulation, Specification for, **C610 (04.06)**
Perlite Loose Fill Insulation, Specification for, **C549 (04.06)**
Perlite Thermal Insulation Board, Specification for, **C728 (04.06)**

Permability—air
Oxygen Headspace Analysis of Packages Using Fluorescent Decay, Test Method for, **F2714 (15.10)**

Permafrost
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Laboratory Determination of Strength Properties of Frozen Soil at a Constant Rate of Strain, Test Method for, **D7300 (04.09)**

Permanence
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**

Permanent amusement railway ride tracks
Permanent Amusement Railway Ride Tracks and Related Devices, Practice for, **F2960 (15.07)**

Permanent care labels
Care Symbols for Care Instructions on Textile Products, Guide for, **D5489 (07.02)**

Permanent deformation
Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**

Permanent mold castings—aluminum alloy
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Heat Treatment of Aluminum-Alloy Castings from All Processes, Practice for, **B917/B917M (02.02)**

Permanent mold castings—copper alloys
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, Practice for, **B208 (02.01)**

Permanent mold castings—magnesium alloy
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**

Permanent mold castings—specifications
Statically Cast Permanent Mold Gray Iron Castings, Specification for, **A823 (01.02)**
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**

Permanent mold castings—zinc alloy
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**

Permanent-rolled erosion control materials/applications
Measuring Nominal Thickness of Rolled Erosion Control Products, Test Method for, **D6525 (04.13)**

Permanent shear stability index
Calculation of Permanent Shear Stability Index, Practice for, **D6022 (05.02)**

Permanganate process
Determination of Chromium Oxide in Chrome Ores by Permanganate Titrimetry, Test Method for, **E342 (03.05)**
Estimating the Permanganate Natural Oxidant Demand of Soil and Aquifer Solids, Test Method for, **D7262 (04.09)**

Permanganate time
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Estimating the Permanganate Natural Oxidant Demand of Soil and Aquifer Solids, Test Method for, **D7262 (04.09)**
Permanganate Time of Acetone and Methanol, Test Method for, **D1363 (06.04)**

Permeability
Sa **Electrical resistance/resistivity**
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**
Determining Dynamic Air Permeability of Inflatable Restraint Fabrics, Test Method for, **D6476 (07.02)**
Determining Flow Rate of Water and Suspended Solids Retention from a Closed Geosynthetic Bag, Test Method for, **D7880/D7880M (04.13)**
Determining the Mean Darcy Permeability Coefficient for a Porous Tissue Scaffold, Guide for, **F2952 (13.02)**
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**
Effective Porosity and Effective Air Voids of Compacted Bituminous Paving Mixture Samples, Test Method for, **D7063/D7063M (04.03)**
Fabrics and Fabric Test Methods, Terminology Relating to, **D4850 (07.02)**
Foaming Characteristics of Lubricating Oils, Test Method for, **D892 (05.01)**
Measuring Power Frequency Magnetic Properties of Flat-Rolled Electrical Steels Using Small Single Sheet Testers, Guide for, **A1036 (03.04)**
Measuring the Saturated Hydraulic Conductivity of Paper Industry Sludges, Guide for, **D7243 (04.09)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Permeability of Leather to Water Vapor, Test Method for, **D5052 (15.04)**
Permeability of Powder Metallurgy (PM) Bearings Using Nitrogen Gas, Test Method for, **B966 (02.05)**
Permeability of Refractories, Test Method for, **C577 (15.01)**
Permeability of Thermoplastic Containers to Packaged Reagents or Proprietary Products, Test Method for, **D2684 (08.01)**
Rubber PropertyVapor Transmission of Volatile Liquids, Test Method for, **D814 (09.01)**
Saturated Water Permeability of Granular Drainage Media Falling-Head Method for Vegetative (Green) Roof Systems, Test Method for, **E2396 (04.04)**
The Transmission of Gases Through Geomembranes, Guide for Determining, **D7407 (04.13)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Use of Test Methods, Practice for, **E2321 (04.12)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Water Penetration Rate of Pressure-Sensitive Tapes, Test Method for, **D3816/D3816M (15.10)**
Water Vapor Transmission of Materials, Test Methods for, **E96/E96M (04.06)**
Water Vapor Transmission of Pressure-Sensitive Tapes, Test Method for, **D3833/D3833M (15.10)**

Permeability—coatings/films
Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Apparatus, Test Method for, **D5795 (06.02)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Permeability—filters
Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, Test Method for, **E128 (14.04)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Permeability—gas
Determination of Oxygen Gas Transmission Rate, Permeability and Permeance at Controlled Relative Humidity Through Barrier Materials Using a Coulometric Detector, Test Method for, **F1927 (15.10)**
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Film Permeability Determination Using Static Permeability Cells, Test Method for, **E2945 (11.05)**
Oxygen Transmission Rate Through Dry Packages Using a Coulometric Sensor, Test Method for, **F1307 (15.10)**
Permeability—geosynthetics
Fluid Loss of Clay Component of Geosynthetic Clay Liners, Test Method for, **D5891 (04.13)**
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Measuring the Filtration Compatibility of Soil-Geotextile Systems, Test Method for, **D5101 (04.13)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**
Permeability—grease
Rate of Grease Penetration of Flexible Barrier Materials (Rapid Method), Test Method for, **F119 (15.10)**
Permeability—magnetic alloys
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Inductor Applications, Specification for, **A1009 (03.04)**
Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), Specification for, **A801 (03.04)**
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**
Permeability—plastic film
Film Permeability Determination Using Static Permeability Cells, Test Method for, **E2945 (11.05)**
Permeability—soil/rock
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
One-Dimensional Expansion, Shrinkage, and Uplift Pressure of Soil-Lime Mixtures, Test Methods for, **D3877 (04.08)**
Permeability of Granular Soils (Constant Head), Test Method for, **D2434 (04.08)**
Permeability of Rocks by Flowing Air, Test Method for, **D4525 (04.08)**
Permeability—water vapor
See **Water vapor permeability**
Permeability (alternating-current)
See **Alternating-current permeability**
Permeability (direct-current)
See **Direct-current permeability**
Permeable unit pavement systems
Surface Infiltration Rate of Permeable Unit Pavement Systems, Test Method for, **C1781/C1781M (04.05)**
Permeable zones
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**
Permeameters
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions, Test Method for, **D6766 (04.13)**
Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, Test Method for, **A977/A977M (03.04)**
Measurement of Hydraulic Conductivity of Porous Material Using a Rigid-Wall, Compaction-Mold Permeameter, Test Method for, **D5856 (04.08)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter, Test Method for, **D5887 (04.13)**
Measuring the Saturated Hydraulic Conductivity of Paper Industry Sludges, Guide for, **D7243 (04.09)**
Permeameters (direct-current)
dc Magnetic Properties of Materials Using Ring and Permeameter Procedures with dc Electronic Hysteresigraphs, Test Method for, **A773/A773M (03.04)**
Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, Test Method for, **A341/A341M (03.04)**
Permeability of Feebly Magnetic Materials, Test Methods for, **A342/A342M (03.04)**
Permeance
Determination of Oxygen Gas Transmission Rate, Permeability and Permeance at Controlled Relative Humidity Through Barrier Materials Using a Coulometric Detector, Test Method for, **F1927 (15.10)**
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**
Permeate flow
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**
Permeation
Chemical Permeation through Protective Clothing Materials: Testing Data Analysis by Use of a Computer Program, Practice for, **F2815 (11.03)**
Documenting the Results of Chemical Permeation Testing of Materials Used in Protective Clothing, Guide for, **F1194 (11.03)**
Evaluation of Hydrogen Uptake, Permeation, and Transport in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Metals by an Electrochemical Technique, Practice for, **G148 (03.02)**
Intercomparing Permeation Tubes to Establish Traceability, Guide for, **D4298 (11.07)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Measuring Water Vapor Transmission Rate (WVTR) of Pharmaceutical Bottles and Blisters, Test Methods for, **D7709 (15.10)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Liquids, Test Method for, **F903 (11.03)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Permeation cup method
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**

Permeation resistance
Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs, Practice for, **D6978 (09.02)**

Permeation tubes
Calibration Techniques Using Permeation Tubes, Practice for, **D3609 (11.07)**
Sulfur Dioxide Content of the Atmosphere (West-Gaeke Method), Test Methods for, **D2914 (11.07)**

Permissible exposure limit
Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, Practice for, **E2625 (11.03)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**

Permissible thickness variation
General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet, and Strip, Specification for, **B906 (02.04)**

Permissible variations
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**

Permittivity (dielectric constant)
Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, Practice for, **D7416 (05.04)**
Complex Dielectric Constant of Nonmetallic Magnetic Materials at Microwave Frequencies, Test Method for, **A893/A893M (03.04)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**

Permittivity (dielectric constant)—electrical insulating materials
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Dissipation Factor (or Power Factor) and Relative Permittivity (Dielectric Constant) of Electrical Insulating Liquids, Test Method for, **D924 (10.03)**
Dissipation Factor and Permittivity (Dielectric Constant) of Mica, Test Method for, **D1082 (10.01)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**
Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors, Specification for, **D748 (10.01)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Permittivity (Dielectric Constant) And Dissipation Factor Of Solid Dielectrics At Frequencies To 10 MHz And Temperatures To 500°C, Test Method for, **D2149 (10.01)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Synthetic Dielectric Fluids For Capacitors, Test Methods for, **D3809 (10.03)**

Permittivity method
Dissipation Factor and Permittivity (Dielectric Constant) of Mica, Test Method for, **D1082 (10.01)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Permittivity of Geotextiles Under Load, Test Method for, **D5493 (04.13)**
Selection of Test Methods for Prefabricated Vertical Drains (PVD), Guide for, **D6917 (04.13)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**

Peroxidase enzyme fluorescence method
Determination of Hydrogen Peroxide and Combined Organic Peroxides in Atmospheric Water Samples by Peroxidase Enzyme Fluorescence Method, Test Method for, **D6363 (11.07)**

Peroxide bomb ignition methods
Chlorine in Organic Compounds by Sodium Peroxide Bomb Ignition, Test Method for, **E256 (15.05)**

Peroxide crosslinking
Crosslinked Polyethylene (PEX) Tubing, Specification for, **F876 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Peroxide cure
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**

Peroxides
Sa **Active oxygen**
Active Oxygen in Bleaching Compounds, Test Method for, **D2180 (15.04)**
Assay of Di-*tert*-Butyl Peroxide Using Gas Chromatography, Test Method for, **E475 (15.05)**
Assay of Organic Peroxides, Test Methods for, **E298 (15.05)**
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**
Determination of Peroxides in Butadiene, Test Method for, **D5799 (05.02)**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Dicumyl Peroxide, Assay (Liquid Chromatography), Test Method for, **E755 (15.05)**
Hydroperoxide Number of Aviation Turbine Fuels, Gasoline and Diesel Fuels, Test Method for, **D3703 (05.01)**
Peroxide Number of Petroleum Wax, Test Method for, **D1832 (05.01)**
Peroxides in Styrene Monomer, Test Method for, **D2340 (06.04)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Total Peroxides in Acrylonitrile, Test Method for, **E1784 (15.05)**
Trace Amounts of Peroxides In Organic Solvents, Test Method for, **E299 (15.05)**

Peroxy esters
Assay of Peroxy Esters--Catalyzed Iodometric Procedure, Test Method for, **E1228 (15.05)**

Perpendicularly-oriented mineral fiber insulation
Perpendicularly Oriented Mineral Fiber Roll and Sheet Thermal Insulation for Pipes and Tanks, Specification for, **C1393 (04.06)**

Persian gulf oxide
See **Iron oxide pigments—red (natural/synthetic)**

Personal assistive mobility devices
Protective Headgear Used in Electric Personal Assistive Mobility Devices, Specification for, **F2416 (15.07)**

Personal care products
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Personal computer printers
Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, Practice for, **F1423 (15.09)**

Personal injury
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**
Reporting Incidents that May Involve Criminal or Civil Litigation, Practice for, **E1020 (14.02)**

Personal lubricants
Determining Compatibility of Personal Lubricants with Natural Rubber Latex Condoms, Test Method for, **D7661 (09.02)**

Personal property
Determining the Life-Cycle Cost of Ownership of Personal Property, Practice for, **E2453 (04.12)**
Sales of Personal Property, Practice for, **E2858 (04.12)**
the Recognition of Impaired or Retired Personal Property, Practice for, **E2378 (04.12)**

Personal protective equipment (PPE)
Air-Purifying Respiratory Protective Smoke Escape Devices (RPED), Specification for, **E2952 (15.08)**
Characterizing Gripping Performance of Gloves Using a Torque Meter, Test Method for, **F2961 (11.03)**

Personal safety
Sa **Protective clothing**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Special Requirements for Aerial Adventure Courses, Practice for, **F2959 (15.07)**

Personal sampling
Flow Rate Adjustment of Personal Sampling Pumps, Practice for, **D5337 (11.07)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**

Personal wash
Assessment of an Antibacterial Handwash Product by Multiple Basin Wash Technique, Test Method for, **E1883 (11.05)**
Evaluation of Antimicrobial Formulations by the Agar Patch Technique, Test Method for, **E1882 (11.05)**

Personnel
Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, Practice for, **C1077 (04.02)**
Certification of Personnel Engaged in the Testing of Soil and Rock, Practice for, **D5255 (04.08)**
Installation of Walk-Through Metal Detectors, Guide for, **C1238 (12.01)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Personnel Credentialing, Terminology for, **E2708 (14.02)**

Personnel—safety
Sa **Safety precautions**
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**

Personnel decontamination station
Portable Air Heaters Used at Personnel Decontamination Stations and Shelters, Specification for, **E2543 (15.08)**
Portable Water Heaters Used at Personnel Decontamination Stations, Specification for, **E2542 (15.08)**

Personnel qualification
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Contents and Use of a Position Task Book (PTB), Guide for, **F3068 (13.02)**

Personnel screening
Adjusting the Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors, Practice for, **C1269 (12.01)**
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**

Personnel training
Contents and Use of a Position Task Book (PTB), Guide for, **F3068 (13.02)**
Helicopter Inland Search and Rescue (SAR) Crew Chief, Guide for, **F3026 (13.02)**
Helicopter Inland Search and Rescue (SAR) Technician, Guide for, **F2958 (13.02)**
Training of Personnel Operating in Mountainous Terrain (Mountain Endorsement), Guide for, **F3027 (13.02)**
Training of Search and Rescue Personnel Operating in the Alpine Environment (Alpine Endorsement), Guide for, **F3028 (13.02)**

Perspiration resistance
Resistance of Shoe Upper Leather to Artificial Perspiration, Test Method for, **D2322 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Testing High-Performance Interior Architectural Wall Coatings, Guide for, **D3730 (06.02)**

Pervaporation (PV)

Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D6888 (11.02)**

Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Pervious concrete

Density and Void Content of Freshly Mixed Pervious Concrete, Test Method for, **C1688/C1688M (04.02)**

Density and Void Content of Hardened Pervious Concrete, Test Method for, **C1754/C1754M (04.02)**

Determining Enamel Holdout, Test Method for, **D7786 (06.02)**

Determining Potential Resistance to Degradation of Pervious Concrete by Impact and Abrasion, Test Method for, **C1747/C1747M (04.02)**

Infiltration Rate of In Place Pervious Concrete, Test Method for, **C1701/C1701M (04.02)**

Peschl shear tester

Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**

Pesticide content

Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**

Pesticides

Cryptolaemus montrouzieri Mulsant (Coleoptera: Coccinellidae), Specification for, **E2360 (11.05)**

Amblyseius cucumeris (=Neoseiulus) Oudemans (Acarina: Phytoseiidae), Specification for, **E2646 (11.05)**

Aphidoletes aphidimyza (Rondani) (*Diptera: Cecidomyiidae*), Specification for, **E2615 (11.05)**

Delphastus catalinae (Horn) (*Coleoptera:Coccinellidae*), Specification for, **E2754 (11.05)**

Eretmocerus eremicus Rose and Zolnerowich (*Hymenoptera: Aphelinidae*), Specification for, **E2753 (11.05)**

Feltiella acarisuga (Vallot) (Diptera: Cecidomyiidae), Specification for, **E2645 (11.05)**

Podisus maculiventris (Say) (Hemiptera: Pentatomidae), Specification for, **E2644 (11.05)**

Agricultural Chemical Application, Terminology Relating to, **E1102 (11.05)**

Antimicrobial and Antiviral Agents, Terminology Relating to, **E2756 (11.05)**

Assessment of Antimicrobial Activity for Water Miscible Compounds Using a Time-Kill Procedure, Test Method for, **E2783 (11.05)**

Characterization of Performance of Pesticide Spray Drift Reduction Adjuvants for Ground Application, Test Method for, **E2798 (11.05)**

Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**

Collection of Dislodgeable Pesticide Residues from Floors, Practice for, **D6333 (11.07)**

Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**

Conformity Assessment of Protective Clothing Worn by Operators Applying Pesticides, Practice for, **F2962 (11.03)**

Determining Bulk Density of Granular Carriers and Granular Pesticides, Test Methods for, **E727/E727M (11.05)**

Determining the Bacteria-Eliminating Effectiveness of Hand Sanitizer Formulations Using Hands of Adults, Test Method for, **E2755 (11.05)**

Determining the Bacteria-Reducing Effectiveness of Food-Handler Handwash Formulations Using Hands of Adults, Test Method for, **E2946 (11.05)**

Effectiveness of Defoaming Agents, Test Method for, **E2407 (11.05)**

Emulsification Characteristics of Pesticide Emulsifiable Concentrates, Test Method for, **E1116 (11.05)**

Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**

Evaluation of Physical Compatibility of Pesticides in Aqueous Tank Mixtures by the Dynamic Shaker Method, Practice for, **E1518 (11.05)**

Evaluation of the Effectiveness of Handwash Formulations Using the Paper Towel (Palmar) Method of Hand Contamination, Test Method for, **E2784 (11.05)**

Liquid Holding Capacity of Granular Carriers, Test Method for, **E1521 (11.05)**

Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, Test Method for, **F2130 (11.03)**

Natural Multi-Cellular Biological Control Organisms, Terminology Relating to, **E2643 (11.05)**

Nonvolatile Matter of Agricultural Adjuvant Solutions by Thermogravimetry, Test Method for, **E2043 (11.05)**

Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, Test Method for, **D5175 (11.02)**

Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, Test Method for, **E1520 (11.05)**

Percent Dispersibility, Test Method for, **E1945 (11.05)**

Percent Suspensibility, Test Method for, **E1673 (11.05)**

Pesticides, Terminology Relating to, **E609 (11.05)**

Preparing Granular Pesticide Ground Applicator Calibration Procedures, Guide for, **E550 (11.05)**

Producing High Titers of Viable and Semi-Purified Spores of Clostridium difficile using a Liquid Medium, Test Method for, **E2895 (11.05)**

Protective Clothing Worn by Operators Applying Pesticides, Performance Specification for, **F2669 (11.03)**

Quantification of Pseudomonas aeruginosa Biofilm Grown Using Drip Flow Biofilm Reactor with Low Shear and Continuous Flow, Test Method for, **E2647 (11.05)**

Related to Biorationals, Terminology, **E2880 (11.05)**

Resistance to Attrition of Granular Carriers and Granular Pesticides, Test Method for, **E728 (11.05)**

Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Sampling Granular Carriers and Granular Pesticides, Test Method for, **E725 (11.05)**

Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**

Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**

Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity in Fabric and Air Filter Media, Test Method for, **E2722 (11.05)**

Volatile Organic Compound (VOC) Solvents Absorbed/Adsorbed By Simulated Soil Impacted by Pesticide Emulsifiable Concentrate (EC) Applications, Test Method for, **E2686 (11.05)**

Pest management

Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**

Petite

Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**

Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**

Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**

PET (poly(ethylene terephthalate))

Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**

Carboxyl End Group Content of Polyethylene Terephthalate (PET) Yarns, Test Method for, **D7409 (04.13)**

Determination of Contamination in Recycled Poly(Ethylene Terephthalate) (PET) Flakes and Chips Using a Plaque Test, Practice for, **D5814 (08.03)**

Determining Inherent Viscosity of Poly(Ethylene Terephthalate)

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

(PET) by Glass Capillary Viscometer, Test Method for, **D4603 (08.02)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, Test Method for, **F1349 (15.10)**
Polyethylene Terephthalate Film and Sheeting, Specification for, **D5047 (08.02)**
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**
Separation and Identification of Poly(Vinyl Chloride) (PVC) Contamination in Poly(Ethylene Terephthalate) (PET) Flake, Practice for, **D5991 (08.03)**
Separation and Washing of Recycled Plastics Prior to Testing, Practice for, **D6288 (08.03)**

Petrocci and Clarke
Evaluation of Laundry Sanitizers and Disinfectants, Test Method for, **E2274 (11.05)**

Petrographic analysis
Sa **Rock materials/properties/analysis**
Examination and Analysis of Hardened Masonry Mortar, Test Method for, **C1324 (04.05)**
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Petrographic Examination of Dimension Stone, Guide for, **C1721 (04.07)**
Petrographic Examination of Hardened Concrete, Practice for, **C856 (04.02)**
Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**

Petrolatum
Carbonizable Substances in White Mineral Oil, Test Method for, **D565 (05.01)**
Cone Penetration of Petrolatum, Test Method for, **D937 (05.01)**
Congealing Point of Petroleum Waxes, Including Petrolatum, Test Method for, **D938 (05.01)**
Ultraviolet Absorbance and Absorptivity of Petroleum Products, Test Method for, **D2008 (05.01)**

Petroleum (mineral spirits)
See **Mineral spirits**

Petroleum additives
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**

Petroleum-based filling/flooding compounds
See **Filling/flooding compounds**

Petroleum blending operations
Calculating Viscosity of a Blend of Petroleum Products, Practice for, **D7152 (05.04)**
Pour Point of Petroleum Products (Robotic Tilt Method), Test Method for, **D6892 (05.03)**

Petroleum coke
Ash in Analysis of Petroleum Coke, Test Method for, **D4422 (05.02)**
Chemical-Resistant Carbon Brick, Specification for, **C1160 (04.05)**
Determination of Crystallite Size (Lc of Calcined Petroleum Coke by X-Ray Diffraction, Test Method for, **D5187 (05.02)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke, Test Method for, **D4292 (05.02)**
Dust Control Material on Calcined Petroleum Coke, Test Method for, **D4930 (05.02)**
Gross Moisture in Green Petroleum Coke, Test Method for, **D4931 (05.02)**
Hardgrove Grindability Index (HGI) of Petroleum Coke, Test Method for, **D5003 (05.02)**
Real Density of Calcined Petroleum Coke by Helium Pycnometer, Test Method for, **D2638 (05.01)**
Real Density of Calcined Petroleum Coke by Xylene Displacement, Test Method for, **D5004 (05.02)**
Sieve Analysis of Petroleum Coke, Test Method for, **D5709 (05.02)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**
Volatile Matter in Green Petroleum Coke Quartz Crucible Procedure, Test Method for, **D6374 (05.03)**

Petroleum distillates
Boiling Range Distribution of Petroleum Distillates in Boiling Range from 174 to 700°C by Gas Chromatography, Test Method for, **D6352 (05.03)**
Boiling Range Distribution of Petroleum Distillates in the Boiling Range from 100 to 615°C by Gas Chromatography, Test Method for, **D7213 (05.04)**
Boiling Range Distribution of Petroleum Distillates with Final Boiling Points up to 538°C by Ultra Fast Gas Chromatography (UF GC), Test Method for, **D7798 (05.04)**
Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, Test Method for, **D1159 (05.01)**
Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6379 (05.03)**
Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6591 (05.03)**
Determination of Boiling Range Distribution of Hydrocarbon and Sulfur Components of Petroleum Distillates by Gas Chromatography and Chemiluminescence Detection, Test Method for, **D7807 (05.04)**

Petroleum exploration
Cone Penetrometer Technology Characterization of Petroleum Contaminated Sites with Nitrogen Laser-Induced Fluorescence, Practice for, **D6187 (04.09)**
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**

Petroleum fractions
Aromatic Types Analysis of Gas-Oil Aromatic Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D3239 (05.01)**
Boiling Range Distribution of Gasoline and Gasoline Fractions by Gas Chromatography, Test Method for, **D3710 (05.01)**
Boiling Range Distribution of Petroleum Distillates in Boiling Range from 174 to 700°C by Gas Chromatography, Test Method for, **D6352 (05.03)**
Boiling Range Distribution of Petroleum Fractions by Gas Chromatography, Test Method for, **D2887 (05.01)**
Hydrocarbon Types Analysis of Gas-Oil Saturates Fractions by High Ionizing Voltage Mass Spectrometry, Test Method for, **D2786 (05.01)**
Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, Test Method for, **D1319 (05.01)**
Hydrogen In Petroleum Fractions, Test Method for, **D1018 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography, Test Method for, **D2549 (05.01)**

Petroleum hydraulic fluids
Indicating Wear Characteristics of Non-Petroleum and Petroleum Hydraulic Fluids in a Constant Volume Vane Pump, Test Method for, **D7043 (05.04)**
Indicating Wear Characteristics of Petroleum Hydraulic Fluids in a High Pressure Constant Volume Vane Pump, Test Method for, **D6973 (05.04)**

Petroleum hydrocarbon
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**

Petroleum hydrocarbons content
Total Petroleum Hydrocarbons (TPH) in Water and Wastewater with Solvent Extraction using Mid-IR Laser Spectroscopy, Test Method for, **D7678 (11.02)**

Petroleum naphtha
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**

Petroleum oils
Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, Test Method for, **D3238 (05.01)**
Calculation of Viscosity-Gravity Constant (VGC) of Petroleum Oils, Test Method for, **D2501 (05.01)**
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Cloud Point of Petroleum Products, Test Method for, **D2500 (05.01)**
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Comparison of Waterborne Petroleum Oils by Gas Chromatography, Test Methods for, **D3328 (11.02)**
Comparison of Waterborne Petroleum Oils by Infrared Spectroscopy, Test Method for, **D3414 (11.02)**
Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions, Test Method for, **D3300 (10.03)**
Estimation of Mean Relative Molecular Mass of Petroleum Oils from Viscosity Measurements, Test Method for, **D2502 (05.01)**
Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels, Test Method for, **D4868 (05.02)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Identification of Waterborne Oils, Practice for, **D3415 (11.02)**
Microbial Contamination in Fuels and Fuel Systems, Guide for, **D6469 (05.03)**
Oxidative Aging of Electrical Insulating Petroleum Oils by Open-Beaker Method, Test Method for, **D1934 (10.03)**
Pour Point of Petroleum Products, Test Method for, **D97 (05.01)**
Precipitation Number of Lubricating Oils, Test Method for, **D91 (05.01)**
Preparation of Samples for Identification of Waterborne Oils, Practice for, **D3326 (11.02)**
Preservation of Waterborne Oil Samples, Practice for, **D3325 (11.02)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**
Salts in Crude Oil (Electrometric Method), Test Method for, **D3230 (05.01)**
Sampling of Waterborne Oils, Practices for, **D4489 (11.02)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography, Test Method for, **D2549 (05.01)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**
Various Types of Petroleum Oils for Rubber Compounding Use, Classification for, **D2226 (09.01)**
Water Separability of Petroleum Oils and Synthetic Fluids, Test Method for, **D1401 (05.01)**

Petroleum oils—specifications
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**

Petroleum pitch
Sa **Pitch**
Shear Viscosity of Coal-Tar and Petroleum Pitches, Test Method for, **D5018 (05.02)**

Petroleum production/refining
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**

Petroleum products
Sa **Sampling petroleum products**
Apparent Viscosity of Engine Oils and Base Stocks Between –5 and –35°C Using Cold-Cranking Simulator, Test Method for, **D5293 (05.02)**
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**
Bromine Index of Petroleum Hydrocarbons by Electrometric Titration, Test Method for, **D2710 (05.01)**
Calculating Viscosity of a Blend of Petroleum Products, Practice for, **D7152 (05.04)**
Calculation of Gas Chromatographic Response Factors, Practice for, **D4626 (05.02)**
Calibration Requirements for Elemental Analysis of Petroleum Products and Lubricants, Guide for, **D7578 (05.04)**
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Chlorine in Used Petroleum Products (Field Test Kit Method), Test Methods for, **D5384 (05.02)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Cloud Point of Petroleum Products (Constant Cooling Rate Method), Test Method for, **D5773 (05.02)**
Cloud Point of Petroleum Products (Linear Cooling Rate Method), Test Method for, **D5772 (05.02)**
Cloud Point of Petroleum Products (Mini Method), Test Method for, **D7689 (05.04)**
Cloud Point of Petroleum Products (Miniaturized Optical Method), Test Method for, **D7397 (05.04)**
Cloud Point of Petroleum Products (Optical Detection Stepped Cooling Method), Test Method for, **D5771 (05.02)**
Cloud Point of Petroleum Products (Small Test Jar Method), Test Method for, **D7683 (05.04)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Density, Relative Density, or API Gravity of Liquid Petroleum by Portable Digital Density Meter, Test Method for, **D7777 (05.04)**
Determination of Accelerated Iron Corrosion in Petroleum Products, Test Method for, **D7548 (05.04)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Carbon Residue (Micro Method), Test Method for, **D4530 (05.02)**
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**
Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), Test Method for, **D6378 (05.03)**
Determination of Water in Petroleum Products, Lubricating Oils, and Additives by Coulometric Karl Fischer Titration, Test Method for, **D6304 (05.04)**
Diesel Fuel Oil, Biodiesel Blend (B6 to B20), Specification for, **D7467 (05.04)**
Distillation of Petroleum Products at Atmospheric Pressure, Test Method for, **D86 (05.01)**
Distillation of Petroleum Products at Atmospheric Pressure (Micro Distillation Method), Test Method for, **D7345 (05.04)**
Distillation of Petroleum Products at Atmospheric Pressure (Mini Method), Test Method for, **D7344 (05.04)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Environmental Management of Underground Storage Tank Systems Storing Hazardous Substances or Petroleum, Guide for, **E2681 (11.05)**
Establishing a Linear Correlation Relationship Between Analyzer and Primary Test Method Results Using Relevant ASTM Standard Practices, Guide for, **D7235 (05.04)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Evaluating Compatibility of Mixtures of Turbine Lubricating Oils, Practice for, **D7155 (05.04)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), Test Method for, **D6079 (05.02)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**
Evaluation of Convective Heat Transfer Coefficient of Liquids, Guide for, **D7863 (05.04)**
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Freezing Point of Aviation Fuels, Test Method for, **D2386 (05.01)**
Freezing Point of Aviation Fuels (Automatic Fiber Optical Method), Test Method for, **D7154 (05.04)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Hydrogen Content of Middle Distillate Petroleum Products by Low-Resolution Pulsed Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D7171 (05.04)**
Industrial Fluid Lubricants by Viscosity System, Classification of, **D2422 (05.01)**
Lubrication and Hydraulic Filter Debris Analysis (FDA) for Condition Monitoring of Machinery, Practice for, **D7898 (05.04)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
No Flow Point and Pour Point of Petroleum Products, Test Method for, **D7346 (05.04)**
Optimization, Calibration, and Validation of Atomic Absorption Spectrometry for Metal Analysis of Petroleum Products and Lubricants, Practice for, **D7740 (05.04)**
Optimization, Calibration, and Validation of Inductively Coupled Plasma-Atomic Emission Spectrometry (ICP-AES) for Elemental Analysis of Petroleum Products and Lubricants, Practice for, **D7260 (05.04)**
Petroleum, Petroleum Products, and Lubricants, Terminology Relating to, **D4175 (05.02)**
Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), Test Method for, **D5949 (05.02)**
Pour Point of Petroleum Products (Automatic Tilt Method), Test Method for, **D5950 (05.02)**
Pour Point of Petroleum Products (Robotic Tilt Method), Test Method for, **D6892 (05.03)**
Preparation of Low-Pressure Gas Blends, Practice for, **D4051 (05.02)**
Rapid Determination of Corrosiveness to Copper from Petroleum Products Using a Disposable Copper Foil Strip, Test Method for, **D7095 (05.04)**
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**
Receipt, Storage, and Handling of Fuels for Gas Turbines, Practice for, **D4418 (05.02)**
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**
Sampling and Handling of Fuels for Volatility Measurement, Practice for, **D5842 (05.02)**
Sampling of Petroleum Products for Analysis by Process Stream Analyzers and for Process Stream Analyzer System Validation, Practice for, **D7453 (05.04)**
Self-Assessment of Quality System Practices in Petroleum Products and Lubricant Testing Laboratories, Guide for, **D7776 (05.04)**
Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, Test Method for, **D5984 (05.02)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
Specific Heat of Liquids and Solids, Test Method for, **D2766 (05.01)**
Sulfur in Petroleum Products (High-Temperature Method), Test Method for, **D1552 (05.01)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**

Petroleum products—specifications

Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**
Automotive Spark-Ignition Engine Fuel, Specification for, **D4814 (05.02)**
Aviation Gasolines, Specification for, **D910 (05.01)**
Aviation Turbine Fuels, Specification for, **D1655 (05.01)**
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Commercial Boiler Fuels With Used Lubricating Oils, Specification for, **D6823 (05.03)**
Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D4806 (05.02)**
Diesel Fuel Oils, Specification for, **D975 (05.01)**
Ethanol Fuel Blends for Flexible-Fuel Automotive Spark-Ignition Engines, Specification for, **D5798 (05.02)**
Fuel Oils, Specification for, **D396 (05.01)**
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Gas Turbine Fuel Oils, Specification for, **D2880 (05.01)**
Industrial Burner Fuels from Used Lubricating Oils, Specification for, **D6448 (05.03)**
Jet B Wide-Cut Aviation Turbine Fuel, Specification for, **D6615 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Kerosine, Specification for, **D3699 (05.01)**
Liquefied Petroleum (LP) Gases, Specification for, **D1835 (05.01)**
Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, Specification for, **D2835 (04.03)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Mineral and Synthetic Lubricating Oil Used in Steam or Gas Turbines, Specification for, **D4304 (05.02)**
Mineral Hydraulic Oils, Specification for, **D6158 (05.03)**
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**
Petroleum, Petroleum Products, and Lubricants, Terminology Relating to, **D4175 (05.02)**
Phosphate Ester Based Fluids for Turbine Lubrication, Specification for, **D4293 (05.02)**
Portable Kerosene and Diesel Containers for Consumer Use, Specification for, **F976 (15.11)**
Predicting the Borderline Pumping Temperature of Engine Oil, Test Method for, **D3829 (05.02)**
Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, Specification for, **D6227 (05.03)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**

Petroleum products (wood preservatives)
Sa **Wood preservatives**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**

Petroleum products (acid number)
See **Acid number—petroleum products**

Petroleum products (gaseous fuels)
See **Gaseous fuels**

Petroleum products (kerosine)
See **Kerosine**

Petroleum products (liquid)
Calculating Viscosity Index from Kinematic Viscosity at 40 and 100°C, Practice for, **D2270 (05.01)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Density and Relative Density (Specific Gravity) of Liquids by Bingham Pycnometer, Test Method for, **D1217 (05.01)**
Dynamic Surface Tension by the Fast-Bubble Technique, Test Method for, **D3825 (05.02)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**
Estimation of Solubility of Gases in Petroleum Liquids, Test Method for, **D2779 (05.01)**
Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, Test Method for, **D1319 (05.01)**
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**
Preparation of Low-Pressure Gas Blends, Practice for, **D4051 (05.02)**
Solubility of Fixed Gases in Low-Boiling Liquids, Test Method for, **D3429 (05.01)**
Sulfur in Liquefied Petroleum Gases (Oxy-Hydrogen Burner or Lamp), Test Method for, **D2784 (05.01)**
Sulfur in Petroleum Products (Lamp Method), Test Method for, **D1266 (05.01)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Sulfur in Petroleum Products by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D2622 (05.01)**
Thermal Conductivity of Liquids, Test Method for, **D2717 (05.01)**
Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry, Test Method for, **D3120 (05.01)**
Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope, Test Method for, **D2879 (05.01)**
Viscosity-Temperature Charts for Liquid Petroleum Products, Practice for, **D341 (05.01)**

Petroleum products (oil shale)
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**

Petroleum products (tanks)
See **Storage containers/tanks**

Petroleum products (transmission/distribution systems)
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Wrought High-Strength Ferritic Steel Butt-Welding Fittings, Specification for, **A860/A860M (01.01)**

Petroleum products (vapor pressure)
See **Vapor pressure (VP_x)—petroleum products**

Petroleum release sites
Investigation of Equipment Problems and Releases for Petroleum Underground Storage Tank Systems, Guide for, **E2733 (11.05)**
Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, Guide for, **E1943 (11.05)**
Risk-Based Corrective Action Applied at Petroleum Release Sites, Guide for, **E1739 (11.05)**

Petroleum samples
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**
Vapor-Liquid Ratio Temperature Determination of Fuels (Evacuated Chamber Method), Test Method for, **D5188 (05.02)**

Petroleum sulfonates
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**

Petroleum wax
Analysis of Petroleum Waxes by Gas Chromatography, Test Method for, **D5442 (05.02)**
Apparent Viscosity of Petroleum Waxes Compounded with Additives (Hot Melts), Test Method for, **D2669 (05.01)**
Ash from Petroleum Products, Test Method for, **D482 (05.01)**
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Blocking and Picking Points of Petroleum Wax, Test Method for, **D1465 (05.01)**
Carbonizable Substances in Paraffin Wax, Test Method for, **D612 (05.01)**
Coefficient of Kinetic Friction for Wax Coatings, Test Method for, **D2534 (05.01)**
Congealing Point of Petroleum Waxes, Including Petrolatum, Test Method for, **D938 (05.01)**
Drop Melting Point of Petroleum Wax, Including Petrolatum, Test Method for, **D127 (05.01)**
Measurement of Transition Temperatures of Petroleum Waxes by Differential Scanning Calorimetry (DSC), Test Method for, **D4419 (05.02)**
Melting Point of Petroleum Wax (Cooling Curve), Test Method for, **D87 (05.01)**
Melting Point of Waxes, Test Method for, **F766/F766M (15.09)**
Needle Penetration of Petroleum Waxes, Test Method for, **D1321 (05.01)**
Odor of Petroleum Wax, Test Method for, **D1833 (05.01)**
Oil Content of Petroleum Waxes, Test Method for, **D721 (05.01)**
Peroxide Number of Petroleum Wax, Test Method for, **D1832 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Petroleum Waxes for Use in Rubber Compounding, Classification for, **D4924 (09.01)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Solidification Point of Petroleum Wax, Test Method for, **D3944 (05.02)**
Solvent Extractables in Petroleum Waxes, Test Method for, **D3235 (05.01)**
Surface Wax Coating On Corrugated Board, Test Method for, **D3521 (05.01)**
Surface Wax on Waxed Paper or Paperboard, Test Method for, **D2423 (05.01)**
Total Wax Content of Corrugated Paperboard, Test Method for, **D3344 (05.01)**
Ultraviolet Absorbance and Absorptivity of Petroleum Products, Test Method for, **D2008 (05.01)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Weight of Wax Applied During Curtain Coating Operation, Test Method for, **D3708 (05.01)**

Pewter alloys (tin-antimony-copper)
Modern Pewter Alloys, Specification for, **B560 (02.04)**

PEX/AL/PEX pipe/tube
Sa **Crosslinked polyethylene (PEX) pipe/tube—specifications**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Tubing OD Controlled SDR9, Specification for, **F2262 (08.04)**
Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, Test Method for, **F2023 (08.04)**
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Tubing, Specification for, **F2434 (08.04)**

PFA (perfluoro(alkoxyalkane)) copolymer
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**

PFA (perfluoro(alkoxyalkane)) copolymer—specifications
Perfluoroalkoxy (PFA)-Fluorocarbon Resin Molding and Extrusion Materials, Specification for, **D3307 (08.02)**
Perfluoroalkoxy (PFA)-Fluoropolymer Tubing, Specification for, **D6867 (08.03)**

PFD (personal flotation device)
Water Rescue Personal Flotation Device (PFD), Guide for, **F1823 (13.02)**

Pfund hardness number (PHN)
Sa **Hardness tests—organic coatings**
Indentation Hardness of Organic Coatings, Test Methods for, **D1474 (06.01)**

Pfund wet film thickness gage
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**

pH
Sa **Acidity, alkalinity, pH**
Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2989 (15.05)**
Air-Entraining Admixtures for Concrete, Specification for, **C260/C260M (04.02)**
Carbon Black—pH Value, Test Methods for, **D1512 (09.01)**
Comparative Tracking Index of Electrical Insulating Materials, Test Method for, **D3638 (10.02)**
Determination of Contact pH with Activated Carbon, Test Method for, **D6851 (15.01)**
Determination of pHe of Ethanol, Denatured Fuel Ethanol, and Fuel Ethanol (Ed75-Ed85), Test Method for, **D6423 (05.03)**
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**
pH of Activated Carbon, Test Method for, **D3838 (15.01)**
pH of Aqueous Solutions of Soaps and Detergents, Guide for, **D1172 (15.04)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
pH of Chrome Tanning Solutions, Test Method for, **D5356 (15.04)**
pH of Engine Coolants and Antirusts, Test Method for, **D1287 (15.05)**
pH of Leather, Test Method for, **D2810 (15.04)**
pH of Water Extractions of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2110 (15.05)**
pH of Wet Blue, Test Method for, **D6657 (15.04)**
Process for Inactivation of Rodent Retrovirus by pH, Practice for, **E2888 (14.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Silica—pH Value, Test Method for, **D6739 (09.01)**

pH—glass electrode
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
pH of Water, Test Methods for, **D1293 (11.01)**

pH—paints/related coatings/applications
Hydroxypropylcellulose, Test Methods for, **D5400 (06.03)**
Measuring Apparent pH of Electrocoat Baths, Test Method for, **D4584 (06.01)**
pH of Chemically Cleaned or Etched Concrete Surfaces, Test Method for, **D4262 (06.02)**

pH—soils
Measuring pH of Soil for Use in Corrosion Testing, Test Method for, **G51 (03.02)**
pH of Soils, Test Method for, **D4972 (04.08)**
Using pH to Estimate the Soil-Lime Proportion Requirement for Soil Stabilization, Test Method for, **D6276 (04.09)**

pH—water
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
On-Line Measurement of pH, Test Method for, **D6569 (11.01)**
On-Line pH Measurement of Water of Low Conductivity, Test Method for, **D5128 (11.01)**
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**
pH of Water, Test Methods for, **D1293 (11.01)**

Pharmaceutical development and manufacturing applications
Multivariate Data Analysis in Pharmaceutical Development and Manufacturing Applications, Guide for, **E2891 (14.02)**

Pharmaceutical industry
Analysis of Clandestine Drug Laboratory Evidence, Guide for, **E2882 (14.02)**
Bio-Applications Grade Water, Guide for, **D5196 (11.01)**
Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2259 (13.01)**
Pharmaceutical Glass Graduates, Specification for, **E1094 (14.04)**
Pharmaceutical Process Design Utilizing Process Analytical Technology, Practice for, **E2474 (14.02)**
Process Analytical Technology in the Pharmaceutical Industry, Terminology Relating to, **E2363 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Process for Inactivation of Rodent Retrovirus by pH, Practice for, **E2888 (14.02)**
Process Understanding Related to Pharmaceutical Manufacture and Control, Guide for, **E2475 (14.02)**
Real-time Release Testing of Pharmaceutical Water for the Total Organic Carbon Attribute, Practice for, **E2656 (14.02)**
Risk Assessment and Risk Control as it Impacts the Design, Development, and Operation of PAT Processes for Pharmaceutical Manufacture, Guide for, **E2476 (14.02)**
Specification, Design, and Verification of Pharmaceutical and Biopharmaceutical Manufacturing Systems and Equipment, Guide for, **E2500 (14.02)**

Pharmaceutical industry—computer systems
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**

Pharmaceutical manufacturing devices
Application of Continuous Quality Verification to Pharmaceutical and Biopharmaceutical Manufacturing, Guide for, **E2537 (14.02)**
Specification, Design, and Verification of Pharmaceutical and Biopharmaceutical Manufacturing Systems and Equipment, Guide for, **E2500 (14.02)**

Pharmaceutical packages
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**

Pharmaceutical paraffin wax
Sa **Petroleum wax**
Carbonizable Substances in Paraffin Wax, Test Method for, **D612 (05.01)**

Pharmaceuticals
Risk-Based Validation of Analytical Methods for PAT Applications, Guide for, **E2898 (14.02)**

Pharmaceutical white oils
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**

Pharmacy information management systems
Sa **Patient biographical/medical data**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**

Phase analysis
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings, Practice for, **F2024 (13.01)**

Phase angle
See **Permittivity (dielectric constant)**

Phase change materials
Using a Heat Flow Meter Apparatus for Measuring Thermal Storage Properties of Phase Change Materials and Products, Test Method for, **C1784 (04.06)**

Phase change products
Using a Heat Flow Meter Apparatus for Measuring Thermal Storage Properties of Phase Change Materials and Products, Test Method for, **C1784 (04.06)**

Phase change-type thermometers
Phase Change-Type Disposable Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E825 (13.01)**
Reusable Phase-Change-Type Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E1299 (13.01)**

Phase contrast
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Phase contrast microscopy
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, Practice for, **D7200 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), Practice for, **D7201 (11.07)**
the Automated Determination of Refractive Index of Glass Samples Using the Oil Immersion Method and a Phase Contrast Microscope, Test Method for, **E1967 (14.02)**

Phased-array
Characterization and Verification of Phased Array Probes, Practice for, **E2904 (03.03)**
Contact Ultrasonic Testing of Welds Using Phased Arrays, Practice for, **E2700 (03.03)**
Evaluating Performance Characteristics of Phased-Array Ultrasonic Testing Instruments and Systems, Guide for, **E2491 (03.03)**

Phase delay/constant/velocity
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

Phase diagrams
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Phase II ESA
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**

Phase separation
Blending Mid-Level Ethanol Fuel Blends for Flexible-Fuel Vehicles with Automotive Spark-Ignition Engines, Practice for, **D7794 (05.04)**
Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), Test Method for, **D7157 (05.04)**
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**
Heat Stability of Hot-Melt Adhesives, Test Method for, **D4499 (15.10)**
Measuring n-Heptane Induced Phase Separation of Asphaltene from Heavy Fuel Oils as Separability Number by an Optical Device, Test Method for, **D7827 (05.04)**
Measuring n-Heptane Induced Phase Separation of Asphaltene-Containing Heavy Fuel Oils as Separability Number by an Optical Scanning Device, Test Method for, **D7061 (05.04)**
Vapor-Liquid Ratio Temperature Determination of Fuels (Evacuated Chamber Method), Test Method for, **D5188 (05.02)**

Phase-to-phase voltage
High Voltage Detectors—Part 1 Capacitive Type to be Used for Voltages Exceeding 600 Volts AC, Specification for, **F1796 (10.03)**

Phase transition method
Freezing Point of Aqueous Ethylene Glycol Base Engine Coolants by Automatic Phase Transition Method, Test Method for, **D6660 (15.05)**

Phasing testers—high voltage
High Voltage Phasing Testers, Specification for, **F2939 (10.03)**

Phenanthrenes
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrom-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

etry, Practice for, **D5739 (11.02)**
Phencyclidine
Microcrystal Testing in Forensic Analysis of Phencyclidine and Its Analogues, Guide for, **E2125 (14.02)**
Phenol
Analysis of Phenol by Capillary Gas Chromatography, Test Method for, **D6142 (06.04)**
Filler Content of Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1579 (15.06)**
Nonvolatile Content of Liquid Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1582 (15.06)**
Refined Phenol, Specification for, **D2439 (06.04)**
Tar Acid Composition by Capillary Gas Chromatography, Test Method for, **D5310 (06.04)**
Phenol-disulfonic acid procedures
Oxides of Nitrogen in Gaseous Combustion Products (Phenol-Disulfonic Acid Procedures), Test Method for, **D1608 (11.07)**
Phenolic antioxidants
Determination of Phenolic Antioxidants and Erucamide Slip Additives in Polypropylene Homopolymer Formulations Using Liquid Chromatography (LC), Test Method for, **D6042 (08.03)**
Phenolic compounds
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**
Phenol Content of Cumene (Isopropylbenzene) or AMS (α–Methylstyrene), Test Method for, **D3160 (06.04)**
Phenolic Compounds in Water, Test Methods for, **D1783 (11.02)**
Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Pyridine Bases in Cresylic Acid by Direct Titration, Test Method for, **D4471 (06.04)**
Refined Phenol, Specification for, **D2439 (06.04)**
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**
Phenolic laminates
See **Laminates**
Phenolic plastics
Sa **Molding/extrusion compounds/materials—specifications**
Compression Molding Test Specimens of Thermosetting Molding Compounds, Practice for, **D5224 (08.03)**
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Phenolic resins
Acetone Extraction of Phenolic Molded or Laminated Products, Test Method for, **D494 (08.01)**
Determination of Percent Nonvolatile Content of Liquid Phenolic Resins Used for Wood Laminating, Test Method for, **D4426 (15.06)**
Determining Stroke Cure Time of Thermosetting Phenol-Formaldehyde Resins, Test Method for, **D4640 (06.03)**
Refined Phenol, Specification for, **D2439 (06.04)**
Phenolphthalein indicator method
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Phenoxy acid herbicides
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Phi-rho-z
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Phi-X174 bacteriophage
Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, Test Method for, **F1671/F1671M (11.03)**
Phonetics
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**
Phosgene (dissolved)
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Phosphate coatings
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, Practice for, **D7803 (06.02)**
Phosphate content
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Condition Monitoring of Phosphate Antiwear Additives in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7412 (05.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Phosphate content—water applications
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**
Phosphate ester lubricants
Phosphate Ester Based Fluids for Turbine Lubrication, Specification for, **D4293 (05.02)**
Phosphate (ion) analysis
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Anions in Water by Suppressed Ion Chromatography, Test Method for, **D4327 (11.01)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Phosphate treatment
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Phosphomolybdic acid (PMA) method
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Phosphonate (PNA)
Phosphonate in Brines, Test Method for, **D6501 (11.01)**
Phosphor bronze
Sa **Bronze**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Phosphor Bronze Rod, Bar, and Shapes, Specification for, **B139/B139M (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

Phosphor bronze alloy wire
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**

Phosphor copper
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**
Phosphorized Coppers—Refinery Shapes, Specification for, **B379 (02.01)**

Phosphorescent materials/applications
Photopic Luminance of Photoluminescent (Phosphorescent) Markings, Test Method for, **E2073 (06.01)**

Phosphoric acid
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**

Phosphoric acid anodizing
Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), Guide for, **D3933 (15.06)**

Phosphor imaging plate
Classification of Computed Radiology Systems, Practice for, **E2446 (03.03)**

Phosphorimetry
Trace Uranium in Water by Pulsed-Laser Phosphorimetry, Test Method for, **D5174 (11.02)**

Phosphorized coppers
Coppers, Classification of, **B224 (02.01)**

Phosphorus
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Determination of Low Levels of Phosphorus in ILSAC GF 4 and Similar Grade Engine Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D7040 (05.04)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**

Phosphorus acid content
Analysis of Zinc Hydroxy Phosphite Pigment, Test Method for, **D4450 (06.03)**

Phosphorus content
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**

Phosphorus content—iron ore
Determination of Phosphorus in Iron Ores by Phospho-Molybdenum-Blue Spectrophotometry, Test Method for, **E1070 (03.05)**
Determination of Phosphorus in Iron Ores by Phosphomolybdate Coprecipitation and Nitric Acid Titrimetry, Test Method for, **E278 (03.05)**

Phosphorus content—manganese-copper alloy
Chemical Analysis of Manganese-Copper Alloys, Test Methods for, **E581 (03.05)**

Phosphorus content—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**

Phosphorus content—petroleum products
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Phosphorus in Gasoline, Test Method for, **D3231 (05.01)**
Phosphorus in Lubricating Oils and Additives, Test Methods for, **D1091 (05.01)**
Phosphorus in Lubricating Oils and Additives by Quinoline Phosphomolybdate Method, Test Method for, **D4047 (05.02)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**

Phosphorus iron
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**

Phosphorus oxide content
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Rubber—Deterioration in an Air Oven, Test Method for, **D573 (09.01)**

Phosphorus pentoxide content
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**

Phosphorus pentoxide content—coal/coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**

Phosphorus thermionic ionization detectors
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**

Phosphovanadomolybdate molecular absorption spectrometry
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**

Photoacoustic spectroscopy
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Photodegradation
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Exposure of Photodegradable Plastics in a Xenon Arc Apparatus, Practice for, **D5071 (08.02)**
Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics, Practice for, **D5208 (08.03)**
Outdoor Exposure Testing of Photodegradable Plastics, Practice for, **D5272 (08.03)**
Photoelastic measurement
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Photoelectric measurement
Color of Asbestos, Test Method for, **D2985/D2985M (04.05)**
Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, Test Method for, **C609 (15.02)**
Measuring Hairiness of Yarns by the Photo-Electric Apparatus, Guide for, **D5647 (07.02)**
Photoelectric reflectance meter
Carbon Black—Tint Strength, Test Method for, **D3265 (09.01)**
Photoelectric smoke detectors
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Photoelectron spectrometers
See **Spectrometry**
Photo-fluorescent dosimeter
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**
Photogrammetric methods
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**
Photography/photographic processing
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Determination of Surface Lubrication on Flexible Webs, Test Method for, **G164 (03.02)**
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Use of Pictorial Surface Preparation Standards and Guides for Painting Steel Surfaces, Practice for, **D2200 (06.02)**
Photography/photographic processing—forensic analysis
Collection and Preservation of Information and Physical Items by a Technical Investigator, Practice for, **E1188 (14.02)**
Forensic Examination of Fabrics and Cordage, Guide for, **E2225 (14.02)**
Photoluminescence
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Photopic Luminance of Photoluminescent (Phosphorescent) Markings, Test Method for, **E2073 (06.01)**
Recommended Uses of Photoluminescent (Phosphorescent) Safety Markings, Guide for, **E2030 (06.01)**
Photoluminescence—specifications
Photoluminescent (Phosphorescent) Safety Markings, Specification for, **E2072 (06.01)**
Photomasks/photomasking
Calibration Verification of Laser Diffraction Particle Sizing Instruments Using Photomask Reticles, Test Method for, **E1458 (14.02)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**
Photometric detectors
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Testing Fixed-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E685 (03.06)**
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Photometric transmittance
See **Transmittance and reflectance**
Photometry
Sa **Spectrophotometry**
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Calibration of Ozone Monitors Using Transfer Standards, Practices for, **D5011 (11.07)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), Test Methods for, **D5156 (11.07)**
Determination of Phosphorus in Iron Ores by Phospho-Molybdenum-Blue Spectrophotometry, Test Method for, **E1070 (03.05)**
Determination of Silica in Fluorspar by Silico-Molybdate Visible Spectrometry, Test Method for, **E463 (03.05)**
Determination of Titanium in Iron Ores and Related Materials by Diantipyrylmethane Ultraviolet Spectrophotometry, Test Method for, **E878 (03.05)**
Iron in Trace Quantities Using the 1,10-Phenanthroline Method, Test Method for, **E394 (15.05)**
Iron in Trace Quantities Using the FerroZine Method, Test Method for, **E1615 (15.05)**
Measuring Optical Reflectivity of Transparent Materials, Test Method for, **F1252 (15.03)**
Measuring Photometric Characteristics of Retroreflectors, Practice for, **E809 (06.01)**
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
Nickel on Steel for Porcelain Enameling by Photometric Analysis, Test Method for, **C715 (02.05)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Sodium in Residual Fuel Oil (Flame Photometric Method), Test Method for, **D1318 (05.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Trace Carbonyl Sulfide in Propylene by Gas Chromatography, Test Method for, **D5303 (05.02)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Photometry—atmospheric analysis
Calibration of Ozone Monitors and Certification of Ozone Transfer Standards Using Ultraviolet Photometry, Practice for, **D5110 (11.07)**
Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, Test Method for, **D5149 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Photometry—water analysis
Chromium in Water, Test Methods for, **D1687 (11.01)**
Iron in Water, Test Methods for, **D1068 (11.01)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Phenolic Compounds in Water, Test Methods for, **D1783 (11.02)**

Photomicrography
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**

Photomultiplier detection
Describing Photomultiplier Detectors in Emission and Absorption Spectrometry, Practice for, **E520 (03.05)**

Photon correlation spectroscopy
Measurement of Particle Size Distribution of Nanomaterials in Suspension by Photon Correlation Spectroscopy (PCS), Guide for, **E2490 (14.02)**
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**

Photon energy spectrum
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**

Photooxidation
Exposing and Testing Plastics that Degrade in the Environment by a Combination of Oxidation and Biodegradation, Guide for, **D6954 (08.03)**

Photosedimentation
Determining the Particle Size Distribution of Alumina by Centrifugal Photosedimentation, Test Method for, **C1182 (15.02)**

Phototopic reflectance/transmittance/absorptance
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Photopic Luminance of Photoluminescent (Phosphorescent) Markings, Test Method for, **E2073 (06.01)**

Photovoltaic arrays—roof mounted
Installation of Roof Mounted Photovoltaic Arrays on Steep-Slope Roofs, Practice for, **E2766 (12.02)**

Photovoltaic non-concentrator systems
Determining Reporting Conditions and Expected Capacity for Photovoltaic Non-Concentrator Systems, Practice for, **E2939 (12.02)**

Photovoltaic (PV) power systems
Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, Test Method for, **E1362 (12.02)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determination of the Spectral Mismatch Parameter Between a Photovoltaic Device and a Photovoltaic Reference Cell, Test Method for, **E973 (12.02)**
Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**
Determining Resistance of Photovoltaic Modules to Hail by Impact with Propelled Ice Balls, Test Method for, **E1038 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Electrical Performance of Concentrator Terrestrial Photovoltaic Modules and Systems Under Natural Sunlight, Test Method for, **E2527 (12.02)**
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Electrical Performance of Photovoltaic Cells Using Reference Cells Under Simulated Sunlight, Test Method for, **E948 (12.02)**
Fire Prevention for Photovoltaic Panels, Modules, and Systems, Guide for, **E2908 (12.02)**
Hot Spot Protection Testing of Photovoltaic Modules, Test Method for, **E2481 (12.02)**
Measurement of Electrical Performance and Spectral Response of Nonconcentrator Multijunction Photovoltaic Cells and Modules, Test Methods for, **E2236 (12.02)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**
Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, Test Method for, **E1597 (12.02)**
Steel Blades Used with the Photovoltaic Module Surface Cut Test, Specification for, **E2685 (12.02)**
Visual Inspections of Photovoltaic Modules, Practice for, **E1799 (12.02)**
Wet Insulation Integrity Testing of Photovoltaic Arrays, Test Method for, **E2047 (12.02)**
Wet Insulation Integrity Testing of Photovoltaic Modules, Test Methods for, **E1802 (12.02)**

Phthalates—low level regulated
Determination of Low Level, Regulated Phthalates in Poly (Vinyl Chloride) Plastics by Thermal Desorption—Gas Chromatography/Mass Chromatography, Test Method for, **D7823 (08.03)**

Phthalic acid
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Phthalic anhydride
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Phthalocyanine blue pigment
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Chemical Analysis of Phthalocyanine Blue and Green Pigments, Test Methods for, **D3256 (06.03)**
Phthalocyanine green pigment
Chemical Analysis of Phthalocyanine Blue and Green Pigments, Test Methods for, **D3256 (06.03)**
Phthalocyanine Green Pigments, Specification for, **D3021 (06.03)**
Physical adsorption
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**
Physical analysis/characterization
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Collection of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6970 (05.03)**
Detergent Alkylate, Test Methods for, **D1569 (15.04)**
Physical Characterization of Paint Brushes, Practice for, **D5301 (06.02)**
Physical Characterization of Woven Paint Applicator Fabrics, Practice for, **D6337 (06.02)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Sampling and Preparation of Wet Blue for Physical and Chemical Tests, Practice for, **D6659 (15.04)**
Sampling Leather for Physical and Chemical Tests, Practice for, **D2813 (15.04)**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**
Physical analysis/characterization—forensic evidence
Sa **PDD (psychophysiological detection of deception)**
Examination of Rubber Stamp Impressions, Guide for, **E2289 (14.02)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Physical Evidence Labeling and Related Documentation, Guide for, **E1459 (14.02)**
Physical Match of Paper Cuts, Tears, and Perforations in Forensic Document Examinations, Guide for, **E2288 (14.02)**
Sexual Assault Investigation, Examination, and Evidence Collection, Guide for, **E1843 (14.02)**
Physical assault
Physical Assault on Ventilation Grilles for Detention and Correctional Facilities, Test Methods for, **F2542 (15.08)**
Physical Assault on Vertical Fixed Barriers for Detention and Correctional Facilities, Test Methods for, **F2322 (15.08)**
Physical boundary conditions
See **Boundary conditions**
Physical/chemical preservation
Field Preservation of Groundwater Samples, Guide for, **D6517 (04.09)**
Physical descriptors
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Physical product standards
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**
Physical properties/dimensions/characteristics
Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, Test Method for, **D5502 (05.02)**
Assigning Allowable Properties for Mechanically Graded Lumber, Practice for, **D6570 (04.10)**
Bulk Density by Physical Measurements of Manufactured Carbon and Graphite Articles, Test Method for, **C559 (05.05)**
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**
Carbon Black—Evaluation of Standard Reference Blacks, Practice for, **D6915 (09.01)**
Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, Guide for, **C1571 (12.01)**
Determining Physical Properties of Fabrics, Yarns, and Sewing Thread Used in Inflatable Restraints, Practice for, **D5446 (07.02)**
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Evaluating Mechanical and Physical Properties of Wood-Plastic Composite Products, Guide for, **D7031 (04.10)**
Evaluation of Physical Compatibility of Pesticides in Aqueous Tank Mixtures by the Dynamic Shaker Method, Practice for, **E1518 (11.05)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Inventory Verification: Electronic and Physical Inventory of Assets, Practice for, **E2132 (04.12)**
Measurement of Physical Properties of Raw Cotton by Cotton Classification Instruments, Test Methods for, **D5867 (07.02)**
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**
Physical Dimensions of Solid Plastics Specimens, Test Methods for, **D5947 (08.03)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Structural Clay Facing Tile, Specification for, **C212 (04.05)**
Structural Clay Load-Bearing Wall Tile, Specification for, **C34 (04.05)**
Structural Clay Nonloadbearing Screen Tile, Specification for, **C530 (04.05)**
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**
the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, Test Methods for, **D3999/D3999M (04.08)**
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**
Physical requirements
Glass Fiber Reinforced Thermoplastic Pipe, Specification for, **F2686 (08.04)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**
Physical resources
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, Practice for, **D4561 (04.03)**
Physical security
Sa **Security systems and equipment**
Adjusting the Operational Sensitivity Setting of In-Plant Walk-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Through Metal Detectors, Practice for, **C1269 (12.01)**
Classifying the Relative Performance of the Physical Properties of Security Seals, Practice for, **F1157 (15.08)**
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
Detention Hollow Metal Vision Systems, Test Methods for, **F1592 (15.08)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Inspection and Evaluation of Tampering of Security Seals, Guide for, **F1158 (15.08)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

Physical strength/resistance (nonchemical)
Testing Printing Inks and Related Materials, Guide for, **D5010 (06.02)**

Physical treatment/process
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**

Physicians
Sa **Emergency medical services (EMS)**
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**

Physicochemical processes
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Carbon Black—Evaluation of Standard Reference Blacks, Practice for, **D6915 (09.01)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Physics-dosimetry-metallurgy
Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments, Practice for, **E1006 (12.02)**

Physiochemical hazards
Assessing Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry, Guide for, **E1981 (14.02)**

Physiological environment
Corrosion Fatigue Testing of Metallic Implant Materials, Practice for, **F1801 (13.01)**
Determining the Physiological Responses of the Wearer to Protective Clothing Ensembles, Practice for, **F2668 (11.03)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**

Physiological mechanisms of burns
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**

Phytoplankton
Analysis of Phytoplankton in Surface Water by the Sedgwick-Rafter Method, Test Method for, **D4148 (11.02)**
Preserving Phytoplankton Samples, Practice for, **D4137 (11.02)**
Sampling Phytoplankton in Surface Waters, Classification for, **D4149 (11.02)**
Sampling Phytoplankton with a Clarke-Bumpus Plankton Sampler, Practice for, **D4134 (11.02)**
Sampling Phytoplankton with Conical Tow Nets, Practice for, **D4132 (11.02)**
Sampling Phytoplankton With Depth-Integrating Samplers, Practice for, **D4135 (11.02)**
Sampling Phytoplankton with Pumps, Practice for, **D4133 (11.02)**
Sampling Phytoplankton with Water-Sampling Bottles, Practice for, **D4136 (11.02)**

Phytoseiulus persimilis
Phytoseiulus persimilis Athias-Henriot (*Acarina:Phytoseiidae*), Specification for, **E2198 (11.05)**

Phytotoxicity
Sa **Toxicity/toxicology**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Conducting Renewal Phytotoxicity Tests With Freshwater Emergent Macrophytes, Guide for, **E1841 (11.06)**

PIB (polyisobutylene)
Reinforced White PIB Sheet Used in Roofing Membrane, Specification for, **D7067 (04.04)**

Picket fences
Sa **Fences/fencing materials**
Design and Construction of Ornamental Steel Picket Fence Systems for Security Purposes, Guide for, **F2814 (01.06)**
Ornamental Aluminum Fence Systems, Specification for, **F2957 (01.06)**
Ornamental Fences Employing Steel Tubular Pickets, Specification for, **F2589 (01.06)**

Picking (of cylinders)
Padlocks, Performance Specification for, **F883 (15.08)**

Picking point
Blocking and Picking Points of Petroleum Wax, Test Method for, **D1465 (05.01)**

Pickle lag test
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Pickling
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Pick-up forceps
See **Forceps**

Pico method
Rubber Property—Relative Abrasion Resistance by Pico Abrader Method, Test Method for, **D2228 (09.01)**

Pictorial markings
Pictorial Markings for Handling of Goods, Practice for, **D5445 (15.10)**

Pictorial surface preparation standards
Use of Pictorial Surface Preparation Standards and Guides for Painting Steel Surfaces, Practice for, **D2200 (06.02)**

Pie diagrams
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Pie disc
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**

Pier test
Pier Test for Refractory Mortars, Test Method for, **C199 (15.01)**

Piezocone penetration
Sa **Penetration**
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**

Piezoelectric acoustic emission contact sensors
Sa **Ultrasonic testing**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Mounting Piezoelectric Acoustic Emission Sensors, Guide for, **E650/E650M (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Piezoelectric crystal oscillator
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
Piezoelectric sensors
Installing Piezoelectric Highway Traffic Sensors, Practice for, **E2415 (04.03)**
Piezometers
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**
PIF (pressure-indicating film)
Measuring Static Sealing Pressure Using Pressure-Indicating Film (PIF) in Transportation Applications, Practice for, **F2467 (09.02)**
Pig lead
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**
Pigment analysis
Multiangle Color Measurement of Interference Pigments, Practice for, **E2539 (06.01)**
Pigment bleeding test
Bleeding of Pigments, Test Methods for, **D279 (06.03)**
Pigment content
Antimony Oxide in White Pigment Separated From Solvent-Reducible Paints, Test Method for, **D2350 (06.01)**
Common Properties of Certain Pigments, Test Methods for, **D1208 (06.03)**
Determination by Atomic Absorption Spectroscopy of Titanium Dioxide Content of Pigments Recovered From Whole Paint, Test Method for, **D4563 (06.01)**
Determination of the Pigment Content of Solvent-Reducible Paints by High-Speed Centrifuging, Test Method for, **D2698 (06.01)**
Nonvolatile and Pigment Content of Electrocoat Baths, Test Methods for, **D5145 (06.01)**
Pigment Content of Paints by Low-Temperature Ashing, Test Method for, **D4451 (06.01)**
Pigment Content of Solvent-Reducible Paints, Test Method for, **D2371 (06.01)**
Pigment Content of Water-Emulsion Paints by Low-Temperature Ashing, Test Method for, **D3723 (06.01)**
Separation of Vehicle From Solvent-Reducible Paints, Practice for, **D2372 (06.01)**
Sulfide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2351 (06.01)**
Sulfur Dioxide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2352 (06.01)**
Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, Test Method for, **D2448 (06.03)**
Pigment dispersion
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**
Pigment dispersion (paints/related coatings/materials)
Antimony Oxide in White Pigment Separated From Solvent-Reducible Paints, Test Method for, **D2350 (06.01)**
Coarse Particles in Pigments, Test Methods for, **D185 (06.03)**
Coarse Particles in Printing Ink Dispersions, Test Method for, **D2067 (06.02)**
Evaluating Degree of Settling of Paint, Test Method for, **D869 (06.01)**
Evaluation of Flushing Vehicles for Pigment Wetting Using a Vacuum Modified Sigma Blade Mixer, Practice for, **D6336 (06.03)**
Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage, Test Method for, **D1210 (06.01)**
Fineness of Grind of Printing Inks By the NPIRI Grindometer, Test Method for, **D1316 (06.02)**
Incorporating Pigments by High Speed Dispersion, Practice for, **D6619 (06.01)**
Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, Test Method for, **D2621 (06.01)**
Percent Solids in Titanium Dioxide Slurries, Test Methods for, **D3926 (06.03)**
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**
Pigmented coatings
Volume Nonvolatile Matter in Clear or Pigmented Coatings, Test Method for, **D2697 (06.01)**
Pigment extraction
Chlorophyll Content of Algae in Surface Waters, Practices for Measurement of, **D3731 (11.02)**
Pigments—carbon black
See **Carbon black pigment**
Pigments—chrome yellow and orange
See **Chrome yellow and orange pigment**
Pigments—sienna (burnt and raw)
See **Sienna (burnt and raw) pigments**
Pigments—titanium dioxide
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**
Determination by Atomic Absorption Spectroscopy of Titanium Dioxide Content of Pigments Recovered From Whole Paint, Test Method for, **D4563 (06.01)**
Dry Pigmentary Titanium Dioxide Products, Classification for, **D476 (06.03)**
Evaluating the Relative Tint Undertone of Titanium Dioxide Pigments, Test Method for, **D6131 (06.01)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, Test Method for, **D3720 (06.03)**
Pigments—white
Sa **White pigments—general analysis**
Antimony Oxide in White Pigment Separated From Solvent-Reducible Paints, Test Method for, **D2350 (06.01)**
Chemical Analysis of White Pigments, Guide for, **D34 (06.03)**
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**
Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, Test Method for, **D3720 (06.03)**
Relative Tinting Strength of White Pigments by Reflectance Measurements, Test Method for, **D2745 (06.01)**
Relative Tinting Strength of White Pigments by Visual Observation, Test Method for, **D332 (06.01)**
Sulfide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2351 (06.01)**
Sulfur Dioxide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2352 (06.01)**
Pigments (general properties)
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Artists' Acrylic Dispersion Paints, Specification for, **D5098 (06.02)**
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
Bleeding of Pigments, Test Methods for, **D279 (06.03)**
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Coarse Particles in Pigments, Test Methods for, **D185 (06.03)**
Color and Strength of Chromatic Pigments with a Mechanical Muller, Test Method for, **D387 (06.01)**
Color and Strength of Color Pigments by Use of a Miniature Sandmill, Test Method for, **D3022 (06.01)**
Common Properties of Certain Pigments, Test Methods for, **D1208 (06.03)**
Determining the Relative Tinting Strength of Chromatic Paints, Test Method for, **D4838 (06.02)**
Determining Volatile and Nonvolatile Content of Pigments, Guide for, **D4139 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluation of Coatings Applied to Plastics, Guide for, **D3002 (06.02)**
Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage, Test Method for, **D1210 (06.01)**
Fineness of Grind of Printing Inks By the NPIRI Grindometer, Test Method for, **D1316 (06.02)**
Hygroscopic Moisture (and Other Matter Volatile Under the Test Conditions) in Pigments, Test Methods for, **D280 (06.03)**
Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, Test Method for, **D5380 (06.01)**
Lightfastness of Pigments Used in Artists' Paints, Test Methods for, **D4303 (06.02)**
Multiangle Color Measurement of Metal Flake Pigmented Materials, Practice for, **E2194 (06.01)**
Oil Absorption of Pigments by Gardner-Coleman Method, Test Method for, **D1483 (06.01)**
Oil Absorption of Pigments by Spatula Rub-out, Test Method for, **D281 (06.01)**
Pigments for Integrally Colored Concrete, Specification for, **C979/C979M (04.02)**
Relative Tinting Strength of White Pigments by Reflectance Measurements, Test Method for, **D2745 (06.01)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**
Specific Gravity of Pigments, Test Methods for, **D153 (06.03)**
Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, Test Method for, **D5530 (11.04)**
Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, Test Method for, **D2448 (06.03)**
X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, Guide for, **D5381 (06.01)**

Pigments (general properties)—dispersions
Evaluating Degree of Settling of Paint, Test Method for, **D869 (06.01)**
Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, Test Method for, **D2621 (06.01)**

Pig tin
Pig Tin, Specification for, **B339 (02.04)**

Pile fabrics
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Physical Characterization of Woven Paint Applicator Fabrics, Practice for, **D6337 (06.02)**

Pile retention
Pile Fabric Abrasion, Test Method for, **D4685 (07.02)**

Piles
Deep Foundations Under Lateral Load, Test Methods for, **D3966/D3966M (04.08)**
Deep Foundations Under Static Axial Compressive Load, Test Methods for, **D1143/D1143M (04.08)**
Deep Foundations Under Static Axial Tensile Load, Test Methods for, **D3689/D3689M (04.08)**
Establishing Allowable Stresses for Round Timber Piles, Practice for, **D2899 (04.10)**
Establishing Allowable Stresses for Round Timbers for Piles from Tests of Full-Size Material, Practice for, **D7381 (04.10)**
Fusion Bonded Epoxy-Coated Pipe Piles, Specification for, **A972/A972M (01.01)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**
Polymeric Piles, Specification for, **D7258 (08.03)**
Round Timber Piles, Specification for, **D25 (04.10)**
Sampling Waste Piles, Guide for, **D6009 (11.04)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**

Pile thickness
Pile Thickness of Finished Level Pile Yarn Floor Coverings, Test Method for, **D6859 (07.02)**
Pile Thickness of Finished Multilevel Pile Yarn Floor Covering, Test Method for, **D7241 (07.02)**

Pile yarn floor coverings
Sa **Flooring/floor covering systems—specifications**
Accelerated Soiling of Pile Yarn Floor Covering, Test Method for, **D6540 (07.02)**
Assessment of Surface Appearance Change in Pile Floor Coverings Using Standard Reference Scales, Test Method for, **D7330 (07.02)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Binding Sites per Unit Length or Width of Pile Yarn Floor Coverings, Test Method for, **D5793 (07.02)**
Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, Practice for, **D6119 (07.02)**
Evaluation of Dimensional Stability of Pile Yarn Floor Covering, Test Method for, **D7570 (07.02)**
Ignition Characteristics of Finished Textile Floor Covering Materials, Test Method for, **D2859 (04.07)**
Mass Per Unit Area of Pile Yarn Floor Coverings, Test Method for, **D5848 (07.02)**
Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, Practice for, **D6962 (07.02)**
Operation of the Vettermann Drum Tester, Practice for, **D5417 (07.02)**
Pile Thickness of Finished Level Pile Yarn Floor Coverings, Test Method for, **D6859 (07.02)**
Pile Thickness of Finished Multilevel Pile Yarn Floor Covering, Test Method for, **D7241 (07.02)**
Relating to Pile Floor Coverings, Terminology, **D5684 (07.02)**
Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, Test Method for, **D3936 (07.01)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Standard Test Methods and Practices for Evaluating Pile Yarn Floor Covering, Guide for, **D6719 (07.02)**
the Operation of the Hexapod Tumble Drum Tester, Practice for, **D5252 (07.02)**
Tuft Bind of Pile Yarn Floor Coverings, Test Method for, **D1335 (07.01)**
Tuft Element Length of Uncoated Pile Yarn Floor Coverings, Test Method for, **D6283 (07.02)**
Tuft Height of Pile Floor Coverings, Test Method for, **D5823 (07.02)**

Pilling resistance
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Brush Pilling Tester, Test Method for, **D3511/D3511M (07.01)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Elastomeric Pad, Test Method for, **D3514/D3514M (07.01)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling Tester, Test Method for, **D3512/D3512M (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pillows
See **Beds**
Pilot cooling water
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Piloted ignition
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Pilot energy consumption
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Pilot energy rate (Btu/h)
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**
Pilot platforms
Panama Canal Pilot Platform, Specification for, **F985 (01.07)**
Pimephales promelas
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**
PIM (powder injected molding) applications
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Metal Injection Molding (MIM) Ferrous Materials, Specification for, **B883 (02.05)**
Microindentation Hardness of Powder Metallurgy (PM) Materials, Test Method for, **B933 (02.05)**
Steam Treatment of Ferrous Powder Metallurgy (PM) Materials, Guide for, **B935 (02.05)**
Pin abrasion testing
Pin Abrasion Testing, Test Method for, **G132 (03.02)**
Pin-and-collar specimen
Shear Strength of Adhesives Using Pin-and-Collar Specimen, Test Method for, **D4562 (15.06)**
Pin and vee block
Sa **Falex method**
Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), Test Methods for, **D3233 (05.01)**
Measuring Wear Properties of Fluid Lubricants (Falex Pin and Vee Block Method), Test Method for, **D2670 (05.01)**
Pinch/crush/shear points
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**
PIN diode dosimetry
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**
Pinene
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Pine oil
Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, Test Methods for, **D6387 (06.03)**
Pine Chemicals, Including Tall Oil and Related Products, Terminology Relating to, **D804 (06.03)**
Sampling and Testing Pine Oils, Test Methods for, **D802 (06.03)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Pinhole leak test
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Pinhole test
Concentration of Pinhole Detections in Moisture Barriers on Metal Jacketing, Test Method for, **C1785 (04.06)**
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Holiday Detection in Pipeline Coatings, Test Methods for, **G62 (06.02)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
One-Time Carbonizing Tissue for Pinholes, Practice for Testing, **F509 (15.09)**
Pinhole Determination in Aluminum and Aluminum Alloy Plain Foil by Means of a Light Table, Method for, **B926 (02.02)**
Pinions
Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, Specification for, **A291/A291M (01.05)**
Pink stain
Evaluation of Hygienic Handwash and Handrub Formulations for Virus-Eliminating Activity Using the Entire Hand, Test Method for, **E2011 (11.05)**
Pink stain organism
Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, Test Method for, **E1428 (11.05)**
Pin-on-disk/-drum/-table/-belt
Pin Abrasion Testing, Test Method for, **G132 (03.02)**
Pin-on-disk evaluation method
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Pin-on-disk wear apparatus
Wear Testing with a Pin-on-Disk Apparatus, Test Method for, **G99 (03.02)**
Pin-point corrosion
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
PINs (part or identifying numbers)
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Pin test
Expansion (Pin Test) of Copper and Copper-Alloy Pipe and Tubing, Test Method for, **B153 (02.01)**
Pintle
Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, Test Method for, **D6421 (05.03)**
Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, Test Method for, **D5598 (05.02)**
Pin-type bearing test
Pin-Type Bearing Test of Metallic Materials, Test Method for, **E238 (03.01)**
Pipe-arches
Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe, Practice for, **A862/A862M (01.06)**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**

Pipe fittings
12 to 60 in. (300 to 1500 mm) Polypropylene (PP) Dual Wall Pipe and Fittings for Non-Pressure Storm Sewer Applications, Specification for, **F2881 (08.04)**
150 to 1500 mm 6 to 60 in. Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2947 (08.04)**
Black Crosslinked Polyethylene (PEX) Line Pipe, Fittings and Joints For Oil and Gas Producing Applications, Specification for, **F2905/F2905M (08.04)**
Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, Specification for, **F2618 (08.04)**
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Determining Dimensions of Thermoplastic Pipe and Fittings, Test Method for, **D2122 (08.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Heat Fusion Joining of Polyethylene Pipe and Fittings, Practice for, **F2620 (08.04)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Polyamide 11 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2945 (08.04)**

Pipe fittings—ABS (acrylonitrile-butadiene-styrene)
See **Acrylonitrile-butadiene-styrene (ABS) pipe/fittings—specifications**

Pipe fittings—carbon steel
See **Carbon steel pipe fittings—specifications**

Pipe fittings—PE (polyethylene)
Sa **Polyethylene (PE) fittings—specifications**
2 to 60 inch [50 to 1500 mm] Annular Corrugated Profile Wall Polyethylene (PE) Pipe and Fittings for Land Drainage Applications, Specification for, **F2648/F2648M (08.04)**
High-Density Polyethylene (PE) Line Pipe, Specification for, **F2619/F2619M (08.04)**

Pipe fittings—plastic (general)
Sa **Plastic pipe/tubing/fittings**
Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, Practice for, **F2561 (08.04)**

Pipe fittings—PO (polyolefin)
See **Polyolefin (PO) pipe/fittings**

Pipe fittings—PTFE (polytetrafluoroethylene)
See **PTFE (polytetrafluoroethylene)—specifications**

Pipe fittings—PVC (poly(vinyl chloride))
See **Poly(vinyl chloride)(PVC) fittings—specifications**

Pipe fittings—PVDF (poly(vinylidene fluoride))
See **Poly(vinylidene fluoride)(PVDF)**

Pipe fittings—SR (styrene-rubber)
See **Styrene-rubber (SR) plastic pipe/tubing/fittings**

Pipe fittings—steel
Sa **Steel fittings—specifications**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**

Pipe fittings—thermoplastic
Sa **Thermoplastic pipe/tube/fittings**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**

Pipe fittings—thermosetting plastics
See **Thermosetting plastic pipe/tubing/fittings**

Pipe lagging systems
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**

Pipeline coatings
Abrasion Resistance of Pipeline Coatings, Test Method for, **G6 (06.02)**
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Cathodic Disbonding of Pipeline Coatings Subjected to Elevated Temperatures, Test Method for, **G42 (06.02)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**
Chemical Resistance of Pipeline Coatings, Test Method for, **G20 (06.02)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**
Evaluating Pipeline Coating Patch Materials, Test Method for, **G55 (06.02)**
Holiday Detection in Pipeline Coatings, Test Methods for, **G62 (06.02)**
Impact Resistance of Pipeline Coatings, Test Method for, **G13/G13M (06.02)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**
Penetration Resistance of Pipeline Coatings (Blunt Rod), Test Method for, **G17 (06.02)**
Specific Bendability of Pipeline Coatings, Test Method for, **G10 (06.02)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**

Pipeline coatings—specifications
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**

Pipeline inlet connections
PVC Hub and Elastomeric Seal (Gasket) Tee Connection for Joining Plastic Pipe to Insitu Pipelines and Manholes, Specification for, **F2946 (08.04)**

Pipeline operations
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determining the Concentration of Pipeline Drag Reducer Additive in Aviation Turbine Fuels, Test Method for, **D7872 (05.04)**
Natural Gas Sample-Handling and Conditioning Systems for Pipeline Instrumentation, Practice for, **D5503 (05.06)**
Operation and Maintenance of Integrated Natural Gas Pipelines and Optical Fiber Systems, Practice for, **F2349 (04.12)**
Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), Test Method for, **D5949 (05.02)**
Pour Point of Petroleum Products (Automatic Tilt Method), Test Method for, **D5950 (05.02)**

Pipeline operations—specifications
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**

Pipeline rehabilitation
Sa **Rehabilitation—sewerlines**
Installation of Polyethylene (PE) and Encapsulated Cement Mortar Formed in Place Lining System (FIPLS) for the Rehabilitation of Water Pipelines, Practice for, **F2719 (08.04)**
Polyethylene (PE) and Cement Materials for an Encapsulated Cement Mortar Formed in Place Liner System (FIPLS) for the Rehabilitation of Water Pipelines, Specification for, **F2718 (08.04)**

Pipe nipples
Brass, Copper, and Chromium-Plated Pipe Nipples, Specification for, **B687 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**

Pipe piles
Fusion Bonded Epoxy-Coated Pipe Piles, Specification for, **A972/A972M (01.01)**
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**

Piper diagrams
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Pipe-ring specimens
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**

Pipe/sledge hammer test
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

Pipe tees
Testing of Pipe Thread Sealants on Pipe Tees, Test Method for, **D6396 (15.06)**

Pipe thermal insulation
Density and Dimensions of Preformed Pipe-Covering-Type Thermal Insulation, Test Method for, **C302 (04.06)**
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**
Estimating the Maximum Use Temperature of Thermal Insulations, Practice for, **C447 (04.06)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, Specification for, **C1427 (04.06)**
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, Practice for, **C585 (04.06)**
Perpendicularly Oriented Mineral Fiber Roll and Sheet Thermal Insulation for Pipes and Tanks, Specification for, **C1393 (04.06)**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**
Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics, Practice for, **E2231 (04.07)**
Steady-State Heat Transfer Properties of Pipe Insulation, Test Method for, **C335/C335M (04.06)**

Pipe thermal insulation—specifications
Calcium Silicate Block and Pipe Thermal Insulation, Specification for, **C533 (04.06)**
Cellular Glass Thermal Insulation, Specification for, **C552 (04.06)**
Cellular Melamine Thermal and Sound-Absorbing Insulation, Specification for, **C1410 (04.06)**
Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, Specification for, **C1126 (04.06)**
Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type), Specification for, **C592 (04.06)**
Mineral Fiber Pipe Insulation, Specification for, **C547 (04.06)**
Molded Expanded Perlite Block and Pipe Thermal Insulation, Specification for, **C610 (04.06)**
Polyimide Flexible Cellular Thermal and Sound Absorbing Insulation, Specification for, **C1482 (04.06)**
Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, Specification for, **C667 (04.06)**
Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, Specification for, **C534/C534M (04.06)**

Pipe thermal insulation dimension
Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, Practice for, **C585 (04.06)**

Pipe thread sealants
Modified Stub ACME Thread Joint with Elastomeric Seal in Plastic Piping Components, Specification for, **F2768 (08.04)**
Testing of Pipe Thread Sealants on Pipe Tees, Test Method for, **D6396 (15.06)**

Pipets (laboratory)—specifications
Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, Specification for, **E1380 (14.04)**
Color Coding of Reusable Laboratory Pipets, Specification for, **E1273 (14.04)**
Color-Coding Pipets or Containers Coated With Anticoagulants, Specification for, **E1048 (14.04)**
Disposable Glass Micro Blood Collection Pipets, Specification for, **E787 (14.04)**
Disposable Glass Micropipets, Specification for, **E672 (14.04)**
Disposable Glass Serological Pipets, Specification for, **E714 (14.04)**
Disposable Pasteur-Type Pipet, Specification for, **E732 (14.04)**
Glass Measuring Pipets, Specification for, **E1293 (14.04)**
Glass Micro Folin Pipet, Disposable, Specification for, **E1092 (14.04)**
Glass Prothrombin Pipet, Disposable, Specification for, **E1093 (14.04)**
Glass Serological Pipets (General Purpose and Kahn), Specification for, **E1044 (14.04)**
Glass Volumetric (Transfer) Pipets, Specification for, **E969 (14.04)**
Laboratory Glass Micropipets, Specification for, **E193 (14.04)**
Pipet, Blood Diluting, Specification for, **E788 (14.04)**
Pipet, Sahli Hemoglobin, Specification for, **E1045 (14.04)**
Pipets, Milk and Cream Examination, Specification for, **E1043 (14.04)**
Serological Pipet, Disposable Plastic, Specification for, **E934 (14.04)**

Pipet viscometers
Sa **Viscometers**
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**

Pipe-type cable circuits
Plain End Seamless and Electric-Resistance-Welded Steel Pipe for High-Pressure Pipe-Type Cable Circuits, Specification for, **A523 (01.01)**

Pipe wall
Locating Leaks in Sewer Pipes By Measuring the Variation of Electric Current Flow Through the Pipe Wall, Practice for, **F2550 (04.12)**

Pipey
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**

Piping systems
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Acoustic Emission Monitoring of Structures During Controlled Stimulation, Practice for, **E569/E569M (03.03)**
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Circular Metallic Bellows Type Expansion Joint for HVAC Piping Applications, Specification for, **F2934 (01.07)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
Hydrostatic Leak Testing, Practice for, **E1003 (03.03)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Measuring and Estimating Quantities of Insulated Piping and Components, Guide for, **C1409 (04.06)**
Metric-Sized Crosslinked Polyethylene (PEX) Pipe Systems, Specification for, **F2829 (08.04)**
Pressure-rated Polypropylene (PP) Piping Systems, Specification for, **F2389 (08.04)**
Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, Practice for, **F2561 (08.04)**
Selection, Design, and Installation of Thermoplastic Water- Pressure Piping Systems, Guide for, **F645 (08.04)**
Tracking and Traceability Encoding System of Natural Gas Distribution Components (Pipe, Tubing, Fittings, Valves, and Appurtenances), Specification for, **F2897 (08.04)**
Ultrasonic Testing of Metal Pipe and Tubing, Practice for, **E213 (03.03)**
Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing, Practice for, **E273 (03.03)**

Piping systems—maritime (shipboard)
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Pipeline Expansion Joints of the Packed Slip Type for Marine Application, Specification for, **F1007 (01.07)**
Piping System Drawing Symbols, Practice for, **F1000 (01.07)**

Pirelli method
Gassing of Electrical Insulating Liquids Under Electrical Stress and Ionization (Modified Pirelli Method), Test Method for, **D2300 (10.03)**

Piston capillary rheometer
Rubber—Measurement of Processing Properties Using Capillary Rheometry, Test Methods for, **D5099 (09.01)**

Piston deposits
Determination of Moderately High Temperature Piston Deposits by Thermo-Oxidation Engine Oil Simulation Test—TEOST MHT, Test Method for, **D7097 (05.04)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, Test Method for, **D6681 (05.03)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**
Evaluation of Heavy-Duty Engine Oils under High Output Conditions—Caterpillar C13 Test Procedure, Test Method for, **D7549 (05.04)**

Piston-operated apparatus
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**

Piston pumps
Performance Evaluation of Hydraulic Fluids for Piston Pumps, Guide for, **D6813 (05.03)**

Piston-ring-liner scuffing/sticking
Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), Test Methods for, **D6750 (05.03)**

Piston rings
Conducting Friction Tests of Piston Ring and Cylinder Liner Materials Under Lubricated Conditions, Test Method for, **G181 (03.02)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), Test Methods for, **D6750 (05.03)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Measuring the Wear Volumes of Piston Ring Segments Run against Flat Coupons in Reciprocating Wear Tests, Guide for, **G206 (03.02)**

Piston samplers
Sa **Sampling water analysis applications**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**

Pitch
Sa **Tars**
Ash in Coal Tar and Pitch, Test Method for, **D2415 (05.01)**
Coking Value of Tar and Pitch (Alcan), Test Method for, **D4715 (05.02)**
Coking Value of Tar and Pitch (Modified Conradson), Test Method for, **D2416 (05.01)**
Density (Relative Density) of Solid Pitch (Pycnometer Method), Test Method for, **D2320 (05.01)**
Density of Semi-Solid Bituminous Materials (Pycnometer Method), Test Method for, **D70 (04.03)**
Density of Solid Pitch (Helium Pycnometer Method), Test Method for, **D4892 (05.02)**
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Dimethylformamide-Insoluble (DMF-I) Content of Tar and Pitch, Test Method for, **D2764 (05.01)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Quinoline-Insoluble (QI) Content of Tar and Pitch, Test Method for, **D2318 (05.01)**
Quinoline-Insoluble (QI) Content of Tar and Pitch by Stainless Steel Crucible Filtration, Test Method for, **D7280 (05.04)**
Relative Density of Solid Pitch and Asphalt (Displacement Method), Test Method for, **D71 (05.01)**
Sampling Pitch, Practice for, **D4296 (05.02)**
Toluene-Insoluble (TI) Content of Tar and Pitch, Test Method for, **D4072 (05.02)**
Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), Test Method for, **D4312 (05.02)**

Pitch—coal tar
See **Coal tar pitch—specifications**

Pitch softening point
Softening Point of Asphalt and Pitch (Mettler Cup-and-Ball Method), Test Method for, **D3461 (05.01)**
Softening Point of Pitch (Cube-in-Air Method), Test Method for, **D2319/D2319M (05.01)**
Softening Point of Pitches (Cube-in-Water Method), Test Method for, **D61 (05.01)**
Softening Point of Pitches (Mettler Softening Point Method), Test Method for, **D3104 (05.01)**

Pit density/depth/morphology
Examination and Evaluation of Pitting Corrosion, Guide for, **G46 (03.02)**

Pitot traverse inflow/outflow
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pitot tube method
Average Velocity in a Duct (Pitot Tube Method), Test Method for, **D3154 (11.07)**
Calibration of Type S Pitot Tubes, Practice for, **D3796 (11.07)**
Pits
Confined Area Entry, Practice for, **D4276 (15.05)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Pitting corrosion
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Detecting mu-phase in Wrought Nickel-Rich, Chromium, Molybdenum-Bearing Alloys, Practice for, **G209 (03.02)**
Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test), Test Method for, **G67 (03.02)**
Electrochemical Critical Pitting Temperature Testing of Stainless Steels, Test Method for, **G150 (03.02)**
Examination and Evaluation of Pitting Corrosion, Guide for, **G46 (03.02)**
Examination of Mill and Kiln Girth Gear Teeth—Electromagnetic Methods, Practice for, **E2905/E2905M (03.03)**
Measuring Intergranular Attack or End Grain Pitting on Metals Caused by Aircraft Chemical Processes, Practice for, **F2111 (15.03)**
Modified Salt Spray (Fog) Testing, Practice for, **G85 (03.02)**
Operating Salt Spray (Fog) Apparatus, Practice for, **B117 (03.02)**
Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, Test Methods for, **G48 (03.02)**
Pitting or Crevice Corrosion of Metallic Surgical Implant Materials, Test Method for, **F746 (13.01)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**
Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), Test Method for, **G66 (03.02)**
Pittsburgh seam bituminous coal
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**
Pizza oven
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Performance of Rapid Cook Ovens, Test Method for, **F2238 (15.12)**
Placement
Assembly and Placement of Double-Twisted Wire Mesh Gabions and Revet Mattresses, Practice for, **D7014 (04.09)**
Plackett-Burman designs
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Plaids
Bow and Skew in Woven and Knitted Fabrics, Test Method for, **D3882 (07.01)**
Plain asphalt plank
Asphalt Plank, Specification for, **D517 (04.03)**
Plain/deformed steel wire
Epoxy-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A884/A884M (01.04)**
Plain-end mechanical couplings
Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications, Specification for, **F1548 (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Plain end steel pipe—specifications
Sa **Black steel pipe—specifications**
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
Plain End Seamless and Electric-Resistance-Welded Steel Pipe for High-Pressure Pipe-Type Cable Circuits, Specification for, **A523 (01.01)**
Steel Line Pipe, Black, Plain End, Laser Beam Welded, Specification for, **A1006/A1006M (01.01)**
Steel Line Pipe, Black, Plain-End, Electric-Resistance-Welded, Specification for, **A984/A984M (01.01)**
Steel Line Pipe, Black, Plain-End, Seamless, Specification for, **A1024/A1024M (01.01)**
Plain paper gummed tape
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Plain unit masonry
Sa **Masonry units**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Plain weave
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**
Planar flaw-height sizing
Planar Flaw Height Sizing by Ultrasonics, Guide for, **E2192 (03.03)**
Planar materials
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Plane skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**
Planes of stress
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Plane-strain testing
Sa **Fracture testing**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Measurement of Fracture Toughness, Test Method for, **E1820 (03.01)**
Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, Guide for, **B909 (02.02)**
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**
Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials, Test Methods for, **D5045 (08.02)**
Time-to-Failure of Plastics Using Plane Strain Tensile Specimens, Test Method for, **F2018 (08.04)**
Plane wave
Electromagnetic Shielding Effectiveness of Durable Rigid Wall Relocatable Structures, Test Method for, **E1851 (04.11)**
Planimetric procedure
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Planing
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plankton
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Planning/purchasing
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Planning surveys
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Plantago Insularis
Mucilloid Content of Plantago Insularis (Ovata, Psyllium), Test Method for, **D7047 (04.09)**
Plant equipment
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
Identification and Categorization of Tooling, Practice for, **E2672 (04.12)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Plant exudates (gums)
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Plant growth/life
Determination of Rolled Erosion Control Product (RECP) Ability to Encourage Seed Germination and Plant Growth Under Bench-Scale Conditions, Test Method for, **D7322 (04.09)**
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Topsoil Used for Landscaping Purposes, Specification for, **D5268 (04.08)**
Plant housekeeping
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Plant inspection (bituminous mixing)
See **Bituminous paving mixtures**
Plant-produced concrete mixtures
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Plants
Selection, Installation, and Maintenance of Plants for Green Roof Systems, Guide for, **E2400 (04.04)**
Plant spray oils
Unsulfonated Residue of Petroleum Plant Spray Oils, Test Method for, **D483 (05.01)**
Plant tissue analysis
Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Semiautomated Method), Test Methods for, **D3270 (11.07)**
Conducting Sexual Reproduction Tests with Seaweeds, Guide for, **E1498 (11.06)**
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**
Plaque processing
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Preformed Architectural Compression Seals for Buildings and Parking Structures, Specification for, **E1612/E1612M (04.11)**
Plaque test
Determination of Contamination in Recycled Poly(Ethylene Terephthalate) (PET) Flakes and Chips Using a Plaque Test, Practice for, **D5814 (08.03)**
Plasma arc gas enthalpy
Calculation of Stagnation Enthalpy from Heat Transfer Theory and Experimental Measurements of Stagnation-Point Heat Transfer and Pressure, Test Method for, **E637 (15.03)**
Measuring Plasma Arc Gas Enthalpy by Energy Balance, Practice for, **E341 (15.03)**
Plasma emission spectroscopy
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Plasma etching
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Plasma hemoglobin
Analysis of Hemolytic Properties of Nanoparticles, Test Method for, **E2524 (14.02)**
Assessment of Hemolytic Properties of Materials, Practice for, **F756 (13.01)**
Plasma-mass spectrometry
Sa **ICP-MS (inductively-coupled plasma-mass spectrometry)**
Analysis of Nickel Alloys by Inductively Coupled Plasma Mass Spectrometry (Performance-Based Method), Test Method for, **E2823 (03.05)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Plasma-sprayed coatings
Metallographic Preparation of Thermal Sprayed Coatings, Guide for, **E1920 (03.01)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings, Practice for, **F2024 (13.01)**
Plaster
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**
Pozzolanic Hydraulic Lime for Structural Purposes, Specification for, **C1707 (04.01)**
Water Retention of Hydraulic Cement-Based Mortars and Plasters, Test Method for, **C1506 (04.01)**
Plaster—specifications
Aggregate for Job-Mixed Portland Cement-Based Plasters, Specification for, **C897 (04.01)**
Application of Gypsum Base to Receive, Specification for, **C844 (04.01)**
Application of Gypsum Veneer Plaster, Specification for, **C843 (04.01)**
Application of Interior Gypsum Plaster, Specification for, **C842 (04.01)**
Application of Portland Cement-Based Plaster, Specification for, **C926 (04.01)**
Bonding Compounds for Interior Gypsum Plastering, Specification for, **C631 (04.01)**
Gypsum Casting Plaster and Gypsum Molding Plaster, Specification for, **C59/C59M (04.01)**
Gypsum Keene's Cement, Specification for, **C61/C61M (04.01)**
Gypsum Plasters, Specification for, **C28/C28M (04.01)**
Gypsum Veneer Plaster, Specification for, **C587 (04.01)**
Inorganic Aggregates for Use in Gypsum Plaster, Specification for, **C35 (04.01)**
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Lime Putty for Structural Purposes, Specification for, **C1489 (04.01)**
Metal Lath, Specification for, **C847 (04.01)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plastic (Stucco) Cement, Specification for, **C1328/C1328M (04.01)**
Surface-Applied Bonding Compounds for Exterior Plastering, Specification for, **C932 (04.01)**
Woven Wire Plaster Base, Specification for, **C1032 (04.01)**

Plastic
Determination of Low Level, Regulated Phthalates in Poly (Vinyl Chloride) Plastics by Thermal Desorption—Gas Chromatography/Mass Chromatography, Test Method for, **D7823 (08.03)**
Determining Gel Content in Crosslinked Ethylene Plastics Using Pressurized Liquid Extraction, Test Method for, **D7567 (08.03)**
Polyethylene-Based Structural-Grade Plastic Lumber for Outdoor Applications, Specification for, **D7568 (08.03)**

Plastic beverage containers
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**

Plastic bottles
Drop Impact Resistance of Blow-Molded Thermoplastic Containers, Test Method for, **D2463 (08.01)**
Permeability of Thermoplastic Containers to Packaged Reagents or Proprietary Products, Test Method for, **D2684 (08.01)**

Plastic bucket
Cautionary Labeling for Five-Gallon Open-Head Plastic Containers, Specification for, **F1615 (15.11)**

Plastic building products
Color and Appearance Retention of Solid and Variegated Color Plastic Siding Products using CIELab Color Space, Specification for, **D7856 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), Specification for, **D7445 (08.03)**

Plastic cement
Plastic (Stucco) Cement, Specification for, **C1328/C1328M (04.01)**

Plastic-coated fabrics
Sa **Rubber-/plastic-coated fabric**
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**

Plastic-coated paper/paperboard
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**

Plastic coating powders
See **Powder coatings (for electrical insulation)**

Plastic compounds
Plastics, Terminology Relating to, **D883 (08.01)**

Plastic containers
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**

Plastic discs
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**

Plastic electrical insulating materials
See **Electrical insulating plastics**

Plastic extension
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Plastic film
Sa **Plastic sheet and film—specifications**
Defect Detection and Rating of Plastic Films Using Optical Sensors, Guide for, **D7310 (08.03)**
High Speed Puncture Properties of Plastic Films Using Load and Displacement Sensors, Test Method for, **D7192 (08.03)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using Various Sensors, Test Method for, **F2622 (15.10)**
Preparing Prints of Paste Printing Inks by a Motor-Driven Printability Tester, Practice for, **D7680 (06.02)**

Plastic film replicas
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**

Plastic fines/dusts
Sand Equivalent Value of Soils and Fine Aggregate, Test Method for, **D2419 (04.03)**

Plastic flow resistance
Sa **Flow and flow rate—thermoplastics**
Resistance to Plastic Flow of Bituminous Mixtures Using Marshall Apparatus (6 inch-Diameter Specimen), Test Method for, **D5581 (04.03)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Plastic furniture
Child's Plastic Chairs for Outdoor Use, Performance Requirements for, **F1838 (15.11)**
Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, Performance Requirements for, **F1858 (15.11)**
Plastic Chairs for Outdoor Use, Performance Requirements for, **F1561 (15.11)**
Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use, Performance Requirements for, **F1988 (15.11)**

Plastic gas piping
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**
Specification for Crosslinked Polyethylene (PEX) Material Gas Pressure Pipe and Tubing, Specification for, **F2818 (08.04)**

Plastic glass-fiber-reinforced pultruded rod
Sa **Glass-fiber-reinforced (GRP) plastics**
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes, Specification for, **D3917 (08.02)**
Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**
In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod, Test Method for, **D3914 (08.02)**
Tensile Properties of Pultruded Glass-Fiber-Reinforced, Test Method for, **D3916 (08.02)**

Plastic injection molds
Sa **Molding/extrusion compounds/materials—specifications**
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**

Plasticity and recovery
Microcellular Urethanes—Flexural Recovery, Test Method for, **D3768 (08.02)**
Rubber Property—Plasticity and Recovery (Parallel Plate Method), Test Method for, **D926 (09.01)**
Slump of Hydraulic-Cement Concrete, Test Method for, **C143/C143M (04.02)**

Plasticity index
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Liquid Limit, Plastic Limit, and Plasticity Index of Soils, Test Methods for, **D4318 (04.08)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Rubber From Natural Sources—Plasticity Retention Index (PRI), Test Method for, **D3194 (09.01)**

Plasticizer migration
Measurement of Plasticizer Migration From Vinyl Fabrics to Lacquers, Test Method for, **D2199 (06.02)**

Plasticizers
Sa **Concrete admixtures**
Acetone Extraction of Phenolic Molded or Laminated Products,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D494 (08.01)**
Chemical Admixtures for Use in Producing Flowing Concrete, Specification for, **C1017/C1017M (04.02)**
Compatibility of Plasticizers in Poly(Vinyl Chloride) Plastics Under Compression, Practice for, **D3291 (08.02)**
Evaluating Adhesive and the Effects of Plasticizer Found Within Polyvinyl Chloride-Backed Floor Coverings, Practice for, **D7888 (15.06)**
Measurement of Plasticizer Migration From Vinyl Fabrics to Lacquers, Test Method for, **D2199 (06.02)**
Metal Glide Adhesion, Test Method for, **D3543 (15.04)**
Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants, Test Method for, **C772 (04.07)**
Purity of Monomeric Plasticizers by Gas Chromatography, Test Method for, **D3465 (08.02)**
Quantity of Water-Extractable Matter in Membrane Filters, Test Method for, **D3861 (11.02)**
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Rubber Conditioning For Low Temperature Testing, Practice for, **D832 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Sampling and Testing Plasticizers Used in Plastics, Test Methods for, **D1045 (08.01)**
Testing Plasticizer Compatibility in Poly(Vinyl Chloride) (PVC) Compounds Under Humid Conditions, Practice for, **D2383 (08.01)**
Testing Synthetic Plasticizers Used in Rubber, Guide for, **D1992 (09.01)**
Volatile Loss From Plastics Using Activated Carbon Methods, Test Methods for, **D1203 (08.01)**

Plasticizers—sorption
Plasticizer Sorption of Poly(Vinyl Chloride) Resins Under Applied Centrifugal Force, Test Method for, **D3367 (08.02)**
Poly(Vinyl Chloride) Resins, Specification for, **D1755 (08.01)**

Plastic limit of soil
Liquid Limit, Plastic Limit, and Plasticity Index of Soils, Test Methods for, **D4318 (04.08)**

Plastic-lined ferrous metal pipe/fittings/flanges
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Plastic-Lined Ferrous Metal Pipe, Fittings, and Flanges, Specification for, **F1545 (08.04)**

Plastic linings
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**

Plastic lumber/shapes
Bulk Density And Specific Gravity of Plastic Lumber and Shapes by Displacement, Test Method for, **D6111 (08.03)**
Compressive and Flexural Creep and Creep-Rupture of Plastic Lumber and Shapes, Test Methods for, **D6112 (08.03)**
Compressive Properties of Plastic Lumber and Shapes, Test Method for, **D6108 (08.03)**
Determination of the Linear Coefficient of Thermal Expansion of Plastic Lumber and Plastic Lumber Shapes Between –30 and 140°F (–34.4 and 60°C), Test Method for, **D6341 (08.03)**
Flexural Properties of Unreinforced and Reinforced Plastic Lumber and Related Products, Test Methods for, **D6109 (08.03)**
Mechanical Fasteners in Plastic Lumber and Shapes, Test Methods for, **D6117 (08.03)**

Plastic lumber/shapes—specifications
Polyolefin-Based Plastic Lumber Decking Boards, Specification for, **D6662 (08.03)**

Plastic materials
Apparent Density, Bulk Factor, and Pourability of Plastic Materials, Test Methods for, **D1895 (08.01)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Detection of Holes in Polyethylene Food Service Gloves, Test Method for, **D7246 (09.02)**
Determining J-R Curves of Plastic Materials, Test Method for, **D6068 (08.03)**
Determining the Aerobic Degradation and Anaerobic Biodegradation of Plastic Materials under Accelerated Bioreactor Landfill Conditions, Test Method for, **D7475 (08.03)**
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Static Load Limit, Test Method for, **F970 (15.04)**
Time-to-Failure of Plastics Using Plane Strain Tensile Specimens, Test Method for, **F2018 (08.04)**
Weight Attrition of Plastic Materials in the Marine Environment by Open System Aquarium Incubations, Test Method for, **D7473 (08.03)**
Writing Material Standards in the Classification, Guide for, **D5740 (08.03)**

Plastic mechanical fittings
See **Mechanical fittings**

Plastic molding materials
Sa **Molding/extrusion compounds/materials—specifications**
Flatwise Flexural Impact Resistance of Rigid Plastics, Test Method for, **D6395 (08.03)**

Plastic overlays
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**

Plastic packaging materials
Preparation of Plastic Packagings Containing Liquids for United Nations (UN) Drop Testing, Guide for, **D7790 (15.10)**

Plastic pipe/tubing/fittings
Sa **Poly(vinyl chloride)(PVC) pipe—specifications**
Sa **Poly(vinyl chloride)(PVC) tube—specifications**
6 to 30 in. (152 To 762 mm) Polypropylene (PP) Corrugated Single Wall Pipe And Double Wall Pipe, Specification for, **F2736 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (Metric SDR-PR), Specification for, **F2806 (08.04)**
Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe, Test Method for, **D2290 (08.04)**
Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, Specification for, **F2618 (08.04)**
Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1960 (08.04)**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Design of High-Density Polyethylene (HDPE) Manholes for Subsurface Applications, Practice for, **F1759 (08.04)**
Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading, Test Method for, **D2412 (08.04)**
Determination of the Temperature of Above-Ground Plastic Gas Pressure Pipe Within Metallic Casings, Practice for, **F689 (08.04)**
Determining Allowable Tensile Load for Polyethylene (PE) Gas Pipe During Pull-In Installation, Practice for, **F1804 (08.04)**
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**
Electrofusion Type Polyamide-11 Fittings for Outside Diameter Controlled Polyamide-11 Pipe and Tubing, Specification for, **F2600 (08.04)**
Electrofusion Type Polyamide-12 Fittings for Outside Diameter Controlled Polyamide-12 Pipe and Tubing for Gas Distribution, Specification for, **F2767 (08.04)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Making Solvent-Cemented Joints with Poly(Vinyl Chloride) (PVC) Pipe and Fittings, Practice for, **D2855 (08.04)**
Plastic Piping Systems, Terminology Relating to, **F412 (08.04)**
Polyethylene of Raised Temperature (PE-RT) Plastic Hot and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cold-Water Tubing and Distribution Systems, Specification for, **F2769 (08.04)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**
Push-Fit Crosslinked Polyethylene (PEX) Mechanical Fittings for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F2854 (08.04)**
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Plastic pipe/tubing/fittings—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**
30 to 60 in. 750 to 1500 mm Polypropylene (PP) Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications, Specification for, **F2764/F2764M (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) IPS Dimensioned Pressure Pipe, Specification for, **F2969 (08.04)**
Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, Specification for, **D3982 (08.03)**
Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F477 (08.04)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Fabricated Fittings of Butt-Fused Polyethylene (PE) Plastic Pipe, Fittings, Sheet Stock, Plate Stock, or Block Stock, Specification for, **F2206 (08.04)**
Flexible Pre-Insulated Piping, Specification for, **F2165 (08.04)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F1961 (08.04)**
Metric-sized Crosslinked Polyethylene (PEX) Pipe, Specification for, **F2788 (08.04)**
Metric-Sized Crosslinked Polyethylene (PEX) Pipe Systems, Specification for, **F2829 (08.04)**
Modified Stub ACME Thread Joint with Elastomeric Seal in Plastic Piping Components, Specification for, **F2768 (08.04)**
Molded Drain, Waste, and Vent (DWV) Short-Pattern Plastic Fittings, Specification for, **F2135 (08.04)**
Plastic Insert Fittings For SDR9 Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F2735 (08.04)**
Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F2159 (08.04)**
Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F1924 (08.04)**
Polyamide 11 (PA 11) and Polyamide 12 (PA12) Mechanical Fittings for Use on Outside Diameter Controlled Polyamide 11 and Polyamide 12 Pipe and Tubing, Specification for, **F2145 (08.04)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Taper Pipe Threads 60° for Thermoplastic Pipe and Fittings, Specification for, **F1498 (08.04)**

Plastic properties
Plastic Properties of Coal by the Constant-Torque Gieseler Plastometer, Test Method for, **D2639/D2639M (05.06)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**

Plastic protective equipment (for electrical workers)
See **Protective equipment**

Plastic pultruded shapes
Classifying Reinforced Plastic Pultruded Shapes According to Composition, Practice for, **D3647 (08.02)**

Plastics
Sa **Plastic sheet and film—specifications**
Sa **Plastic surgical devices/applications—specifications**
Sa **Polybutylene (PB)**
Sa **Polycarbonate (PC)**
Sa **Polyester plastics**
Sa **Polyethylene (PE)**
Sa **Polymeric materials**
Sa **Polyolefin (PO)**
Sa **Polypropylene (PP)**
Sa **Poly(vinyl chloride)(PVC)**
Sa **Propylene (PP) plastics**
Sa **Reinforced thermosetting plastics (RTP)**
Sa **Thermoplastics**
Sa **Thermosetting plastics**
Abbreviated Terms Relating to Plastics, Terminology for, **D1600 (08.01)**
Annual Review of Test Methods and Specifications for Plastics, Guide for, **D4968 (08.02)**
Bearing Strength of Plastics, Test Method for, **D953 (08.01)**
Coding Plastic Manufactured Articles for Resin Identification, Practice for, **D7611/D7611M (08.03)**
Coefficient of Linear Thermal Expansion of Plastics Between −30°C and 30°C with a Vitreous Silica Dilatometer, Test Method for, **D696 (08.01)**
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Determination of Moisture in Plastics by Relative Humidity Sensor, Test Method for, **D7191 (08.03)**
Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, Test Method for, **D7710 (08.03)**
Determining Flammability Characteristics of Plastics and Other Solid Materials Using Microscale Combustion Calorimetry, Test Method for, **D7309 (08.03)**
Evaluation of Scratch Resistance of Polymeric Coatings and Plastics Using an Instrumented Scratch Machine, Test Method for, **D7027 (08.03)**
Installing Plastic DWV Piping Suspended from On-Grade Slabs, Guide for, **F2536 (08.04)**
Measurement of Fines and Dust Particles on Plastic Pellets by Wet Analysis, Test Method for, **D7486 (08.03)**
Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), Test Method for, **D7134 (08.03)**
Specifying Plastic Materials, Classification System for, **D4000 (08.02)**
Tensile Properties of Plastics by Use of Microtensile Specimens, Test Method for, **D1708 (08.01)**
Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials, Test Method for, **D1822 (08.01)**
Uniaxial Fatigue Properties of Plastics, Test Method for, **D7791 (08.03)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Volatile Loss From Plastics Using Activated Carbon Methods, Test Methods for, **D1203 (08.01)**

Plastics—specifications
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**
Cast Poly(Methyl Methacrylate) Plastic Rods, Tubes, and Shapes, Specification for, **D5436 (08.03)**
Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, Specification for, **D3982 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes, Specification for, **D3917 (08.02)**
Epoxy (Flexible) Adhesive For Bonding Metallic And Nonmetallic Materials, Specification For, **D6412/D6412M (15.06)**
Epoxy Molding Compounds, Specification for, **D3013 (08.01)**
Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, Specification for, **E1556 (04.11)**
Epoxy Resins, Specification for, **D1763 (08.01)**
Extruded and Compression Molded Shapes Made from Poly(Vinylidene Fluoride) (PVDF), Specification for, **D6713 (08.03)**
Fiber-Reinforced Plastic Fans and Blowers, Specification for, **D4167 (08.03)**
Finished Parts Made from Polyimide Resin, Specification for, **D6456 (08.03)**
Flexible Cellular Materials Made From Polyolefin Plastics, Specification for, **D4819 (08.02)**
Labeling of Plastics Designed to be Aerobically Composted in Municipal or Industrial Facilities, Specification for, **D6400 (08.03)**
Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, Specification for, **D5025 (08.02)**
Liquid Crystal Polymers Molding and Extrusion Materials (LCP), Classification System and Basis for Specification for, **D5138 (08.03)**
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**
Non-Floating Biodegradable Plastics in the Marine Environment, Specification for, **D7081 (08.03)**
Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds, Specification for, **D2287 (08.01)**
Nylon Injection and Extrusion Materials (PA), Classification System for, **D4066 (08.02)**
Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, Specification for, **E1745 (04.11)**
Poly(Methyl Methacrylate) (PMMA) Molding and Extrusion Compounds, Classification System for, **D788 (08.01)**
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Poly(Vinyl Chloride) Resins, Specification for, **D1755 (08.01)**
Polyamide Molding and Extrusion Materials (PA), Classification System for and Basis of Specification for, **D6779 (08.03)**
Polycarbonate (PC) Unfilled and Reinforced Material, Specification for, **D3935 (08.02)**
Polychlorotrifluoroethylene (PCTFE) Extruded Plastic Sheet and Film, Specification for, **D3595 (08.02)**
Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, Specification for, **D2513 (08.04)**
Polyethylene Film and Sheeting, Specification for, **D2103 (08.01)**
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**
Polyethylene Terephthalate Film and Sheeting, Specification for, **D5047 (08.02)**
Polyolefin-Based Plastic Lumber Decking Boards, Specification for, **D6662 (08.03)**
Polyphenylene Ether (PPE) Materials, Classification System and Basis for Specification for, **D4349 (08.02)**
Polypropylene Injection and Extrusion Materials, Specification for, **D4101 (08.02)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**
Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, Classification System and Basis for Specifications for, **D3965 (08.02)**
Rigid Cellular Polystyrene Geofoam, Specification for, **D6817/D6817M (04.13)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications, Specification for, **D3915 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds, Specification for, **D4216 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Specification for, **D1784 (08.01)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), Classification System and Basis for Specification for, **D4634 (08.02)**
Sulfone Plastics (SP), Specification for, **D6394 (08.03)**
Syndiotactic Polystyrene Molding and Extrusion (SPS), Classification System for and Basis for Specifications for, **D6339 (08.03)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Toluene Diisocyanate, Specification for, **D1786 (08.01)**

Plastics (atmospheric analysis)
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Plastics decking
Polyolefin-Based Plastic Lumber Decking Boards, Specification for, **D6662 (08.03)**

Plastics—dynamic mechanical properties
See **Dynamic mechanical analysis (DMA)—plastics**

Plastics—guard equipment (electrical)
See **Guard equipment (electrical)**

Plastics—electrical insulating
See **Electrical insulating plastics**

Plastics—electrodeposited coatings
See **Electrodeposited plastic coatings**

Plastic laminates
See **Laminates (plastic)**

Plastics—glass-fiber reinforced products
See **Glass-fiber-reinforced (GRP) plastics—specifications**

Plastic sheet and film
Sa **Flexible barrier materials**
Bearing Strength of Plastics, Test Method for, **D953 (08.01)**
Blocking Load of Plastic Film by the Parallel Plate Method, Test Method for, **D3354 (08.02)**
Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, Test Method for, **D952 (08.01)**
Brittleness Temperature of Plastic Sheeting by Impact, Test Method for, **D1790 (08.01)**
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Cutting Film and Sheeting Test Specimens, Practice for, **D6287 (08.03)**
Determination of Thickness of Plastic Film Test Specimens, Guide for, **D6988 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Algal Resistance of Plastic Films, Practice for, **G29 (14.04)**
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Evaluating the Resistance of Plastics to Chemical Reagents, Practices for, **D543 (08.01)**
Impact Resistance of Plastic Film by the Free-Falling Dart Method, Test Methods for, **D1709 (08.01)**
Impact Resistance of Rigid Poly(Vinyl Chloride) (PVC) Building Products, Test Methods for, **D4226 (08.03)**
Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature, Test Method for, **D1204 (08.01)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using Various Sensors, Test Method for, **F2622 (15.10)**
Package Yield of Plastic Film, Test Method for, **D4321 (08.02)**
Pendulum Impact Resistance of Plastic Film, Test Method for, **D3420 (08.02)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Preparing Plastic Film Specimens for a Round-Robin Study, Practice for, **D4204 (08.02)**
Protrusion Puncture Resistance of Stretch Wrap Film, Test Method for, **D5748 (15.10)**
Recycled Post-Consumer Polyethylene Film Sources for Molding and Extrusion Materials, Classification for, **D5491 (08.03)**
Resistance of Plastic Films to Extraction by Chemicals, Test Method for, **D1239 (08.01)**
Rigidity of Polyolefin Film and Sheeting, Test Method for, **D2923 (08.01)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**
Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, Test Method for, **E1084 (12.02)**
Specular Gloss of Plastic Films and Solid Plastics, Test Method for, **D2457 (08.01)**
Standard Test Methods for Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Guide to, **D6040 (08.03)**
Static and Kinetic Coefficients of Friction of Plastic Film and Sheeting, Test Method for, **D1894 (08.01)**
Static Electrification, Test Method for, **D4470 (10.02)**
Tensile Properties of Thin Plastic Sheeting, Test Method for, **D882 (08.01)**
Thickness of Foil, Thin Sheet, and Film by Mass Measurement, Test Method for, **E252 (02.02)**
Thickness of Solid Electrical Insulation (Metric), Test Methods for, **D374M (10.01)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**
Transparency of Plastic Sheeting, Test Method for, **D1746 (08.01)**
Unrestrained Linear Thermal Shrinkage of Plastic Film, Test Method for, **D2732 (08.01)**
Visual Color Evaluation of Transparent Sheet Materials, Practice for, **E1478 (06.01)**
Volatile Matter in Silicone Fluid, Test Method for, **D4559 (10.03)**
Water Vapor Transmission of Materials, Test Methods for, **E96/E96M (04.06)**
Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, Test Method for, **F1249 (15.10)**

Plastic sheet and film—polyethylene (PE)
See **Polyethylene (PE) sheet and film—specifications**

Plastic sheet and film—poly(vinyl chloride)(PVC)
See **Poly(vinyl chloride)(PVC)—specifications**

Plastic sheet and film—specifications
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Determination of 2 % Secant Modulus for Polyethylene Geomembranes, Practice for, **D5323 (04.13)**
Nonrigid Vinyl Chloride Plastic Film and Sheeting, Specification for, **D1593 (08.01)**
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Polychlorotrifluoroethylene (PCTFE) Extruded Plastic Sheet and Film, Specification for, **D3595 (08.02)**
Polyethylene Film and Sheeting, Specification for, **D2103 (08.01)**
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**
Polyethylene Films Made from Medium-Density Polyethylene for General Use and Packaging Applications, Specification for, **D3981 (08.02)**
Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications, Specification for, **D4397 (08.02)**
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**
Polyethylene Terephthalate Film and Sheeting, Specification for, **D5047 (08.02)**
PVC Insulating Sheeting, Specification for, **F1742 (10.03)**

Plastic sheet and film—tear resistance
Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, Test Method for, **D1922 (08.01)**
Puncture-Propagation Tear Resistance of Plastic Film and Thin Sheeting, Test Method for, **D2582 (08.01)**
Tear Resistance (Graves Tear) of Plastic Film and Sheeting, Test Method for, **D1004 (08.01)**
Tear-Propagation Resistance (Trouser Tear) of Plastic Film and Thin Sheeting by a Single-Tear Method, Test Method for, **D1938 (08.01)**

Plastic sheet method
Indicating Moisture in Concrete by the Plastic Sheet Method, Test Method for, **D4263 (06.02)**

Plastic shipping materials/applications
Determining Aerobic Biodegradation of Plastic Materials in the Marine Environment by a Defined Microbial Consortium or Natural Sea Water Inoculum, Test Method for, **D6691 (08.03)**
Environmental Stress Crack Resistance (ESCR) of Plastic Tighthead Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plastic siding
Color and Appearance Retention of Solid and Variegated Color Plastic Siding Products using CIELab Color Space, Specification for, **D7856 (08.03)**
Plastic siding products—color and appearance retention
Color and Appearance Retention of Solid and Variegated Color Plastic Siding Products using CIELab Color Space, Specification for, **D7856 (08.03)**
Plastics—nylon (PA)
See **Nylon plastics (PA)**
Plastics—polymers
See **Polymers**
Plastics—recycling
See **Recycled plastics**
Plastics—refractories
See **Refractories (plastic)**
Plastics—reinforced
See **Reinforced plastics**
See **Reinforced thermosetting plastics (RTP)**
Plastics—textile applications
Finished Glass Fabrics Woven From Rovings, Specification for, **D4389/D4389M (07.01)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Impact Resistance of Plastic Sew-Through Buttons, Test Method for, **D5171 (07.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Plastics—thermoplastic
See **Thermoplastics—specifications**
Plastics—thermosetting
See **Reinforced thermosetting plastics (RTP)**
See **Thermosetting plastics—specifications**
Plastic strains
Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**
Plastic Strain Ratio, Test Method for, **E517 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Plastics—transparent
See **Transparent plastics**
Plastic strapping materials
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Plastic substrates
See **Substrates**
Plastic surgical devices/applications
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Determining Radiopacity for Medical Use, Test Methods for, **F640 (13.01)**
Evaluation of Thermoplastic Polyurethane Solids and Solutions for Biomedical Applications, Guide for, **F624 (13.01)**
Extraction of Medical Plastics, Practice for, **F619 (13.01)**
Implantable Thermoset Epoxy Plastics, Criteria for, **F602 (13.01)**
Vinyl Chloride Plastics Used in Biomedical Application, Classification for, **F665 (13.01)**
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Plastic surgical devices/applications—specifications
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Implantable Polytetrafluoroethylene (PTFE) Sheet, Tube, and Rod Shapes Fabricated from Granular Molding Powders, Specification for, **F754 (13.01)**
Polycarbonate Resin for Medical Applications, Specification for, **F997 (13.01)**
Polyethylene Plastics for Medical Applications, Specification for, **F639 (13.01)**
Polyoxymethylene (Acetal) for Medical Applications, Specification for, **F1855 (13.01)**
Polysulfone Resin for Medical Applications, Specification for, **F702 (13.01)**
Selection of Porous Polyethylene for Use in Surgical Implants, Specification for, **F755 (13.01)**
Semi-Crystalline Poly(lactide) Polymer and Copolymer Resins for Surgical Implants, Specification for, **F1925 (13.01)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
Ultra-High-Molecular-Weight Polyethylene Powder and Fabricated Form for Surgical Implants, Specification for, **F648 (13.01)**
Plastic teething rail test
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
Plastic waste materials
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Plastic water vapor retarders
See **Water vapor retarders—specifications**
Plastic weatherability
Insulated Vinyl Siding, Specification for, **D7793 (08.03)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), Specification for, **D7445 (08.03)**
Plastic welding applications
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Plastisols and organosols
Apparent Viscosity of Plastisols and Organosols at High Shear Rates by Extrusion Viscometer, Test Method for, **D1823 (08.01)**
Apparent Viscosity of Plastisols and Organosols at Low Shear Rates, Test Method for, **D1824 (08.01)**
Estimating Processing Losses of Plastisols and Organosols Due to Volatility, Test Method for, **D6150 (08.03)**
Rubber Property—Plasticity and Recovery (Parallel Plate Method), Test Method for, **D926 (09.01)**
Rubber Property—Pusey and Jones Indentation, Test Method for, **D531 (09.01)**
Plastometer technique
Plastic Properties of Coal by the Constant-Torque Gieseler Plastometer, Test Method for, **D2639/D2639M (05.06)**
Plate and screens (industrial perforated)
Industrial Perforated Plate and Screens (Round Opening Series), Specification for, **E674 (14.02)**
Industrial Perforated Plate and Screens (Square Opening Series), Specification for, **E454 (14.02)**
Plate and sheet for pressure vessels
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Plateau velocity
Making and Using Precracked Double Beam Stress Corrosion Specimens, Practice for, **G168 (03.02)**
Plate bearing test
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
Plate (copper)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Plate count method
Enumeration of Non-Tuberculosis, Practice for, **E2563 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plated fasteners
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**
Plate materials (general)
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Platens
Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, Specification for, **C1716/C1716M (04.05)**
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**
Plate pipe (steel)
See **Steel plate pipe—specifications**
Plate shape characteristics
Measuring Shape Characteristics of Tin Mill Products, Practice for, **A987/A987M (01.06)**
Platform Rescue System (PRS)
Multi-Story Building External Evacuation Platform Rescue Systems, Specification for, **E2513 (04.12)**
Platforms
Evaluating Structural Capacities of Rim Board Products and Assemblies, Specification for, **D7672 (04.10)**
Load Capacity of Treestand Seats, Test Method for, **F2531 (15.07)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Platforms in Cargo Tanks, Practice for, **F1385 (01.07)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Structure-Mounted Insulating Work Platforms for Electrical Workers, Specification for, **F1564 (10.03)**
Platinel
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Plating
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**
Plating (and baking) processes
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Plating (cloning) efficiency
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Plating porosity
Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, Practice for, **B920 (02.04)**
Platinum
Determining Plutonium by Controlled-Potential Coulometry in H, Test Method for, **C1165 (12.01)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Preparation of Titanium and Titanium Alloys, Practice for, **B481 (02.05)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, Test Method for, **E207 (14.03)**
Thermocouple Materials, Platinum-Rhodium Alloys, and Platinum, Specification for, **E1159 (14.03)**
Platinum—specifications
Gold-Silver-Platinum Electrical Contact Alloy, Specification for, **B522 (02.04)**
Platinum-Iridium Electrical Contact Materials, Specification for, **B684 (02.04)**
Refined Platinum, Specification for, **B561 (02.04)**
Platinum catalysts
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**
Platinum-cobalt scale
Color of Clear Electrical, Test Method for, **D2129 (10.03)**
Color of Clear Liquids (Platinum-Cobalt Scale), Test Method for, **D1209 (06.04)**
Color of Halogenated Organic Solvents and, Test Method for, **D2108 (15.05)**
Color of Liquids Using Tristimulus Colorimetry, Test Method for, **D5386 (06.04)**
Color of Solid Aromatic Hydrocarbons and Related Materials in the Molten State (Platinum-Cobalt Scale), Test Method for, **D1686 (06.04)**
Solution Color of Bisphenol A (4,4`-Isopropylidenediphenol), Test Method for, **D4789 (06.04)**
Platinum content
Platinum in Reforming Catalysts by Wet Chemistry, Test Method for, **D4642 (05.05)**
Platinum (cracking) catalysts
Sa **Catalysts/catalyst carriers**
Platinum in Reforming Catalysts by Wet Chemistry, Test Method for, **D4642 (05.05)**
Platinum crucible
Volatile Matter in the Analysis Sample of Coal and Coke, Test Method for, **D3175 (05.06)**
Platinum cure
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**
Platinum dish
Sodium in Residual Fuel Oil (Flame Photometric Method), Test Method for, **D1318 (05.01)**
Platinum evaporating dishes
Dishes, Evaporating, Platinum, Specification for, **E786 (14.04)**
Platinum-iridium contact materials
Platinum-Iridium Electrical Contact Materials, Specification for, **B684 (02.04)**
Platinum resistance thermometers (PRT)
Accuracy Verification of Industrial Platinum Resistance Thermometers, Guide for, **E2593 (14.03)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Platinum-rhodium alloys
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Thermocouple Materials, Platinum-Rhodium Alloys, and Platinum, Specification for, **E1159 (14.03)**
Platinum ring
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**
Play areas
Air Soft Field Operation, Practice for, **F2940 (15.07)**
Design, Manufacture, Installation and Testing of Climbing Nets

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Netting/Mesh used in Amusement Rides, Devices, Play Areas and Attractions, Practice for, **F2375 (15.07)**

Playground equipment—specifications
Sa **Sports equipment**
Constant Air Inflatable Play Devices for Home Use, Consumer Safety Specification for, **F2729 (15.11)**
Determination of Accessibility of Surface Systems Under and Around Playground Equipment, Specification for, **F1951 (15.07)**
Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment, Specification for, **F2075 (15.07)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Loose-Fill Rubber for Use as a Playground Safety Surface under and around Playground Equipment, Specification for, **F3012 (15.07)**
Non-Full-Size Baby Cribs/Play Yards, Consumer Safety Specification for, **F406 (15.11)**
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**
Public Use Play Equipment for Children 6 Months through 23 Months, Consumer Safety Performance Specification for, **F2373 (15.11)**
Soft Contained Play Equipment, Safety Performance Specification for, **F1918 (15.11)**
Specification, Purchase, Installation and Maintenance of Poured-In-Place Playground Surfacing, Guide for, **F2479 (15.07)**

Playground surface
Loose-Fill Rubber for Use as a Playground Safety Surface under and around Playground Equipment, Specification for, **F3012 (15.07)**

Playing surfaces (athletic)
ASTM Standards on Playground Surfacing, Guide for, **F2223 (15.07)**
Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, Test Methods for, **F1551 (15.07)**
Impact Attenuation of Playing Surface Systems and Materials, Test Method for, **F355 (15.07)**
Installation of Paintball Barrier Netting, Guide for, **F2184 (15.07)**
Maintaining Cool Season Turfgrasses on Athletic Fields, Guide for, **F2060 (15.07)**
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**
Organic Matter Content of Athletic Field Rootzone Mixes, Test Methods for, **F1647 (15.07)**
Permeability of Synthetic Turf Sports Field Base Stone and Surface System by Non-confined Area Flood Test Method, Test Method for, **F2898 (15.07)**
Soil and Turfgrass Characteristics of Natural Playing Surfaces, Terminology Relating to, **F2651 (15.07)**

Playing surfaces (athletic)—specifications
Determination of Accessibility of Surface Systems Under and Around Playground Equipment, Specification for, **F1951 (15.07)**
Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment, Specification for, **F2075 (15.07)**

Playpens/play yards
Sa **Consumer safety specifications (infants/children)**
Bedside Sleepers, Consumer Safety Specification for, **F2906 (15.11)**
Non-Full-Size Baby Cribs/Play Yards, Consumer Safety Specification for, **F406 (15.11)**

Play yards
Fences for Commercial and Public Outdoor Water Spray/Play Areas, Guide for, **F2699 (01.06)**

Plazas
Elastomeric Joint Sealants, Specification for, **C920 (04.07)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**

Plenum chamber
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**

Plenum chamber (for vacuum cleaners)
Sa **Vacuum cleaners/systems**
Air Performance Measurement Plenum Chamber for Vacuum Cleaners, Specification for, **F431 (15.08)**

Plenums
Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, Test Method for, **E1414/E1414M (04.06)**
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**

Pliability
Asphalt Roof Cement, Asbestos-Containing, Specification for, **D2822/D2822M (04.04)**
Asphalt Roof Coatings, Asbestos-Containing, Specification for, **D2823/D2823M (04.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**
Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing, Test Methods for, **D228/D228M (04.04)**

Plied metallic reinforced yarn
Asbestos Yarns, Specification for, **D299/D299M (04.05)**

Plied yarns
Designation of Yarn Construction, Practice for, **D1244 (07.01)**

Plies
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**

PLLA (poly(L-lactic acid)) resin
in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, Test Method for, **F1635 (13.01)**
Semi-Crystalline Poly(lactide) Polymer and Copolymer Resins for Surgical Implants, Specification for, **F1925 (13.01)**

PLM analysis
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**

***t*-Plot**
Determining Micropore Volume and Zeolite Area of a Catalyst, Test Method for, **D4365 (05.05)**

plot file/plotter
Data Exchange Format for Sewn Product Plotting Devices, Practice for, **D6959 (07.02)**

Plotters
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**

Plowable raised prismatic pavement markers
Plowable, Raised Retroreflective Pavement Markers, Specification for, **D4383 (04.03)**

Plowing
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**

Plowing effect
Tack of Pressure-Sensitive Adhesives by Rolling Ball, Test Method for, **D3121 (15.10)**

PLS (partial least squares) regression
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**
Validation of Empirically Derived Multivariate Calibrations, Practice for, **E2617 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plugging
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Plugs
Miniature Thermocouple Connectors, Specification for, **E1684 (14.03)**
Plug sampler
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Plumage
Composition of Plumage, Test Method for, **D4524 (07.02)**
Plumbers' (safety) chain
Weldless Chain, Specification for, **A466/A466M (01.05)**
Plumbing applications
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, Test Method for, **D6284 (09.02)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**
Plume
Determining the Opacity of a Plume in the Outdoor Ambient Atmosphere, Test Method for, **D7520 (11.07)**
Plunger energy
Energy Absorbed by a Tire When Deformed by Slow-Moving Plunger, Test Method for, **F414 (09.02)**
Plunger-operated apparatus
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Pluteus larva
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Plutonium
Atom Percent Fission in Uranium and Plutonium Fuel (Neodymium-148 Method), Test Method for, **E321 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Design Criteria for Plutonium Gloveboxes, Guide for, **C852 (12.01)**
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Determination of Plutonium and Neptunium in Uranium Hexafluoride and U-Rich Matrix by Alpha Spectrometry, Guide for, **C1561 (12.01)**
Determination of Plutonium Isotopic Composition by Gamma-Ray Spectrometry, Test Method for, **C1030 (12.01)**
Determination of Uranium or Plutonium Isotopic Composition or Concentration by the Total Evaporation Method Using a Thermal Ionization Mass Spectrometer, Test Method for, **C1672 (12.01)**
Determining Plutonium by Controlled-Potential Coulometry in H, Test Method for, **C1165 (12.01)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, Guide for, **C1169 (12.01)**
Nondestructive Analysis of Special Nuclear Materials in Homogeneous Solutions by Gamma-Ray Spectrometry, Test Method for, **C1221 (12.01)**
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**
Nondestructive Assay of Plutonium by Passive Neutron Multiplicity Counting, Test Method for, **C1500 (12.01)**
Nondestructive Assay of Plutonium, Tritium and 241Am by Calorimetric Assay, Test Method for, **C1458 (12.01)**
Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, Test Method for, **C1307 (12.01)**
Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**
Plutonium in Water, Test Method for, **D3865 (11.02)**
Preparation and Dissolution of Plutonium Materials for Analysis, Practice for, **C1168 (12.01)**
Procedures for Calibrating Automatic Pedestrian SNM Monitors, Guide to, **C1189 (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
Radiochemical Determination of Plutonium in Soil by Alpha Spectroscopy, Test Method for, **C1001 (12.01)**
Removal of Uranium or Plutonium, or both, for Impurity Assay in Uranium or Plutonium Materials, Practice for, **C1647 (12.01)**
Sampling Surface Soil for Radionuclides, Practice for, **C998 (12.01)**
Soil Sample Preparation for the Determination of Radionuclides, Practice for, **C999 (12.01)**
the Determination of Impurities in Plutonium Metal: Acid Digestion and Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS) Analysis, Test Method for, **C1637 (12.01)**
Uranium and Plutonium Concentrations and Isotopic Abundances by Thermal Ionization Mass Spectrometry, Test Method for, **C1625 (12.01)**
Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, Test Method for, **C1204 (12.01)**
Plutonium—isotopic analysis
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Impurities in Plutonium: Acid Dissolution, Ion Exchange Matrix Separation, and Inductively Coupled Plasma-Atomic Emission Spectroscopic (ICP/AES) Analysis, Test Method for, **C1432 (12.01)**
The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, Practice for, **C1411 (12.01)**
Plutonium—nuclear scrap and waste materials
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, Test Method for, **C1207 (12.01)**
Plutonium content
the Determination of Impurities in Plutonium Metal: Acid Digestion and Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS) Analysis, Test Method for, **C1637 (12.01)**
Plutonium dioxide (powders and pellets)
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Plutonium by Controlled-Potential Coulometry in H, Test Method for, **C1165 (12.01)**
Nuclear-Grade Plutonium Dioxide Powder, Sinterable, Specification for, **C757 (12.01)**
Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, Test Method for, **C1307 (12.01)**
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**

Plutonium (III) diode array spectrophotometry
Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, Test Method for, **C1307 (12.01)**

Plutonium metal
the Determination of Impurities in Plutonium Metal: Acid Digestion and Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS) Analysis, Test Method for, **C1637 (12.01)**

Plutonium oxide
Determination of Loose and Tapped Bulk Density of Plutonium Oxide, Test Method for, **C1770 (12.01)**

Plutonium solutions
238Pu Isotopic Abundance By Alpha Spectrometry, Test Method for, **C1415 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**
Preparation and Dissolution of Plutonium Materials for Analysis, Practice for, **C1168 (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
The Separation of Americium from Plutonium by Ion Exchange, Practice for, **C1414 (12.01)**

Ply adhesion
Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, Test Method for, **F904 (15.10)**

Ply adhesion strength
Determination of Ply Adhesion Strength of Reinforced Geomembranes, Test Method for, **D6636 (04.13)**
Determining the Bond Strength (Ply Adhesion) of Geocomposites, Test Method for, **D7005 (04.13)**

Ply separation
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**

Ply sheets
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**

Plywood
Sa **Wood products (structural)**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing, Practice for, **D6305 (04.10)**
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, Practice for, **D5266 (15.06)**
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**
Shear Modulus of Wood-Based Structural Panels, Test Method for, **D3044 (04.10)**
Strength Properties of Adhesives in Plywood Type Construction in Shear by Tension Loading, Test Method for, **D906 (15.06)**
Strength Properties of Adhesives in Two-Ply Wood Construction in Shear by Tension Loading, Test Method for, **D2339 (15.06)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Panels in Planar Shear (Rolling Shear), Test Methods for, **D2718 (04.10)**
Structural Panels in Tension, Test Methods for, **D3500 (04.10)**
Toughness of Wood-Based Structural Panels, Test Method for, **D3499 (04.10)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Veneer and Plywood, Terminology Relating to, **D1038 (04.10)**
Wood-Based Structural Panels in Compression, Test Methods for, **D3501 (04.10)**

P_{max}
Paired Preference Test, Test Method for, **E2263 (15.08)**

PMMA (poly(methyl methacrylate))
Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, Test Method for, **D4864 (05.02)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Poly(Methyl Methacrylate) (PMMA) Molding and Extrusion Compounds, Classification System for, **D788 (08.01)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**

PMMA (poly(methyl methacrylate))—specifications
Cast Poly(Methyl Methacrylate) Plastic Rods, Tubes, and Shapes, Specification for, **D5436 (08.03)**
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**

PMS (pavement management system)
Sa **Pavement surfaces**
Network Level Pavement Management, Guide for, **E1166 (04.03)**
Pavement Management Implementation, Guide for, **E1889 (04.03)**

Pneumatic (air-filled) fenders
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**

Pneumatic (air underwater) test
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**

Pneumatically-applied insulation
Sa **Loose-fill thermal insulation**
Determination of Installed Thickness of Pneumatically Applied Loose-Fill Building Insulation, Test Method for, **C1374 (04.06)**
Determining Blown Density of Pneumatically Applied Loose-Fill Mineral Fiber Thermal Insulation, Guide for, **C1574 (04.06)**
Pneumatically Applied High-Temperature Fiber Thermal Insulation for Industrial Applications, Specification for, **C1685 (04.06)**

Pneumatic end items
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**

Pneumatic exhaust silencers
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**

Pneumatic fire detection systems
Pneumatic-Operated, Globe-Style, Control Valves, Specification for, **F1985 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Pneumatic leak testing
Field Leak Testing of Polyethylene (PE) Pressure Piping Systems Using Gaseous Media Under Pressure (Pneumatic Leak Testing), Practice for, **F2786 (08.04)**
Pneumatic Leak Testing of Tubing, Test Method for, **A1047/A1047M (01.01)**

Pneumatic permeability
Measurement of the Permeability of Unsaturated Porous Materials by Flowing Air, Test Method for, **D6539 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pneumatic proof test
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Pneumatic road tubing
Installing and Using Pneumatic Tubes with Roadway Traffic Counters and Classifiers, Practice for, **E1957 (04.03)**
Pneumatic rotary descaling machines
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Pneumatic tires
Sa **Tire testing**
Characteristics and Performance of Tires, Terminology Relating to the, **F538 (09.02)**
Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, Test Method for, **F1112 (09.02)**
Tires, Pneumatic, Low Speed, Off Highway, Test Method for, **F1923 (09.02)**
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**
Pneumatic valve operators
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Pocahontas seam bituminous coal
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**
Pocket bikes
Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2641 (15.11)**
Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2642 (15.11)**
POCO graphite
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Point count
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Determining Volume Fraction by Systematic Manual Point Count, Test Method for, **E562 (03.01)**
Estimating Toner Usage in Copiers Utilizing Dry Two-Component Developer, Practice for, **F995 (15.09)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Point elevation measurement device
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Pointing
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**
Point integration sampling
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Point kernel
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**
Point load strength test
Determination of the Point Load Strength Index of Rock and Application to Rock Strength Classifications, Test Method for, **D5731 (04.08)**
Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), Test Method for, **C1245/C1245M (04.02)**
Points
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**
Point spread function (PSF)
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Point-to-plane technique
Analysis of High Manganese Steel by Spark Atomic Emission Spectrometry, Test Method for, **E2209 (03.05)**
Point-to-point technique
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Poisoning (of individuals)
Investigation of Investigating Carbon Monoxide Poisoning Incidents, Practice for, **E2292 (14.02)**
Poisson frequency distribution
Sa **Statistical methods**
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Poisson's ratio
Sa **Compression testing**
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Test Method for, **C1548 (15.01)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
Determining Poisson's Ratio of Honeycomb Cores, Test Method for, **D6790/D6790M (15.03)**
Determining the Resilient Modulus of Bituminous Mixtures by Indirect Tension Test, Test Method for, **D7369 (04.03)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Impulse Excitation of Vibration, Test Method for, **E1876 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Sonic Resonance, Test Method for, **E1875 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Poisson's Ratio at Room Temperature, Test Method for, **E132 (03.01)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus, Test Method for, **C1419 (15.01)**
Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression, Test Method for, **C469/C469M (04.02)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Young's Modulus, Shear Modulus, and Poisson's Ratio for Glass and Glass-Ceramics by Resonance, Test Method for, **C623 (15.02)**
Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance, Test Method for, **C848 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Polar aromatics
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**
Polar contaminants
Sa **Contamination**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Polarimeter method
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Measuring Optical Retardation and Analyzing Stress in Glass, Test Method for, **F218 (15.02)**
Polariscopic examination
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Polariscopic Examination of Glass Containers, Test Methods for, **C148 (15.02)**
Polarity
Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**
Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, Guide for, **E1350 (14.03)**
Polarization resistance
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, Test Method for, **G61 (03.02)**
Conducting Potentiodynamic Polarization Resistance Measurements, Test Method for, **G59 (03.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**
Polarized light
Sa **Light transmission and reflection**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Maturity of Cotton Fibers (Sodium Hydroxide Swelling and Polarized Light Procedures), Test Method for, **D1442 (07.01)**
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**
Polarized Light Detection of Flaws in Aerospace Transparency Heating Elements, Practice for, **F319 (15.03)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Polarized light microscopy (PLM)
Determination of Asbestos in Soil, Test Method for, **D7521 (11.07)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Polarizing filter instrumentation
Measurement of Comparative Legibility by Means of Polarizing Filter Instrumentation, Test Method for, **D7298 (15.10)**
Polarographic methods
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Lead in Water, Test Methods for, **D3559 (11.01)**
On-Line Measurement of Low-Level Dissolved Oxygen in Water, Test Method for, **D5462 (11.02)**
Pole climbers
Personal Climbing Equipment, Specifications for, **F887 (10.03)**
Pole figures
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**
Poles
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Pole vaulting
Helmets Used in Pole Vaulting, Specification for, **F2400 (15.07)**
Pole Vault Box Collars, Specification for, **F2949 (15.07)**
Pole Vault Landing Systems, Specification for, **F1162/F1162M (15.07)**
Pole vault landing pits
Pole Vault Landing Systems, Specification for, **F1162/F1162M (15.07)**
Policy
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**
Poliovirus
See **Virology**
Polishes
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Acid Number of Certain Alkali-Soluble Resins, Test Method for, **D3643 (15.04)**
Acid Number of Styrene-Maleic Anhydride Resins, Test Method for, **D3644 (15.04)**
Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, Practice for, **D6625 (15.04)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Determining the Apparent Viscosity of Polyethylene Wax, Test Method for, **D1986 (15.04)**
Evaluation of Buffable Shoe Polish, Practice for, **D4002 (15.04)**
Evaluation of Fiberglass Boat Polish and Wax, Practice for, **D4330 (15.04)**
Evaluation of Furniture Polish, Practice for, **D3751/D3751M (15.04)**
Polishes and Related Materials, Terminology Relating to, **D2825 (15.04)**
Preparing a Solution of Alkali–Soluble Resins, Practice for, **D3837 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**
Softening Point of Certain Alkali-Soluble Resins, Test Method for, **D3642 (15.04)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**
Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, Test Method for, **D2047 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Viscosity of Silicone Fluids, Test Method for, **D4283 (15.04)**
Polishes—automotive
See **Automotive polishes**
Polishes—floor (water-emulsion)
See **Floor polish (water emulsion)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Polishing
Burnish Resistance of Latex Paints, Test Method for, **D6736 (06.02)**
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Polishing and Etching Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D5671 (05.06)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Preparation of Plastics and Polymeric Specimens for Microstructural Examination, Guide for, **E2015 (03.01)**

Polishing lubricant
Aluminum Powder and Paste Pigments for Paints, Specification for, **D962 (06.03)**

Polishing properties
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**

Polishing properties—pavement surfaces
Accelerated Polishing of Aggregates or Pavement Surfaces Using a Small-Wheel, Circular Track Polishing Machine, Practice for, **E660 (04.03)**
Accelerated Polishing of Aggregates Using the British Wheel, Practice for the, **D3319 (04.03)**

Pollutant gas attack
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**

Pollutants
Characterization of Inorganic Process Wastes for Use as Structural Fill, Guide for, **E850 (11.04)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Determining the Performance of Oil/Water Separators Subjected to a Sudden Release, Practice for, **D6157 (11.02)**
Determining the Performance of Oil/Water Separators Subjected to Surface Run-Off, Practice for, **D6104 (11.02)**
Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, Test Method for, **D4323 (11.07)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**

Pollution
Low Levels of Coliphages in Water, Test Method for, **D6734 (11.02)**
Selection of Methods for Assessing Ground Water or Aquifer Sensitivity and Vulnerability, Guide for, **D6030 (04.09)**

Pollution prevention program (PPP)
Design and Construction of Coal Ash Structural Fills, Guide for, **E2277 (11.05)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**

Pollution-related trace elements
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**

Polyacetal plastics
Extruded, Compression Molded and Injection Molded Polyoxymethylene Shapes (POM), Specification for, **D6100 (08.03)**

Polyacrylate rubber
See **Rubber polymers**

Polyacrylic fibers
See **Man-made textile fibers**

Polyacrylonitrile fiber
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**

Polyalkylene terephthalates
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**

Polyalphaolefins
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**

Polyamide 11 (PA11)
Electrofusion Type Polyamide-11 Fittings for Outside Diameter Controlled Polyamide-11 Pipe and Tubing, Specification for, **F2600 (08.04)**
Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems, Specification for, **F1973 (08.04)**
Polyamide 11 (PA 11) and Polyamide 12 (PA12) Mechanical Fittings for Use on Outside Diameter Controlled Polyamide 11 and Polyamide 12 Pipe and Tubing, Specification for, **F2145 (08.04)**
Polyamide 11 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2945 (08.04)**

Polyamide 12 (PA12)
Electrofusion Type Polyamide-12 Fittings for Outside Diameter Controlled Polyamide-12 Pipe and Tubing for Gas Distribution, Specification for, **F2767 (08.04)**
Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems, Specification for, **F1973 (08.04)**
Polyamide 12 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2785 (08.04)**

Polyamide-imide (PAI)
Extruded, Compression-Molded, and Injection-Molded Basic Shapes of Polyamide-Imide (PAI), Specification for, **D7292 (08.03)**
Polyamide-Imide (PAI) Molding and Extrusion Materials, Classification System for, **D5204 (08.03)**

Polyamide (PA)
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**
Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, Test Method for, **D6500 (07.02)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Polyamide Molding and Extrusion Materials (PA), Classification System for and Basis of Specification for, **D6779 (08.03)**

Polyamide (PA)—specifications
Butt Heat Fusion Polyamide(PA) Plastic Fitting for Polyamide(PA) Plastic Pipe and Tubing, Specification for, **F1733 (08.04)**
Nylon Injection and Extrusion Materials (PA), Classification System for, **D4066 (08.02)**
Polyamide 11 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2945 (08.04)**
Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, Specification for, **D2513 (08.04)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**

Poly(aryl ether ketone)(PAEK)
Extruded, Compression Molded, and Injection Molded Basic Shapes of Poly(aryl ether ketone) (PAEK), Specification for, **D6262 (08.03)**

Polybasic organic acids
See **Organic compounds**
See **Volatile organic compounds (VOC)**

Polybutadiene rubbers
See **BR (butadiene rubber)**

Polybutylene oil
Continuity of Quality of Electrical Insulating Polybutene Oil for Capacitors, Specification for, **D2296 (10.03)**

Polybutylene (PB)
Carbon Black Content in Olefin Plastics, Test Method for, **D1603 (08.01)**
Chlorine Content of Polybutenes Used for Electrical Insulation, Test Method for, **D2522 (10.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

PB Exterior Insulation and Finish Systems, Specification for, **E2568 (04.12)**
Polybutylene (PB) Plastics Molding and Extrusion Materials, Classification System for, **D2581 (08.01)**

Polybutylene (PB) pipe
Sa **Thermoplastic pipe/tube/fittings**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**

Polycaprolactone (PCL)
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**

Polycarbonate fibers
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**

Polycarbonate (PC)
Acrylonitrile–Styrene–Acrylate (ASA) and Acrylonitrile–EPDM–Styrene (AES) Plastics and Alloys Molding and Extrusion Materials, Classification System and Basis for Specifications for, **D6865 (08.03)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Impact Resistance of Monolithic Polycarbonate Sheet by Means of a Falling Weight, Test Method for, **F736 (15.03)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Melt Flow Rates of Thermoplastics by Extrusion Plastometer, Test Method for, **D1238 (08.01)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**
Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods, Classification System for and Basis for Specification for, **D4067 (08.02)**
Shear Strength of Fusion Bonded Polycarbonate Aerospace Glazing Material, Test Method for, **F734 (15.03)**
Testing Materials for Aerospace Plastic Transparent Enclosures, Guide for, **F790 (15.03)**

Polycarbonate (PC)—specifications
Architectural Flat Glass Clad Polycarbonate, Specification for, **C1349 (15.02)**
Extruded and Compression Molded Shapes Made from Polycarbonate (PC), Specification for, **D6098 (08.03)**
Polycarbonate (PC) Unfilled and Reinforced Material, Specification for, **D3935 (08.02)**
Polycarbonate Resin for Medical Applications, Specification for, **F997 (13.01)**

Polychaetes
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**

Polychlorinated biphenyls (PCBs)
See **PCBs (polychlorinated biphenyls)**

Polychloroprene—specifications
Disposable Embalming Gloves for Single-Use Applications, Specification for, **D7198 (09.02)**
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**
Preformed Polychloroprene Elastomeric Joint Seals for Bridges, Specification for, **D3542 (04.03)**
Preformed Polychloroprene Elastomeric Joint Seals for Concrete Pavements, Specification for, **D2628 (04.03)**

Polychloroprene (neoprene) rubber—specifications
Polychloroprene Examination Gloves for Medical Application, Specification for, **D6977 (09.02)**

Polychlorotrifluoroethylene (PCTFE)
Sa **PCTFE (polychlorotrifluoroethylene)—specifications**
Aerospace Parts Machined from Polychlorotrifluoroethylene (PCTFE), Specification for, **D7194 (08.03)**
Parts Machined from Polychlorotrifluoroethylene (PCTFE) and Intended for General Use, Specification for, **D7211 (08.03)**

Polycrystalline imperfection
See **Crystal lattice structure**

Polycrystalline materials
Determining Average Grain Size Using Electron Backscatter Diffraction (EBSD) in Fully Recrystallized Polycrystalline Materials, Practice for, **E2627 (03.01)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining the Effective Elastic Parameter for X-Ray Diffraction Measurements of Residual Stress, Test Method for, **E1426 (03.01)**
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique, Test Method for, **C1332 (15.01)**
Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, Test Method for, **C1331 (15.01)**

Polycrystalline silicon (for electronic semiconductors)
See **Silicon semiconductors**

Polycyclic aromatic hydrocarbons (PAHs)
Determination of Gaseous and Particulate Polycyclic Aromatic Hydrocarbons in Ambient Air (Collection on Sorbent-Backed Filters with Gas Chromatographic/Mass Spectrometric Analysis), Test Method for, **D6209 (11.07)**
Determination of Parent and Alkyl Polycyclic Aromatics in Sediment Pore Water Using Solid-Phase Microextraction and Gas Chromatography/Mass Spectrometry in Selected Ion Monitoring Mode, Test Method for, **D7363 (11.02)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, Test Method for, **E2143 (03.06)**

poly-dimethyl siloxane
Compatibility of Construction Material with Silicone Fluid Used for Electrical Insulation, Test Methods for, **D5282 (10.03)**
Silicone Fluid Used for Electrical Insulation, Specification for, **D4652 (10.03)**

Polyester fibers
Sa **Man-made textile fibers**
Polyester Composition Floor Tile, Specification for, **F2982 (15.04)**

Polyester/glass fiber insulation
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**

Polyester-glass laminates
See **Glass electrical/electronic insulation**

Polyester grade ethylene glycol
Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, Test Method for, **E2664 (15.05)**
Polyester Grade Ethylene Glycol, Specification for, **E2470 (15.05)**

Polyester plastics
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Inspection of Nylon, Polyester, or Nylon/Polyester Blend, or Both Kernmantle Rope, Guide for, **F1740 (13.02)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**
Thermoplastic Polyester (TPES) Injection and Extrusion Materi-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

als Based on ISO Test Methods, Classification System for, **D5927 (08.03)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Polyester plastics—specifications
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D5421 (08.03)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, Specification for, **D5319 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**
Thermosetting Polyester Molding Compounds, Specification for, **D1201 (08.01)**

Polyester plastics (electrical applications)
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**
Polyester Film Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2484 (10.01)**

Polyester/polyamide reinforcement
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6162 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6164/D6164M (04.04)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**

Polyester reinforcements
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**

Polyester textile applications
Sa **Man-made textile fibers**
Determining the Presence of Sizing in Nylon or Polyester Fabric, Practice for, **D6613 (07.02)**
Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, Test Method for, **D6500 (07.02)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**

Polyether-ester elastomers
Thermoplastic Elastomer-Ether-Ester Molding and Extrusion Materials (TEEE), Classification System for, **D6835 (08.03)**

Polyetheretherketone (PEEK) polymers
Polyetheretherketone (PEEK) Polymers for Surgical Implant Applications, Specification for, **F2026 (13.01)**

Polyetherimide (PEI) resins
Extruded and Compression-Molded Shapes Made from Polyetherimide (PEI), Specification for, **D7293 (08.03)**
Polyetherimide (PEI) Materials, Classification System and Basis for Specification for, **D5205 (08.03)**

Polyetherketoneketone (PEKK) polymer
Polyetherketoneketone (PEKK) Polymers for Surgical Implant Applications, Specification for, **F2820 (13.02)**

Polyether polyols
Polyurethane Raw Materials: Alkalinity in Low-Alkalinity Polyols (Determination of CPR Values of Polyols), Test Method for, **D6437 (08.03)**
Polyurethane Raw Materials: Determination of Acidity as Acid Number for Polyether Polyols, Test Method for, **D7253 (08.03)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**
Polyurethane Raw Materials: Determination of Hydroxyl Numbers of Polyols, Test Methods for Testing, **D4274 (08.02)**
Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols, Test Method for, **D4273 (08.02)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**

Polyether/poly/polyphenyl sulfone
Sulfone Plastics (SP), Specification for, **D6394 (08.03)**

Polyethoxylated nonionic surfactants
Sa **Surfactants**
Ethylene Oxide Content of Polyethoxylated Nonionic Surfactants, Test Method for, **D2959 (15.04)**

Polyethylene—stay in place form system
Polyethylene Stay In Place Form System for End Walls for Drainage Pipe, Specification for, **D7082 (08.03)**

Polyethylene glycol
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**

Polyethylene of raised temperature
Polyethylene of Raised Temperature (PE-RT) Plastic Hot and Cold-Water Tubing and Distribution Systems, Specification for, **F2769 (08.04)**

Polyethylene (PE)
150 to 1500 mm 6 to 60 in. Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2947 (08.04)**
Absorbance of Polyethylene Due to Methyl Groups, Test Methods for, **D2238 (08.01)**
Carbon Black Content in Olefin Plastics, Test Method for, **D1603 (08.01)**
Density of Polyethylene by the Ultrasound Technique, Test Method for, **D4883 (08.02)**
Detection of Holes in Polyethylene Food Service Gloves, Test Method for, **D7246 (09.02)**
Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene–Vinyl Acetate (EVA) Copolymers By Gas Chromatography, Test Method for, **D4275 (08.02)**
Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique, Test Method for, **D4218 (08.02)**
Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance, Test Method for, **D5017 (08.02)**
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Dissolving Polymer Materials, Practice for, **D5226 (08.03)**
Field Leak Testing of Polyethylene (PE) Pressure Piping Systems Using Gaseous Media Under Pressure (Pneumatic Leak Test-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ing), Practice for, **F2786 (08.04)**
Installation of Polyethylene (PE) and Encapsulated Cement Mortar Formed in Place Lining System (FIPLS) for the Rehabilitation of Water Pipelines, Practice for, **F2719 (08.04)**
Laboratory Testing of Polyethylene (PE) Butt Fusion Joints using Tensile-Impact Method, Test Method for, **F2634 (08.04)**
Measurement of Hexane Extractable Content of Polyolefins, Test Method for, **D5227 (08.03)**
Methyl (Comonomer) Content in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6645 (08.03)**
Minimum Explosible Concentration of Combustible Dusts, Test Method for, **E1515 (14.02)**
Multilayer Thermoplastic And Flexible Steel Pipe And Connections, Specification for, **F2805 (08.04)**
Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, Test Method for, **D5885 (04.13)**
Polyethylene (PE) and Cement Materials for an Encapsulated Cement Mortar Formed in Place Liner System (FIPLS) for the Rehabilitation of Water Pipelines, Specification for, **F2718 (08.04)**
Polyethylene (PE) Corrugated Wall Stormwater Collection Chambers, Specification for, **F2922 (08.04)**
Polyethylene of Raised Temperature (PE-RT) SDR 9 Tubing, Specification for, **F2623 (08.04)**
Polyethylene-Based Structural-Grade Plastic Lumber for Outdoor Applications, Specification for, **D7568 (08.03)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, Practice for, **F1734 (08.04)**
Recycled Post-Consumer Polyethylene Film Sources for Molding and Extrusion Materials, Classification for, **D5491 (08.03)**
Rehabilitation of Existing Sewers and Conduits with Deformed Polyethylene (PE) Liner, Practice for, **F1606 (08.04)**
Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Methodology, Classification System for, **D7436 (08.03)**
Use of a Melt Index Strand for Determining Density of Polyethylene, Practice for, **D2839 (08.01)**
Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6248 (08.03)**
Vinylidene Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D3124 (08.01)**

Polyethylene (PE)—specifications
2 to 60 inch [50 to 1500 mm] Annular Corrugated Profile Wall Polyethylene (PE) Pipe and Fittings for Land Drainage Applications, Specification for, **F2648/F2648M (08.04)**
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**
Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems, Specification for, **F1973 (08.04)**
High-Density Polyethylene (PE) Line Pipe, Specification for, **F2619/F2619M (08.04)**
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**
Polyethylene Plastics Extrusion Materials for Wire and Cable, Specification for, **D1248 (08.01)**
Polyethylene Plastics Molding and Extrusion Materials, Specification for, **D4976 (08.02)**
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**
Polyethylene Plastics Pipe and Fittings Materials, Specification for, **D3350 (08.02)**
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**
Polyethylene Upright Storage Tanks, Specification for, **D1998 (08.01)**
Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD), Specification for, **F2160 (08.04)**
Steel Reinforced Polyethylene (PE) Corrugated Pipe, Specification for, **F2435 (08.04)**
Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials, Specification for, **D4020 (08.02)**

Polyethylene (PE) conduit
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD), Specification for, **F2160 (08.04)**

Polyethylene (PE) containers
Sa **Thermoplastic containers**
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**
Polyethylene Upright Storage Tanks, Specification for, **D1998 (08.01)**

Polyethylene (PE) electrical insulation
Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, Test Methods for, **D6070 (08.04)**

Polyethylene (PE) electrical insulation—specifications
Crosslinked Polyethylene Insulation for Wire and, Specification for, **D2656 (10.02)**
Crosslinked Polyethylene Insulation for Wire and Cable Rated 0 to 2000 V, Specification for, **D2655 (10.02)**
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorinated Polyethylene (CM) Jackets For Wire and Cable, Specification for, **D4313 (10.02)**
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**
Polyethylene Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D3006 (10.02)**
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Thermoplastic Polyethylene Insulation for Electrical Wire and Cable, Specification for, **D1351 (10.01)**
Thermoplastic Polyethylene Jacket for Electrical Wire and Cable, Specification for, **D2308 (10.01)**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

Polyethylene (PE) fiber
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Medical-Grade Ultra-High Molecular Weight Polyethylene Yarns, Specification for, **F2848 (13.02)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Polyethylene (PE) fittings—specifications
3 through 24 in. Corrugated Polyethylene Pipe and Fittings, Specification for, **F667 (08.04)**
Butt Heat Fusion Polyethylene (PE) Plastic Fittings for Polyethyl-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ene (PE) Plastic Pipe and Tubing, Specification for, **D3261 (08.04)**
Corrugated Polyethylene (PE) Pipe and Fittings, Specification for, **F405 (08.04)**
Corrugated Polyethylene Pipe and Fittings for Mine Heap Leach Aeration Applications, Specification for, **F2987 (08.04)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe, Specification for, **D2609 (08.04)**
Polyethylene Plastics Pipe and Fittings Materials, Specification for, **D3350 (08.02)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Socket-Type Polyethylene Fittings for Outside Diameter-Controlled Polyethylene Pipe and Tubing, Specification for, **D2683 (08.04)**
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**

Polyethylene (PE) foam
Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, Specification for, **C1427 (04.06)**

Polyethylene (PE) geomembrane applications
Determination of 2 % Secant Modulus for Polyethylene Geomembranes, Practice for, **D5323 (04.13)**
Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes, Test Method for, **D6693 (04.13)**

Polyethylene (PE) liner applications
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Rehabilitation of Existing Sewers and Conduits with Deformed Polyethylene (PE) Liner, Practice for, **F1606 (08.04)**

Polyethylene (PE) pipe
Sa **Thermoplastic pipe/tube/fittings**
12 to 30 in. (300 to 750 mm) Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2762 (08.04)**
12 to 60 in. [300 to 1500 mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Gravity-Flow Storm Sewer and Subsurface Drainage Applications, Specification for, **F2306/F2306M (08.04)**
30 to 60 in. 750 to 1500 mm Triple Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2763 (08.04)**
Billets made by Winding Molten Extruded Stress-Rated High Density Polyethylene (HDPE), Specification for, **F3034 (08.04)**
Charpy Impact Test on Thin Specimens of Polyethylene Used in Pressurized Pipes, Test Method for, **F2231 (08.04)**
Constant Tensile Load Joint Test (CTLJT), Test Method for, **F1588 (08.04)**
Corrugated Polyethylene Pipe and Fittings for Mine Heap Leach Aeration Applications, Specification for, **F2987 (08.04)**
Determining Allowable Tensile Load for Polyethylene (PE) Gas Pipe During Pull-In Installation, Practice for, **F1804 (08.04)**
Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, Test Method for, **F2263 (08.04)**
Field Leak Testing of Polyethylene (PE) and Crosslinked Polyethylene (PEX) Pressure Piping Systems Using Hydrostatic Pressure, Practice for, **F2164 (08.04)**
Field Leak Testing of Polyethylene (PE) Pressure Piping Systems Using Gaseous Media Under Pressure (Pneumatic Leak Testing), Practice for, **F2786 (08.04)**
Heat Fusion Joining of Polyethylene Pipe and Fittings, Practice for, **F2620 (08.04)**
Insertion of Flexible Polyethylene Pipe Into Existing Sewers, Guide for, **F585 (08.04)**
Lap-Joint Type Flange Adapters for Polyethylene Pressure Pipe in Nominal Pipe Sizes, Specification for, **F2880 (08.04)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Manufacture and Joining of Polyethylene (PE) Gas Pressure Pipe With a Peelable Polypropylene (PP) Outer Layer, Specification for, **F2830 (08.04)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, Test Method for, **D2837 (08.04)**
Polyethylene Encasement for Ductile Iron Pipe for Water or Other Liquids, Practice for, **A674 (01.02)**
Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, Practice for, **F1734 (08.04)**
Qualification of Polyethylene Saddle-Fused Joints, Practice for, **F905 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Reinforced Polyethylene Composite Pipe For The Transport Of Oil And Gas And Hazardous Liquids, Specification for, **F2896 (08.04)**
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**
Specimens and Testing Conditions for Testing Polyethylene (PE) Pipe Butt Fusions Using Tensile and Hydrostatic Test Methods, Practice for, **F2928 (08.04)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**

Polyethylene (PE) pipe—specifications
12 to 30 in. (300 to 750 mm) Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2762 (08.04)**
2 to 60 inch [50 to 1500 mm] Annular Corrugated Profile Wall Polyethylene (PE) Pipe and Fittings for Land Drainage Applications, Specification for, **F2648/F2648M (08.04)**
Butt Heat Fusion Polyethylene (PE) Plastic Fittings for Polyethylene (PE) Plastic Pipe and Tubing, Specification for, **D3261 (08.04)**
Cold-Expansion Fittings With Metal Compression-Sleeves for Cross-Linked Polyethylene (PEX) Pipe, Specification for, **F2080 (08.04)**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Fabricated Fittings of Butt-Fused Polyethylene (PE) Plastic Pipe, Fittings, Sheet Stock, Plate Stock, or Block Stock, Specification for, **F2206 (08.04)**
Mechanical Couplings Used on Polyethylene Conduit, Duct and Innerduct, Specification for, **F2176 (08.04)**
Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, Specification for, **F1974 (08.04)**
Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe, Specification for, **D2609 (08.04)**
Plastic Mechanical Fittings for Use on Outside Diameter Con-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

trolled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F1924 (08.04)**
Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe, Specification for, **F894 (08.04)**
Polyethylene (PE) Pipe and Fittings for Roof Drain Systems, Specification for, **F1901 (08.04)**
Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter, Specification for, **D3035 (08.04)**
Polyethylene (PE) Plastic Pipe (DR-PR) Based on Outside Diameter, Specification for, **F714 (08.04)**
Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter, Specification for, **D2239 (08.04)**
Polyethylene (PE) Thermoplastic High-Pressure Irrigation Pipeline Systems, Specification for, **F771 (08.04)**
Polyethylene Plastics Pipe and Fittings Materials, Specification for, **D3350 (08.02)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, Specification for, **F1282 (08.04)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields, Specification for, **F810 (08.04)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Socket-Type Polyethylene Fittings for Outside Diameter-Controlled Polyethylene Pipe and Tubing, Specification for, **D2683 (08.04)**
Steel Reinforced Polyethylene (PE) Corrugated Pipe, Specification for, **F2435 (08.04)**
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**

Polyethylene (PE) pipe (chlorinated)
See **Chlorinated polyethylene (PE) pipe—specifications**

Polyethylene (PE) pipe (crosslinked)
See **Crosslinked polyethylene (PEX) pipe/tube—specifications**

Polyethylene (PE) resins—specifications
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**

Polyethylene (PE) resins
Determination of Antioxidants and Erucamide Slip Additives in Polyethylene Using Liquid Chromatography (LC), Test Method for, **D6953 (08.03)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**

Polyethylene (PE) saddle fusion joints
Qualification of Polyethylene Saddle-Fused Joints, Practice for, **F905 (08.04)**

Polyethylene (PE) sheet and film
Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test, Practice for, **D3826 (08.02)**
Impact Resistance of Plastic Film by the Free-Falling Dart Method, Test Methods for, **D1709 (08.01)**
Thickness of Foil, Thin Sheet, and Film by Mass Measurement, Test Method for, **E252 (02.02)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**
Wetting Tension of Polyethylene and Polypropylene Films, Test Method for, **D2578 (08.01)**

Polyethylene (PE) sheet and film—specifications
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Determination of 2 % Secant Modulus for Polyethylene Geomembranes, Practice for, **D5323 (04.13)**
Polyethylene Film and Sheeting, Specification for, **D2103 (08.01)**
Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, Specification for, **D4635 (08.02)**
Polyethylene Films Made from Medium-Density Polyethylene for General Use and Packaging Applications, Specification for, **D3981 (08.02)**
Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications, Specification for, **D4397 (08.02)**
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**
Sheet Materials for Curing Concrete, Specification for, **C171 (04.02)**

Polyethylene (PE) surgical implant applications
Sa **Plastic surgical devices/applications**
Accelerated Aging of Ultra-High Molecular Weight Polyethylene after Gamma Irradiation in Air, Practice for, **F2003 (13.01)**
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Evaluating the Extent of Oxidation in Polyethylene Fabricated Forms Intended for Surgical Implants, Guide for, **F2102 (13.01)**

Polyethylene (PE) surgical implant applications—specifications
Polyethylene Plastics for Medical Applications, Specification for, **F639 (13.01)**
Selection of Porous Polyethylene for Use in Surgical Implants, Specification for, **F755 (13.01)**
Ultra-High-Molecular-Weight Polyethylene Powder and Fabricated Form for Surgical Implants, Specification for, **F648 (13.01)**

Polyethylene (PE) tank walls
Measuring the Ultrasonic Velocity in Polyethylene Tank Walls Using Lateral Longitudinal (LCR) Waves, Practice for, **E2479 (03.03)**

Polyethylene (PE) tube
Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, Practice for, **F1734 (08.04)**
Qualification of Polyethylene Saddle-Fused Joints, Practice for, **F905 (08.04)**

Polyethylene (PE) tube—specifications
3 through 24 in. Corrugated Polyethylene Pipe and Fittings, Specification for, **F667 (08.04)**
Butt Heat Fusion Polyethylene (PE) Plastic Fittings for Polyethylene (PE) Plastic Pipe and Tubing, Specification for, **D3261 (08.04)**
Corrugated Polyethylene (PE) Pipe and Fittings, Specification for, **F405 (08.04)**
Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, Specification for, **F877 (08.04)**
Crosslinked Polyethylene (PEX) Tubing, Specification for, **F876 (08.04)**
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Tubing OD Controlled SDR9, Specification for, **F2262 (08.04)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Mechanical Cold Expansion Insert Fitting With Compression Sleeve for Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1865 (08.04)**
Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F1924 (08.04)**
Polyethylene (PE) Plastic Tubing, Specification for, **D2737 (08.04)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethyl-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**
Socket-Type Polyethylene Fittings for Outside Diameter-Controlled Polyethylene Pipe and Tubing, Specification for, **D2683 (08.04)**
Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings, Specification for, **F2098 (08.04)**
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**

Polyethylene (PE) wax
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Determining the Apparent Viscosity of Polyethylene Wax, Test Method for, **D1986 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**

Polyethylene-polyamide (PE-PA) pipe
Multilayer Polyethylene-Polyamide (PE-PA) Pipe for Pressure Piping Applications, Specification for, **F2807 (08.04)**

Polyethylene terephthalate bottle polymer
Determination of Residual Acetaldehyde in Polyethylene Terephthalate Bottle Polymer Using an Automated Static Head-Space Sampling Device and a Capillary GC with a Flame Ionization Detector, Test Method for, **F2013 (15.10)**

Polyformaldehyde
Polyoxymethylene Molding and Extrusion Materials (POM), Classification System and Basis for Specification for, **D6778 (08.03)**

Poly(glycolic acid)(PGA)
Poly(glycolide) and Poly(glycolide-co-lactide) Resins for Surgical Implants with Mole Fractions Greater Than or Equal to 70 % Glycolide, Specification for, **F2313 (13.01)**

Poly(glycolide)
Poly(glycolide) and Poly(glycolide-co-lactide) Resins for Surgical Implants with Mole Fractions Greater Than or Equal to 70 % Glycolide, Specification for, **F2313 (13.01)**

Poly(glycolide-co-lactide)
Poly(glycolide) and Poly(glycolide-co-lactide) Resins for Surgical Implants with Mole Fractions Greater Than or Equal to 70 % Glycolide, Specification for, **F2313 (13.01)**

Polygraph instrumentation
Calibration and Functionality Checks Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2063 (14.02)**
Conduct of Research in Psychophysiological Detection of Deception (Polygraph), Practice for, **E1954 (14.02)**
Instrumentation, Sensors and Operating Software Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Guide for, **E2439 (14.02)**
Interpretation of Psychophysiological Detection of Deception (Polygraph) Data, Practices for, **E2229 (14.02)**
PDD Examination Standards of Practice, Guide for, **E2062 (14.02)**
PDD Paired Testing, Guide for, **E2324 (14.02)**
Quality Control of Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2031 (14.02)**

Polygraph training/education
Conduct of PDD Screening Examinations, Guide for, **E2386 (14.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD), Guide for, **E2064 (14.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders, Guide for, **E2162 (14.02)**

Polyhexafluoropylene (FEP) substrate
Sa **Perfluoro(ethylene-propylene)(FEP) copolymer**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**

Polyimide insulation
Polyimide Flexible Cellular Thermal and Sound Absorbing Insulation, Specification for, **C1482 (04.06)**
Polyimide Rigid Cellular Thermal Insulation, Specification for, **C1594 (04.06)**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**

Polyimide polymers
Finished Parts Made from Polyimide Resin, Specification for, **D6456 (08.03)**

Polyisobutylene (PIB)
Reinforced White PIB Sheet Used in Roofing Membrane, Specification for, **D7067 (04.04)**

Polyisocyanurate insulation
Application of Exterior Insulation and Finish Systems Class PI, Practice for, **C1535 (04.01)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Unfaced Preformed Rigid Cellular Polyisocyanurate, Specification for, **C591 (04.06)**

Polyisoprene (natural) rubber
Rubber—Evaluation of IR (Isoprene Rubber), Test Methods for, **D3403 (09.01)**

Polylactide
Amorphous Poly(lactide) and Poly(lactide-co-glycolide) Resins for Surgical Implants, Specification for, **F2579 (13.02)**

Polymer
Description of Polymer Pellet Defects, Guide for, **D7711 (08.03)**
Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using Rotorless Shear Rheometers, Test Method for, **D7605 (09.01)**

Polymer adhesives
Determining Adhesive Attack on Rigid Cellular Foam, Test Method for, **D5113 (15.06)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Polyvinyl Acetate-Based Emulsion Adhesives, Specification for, **D4317 (15.06)**

Polymerase chain reaction (PCR) technique
Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, Guide for, **E1873 (14.02)**
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**

Polymer coatings
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) for Meshes of 6 in., Specification for, **F2453/F2453M (01.06)**

Polymer coatings—steel
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Corrugated Steel Pipe, Polymer Precoated for Sewers and Drains, Specification for, **A762/A762M (01.06)**
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**
Standard Colors for Polymer-Coated Chain Link Fence Materials, Specification for, **F934 (01.06)**
Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, Specification for, **A742/A742M (01.06)**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Polymer concrete
Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C413 (06.02)**
Apparent Density of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C905 (04.05)**
Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C579 (06.02)**
Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, Test Method for, **C1370 (04.05)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Making and Conditioning Chemical-Resistant Sulfur Polymer Cement Concrete Test Specimens in the Laboratory, Practice for, **C1312 (04.05)**

Polymer concrete—specifications
Polymer Concrete Pipe, Specification for, **D6783 (08.03)**

Polymer-containing fluids
Fuel Injector Shear Stability Test (FISST) for Polymer Containing Fluids, Test Method for, **D5275 (05.02)**
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus, Test Method for, **D6278 (05.03)**
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus at 30 and 90 Cycles, Test Method for, **D7109 (05.04)**

Polymer-containing oils
Sonic Shear Stability of Polymer-Containing Oils, Test Method for, **D2603 (05.01)**

Polymer content
Determining Inherent Viscosity of Poly(Ethylene Terephthalate) (PET) by Glass Capillary Viscometer, Test Method for, **D4603 (08.02)**
Polymer Content of Styrene Monomer and AMS (α–Methylstyrene), Test Methods for, **D2121 (06.04)**
Qualitative Identification of Polymers in Emulsion Paints, Practice for, **D3168 (06.01)**

Polymer emulsion floor polishes
Freeze/Thaw Resistance of Polymer Floor Polishes, Test Method for, **D3209 (15.04)**
Nonvolatile Matter (Total Solids) in Water-Emulsion Floor Polishes, Solvent-Based Floor Polishes, and Polymer-Emulsion Floor Polishes, Test Method for, **D2834 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**

Polymer films
Corona-Treated Polymer Films Using Water Contact Angle Measurements, Test Method for, **D5946 (08.03)**
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**

Polymer films—specifications
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**

Polymeric composites
Determining Apparent Overlap Splice Shear Strength Properties of Wet Lay-Up Fiber-Reinforced Polymer Matrix Composites Used for Strengthening Civil Structures, Test Method for, **D7616/D7616M (15.03)**
Evaluating Material Property Characteristic Values for Polymeric Composites for Civil Engineering Structural Applications, Practice for, **D7290 (15.03)**
Flexural Properties of Polymer Matrix Composite Materials, Test Method for, **D7264/D7264M (15.03)**
Polymeric Piles, Specification for, **D7258 (08.03)**

Polymeric geomembranes
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**

Polymeric latexes/powders
Evaluating Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Test Methods for, **C1439 (04.02)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**

Polymeric materials
Evaluating Polymeric Lining Systems for Water Immersion in Coating Service Level III Safety-Related Applications on Metal Substrates, Guide for, **D7230 (06.02)**
Extensively Irradiation-Crosslinked Ultra-High Molecular Weight Polyethylene Fabricated Forms for Surgical Implant Applications, Guide for, **F2565 (13.02)**
Identification and Quantification of Chromium, Bromine, Cadmium, Mercury, and Lead in Polymeric Material Using Energy Dispersive X-ray Spectrometry, Test Method for, **F2617 (10.04)**
Manufactured Polymeric Drainage and Ventilation Materials Used to Provide a Rainscreen Function, Specification for, **E2925 (04.12)**
Medical-Grade Ultra-High Molecular Weight Polyethylene Yarns, Specification for, **F2848 (13.02)**
Polyetherketoneketone (PEKK) Polymers for Surgical Implant Applications, Specification for, **F2820 (13.02)**
Small Punch Testing of Polymeric Biomaterials Used in Surgical Implants, Test Method for, **F2977 (13.02)**
Waste Reduction, Resource Recovery, and Use of Recycled Polymeric Materials and Products, Guide for, **D7209 (08.03)**

Polymeric scaffolds
Assessing Microstructure of Polymeric Scaffolds for Use in Tissue-Engineered Medical Products, Guide for, **F2450 (13.01)**
Interpreting Images of Polymeric Tissue Scaffolds, Guide for, **F2603 (13.02)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**

Polymeric substrates
Application of Electrical Discharge Surface Treatment (Activation) of Plastics for Adhesive Bonding, Practice for, **D6105 (15.06)**
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, Specification for, **B904 (02.05)**

Polymerization
Compatibility of Screening Analysis of Waste, Practices for, **D5058 (11.04)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Polymerization inhibitors
See **Inhibitors**

Polymerization temperature
Vapor Pressure of Liquids by Ebulliometry, Test Method for, **E1719 (14.02)**

Polymerized ethylene oxide content
See **Ethylene oxide (ETO)**

Polymerized fatty acids
See **Fatty acids—tests**

Polymer latexes
See **Latex paints**

Polymer linings
Sa **Plastic-lined ferrous metal pipe/fittings/flanges—specifications**
Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Methods for, **D5499 (06.02)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**

Polymer machinery grouts
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**

Polymer matrix composite materials
Bearing Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D6873/D6873M (15.03)**
Compressive Properties of Polymer Matrix Composite Materials Using a Combined Loading Compression (CLC) Test Fixture, Test Method for, **D6641/D6641M (15.03)**
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
Flexural Properties of Polymer Matrix Composite Materials, Test Method for, **D7264/D7264M (15.03)**
Glass Transition Temperature (DMA Tg) of Polymer Matrix Composites by Dynamic Mechanical Analysis (DMA), Test Method for, **D7028 (15.03)**
Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, Test Method for, **D6415/D6415M (15.03)**
Measuring the Damage Resistance of a Fiber-Reinforced Polymer-Matrix Composite to a Concentrated Quasi-Static Indentation Force, Test Method for, **D6264/D6264M (15.03)**
Measuring the Fastener Pull-Through Resistance of a, Test Method for, **D7332/D7332M (15.03)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Nondestructive Testing of Polymer Matrix Composites Used in Aerospace Applications, Guide for, **E2533 (03.03)**
Open-Hole Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D7615/D7615M (15.03)**
Separation of Contaminants in Polymers Using an Extruder Filter Test, Practice for, **D6265 (08.03)**
Shearography of Polymer Matrix Composites, Sandwich Core Materials and Filament-Wound Pressure Vessels in Aerospace Applications, Practice for, **E2581 (03.03)**
Translaminar Fracture Toughness of Laminated and Pultruded Polymer Matrix Composite Materials, Test Method for, **E1922 (03.01)**

Polymer-modified asphalts
Determining the Separation Tendency of Polymer from Polymer Modified Asphalt, Practice for, **D7173 (04.03)**
Self-Adhesive Glass Fiber Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7530/D7530M (04.04)**
Self-Adhesive Polyester Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7505/D7505M (04.04)**
Solubility of Asphalt Binders in Toluene by Centrifuge, Test Method for, **D5546 (04.03)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**

Polymer-modified concrete/mortar
Evaluating Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Test Methods for, **C1439 (04.02)**
Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, Specification for, **C1438 (04.02)**

Polymer-modified emulsified asphalt
Design, Testing, and Construction of Micro-Surfacing, Practice for, **D6372 (04.03)**

Polymer poured floor covering
See **Resilient flooring**

Polymer powders/powder coatings
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**

Polymer quenchants
See **Aqueous polymer quenchants**

Polymers
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Ash Content in Plastics, Test Method for, **D5630 (08.03)**
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Bearing Response of Polymer Matrix Composite Laminates, Test Method for, **D5961/D5961M (15.03)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene–Vinyl Acetate (EVA) Copolymers By Gas Chromatography, Test Method for, **D4275 (08.02)**
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**
Determination of Residual Acetaldehyde in Polyethylene Terephthalate Bottle Polymer Using an Automated Static Head-Space Sampling Device and a Capillary GC with a Flame Ionization Detector, Test Method for, **F2013 (15.10)**
Determination of Volatiles in Polymers by Static Headspace Gas Chromatography, Practice for, **D4526 (08.02)**
Determination of Weight-Average Molecular Weight of Polymers By Light Scattering, Test Method for, **D4001 (08.02)**
Determining J-R Curves of Plastic Materials, Test Method for, **D6068 (08.03)**
Determining Resistance of Synthetic Polymeric Materials to Fungi, Practice for, **G21 (14.04)**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Determining the Separation Tendency of Polymer from Polymer Modified Asphalt, Practice for, **D7173 (04.03)**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Dissolving Polymer Materials, Practice for, **D5226 (08.03)**
Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, Test Method for, **E1428 (11.05)**
Evaluation of Hygienic Handwash and Handrub Formulations for Virus-Eliminating Activity Using the Entire Hand, Test Method for, **E2011 (11.05)**
Evaluation of Scratch Resistance of Polymeric Coatings and Plastics Using an Instrumented Scratch Machine, Test Method for, **D7027 (08.03)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Horizontal Burning Characteristics of Cellular Polymeric Materials, Test Method for, **D4986 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**
Identification of Polymer Layers or Inclusions by Fourier Transform Infrared Microspectroscopy (FT-IR), Practice for, **D5477 (08.03)**
In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate, Test Method for, **D3518/D3518M (15.03)**
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Measurement of Material Flammability Using a Fire Propagation Apparatus (FPA), Test Methods for, **E2058 (04.07)**
Measuring Solution Viscosity of Polymers with a Differential Viscometer, Test Method for, **D5225 (08.03)**
Melt Flow Rates of Thermoplastics by Extrusion Plastometer, Test Method for, **D1238 (08.01)**
Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D6115 (15.03)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by High Performance Size-Exclusion Chromatography, Test Method for, **D5296 (08.03)**
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Polymer Content of Styrene Monomer and AMS (α–Methylstyrene), Test Methods for, **D2121 (06.04)**
Preparation of Plastics and Polymeric Specimens for Microstructural Examination, Guide for, **E2015 (03.01)**
Qualitative Identification of Polymers in Emulsion Paints, Practice for, **D3168 (06.01)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**
Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E1952 (14.02)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry, Test Method for, **D3418 (08.02)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, Test Method for, **F1249 (15.10)**

Polymers—specifications
Asphaltic Plug Joints for Bridges, Specification for, **D6297 (04.03)**
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Flexible Polymeric Foam Sheet Insulation Used as a Thermal and Sound Absorbing Liner for Duct Systems, Specification for, **C1534 (04.06)**
Liquid Crystal Polymers Molding and Extrusion Materials (LCP), Classification System and Basis for Specification for, **D5138 (08.03)**
Poly(glycolide) and Poly(glycolide-co-lactide) Resins for Surgical Implants with Mole Fractions Greater Than or Equal to 70 % Glycolide, Specification for, **F2313 (13.01)**
Polycarbonate (PC) Unfilled and Reinforced Material, Specification for, **D3935 (08.02)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**

Polymers (composites)
Bearing/Bypass Interaction Response of Polymer Matrix Composite Laminates Using 2-Fastener Specimens, Test Method for, **D7248/D7248M (15.03)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich Beam, Test Method for, **D5467/D5467M (15.03)**
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Polymers (electrical insulation applications)
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**
Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, Test Method for, **D4880 (10.02)**
Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, Test Method for, **D4881 (10.02)**

Polymers (nuclear applications)
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Testing Polymeric Seal Materials for Geothermal or High Temperature Service, or both, Under Sealing Stress, Test Method for, **E1069 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Polymers (roofing/waterproofing applications)
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**
Self-Adhesive Polyester Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7505/D7505M (04.04)**

Polymers (solutions)
Dissolving Polymer Materials, Practice for, **D5226 (08.03)**
Measuring Solution Viscosity of Polymers with a Differential Viscometer, Test Method for, **D5225 (08.03)**

Polymers (surgical applications)
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**
in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, Test Method for, **F1635 (13.01)**
Characterization and Testing of Raw or Starting Biomaterials for Tissue-Engineered Medical Products, Guide for, **F2027 (13.01)**
Evaluation of Thermoplastic Polyurethane Solids and Solutions for Biomedical Applications, Guide for, **F624 (13.01)**
Gravimetric Measurement of Polymeric Components for Wear Assessment, Practice for, **F2025 (13.01)**
Implantable Thermoset Epoxy Plastics, Criteria for, **F602 (13.01)**
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**

Polymers (surgical applications)—specifications
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Foley Catheter, Performance Specification for, **F623 (13.01)**
Implantable Polytetrafluoroethylene (PTFE) Sheet, Tube, and Rod Shapes Fabricated from Granular Molding Powders, Specification for, **F754 (13.01)**
Polycarbonate Resin for Medical Applications, Specification for, **F997 (13.01)**
Polyetheretherketone (PEEK) Polymers for Surgical Implant Applications, Specification for, **F2026 (13.01)**
Polyethylene Plastics for Medical Applications, Specification for, **F639 (13.01)**
Polyoxymethylene (Acetal) for Medical Applications, Specification for, **F1855 (13.01)**
Polysulfone Resin for Medical Applications, Specification for, **F702 (13.01)**
Selection of Porous Polyethylene for Use in Surgical Implants, Specification for, **F755 (13.01)**
Semi-Crystalline Poly(lactide) Polymer and Copolymer Resins for Surgical Implants, Specification for, **F1925 (13.01)**
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**
Ureteral Stents, Specification for, **F1828 (13.01)**

Polymer stability
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**

Polymethylene polyphenylisocyanate
Sa **Isocyanates**
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**
Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, Test Methods for, **D4889 (08.02)**

Polynary separator
Composition or Purity of a Solid Waste Materials Stream, Test Method for, **E889 (11.04)**
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**

Poly(N,N`-p,p`-oxydiphenylene pyromellitimide)
Polymeric Resin Film for Electrical Insulation and Dielectric Applications, Specification for, **D5213 (10.02)**

Polynomial
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**

Polynuclear aromatic compounds
Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, Test Method for, **D5186 (05.02)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**

Polyolefin composition floor tile
Polyolefin Composition Floor Tile, Specification for, **F3009 (15.04)**

Polyolefin composition floor tile—specifications
Polyolefin Composition Floor Tile, Specification for, **F3009 (15.04)**

Polyolefin (PO) electrical insulation
Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, Test Methods for, **D4568 (10.02)**

Polyolefin fabrics
Determination of Ion Exchange Capacity (IEC) in Grafted Battery Separator, Test Method for, **D7131 (10.02)**

Polyolefin (PO)
Air-Oven Aging of Polyolefin Geomembranes, Practice for, **D5721 (04.13)**
Carbon Black Content in Olefin Plastics, Test Method for, **D1603 (08.01)**
Determination of Elemental Content of Polyolefins by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D6247 (08.03)**
Determination of Structural Features in Polyolefins and Polyolefin Copolymers by Infrared Spectrophotometry (FT-IR), Practice for, **D5576 (08.03)**
Determining Molecular Weight Distribution and Molecular Weight Averages of Polyolefins by High Temperature Gel Permeation Chromatography, Test Method for, **D6474 (08.03)**
Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, Test Method for, **D5397 (04.13)**
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Measurement of Hexane Extractable Content of Polyolefins, Test Method for, **D5227 (08.03)**
Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics, Test Method For, **D5596 (04.13)**
Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, Test Method for, **D5885 (04.13)**
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**
Polyolefin Chopped Strands for Use in Concrete, Specification for, **D7508/D7508M (07.02)**
Rigidity of Polyolefin Film and Sheeting, Test Method for, **D2923 (08.01)**
Separation of Contaminants in Polymers Using an Extruder Filter

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test, Practice for, **D6265 (08.03)**
Polyolefin (PO)—specifications
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**
Flexible Cellular Materials Made From Polyolefin Plastics, Specification for, **D4819 (08.02)**
Polybutylene (PB) Plastics Molding and Extrusion Materials, Classification System for, **D2581 (08.01)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Polyolefin-Based Plastic Lumber Decking Boards, Specification for, **D6662 (08.03)**
Preformed Closed-Cell Polyolefin Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D7174 (04.03)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Thermoplastic Polyolefin Based Sheet Roofing, Specification for, **D6878/D6878M (04.04)**
Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials, Specification for, **D4020 (08.02)**
Polyolefin (PO) electrical insulation—specifications
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3149 (10.02)**
Polyolefin (PO) insulation
Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, Specification for, **C1427 (04.06)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Polyolefin (PO) pipe/fittings
Sa **Thermoplastic pipe/tube/fittings**
Electrofusion Joining Polyolefin Pipe and Fittings, Practice for, **F1290 (08.04)**
Heat Fusion Joining of Polyolefin Pipe and Fittings, Practice for, **D2657 (08.04)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Polyolefin (PO) pipe/fittings—specifications
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Polyols
Polyurethane Raw Materials: Alkalinity in Low-Alkalinity Polyols (Determination of CPR Values of Polyols), Test Method for, **D6437 (08.03)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**
Polyurethane Raw Materials: Determination of Basicity in Polyols, Expressed as Percent Nitrogen, Test Method for, **D6979 (08.03)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**
Polyurethane Raw Materials: Determination of Hydroxyl Numbers of Polyols, Test Methods for Testing, **D4274 (08.02)**
Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols, Test Method for, **D4273 (08.02)**
Polyurethane Raw Materials: Determination of Specific Gravity of Polyols, Test Method for, **D4669 (08.02)**
Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, Test Method for, **D4670 (08.02)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**
Polyurethane Raw Materials: Determination of Unsaturation of Polyols, Test Methods for, **D4671 (08.02)**
Polyurethane Raw Materials: Determination of Water Content of Polyols, Test Method for, **D4672 (08.02)**
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**
Polyoxymethylene (POM)
Polyoxymethylene Molding and Extrusion Materials (POM), Classification System and Basis for Specification for, **D6778 (08.03)**
Polyoxymethylene (POM)—specifications
Extruded and Compression Molded Shapes Made from Polycarbonate (PC), Specification for, **D6098 (08.03)**
Extruded, Compression Molded and Injection Molded Polyoxymethylene Shapes (POM), Specification for, **D6100 (08.03)**
Polyoxymethylene (Acetal) for Medical Applications, Specification for, **F1855 (13.01)**
Polyphenylene ether (PPE)
Polyphenylene Ether (PPE) Materials, Classification System and Basis for Specification for, **D4349 (08.02)**
Poly(phenylene sulfide)(PPS)
Poly (Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ISO Methods, Classification System and Basis for Specification for, **D6358 (08.03)**
Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods, Classification System for and Basis for Specification for, **D4067 (08.02)**
Polyphthalamide (PPA)
Polyphthalamide (PPA) Injection Molding Materials, Specification for, **D5336 (08.03)**
Polyporus versicolor
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**
Polypropylene (PP)
Sa **Plastic sheet and film**
12 to 60 in. (300 to 1500 mm) Polypropylene (PP) Dual Wall Pipe and Fittings for Non-Pressure Storm Sewer Applications, Specification for, **F2881 (08.04)**
30 to 60 in. 750 to 1500 mm Polypropylene (PP) Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications, Specification for, **F2764/F2764M (08.04)**
6 to 30 in. (152 To 762 mm) Polypropylene (PP) Corrugated Single Wall Pipe And Double Wall Pipe, Specification for, **F2736 (08.04)**
Carbon Black Content in Olefin Plastics, Test Method for, **D1603 (08.01)**
Determination of Phenolic Antioxidants and Erucamide Slip Additives in Polypropylene Homopolymer Formulations Using Liquid Chromatography (LC), Test Method for, **D6042 (08.03)**
Determination of the Amount of Polypropylene (PP) in Polypropylene/LDPE Mixtures Using Infrared Spectrophotometer (FTIR), Test Method for, **D7399 (08.03)**
Determination of Xylene Solubles in Propylene Plastics, Test Method for, **D5492 (08.03)**
Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test, Practice for, **D3826 (08.02)**
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Environmental Stress Crack Resistance (ESCR) of Threaded Plastic Closures, Test Method for, **D5419 (08.03)**
Flexible Polypropylene Reinforced (fPP-R) and Nonreinforced (fPP) Geomembranes, Specification for, **D7613 (04.13)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Manufacture and Joining of Polyethylene (PE) Gas Pressure Pipe With a Peelable Polypropylene (PP) Outer Layer, Specification for, **F2830 (08.04)**
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**
Polypropylene (PP) Corrugated Wall Stormwater Collection Chambers, Specification for, **F2418 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Polypropylene (PP) Siding, Specification for, **D7254 (08.03)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**
Pressure-rated Polypropylene (PP) Piping Systems, Specification for, **F2389 (08.04)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**
Wetting Tension of Polyethylene and Polypropylene Films, Test Method for, **D2578 (08.01)**

Polypropylene (PP) fibers
Sa **Man-made textile fibers**
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**

Polypropylene (PP) geomembranes
Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes, Test Method for, **D6693 (04.13)**
Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, Test Method for, **D5885 (04.13)**
Selection of Test Methods for Flexible Polypropylene Geomembranes, Guide for the, **D6434 (04.13)**

Polypropylene (PP) roofing materials/applications
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**

Polypropylene (PP) roofing materials/applications—specifications
Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6509/D6509M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**

Polysaccharides
Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, Guide for, **F2347 (13.01)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**

Polysilicon materials/applications
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**

Polystyrene foam
Determination of Retained Blowing Agent in Extruded Polystyrene Foam, Test Method for, **D7132 (08.03)**

Polystyrene (PS)
Sa **SBR (styrene-butadiene rubber)**
Sa **Styrenic plastics**
Environmental Stress Crack Resistance (ESCR) of Threaded Plastic Closures, Test Method for, **D5419 (08.03)**
Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), Test Method for, **D7134 (08.03)**
Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by High Performance Size-Exclusion Chromatography, Test Method for, **D5296 (08.03)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Rubber—Chemical Analysis for Polystyrene Blocks In SBR (Styrene-Butadiene Rubber) and Styrene-Reinforced Latices, Test Method for, **D3314 (09.01)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**

Polystyrene (PS)—specifications
Syndiotactic Polystyrene Molding and Extrusion (SPS), Classification System for and Basis for Specifications for, **D6339 (08.03)**

Polysulfide immersion
Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, Test Method for, **B866 (02.05)**

Polysulfide-based sealant
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**

Polysulfone resins
Polysulfone Resin for Medical Applications, Specification for, **F702 (13.01)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**

Polyterephthalate plastics
See **PET (poly(ethylene terephthalate))**

Polytetrafluoroethylene (PTFE)
See **PTFE (polytetrafluoroethylene)**

Polythionic acid test
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**

Polyurethane
Aerosol Polyurethane and Aerosol Latex Foam Sealants, Specification for, **C1620 (04.07)**
Liquid Applied Moisture Cured Polyurethane Coating Used in Spray Polyurethane Foam Roofing System, Specification for, **D6947/D6947M (04.04)**
Sampling Spray Polyurethane Foam and Coating in Roofing, Guide for, **D7119/D7119M (04.04)**

Polyurethane—roofing/waterproofing material
Application of New Spray Applied Polyurethane Foam and Coated Roofing Systems, Guide for, **D5469/D5469M (04.04)**
Liquid-Applied Silicone Coating Used in Spray Polyurethane Foam Roofing Systems, Specification for, **D6694/D6694M (04.04)**
Repair and Recoat of Spray Polyurethane Foam Roofing Systems, Guide for, **D6705/D6705M (04.04)**
Spray Polyurethane Foam Used for Roofing Applications, Specification for, **D7425/D7425M (04.04)**

Polyurethane—surgical applications
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**
Evaluation of Thermoplastic Polyurethane Solids and Solutions for Biomedical Applications, Guide for, **F624 (13.01)**
Rigid Polyurethane Foam for Use as a Standard Material for Testing Orthopaedic Devices and Instruments, Specification for, **F1839 (13.01)**

Polyurethane foam (PUF)
Evaluating Temperature Effects to Aerosol Foam Sealant During and After Dispensing, Guide for, **C1737 (04.07)**
Measuring the Yield for Aerosol Foam Sealants, Test Method for, **C1536 (04.07)**
Polyurethane Raw Materials: Polyurethane Foam Cup Test, Practice for, **D7487 (08.03)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Sampling Spray Polyurethane Foam and Coating in Roofing, Guide for, **D7119/D7119M (04.04)**

Polyurethane insulation
Design Considerations and Spray Application of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C945 (04.06)**
Polyurethane Raw Materials: Determination of Hydroxyl Num-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

bers of Polyols, Test Methods for Testing, **D4274 (08.02)**
Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols, Test Method for, **D4273 (08.02)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Repair of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C950/C950M (04.06)**

Polyurethane insulation—specifications
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Spray-Applied Rigid Cellular Polyurethane Thermal Insulation, Specification for, **C1029 (04.06)**

Polyurethane raw materials
Polyurethane Raw Materials: Determination of Acidity as Acid Number for Polyether Polyols, Test Method for, **D7253 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Moderate to High Acidity Aromatic Isocyanates, Test Method for, **D6099 (08.03)**
Polyurethane Raw Materials: Determination of Basicity in Polyols, Expressed as Percent Nitrogen, Test Method for, **D6979 (08.03)**
Polyurethane Raw Materials: Determination of Monomer and Isomers in Isocyanates, Test Method for, **D7252 (08.03)**
Polyurethane Raw Materials: Instrumental Measurement of Tristimulus CIELAB Color and Yellowness Index of Liquids, Test Method for, **D7133 (08.03)**

Polyurethane raw materials—isocyanates
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, Test Method for, **D5629 (08.03)**
Polyurethane Raw Materials: Determination of APHA Color in Isocyanates, Test Method for, **D4877 (08.02)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, Test Methods for, **D4659 (08.02)**
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**
Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, Test Methods for, **D4889 (08.02)**

Polyurethane raw materials—polyols
Polyurethane Raw Materials: Alkalinity in Low-Alkalinity Polyols (Determination of CPR Values of Polyols), Test Method for, **D6437 (08.03)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**
Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, Test Methods for, **D4890 (08.02)**
Polyurethane Raw Materials: Determination of Hydroxyl Numbers of Polyols, Test Methods for Testing, **D4274 (08.02)**
Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols, Test Method for, **D4273 (08.02)**
Polyurethane Raw Materials: Determination of Specific Gravity of Polyols, Test Method for, **D4669 (08.02)**
Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, Test Method for, **D4670 (08.02)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**
Polyurethane Raw Materials: Determination of Unsaturation of Polyols, Test Methods for, **D4671 (08.02)**
Polyurethane Raw Materials: Determination of Viscosity of Polyols, Test Methods for, **D4878 (08.02)**
Polyurethane Raw Materials: Determination of Water Content of Polyols, Test Method for, **D4672 (08.02)**
Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, Practice for, **D6342 (08.03)**

Polyvalent cations
Hardness in Water, Test Method for, **D1126 (11.01)**

Polyvinyl acetal
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Poly(vinyl acetate)(PVAC)
Polyvinyl Acetate-Based Emulsion Adhesives, Specification for, **D4317 (15.06)**

Poly(vinyl acetate)(PVAC) coating systems
Water Content of Coatings by Direct Injection Into a Gas Chromatograph, Test Method for, **D3792 (06.01)**

Poly(vinyl acetate)(PVAC) fiber
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Poly(vinyl alcohol) fiber
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**

Poly(vinyl butyral)(PVB) resins
See **Resins**

Poly(vinyl chloride)(PVC)
Air Channel Evaluation of Polyvinyl Chloride (PVC) Dual Track Seamed Geomembranes, Specification for, **D7177 (04.13)**
Analysis of Components in Poly(Vinyl Chloride) Compounds Using an Infrared Spectrophotometric Technique, Test Method for, **D2124 (08.01)**
Chemical Resistance of Poly(Vinyl Chloride) (PVC) Homopolymer and Copolymer Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Classification for, **D5260 (08.03)**
Compatibility of Plasticizers in Poly(Vinyl Chloride) Plastics Under Compression, Practice for, **D3291 (08.02)**
Determination of Monomeric Plasticizers in Poly (Vinyl Chloride) (PVC) by Gas Chromatography, Practice for, **D7083 (08.03)**
Determining Logarithmic Viscosity Number of Poly(Vinyl Chloride) (PVC) in Formulated Compounds, Test Method for, **D3591 (08.02)**
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Dilute Solution Viscosity of Vinyl Chloride Polymers, Test Method for, **D1243 (08.01)**
Dissolving Polymer Materials, Practice for, **D5226 (08.03)**
Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus, Test Method for, **D7238 (04.13)**
Evaluating Adhesive and the Effects of Plasticizer Found Within Polyvinyl Chloride-Backed Floor Coverings, Practice for, **D7888 (15.06)**
Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications, Test Method for, **D3364 (08.02)**
Fusion of Poly(Vinyl Chloride) (PVC) Compounds Using a Torque Rheometer, Practice for, **D2538 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, Practice for, **D4756 (08.03)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Measuring Heat Stability of Resilient Flooring by Color Change, Test Method for, **F1514 (15.04)**
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**
Methanol Extract of Vinyl Chloride Resins, Test Method for, **D2222 (08.01)**
Non-Reinforced Polyvinyl Chloride (PVC) Geomembranes Used in Buried Applications, Specification for, **D7176 (04.13)**
Oven Heat Stability of Poly(Vinyl Chloride) Compositions, Practice for, **D2115 (08.01)**
Plastic-Coated Fabrics—Completeness of Fusion of PVC Dispersion Coatings, Test Method for, **D4005 (09.02)**
Plasticizer Sorption of Poly(Vinyl Chloride) Resins Under Applied Centrifugal Force, Test Method for, **D3367 (08.02)**
Poly (Vinyl Chloride) (PVC) Gas Pressure Pipe and Fittings For Maintenance or Repair, Specification for, **F2817 (08.04)**
Powder-Mix Time of Poly(Vinyl Chloride) (PVC) Resins Using a Torque Rheometer, Test Methods for, **D2396 (08.01)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Separation and Identification of Poly(Vinyl Chloride) (PVC) Contamination in Poly(Ethylene Terephthalate) (PET) Flake, Practice for, **D5991 (08.03)**
Separation and Washing of Recycled Plastics Prior to Testing, Practice for, **D6288 (08.03)**
Testing Plasticizer Compatibility in Poly(Vinyl Chloride) (PVC) Compounds Under Humid Conditions, Practice for, **D2383 (08.01)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**
Vinyl Composition Floor Tile, Specification for, **F1066 (15.04)**

Poly(vinyl chloride)(PVC)—specifications
Extruded Rods and Bars Made From Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC), Specification for, **D6263 (08.03)**
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds, Specification for, **D2287 (08.01)**
Poly (Vinyl Chloride) (PVC) Gas Pressure Pipe and Fittings For Maintenance or Repair, Specification for, **F2817 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent (DWV) Pipe and Fittings Having Post-Industrial Recycle Content, Specification for, **F2390 (08.04)**
Poly(vinyl chloride) Gloves for Medical Application, Specification for, **D5250 (09.02)**
Poly(Vinyl Chloride) Resins, Specification for, **D1755 (08.01)**
Poly(Vinyl Chloride) Sheet Roofing, Specification for, **D4434/D4434M (04.04)**
Relative Rigidity of Poly(Vinyl Chloride)(PVC) Siding, Test Method for, **D6777 (08.03)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, Specification for, **F964 (01.06)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications, Specification for, **D4396 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds, Specification for, **D4216 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Specification for, **D1784 (08.01)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), Specification for, **D7445 (08.03)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, Specification for, **F512 (08.04)**

Poly(vinyl chloride)(PVC) (chlorinated)
See **Chlorinated poly(vinyl chloride)(CPVC)—specifications**

Poly(vinyl chloride)(PVC) coated steel materials
See **Poly(vinyl chloride)(PVC) fence materials—specifications**

Poly(vinyl chloride)(PVC) conduits
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, Specification for, **F512 (08.04)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Poly(vinyl chloride)(PVC) doors
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**

Poly(vinyl chloride)(PVC) electrical insulation
Sa **Insulated wire and cable**
Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3150 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Low-Temperature Resistant Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D3005 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 90°C Operation, Specification for, **D6096 (10.02)**
Poly(Vinyl Chloride) Jacket for Wire and Cable, Specification for, **D1047 (10.01)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**
Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2301 (10.01)**

Poly(vinyl chloride)(PVC) fence materials
Installation of Rigid Poly(Vinyl Chloride) (PVC) Fence Systems, Practice for, **F1999 (01.06)**

Poly(vinyl chloride)(PVC) fence materials—specifications
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence, Specification for, **F1665 (01.06)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence, Specification for, **F1664 (01.06)**
Polyvinyl Chloride (PVC), Polyolefin and Other Polymer-Coated Steel Chain Link Fence Fabric, Specification for, **F668 (01.06)**
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fencing and Railing, Specification for, **F964 (01.06)**
Standard Colors for Polymer-Coated Chain Link Fence Materials, Specification for, **F934 (01.06)**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**
Vinyl-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A933/A933M (01.04)**
Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated), Specification for, **A974 (01.06)**

Poly(vinyl chloride) (PVC) fittings
Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, Test Method for, **D2152 (08.04)**
Evaluating the Quality of Molded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings by the Heat Reversion Technique, Test Method for, **F610/F610M (08.04)**
Making Solvent-Cemented Joints with Poly(Vinyl Chloride) (PVC) Pipe and Fittings, Practice for, **D2855 (08.04)**
Pressure Rating Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40 and 80 Socket-Type, Test Method for, **F2261 (08.04)**
Type PSM Poly(Vinyl Chloride) (PVC) SDR 51 and SDR 64 Sewer Pipe and Fittings, Specification for, **F2658 (08.04)**

Poly(vinyl chloride)(PVC) fittings—specifications
Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping, Specification for, **D2680 (08.04)**
Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, Specification for, **F439 (08.04)**
Drain, Waste, and Vent (DWV) Plastic Fittings Patterns, Specification for, **D3311 (08.04)**
Joints for IPS PVC Pipe Using Solvent Cement, Specification for, **D2672 (08.04)**
Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Drainage and DWV Fabricated Fittings, Specification for, **F1866 (08.04)**
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**
Poly(Vinyl Chloride) (PVC) Gasketed Sewer Fittings, Specification for, **F1336 (08.04)**
Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings, Specification for, **F679 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2665 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40, Specification for, **D2466 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, Specification for, **D2467 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F794 (08.04)**
Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, Specification for, **D2729 (08.04)**
Primers for Use in Solvent Cement Joints of Poly(Vinyl Chloride) (PVC) Plastic Pipe and Fittings, Specification for, **F656 (08.04)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications, Specification for, **D3915 (08.02)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, Specification for, **F512 (08.04)**
Socket-Type Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40, Specification for, **F438 (08.04)**
Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings, Specification for, **F493 (08.04)**
Solvent Cements for Poly(Vinyl Chloride) (PVC) Plastic Piping Systems, Specification for, **D2564 (08.04)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**
Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**
Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings, Specification for, **F409 (08.04)**
Threaded Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, Specification for, **F437 (08.04)**
Threaded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, Specification for, **D2464 (08.04)**
Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, Specification for, **D3034 (08.04)**

Poly(vinyl chloride)(PVC) gaskets—specifications
Flexible Poly (Vinyl Chloride) (PVC) Gaskets used in Connection of Vitreous China Plumbing Fixtures to Sanitary Drainage Systems, Specification for, **A1045 (01.02)**
Poly (Vinyl Chloride) (PVC) Gaskets for Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems, Specification for, **D5926 (08.03)**
Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and Fittings, Specification for, **C1541 (01.02)**

Poly(vinyl chloride)(PVC) pipe
Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, Test Method for, **D2152 (08.04)**
Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits, Practice for, **F1947 (08.04)**
Installation of Folded/Formed Poly (Vinyl Chloride) (PVC) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Practice for, **F1867 (08.04)**
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent (DWV) Pipe and Fittings Having Post-Industrial Recycle Content, Specification for, **F2390 (08.04)**
Pressure Rating Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40 and 80 Socket-Type, Test Method for, **F2261 (08.04)**
Selection, Design, and Installation of Thermoplastic Water- Pressure Piping Systems, Guide for, **F645 (08.04)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Poly(vinyl chloride)(PVC) pipe—specifications
Sa **Thermoplastic pipe/tube/fittings**
3.25-in. Outside Diameter Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2949 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping, Specification for, **D2680 (08.04)**
Coextruded Composite Drain, Waste, and Vent Pipe (DWV), Specification for, **F1499 (08.04)**
Coextruded Composite Pipe, Specification for, **F1488 (08.04)**
Coextruded Poly(Vinyl Chloride) (PVC) Non-Pressure Plastic Pipe Having Reprocessed-Recycled Content, Specification for, **F1760 (08.04)**
Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**
Estimating the Quality of Extruded Poly (Vinyl Chloride) (PVC) Pipe by the Heat Reversion Technique, Practice for, **F1057 (08.04)**
Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conduit Rehabilitation, Specification for, **F1504 (08.04)**
Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Specification for, **F1871 (08.04)**
Joint Restraint Products for Use with PVC Pipe, Test Method for, **F1674 (08.04)**
Joints for IPS PVC Pipe Using Solvent Cement, Specification for, **D2672 (08.04)**
Oriented Poly(Vinyl Chloride), PVCO, Pressure Pipe, Specification for, **F1483 (08.04)**
Poly (Vinyl Chloride)(PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F1803 (08.04)**
Poly (Vinyl Chloride)(PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits, Specification for, **F1735 (08.04)**
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**
Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings, Specification for, **F679 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2665 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40, Specification for, **D2466 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120, Specification for, **D1785 (08.04)**
Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series), Specification for, **D2241 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F794 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**
Poly(Vinyl Chloride) (PVC) Sewer and Drain Pipe Containing Recycled PVC Material, Specification for, **F1732 (08.04)**
Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, Specification for, **D2729 (08.04)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications, Specification for, **D4396 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications, Specification for, **D3915 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions, Specification for, **D3678 (08.03)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Plastic Underdrain Systems for Highway, Airport, and Similar Drainage, Specification for, **F758 (08.04)**
Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings, Specification for, **F493 (08.04)**
Solvent Cements for Poly(Vinyl Chloride) (PVC) Plastic Piping Systems, Specification for, **D2564 (08.04)**
Threaded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, Specification for, **D2464 (08.04)**
Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, Specification for, **D3034 (08.04)**

Poly(vinyl chloride)(PVC) pipe (chlorinated)
See **Chlorinated poly(vinyl chloride)(CPVC) pipe—specifications**

Poly(vinyl chloride)(PVC) profile strip/liner
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**

Poly(vinyl chloride)(PVC) resins
Sa **Resins**
Air Channel Evaluation of Polyvinyl Chloride (PVC) Dual Track Seamed Geomembranes, Specification for, **D7177 (04.13)**
Determination of Gels (Fisheyes) In General-Purpose Poly(Vinyl Chloride) (PVC) Resins, Practice for, **D3596 (08.02)**
Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography, Test Method for, **D4443 (08.02)**
Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus, Test Method for, **D7238 (04.13)**
Non-Reinforced Polyvinyl Chloride (PVC) Geomembranes Used in Buried Applications, Specification for, **D7176 (04.13)**
Residual Vinyl Chloride Monomer in Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique, Test Method for, **D3749 (08.02)**
Volatile Loss From Plastics Using Activated Carbon Methods, Test Methods for, **D1203 (08.01)**
Volatile Matter (Including Water) of Vinyl Chloride Resins, Test Method for, **D3030 (08.01)**

Poly(vinyl chloride)(PVC) resins—specifications
Poly(Vinyl Chloride) Resins, Specification for, **D1755 (08.01)**

Poly(vinyl chloride)(PVC) roofing materials—specifications
Sa **Roofing materials/applications—specifications**
Poly(Vinyl Chloride) Sheet Roofing, Specification for, **D4434/D4434M (04.04)**

Poly(vinyl chloride)(PVC) sheet
Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets, Practice for, **D4703 (08.02)**

Poly(vinyl chloride)(PVC) sheet/film—specifications
Nonrigid Vinyl Chloride Plastic Film and Sheeting, Specification for, **D1593 (08.01)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Poly(Vinyl Chloride) Sheet Roofing, Specification for, **D4434/D4434M (04.04)**
PVC Insulating Sheeting, Specification for, **F1742 (10.03)**
Sheet Vinyl Floor Covering with Backing, Specification for, **F1303 (15.04)**

Poly(vinyl chloride)(PVC) siding/soffit
Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, Practice for, **D4756 (08.03)**
Relative Rigidity of Poly(Vinyl Chloride)(PVC) Siding, Test Method for, **D6777 (08.03)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Windload Resistance of Rigid Plastic Siding, Test Method for, **D5206 (08.03)**

Poly(vinyl chloride)(PVC) profile strip/liner—specifications
Poly (Vinyl Chloride)(PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits, Specification for, **F1735 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**

Poly(vinyl chloride)(PVC) tube—specifications
Residential Central-Vacuum Tube and Fittings, Specification for, **F2158 (15.08)**
Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings, Specification for, **F409 (08.04)**

Poly(vinyl chloride)(PVC) windows
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**

--`,,`,,`-`-`,,,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Poly(vinylidene fluoride)(PVDF)
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Poly(vinylidene fluoride)(PVDF)—specifications
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3144 (10.02)**
Extruded and Compression Molded Shapes Made from Poly(Vinylidene Fluoride) (PVDF), Specification for, **D6713 (08.03)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**
Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials, Specification for, **D3222 (08.02)**
PONA (bulk hydrocarbon group-type composition)
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6733 (05.03)**
Pond/canal/reservoir/ditch linings
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**
Pond/canal/reservoir/ditch linings—specifications
Sa **Fresh water**
Asphalt Used in Canal, Ditch, and Pond Lining, Specification for, **D2521/D2521M (04.04)**
Precast Reinforced Concrete Manhole Sections, Specification for, **C478 (04.05)**
Precast Reinforced Concrete Manhole Sections (Metric), Specification for, **C478M (04.05)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Ponded water
Flood Testing Horizontal Waterproofing Installations, Guide for, **D5957 (04.04)**
Ponderosa pine
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Ponding
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Pond sampler
Sampling with a Dipper or Pond Sampler, Practice for, **D5358 (11.04)**
Pontiac fever
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Pontons
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**
Pooled limit of quantitation
Determination of a Pooled Limit of Quantitation, Practice for, **D6259 (05.03)**
Pool fire testing
Thermal Qualification of Type B Packages for Radioactive Material, Practice for, **E2230 (04.07)**
Pools
Aboveground Portable Pools for Residential Use, Specification for, **F2666 (15.11)**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Pools (swimming)
Sa **Swimming pools**
Fences for Commercial and Public Outdoor Water Spray/Play Areas, Guide for, **F2699 (01.06)**
Fences for Non-Residential Outdoor Swimming Pools, Hot Tubs, and Spas, Guide for, **F2409 (01.06)**
Manufacture, Construction, Operation, and Maintenance of Aquatic Play Equipment, Practice for, **F2461 (15.07)**
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**
Popping and pitting
Lime Putty for Structural Purposes, Specification for, **C1489 (04.01)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Porcelain enamel products
45-deg Specular Gloss of Ceramic Materials, Test Method for, **C346 (02.05)**
Abrasion Resistance of Porcelain Enamels, Test Methods for, **C448 (02.05)**
Acid Resistance of Porcelain Enamels, Test Method for, **C282 (02.05)**
Adherence of Porcelain Enamel Coatings to Sheet Metal, Test Method for, **B916 (02.05)**
Alkali Resistance of Porcelain Enamels, Test Method for, **C614 (02.05)**
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**
Color Retention of Red, Orange, and Yellow Porcelain Enamels, Test Method for, **C538 (02.05)**
Compressive Stress of Porcelain Enamels by Loaded-Beam Method, Test Method for, **C839 (02.05)**
Continuity of Porcelain Enamel Coatings, Test Method for, **C743 (02.05)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Lead and Cadmium Release from Porcelain Enamel, Test Method for, **C872 (02.05)**
Nickel on Steel for Porcelain Enameling by Photometric Analysis, Test Method for, **C715 (02.05)**
Nickel on Steel for Porcelain Enameling by X-Ray Emission Spectrometry, Test Method for, **C810 (02.05)**
Porcelain Enamel and Ceramic-Metal Systems, Terminology Relating to, **C286 (02.05)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**
Production and Preparation of Gray Iron Castings for Porcelain Enameling, Practices for, **C660 (02.05)**
Reboiling Tendency of Sheet Steel for Porcelain Enameling, Test Method for, **C632 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Resistance of Porcelain Enameled Utensils to Boiling Acid, Test Methods for, **C283 (02.05)**
Sieve Analysis of Wet-Milled and Dry-Milled Porcelain Enamel, Test Methods for, **C285 (02.05)**
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**
Steel, Sheet, for Porcelain Enameling, Specification for, **A424/A424M (01.03)**
Thermal Shock Resistance of Porcelain-Enameled Utensils, Test Method for, **C385 (02.05)**
Weight Loss (Mass Loss) of Sheet Steel During Immersion in Sulfuric Acid Solution, Test Method for, **C694 (02.05)**
Yield Strength of Enameling Steels After Straining and Firing, Test Method for, **C774 (02.05)**

Porcelain enamel products—frit
Fusion Flow of Porcelain Enamel Frits (Flow-Button Methods), Test Methods for, **C374 (02.05)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Ceramic Whiteware Materials by Interferometric Method, Test Method for, **C539 (02.05)**
Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method, Test Method for, **C372 (15.02)**
Water Used in Milling of Porcelain Enamel, Classification of, **C375 (02.05)**

Porcine skin
Evaluation of the Effectiveness of Hand Hygiene Topical Antimicrobial Products using, Guide for, **E2897 (11.05)**

Pore corrosion
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**

Pore diameter
Foaming Characteristics of Lubricating Oils, Test Method for, **D892 (05.01)**
Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, Test Method for, **E128 (14.04)**
Oil Content of Petroleum Waxes, Test Method for, **D721 (05.01)**

Pore distribution
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Pore Size Characteristics of Geotextiles by Capillary Flow Test, Test Method for, **D6767 (04.13)**

Pore-liquid sampling
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**

Pores
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Pore size characteristics/analysis
Sa **Filters/filter procedures**
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Pore Size Characteristics of Geotextiles by Capillary Flow Test, Test Method for, **D6767 (04.13)**
Pore Size Characteristics of Membrane Filters by Bubble Point and Mean Flow Pore Test, Test Methods for, **F316 (11.02)**

Pore structure
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**

Pore volume
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**
Determining Pore Volume Distribution of Catalysts and Catalyst Carriers by Mercury Intrusion Porosimetry, Test Method for, **D4284 (05.05)**
Vitrified Ceramic Materials for Electrical Applications, Test Methods for, **D116 (15.02)**

Pore-water
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**
Measurement of Soil Potential (Suction) Using Filter Paper, Test Method for, **D5298 (04.08)**
Pore Water Extraction and Determination of the Soluble Salt Content of Soils by Refractometer, Test Method for, **D4542 (04.08)**

Poria placenta
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**

Porosimetry
Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, Guide for, **F2150 (13.01)**
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**

Porosity
Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C413 (06.02)**
Apparent and True Specific Gravity and Porosity of Lump Coke, Test Method for, **D167 (05.06)**
Apparent Porosity in Cemented Carbides, Test Method for, **B276 (02.05)**
Calculating Thermal Diffusivity of Rocks, Practice for, **D4612 (04.08)**
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Determination of Iodine Number of Activated Carbon, Test Method for, **D4607 (15.01)**
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke using a Semi-Automated Apparatus, Test Method for, **D7454 (05.04)**
Effective Porosity and Effective Air Voids of Compacted Bituminous Paving Mixture Samples, Test Method for, **D7063/D7063M (04.03)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, Test Method for, **B866 (02.05)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Vitrified Ceramic Materials for Electrical Applications, Test Methods for, **D116 (15.02)**
Volume Mass, Moisture-Holding Capacity, and Porocity of Saturated Peat Materials, Test Method for, **D2980 (04.08)**

Porosity—apparent
Apparent Porosity, Apparent Specific Gravity, and Bulk Density of Graphite Electrodes, Test Methods for, **C1039 (05.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure, Test Methods for, **C830 (15.01)**
Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, Test Methods for, **C20 (15.01)**
Dry and Wet Bulk Density, Water Absorption, and Apparent Porosity of Thin Sections of Glass-Fiber Reinforced Concrete, Test Method for, **C948 (04.05)**

Porosity—electrodeposited/metallic coatings
Determining Area Percentage Porosity in Thermal Sprayed Coatings, Test Methods for, **E2109 (03.01)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**
Electroplated Engineering Nickel Coatings, Specification for, **B689 (02.05)**
Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, Practice for, **B920 (02.04)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur"), Test Method for, **B809 (02.05)**
Selection of Porosity and Gross Defect Tests for Electrodeposits and Related Metallic Coatings, Guide for, **B765 (02.05)**

Porosity—medical/surgical materials
Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, Guide for, **F2150 (13.01)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Stereological Evaluation of Porous Coatings on Medical Implants, Test Method for, **F1854 (13.01)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**

Porosity—paints/related coatings
Porosity of Paint Film by Mineral Oil Absorption, Test Method for, **D6583 (06.02)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**

Porosity—seals (in electronic applications)
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**

Porosity—whitewares
Porosity in Vitreous Whitewares by Dye Penetration, Test Method for, **C949 (15.02)**
Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Test Method for, **C373 (15.02)**

Porous barrier medical packages
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**

Porous building materials
Moisture Retention Curves of Porous Building Materials Using Pressure Plates, Test Method for, **C1699 (04.06)**

Porous coatings—specifications
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**

Porous concrete pipe
Sa **Concrete pipe—specifications**
Porous Concrete Pipe, Specification for, **C654 (04.05)**

Porous media/materials
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Measurement of Hydraulic Conductivity of Porous Material Using a Rigid-Wall, Compaction-Mold Permeameter, Test Method for, **D5856 (04.08)**
Measurement of the Permeability of Unsaturated Porous Materials by Flowing Air, Test Method for, **D6539 (04.09)**

Porous packaging materials
Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), Test Method for, **F2096 (15.10)**
Detecting Seal Leaks in Porous Medical Packaging by Dye Penetration, Test Method for, **F1929 (15.10)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Using Aerosol Filtration for Measuring the Performance of Porous Packaging Materials as a Surrogate Microbial Barrier, Test Method for, **F2638 (15.10)**

Porous polyethylene (for surgical implants)
See **Polyethylene (PE) surgical implant applications**

Porous rock
See **Rock materials/properties/analysis**

Porous substrates
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**

Porous tissue scaffold
Determining the Mean Darcy Permeability Coefficient for a Porous Tissue Scaffold, Guide for, **F2952 (13.02)**

Portable adhesion testers
Sa **Adhesion**
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**

Portable air heater
Portable Air Heaters Used at Personnel Decontamination Stations and Shelters, Specification for, **E2543 (15.08)**

Portable analyzers
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**

Portable base system testing
Residential Basketball Systems, Specification for, **F1882 (15.07)**

Portable bed rails
Portable Bed Rails, Consumer Safety Specification for, **F2085 (15.11)**

Portable deck plates
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**

Portable electrochemical/spectrophotometric analysis
Evaluating Performance of On-Site Extraction and Field-Portable Electrochemical or Spectrophotometric Analysis for Lead, Guide for, **E1775 (04.11)**

Portable emergency escape ladder
Portable and Permanent Emergency Escape Ladders for Residential Use, Specification for, **F2175 (15.11)**

Portable emissometers
Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers, Test Method for, **C1371 (04.06)**

Portable Falling-Weight Deflectometer (PFWD)
Measuring Deflections with a Light Weight Deflectometer (LWD), Test Method for, **E2583 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Portable flush deck stanchion
Portable Intermediate Flush Deck Stanchion, Specification for, **F987 (01.07)**
Portable fueling materials/applications
Sa **Containers—gasoline (specifications)**
Determination of Child Resistance of Portable Fuel Containers for Consumer Use, Specification for, **F2517 (15.11)**
One Time Use Portable Emergency Fuel Containers (PEFC) for Use by Consumers, Specification for, **F2874 (15.11)**
Portable Gasoline Containers for Consumer Use, Specification for, **F852 (15.11)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**
Portable hook-on chairs
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**
Portable meters
Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, Practice for, **D3284 (10.03)**
Portable property
Tangible Property Mobility Index (MI), Practice for, **E2676 (04.12)**
Portable radiological survey
Selection and Use of Portable Radiological Survey Instruments for Performing In Situ Radiological Assessments to Support Unrestricted Release from Further Regulatory Controls, Guide for, **E1893 (12.02)**
Portable reflection colorimeter
Measurement of Daytime Chromaticity of Pavement Marking Materials Using a Portable Reflection Colorimeter, Test Method for, **E2366 (06.01)**
Measurement of Nighttime Chromaticity of Pavement Marking Materials Using a Portable Retroreflection Colorimeter, Test Method for, **E2367 (06.01)**
Portable reflectometer
Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer, Test Method for, **C1549 (04.06)**
Evaluating Retroreflective Pavement Markings Using Portable Hand-Operated Instruments, Practice for, **D7585/D7585M (04.03)**
Measurement of the Luminance Coefficient Under Diffuse Illumination of Pavement Marking Materials Using a Portable Reflectometer, Test Method for, **E2302 (06.01)**
Portable retroreflectometers
Sa **Retroreflective marking materials**
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**
Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.2 Degree Observation Angle, Test Method for, **E1709 (06.01)**
Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness, Test Method for, **E2177 (06.01)**
Portable separometer
Determining Water Separation Characteristics of Aviation Turbine Fuels by Portable Separometer, Test Method for, **D3948 (05.02)**
Determining Water Separation Characteristics of Diesel Fuels by Portable Separometer, Test Method for, **D7261 (05.04)**
Determining Water Separation Characteristics of Kerosine-Type Aviation Turbine Fuels Containing Additives by Portable Separometer, Test Method for, **D7224 (05.04)**
Portable water heater
Portable Water Heaters Used at Personnel Decontamination Stations, Specification for, **E2542 (15.08)**
Portable x-ray fluorescence spectrometer
Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), Test Method for, **F2980 (10.04)**
Performance Evaluation of the Portable X-Ray Fluorescence Spectrometer for the Measurement of Lead in Paint Films, Practice for, **E2120 (04.12)**
Port-Ar readings
Resistance to Airflow as an Indication of Average Fiber Diameter of Wool Top, Card Sliver, and Scoured Wool, Test Method for, **D1282 (07.01)**
Portland cement
Amount of Water Required for Normal Consistency of Hydraulic Cement Paste, Test Method for, **C187 (04.01)**
Approximation of Optimum SO_3 in Hydraulic Cement Using Compressive Strength, Test Method for, **C563 (04.01)**
Autoclave Expansion of Hydraulic Cement, Test Method for, **C151/C151M (04.01)**
Bond Strength of Ceramic Tile to Portland Cement Paste, Test Method for, **C482 (15.02)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Commercial Use of Lime Kiln Dusts and Portland Cement Kiln Dusts, Guide for, **D5050 (11.04)**
Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), Test Method for, **C109/C109M (04.01)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, Test Method for, **C1214 (04.05)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), Test Method for, **C1214M (04.05)**
Density of Hydraulic Cement, Test Method for, **C188 (04.01)**
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**
Drying Shrinkage of Mortar Containing Hydraulic Cement, Test Method for, **C596 (04.01)**
Early Stiffening of Hydraulic Cement (Mortar Method), Test Method for, **C359 (04.01)**
Early Stiffening of Hydraulic Cement (Paste Method), Test Method for, **C451 (04.01)**
Evaluation of Cement Strength Uniformity From a Single Source, Test Method for, **C917 (04.01)**
Fineness of Hydraulic Cement and Raw Materials by the 300-μm (No. 50), 150-μm (No. 100), and 75-μm (No. 200) Sieves by Wet Methods, Test Method for, **C786/C786M (04.01)**
Fineness of Hydraulic Cement by Air-Permeability Apparatus, Test Methods for, **C204 (04.01)**
Fineness of Hydraulic Cement by the 45-m (No. 325) Sieve, Test Method for, **C430 (04.01)**
Fineness of Portland Cement by the Turbidimeter, Test Method for, **C115/C115M (04.01)**
Heat of Hydration of Hydraulic Cement, Test Method for, **C186 (04.01)**
Hydraulic Cement, Terminology Relating to, **C219 (04.01)**
Measurement of Heat of Hydration of Hydraulic Cementitious Materials Using Isothermal Conduction Calorimetry, Test Method for, **C1702 (04.01)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
PM Detector and Bag Leak Detector Manufacturers to Certify Conformance with Design and Performance Specifications for Cement Plants, Practice for, **D7392 (11.07)**
Potential Expansion of Portland-Cement, Test Method for, **C452/C452M (04.01)**
Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, Practice for, **D1985 (04.03)**
Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, Test Method for, **C1356 (04.01)**
Portland cement—specifications
Aggregate for Job-Mixed Portland Cement-Based Plasters, Specification for, **C897 (04.01)**
Air-Entraining Additions for Use in the Manufacture of Air-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Entraining Hydraulic Cement, Specification for, **C226 (04.01)**
Application of Portland Cement-Based Plaster, Specification for, **C926 (04.01)**
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Plastic (Stucco) Cement, Specification for, **C1328/C1328M (04.01)**
Portland Cement, Specification for, **C150/C150M (04.01)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**

Portland cement-based plaster
Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1787 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1788 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Test Methods for, **C1764 (04.01)**
Plastic (Stucco) Cement, Specification for, **C1328/C1328M (04.01)**

Portland cement-based plaster—vertical wall applications
Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1787 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1788 (04.01)**

Portland-cement clinker
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**
Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, Test Method for, **C1356 (04.01)**

Portland cement concrete (PCC)
Sa **Concrete**
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**
Portland-Cement Content of Hardened Hydraulic-Cement Concrete, Test Method for, **C1084 (04.02)**
Potential Alkali-Silica Reactivity of Aggregates (Chemical Method), Test Method for, **C289 (04.02)**
Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, Practice for, **D1985 (04.03)**
Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, Test Methods for, **C311/C311M (04.02)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Slump of Hydraulic-Cement Concrete, Test Method for, **C143/C143M (04.02)**
Specific Gravity And Absorption of Rock For Erosion Control, Test Method For, **D6473 (04.09)**
Temperature of Freshly Mixed Hydraulic-Cement Concrete, Test Method for, **C1064/C1064M (04.02)**
Use of Portland Cement Concrete Bridge Deck Water Barrier Membrane Systems, Practice for, **D4071 (04.03)**

Portland cement concrete (PCC)—specifications
Admixtures for Shotcrete, Specification for, **C1141/C1141M (04.02)**
Asphalt for Undersealing Portland-Cement Concrete Pavements, Specification for, **D3141/D3141M (04.03)**
Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, Specification for, **D5249 (04.03)**
Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, Specification for, **C618 (04.02)**
Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements, Specification for, **D5893/D5893M (04.03)**
Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, Specification for, **D5078/D5078M (04.03)**
Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types), Specification for, **D1751 (04.03)**

Portland cement kiln dust
Commercial Use of Lime Kiln Dusts and Portland Cement Kiln Dusts, Guide for, **D5050 (11.04)**

Portland cement paste
Bond Strength of Ceramic Tile to Portland Cement Paste, Test Method for, **C482 (15.02)**

Portland-pozzolan cement
See **Hydraulic cement concrete**

Portlight applications
Glasses, Portlight, Circular, Fully Tempered, Specification for, **C1443 (15.02)**

Pose measurement system
Evaluating the Performance of Systems that Measure Static, Six Degrees of Freedom (6DOF), Pose, Test Method for, **E2919 (10.04)**

Positional accuracy
Measurement of Positional Accuracy of Computer Assisted Surgical Systems, Practice for, **F2554 (13.02)**

Position task book (PTB)
Contents and Use of a Position Task Book (PTB), Guide for, **F3068 (13.02)**

Positive displacement
Sa **Volumetric laboratory apparatus**
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Rotary Positive Displacement Pumps, Ships Use, Specification for, **F1510 (01.07)**

Positive displacement pump
Rotary Positive Displacement Distillate Fuel Pumps, Specification for, **F1718 (01.07)**

Positive phase impulse
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**

Positive pressure
Sampling Gas from a Transformer Under Positive Pressure, Practice for, **D2759 (10.03)**

Positive pressure filtration
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**

Positron emission tomography
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**

Post and line caps
Fence Fittings, Specification for, **F626 (01.06)**

Post-applied coatings/pavings/linings
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**

von Post classification
Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, Test Methods for, **D6572 (04.09)**
Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), Test Method for, **D5715 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Post-coating treatment of iron/steel
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Post-column derivatization
Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, Test Method for, **D5315 (11.02)**
Post-column reaction
Determination of Free Formaldehyde in Emulsion Polymers by Liquid Chromatography, Test Method for, **D5910 (06.03)**
Post-construction service life
Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, Guide for, **D5819 (04.13)**
Post-consumer plastics
Sa **Recycled plastics**
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**
Recycled Post-Consumer Polyethylene Film Sources for Molding and Extrusion Materials, Classification for, **D5491 (08.03)**
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**
Post-conviction sex offender testing
Clinical Psychophysiological Detection of Deception (PDD) Examinations for Sex Offenders, Guide for, **E2080 (14.02)**
Post cracking strength
Flexural Toughness of Fiber Reinforced Concrete (Using Centrally Loaded Round Panel), Test Method for, **C1550 (04.02)**
Obtaining Average Residual-Strength of Fiber-Reinforced Concrete, Test Method for, **C1399/C1399M (04.02)**
Posterior instrumentation
Static, Dynamic, and Wear Assessment of Extra-Discal Single Level Spinal Constructs, Test Method for, **F2624 (13.02)**
Post-ignition property assessment
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Posting
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Post-irradiation examination
Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), Guide for, **E1214 (12.02)**
Postmixing burning utility lighter
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**
Post-molding shrinkage
Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, Test Method for, **D6289 (08.03)**
Posts/assemblies (for chain link fence)
Sa **Chain-link fence/fencing systems**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**
Posts (wood)
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Post-tensioning of tendons
Bleed Stability of Cementitious Post-Tensioning Tendon Grout, Test Method for, **C1741 (04.02)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Post-test QA/QC
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Potable water
Sa **Drinking water**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Polyethylene of Raised Temperature (PE-RT) Plastic Hot and Cold-Water Tubing and Distribution Systems, Specification for, **F2769 (08.04)**
Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, Test Method for, **D6284 (09.02)**
Potassium
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Potassium carbonate content
Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), Test Methods for, **E291 (15.05)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Potassium chloride content
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Potassium content
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials, Guide for, **B712 (02.04)**
Potassium content—atmospheric analysis
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Potassium content—petroleum products
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**
Potassium content—water
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Lithium, Potassium, and Sodium Ions in Brackish Water, Seawater, and Brines by Atomic Absorption Spectrophotometry, Test Method for, **D3561 (11.02)**
Potassium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4192 (11.01)**
Potassium dichromate solution
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Potassium dichromate titrimetry
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Potassium hydroxide
Sa **Detergent materials/systems**
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Caustic Potash; Solid (Potassium Hydroxide; Solid), Specification for, **E1456 (15.05)**
Potassium iodide method
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Potassium oxide (K_2O) content
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Potassium oxide (K_2O) content—coal/coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**
Potassium permanganate
See **Permanganate time**
Potassium permanganate solution
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Potassium silicate mortars
Chemically Setting Silicate and Silica Chemical-Resistant Mortars, Specification for, **C466 (04.05)**
Potato
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Potato dextrose agar (PDA)
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Pot dishwashing machines
Washing MachinesPot, Pan, and Utensil, Heat Sanitizing, Commercial Rotary Conveyor Type, Specification for, **F1203 (15.12)**
Potential alkali reactivity
See **Alkali reactivity**
Potential inhaled dose
Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6178 (11.07)**
Potentially adhesive layers
Blocking Point of Potentially Adhesive Layers, Test Method for, **D1146 (15.06)**
Potential residue method
Sa **Residue—petroleum products**
Oxidation Stability of Aviation Fuels (Potential Residue Method), Test Method for, **D873 (05.01)**
Potential strength
Accelerated Curing of Concrete Cylinders, Practice for, **C1768/C1768M (04.02)**
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**
Potential volume change
See **Volume change**
Potentiodynamic anodic polarization measurements
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, Test Method for, **G61 (03.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Potentiometric method
(Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), Test Method for, **D3227 (05.01)**
Acid Number of Naval Stores Products Including Tall Oil and Other Related Products, Test Methods for, **D465 (06.03)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Determination of Various Anionic Surfactant Actives by Potentiometric Titration, Test Method for, **D6173 (15.04)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**
Saponification Number of Naval Store Products Including Tall Oil and Other Related Products, Test Methods for, **D464 (06.03)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Potentiometric titration
Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, Test Method for, **E2679 (15.05)**
Active Matter in Anionic Surfactants by Potentiometric Titration, Test Method for, **D4251 (15.04)**
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Citrate in Detergents, Test Method for, **D4608 (15.04)**
Determination of Manganese in Manganese Ores by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, Test Method for, **E248 (03.05)**
Determination of Percent Hydroxyl on Cellulose Esters by Potentiometric Titration—Alternative Method, Test Method for, **D5897 (06.03)**
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
Existent Inorganic Sulfate in Ethanol by Potentiometric Titration, Test Method for, **D7318 (05.04)**
Hydroxyl Groups Using Reaction with, Test Method for, **E1899 (15.05)**
Inorganic Sulfate in Surfactants by Potentiometric Lead Titration, Test Method for, **D6174 (15.04)**
Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, Test Method for, **D5070 (15.04)**
Total Aldehydes in Styrene Monomer by Potentiometric Titration, Test Method for, **D7704 (06.04)**
Total Cobalt in Alumina-Base Cobalt-Molybdenum Catalyst by Potentiometric Titration Method, Test Method for, **D3610 (05.05)**
Potentiostatic anodic polarization measurements
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Pot life
Extrusion Rate and Application Life of Elastomeric Sealants, Test Method for, **C603 (04.07)**
Pot/pan/utensil washing machines
Sa **Dishwashing equipment (commercial)**
Heat Sanitizing Commercial Pot, Pan, and Utensil Stationary Rack Type Water-Driven Rotary Spray, Specification for, **F1114 (15.12)**
Washing Machines, Heat Sanitizing, Commercial, Pot, Pan, and Utensil Vertically Oscillating Arm Type, Specification for, **F1202 (15.12)**
Potstill
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Potting soil
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**
Poultry materials/applications
Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, Specification for, **F2340 (15.12)**
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Irradiation of Pre-packaged Processed Meat and Poultry Products to Control Pathogens and Other Microorganisms, Guide for, **E2449 (12.02)**
Livestock, Meat, and Poultry Evaluation Devices, Test Method for, **F2343 (15.12)**
Livestock, Meat, and Poultry Evaluation Systems, Terminology for, **F2463 (15.12)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
User Requirements for Livestock, Meat, and Poultry Evaluation Devices or Systems, Practice for, **F2341 (15.12)**

Poultry materials/applications—specifications
Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, Specification for, **F2342/F2342M (15.12)**
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), Specification for, **A390 (01.06)**

Pourability
Apparent Density, Bulk Factor, and Pourability of Plastic Materials, Test Methods for, **D1895 (08.01)**

Pouring
Safety Requirements in Metal Casting Operations: Sand Preparation, Molding, and Core Making; Melting and Pouring; and Cleaning and Finishing, Practice for, **E2349 (11.03)**

Pouring temperature
Float Test for Bituminous Materials, Test Method for, **D139 (04.03)**

Pour plate methods
Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, Practice for, **D5465 (11.02)**

Pour point
Determination of the Ash Content of Fats and Oils, Test Method for, **D5347 (15.04)**
Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds, Test Method for, **D5346 (15.04)**
No Flow Point and Pour Point of Petroleum Products, Test Method for, **D7346 (05.04)**
Pour Point of Petroleum Products (Robotic Tilt Method), Test Method for, **D6892 (05.03)**

Pour point—petroleum products
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Pour Point of Crude Oils, Test Method for, **D5853 (05.02)**
Pour Point of Petroleum Products, Test Method for, **D97 (05.01)**
Pour Point of Petroleum Products (Automatic Air Pressure Method), Test Method for, **D6749 (05.03)**
Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), Test Method for, **D5949 (05.02)**
Pour Point of Petroleum Products (Automatic Tilt Method), Test Method for, **D5950 (05.02)**
Pour Point of Petroleum Products (Rotational Method), Test Method for, **D5985 (05.02)**

Powder bed fusion
Additive Manufacturing Nickel Alloy (UNS N06625) with Powder Bed Fusion, Specification for, **F3056 (10.04)**
Additive Manufacturing Nickel Alloy (UNS N07718) with Powder Bed Fusion, Specification for, **F3055 (10.04)**
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium ELI (Extra Low Interstitial) with Powder Bed Fusion, Specification for, **F3001 (10.04)**

Powder briquettes
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**

Powder characterization
Nonsieving Methods of Powder Characterization, Terminology Relating to, **E2589 (14.02)**

Powder coatings
Evaluation of Optical Properties of Powder Coatings, Guide to, **D5382 (06.02)**
Measuring the Hiding Power of Powder Coatings, Test Methods for, **D6441 (06.02)**
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, Practice for, **D7803 (06.02)**
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**
Specific Gravity of Coating Powders, Test Methods for, **D5965 (06.02)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**

Powder coatings—specifications
Ultra-High-Molecular-Weight Polyethylene Powder and Fabricated Form for Surgical Implants, Specification for, **F648 (13.01)**

Powder coatings (for electrical insulation)
Corner Coverage of Powder Coatings, Test Method for, **D2967 (06.02)**
Gel Time of Thermosetting Coating Powder, Test Method for, **D4217 (06.02)**
Inclined Plate Flow for Thermosetting Coating Powders, Test Method for, **D4242 (06.02)**

Powdered activated carbon
Sa **Activated carbon**
Determination of Particle Size of Powdered Activated Carbon by Air Jet Sieving, Test Method for, **D5158 (15.01)**

Powdered catalysts
Determination of Attrition of FCC Catalysts by Air Jets, Test Method for, **D5757 (05.05)**
Vibrated Apparent Packing Density of Fine Catalyst and Catalyst Carrier Particles and Powder, Test Method for, **D4512 (05.05)**

Powdered chemicals
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Static Electrification, Test Method for, **D4470 (10.02)**

Powdered ice tea
Dispensers, Powdered Iced Tea, Specification for, **F1023 (15.12)**

Powdered ion exchange resins
Sa **Ion exchange materials/applications**
Physical and Chemical Properties of Powdered Ion Exchange Resins, Test Methods for, **D4456 (11.02)**
Precoat Capacity of Powdered Ion-Exchange Resins, Test Methods for, **D4266 (11.02)**

Powdered laundry detergents
Clay and Zeolite in Powdered Laundry Detergents by Atomic Absorption, Test Method for, **D5547 (15.04)**

Powdered surgical implants
Glass and Glass Ceramic Biomaterials for Implantation, Specification for, **F1538 (13.01)**

Powdered vegetable-tannin extracts
Sa **Tanning analysis/materials**
Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, Practice for, **D4905 (15.04)**

Powder forged (P/F) steels/parts
Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, Test Method for, **B311 (02.05)**
Powder Forged (PF) Ferrous Materials, Specification for, **B848 (02.05)**

Powder funnels
Common Laboratory Glass Funnels, Specification for, **E1095 (14.04)**

Powdering
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Powder metallurgy—specifications
Copper-Tungsten Electrical Contact Material, Specification for, **B702 (02.04)**
Powder Metallurgy (PM) Titanium and Titanium Alloy Structural Components, Specification for, **B988 (02.05)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**
Solder Metal, Specification for, **B32 (02.04)**
Powder metallurgy (P/M) materials
Sa **Sintered metal powder parts**
Cleanliness of Powder Metallurgy (PM) Bearings and Structural Parts, Test Method for, **B970 (02.05)**
Density of Compacted or Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B962 (02.05)**
Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, Test Method for, **B311 (02.05)**
Determination of Loose and Tapped Bulk Density of Plutonium Oxide, Test Method for, **C1770 (12.01)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Evaluating the Corrosion Resistance of Stainless Steel Powder Metallurgy (PM) Parts/Specimens by Immersion in a Sodium Chloride Solution, Test Methods for, **B895 (02.05)**
Liquid Dispersion of Metal Powders and Related Compounds for Particle Size Analysis, Guide for, **B821 (02.05)**
Measuring Dimensional Changes Associated with Processing Metal Powders, Test Method for, **B610 (02.05)**
Metallographically Estimating the Observed Case Depth of Ferrous Powder Metallurgy (PM) Parts, Test Method for, **B931 (02.05)**
Microindentation Hardness of Powder Metallurgy (PM) Materials, Test Method for, **B933 (02.05)**
Nonmetallic Inclusion Content of Powders Intended for Powder Forging (PF) Applications, Test Method for, **B796 (02.05)**
Oil Content, Oil-Impregnation Efficiency, and Interconnected Porosity of Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, Test Methods for, **B963 (02.05)**
Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, Test Method for, **B822 (02.05)**
Permeability of Powder Metallurgy (PM) Bearings Using Nitrogen Gas, Test Method for, **B966 (02.05)**
Powder Metallurgy, Terminology of, **B243 (02.05)**
Production and Preparation of Powder Metallurgy (PM) Test Specimens, Practices for, **B925 (02.05)**
Radial Crushing Strength, *K*, of Powder Metallurgy (PM) Bearings and Structural Materials, Test Method for, **B939 (02.05)**
Sampling Metal Powders, Practices for, **B215 (02.05)**
Silver-Tin Oxide Contact Material, Guide for, **B844 (02.04)**
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Surface Finish of Powder Metallurgy (PM) Products, Test Method for, **B946 (02.05)**
Powder metallurgy (P/M) materials—specifications
50 Nickel-50 Iron Powder Metallurgy Soft Magnetic Parts, Specification for, **A904 (03.04)**
Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, Specification for, **A839 (03.04)**
Materials for Copper Base Powder Metallurgy (PM) Structural Parts, Specification for, **B823 (02.05)**
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Powder Metallurgy (PM) Boron Stainless Steel Structural Components, Specification for, **B853 (02.05)**
Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, Specification for, **B834 (02.04)**
Soft Magnetic Iron Parts Fabricated by Powder Metallurgy (P/M) Techniques, Specification for, **A811 (03.04)**
Powder-mix time
Powder-Mix Time of Poly(Vinyl Chloride) (PVC) Resins Using a Torque Rheometer, Test Methods for, **D2396 (08.01)**
Powders
Sa **Metal powders**
Bulk Sample Collection and Swab Sample Collection of Visible Powders Suspected of Being Biothreat Agents from Nonporous Surfaces, Practices for, **E2458 (15.08)**
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Measuring Bulk Density Values of Powders and Other Bulk Solids as Function of Compressive Stress, Test Method for, **D6683 (04.09)**
Measuring Fluidization Segregation Tendencies of Powders, Practice for, **D6941 (04.09)**
Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**
Measuring the Minimum Fluidization Velocities of Free Flowing Powders, Test Method for, **D7743 (04.09)**
Nuclear-Grade Hafnium Oxide Powder, Specification for, **C1098 (12.01)**
Powder Particle Size Analysis, Guide for, **E2651 (14.02)**
Residual Powder on Medical Gloves, Test Method for, **D6124 (09.02)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**
Volumetric Flow Rate of Metal Powders Using the Arnold Meter and Hall Flowmeter Funnel, Test Method for, **B855 (02.05)**
Power-actuated fasteners
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Power actuated valve operators
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Power capacity
Determining Current Carrying Capacity of a Membrane Switch Circuit, Test Method for, **F1681 (10.04)**
Power cylinder wear
Cummins M11 EGR Test, Test Method for, **D6975 (05.04)**
Power/distribution electrical systems
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**
Power door control systems
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**
Powered open warewashing sinks
Energy Performance of Powered Open Warewashing Sinks, Test Method for, **F2379 (15.12)**
Powered aircraft
See **Powered parachute aircraft—specifications**
Powered parachute aircraft—specifications
Continued Airworthiness System for Powered Parachute Aircraft, Specification for, **F2241 (15.11)**
Design and Performance Requirements for Powered Parachute Aircraft, Specification for, **F2244 (15.11)**
Manufacturer Quality Assurance Program for Powered Parachute Aircraft, Specification for, **F2240 (15.11)**
Production Acceptance Testing System for Powered Parachute Aircraft, Specification for, **F2242 (15.11)**
Required Product Information to be Provided with Powered Parachute Aircraft, Specification for, **F2243 (15.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Powered scooters
Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2641 (15.11)**
Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2642 (15.11)**
Power electrical systems
Mineral Insulating Oil Used in Electrical Apparatus, Specification for, **D3487 (10.03)**
Power factor
Sa **Permittivity (dielectric constant)**
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies, Test Method for, **D149 (10.01)**
Dissipation Factor and Permittivity (Dielectric Constant) of Mica, Test Method for, **D1082 (10.01)**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Power generating facilities
Sa **Generator materials**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, Practices for, **D4138 (06.01)**
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Protective Coating and Lining Work for Power Generation Facilities, Terminology Relating to, **D4538 (06.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Water Analysis for Electrodialysis/Electrodialysis Reversal Applications, Guide for, **D5091 (11.02)**
Power generating facilities—specifications
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire, Specification for, **A411 (01.06)**
Powerhead
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Power law
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Power lines
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Power plant performance
Specifying Thermal Performance of Geothermal Power Systems, Guide for, **E974 (12.02)**
Power plants
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Power safety covers (PSC)
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Power supply
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Power switchboards
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Power tool cleaning
Use of Pictorial Surface Preparation Standards and Guides for Painting Steel Surfaces, Practice for, **D2200 (06.02)**
POY (partially-oriented yarn)
Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, Test Method for, **D6774 (07.02)**
Pozzolans
Sa **Cement-aggregate combinations**
Sa **Concrete**
Sa **Hydrated lime—specifications**
Blended Supplementary Cementitious Materials, Specification for, **C1697 (04.02)**
Characterizing Fly Ash for Use in Soil Stabilization, Practice for, **D5239 (04.08)**
Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), Test Method for, **C1567 (04.02)**
Evaluation of Alternative Supplementary Cementitious Materials (ASCM) for Use in Concrete, Guide for, **C1709 (04.02)**
Pozzolanic Hydraulic Lime for Structural Purposes, Specification for, **C1707 (04.01)**
Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, Test Methods for, **C311/C311M (04.02)**
Pozzolans—specifications
Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, Specification for, **C618 (04.02)**
Fly Ash and Other Pozzolans for Use With Lime for Soil Stabilization, Specification for, **C593 (04.01)**
Hydraulic Cement, Performance Specification for, **C1157/C1157M (04.01)**
Lime for Use with Pozzolans, Specification for, **C821 (04.01)**
Pozzolanic Blended Materials in Construction Applications, Specification for, **D5370 (11.04)**
Pozzolanic Hydraulic Lime for Structural Purposes, Specification for, **C1707 (04.01)**
PPB concentrations
Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations, Practice for, **D5919 (15.01)**
PPE
Determining the Physiological Responses of the Wearer to Protective Clothing Ensembles, Practice for, **F2668 (11.03)**
Measuring the Performance of Personal Cooling Systems Using Physiological Testing, Test Method for, **F2300 (11.03)**
Personal Protective Equipment for the Handling of Flat Glass, Guide for, **E2875/E2875M (11.03)**
Retained Sewn Seam Strength After Exposures to Hot Air and Open Flame, Specification for, **D7571 (07.02)**
PPD (*p*-phenylenediamine)
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**
Rubber Chemical Antidegradants—Purity of, Test Method for, **D5666 (09.01)**
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Rubber Compounding Materials—Determination of Ash Content, Test Methods for, **D4574 (09.01)**
Rubber Compounding Materials—Determination of Volatile Material, Test Methods for, **D4571 (09.01)**
P_{pk}` index
Rubber—Calculation of Producer's Process Performance Indexes, Practice for, **D5406 (09.01)**
Practical interpretation of ratings
Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**
Practical spectral bandwidth
Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, Practice for, **E958 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preallloyed powder—specifications
Powder Metallurgy (PM) Boron Stainless Steel Structural Components, Specification for, **B853 (02.05)**
Pre-arrival (emergency) instructions
Sa **Prehospital emergency medical services (EMS)**
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, Practice for, **F1552 (13.02)**
Preassemble peermanently-sealed IGO
Insulating Glass Unit Performance and Evaluation, Specification for, **E2190 (04.12)**
Preassembled wire and cable
Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, Test Methods for, **D6070 (08.04)**
Prebaked anodes
Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, Guide for, **D6353 (05.03)**
Preblended dry combined materials
Packaged, Pre-Blended, Dry, Combined Materials for Use in Wet or Dry Shotcrete Application, Specification for, **C1480/C1480M (04.02)**
Preblended Dry Mortar Mix for Unit Masonry, Specification for, **C1714/C1714M (04.05)**
Precast building unit
Architectural Cast Stone, Specification for, **C1364 (04.05)**
Precast concrete manholes
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1244 (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), Test Method for, **C1244M (04.05)**
Precast concrete products
Absorption of Architectural Cast Stone, Test Method for, **C1195 (04.05)**
Compressive Strength of Architectural Cast Stone, Test Method for, **C1194 (04.05)**
General Requirements for Prestressed Concrete Poles Statically Cast, Specification for, **C935 (04.05)**
Installation of Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, Practice for, **C1675 (04.05)**
Installed Precast Concrete Tanks and Accessories by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1719 (04.05)**
Measurement of Hydraulic Characteristics of Hydrodynamic Stormwater Separators and Underground Settling Devices, Test Method for, **C1745/C1745M (04.05)**
Precast Concrete Grease Interceptor Tanks, Specification for, **C1613 (04.05)**
Precast concrete products—specifications
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, Specification for, **C877 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**
Joints for Concrete Box, Using Rubber Gaskets, Specification for, **C1677 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains, Specification for, **C1504 (04.05)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric), Specification for, **C1504M (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, Specification for, **C1417 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), Specification for, **C1417M (04.05)**
Precast Concrete Barriers, Specification for, **C825 (04.05)**
Precast Concrete Septic Tanks, Specification for, **C1227 (04.05)**
Precast Concrete Water and Wastewater Structures, Specification for, **C913 (04.05)**
Precast Reinforced Concrete Crib Wall Members, Specification for, **C915 (04.05)**
Precast Reinforced Concrete Manhole Sections, Specification for, **C478 (04.05)**
Precast Reinforced Concrete Manhole Sections (Metric), Specification for, **C478M (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, Specification for, **C1433 (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers (Metric), Specification for, **C1433M (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD, Specification for, **C1577 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Solid Concrete Interlocking Paving Units, Specification for, **C936/C936M (04.05)**
Precast concrete utility structures
Inspection of Underground Precast Concrete Utility Structures, Practice for, **C1037 (04.05)**
Installation of Underground Precast Concrete Utility Structures, Practice for, **C891 (04.05)**
Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures, Practice for, **C890 (04.05)**
Minimum Structural Design Loading for Underground Precast Concrete Utility Structures, Practice for, **C857 (04.05)**
Precast Reinforced Concrete Crib Wall Members, Specification for, **C915 (04.05)**
Underground Precast Concrete Utility Structures, Specification for, **C858 (04.05)**
Precast gypsum products
See **Gypsum products—specifications**
Precautionary labeling
Labeling Art Materials for Chronic Health Hazards, Practice for, **D4236 (06.02)**
Labeling Ceramic Art Materials for Chronic Adverse Health Hazards, Practice for, **C1023 (15.02)**
Precharging heavy duty engines
Supplemental Coolant Additives (SCAs) for Use in Precharging Coolants for Heavy-Duty Engines, Specification for, **D5752 (15.05)**
Precious metals (wrought)
Sa **Electrical contact materials**
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Precipitated hydrated silica
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Precipitated Silica—Volatile Content, Test Method for, **D6738 (09.01)**
Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, Test Method for, **D1993 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Silica, Precipitated, Hydrated—CTAB (Cetyltrimethylammonium Bromide) Surface Area, Test Method for, **D6845 (09.01)**

Precipitated red iron oxide
See **Iron oxide pigments—red (natural/synthetic)**

Precipitates
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, Test Method for, **D6794 (05.03)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time, Test Method for, **D6795 (05.03)**

Precipitation-hardening cobalt alloy
See **Cobalt alloys—specifications**

Precipitation-hardening metals/alloys—specifications
Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A859/A859M (01.05)**
Age-Hardening Stainless Steel Forgings, Specification for, **A705/A705M (01.03)**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, Specification for, **B639 (02.04)**
Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service, Specification for, **A638/A638M (01.03)**
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**
Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**
Precipitation-Hardening Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A693 (01.03)**
Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, Guide for, **A959 (01.03)**

Precipitation-hardening nickel alloy—specifications
Sa **Nickel alloys**
Precipitation Hardened or Cold Worked, Seamless Nickel Alloy Pipe and Tube, Specification for, **B983 (02.04)**
Precipitation Hardening Nickel-Copper-Aluminum Alloy, Specification for, **B865 (02.04)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Precipitation-Hardening Bolting (UNS N07718) for High Temperature Service, Specification for, **A1014/A1014M (01.01)**
Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, Specification for, **B670 (02.04)**
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**

Precipitation number
Precipitation Number of Lubricating Oils, Test Method for, **D91 (05.01)**

Precipitation temperature
Determining the Compatibility of Resin/Solvent Mixtures by Precipitation Temperature (Cloud Point), Test Methods for, **D6038 (06.03)**
Preparation of Oil-Based Ink Resin Solutions, Practices for, **D5958 (06.03)**

Precise laboratory measurement (of pH) method
pH of Water, Test Methods for, **D1293 (11.01)**

Precision
Sa **Statistical methods**
Annual Review of Test Methods and Specifications for Plastics, Guide for, **D4968 (08.02)**
Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, Guide for, **G117 (03.02)**
Calculating Precision Limits Where Values are Calculated from Other Test Methods, Practice for, **D4460 (04.03)**
Conducting an Interlaboratory Study to Determine Precision Estimates for a Fire Test Method with Fewer Than Six Participating Laboratories, Practice for, **E2653 (04.07)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Practice for, **E691 (14.02)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Guide for, **D7778 (05.04)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method with Multi-Valued Measurands, Practice for, **E2480 (06.01)**
Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, Practice for, **E1601 (03.05)**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Determination of Precision and Bias of Methods of Committee D22, Guide for, **D3670 (11.07)**
Determining and Expressing Precision of Measurement Results, in the Analysis of Water, as Relative Standard Deviation, Utilizing DQCALC Software, Practice for, **D7729 (11.01)**
Determining the Site Precision of a Process Stream Analyzer on Process Stream Material, Practice for, **D7808 (05.04)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Estimating Uncertainty of Test Results Derived from Spectrophotometry, Practice for, **E2867 (06.01)**
Evaluation of Scientific or Technical Data, Practice for, **E678 (14.02)**
Inclusion of Precision Statement Variation in Specification Limits, Practice for, **D6607 (04.03)**
Measurement of Radioactivity, Practices for the, **D3648 (11.02)**
Reporting Uncertainty of Test Results and Use of the Term Measurement Uncertainty in ASTM Test Methods, Guide for, **E2655 (14.02)**
Statistical Procedures to Use in Developing and Applying Test Methods, Guide for, **E1488 (14.02)**
Validating Analytical Methods, Guide for, **E2857 (03.05)**
Within-laboratory Quantitation Estimation (WQE), Practice for, **D7783 (11.01)**

Precision—carbon black test methods
Carbon Black—Validation of Test Method Precision and Bias, Guide for, **D4821 (09.01)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**

Precision—construction materials test methods
Conducting an Interlaboratory Test Program to Determine the Precision of Test Methods for Construction Materials, Practice for, **C802 (04.02)**
Preparing Precision and Bias Statements for Test Methods for Construction Materials, Practice for, **C670 (04.02)**
Use of the Terms Precision and Bias in ASTM Test Methods, Practice for, **E177 (14.02)**

Precision—nuclear testing/analysis
Preparing and Interpreting Precision and Bias Statements in Test Method Standards Used in the Nuclear Industry, Guide for, **C1215 (12.01)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**

Precision—petroleum analysis
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**
Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, Test Method for, **D4308 (05.02)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Precision—rubber test methods
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Precision—test methods
Committee D01 for Conducting an Interlaboratory Study for the Purpose of Determining the Precision of a Test Method, Guide for, **D6631 (06.01)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method with Multi-Valued Measurands, Practice for, **E2480 (06.01)**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Statistical Treatment of Thermoanalytical Data, Practice for, **E1970 (14.02)**
Precision balls
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Silicon Nitride Bearing Balls, Specification for, **F2094/F2094M (01.08)**
Precision instrumentation
Sa **Instrumental measurement**
Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, Practice for, **E386 (03.06)**
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Evaluation of Single-Pan Mechanical Balances, Practice for the, **E319 (14.04)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Linearity of Fluorescence Measuring Systems, Test Method for, **E578 (03.06)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**
Top-Loading, Direct-Reading Laboratory Scales and Balances, Test Method of Testing, **E898 (14.04)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**
Precision liquids
Liquid-in-Glass ASTM Thermometers with Low-Hazard Precision Liquids, Specification for, **E2251 (14.03)**
Precision meter method
Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, Test Method for, **D4308 (05.02)**
Precision pipette
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Precision rolling element bearings (PREB)
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Instrument and Precision Bearing Lubricants—Part 2 Greases, Guide for, **F2489 (01.08)**
Precision steel rule
Linear Measurement Using Precision Steel Rule, Test Method for, **F2203 (15.10)**
Precoat capacity/precoating
Precoat Capacity of Powdered Ion-Exchange Resins, Test Methods for, **D4266 (11.02)**
Precoat capacity/precoating (on steel)
See **Polymer coatings—steel**
Precompressed board
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Preconcentration
Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**
Preconditioning
Accelerated Aging of Ultra-High Molecular Weight Polyethylene after Gamma Irradiation in Air, Practice for, **F2003 (13.01)**
Conditioning and Testing Textiles, Practice for, **D1776 (07.01)**
Conditioning of Thermal Insulating Materials, Practice for, **C870 (04.06)**
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**
Preconsolidation pressure
One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**
Preconstruction evaluation
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Preparing and Testing Specimens from Shotcrete Test Panels, Practice for, **C1140/C1140M (04.02)**
Reduction of Efflorescence Potential in New Masonry Walls, Guide for, **C1400 (04.05)**
Pre-construction laboratory mockups
the Specification and Evaluation of Pre-Construction Laboratory Mockups of Exterior Wall Systems, Practice for, **E2099 (04.11)**
Precracked beam
Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, Test Methods for, **C1421 (15.01)**
Pre-cracked test specimens
Making and Using Precracked Double Beam Stress Corrosion Specimens, Practice for, **G168 (03.02)**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Precracking Charpy V-notch (CVN) impact specimens
Notched Bar Impact Testing of Metallic Materials, Test Methods for, **E23 (03.01)**
Precured elastomeric joint sealant
Determining Modulus, Tear and Adhesion Properties of Precured Elastomeric Joint Sealants, Test Method for, **C1523 (04.07)**
Precured Elastomeric Silicone Joint Sealants, Specification for, **C1518 (04.07)**
Predampening
Preparing Refractory Castable Specimens by Cold Gunning, Practice for, **C903 (15.01)**
Predator
Phytoseiulus persimilis Athias-Henriot (*Acarina:Phytoseiidae*), Specification for, **E2198 (11.05)**
Predecorated gypsum board
Sa **Gypsum products—specifications**
Gypsum Board, Specification for, **C1396/C1396M (04.01)**
Predesign considerations
Structural Sealant Glazing, Guide for, **C1401 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Predictive capability
Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, Specification for, **F2340 (15.12)**
Evaluating the Predictive Capability of Deterministic Fire Models, Guide for, **E1355 (04.07)**
Prediluted aqueous engine coolant
Sa **Engine coolants/concentrates**
1,3 Propanediol (PDO) Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D7518 (15.05)**
Glycerin Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D7714 (15.05)**
Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, Specification for, **D6471 (15.05)**
Preece test
Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**
Pre-engineered buildings
Sa **Engineering applications**
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, Test Method for, **E477 (04.06)**
Pre-engineered buildings—specifications
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Flexible Fibrous Glass Insulation for Metal Buildings, Specification for, **C991 (04.06)**
Pre-engineered overhead canopy systems
Metal Canopy Systems, Specification for, **E2950 (15.08)**
Pre-exponential factor
Air Oxidation of Carbon and Graphite in the Kinetic Regime, Test Method for, **D7542 (05.05)**
Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, Test Method for, **E2041 (14.02)**
Evaluation of Methods for Determination of Kinetic Parameters by Thermal Analysis, Practice for, **E2781 (14.02)**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Prefabricated asphalt-liner sheets
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Pre-fabricated bituminous geomembrane (PBGM)
Determining the Tensile Shear Strength of Pre-Fabricated Bituminous Geomembrane Seams, Test Method for, **D7056 (04.13)**
Mineral Stabilizer Content of Prefabricated Bituminous Geomembranes (BGM), Test Method for, **D7274 (04.13)**
Selection of Test Methods for Prefabricated Bituminous Geomembranes (PBGM), Guide for the, **D6455 (04.13)**
Prefabricated building materials/applications
Application of Fully Adhered, Cold-Applied, Prefabricated Reinforced Modified Bituminous Membrane Waterproofing Systems, Guide for, **D6769/D6769M (04.04)**
Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, Test Method for, **E477 (04.06)**
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**
Prefabricated building materials/applications—specifications
Epoxy-Coated Prefabricated Steel Reinforcing Bars, Specification for, **A934/A934M (01.04)**
Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, Specification for, **D5055 (04.10)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**
Prefabricated drainage systems
Selection of Test Methods for Prefabricated Vertical Drains (PVD), Guide for, **D6917 (04.13)**
Prefabricated insulation
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, Specification for, **E667 (13.01)**
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, Specification for, **C667 (04.06)**
Prefabricated silencers
See **Ventilation materials/applications (buildings)**
Preference testing
Two-Sample Acceptance and Preference Testing with Consumers, Guide for, **E2943 (15.08)**
Prefilled syringes
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**
Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**
Prefixes
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Pre-flame reaction
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**
Preformed adhesive sealing tape
Compression-Recovery of Tape Sealant, Test Method for, **C972 (04.07)**
Low-Temperature Flexibility of Preformed Tape Sealants, Test Method for, **C765 (04.07)**
Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants, Test Method for, **C772 (04.07)**
Release Papers Used with Preformed Tape Sealants, Test Methods for, **C879 (04.07)**
Softness of Preformed Tape Sealants, Test Method for, **C782 (04.07)**
Tensile Adhesive Strength of Preformed Tape Sealants by Disk Method, Test Method for, **C907 (04.07)**
Preformed compression seals
Sa **Elastomeric seals/sealants**
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, Specification for, **D2835 (04.03)**
Preformed Architectural Compression Seals for Buildings and Parking Structures, Specification for, **E1612/E1612M (04.11)**
Preformed cranioplasty plates
See **Cranioplasty plates**
Preformed elastomeric gaskets
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Lock-Strip Gaskets, Specification for, **C542 (04.07)**
Preformed expansion joint fillers (for concrete)
Preformed Expansion Joint Filler for Concrete (Bituminous Type), Specification for, **D994/D994M (04.03)**
Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types), Specification for, **D1751 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D1752 (04.03)**

Preformed expansion joint sealants (for concrete)
See **Joint seals/sealants—specifications**

Preformed open-cell sponge rubber gasket
Preformed Open–Cell Sponge Rubber Pail and Drum Gaskets, Specification for, **F1909 (09.02)**

Preformed pavement marking tape
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**

Preformed sealant tapes
Compression-Recovery of Tape Sealant, Test Method for, **C972 (04.07)**
Flow Characteristics of Preformed Tape Sealants, Test Method for, **C1266 (04.07)**
Low-Temperature Flexibility of Preformed Tape Sealants, Test Method for, **C765 (04.07)**
Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants, Test Method for, **C772 (04.07)**
Release Papers Used with Preformed Tape Sealants, Test Methods for, **C879 (04.07)**
Softness of Preformed Tape Sealants, Test Method for, **C782 (04.07)**
Tensile Adhesive Strength of Preformed Tape Sealants by Disk Method, Test Method for, **C907 (04.07)**
Weight Loss After Heat Aging of Preformed Tape Sealants, Test Method for, **C771 (04.07)**
Yield Strength of Preformed Tape Sealants, Test Method for, **C908 (04.07)**

Preformed sealant tapes—specifications
Elastomeric Cellular Preformed Gasket and Sealing, Specification for, **C509 (04.07)**
Preformed Tape Sealants for Glazing Applications, Specification for, **C1281 (04.07)**

Preformed stiffeners
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**

Preformed tape (for traffic marking)
Pigment Content of Paints by Low-Temperature Ashing, Test Method for, **D4451 (06.01)**

Preformed thermal insulation
Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, Test Method for, **C1512 (04.06)**
Dimensions and Density of Preformed Block and BoardType Thermal Insulation, Test Method for, **C303 (04.06)**
Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, Specification for, **C1427 (04.06)**
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Installation of Flexible Closed Cell Preformed Insulation in Tube and Sheet Form, Guide for, **C1710 (04.06)**
Linear Shrinkage of Preformed High-Temperature Thermal Insulation Subjected to Soaking Heat, Test Method for, **C356 (04.06)**
Sampling and Acceptance of Thermal Insulation Lots, Practice for, **C390 (04.06)**
Tumbling Friability of Preformed Block-Type and Preformed Pipe-Covering-Type Thermal Insulation, Test Method for, **C421 (04.06)**

Preformed thermal insulation—specifications
Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, Specification for, **C534/C534M (04.06)**
Unfaced Preformed Rigid Cellular Polyisocyanurate, Specification for, **C591 (04.06)**

Preformed thermoplastic vulcanizate (TPV)
Preformed Thermoplastic Vulcanizate Elastomeric Joint Seals for Bridges, Specification for, **D6924 (04.03)**

Pregel vehicle
Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, Practice for, **D5166 (06.03)**
Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, Practice for, **D5165 (06.03)**

Preheat energy consumption/time
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
Performance of Conveyor Broilers, Test Method for, **F2239 (15.12)**
Performance of Drawer Warmers, Test Method for, **F2142 (15.12)**
Performance of Hot Food Holding Cabinets, Test Method for, **F2140 (15.12)**
Performance of Large Open Vat Fryers, Test Method for, **F2144 (15.12)**

Prehospital emergency medical services (EMS)
Sa **Emergency medical services (EMS)**
Performance of Prehospital Automated Defibrillation, Practice for, **F1255 (13.02)**
Providing Essential Data Needed in Advance for Prehospital Emergency Medical Services, Guide for, **F1652 (13.02)**
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**
Training and Evaluation of First Responders Who Provide Emergency Medical Care, Guide for, **F1453 (13.02)**
Training and Evaluation of Individuals Who are Responsible for or Perform Triage in a Prehospital Environment, Guide for, **F1654 (13.02)**
Training First Responders Who Practice in Wilderness, Delayed, or Prolonged Transport Settings, Guide for, **F1655 (13.02)**

Preignition
Sa **Ignition—building materials**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**

Pre-insulated pipe
Flexible Pre-Insulated Piping, Specification for, **F2165 (08.04)**

Prelethal symptoms
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**

Preliminary screening/site investigation
Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, Practice for, **E1259 (11.05)**
Surface Site Characterization for On-Site Septic Systems, Practice for, **D5879 (04.09)**

Premature release protection
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**

Premature sealant failure
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**

Premelted glaze frits
Linear Thermal Expansion of Glaze Frits and Ceramic Whiteware Materials by the Interferometric Method, Test Method for, **C1300 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Premining overburden analysis
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Preoperative skin preparation
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Prepacked well screen
Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, Practice for, **D6725 (04.09)**
Prepainted steel sheet
Coating Flexibility of Prepainted Sheet, Test Method for, **D4145 (06.02)**
Preparation
Preparation of Nickel for Electroplating with Nickel, Practice for, **B343 (02.05)**
Preparation of Solution of Liquid Vegetable Tannin Extracts, Practice for, **D4901 (15.04)**
Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, Practice for, **D4905 (15.04)**
the Preparation and Evaluation of Liquid Baths Used for Temperature Calibration by Comparison, Guide for, **E2488 (14.03)**
Writing a Specification for Flexible Barrier Rollstock Materials, Guide for, **F99 (15.10)**
Preparing resin solutions
Preparation of Solvent and Water Based Ink Resin Solutions, Practices for, **D6989 (06.03)**
Preparing a Solution of Alkali–Soluble Resins, Practice for, **D3837 (15.04)**
Preparing witness surfaces
Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, Practice for, **E2088 (15.03)**
Pre-patinated copper sheet/strip
Pre-Patinated Copper for Architectural Applications, Specification for, **B882 (02.01)**
Preplaced-aggregate (PA) concrete
Compressive Strength of Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C942 (04.02)**
Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C940 (04.02)**
Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), Test Method for, **C939 (04.02)**
Grout Fluidifier for Preplaced-Aggregate Concrete, Specification for, **C937 (04.02)**
Making Test Cylinders and Prisms for Determining Strength and Density of Preplaced-Aggregate Concrete in the Laboratory, Practice for, **C943 (04.02)**
Proportioning Grout Mixtures for Preplaced-Aggregate Concrete, Practice for, **C938 (04.02)**
Time of Setting of Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C953 (04.02)**
Water Retentivity of Grout Mixtures for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C941 (04.02)**
Preplanning
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Prepolymers
Isocyanate Groups in Urethane Materials or Prepolymers, Test Method for, **D2572 (06.03)**
Polyurethane Raw Materials: Alkalinity in Low-Alkalinity Polyols (Determination of CPR Values of Polyols), Test Method for, **D6437 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, Test Method for, **D5629 (08.03)**
Prepregs
Constituent Content of Composite Prepreg, Test Methods for, **D3529M (15.03)**
Constituent Content of Composite Prepreg by Soxhlet Extraction, Test Method for, **C613 (15.03)**
Cure Behavior of Thermosetting Resins by Dynamic Mechanical Procedures using an Encapsulated Specimen Rheometer, Test Method for, **D7750 (15.03)**
Prerinse spray valves
Prerinse Spray Valves, Test Method for, **F2324 (15.12)**
Pre-saturated/impregnated towelettes
Evaluation of Pre-saturated or Impregnated Towelettes for Hard Surface Disinfection, Practice for, **E2362 (11.05)**
Presentation angle
Sa **Retroreflective marking materials**
Describing Retroreflection, Practice for, **E808 (06.01)**
Present value (PV) analysis
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Measuring Life-Cycle Costs of Buildings and Building Systems, Practice for, **E917 (04.11)**
Preservation
Commercial Packaging, Practice for, **D3951 (15.10)**
Handling, Storing, and Preparing Soft Intact Marine Soil, Practices for, **D3213 (04.08)**
Moveable Property Storage, Practice for, **E2715 (04.12)**
Preservation of Charred Documents, Guide for, **E2710 (14.02)**
Preservation of Waterborne Oil Samples, Practice for, **D3325 (11.02)**
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Preserving and Transporting Soil Samples, Practices for, **D4220 (04.08)**
Preserving Phytoplankton Samples, Practice for, **D4137 (11.02)**
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Sampling, Preservation and Mitigating Interferences in Water Samples for Analysis of Cyanide, Practice for, **D7365 (11.02)**
Preservatives
Sa **Creosote/creosote coal-tar materials**
Efficacy of Fungal Control Agents as Preservatives for Aqueous-Based Products Used in the Paper Industry, Test Method for, **E875 (11.05)**
Evaluation of Antimicrobial Agents as Preservatives for Invert Emulsion and Other Water Containing Hydraulic Fluids, Practice for, **E979 (11.05)**
Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), Practice for, **E723 (11.05)**
Field Preservation of Groundwater Samples, Guide for, **D6517 (04.09)**
Preservatives in Water-Containing Cosmetics, Test Method for, **E640 (11.05)**
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**
Pressboard (electrical insulating)
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Presscake
Evaluation of Flushing Vehicles for Pigment Wetting Using a Vacuum Modified Sigma Blade Mixer, Practice for, **D6336 (06.03)**
Pressed film method
Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, Test Methods for, **D3900 (09.01)**
Pressed powder method
Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, Practice for, **E259 (06.01)**
Pressed products
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Asbestos-Cement Flat Sheet for Cooling Tower Fill, Specification for, **C1082 (04.05)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Pressing
Pressing and Drying Refractory Plastic and Ramming Mix Specimens, Practice for, **C1054 (15.01)**
Press method
Rubber From Synthetic Sources—Volatile Matter, Test Methods for, **D5668 (09.01)**
Press performance
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**
Pressure aging vessel (PAV)
Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV), Practice for, **D6521 (04.03)**
Pressure and heat stability
See **Heat stability**
Pressure balanced expansion joint
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Pressure bladder
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**
Pressure bottle method
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Pressure boundary integrity
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Pressure connection systems
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**
Pressure-containing parts
Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A859/A859M (01.05)**
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Austenitic Ductile Iron Castings for Pressure-Containing Parts Suitable for Low-Temperature Service, Specification for, **A571/A571M (01.02)**
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Castings, Austenitic-Ferritic (Duplex) Stainless Steel, for Pressure-Containing Parts, Specification for, **A995/A995M (01.02)**
Gray Iron Castings for Pressure-Containing Parts for Temperatures Up to 650°F (350°C), Specification for, **A278/A278M (01.02)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Steel Investment Castings General Requirements, for Pressure-Containing Parts, Specification for, **A985/A985M (01.02)**
Pressure decay
Determining Pressure Decay of Inflatable Restraint Cushions, Test Method for, **D7559/D7559M (07.02)**
Integrity Testing of Water Filtration Membrane Systems, Practice for, **D6908 (11.02)**
Pressure Decay Leak Test Method, Practice for, **E2930 (03.03)**
Pressure design basis (PDB)
Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, Test Method for, **D2143 (08.03)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Pressure die castings
Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, Specification for, **B894 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
Pressure differential
Air Permeance of Building Materials, Test Method for, **E2178 (04.12)**
Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, Test Method for, **D6529 (11.02)**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**
Pressure differential scanning calorimetry (PDSC)
Sa **Differential scanning calorimetry (DSC)**
Determining Oxidation Induction Time of Hydrocarbons by Differential Scanning Calorimetry, Test Method for, **E1858 (14.02)**
Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, Test Method for, **D5483 (05.02)**
Oxidation Onset Temperature of Hydrocarbons by Differential Scanning Calorimetry, Test Methods for, **E2009 (14.02)**
Pressure drop
Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media, Test Method for, **D6830 (11.07)**
Measuring the Minimum Fluidization Velocities of Free Flowing Powders, Test Method for, **D7743 (04.09)**
Pressure fryer
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Pressure hydrometer
Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, Test Method for, **D1657 (05.01)**
Pressure-indicating film (PIF)
Measuring Static Sealing Pressure Using Pressure-Indicating Film (PIF) in Transportation Applications, Practice for, **F2467 (09.02)**
Pressure leak testing
Hydrostatic Leak Testing, Practice for, **E1003 (03.03)**
Pressureless steam cookery
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Pressure limit
Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, Test Method for, **G125 (14.04)**
Pressure lubrication
Determining Extreme Pressure Properties of Lubricating Oils Using High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7421 (05.04)**
Pressure-measuring instrumentation
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pressure meter method
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Pressure mottling
Pressure Mottling and Blocking Resistance of Organic Coatings on Metal Substrates, Test Method for, **D3003 (06.02)**
Pressure-mounted gates
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Pressure pipelines/piping systems
Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (Metric SDR-PR), Specification for, **F2806 (08.04)**
Charpy Impact Test on Thin Specimens of Polyethylene Used in Pressurized Pipes, Test Method for, **F2231 (08.04)**
Field Leak Testing of Polyethylene (PE) and Crosslinked Polyethylene (PEX) Pressure Piping Systems Using Hydrostatic Pressure, Practice for, **F2164 (08.04)**
Field Leak Testing of Polyethylene (PE) Pressure Piping Systems Using Gaseous Media Under Pressure (Pneumatic Leak Testing), Practice for, **F2786 (08.04)**
Lap-Joint Type Flange Adapters for Polyethylene Pressure Pipe in Nominal Pipe Sizes, Specification for, **F2880 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Pressure pipelines/piping systems—specifications
Acrylonitrile-Butadiene-Styrene (ABS) IPS Dimensioned Pressure Pipe, Specification for, **F2969 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe, Schedules 40 and 80, Specification for, **D1527 (08.04)**
Asbestos-Cement Pressure Pipe, Specification for, **C296/C296M (04.05)**
Asbestos-Cement Transmission Pipe, Specification for, **C668 (04.05)**
Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, Specification for, **A961/A961M (01.01)**
Entrainment Separators for Use in Marine Piping Applications, Specification for, **F1006 (01.07)**
Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures, Specification for, **A395/A395M (01.02)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets, Specification for, **C443 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric), Specification for, **C443M (04.05)**
Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals, Specification for, **D3139 (08.04)**
Lap-Joint Type Flange Adapters for Polyethylene Pressure Pipe in Nominal Pipe Sizes, Specification for, **F2880 (08.04)**
Multilayer Polyethylene-Polyamide (PE-PA) Pipe for Pressure Piping Applications, Specification for, **F2807 (08.04)**
Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints, Specification for, **C505 (04.05)**
Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric), Specification for, **C505M (04.05)**
Oriented Poly(Vinyl Chloride), PVCO, Pressure Pipe, Specification for, **F1483 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120, Specification for, **D1785 (08.04)**
Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series), Specification for, **D2241 (08.04)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, Specification for, **F1282 (08.04)**
Reinforced Concrete Low-Head Pressure Pipe, Specification for, **C361 (04.05)**
Reinforced Concrete Low-Head Pressure Pipe (Metric), Specification for, **C361M (04.05)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications, Specification for, **D3915 (08.02)**
Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, Specification for, **F1271 (01.07)**
Steel Bars, Carbon, Hot-Wrought or Cold-Finished, Special Quality, for Pressure Piping Components, Specification for, **A696 (01.05)**
Steel Line Pipe, Black, Plain-End, Seamless, Specification for, **A1024/A1024M (01.01)**
Wrought-Carbon Steel Butt-Welding Piping Fittings with Improved Notch Toughness, Specification for, **A758/A758M (01.01)**
Pressure/pressureless steamers
Cooker, Steam, Specification for, **F1217 (15.12)**
Pressure/pressure testing
Measuring Static Sealing Pressure Using Pressure-Indicating Film (PIF) in Transportation Applications, Practice for, **F2467 (09.02)**
Pressure pump
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**
Pressure rating
Fuel Oil Meters of the Volumetric Positive Displacement Type, Specification for, **F1172 (01.07)**
Glass Fiber Reinforced Thermoplastic Pipe, Specification for, **F2686 (08.04)**
HVAC Duct Shapes; Identification and Description of Design Configuration, Practice for, **F1005 (01.07)**
Pressure-reducing manifolds
Pressure-Reducing Manifolds for Air or Nitrogen Systems, Specification for, **F1685 (01.07)**
Pressure-reducing valves
Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, Specification for, **F1508 (01.07)**
Pressure-Reducing Valves for Air or Nitrogen Systems, Specification for, **F1795 (01.07)**
Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**
Pressure-Reducing Valves for Water Systems, Shipboard, Specification for, **F1370 (01.07)**
Pressure reduction
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**
Pressure-retaining parts
Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures, Specification for, **A395/A395M (01.02)**
Pressure-sensitive adhesives
Loop Tack, Test Methods for, **D6195 (15.10)**
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**
Tack of Pressure-Sensitive Adhesives by Rolling Ball, Test Method for, **D3121 (15.10)**
Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, Test Method for, **D6463/D6463M (15.10)**
Pressure-sensitive laminates
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Pressure-sensitive materials/applications
Liner Removal at High Speeds from Pressure-Sensitive Label Stock, Test Methods for, **D5375/D5375M (15.10)**
Peel Adhesion of Pressure-Sensitive Label Stocks at a 90 Angle, Test Method for, **D6252/D6252M (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, Test Method for, **D6463/D6463M (15.10)**

Pressure-sensitive materials/aplications—specifications
Repositionable Note Pad, Specification for, **D6787/D6787M (15.10)**

Pressure-sensitive tapes
Accelerated Aging of Pressure-Sensitive Tapes, Practice for, **D3611 (15.10)**
Accelerated Weathering of Pressure-Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus, Practice for, **D3815/D3815M (15.10)**
Accelerated Weathering of Pressure-Sensitive Tapes by Xenon-Arc Exposure Apparatus, Practice for, **D6551/D6551M (15.10)**
Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, Test Method for, **D3889/D3889M (15.10)**
Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle and Constant Stress, Test Method for, **D2860/D2860M (15.10)**
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Curling, Twisting, and Tubing on Unwind of Pressure-Sensitive Tapes, Test Method for, **D3813/D3813M (15.10)**
Dispensability of Light–Duty Pressure–Sensitive Film Tape, Test Method for, **D6295/D6295M (15.10)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight, Practice for, **D5105 (15.10)**
Quality Assurance of Pressure-Sensitive Tapes, Practice for, **D3715/D3715M (15.10)**
Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**
Thickness of Pressure-Sensitive Tapes, Test Method for, **D3652/D3652M (15.10)**
Unwind Force of Pressure-Sensitive Tapes, Test Method for, **D3811/D3811M (15.10)**
Water Penetration Rate of Pressure-Sensitive Tapes, Test Method for, **D3816/D3816M (15.10)**
Water Vapor Transmission of Pressure-Sensitive Tapes, Test Method for, **D3833/D3833M (15.10)**
Width and Length of Pressure-Sensitive Tape, Guide for, **D5750/D5750M (15.10)**

Pressure-sensitive tapes—specifications
Polyester Film Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2484 (10.01)**
Polytetrafluoroethylene-Backed Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2686 (10.02)**
Pressure-Sensitive Tape for Light-Duty Packaging and General Purpose Masking, Specification for, **D6123/D6123M (15.10)**
Pressure-Sensitive Tape for Packaging, Box Closure, and Sealing, Specification for, **D5486/D5486M (15.10)**
Pressure-Sensitive Tape for Packaging, Filament-Reinforced, Specification for, **D5330/D5330M (15.10)**
Pressure-Sensitive Tape for Sealing Fiber Containers and Cans, Specification for, **D6590/D6590M (15.10)**

Pressure-sensitive tapes (electrical insulating)
See **Electrical insulating pressure-sensitive tape**

Pressure temperature rating
Entrainment Separators for Use in Marine Piping Applications, Specification for, **F1006 (01.07)**

Pressure testing
Block Resistance of Organic Coatings on Wood Panel Substrates, Test Method for, **D2793 (06.02)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Explosibility of Dust Clouds, Test Method for, **E1226 (14.02)**
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**
Measuring Surface Atmospheric Pressure, Test Methods for, **D3631 (11.07)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, Test Methods for, **D1560 (04.03)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**
Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, Test Method for, **F1112 (09.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**

Pressure testing—adhesives
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Pressure-Sensitive Tack of Adhesives Using an Inverted Probe Machine, Test Method for, **D2979 (15.10)**
Tack of Pressure-Sensitive Adhesives by Rolling Ball, Test Method for, **D3121 (15.10)**

Pressure testing—aerospace materials
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**

Pressure testing—building constructions/materials
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Airflow Calibration of Fan Pressurization Devices, Test Method for, **E1258 (04.11)**
Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E2319 (04.12)**
Determining Airtightness of Buildings Using an Orifice Blower Door, Test Methods for, **E1827 (04.11)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**

Pressure testing—chemicals
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**

Pressure testing—clay pipe
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**

Pressure testing—concrete
Air Content of Freshly Mixed Concrete by the Pressure Method, Test Method for, **C231/C231M (04.02)**

Pressure testing—concrete pipe
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, Test Method for, **C1214 (04.05)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), Test Method for, **C1214M (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C1103 (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C1103M (04.05)**

Pressure testing—gaseous environments
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**
Safe Use of Oxygen Combustion Bombs, Practice for, **E144 (14.04)**

Pressure testing—glass
Internal Pressure Strength of Glass Containers, Test Methods for, **C147 (15.02)**
Pressure Test on Glass Pipe, Test Method for, **C601 (15.02)**

Pressure testing—leaks
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment, Test Method for, **G72/G72M (14.04)**
Calibrating Gaseous Reference Leaks, Practice for, **E908 (03.03)**
Gas Flow Resistance Testing of Filtration Media, Methods for, **F778 (11.07)**
Hydrostatic Leak Testing, Practice for, **E1003 (03.03)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Leaks Using Bubble Emission Techniques, Practice for, **E515 (03.03)**
Leaks Using Ultrasonics, Practice for, **E1002 (03.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**

Pressure testing—marine (shipbuilding) applications
Entrainment Separators for Use in Marine Piping Applications, Specification for, **F1006 (01.07)**
Flexible, Expansion-Type Ball Joints for Marine Applications, Specification for, **F1298 (01.07)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Steam Traps and Drains, Specification for, **F1139 (01.07)**

Pressure testing—medical equipment/systems
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique, Test Method for, **F1819 (11.03)**

Pressure testing—packaging/containers
Conducting Internal Pressure Tests on United Nations (UN) Packagings, Guide for, **D7660 (15.10)**
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Environmental Stress Crack Resistance (ESCR) of Plastic Tighthead Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**
Leakage Testing of Empty Rigid Containers by Vacuum Method, Test Method for, **D4991 (15.10)**
Pressure Decay Leak Test for Flexible Packages With and Without Restraining Plates, Test Methods for, **F2095 (15.10)**
Pressure Drop Rate of Compressed Gas-Propelled Products, Test Method for, **D3060 (15.10)**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**
Rapid Pressure Determination of Pressurized Products, Test Method of, **D3070 (15.10)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**

Pressure testing—petroleum products
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Determining Extreme Pressure Properties of Solid Bonded Films Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7217 (05.04)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), Test Methods for, **D3233 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), Test Method for, **D2783 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), Test Method for, **D2782 (05.01)**
Measurement of Extreme-Pressure Properties of Lubricating Grease (Four-Ball Method), Test Method for, **D2596 (05.01)**
Measurement of Load-Carrying Capacity of Lubricating Grease (Timken Method), Test Method for, **D2509 (05.01)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**
Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, Test Method for, **D3702 (05.01)**

Pressure testing—pipes
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1244 (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), Test Method for, **C1244M (04.05)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Low-Pressure Air Test of Vitrified Clay Pipe Lines, Test Method for, **C828 (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Pressure testing—plastic pipe/tube
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Crosslinked Polyethylene (PEX) Tubing, Specification for, **F876 (08.04)**
Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, Test Method for, **D2143 (08.03)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
External Pressure Resistance of "Fiberglass", Test Method for, **D2924 (08.03)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, Specification for, **D2513 (08.04)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**

Pressure testing—plastics
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**

Pressure testing—rock
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, Test Method for, **D4971 (04.08)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
Permeability of Rocks by Flowing Air, Test Method for, **D4525 (04.08)**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**

Pressure testing—roofing/waterproofing materials
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Hydrostatic Pressure Resistance of Waterproofing Membranes, Test Method for, **D5385 (04.04)**

Pressure testing—semiconductor applications
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**
Sampling Pressurized Gas for Gas Analysis, Practice for, **F307 (15.03)**

Pressure testing—soil
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
One-Dimensional Swell or Collapse of Cohesive Soils, Test Methods for, **D4546 (04.08)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Resistance, Test Method for, **D2844/D2844M (04.08)**
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**

Pressure testing—solar devices
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, Test Method for, **E1597 (12.02)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**

Pressure testing—textile materials/applications
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**

Pressure testing (vapor)
See **Vapor pressure (VP_x)**

Pressure testing—water applications
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, Practice for, **D4188 (11.01)**

Pressure transducers
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, Practice for, **D5720 (04.08)**
Transducers, Pressure and Differential, Pressure, Electrical and Fiber-Optic, Specification for, **F2070 (01.07)**
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**

Pressure tunnel lining
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pressure-vacuum lysimeters
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Pressure versus cycles/time to failure
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Pressure vessel concrete
Reinforced Concrete Low-Head Pressure Pipe, Specification for, **C361 (04.05)**
Reinforced Concrete Low-Head Pressure Pipe (Metric), Specification for, **C361M (04.05)**
Pressure vessel copper
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, Specification for, **B96/B96M (02.01)**
Pressure vessel iron
Austenitic Ductile Iron Castings for Pressure-Containing Parts Suitable for Low-Temperature Service, Specification for, **A571/A571M (01.02)**
Ductile Iron Castings for Paper Mill Dryer Rolls, Specification for, **A476/A476M (01.02)**
Ductile-Iron Pressure Pipe, Index of Specifications for, **A377 (01.02)**
Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures, Specification for, **A395/A395M (01.02)**
Ferritic Malleable Iron Castings, Specification for, **A47/A47M (01.02)**
Gray Iron Castings for Pressure-Containing Parts for Temperatures Up to 650°F (350°C), Specification for, **A278/A278M (01.02)**
Pressure vessel plastic
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**
Pressure vessels
Acoustic Emission Monitoring of Structures During Controlled Stimulation, Practice for, **E569/E569M (03.03)**
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Examination of Gas-Filled Filament-Wound Composite Pressure Vessels Using Acoustic Emission, Practice for, **E2191/E2191M (03.03)**
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, Guide for, **E2956 (12.02)**
Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, Specification for, **A1048/A1048M (01.05)**
Stainless Steel Forgings, Ferritic/Austenitic (Duplex), for Pressure Vessels and Related Components, Specification for, **A1049/A1049M (01.05)**
Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels, Test Method for, **B548 (02.02)**
Pressure vessel steel
Sa **Shipbuilding steel materials—specifications**
Sa **Steel bolting materials**
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**
Forged or Rolled 8 and 9% Nickel Alloy Steel Flanges, Fittings, Valves, and Parts for Low-Temperature Service, Specification for, **A522/A522M (01.01)**
Large–Diameter Fabricated Carbon Steel Flanges, Specification for, **F1311 (01.07)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Pressure Vessel Plates, Alloy Steel, Double-Normalized and Tempered 9 % Nickel, Specification for, **A353/A353M (01.04)**
Reconstitution of Irradiated Charpy-Sized Specimens, Guide for, **E1253 (12.02)**
Steel Wire, Pressure Vessel Winding, Specification for, **A905 (01.03)**
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**
Pressure vessel steel bars—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
High-Temperature Bolting, with Expansion Coefficients Comparable to Austenitic Stainless Steels, Specification for, **A453/A453M (01.01)**
Stainless Steel Bars and Shapes for Use in Boilers and Other Pressure Vessels, Specification for, **A479/A479M (01.03)**
Steel Bars, Alloy, Hot-Wrought, for Elevated Temperature or Pressure-Containing Parts, or Both, Specification for, **A739 (01.05)**
Steel Rivets and Bars for Rivets, Pressure Vessels, Specification for, **A31 (01.08)**
Pressure vessel steel castings—specifications
Steel Castings Suitable for Pressure Service, Specification for, **A487/A487M (01.02)**
Steel Castings, Alloy, Specially Heat-Treated, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A389/A389M (01.02)**
Steel Castings, General Requirements, for Pressure-Containing Parts, Specification for, **A703/A703M (01.02)**
Pressure vessel steel forgings
Assessing the Tendency of Industrial Boiler Waters to Cause Embrittlement (USBM Embrittlement Detector Method), Practice for, **D807 (11.01)**
Pressure vessel steel forgings—specifications
Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A859/A859M (01.05)**
Alloy Steel Forgings for High-Strength Pressure Component Application, Specification for, **A723/A723M (01.05)**
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Carbon and Alloy Steel Forgings for Thin-Walled Pressure Vessels, Specification for, **A372/A372M (01.05)**
Carbon Steel and Low-Alloy Steel Pressure-Vessel-Component Forgings with Mandatory Toughness Requirements, Specification for, **A765/A765M (01.05)**
Carbon Steel Forgings for Piping Applications, Specification for, **A105/A105M (01.01)**
Carbon Steel Forgings for Pressure Vessel Components, Specification for, **A266/A266M (01.05)**
High-Strength Quenched and Tempered Low-Alloy Steel Forged Parts for Pressure Vessels, Specification for, **A592/A592M (01.05)**
Quenched and Tempered Carbon and Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A541/A541M (01.05)**
Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, Specification for, **A508/A508M (01.05)**
Steel Forgings, Austenitic, for Pressure and High Temperature Parts, Specification for, **A965/A965M (01.05)**
Titanium-Stabilized Carbon Steel Forgings for Glass-Lined Piping

and Pressure Vessel Service, Specification for, **A836/A836M (01.01)**
Pressure vessel steel pipe—specifications
Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures, Specification for, **A691/A691M (01.01)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Metal-Arc-Welded Steel Pipe for Use With High-Pressure Transmission Systems, Specification for, **A381 (01.01)**
Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, Specification for, **F1271 (01.07)**
Pressure vessel steel plate—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
General Requirements for Steel Plates for Pressure Vessels, Specification for, **A20/A20M (01.04)**
Pressure Vessel Plates, Alloy Steel, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A302/A302M (01.04)**
Pressure Vessel Plates, Alloy Steel, Molybdenum, Specification for, **A204/A204M (01.04)**
Pressure Vessel Plates, Carbon Steel, Manganese-Silicon, Specification for, **A299/A299M (01.04)**
Steel Plates for Pressure Vessels, Produced by Thermo-Mechanical Control Process (TMCP), Specification for, **A841/A841M (01.04)**
Steel Plates, 9% Nickel Alloy, for Pressure Vessels, Produced by the Direct-Quenching Process, Specification for, **A844/A844M (01.04)**
Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, Specification for, **A578/A578M (01.04)**
Ultrasonic Angle-Beam Examination of Steel Plates, Specification for, **A577/A577M (01.04)**
Pressure vessel steel sheet—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Steel, Sheet, Carbon, and High-Strength, Low-Alloy for Pressure Vessels, Specification for, **A414/A414M (01.03)**
Pressure vessel steel tube—specifications
Centrifugally Cast Iron-Chromium-Nickel High-Alloy Tubing for Pressure Application at High Temperatures, Specification for, **A608/A608M (01.02)**
Electric-Resistance-Welded Carbon Steel and Carbon-Manganese Steel Boiler and Superheater Tubes, Specification for, **A178/A178M (01.01)**
Seamless and Electric-Welded Low-Alloy Steel Tubes, Specification for, **A423/A423M (01.01)**
Seamless Carbon Steel Boiler Tubes for High-Pressure Service, Specification for, **A192/A192M (01.01)**
Pressure vessel steel wire—specifications
Steel Wire, Pressure Vessel Winding, Specification for, **A905 (01.03)**
Pressure vessel surveillance
Sa **Nuclear reactor vessels—surveillance**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Pressure-volume-temperature (PVT)
Ethane Thermophysical Property Tables, Specification for, **D3984 (05.06)**
Isobutane Thermophysical Property Tables, Specification for, **D4651 (05.06)**
Methane Thermophysical Property Tables, Specification for, **D3956 (05.06)**
Normal Butane Thermophysical Property Tables, Specification for, **D4650 (05.06)**
Propane Thermophysical Property Tables, Specification for, **D4362 (05.06)**
Pressure waves
Blast Resistance of Trash Receptacles, Test Method for, **E2639 (15.08)**
Pressurization
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Pressurized aerosol containers/products
See **Aerosol containers/products**
Pressurized air channel evaluation
Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, Practice for, **D5820 (04.13)**
Pressurized air release
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**
Pressurized containers
Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, Practice for, **E1888/E1888M (03.03)**
Liquid Chlorine, Specification for, **E1120 (15.05)**
Pressurized cooling water
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Pressurized flow systems
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Pressurized valves
Installation, Inspection, and Maintenance of Valve-body Pressure-relief Methods for Geothermal and Other High-Temperature Liquid Applications, Practice for, **E1008 (12.02)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Pressurized water cleaning
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Presterilized plastic bag method
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
Prestressed concrete
Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, Specification for, **A882/A882M (01.04)**
Hydrogen Embrittlement Resistance for Steel Wire Hard Drawn Used for Prestressing Concrete Pipe, Test Method for, **A1032 (01.04)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, Specification for, **A886/A886M (01.04)**
Steel Strand, Seven-Wire, Uncoated, Compacted for Prestressed Concrete, Specification for, **A779/A779M (01.04)**
Steel Strand, Uncoated Seven-Wire for Prestressed Concrete, Specification for, **A416/A416M (01.04)**
Steel Wire, Hard-Drawn for Prestressed Concrete Pipe, Specification for, **A648 (01.04)**
Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, Specification for, **A821/A821M (01.04)**
Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, Specification for, **A881/A881M (01.04)**
Uncoated High-Strength Steel Bars for Prestressing Concrete, Specification for, **A722/A722M (01.04)**
Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, Specification for, **A421/A421M (01.04)**
Uncoated, Stress-Relieved Steel Bars for Prestressed Concrete

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Railroad Ties, Specification for, **A911/A911M (01.04)**

Prestressed prepainted metal
Evaluation of Aging Resistance of Pre-stressed Prepainted Metal in a Boiling Water Test, Practice for, **D6665 (06.02)**
Evaluation of Aging Resistance of Prestressed Prepainted Metal In a Dry Heat Test, Practice for, **D6491 (06.02)**

Prestressing steel
Evaluating Bond Strength for 0.600-in. 15.24-mm Diameter Steel Prestressing Strand, Grade 270 1860, Uncoated, Used in Prestressed Ground Anchors, Test Method for, **A981/A981M (01.04)**
Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, Specification for, **A882/A882M (01.04)**
Steel Wire, Hard-Drawn for Prestressed Concrete Pipe, Specification for, **A648 (01.04)**

Presumption
Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, Practice for, **D6250 (11.04)**

Pre-test procedures
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**

Pretreatment
Corrugated High Density Polyethylene (HDPE) Water Quality Units, Specification for, **F2737 (08.04)**
Determination of Zirconium Treatment Weight or Thickness on Metal Substrates by X-Ray Fluorescence, Test Method for, **D7639 (06.02)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**

Pretreatment of iron/steel
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**

Preul bar graph
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Prevailing torque
Sa **Torque—adhesives**
Torque Strength of Adhesives Used on Threaded Fasteners, Test Method for, **D5649 (15.06)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**

Prevention (of hydrogen embrittlement)
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**

Pre-vulcanization characteristics
Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), Test Methods for, **D1646 (09.01)**

PRI
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**

Priest (dental) interferometer
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**

Primary absorption
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Primary aggregate dimensions
Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy, Test Method for, **D3849 (09.01)**

Primary amyl acetate
See **Amyl acetate**

Primary assessment/survey (triage)
Sa **Triage**
Planning for and Response to a Multiple Casualty Incident, Guide for, **F1288 (13.02)**

Primary beam filter
Sa **Spectrometry**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**

Primary biodegradation
See **Biological data analysis**

Primary confinement systems (gloveboxes)
Design Criteria for Plutonium Gloveboxes, Guide for, **C852 (12.01)**

Primary consolidation
One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**

Primary hydroxyl content
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**

Primary medical oxygen delivery systems
See **Oxygen service/systems**

Primary metal materials
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**

Primary (non-concentrator/terrestrial) photovoltaic devices
Sa **Solar collectors**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**

Primary oven-drying method
Direct Moisture Content Measurement of Wood and Wood-Base Materials, Test Methods for, **D4442 (04.10)**

Primary packaging (for medical products)
See **Medical/surgical packaging materials**

Primary photocurrent
Sa **Current measurement—semiconductors**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**

Primary print colors
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**

Primary sample receiver
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**

Primary zirconium (for nuclear applications)
See **Zirconium/zirconium alloys—nonnuclear applications**

Primary zirconium (Zr)
Primary Zirconium, Specification for, **B494/B494M (02.04)**

Primers
Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, Guide for, **E1873 (14.02)**
Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, Test Method to, **C1635 (04.07)**
Evaluating Ink Stainblocking of Architectural Paint Systems by Visual Assessment, Test Method for, **D7514 (06.02)**
Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel, Test Method for, **D4146 (06.02)**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
Safe Handling of Solvent Cements, Primers, and Cleaners Used for Joining Thermoplastic Pipe and Fittings, Practice for, **F402 (08.04)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**
Testing Primers and Primer Surfacers Over Preformed Metal, Practice for, **D3322 (06.02)**
The Determination of Metallic Zinc Content in Both Zinc Dust

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pigment and in Cured Films of Zinc-Rich Coatings, Test Method for, **D6580 (06.01)**

Primers—specifications
Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D41/D41M (04.04)**
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Primers for Use in Solvent Cement Joints of Poly(Vinyl Chloride) (PVC) Plastic Pipe and Fittings, Specification for, **F656 (08.04)**
Zinc Yellow (Zinc Chromate) Pigments, Specification for, **D478 (06.03)**

Prime western zinc
Prime Western Grade-Recycled (PWG-R) Zinc, Specification for, **B960 (02.04)**
Zinc, Specification for, **B6 (02.04)**

Prime windows/sliding glass doors
See **Windows/window assemblies**

Primrose chrome/yellow
See **Chrome yellow and orange pigment**

Printability
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**

Printed circuits
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**

Printed conductive materials
Determining the Electrical Resistivity of a Printed Conductive Material, Test Method for, **F1896 (10.04)**

Printed geometric designs
Bow and Skew in Woven and Knitted Fabrics, Test Method for, **D3882 (07.01)**

Printed matter
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), Test Method for, **F1478 (15.09)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Print Problems, Terminology Relating to, **D6488 (06.02)**
Reflection Density of Printed Matter, Test Method for, **D7305 (06.02)**
Relative Resistance of Printed Matter to Liquid Chemicals by a Sandwich Technique, Practice for, **D6688 (06.02)**
Specular Gloss of Printed Matter, Test Method for, **D7163 (06.02)**

Printed wiring
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**

Printed wiring board (PWB) contacts/fingers
Presence of Foreign Matter on Printed Wiring Board Contacts, Test Method for, **B885 (02.04)**

Printer cartridges
Determining the Drive Torque for Film and Fabric Ribbon Cartridges, Test Method for, **F1520 (15.09)**
Determining the Toner Usage for Color Printer Cartridges, Practice for, **F2632 (15.09)**

Printer lift-off correction tapes
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**

Printers
Automatic Identification Hard Copy Printing Systems, Terminology Relating to, **F1294 (15.09)**
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), Test Method for, **F1478 (15.09)**
Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, Practice for, **F1423 (15.09)**
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Determining the Tribocharge of Two-Component Developer Materials, Test Method for, **F1425 (15.09)**
Estimating the Performance of a Fuser Oil in an Electrostatic Copier or Printer, Practice for, **F1434 (15.09)**
Evaluating Thermal Paper Employing a Facsimile Thermal Printer as a Test Instrument, Test Method for, **F1320 (15.09)**
Print Problems, Terminology Relating to, **D6488 (06.02)**
Printers, Terminology Relating to, **F909 (15.09)**
Relative Setting of Heatset Printing Inks, Test Method for, **D6073 (06.02)**
Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, Practice for, **F1442 (15.09)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**

Printhead energy
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**

Printing cage
Preparing Prints of Paste Printing Inks with a Printing Gage, Practice for, **D6846 (06.02)**

Printing ink resins
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**

Printing inks/vehicles
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Abrasiveness of Ink-Impregnated Fabric Printer Ribbons and Other Web Materials, Test Method for, **G56 (03.02)**
Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter, Test Method for, **D4361 (06.02)**
Coarse Particles in Printing Ink Dispersions, Test Method for, **D2067 (06.02)**
Commercial Hexanes, Specification for, **D1836 (06.04)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Determination of Open Time of Oxidative Printing Inks and Overprint Varnishes by a Manual Method, Test Method for, **D7734/D7734M (06.02)**
Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance, Test Method for, **D5909 (06.02)**
Evaluating Ink or Coating Adhesion to Flexible Packaging Materials Using Tape, Practice for, **F2252/F2252M (15.10)**
Fineness of Grind of Printing Inks By the NPIRI Grindometer,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D1316 (06.02)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Measuring the Dark Stability of Ink Jet Prints, Practice for, **F2035 (15.09)**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**
Predicting the Lifetime of Ink Jet Prints Stored in Dark Keeping Conditions in Typical Office Environments, Practice for, **F2037 (15.09)**
Preparing Prints of Paste Printing Inks by a Motor-Driven Printability Tester, Practice for, **D7680 (06.02)**
Preparing Prints of Paste Printing Inks Using a Hand Operated Laboratory Flat-Bed Press, Practice for, **D6487 (06.02)**
Preparing Prints of Paste Printing Inks with a Printing Gage, Practice for, **D6846 (06.02)**
Printing Ink Vehicles and Related Materials, Terminology for, **D7805 (06.03)**
Printing Inks, Materials, and Processes, Terminology for, **D7188 (06.02)**
Relative Mileage of News Ink on Newsprint, Test Method for, **D7189 (06.02)**
Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, Test Method for, **D6531 (06.02)**
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Testing Printing Ink Vehicles and Components Thereof, Guide for, **D6687 (06.03)**
Testing Printing Inks and Related Materials, Guide for, **D5010 (06.02)**
Viscoelastic Properties of Paste Ink Vehicle Using an Oscillatory Rheometer, Test Method for, **D7271 (06.03)**
Volatile Content of Sheet-Fed and Coldset Web Offset Printing Inks, Test Method for, **D6419 (06.02)**
Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, Test Methods for, **D4942 (06.02)**

Printing paper
Determining the Writeability of Print Media, Practice for, **F2294 (15.09)**

Printing ribbons
Sa **Fabric printer ribbons**
Amount of Ink Deposit on Fabric Type Ribbons, Practice for, **F1782 (15.09)**

Printing substrates
Testing Printing Inks and Related Materials, Guide for, **D5010 (06.02)**

Printing systems/media
Automatic Identification Hard Copy Printing Systems, Terminology Relating to, **F1294 (15.09)**
Determining the Writeability of Print Media, Practice for, **F2294 (15.09)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**

Print quality
Bar Code Verification, Practice for, **F1851 (15.09)**

Print resistance
Print Resistance of Architectural Paints, Test Method for, **D2064 (06.02)**

Print resistence of lacquers
Sa **Lacquer**
Print Resistance of Lacquers, Test Method for, **D2091 (06.02)**

Prioritization
Prioritization of Data Needs for Pavement Management, Guide for, **E1777 (04.03)**

Priority dispatch
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**

Prismatic pavement markers
Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, Specification for, **D4280 (04.03)**

Prismatic retroreflectors
See **Retroreflective marking materials**

Prism construction
Compressive Strength of Masonry Prisms, Test Method for, **C1314 (04.05)**

Prisms
Compressive Strength of Masonry Prisms, Test Method for, **C1314 (04.05)**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
Inspection of Transparent Parts by Prism, Practice for, **F2108 (15.03)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**

Prisons
See **Correctional facility**

Privacy
Amendments to Health Information, Guide for, **E2017 (14.01)**
Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, Guide for, **E1869 (14.01)**

Privilege management infrastructure (PMI)
Privilege Management Infrastructure, Guide for, **E2595 (14.01)**

Probabilistic statistical techniques
Sa **Statistical methods**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**

Probability
Sa **Precision**
Property Management System Outcomes, Practice for, **E2675 (04.12)**

Probability of detection (POD)
Probability of Detection Analysis for Hit/Miss Data, Practice for, **E2862 (03.03)**
Techniques in Land Search, Guide for, **F1633 (13.02)**

Probability of failure
Sa **Failure end point**
Determining Load Resistance of Glass in Buildings, Practice for, **E1300 (04.11)**
Determining the Thickness of Glass in Airport Traffic Control Tower Cabs, Practice for, **E2461 (04.12)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**

Probability of survival
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**

Probability sampling
Sa **Sampling air/atmospheric materials/applications**
Acceptance of Evidence Based on the Results of Probability Sampling, Practice for, **E141 (14.02)**
Probability Sampling of Materials, Practice for, **E105 (14.02)**
Sampling Design, Guide for, **E1402 (14.02)**
Using Probability Sampling Methods in Studies of Indoor Air Quality in Buildings, Guide for, **D5791 (11.07)**

Probable maximum loss (PML)
Probable Maximum Loss (PML) Evaluations for Earthquake Due-Diligence Assessments, Practice for, **E2557 (04.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Probe
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**
Characterization and Verification of Phased Array Probes, Practice for, **E2904 (03.03)**
Evaluating Performance Characteristics of Phased-Array Ultrasonic Testing Instruments and Systems, Guide for, **E2491 (03.03)**
Probe coil
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Probe covers
Clinical Thermometer Probe Covers and Sheaths, Specification for, **E1104 (13.01)**
Probe methods
Construction and Use of a Probe for Measuring Electrical Contact Resistance, Practice for, **B667 (02.04)**
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, Practice for, **E499/E499M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, Practice for, **E493/E493M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**
Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, Test Method for, **B826 (02.04)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Penetration Resistance of Hardened Concrete, Test Method for, **C803/C803M (04.02)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Pressure-Sensitive Tack of Adhesives Using an Inverted Probe Machine, Test Method for, **D2979 (15.10)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Static Puncture Strength of Geotextiles and Geotextile-Related Products Using a 50-mm Probe, Test Method for the, **D6241 (04.13)**
Probe methods—four-point probe
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, Practice for, **F1711 (10.04)**
Sheet Resistance of Thin Metallic Films With a Collinear Four-Probe Array, Test Method for, **F390 (10.04)**
Probe tip shape
Measuring and Reporting Probe Tip Shape in Scanning Probe Microscopy, Practice for, **E1813 (03.06)**
Probit analysis
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**
Problem formulation
Committee D01 for Conducting an Interlaboratory Study for the Purpose of Determining the Precision of a Test Method, Guide for, **D6631 (06.01)**
Problem solving
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Procedure data sheet
Shipbuilders and Marine Paints and Coatings Product/Procedure Data Sheet, Specification for, **F718 (01.07)**
Procedures
Establishing Procedures to Qualify and Certify Personnel Performing Coating and Lining Work Inspection in Nuclear Facilities, Guide for, **D4537 (06.02)**
Process analytical technology
Application of Continuous Quality Verification to Pharmaceutical and Biopharmaceutical Manufacturing, Guide for, **E2537 (14.02)**
Generating a Process Stream Property Value through the Application of a Process Stream Analyzer, Guide for, **D7825 (05.04)**
Multivariate Data Analysis in Pharmaceutical Development and Manufacturing Applications, Guide for, **E2891 (14.02)**
Pharmaceutical Process Design Utilizing Process Analytical Technology, Practice for, **E2474 (14.02)**
Process Analytical Technology in the Pharmaceutical Industry, Terminology Relating to, **E2363 (14.02)**
Process Understanding Related to Pharmaceutical Manufacture and Control, Guide for, **E2475 (14.02)**
Qualification of Basket and Paddle Dissolution Apparatus, Practice for, **E2503 (14.02)**
Risk Assessment and Risk Control as it Impacts the Design, Development, and Operation of PAT Processes for Pharmaceutical Manufacture, Guide for, **E2476 (14.02)**
Risk-Based Validation of Analytical Methods for PAT Applications, Guide for, **E2898 (14.02)**
Verification of Process Analytical Technology (PAT) Enabled Control Systems, Guide for, **E2629 (14.02)**
Process capability/performance indices (C_{pk})
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Process control
Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, Practice for, **E122 (14.02)**
Carbon Black—Calculation of Process Indexes From an Analysis of Process Control Data, Practice for, **D4583 (09.01)**
Controlling the Quality of Industrial Radiographic Film Processing, Guide for, **E999 (03.03)**
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Destructive Shear Testing of Ball Bonds, Test Methods for, **F1269 (10.04)**
Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, Test Method for, **E1600 (03.05)**
Estimating Processing Losses of Plastisols and Organosols Due to Volatility, Test Method for, **D6150 (08.03)**
Machine/Process Capability Study Procedure, Practice for, **F1503 (01.08)**
Performance Testing of Process Analyzers for Aromatic Hydrocarbon Materials, Practice for, **D6621 (06.04)**
Pharmaceutical Process Design Utilizing Process Analytical Technology, Practice for, **E2474 (14.02)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber Property—Processability of Emulsion SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer (Delta Mooney), Test Methods for, **D3346 (09.01)**
Rubber—Measurement of Processing Properties Using Capillary Rheometry, Test Methods for, **D5099 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Solidification Point of Industrial Organic Chemicals by Thermistor, Test Method for, **D6875 (06.04)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Viscosity of Cellulose by Cuprammonium Ball Fall, Test Method for, **D6188 (06.03)**

Process control ratio (CPK)
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**

Process descriptors
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**

Processed indigenous ADC
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**

Process feeds
Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, Test Method for, **D5453 (05.02)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**

Process heaters
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**

Processing additions (for cement/concrete)
See **Additives—cement/concrete**

Processing cells/tissues/organs
Processing Cells, Tissues, and Organs for Use in Tissue Engineered Medical Products, Guide for, **F2210 (13.01)**

Processing oils
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Various Types of Petroleum Oils for Rubber Compounding Use, Classification for, **D2226 (09.01)**

Process lines
Electric-Resistance-Welded Low-Carbon Steel Pipe for the Chemical Industry, Specification for, **A587 (01.01)**

Process pH measurements
pH of Water, Test Methods for, **D1293 (11.01)**

Process stream analysis
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Determining a Flow-Proportioned Average Property Value (FPAPV) for a Collected Batch of Process Stream Material Using Stream Analyzer Data, Practice for, **D6624 (05.03)**
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Determining the Site Precision of a Process Stream Analyzer on Process Stream Material, Practice for, **D7808 (05.04)**
Establishing a Linear Correlation Relationship Between Analyzer and Primary Test Method Results Using Relevant ASTM Standard Practices, Guide for, **D7235 (05.04)**
Generating a Process Stream Property Value through the Application of a Process Stream Analyzer, Guide for, **D7825 (05.04)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**
On-Line Determination of Cation Conductivity in High Purity Water, Practice for, **D6504 (11.01)**
On-Line Measurement of pH, Test Method for, **D6569 (11.01)**
Performance Testing of Process Analyzers for Aromatic Hydrocarbon Materials, Practice for, **D6621 (06.04)**
Process Understanding Related to Pharmaceutical Manufacture and Control, Guide for, **E2475 (14.02)**
Sampling of Petroleum Products for Analysis by Process Stream Analyzers and for Process Stream Analyzer System Validation, Practice for, **D7453 (05.04)**
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**

Process vents
Sampling of Process Vents with a Portable Gas Chromatograph, Practice for, **D6060 (11.07)**

Process waste
See **Waste materials/processing/analysis**

Proctor test
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**

Procurement
Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, Practice for, **F2020 (13.02)**

Procurement and delivery
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Flat-Rolled Electrical Steels for Magnetic Applications, Specification for, **A345 (03.04)**
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
Sampling and Procurement Testing of Magnetic Materials, Practice for, **A34/A34M (03.04)**

Producer's process performance index (P_p`)
Rubber—Calculation of Producer's Process Performance Indexes, Practice for, **D5406 (09.01)**

Product analysis
Analytical Testing of Substances of Very High Concern in Materials and Products, Guide for, **F2931 (10.04)**
General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys, Specification for, **B880 (02.04)**
Sampling Aluminum Ingots, Billets, Castings and Finished or Semi-Finished Wrought Aluminum Products for Compositional Analysis, Practice for, **B985 (02.02)**

Product analysis specifications/tolerances
Editorial Procedures and Form of Product Specifications for Steel, Stainless Steel, and Related Alloys, Guide for, **A994 (01.01)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**

Product certification
Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components, Practice for, **E699 (14.02)**

Product consistency test (PCT)
Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), Test Methods for, **C1285 (12.01)**

Product evaluation
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**

Product evaluation—litigation or claim
Collection and Preservation of Information and Physical Items by a Technical Investigator, Practice for, **E1188 (14.02)**
Evaluation of Scientific or Technical Data, Practice for, **E678 (14.02)**
Examining And Preparing Items That Are Or May Become Involved In Criminal or Civil Litigation, Practice for, **E860 (14.02)**
Reporting Opinions of Scientific or Technical Experts, Practice for, **E620 (14.02)**

Product fuel
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**

Product information
Required Product Information to be Provided with Lighter-Than-Air Light Sport Aircraft, Specification for, **F2427 (15.11)**
Required Product Information to be Provided with Powered Parachute Aircraft, Specification for, **F2243 (15.11)**

Production acceptance testing
Production Acceptance in the Manufacture of a Fixed Wing Light Sport Aircraft, Practice for, **F3035 (15.11)**
Production Acceptance Testing System for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2356 (15.11)**
Production Acceptance Testing System for Powered Parachute Aircraft, Specification for, **F2242 (15.11)**

Production capacity
Performance of a Pasta Cooker, Test Method for, **F1784 (15.12)**
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**
Performance of Conveyor Broilers, Test Method for, **F2239 (15.12)**
Performance of Conveyor Ovens, Test Method for, **F1817 (15.12)**
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Performance of Large Open Vat Fryers, Test Method for, **F2144 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Performance of Rapid Cook Ovens, Test Method for, **F2238 (15.12)**
Performance of Refrigerated Buffet and Preparation Tables, Test Method for, **F2143 (15.12)**
Performance of Rotisserie Ovens, Test Method for, **F1787 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Performance of Steam Kettles, Test Method for, **F1785 (15.12)**
Performance of Upright Overfired Broilers, Test Method for, **F2237 (15.12)**
Performance of Water-Bath Rethermalizers, Test Method for, **F2473 (15.12)**

Production managers
Selecting Cleaning Agents and Processes, Guide for, **D6361/D6361M (15.05)**

Production method
Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, Test Method for, **D5066 (06.02)**

Production quality control
Acoustic Emission Examination of Small Parts, Guide for, **E1932 (03.03)**

Production rate of species
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**

Productivity
Determination of Productivity Using Electrostatic Copy Machines with Various Configurations, Test Method for, **F1318 (15.09)**

Product leakage testing
Determining Product Leakage from a Package with a Mechanical Pump Dispenser, Test Method for, **D6834 (15.10)**

Product potency data
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**

Product standards
Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, Guide for, **D5531 (06.01)**

Proficiency
Analysis and Interpretation of Proficiency Test Program Results, Guide for, **D7372 (05.04)**
Assessing Language Proficiency, Practice for, **F2889 (15.11)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Proficiency testing
Analysis and Interpretation of Proficiency Test Program Results, Guide for, **D7372 (05.04)**
Conducting Proficiency Tests in the Chemical Analysis of Metals, Ores, and Related Materials, Practice for, **E2027 (03.05)**
Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**
Proficiency Test Program for Fabrics, Guide for, **D6674 (07.02)**
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**
Statistical Analysis of One-Sample and Two-Sample Interlaboratory Proficiency Testing Programs, Practice for, **E2489 (14.02)**

Profile depth (PD)
Sa **Depth profiling**
Measuring Widths of Interfaces in Sputter Depth Profiling Using SIMS, Guide for, **E1438 (03.06)**

Profiles
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe, Specification for, **F894 (08.04)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions, Specification for, **D3678 (08.03)**

Profiles—pavement surfaces
Sa **Pavement surfaces**
Calculating Pavement Macrotexture Mean Profile Depth, Practice for, **E1845 (04.03)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
Measuring the Longitudinal Profile of Traveled Surfaces with an Accelerometer Established Inertial Profiling Reference, Test Method for, **E950/E950M (04.03)**

Profile strip
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**

Profile wall
12 to 60 in. [300 to 1500 mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Gravity-Flow Storm Sewer and Subsurface Drainage Applications, Specification for, **F2306/F2306M (08.04)**
12 to 60 in. (300 to 1500 mm) Polypropylene (PP) Dual Wall Pipe and Fittings for Non-Pressure Storm Sewer Applications, Specification for, **F2881 (08.04)**
2 to 60 inch [50 to 1500 mm] Annular Corrugated Profile Wall Polyethylene (PE) Pipe and Fittings for Land Drainage Applications, Specification for, **F2648/F2648M (08.04)**
30 to 60 in. 750 to 1500 mm Triple Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2763 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F794 (08.04)**

Profiling devices/measurement
Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, Test Method for, **D6891 (05.03)**
Measuring the Longitudinal Profile of Traveled Surfaces with an Accelerometer Established Inertial Profiling Reference, Test Method for, **E950/E950M (04.03)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**

Profilograph
Measuring Pavement Roughness Using a Profilograph, Test Method for, **E1274 (04.03)**
Simulating Profilograph Response to Longitudinal Profiles of Traveled Surfaces, Practice for, **E2955 (04.03)**

Progenitor cells
Quantification of Calcium Deposits in Osteogenic Culture of Progenitor Cells Using Fluorescent Image Analysis, Practice for, **F2997 (13.02)**

Progenitor cells—osteogenic cultures of
Quantification of Calcium Deposits in Osteogenic Culture of Progenitor Cells Using Fluorescent Image Analysis, Practice for, **F2997 (13.02)**

Program development/implementation
Proficiency Test Program for Fabrics, Guide for, **D6674 (07.02)**

Programmable horizontal impact testing
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**

Programmable power supplies
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**

Programmed shock
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**

Programmed supercritical fluid chromatography
Supercritical Fluid Chromatography Terms and Relationships, Guide for, **E1449 (03.06)**

Progressive testing
Modulus of Rupture of Refractory Materials at Elevated Temperatures, Test Method for, **C583 (15.01)**

Prohibited denaturants
Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D4806 (05.02)**

Project definition
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**

Project design life
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **A930 (01.06)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**

Projected strength
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**

Projectile
Low Energy Air Gun (LEAG) Warnings, Specification for, **F2654 (15.07)**

Projections
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**

Project management
Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, Guide for, **E2506 (04.12)**
Measuring Cost Risk of Buildings and Building Systems and Other Constructed Projects, Practice for, **E1946 (04.11)**
Program and Project Estimate Summaries, Classification for, **E2620 (04.12)**

Project planing
Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**

Project planning
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**

Project work performance
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**

Prolonged transport settings
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**
Training First Responders Who Practice in Wilderness, Delayed, or Prolonged Transport Settings, Guide for, **F1655 (13.02)**

Promoter/promoted combustion/ignition
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, Test Method for, **G125 (14.04)**

Promoters
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**

Pronation
Comparison of Rearfoot Motion Control Properties of Running Shoes, Test Method for, **F1833 (15.07)**

Prong-ring snap fasteners
Holding Strength of Prong-Ring Attached Snap Fasteners, Test Method for, **D7142 (07.02)**
Holding Strength of Tack and Prong Fastener Attached Buttons, Test Method for, **D7842/D7842M (07.02)**

Proofer
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**

Proof load
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Glasses, Portlight, Circular, Fully Tempered, Specification for, **C1443 (15.02)**
Structural Performance of Glass in Windows, Curtain Walls, and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**

Proof silver corrections
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**

Proof test
Asbestos-Cement Pipe, Test Methods for, **C500/C500M (04.05)**
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**
Safe Use of Oxygen Combustion Bombs, Practice for, **E144 (14.04)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Proof voltage
See **Dielectric breakdown voltage**

Propagation tear resistance
Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, Test Method for, **D1922 (08.01)**

Propane
Sa **LPG (liquefied petroleum gases)**
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Dryness of Propane (Valve Freeze Method), Test Method for, **D2713 (05.01)**
Sampling Liquefied Petroleum (LP) Gases, Manual Method, Practice for, **D1265 (05.01)**
Volatility of Liquefied Petroleum (LP) Gases, Test Method for, **D1837 (05.01)**

Propane—specifications
Liquefied Petroleum (LP) Gases, Specification for, **D1835 (05.01)**
Propane Thermophysical Property Tables, Specification for, **D4362 (05.06)**

Propane-butane (PB) mixtures
Sa **Butane**
Liquefied Petroleum (LP) Gases, Specification for, **D1835 (05.01)**

Propane content
Analysis of Natural Gas by Gas Chromatography, Test Method for, **D1945 (05.06)**

1,3-propanediol
1,3 Propanediol (PDO) Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D7518 (15.05)**
Engine Coolant Grade 1,3-Propanediol (PDO), Specification for, **D7388 (15.05)**
Fully-Formulated 1,3 Propanediol (PDO) Base Engine Coolant for Heavy-Duty Engines, Specification for, **D7517 (15.05)**
Purity of 1,3-Propanediol (Gas Chromatographic Method), Test Method for, **D7515 (15.05)**

Propane torch test
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

1,2,3-Propanetriol
High-Gravity Glycerin, Specification for, **D1257 (06.04)**

***n*-Propanol**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Propylene Glycol Monomethyl Ether, Specification for, **D4837 (06.04)**

2-Propanone
Acetone, Specification for, **D329 (06.04)**

Propellants
Paintball Cylinder Burst Disk Assemblies, Specification for, **F2030 (15.07)**
Yield Stress of Heterogeneous Propellants by Cone Penetration Method, Test Method for, **D2884 (05.01)**

Propellants/projectiles (for guns)
Sa **Consumer safety specifications (guns)**
Paintball Marker Threaded-Propellant Source Interface, Specification for, **F1750 (15.07)**

Propellants/propulsion (rocket)
See **Aerospace rocket propellants**

Propelled ice balls
Determining Resistance of Photovoltaic Modules to Hail by Impact with Propelled Ice Balls, Test Method for, **E1038 (12.02)**
Determining Resistance of Solar Collector Covers to Hail by Impact With Propelled Ice Balls, Practice for, **E822 (12.02)**

Propeller anemometer
Determining the Performance of a Cup Anemometer or Propeller Anemometer, Test Method for, **D5096 (11.07)**

Propellers
Sa **Shipbuilding steel materials—specifications**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Design and Testing of Light Sport Aircraft Propellers, Specification for, **F2506 (15.11)**
Thrusters, Tunnel, Permanently Installed in Marine Vessels, Specification for, **F841 (01.07)**

Property damage/loss/assessment
Addressing and Reporting Loss, Damage, or Destruction of Tangible Property, Practice for, **E2131 (04.12)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Property Condition Assessments: Baseline Property Condition Assessment Process, Guide for, **E2018 (11.05)**
Reporting Incidents that May Involve Criminal or Civil Litigation, Practice for, **E1020 (14.02)**

Property data
Data Characteristics of Equipment Records, Practice for, **E2604 (04.12)**
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**

Property limits
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**

Property management
Building Energy Performance Assessment for a Building Involved in a Real Estate Transaction, Practice for, **E2797 (11.05)**
Cannibalization/Reclamation of Serviceable Equipment Components to Support Demand Requirements, Practice for, **E2607 (04.12)**
Classification of Asset Physical Location Information, Practice for, **E2499 (04.12)**
Contractor Self Assessment for U.S. Government Property Management Systems, Guide for, **E2936 (04.12)**
Defining Movements, Shipments, and Transfers of Tangible Property, Practice for, **E2671 (04.12)**
Determining the Life-Cycle Cost of Ownership of Personal Property, Practice for, **E2453 (04.12)**
Disposal of Personal Property, Practice for, **E2306 (04.12)**
Equipment Control Matrix (ECM), Practice for, **E2608 (04.12)**
Equipment Management Process Maturity (EMPM) Model, Practice for, **E2452 (04.12)**
Identification and Categorization of Tooling, Practice for, **E2672 (04.12)**
Management of Low Risk Property (LRP), Practice for, **E2811 (04.12)**
Physical Placement of an Entity-Controlled Supplemental Identification Label, Practice for, **E2631 (04.12)**
Property and Asset Management, Terminology for, **E2135 (04.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Property Management System Outcomes, Practice for, **E2675 (04.12)**
Receipt Notification as a Result of Tangible Asset Movement, Practice for, **E2606 (04.12)**
Receiving Assets, Practice for, **E2605 (04.12)**
Tangible Property Mobility Index (MI), Practice for, **E2676 (04.12)**
the Recognition of Impaired or Retired Personal Property, Practice for, **E2378 (04.12)**

Property names
Reporting Properties for Plastics and Thermoplastic Elastomers, Guide for, **D6436 (08.03)**

Property retention index (PRI)
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**

Property tables
Hydrogen Thermophysical Property Tables, Specification for, **D7265 (05.06)**

Prophylactic devices/testing
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**

Propionyl content
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**

Proportioning
Chemical Admixtures for Use in Producing Flowing Concrete, Specification for, **C1017/C1017M (04.02)**
Proportioning Grout Mixtures for Preplaced-Aggregate Concrete, Practice for, **C938 (04.02)**

Propulsion
Design and Manufacture of Electric Propulsion Units for Light Sport Aircraft, Practice for, **F2840 (15.11)**
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**

***n*-Propyl acetate**
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
n-Propyl Acetate (96 % Grade), Specification for, **D3130 (06.04)**

***n*-Propyl alcohol**
1-Propanol (*n*-Propyl Alcohol), Specification for, **D3622 (06.04)**

Propylbenzene
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**

***n*-Propyl bromide (*n*PB)**
Assay of, Test Method for, **D6505 (15.05)**
Vapor-Degreasing Solvents Based on, Specification for, **D6368 (15.05)**

Propyl carbinol
n-Butyl Alcohol (Butanol), Specification for, **D304 (06.04)**

Propylene
Analysis of Propylene Concentrates, Guide for, **D5273 (05.02)**
Trace Carbonyl Sulfide in Propylene by Gas Chromatography, Test Method for, **D5303 (05.02)**

Propylene concentrates
Analysis of Propylene Concentrates, Guide for, **D5273 (05.02)**
Determination of Hydrocarbons in Liquefied Petroleum (LP) Gases and Propane/Propene Mixtures by Gas Chromatography, Test Method for, **D2163 (05.01)**
Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, Test Method for, **D4864 (05.02)**
Hydrocarbon Traces in Propylene Concentrates by Gas Chromatography, Test Method for, **D2712 (05.01)**

Propylene content
Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, Test Method for, **D2505 (05.01)**

Propylene glycol
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Aqueous Engine Coolant Grade Glycol (53% Nominal), Specification for, **D7713 (15.05)**
Glycol Base Engine Coolant for Automobile and Light-Duty Service, Specification for, **D3306 (15.05)**
Propylene Glycol and Dipropylene Glycol, Specification for, **D5164 (06.04)**
Purity of 1,3-Propanediol (Gas Chromatographic Method), Test Method for, **D7515 (15.05)**

Propylene glycol monomethyl ether acetate (PMA)
Propylene Glycol Monomethyl Ether Acetate, Specification for, **D4835 (06.04)**
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**

Propylene glycol monomethyl ether (PM)
Propylene Glycol Monomethyl Ether, Specification for, **D4837 (06.04)**
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**

Propylene oxide
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**

Propylene (PP) plastics
Sa **Polypropylene (PP)**
Determination of Xylene Solubles in Propylene Plastics, Test Method for, **D5492 (08.03)**
Thermal-Oxidative Stability of Polypropylene Using a Specimen Rotator Within an Oven, Test Method for, **D3012 (08.01)**

Propylene (PP) plastics—specifications
Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, Specification for, **D3664 (10.02)**
Oriented Polypropylene Film, Specification for, **D2673 (08.01)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Polypropylene Injection and Extrusion Materials, Specification for, **D4101 (08.02)**
Polypropylene Injection and Extrusion Materials Using ISO Protocol and Methodology, Specification for, **D5857 (08.03)**
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**
Unused Rope with Special Electrical Properties, Specification for, **F1701 (10.03)**

Prostheses
Sa **Orthopaedic medical devices—specifications**
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**
Evaluation of Modular Connection of Proximally Fixed Femoral Hip Prosthesis, Practice for, **F2580 (13.02)**
Functional and Wear Evaluation of Motion-Preserving Lumbar Total Facet Prostheses, Practice for, **F2694 (13.02)**
Functional, Kinematic, and Wear Assessment of Total Disc Prostheses, Guide for, **F2423 (13.01)**
Gravimetric Measurement of Polymeric Components for Wear Assessment, Practice for, **F2025 (13.01)**
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Static and Dynamic Characterization of Motion Preserving Lumbar Total Facet Prostheses, Practice for, **F2790 (13.02)**

Prostheses—specifications
Resurfacing Patellar Prosthesis, Specification for, **F1672 (13.01)**
Total Ankle Replacement Prosthesis, Specification for, **F2665 (13.02)**
Total Elbow Prostheses, Specification for, **F2887 (13.02)**

Prosthetic glenoid component
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Protease (alkaline)
Assay for Alkaline Protease, Test Method of, **D3048 (15.04)**
Protected screen technique
Installation of Direct Push Groundwater Monitoring Wells, Guide for, **D6724 (04.09)**
Protection board
Application of Asphalt Based Protection Board, Guide for, **D6451 (04.04)**
Protection (cathodic)
See **Cathodic protection**
Protection defects
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Protection layer
Standard Details for Adhered Sheet Waterproofing, Guide for, **D5898/D5898M (04.04)**
Protection potential (E_{prot})
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Protection program (waste management facilities)
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Protection rating
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Protective clothing
Sa **Electrical protective equipment**
Air-Fed Protective Ensembles, Specification for, **F2704 (11.03)**
Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing, Practice for, **F1731 (11.03)**
Characterizing Gripping Performance of Gloves Using a Torque Meter, Test Method for, **F2961 (11.03)**
Chemical Protective Clothing Program, Practice for, **F1461 (11.03)**
Chemical Protective Clothing: Wearing, Care, and Maintenance Instructions, Practice for, **F2061 (11.03)**
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**
Conformity Assessment of Protective Clothing Worn by Operators Applying Pesticides, Practice for, **F2962 (11.03)**
Determining Protection Provided by X-ray Shielding Garments Used in Medical X-ray Fluoroscopy from Sources of Scattered X-Rays, Test Method for, **F3094 (11.03)**
Determining the Arc Rating of Materials for Clothing, Test Method for, **F1959/F1959M (10.03)**
Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, Test Method for, **F1958/F1958M (10.03)**
Determining the Physiological Responses of the Wearer to Protective Clothing Ensembles, Practice for, **F2668 (11.03)**
Determining the Temperature Ratings for Cold Weather Protective Clothing, Practice for, **F2732 (11.03)**
Documenting the Results of Airborne Particle Penetration Testing of Protective Clothing Materials, Guide for, **F2053 (11.03)**
Documenting the Results of Chemical Permeation Testing of Materials Used in Protective Clothing, Guide for, **F1194 (11.03)**
Effects of Flame Impingement on Materials Used in Protective Clothing Not Designated Primarily for Flame Resistance, Test Method for, **F1358 (11.03)**
Evaluating Chemical Protective Clothing, Guide for, **F1296 (11.03)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with a Hot Liquid Splash, Test Method for, **F2701 (11.03)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test, Test Method for, **F2010/F2010M (11.03)**
Home Laundering Care and Maintenance of Flame, Thermal and Arc Resistant Clothing, Guide for, **F2757 (11.03)**
Industrial Laundering of Flame, Thermal, and Arc Resistant Clothing, Guide for, **F1449 (11.03)**
Labeling Chemical Protective Clothing, Practice for, **F1301 (11.03)**
Labeling of UV-Protective Textiles, Specification for, **D6603 (07.02)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Man-In-Simulant Test (MIST) for Protective Ensembles, Test Method for, **F2588 (11.03)**
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**
Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, Test Method for, **F2130 (11.03)**
Measuring the Evaporative Resistance of Clothing Using a Sweating Manikin, Test Method for, **F2370 (11.03)**
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**
Measuring the Transmitted and Stored Energy of Firefighter Protective Clothing Systems, Test Method for, **F2731 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Protective Clothing, Terminology Relating to, **F1494 (11.03)**
Protective Clothing Material Resistance to Hypodermic Needle Puncture, Test Method for, **F2878 (11.03)**
Protective Clothing Material Resistance to Puncture, Test Method for, **F1342/F1342M (11.03)**
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**
Radiant Heat Performance of Flame Resistant Clothing Materials with Burn Injury Prediction, Test Method for, **F2702 (11.03)**
Radiant Heat Resistance of Flame Resistant Clothing Materials with Continuous Heating, Test Method for, **F1939 (11.03)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, Test Method for, **F1671/F1671M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Liquids, Test Method for, **F903 (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood, Test Method for, **F1670/F1670M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique, Test Method for, **F1819 (11.03)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Surgical Gowns Intended for Use in Healthcare Facilities, Specification for, **F2407 (11.03)**
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**
Thermal Protective Performance of Materials for Protective

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Burn Injury Prediction, Test Method for, **F2703 (11.03)**
Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Continuous Heating, Test Method for, **F2700 (11.03)**
Water Vapor Diffusion Resistance and Air Flow Resistance of Clothing Materials Using the Dynamic Moisture Permeation Cell, Test Methods for, **F2298 (11.03)**

Protective clothing—specifications
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**
Electrically Insulating Aprons, Specification for, **F2677 (10.03)**
In-Service Care of Insulating Gloves and Sleeves, Specification for, **F496 (10.03)**
Labeling Protective Clothing as Heat and Flame Resistant, Performance Specification for, **F2302 (11.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Protective clothing (from chemicals)
Sa **Chemical protective clothing (CPC)**
Chemical Permeation through Protective Clothing Materials: Testing Data Analysis by Use of a Computer Program, Practice for, **F2815 (11.03)**
Conformity Assessment of Protective Clothing Worn by Operators Applying Pesticides, Practice for, **F2962 (11.03)**
Man-In-Simulant Test (MIST) for Protective Ensembles, Test Method for, **F2588 (11.03)**
Protective Clothing Worn by Operators Applying Pesticides, Performance Specification for, **F2669 (11.03)**

Protective coatings
Sa **Roofing materials/applications**
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Determining the Dry Fall (Fog) Properties of Protective Coatings, Practice for, **D7868 (06.02)**
Immersion Testing of Industrial Protective Coatings, Practice for, **D6943 (06.02)**
Inspection of Marine Surface Preparation and Coating Application, Practice for, **F941 (01.07)**
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, Practice for, **D7803 (06.02)**
Protective Coating and Lining Work for Power Generation Facilities, Terminology Relating to, **D4538 (06.02)**
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Quality Assurance for Protective Coatings Applied to Nuclear Facilities, Practice for, **D3843 (06.02)**
Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, Practice for, **F940 (01.07)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**

Protective coatings—specifications
Asphalt-Base Emulsions for Use as Protective Coatings for Metal, Specification for, **D1187/D1187M (04.04)**
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**

Protective equipment
Chemical Permeation through Protective Clothing Materials: Testing Data Analysis by Use of a Computer Program, Practice for, **F2815 (11.03)**
Determining the Attenuation Properties in a Primary X-ray Beam of Materials Used to Protect Against Radiation Generated During the Use of X-ray Equipment, Test Method for, **F2547 (11.03)**
Personal Protective Equipment for the Handling of Flat Glass, Guide for, **E2875/E2875M (11.03)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**

Protective equipment—electrical
Sa **Electrical protective equipment**
Determining the Protective Performance of an Arc Protective Blanket for Electric Arc Hazards, Test Method for, **F2676 (10.03)**
Electrically Insulating Aprons, Specification for, **F2677 (10.03)**
Temporary Protective Equipotential Bond Mat To Be Used on De-Energized Equipment, Specification for, **F2715 (10.03)**

Protective equipment—specifications
Climbing and Mountaineering Carabiners, Specification for, **F1774 (13.02)**
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Headforms, Specification for, **F2220 (15.07)**
Illustrating the Footprint of a Backpacking or Mountaineering Tent, Specification for, **F1933 (15.07)**
Leg Protection for Chain Saw Users, Specification for, **F1897 (11.03)**
Personal Climbing Equipment, Specifications for, **F887 (10.03)**
Portable Intermediate Flush Deck Stanchion, Specification for, **F987 (01.07)**
PVC Insulating Sheeting, Specification for, **F1742 (10.03)**

Protective equipment--specifications
Protective Headgear Used in Martial Arts, Specification for, **F2397 (15.07)**

Protective eyewear
See **Eye protectors**

Protective facings
Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, Test Method for, **C1512 (04.06)**

Protective footwear
Foot Protection, Test Methods for, **F2412 (15.07)**
Performance Requirements for Protective (Safety) Toe Cap Footwear, Specification for, **F2413 (15.07)**
Performance Requirements for Soft Toe Protective Footwear (Non-Safety / Non-Protective Toe), Specification for, **F2892 (15.07)**

Protective glazing systems
Use of Silicone Sealants for Protective Glazing Systems, Guide for, **C1564 (04.07)**

Protective grounds
Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, Specifications for, **F855 (10.03)**

Protective headgear
Care and Use of Athletic Mouth Protectors, Practice for, **F697 (15.07)**
Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear, Test Methods for, **F1446 (15.07)**
Headforms, Specification for, **F2220 (15.07)**
Protective Headgear Used in Martial Arts, Specification for, **F2397 (15.07)**
Protective Headgear with Faceguard Used in Bull Riding, Specification for, **F2530 (15.07)**
Shock-Attenuation Characteristics of Protective Headgear for Football, Test Method for, **F429 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Protective headgear—specifications
Sa **Sports protective equipment—specifications**
Face Guards for Youth Baseball, Specification for, **F910 (15.07)**
Football Helmets, Specification for, **F717 (15.07)**
Head and Face Protective Equipment for Ice Hockey Goaltenders, Specification for, **F1587 (15.07)**
Headforms, Specification for, **F2220 (15.07)**
Helmets for Non-Motorized Wheeled Vehicle Used by Infants and Toddlers, Specification for, **F1898 (15.07)**
Helmets Used for BMX Cycling, Specification for, **F2032 (15.07)**
Helmets Used for Downhill Mountain Bicycle Racing, Specification for, **F1952 (15.07)**
Helmets Used for Recreational Snow Sports, Specification for, **F2040 (15.07)**
Helmets Used in Recreational Bicycling or Roller Skating, Specification for, **F1447 (15.07)**
Helmets Used in Short Track Speed Ice Skating (Not to Include Hockey), Specification for, **F1849 (15.07)**
Helmets Used in Skateboarding and Trick Roller Skating, Specification for, **F1492 (15.07)**
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**
Protective Headgear Used in Horse Sports and Horseback Riding, Specification for, **F1163 (15.07)**
Protective Headgear with Faceguard Used in Bull Riding, Specification for, **F2530 (15.07)**
Protective headgear--specifications
Protective Headgear Used in Martial Arts, Specification for, **F2397 (15.07)**
Protective jacketing
Selecting Jacketing Materials for Thermal Insulation, Guide for, **C1423 (04.06)**
Protective linings
Chemical Resistance of Protective Linings, Test Method for, **C868 (06.02)**
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**
Protective non-woven geomembranes
Determination of Pyramid Puncture Resistance of Unprotected and Protected Geomembranes, Test Method for the, **D5494 (04.13)**
Protective packaging
Transport Packaging Design, Guide for, **D6198 (15.10)**
Protective pad
Indoor Wall/Feature Padding, Specification for, **F2440 (15.07)**
Protective properties
Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, Practice for, **D6625 (15.04)**
Protein
Adhesive, Casein-Type, Specification for, **D4689 (15.06)**
Analysis of Aqueous Extractable Protein in Natural Rubber and Its Products Using the Modified Lowry Method, Test Method for, **D5712 (09.02)**
The Immunological Measurement of Antigenic Protein in Natural Rubber and its Products, Test Method for, **D6499 (09.02)**
Protein-base fibers
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Proteins
Characterization of Proteins by Electrophoretic Mobility, Test Method for, **E1470 (14.02)**
Immunological Measurement of Four Principal Allergenic Proteins (Hev b 1, 3, 5 and 6.02) in Natural Rubber and Its Products Derived from Latex, Test Method for, **D7427 (09.02)**
Prothrombin pipet
Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, Specification for, **E1380 (14.04)**
Glass Prothrombin Pipet, Disposable, Specification for, **E1093 (14.04)**
Protocols
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**
Testing Pultruded Composites, Practice for, **D7745 (08.03)**
Proton nuclear magnetic resonance spectroscopy
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**
Proton-recoil track length
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**
Prototype fuel
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Prototype viruses
See **Virology**
Prototyping
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**
Protozoa
See **Microorganisms**
Protrusion puncture resistance
Protrusion Puncture Resistance of Stretch Wrap Film, Test Method for, **D5748 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Provers
Volumetric Measurement of Gaseous Fuel Samples, Test Methods for, **D1071 (05.06)**
Proximate analysis
Analysis of Wood Fuels, Test Methods for, **E870 (05.06)**
Proximate analysis—coal/coke
Ash in the Analysis Sample of Coal and Coke from Coal, Test Method for, **D3174 (05.06)**
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Moisture in the Analysis Sample of Coal and Coke, Test Method for, **D3173 (05.06)**
Proximate Analysis of Coal and Coke, Practice for, **D3172 (05.06)**
Proximate Analysis of Coal and Coke by Macro Thermogravimetric Analysis, Test Methods for, **D7582 (05.06)**
Volatile Matter in the Analysis Sample of Coal and Coke, Test Method for, **D3175 (05.06)**
Proximity switch
Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, Specification for, **F2071 (01.07)**
Prussian blue
See **Iron blue pigment**
PSAP
See **Public safety answering point (PSAP)**
PSAR (preventive search and rescue)
Workers Compensation Coverage of Emergency Services Volunteers, Practice for, **F2047 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pseudoisochromatic plates
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
Pseudomonas
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
Pseudomonas aeruginosa
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Quantification of a ***Pseudomonas aeruginosa*** Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, Test Method for, **E2196 (11.05)**
PSL (photostimulable luminescence) method
Computed Radiography, Guide for, **E2007 (03.03)**
Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**
Psychometrics
Professional Certification Performance Testing, Practice for, **E2849 (14.02)**
Psychophysical examination
Sa **PDD (psychophysiological detection of deception)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Psychophysiology
Sa **PDD (psychophysiological detection of deception)**
Conduct of PDD Screening Examinations, Guide for, **E2386 (14.02)**
Psychosocial function measurement
Rating-Scale Measures Relevant to the Electronic Health Record, Practice for, **E2171 (14.01)**
Psychrometer
Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), Test Method for, **E337 (11.07)**
Psyllium
Mucilloid Content of Plantago Insularis (Ovata, Psyllium), Test Method for, **D7047 (04.09)**
Pt-Co color/scale
Color of Halogenated Organic Solvents and, Test Method for, **D2108 (15.05)**
PTFE (polytetrafluoroethylene)
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Low Molecular Weight PTFE and FEP Micronized Powders, Classification for, **D5675 (08.03)**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Standard Test Methods for Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Guide to, **D6040 (08.03)**
PTFE (polytetrafluoroethylene)—specifications
Aqueous Dispersions of Polytetrafluoroethylene, Specification for, **D4441 (08.02)**
Filled Compounds of Polytetrafluoroethylene (PTFE) Molding and Extrusion Materials, Specification for, **D4745 (08.02)**
Glass Stopcocks with Polytetrafluoroethylene (PTFE) Plugs, Specification for, **E911 (14.04)**
High Load Rotational Spherical Bearings for Bridges and Structures, Specification for, **D5977 (04.03)**
Implantable Polytetrafluoroethylene (PTFE) Sheet, Tube, and Rod Shapes Fabricated from Granular Molding Powders, Specification for, **F754 (13.01)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Molded Sheet and Molded Basic Shapes, Specification for, **D3294 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Polytetrafluoroethylene–(PTFE) Coated Glass Fabric, Specification for, **D4969 (08.02)**
Polytetrafluoroethylene-Backed Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2686 (10.02)**
PTFE Resin Skived Tape, Specification for, **D3308 (08.02)**
Unsintered Pigmented Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Specification for, **D7193 (08.03)**
Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Specification for, **D6585 (08.03)**
PTFE (polytetrafluoroethylene) tubing
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
PTFE (polytetrafluoroethylene) tubing—specifications
Extruded and Compression Molded Rod and Heavy-Walled Tubing Made from Polytetrafluoroethylene (PTFE), Specification for, **D6457 (08.03)**
Extruded Polytetrafluoroethylene (PTFE) Rod, Heavy Walled Tubing and Basic Shapes, Specification for, **D1710 (08.01)**
Perfluoroalkoxy (PFA)-Fluoropolymer Tubing, Specification for, **D6867 (08.03)**
PTFE Tubing, Miniature Beading and Spiral Cut Tubing, Specification for, **D3295 (08.02)**
P_{th} threshold measurement
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Public access buildings
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Public image
Serviceability of an Office Facility for Image to the Public and Occupants, Classification for, **E1667 (04.11)**
Public information/education/relations (PIER) program
Establishing and Operating a Public Information, Education, and Relations Program for Emergency Medical Service Systems, Guide for, **F1268 (13.02)**
Public outdoor play areas
Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, Safety Performance Specification for, **F2049 (01.06)**
Public safety answering point (PSAP)
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Puck impact
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**
PUF roller
Collection of Dislodgeable Pesticide Residues from Floors, Practice for, **D6333 (11.07)**
Pull box
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Pulled-in-place installation (of pipelines)
Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F2019 (08.04)**
Pull-in installation
Determining Allowable Tensile Load for Polyethylene (PE) Gas Pipe During Pull-In Installation, Practice for, **F1804 (08.04)**

--`,,`,,,`,`,,,,``````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pull-off strength
Pull-Off Adhesion Strength of Coatings on Concrete Using Portable Pull-Off Adhesion Testers, Test Method for, **D7234 (06.02)**
Pull-Off Strength for FRP Bonded to Concrete Substrate, Test Method for, **D7522/D7522M (15.03)**
Pull-out fixation strength
Metallic Bone Staples, Specification and Test Methods for, **F564 (13.01)**
Pullout testing
Constant Tensile Load Joint Test (CTLJT), Test Method for, **F1588 (08.04)**
Hydraulic Pullout Resistance of a Geomembrane with Locking Extensions Embedded in Concrete, Test Method for, **D7853 (04.13)**
Measuring Geosynthetic Pullout Resistance in Soil, Test Method for, **D6706 (04.13)**
Measuring Geosynthetic-Soil Resilient Interface Shear Stiffness, Test Method for, **D7499/D7499M (04.13)**
Pullout Resistance of Ties and Anchors Embedded in Masonry Mortar Joints, Test Method for, **E754 (04.11)**
Pullout Strength of Hardened Concrete, Test Method for, **C900 (04.02)**
Pull testing
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Field Pull Testing of an In-Place Exterior Insulation and Finish System Clad Wall Assembly, Test Method for, **E2359/E2359M (04.12)**
High Chairs, Consumer Safety Specification for, **F404 (15.11)**
Laboratory Determination of Rock Anchor Capacities by Pull and Drop Tests, Test Methods for, **D7401 (04.09)**
Measuring Adhesion of Organic Coatings to Plastic Substrates by Direct Tensile Testing, Test Method for, **D5179 (06.01)**
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**
Nondestructive Pull Testing of Wire Bonds, Practice for, **F458 (10.04)**
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Rock Bolt Anchor Pull Test, Test Method for, **D4435 (04.08)**
Rock Bolt Long-Term Load Retention Test, Test Method for, **D4436 (04.08)**
Pull testing—vacuum cleaner hose
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**
Pullularia pullulans **spores/hyphae**
Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, Test Method for, **D3274 (06.01)**
Pulp
Carbohydrate Distribution of Cellulosic Materials, Test Method for, **D5896 (06.03)**
Commercial Food Waste Pulper and Waterpress Assembly, Specification for, **F1150 (15.12)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**
Solubility of Cellulose in Sodium Hydroxide, Test Method for, **D1696 (06.03)**
Pulp—culture preparation
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**
Pulper (processor)
Food Waste Pulper Without Waterpress Assembly, Specification for, **F1899 (15.12)**
Pulping procedures
Acid-Insoluble Lignin in Wood, Test Method for, **D1106 (04.10)**
Pulpy juices
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**
Pulsatile fatigue
in vitro Pulsatile Durability Testing of Vascular Stents, Test Methods for, **F2477 (13.01)**
Pulsed ionization chamber
Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
Pulsed lasers
Sa **Lasers and laser applications**
Trace Uranium in Water by Pulsed-Laser Phosphorimetry, Test Method for, **D5174 (11.02)**
Pulsed neutron-radiation source
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Pulsed radiation
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Pulsed radiation effects tests
See **Radiation exposure—electronic components/devices**
Pulsed (solar) simulator
Solar Simulation for Photovoltaic Testing, Specification for, **E927 (12.02)**
Pulsed x-ray source
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**
Pulse-echo ultrasonic testing
Sa **Ultrasonic testing**
Detection and Evaluation of Discontinuities by Contact Pulse-Echo Straight-Beam Ultrasonic Methods, Guide for, **E1901 (03.03)**
Detection and Evaluation of Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves, Practice for, **E1001 (03.03)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Straight Beam Ultrasonic Examination of Rolled Steel Structural Shapes, Specification for, **A898/A898M (01.04)**
Ultrasonic Pulse-Echo Straight-Beam Contact Testing, Practice for, **E114 (03.03)**
Pulse Fourier-transform NMR (FT-NMR)
Sa **FTIR analysis**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**
Pulse generators
Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**
Pulse height
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Pulse-shape discrimination
Uranium in Drinking Water by High-Resolution Alpha-Liquid-Scintillation Spectrometry, Test Method for, **D6239 (11.02)**
Pulse testing
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Pulse Counting System Dead Time Determination by Measuring Isotopic Ratios with SIMS, Practice for, **E2426 (03.06)**

Pulse velocity
Laboratory Determination of Pulse Velocities and Ultrasonic Elastic Constants of Rock, Test Method for, **D2845 (04.08)**
Pulse Velocity Through Concrete, Test Method for, **C597 (04.02)**

Pulse-wave metal detector
Installation of Walk-Through Metal Detectors, Guide for, **C1238 (12.01)**

Pultruded plastic rod stock
Sa **Plastic glass-fiber-reinforced pultruded rod**
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**

Pultrusion
Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**

Pultrusion process
Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, Specification for, **F1092 (01.07)**

Pultrusion resin
Sa **Resins**
Curing Properties of Pultrusion Resins by Thermal Analysis, Test Method for, **D5028 (08.02)**

Pulverized coal
See **Coal products**

Pulverized lime
Sa **Hydrated lime—specifications**
Quicklime for Structural Purposes, Specification for, **C5 (04.01)**

Pumpability
Predicting the Borderline Pumping Temperature of Engine Oil, Test Method for, **D3829 (05.02)**

Pump delivery deodorants
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Pump dispensers
Sa **Mechanical pump dispensers**
Determining Spray Patterns of Mechanical Pump Dispensers, Practice for, **D4041/D4041M (15.10)**
Determining the Peak Force-to-Actuate of a Mechanical Pump Dispenser, Test Method for, **D6534 (15.10)**

Pumped sampling
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**

Pumping rate
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**

Pumping viscosity
Determination of Yield Stress and Apparent Viscosity of Used Engine Oils at Low Temperature, Test Method for, **D6896 (05.03)**

Pumps
Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, Test Method for, **D2809 (15.05)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Centrifugal Pump, Shipboard Use, Specification for, **F998 (01.07)**
Foaming Characteristics of Lubricating Oils, Test Method for, **D892 (05.01)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Measured Speed of Oil Diffusion Pumps, Test Method for, **E295 (15.03)**
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**
Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**
Rotary Positive Displacement Distillate Fuel Pumps, Specification for, **F1718 (01.07)**
Rotary Positive Displacement Pumps, Ships Use, Specification for, **F1510 (01.07)**
Sampling Zooplankton with Pumps, Practice for, **E1198 (11.02)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**

Punch setting
Low Melting Point Alloys, Specification for, **B774 (02.04)**

Punch tool
Shear Strength of Plastics by Punch Tool, Test Method for, **D732 (08.01)**

Punctuation
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**

Puncture
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
Protective Clothing Material Resistance to Hypodermic Needle Puncture, Test Method for, **F2878 (11.03)**
Protective Clothing Material Resistance to Puncture, Test Method for, **F1342/F1342M (11.03)**
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**

Puncture hazards
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**

Puncture testing
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Determination of Pyramid Puncture Resistance of Unprotected and Protected Geomembranes, Test Method for the, **D5494 (04.13)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
High Speed Puncture Properties of Plastic Films Using Load and Displacement Sensors, Test Method for, **D7192 (08.03)**
Index Puncture Resistance of Geomembranes and Related Products, Test Method for, **D4833/D4833M (04.13)**
Large Scale Hydrostatic Puncture Testing of Geosynthetics, Test Method for, **D5514/D5514M (04.13)**
Low Slope Insulated Roof Membrane Assembly Performance, Guide for, **D6630 (04.04)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Protective Clothing Material Resistance to Puncture, Test Method for, **F1342/F1342M (11.03)**
Protrusion Puncture Resistance of Stretch Wrap Film, Test Method for, **D5748 (15.10)**
Puncture Resistance of Materials Used in Containers for Discarded Medical Needles and Other Sharps, Specification for, **F2132 (13.01)**
Resistance to Puncture of Cushioned Resilient Floor Coverings, Test Method for, **F924 (15.04)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Rubber Insulating Gloves, Specification for, **D120 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Static Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5602/D5602M (04.04)**
Static Puncture Strength of Geotextiles and Geotextile-Related Products Using a 50-mm Probe, Test Method for the, **D6241 (04.13)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Pure black iron oxide
See **Iron oxide pigments—black (natural/synthetic)**

Pure chrome green
See **Chrome green pigment**

Pure moment test
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**

Purgeable organic matter content
See **Organic compounds—water**

Purgeable organic compounds
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
Purgeable Organic Compounds in Water Using Headspace Sampling, Test Method for, **D3871 (11.02)**

Purge joints
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**

Purge sampling
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Selection of Purging and Sampling Devices for Groundwater Monitoring Wells, Guide for, **D6634/D6634M (04.09)**

Purging methods
Purging Methods for Wells Used for Groundwater Quality Investigations, Guide for, **D6452 (04.09)**

Purification
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**

Purified water
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Purity analysis
Sa **Defects**
Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, Test Method for, **D4900 (15.04)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
Purity of 1,3-Propanediol (Gas Chromatographic Method), Test Method for, **D7515 (15.05)**
Purity of Carbon Dioxide Used in Supercritical Fluid Applications, Guide for, **E1747 (03.06)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Trace Metallic Impurities in High Purity Copper by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F2405 (10.04)**

Purity analysis—electronic materials/applications
Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, Test Method for, **F1593 (10.04)**
Trace Metallic Impurities in Electronic Grade Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1710 (10.04)**

Purity analysis—environmental applications
Encarsia formosa Gahan (*Hymenoptera:Aphelinidae*), Specification for, **E2199 (11.05)**
Composition or Purity of a Solid Waste Materials Stream, Test Method for, **E889 (11.04)**
Determination of Purity, Impurities, and Contaminants in Biological Drug Products, Guide for, **E1298 (14.02)**

Purity analysis—paints/related coatings/materials
Acetaldehyde, Specification for, **D4710 (06.04)**
Alcohol Content and Purity of Acetate Esters by Gas Chromatography, Test Method for, **D3545 (06.04)**
Analysis of, Test Method for, **D3797 (06.04)**
Analysis of AMS (α-Methylstyrene) by Capillary Gas Chromatography, Test Method for, **D6144 (06.04)**
Analysis of Benzene by Gas Chromatography, Test Method for, **D4492 (06.04)**
Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, Test Method for, **D5713 (06.04)**
Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, Test Method for, **D3760 (06.04)**
Ethyl Methyl Pentanol Content and Purity Value of 2-Ethylhexanol By Gas Chromatography, Test Method for, **D5008 (06.04)**
Methyl Acrylate, Specification for, **D4709 (06.04)**
Purity of Aldehydes and Ketones, Test Method for, **D2192 (06.04)**
Purity of Isophorone by Capillary Gas Chromatography, Test Method for, **D7090 (06.04)**
Purity of Methyl Amyl Ketone and Methyl Isoamyl Ketone by Gas Chromatography, Test Method for, **D3893 (06.04)**
Purity of Methyl Ethyl Ketone By Gas Chromatography, Test Method for, **D2804 (06.04)**
Purity of Methyl Isobutyl Ketone by Gas Chromatography, Test Method for, **D3329 (06.04)**
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**

Purity analysis—petroleum products
Analysis of Methyl Tert-Butyl Ether (MTBE) by Gas Chromatography, Test Method for, **D5441 (05.02)**
Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, Test Method for, **D5453 (05.02)**
Fuel System Icing Inhibitors, Specification for, **D4171 (05.02)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**

Purity analysis—plastics
Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, Test Methods for, **D4659 (08.02)**
Purity of Monomeric Plasticizers by Gas Chromatography, Test Method for, **D3465 (08.02)**

Purity analysis—rubber materials
Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, Test Method for, **D4936 (09.01)**
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rubber Chemical Accelerator—Purity by High Performance Liquid Chromatography, Test Methods for, **D5297 (09.01)**
Rubber Chemical Antidegradants—Purity of, Test Method for, **D5666 (09.01)**
Rubber Compounding Materials—Benzothiazyl Disulfide (MBTS)—Assay, Test Method for, **D5051 (09.01)**
Purity analysis—water
Sampling Steam, Practice for, **D1066 (11.01)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**
Pusey & Jones plastometer
Rubber Property—Pusey and Jones Indentation, Test Method for, **D531 (09.01)**
Push pull handling
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Push test
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**
Putrefaction
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**
Putting greens
Organic Matter Content of Athletic Field Rootzone Mixes, Test Methods for, **F1647 (15.07)**
Particle Size Analysis and Sand Shape Grading of Golf Course Putting Green and Sports Field Rootzone Mixes, Test Method for, **F1632 (15.07)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**
PVC
Chlorinated Poly(Vinyl Chloride)/Aluminum/Chlorinated Poly(Vinyl Chloride) (CPVC-AL-CPVC) Composite Pressure Tubing, Specification for, **F2855 (08.04)**
Determination of Low Level, Regulated Phthalates in Poly (Vinyl Chloride) Plastics by Thermal Desorption—Gas Chromatography/Mass Chromatography, Test Method for, **D7823 (08.03)**
Determining Chemical Compatibility of Substances in Contact with Thermoplastic Pipe and Fittings Materials, Test Method for, **F2331 (08.04)**
Poly (Vinyl Chloride) (PVC) Gas Pressure Pipe and Fittings For Maintenance or Repair, Specification for, **F2817 (08.04)**
PVC Hub and Elastomeric Seal (Gasket) Tee Connection for Joining Plastic Pipe to Insitu Pipelines and Manholes, Specification for, **F2946 (08.04)**
Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), Specification for, **D7445 (08.03)**
Segmental Panel System for the Grout-in-Place-Liner (GIPL) Rehabilitation Method of Existing Man-Entry Size Sewers, Culverts, and Conduits, Specification for, **F2984 (08.04)**
Tufted and Woven Broadloom Carpet Adhesives Without Homogenous PVC or Non-PVC Backings, Specification for, **D7799 (15.06)**
PVC fence materials
See **Poly(vinyl chloride)(PVC) fence materials—specifications**
PVCO pipe
Oriented Poly(Vinyl Chloride), PVCO, Pressure Pipe, Specification for, **F1483 (08.04)**
PVC profile strip/liner
See **Poly(vinyl chloride)(PVC) profile strip/liner**
PVC resins
See **Poly(vinyl chloride)(PVC) resins**
PVC valves
Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**
PVDF (poly(vinylidene fluoride))
See **Poly(vinylidene fluoride)(PVDF)**
P-wave speed
Measuring the P-Wave Speed and the Thickness of Concrete Plates Using the Impact-Echo Method, Test Method for, **C1383 (04.02)**
Pycnometer/pycnometry
Density (Relative Density) of Solid Pitch (Pycnometer Method), Test Method for, **D2320 (05.01)**
Density of Semi-Solid Bituminous Materials (Pycnometer Method), Test Method for, **D70 (04.03)**
Metal Powder Skeletal Density by Helium or Nitrogen Pycnometry, Test Method for, **B923 (02.05)**
Open Cell Content of Rigid Cellular Plastics, Test Method for, **D6226 (08.03)**
Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, Test Methods for, **D4659 (08.02)**
Polyurethane Raw Materials: Determination of Specific Gravity of Polyols, Test Method for, **D4669 (08.02)**
Specific Gravity and Density of Halogenated Organic, Test Methods for, **D2111 (15.05)**
Specific Gravity of Coating Powders, Test Methods for, **D5965 (06.02)**
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**
Specific Gravity of Soil Solids by Water Pycnometer, Test Methods for, **D854 (04.08)**
Pyramidal influx/efflux distribution
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Pyramid method
Determination of Pyramid Puncture Resistance of Unprotected and Protected Geomembranes, Test Method for the, **D5494 (04.13)**
Pyranometer equipment/method
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Field Use of Pyranometers, Pyrheliometers and UV Radiometers, Practice for, **G183 (14.04)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Indoor Transfer of Calibration from Reference to Field Pyranometers, Test Method for, **G207 (14.04)**
Measuring Solar Reflectance of Horizontal and Low-Sloped Surfaces in the Field, Test Method for, **E1918 (04.04)**
Solar Energy Transmittance and Reflectance (Terrestrial) of Sheet Materials, Test Methods for, **E424 (12.02)**
Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, Test Method for, **E1084 (12.02)**
Transfer of Calibration From Reference to Field Radiometers, Test Method for, **E824 (14.04)**
Pyrene
Determination of Benzo-α-Pyrene (BaP) Content in Carbon Black, Test Method for, **D7771 (09.01)**
Pyrethrins
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Pyrheliometers
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Calibration of Pyrheliometers by Comparison to Reference Pyrheliometers, Test Method for, **E816 (14.04)**
Field Use of Pyranometers, Pyrheliometers and UV Radiometers, Practice for, **G183 (14.04)**
Performing Outdoor Accelerated Weathering Tests of Plastics Us-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ing Concentrated Sunlight, Practice for, **D4364 (08.02)**
Pyridine
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Pyridine Bases in Cresylic Acid by Direct Titration, Test Method for, **D4471 (06.04)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**
Pyridine-barbaturic acid
Cyanogen Chloride in Water, Test Method for, **D4165 (11.02)**
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**
1-(2-Pyridyl)piperazine
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Workplace Atmospheres (1-2 PP Method), Test Method for, **D5836 (11.07)**
Pyritic sulfur content
Forms of Sulfur in Coal, Test Method for, **D2492 (05.06)**
Pyrohydrolysis ion-selective electrode method
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Pyrohydrolytic processing
Determination of Total Chlorine and Fluorine in Uranium Dioxide and Gadolinium Oxide, Test Method for, **C1502 (12.01)**
Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, Test Method for, **D5987 (05.06)**
Pyrolitic coatings
Pyrolytic and Vacuum Deposition Coatings on Flat Glass, Specification for, **C1376 (15.02)**
Pyrolysis
Conradson Carbon Residue of Petroleum Products, Test Method for, **D189 (05.01)**
Determination of Elements by Graphite Furnace Atomic Absorption Spectrometry, Practice for, **E1184 (03.05)**
Determination of High Temperature Deposits by Thermo-Oxidation Engine Oil Simulation Test, Test Method for, **D6335 (05.03)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Pyrolysis Liquid Biofuel, Specification for, **D7544 (05.04)**
Pyrolysis Solids Content in Pyrolysis Liquids by Filtration of Solids in Methanol, Test Method for, **D7579 (05.04)**
Ramsbottom Carbon Residue of Petroleum Products, Test Method for, **D524 (05.01)**
Total Chemically Bound Nitrogen in Water by Pyrolysis and Chemiluminescence Detection, Test Method for, **D5176 (11.02)**
Pyrolysis gas chromatography (PGC)
Sa **Gas chromatography (GC)**
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Rubber—Identification by Pyrolysis-Gas Chromatography, Practice for, **D3452 (09.01)**
Pyrolysis products
Pyrolysis Solids Content in Pyrolysis Liquids by Filtration of Solids in Methanol, Test Method for, **D7579 (05.04)**
Rubber Chemicals—Determination of Infrared Absorption Characteristics, Practice for, **D2702 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**
Pyrolysis temperature
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Pyrometer
Calibration of Refractory Metal Thermocouples Using a Radiation Thermometer, Test Method for, **E452 (14.03)**
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**
Fusibility of Refuse-Derived Fuel (RDF) Ash, Test Method for, **E953/E953M (11.04)**
Pyrometric cone equivalent (PCE)
Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials, Test Method for, **C24 (15.01)**
Pyrophoricity
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**
Pyrophosphate (potentiometric) method
Determination of Manganese in Manganese Ores by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, Test Method for, **E248 (03.05)**
Pyrophyllite
See **Magnesium silicate pigment**
Pyrosulfate fusion
The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, Test Method for, **C1205 (12.01)**
Pyrotechnic reactions
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**

Q

QCM thermogravimetric analysis (QTGA)
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
QST process
High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), Specification for, **A913/A913M (01.04)**
Q-system (NGI)
Using Rock-Mass Classification Systems for Engineering Purposes, Guides for, **D5878 (04.09)**
Quadrupole inductively-coupled plasma spectrochemical analysis
Analysis of Isotopic Composition of Uranium in Nuclear-Grade Fuel Material by Quadrupole Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1474 (12.01)**
Quahog
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Qualifications
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Evaluating Elevated Temperature Performance of End-Jointed Lumber Studs, Practice for, **D7470 (04.10)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Minimum Requirements for Agencies Testing and Inspecting

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Road and Paving Materials, Specification for, **D3666 (04.03)**
Qualification and Training of EMS Air Medical Patient Care Providers, Guide for, **F1229 (13.02)**
Qualification of Polyethylene Saddle-Fused Joints, Practice for, **F905 (08.04)**
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Selection, Assignment, and Monitoring of Persons To Be Utilized as Assessors/Auditors or Technical Experts, Guide for, **E2159 (14.02)**
the Selection, Training and Qualification of Nondestructive Assay (NDA) Personnel, Guide for, **C1490 (12.01)**

Qualifications—nuclear facilities
Determining Coating Contractor Qualifications for Nuclear Powered Electric Generation Facilities, Practice for, **D4286 (06.02)**
Establishing Procedures to Qualify and Certify Personnel Performing Coating and Lining Work Inspection in Nuclear Facilities, Guide for, **D4537 (06.02)**
Qualification of Coating Applicators for Application of Coatings to Concrete Surfaces, Practice for, **D4227 (06.02)**
Qualification of Coating Applicators for Application of Coatings to Steel Surfaces, Practice for, **D4228 (06.02)**
Qualification of Laboratory Analysts for the Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1297 (12.01)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**

Qualification signal
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**

Qualification testing
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**

Qualifying designs
Condition 3 Bicycle Forks, Specification for, **F2274 (15.07)**

Qualitative analysis/measurement
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Measurement of Behavior During Fish Toxicity Tests, Guide for, **E1711 (11.06)**
Near Infrared Qualitative Analysis, Practice for, **E1790 (03.06)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**
Qualitative Observations of Skimmer Performance, Guide for, **F2008 (11.05)**
Qualitative Tests for the Presence of Water Repellents and Preservatives in Wood Products, Test Method for, **D2921 (06.02)**
Sampling Seized Drugs for Qualitative and Quantitative Analysis, Guide for, **E2548 (14.02)**
Statistical Evaluation of Atmospheric Dispersion Model Performance, Guide for, **D6589 (11.07)**

Qualitative chemical spot test
Risk-Based Corrective Action Applied at Petroleum Release Sites, Guide for, **E1739 (11.05)**

Qualitative infrared analysis
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**

Quality
Compliance with Light Sport Aircraft Standards, Guide for, **F2930 (15.11)**
Measurement Systems Analysis (MSA), Guide for, **E2782 (14.02)**
Self-Assessment of Quality System Practices in Petroleum Products and Lubricant Testing Laboratories, Guide for, **D7776 (05.04)**
Single- and Multi-Level Continuous Sampling of a Stream of Product by Attributes Indexed by AQL, Practice for, **E2819 (14.02)**

Quality assurance (QA)
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**
Artists' Colored Pencils, Specification for, **D6901 (06.02)**
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Continuity of Quality of Electrical Insulating Polybutene Oil for Capacitors, Specification for, **D2296 (10.03)**
Establishing the Competence of Laboratories Using ASTM Procedures in the Sampling and Analysis of Coal and Coke, Practice for, **D7448 (05.06)**
Evaluating the Quality of Molded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings by the Heat Reversion Technique, Test Method for, **F610/F610M (08.04)**
Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components, Practice for, **E699 (14.02)**
Field Quality Assurance in a Ground-water Sampling Event, Guide for, **D7069 (04.09)**
Light Sport Aircraft Manufacturer's Quality Assurance System, Specification for, **F2972 (15.11)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Manufacturer Quality Assurance Program for Light Sport Gyroplane Aircraft, Specification for, **F2449 (15.11)**
Manufacturer Quality Assurance Program for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2353 (15.11)**
Measuring Deflections using a Portable Impulse Plate Load Test Device, Test Method for, **E2835 (04.03)**
Peel Adhesion of Pressure-Sensitive Label Stocks at a 90 Angle, Test Method for, **D6252/D6252M (15.10)**
Quality Assurance in the Manufacture of Light Unmanned Aircraft System, Practice for, **F2512 (15.11)**
Quality Assurance in Translation, Guide for, **F2575 (15.11)**
Quality Assurance Observation of Roof Construction and Repair, Practice for, **D7186 (04.04)**
Quality Assurance of a Small Unmanned Aircraft System (sUAS), Specification for, **F3003 (15.11)**
Quality Assurance of Laboratories Performing Seized-Drug Analysis, Practice for, **E2327 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Quality Assurance of Mortars, Guide for, **C1586 (04.05)**
Quality Assurance of Pressure-Sensitive Tapes, Practice for, **D3715/D3715M (15.10)**
Quality Assurance Protocols for Chemical Analysis of Atmospheric Wet Deposition, Guide for, **D6328 (11.07)**
Quality Control and Quality Assurance Procedures for Aromatic Hydrocarbons and Related Materials, Guide for, **D6809 (06.04)**
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Specification and Quality Assurance for the Electrical Contact Performance of Crimped Wire Terminations, Guide for, **B942 (02.04)**
System-Based, Customer-Centered Quality Plan for Manufacturers, Guide for, **F2688 (01.08)**
Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, Test Method for, **C1273 (15.01)**

Quality assurance (QA)—coatings/linings
Quality Assurance for Protective Coatings Applied to Nuclear Facilities, Practice for, **D3843 (06.02)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**

Quality assurance (QA)—consumer materials/applications
Manufacturer Quality Assurance Program for Powered Parachute Aircraft, Specification for, **F2240 (15.11)**
Quality Assurance in the Manufacture of Fixed Wing Light Sport Aircraft, Practice for, **F2279 (15.11)**
Quality, Manufacture, and Construction of Amusement Rides and Devices, Practice for, **F1193 (15.07)**

Quality assurance (QA)—environmental
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**
Developing and Evaluating Ground-Water Modeling Codes, Guide for, **D6025 (04.09)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, Practice for, **D5283 (11.04)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**
Treestand Manufacturer Quality Assurance Program, Practice for, **F2275 (15.07)**

Quality assurance (QA)—medical services
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Identification and Establishment of a Quality Assurance Program for Medical Transcription, Guide for, **E2117 (14.01)**

Quality assurance (QA)—metals
Conducting Proficiency Tests in the Chemical Analysis of Metals, Ores, and Related Materials, Practice for, **E2027 (03.05)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**

Quality assurance(QA)—nuclear
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Establishing a Quality Assurance Program for Uranium Conversion Facilities, Guide for, **C1188 (12.01)**
Establishing and Maintaining a Quality Assurance Program for Analytical Laboratories Within the Nuclear Industry, Guide for, **C1009 (12.01)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**

Quality assurance (QA)—petroleum products/applications
Applying Statistical Quality Assurance and Control Charting Techniques to Evaluate Analytical Measurement System Performance, Practice for, **D6299 (05.03)**
Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, Test Method for, **D6839 (05.03)**
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**

Quality by design (QbD)
Process Understanding Related to Pharmaceutical Manufacture and Control, Guide for, **E2475 (14.02)**

Quality conformance (federal)
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**

Quality constituent measuring devices
Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, Specification for, **F2342/F2342M (15.12)**

Quality control (QC)
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Carbon Black—Calculation of Process Indexes From an Analysis of Process Control Data, Practice for, **D4583 (09.01)**
Demonstrating Capability to Comply with an Acceptance Procedure, Practice for, **E2709 (14.02)**
Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, Test Method for, **F1277 (09.02)**
Determining the Site Precision of a Process Stream Analyzer on Process Stream Material, Practice for, **D7808 (05.04)**
Establishing Shipbuilding Quality Requirements for Hull Structure, Outfitting, and Coatings, Practice for, **F2016 (01.07)**
Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, Practice for, **D5283 (11.04)**
Inspection of Marine Surface Preparation and Coating Application, Practice for, **F941 (01.07)**
Life and Reliability Testing Based on the Exponential Distribution, Practice for, **E2696 (14.02)**
Manufacturing Quality Control of Consumer Trampoline Bed Material, Practice for, **F2774 (15.07)**
Measurement Systems Analysis (MSA), Guide for, **E2782 (14.02)**
Pile Fabric Abrasion, Test Method for, **D4685 (07.02)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**
Preferred Methods for Acceptance of Product, Guide for, **E2910 (14.02)**
Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts, Practice for, **E2534 (03.03)**
Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, Practice for, **D6796 (05.06)**
Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, Practices for, **F1154 (11.03)**
Quality Control of Psychophysiological Detection of Deception (Polygraph) Examinations, Practice for, **E2031 (14.02)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**
Selection of Spacecraft Materials, Practice for the, **E1997 (15.03)**
Single- and Multi-Level Continuous Sampling of a Stream of Product by Attributes Indexed by AQL, Practice for, **E2819 (14.02)**
Statistical Analysis of One-Sample and Two-Sample Interlaboratory Proficiency Testing Programs, Practice for, **E2489 (14.02)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**

Quality control (QC)—adhesives
90 Degree Peel Resistance of Adhesives, Test Method for, **D6862 (15.06)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**

Quality control (QC)—cement/concrete/masonry/aggregates
Accreditation of Testing Agencies for Masonry, Practice for, **C1093 (04.05)**
Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, Practice for, **C1077 (04.02)**
Hydraulic Activity of Slag Cement by Reaction with Alkali, Test Method for, **C1073 (04.02)**
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, Practice for, **D4561 (04.03)**
Sampling and the Amount of Testing of Hydraulic Cement, Practice for, **C183 (04.01)**

Quality control (QC)—insulation (electrical)
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Sampling and Judging Quality of Solid Electrical Insulating Materials, Practice for, **D3636 (10.02)**

Quality control (QC)—insulation (thermal)
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**

Quality control (QC)—metals
Accountability and Quality Control in the Chemical Analysis Laboratory, Guide for, **E882 (03.05)**
Attribute Sampling of Metallic and Inorganic Coatings, Test Method for, **B602 (02.05)**
Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Quality control (QC)—nondestructive testing
Acoustic Emission Examination of Small Parts, Guide for, **E1932 (03.03)**
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**

Quality control (QC)—nuclear
Establishing a Measurement System Quality Control Program for Analytical Chemistry Laboratories Within the Nuclear Industry, Guide for, **C1210 (12.01)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**

Quality control (QC)—paints/related coatings/materials
Attribute Sampling of Metallic and Inorganic Coatings, Test Method for, **B602 (02.05)**
Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, Practice for, **F940 (01.07)**
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**

Quality control (QC)—petroleum products/applications
Phosphorus in Lubricating Oils and Additives, Test Methods for, **D1091 (05.01)**
Quality Control and Quality Assurance Procedures for Aromatic Hydrocarbons and Related Materials, Guide for, **D6809 (06.04)**
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**
Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, Practice for, **D6849 (05.03)**
Toluene-Insoluble (TI) Content of Tar and Pitch, Test Method for, **D4072 (05.02)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**

Quality control (QC)—plastics
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, Test Method for, **D4670 (08.02)**
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**
Polyurethane Raw Materials: Determination of Unsaturation of Polyols, Test Methods for, **D4671 (08.02)**
Polyurethane Raw Materials: Determination of Water Content of Polyols, Test Method for, **D4672 (08.02)**
Relative Rigidity of Poly(Vinyl Chloride)(PVC) Siding, Test Method for, **D6777 (08.03)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**

Quality control (QC)—radiographic testing
Controlling Quality of Radiological Examination of Electronic Devices, Practice for, **E801 (03.03)**
Controlling the Quality of Industrial Radiographic Film Processing, Guide for, **E999 (03.03)**
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Determining Image Quality in Direct Thermal Neutron Radio-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

graphic Examination, Test Method for, **E545 (03.03)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**
Storage of Radiographs and Unexposed Industrial Radiographic Films, Guide for, **E1254 (03.03)**

Quality control (QC)—rubber
Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, Test Method for, **D4573 (09.01)**
Rubber Chemicals—Wet Sieve Analysis of Sulfur, Test Method for, **D4572 (09.01)**
Rubber Compounding Materials—Determination of Ash Content, Test Methods for, **D4574 (09.01)**
Rubber Compounding Materials—Determination of Volatile Material, Test Methods for, **D4571 (09.01)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Use of Scrap Tire-Derived Fuel, Practice for, **D6700 (11.04)**

Quality control (QC)—soil/related materials
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Density (Unit Weight), Yield, Cement Content, and Air Content (Gravimetric) of Controlled Low-Strength Material (CLSM), Test Method for, **D6023 (04.09)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
Geomembrane Seam Evaluation by Vacuum Chamber, Practice for, **D5641 (04.13)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Quality Control of Geosynthetic Clay Liners, Practice for, **D5889 (04.13)**
Sampling Freshly Mixed Controlled Low-Strength Material, Practice for, **D5971/D5971M (04.09)**
X-Ray Radiography of Soil Samples, Practice for, **D4452 (04.08)**

Quality control (QC)—water
Certificates of Reference Materials for Water Analysis, Practice for, **D6362 (11.01)**
Competency Requirements of Reference Material Producers for Water Analysis, Practice for, **D6808 (11.01)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Developing and Evaluating Ground-Water Modeling Codes, Guide for, **D6025 (04.09)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
QC of Screening Methods in Water, Guide for, **D6850 (11.02)**
Quality Planning and Field Implementation of a Water Quality Measurement Program, Guide for, **D5612 (11.01)**
Sampling Steam, Practice for, **D1066 (11.01)**
Silica in Water, Test Method for, **D859 (11.01)**
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Writing Quality Control Specifications for Standard Test Methods for Water Analysis, Practice for, **D5847 (11.02)**

Quality control (QC) specifications
Writing Quality Control Specifications for Standard Test Methods for Water Analysis, Practice for, **D5847 (11.02)**

Quality disputes
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**

Quality index (QI) calculation
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**

Quantified data
Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, Practice for, **D6708 (05.03)**

Quantitation estimate
Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, Guide for, **D4128 (11.02)**
Interlaboratory Quantitation Estimate, Practice for, **D6512 (11.01)**
Performing Detection and Quantitation Estimation and Data Assessment Utilizing DQCALC Software, based on ASTM Practices D6091 and D6512 of Committee D19 on Water, Practice for, **D7510 (11.01)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**

Quantitative analysis/measurement
Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, Test Method for, **F2149 (13.01)**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Determination of Elemental Content of Polyolefins by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D6247 (08.03)**
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**
Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, Test Method for, **C1525 (15.01)**
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Evaluation of the Effect of Nanoparticulate Materials on the Formation of Mouse Granulocyte-Macrophage Colonies, Test Method for, **E2525 (14.02)**
Extracting Residue from Metallic Medical Components and Quantifying via Gravimetric Analysis, Test Method for, **F2459 (13.01)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
General Techniques of Infrared Quantitative Analysis, Practices for, **E168 (03.06)**
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**
General Techniques of Ultraviolet-Visible Quantitative Analysis, Practices for, **E169 (03.06)**
Infrared Multivariate Quantitative Analysis, Practices for, **E1655 (03.06)**
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**
Qualifying Spectrometers and Spectrophotometers for Use in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, Test Method for, **F1894 (10.04)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Quantitative Attribute Evaluation of Fragrance/Odors for Shampoos and Hair Conditioners by Trained Assessors, Guide for, **E2049 (15.08)**
Quantitative Determination of Alkali Resistance of a Ceramic-Glass Enamel, Test Method for, **C1203 (15.02)**
Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, Test Method for, **C1356 (04.01)**
Quantitative Extraction of Bitumen From Bituminous Paving Mixtures, Test Methods for, **D2172/D2172M (04.03)**
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, Test Method for, **C1171 (15.01)**
Requirements for Psychophysiological Detection of Deception (PDD) Examiners, Guide for, **E2065 (14.02)**
Sampling Seized Drugs for Qualitative and Quantitative Analysis, Guide for, **E2548 (14.02)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**
Statistical Evaluation of Atmospheric Dispersion Model Performance, Guide for, **D6589 (11.07)**
Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, Test Method for, **E2143 (03.06)**
Water Content of Paints by Quantitative Calcium Hydride Reaction Test Kit, Test Method for, **D7358 (06.01)**

Quantitative analysis/measurement—environmental
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, Guide for, **D6642 (04.09)**
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Measurement of Behavior During Fish Toxicity Tests, Guide for, **E1711 (11.06)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**

Quantitative analysis/measurement—rubber
Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density, Test Method for, **D6814 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**

Quantitative analysis/measurement—water
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**
Measurement of Behavior During Fish Toxicity Tests, Guide for, **E1711 (11.06)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Use of Test Kits to Measure Inorganic Constituents in Water, Guide for, **D5463 (11.01)**

Quantitative antibacterial assay
Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, Test Method for, **E2180 (11.05)**

Quantitative Petri Plate Method (QPM)
Quantitative Petri Plate Method (QPM) for Determining the Effectiveness of Antimicrobial Towelettes, Test Method for, **E2896 (11.05)**

Quantization noise analysis
Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, Guide for, **E1942 (03.01)**

Quantum yields
Fluorescence—Instrument Calibration and Qualification, Guide for, **E2719 (03.06)**

Quarantine
Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, Guide for, **F1355 (12.02)**

Quaried stone
Specifying Standard Sizes of Stone for Erosion Control, Practice for, **D6092 (04.09)**

Quarter bends
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**

Quarter-car simulation model
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**

Quartering samples
Sampling Vegetable Materials Containing Tannin, Practice for, **D6404 (15.04)**

Quarter-point loading beam
Flexural Modulus of Elasticity of Dimension Stone, Test Method for, **C1352/C1352M (04.07)**

Quarter-scale room fire test
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**

Quartz
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**

Quartz-based dimension stone
Quartz-Based Dimension Stone, Specification for, **C616/C616M (04.07)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**

Quartz combustion tube
Nitrogen in Petroleum and Petroleum Products by Boat-Inlet Chemiluminescence, Test Method for, **D5762 (05.02)**

Quartz crucible procedure
Volatile Matter in Green Petroleum Coke Quartz Crucible Procedure, Test Method for, **D6374 (05.03)**

Quartz crystal microbalances (QCM)
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
QCM Measurement of Spacecraft Molecular Contamination in Space, Practice for, **E2311 (15.03)**
Thermal Oxidative Stability Measurement via Quartz Crystal Microbalance, Practice for, **D7739 (05.04)**

Quartz dust
Sa **Dust**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**

Quartz powder
Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, Test Method for, **C1069 (15.02)**

Quartz powder—particle size distribution
Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, Test Method for, **C1070 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **C958 (15.02)**
Particle Size Distribution of Alumina or Quartz Powders by Electrical Sensing Zone Technique, Test Method for, **C690 (15.02)**
Precision Electroformed Wet Sieve Analysis of Nonplastic Ceramic Powders, Guide for, **C925 (15.02)**

Quasi-static indentation force
Damage Resistance Testing of Sandwich Constructions, Practice for, **D7766/D7766M (15.03)**
Separation of Contaminants in Polymers Using an Extruder Filter Test, Practice for, **D6265 (08.03)**

Quasi-static release moments
Measuring the Quasi-Static Release Moments of Alpine Ski Bindings, Test Method for, **F504 (15.07)**

Quaternary-ammonia compounds
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, Test Method for, **D5070 (15.04)**

Quaternary ammonium compounds
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**

Québec standard screening test
Classification of Asbestos by Quebec Standard Test, Test Method for, **D3639/D3639M (04.05)**

Quenchants
Determination of Cooling Characteristics of Aqueous Polymer Quenchants by Cooling Curve Analysis with Agitation (Tensi Method), Test Method for, **D6482 (05.03)**
Determination of Cooling Characteristics of Quenchants by Cooling Curve Analysis with Agitation (Drayton Unit), Test Method for, **D6549 (05.03)**

Quenched and tempered steels (specifications)
High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), Specification for, **A913/A913M (01.04)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
High-Strength Quenched and Tempered Low-Alloy Steel Forged Parts for Pressure Vessels, Specification for, **A592/A592M (01.05)**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**
Pressure Vessel Plates, Alloy Steel and High-Strength Low-Alloy Steel, Quenched-and-Tempered, Specification for, **A734/A734M (01.04)**
Pressure Vessel Plates, Alloy Steel, High-Strength, Quenched and Tempered, Specification for, **A517/A517M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered 8 and 9 % Nickel, Specification for, **A553/A553M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Nickel-Chromium-Molybdenum, Specification for, **A543/A543M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, Specification for, **A533/A533M (01.04)**
Pressure Vessel Plates, Alloy Steel, Quenched-and-Tempered, Chromium-Molybdenum, and Chromium-Molybdenum-Vanadium, Specification for, **A542/A542M (01.04)**
Quenched and Tempered Carbon and Alloy Steel Forgings for Pressure Vessel Components, Specification for, **A541/A541M (01.05)**
Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, Specification for, **A508/A508M (01.05)**
Steel Plates, 9% Nickel Alloy, for Pressure Vessels, Produced by the Direct-Quenching Process, Specification for, **A844/A844M (01.04)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

Quenching
Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, Test Method for, **C1525 (15.01)**
Electrodeposited Coatings of Copper Plus Nickel Plus, Specification for, **B456 (02.05)**
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Evaluation of Inactivators of Antimicrobial Agents, Test Methods for, **E1054 (11.05)**

Quenching oils
Determination of Cooling Characteristics of Quench Oils by Cooling Curve Analysis, Test Method for, **D6200 (05.03)**
Evaluation of Hydrocarbon-Based Quench Oil, Guide for, **D6710 (05.03)**

Questioned documents
Examination of Documents Produced with Toner Technology, Guide for, **E2390 (14.02)**
Examination of Dry Seal Impressions, Guide for, **E2286 (14.02)**
Examination of Fracture Patterns and Paper Fiber Impressions on Single-Strike Film Ribbons and Typed Text, Guide for, **E2287 (14.02)**
Examination of Handwritten Items, Guide for, **E2290 (14.02)**
Examination of Mechanical Checkwriter Impressions, Guide for, **E2285 (14.02)**
Examination of Rubber Stamp Impressions, Guide for, **E2289 (14.02)**
Examination of Typewritten Items, Guide for, **E2494 (14.02)**
Minimum Training Requirements for Forensic Document Examiners, Guide for, **E2388 (14.02)**
Physical Match of Paper Cuts, Tears, and Perforations in Forensic Document Examinations, Guide for, **E2288 (14.02)**
Preservation of Charred Documents, Guide for, **E2710 (14.02)**
Scope of Work of Forensic Document Examiners, Guide for, **E444 (14.02)**

Quick-change valves
Hand-Operated, Globe-Style Valves for Gas (Except Oxygen Gas) and Hydraulic Systems, Specification for, **F1794 (01.07)**

Quick chemical test
Potential Alkali-Silica Reactivity of Aggregates (Chemical Method), Test Method for, **C289 (04.02)**

Quick disconnect couplings
Quick Disconnect Couplings (6 in. NPS and Smaller), Specification for, **F1122 (01.07)**

Quicklime
Sa **Hydrated lime—specifications**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Quicklime and Hydrated Lime for Neutralization of Waste Acid, Test Methods for, **C400 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**
X-ray Spectrometric Analysis of Lime and Limestone, Test Method for, **C1271 (04.01)**

Quicklime—specifications
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Quicklime and Hydrated Lime for Soil Stabilization, Specification for, **C977 (04.01)**
Quicklime for Structural Purposes, Specification for, **C5 (04.01)**
Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses, Specification for, **C911 (04.01)**

Quinhydrone
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Quinine sulfate detection
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Linearity of Fluorescence Measuring Systems, Test Method for, **E578 (03.06)**
Quinoline
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**
Quinoline insolubles (QI)
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Quinoline-Insoluble (QI) Content of Tar and Pitch, Test Method for, **D2318 (05.01)**
Quinoline-Insoluble (QI) Content of Tar and Pitch by Stainless Steel Crucible Filtration, Test Method for, **D7280 (05.04)**
Quinoline phosphomolybdate method
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Phosphorus in Lubricating Oils and Additives by Quinoline Phosphomolybdate Method, Test Method for, **D4047 (05.02)**
Quinoline-Insoluble (QI) Content of Tar and Pitch, Test Method for, **D2318 (05.01)**
***Q* value**
AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, Test Methods for, **D150 (10.01)**
Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors, Specification for, **D748 (10.01)**
Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, Test Method for, **D3380 (10.02)**
QXRD (quantitative x-ray diffraction) analysis
Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**

R

RA 330 alloy
Sa **UNS N08330 (Ni-Fe-Cr alloy, RA 330)**
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Rabbit RBC (red blood cells)
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Rabbits
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Assessment of Hemolytic Properties of Materials, Practice for, **F756 (13.01)**
Evaluating Material Extracts by Intracutaneous Injection in the Rabbit, Practice for, **F749 (13.01)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**
Testing Biomaterials in Rabbits for Primary Skin Irritation, Practice for, **F719 (13.01)**
Raceway
Enumeration of Halophilic and Proteolytic Bacteria in Raceway Brine, Brine-Cured Hides and Skins, Test Method for, **D7816 (15.04)**
Enumeration of Yeast and Mold in Raceway Brine, Brine-Cured Hides and Skins, Test Method for, **D7817 (15.04)**
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Racing
Helmets Used for Downhill Mountain Bicycle Racing, Specification for, **F1952 (15.07)**
Reins Used in Thoroughbred and Quarter Horse Racing, Specification for, **F2842 (15.07)**
Rack conveyor dishwashing machine
Performance of Rack Conveyor, Commercial Dishwashing Machines, Test Method for, **F1920 (15.12)**
Racket sports equipment
Eye Protectors for Selected Sports, Specification for, **F803 (15.07)**
Racking load test
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Racking rods
Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, Test Method for, **F2522 (10.03)**
Rackless conveyor commercial dishwashing machine
Sa **Dishwashing equipment (commercial)**
Hot Water Sanitizing Commercial Dishwashing Machines, Multiple Tank, Rackless Conveyor Type, Specification for, **F860 (15.12)**
Rack oven
Performance of Rack Ovens, Test Method for, **F2093 (15.12)**
Racks
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**
Rack test (door)
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Radar
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, Test Method for, **D6087 (04.03)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**
Radial crushing
Radial Crushing Strength, *K*, of Powder Metallurgy (PM) Bearings and Structural Materials, Test Method for, **B939 (02.05)**
Radial crushing force
Sa **Tensile properties/testing**
Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B438 (02.05)**
Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B439 (02.05)**
Radial Crush Strength of Extruded Catalyst and Catalyst Carrier Particles, Test Method for, **D6175 (05.05)**
Radial Crushing Strength, *K*, of Powder Metallurgy (PM) Bearings and Structural Materials, Test Method for, **B939 (02.05)**
Radial flow test
Determining the (In-Plane) Hydraulic Transmissivity of a Geosynthetic by Radial Flow, Test Method for, **D6574/D6574M (04.13)**
Radial hydride orientation
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**
Radial jacking test
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Radial loading
Finite Element Analysis (FEA) of Metallic Vascular Stents Subjected to Uniform Radial Loading, Guide for, **F2514 (13.02)**
Radial piston pump
Performance Evaluation of Hydraulic Fluids for Piston Pumps, Guide for, **D6813 (05.03)**
Radial rings
Bearing, Roller, Needle: Thick Outer Ring With Rollers and Cage, Specification for, **F2246 (01.08)**
Radial shrinkage
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Radial strain
Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**
Radial tires
Sa **Tire testing**
225/75R16C 116/114S M+S Radial Light Truck Standard Reference Test Tire, Specification for, **F2872 (09.02)**
245/70R19.5 136/134M Radial Truck Standard Reference Test Tire, Specification for, **F2871 (09.02)**
315/70R22.5 154/150L Radial Truck Standard Reference Test Tire, Specification for, **F2870 (09.02)**
Accelerated Laboratory Aging of Radial Passenger Car and Light Truck Tires through Load Range E for the Laboratory Generation of Belt Separation, Practice for, **F2838 (09.02)**
Characteristics and Performance of Tires, Terminology Relating to the, **F538 (09.02)**
P225/60R16 97S Radial Standard Reference Test Tire, Specification for, **F2493 (09.02)**
Radial Light Truck Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Rotating Roadwheel and a Flat Surface, Practice for, **F2869 (09.02)**
Radiance factor
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**
Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, Practice for, **E2153 (06.01)**
Radiant barrier systems (RBS)
Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, Practice for, **C1340/C1340M (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, Practice for, **C1744 (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction, Practice for, **C1743 (04.06)**
Sheet Radiant Barriers for Building Construction Applications, Specification for, **C1313/C1313M (04.06)**
Specimen Preparation and Mounting of Reflective Insulation, Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics, Practice for, **E2599 (04.07)**
Radiant energy
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**
Determining the Arc Rating of Materials for Clothing, Test Method for, **F1959/F1959M (10.03)**
Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, Test Method for, **F1958/F1958M (10.03)**
Estimating Stray Radiant Power Ratio of Dispersive Spectrophotometers by the Opaque Filter Method, Test Method for, **E387 (03.06)**
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater, Test Method for, **E2102 (04.07)**
Measuring the Transmitted and Stored Energy of Firefighter Protective Clothing Systems, Test Method for, **F2731 (11.03)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Radiant heat exposure/testing
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Measuring the Transmitted and Stored Energy of Firefighter Protective Clothing Systems, Test Method for, **F2731 (11.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Surface Flammability of Materials Using a Radiant Heat Energy Source, Test Method for, **E162 (04.07)**
Thermal Qualification of Type B Packages for Radioactive Material, Practice for, **E2230 (04.07)**
Radiant heat fill
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Radiant heating
Crosslinked Polyethylene (PEX) Tubing of 0.070 in. Wall and Fittings for Radiant Heating Systems up to 75 psig, Specification for, **F2929 (08.04)**
Radiant heat panels
Sa **Flammability—building materials**
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, Guide for, **C1546 (04.01)**
Radiant protective performance
Measuring the Transmitted and Stored Energy of Firefighter Protective Clothing Systems, Test Method for, **F2731 (11.03)**
Radiant Heat Resistance of Flame Resistant Clothing Materials with Continuous Heating, Test Method for, **F1939 (11.03)**
Radiating vector diagrams
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Radiation
Acquisition, Maintenance, Storage, and Use of Hazardous Material Detection Instrumentation, Guide for, **E2852 (15.08)**
Determining the Attenuation Properties in a Primary X-ray Beam of Materials Used to Protect Against Radiation Generated During the Use of X-ray Equipment, Test Method for, **F2547 (11.03)**
Procedures for Calibrating Automatic Pedestrian SNM Monitors, Guide to, **C1189 (12.01)**
Sheet Radiant Barriers for Building Construction Applications, Specification for, **C1313/C1313M (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of Modeling for Passive Gamma Measurements, Guide for, **C1726/C1726M (12.01)**

Radiation attenuation
Radiation Attenuating Protective Gloves, Specification for, **D7866 (09.02)**

Radiation control coatings
Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, Practice for, **C1321 (04.06)**

Radiation control coatings—specifications
Exterior Solar Radiation Control Coatings on Buildings, Specification for, **C1483/C1483M (04.06)**

Radiation curable material
Measure Volatiles from Radiation Curable Acrylate Monomers, Oligomers, and Blends and Thin Coatings Made from Them, Test Method to, **D7767 (06.01)**
Volatile Content of Radiation Curable Materials, Test Methods for, **D5403 (06.02)**

Radiation damage
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**

Radiation exposure
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, Practice for, **E512 (15.03)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining Relative Image Quality of Industrial Radiographic Film Exposed to X-Radiation from 4 to 25 MeV, Test Method for, **E1735 (03.03)**
Determining the Effects of Temperature Cycling on Fenestration Products, Practice for, **E2264 (04.12)**
Determining Total Image Unsharpness in Radiology, Practice for, **E2002 (03.03)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 80 and 300 keV, Practice for, **ISO/ASTM51818 (12.02)**
Dosimetry in Radiation Research on Food and Agricultural Products, Guide for, **ISO/ASTM51900 (12.02)**
Effects of Gamma Radiation on Coatings for Use in Nuclear Power Plants, Test Method for, **D4082 (06.02)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Nickel on Steel for Porcelain Enameling by X-Ray Emission Spectrometry, Test Method for, **C810 (02.05)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Radioscopic Examination of Castings, Practice for, **E1734 (03.03)**
Radioscopy, Practice for, **E1255 (03.03)**
Radioscopy, Guide for, **E1000 (03.03)**
Reporting Cure Times of Ultraviolet-Cured Coatings, Practice for, **D3732 (06.02)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Thermal Neutron Radiography of Materials, Practices for, **E748 (03.03)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**

Radiation exposure—adhesives
Determining the Torque Strength of Ultraviolet (UV) Light-Cured Glass/Metal Adhesive Joints, Test Method for, **D3658 (15.06)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**

Radiation exposure—electronic components/devices
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, Test Method for, **F996 (10.04)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**

Radiation exposure—food
See **Food irradiation**

Radiation exposure—medical applications
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**

Radiation exposure—nuclear materials/applications
Analysis and Interpretation of Light-Water Reactor Surveillance Results, Practice for, **E853 (12.02)**
Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments, Practice for, **E1006 (12.02)**
Application and Analysis of Radiometric Monitors for Reactor Vessel Surveillance, E706 (IIIA), Test Method for, **E1005 (12.02)**
Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), Test Method for, **E854 (12.02)**
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), Guide for, **E944 (12.02)**
Conducting Supplemental Surveillance Tests for Nuclear Power Reactor Vessels, E 706 (IH), Guide for, **E636 (12.02)**
Design of Surveillance Programs for Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E185 (12.02)**
Determining Neutron Exposures for Nuclear Reactor, Practice for, **E1035 (12.02)**
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**
Evaluation of Surveillance Capsules from Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E2215 (12.02)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, Guide for, **E509/E509M (12.02)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Nuclear Facility Transient Worker Records, Specification for, **E1034 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Radiation Measurements and Dosimetry, Terminology Relating to, **E170 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Reconstitution of Irradiated Charpy-Sized Specimens, Guide for, **E1253 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Surveillance Testing of High-Temperature Nuclear Component Materials, Practice for, **E531 (12.02)**
Unrestricted Disposition of Bulk Materials Containing Residual Amounts of Radioactivity, Guide for, **E1760 (12.02)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Use of a Dichromate Dosimetry System, Practice for, **ISO/ASTM51401 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), Guide for, **E1214 (12.02)**

Radiation exposure—security applications
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**

Radiation exposure—soil
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**

Radiation exposure—solar collectors/analysis
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**

Radiation exposure—waste
Screening of Waste for Radioactivity, Test Method for, **D5928 (11.04)**

Radiation-hardness testing
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, Guide for, **E721 (12.02)**
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, Guide for, **E720 (12.02)**
Use of 2N2222A Silicon Bipolar Transistors as Neutron Spectrum Sensors and Displacement Damage Monitors, Test Method for, **E1855 (12.02)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**

Radiation induced attenuation
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**

Radiation measurement
Radiation Measurements and Dosimetry, Terminology Relating to, **E170 (12.02)**

Radiation processing
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 80 and 300 keV, Practice for, **ISO/ASTM51818 (12.02)**
Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**
Dosimetry in Radiation Processing, Practice for, **ISO/ASTM52628 (12.02)**
Dosimetry In Radiation Processing of Fluidized Beds and Fluid Streams, Guide for, **E2381 (12.02)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Performance Characterization of Dosimeters and Dosimetry Sys-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tems for Use in Radiation Processing, Guide for, **ISO/ASTM52701 (12.02)**
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**
Use of a LiF Photo-Fluorescent Film Dosimetry System, Practice for, **E2304 (12.02)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**
Use of a Thermoluminescence-Dosimetry System (TLD System) for Radiation Processing, Practice for, **ISO/ASTM51956 (12.02)**

Radiation sensitive indicator
Use of Radiation-Sensitive Indicators, Guide for, **ISO/ASTM51539 (12.02)**

Radiation shielding
Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, Guide for, **C1572 (12.01)**
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Tungsten Base, High-Density Metal, Specification for, **B777 (02.04)**

Radiation-shielding concrete
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Constituents of Aggregates for Radiation-Shielding Concrete, Descriptive Nomenclature of, **C638 (04.02)**

Radiation thermometers
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Reporting Thermometer Calibrations, Practice for, **E2623 (14.03)**
Selection and Use of Wideband, Low Temperature Infrared Thermometers, Guide for, **E2758 (14.03)**

Radiator retrofit
Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D5500 (05.02)**

Radioactivation—fast neutron flux
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Aluminum, Test Method for, **E266 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Copper, Test Method for, **E523 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Iron, Test Method for, **E263 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel, Test Method for, **E264 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, Test Method for, **E1297 (12.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Measuring Neutron Fluence and Average Energy from, Test Method for, **E496 (12.02)**
Measuring Neutron Fluence Rates by Radioactivation of Cobalt and Silver, Test Method for, **E481 (12.02)**
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**
Measuring Reaction Rates by Analysis of Barium-140 From Fission Dosimeters, Test Method for, **E393 (12.02)**
Measuring Reaction Rates by Radioactivation of Neptunium-237, Test Method for, **E705 (12.02)**
Measuring Reaction Rates by Radioactivation of Uranium-238, Test Method for, **E704 (12.02)**
Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, Test Method for, **E385 (12.02)**

Radioactive contamination
Sa **Contamination—nuclear**
Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, Specification for, **E2731 (15.08)**

Radioactive iron
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**

Radioactive pathway methodology
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**

Radioactive strontium
Rapid Screening of Vegetation for Radioactive Strontium Aerial Deposition, Guide for, **D7362 (11.02)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**

Radioactive waste materials
Sa **Nuclear scrap and waste materials**
Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, Guide for, **C1571 (12.01)**
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
Sampling Radioactive Tank Waste, Guide for, **C1751 (12.01)**
Screening of Waste for Radioactivity, Test Method for, **D5928 (11.04)**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Unrestricted Disposition of Bulk Materials Containing Residual Amounts of Radioactivity, Guide for, **E1760 (12.02)**

Radioactive water analysis
Alpha Particle Radioactivity of Water, Test Method for, **D1943 (11.02)**
Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
Alpha-Particle-Emitting Isotopes of Radium in Water, Test Method for, **D2460 (11.02)**
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Beta Particle Radioactivity of Water, Test Method for, **D1890 (11.02)**
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
High-Resolution Gamma-Ray Spectrometry of Water, Practice for, **D3649 (11.02)**
Isotopic Uranium in Water by Radiochemistry, Test Method for, **D3972 (11.02)**
Lead-210 in Water, Test Method for, **D7535 (11.02)**
Low-Level Analysis of Iodine Radioisotopes in Water, Test Method for, **D4785 (11.02)**
NaI(Tl) Gamma-Ray Spectrometry of Water, Practice for, **D4962 (11.02)**
Plutonium in Water, Test Method for, **D3865 (11.02)**
Radium-226 in Water, Test Method for, **D3454 (11.02)**
Radon in Drinking Water, Test Method for, **D5072 (11.02)**
Reporting Results of Analysis of Water, Guide for, **D596 (11.01)**
Retention Characteristics of 0.40 to 0.45-μm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, Test Method for, **D3863 (11.02)**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**
Trace Uranium in Water by Pulsed-Laser Phosphorimetry, Test Method for, **D5174 (11.02)**
Tritium in Drinking Water, Test Method for, **D4107 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Using the Fricke Dosimetry System, Practice for, **E1026 (12.02)**

Radioactivity
99Tc in Water by Solid Phase Extraction Disk, Test Method for, **D7168 (11.02)**

Radiochemical analysis
99Tc in Water by Solid Phase Extraction Disk, Test Method for, **D7168 (11.02)**
Application and Analysis of Radiometric Monitors for Reactor Vessel Surveillance, E706 (IIIA), Test Method for, **E1005 (12.02)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, Practices for, **C1463 (12.01)**
Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams, Specification for, **D4069 (15.01)**
Lead-210 in Water, Test Method for, **D7535 (11.02)**
Measurement of Radioactivity, Practices for the, **D3648 (11.02)**
Radiochemical Determination of Plutonium in Soil by Alpha Spectroscopy, Test Method for, **C1001 (12.01)**
Radiochemical Determination of Strontium-90 in Soil, Test Method for, **C1507 (12.01)**
Radiochemical Determination of Uranium Isotopes in Soil by Alpha Spectrometry, Test Method for, **C1000 (12.01)**
Radiochemical Determination of Uranium Isotopes in Urine by Alpha Spectrometry, Test Method for, **C1473 (12.01)**
Reporting Results of Analysis of Water, Guide for, **D596 (11.01)**
Sampling Surface Soil for Radionuclides, Practice for, **C998 (12.01)**
Set-up, Calibration, and Quality Control of Instruments Used for Radioactivity Measurements, Practice for, **D7282 (11.02)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**
The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, Test Method for, **C1205 (12.01)**

Radiochromic dosimetry system
Sa **Dosimetry**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**
Use of a Radiochromic Liquid Dosimetry System, Practice for, **ISO/ASTM51540 (12.02)**

Radio frequency
Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Palletized or Unitized Loads, Test Method for, **D7434 (15.10)**
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**
Rotary Stretch Wrapper Method for Determining the Readability of Passive RFID Transponders on Homogenous Palletized or Unitized Loads, Test Method for, **D7580/D7580M (15.10)**

Radiograph density
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**

Radiographic examination
Sa **Reference radiographs**
Sa **Ultrasonic testing**
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Calibration of Transmission Densitometers, Practice for, **E1079 (03.03)**
Classification of Film Systems for Industrial Radiography, Test Method for, **E1815 (03.03)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Controlling Quality of Radiological Examination of Electronic Devices, Practice for, **E801 (03.03)**
Controlling the Quality of Industrial Radiographic Film Processing, Guide for, **E999 (03.03)**
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**
Determining Image Quality in Direct Thermal Neutron Radiographic Examination, Test Method for, **E545 (03.03)**
Determining Relative Image Quality Response of Industrial Radiographic Imaging Systems, Practice for, **E746 (03.03)**
Determining the, Test Method for, **E803 (03.03)**
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Ductile Iron Castings, Reference Radiographs for, **E689 (03.03)**
Evaluating the Performance of Radiographic Digitization Systems, Reference Radiograph for, **E1936 (03.03)**
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**
Fabrication of Neutron Radiographic Sensitivity Indicators, Practice for, **E2023 (03.03)**
Fabrication of the Neutron Radiographic Beam Purity Indicators, Practice for, **E2003 (03.03)**
Illuminators Used for Viewing Industrial Radiographs, Specification for, **E1390 (03.03)**
Interpretation of Radiographs of Semiconductors and Related Devices, Guide to, **E431 (03.03)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Minimum Resolvable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1213 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**
Radiographic Examination, Guide for, **E94 (03.03)**
Radiographic Examination, Practice for, **E1742/E1742M (03.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Radiographic Examination of Metallic Castings, Test Method for, **E1030 (03.03)**
Radiographic Examination of Weldments, Test Method for, **E1032 (03.03)**
Radiologic Examination of Semiconductors and Electronic Components, Practice for, **E1161 (03.03)**
Radioscopy, Practice for, **E1255 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Storage of Radiographs and Unexposed Industrial Radiographic Films, Guide for, **E1254 (03.03)**
Test Methods and Standards for Nondestructive Testing of Ad-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

vanced Ceramics, Guide to, **C1175 (15.01)**
Thermal Neutron Radiography of Materials, Practices for, **E748 (03.03)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Titanium Castings, Reference Radiographs for, **E1320 (03.03)**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**
X-Ray Radiography of Soil Samples, Practice for, **D4452 (04.08)**

Radiographic examination—surgical materials/applications
Determining Radiopacity for Medical Use, Test Methods for, **F640 (13.01)**
Digital Radiography of Cast Metallic Implants, Practice for, **F2895 (13.02)**
Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, Practice for, **F647 (13.01)**
Radiography of Cast Metallic Surgical Implants, Practice for, **F629 (13.01)**

Radiographic source
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Radio-iodine
Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams, Specification for, **D4069 (15.01)**

Radioisotopes
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Radioscopic Examination of Castings, Practice for, **E1734 (03.03)**
Tritium in Drinking Water, Test Method for, **D4107 (11.02)**
X-Ray Compton Scatter Tomography, Guide for, **E1931 (03.03)**

Radiolabeled plastic materials
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**

Radiological examination
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**
Computed Radiography, Guide for, **E2007 (03.03)**
Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**
Controlling Quality of Radiological Examination by Using Representative Quality Indicators (RQIs), Practice for, **E1817 (03.03)**
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining Total Image Unsharpness in Radiology, Practice for, **E2002 (03.03)**
Digital Detector Array Performance Evaluation and Long-Term Stability, Practice for, **E2737 (03.03)**
Digital Detector Array Radiology, Guide for, **E2736 (03.03)**
Measurement of the Effective Focal Spot Size of Mini and Micro Focus X-ray Tubes, Test Method for, **E2903 (03.03)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Radiologic Examination of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2662 (03.03)**
Radiological Examination Using Digital Detector Arrays, Practice for, **E2698 (03.03)**
Selection and Use of Portable Radiological Survey Instruments for Performing In Situ Radiological Assessments to Support Unrestricted Release from Further Regulatory Controls, Guide for, **E1893 (12.02)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**
X-Ray Compton Scatter Tomography, Guide for, **E1931 (03.03)**

Radiological hazards
Determining Protection Provided by X-ray Shielding Garments Used in Medical X-ray Fluoroscopy from Sources of Scattered X-Rays, Test Method for, **F3094 (11.03)**

Radiological incident
Radiological Emergency Response, Practice for, **E2601 (15.08)**

Radiological protection plan
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**

Radiology
Measurement of Beam Divergence and Alignment in Neutron Radiologic Beams, Test Method for, **E2861 (03.03)**

Radioluminescence
Computed Radiography, Guide for, **E2007 (03.03)**

Radiometers
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Measuring and Compensating for Reflected Temperature Using Infrared Imaging Radiometers, Test Methods for, **E1862 (03.03)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**

Radiometric dosimetry
Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, Guide for, **E2005 (12.02)**

Radionuclides
Alpha-Particle-Emitting Isotopes of Radium in Water, Test Method for, **D2460 (11.02)**
Calculation of Average Energy Per Disintegration ($\bar{E}$) for a Mixture of Radionuclides in Reactor Coolant, Practice for, **D5411 (11.02)**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
High-Resolution Gamma-Ray Spectrometry of Water, Practice for, **D3649 (11.02)**
NaI(Tl) Gamma-Ray Spectrometry of Water, Practice for, **D4962 (11.02)**
Nondestructive Assay of Radioactive Material by Tomographic Gamma Scanning, Test Method for, **C1718 (12.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Rapid Assessment of Gamma-ray Emitting Radionuclides in Environmental Media by Gamma Spectrometry, Practice for the, **D7784 (11.02)**
Sampling Surface Soil for Radionuclides, Practice for, **C998 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Soil Sample Preparation for the Determination of Radionuclides, Practice for, **C999 (12.01)**

Radiopacity
Determining Radiopacity for Medical Use, Test Methods for, **F640 (13.01)**

Radioscopic examination
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Radiographic Examination, Practice for, **E1742/E1742M (03.03)**
Radioscopic Examination of Castings, Practice for, **E1734 (03.03)**
Radioscopic Examination of Weldments, Test Method for, **E1416 (03.03)**
Radioscopy, Guide for, **E1000 (03.03)**
Radioscopy, Practice for, **E1255 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**

Radium content—water
Alpha-Particle-Emitting Isotopes of Radium in Water, Test Method for, **D2460 (11.02)**
Radium-226 in Water, Test Method for, **D3454 (11.02)**

Radon
Determination of Radon Decay Product Concentration and Working Level in Indoor Atmospheres by Active Sampling on a Filter, Test Method for, **D6327 (11.07)**
Installing Radon Mitigation Systems in Existing Low-Rise Residential Buildings, Practice for, **E2121 (04.12)**
Radon Control Options for the Design and Construction of New Low-Rise Residential Buildings, Practice for, **E1465 (04.11)**
Radon in Drinking Water, Test Method for, **D5072 (11.02)**

RADT (registration/admitting/discharge/transfer) systems
Sa **Emergency medical services (EMS)**
An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems, Practice for, **E1715 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**

Rafter test (on phytoplankton)
See **Sedgwick-Rafter method**

Rail and brace ends
Fence Fittings, Specification for, **F626 (01.06)**

Rail car impact testing
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**

Railcars
Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, Practice for, **D6883 (05.06)**

Railing systems (glass)
Assessing the Durability of Absorptive Electrochromic Coatings within Sealed Insulating Glass Units, Guide for, **E2354 (04.12)**
Performance of Glazing in Permanent Railing Systems, Guards, and Balustrades, Test Methods for, **E2353 (04.12)**

Railing systems (metal)
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Performance of Permanent Metal Railing Systems and Rails for Buildings, Test Methods for, **E935 (04.11)**
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**
Railing Systems and Rails for Buildings, Terminology of, **E1481 (04.11)**

Railroad locomotive engines
Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, Specification for, **A983/A983M (01.05)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Railroads
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**

Railroad steel materials
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Carbon Steel Chain, Specification for, **A413/A413M (01.05)**
Carbon Steel Crane Rails, Specification for, **A759 (01.04)**
Carbon Steel Girder Rails of Plain, Grooved, and Guard Types, Specification for, **A2 (01.04)**
Carbon Steel Tee Rails, Specification for, **A1 (01.04)**
Carbon Steel Track Bolts and Nuts, Specification for, **A183 (01.04)**
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, Specification for, **A656/A656M (01.04)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Metallic-Coated, Steel-Woven Wire Fence Fabric, Specification for, **A116 (01.06)**
Steel Screw Spikes, Specification for, **A66 (01.04)**
Steel Tie Plates, Low-Carbon and High-Carbon-Hot-Worked, Specification for, **A67 (01.04)**
Steel Track Spikes, Specification for, **A65 (01.04)**
Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, Specification for, **A881/A881M (01.04)**

Railroad steel materials—axles
Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, Specification for, **A729/A729M (01.05)**

Railroad steel materials—forgings
Magnetic Particle Examination of Large Crankshaft, Specification for, **A456/A456M (01.05)**
Ultrasonic Examination of Forged Crankshafts, Specification for, **A503/A503M (01.05)**

Railroad steel materials—trolley wire
Bronze Trolley Wire, Specification for, **B9 (02.03)**
Copper Trolley Wire, Specification for, **B47 (02.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Figure-9 Deep-Grooved and Figure-8 Copper Trolly Wire for Industrial Haulage, Specification for, **B116 (02.03)**

Railroad steel materials—wheels
Carbon Steel Tires for Railway and Rapid Transit Applications, Specification for, **A551/A551M (01.05)**
Wrought Carbon Steel Wheels, Specification for, **A504/A504M (01.05)**

Railroad wheels
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**

Rail steel bars
Heat-Treated Carbon Steel Joint Bars, Microalloyed Joint Bars, and Forged Carbon Steel Compromise Joint Bars, Specification for, **A49 (01.04)**
Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement, Specification for, **A996/A996M (01.04)**
Steel Joint Bars, Low, Medium, and High Carbon (Non-Heat-Treated), Specification for, **A3 (01.04)**
Uncoated, Stress-Relieved Steel Bars for Prestressed Concrete Railroad Ties, Specification for, **A911/A911M (01.04)**

Rail-to-Earth resistance
Determining Rail-to-Earth Resistance, Practice for, **G165 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rail transportation vehicles
Fire Hazard Assessment of Rail Transportation Vehicles, Guide for, **E2061 (04.07)**
Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, Practice for, **D6883 (05.06)**
Rain
Assessment of Rainwater Quality, Practice for, **E2727 (04.12)**
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Evaluating the Water Wash-Off Resistance of Traffic Paints using a Water Faucet, Practice for, **D7377 (06.02)**
Evaluating the Water Wash-Off Resistance of Traffic Paints Using an Atomizing Spray Device, Practice for, **D7538 (06.02)**
Fire Tests of Roof Coverings, Test Methods for, **E108 (04.07)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Resistance to Wind-Driven Rain for Exterior Coatings Applied on Masonry, Practice for, **D6904 (06.02)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Rainfall-induced erosion
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Soil from Rain Splash and Associated Runoff Under Bench-Scale Conditions, Index Test Method for, **D7101 (04.09)**
Rainfield
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Rainflow/range pair counting
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Rain gage
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Rainwater leakage
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Rainwater quality
Assessment of Rainwater Quality, Practice for, **E2727 (04.12)**
Rainwear
Coated Fabrics, Test Methods for, **D751 (09.02)**
Rainwear—specifications
Arc and Flame Resistant Rainwear, Specification for, **F1891 (10.03)**
Rainwear and All-Purpose, Water-Repellent Coat Fabrics, Performance Specification for, **D7017 (07.02)**
Woven Umbrella Fabrics, Performance Specification for, **D4112 (07.01)**
Raised manhole cover assembly
Sa **Manhole materials/applications—specifications**
Manhole Cover Assembly, Bolted, Raised, Oiltight and Watertight, Specification for, **F1143 (01.07)**
Raised pavement markers
Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, Specification for, **D4280 (04.03)**
Plowable, Raised Retroreflective Pavement Markers, Specification for, **D4383 (04.03)**
Raman spectroscopy
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Raman Shift Standards for Spectrometer Calibration, Guide for, **E1840 (03.06)**
Testing the Performance of Scanning Raman Spectrometers, Practice for, **E1683 (03.06)**
Testing the Resolution of a Raman Spectrometer, Guide for, **E2529 (03.06)**
the Relative Intensity Correction of Raman Spectrometers, Guide for, **E2911 (03.06)**
Ram extrusion
Sa **Molding/extrusion compounds/materials—specifications**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Ramie
Sa **Bast and leaf fibers/products**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Rammed earth construction
Design of Earthen Wall Building Systems, Guide for, **E2392/E2392M (04.12)**
Ramming mixes (for refractories)
See **Refractories (ramming mixes)**
Ramp method
Flash Point by Small Scale Closed Cup Tester (Ramp Method), Test Method for, **D7236 (05.04)**
Ramp-rail systems
Performance of Permanent Metal Railing Systems and Rails for Buildings, Test Methods for, **E935 (04.11)**
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**
Ramps/runways
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Ramsbottom carbon residue
Sa **Residue—petroleum products**
Ramsbottom Carbon Residue of Petroleum Products, Test Method for, **D524 (05.01)**
Ranarex gas recording machines
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**
Rancidity
Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, Practice for, **E2169 (11.03)**
Random crystallographic orientation
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**
Random duplex grain size
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Random noise
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**
Random number generator
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Random sampling
Sa **Sampling concrete/mortar/aggregates**
Random Sampling of Construction Materials, Practice for, **D3665 (04.03)**
Sampling and Preparation of Fresh or Salt-Preserved (Cured) Hides and Skins for Chemical and Physical Tests, Practice for, **D6715 (15.04)**
Sampling Forest Trees for Determination of Clear Wood Properties, Practice for, **D5536 (04.10)**
Using Probability Sampling Methods in Studies of Indoor Air Quality in Buildings, Guide for, **D5791 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Random tumble pilling tester
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling Tester, Test Method for, **D3512/D3512M (07.01)**
Random variables/variation
Calculating Precision Limits Where Values are Calculated from Other Test Methods, Practice for, **D4460 (04.03)**
Design of Experiments, Terminology Relating to, **E1325 (14.02)**
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**
Performance Testing of Shipping Containers and Systems, Practice for, **D4169 (15.10)**
Vibration (Vertical Linear Motion) Test of Products, Test Methods for, **D3580 (15.10)**
Random vibration test
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Range of motion/adjustability
Impingement of Acetabular Prostheses, Test Method for, **F2582 (13.02)**
Range top
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Rank
Coals by Rank, Classification of, **D388 (05.06)**
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
Ranking resistance
Ranking Resistance of Plastics to Sliding Wear Using Block-on-Ring Wear Test—Cumulative Wear Method, Test Method for, **G176 (03.02)**
Rank ordering
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**
Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, Guide for, **F1240 (15.07)**
Ransburg DC paint test assembly
Electrical Resistivity of Liquid Paint and Related Materials, Test Methods for, **D5682 (06.01)**
Rapid annealing effects
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Rapid atmospheric galvanic corrosion testing
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Rapid compaction control
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Rapid cook oven
Performance of Rapid Cook Ovens, Test Method for, **F2238 (15.12)**
Rapid-curing asphalt
Cationic Emulsified Asphalt, Specification for, **D2397/D2397M (04.03)**
Cutback Asphalt (Rapid-Curing Type), Specification for, **D2028/D2028M (04.03)**
Emulsified Asphalt, Specification for, **D977 (04.03)**
Rapid deformation
See **Deformation—rock**
Rapid drying
Rapid Drying of Compacted Asphalt Specimens Using Vacuum Drying Apparatus, Practice for, **D7227/D7227M (04.03)**
Rapid field testing
Sa **Field testing**
Rapid Field Test for Trace Lead in Unleaded Gasoline (Colorimetric Method), Test Method for, **D3348 (05.01)**
Rapid freezing/thawing
Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System, Test Method for, **D7148 (10.02)**
Making and Curing Test Specimens for Evaluating Resistance of Coarse Aggregate to Freezing and Thawing in Air-Entrained Concrete, Practice for, **C1646/C1646M (04.02)**
Resistance of Concrete to Rapid Freezing and Thawing, Test Method for, **C666/C666M (04.02)**
Rapid hardening
Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, Specification for, **C928/C928M (04.02)**
Rapid hardening hydraulic cement
Rapid Hardening Hydraulic Cement, Specification for, **C1600/C1600M (04.01)**
Rapid indentation hardness testing
Sa **Hardness (indentation)—metallic materials**
Rapid Indentation Hardness Testing of Metallic Materials, Practice for, **E103 (03.01)**
Rapid prototyping (RP)
Additive Manufacturing Technologies, Terminology for, **F2792 (10.04)**
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**
Rapid quenching
Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, Test Method for, **C1525 (15.01)**
Rapid reflux extracts
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rapid run-arrest
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Rapid screening
Rapid Screening of Vegetation for Radioactive Strontium Aerial Deposition, Guide for, **D7362 (11.02)**
Rapid Screening of VOC Emissions from Products Using Micro-Scale Chambers, Practice for, **D7706 (11.07)**
Rapid screen test
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**
Rapid-setting bituminous emulsions
Sweep Test of Bituminous Emulsion Surface Treatment Samples, Test Method for, **D7000 (04.03)**
Rapid small-scale colum tests
the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests, Practice for, **D6586 (15.01)**
Rapid small scale oxidation test
Oxidation Stability of Middle Distillate Fuels—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7545 (05.04)**
Oxidation Stability of Spark Ignition Fuel—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7525 (05.04)**
Rapid surface area
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**
Rapid test
Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, Test Method for, **C1777 (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rapid testing
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Low Levels of Coliphages in Water, Test Method for, **D6734 (11.02)**
Rapid Assessment of Static Segregation Resistance of Self-Consolidating Concrete Using Penetration Test, Test Method for, **C1712 (04.02)**
Rapid thermal degradation
Sa **Thermal analysis (TA)—electrical insulation**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
RAP (reclaimed asphalt pavement) binder
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Rapseed oil
Corrosiveness of Lubricating Fluid to Bimetallic Couple, Test Method for, **D6547 (05.03)**
Rare earth content
Sa **Nonvolatile matter content**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Total Rare Earth Metals in Paint Driers by EDTA Method, Test Method for, **D3989 (06.01)**
Rasberry-Heinrich correction equation
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Rasch mathematical model
Rating-Scale Measures Relevant to the Electronic Health Record, Practice for, **E2171 (14.01)**
Raster scan
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Rate comparison test
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Rated current
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Rated strength (electrical conductor wire)
19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, Specification for, **B786/B786M (02.03)**
19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, Specification for, **B787/B787M (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors (AAC/TW), Specification for, **B778 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW), Specification for, **B779 (02.03)**
Rate of absorption
Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, Test Method for, **C1585 (04.02)**
Rate of application
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Rate of burning
Sa **Burning characteristics**
Determining the Flammability Characteristics of Nonrigid Solid Plastics, Test Method for, **D4804 (08.02)**
Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, Test Method for, **D635 (08.01)**
Rate of change of reflection
Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, Test Method for, **D4323 (11.07)**
Rate of drainage (under suction)
Vacuum Drainage of Asbestos-Cement Mixes, Test Method for, **C1119/C1119M (04.05)**
Rate of emission
Sampling Surface Soil for Radionuclides, Practice for, **C998 (12.01)**
Rate of evaporation
See **Evaporators/evaporation**
Rate of heat release
See **Heat release**
Rate of infiltration
See **Infiltration rate**
Rate of penetration
See **Penetration**
Rate of pressure loss
Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, Test Method for, **F1112 (09.02)**
Rate of pressure rise
See **Pressure testing**
Rate-of-rise heat/compensation detector
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Rate of sorption/capacity
See **Sorption capacity/rate**
Rate-of strength development
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**
Rate of stressing/straining
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Rate of transmission
Determination of Oxygen Gas Transmission Rate, Permeability and Permeance at Controlled Relative Humidity Through Barrier Materials Using a Coulometric Detector, Test Method for, **F1927 (15.10)**
Rate of ventilation
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Rate of water absorption
Rate of Water Absorption of Masonry Mortars, Test Method for, **C1403 (04.05)**
Rateometric colorimetry
See **Colorimetric analysis**
Rating curve
Developing a Stage-Discharge Relation for Open Channel Flow, Practice for, **D5541 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rating scale
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Serviceability of an Office Facility for Structure and Building Envelope, Classification for, **E1700 (04.11)**
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**

Rating system
Additive Manufacturing—Coordinate Systems and Test Methodologies, Terminology for, **E2921 (04.12)**
Establishing Performance Ratings for Wood-Plastic Composite Deck Boards and Guardrail Systems (Guards or Handrails), Specification for, **D7032 (04.10)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**

Rating velocity
Determining the Rating Velocities of a Compound Archery Bow, Specification for, **F1544 (15.07)**

Ratio analysis
Determination of the Susceptibility of Metallic Materials to Hydrogen Gas Embrittlement (HGE), Test Method for, **F1459 (15.03)**

Ratio scales
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**

Ratio turbidity
Determination of Turbidity Below 5 NTU in Static Mode, Test Method for, **D6855 (11.01)**

Rats
Sa **Vertebrate control agents (rodenticides)**
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, Guide for, **F1439 (13.01)**
Rat Guards, Ship's [Metric], Specification for, **F1099M (01.07)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**

Raveled strip test
Breaking Force and Elongation of Textile Fabrics (Strip Method), Test Method for, **D5035 (07.02)**

Ravenfield shear rate
Sa **Shear testing**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**

Raw coal
Sa **Coal products**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**

Raw cotton
Moisture in Cotton by Oven-Drying, Test Method for, **D2495 (07.01)**

Raw data
Analytical Data Interchange Protocol for Chromatographic Data, Specification for, **E1947 (03.06)**
Analytical Data Interchange Protocol for Chromatographic Data, Guide for, **E1948 (03.06)**

Raw materials
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Phenolic Raw Materials for the Use in Bearing Cages, Specification for, **F2953 (01.08)**
Sampling of Tanks by Field Personnel, Practice for, **D7831 (11.04)**

Raw metal solution handling
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Raw Mooney viscosity target values
Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney Viscosity Target Values, Practice for, **D5605 (09.01)**

Raw petroleum coke
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**

Raw pozzolans
See **Fly ash and other pozzolans**

Raw rubber
Determination of Green Strength and Stress Relaxation of Raw Rubber or Unvulcanized Compounds, Test Method for, **D6746 (09.01)**
Rubber from Natural Sources—Color, Test Method for, **D3157 (09.01)**
Rubber From Natural Sources—Plasticity Retention Index (PRI), Test Method for, **D3194 (09.01)**
Rubber from Natural Sources—Sampling and Sample Preparation, Practice for, **D1485 (09.01)**
Rubber From Synthetic Sources—Sampling, Practice for, **D3896 (09.01)**
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Rubber Property—Shrinkage of Raw and Compounded Hot-Polymerized Styrene-Butadiene Rubber (SBR), Test Methods for, **D1917 (09.01)**
Rubber—Chromatographic Analysis of Antidegradants (Antioxidants, Antiozonants and Stabilizers), Practice for, **D3156 (09.01)**
Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, Test Methods for, **D3900 (09.01)**
Rubber—Determination of Gel, Swelling Index, and Dilute Solution Viscosity, Test Method for, **D3616 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**
Rubber—Identification by Pyrolysis-Gas Chromatography, Practice for, **D3452 (09.01)**
Rubber—Measurement of Processing Properties Using Capillary Rheometry, Test Methods for, **D5099 (09.01)**
Rubber, Raw—Determination of 5-Ethylidenenorbornene (ENB) or Dicyclopentadiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers, Test Methods for, **D6047 (09.01)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**

Raw sienna
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Raw and Burnt Sienna Pigments, Specification for, **D765 (06.03)**

Raw/spent leather materials
Determining Moisture in Raw and Spent Materials, Test Method for, **D6403 (15.04)**
Determining Non-Tannins and Tannin in Extracts of Vegetable

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tanning Materials, Test Method for, **D6401 (15.04)**
Extraction of Tannins from Raw and Spent Materials, Practice for, **D6405 (15.04)**

Raw umber
See **Umber (burnt and raw)**

Raw wool
See **Wool and wool top**

Rayleigh waves
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**
Ultrasonic Surface Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, Practice for, **E1962 (03.03)**

Razor blade
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**

RBOT (rotating bomb oxidation test)
Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel, Test Method for, **D2272 (05.01)**

RCP (rapid crack propagation)
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**

RCPS (rigid cellular polystyrene)
Determining Adhesive Attack on Rigid Cellular Foam, Test Method for, **D5113 (15.06)**
Rigid Cellular Polystyrene Geofoam, Specification for, **D6817/D6817M (04.13)**

***R*-curves**
K-R Curve Determination, Test Method for, **E561 (03.01)**

RDE-AES (rotating disk electrode-atomic emission spectroscopy)
Determination of Contaminants in Gas Turbine and Diesel Engine Fuel by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6728 (05.03)**

RDF (refuse-derived-fuel)
See **Refuse-derived fuel (RDF)**

RDX explosives
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
Verifying Minimum Acceptable Performance of Trace Explosive Detectors, Practice for, **E2520 (15.08)**

REACH (Registration, Evaluation, and Authorization of Chemicals)
Analytical Testing of Substances of Very High Concern in Materials and Products, Guide for, **F2931 (10.04)**
European Union' Registration, Evaluation, and Authorization of Chemicals (REACH) Supply Chain for Information Exchange, Guide for, **F2725 (10.04)**

Reaction
pH of Soils, Test Method for, **D4972 (04.08)**

Reaction cross-section
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**

Reaction effect
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**

Reaction force analysis
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**

Reaction-induction-time (RIT)
Reaction Induction Time by Thermal Analysis, Test Method for, **E2046 (14.02)**

Reaction rates
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**

Reactions
Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, Test Method for, **E2041 (14.02)**

Reaction threshold temperature
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**

Reactivation process
Carbon Reactivation, Guide for, **D6781 (15.01)**

Reactive liquids
Kinematic Viscosity of Volatile and Reactive Liquids, Test Method for, **D4486 (05.02)**

Reactive metals/alloys
Determination of Carbon in Refractory and Reactive Metals and Their Alloys by Combustion Analysis, Test Method for, **E1941 (03.05)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**

Reactive metals/alloys (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**

Reactive monomer content
Percent Reactive Monomer in Solventless Varnishes, Test Method for, **D3312 (10.02)**

Reactive power
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**

Reactive sulfides
Sa **Sulfides**
Screening of Reactive Sulfides in Waste, Test Methods for, **D4978 (11.04)**

Reactive sulfur compounds
Sa **Sulfur**
Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Chemiluminescence, Test Method for, **D5504 (05.06)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Reactivity
Determination of Percent Hydroxyl on Cellulose Esters by Potentiometric Titration—Alternative Method, Test Method for, **D5897 (06.03)**
Determination of Reactivity of Unsaturated Polyesters and Vinyl Esters at 180.0°F (82.2°C), Test Method for, **D7029 (08.03)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Measuring the Reactivity of Hydraulic Refractory Castables using Exothermic Profile, Guide for, **C1656 (15.01)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**
Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**
Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**
Water Reaction of Aviation Fuels, Test Method for, **D1094 (05.01)**

Reactor butterfly valve
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**

Reactor coolant
Calculation of Average Energy Per Disintegration ($\bar{E}$) for a Mixture of Radionuclides in Reactor Coolant, Practice for, **D5411 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reactors
Acoustic Pulse Reflectometry Examination of Tube Bundles, Practice for, **E2906/E2906M (03.03)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Quantification of Pseudomonas aeruginosa Biofilm Grown Using Drip Flow Biofilm Reactor with Low Shear and Continuous Flow, Test Method for, **E2647 (11.05)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**
Reader/reading
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Ready-mixed concrete
Measurement of Solids in Water, Test Method for, **C1603 (04.02)**
Mixing Water Used in the Production of Hydraulic Cement Concrete, Specification for, **C1602/C1602M (04.02)**
Sampling Freshly Mixed Concrete, Practice for, **C172/C172M (04.02)**
Temperature of Freshly Mixed Hydraulic-Cement Concrete, Test Method for, **C1064/C1064M (04.02)**
Ready-mixed concrete—specifications
Air Content of Freshly Mixed Concrete by the Volumetric Method, Test Method for, **C173/C173M (04.02)**
Concrete Made by Volumetric Batching and Continuous Mixing, Specification for, **C685/C685M (04.02)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, Specification for, **C511 (04.01, 04.02)**
Ready-Mixed Concrete, Specification for, **C94/C94M (04.02)**
Ready-to-use coal-tar paving materials
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade), Specification for, **D6946/D6946M (04.04)**
Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade), Specification for, **D6945/D6945M (04.04)**
Reagent resistance
Determination of Resistance of Factory-Applied Coatings on Wood Products to Stains and Reagents, Practice for, **D3023 (06.02)**
Reagents
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, Guide for, **D4610 (06.01)**
Permeability of Thermoplastic Containers to Packaged Reagents or Proprietary Products, Test Method for, **D2684 (08.01)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Reagent water
Determination of Diisopropyl Methylphosphonate, Ethyl Hydrogen Dimethylamidophosphate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Water by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7597 (11.02)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Determination of Thiodiglycol in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7598 (11.02)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
Reagent Water, Specification for, **D1193 (11.01)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection, Test Method for, **D7573 (11.02)**
Reagent water—microelectronic processing
Reagent Water, Specification for, **D1193 (11.01)**
Real density (RD)
See **Density**
Real density (RD) (petroleum)
Sa **Density—petroleum products**
Real Density of Calcined Petroleum Coke by Xylene Displacement, Test Method for, **D5004 (05.02)**
Real estate-commercial
Building Energy Performance Assessment for a Building Involved in a Real Estate Transaction, Practice for, **E2797 (11.05)**
Identifying and Complying With Continuing Obligations, Guide for, **E2790 (11.05)**
Readily Observable Mold and Conditions Conducive to Mold in Commercial Buildings: Baseline Survey Process, Guide for, **E2418 (11.05)**
Vapor Encroachment Screening on Property Involved in Real Estate Transactions, Guide for, **E2600 (11.05)**
Realignment facilities
Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities, Classification of, **D5746 (11.05)**
Real-time release testing
Real-time Release Testing of Pharmaceutical Water for the Total Organic Carbon Attribute, Practice for, **E2656 (14.02)**
Real-time source particulate matter measurement
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**
Reamed diaphyseal bone
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Reaming
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**
Rearfoot motion
Comparison of Rearfoot Motion Control Properties of Running Shoes, Test Method for, **F1833 (15.07)**
Rear-mounted bicycle child carriers
Rear-Mounted Bicycle Child Carriers, Specification and Test Method for, **F1625 (15.07)**
Reasonable detail
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**
Reboiled conductivity
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
Reboiling tendency
Reboiling Tendency of Sheet Steel for Porcelain Enameling, Test Method for, **C632 (02.05)**
Rebound
Determination of Rock Hardness by Rebound Hammer Method, Test Method for, **D5873 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**
Preparing Refractory Castable Specimens by Cold Gunning, Practice for, **C903 (15.01)**
Rebound Number of Hardened Concrete, Test Method for, **C805/C805M (04.02)**
Rubber Property—Resilience by Vertical Rebound, Test Method for, **D2632 (09.01)**
Rubber Property—Resilience Using Schob Type Rebound Pendulum, Test Method for, **D7121 (09.01)**

Recalescence
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**

Recalibration
Sa **Calibration—metals/alloys analysis instrumentation**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Receiver section
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**

Receiving
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Receipt, Storage, and Handling of Fuels for Gas Turbines, Practice for, **D4418 (05.02)**
Receiving Assets, Practice for, **E2605 (04.12)**

Receiving medical facilities
Communicating an EMS Patient Report to Receiving Medical Facilities, Practice for, **F2076 (13.02)**

Recertification
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**

Recessed depth (of gypsum boards)
Sa **Gypsum products**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**

Recharge flux
Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, Guide for, **D6642 (04.09)**

Recharge studies
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**

Reciprocal mean pressure
Permeability of Rocks by Flowing Air, Test Method for, **D4525 (04.08)**

Reciprocal measurement
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**

Reciprocating compression ignition engine
Design and Manufacture of Reciprocating Compression Ignition Engines for Light Sport Aircraft, Practice for, **F2538 (15.11)**

Reciprocating cutter method
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**

Reciprocating rig
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), Test Method for, **D6079 (05.02)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**

Reciprocating screw injection molding machines
Sa **Molding/extrusion compounds/materials—specifications**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**

Reciprocity
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**

Recirculating system testing
Recirculating Hood System for Cooking Appliances, Specification for, **F2800 (15.12)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**

Reclaimed chemicals—specifications
Reclaimed 1,1,1-Trichloroethane, Specification for, **D5394 (15.05)**
Reclaimed Methylene Chloride, Specification for, **D5395 (15.05)**
Reclaimed Perchloroethylene, Specification for, **D5396 (15.05)**
Reclaimed Trichloroethylene, Specification for, **D5616 (15.05)**

Reclamation
Cannibalization/Reclamation of Serviceable Equipment Components to Support Demand Requirements, Practice for, **E2607 (04.12)**
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Water Conservation in Buildings Through In-Situ Water Reclamation, Practice for, **E2635 (04.12)**

Reclining chair
Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, Performance Requirements for, **F1858 (15.11)**

Reclosable containers
Water Vapor Transmission of Shipping Containers—Constant and Cycle Methods, Test Methods for, **D4279 (15.10)**

Recoatability
Recoatability of Water-Emulsion Floor Polishes, Test Method for, **D3153 (15.04)**

Recoating
Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
Evaluating Touch-Up Properties of Architectural Coatings under Various Environmental Conditions, Practice for, **D7489 (06.02)**

Recoat time
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**

Recoil
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**

Recombinant DNA
Sa **Genetic examination**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Identification of Bacteriophage M13 or Its DNA, Guide for, **E1493 (14.02)**

Recombinant human bone morphogenic protein-2 (rhBMP-2)
In Vitro Biological Activity of Recombinant Human Bone Morphogenetic Protein-2 (rhBMP-2) Using the W-20 Mouse Stromal Cell Line, Test Method for, **F2131 (13.01)**

Recommended treatments
Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), Practice for, **F1516 (15.04)**

Recompression
Consolidated Undrained Direct Simple Shear Testing of Cohesive Soils, Test Method for, **D6528 (04.09)**

Reconnaissance surveys
Environmental Site Assessments: Phase II Environmental Site Assessment Process, Practice for, **E1903 (11.05)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Selection of Soil and Rock Sampling Devices Used With Drill

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**

Reconstitution technique
Reconstitution of Irradiated Charpy-Sized Specimens, Guide for, **E1253 (12.02)**

Reconstructed/repaired tanks
Hydraulic Integrity of New, Repaired, or Reconstructed Aboveground Storage Tank Bottoms for Petroleum Service, Guide for, **E2256 (11.05)**

Reconstructing pipelines/conduits
See **Rehabilitation—sewerlines**

Reconstruction
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**

Reconstruction diameter
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**

Recontouring
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Re-contouring and Highwall Reclamation, Guide for, **E2243 (11.05)**

Recording/reporting data analysis results
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**
Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Water Samples, Guide for, **D6568 (11.01)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, Guide for, **E1434 (15.03)**
Reporting Data in Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy, Practice for, **E996 (03.06)**
Reporting Friction and Wear Test Results of Manufactured Carbon and Graphite Bearing and Seal Materials, Guide for, **C808 (05.05)**
Reporting Irradiation Results on Graphite, Practice for, **C625 (05.05)**
Reporting Properties for Plastics and Thermoplastic Elastomers, Guide for, **D6436 (08.03)**
Reporting Results from Methods of Chemical Analysis, Practice for, **E1950 (03.05)**
Use of Metric Units of Measure for Reporting Properties of Refractory Materials (COMMITTEE C-8 SUPPLEMENT TO E 380), Practice for, **C899 (15.01)**

Record keeping/preservation
Record Keeping and Record Preservation for Lead Hazard Activities, Practice for, **E2239 (04.12)**

Records management
Sa **Recording/reporting data analysis results**
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Data Characteristics of Equipment Records, Practice for, **E2604 (04.12)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, Practice for, **D4561 (04.03)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Record Keeping and Record Preservation for Lead Hazard Activities, Practice for, **E2239 (04.12)**
Uniform Data Management in Asset Management Records Systems, Practice for, **E2812 (04.12)**

Records management—water
Fish and Wildlife Incident Monitoring and Reporting, Guide for, **E1849 (11.06)**
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Record Keeping for Electrodialysis/Electrodialysis Reversal Systems, Guide for, **D5131 (11.02)**
Recordkeeping for Reverse Osmosis and Nanofiltration Systems, Guide for, **D4472 (11.02)**
Recordkeeping Microfiltration and Ultrafiltration Systems, Guide for, **D7285 (11.02)**
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**

Recoverable deformation
Determining the Resilient Modulus of Bituminous Mixtures by Indirect Tension Test, Test Method for, **D7369 (04.03)**

Recoverable elements (from water)
dimer/trimer of chlorotrifluoroethylene (S-316) Recoverable Oil and Grease and Nonpolar Material by Infrared Determination, Test Method for, **D7066 (11.02)**
Solvent-Free Membrane Recoverable Oil and Grease by Infrared Determination, Test Method for, **D7575 (11.02)**

Recoverable stretch
Evaluation of Recoverable Stretch of Stretch Yarns (Skein Method), Test Method for, **D6720 (07.02)**

Recovered paper material
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**

Recovered plastic material
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**
Recycled Post-Consumer Polyethylene Film Sources for Molding and Extrusion Materials, Classification for, **D5491 (08.03)**

Recovering viruses (from water)
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Recovery of Viruses from Wastewater Sludges, Practice for, **D4994 (11.02)**

Recovery
Compressibility and Recovery of Asbestos, Test Method for, **C1123/C1123M (04.05)**
Compressibility and Recovery of Gasket Materials, Test Method for, **F36 (09.02)**
Compressibility and Recovery of Laminated Composite Gasket Materials, Test Method for, **F806 (09.02)**
Conducting Creep Tests of Metal-to-Metal Adhesives, Practice for, **D1780 (15.06)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Elastic Recovery of Asphalt Materials by Ductilometer, Test Method for, **D6084/D6084M (04.03)**
Estimating Oil Spill Recovery System Effectiveness, Guide for, **F1780 (11.05)**
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**
Measuring the Resiliency of Turf Reinforcement Mats (TRMs), Test Method for, **D6524 (04.13)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Preformed Polychloroprene Elastomeric Joint Seals for Bridges, Specification for, **D3542 (04.03)**
Preformed Polychloroprene Elastomeric Joint Seals for Concrete Pavements, Specification for, **D2628 (04.03)**
Recovery of Aqueous Cyanides by Extraction from Mine Rock and Soil, Guide for, **D7572 (11.02)**
Recovery of Asphalt from Solution Using the Rotary Evaporator, Practice for, **D5404/D5404M (04.03)**
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Static Load Limit, Test Method for, **F970 (15.04)**
Writing Quality Control Specifications for Standard Test Methods for Water Analysis, Practice for, **D5847 (11.02)**

Recovery and elution
Determination of Effectiveness of Cleaning Processes for Reusable Medical Instruments Using a Microbiologic Method (Simulated Use Test), Test Method for, **E2314 (11.05)**
Determine Efficacy of Disinfection Processes for Reusable Medical Devices (Simulated Use Test), Test Method to, **E1837 (11.05)**

Recovery from bending
Rubber Shaft Seals Determination of Recovery From Bending, Test Method for, **D6515 (09.02)**

Recovery time
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**

RECP (rolled erosion control product)
Determination of Rolled Erosion Control Product (RECP) Ability to Encourage Seed Germination and Plant Growth Under Bench-Scale Conditions, Test Method for, **D7322 (04.09)**
Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Soil from Rain Splash and Associated Runoff Under Bench-Scale Conditions, Index Test Method for, **D7101 (04.09)**

Recreational equipment
Consumer Recreational Use of Fun-Karts, Safety Guide for, **F1928 (15.11)**
Design, Manufacture, and Operation of Concession Go-Karts and Facilities, Practice for, **F2007 (15.07)**
Installation of Chain-Link Fence for Outdoor Sports Fields, Sports Courts and Other Recreation Facilities, Practice for, **F2631 (01.06)**
Measuring Sleeping Bag Loft, Test Method for, **F1932/F1932M (15.07)**
Measuring the Headroom of a Backpacking or Mountaineering Tent, Test Method for, **F1935 (15.07)**
Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2642 (15.11)**
Weighing a Backpacking or Mountaineering Tent, Test Method for, **F1934 (15.07)**

Recreational equipment—specifications
Helmets Used for Recreational Snow Sports, Specification for, **F2040 (15.07)**
Illustrating the Footprint of a Backpacking or Mountaineering Tent, Specification for, **F1933 (15.07)**
Recreational Airpark Design, Specification for, **F2507 (15.11)**
Soft Contained Play Equipment, Safety Performance Specification for, **F1918 (15.11)**

Recreational waters
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**

Rectangular brick/shapes
Sa **Brick—specifications**
Dimensions of a Modular Series of Refractory Brick and Shapes, Practice for, **C909 (15.01)**

Rectangular ceramic test specimens
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**

Rectangular current test pulse application
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**

Rectangular Cu tube
Angle of Twist in Rectangular and Square Copper and Copper Alloy Tube, Test Method for, **B428 (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**

Rectangular Cu wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Soft Rectangular and Square Bare Copper Wire for Electrical Conductors, Specification for, **B48 (02.03)**

Rectangular wave guide
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

Recycled engine coolant
Aqueous Engine Coolant Grade Glycol (53% Nominal), Specification for, **D7713 (15.05)**
Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, Specification for, **D6471 (15.05)**

Recycled fiber content
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

Recycled glass
Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, Specification for, **D5359 (11.04)**

Recycled materials
Waste Reduction, Resource Recovery, and Use of Recycled Polymeric Materials and Products, Guide for, **D7209 (08.03)**

Recycled (paving) materials
Sa **Pavement surfaces**
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Classifying Emulsified Recycling Agents, Practice for, **D5505 (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Nontraditional Coarse Aggregates for Bituminous Paving Mixtures, Specification for, **D6155 (04.03)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**

Recycled plastics
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Determination of Contamination in Recycled Poly(Ethylene Te-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

rephthalate) (PET) Flakes and Chips Using a Plaque Test, Practice for, **D5814 (08.03)**
Determination of the Linear Coefficient of Thermal Expansion of Plastic Lumber and Plastic Lumber Shapes Between –30 and 140°F (–34.4 and 60°C), Test Method for, **D6341 (08.03)**
Insulated Vinyl Siding, Specification for, **D7793 (08.03)**
Poly (Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ISO Methods, Classification System and Basis for Specification for, **D6358 (08.03)**
Polyamide Molding and Extrusion Materials (PA), Classification System for and Basis of Specification for, **D6779 (08.03)**
Polyolefin-Based Plastic Lumber Decking Boards, Specification for, **D6662 (08.03)**
Recycled Post-Consumer Polyethylene Film Sources for Molding and Extrusion Materials, Classification for, **D5491 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), Specification for, **D7445 (08.03)**
Separation and Identification of Poly(Vinyl Chloride) (PVC) Contamination in Poly(Ethylene Terephthalate) (PET) Flake, Practice for, **D5991 (08.03)**
Separation and Washing of Recycled Plastics Prior to Testing, Practice for, **D6288 (08.03)**
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**
Ultra-High-Molecular-Weight Polyethylene (UHMW-PE) Solid Plastic Shapes, Specification for, **D6712 (08.03)**

Recycled plastics—specifications
Extruded and Compression Molded Basic Shapes Made from Thermoplastic Polyester (TPES), Specification for, **D6261 (08.03)**
Extruded and Compression Molded Shapes Made from Polycarbonate (PC), Specification for, **D6098 (08.03)**
Extruded and Monomer Cast Shapes Made from Nylon (PA), Specification for, **D5989 (08.03)**
Extruded Rods and Bars Made From Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC), Specification for, **D6263 (08.03)**
Extruded, Compression Molded, and Injection Molded Basic Shapes of Poly(aryl ether ketone) (PAEK), Specification for, **D6262 (08.03)**
Poly(Vinyl Chloride) (PVC) Sewer and Drain Pipe Containing Recycled PVC Material, Specification for, **F1732 (08.04)**
Polycarbonate (PC) Unfilled and Reinforced Material, Specification for, **D3935 (08.02)**
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**
Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications, Specification for, **D4397 (08.02)**
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**
Sulfone Plastics (SP), Specification for, **D6394 (08.03)**

Recycling
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Source Reduction Reuse, Recycling, or Disposal of Steel Cans, Guide for, **D5833 (15.10)**

Red blood cells (RBC)
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**

Red brass
See **Brass**
See **UNS C23000 (red brass, 85%)**

Red brass—leaded
See **UNS C32000 (hardware bronze; leaded red brass)**

Red brass—leaded/casting
See **UNS C83600 (cast leaded red brass)**

Red copper oxide
See **Cuprous oxide (CuO_2)**

Red dye combination
Determination of the Red Dye Concentration and Estimation of Saybolt Color of Aviation Turbine Fuels and Kerosine Using a Portable Visible Spectrophotometer, Test Method for, **D7058 (05.04)**
Determination of the Red Dye Concentration and Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, Test Method for, **D6756 (05.03)**

Red iron oxide (hematite)
See **Iron oxide pigments—red (natural/synthetic)**

Redox standards
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**

Red pepper (capsicum)
Sensory Evaluation of Low Heat Chilies, Test Method for, **E1395 (15.08)**
Sensory Evaluation of Red Pepper Heat, Test Method for, **E1083 (15.08)**

Red pigments
Chemical Analysis of Red Lead, Test Methods of, **D49 (06.03)**
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Natural Red and Brown Iron Oxide Pigments, Specification for, **D3722 (06.03)**
Red Lead Pigment, Specification for, **D83 (06.03)**
Synthetic Red Iron Oxide Pigment, Specification for, **D3721 (06.03)**

Redrawing
Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, Specification for, **A821/A821M (01.04)**

Redraw rod
Sa **Copper electrical conductors—specifications**
Copper Rod Drawing Stock for Electrical Purposes, Specification for, **B49 (02.01)**
Electromagnetic (Eddy-Current) Examination of Copper Redraw Rod for Electrical Purposes, Practice for, **E1606 (03.03)**

Redtone ink blue
See **Iron blue pigment**

Reduced chrome green
See **Chrome green pigment**

Reduced pressure testing
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**
Ultra Low Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D7184 (06.04)**

Reducer bushings sockets (for plastic pipe)
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**

Reducing atmosphere test
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**

Reducing impact sound transmission
Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, Test Method for, **E2179 (04.06)**

Reducing substances
Formic Acid in Glacial Acetic Acid, Test Method for, **D3546 (06.04)**

Reduction
Assessment of Antimicrobial Activity Using a Time-Kill Procedure, Guide for, **E2315 (11.05)**
Carbon Black, Pelleted—Reduction, Blending, and Drying of Gross Samples for Testing, Practice for, **D5817 (09.01)**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Reducing Samples of Aggregate to Testing Size, Practice for, **C702/C702M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Source Reduction Reuse, Recycling, or Disposal of Steel Cans, Guide for, **D5833 (15.10)**

Reduction gears—specifications
Carbon and Alloy Steel Forgings for Rings for Reduction Gears, Specification for, **A290/A290M (01.05)**
Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, Specification for, **A291/A291M (01.05)**

Reduction of area
See **Thermal expansion/contraction**

Reductive pyrolysis
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**

Redwood
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**

Reel
Manually Operated Fueling Hose Reels, Specification for, **F1347 (01.07)**

Referee methods
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Corrosion-Resistant High-Silicon Iron Castings, Specification for, **A518/A518M (01.02)**
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**
Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes, Test Method for, **D877/D877M (10.03)**
Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines, Practice for, **D6424 (05.03)**
Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, Test Method for, **F1249 (15.10)**

Reference baths
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Preparation and Use of an Ice-Point Bath as a Reference Temperature, Practice for, **E563 (14.03)**

Reference blacks
Carbon Black—Evaluation of an Industry Reference Black, Practice for, **D4122 (09.01)**
Carbon Black—Validation of Test Method Precision and Bias, Guide for, **D4821 (09.01)**
Nomenclature of Reference Materials of Committee D24, Classification for, **D7849 (09.01)**

Reference blocks
Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, Practice for, **E127 (03.03)**
Material Selection and Fabrication of Reference Blocks for the Pulsed Longitudinal Wave Ultrasonic Testing of Metal and Metal Alloy Production Material, Guide for, **E1158 (03.03)**

Reference buffer solutions
pH of Water, Test Methods for, **D1293 (11.01)**

Reference coolant
ASTM Reference Fluid for Coolant Tests, Specification for, **D3585 (15.05)**

Reference electrode
Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**
pH of Aqueous Solutions With the Glass Electrode, Test Method for, **E70 (15.05)**
Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Reference fuel
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**

Reference index
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**

Reference junction compensation
Calibration and Use of Thermocouple Reference Junction Probes in Evaluation of Electronic Reference Junction Compensation Circuits, Practice for, **E2730 (14.03)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Reference leaks
Calibrating Gaseous Reference Leaks, Practice for, **E908 (03.03)**

Reference masses
Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements, Specification for, **C1005 (04.01)**

Reference materials (RM)
Ampulization and Storage of Gasoline and Related Hydrocarbon Materials, Practice for, **D6596 (05.03)**
Certificates of Reference Materials for Water Analysis, Practice for, **D6362 (11.01)**
Competency Requirements of Reference Material Producers for Water Analysis, Practice for, **D6808 (11.01)**
Development of an Independent Third-Party Verification of Reference Materials, Guide for, **F2717 (15.12)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Nomenclature of Reference Materials of Committee D24, Classification for, **D7849 (09.01)**
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Selecting and Characterizing Weathering Reference Materials, Practice for, **G156 (14.04)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**

Reference monitoring
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**

Reference neutron fields
Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, Guide for, **E2005 (12.02)**

Reference notches
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**

Reference oils
Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, Test Method for, **D5966 (05.02)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, Test Method for, **D6794 (05.03)**

Reference photographs
Comparing Sealant Behavior to Reference Photographs, Guide for, **C1756 (04.07)**
Evaluating the Degree of Chalking of Exterior Paint Films, Test Methods for, **D4214 (06.01)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reference pyranometers
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Reference radiographs
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Ductile Iron Castings, Reference Radiographs for, **E689 (03.03)**
Evaluating the Performance of Radiographic Digitization Systems, Reference Radiograph for, **E1936 (03.03)**
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**
Gray Iron Castings Up to 4, Reference Radiographs for, **E802 (03.03)**
High-Strength Copper-Base and Nickel-Copper Alloy Castings, Reference Radiographs for, **E272 (03.03)**
Inspection of Aluminum and Magnesium Castings, Reference Radiographs for, **E155 (03.03)**
Inspection of Aluminum and Magnesium Die Castings, Reference Radiographs for, **E505 (03.03)**
Investment Steel Castings for Aerospace Applications, Digital Reference Images for, **E2660 (03.03)**
Liquid Penetrant Inspection, Reference Photographs for, **E433 (03.03)**
Magnetic Particle Indications on Ferrous Castings, Reference Photographs for, **E125 (03.03)**
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**
Soundness of Welds in Steel by Comparison to Graded ASTM, Radiographic Examination for, **E1955 (03.03)**
Steel Castings up to 2 in. (50.8 mm) in Thickness, Digital Reference Images for, **E2868 (03.03)**
Steel Fusion Welds, Reference Radiographs for, **E390 (03.03)**
Tin Bronze Castings, Reference Radiographs for, **E310 (03.03)**
Titanium Castings, Digital Reference Images for, **E2669 (03.03)**
Titanium Castings, Reference Radiographs for, **E1320 (03.03)**
Reference radiographs—steel castings
Heavy-Walled (2 to 4 1/2-in. (50.8 to 114-mm)) Steel Castings, Reference Radiographs for, **E186 (03.03)**
Heavy-Walled (4 1/2 to 12-in. (114 to 305-mm)) Steel Castings, Reference Radiographs for, **E280 (03.03)**
Investment Steel Castings for Aerospace Applications, Reference Radiographs of, **E192 (03.03)**
Investment Steel Castings for Aerospace Applications, Digital Reference Images for, **E2660 (03.03)**
Steel Castings Up to 2 in. (50.8 mm) in Thickness, Reference Radiographs for, **E446 (03.03)**
Reference resistance
Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design, Specification for, **D5457 (04.10)**
Reference samples/specimens
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**
Reference solar spectrum
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Reference standard dosimeter
Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**
Using the Fricke Dosimetry System, Practice for, **E1026 (12.02)**
Reference temperature
Determination of Reference Temperature, T_o, for Ferritic Steels in the Transition Range, Test Method for, **E1921 (03.01)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**
Reference testing methods
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, Test Method for, **E207 (14.03)**
Reference thermometers
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Reference tires
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Standard Rib Tire for Pavement Skid-Resistance Tests, Specification for, **E501 (04.03)**
Tire Testing Operations–Basic Concepts and Terminology for Reference Tire Use, Practice for, **F1806 (09.02)**
Reference toxicants
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Reference wavelengths
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Reference weight/mass standards
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**
Refined benzene
Sa **Benzene—paints/related coatings/materials**
Determination of Trace Thiophene in Refined Benzene by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D7011 (06.04)**
Refined Benzene-545, Specification for, **D4734 (06.04)**
Refined coal tar
See **Coal tar—specifications**
Refined copper
See **Copper (refined/refinery shapes)—specifications**
Refined cresylic acid
See **Cresylic acid**
Refined dicumyl peroxide
Dicumyl Peroxide, Assay (Liquid Chromatography), Test Method for, **E755 (15.05)**
Refined metals
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Refined metals—specifications
Refined Antimony, Specification for, **B237 (02.04)**
Refined Gold, Specification for, **B562 (02.04)**
Refined Iridium, Specification for, **B671 (02.04)**
Refined Lead, Specification for, **B29 (02.04)**
Refined Palladium, Specification for, **B589 (02.04)**
Refined Platinum, Specification for, **B561 (02.04)**
Refined Rhodium, Specification for, **B616 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Refined Ruthenium, Specification for, **B717 (02.04)**
Refined Silver, Specification for, **B413 (02.04)**
Refined naphtha derivatives
See **Naphtha and naphtha derivatives**
Refined oils
Characterizing Hydrocarbon Lubricant Base Oils, Guide for, **D6074 (05.02)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Refined phenol
Refined Phenol, Specification for, **D2439 (06.04)**
Refined phthalic anhydride
See **Phthalic anhydride**
Refined tall oil
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Refinery gases
Chemical Composition of Gases by Mass Spectrometry, Test Method for, **D2650 (05.01)**
Refinery inhibitors
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using Rotating Cage, Practice for, **G184 (03.02)**
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using the Rotating Cylinder Electrode, Practice for, **G185 (03.02)**
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors Using Jet Impingement Apparatus, Practice for, **G208 (03.02)**
Refinery service
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**
Refinery shapes
See **Copper (refined/refinery shapes)—specifications**
Reflectance and reflectivity
Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, Specification for, **D2824/D2824M (04.04)**
Color of Asbestos, Test Method for, **D2985/D2985M (04.05)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Instrumental Reflectance Measurement of Color for Flat Glass, Coated, and Uncoated, Practice for, **C1650 (15.02)**
Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.5 Degree Observation Angle, Test Method for, **E2540 (06.01)**
Measuring Optical Reflectivity of Transparent Materials, Test Method for, **F1252 (15.03)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Microscopical Determination of the Reflectance of Vitrinite Dispersed in Sedimentary Rocks, Test Method for, **D7708 (05.06)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Reflectance and reflectivity—atmospheric analysis
Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, Test Method for, **D4323 (11.07)**
Reflectance and reflectivity—cleaning compounds/detergents
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**
Reflectance and reflectivity—coal
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
Polishing and Etching Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D5671 (05.06)**
Preparing Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D2797/D2797M (05.06)**
Reflectance and reflectivity—copy materials/paper
Comparing Correctable Film Ribbons, Practice for, **F1454 (15.09)**
Determination of Color Response of Electrostatic Copying System, Black and White Output, Practice for, **F974 (15.09)**
Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, Practice for, **E259 (06.01)**
Specifying Color by the Munsell System, Practice for, **D1535 (06.01)**
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**
Reflectance and reflectivity—detergent materials/applications
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**
Reflectance and reflectivity—metals/alloys
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Sheet Radiant Barriers for Building Construction Applications, Specification for, **C1313/C1313M (04.06)**
Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, Practice for, **E1791 (03.06)**
Reflectance and reflectivity—paints/related coatings/materials
Appearance, Terminology of, **E284 (06.01)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates, Practice for, **D2244 (06.01)**
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, Practice for, **E991 (06.01)**
Evaluating the Degree of Chalking of Exterior Paint Films, Test Methods for, **D4214 (06.01)**
Evaluation of Visual Color Difference With a Gray Scale, Test Method for, **D2616 (06.01)**
Hiding Power of Paints by Reflectometry, Test Method for, **D2805 (06.01)**
Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, Practice for, **E805 (06.01)**
Luminous Reflectance Factor of Acoustical Materials by Use of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1331 (06.01)**
Reflection Haze of High-Gloss Surfaces, Test Method for, **D4039 (06.01)**
Relative Tinting Strength of White Pigments by Reflectance Measurements, Test Method for, **D2745 (06.01)**
Retroreflectance of Horizontal Coatings, Test Method for, **D4061 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Reflectance and reflectivity—solar devices
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**
Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer, Test Method for, **C1549 (04.06)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, Test Method for, **E903 (12.02)**
Solar Energy Transmittance and Reflectance (Terrestrial) of Sheet Materials, Test Methods for, **E424 (12.02)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**

Reflectance factor
Color and Color Difference of Whitewares by Abriged Spectrophotometry, Test Method for, **C1510 (15.02)**

Reflected airblast pressure
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**

Reflected energy
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**

Reflected light analysis
Sa **Light transmission and reflection**
Preparing Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D2797/D2797M (05.06)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Reflected temperature
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Measuring and Compensating for Reflected Temperature Using Infrared Imaging Radiometers, Test Methods for, **E1862 (03.03)**
Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, Test Methods for, **E1897 (03.03)**

Reflection density
Reflection Density of Printed Matter, Test Method for, **D7305 (06.02)**

Reflection method
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**
Ultrasonic Pulse-Echo Straight-Beam Contact Testing, Practice for, **E114 (03.03)**

Reflection (sound transmission)
See **Sound transmission—building materials/applications**

Reflective coating
Silvered Flat Glass Mirror, Specification for, **C1503 (15.02)**

Reflective insulation
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Externally Applied Reflective Insulation Systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems, Specification for, **C1668 (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, Practice for, **C1744 (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction, Practice for, **C1743 (04.06)**
Installation and Use of Reflective Insulation in Building Constructions, Practice for, **C727 (04.06)**
Specimen Preparation and Mounting of Reflective Insulation, Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics, Practice for, **E2599 (04.07)**

Reflective insulation—specifications
Externally Applied Reflective Insulation Systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems, Specification for, **C1668 (04.06)**
Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, Specification for, **C667 (04.06)**
Reflective Insulation for Building Applications, Specification for, **C1224 (04.06)**

Reflective pavement markers
See **Glass spheres (in traffic paint/marking material)**
See **Pavement marking materials—specifications**

Reflective sheeting
Coefficient of Retroreflection of Retroreflective Sheeting Utilizing the Coplanar Geometry, Test Method for, **E810 (06.01)**

Reflectivity after abrasion
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Reflectometer/reflectrometry
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer, Test Method for, **C1549 (04.06)**
Determination of Water (Moisture) Content of Soil by the Time-Domain Reflectometry (TDR) Method, Test Method for, **D6565 (04.09)**
Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**
Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.5 Degree Observation Angle, Test Method for, **E2540 (06.01)**
Measurement of the Luminance Coefficient Under Diffuse Illumination of Pavement Marking Materials Using a Portable Reflectometer, Test Method for, **E2302 (06.01)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**
Water Content and Density of Soil In situ by Time Domain Re-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

flectometry (TDR), Test Method for, **D6780/D6780M (04.09)**

Reflex dividing valves
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**

Reflow test
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**

Reflux
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**

Reforging
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**

Reformate
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**

Reformed natural gas
Sa **Natural gas service systems**
Analysis of Reformed Gas by Gas Chromatography, Practice for, **D1946 (05.06)**
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**

Reforming catalysts
Sa **Catalysts/catalyst carriers**
Mechanically Tapped Packing Density of Formed Catalyst and Catalyst Carriers, Test Method for, **D4164 (05.05)**
Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, Test Method for, **D4179 (05.05)**
Vibratory Packing Density of Formed Catalyst Particles and Catalyst Carriers, Test Method for, **D4180 (05.05)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Reformulated gasolines
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**

Refraction
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**

Refractive dispersion
Refractive Index and Refractive Dispersion of Hydrocarbon Liquids, Test Method for, **D1218 (05.01)**

Refractive index
Calculating Carbon-Type Composition of Insulating Oils of Petroleum Origin, Practice for, **D2140 (10.03)**
Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, Test Method for, **D3238 (05.01)**
Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6379 (05.03)**
Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6591 (05.03)**
Determination of Total Aromatics and Total Saturates in Lube Basestocks by High Performance Liquid Chromatography (HPLC) with Refractive Index Detection, Test Method for, **D7419 (05.04)**
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Index of Refraction of Transparent Organic Plastics, Test Method for, **D542 (08.01)**
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Refractive Index and Refractive Dispersion of Hydrocarbon Liquids, Test Method for, **D1218 (05.01)**
Refractive Index Detectors Used in Liquid Chromatography, Practice for, **E1303 (03.06)**
Refractive Index of Viscous Materials, Test Method for, **D1747 (05.01)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Sampling and Testing Pine Oils, Test Methods for, **D802 (06.03)**
Sampling and Testing Plasticizers Used in Plastics, Test Methods for, **D1045 (08.01)**
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**
the Automated Determination of Refractive Index of Glass Samples Using the Oil Immersion Method and a Phase Contrast Microscope, Test Method for, **E1967 (14.02)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Refractivity intercept
Calculating Carbon-Type Composition of Insulating Oils of Petroleum Origin, Practice for, **D2140 (10.03)**

Refractometer
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**
Pore Water Extraction and Determination of the Soluble Salt Content of Soils by Refractometer, Test Method for, **D4542 (04.08)**
Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes, Practice for, **D4095 (15.04)**
Use of the Refractometer for Field Test Determination of the Freezing Point of Aqueous Engine Coolants, Test Method for, **D3321 (15.05)**

Refractories
Measuring Consistency of Castable Refractory Using a Flow Table, Test Method for, **C1445 (15.01)**

Refractories—carbon/carbon-bearing
Modulus of Rupture of Carbon-Containing Refractory Materials at Elevated Temperatures, Test Method for, **C1099 (15.01)**

Refractories (aggregate)
Modulus of Rupture of Refractory Materials at Elevated Temperatures, Test Method for, **C583 (15.01)**

Refractories (alumina)
Alumina and Alumina-Silicate Castable Refractories, Classification of, **C401 (15.01)**
Fireclay and High-Alumina Refractory Brick, Classification of, **C27 (15.01)**
Pressing and Drying Refractory Plastic and Ramming Mix Specimens, Practice for, **C1054 (15.01)**
Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials, Test Method for, **C24 (15.01)**
Workability Index of Fireclay and High-Alumina Refractory Plastics, Test Method for, **C181 (15.01)**

Refractories (brick and shapes)—burned brick
Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, Test Methods for, **C20 (15.01)**

Refractories (brick and shapes)—fireclay
Fireclay and High-Alumina Refractory Brick, Classification of, **C27 (15.01)**
Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Refractory Materials, Test Method for, **C24 (15.01)**
Refractories (brick and shapes)—insulating
Insulating Firebrick, Classification of, **C155 (15.01)**
Reheat Change of Insulating Firebrick, Test Method for, **C210 (15.01)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**
Thermal Conductivity of Insulating Firebrick, Test Method for, **C182 (15.01)**
Refractories (brick and shapes)—modulus of rupture
Cold Crushing Strength and Modulus of Rupture of Refractories, Test Methods for, **C133 (15.01)**
Modulus of Rupture of Refractory Materials at Elevated Temperatures, Test Method for, **C583 (15.01)**
Refractories (brick and shapes)—pitch-bearing
Coking Large Shapes of Carbon-Bearing Materials, Practice for, **C607 (15.01)**
Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, Test Methods for, **C831 (15.01)**
Refractories (brick and shapes)—silica
Silica Refractory Brick, Classification of, **C416 (15.01)**
Refractories (bricks and shapes)
Abrasion Resistance of Refractory Materials at Room Temperature, Test Method for, **C704/C704M (15.01)**
Bulk Density and Volume of Solid Refractories by Wax Immersion, Test Method for, **C914 (15.01)**
Calculating Areas, Volume, and Linear Change of Refractory Shapes, Practice for, **C1407 (15.01)**
Chrome, Chrome-Magnesia, Magnesia-Chrome, and Magnesia Brick, Classification of, **C455 (15.01)**
Cold Crushing Strength and Modulus of Rupture of Refractories, Test Methods for, **C133 (15.01)**
Determining Metric Dimensions of Standard Series Refractory Brick and Shapes, Practice for, **C861 (15.01)**
Dimensions of a Modular Series of Refractory Brick and Shapes, Practice for, **C909 (15.01)**
Hydration Resistance of Basic Bricks and Shapes, Test Method for, **C456 (15.01)**
Load Testing Refractory Shapes at High Temperatures, Test Method for, **C16 (15.01)**
Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, Practice for, **C1190 (15.01)**
Mortar, Refractory (High-Temperature, Air-Setting), Specification for, **F1097 (01.07)**
Permeability of Refractories, Test Method for, **C577 (15.01)**
Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials, Test Method for, **C24 (15.01)**
Reheat Change of Refractory Brick, Test Method for, **C113 (15.01)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Thermal Conductivity of Refractory Brick, Test Method for, **C202 (15.01)**
Young's Modulus of Refractory Shapes by Sonic Resonance, Test Method for, **C885 (15.01)**
Refractories (carbon/carbon-bearing)
Disintegration of Carbon Refractories by Alkali, Test Method for, **C454 (15.01)**
Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, Test Methods for, **C831 (15.01)**
Thermal Conductivity of Carbon Refractories, Test Method for, **C767 (15.01)**
Refractories (castable)
Alumina and Alumina-Silicate Castable Refractories, Classification of, **C401 (15.01)**
Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test, Test Method for, **C860 (15.01)**
Firing Refractory Concrete Specimens, Practice for, **C865 (15.01)**
Measuring Consistency of Castable Refractory Using a Flow Table, Test Method for, **C1445 (15.01)**
Measuring Consistency of Self-Flowing Castable Refractories, Test Method for, **C1446 (15.01)**
Preparing Refractory Castable Specimens by Cold Gunning, Practice for, **C903 (15.01)**
Preparing Refractory Concrete Specimens by Casting, Practice for, **C862 (15.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Thermal Conductivity of Unfired Monolithic Refractories, Test Method for, **C417 (15.01)**
Refractories (chrome-containing)
Chrome, Chrome-Magnesia, Magnesia-Chrome, and Magnesia Brick, Classification of, **C455 (15.01)**
Refractories (dolomite)
Hydration of Granular Dead-Burned Refractory Dolomite, Test Method for, **C492 (15.01)**
Refractories (fireclay)
Drying and Firing Linear Change of Refractory Plastic and Ramming Mix Specimens, Test Method for, **C179 (15.01)**
Fireclay and High-Alumina Plastic Refractories and Ramming Mixes, Classification of, **C673 (15.01)**
Fireclay and High-Alumina Refractory Brick, Classification of, **C27 (15.01)**
Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials, Test Method for, **C24 (15.01)**
Workability Index of Fireclay and High-Alumina Refractory Plastics, Test Method for, **C181 (15.01)**
Refractories (general)
Abrasion Resistance of Refractory Materials at Room Temperature, Test Method for, **C704/C704M (15.01)**
Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure, Test Methods for, **C830 (15.01)**
Bulk Density of Granular Refractory Materials, Test Method for, **C357 (15.01)**
Disintegration of Refractories in an Atmosphere of Carbon Monoxide, Test Method for, **C288 (15.01)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measuring Thermal Expansion and Creep of Refractories Under Load, Test Method of, **C832 (15.01)**
Permeability of Refractories, Test Method for, **C577 (15.01)**
Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, Test Method for, **C1171 (15.01)**
Refractories, Terminology Relating to, **C71 (15.01)**
Rotary Slag Testing of Refractory Materials, Test Method for, **C874 (15.01)**
Sieve Analysis and Water Content of Refractory Materials, Test Methods for, **C92 (15.01)**
Thermal Conductivity of Refractories, Test Method for, **C201 (15.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
True Specific Gravity of Refractory Materials by Gas-Comparison Pycnometer, Test Method for, **C604 (15.01)**
True Specific Gravity of Refractory Materials by Water Immersion, Test Method for, **C135 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of Metric Units of Measure for Reporting Properties of Refractory Materials (COMMITTEE C-8 SUPPLEMENT TO E 380), Practice for, **C899 (15.01)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Refractories (general)—preparing test specimens
Preparing Test Specimens from Basic Refractory Castable Products by Casting, Practice for, **C974 (15.01)**
Preparing Test Specimens From Basic Refractory Gunning Products by Pressing, Practice for, **C973 (15.01)**
Preparing Test Specimens from Basic Refractory Ramming Products by Pressing, Practice for, **C975 (15.01)**

Refractories (glass)
Isothermal Corrosion Resistance of Refractories to Molten Glass, Test Method for, **C621 (15.01)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Refractories (high alumina)
See **Refractories (alumina)**

Refractories (magnesite)
Chrome, Chrome-Magnesia, Magnesia-Chrome, and Magnesia Brick, Classification of, **C455 (15.01)**
Hydration of Dead Burned Magnesite or Periclase Grain, Test Method for, **C544 (15.01)**

Refractories (monolithic)
Modulus of Rupture of Refractory Materials at Elevated Temperatures, Test Method for, **C583 (15.01)**
Permeability of Refractories, Test Method for, **C577 (15.01)**
Thermal Conductivity of Unfired Monolithic Refractories, Test Method for, **C417 (15.01)**

Refractories (mortar)
See **Refractory mortar**

Refractories (mullite)
Mullite Refractories, Classification of, **C467 (15.01)**

Refractories (plastic)
Drying and Firing Linear Change of Refractory Plastic and Ramming Mix Specimens, Test Method for, **C179 (15.01)**
Fireclay and High-Alumina Plastic Refractories and Ramming Mixes, Classification of, **C673 (15.01)**
Pressing and Drying Refractory Plastic and Ramming Mix Specimens, Practice for, **C1054 (15.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Workability Index of Fireclay and High-Alumina Refractory Plastics, Test Method for, **C181 (15.01)**

Refractories (ramming mixes)
Fireclay and High-Alumina Plastic Refractories and Ramming Mixes, Classification of, **C673 (15.01)**
Pressing and Drying Refractory Plastic and Ramming Mix Specimens, Practice for, **C1054 (15.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**

Refractories (silica)
Alumina and Alumina-Silicate Castable Refractories, Classification of, **C401 (15.01)**
Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials, Test Method for, **C24 (15.01)**
Silica Refractory Brick, Classification of, **C416 (15.01)**

Refractories (silicon carbide)
Evaluating Oxidation Resistance of Silicon Carbide Refractories at Elevated Temperatures, Test Method for, **C863 (15.01)**

Refractories (zircon)
Zircon Refractories, Classification of, **C545 (15.01)**

Refractoriness
Pier Test for Refractory Mortars, Test Method for, **C199 (15.01)**

Refractory blocks/shapes
Fusion-Cast Refractory Blocks and Shapes, Classification for, **C1547 (15.01)**

Refractory brick
See **Refractories (bricks and shapes)**

Refractory concrete
Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test, Test Method for, **C860 (15.01)**
Firing Refractory Concrete Specimens, Practice for, **C865 (15.01)**
Preparing Refractory Castable Specimens by Cold Gunning, Practice for, **C903 (15.01)**
Preparing Refractory Concrete Specimens by Casting, Practice for, **C862 (15.01)**

Refractory contaminants
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**

Refractory fibers
Pneumatically Applied High-Temperature Fiber Thermal Insulation for Industrial Applications, Specification for, **C1685 (04.06)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**

Refractory furnace linings
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**

Refractory materials
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Test Method for, **C1548 (15.01)**
Measuring the Reactivity of Hydraulic Refractory Castables using Exothermic Profile, Guide for, **C1656 (15.01)**
Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus, Test Method for, **C1419 (15.01)**

Refractory metal coatings (powdered)
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**

Refractory metal powders
Apparent Density of Metal Powders and Compounds Using the Scott Volumeter, Test Method for, **B329 (02.05)**
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Estimating Average Particle Size of Metal Powders and Related Compounds Using Air Permeability, Test Methods for, **B330 (02.05)**
Metal Powder Skeletal Density by Helium or Nitrogen Pycnometry, Test Method for, **B923 (02.05)**
Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**

Refractory metals/alloys
Determination of Carbon in Refractory and Reactive Metals and Their Alloys by Combustion Analysis, Test Method for, **E1941 (03.05)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Spectrometric Analysis of Reactive and Refractory Metals, Guide for, **E2626 (03.05)**

Refractory metals/alloys—specifications
Reactive and Refractory Metal Clad Plate, Specification for, **B898 (02.04)**

Refractory metals/alloys (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**

Refractory metal thermocouples
See **Thermocouples**

Refractory mortar
Cold Bonding Strength of Refractory Mortar, Test Method for, **C198 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**
Mortar, Refractory (High-Temperature, Air-Setting), Specification for, **F1097 (01.07)**
Pier Test for Refractory Mortars, Test Method for, **C199 (15.01)**

Refractory silicide targets
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**

Refractory tube method
Behavior of Materials in a Vertical Tube Furnace at 750°C, Test Method for, **E136 (04.07)**

Refrigerant 114
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**

Refrigeration systems
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Commercial Bulk Milk Dispensers, Mechanically Refrigerated, Specification for, **F2891 (15.12)**
Performance of Refrigerated Buffet and Preparation Tables, Test Method for, **F2143 (15.12)**

Refrigeration systems—specifications
Copper-Brazed Steel Tubing, Specification for, **A254/A254M (01.01)**
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**
Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, Specification for, **B280 (02.01)**
Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**

Refrigerator
Reach-in Refrigerators, Freezers, Combination Refrigerator/Freezers, and Thaw Cabinets, Specification for, **F2520 (15.12)**

Refurbishing
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Floor Coverings and Textile Upholstered Furniture, Terminology Relating to, **D5253 (07.02)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**

Refuse-derived fuel (RDF)
Calculating Refuse-Derived Fuel Analysis Data from As-Determined to Different Bases, Test Method for, **E791 (11.04)**
Carbon and Hydrogen in the Analysis Sample of Refuse-Derived Fuel, Test Method for, **E777 (11.04)**
Characterizing the Performance of Refuse Size-Reduction Equipment, Test Method for, **E959 (11.04)**
Composition or Purity of a Solid Waste Materials Stream, Test Method for, **E889 (11.04)**
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Determining the Bulk Density of Solid Waste Fractions, Test Method for, **E1109 (11.04)**
Forms of Chlorine in Refuse-Derived Fuel, Test Method for, **E776 (11.04)**
Fusibility of Refuse-Derived Fuel (RDF) Ash, Test Method for, **E953/E953M (11.04)**
Measuring Particle Size Distribution of RDF-5, Test Method for, **E1037 (11.04)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**
Municipal-Mixed Nonferrous Metals (MNM), Classification for, **E956 (11.04)**
Nitrogen in the Analysis Sample of Refuse-Derived Fuel, Test Methods for, **E778 (11.04)**
Residual Moisture in a Refuse-Derived Fuel Analysis Sample, Test Method for, **E790 (11.04)**
Shake Extraction of Solid Waste with Water, Practice for, **D3987 (11.04)**
Shredder Explosion Protection, Practice for, **E1248 (11.04)**
Silica in Refuse-Derived Fuel (RDF) and RDF Ash, Test Method for, **E887 (11.04)**
Thermal Characteristics of Refuse-Derived Fuel Macrosamples, Test Method for, **E955 (11.04)**
Total Sulfur in the Analysis Sample of Refuse-Derived Fuel, Test Methods for, **E775 (11.04)**
Wetting and Drying Test of Solid Wastes, Test Method for, **D4843 (11.04)**

Refuse processing plants
Characterizing the Performance of Refuse Size-Reduction Equipment, Test Method for, **E959 (11.04)**
Shredder Explosion Protection, Practice for, **E1248 (11.04)**

Regeneration
Characterization of Hydrogels used in Regenerative Medicine, Guide for, **F2900 (13.02)**

Regional emergency medical services (EMS)
Sa **Emergency medical services (EMS)**
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**

Regional representativeness
Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, Guide for, **D5111 (11.07)**

Register chain
Sa **Steel chain—specifications**
Weldless Chain, Specification for, **A466/A466M (01.05)**

Regression analysis
Sa **Statistical methods**
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**
Estimation of Measurement Uncertainty for Data from Regression-based Methods, Practice for, **D7366 (11.01)**
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**

Regular backfill
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**

Regular duty strapping materials
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**

Regular-grade methyl ethyl ketone (MEK)
See **Methyl ethyl ketone (MEK)**

Regular wall sheathing
Sa **Cellulosic fiber insulation**
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**

Regulators/reactors (electrical)
Mineral Insulating Oil Used in Electrical Apparatus, Specification for, **D3487 (10.03)**

Regulatory agency
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Regulatory compliance
Demonstrating and Assessing Whether a Chemical Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, Guide for, **D6956 (11.04)**
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**
Regulatory programs
Packaging and Shipping Environmental Samples for Laboratory Analysis, Guide for, **D6911 (04.09)**
Rehabilitation
Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, Specification for, **F2207 (08.04)**
Internal Non Structural Epoxy Barrier Coating Material Used In Rehabilitation of Metallic Pressurized Piping Systems, Practice for, **F2831 (08.04)**
Maintenance and Rehabilitation of Groundwater Monitoring Wells, Guide for, **D5978 (04.09)**
Rehabilitation—concrete structures/applications
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Rehabilitation—sewerlines
Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, Specification for, **F1504 (08.04)**
Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Specification for, **F1871 (08.04)**
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**
Poly (Vinyl Chloride)(PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits, Specification for, **F1735 (08.04)**
Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F1743 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F2019 (08.04)**
Sealing of Sewers Using Chemical Grouting, Practice for, **F2304 (04.12)**
Rehabilitation—steel structures/applications
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field, Specification for, **A979/A979M (01.06)**
Reheat change
Reheat Change of Insulating Firebrick, Test Method for, **C210 (15.01)**
Reheat Change of Refractory Brick, Test Method for, **C113 (15.01)**
Reid vapor pressure
Determination of Vapor Pressure of Crude Oil: VPCR, Test Method for, **D6377 (05.03)**
Vapor Pressure of Petroleum Products (Reid Method), Test Method for, **D323 (05.01)**
Reimbursement
Financing and Financial Accountability of Medical Transportation Systems, Guide for, **F1493 (13.02)**
Reinforced autoclaved concrete
Reinforced Autoclaved Aerated Concrete (AAC) Elements, Specification for, **C1694 (04.05)**
Reinforced basecoat/reinforcing mesh
Use of Test Methods, Practice for, **E2321 (04.12)**
Reinforced class PB exterior insulation
Sa **Class PB exterior insulation/finish system**
Impact Resistance of Class PB and PI Exterior Insulation and Finish Systems (EIFS), Test Method for, **E2486/E2486M (04.12)**
Reinforced concrete sewer pipe
Sa **Sewer pipe (concrete)—specifications**
Resilient Connectors Between Reinforced Concrete On-Site Wastewater Tanks and Pipes, Specification for, **C1644 (04.05)**
Reinforced embankments/soil retaining walls
See **Embankments**
Reinforced geomembranes
Determination of Ply Adhesion Strength of Reinforced Geomembranes, Test Method for, **D6636 (04.13)**
Determining Tearing Strength of Internally Reinforced Geomembranes, Test Method for, **D5884 (04.13)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Reinforced gummed tape
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Reinforced liquid coating encapsulation product
Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Specification for, **E1797 (04.11)**
Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings, Guide for, **E1796 (04.11)**
Reinforced masonry mortars
Evaluating Bond of Seven-Wire Steel Prestressing Strand, Test Method for, **A1081/A1081M (01.04)**
Reinforced plastic mortar pipe (RPMP)
External Pressure Resistance of "Fiberglass", Test Method for, **D2924 (08.03)**
Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**
Reinforced plastics
Sa **High modulus fibrous composites**
Sa **Reinforced thermosetting plastics (RTP)**
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Compressive Properties of Plastic Lumber and Shapes, Test Method for, **D6108 (08.03)**
Diffuse Light Transmission Factor of Reinforced Plastics Panels, Test Method for, **D1494 (08.03)**
Examination of Fiberglass Reinforced Plastic Fan Blades Using Acoustic Emission, Practice for, **E2076/E2076M (03.03)**
Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, Test Method for, **D4476 (08.02)**
Flexural Properties of Unreinforced and Reinforced Plastic Lumber and Related Products, Test Methods for, **D6109 (08.03)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials, Test Methods for, **D790 (08.01)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, Test Method for, **D6272 (08.03)**
Glass Fiber Reinforced Thermoplastic Pipe, Specification for, **F2686 (08.04)**
In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod, Test Method for, **D3914 (08.02)**
Reinforced Plastic Pultruded Products, Terminology Relating to, **D3918 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics, Test Method for, **D2343 (08.01)**
Tensile Properties of Plastics, Test Method for, **D638 (08.01)**
Tensile Properties of Pultruded Glass-Fiber-Reinforced, Test Method for, **D3916 (08.02)**

Reinforced polymers
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Reinforced polyphenylene sulfide plastics
See **Poly(phenylene sulfide)(PPS)**

Reinforced roofing/waterproofing materials
Application of Fully Adhered Hot-Applied Reinforced Waterproofing Systems, Guide for, **D6622 (04.04)**
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**
Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing, Specification for, **D6221 (04.04)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**

Reinforced thermosetting plastics (RTP)
Sa **Thermosetting plastics**
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Classifying Reinforced Plastic Pultruded Shapes According to Composition, Practice for, **D3647 (08.02)**
Classifying Visual Defects in Parts Molded from Reinforced Thermosetting Plastics, Practice for, **D2562 (08.01)**
Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**
Determining Chemical Resistance of Thermosetting Resins Used in Glass-Fiber-Reinforced Structures Intended for Liquid Service, Practice for, **C581 (08.03)**
Determining the Flammability Characteristics of Nonrigid Solid Plastics, Test Method for, **D4804 (08.02)**
Diffuse Light Transmission Factor of Reinforced Plastics Panels, Test Method for, **D1494 (08.03)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Ignition Loss of Cured Reinforced Resins, Test Method for, **D2584 (08.01)**
In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod, Test Method for, **D3914 (08.02)**
In-Plane Shear Strength of Reinforced Plastics, Test Method for, **D3846 (08.02)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Reinforced Plastic Pultruded Products, Terminology Relating to, **D3918 (08.02)**
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**
Tensile Properties of Pultruded Glass-Fiber-Reinforced, Test Method for, **D3916 (08.02)**
Tensile Properties of Reinforced Thermosetting Plastics Using Straight-Sided Specimens, Test Method for, **D5083 (08.02)**
Time-to-Failure of Plastic Pipe Under Constant Internal Pressure, Test Method for, **D1598 (08.04)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Void Content of Reinforced Plastics, Test Methods for, **D2734 (08.01)**

Reinforced thermosetting plastics (RTP)—specifications
Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, Specification for, **D3982 (08.03)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Contact-Molded Reinforced Thermosetting Plastic (RTP) Laminates for Corrosion-Resistant Equipment, Specification for, **C582 (08.03)**
Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes, Specification for, **D3917 (08.02)**
Fiber-Reinforced Plastic Fans and Blowers, Specification for, **D4167 (08.03)**
Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, Specification for, **F1092 (01.07)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Reinforced thermosetting-resin pipe (RTRP)
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, Test Method for, **D2925 (08.03)**
Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, Test Method for, **D3681 (08.03)**
Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, Test Method for, **D2143 (08.03)**
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**
External Pressure Resistance of "Fiberglass", Test Method for, **D2924 (08.03)**
Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, Test Method for, **D2105 (08.03)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**

Reinforced thermosetting-resin pipe (RTRP)—specifications
Sa **Thermoplastic pipe/tube/fittings**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, Specification for, **D3840 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe, Specification for, **D3517 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe, Specification for, **D3754 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe, Specification for, **D3262 (08.03)**
Centrifugally Cast "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Specification for, **D2997 (08.03)**
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D5421 (08.03)**
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Filament-Wound "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Specification for, **D2996 (08.03)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**
Machine-Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Classification for, **D2310 (08.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reinforced Epoxy Resin Gas Pressure Pipe and Fittings, Specification for, **D2517 (08.03)**

Reinforced thermosetting resin (RTR) seals—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals, Specification for, **D4161 (08.03)**
Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F477 (08.04)**
Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals, Specification for, **D3212 (08.04)**
Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals, Specification for, **D3139 (08.04)**
Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F913 (08.04)**

Reinforced unit masonry
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**

Reinforced vaults
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**

Reinforcement (concrete)
Sa **Concrete reinforcement—specifications**
Carbon-Steel Wire and Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1064/A1064M (01.04)**

Reinforcement material descriptors
Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, Guide for, **E1309 (15.03)**

Reinforcements (textiles)
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**

Reinforcing agents
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**

Reinforcing cords (for tires)
See **Tire cords and tire cord fabrics**

Reinforcing fabric
Measurement of Thickness of Coatings Over Fabric Reinforcement, Test Method for, **D7635/D7635M (04.04)**

Reinforcing fiberboard boxes
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**

Reinforcing puncture/holes
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**

Reinforcing steel/concrete
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Carbon-Steel Wire and Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1064/A1064M (01.04)**
Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, Test Method for, **A944 (01.04)**
Corrosion Potentials of Uncoated Reinforcing Steel in Concrete, Test Method for, **C876 (03.02, 04.02)**
Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**
Transverse Shear Strength of Fiber-reinforced Polymer Matrix Composite Bars, Test Method for, **D7617/D7617M (15.03)**
Zinc-Coated (Galvanized) Steel Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1060/A1060M (01.04)**

Reinforcing steel/concrete—specifications
See **Concrete reinforcement—specifications**

Rein system
Reins Used in Thoroughbred and Quarter Horse Racing, Specification for, **F2842 (15.07)**

Rejection
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**

Relationships
Gas Chromatography Terms and Relationships, Practice for, **E355 (03.06)**

Relative assessment
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**

Relative complex permittivity
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Coaxial Air Line, Test Method for, **D7449/D7449M (10.02)**
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

Relative cooling index
See **Quenching**

Relative crystallinity
Determination of Relative Crystallinity of Zeolite Sodium A by X-ray Diffraction, Test Method for, **D5357 (05.05)**
Determination of Relative Crystallinity of Zeolite ZSM-5 by X-Ray Diffraction, Test Method for, **D5758 (05.05)**

Relative density
Sa **Specific gravity**
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Density and Relative Density of Engine Coolant Concentrates and Aqueous Engine Coolants by Digital Density Meter, Test Method for, **D5931 (15.05)**
Density or Relative Density of Engine Coolant Concentrates and Engine Coolants By The Hydrometer, Test Method for, **D1122 (15.05)**
Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, Test Method for, **C127 (04.02)**
Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, Test Method for, **D7370 (04.03)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Preparation and Determination of the Relative Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor, Test Method for, **D6925 (04.03)**

Relative density (of petroleum products)
Sa **Density—petroleum products**
ASTM Butadiene Measurement Tables, Standard, **D1550 (05.01)**
Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, Test Method for, **D1657 (05.01)**
Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, Test Method for, **D6822 (05.03)**
Density, Relative Density, or API Gravity of Liquid Petroleum by Portable Digital Density Meter, Test Method for, **D7777 (05.04)**

Relative evaporation time
Relative Evaporation Time of Halogenated, Test Method for, **D1901 (15.05)**

Relative explosion pressure
See **Explosions/explosives**
See **Pressure testing**

Relative humidity (RH)
Sa **Humidity**
Accelerated Aging of Pressure-Sensitive Tapes, Practice for, **D3611 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Conditioning Containers, Packages, or Packaging Components for Testing, Practice for, **D4332 (15.10)**
Conditioning Plastics for Testing, Practice for, **D618 (08.01)**
Determination of Moisture in New and In-Service Lubricating Oils and Additives by Relative Humidity Sensor, Test Method for, **D7546 (05.04)**
Determination of Moisture in Plastics by Relative Humidity Sensor, Test Method for, **D7191 (08.03)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
Determining Relative Humidity on the Surface of Concrete Floor Slabs Using Relative Humidity Probe Measurement and Insulated Hood, Test Method for, **F2420 (15.04)**
Exposure of Membrane Switches to Temperature and Relative Humidity, Test Method for, **F1596 (10.04)**
Hygroscopic Properties of Fire-Retardant Wood and Wood-Based Products, Test Method for, **D3201/D3201M (04.10)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**
Maintaining Constant Relative Humidity by Means of Aqueous Solutions, Practice for, **E104 (11.07)**
Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), Test Method for, **E337 (11.07)**
Moisture Conditioning of Wood and Wood-Based Materials, Guide for, **D4933 (04.10)**
Performance of Hot Food Holding Cabinets, Test Method for, **F2140 (15.12)**
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Water Vapor Transmission Rate of Sheet Materials Using Dynamic Relative Humidity Measurement, Test Method for, **E398 (15.10)**

Relative humidity (RH)—specifications
Conditioning and Testing Flexible Barrier Packaging, Practice for, **E171/E171M (15.10)**

Relative insulating ability
Insulating Coatings for Electrical Steels by Composition, Relative Insulating Ability and Application, Classification of, **A976 (03.04)**

Relative luminous reflectance factor
Specular Gloss, Test Method for, **D523 (06.01)**

Relative moduli
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**

Relative molecular mass
Sa **Molecular weight**
Relative Molecular Mass (Molecular Weight) of Hydrocarbons by Thermoelectric Measurement of Vapor Pressure, Test Method for, **D2503 (05.01)**

Relative overall uncertainty
Determination of Precision and Bias of Methods of Committee D22, Guide for, **D3670 (11.07)**

Relative permittivity (dielectric constant)
See **Permittivity (dielectric constant)**

Relative spectral response/distribution
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**

Relative spread radius
Spreading of Liquid Agricultural Spray Mixtures, Test Method for, **E2044 (11.05)**

Relative standard deviation
Sa **Statistical methods**
Statistical Treatment of Thermoanalytical Data, Practice for, **E1970 (14.02)**

Relative stiffness (of leather)
Measuring the Relative Stiffness of Leather by Means of a Torsional Wire Apparatus, Test Method for, **D2821 (15.04)**

Relative tinting strength
Sa **Tinting strength**
Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, Test Method for, **D6531 (06.02)**
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**

Relaxation
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**

Relaxation modulus master curve
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**

Relaxation time
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**

Relaxometer
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**

Relays
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**

Relay steels—specifications
Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, Specification for, **A838 (03.04)**
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Low-Carbon Magnetic Iron, Specification for, **A848 (03.04)**

Release detection devices
Performing Evaluations of Underground Storage Tank Systems for Operational Conformance with 40 CFR, Part 280 Regulations, Guide for, **E1990 (11.05)**

Release moments (in alpine skis)
Sa **Alpine skis**
Measuring the Quasi-Static Release Moments of Alpine Ski Bindings, Test Method for, **F504 (15.07)**
Selection of Release Torque Values for Alpine Ski Bindings, Practice for, **F939 (15.07)**

Release papers
Release Papers Used with Preformed Tape Sealants, Test Methods for, **C879 (04.07)**

Release rates
Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6442 (06.02)**
Determination of Organic Biocide Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6903 (06.02)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**

Release torque inspection
Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, Practice for, **F1063 (15.07)**
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**

Reliability
Factors and Procedures for Applying the MIL-STD-105 Plans in Life and Reliability Inspection, Practice for, **E2555 (14.02)**
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reliability analysis
Life and Reliability Testing Based on the Exponential Distribution, Practice for, **E2696 (14.02)**
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**
Reliability, availability, and maintainability (RAM)
Hierarchy of Equipment Identifiers and Boundaries for Reliability, Availability, and Maintainability (RAM) Performance Data Exchange, Classification for, **F2446 (01.07)**
Religious and moral considerations
Sensory Evaluation of Beverages Containing Alcohol, Guide for, **E1879 (15.08)**
Religious classification
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Relocatable shelters—specifications
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Rigid Wall Relocatable Shelters, Terminology Relating to, **E1749 (04.11)**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Shelter, Electrical, Equipment S-280/G, Specification for, **E1975 (04.11)**
Shelter, Tactical, Expandable, One-Side, Specification for, **E1977 (04.11)**
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**
Shelter, Tactical, Nonexpandable, Specification for, **E1976 (04.11)**
Remanufactured cartridges
Testing Ink Jet Cartridge Latency (Start-Up), Practice for, **F2760 (15.09)**
Remedial action process/sites
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Describing Shoreline Response Techniques, Guide for, **F2204 (11.05)**
Development of Conceptual Site Models and Remediation Strategies for Light Nonaqueous-Phase Liquids Released to the Subsurface, Guide for, **E2531 (11.05)**
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, Guide for, **E1943 (11.05)**
Remedy Selection Integrating Risk-Based Corrective Action and Non-Risk Considerations, Guide for, **E2616 (11.05)**
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**
Remelted metals
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**
Remixing
Evaluating Degree of Settling of Paint, Test Method for, **D869 (06.01)**
Remolded clayey soils
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Remolded specimens
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**
Remote field testing (RFT)
In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, Practice for, **E2096/E2096M (03.03)**
Remote handling
Hot Cell Specialized Support Equipment and Tools, Guide for, **C1725 (12.01)**
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**
Mechanical Drive Systems for Remote Operation in Hot Cell Facilities, Guide for, **C1615 (12.01)**
Remote-interogation water level devices
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Remote laboratories
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Remotely-operated facilities
Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, Guide for, **C1572 (12.01)**
Viewing Systems for Remotely Operated Facilities, Guide for, **C1661 (12.01)**
Remote pH measurements
pH of Water, Test Methods for, **D1293 (11.01)**
Remote sensing
Locating Abandoned Wells, Guide for, **D6285 (04.09)**
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**
Removability
Long-Term Removability Properties of Emulsion Floor Polishes, Test Method for, **D1792 (15.04)**
Removable/reusable insulation
Fabrication of Flexible Removable and Reusable Blanket Insulation for Hot Service, Specification for, **C1695 (04.06)**
Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, Specification for, **E667 (13.01)**
Removal
Liner Removal at High Speeds from Pressure-Sensitive Label Stock, Test Methods for, **D5375/D5375M (15.10)**
Measurement of Suspended Sediment Removal Efficiency of Hydrodynamic Stormwater Separators and Underground Settling Devices, Test Method for, **C1746/C1746M (04.05)**
Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, Test Method for, **D5256 (11.02)**
Removal of asbestos
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**
Removal of forms
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Removal of mortar
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**
Removal of overlayers
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Removal torque
Application and Removal Torque of Threaded or Lug-Style Closures, Test Method for, **D3198 (15.10)**
Removing volatile contaminants
Removing Volatile Contaminants from Used Engine Oils by Stripping, Test Method for, **D3607 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Renewable resources
Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, Specification for, **D6751 (05.03)**
Renewal
Laser Technologies for Direct Measurement of Cross Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, Practice for, **F3095 (04.12)**
Renewal testing methods
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Renick diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Renovation project
Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), Guide for, **E1908 (04.11)**
Rental applications
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**
Repair—plastic piping systems
Poly (Vinyl Chloride) (PVC) Gas Pressure Pipe and Fittings For Maintenance or Repair, Specification for, **F2817 (08.04)**
The Sectional Repair of Damaged Pipe By Means of An Inverted Cured-In-Place Liner, Practice for, **F2599 (08.04)**
Repair and recoat (of roofs)
Repair and Recoat of Spray Polyurethane Foam Roofing Systems, Guide for, **D6705/D6705M (04.04)**
Repair by welding (for steel for nuclear/special applications)
Sa **Nuclear applications/materials**
Design of Surveillance Programs for Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E185 (12.02)**
In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, Guide for, **E509/E509M (12.02)**
Reconstitution of Irradiated Charpy-Sized Specimens, Guide for, **E1253 (12.02)**
Repaired fire stops
On-Site Inspection of Installed Firestops, Practice for, **E2174 (04.12)**
Repairing
Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, Specification for, **E1556 (04.11)**
Preparation of Concrete Surfaces for Adhered (Bonded) Membrane Waterproofing Systems, Guide for, **D5295 (04.04)**
Repair and Restoration of Dimension Stone, Guide for, **C1722 (04.07)**
Repair of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C950/C950M (04.06)**
Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings, Practice for, **A780/A780M (01.06)**
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**
Repassivation potential
Determining the Crevice Repassivation Potential of Corrosion-Resistant Alloys Using a Potentiodynamic-Galvanostatic-Potentiostatic Technique, Test Method for, **G192 (03.02)**
Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, Test Method for, **D6208 (15.05)**
Repeatability/reproducibility (RR)
Sa **Statistical methods**
Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, Guide for, **G117 (03.02)**
Conducting a Repeatability and Reproducibility Study on Test Equipment for Nondestructive Testing, Guide for, **F1469 (01.08)**
Conducting an Interlaboratory Study to Determine Precision Estimates for a Fire Test Method with Fewer Than Six Participating Laboratories, Practice for, **E2653 (04.07)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Guide for, **D7778 (05.04)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Practice for, **E691 (14.02)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Repellency
Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, Test Method for, **F2130 (11.03)**
Resistance to Wetting of Garment-Type Leathers, Test Method for, **D1913 (15.04)**
Repellent compounds
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar Specimens, Test Method for, **D6532 (06.02)**
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**
Laboratory Testing of Non-Commercial Mosquito Repellent Formulations On the Skin, Test Methods for, **E951 (11.05)**
Repetitive impact tests
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Repetitive-member wood assemblies
Evaluating System Effects in Repetitive-Member Wood Assemblies, Guide for, **D6555 (04.10)**
Repetitive shock
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Vibration Testing of Shipping Containers, Test Methods for, **D999 (15.10)**
Repetitive static plate load tests
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**
Replaceable airconditioning filter units
See **Air conditioning materials/applications—specifications**
Replacement span gas cylinder
Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), Test Method for, **D3162 (11.07)**
Replicas
Replication and Measurement of Concrete Surface Profiles Using Replica Putty, Test Method for, **D7682 (06.02)**
Replication
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Estimation of Holding Time for Water Samples Containing Organic and Inorganic Constituents, Practice for, **D4841 (11.01)**

--`,,`,,,`,`,`,,,,``````,,-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**

Repointing
Mortars for the Repair of Historic Masonry, Specification for, **C1713 (04.05)**
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**

Reporter gene system (RGS)
See **Genetic examination**

Reporting conditions
Determining Reporting Conditions and Expected Capacity for Photovoltaic Non-Concentrator Systems, Practice for, **E2939 (12.02)**

Reporting data
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Reporting Data for Test Specimens Prepared by Additive Manufacturing, Practice for, **F2971 (10.04)**
Reporting Imaging Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1635 (03.06)**
Reporting Photovoltaic Non-Concentrator System Performance, Test Method for, **E2848 (12.02)**
Reporting Slip Resistance Test Results, Practice for, **F2048 (15.07)**
Reporting Thermometer Calibrations, Practice for, **E2623 (14.03)**
Reporting Visual Observations of Oil on Water, Practice for, **F1779 (11.05)**

Reporting entity
Disclosure of Environmental Liabilities, Guide for, **E2173 (11.05)**

Repositionable materials/applications
Repositionable Note Pad, Specification for, **D6787/D6787M (15.10)**
Repositionable Pressure-Sensitive Flags, Specification for, **D6788 (15.10)**

Repository disposal
Corrosion Testing of Aluminum-Based Spent Nuclear Fuel in Support of Repository Disposal, Guide for, **C1431 (12.01)**

Representative quality indicators (RQIs)
Controlling Quality of Radiological Examination by Using Representative Quality Indicators (RQIs), Practice for, **E1817 (03.03)**

Representative sampling
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**
Composite Sampling and Field Subsampling for Environmental Waste Management Activities, Guide for, **D6051 (11.04)**
Representative Sampling for Management of Waste and Contaminated Media, Guide for, **D6044 (11.04)**
Sampling Waste Piles, Guide for, **D6009 (11.04)**

Reprocessed-recycled content
Coextruded Poly(Vinyl Chloride) (PVC) Non-Pressure Plastic Pipe Having Reprocessed-Recycled Content, Specification for, **F1760 (08.04)**
Ultra-High-Molecular-Weight Polyethylene (UHMW-PE) Solid Plastic Shapes, Specification for, **D6712 (08.03)**

Reprocessing medical instruments
Determination of Effectiveness of Cleaning Processes for Reusable Medical Instruments Using a Microbiologic Method (Simulated Use Test), Test Method for, **E2314 (11.05)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determine Efficacy of Disinfection Processes for Reusable Medical Devices (Simulated Use Test), Test Method to, **E1837 (11.05)**
Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, Practice for, **F1992 (13.01)**

Reproducibility
Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, Guide for, **G117 (03.02)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Practice for, **E691 (14.02)**
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**
Determining the Reproducibility of Acoustic Emission Sensor Response, Guide for, **E976 (03.03)**
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**

Reproductive signs
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**

Reproductive tests
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**

Repulpability
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**

Requirements
Requirements for Bodies that Operate Certification Programs in the Field of Search and Rescue, Guide for, **F3069 (13.02)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**

Re-refined base oils
Characterizing Hydrocarbon Lubricant Base Oils, Guide for, **D6074 (05.02)**

Rescue operations
Sa **SAR (search and rescue) operations**
Determining Load Ratios for Technical Rescue Systems and Equipment, Guide for, **F2491 (13.02)**
Masses Used in Testing Rescue Systems and Components, Specification for, **F2266 (13.02)**

Rescue equipment—testing
Basket Type Rescue Litters, Test Methods for, **F2821 (13.02)**
Determining Load Ratios for Technical Rescue Systems and Equipment, Guide for, **F2491 (13.02)**
Masses Used in Testing Rescue Systems and Components, Specification for, **F2266 (13.02)**
Measuring the Performance of Synthetic Rope Rescue Belay Systems Using a Drop Test, Test Method for, **F2436 (13.02)**

Rescue (ingress) windows
Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, Safety Specification for, **F2006 (15.11)**

Research and development applications
Bio-Applications Grade Water, Guide for, **D5196 (11.01)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**

Research octane number
Sa **Knock characteristics**
Determination of Octane Number of Spark-Ignition Engine Fuels

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Research Octane Number of Spark-Ignition Engine Fuel, Test Method for, **D2699 (05.05)**

Research reactor fuel
Sa **Nuclear fuels (reactor)—specifications**
Uranium Metal Enriched to More than 15 % and Less Than 20 %, Specification for, **C1462 (12.01)**

Reserve alkalinity (RA)
Reserve Alkalinity of Engine Coolants and Antirusts, Test Method for, **D1121 (15.05)**

Reserve sums
Allowance, Contingency, and Reserve Sums in Building Construction Estimating, Classification for, **E2168 (04.12)**

Reservoirs
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), Practice for, **D3745 (04.04)**
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**

Reshoring
Estimating Concrete Strength, Practice for, **C1074 (04.02)**

Resident flora
Recovery of Microorganisms From Skin using the Cup Scrub Technique, Test Method for, **E1874 (11.05)**

Residential basketball systems
Residential Basketball Systems, Specification for, **F1882 (15.07)**

Residential decks
Polyolefin-Based Plastic Lumber Decking Boards, Specification for, **D6662 (08.03)**

Residential depressurization/tightness
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**

Residential doors
See **Doors/door assemblies**

Residential dwellings
Sa **Windows/window assemblies**
Application of Refined Coal Tar (Ready to Use, Commercial Grade), Practice for, **D6948/D6948M (04.04)**
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, Guide for, **C1515 (04.07)**
Conducting Lead Hazard Assessments of Dwellings and of Other Child-Occupied Facilities, Guide for, **E2115 (04.12)**
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**
Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade), Specification for, **D6946/D6946M (04.04)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Firebox Brick for Residential Fireplaces, Specification for, **C1261 (04.05)**
Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction, Practice for, **C1743 (04.06)**
Installing Radon Mitigation Systems in Existing Low-Rise Residential Buildings, Practice for, **E2121 (04.12)**
Linoleum Floor Tile, Specification for, **F2195 (15.04)**
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**
Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact, Test Methods for, **F842 (04.12)**
Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact, Test Methods for, **F588 (04.12)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Placement and Use of Diffusion Controlled Passive Monitors for Gaseous Pollutants in Indoor Air, Guide for, **D6306 (11.07)**
Plastic Chairs for Outdoor Use, Performance Requirements for, **F1561 (15.11)**
Residential Central-Vacuum Tube and Fittings, Specification for, **F2158 (15.08)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**
Selection of Lead Hazard Reduction Methods for Identified Risks in Residential Housing or Child Occupied Facilities, Practice for, **E2252 (04.12)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Indoor Air Quality, Guide for, **E2267 (04.12)**

Residential fencing
Sa **Chain-link fence/fencing systems**
Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas, Guide for, **F1908 (01.06)**
Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, Safety Performance Specification for, **F2049 (01.06)**

Residential fencing—specifications
Polyvinyl Chloride (PVC), Polyolefin and Other Polymer-Coated Steel Chain Link Fence Fabric, Specification for, **F668 (01.06)**
Residential Chain Link Fence Gates, Specification for, **F654 (01.06)**
Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, Specification for, **F964 (01.06)**

Residential flooring
See **Resilient flooring**

Residential vacuum cleaners
See **Vacuum cleaners/systems**

Resident microorganism
Evaluation of Antimicrobial Formulations by the Agar Patch Technique, Test Method for, **E1882 (11.05)**

Resident species
Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, Guide for, **E1850 (11.06)**

Residual acrylonitrile (RAN)
Sa **Acrylonitrile content**
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**

Residual carbon content
See **Carbon content**

Residual chemical films
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Residual chlorine
Estimation of Chlorine Demand of Water, Practice for, **D1291 (11.02)**
Residual Chlorine in Water, Test Method for, **D1253 (11.01)**

Residual contamination levels
See **Contamination**

Residual deflections
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Residual fiber shrinkage
Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, Test Method for, **D6774 (07.02)**
Residual fuel oils
Sa **Fuel oils**
Cleanliness and Compatibility of Residual Fuels by Spot Test, Test Method for, **D4740 (05.02)**
Determination of Hydrogen Sulfide in Fuel Oils by Rapid Liquid Phase Extraction, Test Method for, **D7621 (05.04)**
Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, Test Methods for, **D5708 (05.02)**
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Determination of the Maximum Flocculation Ratio and Peptizing Power in Residual and Heavy Fuel Oils (Optical Detection Method), Test Method for, **D7060 (05.04)**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**
Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection), Test Method for, **D7112 (05.04)**
Measurement of Hydrogen Sulfide in the Vapor Phase Above Residual Fuel Oils, Test Method for, **D5705 (05.02)**
Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, Test Method for, **D6021 (05.02)**
Sodium in Residual Fuel Oil (Flame Photometric Method), Test Method for, **D1318 (05.01)**
Residual gas analyzer (RGA)
Leakage Measurement Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Hood Mode, Practice for, **E1603/E1603M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**
Residual glycol ether
Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, Test Method for, **D4773 (06.04)**
Residual indentation
Short-Term Indentation and Residual Indentation of Resilient Floor Covering, Test Methods for, **F1914 (15.04)**
Static Load Limit, Test Method for, **F970 (15.04)**
Residual induction
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**
Residual junction/streaming potential
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Residual magnetism
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**
Residual moisture
See **Moisture analysis**
Residual monomers
Determination of Volatiles in Polymers by Static Headspace Gas Chromatography, Practice for, **D4526 (08.02)**
Residual odor
Sa **Odor**
Detecting Residual Odor of Drycleaning Grade, Test Method for, **D4494 (15.05)**
Odor of Volatile Solvents and Diluents, Test Method for, **D1296 (06.04)**
Residual oil
Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), Test Method for, **D7157 (05.04)**
Residual powder
Residual Powder on Medical Gloves, Test Method for, **D6124 (09.02)**
Residual radioactivity
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Unrestricted Disposition of Bulk Materials Containing Residual Amounts of Radioactivity, Guide for, **E1760 (12.02)**
Residuals
Alkaline Stabilization of Wastewater Treatment Plant Residuals, Guide for, **D6249 (04.01)**
Residual shear strength
Sa **Shear testing**
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**
Residual solids
Ash Content in Plastics, Test Method for, **D5630 (08.03)**
Residual solvents
Sa **Solvents**
Determining Residual Solvents in Packaging Materials, Test Methods for, **F1884 (15.10)**
Residual strains
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Residual strength
Obtaining Average Residual-Strength of Fiber-Reinforced Concrete, Test Method for, **C1399/C1399M (04.02)**
Residual stress
Ammonia Vapor Test for Determining Susceptibility to Stress Corrosion Cracking in Copper Alloys, Test Method for, **B858 (02.01)**
Determination of Quasistatic Fracture Toughness of Welds, Practice for, **E2818 (03.01)**
Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**
Determining Residual Stresses in Extruded or Molded Sulfone Plastic (SP) Parts by Immersion in Various Chemical Reagents, Practice for, **D7474 (08.03)**
Determining the Effective Elastic Parameter for X-Ray Diffraction Measurements of Residual Stress, Test Method for, **E1426 (03.01)**
Estimating the Approximate Residual Circumferential Stress in Straight Thin-walled Tubing, Practice for, **E1928 (03.01)**
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, Guide for, **B909 (02.02)**
Residual Stress Measurement by X-Ray Diffraction for Bearing Steels, Test Method for, **E2860 (03.01)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**
Strength of Glass by Flexure (Determination of Modulus of Rupture), Test Methods for, **C158 (15.02)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Residual Stress Measurement, Test Method for, **E915 (03.01)**

Residual styrene content

Sa **Styrene content**

Rubber Latex—Styrene-Butadiene Copolymer—Determination of Residual Styrene, Test Method for, **D4026 (09.01)**

Residual unsaturation

Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, Test Method for, **D5670 (09.01)**

Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value, Test Method for, **D5902 (09.01)**

Residual vinyl chloride monomer content

See **Vinyl chloride monomer content**

Residue

Air-Entraining Admixtures for Concrete, Specification for, **C260/C260M (04.02)**

Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, Test Method for, **D4957 (04.03)**

Ash Content in Plastics, Test Method for, **D5630 (08.03)**

Carbon Black—Sieve Residue, Test Method for, **D1514 (09.01)**

Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**

Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**

Coking Value of Tar and Pitch (Alcan), Test Method for, **D4715 (05.02)**

Coking Value of Tar and Pitch (Modified Conradson), Test Method for, **D2416 (05.01)**

Collection of Dislodgeable Pesticide Residues from Floors, Practice for, **D6333 (11.07)**

Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**

Determination of Emulsified Asphalt Residue by Moisture Analyzer, Test Method for, **D7404 (04.03)**

Determination of Total, Combustible and Carbonate Carbon in Solid Residues from Coal and Coke, Test Method for, **D6316 (05.06)**

Distillation of Cutback Asphaltic (Bituminous) Products, Test Method for, **D402 (04.03)**

Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**

Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**

Evaporation and Drying of Analytical Solutions, Test Method for, **D4902 (15.04)**

Extractable Matter in Textiles, Test Method for, **D2257 (07.01)**

Extracting Residue from Metallic Medical Components and Quantifying via Gravimetric Analysis, Test Method for, **F2459 (13.01)**

Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**

Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, Test Method for, **E1235 (15.03)**

Gravimetric Determination of Nonvolatile Residue from Cleanroom Gloves, Test Method for, **E1731 (15.03)**

Gravimetric Determination of Nonvolatile Residue From Cleanroom Wipers, Test Method for, **E1560 (15.03)**

Gunshot Residue Analysis by Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry, Guide for, **E1588 (14.02)**

Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**

Hydroxypropylcellulose, Test Methods for, **D5400 (06.03)**

Insoluble Residue in Carbonate Aggregates, Test Method for, **D3042 (04.03)**

Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**

Mass Loss and Residue Measurement Validation of Thermogravimetric Analyzers, Test Method for, **E2402 (14.02)**

Moisture and Residue in Liquid Chlorine, Test Method for, **E410 (15.05)**

Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**

On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**

Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**

Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**

Release Papers Used with Preformed Tape Sealants, Test Methods for, **C879 (04.07)**

Reporting and Assessment of Residues on Single Use Implants, Practice for, **F2847 (13.02)**

Residue of Specified Penetration, Test Method for, **D243 (04.03)**

Residues in Liquefied Petroleum (LP) Gases by Gas Chromatography with Liquid, On-Column Injection, Test Method for, **D7756 (05.04)**

Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**

Rubber Compounding Material—Zinc Oxide, Test Methods for, **D4315 (09.01)**

Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**

Sampling and Testing of Flaked Aluminum Powders and Pastes, Test Methods for, **D480 (06.03)**

Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**

Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), Practice for, **E2154 (14.02)**

Water Extractable Residue from Particulate Ion-Exchange Resins, Test Method for, **D5627 (11.02)**

Water Solubles in Activated Carbon, Test Method for, **D5029 (15.01)**

Residue—fires

Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**

Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**

Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**

Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**

Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**

Residue—petroleum products

Boiling Point Distribution of Samples with Residues Such as Crude Oils and Atmospheric and Vacuum Residues by High Temperature Gas Chromatography, Test Method for, **D7169 (05.04)**

Conradson Carbon Residue of Petroleum Products, Test Method for, **D189 (05.01)**

Determination of Carbon Residue (Micro Method), Test Method for, **D4530 (05.02)**

Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**

Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**

Oxidation Stability of Aviation Fuels (Potential Residue Method), Test Method for, **D873 (05.01)**

Ramsbottom Carbon Residue of Petroleum Products, Test Method for, **D524 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Residues in Liquefied Petroleum (LP) Gases, Test Method for, **D2158 (05.01)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Unsulfonated Residue of Petroleum Plant Spray Oils, Test Method for, **D483 (05.01)**

Residue after evaporation (RAE)
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**

Residue flushing
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**

Residue on evaporation
Nonvolatile Matter in Halogenated Organic, Test Methods for, **D2109 (15.05)**

Residue on ignition
Loss on Ignition (LOI) of Solid Combustion Residues, Test Methods for, **D7348 (05.06)**
Silanes Used in Rubber Formulations, Test Method for, **D6740 (09.01)**

Resilience
Compressibility and Recovery of Asbestos, Test Method for, **C1123/C1123M (04.05)**
Rubber Property—Resilience Using Schob Type Rebound Pendulum, Test Method for, **D7121 (09.01)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**

Resilience—impact
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Rubber Property—Resilience by Vertical Rebound, Test Method for, **D2632 (09.01)**

Resiliency
Measuring the Resiliency of Turf Reinforcement Mats (TRMs), Test Method for, **D6524 (04.13)**

Resilient connectors
Resilient Connectors Between Reinforced Concrete Manhole Structures and Corrugated High Density Polyethylene Drainage Pipes, Specification for, **F2510/F2510M (08.04)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Resilient Connectors Between Reinforced Concrete On-Site Wastewater Tanks and Pipes, Specification for, **C1644 (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals, Specification for, **C1478 (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals (Metric), Specification for, **C1478M (04.05)**

Resilient expansion joint fillers
Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types), Specification for, **D1751 (04.03)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**

Resilient flooring
Bonded Rubber Crumb Floor Coverings, Specification for, **F3041 (15.04)**
Cork Floor Tile, Specification for, **F3008 (15.04)**
Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, Test Method for, **F2199 (15.04)**
Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, Test Method for, **F2170 (15.04)**
Electrical Resistance of Conductive and Static Dissipative Resilient Flooring, Test Method for, **F150 (15.04)**
Embossed Depth of Resilient Floor Coverings, Test Method for, **F373 (15.04)**
Evaluate the Effect of Dynamic Rolling Load over Resilient Floor Covering System, Practice to, **F2753 (15.04)**
Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus, Test Method for, **F137 (15.04)**
Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, Practice for, **F1482 (15.04)**
Installation of Thick Poured Gypsum Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2419 (15.04)**
Installation of Thick Poured Lightweight Cellular Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2471 (15.04)**
Linoleum Floor Tile, Specification for, **F2195 (15.04)**
Measurement of Resilient Floor Plank by Dial Gage, Test Method for, **F2421 (15.04)**
Measuring Heat Stability of Resilient Flooring by Color Change, Test Method for, **F1514 (15.04)**
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**
Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, Test Method for, **F1869 (15.04)**
Measuring Thickness of Resilient Floor Covering With Foam Layer, Test Method for, **F387 (15.04)**
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**
Preparing Panel Underlayments, Thick Poured Gypsum Concrete Underlayments, Thick Poured Lightweight Cellular Concrete Underlayments, and Concrete Subfloors with Underlayment Patching Compounds to Receive Resilient Flooring, Practice for, **F2678 (15.04)**
Resilient Floor Coverings, Terminology Relating to, **F141 (15.04)**
Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method, Test Method for, **F510/F510M (15.04)**
Resistance to Chemicals of Resilient Flooring, Test Method for, **F925 (15.04)**
Resistance to Puncture of Cushioned Resilient Floor Coverings, Test Method for, **F924 (15.04)**
Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), Practice for, **F1516 (15.04)**
Sealing Seams of Resilient Sheet Flooring Products by Use of Liquid Seam Sealers, Practice for, **F693 (15.04)**
Short-Term Indentation and Residual Indentation of Resilient Floor Covering, Test Methods for, **F1914 (15.04)**
Static Load Limit, Test Method for, **F970 (15.04)**
the Installation of Self-Leveling Underlayment and the Preparation of Surface to Receive Resilient Flooring, Practice for, **F2873 (15.04)**
Thickness of Resilient Flooring Materials Having Flat Surfaces, Test Method for, **F386 (15.04)**
Two-Component Resin Based Membrane-Forming Moisture Mitigation Systems for Use Under Resilient Floor Coverings, Practice for, **F3010 (15.04)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Wear Layer Thickness of Resilient Floor Coverings by Optical Measurement, Test Method for, **F410 (15.04)**

Resilient flooring—specifications
Resilient Stair Treads, Specification for, **F2169 (15.04)**
Resilient Wall Base, Specification for, **F1861 (15.04)**
Rubber Floor Tile, Specification for, **F1344 (15.04)**

Resilient floor tile
Rubber Floor Tile, Specification for, **F1344 (15.04)**
Size and Squareness of Resilient Floor Tile by Dial Gage Method, Test Method for, **F2055 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**
Resilient modulus
Determining the Resilient Modulus of Bituminous Mixtures by Indirect Tension Test, Test Method for, **D7369 (04.03)**
Resilient tile
Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), Practice for, **F1516 (15.04)**
Resilient wall base
Resilient Wall Base, Specification for, **F1861 (15.04)**
Resin-base caulking compound
See **Caulking compounds and sealants**
Resin-based adhesives
Sa **Polymer adhesives**
Volume Resistivity of Conductive Adhesives, Test Method for, **D2739 (15.06)**
Resin binders
Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C579 (06.02)**
Resin content
Insolubles in Used Lubricating Oils, Test Method for, **D893 (05.01)**
Solvent Cements for Poly(Vinyl Chloride) (PVC) Plastic Piping Systems, Specification for, **D2564 (08.04)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**
Resin furniture
Child's Plastic Chairs for Outdoor Use, Performance Requirements for, **F1838 (15.11)**
Plastic Chairs for Outdoor Use, Performance Requirements for, **F1561 (15.11)**
Resin-impregnated tube
Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F1743 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Resin kettle
Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, Practice for, **D5165 (06.03)**
Resin matrix composites
Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich Beam, Test Method for, **D5467/D5467M (15.03)**
Constituent Content of Composite Prepreg, Test Methods for, **D3529M (15.03)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Resin mortars
Chemical-Resistant Resin Mortars, Specification for, **C395 (04.05)**
Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, Test Method for, **C307 (06.02)**
Use of Chemical-Resistant Resin Mortars, Practice for, **C399 (04.05)**
Working, Initial Setting, and Service Strength Setting Times of Chemical-Resistant Resin Mortars, Test Methods for, **C308 (06.02)**
Resins
Abbreviated Terms Relating to Plastics, Terminology for, **D1600 (08.01)**
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Acid Number of Styrene-Maleic Anhydride Resins, Test Method for, **D3644 (15.04)**
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, Test Method for, **D6267 (06.03)**
Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**
Coding Plastic Manufactured Articles for Resin Identification, Practice for, **D7611/D7611M (08.03)**
CPT-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7471 (08.03)**
Curing Properties of Pultrusion Resins by Thermal Analysis, Test Method for, **D5028 (08.02)**
Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, Guide for, **D5364 (08.03)**
Determining Chemical Resistance of Thermosetting Resins Used in Glass-Fiber-Reinforced Structures Intended for Liquid Service, Practice for, **C581 (08.03)**
Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, Test Method for, **D4398 (08.03)**
Determining the Color Stability of Hydrocarbon Resins After Heating, Practice for, **D6605 (06.03)**
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Dichloromethane Solubles in Wood, Test Method for, **D1108 (04.10)**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
EFEP-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7472 (08.03)**
Ethanol-Toluene Solubility of Wood, Test Method for, **D1107 (04.10)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2902 (10.02)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Printing Ink Vehicles and Related Materials, Terminology for, **D7805 (06.03)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, Test Method for, **D4880 (10.02)**
Softening Point of Resins Derived from Naval Stores by Ring-and-Ball Apparatus, Test Methods for, **E28 (06.03)**
Softening Point Resins (Mettler Cup and Ball Method), Test Method for, **D6090 (06.03)**
Standard Plastics Industry Bulk Box/Pallet Unit Size Classified By Bulk Density, Classification for, **D6881/D6881M (15.10)**
Testing Alkyd Compatibility with Resin or Resin Solutions, Test Method for, **D6887 (06.03)**
Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, Test Method for, **D4881 (10.02)**
Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes, Practice for, **D4095 (15.04)**
Volatile Matter (Including Water) of Vinyl Chloride Resins, Test Method for, **D3030 (08.01)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**

Resins—specifications
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Chemical-Resistant Monolithic Floor Surfacings, Specification for, **C722 (06.02)**
Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, Specification for, **D3982 (08.03)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, Specification for, **D1668 (04.04)**
Polyetherimide (PEI) Materials, Classification System and Basis for Specification for, **D5205 (08.03)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Molded Sheet and Molded Basic Shapes, Specification for, **D3294 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**

Resins (alkali-soluble)
See **Alkali-soluble resins**

Resins (composite)
Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe, Test Method for, **D2290 (08.04)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Constituent Content of Composite Materials, Test Methods for, **D3171 (15.03)**
Constituent Content of Composite Prepreg, Test Methods for, **D3529M (15.03)**
Constituent Content of Composite Prepreg by Soxhlet Extraction, Test Method for, **C613 (15.03)**
Fabrication of Ring Test Specimens for Glass-Resin Composites, Practice for, **D2291 (08.01)**
In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate, Test Method for, **D3518/D3518M (15.03)**
Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, Test Method for, **D6115 (15.03)**
Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, Test Method for, **D6484/D6484M (15.03)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Resin Flow of Carbon Fiber-Epoxy Prepreg, Test Method for, **D3531/D3531M (15.03)**
Short-Beam Strength of Polymer Matrix Composite Materials and Their Laminates, Test Method for, **D2344/D2344M (15.03)**
Tensile Properties of Polymer Matrix Composite Materials, Test Method for, **D3039/D3039M (15.03)**
Tension-Tension Fatigue of Polymer Matrix Composite Materials, Test Method for, **D3479/D3479M (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Resins (epoxy)(for concrete)
Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear, Test Method for, **C882/C882M (04.02)**
Epoxy-Resin-Base Bonding Systems for Concrete, Specification for, **C881/C881M (04.02)**
Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, Test Method for, **C884/C884M (04.02)**

Resin grouts
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**
Chemical-Resistant Resin Grouts for Brick or Tile, Practice for, **C723 (04.05)**
Chemical-Resistant Resin Grouts for Brick or Tile, Specification for, **C658 (04.05)**

Resins (ion exchange)
See **Ion exchange resins**

Resins (monolithic surfacings)
Sa **Chemical-resistant monolithic surfacings**
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**

Resin solution cloud point
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**

Resin solutions
Color of Transparent Liquids (Gardner Color Scale), Test Method for, **D1544 (06.01)**
Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, Practice for, **D5166 (06.03)**
Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, Practice for, **D5165 (06.03)**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**
Nonvolatile Content of Resin Solutions, Test Methods for, **D1259 (06.01)**
Preparation of Oil-Based Ink Resin Solutions, Practices for, **D5958 (06.03)**
Preparing Resin Solutions for Viscosity Measurement by Bubble Time Method, Practice for, **D1725 (06.03)**
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**
Testing Alkyd Compatibility with Resin or Resin Solutions, Test Method for, **D6887 (06.03)**

Resins (surgical implants)
See **Surgical implant resins**

Resins (thermosetting)
See **Thermosetting resins**

Resins (urea-formaldehydea)
Nonvolatile Content of Urea-Formaldehyde Resin Solutions, Test Method for, **D1490 (15.06)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**

Resin-transfer flanges
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**

Resin-treated textile fabrics
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**

Resistance
Sa **Abrasion resistance**
Sa **Water resistance**
Breaking Load and Flexural Properties of Block-Type Thermal

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insulation, Test Methods for, **C203 (04.06)**
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, Test Method for, **D5589 (06.01)**
Determining the Resistance of Single Glazed Annealed Architectural Flat Glass to Thermal Loadings, Practice for, **E2431 (04.12)**
Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), Test Method for, **D5849/D5849M (04.04)**
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Glazing and Glazing Systems Subject to Airblast Loadings, Test Method for, **F1642 (15.08)**
Hydration Resistance of Basic Bricks and Shapes, Test Method for, **C456 (15.01)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Measuring Heat Stability of Resilient Flooring by Color Change, Test Method for, **F1514 (15.04)**
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**
Ranking Resistance of Plastic Materials to Sliding Wear Using a Block-On-Ring Configuration, Test Method for, **G137 (03.02)**
Resistance of Emulsion Paints in the Container to Attack by Microorganisms, Test Method for, **D2574 (06.01)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique, Test Method for, **F1819 (11.03)**
Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity), Test Method for, **F1862/F1862M (11.03)**
Resistance of Porcelain Enameled Utensils to Boiling Acid, Test Methods for, **C283 (02.05)**
Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, Test Methods for, **D1560 (04.03)**
Resistance to Plastic Flow of Bituminous Mixtures Using Marshall Apparatus (6 inch-Diameter Specimen), Test Method for, **D5581 (04.03)**
Submersion of a Membrane Switch, Test Method for, **F1895 (10.04)**
Testing Biofouling Resistance of Marine Coatings Partially Immersed, Practice for, **D5479 (06.02)**
Windload Resistance of Rigid Plastic Siding, Test Method for, **D5206 (08.03)**

Resistance—aircraft/aerospace materials
Abrasion Resistance of Transparent Plastics and Coatings Using the Oscillating Sand Method, Test Method for, **F735 (15.03)**
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Hail Impact Resistance of Aerospace Transparent Enclosures, Test Method for, **F320 (15.03)**
Impact Resistance of Monolithic Polycarbonate Sheet by Means of a Falling Weight, Test Method for, **F736 (15.03)**
Intensity of Scratches on Aerospace Glass Enclosures, Test Method for, **F428 (15.03)**
Intensity of Scratches on Aerospace Transparent Plastics, Test Method for, **F548 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Resistance—creep
See **Creep**

Resistance—failure
See **Failure end point**

Resistance—freezing/thawing
See **Freezing and thawing**

Resistance—ignition
See **Ignition**

Resistance—peel
See **Peel strength tests**

Resistance—polarization
See **Polarization resistance**

Resistance—shear
See **Shear testing**

Resistance—wear
See **Wear testing**

Resistance—weathering
See **Weathering**

Resistance and resistivity (thermal)
See **Thermal transmission properties**

Resistance and resistivity (water)
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Electrical Conductivity and Resistivity of Water, Test Methods for, **D1125 (11.01)**
Evaluating the Water Wash-Off Resistance of Traffic Paints using a Water Faucet, Practice for, **D7377 (06.02)**
Evaluating the Water Wash-Off Resistance of Traffic Paints Using an Atomizing Spray Device, Practice for, **D7538 (06.02)**

Resistance gages
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**

Resistance monitor (RM)
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, Test Method for, **B826 (02.04)**

Resistance spot-welding
Acoustic Emission Monitoring During Resistance Spot-Welding, Practice for, **E751/E751M (03.03)**

Resistance thermometers
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**
Testing Industrial Resistance Thermometers, Test Methods for, **E644 (14.03)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**

Resistance to penetration
Sa **Penetration resistance**
Protective Clothing Material Resistance to Hypodermic Needle Puncture, Test Method for, **F2878 (11.03)**

Resistance versus temperature characteristics
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**

Resistance-welded steel tube
Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing, Specification for, **A513/A513M (01.01)**
Electric-Resistance-Welded Carbon Steel and Carbon-Manganese Steel Boiler and Superheater Tubes, Specification for, **A178/A178M (01.01)**
Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A214/A214M (01.01)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, Specification for, **A787/A787M (01.01)**
Seamless and Electric-Welded Low-Alloy Steel Tubes, Specification for, **A423/A423M (01.01)**

Resistive heating
Deep-Fat Fryers, Gas or Electric, Open, Specification for, **F1963 (15.12)**

Resistivity
Bulk Electrical Conductivity of Hardened Concrete, Test Method for, **C1760 (04.02)**
Measurements on Small Graphite Specimens, Guide for, **D7775 (05.05)**
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**

Resistivity logging
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Resistors
In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, Test Method for, **D7698 (04.09)**
Resistivity of Metallically Conducting Resistance and, Test Method for, **B63 (02.04)**
Temperature-Resistance Constants of Alloy Wires for Precision Resistors, Test Method for, **B84 (02.04)**
Temperature-Resistance Constants of Sheet Materials for Shunts and Precision Resistors, Test Method for, **B114 (02.04)**
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**

Resolution
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, Guide for, **E1856 (03.01)**
Torque Calibration of Testing Machines and Devices, Practice for, **E2624 (03.01)**
Verification of Displacement Measuring Systems and Devices Used in Material Testing Machines, Practices for, **E2309/E2309M (03.01)**

Resolution capability
Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, Practice for, **E386 (03.06)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Determining Resolution Capability of Office Copiers, Practice for, **F807 (15.09)**

Resolving power
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Resonances
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts, Practice for, **E2534 (03.03)**
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Vibration (Horizontal Linear Motion) Test of Products, Test Method for, **D5112 (15.10)**
Vibration (Vertical Linear Motion) Test of Products, Test Methods for, **D3580 (15.10)**
Vibration Testing of Shipping Containers, Test Methods for, **D999 (15.10)**

Resonance frequency
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**
Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts, Practice for, **E2534 (03.03)**

Resonance inspection
Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**

Resonance neutron flux
Sa **Fast neutron flux/fluence**
Sa **Thermal neutron flux**
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**

Resonant beam
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**

Resonant-column method
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**

Resonant ultrasound spectroscopy
Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, Guide for, **E2001 (03.03)**

Resorbables
Assessment of Compatibility of Absorbable/Resorbable Biomaterials for Implant Applications, Practice for, **F1983 (13.01)**

Resorcinol
Sa **Adhesives**
Filler Content of Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1579 (15.06)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Nonvolatile Content of Liquid Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1582 (15.06)**

Resource appraisal
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**

Resource recovery
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Characterization of Inorganic Process Wastes for Use as Structural Fill, Guide for, **E850 (11.04)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Municipal Ferrous Scrap, Specification for, **E702 (11.04)**
Municipal Ferrous Scrap, Test Methods for, **E701 (11.04)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Sampling Airborne Microorganisms at Municipal Solid-Waste Processing Facilities, Practice for, **E884 (11.04)**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**
Waste Glass as a Raw Material for the Manufacture of Glass Containers, Specification for, **E708 (11.04)**
Waste Reduction, Resource Recovery, and Use of Recycled Polymeric Materials and Products, Guide for, **D7209 (08.03)**

Respirable aerosol samplers
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**

Respirable crystalline silica
Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, Practice for, **E2625 (11.03)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**

Respirable dust
Respirable Dust in Workplace Atmospheres Using Cyclone Samplers, Test Method for, **D4532 (11.07)**

Respirable particulates
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Respirable suspended particles (RSP)
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on Solanesol, Test Method for, **D6271 (11.07)**
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on UVPM and FPM, Test Methods for, **D5955 (11.07)**
Respiration
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Respiration toxicity
Determination of Particles Resulting from the Attrition of Granular Pesticides, Test Method for, **E2316 (11.05)**
Respiratory protection
Air-Fed Protective Ensembles, Specification for, **F2704 (11.03)**
Air-Purifying Respiratory Protective Smoke Escape Devices (RPED), Specification for, **E2952 (15.08)**
Control of Respiratory Hazards in the Metal Removal Fluid Environment, Practice for, **E2889 (11.03)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Respiratory signs
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**
Respiring bacteria
See **Bacteria/bacterial control**
Respirometer
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**
Responder families
Responder Family Support Service, Practice for, **E2732 (15.08)**
Response factors
Calculation of Gas Chromatographic Response Factors, Practice for, **D4626 (05.02)**
Calibration of Systems Used for Measuring Vehicular Response to Pavement Roughness, Practice for, **E1448/E1448M (04.03)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Response time
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Responsibility
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**
Restorability of appearance
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Restoration
Repair and Restoration of Dimension Stone, Guide for, **C1722 (04.07)**
Stakeholder-Focused, Consensus-Based Disaster Restoration Process for Contaminated Assets, Guide for, **E2541 (15.08)**
Restrained expansion
Restrained Expansion of Expansive Cement Mortar, Test Method for, **C806 (04.01)**
Restraining materials/systems/tests
Burst Testing of Flexible Package Seals Using Internal Air Pressurization Within Restraining Plates, Test Method for, **F2054/F2054M (15.10)**
Determining Dynamic Air Permeability of Inflatable Restraint Fabrics, Test Method for, **D6476 (07.02)**
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**
Pressure Decay Leak Test for Flexible Packages With and Without Restraining Plates, Test Methods for, **F2095 (15.10)**
Restraining systems (for highchairs)
See **Consumer safety specifications (infants/children)**
Restraints
Sa **Inflatable restraints**
Securement of Cargo in Intermodal and Unimodal Surface Transport, Practices for, **D5728 (15.10)**
Restricted frame
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Restricted sulfur
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Restrictor materials
Hard-Drawn Copper Capillary Tube for Restrictor Applications, Specification for, **B360 (02.01)**
Resultant yarn number
See **Yarn number**
Resurfacing patellar prosthesis
Resurfacing Patellar Prosthesis, Specification for, **F1672 (13.01)**
Re-tack
Determination of Re-tack Ability of Carpet Adhesives, Practice for, **D7532 (15.06)**
Retained austenite
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**
Retained breaking strength
Abrasion Resistance of Textile Webbing (Hex Bar Method), Test Method for, **D6770 (07.02)**
Retaining rings
Alloy Steel Forgings for Nonmagnetic Retaining Rings for Generators, Specification for, **A289/A289M (01.05)**
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Specification for, **A288 (01.05)**
Ultrasonic Examination of Turbine-Generator Steel Retaining Rings, Practice for, **A531/A531M (01.05)**
Retaining walls
Dry-Cast Segmental Retaining Wall Units, Specification for, **C1372 (04.05)**
Use of Scrap Tires in Civil Engineering Applications, Practice for, **D6270 (11.04)**
Retardation
Measuring Optical Retardation and Analyzing Stress in Glass, Test Method for, **F218 (15.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Retarders
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Retarding admixtures (for concrete)
See **Concrete admixtures—specifications**
Retarding potential method
Definition and Determination of Thermionic Constants of Electron Emitters, Practice for, **F83 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Retentate
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**
Retention balloon
Enteral Feeding Devices with a Retention Balloon, Test Methods for, **F2528 (13.02)**
Retention characteristics/testing
Color and Appearance Retention of Variegated Color Plastic Siding Products, Specification for, **D7251 (08.03)**
Determination of Component Retention of a Mechanical Pump Dispenser, Test Method for, **D4335 (15.10)**
Evaluating Water Leakage of Building Walls, Guide for, **E2128 (04.12)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**
Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, Test Method for, **F2130 (11.03)**
Retention Characteristics of 0.2-µm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, Test Method for, **D3862 (11.01)**
Water Capture and Media Retention of Geocomposite Drain Layers for Vegetative (Green) Roof Systems, Test Method for, **E2398 (04.04)**
Retention efficiency
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Retention parameters/symbols/units
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Rethermalizer—water-bath
Performance of Water-Bath Rethermalizers, Test Method for, **F2473 (15.12)**
Rethermalizing oven
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**
Retherm-energy rate
Performance of Water-Bath Rethermalizers, Test Method for, **F2473 (15.12)**
Reticle calibration
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Calibration Verification of Laser Diffraction Particle Sizing Instruments Using Photomask Reticles, Test Method for, **E1458 (14.02)**
Retort coal gas
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Retort food pouches
Use and Handling of Flexible Retort Food Pouches in the Processing Environment, Guide for, **F1278 (15.10)**
Retort pine tars
See **Pine oil**
Retraction
Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), Test Method for, **D1329 (09.01)**
Retraction (relaxation)
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Retreading
See **Tire testing**
Retrieved metal-on-metal and other hard-on-hard hip prostheses—characterization of wear from articulating surfaces
Characterization of Wear from the Articulating Surfaces in Retrieved Metal-on-Metal and other Hard-on-Hard Hip Prostheses, Guide for, **F2979 (13.02)**
Retrieving ITS archived data
Archiving and Retrieving Intelligent Transportation Systems-Generated Data, Guide for, **E2259 (04.03)**
Retroreflected luminance (R_L)
Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness, Test Method for, **E2177 (06.01)**
Retroreflective marking materials
Coefficient of Retroreflection of Retroreflective Sheeting Utilizing the Coplanar Geometry, Test Method for, **E810 (06.01)**
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Describing Retroreflection, Practice for, **E808 (06.01)**
Establishing Color and Gloss Tolerances, Practice for, **D3134 (06.01)**
Evaluating Retroreflective Pavement Markings Using Portable Hand-Operated Instruments, Practice for, **D7585/D7585M (04.03)**
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**
Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.2 Degree Observation Angle, Test Method for, **E1709 (06.01)**
Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.5 Degree Observation Angle, Test Method for, **E2540 (06.01)**
Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, Practice for, **E811 (06.01)**
Measuring Photometric Characteristics of Retroreflectors, Practice for, **E809 (06.01)**
Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness, Test Method for, **E2177 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**
Retroreflectance of Horizontal Coatings, Test Method for, **D4061 (06.01)**
Retroreflective marking materials—specifications
Color of Pavement Marking Materials, Specification for, **D6628 (04.03)**
Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, Specification for, **D4280 (04.03)**
Plowable, Raised Retroreflective Pavement Markers, Specification for, **D4383 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**
Retroreflective Sheeting for Traffic Control, Specification for, **D4956 (04.03)**
Retrospective record linkage
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**
Retrusion compounds
Citrate in Detergents, Test Method for, **D4608 (15.04)**
Return bends
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**
Return on investment
See **Building economics**
Reusable anesthesia equipment
See **Anesthesia equipment—specifications**
Re-usable geosynthetic ADC
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Reusable laboratory apparatus
Color Coding of Reusable Laboratory Pipets, Specification for, **E1273 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**

Reusable medical instruments/devices
Determination of Effectiveness of Cleaning Processes for Reusable Medical Instruments Using a Microbiologic Method (Simulated Use Test), Test Method for, **E2314 (11.05)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determine Efficacy of Disinfection Processes for Reusable Medical Devices (Simulated Use Test), Test Method to, **E1837 (11.05)**
Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, Practice for, **F1992 (13.01)**

Reusable molds
Molds for Forming Concrete Test Cylinders Vertically, Specification for, **C470/C470M (04.02)**

Reuse
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Source Reduction Reuse, Recycling, or Disposal of Steel Cans, Guide for, **D5833 (15.10)**

Revalidation
Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, Specification for, **F2340 (15.12)**

Revenue
Financing and Financial Accountability of Medical Transportation Systems, Guide for, **F1493 (13.02)**

Reverberation room method
Sa **Sound transmission—building materials/applications**
Determination of Decay Rates for Use in Sound Insulation Test Methods, Test Method for, **E2235 (04.06)**
Laboratory Measurement of Noise Reduction of Sound-Isolating Enclosures, Test Method for, **E596 (04.06)**
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**
Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, Test Method for, **E477 (04.06)**
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**
Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method, Test Method for, **C423 (04.06)**
Sound-Absorbing Board, Fibrous Glass, Perforated Fibrous Glass Cloth Faced, Specification for, **F2154 (01.07)**

Reverse bend
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**

Reversed cyclic testing
Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings, Test Methods for, **E2126 (04.12)**

Reversed phase
Bromine Chloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2037 (15.05)**
Nitrogen Trichloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), Test Method for, **E2036 (15.05)**

Reversed-phase chromatographic system
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Reverse Phase High Performance Liquid Chromatography, Test Method for, **D7884 (06.04)**

Reverse-flow viscometers
Sa **Viscometers**
Sa **Viscosity—petroleum products**
Glass Capillary Kinematic Viscometers, Specifications and Operating Instructions for, **D446 (05.01)**

Reverse mode
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**

Reverse osmosis (RO) installations
Calculation and Adjustment of Silica (SiO, Practice for, **D4993 (11.02)**
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Calculation and Adjustment of the Langelier Saturation Index for Reverse Osmosis, Practice for, **D3739 (11.02)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, Practices for, **D3923 (11.02)**
Operating Characteristics of Home Reverse Osmosis Devices, Test Method for, **D5615 (11.02)**
Operating Characteristics of Reverse Osmosis and Nanofiltration Devices, Test Methods for, **D4194 (11.02)**
Pressure Driven Membrane Separation Element/Bundle Evaluation, Practice for, **D7601 (11.02)**
Recordkeeping for Reverse Osmosis and Nanofiltration Systems, Guide for, **D4472 (11.02)**
Silt Density Index (SDI) of Water, Test Method for, **D4189 (11.01)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**
Used for Microfiltration, Ultrafiltration, Nanofiltration and Reverse Osmosis Membrane Processes, Terminology, **D6161 (11.02)**
Water Analysis for Reverse Osmosis and Nanofiltration Application, Guide for, **D4195 (11.02)**

Reverse voltage mode
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Capillary Electrophoresis with Reverse Voltage Mode, Test Method for, **D7881 (06.04)**

Revet mattresses
Assembly and Placement of Double-Twisted Wire Mesh Gabions and Revet Mattresses, Practice for, **D7014 (04.09)**
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
Specifying Rock to Fill Gabions, Revet Mattresses, and Gabion Mattresses, Practice for, **D6711 (04.09)**

Revetments
Analysis and Interpretation of Test Data for Articulating Concrete Block (ACB) Revetment Systems in Open Channel Flow, Guide for, **D7276 (04.09)**
Concrete Grid Paving Units, Specification for, **C1319 (04.05)**
Installation of Articulating Concrete Block (ACB) Revetment Systems, Practice for, **D6884 (04.09)**
Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, Specification for, **D6684 (04.09)**
Placement of Riprap Revetments, Guide for, **D6825 (04.09)**

Revision implant surgery
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**

Revolving-disk machine
Abrasion Resistance of Horizontal Concrete Surfaces, Test Method for, **C779/C779M (04.02)**

Reynolds number
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**

"r" factor
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

RFID (radio frequency identification) transponder
Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Loaded Containers, Test Method for, **D7435 (15.10)**
Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Palletized or Unitized Loads, Test Method for, **D7434 (15.10)**
Rotary Stretch Wrapper Method for Determining the Readability of Passive RFID Transponders on Homogenous Palletized or Unitized Loads, Test Method for, **D7580/D7580M (15.10)**
RF-induced temperature rise
Measurement of Radio Frequency Induced Heating On or Near Passive Implants During Magnetic Resonance Imaging, Test Method for, **F2182 (13.01)**
RFP (request for proposal)
Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, Guide for, **E1959 (14.01)**
RF (radio frequency) receivers
Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**
Measurement of Radio Frequency Induced Heating On or Near Passive Implants During Magnetic Resonance Imaging, Test Method for, **F2182 (13.01)**
RHC (robust highest concentration)
Statistical Evaluation of Atmospheric Dispersion Model Performance, Guide for, **D6589 (11.07)**
Rhenium
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Rhenium alloy
Tungsten-Rhenium Alloy Thermocouple Wire, Specification for, **E696 (14.03)**
Rhenium powder
Sa **Metal powders**
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Rhenium wire
See **Tungsten electrical/electronic applications**
Rheology/rheological properties
Sa **Flow and flow rate**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Cure Behavior of Thermosetting Resins by Dynamic Mechanical Procedures using an Encapsulated Specimen Rheometer, Test Method for, **D7750 (15.03)**
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer, Test Method for, **D7175 (04.03)**
High-Shear Mixing of Hydraulic Cement Pastes, Practice for, **C1738/C1738M (04.01)**
Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, Test Method for, **D5422 (08.03)**
Performance Graded Trinidad Lake Modified Asphalt Binder, Specification for, **D6626 (04.03)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Rheological (Flow) Properties of Elastomeric Sealants, Test Method for, **C639 (04.07)**
Rheological Characterization of Architectural Coatings using Three Rotational Bench Viscometers, Practice for, **D7394 (06.01)**
Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, Test Methods for, **D2196 (06.01)**
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**
Testing Printing Inks and Related Materials, Guide for, **D5010 (06.02)**
Viscoelastic Properties of Paste Ink Vehicle Using an Oscillatory Rheometer, Test Method for, **D7271 (06.03)**
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**
Viscosity-Temperature Chart for Asphalts, Standard, **D2493/D2493M (04.03)**
Rheology/rheological properties—plastics
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Rheology/rheological properties—rubber
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Rubber—Measurement of Processing Properties Using Capillary Rheometry, Test Methods for, **D5099 (09.01)**
Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, Test Method for, **D6204 (09.01)**
Rheometers
Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR), Test Method for, **D6648 (04.03)**
Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer, Test Method for, **D7175 (04.03)**
Fusion of Poly(Vinyl Chloride) (PVC) Compounds Using a Torque Rheometer, Practice for, **D2538 (08.01)**
Measurement of the Rheological Properties of Hydraulic Cementious Paste Using a Rotational Rheometer, Guide for, **C1749 (04.01)**
Multiple Stress Creep and Recovery (MSCR) of Asphalt Binder Using a Dynamic Shear Rheometer, Test Method for, **D7405 (04.03)**
Powder-Mix Time of Poly(Vinyl Chloride) (PVC) Resins Using a Torque Rheometer, Test Methods for, **D2396 (08.01)**
Rubber—Measurement of Processing Properties Using Capillary Rheometry, Test Methods for, **D5099 (09.01)**
Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, Test Method for, **D6204 (09.01)**
Temperature Calibration of Rheometers in Isothermal Mode, Test Method for, **E2509 (14.02)**
Torque Calibration or Conformance of Rheometers, Test Method for, **E2510 (14.02)**
Viscoelastic Properties of Paste Ink Vehicle Using an Oscillatory Rheometer, Test Method for, **D7271 (06.03)**
Rhepoxynium abronius
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Rhinovirus
Sa **Virology**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rhodazine D
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
Rhodium
Electrodeposited Coatings of Rhodium for Engineering Use, Specification for, **B634 (02.05)**
Refined Rhodium, Specification for, **B616 (02.04)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Thermocouple Materials, Platinum-Rhodium Alloys, and Platinum, Specification for, **E1159 (14.03)**
Rhodizonate test
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**
Rhombic sulfur
Rubber Compounding Materials—Sulfur, Classification for, **D4528 (09.01)**
Ribbed and corrugated panels
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Ribbon cassette
Comparing Correctable Film Ribbons, Practice for, **F1454 (15.09)**
Ribbon exit force
Measuring the Ribbon Exit Force for Film and Fabric Cartridges, Test Method for, **F1225 (15.09)**
Ribbon flat copper wire
Nickel-Coated Braid and Ribbon Flat Copper Wire Intended for use in Electronic Application, Specification for, **B972 (02.03)**
Silver-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, Specification for, **B971 (02.03)**
Tin-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, Specification for, **B973 (02.03)**
Ribbon (for electronic devices)
Density of Fine Wire and Ribbon Wire for Electronic Devices, Test Method for, **F180 (10.04)**
Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**
Ribbon interconnect
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**
Ribbons
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**
Ribbon welds
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Rib spread
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Rib tire
Standard Rib Tire for Pavement Skid-Resistance Tests, Specification for, **E501 (04.03)**
Rib tires
See **Tire testing**
Rich gold bronze powder
See **Copper powder**
See **Gold bronze powder**
Ricin
Measurement of the Biological Activity of Ricin, Practice for, **E2805 (15.08)**
Ride number (RN)
Computing Ride Number of Roads from Longitudinal Profile Measurements Made by an Inertial Profile Measuring Device, Practice for, **E1489 (04.03)**
Ride quality analysis
Conducting Subjective Pavement Ride Quality Ratings, Guide for, **E1927 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Rifles
See **Consumer safety specifications (guns)**
Right-left odor imbalance
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Rigid adherends
90 Degree Peel Resistance of Adhesives, Test Method for, **D6862 (15.06)**
Rigid bronchoscopes
Bronchoscopes (Rigid), Specification for, **F1218 (13.02)**
Rigid cellular plastics
Apparent Density of Rigid Cellular Plastics, Test Method for, **D1622 (08.01)**
Cell Size of Rigid Cellular Plastics, Test Method for, **D3576 (08.02)**
Coextruded Composite Drain, Waste, and Vent Pipe (DWV), Specification for, **F1499 (08.04)**
Compressive Properties of Rigid Cellular Plastics, Test Method for, **D1621 (08.01)**
Determining Adhesive Attack on Rigid Cellular Foam, Test Method for, **D5113 (15.06)**
Evaluating High-Density Rigid Cellular Plastics, Practice for, **D3748 (08.02)**
Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, Test Method for, **D3014 (08.01)**
Response of Rigid Cellular Plastics to Thermal and Humid Aging, Test Method for, **D2126 (08.01)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**
Sampling of Expanded Polystyrene Geofoam Specimens, Practice for, **D7557/D7557M (04.13)**
Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics, Test Method for, **D1623 (08.01)**
Water Absorption of Rigid Cellular Plastics, Test Method for, **D2842 (08.01)**
Rigid cellular polyisocyanurate
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Rigid closed cell plastic foams
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Rigid empty containers
Leakage Testing of Empty Rigid Containers by Vacuum Method, Test Method for, **D4991 (15.10)**
Rigid engineering materials
Measuring Abrasion Resistance of Materials by Abrasive Loop Contact, Test Method for, **G174 (03.02)**
Rigid foam
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Rigid Polyurethane Foam for Use as a Standard Material for Testing Orthopaedic Devices and Instruments, Specification for, **F1839 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rigid furring channels (for gypsum products)
Sa **Gypsum products—specifications**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Rigidity—modulus
See **Shear modulus**
Rigidity test
Flexural Rigidity of Geogrids, Geotextiles and Related Products, Test Method for, **D7748/D7748M (04.13)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Relative Rigidity of Poly(Vinyl Chloride)(PVC) Siding, Test Method for, **D6777 (08.03)**
Rigid laminate
Sa **Laminates (electrical insulation)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Rigid plastics
Compressive Properties of Rigid Plastics, Test Method for, **D695 (08.01)**
Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, Test Method for, **D3163 (15.06)**
Flatwise Flexural Impact Resistance of Rigid Plastics, Test Method for, **D6395 (08.03)**
Flexural Fatigue Properties of Plastics, Test Method for, **D7774 (08.03)**
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), Test Method for, **D5420 (08.03)**
Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Falling Dart (Tup or Falling Mass), Test Method for, **D5628 (08.03)**
Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, Test Method for, **D4495 (08.03)**
Impact Resistance of Rigid Poly(Vinyl Chloride) (PVC) Building Products, Test Methods for, **D4226 (08.03)**
Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor, Test Method for, **D2583 (08.01)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Fence Systems, Practice for, **F1999 (01.06)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, Practice for, **D4756 (08.03)**
Odor or Flavor Transfer or Both from Rigid Polymeric Packaging, Test Method for, **E2609 (15.08)**
Preparation of Plastics and Polymeric Specimens for Microstructural Examination, Guide for, **E2015 (03.01)**
Relative Rigidity of Poly(Vinyl Chloride)(PVC) Siding, Test Method for, **D6777 (08.03)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Rigidity of Polyolefin Film and Sheeting, Test Method for, **D2923 (08.01)**
Stiffness Properties of Plastics as a Function of Temperature by Means of a Torsion Test, Test Method for, **D1043 (08.01)**
Windload Resistance of Rigid Plastic Siding, Test Method for, **D5206 (08.03)**
Rigid plastics—specifications
Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, Classification System and Basis for Specifications for, **D3965 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications, Specification for, **D4396 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds, Specification for, **D4216 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, Specification for, **D1784 (08.01)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions, Specification for, **D3678 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), Specification for, **D7445 (08.03)**
Rigid plate loading method
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Rigid porous filters
Sa **Filters/filter procedures**
Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, Test Method for, **E128 (14.04)**
Rigid rods/tubes
Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, Test Methods of, **D668 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, Specification for, **D710 (10.01)**
Rigid solids
Linear Thermal Expansion of Rigid Solids with Interferometry, Test Method for, **E289 (14.02)**
Rigid sulfur concrete
Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, Specification for, **C1159 (04.05)**
Rigid thermal insulation
Sa **Thermal insulating materials**
Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, Test Method for, **C1512 (04.06)**
Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, Test Methods for, **C1101/C1101M (04.06)**
Design Considerations and Spray Application of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C945 (04.06)**
Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, Practice for, **C585 (04.06)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Repair of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C950/C950M (04.06)**
Rigid thermal insulation—specifications
Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, Specification for, **C1126 (04.06)**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Rigid, Cellular Polystyrene Thermal Insulation, Specification for, **C578 (04.06)**
Spray-Applied Rigid Cellular Polyurethane Thermal Insulation, Specification for, **C1029 (04.06)**
Unfaced Preformed Rigid Cellular Polyisocyanurate, Specification for, **C591 (04.06)**
Rigid-wall permeameter
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Measurement of Hydraulic Conductivity of Porous Material Using a Rigid-Wall, Compaction-Mold Permeameter, Test Method for, **D5856 (04.08)**
Measurement of Hydraulic Conductivity of Tire Derived Aggre-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

gates Using a Rigid Wall Permeameter, Test Method for, **D7760 (04.09)**

Rigid wall relocatable structures (RWRS)
Sa **Structural sandwich constructions**
Electromagnetic Shielding Effectiveness of Durable Rigid Wall Relocatable Structures, Test Method for, **E1851 (04.11)**
Engineering and Design Criteria for Rigid Wall Relocatable Structures, Specification for, **E1925 (04.11)**
Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, Specification for, **E1556 (04.11)**
Rigid Wall Relocatable Shelters, Terminology Relating to, **E1749 (04.11)**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Shelter, Electrical, Equipment S-280/G, Specification for, **E1975 (04.11)**
Shelter, Tactical, Expandable, One-Side, Specification for, **E1977 (04.11)**
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**
Shelter, Tactical, Nonexpandable, Specification for, **E1976 (04.11)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**

Rigid wall tactical shelters
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**

Rim
Evaluating Rim Slip Performance of Tires and Wheels, Test Method for, **F2803 (09.02)**
Evaluating Structural Capacities of Rim Board Products and Assemblies, Specification for, **D7672 (04.10)**
Residential Basketball Systems, Specification for, **F1882 (15.07)**

Rimmed structural steel bars
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

Rimming action
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**

Ring-and-ball apparatus
Softening Point of Bitumen (Ring-and-Ball Apparatus), Test Method for, **D36/D36M (04.04)**
Softening Point of Certain Alkali-Soluble Resins, Test Method for, **D3642 (15.04)**
Softening Point of Hydrocarbon Resins and Rosin Based Resins by Automated Ring-and-Ball Apparatus, Test Methods for, **D6493 (06.03)**
Softening Point of Resins Derived from Naval Stores by Ring-and-Ball Apparatus, Test Methods for, **E28 (06.03)**
Staining Tendency of Asphalt (Stain Index), Test Method for, **D2746 (04.04)**

Ring belt deposits
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**

Ring-bending strain
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**

Ringbom parameters
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**

Ring elements
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**

Ring groove deposit-forming tendency
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, Test Method for, **D6681 (05.03)**

Ring-lined barrel sampling
Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils, Practice for, **D3550 (04.08)**

Ring method
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**

Ring shear test
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**

Rings (rubber)
See **Rubber rings**

Ring sticking
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**

Ring structure analysis
Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, Test Method for, **D3238 (05.01)**

Ring test procedures
dc Magnetic Properties of Materials Using Ring and Permeameter Procedures with dc Electronic Hysteresigraphs, Test Method for, **A773/A773M (03.04)**
Determining Age at Cracking and Induced Tensile Stress Characteristics of Mortar and Concrete under Restrained Shrinkage, Test Method for, **C1581/C1581M (04.02)**
Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, Test Method for, **A596/A596M (03.04)**

Rinse additive feeders
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**

Rinsed nonhexavalent chromium conversion coatings
Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, Specification for, **B921 (02.05)**

Rinse fluid sampling
Sampling for Particles in Aerospace Fluids and Components, Practices for, **F303 (15.03)**

Rinse injector
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**

Rinsing
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**

Riprap
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate, Test Method for, **D5240/D5240M (04.08)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Field Determination of Rapid Specific Gravity of Rock and Manmade Materials for Erosion Control, Test Method for, **D5779/D5779M (04.08)**
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**
Placement of Riprap Revetments, Guide for, **D6825 (04.09)**
Specific Gravity And Absorption of Rock For Erosion Control, Test Method For, **D6473 (04.09)**
Specifying Standard Sizes of Stone for Erosion Control, Practice for, **D6092 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

RIPT (repeat insult patch test)
Human Repeat Insult Patch Testing of Medical Gloves, Test Method for, **D6355 (09.02)**
Rise of water
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Riser adapter
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**
Riser casing
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**
Risers and conical tops
Precast Reinforced Concrete Manhole Sections, Specification for, **C478 (04.05)**
Precast Reinforced Concrete Manhole Sections (Metric), Specification for, **C478M (04.05)**
Rising step load (RSL) technique
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Rising water column method
Coated Fabrics, Test Methods for, **D751 (09.02)**
Risk
Management of Low Risk Property (LRP), Practice for, **E2811 (04.12)**
Property Management System Outcomes, Practice for, **E2675 (04.12)**
Verification of Process Analytical Technology (PAT) Enabled Control Systems, Guide for, **E2629 (14.02)**
Risk adjusted discount rate (RADR) technique
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Risk analysis
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Environmental Regulatory Compliance Audits, Practice for, **E2107 (11.05)**
Establishing the Guiding Principles of Property Management, Practice for, **E2279 (04.12)**
Management of Low Risk Property (LRP), Practice for, **E2811 (04.12)**
Measuring Cost Risk of Buildings and Building Systems and Other Constructed Projects, Practice for, **E1946 (04.11)**
Reduction of Risk of Injury for Archery Overdraws, Guide for, **F1363 (15.07)**
Risk Assessment and Risk Control as it Impacts the Design, Development, and Operation of PAT Processes for Pharmaceutical Manufacture, Guide for, **E2476 (14.02)**
Risk analysis—buildings
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Conducting Visual Assessments for Lead Hazards in Buildings, Practice for, **E2255/E2255M (04.12)**
Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**
Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, Guide for, **E2506 (04.12)**
Disposal of Personal Property, Practice for, **E2306 (04.12)**
Record Keeping and Record Preservation for Lead Hazard Activities, Practice for, **E2239 (04.12)**
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Selection of Lead Hazard Reduction Methods for Identified Risks in Residential Housing or Child Occupied Facilities, Practice for, **E2252 (04.12)**
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**
Risk analysis—emergency medical services
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Risk analysis—environmental
Data and Information Options for Conducting an Ecological Risk Assessment at Contaminated Sites, Guide for, **E2020 (11.05)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**
Financial Disclosures Attributed to Climate Change, Guide for, **E2718 (11.05)**
Fish and Wildlife Incident Monitoring and Reporting, Guide for, **E1849 (11.06)**
Framework for a Consensus-based Environmental Decision-making Process, Guide for, **E2348 (11.05)**
Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Guide for, **D6485 (11.07)**
Risk-Based Corrective Action, Guide for, **E2081 (11.05)**
Risk-Based Corrective Action Applied at Petroleum Release Sites, Guide for, **E1739 (11.05)**
Risk-Based Corrective Action for Protection of Ecological Resources, Guide for, **E2205/E2205M (11.05)**
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**
Risk-based corrective action (RBCA)
Development of Conceptual Site Models and Remediation Strategies for Light Nonaqueous-Phase Liquids Released to the Subsurface, Guide for, **E2531 (11.05)**
Remedy Selection Integrating Risk-Based Corrective Action and Non-Risk Considerations, Guide for, **E2616 (11.05)**
Risk-Based Corrective Action, Guide for, **E2081 (11.05)**
Risk-Based Corrective Action Applied at Petroleum Release Sites, Guide for, **E1739 (11.05)**
Risk-Based Corrective Action for Protection of Ecological Resources, Guide for, **E2205/E2205M (11.05)**
Risk management
Greener Cleanups, Guide for, **E2893 (11.05)**
Rivers
Sa **Fresh water**
Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks, Guide for, **F1231 (11.05)**
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**
Riveted construction—specifications
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, Specification for, **A588/A588M (01.04)**
Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**
Structural Steel for Ships, Specification for, **A131/A131M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rivets
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, Test Method for, **D3274 (06.01)**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**
Shear Testing of Aluminum and Aluminum-Alloy Rivets and Cold-Heading Wire and Rods, Test Method for, **B565 (02.02)**
Rivets—specifications
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Rivets, Steel, Structural, Specification for, **A502 (01.08)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Steel Rivets and Bars for Rivets, Pressure Vessels, Specification for, **A31 (01.08)**
RMA referee test
Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, Test Method for, **F1869 (15.04)**
RM Probes
Sa **Probe methods**
Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, Test Method for, **B826 (02.04)**
RMS (Royal Microscopical Society) thread
Microscope Objective Thread, Specification for, **E210 (14.04)**
RNA (ribonucleic acid)
Sa **Genetic examination**
Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, Guide for, **E1873 (14.02)**
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**
Road base
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Road fills
Sa **Backfill—testing**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Road oil
Sa **Asphalts—cutback**
Kinematic Viscosity of Asphalts (Bitumens), Test Method for, **D2170/D2170M (04.03)**
Residue of Specified Penetration, Test Method for, **D243 (04.03)**
Road rater
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Prediction of Asphalt-Bound Pavement Layer Temperatures, Test Method for, **D7228 (04.03)**
Road roughness
Calibration of Systems Used for Measuring Vehicular Response to Pavement Roughness, Practice for, **E1448/E1448M (04.03)**
Computing International Roughness Index of Roads from Longitudinal Profile Measurements, Practice for, **E1926 (04.03)**
Measurement of Vehicular Response to Traveled Surface Roughness, Test Method for, **E1082 (04.03)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Trailers Used for Measuring Vehicular Response to Road Roughness, Specification for, **E1215 (04.03)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**
Road service testing
Sa **Traffic paint**
Conducting Road Service Tests on Fluid Traffic Marking Materials, Practice for, **D713 (06.02)**
Determination of Degree of Bleeding of Traffic Paint, Practice for, **D868 (06.02)**
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
Road tars
Distillation of Road Tars, Test Method for, **D20 (04.03)**
Engler Specific Viscosity of Tar Products, Test Method for, **D1665 (04.03)**
Float Test for Bituminous Materials, Test Method for, **D139 (04.03)**
Paving Uses and Application Temperatures for Road Tars, Practice for, **D2728 (04.03)**
Road Tar, Volume Correction Table for, **D633 (04.03)**
Road Tar, Specification for, **D490 (04.03)**
Road test distance
Measuring Length of Road Test Courses Using a Fifth Wheel, Test Method for, **F559 (09.02)**
Roadways
Sa **Pavement surfaces**
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Minimum Requirements for Accreditation Bodies that Accredit Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D7495 (04.03)**
Pavement Condition Index Surveys for Interlocking Concrete Roads and Parking Lots, Practice for, **E2840 (04.03)**
Sodium Chloride, Specification for, **D632 (04.03)**
Use of Scrap Tires in Civil Engineering Applications, Practice for, **D6270 (11.04)**
Roadwheel
Commercial Radial Truck-Bus Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Roadwheel and a Flat Surface, Practice for, **F2779 (09.02)**
Measuring Length of Road Test Courses Using a Fifth Wheel, Test Method for, **F559 (09.02)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Using a 1.707-m 67.23-in. Diameter Laboratory Test Roadwheel in Testing Tires, Practice for, **F551/F551M (09.02)**
Roasting
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**
Robinson tester
Evaluating Ceramic Floor Tile Installation Systems Using the Robinson-Type Floor Tester, Test Method for, **C627 (15.02)**
ROBO apparatus
Bench Oxidation of Engine Oils by ROBO Apparatus, Test Method for, **D7528 (05.04)**
Robotics
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Hurdles, Test Method for, **E2802 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Urban Search and Rescue Robotic Operations, Terminology for, **E2521 (15.08)**

Robots
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Continuous Pitch/Roll Ramps, Test Method for, **E2826 (15.08)**
Determining Visual Acuity and Field of View of On-Board Video Systems for Teleoperation of Robots for Urban Search and Rescue Applications, Test Method for, **E2566 (15.08)**
Evaluating Cache Packaged Weight and Volume of Robots for Urban Search and Rescue, Practice for, **E2592 (15.08)**
Evaluating Emergency Response Robot Capabilities: Human-System Interaction (HSI): Search Tasks: Random Mazes with Complex Terrain, Test Method for, **E2853 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Gaps, Test Method for, **E2801 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Hurdles, Test Method for, **E2802 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Inclined Planes, Test Method for, **E2803 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Stairs/Landings, Test Method for, **E2804 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Crossing Pitch/Roll Ramps, Test Method for, **E2827 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Symmetric Stepfields, Test Method for, **E2828 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Maneuvering Tasks: Sustained Speed, Test Method for, **E2829 (15.08)**
Evaluating Emergency Response Robot Capabilities: Radio Communication: Line-of-Sight Range, Test Method for, **E2854 (15.08)**
Evaluating Emergency Response Robot Capabilities: Radio Communication: Non-Line-of-Sight Range, Test Method for, **E2855 (15.08)**
Evaluating the Mobility Capabilities of Emergency Response Robots Using Towing Tasks: Grasped Sleds, Test Method for, **E2830 (15.08)**

Rock
Determination of Beryllium in Soil, Rock, Sediment, and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, Test Method for, **D7458 (04.09)**
Frozen Soil and Rock, Terminology Relating to, **D7099 (04.09)**
Laboratory Determination of Abrasiveness of Rock Using the CERCHAR Method, Test Method for, **D7625 (04.09)**

Rock anchor capacities
Laboratory Determination of Rock Anchor Capacities by Pull and Drop Tests, Test Methods for, **D7401 (04.09)**

Rock bolts/accessories
Roof and Rock Bolts and Accessories, Specification for, **F432 (01.08)**

Rock climbing
Climbing and Mountaineering Carabiners, Specification for, **F1774 (13.02)**
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**

Rock drilling/coring/investigation
Compressive Strength and Elastic Moduli of Intact Rock Core Specimens under Varying States of Stress and Temperatures, Test Methods for, **D7012 (04.09)**
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**

Rock durability/weathering
Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate, Test Method for, **D5240/D5240M (04.08)**

Rocker hardness test (Sward)
See **Sward hardness rocker**

Rock-mass rating (RMR)
Determination of Rock Hardness by Rebound Hammer Method, Test Method for, **D5873 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Using Rock-Mass Classification Systems for Engineering Purposes, Guides for, **D5878 (04.09)**

Rock material field classification procedure (RMFCP)
Using Rock-Mass Classification Systems for Engineering Purposes, Guides for, **D5878 (04.09)**

Rock materials/properties/analysis
Calculating Thermal Diffusivity of Rocks, Practice for, **D4612 (04.08)**
Constituents of Concrete Aggregates, Descriptive Nomenclature for, **C294 (04.02)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Determination of Rock Hardness by Rebound Hammer Method, Test Method for, **D5873 (04.08)**
Determination of the Point Load Strength Index of Rock and Application to Rock Strength Classifications, Test Method for, **D5731 (04.08)**
Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, Test Method for, **D5334 (04.08)**
Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, Test Method for, **D4971 (04.08)**
Determining Rock Quality Designation (RQD) of Rock Core, Test Method for, **D6032 (04.09)**
Determining the Specification Conformance of Geosynthetics, Practice for, **D4759 (04.13)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Direct Tensile Strength of Intact Rock Core Specimens, Test Method for, **D2936 (04.08)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, Test Method for, **D5312/D5312M (04.08)**
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate, Test Method for, **D5240/D5240M (04.08)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Field Determination of Rapid Specific Gravity of Rock and Man-made Materials for Erosion Control, Test Method for, **D5779/D5779M (04.08)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Jaw Crusher Gouging Abrasion Test, Test Method for, **G81 (03.02)**
Laboratory Determination of Pulse Velocities and Ultrasonic Elastic Constants of Rock, Test Method for, **D2845 (04.08)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measurement of Thermal Expansion of Rock Using Dilatometer, Test Methods for, **D4535 (04.08)**
Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, Test Method for, **C1335 (04.06)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**
Permeability of Rocks by Flowing Air, Test Method for, **D4525 (04.08)**
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Potential Alkali Reactivity of Carbonate Rocks as Concrete Aggregates (Rock-Cylinder Method), Test Method for, **C586 (04.02)**
Preparation of Rock Slabs for Durability Testing, Practice for, **D5121 (04.08)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Rock Bolt Anchor Pull Test, Test Method for, **D4435 (04.08)**
Rock Bolt Long-Term Load Retention Test, Test Method for, **D4436 (04.08)**
Roof and Rock Bolts and Accessories, Specification for, **F432 (01.08)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Slake Durability of Shales and Similar Weak Rocks, Test Method for, **D4644 (04.08)**
Soil, Rock, and Contained Fluids, Terminology Relating to, **D653 (04.08)**
Specific Gravity And Absorption of Rock For Erosion Control, Test Method For, **D6473 (04.09)**
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**
Specifying Rock to Fill Gabions, Revet Mattresses, and Gabion Mattresses, Practice for, **D6711 (04.09)**
Splitting Tensile Strength of Intact Rock Core Specimens, Test Method for, **D3967 (04.08)**

Rock quality designation (RQD)
Using Rock-Mass Classification Systems for Engineering Purposes, Guides for, **D5878 (04.09)**

Rock sampling
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**

Rocksaw
Preparation of Rock Slabs for Durability Testing, Practice for, **D5121 (04.08)**

Rock stress testing
Sa **Stress—rock**
Creep of Rock Core Under Constant Stress and Temperature, Test Methods for, **D7070 (04.09)**

Rock structure rating (RSR) system
Using Rock-Mass Classification Systems for Engineering Purposes, Guides for, **D5878 (04.09)**

Rock-water interactions
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**

Rockwell hardness
Sa **Hardness tests**
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Determining Hardenability of Steel, Test Methods for, **A255 (01.05)**
Hardness Testing of Cemented Carbides, Test Method for, **B294 (02.05)**
Laboratory Determination of Abrasiveness of Rock Using the CERCHAR Method, Test Method for, **D7625 (04.09)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Mechanical Testing of Steel Products—Metric, Test Methods for, **A1058 (01.01, 01.02, 01.03, 01.04, 01.05)**
Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness, Hardness Conversion Tables for, **E140 (03.01)**
Nails, Test Methods for, **F680 (01.08)**
Rockwell Hardness of Graphite Materials, Test Method for, **C748 (05.05)**
Rockwell Hardness of Metallic Materials, Test Methods for, **E18 (03.01)**
Rockwell Hardness of Plastics and Electrical Insulating Materials, Test Method for, **D785 (08.01)**

Rocky shores
See **Oil spill control systems**

Rod and tube (plastic)
Fiberglass-Reinforced Plastic (FRP) Rod and Tube Used in Live Line Tools, Specification for, **F711 (10.03)**

Rod/bar/shapes (Cu/Cu alloy)
Sa **Copper alloy rod/bar/shapes—specifications**
Low Leaded Brass Rod, Bar and Shapes, Specification for, **B981/B981M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rodenticides
Sa **Vertebrate control agents (rodenticides)**
Determination of Bromadiolone, Brodifacoum, Diphacinone and Warfarin in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7644 (11.02)**
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Process for Inactivation of Rodent Retrovirus by pH, Practice for, **E2888 (14.02)**
Rod extensometers
See **Extensometers**
Rod-milled powders
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Rod milling
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**
Rod reference standards
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**
Rods (electrical insulating)
Sa **Electrical insulating solids**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, Test Methods of, **D668 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, Specification for, **D710 (10.01)**
Rods (intramedullary)
See **Intramedullary fixation devices (IMFDs)**
Rods, laser (ruby/neodymium-doped)
See **Lasers and laser applications**
Rod specimens
Preparation of Bar and Rod Specimens for Adhesion Tests, Practice for, **D2094 (15.06)**
Rod (steel)
See **Steel wire rod—specifications**
Rod stock
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Rogers diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Roiseland method
Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, Test Method for, **D5470 (10.02)**
Rolled erosion control product
Determination of Rolled Erosion Control Product (RECP) Ability to Encourage Seed Germination and Plant Growth Under Bench-Scale Conditions, Test Method for, **D7322 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Soil from Rain Splash and Associated Runoff Under Bench-Scale Conditions, Index Test Method for, **D7101 (04.09)**
Rolled ferrous/nonferrous products
Wrought Alloy Steel Rolls for Cold and Hot Reduction, Specification for, **A427/A427M (01.05)**
Rolled nickel-chromium-molybdenum-columbium alloys
Sa **Nickel-chromium-molybdenum-columbium alloys—specifications**
Nickel-Chromium-Molybdenum-Columbium Alloy, Specification for, **B443 (02.04)**
Rolled plate/sheet/strip
Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B409 (02.04)**
Rolled ring forgings
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Rolled sheet
Modern Pewter Alloys, Specification for, **B560 (02.04)**
Rolled steel—specifications
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
Hot-Rolled Carbon, Low-Alloy, High-Strength Low-Alloy, and Alloy Steel Floor Plates, Specification for, **A786/A786M (01.04)**
Rolled Floor Plate, Stainless Steel, Specification for, **A793 (01.03)**
Structural Steel Shapes, Specification for, **A992/A992M (01.04)**
Rolled zinc
Rolled Zinc, Specification for, **B69 (02.04)**
Roller
Floating Roller Peel Resistance of Adhesives, Test Method for, **D3167 (15.06)**
Roller application of paints
Hiding Power of Architectural Paints Applied by Roller, Test Method for, **D5150 (06.02)**
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**
Preparation of Paint-Roller Covers for Evaluation of Architectural Coatings, Practice for, **D5069 (06.02)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Roller bearings
Sa **Ball/roller bearings**
Bearing, Roller, Needle: Assembly (Thick Outer Race), Specification for, **F2430 (01.08)**
Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, Specification for, **F2162 (01.08)**
Bearing, Roller, Tapered, Single Row of Rollers (Metric Series), Specification for, **F2591 (01.08)**
Bearing, Roller, Thrust, Two Channeled Race Surface, Rigid or Flat Seat Type, Specification for, **F2590 (01.08)**
Determining Corrosion Preventive Properties of Lubricating Greases, Test Method for, **D1743 (05.01)**
Ring, Bearing, Inner: for Needle Roller Bearing With Drawn Outer Ring, Specification for, **F2163 (01.08)**
Roller, Bearing, Needle, Ferrous, Solid, Spherical End, Specification for, **F2443 (01.08)**
Silicon Nitride Cylindrical Bearing Rollers, Specification for, **F2730/F2730M (01.08)**
Roller chair tester
Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, Practice for, **D6962 (07.02)**
Roller-compacted concrete
Determining Consistency and Density of Roller-Compacted Concrete Using a Vibrating Table, Test Method for, **C1170/C1170M (04.02)**
Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), Test Method for, **C1245/C1245M (04.02)**
Making Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Table, Practice for, **C1176/C1176M (04.02)**
Molding Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Hammer, Practice for, **C1435/C1435M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Roller follower wear test
Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, Test Method for, **D5966 (05.02)**
Roller mill
Preparation of Solvent and Water Based Ink Resin Solutions, Practices for, **D6989 (06.03)**
Rollers
Measurement of Web/Roller Friction Characteristics, Test Method for, **G143 (03.02)**
Rollers, Bearing, Needle, Ferrous, Solid, Specification for, **F2511 (01.08)**
Silicon Nitride Cylindrical Bearing Rollers, Specification for, **F2730/F2730M (01.08)**
Roller shear dynamic flex fatigue apparatus
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Roller-type thickness tester
Measurement of Thickness of Sandwich Cores, Test Methods for, **C366/C366M (15.03)**
Rolling ball test
Tack of Pressure-Sensitive Adhesives by Rolling Ball, Test Method for, **D3121 (15.10)**
Rolling friction
Determination of the Breakaway Friction Characteristics of Rolling Element Bearings, Test Method for, **G182 (03.02)**
Measuring Rolling Friction Characteristics of a Spherical Shape on a Flat Horizontal Plane, Test Method for, **G194 (03.02)**
Rolling inclinometer
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**
Rolling inspection procedure
Visual Inspection of Electrical Protective Rubber Products, Guide for, **F1236 (10.03)**
Rolling oils
Dispersion Stability of New (Unused) Rolling Oil Dispersions in Water, Test Method for, **D3342 (05.01)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Rolling shear test
Structural Panels in Planar Shear (Rolling Shear), Test Methods for, **D2718 (04.10)**
Rolling thin-film oven test (RTFOT)
Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), Test Method for, **D2872 (04.03)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Roll-in warmer
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Rolls
Statically Cast Chilled White Iron-Gray Iron Dual Metal Rolls for Pressure Vessel Use, Specification for, **A748/A748M (01.02)**
Roll shells
Centrifugally Cast White Iron/Gray Iron Dual Metal Abrasion-Resistant Roll Shells, Specification for, **A942/A942M (01.02)**
Roll stability
Roll Stability of Lubricating Grease, Test Method for, **D1831 (05.01)**
Shear Stability of Lubricating Grease in Presence of Water (Water Stability Test), Test Method for, **D7342 (05.04)**
Roll thermal insulation
Perpendicularly Oriented Mineral Fiber Roll and Sheet Thermal Insulation for Pipes and Tanks, Specification for, **C1393 (04.06)**
Roll wave
Measurement of Roll Wave Optical Distortion in Heat-Treated Flat Glass, Test Method for, **C1651 (15.02)**
Ronai starred diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Roof construction
Evaluating Structural Capacities of Rim Board Products and Assemblies, Specification for, **D7672 (04.10)**
Quality Assurance Observation of Roof Construction and Repair, Practice for, **D7186 (04.04)**
Sampling and Analysis of Modified Bitumen Roof Systems, Practice for, **D7636/D7636M (04.04)**
Roof decks
Gypsum Formboard, Specification for, **C318/C318M (04.01)**
Roof diaphragm
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Roof drain
Design of Standard Flashing Details for EPDM Roof Membranes, Guide for, **D6369 (04.04)**
Roof drainage systems
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**
Use of Expanded Shale, Clay and Slate (ESCS) as a Mineral Component in the Growing Media and the Drainage Layer for Vegetative (Green) Roof Systems, Specification for, **E2788 (04.04)**
Roof flashing
Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, Specification for, **D4811/D4811M (04.04)**
Roofing—bituminous materials
Sampling and Analysis of Modified Bitumen Roof Systems, Practice for, **D7636/D7636M (04.04)**
Roofing asphalt
Sa **Asphalt roofing materials—specifications**
Asphalt Used in Roofing Measured by Dynamic Shear Rheometer, Specification for, **D7654/D7654M (04.04)**
Self-Adhesive Glass Fiber Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7530/D7530M (04.04)**
Self-Adhesive Polyester Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7505/D7505M (04.04)**
Roofing copper
Copper Sheet and Strip for Building Construction, Specification for, **B370 (02.01)**
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**
Pre-Patinated Copper for Architectural Applications, Specification for, **B882 (02.01)**
Roofing materials/applications
Application of Aluminum-Pigmented Asphalt Roof Coatings, Guide for, **D3805/D3805M (04.04)**
Asbestos-Cement Flat Products, Test Methods for, **C459/C459M (04.05)**
Collection of Coal Samples from Core, Practice for, **D5192 (05.06)**
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**
Corrosion Resistance of Ferrous Metal Fastener Assemblies Used in Roofing and Waterproofing, Test Method for, **D6294/D6294M (04.04)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Evaluation and Preparation of Roof Membranes for Coating Application, Guide for, **D7120/D7120M (04.04)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Fire Tests of Roof Coverings, Test Methods for, **E108 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Flexibility of Roofing and Waterproofing Materials and Membranes, Test Method for, **D5683/D5683M (04.04)**
Gravity Load Testing of Floors and Low Slope Roofs, Practice for, **E196 (04.11)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Hydrogen Gas Generation of Aluminum Emulsified Asphalt Used as a Protective Coating for Roofing, Test Method for, **D6356/D6356M (04.04)**
Kerosine Number of Unsaturated (Dry) Felt by Vacuum Method, Test Method for, **D6136/D6136M (04.04)**
Liquid Applied Moisture Cured Polyurethane Coating Used in Spray Polyurethane Foam Roofing System, Specification for, **D6947/D6947M (04.04)**
Measuring Relative Resistance of Wall, Floor, and Roof Construction to Impact Loading, Test Method of, **E695 (04.11)**
Nonvolatile Content of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1250 (04.04)**
Quantification of Air Intrusion in Low-Sloped Mechanically Attached Membrane Roof Assemblies, Test Method for, **D7586/D7586M (04.04)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Repair and Recoat of Spray Polyurethane Foam Roofing Systems, Guide for, **D6705/D6705M (04.04)**
Sampling and Analysis of Modified Bitumen Roof Systems, Practice for, **D7636/D7636M (04.04)**
Sampling Spray Polyurethane Foam and Coating in Roofing, Guide for, **D7119/D7119M (04.04)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Testing Elastomeric and Plastomeric Roofing and Waterproofing Materials, Index of Methods for, **D3105 (04.04)**
the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces, Guide for, **C1471 (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course, Guide for, **C898/C898M (04.04)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**

Roofing materials/applications—bituminous
Application of Self-Adhering Modified Bituminous Waterproofing, Practice for, **D6135 (04.04)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**

Roofing materials/applications—bridges
See **Bridge/structural materials**

Roofing materials/applications—mineral aggregate
See **Mineral aggregate**

Roofing materials/applications—plastic
Application of New Spray Applied Polyurethane Foam and Coated Roofing Systems, Guide for, **D5469/D5469M (04.04)**
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**

Roofing materials/applications—specifications
Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, Specification for, **D2824/D2824M (04.04)**
Asbestos-Cement Roofing Shingles, Specification for, **C222 (04.05)**
Asphalt Based Protection Board for Below-Grade Waterproofing, Specification for, **D6506 (04.04)**
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D41/D41M (04.04)**
Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules, Specification for, **D3909/D3909M (04.04)**
Asphalt Roll Roofing (Organic Felt), Specification for, **D6380/D6380M (04.04)**
Asphalt Roof Cement, Asbestos-Containing, Specification for, **D2822/D2822M (04.04)**
Asphalt Roof Cement, Asbestos-Free, Specification for, **D4586/D4586M (04.04)**
Asphalt Roof Coatings—Asbestos-Free, Specification for, **D4479/D4479M (04.04)**
Asphalt Roof Coatings, Asbestos-Containing, Specification for, **D2823/D2823M (04.04)**
Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules, Specification for, **D3462/D3462M (04.04)**
Asphalt Used in Dampproofing and Waterproofing, Specification for, **D449/D449M (04.04)**
Asphalt Used in Roofing, Specification for, **D312 (04.04)**
Asphalt-Base Emulsions for Use as Protective Coatings for Metal, Specification for, **D1187/D1187M (04.04)**
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**
Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, Specification for, **D4869/D4869M (04.04)**
Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D226/D226M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6509/D6509M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**
Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, Specification for, **D1327/D1327M (04.04)**
Class A Asphalt Shingles Surfaced with Mineral Granules, Specification for, **D3018/D3018M (04.04)**
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Coal Tar Glass Felt Used in Roofing and Waterproofing, Specification for, **D4990 (04.04)**
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Coal Tar Roof Cement, Asbestos Free, Specification for, **D5643/D5643M (04.04)**
Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D450/D450M (04.04)**
Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D227/D227M (04.04)**
Concrete Roof Pavers, Specification for, **C1491 (04.05)**
Concrete Roof Tile, Specification for, **C1492 (04.05)**
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**
Emulsified Asphalt Adhesive for Adhering Roof Insulation, Specification for, **D3747 (04.04)**
Emulsified Asphalt Used as a Protective Coating for Roofing,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **D1227 (04.04)**
Emulsified Refined Coal Tar (Mineral Colloid Type), Specification for, **D5727/D5727M (04.04)**
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, Specification for, **D6298 (04.04)**
Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, Specification for, **D1668 (04.04)**
High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane With Integral Wearing Surface, Specification for, **C957/C957M (04.04)**
Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, Specification for, **D3019 (04.04)**
Liquid Applied Acrylic Coating Used in Roofing, Specification for, **D6083 (04.04)**
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Mineral Aggregate Used on Built-Up Roofs, Specification for, **D1863/D1863M (04.04)**
Mineral Wool Roof Insulation Board, Specification for, **C726 (04.06)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, Specification for, **D4811/D4811M (04.04)**
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Poly(Vinyl Chloride) Sheet Roofing, Specification for, **D4434/D4434M (04.04)**
Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing, Specification for, **D6221 (04.04)**
Roofing Slate, Specification for, **C406/C406M (04.07)**
SEBS-Modified Mopping Asphalt Used in Roofing, Specification for, **D6152/D6152M (04.04)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Self-Adhesive Glass Fiber Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7530/D7530M (04.04)**
Solvent Bearing Bituminous Compounds, Test Methods for, **D6511/D6511M (04.04)**
Spray Polyurethane Foam Used for Roofing Applications, Specification for, **D7425/D7425M (04.04)**
Spray-Applied Rigid Cellular Polyurethane Thermal Insulation, Specification for, **C1029 (04.06)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Structural Standing Seam Steel Roof Panel Systems, Specification for, **E1514 (04.11)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6162 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6163 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6164/D6164M (04.04)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**
Underlayment Felt Containing Inorganic Fibers Used in Steep-Slope Roofing, Specification for, **D6757 (04.04)**
Vulcanized Rubber Sheets Used in Waterproofing Systems, Specification for, **D6134 (04.04)**

Roofing membranes
Application of Asphalt Based Protection Board, Guide for, **D6451 (04.04)**
Application of Fully Adhered, Cold-Applied, Prefabricated Reinforced Modified Bituminous Membrane Waterproofing Systems, Guide for, **D6769/D6769M (04.04)**
Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing, Specification for, **D2626/D2626M (04.04)**
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Crack Bridging Ability of Liquid-Applied Waterproofing Membrane, Test Method for, **C1305 (04.04)**
Design of Standard Flashing Details for EPDM Roof Membranes, Guide for, **D6369 (04.04)**
Determining and Evaluating Causes of Water Leakage of Low-Sloped Roofs, Guide for, **D7053/D7053M (04.04)**
Determining the Adhesive and Cohesive Strength Between Materials in Roofing or Waterproofing Membranes and Systems, Test Method for, **D7105 (04.04)**
Determining Water Migration Resistance Through Roof Membranes, Test Method for, **D7281 (04.04)**
Electronic Methods for Detecting and Locating Leaks in Waterproof Membranes, Guide for, **D7877 (04.04)**
Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), Test Method for, **D5849/D5849M (04.04)**
Evaluation and Preparation of Roof Membranes for Coating Application, Guide for, **D7120/D7120M (04.04)**
Extensibility After Heat Aging of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1522 (04.04)**
Flexibility of Roofing and Waterproofing Materials and Membranes, Test Method for, **D5683/D5683M (04.04)**
Granule Adhesion to Mineral Surfaced Roofing by Abrasion, Test Method for, **D4977/D4977M (04.04)**
Hydrostatic Pressure Resistance of a Liquid-Applied Waterproofing Membrane, Test Method for, **C1306 (04.04)**
Hydrostatic Pressure Resistance of Waterproofing Membranes, Test Method for, **D5385 (04.04)**
Low Slope Insulated Roof Membrane Assembly Performance, Guide for, **D6630 (04.04)**
Measuring Voids in Roofing and Waterproofing Membranes, Test Method for, **D5076/D5076M (04.04)**
Preparation of Concrete Surfaces for Adhered (Bonded) Membrane Waterproofing Systems, Guide for, **D5295 (04.04)**
Roofing and Waterproofing, Terminology Relating to, **D1079 (04.04)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Size of Aggregate Used as Ballast for Membrane Roof Systems, Classification for, **D7655/D7655M (04.04)**
Static Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5602/D5602M (04.04)**
Testing Elastomeric and Plastomeric Roofing and Waterproofing Materials, Index of Methods for, **D3105 (04.04)**
Testing Load-Strain Properties of Roofing Membranes, Practice for, **D2523 (04.04)**
Time-to-Failure (Creep-Rupture) of Adhesive Joints Fabricated from EPDM Roof Membrane Material, Practice for, **D6383/D6383M (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course, Guide for, **C898/C898M (04.04)**
Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), Test Method for, **D3161/D3161M (04.04)**

Roofing membranes—specifications
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D41/D41M (04.04)**
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**
Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D226/D226M (04.04)**
Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing, Specification for, **D173/D173M (04.04)**
Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, Specification for, **D1327/D1327M (04.04)**
Coal Tar Glass Felt Used in Roofing and Waterproofing, Specification for, **D4990 (04.04)**
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D450/D450M (04.04)**
Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D227/D227M (04.04)**
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane With Integral Wearing Surface, Specification for, **C957/C957M (04.04)**
Ketone Ethylene Ester Based Sheet Roofing, Specification for, **D6754/D6754M (04.04)**
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Liquid-Applied Silicone Coating Used in Spray Polyurethane Foam Roofing Systems, Specification for, **D6694/D6694M (04.04)**
Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, Specification for, **D4811/D4811M (04.04)**
Poly(Vinyl Chloride) Sheet Roofing, Specification for, **D4434/D4434M (04.04)**
Polyethylene (PE) Pipe and Fittings for Roof Drain Systems, Specification for, **F1901 (08.04)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Reinforced White PIB Sheet Used in Roofing Membrane, Specification for, **D7067 (04.04)**
Roof and Rock Bolts and Accessories, Specification for, **F432 (01.08)**
Roofing Slate, Specification for, **C406/C406M (04.07)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Thermoplastic Polyolefin Based Sheet Roofing, Specification for, **D6878/D6878M (04.04)**
Underlayment Felt Containing Inorganic Fibers Used in Steep-Slope Roofing, Specification for, **D6757 (04.04)**

Roofing membranes (built-up roofs)
See **Built-up roofs**

Roofing nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Roofing tile
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), Test Method for, **C1570 (04.05)**

Roofing/waterproofing materials
Asphalt Used in Roofing Measured by Dynamic Shear Rheometer, Specification for, **D7654/D7654M (04.04)**
Determining the Adhesive and Cohesive Strength Between Materials in Roofing or Waterproofing Membranes and Systems, Test Method for, **D7105 (04.04)**
Determining the Capability of Roofing and Waterproofing Materials to Seal around Fasteners, Test Method for, **D7349/D7349M (04.04)**
Determining Water Migration Resistance Through Roof Membranes, Test Method for, **D7281 (04.04)**
Electronic Methods for Detecting and Locating Leaks in Waterproof Membranes, Guide for, **D7877 (04.04)**
Size of Aggregate Used as Ballast for Membrane Roof Systems, Classification for, **D7655/D7655M (04.04)**
Use of Drainage System Media with Waterproofing Systems, Guide for, **D7492/D7492M (04.04)**

Roof insulation
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Location of Wet Insulation in Roofing Systems Using Infrared Imaging, Practice for, **C1153 (04.06)**

Roof insulation—specifications
Sa **Block and board thermal insulation**
Sa **Cellulosic fiber insulation**
Sa **Mineral fiber insulation**
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Emulsified Asphalt Adhesive for Adhering Roof Insulation, Specification for, **D3747 (04.04)**
Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, Specification for, **C1126 (04.06)**
Mineral Wool Roof Insulation Board, Specification for, **C726 (04.06)**
Perlite Thermal Insulation Board, Specification for, **C728 (04.06)**
Spray-Applied Rigid Cellular Polyurethane Thermal Insulation, Specification for, **C1029 (04.06)**

Roof panel systems
Structural Standing Seam Steel Roof Panel Systems, Specification for, **E1514 (04.11)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**

Roof pavers
Concrete Roof Pavers, Specification for, **C1491 (04.05)**

Roof repair
Quality Assurance Observation of Roof Construction and Repair, Practice for, **D7186 (04.04)**

Roof sheathing
Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing, Practice for, **D6305 (04.10)**
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**

Roof tile
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Room fire testing
Sa **Fire testing—building materials**
Room Fire Experiments, Guide for, **E603 (04.07)**
Room Fire Test of Wall and Ceiling Materials and Assemblies, Test Method for, **E2257 (04.07)**
Room heater
Determining Particulate Matter Emissions from Pellet Heaters, Test Method for, **E2779 (04.12)**
Room Heaters, Pellet Fuel-Burning Type, Specification for, **E1509 (04.11)**
Rooms
Sa **Sound transmission—building materials/applications**
Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, Test Method for, **E1414/E1414M (04.06)**
Determining the Change in Room Air Particulate Counts as a Result of the Vacuum Cleaning Process, Test Method for, **F2608 (15.08)**
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Room sound absorption
Sa **Sound absorbing/insulating materials/applications**
Determination of Decay Rates for Use in Sound Insulation Test Methods, Test Method for, **E2235 (04.06)**
Objective Measurement of the Speech Privacy Provided by a Closed Room, Test Method for, **E2638 (04.06)**
Room temperature
Abrasion Resistance of Refractory Materials at Room Temperature, Test Method for, **C704/C704M (15.01)**
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**
Compressibility and Recovery of Gasket Materials, Test Method for, **F36 (09.02)**
Compression Testing of Metallic Materials at Room Temperature, Test Methods of, **E9 (03.01)**
Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers, Test Method for, **C1371 (04.06)**
Foaming Tendencies of Engine Coolants at Room Temperature, Test Method for, **D4921 (15.05)**
Poisson's Ratio at Room Temperature, Test Method for, **E132 (03.01)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**
Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus, Test Method for, **C1419 (15.01)**
Room temperature resistivity
See **Electrical resistance/resistivity**
Room temperature vulcanizing (RTV) compound
Blowout Resistance of Room-Temperature Vulcanized Elastomers, Practice for, **F2523 (09.02)**
Silicone Rubber Room Temperature Vulcanizing Low Outgassing Materials, Specification For, **D6411/D6411M (15.06)**
Root elongation
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**
Root mean square (RMS)
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Rootzone mixes
Particle Size Analysis and Sand Shape Grading of Golf Course Putting Green and Sports Field Rootzone Mixes, Test Method for, **F1632 (15.07)**
Rope
Industrial Rope Access, Practice for, **E2505 (04.12)**
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**
Rope course
Special Requirements for Aerial Adventure Courses, Practice for, **F2959 (15.07)**
Rope-lay-stranded copper conductors
Sa **Stranded aluminum electrical conductors—specifications**
Sa **Stranded copper electrical conductors—specifications**
Fine-Wire Bunch-Stranded and Rope-Lay Bunch-Stranded Copper Conductors for Use as Electrical Conductors, Specification for, **B738 (02.03)**
Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members, for Electrical Conductors, Specification for, **B172 (02.03)**
Rope-Lay-Stranded Copper Conductors Having Concentric-Stranded Members, for Electrical Conductors, Specification for, **B173 (02.03)**
Rope packing material
Packing, Fiberglass, Braided, Rope, and Wick, Specification for, **F2087 (01.07)**
Rope rescue
Fixed Anchorages Installed on Structures used for Rope Rescue Training, Specification for, **F2822 (13.02)**
Inspection of Nylon, Polyester, or Nylon/Polyester Blend, or Both Kernmantle Rope, Guide for, **F1740 (13.02)**
Measuring the Performance of Synthetic Rope Rescue Belay Systems Using a Drop Test, Test Method for, **F2436 (13.02)**
Training for Level I Rope Rescue (R1) Rescuer Endorsement, Guide for, **F2752 (13.02)**
Training for Level II Rope Rescue (R2) Rescuer Endorsement, Guide for, **F2954 (13.02)**
Training for Level III Rope Rescue (R3) Rescuer Endorsement, Guide for, **F2955 (13.02)**
Using Whistle Signals During Rope Rescue Operations, Guide for, **F1768 (13.02)**
Ro/Ro cargo space
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Rosettes
Sa **Strain gages**
Analysis of Strain Gage Rosette Data, Practice for, **E1561 (03.01)**
Rosin
Acid Number of Naval Stores Products Including Tall Oil and Other Related Products, Test Methods for, **D465 (06.03)**
Color of Pine Chemicals and Related Products (Instrumental Determination of Gardner Color), Test Method for, **D6166 (06.03)**
Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1585 (06.03)**
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Pine Chemicals, Including Tall Oil and Related Products, Terminology Relating to, **D804 (06.03)**
Sampling and Grading Rosin, Test Methods of, **D509 (06.03)**
Saponification Number of Naval Store Products Including Tall Oil and Other Related Products, Test Methods for, **D464 (06.03)**
Sheet Linoleum Floor Covering, Specification for, **F2034 (15.04)**
Softening Point of Resins Derived from Naval Stores by Ring-and-Ball Apparatus, Test Methods for, **E28 (06.03)**
Unsaponifiable Matter in Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Method for, **D1065 (06.03)**
Volatile Oil in Rosin, Test Method for, **D889 (06.03)**
Rosin acids and fatty acids content
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Rosin acids content
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, Test Methods for, **D5974 (06.03)**
Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1240 (06.03)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**

Rosin derivatives
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**

Rosin flux-core solder
See **Solder/soldering applications**

Ross test
Measuring Rubber Deterioration—Cut Growth Using Ross Flexing Apparatus, Test Method for, **D1052 (09.01)**

Rotameter applications/analysis
Evaporation Loss of Lubricating Greases and Oils, Test Method for, **D972 (05.01)**
Rotameter Calibration, Practice for, **D3195/D3195M (11.07)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**

Rotary conveyor pot/pan/utensil washing machines
Sa **Dishwashing equipment (commercial)**
Washing MachinesPot, Pan, and Utensil, Heat Sanitizing, Commercial Rotary Conveyor Type, Specification for, **F1203 (15.12)**

Rotary descaling machines
Sa **Descaling**
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**

Rotary drilling
Sa **Borehole drilling**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**
Soil Exploration and Sampling by Auger Borings, Practice for, **D1452 (04.08)**

Rotary drum abrader
Rubber Property—Abrasion Resistance (Rotary Drum Abrader), Test Method for, **D5963 (09.01)**

Rotary evaporator
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
Recovery of Asphalt from Solution Using the Rotary Evaporator, Practice for, **D5404/D5404M (04.03)**
Recovery of Asphalt from Solution Using Toluene and the Rotary Evaporator, Practice for, **D7906 (04.03)**

Rotary flex test
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**

Rotary kiln-produced shale/clay/slate
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**

Rotary laxity test
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**

Rotary operators
Wear Testing Rotary Operators for Windows, Test Methods for, **E405 (04.11)**

Rotary platform
Abrasion Resistance of Dimension Stone Subjected to Foot Traffic Using a Rotary Platform, Double-Head Abraser, Test Method for, **C1353/C1353M (04.07)**
Abrasion Resistance of Leather (Rotary Platform, Abraser Method), Test Method for, **D7255 (15.04)**
Conducting Wear Tests Using a Rotary Platform Abraser, Guide for, **G195 (03.02)**

Rotary platform abrader
Sa **Abrasion resistance**
Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method), Guide for, **D3884 (07.01)**
Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), Test Method for, **D3389 (09.02)**

Rotary positive displacement pump
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Rotary Positive Displacement Distillate Fuel Pumps, Specification for, **F1718 (01.07)**
Rotary Positive Displacement Pumps, Ships Use, Specification for, **F1510 (01.07)**

Rotary slag testing
Rotary Slag Testing of Refractory Materials, Test Method for, **C874 (15.01)**

Rotary solid waste extractor
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**

Rotating anemometers
Characterizing Surface Wind Using a Wind Vane and Rotating Anemometer, Practice for, **D5741 (11.07)**
Determining the Performance of a Cup Anemometer or Propeller Anemometer, Test Method for, **D5096 (11.07)**

Rotating bending fatigue tests
Conducting Rotating Bending Fatigue Tests of Solid Round Fine Wire, Test Method for, **E2948 (03.01)**

Rotating bomb test
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**

Rotating cage
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using Rotating Cage, Practice for, **G184 (03.02)**
Using Atmospheric Pressure Rotating Cage, Test Method for, **G202 (03.02)**

Rotating compensator retardation procedure
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**

Rotating corer
Sampling Consolidated Solids in Drums or Similar Containers, Practice for, **D5679 (11.04)**

Rotating-cutter method
Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method, Test Method for, **C944/C944M (04.02)**

Rotating cylinder electrode
Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using the Rotating Cylinder Electrode, Practice for, **G185 (03.02)**

Rotating cylinders
Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, Guide for, **G170 (03.02)**

Rotating disc method
Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6595 (05.03)**
Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, Test Method for, **C1243 (15.02)**

Rotating laser diodes
Laser Technologies for Direct Measurement of Cross Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, Practice for, **F3095 (04.12)**

Rotating vane fieldmeter
Static Electrification, Test Method for, **D4470 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rotational mechanics
Evaluating Rim Slip Performance of Tires and Wheels, Test Method for, **F2803 (09.02)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Rotational pour point
Pour Point of Petroleum Products (Rotational Method), Test Method for, **D5985 (05.02)**
Rotational torque
Sa **Torque**
Monitoring of Rotational Torque of Type IIIA Child-Resistant Closures, Test Method for, **D3968 (15.10)**
Rotational viscosity
Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, Test Method for, **D6267 (06.03)**
Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, Test Methods for, **D7867 (06.01)**
Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, Test Methods for, **D2196 (06.01)**
Rotational Viscosity of Heavy Duty Diesel Drain Oils at 100°C, Test Method for, **D6895 (05.03)**
Viscosity Determination of Asphalt at Elevated Temperatures Using a Rotational Viscometer, Test Method for, **D4402/D4402M (04.04)**
Rotation angle
Describing Retroreflection, Practice for, **E808 (06.01)**
Rotation testing
Low-Temperature Torque of Grease-Lubricated Wheel Bearings, Test Method for, **D4693 (05.02)**
Polyamide 11 (PA 11) and Polyamide 12 (PA12) Mechanical Fittings for Use on Outside Diameter Controlled Polyamide 11 and Polyamide 12 Pipe and Tubing, Specification for, **F2145 (08.04)**
Rotavirus
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Rotenone
Fish Sampling, Classification for, **D4211 (11.02)**
Sampling Fish with Rotenone, Practice for, **D4131 (11.02)**
Rotifers
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**
Rotisserie ovens
Performance of Rotisserie Ovens, Test Method for, **F1787 (15.12)**
Rotor forgings
See **Generator materials**
Rotorless cure meters
Rubber Properties—Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer, Test Method for, **D6601 (09.01)**
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**
Rotorless rheometers
Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, Test Method for, **D6204 (09.01)**
Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using Rotorless Shear Rheometers, Test Method for, **D7605 (09.01)**
Rotor position value
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Roto-tester
Determination of Pack-Set Index of Portland Cement, Test Method for, **C1565 (04.01)**
Rot resistance
See **Bacteria/bacterial control**
Rouge
See **Iron oxide pigments—red (natural/synthetic)**
Rough handling
Rough Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6179 (15.10)**
Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, Practice for, **D5639/D5639M (15.10)**
Roughness
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Measuring Pavement Roughness Using a Profilograph, Test Method for, **E1274 (04.03)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**
Vehicle-Pavement Systems, Terminology Relating to, **E867 (04.03)**
Roughness—roads
See **Road roughness**
Rough trails
Condition 3 Bicycle Forks, Specification for, **F2274 (15.07)**
Round aluminum electrical wire
Aluminum 1350 Round Wire, Annealed and Intermediate Tempers, for Electrical Purposes, Specification for, **B609/B609M (02.03)**
Round bar steel
See **Alloy steel bars—specifications**
Round copper wire
Sa **Copper electrical conductors—specifications**
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Hard-Drawn Copper Alloy Wires for Electric Conductors, Specification for, **B105 (02.03)**
Medium-Hard-Drawn Copper Wire, Specification for, **B2 (02.03)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**
Round electrical conductors
Standard Metric Sizes of Electrical Conductors, Specification for, **B682 (02.03)**
Rounding machines
Dough Divider and Rounding Machines, Specification for, **F1966 (15.12)**
Rounding-off method
Declarable Substances in Materials, Terminology Relating to, **F2576 (10.04)**
Using Significant Digits in Geotechnical Data, Practice for, **D6026 (04.09)**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**
Roundness
Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, Specification for, **F2033 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Roundness of glass spheres
Industrial Perforated Plate and Screens (Round Opening Series), Specification for, **E674 (14.02)**
Roundness of Glass Spheres, Test Method for, **D1155 (06.02)**
Round-robin testing
Sa **Interlaboratory testing**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Selecting and Characterizing Weathering Reference Materials, Practice for, **G156 (14.04)**
Round specimens
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Round spikes
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Round timbers
Establishing Allowable Stresses for Round Timbers for Piles from Tests of Full-Size Material, Practice for, **D7381 (04.10)**
Round tube
Desk, Log, Marine, Steel, with Cabinet, Specification for, **F823 (01.07)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Round weaving wire
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**
Round wire
Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**
Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, Specification for, **B258 (02.03)**
Round wire and ribbon
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**
Routine analysis
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Routine dosimeter
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Routine measurement (of pH) method
pH of Water, Test Methods for, **D1293 (11.01)**
Routine-operational evaluation
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, Guide for, **C1169 (12.01)**
Routing
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), Practice for, **F1516 (15.04)**
Roving
Asbestos Roving, Specification for, **D375/D375M (04.05)**
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Finished Glass Fabrics Woven From Rovings, Specification for, **D4389/D4389M (07.01)**
Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics, Test Method for, **D2343 (08.01)**
RPMP (reinforced polymer mortar pipe)
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, Specification for, **D3840 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe, Specification for, **D3517 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe, Specification for, **D3754 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe, Specification for, **D3262 (08.03)**
Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, Test Method for, **D2925 (08.03)**
Centrifugally Cast "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Specification for, **D2997 (08.03)**
Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, Test Method for, **D3681 (08.03)**
Filament-Wound "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Specification for, **D2996 (08.03)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
RQD (rock quality designation)
Determining Rock Quality Designation (RQD) of Rock Core, Test Method for, **D6032 (04.09)**
RSU (roadside (telecommunications) unit)
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
RTI (relative thermal index)
Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, Practice for, **E1877 (14.02)**
RTRP pipe
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Rub
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Rubber
Sa **BR (butadiene rubber)**
Sa **Butyl rubber**
Sa **CR (chloroprene rubber)**
Sa **Electrical insulating rubber**
Sa **Isobutene-isoprene rubber (IIR)**
Asphalt-Rubber Binder, Specification for, **D6114/D6114M (04.03)**
Assignment of the DSC Procedure for Determining Tg of a Polymer or an Elastomeric Compound, Test Method for, **D7426 (09.01)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**
Resilient Wall Base, Specification for, **F1861 (15.04)**
Rubber and Rubber Latices—Nomenclature, Practice for, **D1418 (09.01)**
Rubber Contraceptives—Vaginal Diaphragms, Specification for, **D6976 (09.02)**
Rubber Property—Macro-Dispersion of Fillers in Compounds, Test Method for, **D7723 (09.01)**
Rubber Property—Resilience Using Schob Type Rebound Pendulum, Test Method for, **D7121 (09.01)**
Rubber Shaft Seals Determination of Recovery From Bending, Test Method for, **D6515 (09.02)**
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, Test Method for, **D5670 (09.01)**
Rubber—Measurement of Processing Properties Using Capillary

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rheometry, Test Methods for, **D5099 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, Practice for, **C1231/C1231M (04.02)**

Rubber—specifications
Coated Fabrics—Waterproofness, Specification for, **D3393 (09.02)**
Elastomeric Water Bottles, Specification for, **D4316 (09.02)**
Flexible Cellular Rubber Chemically Blown, Specification for, **D6576 (08.03)**
Natural Rubber (NR) Technical Grades, Specification for, **D2227 (09.01)**
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**
Preformed Open–Cell Sponge Rubber Pail and Drum Gaskets, Specification for, **F1909 (09.02)**
Rubber Bales From Natural SourcesLimit on Coating, Specification for, **D2449 (09.01)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Rubber General Purpose, Household or Beautician Gloves, Specification for, **D4679 (09.02)**
Rubber Insulating Matting, Specification for, **D178 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**
Rubber Rings for Asbestos-Cement Pipe, Specification for, **D1869 (09.02)**
Rubber Seals Contacting Liquids in Solar Energy Systems, Specification for, **D3832 (09.02)**
Rubber Seals Used in Air-Heat Transport of Solar Energy Systems, Specification for, **D3903 (09.02)**
Rubber Seals Used in Concentrating Solar Collectors, Specification for, **D3771 (09.02)**
Rubber Seals Used in Flat-Plate Solar Collectors, Specification for, **D3667 (09.02)**
Rubber Seals—Splice Strength, Specification for, **D2527 (09.02)**
Rubber Sheet Gaskets, Specification for, **D1330 (09.02)**
Rubber Surgical Gloves, Specification for, **D3577 (09.02)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**

Rubber abrasion
Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), Test Method for, **D3389 (09.02)**
Rubber Property—Abrasion Resistance (Footwear Abrader), Test Method for, **D1630 (09.01)**
Rubber Property—Abrasion Resistance (Rotary Drum Abrader), Test Method for, **D5963 (09.01)**
Rubber Property—Relative Abrasion Resistance by Pico Abrader Method, Test Method for, **D2228 (09.01)**

Rubber accelerator
Rubber Chemical Accelerator—Purity by High Performance Liquid Chromatography, Test Methods for, **D5297 (09.01)**
Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles, Test Method for, **D4934 (09.01)**

Rubber additives
Rubber Compounding Materials—Water in Rubber Additives, Test Method for, **D5460 (09.01)**
Rubber Compounding Materials—Wet Sieve Analysis of Powdered Rubber Compounding Materials, Test Method for, **D5461 (09.01)**

Rubber adhesion
Adhesion Between Steel Tire Cords and Rubber, Test Method for, **D2229 (07.01)**
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**
Coated Fabrics, Test Methods for, **D751 (09.02)**
Rubber Cements, Test Methods for, **D816 (09.01)**
Rubber Hose, Test Methods for, **D380 (09.02)**
Rubber Property—Adhesion to Flexible Substrate, Test Methods for, **D413 (09.01)**
Rubber Property—Adhesion to Rigid Substrates, Test Methods for, **D429 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Rubber adhesives
Rubber Cements, Test Methods for, **D816 (09.01)**
Viscosity of Adhesives, Test Methods for, **D1084 (15.06)**

Rubber aging
Rubber Deterioration by Heat and Air Pressure, Test Method for, **D454 (09.01)**
Rubber Products in Automotive Applications, Classification System for, **D2000 (09.02)**
Rubber Property—Hydrolytic Stability, Test Method for, **D3137 (09.01)**
Rubber Property—Vulcanization Using Oscillating Disk Cure Meter, Test Method for, **D2084 (09.01)**
RubberDeterioration by Heat and Oxygen, Test Method for, **D572 (09.01)**
Rubber—Deterioration by Heating in Air (Test Tube Enclosure), Test Method for, **D865 (09.01)**

Rubber (automotive)
See **Automotive rubber**

Rubber balloon method
Density and Unit Weight of Soil in Place by the Rubber Balloon Method, Test Method for, **D2167 (04.08)**

Rubber belting
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**

Rubber block procedure
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**

Rubber chemicals
Rubber Chemicals—2-Mercaptobenzothiazole (MBT)—Assay, Test Method for, **D1991 (09.01)**
Rubber Chemicals—Density, Test Method for, **D1817 (09.01)**
Rubber Chemicals—Determination of Infrared Absorption Characteristics, Practice for, **D2702 (09.01)**
Rubber Chemicals—Determination of Melting Range, Test Methods for, **D1519 (09.01)**
Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, Test Method for, **D4573 (09.01)**
Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), Test Method for, **D4570 (09.01)**
Rubber Chemicals—Determination of Percent Sulfur by Extraction, Test Methods for, **D4578 (09.01)**
Rubber Chemicals—Diphenyl Guanidine (DPG) and Di-o-tolylguanidine (DOTG) Assay, Test Method for, **D5054 (09.01)**
Rubber Chemicals—Solubility, Test Method for, **D1766 (09.01)**
Rubber Chemicals—Wet Sieve Analysis of Sulfur, Test Method for, **D4572 (09.01)**
Rubber Compounding Materials—Benzothiazyl Disulfide (MBTS)—Assay, Test Method for, **D5051 (09.01)**
Rubber Compounding Materials—Determination of Acidity in Sulfur, Test Method for, **D4569 (09.01)**
Rubber Compounding Materials—Determination of Ash Content, Test Methods for, **D4574 (09.01)**
Rubber Compounding Materials—Determination of the Basic Nitrogen Content in Rubber Antioxidant: Polymerized TMQ,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D5376 (09.01)**
Rubber Compounding Materials—Determination of Volatile Material, Test Methods for, **D4571 (09.01)**
Rubber Compounding Materials—Free 2-Mercaptobenzothiazole (MBT) in Benzothiazyl Disulfide (MBTS), Test Method for, **D5044 (09.01)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Rubber—Chromatographic Analysis of Antidegradants (Antioxidants, Antiozonants and Stabilizers), Practice for, **D3156 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Silanes Used in Rubber Formulations, Test Methods for, **D6741 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6740 (09.01)**
Testing Synthetic Plasticizers Used in Rubber, Guide for, **D1992 (09.01)**

Rubber compositional analysis
Sa **Raw rubber**
Rubber—Compositional Analysis by Thermogravimetry (TGA), Test Method for, **D6370 (09.01)**
Rubber—Identification by Pyrolysis-Gas Chromatography, Practice for, **D3452 (09.01)**

Rubber compounding materials
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**
Carbon Black—Dispersion in Rubber, Test Methods for, **D2663 (09.01)**
Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density, Test Method for, **D6814 (09.01)**
Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, Test Method for, **D4936 (09.01)**
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**
Petroleum Waxes for Use in Rubber Compounding, Classification for, **D4924 (09.01)**
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Rubber Compounding Material—Zinc Oxide, Test Methods for, **D4315 (09.01)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Rubber Compounding MaterialsGround Coal, Classification for, **D5377 (09.01)**
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
Rubber Compounding Materials—Determination of Particle Size Distribution of Recycled Vulcanizate Particulate Rubber, Test Methods for, **D5644 (09.01)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber Compounding Materials—Recycled Vulcanizate Particulate Rubber, Classification for, **D5603 (09.01)**
Rubber Compounding Materials—Stearic Acid, Classification for, **D4817 (09.01)**
Rubber Compounding Materials—Sulfur, Classification for, **D4528 (09.01)**
Rubber Compounding Materials—Titanium Dioxide, Classification for, **D4677 (09.01)**
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Rubber Compounding Materials—Water in Rubber Additives, Test Method for, **D5460 (09.01)**
Rubber Compounding Materials—Wet Sieve Analysis of Powdered Rubber Compounding Materials, Test Method for, **D5461 (09.01)**
Rubber Compounding Materials—Zinc Oxide, Classification for, **D4295 (09.01)**
Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles, Test Method for, **D4934 (09.01)**
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, Test Method for, **D6204 (09.01)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Various Types of Petroleum Oils for Rubber Compounding Use, Classification for, **D2226 (09.01)**

Rubber compounding materials—specifications
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**

Rubber contraceptives
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**

Rubber crack growth
Rubber Deterioration—Crack Growth, Test Method for, **D813 (09.01)**

Rubber electrical insulating tape
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**

Rubber extender oils
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Ultraviolet Absorbance and Absorptivity of Petroleum Products, Test Method for, **D2008 (05.01)**
Various Types of Petroleum Oils for Rubber Compounding Use, Classification for, **D2226 (09.01)**

Rubber flooring
Bonded Rubber Crumb Floor Coverings, Specification for, **F3041 (15.04)**
Resilient Stair Treads, Specification for, **F2169 (15.04)**
Rubber Floor Tile, Specification for, **F1344 (15.04)**
Rubber Sheet Floor Covering With Backing, Specification for, **F1860 (15.04)**
Rubber Sheet Floor Covering Without Backing, Specification for, **F1859 (15.04)**

Rubber gaskets
Joints for Concrete Box, Using Rubber Gaskets, Specification for, **C1677 (04.05)**
Joints for Concrete Gravity Flow Sewer Pipe, Using Rubber Gaskets, Specification for, **C1628 (04.05)**
Rubber Gaskets for Cast Iron Soil Pipe and Fittings, Specification for, **C564 (01.02)**

Rubber gloves/mittens—specifications
Polychloroprene Examination Gloves for Medical Application, Specification for, **D6977 (09.02)**
Rubber General Purpose, Household or Beautician Gloves, Specification for, **D4679 (09.02)**

Rubber heel nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rubber hose
Rubber Hose, Test Methods for, **D380 (09.02)**
Rubber Hose for Automotive Air and Vacuum Brake System, Test Methods for, **D622 (09.02)**
Rubber Hose for Gas Diffusion of Liquefied Petroleum Gas, Test Method for, **D3902 (09.02)**
Rubber immersion oils
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber insulating gloves
In-Service Care of Insulating Gloves and Sleeves, Specification for, **F496 (10.03)**
Leather Protectors for Rubber Insulating Gloves and Mittens, Specification for, **F696 (10.03)**
Rubber Insulating Gloves, Specification for, **D120 (10.03)**
Rubber insulation—specifications
Rubber Insulating Sheeting, Specification for, **F2320 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**
Rubberized fabrics
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**
Rubber jacket
General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, Specification for, **D4314 (10.02)**
Rubber medical/surgical applications
Detection of Holes in Medical Gloves, Test Method for, **D5151 (09.02)**
Rubber Surgical Gloves, Specification for, **D3577 (09.02)**
Rubber medical/surgical applications—specifications
Natural Rubber Finger Cots, Specification for, **D3772 (09.02)**
Nitrile Examination Gloves for Medical Application, Specification for, **D6319 (09.02)**
Rubber Examination Gloves, Specification for, **D3578 (09.02)**
Rubber Surgical Drainage Tubes, Penrose-Type, Specification for, **D3579 (09.02)**
Rubber-Coated Cloth Hospital Sheeting, Specification for, **D3738 (09.02)**
Rubber-modified polystyrene (PS) molding/extrusion material
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**
Rubber (natural)
Sa **Natural rubber (NR) latex—specifications**
Disposable Embalming Gloves for Single-Use Applications, Specification for, **D7198 (09.02)**
Rubber from Natural Sources—Sampling and Sorting Bales Based on Predicted Processing Properties, Practice for, **D7050 (09.01)**
Rubber nomenclature/terminology
See **Terminology—rubber compounds/materials**
Rubber (ozone cracking)
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Rubber-/plastic-coated fabric
Coated Fabrics, Test Methods for, **D751 (09.02)**
Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), Test Method for, **D3389 (09.02)**
Coated Fabrics—Low-Temperature Bend Test, Test Method for, **D2136 (09.01)**
Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, Test Method for, **D3985 (15.10)**
Plastic-Coated Fabrics—Completeness of Fusion of PVC Dispersion Coatings, Test Method for, **D4005 (09.02)**
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Rubber Property—Brittleness Point of Flexible Polymers and Coated Fabrics, Test Methods for, **D2137 (09.01)**
Rubber-/plastic-coated fabric—specifications
Coated Fabrics—Waterproofness, Specification for, **D3393 (09.02)**
Polyvinyl Chloride (PVC), Polyolefin and Other Polymer-Coated Steel Chain Link Fence Fabric, Specification for, **F668 (01.06)**
Rubber-Coated Cloth Hospital Sheeting, Specification for, **D3738 (09.02)**
Rubber plasticity/recovery
Rubber Property—Plasticity and Recovery (Parallel Plate Method), Test Method for, **D926 (09.01)**
Rubber polymers
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber Property—Brittleness Point of Flexible Polymers and Coated Fabrics, Test Methods for, **D2137 (09.01)**
Rubber—Identification by Pyrolysis-Gas Chromatography, Practice for, **D3452 (09.01)**
Rubber property analysis
Biological Properties of Industry Reference Materials (IRM), Specification for, **D7850 (09.02)**
Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, Test Method for, **D952 (08.01)**
Brittleness Temperature of Plastics and Elastomers by Impact, Test Method for, **D746 (08.01)**
Carbon Blacks Used in Rubber Products, Classification System for, **D1765 (09.01)**
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Density and Unit Weight of Soil in Place by the Rubber Balloon Method, Test Method for, **D2167 (04.08)**
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**
Elastomeric Water Bottles, Specification for, **D4316 (09.02)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), Test Method for, **D1329 (09.01)**
Evaluating Test Sensitivity for Rubber Test Methods, Practice for, **D6600 (09.01)**
Evaluating the Effective Surface Area of Zinc Oxide in Rubber, Test Method for, **D4620 (09.01)**
Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, Test Method for, **D5132 (08.03)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Measurement of Web/Roller Friction Characteristics, Test Method for, **G143 (03.02)**
Measuring Rubber Deterioration—Cut Growth Using Ross Flexing Apparatus, Test Method for, **D1052 (09.01)**
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**
Petroleum Waxes for Use in Rubber Compounding, Classification for, **D4924 (09.01)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber Conditioning For Low Temperature Testing, Practice for, **D832 (09.01)**
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Properties in Compression, Test Methods for, **D575 (09.01)**
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Rubber Properties—Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer, Test Method for, **D6601 (09.01)**
Rubber PropertyCompression Set, Test Methods for, **D395 (09.01)**
Rubber PropertyExtrudability of Unvulcanized Compounds, Test Method for, **D2230 (09.01)**
Rubber Property—Change in Length During Liquid Immersion, Test Method for, **D1460 (09.01)**
Rubber Property—Compression Set at Low Temperatures, Test Method for, **D1229 (09.01)**
Rubber Property—Durometer Hardness, Test Method for, **D2240 (09.01)**
Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, Test Method for, **D6284 (09.02)**
Rubber Property—Elongation at Specific Stress, Test Method for, **D1456 (09.01)**
Rubber Property—Extension Cycling Fatigue, Test Method for, **D4482 (09.01)**
Rubber Property—Hydrolytic Stability, Test Method for, **D3137 (09.01)**
Rubber Property—International Hardness, Test Method for, **D1415 (09.01)**
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Rubber Property—Plasticity and Recovery (Parallel Plate Method), Test Method for, **D926 (09.01)**
Rubber Property—Resilience by Vertical Rebound, Test Method for, **D2632 (09.01)**
Rubber Property—Resilience Using Schob Type Rebound Pendulum, Test Method for, **D7121 (09.01)**
Rubber Property—Shrinkage of Raw and Compounded Hot-Polymerized Styrene-Butadiene Rubber (SBR), Test Methods for, **D1917 (09.01)**
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**
Rubber Property—Volume Resistivity Of Electrically Conductive and Antistatic Products, Test Method for, **D991 (09.01)**
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**
Rubber—Chemical Analysis of Extractables, Test Methods for, **D5774 (09.01)**
Rubber—Determination of Bound Styrene in Styrene Butadiene Rubber by Refractive Index, Test Method for, **D5775 (09.01)**
Rubber—Determination of Bromine in the Presence of Chlorine by Oxygen Combustion, Practice for, **D3566 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Rubber—Directions for Achieving Subnormal Test Temperatures, Practice for, **D3847 (09.01)**
Rubber—Measurement of Dimensions, Practice for, **D3767 (09.01)**
Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, Test Method for, **D6204 (09.01)**
Rubber—Preparation of Pieces for Test Purposes from Products, Practice for, **D3183 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), Test Methods for, **D1646 (09.01)**
Rubber, Raw—Determination of 5-Ethylidenenorbornene (ENB) or Dicyclopentadiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers, Test Methods for, **D6047 (09.01)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**
The Immunological Measurement of Antigenic Protein in Natural Rubber and its Products, Test Method for, **D6499 (09.02)**
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**

Rubber protective equipment
Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), Test Method for, **D3389 (09.02)**
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**

Rubber rings
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Rings for Asbestos-Cement Pipe, Specification for, **D1869 (09.02)**

Rubber roofing materials—specifications
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**
Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, Specification for, **D4811/D4811M (04.04)**
Vulcanized Rubber Sheets Used in Waterproofing Systems, Specification for, **D6134 (04.04)**

Rubber sampling
Rubber from Natural Sources—Sampling and Sample Preparation, Practice for, **D1485 (09.01)**
Rubber From Synthetic Sources—Sampling, Practice for, **D3896 (09.01)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Rubber—Preparation of Pieces for Test Purposes from Products, Practice for, **D3183 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Sampling in Rubber Testing—Terminology and Basic Concepts, Practice for, **D6085 (09.01)**

Rubber seals
Sa **Gaskets**
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Shaft Seals Determination of Recovery From Bending, Test Method for, **D6515 (09.02)**

Rubber seals—specifications
Rubber Rings for Asbestos-Cement Pipe, Specification for, **D1869 (09.02)**
Rubber Seals Contacting Liquids in Solar Energy Systems, Specification for, **D3832 (09.02)**
Rubber Seals Used in Air-Heat Transport of Solar Energy Systems, Specification for, **D3903 (09.02)**
Rubber Seals Used in Concentrating Solar Collectors, Specification for, **D3771 (09.02)**
Rubber Seals Used in Flat-Plate Solar Collectors, Specification for, **D3667 (09.02)**
Rubber Seals—Splice Strength, Specification for, **D2527 (09.02)**

Rubber sheeting—specifications
Rubber Insulating Sheeting, Specification for, **F2320 (10.03)**

Rubber stamps/impressions
Examination of Rubber Stamp Impressions, Guide for, **E2289 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rubber textile composites
Friction Tapes, Test Methods for, **D69 (10.01)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**
Rubber Property—Adhesion to Flexible Substrate, Test Methods for, **D413 (09.01)**
Rubber thread
Rubber Thread—Deterioration Due to Standard Washing Solution Treatment, Test Method for, **D3855 (09.02)**
Rubber Thread—Resistance to Dry Heat, Test Method for, **D3854 (09.02)**
Rubber-water bottles
Elastomeric Water Bottles, Specification for, **D4316 (09.02)**
Rubber wheel test
Measuring Abrasion Using the Dry Sand/Rubber Wheel Apparatus, Test Method for, **G65 (03.02)**
Rubber yarn
Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2731 (07.01)**
Linear Density of Elastomeric Yarns (Short Length Specimens), Test Method for, **D2591 (07.01)**
Linear Density of Elastomeric Yarns (Skein Specimens), Test Method for, **D6717 (07.02)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**
Rubbing residue
Carbon Black—Sieve Residue, Test Method for, **D1514 (09.01)**
Rub testing
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**
Oil Absorption of Pigments by Spatula Rub-out, Test Method for, **D281 (06.01)**
Rub Abrasion Mar Resistance of High Gloss Coatings, Test Method for, **D6279 (06.02)**
Rucksack
Measurement of Backpack Capacity, Test Method for, **F2153 (15.07)**
Ruggedness
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Guide for, **D7778 (05.04)**
Measuring Consistency of Self-Flowing Castable Refractories, Test Method for, **C1446 (15.01)**
Validating Analytical Methods, Guide for, **E2857 (03.05)**
Ruggedness program
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Determination of Precision and Bias of Methods of Committee D22, Guide for, **D3670 (11.07)**
Rug underlay
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Ruler
Linear Measurement Using Precision Steel Rule, Test Method for, **F2203 (15.10)**
Measuring Length of Concrete Cores, Test Method for, **C1542/C1542M (04.02)**
Runners
Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, Specification for, **C1007 (04.01)**
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Runners/spacers
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Runners (track)
Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, Specification for, **C955 (04.01)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Running rails
Determining Rail-to-Earth Resistance, Practice for, **G165 (03.02)**
Running shoes
Comparison of Rearfoot Motion Control Properties of Running Shoes, Test Method for, **F1833 (15.07)**
Running track
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Runoff
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**
Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, Practice for, **F2787 (08.04)**
Runway friction index
Calculating the International Runway Friction Index, Practice for, **E2100 (04.03)**
Correlations of Mu Values of Continuous Friction Measurement Equipment to Determine Maintenance Levels for Use at Airports, Practice for, **E2666 (04.03)**
Rupture/rupture strength
Burst Strength of Surgical Sealants, Test Method for, **F2392 (13.01)**
Bursting Strength of Fabrics Constant-Rate-of-Extension (CRE) Ball Burst Test, Test Method for, **D6797 (07.02)**
Conducting Creep, Creep-Rupture, and Stress-Rupture Tests of Metallic Materials, Test Methods for, **E139 (03.01)**
Conducting Time-for-Rupture Notch Tension Tests of Materials, Test Methods for, **E292 (03.01)**
Evaluating the Overpressurization Characteristics of Inflatable Restraint Cushions, Practice for, **D5807 (07.02)**
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen, Test Method for, **D3983 (15.06)**
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**
Transverse Rupture Strength of Cemented Carbides, Test Method for, **B406 (02.05)**
Transverse Rupture Strength of Powder Metallurgy (PM) Specimens, Test Method for, **B528 (02.05)**
Rupture test
Non-Powder Gun Projectiles and Propellants, Consumer Safety Specification for, **F590 (15.11)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**
Rural environments
Environmental Site Assessments: Phase I Environmental Site Assessment Process for Forestland or Rural Property, Practice for, **E2247 (11.05)**
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Russian
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**
Rust
Sa **Corrosion**
Cleaning, Descaling, and Passivation of Stainless Steel Parts,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Corrosion Resistance of Ferrous Metal Fastener Assemblies Used in Roofing and Waterproofing, Test Method for, **D6294/D6294M (04.04)**
Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), Practice for, **D5894 (06.01)**
Determining Corrosion Preventive Properties of Lubricating Greases, Test Method for, **D1743 (05.01)**
Evaluating Degree of Rusting on Painted Steel Surfaces, Practice for, **D610 (06.01)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**

Rust breakthrough
Assessing the Condition of Aged Coatings on Steel Surfaces, Guide for, **D5065 (06.02)**

Rust creepage
An Imaging Technique to Measure Rust Creepage at Scribe on Coated Test Panels Subjected to Corrosive Environments, Test Method for, **D7087 (06.01)**

Rust inhibitors
See **Engine coolants/concentrates**

Rust-preventing characteristics
Conducting Cyclic Humidity Exposures, Practice for, **G60 (03.02)**
Evaluation of Rust Preventive Characteristics of Automotive Engine Oils, Test Method for, **D6557 (05.03)**
Iron Chip Corrosion for Water–Miscible Metalworking Fluids, Test Method for, **D4627 (05.02)**
Mineral Hydraulic Oils, Specification for, **D6158 (05.03)**
Rust Protection by Metal Preservatives in the Humidity Cabinet, Test Method for, **D1748 (05.01)**
Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water, Test Method for, **D665 (05.01)**
Rust-Preventing Characteristics of Steam Turbine Oil in the Presence of Water (Horizontal Disk Method), Test Method for, **D3603 (05.01)**
Vapor-Phase Rust-Preventing Characteristics of Hydraulic Fluids, Test Method for, **D5534 (05.02)**

Rust scale
Sa **Descaling**
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**

Rut-depth
Measuring Rut-Depth of Pavement Surfaces Using a Straightedge, Test Method for, **E1703/E1703M (04.03)**

Ruthenium
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Refined Ruthenium, Specification for, **B717 (02.04)**

Ruthenium removal
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**

Rutherford backscattering spectrometry
Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, Test Method for, **F1894 (10.04)**

Rutile
Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, Test Method for, **D3720 (06.03)**

R-value
Sa **Thermal transmission properties**
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**
Reflective Insulation for Building Applications, Specification for, **C1224 (04.06)**
Resistance, Test Method for, **D2844/D2844M (04.08)**
Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus, Test Method for, **C518 (04.06)**

RVCM content
See **Vinyl chloride monomer content**

S

S-816 alloy
Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, Specification for, **B639 (02.04)**

Sacks
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**

Sacrificial zinc alloy
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**

Saddle-fused joints
Electrofusion Joining Polyolefin Pipe and Fittings, Practice for, **F1290 (08.04)**
Qualification of Polyethylene Saddle-Fused Joints, Practice for, **F905 (08.04)**

Safe current pulse
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**

Safe fill
Safe Filling of Low-Pressure Pressurized Products, Practice for, **D3091 (15.10)**

Safety
Acquisition, Maintenance, Storage, and Use of Hazardous Material Detection Instrumentation, Guide for, **E2852 (15.08)**
Air Soft Field Operation, Practice for, **F2940 (15.07)**
Air Soft Player Safety Briefing, Practice for, **F2941 (15.07)**
Determining Load Ratios for Technical Rescue Systems and Equipment, Guide for, **F2491 (13.02)**
Marking Medical Devices and Other Items for Safety in the Magnetic Resonance Environment, Practice for, **F2503 (13.02)**
Paintball Player Safety Briefing, Practice for, **F2801 (15.07)**
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swim-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**

Safety chain (steel)
See **Steel chain—specifications**

Safety covers
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**

Safety data for 1-butanol
Referencing Suprathreshold Odor Intensity, Practices for, **E544 (15.08)**

Safety mechanism test
Non-Powder Guns, Consumer Safety Specification for, **F589 (15.11)**

Safety precautions—infants
See **Consumer safety specifications (infants/children)**

Safety precautions
Sa **Hazard assessment/potential**
Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, Practices for, **E50 (03.05)**
Best Practices for Safe Application of 3D Imaging Technology, Practice for, **E2641 (10.04)**
Chemical Protective Clothing Program, Practice for, **F1461 (11.03)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Photoluminescent (Phosphorescent) Safety Markings, Specification for, **E2072 (06.01)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
Safe Use of Oxygen Combustion Bombs, Practice for, **E144 (14.04)**
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Treestand Safety Devices, Practice for, **F2122 (15.07)**

Safety precautions—buildings/related applications
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**

Safety precautions—coating applications
Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, Guide for, **D5163 (06.02)**
Recommended Uses of Photoluminescent (Phosphorescent) Safety Markings, Guide for, **E2030 (06.01)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**

Safety precautions—consumer materials/applications
Cautionary Labeling for Five-Gallon Open-Head Plastic Containers, Specification for, **F1615 (15.11)**
Chests, Door Chests, and Dressers, Safety Specification for, **F2057 (15.11)**
Continued Operational Safety Monitoring of a Light Sport Aircraft, Practice for, **F2295 (15.11)**
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Non-Powered Scooters, Consumer Safety Specification for, **F2264 (15.11)**
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Safety and Traction for Footwear, Terminology Relating to, **F1646 (15.07)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, Safety Specification for, **F2006 (15.11)**
Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, Specification for, **F2090 (15.11)**

Safety precautions—environmental materials/applications
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, Guide for, **E2097 (14.02)**
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**

Safety precautions—marine (shipboard) applications
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**
International Shore Connections for Marine Fire Applications, Specification for, **F1121 (01.07)**
Preparing and Locating Emergency Muster Lists, Practice for, **F1270 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Safety precautions—medical materials/applications
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**

Safety precautions—nuclear environments
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**
Quality Assurance for Protective Coatings Applied to Nuclear Facilities, Practice for, **D3843 (06.02)**

Safety precautions—sports equipment
Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment, Specification for, **F2075 (15.07)**
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**
Paintball Field Operation, Practice for, **F1777 (15.07)**
Residential Basketball Systems, Specification for, **F1882 (15.07)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Soccer Goals, Safety and Performance Specification for, **F2056 (15.11)**

Safety requirements
Public Use Play Equipment for Children 6 Months through 23 Months, Consumer Safety Performance Specification for, **F2373 (15.11)**
Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2642 (15.11)**
Safety Requirements in Metal Casting Operations: Sand Preparation, Molding, and Core Making; Melting and Pouring; and Cleaning and Finishing, Practice for, **E2349 (11.03)**
Soccer Goals, Safety and Performance Specification for, **F2950 (15.11)**

Safety signage/labels
Consumer Product Safety for Children's Jewelry, Specification for, **F2923 (15.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fitness Equipment and Fitness Facility Safety Signage and Labels, Specification for, **F1749 (15.07)**
Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, Consumer Safety Specification for, **F2642 (15.11)**

Safety standards
Sa **Consumer safety specifications**
Cooking Fire Suppression Blankets, Specification for, **F1989 (15.11)**
Vessel-Related Technical Information for Use in Developing an Electronic Database and Ship Safety Record, Guide for, **F2001 (01.07)**

Safety/traction (for footwear)
Sa **Footwear—soles/heels/related materials**
Foot Protection, Test Methods for, **F2412 (15.07)**

Safety vacuum release systems (SVRS)
Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot Tubs, Specification for, **F2387 (15.11)**

Safe walking surfaces
Safe Walking Surfaces, Practice for, **F1637 (15.07)**

Sag
Comparing Sealant Behavior to Reference Photographs, Guide for, **C1756 (04.07)**
Determining Slump Resistance of Carpet Adhesives, Test Method for, **D6005 (15.06)**
Microcellular Urethanes—High-Temperature Sag, Test Method for, **D3769 (08.02)**
Sag of Tungsten Wire, Test Method for, **F269 (10.04)**
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**
Slump of Sealants, Test Method for, **D2202 (04.07)**
Strength Properties of Prefabricated Architectural Acoustical Tile or Lay-In Ceiling Panels, Test Methods for, **C367/C367M (04.06)**

Sag flow
See **Flow and flow rate**

Sahli pipet
Pipet, Sahli Hemoglobin, Specification for, **E1045 (14.04)**

Salicylic acid
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Salinity
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**

Salmonella
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**

Salmonid
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**

Salt-accelerated outdoor corrosion testing
Salt-Accelerated Outdoor Cosmetic Corrosion Testing of Organic Coatings on Automotive Sheet Steel, Practice for, **D6675 (06.01)**

Salt air
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**

Salt passage
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Operating Characteristics of Home Reverse Osmosis Devices, Test Method for, **D5615 (11.02)**

Salt-preserved (cured) leather hides
Brine Saturation Value of Cured (Salt-Preserved) Hides and Skins, Test Method for, **D7476 (15.04)**
Sampling and Preparation of Fresh or Salt-Preserved (Cured) Hides and Skins for Chemical and Physical Tests, Practice for, **D6715 (15.04)**

Salt removal capacity
Precoat Capacity of Powdered Ion-Exchange Resins, Test Methods for, **D4266 (11.02)**

Salts
Sa **Sodium chloride**
Characterization and Testing of Chitosan Salts as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Product Applications, Guide for, **F2103 (13.01)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, Test Method for, **D5806 (15.04)**
Pore Water Extraction and Determination of the Soluble Salt Content of Soils by Refractometer, Test Method for, **D4542 (04.08)**
Recordkeeping for Reverse Osmosis and Nanofiltration Systems, Guide for, **D4472 (11.02)**
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**
Salts in Crude Oil (Electrometric Method), Test Method for, **D3230 (05.01)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, Test Method for, **D5070 (15.04)**
Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, Test Method for, **D2448 (06.03)**

Salt-splitting capacity
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**

Salt spray (fog) testing
Conducting Exfoliation Corrosion Tests in Aluminum Alloys, Guide for, **G112 (03.02)**
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), Practice for, **D5894 (06.01)**
Modified Salt Spray (Fog) Testing, Practice for, **G85 (03.02)**
Operating Salt Spray (Fog) Apparatus, Practice for, **B117 (03.02)**
Resistance of Zippers to Salt Spray (Fog), Test Method for, **D2059/D2059M (07.01)**

Salt spray resistance
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**

Saltwater
Sa **Fresh water**
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, Test Method for, **D4880 (10.02)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Total Mercury in Water, Test Method for, **D3223 (11.01)**

Saltwater immersion
Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, Test Method for, **E1597 (12.02)**

Saltwater proofness
Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, Test Method for, **D4880 (10.02)**

SAM
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**

Same-different test
Same-Different Test, Test Method for, **E2139 (15.08)**

Sample average distribution
See **Statistical methods**

Sample chain of custody
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**

Sample collection
Bulk Sample Collection and Swab Sample Collection of Visible Powders Suspected of Being Biothreat Agents from Nonporous Surfaces, Practices for, **E2458 (15.08)**
Collection of Settled Dust Samples Using Dry Wipe Sampling Methods for Subsequent Determination of Beryllium and Compounds, Practice for, **D7296 (11.07)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Sensory Analysis—Triangle Test, Test Method for, **E1885 (15.08)**

Sample conditioning
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**
On-Line Determination of Cation Conductivity in High Purity Water, Practice for, **D6504 (11.01)**

Sample cooler
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**

Sample description
Analytical Data Interchange Protocol for Chromatographic Data, Specification for, **E1947 (03.06)**
Analytical Data Interchange Protocol for Chromatographic Data, Guide for, **E1948 (03.06)**

Sample digestion
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**

Sample extraction smoke detection systems
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Sample filtration
Field Filtration of Groundwater Samples, Guide for, **D6564 (04.09)**

Sample handling (in forensic analysis)
Forensic Examination of Fabrics and Cordage, Guide for, **E2225 (14.02)**

Sample preparation
Emulsification/Suspension of Multiphase Fluid Waste Materials, Practice for, **D5761 (05.02)**
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Hotplate Digestion of Lead from Composited Wipe Samples, Practice for, **E2913 (04.12)**
Metallographic Sample Preparation of Cemented Tungsten Carbides, Guide for, **B665 (02.05)**
Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis, Practice for, **E1645 (04.11)**
Preparation of Oils and Oily Waste Samples by High-Pressure, High-Temperature Digestion for Trace Element Determinations, Practice for, **C1234 (05.01)**
Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, Practice for, **D7455 (05.04)**
Sample Preparation of Thermoplastic Traffic Marking Materials, Practice for, **D7308 (06.02)**
Sample Preparation of Transparent Plastic Films used on Membrane Switch Overlays for Specular Gloss Measurements, Practice for, **F1843 (10.04)**
Sampling and Preparation of Fresh or Salt-Preserved (Cured) Hides and Skins for Chemical and Physical Tests, Practice for, **D6715 (15.04)**
Sampling and Preparation of Wet Blue for Physical and Chemical Tests, Practice for, **D6659 (15.04)**
Sampling and Sample Preparation of Lead and Lead Alloys for Optical Emission Spectrometric OR ICP Analysis, Specification for, **B982 (02.04)**
Separation of Beryllium from Other Metals in Digestion and Extraction Solutions from Workplace Dust Samples, Practice for, **D7441 (11.07)**
Ultrasonic Extraction of Lead from Composited Wipe Samples, Practice for, **E2914 (04.12)**

Sample preparation—atmospheric analysis
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**

Sample preparation—coal/coke
See **Coal sampling systems**

Sample preparation—iron ores
Sampling and Sample Preparation of Iron Ores and Related Materials for Determination of Chemical Composition and Physical Properties, Practice for, **E877 (03.05)**

Sample preparation—metals/alloys
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**

Sample preparation—nuclear materials/applications
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Soil Sample Preparation for the Determination of Radionuclides, Practice for, **C999 (12.01)**
The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, Practice for, **C1411 (12.01)**

Sample preparation—petroleum products
Collection of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6970 (05.03)**
Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products, Practice for, **D5854 (05.02)**
Preparation of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6969 (05.03)**
Sample Decomposition Using Microwave Heating (With or Without Prior Ashing) for Atomic Spectroscopic Elemental Determination in Petroleum Products and Lubricants, Practice for, **D7876 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sample preparation—plastics
Cutting Film and Sheeting Test Specimens, Practice for, **D6287 (08.03)**
Preparing Plastic Film Specimens for a Round-Robin Study, Practice for, **D4204 (08.02)**
Sample preparation—soil
Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, Practice for, **D421 (04.08)**
Sample preparation—waste materials
Sampling Strategies for Heterogeneous Wastes, Guide for, **D5956 (11.04)**
Sample preparation—water applications
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Preparation of Samples for Identification of Waterborne Oils, Practice for, **D3326 (11.02)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Sample preservation
Field Preservation of Groundwater Samples, Guide for, **D6517 (04.09)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Preserving Ignitable Liquids and Ignitable Liquid Residue Extracts from Fire Debris Samples, Practice for, **E2451 (14.02)**
Sampler calibration
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Sampling
Acceptance of Evidence Based on the Results of Probability Sampling, Practice for, **E141 (14.02)**
Active Soil Gas Sampling in the Vadose Zone for Vapor Intrusion Evaluations, Practice for, **D7663 (04.09)**
Collecting Treatment Process Design Data at a Contaminated Site—A Site Contaminated With Chemicals of Interest, Guide for, **D7294 (11.04)**
Collection of Fungal Material from Surfaces by Swab, Practice for, **D7789 (11.07)**
Core Sampling of Graphite Electrodes, Practice for, **C783 (05.05)**
Demonstrating Capability to Comply with the Test for Uniformity of Dosage Units, Practice for, **E2810 (14.02)**
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Detecting Hot Spots Using Point-Net (Grid) Search Patterns, Practice for, **D6982 (11.04)**
Determination of Volatile Inorganic Acids (HCl, HBr, and HNO, Test Method for, **D7773 (11.07)**
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**
Dimension Stone Test Specimen Sampling and Preparation, Guide to, **C1799/C1799M (04.07)**
Disposable Glass Blood Sample Capillary Tube (Microhematocrit), Specification for, **E734 (14.04)**
Energy Measurement for Dynamic Penetrometers, Test Method for, **D4633 (04.08)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Evaluating Disinfectant Efficacy Against, Test Method for, **E2871 (11.05)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Fastener Sampling for Specified Mechanical Properties and Performance Inspection, Practice for, **F1470 (01.08)**
Field Quality Assurance in a Ground-water Sampling Event, Guide for, **D7069 (04.09)**
Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, Practice for, **D7464 (05.04)**
Mechanical Sampling of Coal, Practice for, **D7430 (05.06)**
Obtaining In-Service Samples of Lubricating Grease, Practice for, **D7718 (05.04)**
Operational Guidelines for Initial Response to a Suspected Biothreat Agent, Guide for, **E2770 (15.08)**
Preferred Methods for Acceptance of Product, Guide for, **E2910 (14.02)**
Probability Sampling of Materials, Practice for, **E105 (14.02)**
Quality Assurance of Pressure-Sensitive Tapes, Practice for, **D3715/D3715M (15.10)**
Sampling a Stream of Product by Attributes Indexed by AQL, Practice for, **E2234 (14.02)**
Sampling a Stream of Product by Variables Indexed by AQL, Practice for, **E2762 (14.02)**
Sampling Aluminum Ingots, Billets, Castings and Finished or Semi-Finished Wrought Aluminum Products for Compositional Analysis, Practice for, **B985 (02.02)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, Practice for, **D7200 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), Practice for, **D7201 (11.07)**
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**
Sampling and Sample Preparation of Lead and Lead Alloys for Optical Emission Spectrometric OR ICP Analysis, Specification for, **B982 (02.04)**
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Sampling Design, Guide for, **E1402 (14.02)**
Sampling Metal Powders, Practices for, **B215 (02.05)**
Sampling of Liquids in Waste Management Activities Using a Peristaltic Pump, Practice for, **D7353 (11.04)**
Sampling Radioactive Tank Waste, Guide for, **C1751 (12.01)**
Sampling Soils and Contaminated Media with Hand-Operated Bucket Augers, Practice for, **D6907 (11.04)**
Sampling Spray Polyurethane Foam and Coating in Roofing, Guide for, **D7119/D7119M (04.04)**
Sampling Waste Streams on Conveyors, Practice for, **D7204 (11.04)**
Sampling, Preservation and Mitigating Interferences in Water Samples for Analysis of Cyanide, Practice for, **D7365 (11.02)**
Sampling, Storage, and Handling of Hydrocarbons for Mercury Analysis, Practice for, **D7482 (05.04)**
Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Nonconformities, Using Attribute Data, When There is a Zero Response in the Sample, Practice for, **E2334 (14.02)**
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**
Strategies for Surface Sampling of Metals and Metalloids for Worker Protection, Guide for, **D7659 (11.07)**
Testing Disinfectant Efficacy against, Test Method for, **E2799 (11.05)**
Use of Process Oriented AOQL and LTPD Sampling Plans, Practice for, **E1994 (14.02)**
Two-sided test
Paired Preference Test, Test Method for, **E2263 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling aerospace fluids
Sampling Cryogenic Aerospace Fluids, Practice for, **F310 (15.03)**
Sampling for Particles in Aerospace Fluids and Components, Practices for, **F303 (15.03)**
Sampling aerospace materials
Determining Vacuum Chamber Gaseous Environment Using a Cold Finger, Practice for, **E834 (15.03)**
Field Sampling of Aerospace Fluids in Containers, Practice for, **F302 (15.03)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Liquid Sampling of Noncryogenic Aerospace Propellants, Practice for, **F309 (15.03)**
Sampling for Particulate Contamination by Tape Lift, Practice for, **E1216 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Sampling air/atmospheric materials/applications
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Air Sampling Strategies for Worker and Workplace Protection, Guide for, **E1370 (11.07)**
Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, Guide for, **D5111 (11.07)**
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Conversion Units and Factors Relating to Sampling and Analysis of Atmospheres, Practice for, **D1914 (11.07)**
Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, Guide for, **D7034 (11.07)**
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, Test Method for, **D5932 (11.07)**
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Workplace Atmospheres (1-2 PP Method), Test Method for, **D5836 (11.07)**
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), Test Method for, **D5578 (11.07)**
Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), Test Method for, **D5197 (11.07)**
Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), Test Method for, **D6331 (11.07)**
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**
Determination of Radon Decay Product Concentration and Working Level in Indoor Atmospheres by Active Sampling on a Filter, Test Method for, **D6327 (11.07)**
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**
Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), Test Method for, **D5466 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Determining the Operational Comparability of Meteorological Measurements, Practice for, **D4430 (11.07)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Evaluating the Performance of Diffusive Samplers, Practice for, **D6246 (11.07)**
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Flow Rate Adjustment of Personal Sampling Pumps, Practice for, **D5337 (11.07)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Laboratories Engaged in Sampling and Analysis of Atmospheres and Emissions, Guide for, **D3614 (11.07)**
Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, Test Method for, **D6735 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, Test Method for, **D5149 (11.07)**
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
Placement and Use of Diffusion Controlled Passive Monitors for Gaseous Pollutants in Indoor Air, Guide for, **D6306 (11.07)**
Planning the Sampling of the Ambient Atmosphere, Practice for, **D1357 (11.07)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**
Respirable Dust in Workplace Atmospheres Using Cyclone Samplers, Test Method for, **D4532 (11.07)**
Sampling Airborne Microorganisms at Municipal Solid-Waste Processing Facilities, Practice for, **E884 (11.04)**
Sampling and Analysis of Atmospheres, Terminology Relating to, **D1356 (11.07)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Sampling Atmospheres to Collect Organic Compound Vapors (Activated Charcoal Tube Adsorption Method), Practice for, **D3686 (11.07)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, Guide for, **D6399 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**
Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), Test Method for, **D3268 (11.07)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, Practice for, **E1979 (04.11)**
Using Probability Sampling Methods in Studies of Indoor Air Quality in Buildings, Guide for, **D5791 (11.07)**

Sampling asbestos
Asbestos-Cement Flat Products, Test Methods for, **C459/C459M (04.05)**
Sampling and Analysis of Asbestos, Terminology for, **D7712 (11.07)**
Sampling Chrysotile Asbestos, Test Method for, **D2590/D2590M (04.05)**

Sampling biological materials
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**

Sampling bituminous materials
Random Sampling of Construction Materials, Practice for, **D3665 (04.03)**
Sampling Bituminous Materials, Practice for, **D140/D140M (04.03)**
Sampling Bituminous Paving Mixtures, Practice for, **D979/D979M (04.03)**
Sampling Compacted Bituminous Mixtures for Laboratory Testing, Practice for, **D5361/D5361M (04.03)**

Sampling building materials/applications
Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), Guide for, **E1908 (04.11)**
Sampling Materials for Shotcrete, Practice for, **C1385/C1385M (04.02)**

Sampling carbon black materials/applications
See **Carbon black sampling**

Sampling cement/cement products
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Sampling and the Amount of Testing of Hydraulic Cement, Practice for, **C183 (04.01)**
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**
Standard Sand, Specification for, **C778 (04.01)**

Sampling ceramic materials/applications
Sampling Ceramic Whiteware Clays, Practice for, **C322 (15.02)**

Sampling chemicals
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, Practice for, **D1176 (15.05)**
Sampling Industrial Chemicals, Practice for, **E300 (15.05)**

Sampling cleaning materials/applications
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Sampling and Preparation of Wet Blue for Physical and Chemical Tests, Practice for, **D6659 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**

Sampling coal/coke
See **Coal sampling systems**

Sampling concrete/mortar/aggregates
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
Reducing Samples of Aggregate to Testing Size, Practice for, **C702/C702M (04.02)**
Sampling Aggregates, Practice for, **D75/D75M (04.03)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Sampling and Testing Calcium Chloride for Roads and Structural Applications, Test Method for, **D345 (04.03)**
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Sampling Freshly Mixed Concrete, Practice for, **C172/C172M (04.02)**
Sampling Materials for Shotcrete, Practice for, **C1385/C1385M (04.02)**

Sampling containers
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**
Aviation Fuel Sample Containers for Tests Affected by Trace Contamination, Practice for, **D4306 (05.02)**
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**
Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products, Practice for, **D5854 (05.02)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Sampling Fish with Rotenone, Practice for, **D4131 (11.02)**
Sampling Glass Containers, Practice for, **C224 (15.02)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Sampling Metal Powders, Practices for, **B215 (02.05)**

Sampling conventions
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**

Sampling data analysis/statistics
Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, Practice for, **E122 (14.02)**
Dealing With Outlying Observations, Practice for, **E178 (14.02)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
Use of Process Oriented AOQL and LTPD Sampling Plans, Practice for, **E1994 (14.02)**

Sampling—detergent materials/applications
Sampling and Chemical Analysis of Alkaline Detergents, Test Methods of, **D501 (15.04)**

Sampling efficiency
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**

Sampling electrical inisulating materials
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Sampling and Judging Quality of Solid Electrical Insulating Materials, Practice for, **D3636 (10.02)**
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**
Sampling and Testing Pulps to be Used in the Manufacture of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electrical Insulation, Test Methods of, **D3376 (10.02)**
Sampling and Testing Untreated Mica Paper Used for Electrical Insulation, Methods for, **D1677 (10.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Sampling Electrical Insulating Liquids, Practices for, **D923 (10.03)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**

Sampling electrodeposited coatings
Attribute Sampling of Metallic and Inorganic Coatings, Test Method for, **B602 (02.05)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, Guide for, **B697 (02.05)**
Variables Sampling of Metallic and Inorganic Coatings, Test Method of, **B762 (02.05)**

Sampling electronic materials/applications
Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, Test Methods for, **F1094 (10.04)**
Sampling Cryogenic Aerospace Fluids, Practice for, **F310 (15.03)**
Sampling for Particles in Aerospace Fluids and Components, Practices for, **F303 (15.03)**
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**
Sampling Pressurized Gas for Gas Analysis, Practice for, **F307 (15.03)**

Sampling engine coolants
Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, Practice for, **D1176 (15.05)**

Sampling (environmental testing)
See **Environmental sampling/testing**

Sampling ferrous alloys
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Sampling and Testing Ferroalloys for Determination of Size, Test Methods for, **A610 (01.02)**

Sampling forensic analysis/applications
Acceptance of Evidence Based on the Results of Probability Sampling, Practice for, **E141 (14.02)**
Forensic Examination of Fabrics and Cordage, Guide for, **E2225 (14.02)**
Probability Sampling of Materials, Practice for, **E105 (14.02)**
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, Practice for, **E1413 (14.02)**

Sampling gaseous materials/applications
Automatic Sampling of Gaseous Fuels, Practice for, **D5287 (05.06)**
Determination of the Heating Value of Gaseous Fuels using Calorimetry and On-line/At-line Sampling, Practice for, **D7314 (05.06)**
Measurement of Gases Present or Generated During Fires, Guide for, **E800 (04.07)**
Mercury Sampling and Measurement in Natural Gas by Atomic Absorption Spectroscopy, Test Method for, **D5954 (05.06)**
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**
Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, Test Method for, **E1746 (15.05)**
Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, Practice for, **F327 (15.03)**
Sampling Gas from a Transformer Under Positive Pressure, Practice for, **D2759 (10.03)**
Sampling Liquefied Petroleum (LP) Gases, Manual Method, Practice for, **D1265 (05.01)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Volumetric Measurement of Gaseous Fuel Samples, Test Methods for, **D1071 (05.06)**
Water Vapor in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4888 (05.06)**

Sampling geosynthetics
See **Geosynthetics—sampling**

Sampling ground water applications
See **Ground-water monitoring/sampling**

Sampling hydrocarbons
Sampling and Handling Bisphenol A, Practice for, **D4297 (06.04)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**

Sampling leather materials/applications
Sampling and Preparation of Fresh or Salt-Preserved (Cured) Hides and Skins for Chemical and Physical Tests, Practice for, **D6715 (15.04)**
Sampling Leather for Physical and Chemical Tests, Practice for, **D2813 (15.04)**
Sampling Vegetable Materials Containing Tannin, Practice for, **D6404 (15.04)**

Sampling lime/limestone products
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**

Sampling liquids
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Sampling Liquids Using Bailers, Practice for, **D6699 (11.04)**
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Sampling Two-Phase Geothermal Fluid for Purposes of Chemical Analysis, Practice for, **E1675 (12.02)**
Sampling With a Composite Liquid Waste Sampler (COLIWASA), Practice for, **D5495 (11.04)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**

Sampling masonry materials/applications
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Selection, Removal, and Shipment of Manufactured Masonry Units and Masonry Specimens from Existing Construction, Practice for, **C1532/C1532M (04.05)**

Sampling meat/related products
Bulk Sampling, Handling, and Preparing Edible Vegetable Oils for Sensory Evaluation, Practice for, **E1346 (15.08)**

Sampling media
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**

Sampling metals/alloys
Aluminum for Use in Iron and Steel Manufacture, Specification for, **B37 (02.02)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dis-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

persive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**
Corrosion-Related Failure Analysis, Guide for, **G161 (03.02)**
Determination of Elements by Graphite Furnace Atomic Absorption Spectrometry, Practice for, **E1184 (03.05)**
Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, Practice for, **E2293 (03.05)**
GALFAN, Specification for, **B750 (02.04)**
General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, Practice for, **E1642 (03.06)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
Sampling and Sample Preparation of Iron Ores and Related Materials for Determination of Chemical Composition and Physical Properties, Practice for, **E877 (03.05)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Sampling of Blister Copper in Cast Form for Determination of Chemical Composition, Practice for, **E1833 (03.05)**
Sampling of Zinc and Zinc Alloys by Spark Atomic Emission Spectrometry, Practice for, **E634 (03.05)**
Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, Guide for, **D6353 (05.03)**
Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, Guide for, **D6354 (05.03)**
Sampling Procedure for Impact Testing of Structural Steel, Specification for, **A673/A673M (01.04)**
Sampling Steel and Iron for Determination of Chemical Composition, Practice for, **E1806 (03.05)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**

Sampling mortar and grout
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Sampling and Testing Grout, Test Method for, **C1019 (04.05)**

Sampling nonferrous metals/alloys
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B248 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar (Metric), Specification for, **B248M (02.01)**
Sampling and Sample Preparation of Aluminum and Aluminum Alloys for Determination of Chemical Composition by Spectrochemical Analysis, Practices for, **E716 (03.05)**
Sampling Copper and Copper Alloys for the Determination of Chemical Composition, Practice for, **E255 (03.05)**
Sampling Nonferrous Metals and Alloys in Cast Form for Determination of Chemical Composition, Practice for, **E88 (03.05)**
Sampling Wrought Nonferrous Metals and Alloys for Determination of Chemical Composition, Practice for, **E55 (03.05)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**

Sampling nuclear/related energy sources
238Pu Isotopic Abundance By Alpha Spectrometry, Test Method for, **C1415 (12.01)**
Bulk Sampling of Liquid Uranium Hexafluoride, Practice for, **C1052 (12.01)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Sampling Surface Soil for Radionuclides, Practice for, **C998 (12.01)**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Soil Sample Preparation for the Determination of Radionuclides, Practice for, **C999 (12.01)**

Sampling oils
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Sampling Oil/Water Mixtures for Oil Spill Recovery Equipment, Guide for, **F1084 (11.05)**

Sampling packaged shipments
Carbon Black—Sampling Bulk Shipments, Practice for, **D1900 (09.01)**
Carbon Black—Sampling Packaged Shipments, Practice for, **D1799 (09.01)**

Sampling paints/related coatings/materials
See **Paint sampling**

Sampling paper/paper products
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Sampling petroleum products
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**
Aviation Fuel Sample Containers for Tests Affected by Trace Contamination, Practice for, **D4306 (05.02)**
Collection of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6970 (05.03)**
Determination of Peroxides in Butadiene, Test Method for, **D5799 (05.02)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
In-Service Monitoring of Mineral Turbine Oils for Steam, Gas, and Combined Cycle Turbines, Practice for, **D4378 (05.02)**
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**
Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products, Practice for, **D5854 (05.02)**
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**
Particulate Contaminant in Aviation Fuel by Line Sampling, Test Method for, **D2276 (05.01)**
Preparation of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6969 (05.03)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Sampling and Handling of Fuels for Volatility Measurement, Practice for, **D5842 (05.02)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Sampling Liquefied Petroleum (LP) Gases, Manual Method, Practice for, **D1265 (05.01)**
Sampling of Process Vents with a Portable Gas Chromatograph, Practice for, **D6060 (11.07)**
Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography, Test Method for, **D2549 (05.01)**
Sodium in Residual Fuel Oil (Flame Photometric Method), Test Method for, **D1318 (05.01)**
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**

Sampling phytoplankton
Analysis of Phytoplankton in Surface Water by the Sedgwick-Rafter Method, Test Method for, **D4148 (11.02)**
Preserving Phytoplankton Samples, Practice for, **D4137 (11.02)**
Sampling Phytoplankton in Surface Waters, Classification for, **D4149 (11.02)**
Sampling Phytoplankton with a Clarke-Bumpus Plankton Sam-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

pler, Practice for, **D4134 (11.02)**
Sampling Phytoplankton with Conical Tow Nets, Practice for, **D4132 (11.02)**
Sampling Phytoplankton With Depth-Integrating Samplers, Practice for, **D4135 (11.02)**
Sampling Phytoplankton with Pumps, Practice for, **D4133 (11.02)**
Sampling Phytoplankton with Water-Sampling Bottles, Practice for, **D4136 (11.02)**

Sampling plastics/plastic products
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**
Preparing Plastic Film Specimens for a Round-Robin Study, Practice for, **D4204 (08.02)**
Sampling and Testing Plasticizers Used in Plastics, Test Methods for, **D1045 (08.01)**

Sampling rock
See **Rock sampling**

Sampling roofing/waterproofing materials
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Sampling and Analysis of Built-Up Roof Systems During Application, Practice for, **D3617 (04.04)**
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**
Sampling Pitch, Practice for, **D4296 (05.02)**

Sampling rubber
See **Rubber sampling**

Sampling soil/related materials
See **Soil sampling**

Sampling steel
See **Steel sampling**

Sampling textiles
Core Sampling of Raw Wool in Packages for Determination of Percentage of Clean Wool Fiber Present, Practice for, **D1060 (07.01)**
Probability Sampling of Materials, Practice for, **E105 (14.02)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Sampling and Testing Staple Length of Grease Wool, Test Method of, **D1234 (07.01)**
Sampling Cotton Fibers for Testing, Practice for, **D1441 (07.01)**
Sampling Manufactured Staple Fibers, Sliver, or Tow for Testing, Practice for, **D3333 (07.01)**
Sampling Wool for Moisture, Practice for, **D2525 (07.01)**
Sampling Yarn for Testing, Practice for, **D2258 (07.01)**

Sampling thermal insulating materials
Mixing Thermal Insulating Cement Samples, Practice for, **C163 (04.06)**
Sampling and Acceptance of Thermal Insulation Lots, Practice for, **C390 (04.06)**

Sampling validation
Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products, Practice for, **D5854 (05.02)**

Sampling waste materials/applications
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Composite Sampling and Field Subsampling for Environmental Waste Management Activities, Guide for, **D6051 (11.04)**
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Determining the Bulk Density of Solid Waste Fractions, Test Method for, **E1109 (11.04)**
General Planning of Waste Sampling, Guide for, **D4687 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, Practice for, **D5283 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Selection and Optimization of Sampling Design, Guide for, **D6311 (11.04)**
Laboratory Subsampling of Media Related to Waste Management Activities, Guide for, **D6323 (11.04)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**
Representative Sampling for Management of Waste and Contaminated Media, Guide for, **D6044 (11.04)**
Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), Guide for, **E1908 (04.11)**
Sampling Airborne Microorganisms at Municipal Solid-Waste Processing Facilities, Practice for, **E884 (11.04)**
Sampling Consolidated Solids in Drums or Similar Containers, Practice for, **D5679 (11.04)**
Sampling of Drums and Similar Containers by Field Personnel, Guide for, **D6063 (11.04)**
Sampling of Tanks by Field Personnel, Practice for, **D7831 (11.04)**
Sampling Strategies for Heterogeneous Wastes, Guide for, **D5956 (11.04)**
Sampling Unconsolidated Solids in Drums or Similar Containers, Practice for, **D5680 (11.04)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**
Sampling Using a Trier Sampler, Practice for, **D5451 (11.04)**
Sampling Waste and Soils for Volatile Organic Compounds, Guide for, **D4547 (11.04)**
Sampling Waste Piles, Guide for, **D6009 (11.04)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Sampling Wastewater With Automatic Samplers, Guide for, **D6538 (11.04)**
Sampling With a Composite Liquid Waste Sampler (COLIWASA), Practice for, **D5495 (11.04)**
Sampling with a Scoop, Practice for, **D5633 (11.04)**
Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, Guide for, **D6232 (11.04)**
Sequential Batch Extraction of Waste with Acidic Extraction Fluid, Test Method for, **D5284 (11.04)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**

Sampling water analysis applications
Basic Statistics in Committee D19 on Water, Practice for, **D4375 (11.01)**
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Comparison of Waterborne Petroleum Oils By Fluorescence

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Analysis, Test Method for, **D3650 (11.02)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Determining Sediment Concentration in Water Samples, Test Methods for, **D3977 (11.02)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Elements of a Complete Data Set for Non-Cohesive Sediments, Guide for, **D5387 (11.01)**
Estimation of Holding Time for Water Samples Containing Organic and Inorganic Constituents, Practice for, **D4841 (11.01)**
Fish Sampling, Classification for, **D4211 (11.02)**
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Water Samples, Guide for, **D6568 (11.01)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Preparation of Samples for Identification of Waterborne Oils, Practice for, **D3326 (11.02)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Preservation of Waterborne Oil Samples, Practice for, **D3325 (11.02)**
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**
Purgeable Organic Compounds in Water Using Headspace Sampling, Test Method for, **D3871 (11.02)**
Quality Planning and Field Implementation of a Water Quality Measurement Program, Guide for, **D5612 (11.01)**
Quantity of Water-Extractable Matter in Membrane Filters, Test Method for, **D3861 (11.02)**
Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Sampling of Waterborne Oils, Practices for, **D4489 (11.02)**
Sampling Oil/Water Mixtures for Oil Spill Recovery Equipment, Guide for, **F1084 (11.05)**
Sampling Particulate Ion-Exchange Materials, Practices for, **D2687 (11.02)**
Sampling Steam, Practice for, **D1066 (11.01)**
Sampling Wastewater With Automatic Samplers, Guide for, **D6538 (11.04)**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**
Sampling with a Dipper or Pond Sampler, Practice for, **D5358 (11.04)**
Sampling Zooplankton with a Clarke-Bumpus Plankton Sampler, Practice for, **E1199 (11.02)**
Sampling Zooplankton with Pumps, Practice for, **E1198 (11.02)**
Screening of Oxidizers in Waste, Test Method for, **D4981 (11.04)**
Selection of Methods of Particle Size Analysis of Fluvial Sediments (Manual Methods), Guide for, **D4822 (11.02)**

Sampling wood products
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Laboratory Standardization and Calibration of Hand-Held Moisture Meters, Test Method for, **D4444 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Sampling Forest Trees for Determination of Clear Wood Properties, Practice for, **D5536 (04.10)**

SAM rating
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**

Sand
Abrasion Resistance of Concrete (Underwater Method), Test Method for, **C1138M (04.02)**
Abrasion Resistance of Concrete by Sandblasting, Test Method for, **C418 (04.02)**
Abrasion Resistance of Organic Coatings by Falling Abrasive, Test Methods for, **D968 (06.01)**
Abrasion Resistance of Transparent Plastics and Coatings Using the Oscillating Sand Method, Test Method for, **F735 (15.03)**
Aggregate for Masonry Mortar, Specification for, **C144 (04.05)**
Aggregates for Masonry Grout, Specification for, **C404 (04.05)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Construction of Sand-based Rootzones for Golf Putting Greens and Tees, Guide for, **F2747 (15.07)**
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Determining the Normalized Penetration Resistance of Sands for Evaluation of Liquefaction Potential, Practice for, **D6066 (04.09)**
Inorganic Aggregates for Use in Gypsum Plaster, Specification for, **C35 (04.01)**
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Measuring Pavement Macrotexture Depth Using a Volumetric Technique, Test Method for, **E965 (04.03)**
Organic Impurities in Fine Aggregates for Concrete, Test Method for, **C40/C40M (04.02)**
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Quartz-Based Dimension Stone, Specification for, **C616/C616M (04.07)**
Sand Content by Volume of Bentonitic Slurries, Test Method for, **D4381/D4381M (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**
Standard Sand, Specification for, **C778 (04.01)**
Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), Test Methods for, **C1252 (04.02)**
Use of Foundry Sand in Structural Fill and Embankments, Practice for, **D7765 (04.09)**

Sand beaches
See **Beaches**

Sand castings (aluminum alloy)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
Heat Treatment of Aluminum-Alloy Castings from All Processes, Practice for, **B917/B917M (02.02)**

Sand castings (copper alloy)
Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, Practice for, **B208 (02.01)**

Sand castings (magnesium alloy)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**

Sand castings (zinc alloy)
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**

Sand castings (copper alloy)—specifications
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**

Sand cone test
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**

Sand dollar
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**

Sand equivalent value
Sand Equivalent Value of Soils and Fine Aggregate, Test Method for, **D2419 (04.03)**

Sanderlust
Moisture Analysis of Particulate Wood Fuels, Test Method for, **E871 (05.06)**
Volatile Matter in the Analysis of Particulate Wood Fuels, Test Method for, **E872 (05.06)**

Sanding
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**

Sanding properties
Testing Primers and Primer Surfacers Over Preformed Metal, Practice for, **D3322 (06.02)**

Sand-lime brick
Sa **Brick**
Sa **Gypsum products—specifications**
Sa **Hydrated lime—specifications**
Calcium Silicate Brick (Sand-Lime Brick), Specification for, **C73 (04.05)**
Prefaced Concrete and Calcium Silicate Masonry Units, Specification for, **C744 (04.05)**

Sandmill
Color and Strength of Color Pigments by Use of a Miniature Sandmill, Test Method for, **D3022 (06.01)**

Sandpaper
Rubber Property—Abrasion Resistance (Footwear Abrader), Test Method for, **D1630 (09.01)**

Sand paper/sliding block method
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**

Sand preparation
Safety Requirements in Metal Casting Operations: Sand Preparation, Molding, and Core Making; Melting and Pouring; and Cleaning and Finishing, Practice for, **E2349 (11.03)**

Sand replacement method
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**

Sand shape grading
Particle Size Analysis and Sand Shape Grading of Golf Course Putting Green and Sports Field Rootzone Mixes, Test Method for, **F1632 (15.07)**

Sandstone
Preparatory Surface Cleaning of Architectural Sandstone, Practice for, **D5107 (06.02)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Staining from Sealants, Test Method for, **D2203 (04.07)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**

Sand volumetric technique
Measuring Pavement Macrotexture Depth Using a Volumetric Technique, Test Method for, **E965 (04.03)**

Sandwich beam test
Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich Beam, Test Method for, **D5467/D5467M (15.03)**
Determining Sandwich Beam Flexural and Shear Stiffness, Practice for, **D7250/D7250M (15.03)**

Sandwich composite plates
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**

Sandwich construction
Damage Resistance Testing of Sandwich Constructions, Practice for, **D7766/D7766M (15.03)**
Facing Properties of Sandwich Constructions by Long Beam Flexure, Test Method for, **D7249/D7249M (15.03)**

Sandwich core materials
Core Shear Properties of Sandwich Constructions by Beam Flexure, Test Method for, **C393/C393M (15.03)**
Density of Sandwich Core Materials, Test Method for, **C271/C271M (15.03)**
Determining Poisson's Ratio of Honeycomb Cores, Test Method for, **D6790/D6790M (15.03)**
Dimensional Stability of Sandwich Core Materials, Test Method for, **D6772 (15.03)**
Edgewise Compressive Strength of Sandwich Constructions, Test Method for, **C364/C364M (15.03)**
Flatwise Compressive Properties of Sandwich Cores, Test Method for, **C365/C365M (15.03)**
Flexure Creep of Sandwich Constructions, Test Method for, **C480/C480M (15.03)**
Laboratory Aging of Sandwich Constructions, Test Method for, **C481 (15.03)**
Measurement of Thickness of Sandwich Cores, Test Methods for, **C366/C366M (15.03)**
Node Tensile Strength of Honeycomb Core Materials, Test Method for, **C363/C363M (15.03)**
Radiologic Examination of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2662 (03.03)**
Shear Fatigue of Sandwich Core Materials, Test Method for, **C394/C394M (15.03)**
Shear Properties of Sandwich Core Materials, Test Method for, **C273/C273M (15.03)**
Shearography of Polymer Matrix Composites, Sandwich Core Materials and Filament-Wound Pressure Vessels in Aero-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

space Applications, Practice for, **E2581 (03.03)**
Static Energy Absorption Properties of Honeycomb Sandwich Core Materials, Test Method for, **D7336/D7336M (15.03)**

Sandwich corrosion test
Sa **Corrosion**
Sandwich Corrosion Test, Test Method for, **F1110 (15.03)**

Sandwich deflection
Core Shear Properties of Sandwich Constructions by Beam Flexure, Test Method for, **C393/C393M (15.03)**
Facing Properties of Sandwich Constructions by Long Beam Flexure, Test Method for, **D7249/D7249M (15.03)**

Sandwich method
Relative Resistance of Printed Matter to Liquid Chemicals by a Sandwich Technique, Practice for, **D6688 (06.02)**

Sandwich panels
Sa **Honeycomb shelter panels**
Adhesive for Bonding Foam Cored Sandwich Panels (160°F Elevated Humidity Service), Type I Panels, Specification for, **E1800 (04.11)**
Adhesive for Bonding Foam Cored Sandwich Panels (200°F Elevated Humidity Service), Type II Panels, Specification for, **E1794 (04.11)**
Determining Poisson's Ratio of Honeycomb Cores, Test Method for, **D6790/D6790M (15.03)**
Facing Cleavage of Sandwich Panels, Test Method for, **E2004 (04.11)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**

Sandwich seals (for electronic devices)
Sa **Seals—electronic applications (specifications)**
Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F144 (15.02)**

Sanitary drainage materials/applications
30 to 60 in. 750 to 1500 mm Triple Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2763 (08.04)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Flexible Poly (Vinyl Chloride) (PVC) Gaskets used in Connection of Vitreous China Plumbing Fixtures to Sanitary Drainage Systems, Specification for, **A1045 (01.02)**
Videoborescoping of Tubular Products for Sanitary Applications, Guide for, **A1015 (01.01)**

Sanitary drainage materials/applications—specifications
Sa **Sewer pipe (steel)—specifications**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, Specification for, **D3840 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe, Specification for, **D3262 (08.03)**
30 to 60 in. 750 to 1500 mm Polypropylene (PP) Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications, Specification for, **F2764/F2764M (08.04)**
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Copper Drainage Tube (DWV), Specification for, **B306 (02.01)**
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**
Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications, Specification for, **A888 (01.02)**
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Poly (Vinyl Chloride) (PVC) Gaskets for Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems, Specification for, **D5926 (08.03)**
Polymer Concrete Pipe, Specification for, **D6783 (08.03)**
Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, Specification for, **A270/A270M (01.01)**

Sanitary landfill
Sa **Landfill**
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**

Sanitizers
Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**
Quantitative Assessment of Sanitizing Solutions for Carpet, Test Method for, **E2966 (11.05)**

Sanitizing commercial dishwashing machines
Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, Test Method for, **F1696 (15.12)**
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**
Heat-Sanitizing Commercial Dishwashing Machines, Multiple Tank, Conveyor Rack Type, Specification for, **F859 (15.12)**
Performance of Rack Conveyor, Commercial Dishwashing Machines, Test Method for, **F1920 (15.12)**
Powered Pot, Pan and Utensil Washing Sinks, Specification for, **F2643 (15.12)**

SAN (styrene-acrylonitrile)
See **Styrene-acrylnitrile (SAN) materials**

SAP3 correction program
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Saponifiable chloride
Hydrolyzable Chloride Content of Liquid Epoxy Resins, Test Methods for, **D1726 (06.03)**

Saponification number/value
Sa **Acid number—petroleum products**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Determination of the Saponification Value of Fats and Oils, Test Method for, **D5558 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**
Saponification Number of Naval Store Products Including Tall Oil and Other Related Products, Test Methods for, **D464 (06.03)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**

Sapstain control
Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), Test Method for, **D4445 (04.10)**

Sapwood
Sa **Wood products—specifications**
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**

SARC (standardized amusement ride characterization) test
Measuring the Dynamic Characteristics of Amusement Rides and Devices, Practice for, **F2137 (15.07)**

SAR (search and rescue) operations
Canine Search Resources, Classification System for, **F1848 (13.02)**
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**
Inspection of Nylon, Polyester, or Nylon/Polyester Blend, or Both Kernmantle Rope, Guide for, **F1740 (13.02)**
Masses Used in Testing Rescue Systems and Components, Specification for, **F2266 (13.02)**
Minimum Training of Dispatchers and Telecommunicators of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

SAR Incidents, Guide for, **F2662 (13.02)**
Minimum Training of Search Dog Crews or Teams, Guide for, **F1847 (13.02)**
Performance of a Water Rescuer–Level II, Guide for, **F1824 (13.02)**
Performance of a Water Rescuer-Level I, Guide for, **F1739 (13.02)**
Performance of an Ice Rescuer—Level II, Guide for, **F1783 (13.02)**
Selection of Hardline Communication Systems for Confined-Space Rescue, Guide for, **F1764 (13.02)**
Symbols and Markings for Use With Land Search Maps, Practice for, **F1846 (13.02)**
Techniques in Land Search, Guide for, **F1633 (13.02)**
Training a Land Search Tracker, Practice for, **F2852 (13.02)**
Training for Land Search and Rescue Strike Team/Task Force Leader, Guide for, **F3024 (13.02)**
Training for Level I Rope Rescue (R1) Rescuer Endorsement, Guide for, **F2752 (13.02)**
Training for Level II Rope Rescue (R2) Rescuer Endorsement, Guide for, **F2954 (13.02)**
Training for Level III Rope Rescue (R3) Rescuer Endorsement, Guide for, **F2955 (13.02)**
Training of Support Level Land Rescue Team Member (LRT-Support) Member, Guide for, **F2751 (13.02)**
Underwater Search, Rescue, and Recovery Activities, Terminology Relating to, **F1549 (13.02)**
Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, Guide for, **F2099 (13.02)**
Using the Incident Command System Framework in Managing Search and Rescue Operations, Guide for, **F1422 (13.02)**
Using Whistle Signals During Rope Rescue Operations, Guide for, **F1768 (13.02)**
Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, Practice for, **F1591 (13.02)**
Water Rescue Personal Flotation Device (PFD), Guide for, **F1823 (13.02)**

SAR (search and rescue) operations—specifications
Rescue Carabiners, Specification for, **F1956 (13.02)**

Sash chain
Sa **Steel chain—specifications**
Weldless Chain, Specification for, **A466/A466M (01.05)**

Satellite telemetry
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**

Satin weave
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**

Saturants
Contact Compatibility Between Asphaltic Materials (Oliensis Test), Test Method for, **D1370/D1370M (04.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**

Saturated calcium sulfate/magnesium hydroxide environments
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**

Saturated cohesive soil
See **Cohesive soils**

Saturated conditioning
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Saturated felt
Sa **Roofing materials/applications**
Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D226/D226M (04.04)**
Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D227/D227M (04.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**

Saturated fine-grained clayey soils
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**

Saturated geosynthetic clay liner (GCL)
See **Geosynthetic clay liner (GCL)**

Saturated ground-water flow
Sa **Ground water**
Defining Initial Conditions in Groundwater Flow Modeling, Guide for, **D5610 (04.08)**
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**

Saturated hydraulic conductivity
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**

Saturated liquid natural gas
See **Natural gas service systems**

Saturated liquid normal butane
See **Butane**

Saturated papers
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**

Saturated peat
Sa **Peat materials**
Hydraulic Conductivity of Essentially Saturated Peat, Test Method for, **D4511 (04.08)**
Volume Mass, Moisture-Holding Capacity, and Porocity of Saturated Peat Materials, Test Method for, **D2980 (04.08)**

Saturated sampling
Sa **Soil sampling**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

Saturated steam
Comparison of Nonmetallic Flat Gaskets in High Pressure Saturated Steam, Practice for, **F2716 (09.02)**
Sampling Steam, Practice for, **D1066 (11.01)**

Saturated surface-dry specimens
Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, Test Method for, **D2726/D2726M (04.03)**

Saturates
Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, Test Method for, **D7753 (05.04)**
Separation of Asphalt into Four Fractions, Test Method for, **D4124 (04.03)**

Saturates fraction
See **Petroleum fractions**

Saturation
Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, Practice for, **D4328 (11.02)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Expansion Index of Soils, Test Method for, **D4829 (04.08)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Measurement of Hydraulic Conductivity of Saturated Porous Ma-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

terials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Saturation magnetization/induction
Sa **Isotropic microwave ferrites**
Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, Test Method for, **A894/A894M (03.04)**
Saturation threshold voltage
See **Threshold voltage**
Savings-to-investment ratio
Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, Guide for, **E2506 (04.12)**
Measuring Benefit-to-Cost and Savings-to-Investment Ratios for Buildings and Building Systems, Practice for, **E964 (04.11)**
Summarizing the Economic Impacts of Building-Related Projects, Guide for, **E2204 (04.12)**
Sawdust
Methoxyl Groups in Wood and Related Materials, Test Method for, **D1166 (04.10)**
Sawed beams (concrete)
Sa **Concrete test specimens**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**
Sawing
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Sawing bituminous pavement
Sampling Compacted Bituminous Mixtures for Laboratory Testing, Practice for, **D5361/D5361M (04.03)**
Saybolt color
Color of Petroleum Products by the Automatic Tristimulus Method, Test Method for, **D6045 (05.02)**
Determination of the Red Dye Concentration and Estimation of Saybolt Color of Aviation Turbine Fuels and Kerosine Using a Portable Visible Spectrophotometer, Test Method for, **D7058 (05.04)**
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
Saybolt viscometers
Conversion of Kinematic Viscosity to Saybolt Universal Viscosity or to Saybolt Furol Viscosity, Practice for, **D2161 (05.01)**
Saybolt Furol Viscosity of Bituminous Materials at High Temperatures, Test Method for, **E102/E102M (04.04)**
Saybolt Viscosity, Test Method for, **D88 (04.04)**
Viscosity of Emulsified Asphalt by Saybolt Furol Viscometer, Test Method for, **D7496 (04.03)**
SBR (styrene-butadiene rubber)
Carbon Black in SBR (Styrene-Butadiene Rubber)—Recipe and Evaluation Procedures, Test Methods for, **D3191 (09.01)**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Rubber Latex—Styrene-Butadiene Copolymer—Determination of Residual Styrene, Test Method for, **D4026 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber PropertyExtrudability of Unvulcanized Compounds, Test Method for, **D2230 (09.01)**
Rubber Property—Processability of Emulsion SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer (Delta Mooney), Test Methods for, **D3346 (09.01)**
Rubber Property—Shrinkage of Raw and Compounded Hot-Polymerized Styrene-Butadiene Rubber (SBR), Test Methods for, **D1917 (09.01)**
Rubber—Chemical Analysis for Polystyrene Blocks In SBR (Styrene-Butadiene Rubber) and Styrene-Reinforced Latices, Test Method for, **D3314 (09.01)**
Rubber—Determination of Bound Styrene in Styrene Butadiene Rubber by Refractive Index, Test Method for, **D5775 (09.01)**
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**
Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Including Mixtures With Oil, Test Methods for, **D3185 (09.01)**
Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Mixed With Carbon Black or Carbon Black and Oil, Test Methods for, **D3186 (09.01)**
Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney Viscosity Target Values, Practice for, **D5605 (09.01)**
SCA
See **Supplemental coolant additive (SCA)**
Scaffolds (medical)
Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, Guide for, **F2150 (13.01)**
Characterization of Ceramic and Mineral Based Scaffolds used for Tissue-Engineered Medical Products (TEMPs) and as Device for Surgical Implant Applications, Guide for, **F2883 (13.02)**
Quantitating Cell Viability Within Biomaterial Scaffolds, Guide for, **F2739 (13.02)**
Scaffolds (medical)—specifications
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Scalar wind
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**
Scald preventing devices (in bathing areas)
Sa **Consumer safety specifications (bathrooms)**
Scald-Preventing Devices and Systems in Bathing Areas, Consumer Safety Specification for, **F444 (15.11)**
Scale
Sa **Water-formed deposits**
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Linear Measurement Using Precision Steel Rule, Test Method for, **F2203 (15.10)**
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, Test Method for, **D5256 (11.02)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**
Scale control
Calculation and Adjustment of Silica (SiO, Practice for, **D4993 (11.02)**
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Scale-free mathematical models
Rating-Scale Measures Relevant to the Electronic Health Record, Practice for, **E2171 (14.01)**
Scale indicators
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Scale inhibitor
Phosphonate in Brines, Test Method for, **D6501 (11.01)**
Scales
Top-Loading, Direct-Reading Laboratory Scales and Balances, Test Method of Testing, **E898 (14.04)**
Weighing a Bicycle, Test Method for, **F2918 (15.07)**
Scales—specifications
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**
Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements, Specification for, **C1005 (04.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Scaling
Evaluating Degree of Flaking (Scaling) of Exterior Paints, Test Method for, **D772 (06.01)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals, Test Method for, **C672/C672M (04.02)**
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**

Scalpel
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**

Scanning
Best Practices for Safe Application of 3D Imaging Technology, Practice for, **E2641 (10.04)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Nondestructive Assay of Radioactive Material by Tomographic Gamma Scanning, Test Method for, **C1718 (12.01)**

Scanning Brookfield technique
Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7111 (05.04)**
Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, Test Method for, **D7110 (05.04)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**

Scanning electron microscope (SEM)
Sa **Microscopic examination**
Calibrating the Magnification of a Scanning Electron Microscope, Practice for, **E766 (03.01)**
Characterization of Particles, Practice for, **F1877 (13.01)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1375 (10.04)**
Examination of Hardened Concrete Using Scanning Electron Microscopy, Guide for, **C1723 (04.02)**
Gunshot Residue Analysis by Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry, Guide for, **E1588 (14.02)**
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**
Scanning Electron Microscope (SEM) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1372 (10.04)**
Scanning Electron Microscope Beam Size Characterization, Practice for, **E986 (03.01)**
Size-Differentiated Counting of Particles and Fibers Released from Cleanroom Wipers Using Optical and Scanning Electron Microscopy, Test Method for, **E2090 (15.03)**

Scanning probe microscopy
Measuring and Reporting Probe Tip Shape in Scanning Probe Microscopy, Practice for, **E1813 (03.06)**

Scanning spectrometers
Testing the Performance of Scanning Raman Spectrometers, Practice for, **E1683 (03.06)**

Scanning tunneling microscopy
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Scanner and Tip Related Artifacts in Scanning Tunneling Microscopy and Atomic Force Microscopy, Guide to, **E2382 (03.06)**

Scan reflectance profile
Bar Code Verification, Practice for, **F1851 (15.09)**

Scan services
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**

Scar
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**

Scarf joints
See **Adhesive joints**

Scarfs
Knitted Necktie and Scarf Fabrics, Performance Specification for, **D4035 (07.01)**
Woven Necktie and Scarf Fabrics, Performance Specification for, **D3785 (07.01)**

Scarp
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**

Scatter
Goniometric Optical Scatter Measurements, Practice for, **E2387 (06.01)**

Scattered tungsten radiation method
Lead in Gasoline by X-Ray Spectroscopy, Test Methods for, **D5059 (05.02)**

Scattered X-rays
Determining Protection Provided by X-ray Shielding Garments Used in Medical X-ray Fluoroscopy from Sources of Scattered X-Rays, Test Method for, **F3094 (11.03)**

Scattergram
Comparing Groundwater Flow Model Simulations to Site-Specific Information, Guide for, **D5490 (04.08)**

Scattering coefficient
Hiding Power of Paints by Reflectometry, Test Method for, **D2805 (06.01)**
Relative Tinting Strength of White Pigments by Reflectance Measurements, Test Method for, **D2745 (06.01)**

Scattering (light)
Sa **Light transmission and reflection**
Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, Test Method for, **B822 (02.05)**

Scattering parameters/power
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

SCCW (single-crystal ceramic whiskers)
See **Single-crystal ceramic whiskers (SCCW)**

Schedule 40/80/120 pipe
Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120, Specification for, **D1785 (08.04)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Schedule 40 pipe
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2661 (08.04)**
Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, Specification for, **F439 (08.04)**
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80, Specification for, **F441/F441M (08.04)**
Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40, Specification for, **D2466 (08.04)**
Pressure Rating Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40 and 80 Socket-Type, Test Method for, **F2261 (08.04)**
Socket-Type Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40, Specification for, **F438 (08.04)**
Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, Specification for, **F480 (08.04)**

Schedule 80 pipe
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80, Specification for, **F441/F441M (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, Specification for, **D2467 (08.04)**
Pressure Rating Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40 and 80 Socket-Type, Test Method for, **F2261 (08.04)**
Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, Specification for, **F480 (08.04)**
Threaded Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, Specification for, **F437 (08.04)**
Threaded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, Specification for, **D2464 (08.04)**

Scholastic wrestling mats
Competition Wrestling Mats, Specification for, **F1081 (15.07)**

Schőniger technique
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**

School bus seat assemblies
Fire Testing of School Bus Seat Assemblies, Test Method for, **E2574/E2574M (04.07)**

Schorlemmer's system
Sulfate Basicity in Leather, Test Method for, **D4654 (15.04)**

Schottky diode
Definition and Determination of Thermionic Constants of Electron Emitters, Practice for, **F83 (10.04)**

Schulze ring shear tester
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**

Schwille trilinear hardness diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Scintillation counter
See **Liquid scintillation counting**

Scintillator-photodetector dosimetry
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**

SCIPL (Sectional Cured-In-Place Lining)
The Sectional Repair of Damaged Pipe By Means of An Inverted Cured-In-Place Liner, Practice for, **F2599 (08.04)**

Scissors
Inserted and Noninserted Surgical Scissors, Specification for, **F1079 (13.01)**

Scleroscope hardness
Scleroscope Hardness Testing of Carbon and Graphite Materials, Test Method for, **C886 (05.05)**
Scleroscope Hardness Testing of Metallic Materials, Practice for, **E448 (03.01)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**

Scoop sampling
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**
Sampling with a Scoop, Practice for, **D5633 (11.04)**

Scooters
Non-Powered Scooters, Consumer Safety Specification for, **F2264 (15.11)**

Scope of work
Scope of Work of Forensic Document Examiners, Guide for, **E444 (14.02)**

Scopes
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**

Scorch time
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**

Score-tape test
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Determining the Adhesion of Print Media Utilizing Mechanical Stress: Two Different Test Methods—Score/Tape and Cross Hatch, Practice for, **F2452 (15.09)**

Scott flexing machine
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**

Scott volumeter
Apparent Density of Metal Powders and Compounds Using the Scott Volumeter, Test Method for, **B329 (02.05)**

Scoured wool
Sa **Wool and wool top**
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**

Scouring materials/applications
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Sodium Bicarbonate, Specification for, **D928 (15.04)**

Scour protection
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Placement of Riprap Revetments, Guide for, **D6825 (04.09)**

Scoville Heat Units (SHU)
Sensory Evaluation of Low Heat Chilies, Test Method for, **E1395 (15.08)**
Sensory Evaluation of Oleoresin Capsicum, Test Method for, **E1396 (15.08)**
Sensory Evaluation of Red Pepper Heat, Test Method for, **E1083 (15.08)**

Scrap
See **Waste materials/processing/analysis**

Scrap and waste (nuclear)
See **Nuclear scrap and waste materials**

Scrape adhesion
Adhesion of Organic Coatings by Scrape Adhesion, Test Method for, **D2197 (06.01)**
Determining the Scratch Hardness and Scrape Adhesion of Prints and Coatings, Practice for, **F2496 (15.09)**

Scrape resistance
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Scrap tires
Use of Scrap Tire-Derived Fuel, Practice for, **D6700 (11.04)**
Use of Scrap Tires in Civil Engineering Applications, Practice for, **D6270 (11.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Scratch adhesion
Adhesion Strength and Mechanical Failure Modes of Ceramic Coatings by Quantitative Single Point Scratch Testing, Test Method for, **C1624 (15.01)**
Scratch hardness
Determining the Scratch Hardness and Scrape Adhesion of Prints and Coatings, Practice for, **F2496 (15.09)**
Scratching abrasion
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Scratch intensity
Intensity of Scratches on Aerospace Glass Enclosures, Test Method for, **F428 (15.03)**
Intensity of Scratches on Aerospace Transparent Plastics, Test Method for, **F548 (15.03)**
Scratch resistance
Determining the Scratch Hardness and Scrape Adhesion of Prints and Coatings, Practice for, **F2496 (15.09)**
Evaluation of Scratch Resistance of Polymeric Coatings and Plastics Using an Instrumented Scratch Machine, Test Method for, **D7027 (08.03)**
Measuring Mechanistic Aspects of Scratch/Mar Behavior of Paint Coatings by Nanoscratching, Test Method for, **D7187 (06.01)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Scratch testing
Adhesion Strength and Mechanical Failure Modes of Ceramic Coatings by Quantitative Single Point Scratch Testing, Test Method for, **C1624 (15.01)**
Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, Specification for, **F2179 (15.11)**
Estimation of Deleterious Particles in Lubricating Grease, Test Method for, **D1404/D1404M (05.01)**
Evaluation of Scratch Resistance of Polymeric Coatings and Plastics Using an Instrumented Scratch Machine, Test Method for, **D7027 (08.03)**
Measuring Mechanistic Aspects of Scratch/Mar Behavior of Paint Coatings by Nanoscratching, Test Method for, **D7187 (06.01)**
Rub Abrasion Mar Resistance of High Gloss Coatings, Test Method for, **D6279 (06.02)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Screen analysis
Sa **Filters/filter procedures**
Sa **Lead screening testing**
Sa **Particle analysis**
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**
Measurement of Barnacle Adhesion Strength in Shear, Test Method for, **D5618 (06.02)**
Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater, Test Method for, **E2102 (04.07)**
Screen Analysis of Asbestos Fibers, Test Method for, **D2947/D2947M (04.05)**
Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, Guide for, **D6141 (04.13)**
Screen analysis—industrial perforated screens
Industrial Perforated Plate and Screens (Round Opening Series), Specification for, **E674 (14.02)**
Industrial Perforated Plate and Screens (Square Opening Series), Specification for, **E454 (14.02)**
Screen analysis—medical/surgical applications
Agar Diffusion Cell Culture Screening for Cytotoxicity, Test Method for, **F895 (13.01)**
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Screen analysis—metals/alloys
Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, Test Method for, **E279 (03.05)**
Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Finer for Metal-Bearing Ores and Related Materials, Test Method for, **E276 (03.05)**
Sieve Analysis of Metal Powders, Test Method for, **B214 (02.05)**
Screen analysis—soils
Screening Fuels in Soils, Test Method for, **D5831 (11.04)**
Screen analysis—waste materials/applications
Compatibility of Screening Analysis of Waste, Practices for, **D5058 (11.04)**
Flammability Potential Screening Analysis of Waste, Test Methods for, **D4982 (11.04)**
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**
Screening of Oxidizers in Waste, Test Method for, **D4981 (11.04)**
Screening of Reactive Sulfides in Waste, Test Methods for, **D4978 (11.04)**
Screening of Waste for Radioactivity, Test Method for, **D5928 (11.04)**
Screen analysis—water
Sa **Ground-water monitoring/sampling**
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
QC of Screening Methods in Water, Guide for, **D6850 (11.02)**
Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, Guide for, **D6141 (04.13)**
Screening of candidate fibers
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**
Screen tile
Structural Clay Nonloadbearing Screen Tile, Specification for, **C530 (04.05)**
Screw applications (for gypsum boards)
See **Gypsum products**
See **Installation—gypsum products**
Screw attachment (for metal plaster base)
Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, Specification for, **C1063 (04.01)**
Screw/bar machine
Evaluating Machining Performance of Ferrous Metals Using an Automatic Screw/Bar Machine, Test Method for, **E618 (01.05)**
Screwdriver bits
Medical Screwdriver Bits, Specification for, **F116 (13.01)**
Screw extrusion
Rubber—Measurement of Processing Properties Using Capillary Rheometry, Test Methods for, **D5099 (09.01)**
Screw-extrusion capillary rheometer
Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, Test Method for, **D5422 (08.03)**
Screw injection molding (of plastic specimens)
See **Molding/extrusion compounds/materials**
Screw machine work
Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines, Specification for, **B16/B16M (02.01)**
Screw-retention strength (in alpine skis)
See **Alpine skis**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Screws—specifications
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F835 (01.08)**
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F835M (01.08)**
Alloy Steel Socket Set Screws, Specification for, **F912 (01.08)**
Alloy Steel Socket Set Screws (Metric), Specification for, **F912M (01.08)**
Alloy Steel Socket-Head Cap Screws, Specification for, **A574 (01.08)**
Alloy Steel Socket-Head Cap Screws (Metric), Specification for, **A574M (01.08)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**
Screws, Alloy Steel, Heat Treated, 1170 MPa Minimum Tensile Strength Metric, Specification for, **F2882M (01.08)**
Screws, Alloy Steel, Heat Treated, 170 ksi Minimum Tensile Strength, Specification for, **F2882 (01.08)**
Stainless Steel Metric Bolts, Screws, and Studs, Specification for, **F738M (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F879 (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F879M (01.08)**
Stainless Steel Socket Head Cap Screws, Specification for, **F837 (01.08)**
Stainless Steel Socket Head Cap Screws Metric, Specification for, **F837M (01.08)**
Stainless Steel Socket Set Screws (Metric), Specification for, **F880M (01.08)**
Stainless Steel Socket, Square Head, and Slotted Headless-Set Screws, Specification for, **F880 (01.08)**
Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness, Specification for, **C954 (04.01)**
Steel Screw Spikes, Specification for, **A66 (01.04)**
Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs, Specification for, **C1002 (04.01)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**

Screws (bone)
See **Orthopaedic medical devices (bone screws)**

Screws (gypsum board applications)—specifications
Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products, Specification for, **C754 (04.01)**
Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, Specification for, **C955 (04.01)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness, Specification for, **C954 (04.01)**
Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs, Specification for, **C1002 (04.01)**

Screw spikes
Steel Screw Spikes, Specification for, **A66 (01.04)**

Screw thread
Electrodeposited Coatings on Threaded Fasteners (Metric), Specification for, **F1941M (01.08)**
Electrodeposited Coatings on Threaded Fasteners (Unified Inch Screw Threads (UN/UNR)), Specification for, **F1941 (01.08)**
Microscope Objective Thread, Specification for, **E210 (14.04)**

Screw-type auger sampler
Sa **Auger sampling method**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**

Screw-type clamps
Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, Specification for, **F982 (13.01)**

Scribe-grid test
Qualitative Adhesion Testing of Metallic Coatings, Practice for, **B571 (02.05)**

Scrims
Measurement of Thickness of Coatings Over Fabric Reinforcement, Test Method for, **D7635/D7635M (04.04)**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**

Scrub resistance
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Scrub Resistance of Wall Paints, Test Methods for, **D2486 (06.02)**

Scuffing load
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**

Scuff resistance
Abrasion and Scuff Resistance of Inkjet Media by the Sutherland Rub Tester, Practice for, **F2497 (15.09)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**

SDI (silt density index)
Silt Density Index (SDI) of Water, Test Method for, **D4189 (11.01)**

SDR (standard dimension ratios)
Acrylonitrile-Butadiene-Styrene (ABS) IPS Dimensioned Pressure Pipe, Specification for, **F2969 (08.04)**
Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (Metric SDR-PR), Specification for, **F2806 (08.04)**
Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, Specification for, **F480 (08.04)**

S & DSI
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**

Seaber water-classification diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Sealability
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Evaluating Pipeline Coating Patch Materials, Test Method for, **G55 (06.02)**
Seal Quality of Anodic Coatings on Aluminum by Acid Dissolution, Test Method for, **B680 (02.05)**
Seal Strength of Flexible Barrier Materials, Test Method for, **F88/F88M (15.10)**
Sealability of Enveloped Gaskets, Test Method for, **F112 (09.02)**
Sealability of Gasket Materials, Test Methods for, **F37 (09.02)**
Sealability of Sheet, Composite, and Solid Form-in-Place Gasket Materials, Test Method for, **F2378 (09.02)**
Testing of Pipe Thread Sealants on Pipe Tees, Test Method for, **D6396 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sealant backer material
Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, Specification for, **D5249 (04.03)**
Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants, Specification for, **C1330 (04.07)**
Determination of Water Absorption of Sealant Backing, Test Method for, **C1016 (04.07)**
Determining the Outgassing Potential of Sealant Backing, Test Method for, **C1253 (04.07)**
Sealant joint width
Calculating Movement and Other Effects When Establishing Sealant Joint Width, Guide for, **C1472 (04.07)**
Sealants
Sa **Caulking compounds and sealants**
Sa **Elastomeric seals/sealants**
Sa **Face glazing and bedding compounds**
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**
Building Seals and Sealants, Terminology of, **C717 (04.07)**
Calculating Movement and Other Effects When Establishing Sealant Joint Width, Guide for, **C1472 (04.07)**
Color Stability of Building Construction Sealants as Determined by Laboratory Accelerated Weathering Procedures, Test Method for, **C1501 (04.07)**
Comparing Sealant Behavior to Reference Photographs, Guide for, **C1756 (04.07)**
Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, Test Method for, **C1294 (04.07)**
Dead Load Resistance of a Sealant in Elevated Temperatures, Test Method for, **C1367 (04.07)**
Detailing of EIFS-Clad Wall Assemblies, Guide for, **E2511 (04.12)**
Determination of Water Absorption of Sealant Backing, Test Method for, **C1016 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Determining Modulus, Tear and Adhesion Properties of Precured Elastomeric Joint Sealants, Test Method for, **C1523 (04.07)**
Determining Tensile Adhesion Properties of Sealants When Used in Exterior Insulation and Finish Systems (EIFS) Joints, Test Method for, **C1382 (04.07)**
Determining Tensile Adhesion Properties of Structural Sealants, Test Method for, **C1135 (04.07)**
Determining the Outgassing Potential of Sealant Backing, Test Method for, **C1253 (04.07)**
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**
Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications, Test Method for, **C1265 (04.07)**
Durability of Sealants Exposed to Continuous Immersion in Liquids, Test Method for, **C1247 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, Test Method to, **C1635 (04.07)**
Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, Test Method for, **C1519 (04.07)**
Evaluating the Tear Resistance of a Sealant Under Constant Strain, Test Method for, **C1681 (04.07)**
Extrusion Rate of Elastomeric Sealants, Test Method for, **C1183/C1183M (04.07)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Laboratories Engaged in Testing of Building Sealants, Practice for, **C1021 (04.07)**
Lap Shear Strength of Sealants, Test Method for, **C961 (04.07)**
Measuring the Post Dispensing Volumetric Expansion of Aerosol Foam Sealants, Test Method to, **C1643 (04.07)**
Measuring the Time Dependent Modulus of Sealants Using Stress Relaxation, Test Method for, **C1735 (04.07)**
Outdoor Weathering of Construction Seals and Sealants, Practice for, **C1589/C1589M (04.07)**
Paintability of Latex Sealants, Guide for, **C1520 (04.07)**
Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, Practice for, **D1985 (04.03)**
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**
Slump of Sealants, Test Method for, **D2202 (04.07)**
Specifying Silicone Adhesives and Sealants for Transportation Applications, Classification for, **F2468 (09.02)**
Staining from Sealants, Test Method for, **D2203 (04.07)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**
Substrates Used in Testing Building Seals and Sealants, Guide for, **C1375 (04.07)**
Tack-Free Time of Caulking Compounds and Sealants, Test Method for, **D2377 (04.07)**
Tack-Free Time of Elastomeric Sealants, Test Method for, **C679 (04.07)**
Use of Sealants in Acoustical Applications, Practice for, **C919 (04.07)**
Use of Silicone Sealants for Protective Glazing Systems, Guide for, **C1564 (04.07)**
Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials, Test Method for, **C1083 (04.07)**
Sealants—specifications
Aerosol Polyurethane and Aerosol Latex Foam Sealants, Specification for, **C1620 (04.07)**
Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, Specification for, **D5249 (04.03)**
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**
Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements, Specification for, **D5893/D5893M (04.03)**
Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants, Specification for, **C1330 (04.07)**
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Durability Testing of Duct Sealants, Test Method for, **E2342 (04.12)**
Elastomeric Cellular Preformed Gasket and Sealing, Specification for, **C509 (04.07)**
Elastomeric Joint Sealants, Specification for, **C920 (04.07)**
Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F477 (08.04)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Latex Sealants, Specification for, **C834 (04.07)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Lock-Strip Gaskets, Specification for, **C542 (04.07)**
Precured Elastomeric Silicone Joint Sealants, Specification for, **C1518 (04.07)**
Preformed Architectural Compression Seals for Buildings and Parking Structures, Specification for, **E1612/E1612M (04.11)**
Preformed Architectural Strip Seals for Buildings and Parking Structures, Specification for, **E1783/E1783M (04.11)**
Preformed Tape Sealants for Glazing Applications, Specification for, **C1281 (04.07)**
Rubber Seals Contacting Liquids in Solar Energy Systems, Specification for, **D3832 (09.02)**
Secondary Edge Sealants for Structurally Glazed Insulating Glass

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Units, Specification for, **C1369 (04.07)**
Solvent Release Sealants, Specification for, **C1311 (04.07)**
Structural Silicone Sealants, Specification for, **C1184 (04.07)**
the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces, Guide for, **C1471 (04.04)**

Sealants (aerospace applications)
Selecting Aerospace and General Purpose Adhesives and Sealants, Guide for, **D6465 (15.06)**

Sealants (concrete)
Sa **Joint sealants (concrete)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**

Sealants (pipe)
Testing of Pipe Thread Sealants on Pipe Tees, Test Method for, **D6396 (15.06)**

Sealed insulating glass units
Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, Test Method for, **E2269 (04.12)**
Determining Argon Concentration in Sealed Insulating Glass Units Using Spark Emission Spectroscopy, Test Method for, **E2649 (04.12)**
Frost/Dew Point of Sealed Insulating Glass Units, Test Method for, **E546 (04.11)**
Insulating Glass Unit Performance, Test Method for, **E2188 (04.12)**
Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, Test Method for, **E2355 (04.12)**
Testing Resistance to Fogging in Insulating Glass Units, Test Method for, **E2189 (04.12)**

Sealed insulating glass units—specifications
Insulating Glass Unit Performance and Evaluation, Specification for, **E2190 (04.12)**

Sealed insulating glass units (thermal)
Sa **Glass thermal insulation—specifications**
Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2240 (04.12)**
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**
Assessing the Durability of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Methods for, **E2141 (04.12)**
Frost/Dew Point of Sealed Insulating Glass Units in the Vertical Position, Test Method for, **E576 (04.11)**

Sealed object mass spectrometer leak test
Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, Practice for, **E499/E499M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, Practice for, **E493/E493M (03.03)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**

Sealed torsion shear cure meters
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**

Sealed tube
Sealed Tube Chemical Compatibility Test, Test Method for, **D5642 (10.02)**

Sealers
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, Practice for, **D6805 (04.04)**
Preformed Closed-Cell Polyolefin Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D7174 (04.03)**

Seal failure
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**

Sealing
Fluid Tightness Ability of Adhesives Used on Threaded Fasteners, Test Method for, **D5657 (15.06)**
Sealing Lateral Connections and lines from the mainline Sewer Systems by the Lateral Packer Method, Using Chemical Grouting, Practice for, **F2454 (04.12)**
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**
Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), Practice for, **F1516 (15.04)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**

Sealing bands
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, Specification for, **C877 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**

Sealing elements
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**

Sealing fiber containers/cans
Pressure-Sensitive Tape for Sealing Fiber Containers and Cans, Specification for, **D6590/D6590M (15.10)**

Sealing glass defects
Radiologic Examination of Semiconductors and Electronic Components, Practice for, **E1161 (03.03)**

Sealing membrane performance
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**

Sealing/securing packages/containers
Detecting Seal Leaks in Porous Medical Packaging by Dye Penetration, Test Method for, **F1929 (15.10)**
Determining Integrity of Seals for Flexible Packaging by Visual Inspection, Test Method for, **F1886/F1886M (15.10)**
Hot Seal Strength (Hot Tack) of Thermoplastic Polymers and Blends Comprising the Sealing Surfaces of Flexible Webs, Test Methods for, **F1921/F1921M (15.10)**
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**
Pressure-Sensitive Tape for Packaging, Box Closure, and Sealing, Specification for, **D5486/D5486M (15.10)**
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**

Sealing techniques
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**

Sealing threaded fasteners
Torque Strength of Adhesives Used on Threaded Fasteners, Test Method for, **D5649 (15.06)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**

Seal integrity
Determining Integrity of Seals for Flexible Packaging by Visual Inspection, Test Method for, **F1886/F1886M (15.10)**
Establishing Security Seal Control and Accountability Procedures, Guide for, **F946 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluation of Seal Quality and Integrity Using Airborne Ultrasound, Test Method for, **F3004 (15.10)**
Measuring Package and Seal Integrity Using Helium as the Tracer Gas, Test Method for, **F2391 (15.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**

Seals
See **Rubber seals**

Seals—building applications
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Elastomeric Joint Sealants, Specification for, **C920 (04.07)**
Evaluating Temperature Effects to Aerosol Foam Sealant During and After Dispensing, Guide for, **C1737 (04.07)**
Measuring the Time Dependent Modulus of Sealants Using Stress Relaxation, Test Method for, **C1735 (04.07)**
Outdoor Weathering of Construction Seals and Sealants, Practice for, **C1589/C1589M (04.07)**
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**
Sealing Seams of Resilient Sheet Flooring Products by Use of Liquid Seam Sealers, Practice for, **F693 (15.04)**

Seals—electronic applications
Making and Testing Reference Glass-Metal Bead-Seal, Practice for, **F14 (15.02)**
Making Reference Glass-Metal Butt Seals and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F140 (15.02)**
Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F144 (15.02)**
Surface Flaws in Tungsten Seal Rod and Wire, Test Method for, **F204 (10.04)**
Tension and Vacuum Testing Metallized Ceramic Seals, Test Method for, **F19 (10.04)**

Seals—electronic applications (specifications)
Alumina Ceramics for Electrical and Electronic Applications, Specification for, **D2442 (15.02)**
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**
Molybdenum Wire and Rod for Electronic Applications, Specification for, **F289 (10.04)**
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
Type 101 Sealing Glass, Specification for, **F79 (15.02)**
Type 58 Borosilicate Sealing Glass, Specification for, **F105 (15.02)**

Seals—security
Sa **Security systems and equipment**
Classifying the Relative Performance of the Physical Properties of Security Seals, Practice for, **F1157 (15.08)**
Establishing Security Seal Control and Accountability Procedures, Guide for, **F946 (15.08)**
Inspection and Evaluation of Tampering of Security Seals, Guide for, **F1158 (15.08)**
Performance of Hasps and Other Attachment Devices for Padlocks or Seals, Specification for, **F2155 (15.08)**

Seals—shipboard applications
Heat-Shrink Cable Entry Seals (Metric), Specification for, **F1837M (01.07)**
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**

Seals—surgical implant applications
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**
Polycarbonate Resin for Medical Applications, Specification for, **F997 (13.01)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**

Seal strength
Making Heatseals for Determination of Heatsealability of Flexible Webs as Measured by Seal Strength, Practices for, **F2029 (15.10)**
Mechanical Seal Strength Testing for Round Cups and Bowl Containers with Flexible Peelable Lids, Test Method for, **F2824 (15.10)**
Seal Strength of Flexible Barrier Materials, Test Method for, **F88/F88M (15.10)**

Seamless aluminum alloy pipe/tube
Standardizing Equipment for Electromagnetic Testing of Seamless Aluminum-Alloy Tube, Practice for, **E215 (03.03)**

Seamless aluminum alloy pipe/tube—specifications
Sa **Aluminum alloys (tube)—specifications**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**

Seamless austenitic steel pipe—specifications
Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A790/A790M (01.01)**
Seamless Austenitic Steel Pipe for High-Temperature Service, Specification for, **A376/A376M (01.01)**
Seamless, Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes, Specification for, **A312/A312M (01.01)**
Spray-Formed Seamless Austenitic Stainless Steel Pipes, Specification for, **A943/A943M (01.01)**
Spray-Formed Seamless Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A949/A949M (01.01)**
Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**

Seamless copper-beryllium tube
Copper-Beryllium Seamless Tube (UNS Nos. C17500 and C17510), Specification for, **B937 (02.01)**

Seamless Cu/Cu alloy pipe—specifications
Sa **Copper alloy pipe**
Seamless Copper Alloy (UNS No. C69100) Pipe and Tube, Specification for, **B706 (02.01)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Seamless Copper Pipe, Standard Sizes, Specification for, **B42 (02.01)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**
Seamless Red Brass Pipe, Standard Sizes, Specification for, **B43 (02.01)**

Seamless Cu/Cu alloy tube
Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes, Practice for, **E243 (03.03)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Seamless Cu/Cu alloy tube—specifications
Sa **Copper alloy tube**
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Copper Drainage Tube (DWV), Specification for, **B306 (02.01)**
Copper-Beryllium Alloy Seamless Tube, Specification for, **B643 (02.01)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
General Requirements for Wrought Seamless Copper and Copper-Alloy Tube, Specification for, **B251 (02.01)**
General Requirements for Wrought Seamless Copper and Copper-Alloy Tube (Metric), Specification for, **B251M (02.01)**
Hard-Drawn Copper Capillary Tube for Restrictor Applications, Specification for, **B360 (02.01)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
Seamless Copper Alloy (UNS No. C69100) Pipe and Tube, Specification for, **B706 (02.01)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Seamless Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B903 (02.01)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, Specification for, **B280 (02.01)**
Seamless Copper Tube for Medical Gas Systems, Specification for, **B819 (02.01)**
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**
Seamless Copper Tube in Coils, Specification for, **B743 (02.01)**
Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**
Seamless Copper Water Tube, Specification for, **B88 (02.01)**
Seamless Copper Water Tube (Metric), Specification for, **B88M (02.01)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

Seamless drums/heads
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**

Seamless gas-filled steel pressure vessels
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**

Seamless Ni alloy pipe—specifications
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube, Specification for, **B829 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
Nickel Seamless Pipe and Tube, Specification for, **B161 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Seamless Pipe and Tube, Specification for, **B722 (02.04)**
Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Copper Alloy, Specification for, **B423 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**
Precipitation Hardened or Cold Worked, Seamless Nickel Alloy Pipe and Tube, Specification for, **B983 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
UNS N08028 Seamless Pipe and Tube, Specification for, **B668 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**

Seamless Ni alloy tube—specifications
General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube, Specification for, **B829 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
Nickel Seamless Pipe and Tube, Specification for, **B161 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Seamless Pipe and Tube, Specification for, **B722 (02.04)**
Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Copper Alloy, Specification for, **B423 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**
Precipitation Hardened or Cold Worked, Seamless Nickel Alloy Pipe and Tube, Specification for, **B983 (02.04)**
Seamless and Welded Nickel Alloy Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B924 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
UNS N08028 Seamless Pipe and Tube, Specification for, **B668 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**

Seamless pressure vessels tubes
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**

Seamless steel pipe—specifications
High-Strength Low-Alloy Welded and Seamless Steel Pipe, Specification for, **A714 (01.01)**
Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless, Specification for, **A53/A53M (01.01)**
Seamless and Welded Carbon Steel Water-Well Pipe, Specification for, **A589/A589M (01.01)**
Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, Specification for, **A333/A333M (01.01)**
Seamless Carbon Steel Pipe for Atmospheric and Lower Temperatures, Specification for, **A524 (01.01)**
Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service, Specification for, **A335/A335M (01.01)**
Steel Line Pipe, Black, Plain-End, Seamless, Specification for, **A1024/A1024M (01.01)**

Seamless steel tube—specifications
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, Specification for, **A787/A787M (01.01)**
Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing, Specification for, **A618/A618M (01.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, Specification for, **A270/A270M (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing for General Service, Specification for, **A269 (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless and Welded Ferritic and Martensitic Stainless Steel Tubing for General Service, Specification for, **A268/A268M (01.01)**
Seamless and Welded Ferritic Stainless Steel Feedwater Heater Tubes, Specification for, **A803/A803M (01.01)**
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, Specification for, **A789/A789M (01.01)**
Seamless Carbon and Alloy Steel Mechanical Tubing, Specification for, **A519 (01.01)**
Seamless Carbon Steel Boiler Tubes for High-Pressure Service, Specification for, **A192/A192M (01.01)**
Seamless Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes, Specification for, **A209/A209M (01.01)**
Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes, Specification for, **A556/A556M (01.01)**
Seamless Cold-Drawn Carbon Steel Tubing for Hydraulic System Service, Specification for, **A822/A822M (01.01)**
Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A179/A179M (01.01)**
Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, Specification for, **A213/A213M (01.01)**
Seamless Medium-Carbon Steel Boiler and Superheater Tubes, Specification for, **A210/A210M (01.01)**
Seamless Stainless Steel Mechanical Tubing, Specification for, **A511/A511M (01.01)**

Seamless/welded titanium tube
Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer, Specification for, **B891 (02.04)**

Seamless zirconium tube
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**

Seams
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Grab Method, Test Method for, **D7749 (04.13)**
Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Strip Tensile Method, Test Method for, **D7747/D7747M (04.13)**
Determining the Integrity of Seams Used in Joining Geomembranes by Pre-manufactured Taped Methods, Test Method for, **D7272 (04.13)**
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Geomembrane Seam Evaluation by Vacuum Chamber, Practice for, **D5641 (04.13)**
Industrial Textile Stitches and Seams, Terminology Relating to, **D7722 (07.02)**
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), Practice for, **F1516 (15.04)**
Selecting Test Methods for Geomembrane Seams, Guide for, **D7700 (04.13)**
Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**

Seams—coal
Collection of Channel Samples of Coal in a Mine, Practice for, **D4596 (05.06)**

Seam slippage
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Seam strength/integrity
Determining Seam Strength in Inflatable Restraint Cushions, Test Method for, **D5822 (07.02)**
Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods, Test Method for, **D6214/D6214M (04.13)**
Determining the Tensile Shear Strength of Pre-Fabricated Bituminous Geomembrane Seams, Test Method for, **D7056 (04.13)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**

Seam type
Stitches and Seams, Practice for, **D6193 (07.02)**

Search and rescue (SAR) operations
Sa **SAR (search and rescue) operations**
Basket Type Rescue Litters, Test Methods for, **F2821 (13.02)**
Climbing, Mountaineering, Search and Rescue Equipment and Practices, Terminology Relating to, **F1773 (13.02)**
Determining Visual Acuity and Field of View of On-Board Video Systems for Teleoperation of Robots for Urban Search and Rescue Applications, Test Method for, **E2566 (15.08)**
Evaluating Cache Packaged Weight and Volume of Robots for Urban Search and Rescue, Practice for, **E2592 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Gaps, Test Method for, **E2801 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Crossing Pitch/Roll Ramps, Test Method for, **E2827 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Symmetric Stepfields, Test Method for, **E2828 (15.08)**
Fixed Anchorages Installed on Structures used for Rope Rescue Training, Specification for, **F2822 (13.02)**
Hazard Awareness for Search and Rescue Personnel, Guide for, **F2890 (13.02)**
Helicopter Inland Search and Rescue (SAR) Crew Chief, Guide for, **F3026 (13.02)**
Helicopter Inland Search and Rescue (SAR) Technician, Guide for, **F2958 (13.02)**
Level 1 (Basic) Mounted Search and Rescue (MSAR) Responder, Guide for, **F2794 (13.02)**
Measuring the Performance of Synthetic Rope Rescue Belay Systems Using a Drop Test, Test Method for, **F2436 (13.02)**
Minimum Training of Dispatchers and Telecommunicators of SAR Incidents, Guide for, **F2662 (13.02)**
Portable High Anchor Devices, Test Method for, **F2684/F2684M (13.02)**
Requirements for Bodies that Operate Certification Programs in the Field of Search and Rescue, Guide for, **F3069 (13.02)**
Swiftwater/Flood Search and Rescue Operations, Guide for, **F3048 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Training of a Land Search Team Leader (STL), Guide for, **F2685 (13.02)**
Training of Level I Land Search Team Member, Guide for, **F2209 (13.02)**
Training of Personnel Operating in Mountainous Terrain (Mountain Endorsement), Guide for, **F3027 (13.02)**
Training of Search and Rescue Personnel Operating in the Alpine Environment (Alpine Endorsement), Guide for, **F3028 (13.02)**
Urban Search and Rescue Robotic Operations, Terminology for, **E2521 (15.08)**

Search and rescue (SAR) operations—swiftwater/flood
Swiftwater/Flood Search and Rescue Operations, Guide for, **F3048 (13.02)**

Search dogs
Canine Search Resources, Classification System for, **F1848 (13.02)**

Searchlights
Flashlights on Vessels, Specification for, **F1014 (01.07)**
Searchlights on Motor Lifeboats, Specification for, **F1003 (01.07)**

Search units (for inclusions)
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**

Seashore
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**

Seasonings
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**

Seat and back disengagement test
Portable Hook-On Chairs, Consumer Safety Specification for, **F1235 (15.11)**

Seated-body work positions
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Seating load
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**

Seattleable particulate matter
Collection and Measurement of Dustfall (Settleable Particulate Matter), Test Method for, **D1739 (11.07)**

Sea urchin
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**

Sea walls
Sa **Structural steel (SS) piles—specifications**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**

Seawater contamination
Salt in Crude Oils (Potentiometric Method), Test Method for, **D6470 (05.03)**

Seawater (natural/synthetic)
Alkalinity in Brackish Water, Seawater, and Brines, Test Method for, **D3875 (11.02)**
Barium in Brackish Water, Seawater, and Brines, Test Method for, **D3651 (11.02)**
Barium in Brines, Seawater, and Brackish Water by Direct-Current Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D3986 (11.02)**
Calculation and Adjustment of Silica (SiO, Practice for, **D4993 (11.02)**
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, Practice for, **D4328 (11.02)**
Chloride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D4458 (11.02)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Corrosion-Preventive Properties of Lubricating Greases in Presence of Dilute Synthetic Sea Water Environments, Test Method for, **D5969 (05.02)**
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**
Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, Test Method for, **D6442 (06.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Exposing and Evaluating Metals and Alloys in Surface Seawater, Practice for, **G52 (03.02)**
Fluoride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D3868 (11.02)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Operating Characteristics of Reverse Osmosis and Nanofiltration Devices, Test Methods for, **D4194 (11.02)**
Organotin Release Rates of Antifouling Coating Systems in Sea Water, Test Method for, **D5108 (06.02)**
Phenolic Compounds in Water, Test Methods for, **D1783 (11.02)**
Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**
Recordkeeping for Reverse Osmosis and Nanofiltration Systems, Guide for, **D4472 (11.02)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Strontium Ion in Brackish Water, Seawater, and Brines, Test Method for, **D3352 (11.02)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Sulfate Ion in Brackish Water, Seawater, and Brines, Test Method for, **D4130 (11.02)**
the Preparation of Substitute Ocean Water, Practice for, **D1141 (11.02)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Total and Dissolved Carbon Dioxide in Water, Test Methods for, **D513 (11.01)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**
Water Analysis for Reverse Osmosis and Nanofiltration Application, Guide for, **D4195 (11.02)**
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**

Seawater service
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Seaweed
Conducting Sexual Reproduction Tests with Seaweeds, Guide for, **E1498 (11.06)**
Sebaceous gland
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
SEBS modified mopping asphalt
SEBS-Modified Mopping Asphalt Used in Roofing, Specification for, **D6152/D6152M (04.04)**
Secant bulk modulus
Determination of Isothermal Secant and Tangent Bulk Modulus, Test Method for, **D6793 (05.03)**
Secant modulus
Determination of 2 % Secant Modulus for Polyethylene Geomembranes, Practice for, **D5323 (04.13)**
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**
Secondary rate of water absorption
Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, Test Method for, **C1585 (04.02)**
Secondary absorption
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Secondary backing (pile floor coverings)
Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, Test Method for, **D3936 (07.01)**
Secondary butyl acetate
See *n*-Butyl acetate
Secondary butyl alcohol
See **Butyl alcohol**
Secondary calibration/testing
Secondary Calibration of Acoustic Emission Sensors, Practice for, **E1781/E1781M (03.03)**
Secondary compression
One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**
Secondary sealants
Secondary Edge Sealants for Structurally Glazed Insulating Glass Units, Specification for, **C1369 (04.07)**
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**
Secondary electron analog
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Secondary ion mass spectrometry (SIMS)
Sa **SIMS (secondary ion mass spectrometry)**
Interpretation of Mass Spectral Data Acquired with Time-of-Flight Secondary Ion Mass Spectroscopy, Guide for, **E2695 (03.06)**
Secondary oven-drying method
Direct Moisture Content Measurement of Wood and Wood-Base Materials, Test Methods for, **D4442 (04.10)**
Secondary print colors
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**
Secondary reference cells
Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, Test Method for, **E1362 (12.02)**
Secondary reference pyrheliometers
See **Pyrheliometers**
Secondary standard foil techniques
See **Standard foil technique**
Second degree burn
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Flame Resistant Rainwear for Protection Against Flame Hazards, Specification for, **F2733 (11.03)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Second-phase particles
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**
Secretory glands
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Section properties
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Secular equillibrium
Making Quality Nondestructive Assay Measurements, Guide for, **C1592/C1592M (12.01)**
Security
Assessment of Impact of Mobile Data Storage Device (MDSD) Loss, Practice for, **E2674 (04.12)**
Blast Resistance of Trash Receptacles, Test Method for, **E2639 (15.08)**
Developing a Disaster Recovery Plan for Medical Transcription Departments and Businesses, Guide for, **E2682 (14.01)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Voluntary Security Performance of Window and Door Assemblies with and without Glazing Impact, Specification for, **E2395 (04.12)**
Security audit/disclosure logs
Audit and Disclosure Logs for Use in Health Information Systems, Specification for, **E2147 (14.01)**
Security barriers
Design and Construction of Expanded Metal Security Fences and Barriers, Guide for, **F2780 (01.06)**
Expanded Metal Fence Systems for Security Purposes, Specification for, **F2548 (01.06)**
Installation of Barbed Tape, Practice for, **F1911 (01.06)**
Long Barbed Tape Obstacles, Specification for, **F1910 (01.06)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**
Security checkpoint
Security Checkpoint Metal Detector Screening of Persons with Medical Devices, Practice for, **F2401 (15.08)**
Security fencing
Design and Construction of Expanded Metal Security Fences and Barriers, Guide for, **F2780 (01.06)**
Design and Construction of Ornamental Steel Picket Fence Systems for Security Purposes, Guide for, **F2814 (01.06)**
Expanded Metal Fence Systems for Security Purposes, Specification for, **F2548 (01.06)**
Testing Forced Entry, Ballistic and Low Impact Resistance of Security Fence Systems, Practice for, **F2781 (01.06)**
Security framework
Relationship Between a Person (Consumer) and a Supplier of an Electronic Personal (Consumer) Health Record, Specification for, **E2211 (14.01)**
Security hollow metal
Detention Hollow Metal Vision Systems, Test Methods for, **F1592 (15.08)**
Security screener
Security Checkpoint Metal Detector Screening of Persons with Medical Devices, Practice for, **F2401 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Security systems and equipment
Sa **Correctional facility**
Ball Drop Impact Resistance of Laminated Architectural Flat Glass, Test Method for, **F3007 (15.08)**
Classifying the Relative Performance of the Physical Properties of Security Seals, Practice for, **F1157 (15.08)**
Detention Hinges Used on Detention-Grade Swinging Doors, Test Methods for, **F1758 (15.08)**
Detention Hollow Metal Vision Systems, Test Methods for, **F1592 (15.08)**
Detention Sliding Door Locking Device Assembly, Test Methods for, **F1643 (15.08)**
Electromagnetic Shielding Effectiveness of Glazings, Test Method for, **F3057 (15.08)**
Establishing Security Seal Control and Accountability Procedures, Guide for, **F946 (15.08)**
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, Practice for, **F1468 (15.08)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Inspection and Evaluation of Tampering of Security Seals, Guide for, **F1158 (15.08)**
Installation of Exit Devices in Security Areas, Practice for, **F571 (15.08)**
Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact, Test Methods for, **F588 (04.12)**
Passive Fiber Optic Seals, Classification for, **F1699 (15.08)**
Securement of Cargo in Intermodal and Unimodal Surface Transport, Practices for, **D5728 (15.10)**
Security Engineering Symbols, Practice for, **F967 (15.08)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Security of Swinging Door Assemblies, Test Methods for, **F476 (15.08)**
Security Seals, Classification for, **F832 (15.08)**
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**
Serviceability of an Office Facility for Facility Protection, Classification for, **E1665 (04.11)**
Timed Evaluation of Forced-Entry-Resistant Systems, Test Method for, **F3038 (15.08)**

Security systems and equipment—specifications
Ball Drop Impact Resistance of Laminated Architectural Flat Glazing, Specification for, **F3006 (15.08)**
Intrusion Resistant Generic Vault Structures, Specification for, **F1247 (15.08)**
Long Barbed Tape Obstacles, Specification for, **F1910 (01.06)**
Padlocks, Performance Specification for, **F883 (15.08)**
Performance of Hasps and Other Attachment Devices for Padlocks or Seals, Specification for, **F2155 (15.08)**
Privacy Padlocks, Performance Specification for, **F2348 (15.08)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**

Sedgwick-Rafter method
Analysis of Phytoplankton in Surface Water by the Sedgwick-Rafter Method, Test Method for, **D4148 (11.02)**

Sedigraph test
Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **C958 (15.02)**

Sediment
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Determination of Beryllium in Soil, Rock, Sediment, and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, Test Method for, **D7458 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Soil from Rain Splash and Associated Runoff Under Bench-Scale Conditions, Index Test Method for, **D7101 (04.09)**
Determining Filtering Efficiency and Flow Rate of the Filtration Component of a Sediment Retention Device, Test Method for, **D5141 (04.13)**
Determining Sediment Concentration in Water Samples, Test Methods for, **D3977 (11.02)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Elements of a Complete Data Set for Non-Cohesive Sediments, Guide for, **D5387 (11.01)**
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Fluvial Sediment, Terminology for, **D4410 (11.01)**
Glass Westergren Tube, Reusable, Specification for, **E923 (14.04)**
Measurement of Suspended Sediment Removal Efficiency of Hydrodynamic Stormwater Separators and Underground Settling Devices, Test Method for, **C1746/C1746M (04.05)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**
Monitoring Sediment in Watersheds, Guide for, **D6145 (11.01)**
Sediment and Water Determination in Crude Oil, Guide for, **D7829 (05.04)**
Selection of Methods of Particle Size Analysis of Fluvial Sediments (Manual Methods), Guide for, **D4822 (11.02)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
The Use of Various Turbidimeter Technologies for Measurement of Turbidity in Water, Guide for, **D7726 (11.01)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**

Sedimentary rock
Microscopical Determination of the Reflectance of Vitrinite Dispersed in Sedimentary Rocks, Test Method for, **D7708 (05.06)**

Sedimentation
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**

Sedimentation tube
Blood Sedimentation Tube, Wintrobe, Glass, Disposable, Specification for, **E1047 (14.04)**
Blood Sedimentation Tube, Wintrobe, Glass, Reusable, Specification for, **E961 (14.04)**
Glass Westergren Tube, Disposable, Specification for, **E1046 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sediment concentration
Fluvial Sediment, Terminology for, **D4410 (11.01)**
Sediment content
Sa **Residue**
Determination of Sediment in Moellon, Test Method for, **D5439 (15.04)**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**
Sediment in Crude Oil by Membrane Filtration, Test Method for, **D4807 (05.02)**
Sediment in Crude Oils and Fuel Oils by the Extraction Method, Test Method for, **D473 (05.01)**
Sediment in Water-Emulsion Polishes by Centrifuge, Test Method for, **D1290 (15.04)**
Trace Sediment in Lubricating Oils, Test Method for, **D2273 (05.01)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), Test Method for, **D4007 (05.02)**
Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure), Test Method for, **D1796 (05.01)**
Sediment control
Determination of Sediment Retention Device Effectiveness in Sheet Flow Applications, Test Method for, **D7351 (04.09)**
Live Staking, Practice for, **D6765 (04.09)**
Sediment discharge/transport
Monitoring of Suspended-Sediment Concentration in Open Channel Flow Using Optical Instrumentation, Guide for, **D7512 (11.01)**
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Sediment sampling
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Sediments and Soluble Sludge in Service-Aged Insulating Oils, Test Method for, **D1698 (10.03)**
Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, Guide for, **D6232 (11.04)**
The Selection of Maximum Transit-Rate Ratios and Depths for the U.S. Series of Isokinetic Suspended-Sediment Samplers, Practice for, **D6326 (11.01)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Sediment toxicity testing
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, Guide for, **E1850 (11.06)**
Seebeck effect
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**
Seebeck voltage
Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, Guide for, **E1350 (14.03)**
Seeded inclusions
Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**
Seeded voids
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Seedling emergence
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**
Seedlings
Seed Starter Mix, Specification for, **D5539 (04.08)**
Seeds
Determination of Rolled Erosion Control Product (RECP) Ability to Encourage Seed Germination and Plant Growth Under Bench-Scale Conditions, Test Method for, **D7322 (04.09)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Seepage rate
Seepage Rate of Aerosol Products, Test Method for, **D3094 (15.10)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Segmental concrete units
Determining Connection Strength Between Geosynthetic Reinforcement and Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6638 (04.13)**
Determining the Shear Strength Between Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6916 (04.13)**
Segmental retaining wall units
Dry-Cast Segmental Retaining Wall Units, Specification for, **C1372 (04.05)**
Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, Test Method for, **C1262 (04.05)**
Segmented bearings
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Segmented gamma-ray scanning
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Segregation
Accepting, Segregating and Packaging Materials Collected Through Household Hazardous Waste Programs, Guide for, **D6346 (11.04)**
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**
Measuring Fluidization Segregation Tendencies of Powders, Practice for, **D6941 (04.09)**
Measuring Sifting Segregation Tendencies of Bulk Solids, Practice for, **D6940 (04.09)**
Seismically disturbed areas
Installation of Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels in Areas Subject to Earthquake Ground Motions, Practice for, **E580/E580M (04.06)**
Seismic-reflection method
Using the Seismic-Reflection Method for Shallow Subsurface Investigation, Guide for, **D7128 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Seismic refraction
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**
Seismic strength
Crosshole Seismic Testing, Test Methods for, **D4428/D4428M (04.08)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**
Seismic testing
Downhole Seismic Testing, Test Methods for, **D7400 (04.09)**
Seized-drug analysis
Education and Training of Seized-Drug Analysts, Practice for, **E2326 (14.02)**
Identification of Seized Drugs, Practice for, **E2329 (14.02)**
Quality Assurance of Laboratories Performing Seized-Drug Analysis, Practice for, **E2327 (14.02)**
Sampling Seized Drugs for Qualitative and Quantitative Analysis, Guide for, **E2548 (14.02)**
Uncertainty Assessment in the Context of Seized-Drug Analysis, Practice for, **E2764 (14.02)**
Validation of Seized-Drug Analytical Methods, Practice for, **E2549 (14.02)**
Seized-drug analysts
Education and Training of Seized-Drug Analysts, Practice for, **E2326 (14.02)**
Selanastrum capricornutum
Algal Growth Potential Testing with Pseudokirchneriella subcapitata, Practice for, **D3978 (11.06)**
Selected area electron diffraction (SAED)
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Selected conversion factors
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), Practice for, **F1332 (01.07)**
Selected ion monitoring
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**
Selected ion profiles (SIP)
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Selection guides—materials
Selecting Jacketing Materials for Thermal Insulation, Guide for, **C1423 (04.06)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Selection of Coating Specimens for Appearance Measurements, Practice for, **D3964 (06.01)**
Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, Practice for, **D5639/D5639M (15.10)**
Selection of Wire and Cable Size in AWG or Metric Units, Practice for, **F1883 (01.07)**
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Selection, Removal, and Shipment of Manufactured Masonry Units and Masonry Specimens from Existing Construction, Practice for, **C1532/C1532M (04.05)**
Steel Bars, Selection Guide, Composition, and Mechanical Properties, Practice for, **A400 (01.05)**
Selection guides—personnel
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
the Selection, Training and Qualification of Nondestructive Assay (NDA) Personnel, Guide for, **C1490 (12.01)**
Selection guides—test procedures
Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, Practice for, **E2088 (15.03)**
Selection of Test Methods for Fabrics Used for Fabric Formed Concrete (FFC), Guide for the, **D6685 (04.09)**
Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, Guide for, **D5640 (11.02)**
Standard Test Methods and Practices for Evaluating Pile Yarn Floor Covering, Guide for, **D6719 (07.02)**
Testing Elastomeric and Plastomeric Roofing and Waterproofing Materials, Index of Methods for, **D3105 (04.04)**
Selective centrifuge separation
See **Centrifuge method**
Selective electrode
Iodide and Bromide Ions in Brackish Water, Seawater, and Brines, Test Methods for, **D3869 (11.02)**
Selectivity
Determining Activity and Selectivity of Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, Test Method for, **D5154 (05.05)**
Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, Guide for, **E1326 (11.05)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Validating Analytical Methods, Guide for, **E2857 (03.05)**
Selectorized strength equipment
Evaluating Design and Performance Characteristics of Selectorized Strength Equipment, Test Methods for, **F2277 (15.07)**
Selectorized strength equipment—specifications
Selectorized Strength Equipment, Specification for, **F2216 (15.07)**
Selenium
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Selenium content
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Selenium content—water
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Selenium in Water, Test Methods for, **D3859 (11.01)**
Self-adhered waterproofing sheets
Application of Self-Adhering Modified Bituminous Waterproofing, Practice for, **D6135 (04.04)**
Self-aligning adhesion tester
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Self-assembly
Characterization and Standardization of Polymerizable Collagen-Based Products and Associated Collagen-Cell Interactions, Guide for, **F3089 (13.02)**
Self-calibrating absolute cavity pyrheliometers
See **Pyrheliometers**
Self-cementing fly ash
Characterizing Fly Ash for Use in Soil Stabilization, Practice for, **D5239 (04.08)**
Design of Stabilization of Soil and Soil-Like Materials with Self-Cementing Fly Ash, Practice for, **D7762 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Self-cleaning oven coating
Measuring Static Heat Resistance of Self-Cleaning Oven Coating, Test Method for, **B915 (02.05)**
Self-cleaning strainers
Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, Specification for, **F1567 (01.07)**
Self-consolidating concrete
Fabricating Test Specimens with Self-Consolidating Concrete, Practice for, **C1758/C1758M (04.02)**
Passing Ability of Self-Consolidating Concrete by J-Ring, Test Method for, **C1621/C1621M (04.02)**
Rapid Assessment of Static Segregation Resistance of Self-Consolidating Concrete Using Penetration Test, Test Method for, **C1712 (04.02)**
Slump Flow of Self-Consolidating Concrete, Test Method for, **C1611/C1611M (04.02)**
Static Segregation of Self-Consolidating Concrete Using Column Technique, Test Method for, **C1610/C1610M (04.02)**
Self-contained irradiators
Dosimetry for a Self-Contained Dry-Storage Gamma-Ray Irradiator, Practice for, **ISO/ASTM52116 (12.02)**
Use of a Thermoluminescence-Dosimetry System (TLD System) for Radiation Processing, Practice for, **ISO/ASTM51956 (12.02)**
Self-contained valves
Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**
Self-damping electrical conductors
Concentric-Lay-Stranded Self-Damping Aluminum Conductors, Steel Reinforced (ACSR/SD), Specification for, **B701/B701M (02.03)**
Self-drilling/piercing screw
Steel Tapping Screws for Cold-Formed Steel Framing Connections, Specification for, **C1513 (04.01)**
Self-extinguishing utility lighters
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**
Self-fusing tape
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Self-leveling
Measuring Consistency of Self-Flowing Castable Refractories, Test Method for, **C1446 (15.01)**
Self-leveling Mortars Containing Hydraulic Cements, Test Methods for, **C1708/C1708M (04.02)**
the Installation of Self-Leveling Underlayment and the Preparation of Surface to Receive Resilient Flooring, Practice for, **F2873 (15.04)**
Self-leveling joint sealants
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Use of Joint Sealants, Guide for, **C1193 (04.07)**
Self-lubricated materials
Creep Measurement of Self-Lubricating Bushings, Test Method for, **D7107 (08.03)**
Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, Test Method for, **D3702 (05.01)**
Self rescue technique
Sa **SAR (search and rescue) operations**
Ice Awls Self-Rescue Technique, Guide for, **F1766 (13.02)**
Ice Staff Self-Rescue Technique, Guide for, **F1765 (13.02)**
Multiple Persons Cold Water Survival/Rescue Technique: Huddle Position, Practice for, **F1728 (13.02)**
Single Person Cold Water Survival/Rescue Technique: HELP Position, Practice for, **F1729 (13.02)**
Self-rising seats
Self-Rising Seat Mechanisms, Test Method for, **F851 (15.11)**
Self-sealability
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Self-supported spray-applied insulation
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**
Self-supporting plastics
Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, Test Method for, **D635 (08.01)**
Self-supporting thermal insulation
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Self-sustained combustion
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Sellar's method
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**
Selvage
Measuring the Nominal Thickness of Geosynthetics, Test Method for, **D5199 (04.13)**
Selvedge edge wire
Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), Specification for, **A975 (01.06)**
SEM/EDX processing
Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**
Semi-automated methods
Sa **Automated procedures**
Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Semiautomated Method), Test Methods for, **D3270 (11.07)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke using a Semi-Automated Apparatus, Test Method for, **D7454 (05.04)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**
Semi-bright pickle treatment
Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, Practice for, **B879 (02.05)**
Semi-conducting materials
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
Longitudinal Measurement of Volume Resistivity for Extruded Crosslinked and Thermoplastic Semiconducting Conductor and Insulation Shielding Materials, Test Method for, **D6095 (10.02)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Semiconductor burnout
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**
Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**
Semiconductor clean rooms
Determination of Cycle Life of Automatic Valves for Gas Distribution System Components, Test Method for, **F1373 (10.04)**
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Determination of Oxygen Contribution by Gas Distribution Sys-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tem Components, Test Method for, **F1396 (10.04)**
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1375 (10.04)**
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**
Scanning Electron Microscope (SEM) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1372 (10.04)**
Sizing and Counting Airborne Particulate Contamination in Cleanrooms and Other Dust-Controlled Areas, Test Method for, **F25/F25M (15.03)**
Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, Practice for, **F91 (15.03)**

Semiconductor device testing
Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, Guide for, **F2113 (10.04)**
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**
Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, Guide for, **F1893 (10.04)**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**

Semiconductor lead-bonding devices
Fine Aluminum–1 % Silicon Wire for Semiconductor Lead-Bonding, Specification for, **F487 (10.04)**
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**

Semiconductors
See **Conductance and conductivity (electrical)**
See **Germanium—semiconductor applications**
See **Silicon semiconductors**

Semiconductors—water applications
Sa **Microelectronic device processing—water**
Alpha-Particle Spectrometry of Water, Practice for, **D3084 (11.02)**
On-Line Measurement of Residue After Evaporation of High-Purity Water, Test Method for, **D5544 (11.01)**

Semiconductor technology
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**

Semi-continuous activated sludge (SCAS)
See **Sludge**

Semi-crystalline materials
Sa **Crystal lattice structure**
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Assignment of the Glass Transition Temperature by Thermomechanical Analysis, Test Method for, **E1545 (14.02)**
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**

Semi-dense mineral fiber siding
Sa **Asbestos-cement**
Semidense Mineral Fiber Siding, Specification for, **C725 (04.05)**

Semi-flush manhole cover assembly
Sa **Manhole materials/applications—specifications**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Specification for, **F1142 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Hinged, Specification for, **F1144 (01.07)**

Semi-guided bend test
Bend Testing of Material for Ductility, Test Methods for, **E290 (03.01)**

Semi-insulating gallium arsenide
See **Gallium arsenide**

Semi-killed steel
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

Semi-micro color indicator titration
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**

Semiprocessed magnetic lamination-quality steel
Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types, Specification for, **A726 (03.04)**

Semiprocessed nonoriented electrical steel
Nonoriented Electrical Steel Fully Processed Types, Specification for, **A677 (03.04)**
Nonoriented Electrical Steel, Semiprocessed Types, Specification for, **A683 (03.04)**

Semiquantitative determination
Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, Test Method for, **D5984 (05.02)**
Semiquantitative Micro Determination of Acid Number of Lubricating Oils During Oxidation Testing, Test Method for, **D5770 (05.02)**

Semi-red brass (leaded casting)
See **UNS C84200 (cast semi-red brass)**

Semi-restraint method
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Semi-rigid plastics
Flexural Fatigue Properties of Plastics, Test Method for, **D7774 (08.03)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Preparation of Plastics and Polymeric Specimens for Microstructural Examination, Guide for, **E2015 (03.01)**

Semi-rigid thermal insulation
See **Block and board thermal insulation**

Semi-solid materials
Sa **Solid phase materials**
Density of Semi-Solid and Solid Bituminous Materials (Nickel Crucible Method), Test Method for, **D3289 (04.03)**
Density of Semi-Solid Bituminous Materials (Pycnometer Method), Test Method for, **D70 (04.03)**
Determining the Consistency of Viscous Liquids Using a Consistometer, Test Method for, **F1080 (15.03)**
Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, Test Method for, **D5232 (11.04)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
n-Heptane Insolubles, Test Method for, **D3279 (04.03)**
Penetration of Bituminous Materials, Test Method for, **D5/D5M (04.03)**
Residue of Specified Penetration, Test Method for, **D243 (04.03)**
Sampling Bituminous Materials, Practice for, **D140/D140M (04.03)**
Sampling Bituminous Paving Mixtures, Practice for, **D979/D979M (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Stress Crazing of Acrylic Plastics in Contact with Liquid or Semi-Liquid Compounds, Test Method for, **F484 (15.03)**

Semi-structural building applications
Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, Specification for, **D5319 (08.03)**

Semi-transparent materials
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**

Semivolatile organic compounds (SVOC)
Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**
Spraying, Sampling, Packaging, and Test Specimen Preparation of Spray Polyurethane Foam (SPF) Insulation for Testing of Emissions Using Environmental Chambers, Practice for, **D7859 (11.07)**
the Solid Phase Micro Extraction (SPME) of Water and its Headspace for the Analysis of Volatile and Semi-Volatile Organic Compounds, Practice for, **D6520 (11.02)**

Semi-volatile organic/inorganic compounds
Sa **Organic compounds—water**
Collection of Floor Dust for Chemical Analysis, Practice for, **D5438 (11.07)**
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**

Semi-volatile residue
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**

SEM (scanning electron microscopes)
See **Scanning electron microscope (SEM)**

Senarmont polarimeter
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Measuring Optical Retardation and Analyzing Stress in Glass, Test Method for, **F218 (15.02)**

Sensidyou tube
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**

Sensing circuit resistance/polarity
Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, Guide for, **E1350 (14.03)**

Sensitivity criterion/response
Calibrating Thin Heat Flux Transducers, Practice for, **C1130 (04.06)**
Compatibility and Sensitivity of Materials in Oxygen Enriched Atmospheres, Terminology Relating to the, **G126 (14.04)**
Conducting a Sensitivity Analysis for a Groundwater Flow Model Application, Guide for, **D5611 (04.08)**
Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, Test Method for, **G144 (14.04)**
Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, Test Method for, **G86 (14.04)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Evaluating Test Sensitivity for Rubber Test Methods, Practice for, **D6600 (09.01)**
Fabrication of Neutron Radiographic Sensitivity Indicators, Practice for, **E2023 (03.03)**
Fabrication of the Neutron Radiographic Beam Purity Indicators, Practice for, **E2003 (03.03)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**
Unconfined Compressive Strength of Cohesive Soil, Test Method for, **D2166/D2166M (04.08)**
Verifying Acoustic Emission Sensor Response, Practice for, **F2174 (10.03)**

Sensitivity indicator
Determining Image Quality in Direct Thermal Neutron Radiographic Examination, Test Method for, **E545 (03.03)**

Sensitization
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**
Evaluation of Delayed Contact Hypersensitivity Using the Murine Local Lymph Node Assay (LLNA), Practice for, **F2148 (13.01)**
Human Repeat Insult Patch Testing of Medical Gloves, Test Method for, **D6355 (09.02)**

Sensor coil
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**

Sensor head
Transducers, Pressure and Differential, Pressure, Electrical and Fiber-Optic, Specification for, **F2070 (01.07)**

Sensors
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Acoustic Emission Monitoring of Structures During Controlled Stimulation, Practice for, **E569/E569M (03.03)**
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Determination of Moisture in Plastics by Relative Humidity Sensor, Test Method for, **D7191 (08.03)**
Determining the Reproducibility of Acoustic Emission Sensor Response, Guide for, **E976 (03.03)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
In-Line, Full Flow, Inductive Sensor for Ferromagnetic and Nonferromagnetic Wear Debris Determination and Diagnostics for Aero-Derivative and Aircraft Gas Turbine Engine Bearings, Practice for, **D7685 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, Practice for, **C1046 (04.06)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Instrumentation, Sensors and Operating Software Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, Guide for, **E2439 (14.02)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**
Mounting Piezoelectric Acoustic Emission Sensors, Guide for, **E650/E650M (03.03)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**
Security Engineering Symbols, Practice for, **F967 (15.08)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**
Verifying Acoustic Emission Sensor Response, Practice for, **F2174 (10.03)**

Sensory analysis
Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, Guide for, **E1593 (15.08)**
Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, Guide for the, **D6165 (06.01)**
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Descriptive Analysis of Shampoo Performance, Guide for, **E2082 (15.08)**
Directional Difference Test, Test Method for, **E2164 (15.08)**
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Natural Gas Odor Intensity, Test Methods for, **D6273 (05.06)**
Sensory Analysis—Duo-Trio Test, Test Method for, **E2610 (15.08)**
Sensory Analysis—Triangle Test, Test Method for, **E1885 (15.08)**
Sensory Claim Substantiation, Guide for, **E1958 (15.08)**
Sensory Evaluation Methods to Determine the Sensory Shelf Life of Consumer Products, Guide for, **E2454 (15.08)**
Sensory Evaluation of Household Hard Surface-Cleaning Products with Emphasis on Spray Triggers, Guide for, **E2346/E2346M (15.08)**
Sensory Evaluation of Materials and Products, Terminology Relating to, **E253 (15.08)**
Sensory Evaluation of Products by Children and Minors, Guide for, **E2299 (15.08)**
Time-Intensity Evaluation of Sensory Attributes, Guide for, **E1909 (15.08)**
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**

Sensory analysis—foods and beverages
Bulk Sampling, Handling, and Preparing Edible Vegetable Oils for Sensory Evaluation, Practice for, **E1346 (15.08)**
Determination of Odor and Taste Thresholds By a Forced-Choice Ascending Concentration Series Method of Limits, Practice for, **E679 (15.08)**
Determining Effect of Packaging on Food and Beverage Products During Storage, Practice for, **E460 (15.08)**
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**
Sensory Evaluation of Beverages Containing Alcohol, Guide for, **E1879 (15.08)**
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**
Sensory Evaluation of Low Heat Chilies, Test Method for, **E1395 (15.08)**
Sensory Evaluation of Oleoresin Capsicum, Test Method for, **E1396 (15.08)**
Sensory Evaluation of Red Pepper Heat, Test Method for, **E1083 (15.08)**
Serving Protocol for Sensory Evaluation of Foods and Beverages, Guide for, **E1871 (15.08)**

Sensory analysis—odor
Cellulosic Fiber Loose-Fill Thermal Insulation, Specification for, **C739 (04.06)**
Detecting Residual Odor of Drycleaning Grade, Test Method for, **D4494 (15.05)**
Determination of Odor and Taste Thresholds By a Forced-Choice Ascending Concentration Series Method of Limits, Practice for, **E679 (15.08)**
Determination of the Odor of Adhesives, Test Method for, **D4339 (15.06)**
Evaluating Foreign Odors in Paper Packaging, Practice for, **E619 (15.08)**
Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications, Specification for, **C553 (04.06)**
Odor in Water, Test Method for, **D1292 (11.01)**
Odor of Petroleum Wax, Test Method for, **D1833 (05.01)**
Odor of Volatile Solvents and Diluents, Test Method for, **D1296 (06.04)**
Referencing Suprathreshold Odor Intensity, Practices for, **E544 (15.08)**
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**

Sensory attributes
Time-Intensity Evaluation of Sensory Attributes, Guide for, **E1909 (15.08)**

Sensory claim substantiation
Sensory Claim Substantiation, Guide for, **E1958 (15.08)**

Sensory evaluation
Sensory Evaluation Methods to Determine the Sensory Shelf Life of Consumer Products, Guide for, **E2454 (15.08)**
Two-Sample Acceptance and Preference Testing with Consumers, Guide for, **E2943 (15.08)**

Sensory test chamber construction
Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, Guide for, **E1593 (15.08)**

Separable connectors
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**

Separating recycled plastics
Separation and Washing of Recycled Plastics Prior to Testing, Practice for, **D6288 (08.03)**

Separation and collection—atmospheric analysis
Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), Test Method for, **D3266 (11.07)**
Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), Test Method for, **D3268 (11.07)**
Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), Test Method for, **D3267 (11.07)**

Separation of oil
Sa **Oil separation**
Measuring n-Heptane Induced Phase Separation of Asphaltene-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Containing Heavy Fuel Oils as Separability Number by an Optical Scanning Device, Test Method for, **D7061 (05.04)**

Separation processing/analysis
Determining Water Separation Characteristics of Kerosine-Type Aviation Turbine Fuels Containing Additives by Portable Separometer, Test Method for, **D7224 (05.04)**
Electrodeposition of the Actinides for Alpha Spectrometry, Practice for, **C1284 (12.01)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), Practice for, **E2154 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, Practice for, **E1412 (14.02)**

Separation rates
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**

Separator functioning
Operability of Zippers, Test Methods for, **D2062 (07.01)**

Separator materials
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**

Separators (in municipal waste treatment)
Composition or Purity of a Solid Waste Materials Stream, Test Method for, **E889 (11.04)**

Separatory funnels
Laboratory Glass Separatory Funnels, Specification for, **E1096 (14.04)**

Separometer test
Determining Water Separation Characteristics of Aviation Turbine Fuels by Portable Separometer, Test Method for, **D3948 (05.02)**

Septic tank systems
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields, Practice for, **F481 (08.04)**
Subsurface Site Characterization of Test Pits for On-Site Septic Systems, Practice for, **D5921 (04.09)**
Surface Site Characterization for On-Site Septic Systems, Practice for, **D5879 (04.09)**

Septic tank systems—specifications
Corrugated Polyethylene (PE) Pipe and Fittings, Specification for, **F405 (08.04)**
Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, Specification for, **D2729 (08.04)**
Precast Concrete Septic Tanks, Specification for, **C1227 (04.05)**

Sequence IIIG
Bench Oxidation of Engine Oils by ROBO Apparatus, Test Method for, **D7528 (05.04)**
Evaluation of Automotive Engine Oils in the Sequence IIIG, Spark-Ignition Engine, Test Method for, **D7320 (05.04)**

Sequence VG test
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**

Sequence VIB test
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIB Spark Ignition Engine, Test Method for, **D6837 (05.03)**

Sequence VID
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, Test Method for, **D7589 (05.04)**

Sequence VIII test
Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), Test Method for, **D6709 (05.03)**

Sequential batch extraction
Sequential Batch Extraction of Waste with Acidic Extraction Fluid, Test Method for, **D5284 (11.04)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**

Sequential flow analysis
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**

Sequential spectrometer
Sa **Spectrometry**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**

Sequestering agents
Determination of Nitrilotriacetates in Detergents, Test Method for, **D4954 (15.04)**

Serial numbers
Bicycle Serial Numbers, Specification for, **F2268 (15.07)**

Sericea
Ash in Biomass, Test Method for, **E1755 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**

Serological pipets
Serological Pipet, Disposable Plastic, Specification for, **E934 (14.04)**

Serpentine dimension stone
Serpentine Dimension Stone, Specification for, **C1526 (04.07)**

Serratia marcescens
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**

Serum
Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, Practice for, **E1536 (14.02)**
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Testing for Classical Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2567 (13.02)**

Serviceability
Linoleum Floor Tile, Specification for, **F2195 (15.04)**
Measuring Expansion of Intumescent Materials Used in Firestop and Joint Systems, Test Methods for, **E2786 (04.12)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Manageability, Classification for, **E1701 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Serviceability of an Office Facility for Structure and Building Envelope, Classification for, **E1700 (04.11)**
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**

Service communications channels
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**

Service environments
Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, Test Method for, **F519 (15.03)**
Pipeline Expansion Joints of the Packed Slip Type for Marine Application, Specification for, **F1007 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Service head adapter (SHA)
Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, Specification for, **F2509 (08.04)**
Service-induced surface breaking discontinuities
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**
Service Level I and/or II
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**
Service life processing/analysis
Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, Test Method for, **C1556 (04.02)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**
Preformed Retroreflective Pavement Marking Tape for Extended Service Life, Specification for, **D4505 (04.03)**
Statistical Analysis of Service Life Data, Guide for, **G166 (14.04)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Service liquid
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Service procedures
Installation and Service of Solar Domestic Water Heating Systems for One- and Two-Family Dwellings, Practice for, **E1056 (12.02)**
Service strength setting time
Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Test Method for, **C414 (04.05)**
Service time
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**
Serving protocol
Serving Protocol for Sensory Evaluation of Foods and Beverages, Guide for, **E1871 (15.08)**
Serving string
Archery Bowstring Component—Serving String Material, Test Methods for, **F1648 (15.07)**
Sessile bacteria population
See **Bacteria/bacterial control**
Set accelerator/retarder
Admixtures for Masonry Mortars, Specification for, **C1384 (04.05)**
Setaflash testers
Sa **Flash point**
Flash Point by Small Scale Closed Cup Tester, Test Methods for, **D3828 (05.02)**
Flash Point of Liquids by Small Scale Closed-Cup Apparatus, Test Methods for, **D3278 (06.01)**
Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, Test Method for, **D4206 (06.01)**
Set temperature
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Set test
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Setting blocks
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, Specification for, **E2203 (04.07)**
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**
Setting speed
Relative Setting of Heatset Printing Inks, Test Method for, **D6073 (06.02)**
Setting time
Sa **Curing characteristics**
Sa **Gel time**
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**
Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, Test Methods for, **C472 (04.01)**
Self-leveling Mortars Containing Hydraulic Cements, Test Methods for, **C1708/C1708M (04.02)**
Time of Setting of Concrete Mixtures by Penetration Resistance, Test Method for, **C403/C403M (04.02)**
Time of Setting of Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C953 (04.02)**
Time of Setting of Hydraulic Cement by Vicat Needle, Test Methods for, **C191 (04.01)**
Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle, Test Method for, **C807 (04.01)**
Time of Setting of Hydraulic-Cement Paste by Gillmore Needles, Test Method for, **C266 (04.01)**
Working, Initial Setting, and Service Strength Setting Times of Chemical-Resistant Resin Mortars, Test Methods for, **C308 (06.02)**
Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Test Method for, **C414 (04.05)**
Settled dust
Sa **Dust**
Collection of Settled Dust Samples Using Dry Wipe Sampling Methods for Subsequent Determination of Beryllium and Compounds, Practice for, **D7296 (11.07)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Settlement
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Evaluating Degree of Settling of Paint, Test Method for, **D869 (06.01)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**
One-Dimensional Swell or Collapse of Cohesive Soils, Test Methods for, **D4546 (04.08)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**
Settlement platforms
Installing and Operating Settlement Platforms for Monitoring Vertical Deformations, Guide for, **D6598 (04.09)**
Settling test
Evaluating Degree of Settling of Paint, Test Method for, **D869 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Settling Properties of Traffic Paints During Storage, Test Method for, **D1309 (06.02)**

Seven-wire strand (tendon)
Sa **Steel wire strand—specifications**
Evaluating Bond of Seven-Wire Steel Prestressing Strand, Test Method for, **A1081/A1081M (01.04)**
Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, Specification for, **A882/A882M (01.04)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, Specification for, **A886/A886M (01.04)**
Steel Strand, Uncoated Seven-Wire for Prestressed Concrete, Specification for, **A416/A416M (01.04)**

Severe exposure
Exposure of Firestop Materials to Severe Environmental Conditions, Test Method for, **E2785 (04.12)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Severe wastewater analysis testing apparatus—operating
Operating the Severe Wastewater Analysis Testing Apparatus, Practice for, **G210 (03.02)**

Severity check
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**

Sewage
Sa **Wastewater testing/treatment**
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**
Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, Test Method for, **D6139 (05.03)**

Sewage effluents
Sewage and Graywater Flow Through Treatment Systems, Specification for, **F2363/F2363M (01.07)**
Total Mercury in Water, Test Method for, **D3223 (11.01)**

Sewage sludge monitoring
Sa **Sludge**
Alkaline Stabilization of Wastewater Treatment Plant Residuals, Guide for, **D6249 (04.01)**
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**
Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, Test Method for, **D5210 (08.03)**
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**

Sewer
12 to 30 in. (300 to 750 mm) Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2762 (08.04)**
12 to 60 in. [300 to 1500 mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Gravity-Flow Storm Sewer and Subsurface Drainage Applications, Specification for, **F2306/F2306M (08.04)**
150 to 1500 mm 6 to 60 in. Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2947 (08.04)**
30 to 60 in. 750 to 1500 mm Polypropylene (PP) Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications, Specification for, **F2764/F2764M (08.04)**
Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector and CCTV Camera System, Practice for, **F3080 (04.12)**
Operation and Maintenance of Sewers with Optical Fiber Systems, Practice for, **F2462 (04.12)**
Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, Practice for, **F2561 (08.04)**
Sealing Lateral Connections and lines from the mainline Sewer Systems by the Lateral Packer Method, Using Chemical Grouting, Practice for, **F2454 (04.12)**

Sewerage treatment limes
Sa **Lime materials/applications**
Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses, Specification for, **C911 (04.01)**

Sewer brick
Concrete Masonry Units for Construction of Catch Basins and Manholes, Specification for, **C139 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**

Sewer fittings
Sa **Underground installation—water supply/distribution systems**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**
Type PSM Poly(Vinyl Chloride) (PVC) SDR 51 and SDR 64 Sewer Pipe and Fittings, Specification for, **F2658 (08.04)**

Sewerlines
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, Test Method for, **C1214 (04.05)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), Test Method for, **C1214M (04.05)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, Practice for, **F2561 (08.04)**
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**
Sealing of Sewers Using Chemical Grouting, Practice for, **F2304 (04.12)**
Selection of Gravity Sewers Suitable for Installation of Optical Fiber Cable and Conduits, Practice for, **F2303 (04.12)**
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**

Sewer manholes
Installing a Protective Cementitious Liner System in Sanitary Sewer Manholes, Practice for, **F2551 (04.12)**
Sealing Sewer Manholes Using Chemical Grouting, Practice for, **F2414 (04.12)**

Sewer manholes (concrete)
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1244 (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), Test Method for, **C1244M (04.05)**

Sewer pipe
12 to 30 in. (300 to 750 mm) Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, Specification for, **F2762 (08.04)**
Flexible Poly (Vinyl Chloride) (PVC) Gaskets used in Connection of Vitreous China Plumbing Fixtures to Sanitary Drainage Systems, Specification for, **A1045 (01.02)**
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Joints for Concrete Gravity Flow Sewer Pipe, Using Rubber Gaskets, Specification for, **C1628 (04.05)**
Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector and CCTV Camera System, Practice for, **F3080 (04.12)**
Locating Leaks in Sewer Pipes By Measuring the Variation of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electric Current Flow Through the Pipe Wall, Practice for, **F2550 (04.12)**
Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, Practice for, **F2561 (08.04)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**
Type PSM Poly(Vinyl Chloride) (PVC) SDR 51 and SDR 64 Sewer Pipe and Fittings, Specification for, **F2658 (08.04)**

Sewer pipe (aluminum alloy)
Aluminum Alloy Sheet for Corrugated Aluminum Pipe, Specification for, **B744/B744M (02.02)**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Corrugated Aluminum Pipe for Sewers and Drains, Specification for, **B745/B745M (02.02)**
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**

Sewer pipe (asbestos-cement)
Asbestos-Cement Nonpressure Sewer Pipe, Specification for, **C428/C428M (04.05)**
Asbestos-Cement Pressure Pipe, Specification for, **C296/C296M (04.05)**
Asbestos-Cement Storm Drain Pipe, Specification for, **C663 (04.05)**
Asbestos-Cement Underdrain Pipe, Specification for, **C508/C508M (04.05)**
Installing Asbestos-Cement Nonpressure Pipe, Guide for, **C966 (04.05)**
Linings for Asbestos-Cement Pipe, Specification for, **C541/C541M (04.05)**
Non-Asbestos Fiber-Cement Nonpressure Sewer Pipe, Specification for, **C1449/C1449M (04.05)**

Sewer pipe (concrete)
Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure, Test Method for, **C1618 (04.05)**
Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure (Metric), Test Method for, **C1618M (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1244 (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), Test Method for, **C1244M (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations, Practice for, **C1479 (04.05)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations (Metric), Practice for, **C1479M (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C1103 (04.05)**
Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C1103M (04.05)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**

Sewer pipe (concrete)—specifications
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, Specification for, **C877 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets, Specification for, **C443 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric), Specification for, **C443M (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, Specification for, **C1417 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), Specification for, **C1417M (04.05)**
Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe, Specification for, **C14 (04.05)**
Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe (Metric), Specification for, **C14M (04.05)**
Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe, Specification for, **C985 (04.05)**
Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C985M (04.05)**
Perforated Concrete Pipe, Specification for, **C444 (04.05)**
Perforated Concrete Pipe (Metric), Specification for, **C444M (04.05)**
Porous Concrete Pipe, Specification for, **C654 (04.05)**
Porous Concrete Pipe (Metric), Specification for, **C654M (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, Specification for, **C1433 (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers (Metric), Specification for, **C1433M (04.05)**
Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe, Specification for, **C506 (04.05)**
Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C506M (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C76 (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C76M (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe, Specification for, **C655 (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C655M (04.05)**
Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe, Specification for, **C507 (04.05)**
Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C507M (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, Specification for, **C923 (04.05)**
Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), Specification for, **C923M (04.05)**
Steel Fiber Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C1765 (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals, Specification for, **C1478 (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals (Metric), Specification for, **C1478M (04.05)**

Sewer pipe (steel)
Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, Practice for, **A807/A807M (01.06)**
Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A798/A798M (01.06)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**

Sewer pipe (steel)—specifications

Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**

Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains, Specification for, **A760/A760M (01.06)**

Corrugated Steel Pipe, Polymer Precoated for Sewers and Drains, Specification for, **A762/A762M (01.06)**

Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**

Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications, Specification for, **A888 (01.02)**

Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**

Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, Specification for, **A742/A742M (01.06)**

Sewer pipe (thermoplastic)

Insertion of Flexible Polyethylene Pipe Into Existing Sewers, Guide for, **F585 (08.04)**

Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**

Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits, Practice for, **F1947 (08.04)**

Installation of Folded/Formed Poly (Vinyl Chloride) (PVC) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Practice for, **F1867 (08.04)**

Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**

Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**

Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**

Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**

Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, Practice for, **D2321 (08.04)**

Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**

Sewer pipe (thermoplastic)—specifications

Sa **Thermoplastic pipe/tube/fittings—specifications**

"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, Specification for, **D3840 (08.03)**

"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe, Specification for, **D3754 (08.03)**

"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe, Specification for, **D3262 (08.03)**

30 to 60 in. 750 to 1500 mm Polypropylene (PP) Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications, Specification for, **F2764/F2764M (08.04)**

Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping, Specification for, **D2680 (08.04)**

Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings, Specification for, **D2751 (08.04)**

Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**

Cured-In-Place Thermosetting Resin Sewer Piping Systems, Specification for, **D5813 (08.03)**

Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F477 (08.04)**

Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, Specification for, **F1504 (08.04)**

Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Specification for, **F1871 (08.04)**

Glass-Fiber-Reinforced Polyester Manholes and Wetwells, Specification for, **D3753 (08.03)**

Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals, Specification for, **D3212 (08.04)**

Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**

Poly (Vinyl Chloride)(PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F1803 (08.04)**

Poly (Vinyl Chloride)(PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits, Specification for, **F1735 (08.04)**

Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**

Poly(Vinyl Chloride) (PVC) Gasketed Sewer Fittings, Specification for, **F1336 (08.04)**

Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings, Specification for, **F679 (08.04)**

Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter, Specification for, **F794 (08.04)**

Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**

Poly(Vinyl Chloride) (PVC) Sewer and Drain Pipe Containing Recycled PVC Material, Specification for, **F1732 (08.04)**

Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, Specification for, **D2729 (08.04)**

Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe, Specification for, **F894 (08.04)**

Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter, Specification for, **D2239 (08.04)**

Smooth-Wall Poly(Vinyl Chloride) (PVC) Plastic Underdrain Systems for Highway, Airport, and Similar Drainage, Specification for, **F758 (08.04)**

Styrene-Rubber (SR) Plastic Drain Pipe and Fittings, Specification for, **D2852 (08.04)**

Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**

Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F913 (08.04)**

Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, Specification for, **D3034 (08.04)**

Sewers

Composite Corrugated Steel Pipe for Sewers and Drains, Specification for, **A1042/A1042M (01.06)**

Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains, Specification for, **C1504 (04.05)**

Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric), Specification for, **C1504M (04.05)**

Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**

Rehabilitation of Existing Sewers and Conduits with Deformed Polyethylene (PE) Liner, Practice for, **F1606 (08.04)**

Sewing machine stitches

Seams and Stitches Used in Home Sewing, Terminology Relating to, **D5646 (07.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sewing thread
Determining Ticket Numbers for Sewing Threads, Practice for, **D3823 (07.01)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Labeled Length per Holder of Sewing Thread, Specification for, **D3693 (07.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Sewn products pattern data interchange
Data Exchange Format for Sewn Product Plotting Devices, Practice for, **D6959 (07.02)**
Sewn Products Marker Data Interchange, Practice for, **D7331 (07.02)**
Sewn Products Pattern Data Interchange—Data Format, Practice for, **D6673 (07.02)**
Sewn seams
Failure in Sewn Seams of Woven Apparel Fabrics, Test Method for, **D1683/D1683M (07.01)**
Retained Sewn Seam Strength After Exposures to Hot Air and Open Flame, Specification for, **D7571 (07.02)**
Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**
Sew-through flange buttons
Impact Resistance of Plastic Sew-Through Buttons, Test Method for, **D5171 (07.02)**
Tension Strength of Sew-Through Flange Buttons, Test Method for, **D6644 (07.02)**
Sex offender examination
Clinical Psychophysiological Detection of Deception (PDD) Examinations for Sex Offenders, Guide for, **E2080 (14.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders, Guide for, **E2162 (14.02)**
Minimum Training Requirements for Examiners Conducting Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders in Treatment, Probation or Other Similar Programs, Guide for, **E2163 (14.02)**
Sextant measurement
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**
Sexual assault investigations
Clinical Psychophysiological Detection of Deception (PDD) Examinations for Sex Offenders, Guide for, **E2080 (14.02)**
Microcrystal Testing in Forensic Analysis of Phencyclidine and Its Analogues, Guide for, **E2125 (14.02)**
Preparation of Laboratory Analysis Requests in Sexual Assault Investigations, Specifications for, **E2057 (14.02)**
Sexual Assault Investigation, Examination, and Evidence Collection, Guide for, **E1843 (14.02)**
Specification for Equipment and Supplies in Sexual Assault Investigations, Practice for, **E2124 (14.02)**
Transmittal of Evidence in Sexual Assault Investigation, Practice for, **E2123 (14.02)**
Sexual reproduction
Conducting Sexual Reproduction Tests with Seaweeds, Guide for, **E1498 (11.06)**
SFC (supercritical fluid chromatography)
Determination of Olefin Content of Gasolines by Supercritical-Fluid Chromatography, Test Method for, **D6550 (05.03)**
Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, Test Method for, **D5186 (05.02)**
Purity of Carbon Dioxide Used in Supercritical Fluid Applications, Guide for, **E1747 (03.06)**
Supercritical Fluid Chromatography Terms and Relationships, Guide for, **E1449 (03.06)**
Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, Practice for, **E594 (03.06)**
SFE/SFC applications
Purity of Carbon Dioxide Used in Supercritical Fluid Applications, Guide for, **E1747 (03.06)**
SFRMs (sprayed fire-resistive materials)
See **Sprayed fire-resistive materials (SFRMs)**
Shackles
Padlocks, Performance Specification for, **F883 (15.08)**
Shade difference
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Shadow correction
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**
Shaftliner
Glass Mat Gypsum Panels, Specification for, **C1658/C1658M (04.01)**
Shafts
Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, Specification for, **A291/A291M (01.05)**
Shake extraction
Sa **Leachates/leaching**
Shake Extraction of Mining Waste by the Synthetic Precipitation Leaching Procedure, Test Method for, **D6234 (11.04)**
Shake Extraction of Solid Waste with Water, Practice for, **D3987 (11.04)**
Shakes
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Performance of Self-Contained Soft Serve and Shake Machines, Test Method for, **F2795 (15.12)**
Shakes/slates
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Shake test
Foaming Tendencies of Engine Coolants at Room Temperature, Test Method for, **D4921 (15.05)**
Shale
Sa **Brick—specifications**
Building Brick (Solid Masonry Units Made From Clay or Shale), Specification for, **C62 (04.05)**
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**
Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, Specification for, **C126 (04.05)**
Chemical-Resistant Masonry Units, Specification for, **C279 (04.05)**
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Facing Brick (Solid Masonry Units Made from Clay or Shale), Specification for, **C216 (04.05)**
Hollow Brick (Hollow Masonry Units Made From Clay or Shale), Specification for, **C652 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Industrial Floor Brick, Specification for, **C410 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Slake Durability of Shales and Similar Weak Rocks, Test Method for, **D4644 (04.08)**
Splitting Tensile Strength of Masonry Units, Test Method for, **C1006 (04.05)**
Structural Clay Facing Tile, Specification for, **C212 (04.05)**
Structural Clay Load-Bearing Wall Tile, Specification for, **C34 (04.05)**
Structural Clay Nonloadbearing Screen Tile, Specification for, **C530 (04.05)**
Structural Clay Nonloadbearing Tile, Specification for, **C56 (04.05)**
Thin Veneer Brick Units Made From Clay or Shale, Specification for, **C1088 (04.05)**
Use of Expanded Shale, Clay and Slate (ESCS) as a Mineral Component in the Growing Media and the Drainage Layer for Vegetative (Green) Roof Systems, Specification for, **E2788 (04.04)**
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**

Shallow depth test
In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth), Test Method for, **D6938 (04.09)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**

Shampoo
Descriptive Analysis of Shampoo Performance, Guide for, **E2082 (15.08)**

Shampoo insecticides
Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, Test Method for, **E1517 (11.05)**

Shanks
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**

Shape characteristics
Automatic Particle Counting and Particle Shape Classification of Oils Using a Direct Imaging Integrated Tester, Test Method for, **D7596 (05.04)**
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Measuring Shape Characteristics of Tin Mill Products, Practice for, **A987/A987M (01.06)**

Shaped wire compact aluminum electrical conductors
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**

Shape memory alloys (SMA)
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Finite Element Analysis (FEA) of Metallic Vascular Stents Subjected to Uniform Radial Loading, Guide for, **F2514 (13.02)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**

Shaping
Aluminum Alloy Extrusions Press Cooled from an Elevated Temperature Shaping Process for Production of T1, T2, T5 and T10–Type Tempers, Practice for, **B945 (02.02)**
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**

Sharp cut-on filter technique
Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, Practice for, **G178 (14.04)**

Sharp impact testing
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**

Sharpness
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**

Sharps disposal
Puncture Resistance of Materials Used in Containers for Discarded Medical Needles and Other Sharps, Specification for, **F2132 (13.01)**

Sharp-tool impacts
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

Shatter test
Drop Shatter Test for Coal, Test Method of, **D440 (05.06)**
Drop Shatter Test for Coke, Test Method for, **D3038 (05.06)**

Shear cling
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**

Shear displacement
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**

Shear distortion
Shear Properties of Sandwich Core Materials, Test Method for, **C273/C273M (15.03)**
Structural Panels in Planar Shear (Rolling Shear), Test Methods for, **D2718 (04.10)**

Sheared edge
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

Shearing disk (Mooney) viscometer
See **Viscometers—Mooney**

Shear instability
Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications, Test Method for, **D3364 (08.02)**

Shear load
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Conducting Strength Tests of Masonry Wall Panels, Test Methods for, **C1717 (04.05)**

Shear modulus
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Test Method for, **C1548 (15.01)**
Determining the Complex Shear Modulus (G*) Of Bituminous Mixtures Using Dynamic Shear Rheometer, Test Method for, **D7552 (04.03)**
Determining the Permanent Shear Strain and Complex Shear Modulus of Asphalt Mixtures Using the Superpave Shear Tester (SST), Test Method for, **D7312 (04.03)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Impulse Excitation of Vibration, Test Method for, **E1876 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Sonic Resonance, Test Method for, **E1875 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Shear Modulus of Wood-Based Structural Panels, Test Method for, **D3044 (04.10)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Shear Properties of Sandwich Core Materials, Test Method for, **C273/C273M (15.03)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Young's Modulus, Shear Modulus, and Poisson's Ratio for Glass and Glass-Ceramics by Resonance, Test Method for, **C623 (15.02)**
Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance, Test Method for, **C848 (15.02)**

Shearographic/holographic (D/H) systems
Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, Practice for, **F1364 (09.02)**

Shearography
Shearography of Polymer Matrix Composites, Sandwich Core Materials and Filament-Wound Pressure Vessels in Aerospace Applications, Practice for, **E2581 (03.03)**

Shear-rate-dependent adhesives
Apparent Viscosity of Adhesives Having Shear-Rate-Dependent Flow Properties Using Rotational Viscometry, Test Method for, **D2556 (15.06)**

Shear stability
Calculation of Permanent Shear Stability Index, Practice for, **D6022 (05.02)**
Determining the Effect of Fluid Selection on Hydraulic System or Component Efficiency, Practice for, **D7721 (05.04)**
Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), Test Method for, **D6709 (05.03)**
Roll Stability of Lubricating Grease, Test Method for, **D1831 (05.01)**
Shear Stability of Lubricating Grease in Presence of Water (Water Stability Test), Test Method for, **D7342 (05.04)**
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus at 30 and 90 Cycles, Test Method for, **D7109 (05.04)**
Sonic Shear Stability of Hydraulic Fluids, Test Method for, **D5621 (05.02)**

Shear strain
Determining the Permanent Shear Strain and Complex Shear Modulus of Asphalt Mixtures Using the Superpave Shear Tester (SST), Test Method for, **D7312 (04.03)**

Shear stress
Core Shear Properties of Sandwich Constructions by Beam Flexure, Test Method for, **C393/C393M (15.03)**
Determining Damage-Based Design Stress for Glass Fiber Reinforced Plastic (GFRP) Materials Using Acoustic Emission, Practice for, **E2478 (03.03)**
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, Test Methods for, **D7836 (06.01)**
Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**
Performance Testing of Articulating Concrete Block (ACB) Revetment Systems for Hydraulic Stability in Open Channel Flow, Test Method for, **D7277 (04.09)**
Shear Fatigue of Sandwich Core Materials, Test Method for, **C394/C394M (15.03)**
Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, Practice for, **E2207 (03.01)**

Shear testing
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Drop-Weight Tear Tests of Ferritic Steels, Test Method for, **E436 (03.01)**
Load Testing Refractory Shapes at High Temperatures, Test Method for, **C16 (15.01)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Shear Properties of Composite Materials by V-Notched Rail Shear Method, Test Method for, **D7078/D7078M (15.03)**
Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners, Test Method for, **D5169 (07.02)**
Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Test Method for, **C1292 (15.01)**
Shear Testing of Aluminum Alloys, Test Method for, **B769 (02.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Ultrasonic Examination of Turbine-Generator Steel Retaining Rings, Practice for, **A531/A531M (01.05)**
Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**

Shear testing—adhesives
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), Test Method for, **D1002 (15.06)**
Apparent Viscosity of Adhesives Having Shear-Rate-Dependent Flow Properties Using Rotational Viscometry, Test Method for, **D2556 (15.06)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Determining Adhesive Shear Strength of Carpet Adhesives, Test Method for, **D6004 (15.06)**
Determining Durability of Adhesive Joints Stressed in Shear by Tension Loading, Test Method for, **D2919 (15.06)**
Determining Strength Development of Adhesive Bonds, Practice for, **D1144 (15.06)**
Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, Test Method for, **D3163 (15.06)**
Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, Test Method for, **D3931 (15.06)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Fatigue Properties of Adhesives in Shear by Tension Loading (Metal/Metal), Test Method for, **D3166 (15.06)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Heat-Fail Temperature in Shear of Hot Melt Adhesives, Test Method for, **D4498 (15.10)**
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen, Test Method for, **D3983 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Multi-Modal Strength Testing of Autohesives (Contact Adhesives), Test Methods for, **D1995 (15.06)**
Reinforced Epoxy Resin Gas Pressure Pipe and Fittings, Specification for, **D2517 (08.03)**
Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, Test Method for, **D4501 (15.06)**
Shear Strength of Adhesives Using Pin-and-Collar Specimen, Test Method for, **D4562 (15.06)**
Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings, Specification for, **D2235 (08.04)**
Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings, Specification for, **F493 (08.04)**
Solvent Cements for Poly(Vinyl Chloride) (PVC) Plastic Piping Systems, Specification for, **D2564 (08.04)**
Solvent Cements for Styrene-Rubber (SR) Plastic Pipe and Fittings, Specification for, **D3122 (08.04)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**
Strength Properties of Adhesive Bonds in Shear by Compression Loading, Test Method for, **D905 (15.06)**
Strength Properties of Adhesively Bonded Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading, Test Method for, **D3164 (15.06)**
Strength Properties of Adhesives in Plywood Type Construction in Shear by Tension Loading, Test Method for, **D906 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), Test Method for, **D2295 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies, Test Method for, **D3165 (15.06)**
Strength Properties of Adhesives in Two-Ply Wood Construction in Shear by Tension Loading, Test Method for, **D2339 (15.06)**
Strength Properties of Double Lap Shear Adhesive Joints by Tension Loading, Test Method for, **D3528 (15.06)**
Strength Properties of Tissue Adhesives in Lap-Shear by Tension Loading, Test Method for, **F2255 (13.01)**
Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, Test Method for, **F2256 (13.01)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, Test Method for, **D6463/D6463M (15.10)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Shear testing—aerospace materials
Bond Integrity of Transparent Laminates, Test Methods for, **F521 (15.03)**
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
Shear Fatigue of Sandwich Core Materials, Test Method for, **C394/C394M (15.03)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Shear Properties of Sandwich Core Materials, Test Method for, **C273/C273M (15.03)**
Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, Test Method for, **F1362 (15.03)**
Shear Strength of Fusion Bonded Polycarbonate Aerospace Glazing Material, Test Method for, **F734 (15.03)**
Short-Beam Strength of Polymer Matrix Composite Materials and Their Laminates, Test Method for, **D2344/D2344M (15.03)**

Shear testing—aggregate/bituminous materials
Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, Test Method for, **D4957 (04.03)**
Compaction and Shear Properties of Bituminous Mixtures by Means of the U.S. Corps of Engineers Gyratory Testing Machine (GTM), Test Method for, **D3387 (04.03)**

Shear testing—aluminum alloys
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**
Shear Testing of Aluminum Alloys, Test Method for, **B769 (02.02)**
Shear Testing of Aluminum and Aluminum-Alloy Rivets and Cold-Heading Wire and Rods, Test Method for, **B565 (02.02)**
Shear Testing of Thin Aluminum Alloy Products, Test Method for, **B831 (02.02)**

Shear testing—building materials
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings, Test Methods for, **E2126 (04.12)**
Dead Load Resistance of a Sealant in Elevated Temperatures, Test Method for, **C1367 (04.07)**
Determining Strength Capacities of Structural Insulated Panels, Test Methods for, **E1803 (04.11)**
Diagonal Tension (Shear) in Masonry Assemblages, Test Method for, **E519/E519M (04.05)**
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**
In Situ Measurement Of Masonry Mortar Joint Shear Strength Index, Test Methods for, **C1531 (04.05)**
Lap Shear Strength of Sealants, Test Method for, **C961 (04.07)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1277 (01.02)**
Static Load Test for Shear Resistance of Framed Walls for Buildings, Practice for, **E564 (04.11)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**

Shear testing—ceramics
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, Test Method for, **C1469 (15.01)**
Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance, Test Method for, **C848 (15.02)**

Shear testing—composites
Determining Apparent Overlap Splice Shear Strength Properties of Wet Lay-Up Fiber-Reinforced Polymer Matrix Composites Used for Strengthening Civil Structures, Test Method for, **D7616/D7616M (15.03)**
In-Plane Shear Properties of Polymer Matrix Composite Materials by the Rail Shear Method, Test Method for, **D4255/D4255M (15.03)**
In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate, Test Method for, **D3518/D3518M (15.03)**
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Recording Mechanical Test Data of Fiber-Reinforced Composite

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Materials in Databases, Guide for, **E1434 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Shear testing—concrete
Determining the Shear Strength Between Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6916 (04.13)**
Steel Stud Assemblies for Shear Reinforcement of Concrete, Specification for, **A1044/A1044M (01.04)**

Shear testing—geosynthetics
Determining the Internal and Interface Shear Strength of Geosynthetic Clay Liner by the Direct Shear Method, Test Method for, **D6243/D6243M (04.13)**
Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, Test Method for, **D5321/D5321M (04.13)**

Shear testing—medical materials/applications
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Static Evaluation of Glenoid Locking Mechanism in Shear, Test Method for, **F1829 (13.01)**

Shear testing—metals/alloys
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**

Shear testing—paints/related coatings/materials
Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer, Test Method for, **D562 (06.01)**
Measurement of Barnacle Adhesion Strength in Shear, Test Method for, **D5618 (06.02)**
Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, Test Methods for, **D2196 (06.01)**
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**

Shear testing—petroleum products
Calculation of Permanent Shear Stability Index, Practice for, **D6022 (05.02)**
Defining the Viscosity Characteristics of Hydraulic Fluids, Practice for, **D6080 (05.02)**
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**
Fuel Injector Shear Stability Test (FISST) for Polymer Containing Fluids, Test Method for, **D5275 (05.02)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Measuring Apparent Viscosity at High-Temperature and High-Shear Rate by Multicell Capillary Viscometer, Test Method for, **D5481 (05.02)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus, Test Method for, **D6278 (05.03)**
Shear Viscosity of Coal-Tar and Petroleum Pitches, Test Method for, **D5018 (05.02)**
Sonic Shear Stability of Hydraulic Fluids, Test Method for, **D5621 (05.02)**
Sonic Shear Stability of Polymer-Containing Oils, Test Method for, **D2603 (05.01)**

Shear testing—plastics
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Destructive Shear Testing of Ball Bonds, Test Methods for, **F1269 (10.04)**
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**
In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod, Test Method for, **D3914 (08.02)**
In-Plane Shear Strength of Reinforced Plastics, Test Method for, **D3846 (08.02)**
Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, Test Method for, **D5422 (08.03)**
Plastics: Dynamic Mechanical Properties: In Torsion, Test Method for, **D5279 (08.03)**
Shear Strength of Plastics by Punch Tool, Test Method for, **D732 (08.01)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**

Shear testing—rock
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
Laboratory Determination of Pulse Velocities and Ultrasonic Elastic Constants of Rock, Test Method for, **D2845 (04.08)**
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**

Shear testing—roofing materials
Asphalt Roof Coatings—Asbestos-Free, Specification for, **D4479/D4479M (04.04)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**

Shear testing—rubber products
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**

Shear testing—shear modulus
See **Shear modulus**

Shear testing—soil
Consolidated Undrained Direct Simple Shear Testing of Cohesive Soils, Test Method for, **D6528 (04.09)**
Crosshole Seismic Testing, Test Methods for, **D4428/D4428M (04.08)**
Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, Test Method for, **D5321/D5321M (04.13)**
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Direct Shear Test of Soils Under Consolidated Drained Conditions, Test Method for, **D3080/D3080M (04.08)**
Field Vane Shear Test in Cohesive Soil, Test Method for, **D2573 (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**
Torsional Ring Shear Test to Determine Drained Fully Softened Shear Strength and Nonlinear Strength Envelope of Cohesive Soils (Using Normally Consolidated Specimen) for Slopes with No Preexisting Shear Surfaces, Test Method for, **D7608 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**
Unconfined Compressive Strength of Cohesive Soil, Test Method for, **D2166/D2166M (04.08)**
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**

Shear testing—wood products
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, Specification for, **D5055 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
Structural Panels in Planar Shear (Rolling Shear), Test Methods for, **D2718 (04.10)**
Structural Panels in Shear Through-the-Thickness, Test Methods for, **D2719 (04.10)**

Shear thinning
Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, Test Methods for, **D2196 (06.01)**

Shear waves
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**

Shear waves (for ultrasonic testing)
Sa **Ultrasonic testing**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**

Sheath adherence
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Sheathed thermocouples
Sa **Thermocouples—specifications**
Measuring the Insulation Resistance of Mineral-Insulated, Metal-Sheathed Thermocouples and Thermocouple Cable at Room Temperature, Test Method for, **E780 (14.03)**
Sheathed Thermocouples and Sheathed Thermocouple Cable, Test Methods for, **E839 (14.03)**

Sheathed thermocouples—specifications
Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, Specification for, **E585/E585M (14.03)**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**

Sheath integrity
Sheathed Thermocouples and Sheathed Thermocouple Cable, Test Methods for, **E839 (14.03)**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**

Sheath repair
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**

Sheaths/sheathing
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Sheaths/sheathing—specifications
Application of Exterior Gypsum Panel Products for Use as Sheathing, Specification for, **C1280 (04.01)**
Clinical Thermometer Probe Covers and Sheaths, Specification for, **E1104 (13.01)**
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**
Gypsum Board, Specification for, **C1396/C1396M (04.01)**

Sheen
Bulk Density of Granular Refractory Materials, Test Method for, **C357 (15.01)**
Evaluating Touch-Up Properties of Architectural Coatings under Various Environmental Conditions, Practice for, **D7489 (06.02)**
Evaluation of Gloss or Sheen Uniformity, Test Method for, **D3928 (06.02)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Specular Gloss, Test Method for, **D523 (06.01)**

Sheep RBC (red blood cells)
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**

Sheepshead minnows
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**

Sheepskin skiver test
Color Tests with Sheepskin Skiver, Practice for, **D6409 (15.04)**

Sheet and film
Sa **Plastic sheet and film**
Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, Test Method for, **D952 (08.01)**
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**
Sheet Materials for Curing Concrete, Specification for, **C171 (04.02)**
Water Loss from a Mortar Specimen Through Liquid Membrane-Forming Curing Compounds for Concrete, Test Method for, **C156 (04.02)**

Sheet and liquid-applied roofing material
Testing Elastomeric and Plastomeric Roofing and Waterproofing Materials, Index of Methods for, **D3105 (04.04)**

Sheet (copper)
See **Copper alloy plate/sheet/strip/rolled bar—specifications**

Sheet flooring
Sa **Flooring/floor covering systems—specifications**
Sheet Linoleum Floor Covering, Specification for, **F2034 (15.04)**

Sheet gasket material
Sa **Gaskets**
Density of a Sheet Gasket Material, Test Method for, **F1315 (09.02)**
Rubber Sheet Gaskets, Specification for, **D1330 (09.02)**
Sealability of Sheet, Composite, and Solid Form-in-Place Gasket Materials, Test Method for, **F2378 (09.02)**

Sheet-gasket materials
Compressibility and Recovery of Gasket Materials, Test Method for, **F36 (09.02)**

Sheeting
Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, Practice for, **F1482 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**

Sheet lining
See **Plastic-lined ferrous metal pipe/fittings/flanges—specifications**

Sheet materials (general)
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Applied Weight Per Unit Area of Liquid Adhesive, Practice for, **D899 (15.06)**
Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, Practice for, **D4787 (06.02)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), Test Method for, **G34 (03.02)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, Test Method for, **E903 (12.02)**
Solar Energy Transmittance and Reflectance (Terrestrial) of Sheet Materials, Test Methods for, **E424 (12.02)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**
Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, Test Method for, **E1084 (12.02)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Use of Test Methods, Practice for, **E2321 (04.12)**
Water Vapor Transmission of Materials, Test Methods for, **E96/E96M (04.06)**

Sheet materials (general)—electrical insulating
Ignition of Materials by Hot Wire Sources, Test Method for, **D3874 (10.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**
Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, Specification for, **D710 (10.01)**

Sheet materials (general)—paper
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**

Sheet metal
Adherence of Porcelain Enamel Coatings to Sheet Metal, Test Method for, **B916 (02.05)**
Coating Flexibility of Prepainted Sheet, Test Method for, **D4145 (06.02)**
Evaluating Springback of Sheet Metal Using the Demeri Split Ring Test, Test Method for, **E2492 (03.01)**
Lead-Coated Copper Sheet and Strip for Building Construction, Specification for, **B101 (02.01)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Plastic Strain Ratio, Test Method for, **E517 (03.01)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**

Sheet piling
Sa **Structural steel (SS) piles—specifications**
Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, Specification for, **A950/A950M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**

Sheet radiant barrier
Sheet Radiant Barriers for Building Construction Applications, Specification for, **C1313/C1313M (04.06)**

Sheet resistance
Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, Practice for, **F1844 (10.04)**
Sheet Resistance of Thin Metallic Films With a Collinear Four-Probe Array, Test Method for, **F390 (10.04)**

Sheet roofing/siding
Sa **Roofing membranes**
Ketone Ethylene Ester Based Sheet Roofing, Specification for, **D6754/D6754M (04.04)**
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**
Poly(Vinyl Chloride) Sheet Roofing, Specification for, **D4434/D4434M (04.04)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**

Sheets (for beds)
See **Beds**

Sheets (hospital)
See **Rubber medical/surgical applications**

Sheet steel
Sa **Steel sheet/strip**
Sa **Steel strip**
Cold Formed Carbon Structural Steel Tubing Made from Metallic Precoated Sheet Steel, Specification for, **A1076/A1076M (01.01)**

Sheet thermal insulation—specifications
Sa **Thermal insulating materials—specifications**
Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, Specification for, **C1427 (04.06)**
Perpendicularly Oriented Mineral Fiber Roll and Sheet Thermal Insulation for Pipes and Tanks, Specification for, **C1393 (04.06)**
Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, Specification for, **C534/C534M (04.06)**

Sheet vinyl flooring
Sa **Resilient flooring**
Sheet Vinyl Floor Covering with Backing, Specification for, **F1303 (15.04)**
Static Load Limit, Test Method for, **F970 (15.04)**

Shelby tube
Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, Practice for, **D1587 (04.08)**

Shelf life
Determination of Expiration Dating for Medical Gloves, Practice for, **D7160 (09.02)**
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Identification of Shelf-life Test Attributes for Endovascular Devices, Guide for, **F2914 (13.02)**
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Selection of Time-Temperature Indicators, Guide for, **F1416 (15.10)**
Sensory Evaluation Methods to Determine the Sensory Shelf Life of Consumer Products, Guide for, **E2454 (15.08)**
Testing the Shelf Life of Ink Jet Printer Cartridges, Practice for, **F2734 (15.09)**

Shelf life Q_{10}
Accelerated Aging of Sterile Barrier Systems for Medical Devices, Guide for, **F1980 (15.10)**

Shellac
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Shellac Varnishes, Specification for, **D360 (06.03)**

Shell cup(s)
Viscosity by Dip-Type Viscosity Cups, Test Method for, **D4212 (06.01)**

Shellfish
Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, Guide for, **F1736 (12.02)**

Shellfish growing waters
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**

Shelling
Automated Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D7257 (15.10)**
Manual Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D3481 (15.10)**

Shelters—specifications
Sa **Tactical shelters**
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Shelter, Electrical Equipment S-250/G, Specification for, **E1974 (04.11)**
Shelter, Electrical Equipment, Lightweight, Specification for, **E2377 (04.12)**
Shelter, Electrical, Equipment S-280/G, Specification for, **E1975 (04.11)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**

Shielded cell facilities
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Materials Handling Equipment for Hot Cells, Guide for, **C1554 (12.01)**

Shirelded couplings—specifications
Sa **Couplings—specifications**
Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1540 (01.02)**
Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1277 (01.02)**
Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground, Specification for, **C1460 (01.02)**
Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and Fittings, Specification for, **C1541 (01.02)**

Shielded eddy current probes
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**

Shielding
Control of Hazards and Risks in Oxygen Enriched Systems, Guide for, **G128 (14.04)**
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, Test Method for, **F2522 (10.03)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Shielding cable
Sa **Electrical shielding cable—specifications**
Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, Specification for, **B736 (02.02)**

Shielding effectiveness
Determining the Effectiveness of Membrane Switch ESD Shielding, Test Method for, **F1812 (10.04)**
Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, Test Method for, **F2522 (10.03)**
Electromagnetic Shielding Effectiveness of Durable Rigid Wall Relocatable Structures, Test Method for, **E1851 (04.11)**
Magnetic Shield Efficiency in Attenuating Alternating Magnetic Fields, Test Method for, **A698/A698M (03.04)**
Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, Test Method for, **D4935 (10.02)**

Shifting synchronization
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**

Shift time
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**

Shims
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**

Shingle nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Shingles
Sa **Asbestos-cement**
Sa **Roofing materials/applications**
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing, Test Methods for, **D228/D228M (04.04)**
Wind Resistance of Asphalt Shingles (Uplift Force/Uplift Resistance Method), Test Method for, **D7158/D7158M (04.04)**
Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), Test Method for, **D3161/D3161M (04.04)**

Shingles—specifications
Asbestos-Cement Roofing Shingles, Specification for, **C222 (04.05)**
Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules, Specification for, **D3462/D3462M (04.04)**
Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, Specification for, **D4869/D4869M (04.04)**
Class A Asphalt Shingles Surfaced with Mineral Granules, Specification for, **D3018/D3018M (04.04)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**

Shipboard fire management
Construction of Fire and Foam Station Cabinets, Specification for, **F1333 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Shipboard Fixed Foam Firefighting Systems, Test Method for, **F1994 (01.07)**

Shipboard generated waste
Shipboard Generated Waste Management Audits, Guide for, **F1799 (01.07)**

Shipboard generator/motor
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Ordering Low Voltage (1000 VAC or Less) Alternating Current Electric Motors for Shipboard Service—Up to and Including Motors of 500 Horsepower, Guide for, **F2361 (01.07)**

Shipboard generator/motor—general purpose
Ordering Low Voltage (1000 VAC or Less) Alternating Current Electric Motors for Shipboard Service—Up to and Including Motors of 500 Horsepower, Guide for, **F2361 (01.07)**

Shipboard generator/motor—multi-speed
Ordering Low Voltage (1000 VAC or Less) Alternating Current Electric Motors for Shipboard Service—Up to and Including Motors of 500 Horsepower, Guide for, **F2361 (01.07)**

Shipboard generator/motor—polyphase
Ordering Low Voltage (1000 VAC or Less) Alternating Current Electric Motors for Shipboard Service—Up to and Including Motors of 500 Horsepower, Guide for, **F2361 (01.07)**

Shipboard information technology platform (SITP)
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**

Shipboard insulating materials
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**

Shipboard management
Digital Communication Protocols for Computerized Systems, Guide for, **F1757 (01.07)**
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**

Shipboard materials/applications—specifications
Sa **Marine systems/subsystems/equipment—specifications**
Automatic Shut-Off Valves (Also Known as Excess Flow Valves, EFV) for Air or Nitrogen Service, Specification for, **F1793 (01.07)**
Chest of Drawers (Chiffonier), Steel, Marine, Specification for, **F822 (01.07)**
Desk, Log, Marine, Steel, with Cabinet, Specification for, **F823 (01.07)**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Furniture, Marine, Specification for, **F782 (01.07)**
Doors, Non-Tight, for Marine Use, Specification for, **F1070 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**
Drawers, Furniture, Marine, Steel, Specification for, **F825 (01.07)**
Flashlights on Vessels, Specification for, **F1014 (01.07)**
Hand-Operated, Globe-Style Valves for Gas (Except Oxygen Gas) and Hydraulic Systems, Specification for, **F1794 (01.07)**
Insulation Monitors for Shipboard Electrical Systems Metric, Specification for, **F1669M (01.07)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Searchlights on Motor Lifeboats, Specification for, **F1003 (01.07)**
Selection and Operation of Vessel-mounted Camera Systems, Guide for, **F2926 (11.05)**
Steel Deck Gear Stowage Box Metric, Specification for, **F1019M (01.07)**
Tables, Mess, Marine, Steel, Specification for, **F824 (01.07)**
Tops, Furniture, Marine, Steel, Specification for, **F826 (01.07)**

Shipbuilding
Establishing Shipbuilding Quality Requirements for Hull Structure, Outfitting, and Coatings, Practice for, **F2016 (01.07)**
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Selection of Structural Details for Ship Construction, Guide for, **F1455 (01.07)**

Shipbuilding materials (aluminum)
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, Specification for, **F1068 (01.07)**
Doors, Non-Tight, for Marine Use, Specification for, **F1070 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**

Shipbuilding materials (general)
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Inspection of Marine Surface Preparation and Coating Application, Practice for, **F941 (01.07)**
Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, Practice for, **F1179 (01.07)**
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mounting Test Specimens for Sound Transmission Loss Testing of Naval and Marine Ship Bulkhead Treatment Materials, Practices for, **E1123 (04.06)**
Platforms in Cargo Tanks, Practice for, **F1385 (01.07)**
Preparing and Locating Emergency Muster Lists, Practice for, **F1270 (01.07)**
Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, Practice for, **F940 (01.07)**
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Selection and Application of Piping System Materials, Practice for, **F1155 (01.07)**
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Selection of Structural Details for Ship Construction, Guide for, **F1455 (01.07)**
Selection of Wire and Cable Size in AWG or Metric Units, Practice for, **F1883 (01.07)**
Shipbuilders and Marine Paints and Coatings Product/Procedure Data Sheet, Specification for, **F718 (01.07)**
Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), Practice for, **F1332 (01.07)**
Weight Control Technical Requirements for Surface Ships, Guide for, **F1808 (01.07)**

Shipbuilding materials (general)—specifications
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Bell, Cast, Sound Signalling, Specification for, **F956 (01.07)**
Berths, Marine, Specification for, **F1244 (01.07)**
Brick, Insulating, High Temperature, Fire Clay, Specification for, **F1312 (01.07)**
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Cleats, Welded Horn Type, Specification for, **F1074 (01.07)**
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**
Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, Specification for, **F1567 (01.07)**
Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, Specification for, **F1092 (01.07)**
Filters Used in Air or Nitrogen Systems, Specification for, **F1791 (01.07)**
Gong, Sound Signaling, Specification for, **F957 (01.07)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Letters and Numerals for Ships, Specification for, **F906 (01.07)**
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**
Mortar, Refractory (High-Temperature, Air-Setting), Specification for, **F1097 (01.07)**
Non-Metallic Expansion Joints, Specification for, **F1123 (01.07)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Rat Guards, Ship's [Metric], Specification for, **F1099M (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Special Requirements for Valves Used in Gaseous Oxygen Service, Specification for, **F1792 (01.07)**
Spray Shields for Mechanical Joints, Specification for, **F1138 (01.07)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**
Valve Label Plates, Specification for, **F992 (01.07)**
Valve Locking Devices, Specification for, **F993 (01.07)**
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**

Shipbuilding piping materials
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Selecting Bolting Lengths for Piping System Flanged Joints, Practice for, **F704 (01.07)**
Selection and Application of Piping System Materials, Practice for, **F1155 (01.07)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Use of Branch Connections, Practice for, **F681 (01.07)**

Shipbuilding piping materials—specifications
Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, Specification for, **F1508 (01.07)**
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Envelope Dimensions for Butterfly Valves—NPS 2 to 24, Specification for, **F1098 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Faucets, Single and Double, Compression and Self-Closing Type, Shipboard, Specification for, **F1245 (01.07)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Non-Metallic Expansion Joints, Specification for, **F1123 (01.07)**
Non-Reinforced Extruded Tee Connections for Piping Applications, Specification for, **F2014 (01.07)**
Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications, Specification for, **F1548 (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Pipeline Expansion Joints of the Packed Slip Type for Marine Application, Specification for, **F1007 (01.07)**
Pressure-Reducing Valves for Air or Nitrogen Systems, Specification for, **F1795 (01.07)**
Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**
Pressure-Reducing Valves for Water Systems, Shipboard, Specification for, **F1370 (01.07)**
Special Requirements for Valves Used in Gaseous Oxygen Service, Specification for, **F1792 (01.07)**
Steam Traps and Drains, Specification for, **F1139 (01.07)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**
Welded Joints for Shipboard Piping Systems, Specification for, **F722 (01.07)**

Shipbuilding steel materials
Construction of Sounding Tube and Striker Plate for Tank Sounding, Guide for, **F1386 (01.07)**
HVAC Duct Shapes; Identification and Description of Design Configuration, Practice for, **F1005 (01.07)**
Installation Procedures for Fitting Chocks to Marine Machinery Foundations, Practice for, **F1309 (01.07)**
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**
Platforms in Cargo Tanks, Practice for, **F1385 (01.07)**
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), Practice for, **F1332 (01.07)**

Shipbuilding steel materials—specifications
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Berths, Marine, Specification for, **F1244 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Centrifugal Pump, Shipboard Use, Specification for, **F998 (01.07)**
Chest of Drawers (Chiffonier), Steel, Marine, Specification for, **F822 (01.07)**
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Cleats, Welded Horn Type, Specification for, **F1074 (01.07)**
Construction of Fire and Foam Station Cabinets, Specification for, **F1333 (01.07)**
Design and Installation of Overboard Discharge Hull Penetration Connections, Specification for, **F994 (01.07)**
Desk, Log, Marine, Steel, with Cabinet, Specification for, **F823 (01.07)**
Drawers, Furniture, Marine, Steel, Specification for, **F825 (01.07)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
International Shore Connections for Marine Fire Applications, Specification for, **F1121 (01.07)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Manhole Cover Assembly, Bolted, Raised, Oiltight and Watertight, Specification for, **F1143 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Specification for, **F1142 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Hinged, Specification for, **F1144 (01.07)**
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Mechanically Refrigerated Shipboard Air Conditioner, Specification for, **F1433 (01.07)**
Metal, Expanded, Steel, Specification for, **F1267 (01.03)**
Pneumatic Rotary Descaling Machines, Specification for, **F1348/F1348M (01.07)**
Portable Intermediate Flush Deck Stanchion, Specification for, **F987 (01.07)**
Rat Guards, Ship's [Metric], Specification for, **F1099M (01.07)**
Rotary Positive Displacement Pumps, Ships Use, Specification for, **F1510 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**
Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, Specification for, **F1271 (01.07)**
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**
Steel Deck Gear Stowage Box Metric, Specification for, **F1019M (01.07)**
Steel Emergency Gear Stowage Locker, Specification for, **F1018 (01.07)**
Suction Strainer Boxes, Specification for, **F986 (01.07)**
Tables, Mess, Marine, Steel, Specification for, **F824 (01.07)**
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**
Thrusters, Tunnel, Permanently Installed in Marine Vessels, Specification for, **F841 (01.07)**
Turnbuckles, Swaged, Welded, Forged, Specification for, **F1145 (01.07)**
Valve Label Plates, Specification for, **F992 (01.07)**
Valve Locking Devices, Specification for, **F993 (01.07)**
Wildcats, Ship Anchor Chain, Specification for, **F765 (01.07)**

Shipbuilding steel materials (crankshafts)
Magnetic Particle Examination of Large Crankshaft, Specification for, **A456/A456M (01.05)**
Ultrasonic Examination of Forged Crankshafts, Specification for, **A503/A503M (01.05)**

Shipbuilding steel materials (doors)
Domestic Use Doors and Frames, Steel, Interior, Marine, Specification for, **F821/F821M (01.07)**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, Specification for, **F1068 (01.07)**
Doors, Furniture, Marine, Specification for, **F782 (01.07)**
Doors, Non-Tight, for Marine Use, Specification for, **F1070 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Sliding Watertight Door Assemblies, Specification for, **F1196 (01.07)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**

Shipbuilding steel materials (gages)
Gage Piping Assemblies, Specification for, **F721 (01.07)**
Modular Gauge Boards, Specification for, **F707/F707M (01.07)**

Shipbuilding steel materials (plate)
Sa **Alloy steel plate—specifications**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Rolled Floor Plate, Stainless Steel, Specification for, **A793 (01.03)**

Shipbuilding steel materials (structural)
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, Specification for, **F1068 (01.07)**
Doors, Non-Tight, for Marine Use, Specification for, **F1070 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Structural Steel for Ships, Specification for, **A131/A131M (01.04)**

Shipbuilding steel pipe materials
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
HVAC Duct Shapes; Identification and Description of Design Configuration, Practice for, **F1005 (01.07)**
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**
Selecting Bolting Lengths for Piping System Flanged Joints, Practice for, **F704 (01.07)**
Selection and Application of Piping System Materials, Practice for, **F1155 (01.07)**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**
Use of Branch Connections, Practice for, **F681 (01.07)**

Shipbuilding steel pipe materials—specifications
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Centrifugal Pump, Shipboard Use, Specification for, **F998 (01.07)**
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Design and Installation of Overboard Discharge Hull Penetration

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Connections, Specification for, **F994 (01.07)**
Entrainment Separators for Use in Marine Piping Applications, Specification for, **F1006 (01.07)**
Envelope Dimensions for Bronze Globe Valves NPS, Specification for, **F885 (01.07)**
Envelope Dimensions for Butterfly Valves—NPS 2 to 24, Specification for, **F1098 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Faucets, Single and Double, Compression and Self-Closing Type, Shipboard, Specification for, **F1245 (01.07)**
Flexible, Expansion-Type Ball Joints for Marine Applications, Specification for, **F1298 (01.07)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Gage Piping Assemblies, Specification for, **F721 (01.07)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Modular Gauge Boards, Specification for, **F707/F707M (01.07)**
Non-Metallic Expansion Joints, Specification for, **F1123 (01.07)**
Non-Reinforced Extruded Tee Connections for Piping Applications, Specification for, **F2014 (01.07)**
Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications, Specification for, **F1548 (01.07)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Pipeline Expansion Joints of the Packed Slip Type for Marine Application, Specification for, **F1007 (01.07)**
Pneumatic-Operated, Globe-Style, Control Valves, Specification for, **F1985 (01.07)**
Pressure-Reducing Valves for Air or Nitrogen Systems, Specification for, **F1795 (01.07)**
Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**
Pressure-Reducing Valves for Water Systems, Shipboard, Specification for, **F1370 (01.07)**
Quick Disconnect Couplings (6 in. NPS and Smaller), Specification for, **F1122 (01.07)**
Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, Specification for, **F1271 (01.07)**
Steam Traps and Drains, Specification for, **F1139 (01.07)**
Suction Strainer Boxes, Specification for, **F986 (01.07)**
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**
Valve Label Plates, Specification for, **F992 (01.07)**
Valve Locking Devices, Specification for, **F993 (01.07)**
Welded Joints for Shipboard Piping Systems, Specification for, **F722 (01.07)**
Wrought Carbon Steel Sleeve-Type Pipe Couplings, Specification for, **F682 (01.07)**

Ship construction
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**

Ship dining areas
Tables, Mess, Marine, Steel, Specification for, **F824 (01.07)**

Ship insulation
Polyimide Flexible Cellular Thermal and Sound Absorbing Insulation, Specification for, **C1482 (04.06)**

Shipment
Defining Movements, Shipments, and Transfers of Tangible Property, Practice for, **E2671 (04.12)**
Preservation of Waterborne Oil Samples, Practice for, **D3325 (11.02)**
Selection, Removal, and Shipment of Manufactured Masonry Units and Masonry Specimens from Existing Construction, Practice for, **C1532/C1532M (04.05)**

Ship owners
Database Structure of Electronic Data Interchange Between Ship Owner and Shipyard for Contract Administration, Guide for, **F2017 (01.07)**

Shipping
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, Practice for, **G147 (14.04)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Packaging and Shipping Environmental Samples for Laboratory Analysis, Guide for, **D6911 (04.09)**
Packaging, Identification, Shipment, and Storage of Lock-Strip Gaskets, Specification for, **C963 (04.07)**
Panama Canal Pilot Platform, Specification for, **F985 (01.07)**
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Shipping Possible Infectious Materials, Tissues, and Fluids, Guide for, **F2995 (13.02)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**

Shipping containers/materials/applications
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**
Carbon Black—Sampling Bulk Shipments, Practice for, **D1900 (09.01)**
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Conditioning Containers, Packages, or Packaging Components for Testing, Practice for, **D4332 (15.10)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Determining Compressive Resistance of Shipping Containers, Components, and Unit Loads, Test Method for, **D642 (15.10)**
Determining Interior Dimensions of Fiberboard Boxes (Box Gage Method), Test Method for, **D2658 (15.10)**
Drop Test of Loaded Containers by Free Fall, Test Method for, **D5276 (15.10)**
Environmental Stress Crack Resistance (ESCR) of Plastic Tighthead Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Fabrication of Fiberboard Shipping Boxes, Practice for, **D5118/D5118M (15.10)**
Gross Leakage of Liquids from Containers with Threaded or Lug-Style Closures, Test Methods for, **D5094/D5094M (15.10)**
Impact Testing for Shipping Containers and Systems, Test Method for, **D880 (15.10)**
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Mechanical-Shock Fragility of Products, Using Shock Machines, Test Methods for, **D3332 (15.10)**
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**
Packaging and Distribution Environments, Terminology of, **D996 (15.10)**
Performance Testing of Packages for Single Parcel Delivery Systems, Practice for, **D7386 (15.10)**
Performance Testing of Shipping Containers and Systems, Practice for, **D4169 (15.10)**
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Rough Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6179 (15.10)**
Securement of Cargo in Intermodal and Unimodal Surface Transport, Practices for, **D5728 (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Selection of Substitute, Non-hazardous, Liquid Filling Substances for Packagings Subjected to the United Nations Performance Tests, Guide for, **D7887 (15.10)**
Short Term Creep Performance of Corrugated Fiberboard Containers Under Constant Load Using a Compression Test Machine, Test Method for, **D7030 (15.10)**
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**
Transport Packaging Design, Guide for, **D6198 (15.10)**
Vibration Testing of Intermediate Bulk Containers (IBCs) Used for Shipping Liquid Hazardous Materials (Dangerous Goods), Test Method for, **D7387 (15.10)**
Vibration Testing of Shipping Containers, Test Methods for, **D999 (15.10)**
Water Resistance of Shipping Containers by Spray Method, Test Method for, **D951 (15.10)**
Water Vapor Transmission of Shipping Containers—Constant and Cycle Methods, Test Methods for, **D4279 (15.10)**

Shipping containers/materials/applications—specifications
General Purpose Wirebound Shipping Boxes, Specification for, **D6573/D6573M (15.10)**
Heavy Duty Sheathed Wood Crates, Specification for, **D7478/D7478M (15.10)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**
Open and Covered Wood Crates, Specification for, **D6039/D6039M (15.10)**
Pressure-Sensitive Tape for Light-Duty Packaging and General Purpose Masking, Specification for, **D6123/D6123M (15.10)**
Pressure-Sensitive Tape for Packaging, Box Closure, and Sealing, Specification for, **D5486/D5486M (15.10)**
Pressure-Sensitive Tape for Packaging, Filament-Reinforced, Specification for, **D5330/D5330M (15.10)**
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**
Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, Specification for, **A821/A821M (01.04)**
Strapping, Flat Steel and Seals, Specification for, **D3953 (15.10)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**

Ships
Chocks, Ship Mooring, Cast Steel, Specification for, **F2936 (01.07)**
Doubler Plate Repairs for Non-Classed Ship Structures, Guide for, **F2991 (01.07)**
Hardware Implementation for Computerized Systems, Guide for, **F2218 (01.07)**
In-Situ Burning of Oil in Ships or Other Vessels, Guide for, **F2533 (11.05)**
Piping System Drawing Symbols, Practice for, **F1000 (01.07)**
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**

Ship safety
Vessel-Related Technical Information for Use in Developing an Electronic Database and Ship Safety Record, Guide for, **F2001 (01.07)**

Ships/barges
Confined Area Entry, Practice for, **D4276 (15.05)**

Shipyards
Database Structure of Electronic Data Interchange Between Ship Owner and Shipyard for Contract Administration, Guide for, **F2017 (01.07)**

Shirley analyser
Non-Lint Content of Cotton, Test Method for, **D2812 (07.01)**

Shirt fabrics
Sa **Dress shirts**
Woven Blouse, Dress, Dress Shirt & Sport Shirt Fabrics, Performance Specification for, **D7020 (07.02)**

Shive content
Measurement of Shives in Retted Flax, Test Method for, **D7076 (07.02)**

Shive count
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**

Shock absorption/attenuation
ASTM Standards on Playground Surfacing, Guide for, **F2223 (15.07)**
Body Protectors Used in Horse Sports and Horseback Riding, Specification for, **F1937 (15.07)**
Dynamic Shock Cushioning Characteristics of Packaging Material, Test Method for, **D1596 (15.10)**
Football Helmets, Specification for, **F717 (15.07)**
Head and Face Protective Equipment for Ice Hockey Goaltenders, Specification for, **F1587 (15.07)**
Impact Attenuation of Athletic Shoe Cushioning Systems and Materials, Test Method for, **F1976 (15.07)**
Impact Attenuation of Playing Surface Systems and Materials, Test Method for, **F355 (15.07)**
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**
Shock Attenuation Properties of Fencing Surfaces, Specification for, **F1543 (15.07)**
Shock-Attenuation Characteristics of Protective Headgear for Football, Test Method for, **F429 (15.07)**
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**
Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, Test Methods for, **D4168 (15.10)**

Shock absorption pad
Indoor Wall/Feature Padding, Specification for, **F2440 (15.07)**

Shock excitation technique
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**

Shock sensitivity (of liquid monopropellants)
See **Aerospace rocket propellants**

Shock test
Instrumented Package Shock Testing For Determination of Package Performance, Practice for, **D6537 (15.10)**
Shock Testing of Structural Insulation of A-Class Divisions Constructed of Steel or Aluminum, Test Method for, **F2877/F2877M (01.07)**
Thermal Shock Resistance of Glazed Ceramic Tile, Test Method for, **C484 (15.02)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Shock test—shipping containers
Mechanical-Shock Fragility of Products, Using Shock Machines, Test Methods for, **D3332 (15.10)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**
Vibration Testing of Shipping Containers, Test Methods for, **D999 (15.10)**
Shock tubes
Alloy Steel Forgings for High-Strength Pressure Component Application, Specification for, **A723/A723M (01.05)**
Shoe polish
Evaluation of Buffable Shoe Polish, Practice for, **D4002 (15.04)**
Shoes
Determining the Longitudinal Load Required to Detach High Heels from Footwear, Test Method for, **F2232 (15.07)**
Water Resistance of Footwear Using a Walking Step Simulator, Test Method for, **F1900 (15.07)**
Shoe soling
Sa **Footwear—soles/heels/related materials**
Urethane Microcellular Shoe Soling Materials, Specification for, **D3851 (08.02)**
Shoe testing
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**
Slit Tear Resistance of Leather, Test Method for, **D2212 (15.04)**
Shoe upper leather
Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, Test Method for, **D2099 (15.04)**
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**
Resistance of Shoe Upper Leather to Artificial Perspiration, Test Method for, **D2322 (15.04)**
Shooting machine
Determining the Rating Velocities of a Compound Archery Bow, Specification for, **F1544 (15.07)**
Shop coat fabrics
Women's Woven Coverall, Dungaree, Overall, and Shop Coat Fabrics, Performance Specification for, **D4118 (07.01)**
Shop glazing
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Shopping carts
Shopping Carts, Consumer Safety Performance Specification for, **F2372 (15.11)**
Shops
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Shore hardness (scleroscope)
See **Scleroscope hardness**
Shoreline cleaning (of marine environments)
Sa **Marine environments**
Cleaning of Various Oiled Shorelines and Habitats, Guide for, **F2464 (11.05)**
Describing Shoreline Response Techniques, Guide for, **F2204 (11.05)**
Surveys to Document and Assess Oiling Conditions on Shorelines, Guide for, **F1686 (11.05)**
Terminology and Indices to Describe Oiling Conditions on Shorelines, Guide for, **F1687 (11.05)**
Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, Guide for, **F1872 (11.05)**
Shore walls
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**
Short beam method
Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, Test Method for, **D4475 (08.02)**
Short-Beam Strength of Polymer Matrix Composite Materials and Their Laminates, Test Method for, **D2344/D2344M (15.03)**
Short circuit measurement
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Non-Destructive Short Circuit Testing of a Membrane Switch, Test Method for, **F2073 (10.04)**
Short column crush test
Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, Practice for, **D5168 (15.10)**
Short cores
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Short duration intermittences
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Short flight stairs
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Short length specimens
Linear Density of Elastomeric Yarns (Short Length Specimens), Test Method for, **D2591 (07.01)**
Short method
Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), Test Method for, **D4312 (05.02)**
Shortness ratio
Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, Practice for, **D5166 (06.03)**
Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, Practice for, **D5165 (06.03)**
Short-pattern plastic fittings
Molded Drain, Waste, and Vent (DWV) Short-Pattern Plastic Fittings, Specification for, **F2135 (08.04)**
Short-pulse radar
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Short-radius bends
Specific Bendability of Pipeline Coatings, Test Method for, **G10 (06.02)**
Short rod fracture toughness
See **Fracture toughness (K_{Ic})**
Short spine board
Spinal Immobilization and Extrication (SPINE) Device Characteristics, Guide for, **F1556 (13.02)**
Shorts test
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Short-term damage
Sa **Damage assessment**
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
Short-term exposure testing
Sa **Exposure tests**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**
Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Guide for, **D6485 (11.07)**
Short Term Vehicle Service Exposure of Automotive Coatings, Practice for, **D6486 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Short term indentation
Short-Term Indentation and Residual Indentation of Resilient Floor Covering, Test Methods for, **F1914 (15.04)**
Short-term inhalation exposure
Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6178 (11.07)**
Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Guide for, **D6485 (11.07)**
Short-term noise
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**
Short-term remedy
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**
Short term screening
Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, Guide for, **D6141 (04.13)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**
Subcutaneous Screening Test for Implant Materials, Practice for, **F1408 (13.01)**
Short term tensile weld strength
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Short-term variability
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Short-time compressibility/recovery
Compressibility and Recovery of Gasket Materials, Test Method for, **F36 (09.02)**
Shot content
Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, Test Method for, **C1335 (04.06)**
Shotcrete
Admixtures for Shotcrete, Specification for, **C1141/C1141M (04.02)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Materials for Shotcrete, Specification for, **C1436 (04.02)**
Obtaining and Testing Drilled Cores of Shotcrete, Test Method for, **C1604/C1604M (04.02)**
Packaged, Pre-Blended, Dry, Combined Materials for Use in Wet or Dry Shotcrete Application, Specification for, **C1480/C1480M (04.02)**
Preparing and Testing Specimens from Shotcrete Test Panels, Practice for, **C1140/C1140M (04.02)**
Sampling Materials for Shotcrete, Practice for, **C1385/C1385M (04.02)**
Shot gunning
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**
Shot peening
Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, Specification for, **B851 (02.05)**
Wrought Carbon Steel Wheels, Specification for, **A504/A504M (01.05)**
Shot/start force measurement (of guns)
See **Consumer safety specifications (guns)**
Shoulder prosthesis
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**
Shoulder Prostheses, Specification for, **F1378 (13.01)**
Static Evaluation of Glenoid Locking Mechanism in Shear, Test Method for, **F1829 (13.01)**
Shower and safe pans
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Shower spray
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Showers/showering areas
Sa **Consumer safety specifications (bathrooms)**
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Thermal-Shock-Preventing Devices and Systems in Showering Areas, Consumer Safety Specification for, **F445 (15.11)**
Woven and Knitted Shower Curtains for Institutional and Household Use, Performance Specification for, **D5378 (07.02)**
Shredder explosion protection
Sa **Explosions/explosives**
Shredder Explosion Protection, Practice for, **E1248 (11.04)**
Shrinkage
Determining Age at Cracking and Induced Tensile Stress Characteristics of Mortar and Concrete under Restrained Shrinkage, Test Method for, **C1581/C1581M (04.02)**
Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, Test Method for, **F2199 (15.04)**
Determining the Area Stability of Wet Blue Submersed in Boiling Water, Test Method for, **D7477 (15.04)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Linear Shrinkage of Preformed High-Temperature Thermal Insulation Subjected to Soaking Heat, Test Method for, **C356 (04.06)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Sampling and Testing Electrical Insulating Board, Test Methods for, **D3394 (10.02)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Shrinkage and Tenacity of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2453 (04.07)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Shrinkage—drying
Drying and Firing Linear Change of Refractory Plastic and Ramming Mix Specimens, Test Method for, **C179 (15.01)**
Drying and Firing Shrinkages of Ceramic Whiteware Clays, Test Method for, **C326 (15.02)**
Drying Shrinkage of Mortar Containing Hydraulic Cement, Test Method for, **C596 (04.01)**
Linear Drying Shrinkage of Concrete Masonry Units, Test Method for, **C426 (04.05)**
Measuring the Drying Shrinkage of Masonry Mortar, Test Method for, **C1148 (04.05)**
Shrinkage—plastics
Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**
Evaluating Plastic Shrinkage Cracking of Restrained Fiber Reinforced Concrete (Using a Steel Form Insert), Test Method for, **C1579 (04.02)**
Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, Test Method for, **D6289 (08.03)**
Measuring Shrinkage from Mold Dimensions of Thermoplastics, Test Method of, **D955 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**

Shrinkage—plastic sheet and film
Unrestrained Linear Thermal Shrinkage of Plastic Film, Test Method for, **D2732 (08.01)**

Shrinkage—rubber
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Property—Shrinkage of Raw and Compounded Hot-Polymerized Styrene-Butadiene Rubber (SBR), Test Methods for, **D1917 (09.01)**

Shrinkage—soil
One-Dimensional Expansion, Shrinkage, and Uplift Pressure of Soil-Lime Mixtures, Test Methods for, **D3877 (04.08)**
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**

Shrinkage—textile fabrics/fibers
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Shrinkage of Textile Fibers (Bundle Test), Test Method for, **D2102 (07.01)**
Shrinkage of Yarns, Test Method for, **D2259 (07.01)**
Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, Test Method for, **D5591 (07.02)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Shrinkage—volume
Volume Shrinkage of Latex Sealants During Cure, Test Method for, **C1241 (04.07)**

Shrinkage compensated grout
Packaged Dry, Hydraulic-Cement Grout (Nonshrink), Specification for, **C1107/C1107M (04.02)**

Shrinkage-compensating concrete
Expansive Hydraulic Cement, Specification for, **C845/C845M (04.01)**

Shrinkage stress (on electronic encapsulants)
See **Electronic encapsulants**

Shrinkage temperature
Shrinkage Temperature of Leather, Test Method for, **D6076 (15.04)**

Shrink force
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**

Shrink tubing
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**

Shuffler technique
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**

Shunt assemblies
Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, Practice for, **F647 (13.01)**

Shunt capacitor
Static Electrification, Test Method for, **D4470 (10.02)**

Shunts (sheet materials)
Temperature-Resistance Constants of Sheet Materials for Shunts and Precision Resistors, Test Method for, **B114 (02.04)**

Shut-off valves
Sa **Valves**
Automatic Shut-Off Valves (Also Known as Excess Flow Valves, EFV) for Air or Nitrogen Service, Specification for, **F1793 (01.07)**

Sick persons
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**

Side-bonding
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**

Side force friction
Testing Side Force Friction on Paved Surfaces Using the Mu-Meter, Test Method for, **E670 (04.03)**

Side lap
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**

Side seam
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**

Side-stream sensor
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**

Sidewalks
Sa **Pavement surfaces**
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Safety and Traction for Footwear, Terminology Relating to, **F1646 (15.07)**

Sidewalls (for tires)
Sa **Tire testing**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**

Siding materials
Asbestos-Cement Flat Products, Test Methods for, **C459/C459M (04.05)**
Asbestos-Cement Siding, Specification for, **C223 (04.05)**
Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure, Test Method for, **E2707 (04.07)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, Practice for, **D4756 (08.03)**
Insulated Vinyl Siding, Specification for, **D7793 (08.03)**
Polypropylene (PP) Siding, Specification for, **D7254 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), Specification for, **D7445 (08.03)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Semidense Mineral Fiber Siding, Specification for, **C725 (04.05)**
Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, Specification for, **A755/A755M (01.06)**
Windload Resistance of Rigid Plastic Siding, Test Method for, **D5206 (08.03)**

Siding nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Sienna (burnt and raw) pigments
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Raw and Burnt Sienna Pigments, Specification for, **D765 (06.03)**

Sieve analysis
Sa **Dry sieve analysis**
Sa **Wet sieve analysis**
Coarse Particles in Printing Ink Dispersions, Test Method for, **D2067 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, Test Method for, **E1520 (11.05)**
Particle Size of Soaps and Other Detergents, Test Method for, **D502 (15.04)**
Powder Particle Size Analysis, Guide for, **E2651 (14.02)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Relating to Sieves, Sieving Methods, and Screening Media, Terminology, **E1638 (14.02)**
Sampling and Testing Calcium Chloride for Roads and Structural Applications, Test Method for, **D345 (04.03)**
Screen Analysis of Asbestos Fibers, Test Method for, **D2947/D2947M (04.05)**
Sieve Analysis and Water Content of Refractory Materials, Test Methods for, **C92 (15.01)**
Sieve Analysis of Glass Spheres, Test Method for, **D1214 (06.02)**
Sieve Analysis of Metal Powders, Test Method for, **B214 (02.05)**
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**
Sieve Analysis of Wet-Milled and Dry-Milled Porcelain Enamel, Test Methods for, **C285 (02.05)**
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**
Woven Wire Test Sieve Cloth and Test Sieves, Specification for, **E11 (14.02)**

Sieve analysis—aggregate
Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate, Test Method for, **D4791 (04.03)**
Lightweight Particles in Aggregate, Test Method for, **C123/C123M (04.02)**
Materials Finer than 75-μm (No. 200) Sieve in Mineral Aggregates by Washing, Test Method for, **C117 (04.02)**
Petrographic Examination of Aggregates for Concrete, Guide for, **C295/C295M (04.02)**
Sieve Analysis of Fine and Coarse Aggregates, Test Method for, **C136 (04.02)**

Sieve analysis—asphalts
Oversized Particles in Emulsified Asphalts (Sieve Test), Test Method for, **D6933 (04.03)**
Sieve Analysis of Granular Mineral Surfacing For Asphalt Roofing Products, Test Method for, **D451/D451M (04.04)**
Sieve Analysis of Surfacing for Asphalt Roofing Products, Test Method for, **D452/D452M (04.04)**

Sieve analysis—building materials
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Fineness of Hydraulic Cement and Raw Materials by the 300-μm (No. 50), 150-μm (No. 100), and 75-μm (No. 200) Sieves by Wet Methods, Test Method for, **C786/C786M (04.01)**
Fineness of Hydraulic Cement by the 45-m (No. 325) Sieve, Test Method for, **C430 (04.01)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**

Sieve analysis—carbon black
Carbon Black—Pellet Size Distribution, Test Method for, **D1511 (09.01)**
Carbon Black—Sieve Residue, Test Method for, **D1514 (09.01)**
Carbon Black, Pelleted Fines and Attrition, Test Method for, **D1508 (09.01)**

Sieve analysis—ceramics
Precision Electroformed Wet Sieve Analysis of Nonplastic Ceramic Powders, Guide for, **C925 (15.02)**
Wet Sieve Analysis of Ceramic Whiteware Clays, Guide for, **C325 (15.02)**
Wire-Cloth Sieve Analysis of Nonplastic Ceramic Powders, Test Method for, **C371 (15.02)**

Sieve analysis—coal/coke
Drop Shatter Test for Coal, Test Method of, **D440 (05.06)**
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**
Grindability of Coal by the Hardgrove-Machine Method, Test Method for, **D409/D409M (05.06)**
Moisture in the Analysis Sample of Coal and Coke, Test Method for, **D3173 (05.06)**
Sampling and Fineness Test of Pulverized Coal, Test Method for, **D197 (05.06)**
Sieve Analysis of Coke, Test Method for the, **D293 (05.06)**
Tumbler Test for Coal, Test Method of, **D441 (05.06)**

Sieve analysis—petroleum products
Attrition and Abrasion of Catalysts and Catalyst Carriers, Test Method for, **D4058 (05.05)**
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Particle Size Distribution of Catalytic Materials by Sieving, Test Method for, **D4513 (05.05)**
Sieve Analysis of Petroleum Coke, Test Method for, **D5709 (05.02)**

Sieve analysis—rubber
Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), Test Method for, **D4570 (09.01)**
Rubber Compounding Material—Zinc Oxide, Test Methods for, **D4315 (09.01)**

Sieve analysis—soil/rock
Amount of Material in Soils Finer than No. 200 (75-μm) Sieve, Test Methods for, **D1140 (04.08)**
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Determining Apparent Opening Size of a Geotextile, Test Method for, **D4751 (04.13)**
Particle-Size Analysis of Soils, Test Method for, **D422 (04.08)**
Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis, Test Methods for, **D6913 (04.09)**
Sieve Analysis of Mineral Filler for Bituminous Paving Mixtures, Test Method for, **D546 (04.03)**

Sieve analysis—subsieve
Estimating Average Particle Size of Metal Powders and Related Compounds Using Air Permeability, Test Methods for, **B330 (02.05)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**

Sieves
Determination of Asbestos in Soil, Test Method for, **D7521 (11.07)**
Industrial Perforated Plate and Screens (Round Opening Series), Specification for, **E674 (14.02)**
Industrial Perforated Plate and Screens (Square Opening Series), Specification for, **E454 (14.02)**
Measuring Gradation of Glass Spheres Using a Flowing Stream Digital Image Analyzer, Test Method for, **D7681 (06.02)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**
Precision Electroformed Sieves, Specification for, **E161 (14.02)**
Turner and Newall (T and N) Wet-Length Classification of Asbestos, Test Method for, **C1121/C1121M (04.05)**
Wash Test of Asbestos, Test Method for, **C1120/C1120M (04.05)**

Sieve shaker
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**

Sieves (wire cloth)
Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, Test Method for, **E279 (03.05)**
Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Coarser for Metal-Bearing Ores and Related Materials, Test Method for, **E389 (03.05)**
Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Finer for Metal-Bearing Ores and Related Materials, Test Method for, **E276 (03.05)**

Wire cloth sieves
Sa **Sieves (wire cloth)**
Woven Wire Test Sieve Cloth and Test Sieves, Specification for, **E11 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sifting segregation
Measuring Sifting Segregation Tendencies of Bulk Solids, Practice for, **D6940 (04.09)**
Sight indicators
Indicators, Sight, Liquid Level, Direct and Indirect Reading, Tubular Glass/Plastic, Specification for, **F2045 (01.07)**
Sight window
Reduction of Risk of Injury for Archery Overdraws, Guide for, **F1363 (15.07)**
Sigma blade
Evaluation of Flushing Vehicles for Pigment Wetting Using a Vacuum Modified Sigma Blade Mixer, Practice for, **D6336 (06.03)**
Sigma Theta/U
Characterizing Surface Wind Using a Wind Vane and Rotating Anemometer, Practice for, **D5741 (11.07)**
Signal detection/amplification/measurement
Sa **Acoustic emission (AE) testing**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Signal lines
See **Communications—specifications**
Signal/noise determination
Sa **Sound transmission—building materials/applications**
Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, Practice for, **E386 (03.06)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis System, Test Method for, **E1050 (04.06)**
Signal processing/display
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Signals
Preparing and Locating Emergency Muster Lists, Practice for, **F1270 (01.07)**
Using Whistle Signals During Rope Rescue Operations, Guide for, **F1768 (13.02)**
Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, Practice for, **F1591 (13.02)**
Signal-to-noise ratio
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Signature (electronic)
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Sign conventions
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**
Significant digits
Using Significant Digits in Geotechnical Data, Practice for, **D6026 (04.09)**
Significant figures
Sa **Statistical methods**
Reporting Properties for Plastics and Thermoplastic Elastomers, Guide for, **D6436 (08.03)**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**
Significant medical incident (SMI)
Planning for and Response to a Multiple Casualty Incident, Guide for, **F1288 (13.02)**
SI (International System of Units)
Conversion Units and Factors Relating to Sampling and Analysis of Atmospheres, Practice for, **D1914 (11.07)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Use of Metric Units of Measure for Reporting Properties of Refractory Materials (COMMITTEE C-8 SUPPLEMENT TO E 380), Practice for, **C899 (15.01)**
Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), Practice for, **F1332 (01.07)**
Silane compound crosslinking
Crosslinked Polyethylene (PEX) Tubing, Specification for, **F876 (08.04)**
Silanes/Siloxane
Determination of the Nonvolatile Content in Silanes, Siloxanes and Silane-Siloxane Blends Used in Masonry Water Repellent Treatments, Test Method for, **D5095 (06.02)**
Determining Volatile and Nonvolatile Content of Paint and Related Coatings, Guide for, **D2832 (06.01)**
Silanes Used in Rubber Formulations, Test Methods for, **D6741 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6740 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6843 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6844 (09.01)**
Silencers (in ventilation systems)
Sa **Ventilation materials/applications—specifications**
Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, Test Method for, **E477 (04.06)**
Silica
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Calculation and Adjustment of Silica (SiO, Practice for, **D4993 (11.02)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, Test Method for, **C1214 (04.05)**
Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), Test Method for, **C1214M (04.05)**
Determination of Length Change of Concrete Due to Alkali-Silica Reaction, Test Method for, **C1293 (04.02)**
Gamma Alumina Content in Catalysts Containing Silica and Alumina by X-ray Powder Diffraction, Test Method for, **D4926 (05.05)**
On-Line Colorimetric Measurement of Silica, Test Method for, **D7126 (11.01)**
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Precipitated Silica—Volatile Content, Test Method for, **D6738 (09.01)**
Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, Test Method for, **D1993 (09.01)**
Silica—pH Value, Test Method for, **D6739 (09.01)**
Silica, Precipitated, Hydrated—CTAB (Cetyltrimethylammonium Bromide) Surface Area, Test Method for, **D6845 (09.01)**
Silica-Oil Absorption Number, Test Method for, **D6854 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Silica based optical fibers
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Silica brick
See **Refractories (bricks and shapes)**
Silica content
Analysis of Barium Sulfate Pigment, Test Methods for, **D715 (06.03)**
Chemical Analysis of Basic Lead Silicochromate, Test Methods for, **D1844 (06.03)**
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Determination of Silica in Fluorspar by Silico-Molybdate Visible Spectrometry, Test Method for, **E463 (03.05)**
Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, Test Method for, **C1070 (15.01)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Low-Level Total Silica in High-Purity Water by Flameless Atomic Absorption Spectroscopy, Test Method for, **D4517 (11.02)**
Portland-Cement Content of Hardened Hydraulic-Cement Concrete, Test Method for, **C1084 (04.02)**
Potential Alkali-Silica Reactivity of Aggregates (Chemical Method), Test Method for, **C289 (04.02)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Silica in Refuse-Derived Fuel (RDF) and RDF Ash, Test Method for, **E887 (11.04)**
Silica in Water, Test Method for, **D859 (11.01)**
Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, Test Method for, **C1069 (15.02)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Silica content—ores
Determination of Silica in Manganese Ores, Iron Ores, and Related Materials by Gravimetry, Test Method for, **E247 (03.05)**
Silica-fiber insulation
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Silica fume—specifications
Blended Supplementary Cementitious Materials, Specification for, **C1697 (04.02)**
Evaluation of Alternative Supplementary Cementitious Materials (ASCM) for Use in Concrete, Guide for, **C1709 (04.02)**
Hydraulic Cement, Performance Specification for, **C1157/C1157M (04.01)**
Silica Fume Used in Cementitious Mixtures, Specification for, **C1240 (04.02)**
Silica powder
See **Ceramic powders (nonplastic)**
Silica refractories
See **Refractories (silica)**
Silica sand
Abrasion Resistance of Concrete by Sandblasting, Test Method for, **C418 (04.02)**
Silica sand beaches
See **Beaches**
Silica/silicate binders
Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C579 (06.02)**
Silica/silicate materials
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**
Silica (SiO_2) scaling propoerties
Calculation and Adjustment of Silica (SiO, Practice for, **D4993 (11.02)**
Silicate and silica mortars
Sa **Chemical-resistant mortars**
Chemically Setting Silicate and Silica Chemical-Resistant Mortars, Specification for, **C466 (04.05)**
Use of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Practice for, **C397 (04.05)**
Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Test Method for, **C414 (04.05)**
Silicate content
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**
Silicate materials
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Silicides
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**
Silicomanganese
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Silicomanganese, Specification for, **A483/A483M (01.02)**
Silico-molybdate method
Determination of Silica in Fluorspar by Silico-Molybdate Visible Spectrometry, Test Method for, **E463 (03.05)**
Silicon
Determination of Boron, Silicon, and Technetium in Hydrolyzed Uranium Hexafluoride by Inductively Coupled Plasma—Mass Spectrometer After Removal of Uranium by Solid Phase Extraction, Test Method for, **C1771 (12.01)**
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Silicon Metal, Specification for, **A922 (01.02)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Silicon—corrosion-resistant
Corrosion-Resistant High-Silicon Iron Castings, Specification for, **A518/A518M (01.02)**
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**
Silicon alloying additives
Sa **Stainless steel alloying additives**
Sa **Stainless steel alloying additives (silicon)**
Calcium-Silicon Alloys, Specification for, **A495 (01.02)**
Ferrosilicon, Specification for, **A100 (01.02)**
Silicon alloy steel
Chromium, Chromium-Nickel, and Silicon Alloy Steel Bars and Shapes for Corrosion and Heat-Resisting Service, Specification for, **A968/A968M (01.03)**
Ductility of Oriented Electrical Steel, Test Method for, **A721/A721M (03.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Silicon-aluminum bronze (casting)
See **UNS C95600 (cast aluminum bronze)**
Silicon bipolar transistors
Use of 2N2222A Silicon Bipolar Transistors as Neutron Spectrum Sensors and Displacement Damage Monitors, Test Method for, **E1855 (12.02)**
Silicon brass (casting)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
Silicon bronze—specifications
Sa **Bronze**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**
Copper-Nickel-Silicon Alloy Rod and Bar, Specification for, **B411/B411M (02.01)**
Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, Specification for, **B96/B96M (02.01)**
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**
Silicon carbide
Evaluating Oxidation Resistance of Silicon Carbide Refractories at Elevated Temperatures, Test Method for, **C863 (15.01)**
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Silicon carbide whiskers/fibers
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Silicon content
Asbestos-Cement Flat Sheet for Cooling Tower Fill, Specification for, **C1082 (04.05)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Silicon content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Silicon content—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Silicon content—Mg/Mg alloys
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Silicon content—Ni/Ni alloys
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Silicon content—petroleum products
Determination of Aluminum and Silicon in Fuel Oils by Ashing, Fusion, Inductively Coupled Plasma Atomic Emission Spectrometry, and Atomic Absorption Spectrometry, Test Methods for, **D5184 (05.02)**
Determination of Silicon and Other Elements in Engine Coolant by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **D6130 (15.05)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Silicon in Engine Coolant Concentrates by Atomic Absorption Spectroscopy, Test Method for, **D6129 (15.05)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**
Silicon copper
Copper Alloy Addition Agents, Specification for, **B644 (02.01)**
Silicon copper wire
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Silicon dioxide (SiO_2) content
Analysis of Magnesium Silicate Pigment, Test Methods for, **D717 (06.03)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Silicon dioxide (SiO_2) content—coal/coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Utilization Processes, Test Method for, **D3682 (05.06)**
Silicone
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Specifying Silicone Adhesives and Sealants for Transportation Applications, Classification for, **F2468 (09.02)**
Silicone—electrical insulating materials
Sa **Glass electrical/electronic insulation**
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, Test Methods for, **D1458 (10.01)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Silicone—molding compounds
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**
Silicone—oils/fluids
Compatibility of Construction Material with Silicone Fluid Used for Electrical Insulation, Test Methods for, **D5282 (10.03)**
Estimating the Performance of a Fuser Oil in an Electrostatic Copier or Printer, Practice for, **F1434 (15.09)**
Silicone Fluid Used for Electrical Insulation, Specification for, **D4652 (10.03)**
Viscosity of Silicone Fluids, Test Method for, **D4283 (15.04)**
Volatile Matter in Silicone Fluid, Test Method for, **D4559 (10.03)**
Silicone—rubber
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Silicone Rubber Room Temperature Vulcanizing Low Outgassing Materials, Specification For, **D6411/D6411M (15.06)**
Silicone—sealants
Sa **Seals—electronic applications (specifications)**
Remedying Structural Silicone Glazing, Guide for, **C1487 (04.07)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Structural Silicone Sealants, Specification for, **C1184 (04.07)**
Silicone binder
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Silicone carbide
Vegetable Peeling Machines, Electric, Specification for, **F1371 (15.12)**
Silicone coatings
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Liquid-Applied Silicone Coating Used in Spray Polyurethane Foam Roofing Systems, Specification for, **D6694/D6694M (04.04)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Silicon electrical steel
Sa **Electrical steel**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
Silicon equivalent damage (SED)
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Silicone sealants
Determination of Volatile Content for Formed-in-Place Gaskets (FIPG) Silicone Adhesives and Sealants for Transportation Applications, Practice for, **F2524 (09.02)**
Use of Silicone Sealants for Protective Glazing Systems, Guide for, **C1564 (04.07)**
Silicone surgical implant materials
Sa **Rubber medical/surgical applications**
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part I—Formulations and Uncured Materials, Guide for, **F2038 (13.01)**
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**
Silicone surgical implant materials—specifications
Implantable Breast Prostheses, Specification for, **F703 (13.01)**
Implantable Saline Filled Breast Prosthesis, Specification for, **F2051 (13.01)**
Silicone Elastomer Facial Implants, Specification for, **F881 (13.01)**
Silicon metal
Silicon Metal, Specification for, **A922 (01.02)**
Silicon molybdenum steel balls
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Silicon nitride (Si_3N_4)
Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder, Test Methods for, **C1494 (15.01)**
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Silicon Nitride Bearing Balls, Specification for, **F2094/F2094M (01.08)**
Silicon Nitride Cylindrical Bearing Rollers, Specification for, **F2730/F2730M (01.08)**
Silicon nitride whiskers
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Silicon oil
Instrument and Precision Bearing Lubricants—Part 1 Oils, Guide for, **F2161 (01.08)**
Silicon-on-insulator (SOI) MOSFETs
See **MOSFETs**
Silicon rubber
Determining Silicone Volatiles in Silicone Rubber for Transportation Applications, Practice for, **F2466 (09.02)**
Silicon semiconductors
Sa **Crystal lattice structure**
Sa **Polysilicon materials/applications**
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, Practice for, **E722 (12.02)**
Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), Practice for, **F615M (10.04)**
Fine Aluminum–1 % Silicon Wire for Semiconductor Lead-Bonding, Specification for, **F487 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, Test Method for, **F996 (10.04)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**

Silicon volatiles
Determining Silicone Volatiles in Silicone Rubber for Transportation Applications, Practice for, **F2466 (09.02)**

Silk
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Textiles, Terminology Relating to, **D123 (07.01)**

Silos
Measuring Bulk Density Values of Powders and Other Bulk Solids as Function of Compressive Stress, Test Method for, **D6683 (04.09)**

Silt
Abrasion Resistance of Concrete (Underwater Method), Test Method for, **C1138M (04.02)**
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Determination of Sediment Retention Device Effectiveness in Sheet Flow Applications, Test Method for, **D7351 (04.09)**

Silt density index (SDI)
Silt Density Index (SDI) of Water, Test Method for, **D4189 (11.01)**

Silt fence materials
Determining Filtering Efficiency and Flow Rate of the Filtration Component of a Sediment Retention Device, Test Method for, **D5141 (04.13)**
Silt Fence Installation, Practice for, **D6462 (04.09)**
Silt Fence Materials, Specification for, **D6461 (04.09)**

Silver
Sa **Gold alloy—electrical contact materials**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Determination of Silver in Copper Concentrates by Flame Atomic Absorption Spectrometry, Test Method for, **E1898 (03.05)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur"), Test Method for, **B809 (02.05)**
Silver-Tin Oxide Contact Material, Guide for, **B844 (02.04)**

Silver—specifications
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Refined Silver, Specification for, **B413 (02.04)**

Silver brazing alloys
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**

Silver bullion
Determination of Gold in Bullion by Fire Assay Cupellation Analysis, Test Methods for, **E1335 (03.05)**

Silver-cadmium oxide contact materials
Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials, Guide for, **B712 (02.04)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**

Silver-coated copper wire
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Silver Coated Copper and Copper Alloy Stranded Conductors for Electronic Space Application, Specification for, **B961 (02.03)**
Silver-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, Specification for, **B971 (02.03)**
Silver-Coated Soft or Annealed Copper Wire, Specification for, **B298 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**

Silver content
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Silver-Coated Soft or Annealed Copper Wire, Specification for, **B298 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**

Silver content—cadmium
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**

Silver content—Cu/Cu alloys
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**

Silver content—nuclear materials
Chemical and Spectrochemical Analysis of Nuclear-Grade Silver-Indium-Cadmium Alloys, Test Methods for, **C760 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**

Silver content—pig lead
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**

Silver content—water
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Silver in Water, Test Methods for, **D3866 (11.01)**

Silver-copper eutectic electrical contact alloy
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Silver-Copper Eutectic Electrical Contact Alloy, Specification for, **B628 (02.04)**

Silver-copper-nickel electrical contact alloy
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**

Silver corrections
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**
Silver Corrections in Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Fire Assay Slag Recycling and Cupel Proof Gravimetry, Practice for, **E2296 (03.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Silver dichromate dosimetry system
Use of a Dichromate Dosimetry System, Practice for, **ISO/ASTM51401 (12.02)**
Silver diethyldithiocarbamate (SDDC)
Arsenic in Water, Test Methods for, **D2972 (11.01)**
Silvered glass
Silvered Flat Glass Mirror, Specification for, **C1503 (15.02)**
Silver (electrical/electronic applications)
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Silver (electrical/electronic applications)—specifications
60 % Palladium-40 % Silver Electrical Contact Material, Specification for, **B731 (02.04)**
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**
75 % Silver-25 % Graphite Sliding Contact Material, Specification for, **B692 (02.04)**
80 % Silver-20 % Graphite Sliding Contact Material, Specification for, **B664 (02.04)**
Coin Silver Electrical Contact Alloy, Specification for, **B617 (02.04)**
Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials, Guide for, **B712 (02.04)**
Fine Silver Electrical Contact Fabricated Material, Specification for, **B742 (02.04)**
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Gold-Silver-Platinum Electrical Contact Alloy, Specification for, **B522 (02.04)**
Lead-Coated and Lead-Alloy-Coated Soft Copper Wire for Electrical Purposes, Specification for, **B189 (02.03)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**
Silver-Coated Soft or Annealed Copper Wire, Specification for, **B298 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Silver-Copper Eutectic Electrical Contact Alloy, Specification for, **B628 (02.04)**
Silver-Molybdenum Electrical Contact Material, Specification for, **B662 (02.04)**
Silver-Nickel Electrical Contact Materials, Specification for, **B693 (02.04)**
Silver-Tungsten Carbide Electrical Contact Material, Specification for, **B663 (02.04)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**
Silver (electrodeposited)
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings, Practice for, **B281 (02.05)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Preparation of Titanium and Titanium Alloys, Practice for, **B481 (02.05)**
Silver (electrodeposited)—specifications
Electrodeposited Coatings of Silver for Engineering Use, Specification for, **B700 (02.05)**
Silver-foil monitors
Measuring Neutron Fluence Rates by Radioactivation of Cobalt and Silver, Test Method for, **E481 (12.02)**
Silver-graphite electrical contact alloy
75 % Silver-25 % Graphite Sliding Contact Material, Specification for, **B692 (02.04)**
80 % Silver-20 % Graphite Sliding Contact Material, Specification for, **B664 (02.04)**
Silver halide photographic film
Determining the Writeability of Print Media, Practice for, **F2294 (15.09)**
Silver-indium-cadmium alloys (nuclear-grade)
Chemical and Spectrochemical Analysis of Nuclear-Grade Silver-Indium-Cadmium Alloys, Test Methods for, **C760 (12.01)**
Nuclear-Grade Silver-Indium-Cadmium Alloy, Specification for, **C752 (12.01)**
Silver knitted overcoat/jacket fabrics
Men's and Women's Sliver Knitted Overcoat and Jacket Fabrics, Performance Specification for, **D3655 (07.01)**
Silver low-melting alloys
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Silver migration
Silver Migration for Membrane Switch Circuitry, Test Method for, **F1996 (10.04)**
Silver-molybdenum electrical contact alloy
Silver-Molybdenum Electrical Contact Material, Specification for, **B662 (02.04)**
Silver-nickel electrical contact alloys
Silver-Nickel Electrical Contact Materials, Specification for, **B693 (02.04)**
Silver nitrate
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**
Silver nitrate etching (of germanium crystals)
See **Etching (materials/process)**
Silver nitrate stripping
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**
Silver nitrate titration
Chloride Ion In Water, Test Methods for, **D512 (11.01)**
Chloride Ions in Brackish Water, Seawater, and Brines, Test Method for, **D4458 (11.02)**
Silver-palladium electrical contact alloy
60 % Palladium-40 % Silver Electrical Contact Material, Specification for, **B731 (02.04)**
Silversides
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Silver/slate white
See **Basic carbonate white lead pigment**
Silver strip
Corrosiveness to Silver by Automotive Spark–Ignition Engine Fuel–Silver Strip Method, Test Method for, **D7671 (05.04)**
Determination of Corrosiveness to Silver by Automotive Spark-Ignition Engine Fuel—Thin Silver Strip Method, Test Method for, **D7667 (05.04)**
Silver sulfide
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Silver-tin oxide
Silver-Tin Oxide Contact Material, Guide for, **B844 (02.04)**
Silver-tungsten electrical contact alloy
General Requirements for Wrought Precious Metal Electrical Contact Materials, Specification for, **B476 (02.04)**
Silver-Tungsten Carbide Electrical Contact Material, Specification for, **B663 (02.04)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**
Simple payback
Measuring Payback for Investments in Buildings and Building Systems, Practice for, **E1121 (04.11)**
Simple range counting
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Simplex strainers
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, Specification for, **F1567 (01.07)**
SIMS (secondary ion mass spectrometry)
Sa **Spectrometry**
Analytically Describing Depth-Profile and Linescan-Profile Data by an Extended Logistic Function, Practice for, **E1636 (03.06)**
Cell Culture Analysis with SIMS, Guide for, **E1881 (03.06)**
Handling Specimens Prior to Surface Analysis, Guide for, **E1829 (03.06)**
Measuring Widths of Interfaces in Sputter Depth Profiling Using SIMS, Guide for, **E1438 (03.06)**
Performing Sputter Crater Depth Measurements, Guide for, **E1634 (03.06)**
Pulse Counting System Dead Time Determination by Measuring Isotopic Ratios with SIMS, Practice for, **E2426 (03.06)**
Reporting Imaging Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1635 (03.06)**
Reporting Mass Spectral Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1504 (03.06)**
Reporting of Ion Beam Parameters Used in Surface Analysis, Guide for, **E1577 (03.06)**
Reporting Sputter Depth Profile Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1162 (03.06)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Tissue Cryosection Analysis with SIMS, Practice for, **E1880 (03.06)**
Simulants
Development, Verification, Validation, and Documentation of Simulated High-Level Tank Waste, Guide for, **C1750 (12.01)**
Simulated accident conditions
Evaluating Coatings Used in Light-Water Nuclear Power Plants at Simulated Design Basis Accident (DBA) Conditions, Test Method for, **D3911 (06.02)**
Simulated concrete structural floor
Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, Test Method for, **E648 (04.07)**
Simulated distillation
Boiling Point Distribution of Hydrocarbon Solvents by Gas Chromatography, Test Method for, **D5399 (06.04)**
Boiling Range Distribution of Petroleum Distillates in Boiling Range from 174 to 700°C by Gas Chromatography, Test Method for, **D6352 (05.03)**
Boiling Range Distribution of Petroleum Fractions by Gas Chromatography, Test Method for, **D2887 (05.01)**
Calculated Flash Point from Simulated Distillation Analysis of Distillate Fuels, Test Method for, **D7215 (05.04)**
Determination of the Boiling Range Distribution of Gasoline by Wide-Bore Capillary Gas Chromatography, Test Method for, **D7096 (05.04)**
Estimation of Engine Oil Volatility by Capillary Gas Chromatography, Test Method for, **D6417 (05.03)**
Simulated field distribution
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Simulated landfills
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Simulated lightning
Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials Using Impulse Waves, Test Method for, **D3426 (10.02)**
Simulated/radioactive monolithic waste forms
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Simulated service conditioner
Response of Rigid Cellular Plastics to Thermal and Humid Aging, Test Method for, **D2126 (08.01)**
Simulated service test
Abrasion Resistance of Concrete (Underwater Method), Test Method for, **C1138M (04.02)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**
Engine Coolants by Engine Dynamometer, Test Method for, **D2758 (15.05)**
Gravity Load Testing of Floors and Low Slope Roofs, Practice for, **E196 (04.11)**
Long-Term Removability Properties of Emulsion Floor Polishes, Test Method for, **D1792 (15.04)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Programmable Horizontal Impact Test for Shipping Containers and Systems, Test Methods for, **D4003 (15.10)**
Settling Properties of Traffic Paints During Storage, Test Method for, **D1309 (06.02)**
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**
Simulated Service Corrosion Testing of Engine Coolants, Test Method for, **D2570 (15.05)**
Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, Practices for, **E745 (12.02)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**
Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, Practices for, **E2034 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Stop-Leak Additives for Engine Coolants, Test Method for Testing, **D3147 (15.05)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Testing Nonmetallic Seal Materials by Immersion in a Simulated Geothermal Test Fluid, Test Method for, **E1068 (12.02)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**
Water Spotting of Emulsion Floor Polishes, Test Method for, **D1793 (15.04)**
Simulated service test—space environment
Calculation of Stagnation Enthalpy from Heat Transfer Theory and Experimental Measurements of Stagnation-Point Heat Transfer and Pressure, Test Method for, **E637 (15.03)**
Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, Practice for, **E512 (15.03)**
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Ionization Gage Application to Space Simulators, Practice for, **E296 (15.03)**
Measured Speed of Oil Diffusion Pumps, Test Method for, **E295 (15.03)**
Space Simulation, Terminology Relating to, **E349 (15.03)**
Simulated solar radiation
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Simulated use test
Determination of Effectiveness of Cleaning Processes for Reusable Medical Instruments Using a Microbiologic Method (Simulated Use Test), Test Method for, **E2314 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Simulated wind
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**
Simulation testing
Determination of High Temperature Deposits by Thermo-Oxidation Engine Oil Simulation Test, Test Method for, **D6335 (05.03)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**
Documenting a Groundwater Flow Model Application, Guide for, **D5718 (04.08)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**
Selection of Simulation Approaches in Geostatistical Site Investigations, Guide for, **D5924 (04.09)**
Simulation of Subsurface Airflow Using Groundwater Flow Modeling Codes, Guide for, **D5719 (04.08)**
Subsurface Flow and Transport Modeling, Guide for, **D5880 (04.09)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Simulator devices
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Simultaneous dissimilar motion analysis
Manual Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D3481 (15.10)**
Simultaneous measurement/determination
Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D1976 (11.01)**
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**
Simultaneous spectrometer
Sa **Spectrometry**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Simultaneous translation
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Single-arm caliper
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**
Single asbestos yarn
Asbestos Yarns, Specification for, **D299/D299M (04.05)**
Single batch extraction
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**
Single bituminous surface treatments
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Quantities of Materials for Bituminous Surface Treatments, Practice for, **D1369 (04.03)**
Single-blow impact test
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Single bolted connections
Bolted Connections in Wood and Wood-Based Products, Test Methods for, **D5652 (04.10)**
Single-cell gel (SCG) electrophoresis assay
Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, Guide for, **E2186 (11.06)**
Single-cell suspensions
Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, Test Method for, **F2149 (13.01)**
Single-circle (Hilliard) procedure
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Single-coated pressure-sensitive tape
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Single column absorption
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Single component joint sealants
Sa **Caulking compounds and sealants**
Sa **Joint seals/sealants**
Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements, Specification for, **D5893/D5893M (04.03)**
Single-crystal ceramic whiskers (SCCW)
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Single crystal silicon semiconductors
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, Test Methods for, **F76 (10.04)**
Single-cylinder diesel engine
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, Test Method for, **D6681 (05.03)**
Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, Test Method for, **D6923 (05.03)**
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**
Single-event phenomenon (SEP)
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Single expansion joint
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Single-family attached/detached dwellings
Clearance Examinations Following Lead Hazard Reduction Activities in Dwellings, and in Other Child-Occupied Facilities, Practice for, **E2271 (04.12)**
Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, Guide for, **E2156 (04.12)**
Guides for Specifying and Evaluating Performance of Single

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Family Attached and Detached Dwellings, Terminology of, **E2151 (04.12)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Durability, Guide for, **E2136 (04.12)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Functionality, Guide for, **E2351 (04.12)**

Single fiber comparison
Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, Guide for, **E2227 (14.02)**

Single-filament steel wire
Sa **Tire cords and tire cord fabrics**
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**

Single-fired glazed brick
Glazed Brick (Single Fired, Brick Units), Specification for, **C1405 (04.05)**

Single helical (security) coils
Installation of Barbed Tape, Practice for, **F1911 (01.06)**

Single hole leather
Stitch Tear Strength, Single Hole, Test Method for, **D4786 (15.04)**

Single input wire (SIW) construction
Compact Round Stranded Aluminum Conductors Using Single Input Wire Construction, Specification for, **B836 (02.03)**
Compact Round Stranded Copper Conductors Using Single Input Wire Construction, Specification for, **B835 (02.03)**
Compressed Round Stranded Aluminum Conductors Using Single Input Wire Construction, Specification for, **B901 (02.03)**
Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, Specification for, **B902/B902M (02.03)**

Single-ion bar diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Single-jack chain
Sa **Steel chain—specifications**
Weldless Chain, Specification for, **A466/A466M (01.05)**

Single lap-joint adhesive specimen
Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), Test Method for, **D1002 (15.06)**
Fatigue Properties of Adhesives in Shear by Tension Loading (Metal/Metal), Test Method for, **D3166 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Single-layered materials/applications
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**

Single-layer method
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**

Single mounted seals (inside/outside)
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**

Single occupancy swings
Sa **Consumer safety specifications**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**

Single-operator precision
Determination of Precision and Bias of Methods of Committee D22, Guide for, **D3670 (11.07)**

Single particle light interaction
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**

Single pass film ribbons
Generating a Test Pattern for Single-Pass Film Ribbons, Practice for, **F1232 (15.09)**

Single pellet
Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, Test Method for, **D4179 (05.05)**

Single person survival/rescue
Single Person Cold Water Survival/Rescue Technique: HELP Position, Practice for, **F1729 (13.02)**

Single-phase geothermal liquid/steam
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**

Single-phase metals
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**

Single-phase suspension/emulsion
Emulsification/Suspension of Multiphase Fluid Waste Materials, Practice for, **D5761 (05.02)**

Single-ply roof membrane
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**
Measuring Voids in Roofing and Waterproofing Membranes, Test Method for, **D5076/D5076M (04.04)**
Thermoplastic Polyolefin Based Sheet Roofing, Specification for, **D6878/D6878M (04.04)**

Single-point resistance logging
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Single-point spray systems
Oil Spill Dispersant Application Equipment: Single-point Spray Systems, Guide for, **F2465/F2465M (11.05)**

Single-point surface area
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**

Single-point testing
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**

Single-pulse method
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**

Single rack commercial dishwashing machine
Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, Test Method for, **F1696 (15.12)**

Single-reduced tin mill black plate
Sa **Tin mill products**
Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced, Specification for, **A657/A657M (01.06)**
Tin Mill Products, Black Plate, Single-Reduced, Specification for, **A625/A625M (01.06)**
Tin Mill Products, Electrolytic Tin Plate, Single Reduced, Specification for, **A624/A624M (01.06)**

Single-rib tensile method
Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method, Test Method for, **D6637 (04.13)**

Single ring infiltrometers
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Single rip procedure
Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine), Test Method for, **D2261 (07.01)**
Single sampling table
Use of Process Oriented AOQL and LTPD Sampling Plans, Practice for, **E1994 (14.02)**
Single-sided griddle
Griddles, Single-Sided and Double-Sided, Gas and Electric, Specification for, **F1919 (15.12)**
Single-sided test coupons
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Single skin construction
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Single source (of ingredients)
Determining Variability of Ingredients of Concrete From a Single Source, Practice for, **C1451 (04.02)**
Single-standard gas source mass spectrometer
Isotopic Analysis of Uranium Hexafluoride by Single-Standard Gas Source Mass Spectrometer Method, Test Method for, **C1344 (12.01)**
Single-strand DNA damage
Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, Guide for, **E2186 (11.06)**
Single-strand method
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**
Single-strike film ribbons
Examination of Fracture Patterns and Paper Fiber Impressions on Single-Strike Film Ribbons and Typed Text, Guide for, **E2287 (14.02)**
Single-tank dishwashing machines
Hot Water Sanitizing Commercial Dishwashing Machines, Single Tank, Conveyor Rack Type, Specification for, **F858 (15.12)**
Single-tear method
Tear-Propagation Resistance (Trouser Tear) of Plastic Film and Thin Sheeting by a Single-Tear Method, Test Method for, **D1938 (08.01)**
Single textile fibers
Tensile Properties of Single Textile Fibers, Test Method for, **D3822/D3822M (07.01)**
Single thermoelement materials
Sa **Thermocouples**
Measuring Electromotive Force (emf) Stability of Base-Metal Thermoelement Materials with Time in Air, Test Method for, **E601 (14.03)**
Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, Test Method for, **E207 (14.03)**
Single-use molds
Molds for Forming Concrete Test Cylinders Vertically, Specification for, **C470/C470M (04.02)**
Single wheel driving traction
Single Wheel Driving Traction in a Straight Line on Snow- and Ice-Covered Surfaces, Test Method for, **F1805 (09.02)**
Single yarns
Designation of Yarn Construction, Practice for, **D1244 (07.01)**
Sink current
See **Current measurement—semiconductors**
Sinker nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Sink-float method
Density of Glass by the Sink-Float Comparator, Test Method for, **C729 (15.02)**
Density of High-Modulus Fibers, Test Method for, **D3800M (15.03)**
Lightweight Particles in Aggregate, Test Method for, **C123/C123M (04.02)**
Sinks
Commercial Food Waste Disposers, Specification for, **F917 (15.12)**
Energy Performance of Powered Open Warewashing Sinks, Test Method for, **F2379 (15.12)**
Sinter
Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, Test Method for, **E279 (03.05)**
Sinterability test
Nuclear-Grade Beryllium Oxide Powder, Specification for, **C708 (12.01)**
Nuclear-Grade, Sinterable Uranium Dioxide Powder, Specification for, **C753 (12.01)**
Sinterable plutonium dioxide powder
See **Plutonium dioxide (powders and pellets)**
Sinterable uranium dioxide powder
See **Uranium dioxide (powders and pellets)**
Sintered bronze bearing
Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B438 (02.05)**
Sintered gadolinium oxide-uranium dioxide pellets
See **Gadolinium oxide-uranium dioxide powder/pellets**
Sintered metal bearings—specifications
Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B438 (02.05)**
Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), Specification for, **B439 (02.05)**
Sintered metal fiber mat
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
Sintered metal powder parts
Sintered Aluminum Structural Parts, Specification for, **B595 (02.05)**
Transverse Rupture Strength of Powder Metallurgy (PM) Specimens, Test Method for, **B528 (02.05)**
Sintered metal powder parts—structural
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Sintered microspheres
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
Sintered silicon carbide/nitride samples
Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**
Sintered test bars
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Sintered uranium dioxide
Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration, Test Method for, **C1430 (12.01)**
Sintering
Measuring Dimensional Changes Associated with Processing Metal Powders, Test Method for, **B610 (02.05)**
Powder Metallurgy (PM) Boron Stainless Steel Structural Components, Specification for, **B853 (02.05)**
Sinusoidal burst technique
Sa **Ultrasonic testing**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Sinusoidal current method
AC Magnetic Permeability of Materials Using Sinusoidal Current, Test Method for, **A772/A772M (03.04)**
Sinusoidal motion/vibration
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Vibration (Horizontal Linear Motion) Test of Products, Test Method for, **D5112 (15.10)**
Vibration (Vertical Linear Motion) Test of Products, Test Methods for, **D3580 (15.10)**

Sinusoidal voltage
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**

Sinvatrol tester
Relative Setting of Heatset Printing Inks, Test Method for, **D6073 (06.02)**

Siren
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**

Sirolan-laserscan fiber diameter analyser
Diameter of Wool and Other Animal Fibers By Sirolan-Laserscan Fiber Diameter Analyser, Test Method for, **D6466 (07.02)**

Site assessment
Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, Guide for, **E2435 (11.05)**

Site assessment/characterization
Sa **Environmental site assessment (ESA)**
Detecting Hot Spots Using Point-Net (Grid) Search Patterns, Practice for, **D6982 (11.04)**

Site identification/investigation/selection
Analysis of Spatial Variation in Geostatistical Site Investigations, Guide for, **D5922 (04.09)**
Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, Guide for, **D5111 (11.07)**
Comparing Groundwater Flow Model Simulations to Site-Specific Information, Guide for, **D5490 (04.08)**
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Design and Installation of Groundwater Monitoring Wells, Practice for, **D5092 (04.08)**
Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, Practice for, **D6725 (04.09)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, Practice for, **C1174 (12.01)**
Purging Methods for Wells Used for Groundwater Quality Investigations, Guide for, **D6452 (04.09)**
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**
Selection of Kriging Methods in Geostatistical Site Investigations, Guide for, **D5923 (04.09)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Selection of Simulation Approaches in Geostatistical Site Investigations, Guide for, **D5924 (04.09)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Set of Data Elements to Describe a Groundwater Site, Guide for, **D5408 (04.08)**
Surface Site Characterization for On-Site Septic Systems, Practice for, **D5879 (04.09)**

Sitework
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Seismic Risk Assessment of Buildings, Guide for, **E2026 (04.11)**

SIW stranded aluminum conductor
See **Stranded aluminum electrical conductors—specifications**

SIW stranded copper conductor
See **Stranded copper electrical conductors—specifications**

Six degrees of freedom (6DOF)—pose
Evaluating the Performance of Systems that Measure Static, Six Degrees of Freedom (6DOF), Pose, Test Method for, **E2919 (10.04)**

Sixteenth bends
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**

Size-diferentiated counting
Size-Differentiated Counting of Particles and Fibers Released from Cleanroom Wipers Using Optical and Scanning Electron Microscopy, Test Method for, **E2090 (15.03)**

Size-exclusion chromatography (SEC)
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**
Molecular Weight Averages and Molecular Weight Distribution of Hydrocarbon, Rosin and Terpene Resins by Size-Exclusion Chromatography, Practice for, **D6579 (06.03)**
Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by High Performance Size-Exclusion Chromatography, Test Method for, **D5296 (08.03)**

Size exclusion chromatography with multi-angle light scattering detection (SEC-MALS)
Determining the Molar Mass of Chitosan and Chitosan Salts by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), Test Method for, **F2602 (13.02)**
Determining the Molar Mass of Sodium Alginate by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), Test Method for, **F2605 (13.02)**

Size-mass percentage grading
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**

Size-range grading
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**

Size scaling
Size Scaling of Tensile Strengths Using Weibull Statistics for Advanced Ceramics, Practice for, **C1683 (15.01)**

Size/size distribution analysis
Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, Test Method for, **F2149 (13.01)**
Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, Practice for, **E122 (14.02)**
Characterizing the Performance of Refuse Size-Reduction Equipment, Test Method for, **E959 (11.04)**
Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, Practice for, **F50 (15.03)**
Drop Shatter Test for Coal, Test Method of, **D440 (05.06)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate, Test Method for, **D4791 (04.03)**
Measuring and Counting Particulate Contamination on Surfaces, Test Method for, **F24 (15.03)**
Measuring Dimensional Changes Associated with Processing Metal Powders, Test Method for, **B610 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mechanical Size Analysis of Extracted Aggregate, Test Method for, **D5444 (04.03)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), Test Method for, **D4570 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Sampling and Testing Ferroalloys for Determination of Size, Test Methods for, **A610 (01.02)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**
Sizes of Aggregate for Road and Bridge Construction, Classification for, **D448 (04.03)**
Sizes of Ferroalloys and Alloy Additives, Specification for, **A835/A835M (01.02)**
Tumbler Test for Coal, Test Method of, **D441 (05.06)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Sizing
Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing, Practice for, **F1731 (11.03)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Determining the Presence of Sizing in Nylon or Polyester Fabric, Practice for, **D6613 (07.02)**
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Size and Squareness of Resilient Floor Tile by Dial Gage Method, Test Method for, **F2055 (15.04)**
Sizing and Counting Particulate Contaminant In and On Clean Room Garments, Test Method for, **F51/F51M (15.03)**

Skateboarding
Above Ground Public Use Skatepark Facilities, Guide for, **F2334 (15.07)**
Fences for Above-Ground and In-ground Skate Park Facilities, Guide for, **F2698 (01.06)**
Helmets Used in Skateboarding and Trick Roller Skating, Specification for, **F1492 (15.07)**

Skatepark
Above Ground Public Use Skatepark Facilities, Guide for, **F2334 (15.07)**

Skates/skating
Above Ground Public Use Skatepark Facilities, Guide for, **F2334 (15.07)**
Fences for Above-Ground and In-ground Skate Park Facilities, Guide for, **F2698 (01.06)**
Helmets Used in Short Track Speed Ice Skating (Not to Include Hockey), Specification for, **F1849 (15.07)**
In-ground Concrete Skatepark, Guide for, **F2480 (15.07)**
Skating and Ice Hockey Playing Facilities, Guide for, **F1703 (15.07)**

Skeins
Breaking Strength of Yarn in Skein Form, Test Method for, **D1578 (07.01)**
Evaluation of Recoverable Stretch of Stretch Yarns (Skein Method), Test Method for, **D6720 (07.02)**
Evaluation of Wetting Agents by the Skein Test, Test Method for, **D2281 (15.04)**
Linear Density of Yarn (Yarn Number) by the Skein Method, Test Method for, **D1907/D1907M (07.01)**

Skeletal crystal
Microcrystal Testing in Forensic Analysis of Methamphetamine and Amphetamine, Guide for, **E1969 (14.02)**

Skeletal density/volume
Metal Powder Skeletal Density by Helium or Nitrogen Pycnometry, Test Method for, **B923 (02.05)**

Skeletal system
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**

Skew
Bow and Skew in Woven and Knitted Fabrics, Test Method for, **D3882 (07.01)**

Skid resistance/measurement
Accelerated Polishing of Aggregates or Pavement Surfaces Using a Small-Wheel, Circular Track Polishing Machine, Practice for, **E660 (04.03)**
Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), Test Method for, **E556/E556M (04.03)**
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
Measuring Paved Surface Frictional Properties Using the Dynamic Friction Tester, Test Method for, **E1911 (04.03)**
Measuring the Skid Resistance of Pavements and Other Trafficked Surfaces Using a Continuous Reading, Fixed-Slip Technique, Test Method for, **E2340/E2340M (04.03)**
Skid Resistance of Paved Surfaces Using a Full-Scale Tire, Test Method for, **E274/E274M (04.03)**
Standard Rib Tire for Pavement Skid-Resistance Tests, Specification for, **E501 (04.03)**
Standard Smooth Tire for Pavement Skid-Resistance Tests, Specification for, **E524 (04.03)**
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**
Validating New Area Reference Skid Measurement Systems and Equipment, Guide for, **E1890 (04.03)**

Skids
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood Boxes, Specification for, **D6880/D6880M (15.10)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**
Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, Specification for, **D6256/D6256M (15.10)**

Skin graft/substitutes
Classification of Therapeutic Skin Substitutes, Guide for, **F2311 (13.01)**

Skillets
Frying and Braising Pans, Tilting Type, Specification for, **F1047 (15.12)**

Skimmer systems
Collecting Skimmer Performance Data in Controlled Environments, Guide for, **F631 (11.05)**
Determining Nameplate Recovery Rate of Stationary Oil Skimmer Systems, Test Method for, **F2709 (11.05)**
Qualitative Observations of Skimmer Performance, Guide for, **F2008 (11.05)**
Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**

Skim stock
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**

Skin
Classification of Therapeutic Skin Substitutes, Guide for, **F2311 (13.01)**
Determination of Skin Contact Temperature from Heated Sur-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

faces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Enumeration of Halophilic and Proteolytic Bacteria in Raceway Brine, Brine-Cured Hides and Skins, Test Method for, **D7816 (15.04)**
Enumeration of Proteolytic Bacteria in Fresh (Uncured) Hides and Skins, Test Method for, **D7818 (15.04)**
Enumeration of Yeast and Mold on Fresh (Uncured) Hides and Skins, Test Method for, **D7819 (15.04)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Performing Behind-the-Knee (BTK) Test for Evaluating Skin Irritation Response to Products and Materials That Come Into Repeated or Extended Contact with Skin, Test Method for, **F2808 (13.02)**
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**

Skin (animal fibers)
See **Animal fibers**

Skin contact temperature
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Measuring the Performance of Personal Cooling Systems Using Physiological Testing, Test Method for, **F2300 (11.03)**

Skinfeel analysis
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**

Skin flora
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**

Skin formation
Heat Stability of Hot-Melt Adhesives, Test Method for, **D4499 (15.10)**

Skinned playing areas
Construction and Maintenance of Skinned Areas on Baseball and Softball Fields, Guide for, **F2107 (15.07)**

Skin sensitization
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Evaluation of Antimicrobial Handwash Formulations by Utilizing Fingernail Regions, Test Method for, **E1327 (11.05)**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**
Human Repeat Insult Patch Testing of Medical Gloves, Test Method for, **D6355 (09.02)**
Laboratory Testing of Non-Commercial Mosquito Repellent Formulations On the Skin, Test Methods for, **E951 (11.05)**
Performing Behind-the-Knee (BTK) Test for Evaluating Skin Irritation Response to Products and Materials That Come Into Repeated or Extended Contact with Skin, Test Method for, **F2808 (13.02)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, Test Method for, **F1383 (11.03)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Testing Biomaterials in Rabbits for Primary Skin Irritation, Practice for, **F719 (13.01)**
Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, Practice for, **F720 (13.01)**

Skip-lot inspection
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**

Skis
See **Alpine skis**

Skived tape
PTFE Resin Skived Tape, Specification for, **D3308 (08.02)**

Skylights
Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies, Test Method for, **E2025 (04.11)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Structural Performance of Thermal Barriers in Fenestration Products, Test Method for, **E2692 (04.12)**
Water Penetration of Exterior Windows, Skylights, and Doors by Rapid Pulsed Air Pressure Difference, Test Method for, **E2268 (04.12)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**

Slab
Hot Rolling Mill Solution Heat Treatment for Aluminum Alloy Plate, Practice for, **B947 (02.02)**

Slab/bonded/molded urethane foams
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**

Slabs
Installing Plastic DWV Piping Suspended from On-Grade Slabs, Guide for, **F2536 (08.04)**

Slab/slabs
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Particle Size Analysis of Natural and Man-Made Riprap Materials, Test Methods for, **D5519 (04.08)**
Preparation of Rock Slabs for Durability Testing, Practice for, **D5121 (04.08)**

Slack and trouser fabrics
Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3782 (07.01)**
Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3780 (07.01)**
Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, Performance Specification for, **D4155 (07.01)**

Slag
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Agricultural Liming Materials, Specification for, **C602 (04.01)**
Coking Large Shapes of Carbon-Bearing Materials, Practice for, **C607 (15.01)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), Test Method for, **C1567 (04.02)**
Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, Test Method for, **C441/C441M (04.02)**
Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination in Slags and Cupels, Practice for, **E2295 (03.05)**
Hydraulic Activity of Slag Cement by Reaction with Alkali, Test Method for, **C1073 (04.02)**
Hydraulic Cement, Performance Specification for, **C1157/C1157M (04.01)**
Portland-Cement Content of Hardened Hydraulic-Cement Concrete, Test Method for, **C1084 (04.02)**
Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, Practice for, **E2294 (03.05)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Rotary Slag Testing of Refractory Materials, Test Method for, **C874 (15.01)**
Silica in Refuse-Derived Fuel (RDF) and RDF Ash, Test Method for, **E887 (11.04)**

Slag—cement
Sa **Hydraulic cement concrete**
Evaluation of Alternative Supplementary Cementitious Materials (ASCM) for Use in Concrete, Guide for, **C1709 (04.02)**

Slag—crushed
See **Coarse aggregate**

Slag mineral fiber insulation
Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, Test Method for, **C1335 (04.06)**

Slake durability
Slake Durability of Shales and Similar Weak Rocks, Test Method for, **D4644 (04.08)**

Slaking rate
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**

Slanted access tube
Logging In Situ Moisture Content and Density of Soil and Rock by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, Test Method for, **D6031/D6031M (04.09)**

Slant shear test
Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear, Test Method for, **C882/C882M (04.02)**

Slate
Flexure Testing of Slate (Breaking Load, Modulus of Rupture, Modulus of Elasticity), Test Methods of, **C120/C120M (04.07)**
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Use of Expanded Shale, Clay and Slate (ESCS) as a Mineral Component in the Growing Media and the Drainage Layer for Vegetative (Green) Roof Systems, Specification for, **E2788 (04.04)**
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**
Water Absorption of Slate, Test Method for, **C121/C121M (04.07)**
Weather Resistance of Slate, Test Method for, **C217/C217M (04.07)**

Slate—specifications
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**
Roofing Slate, Specification for, **C406/C406M (04.07)**
Slate Dimension Stone, Specification for, **C629/C629M (04.07)**

Slate white pigment
See **Basic carbonate white lead pigment**

Slating nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

SLBOCLE (scuffing load ball-on-cylinder lubricity evaluator)
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**

Sledge hammer test
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

Sleeping bags
Measurement of Sleeping Bags, Test Method for, **F2568 (15.07)**
Measuring Sleeping Bag Loft, Test Method for, **F1932/F1932M (15.07)**
Measuring Sleeping Bag Packing Volume, Test Method for, **F1853 (15.07)**
Measuring Thermal Insulation of Sleeping Bags Using a Heated Manikin, Test Method for, **F1720 (15.07)**

Sleeping materials/applications (marine)—specifications
Mattress and Box Springs for Use in Berths in Marine Vessels, Specification for, **F1085 (01.07)**

Sleeping materials/applications (marine)
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Sleet
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**

Sleeves/sleeving
Flexible Treated Sleeving Used for Electrical Insulation, Test Methods for, **D350 (10.01)**

Sleeves/sleeving—specifications
Asbestos Tubular Sleeving, Specification for, **D628/D628M (04.05)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
In-Service Care of Insulating Gloves and Sleeves, Specification for, **F496 (10.03)**
Rubber Insulating Sleeves, Specification for, **D1051 (10.03)**
Wrought Carbon Steel Sleeve-Type Pipe Couplings, Specification for, **F682 (01.07)**

Slice diameter
See **Diameter—electronic components/devices**

Slice image
X-Ray Compton Scatter Tomography, Guide for, **E1931 (03.03)**

Slicers
Slicing Machines, Food, Electric, Specification for, **F919 (15.12)**

Slicing machines
Bread Slicing Machines, Specification for, **F2646 (15.12)**
Bun Slicing Machines, Specification for, **F2645 (15.12)**

Slicks (oil)
See **Oil spill control systems**

Slide gates
Sa **Fences/fencing materials**
Industrial and Commercial Horizontal Slide Gates, Specification for, **F1184 (01.06)**

Slides (microscopic)
Cover Glasses and Glass Slides for Use in Microscopy, Specification for, **E211 (14.04)**

Slides (playground)
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**

Slideway lubricants
Thermal Stability of Way Lubricants, Test Method for, **D6203 (05.03)**

Sliding
Wear Testing with a Pin-on-Disk Apparatus, Test Method for, **G99 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sliding block method
See **Sand paper/sliding block method**
Sliding doors
Detention Sliding Door Locking Device Assembly, Test Methods for, **F1643 (15.08)**
Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact, Test Methods for, **F842 (04.12)**
Sliding electrical contacts
Sa **Electrical contact materials**
80 % Silver-20 % Graphite Sliding Contact Material, Specification for, **B664 (02.04)**
Measuring Electrical Contact Noise in Sliding Electrical Contacts, Practice for, **B615 (02.04)**
Preparing Specifications for Miniature Brushes of Composite Materials for Sliding Electric Contacts, Guide for, **B613 (02.04)**
Sliding friction
Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**
Sliding friction resistance
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Sliding pull resistance
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**
Sliding scale calibration graph
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Sliding tire traction
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**
Sliding watertight doors
See **Shipbuilding steel materials (doors)**
Sliding wear test data
Sa **Wear testing**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Linearly Reciprocating Ball-on-Flat Sliding Wear, Test Method for, **G133 (03.02)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Ranking Resistance of Plastic Materials to Sliding Wear Using a Block-On-Ring Configuration, Test Method for, **G137 (03.02)**
Ranking Resistance of Plastics to Sliding Wear Using Block-on-Ring Wear Test—Cumulative Wear Method, Test Method for, **G176 (03.02)**
Recommended Format of Wear Test Data Suitable for Databases, Guide for, **G118 (03.02)**
Sliding windows/doors
Sa **Doors/door assemblies**
Sa **Windows/window assemblies**
Determination of Operating Force of Sliding Windows and Doors, Test Method for, **E2068 (04.11)**
Slightly dispersive clay soil
Dispersive Characteristics of Clay Soil by Double Hydrometer, Test Method for, **D4221 (04.08)**
Slimes
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**
Slimicides
Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, Test Method for, **E1839 (11.05)**
Sling
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Sling Carriers, Consumer Safety Specification for, **F2907 (15.11)**
Sling hoist-lift
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Slip additives
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**
Slipcover fabrics
Woven Slipcover Fabrics, Performance Specification for, **D4113 (07.01)**
Slip-in corrosion rack
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
Sliplining
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Slip resistance
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**
Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, Test Method for, **C1028 (15.02)**
Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, Specification for, **F982 (13.01)**
Evaluation of Spray-Buff Products on Test Floors, Practice for, **D3758 (15.04)**
Measuring the Coefficient of Friction for Evaluation of Slip Performance of Footwear and Test Surfaces/Flooring Using a Whole Shoe Tester, Test Method for, **F2913 (15.07)**
Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, Guide for, **F1240 (15.07)**
Ranking of Test Data Obtained for Measurement of Slip Resistance of Footwear Sole, Heel, and Related Materials, Practice for, **F695 (15.07)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Reporting Slip Resistance Test Results, Practice for, **F2048 (15.07)**
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Selection of Walkway Surfaces and Treatments When Considering Aggressive Contaminant Conditions in Commercial and Industrial (Not Including Construction) Environments, Guide for, **F2965 (15.07)**
Slip-Resistant Bathing Facilities, Consumer Safety Specification for, **F462 (15.11)**
Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, Test Method for, **D2047 (15.04)**
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**
Using a Horizontal Pull Slipmeter (HPS), Test Method for, **F609 (15.07)**
Slip resistant bathing facilities
See **Consumer safety specifications (bathrooms)**
Slip rings
Measuring Electrical Contact Intermittences, Guide for, **B854 (02.04)**
Slips
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Slips—lingerie
Brassiere, Slip, Lingerie and Underwear Fabrics, Performance Specification for, **D7019 (07.02)**
Slip/spin flange joint
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Slip strength
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Methods for, **D4565 (10.02)**
Slip test data
Reporting Slip Resistance Test Results, Practice for, **F2048 (15.07)**
Slit coil
Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, Test Method for, **A971/A971M (03.04)**
Slit tests
Slit Tear Resistance of Leather, Test Method for, **D2212 (15.04)**
Slit tubing weldments
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Slit width (of spectrophotometers)
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, Practice for, **E958 (03.06)**
Sliver
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Fiber Cohesion in Sliver and Top (Static Tests), Test Method for, **D2612 (07.01)**
Slope
Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, Practice for, **D5166 (06.03)**
Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, Practice for, **D5165 (06.03)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Slope-area method
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Slope of grain
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Slopes
Construction of Live Fascines on Slopes, Practice for, **D6599 (04.09)**
Slope stabiization
Live Staking, Practice for, **D6765 (04.09)**
Slot
Center Serving Diameter Dimensions for Archery Bow Strings, Guide for, **F1436 (15.07)**
Slots—chevron/grip/crack
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Slotted angle crates
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**
Slotted cores
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**
Slotted tube
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Sloughage
Water Extractable Residue from Particulate Ion-Exchange Resins, Test Method for, **D5627 (11.02)**
Sloughs
See **Fresh water**
Slow cook oven
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Slow crack growth (SCG)
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, Test Method for, **C1576 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures, Test Method for, **C1465 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Notched, Constant Ligament-Stress (NCLS) Test to Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe, Test Method for, **F2136 (08.04)**
Slow-curing asphalt
Cationic Emulsified Asphalt, Specification for, **D2397/D2397M (04.03)**
Cutback Asphalt (Slow-Curing Type), Specification for, **D2026/D2026M (04.03)**
Emulsified Asphalt, Specification for, **D977 (04.03)**
Slow rate penetration
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Sludge
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Alkaline Stabilization of Wastewater Treatment Plant Residuals, Guide for, **D6249 (04.01)**
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Cummins ISM Test, Test Method for, **D7468 (05.04)**
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
Determination of Bisphenol A in Soil, Sludge and Biosolids by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7858 (11.04)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**
Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, Test Method for, **D6139 (05.03)**
Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, Test Method for, **D5210 (08.03)**
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Flammability Potential Screening Analysis of Waste, Test Methods for, **D4982 (11.04)**
General Planning of Waste Sampling, Guide for, **D4687 (11.04)**
Measuring Physical and Rheological Properties of Radioactive Solutions, Slurries, and Sludges, Guide for, **C1752 (12.01)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Oxidation and Thermal Stability Characteristics of Gear Oils Us-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ing Universal Glassware, Test Method for, **D5763 (05.02)**
Oxidation Stability of Mineral Insulating Oil, Test Method for, **D2440 (10.03)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Recovery of Viruses from Wastewater Sludges, Practice for, **D4994 (11.02)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**
Screening of Reactive Sulfides in Waste, Test Methods for, **D4978 (11.04)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**

Sludge sampling
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
General Planning of Waste Sampling, Guide for, **D4687 (11.04)**
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**
Sediments and Soluble Sludge in Service-Aged Insulating Oils, Test Method for, **D1698 (10.03)**

Sludging tendencies
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**

Slug calorimeter
Measuring Heat-Transfer Rate Using a Thermal Capacitance (Slug) Calorimeter, Test Method for, **E457 (15.03)**

Slug tests
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**
Field Pneumatic Slug (Instantaneous Change in Head) Tests to Determine Hydraulic Properties of Aquifers with Direct Push Groundwater Samplers, Practice for, **D7242/D7242M (04.09)**

Sluiceways
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**

Sluing resistance
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**

Slump
Fabricating Test Specimens with Self-Consolidating Concrete, Practice for, **C1758/C1758M (04.02)**
Slump Flow of Self-Consolidating Concrete, Test Method for, **C1611/C1611M (04.02)**
Slump of Hydraulic-Cement Concrete, Test Method for, **C143/C143M (04.02)**
Slump of Sealants, Test Method for, **D2202 (04.07)**

Slump resistance
Determining Slump Resistance of Carpet Adhesives, Test Method for, **D6005 (15.06)**

Slurries
Abrasion Resistance of Pipeline Coatings, Test Method for, **G6 (06.02)**
Carbon Black—pH Value, Test Methods for, **D1512 (09.01)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Density of Bentonitic Slurries, Test Method for, **D4380 (04.08)**
Determining Synergism Between Wear and Corrosion, Guide for, **G119 (03.02)**
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Marsh Funnel Viscosity of Clay Construction Slurries, Test Method for, **D6910/D6910M (04.09)**
Measuring Physical and Rheological Properties of Radioactive Solutions, Slurries, and Sludges, Guide for, **C1752 (12.01)**
Percent Solids in Titanium Dioxide Slurries, Test Methods for, **D3926 (06.03)**
Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders, Test Method for, **D4832 (04.08)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Sand Content by Volume of Bentonitic Slurries, Test Method for, **D4381/D4381M (04.08)**

Slurries—specifications
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, Specification for, **D6826 (04.13)**

Slurry
Corrosion Inhibiting Admixtures for Steel in Concrete by Polarization Resistance in Cementitious Slurries, Test Method for, **G180 (03.02)**
Kerosene Retention of Asbestos, Test Method for, **C1124/C1124M (04.05)**

Slurry abrasion response (SAR) number
Determination of Slurry Abrasivity (Miller Number) and Slurry Abrasion Response of Materials (SAR Number), Test Method for, **G75 (03.02)**

Slurry-broadcast monolithic surfacings
Testing Chemical-Resistant Broadcast and Slurry-Broadcast Resin Monolithic Floor Surfacings, Practice for, **C1486 (06.02)**

Slurry consistency
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**

Slurry phase
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**

Slurry seal mixtures
Construction of Asphalt-Rubber Cape Seal, Practice for, **D7564/D7564M (04.03)**
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**

Slurry wall viscosity
Marsh Funnel Viscosity of Clay Construction Slurries, Test Method for, **D6910/D6910M (04.09)**

Slush castings
Sa **Castings**
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**

Small angle x-ray scattering/sampling
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Small chamber testing
Determination of Volatile Organic Compounds (Excluding Formaldehyde) Emissions from Wood-Based Panels Using Small Environmental Chambers Under Defined Test Conditions, Practice for, **D6330 (11.07)**
Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber, Test Method for, **D6007 (04.10)**
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Small-diameter electrical conductor
Evaluation of Crimped Electrical Connections to 16-Gauge and Smaller Diameter Stranded and Solid Conductors, Test Method for, **B913 (02.04)**
Small diameter surgical tubing
Wrought Seamless or Welded and Drawn 18 Chromium-14Nickel-2.5Molybdenum Stainless Steel Small Diameter Tubing for Surgical Implants (UNS S31673), Specification for, **F2257 (13.01)**
Small diameter wire
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Small punch testing
Small Punch Testing of Polymeric Biomaterials Used in Surgical Implants, Test Method for, **F2977 (13.02)**
Small-scale burning tests
Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, Practice for, **D5207 (08.03)**
Effects of Flame Impingement on Materials Used in Protective Clothing Not Designated Primarily for Flame Resistance, Test Method for, **F1358 (11.03)**
Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, Test Method for, **D5132 (08.03)**
Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, Specification for, **D5025 (08.02)**
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**
Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, Test Method for, **D635 (08.01)**
Small-scale testing
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Flash Point by Small Scale Closed Cup Tester (Ramp Method), Test Method for, **D7236 (05.04)**
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**
Small Punch Testing of Ultra-High Molecular Weight Polyethylene Used in Surgical Implants, Test Method for, **F2183 (13.01)**
the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests, Practice for, **D6586 (15.01)**
Small signal current gain
See **Current measurement—semiconductors**
Small test result
Laboratory Bias Detection Using Single Test Result from Standard Material, Practice for, **D6617 (05.03)**
Small Unmanned Aircraft Systems (sUAS)
Aircraft Flight Manual (AFM) for a Small Unmanned Aircraft System (sUAS), Specification for, **F2908 (15.11)**
Design and Construction of a Small Unmanned Aircraft System (sUAS), Specification for, **F2910 (15.11)**
Design of the Command and Control System for Small Unmanned Aircraft Systems (sUAS), Specification for, **F3002 (15.11)**
Maintenance and Continued Airworthiness of Small Unmanned Aircraft Systems (sUAS), Practice for, **F2909 (15.11)**
Production Acceptance of Small Unmanned Aircraft System (sUAS), Practice for, **F2911 (15.11)**
Quality Assurance of a Small Unmanned Aircraft System (sUAS), Specification for, **F3003 (15.11)**
Small Unmanned Aircraft Systems (sUAS)—batteries
Batteries for Use in Small Unmanned Aircraft Systems (sUAS), Specification for, **F3005 (15.11)**
Small Unmanned Aircraft Systems (sUAS)—command and control system
Design of the Command and Control System for Small Unmanned Aircraft Systems (sUAS), Specification for, **F3002 (15.11)**
Small Unmanned Aircraft Systems (sUAS)—design and construction
Design and Construction of a Small Unmanned Aircraft System (sUAS), Specification for, **F2910 (15.11)**
Small Unmanned Aircraft Systems (sUAS)—design and production
Production Acceptance of Small Unmanned Aircraft System (sUAS), Practice for, **F2911 (15.11)**
Small Unmanned Aircraft Systems (sUAS)—maintenance and continued airworthiness
Maintenance and Continued Airworthiness of Small Unmanned Aircraft Systems (sUAS), Practice for, **F2909 (15.11)**
Small Unmanned Aircraft Systems (sUAS)—production acceptance requirements
Production Acceptance of Small Unmanned Aircraft System (sUAS), Practice for, **F2911 (15.11)**
Small Unmanned Aircraft Systems (sUAS)—quality assurance requirements
Quality Assurance of a Small Unmanned Aircraft System (sUAS), Specification for, **F3003 (15.11)**
Small Unmanned Aircraft Systems (sUAS)—test requirements
Design and Construction of a Small Unmanned Aircraft System (sUAS), Specification for, **F2910 (15.11)**
Small wheel circular track wear and polishing machine
Accelerated Polishing of Aggregates or Pavement Surfaces Using a Small-Wheel, Circular Track Polishing Machine, Practice for, **E660 (04.03)**
SMA resins
Acid Number of Styrene-Maleic Anhydride Resins, Test Method for, **D3644 (15.04)**
Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), Classification System and Basis for Specification for, **D4634 (08.02)**
SMCRA
Geospatial Data for Representing Coal Mining Features, Practice for, **D7780 (04.09)**
Minimum Geospatial Data for Abandoned Mine Land Problem Areas, Planning Units, Keyword Features, and Project Sites, Practice for, **D7699/D7699M (04.09)**
Smear/smudge
Cleanliness of Carbon Paper, Test Method for, **F854 (15.09)**
SMI (significant medical incident)
Planning for and Response to a Multiple Casualty Incident, Guide for, **F1288 (13.02)**
SMITE (simulated mechanical impact) tester
Bridge Impact Testing, Test Method for, **D5265 (15.10)**
Smith-Hieftje System
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
SMOBC (soldermask over bare copper)
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Smoke analysis
Collection and Analysis of Visible Emissions from Candles as They Burn, Test Method for, **F2326 (15.11)**
Fire Standards, Terminology of, **E176 (04.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Full-Scale Oxygen Consumption Calorimetry Fire Tests, Practice for, **E2067 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, Test Method for, **E906/E906M (04.07)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Specific Optical Density of Smoke Generated by Solid Materials, Test Method for, **E662 (04.07)**
Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics, Practice for, **E2231 (04.07)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Smoke corrosivity
Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, Test Method for, **D5485 (10.02)**

Smoke density
Density of Smoke from the Burning or Decomposition of Plastics, Test Method for, **D2843 (08.01)**
Specific Optical Density of Smoke Generated by Solid Materials, Test Method for, **E662 (04.07)**

Smoke density (petroleum products)
Sa **Density—petroleum products**
Effect of Air Supply on Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2157 (05.01)**
Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2156 (05.01)**

Smoke detectors
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Smoke-developer method
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**

Smoke development
Specimen Preparation and Mounting of Caulks and Sealants to Assess Surface Burning Characteristics, Practice for, **E2690 (04.07)**
Specimen Preparation and Mounting of Tapes to Assess Surface Burning Characteristics, Practice for, **E2688 (04.07)**
Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) Wall or Ceiling Coverings, and of Facings and Wood Veneers Intended to be Applied on Site Over a Wood Substrate, to Assess Surface Burning Characteristics, Practice for, **E2404 (04.07)**
Specimen Preparation and Mounting of Wood Products to Assess Surface Burning Characteristics, Practice for, **E2579 (04.07)**

Smoke leak testing
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**

Smoke obscuration
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, Guide for, **E2280 (04.07)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Full-Scale Oxygen Consumption Calorimetry Fire Tests, Practice for, **E2067 (04.07)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, Test Method for, **E1995 (04.07)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**
Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, Test Method for, **D6113 (10.02)**

Smoke point—aviation turbine fuels
Smoke Point of Kerosine and Aviation Turbine Fuel, Test Method for, **D1322 (05.01)**

Smoke release rate
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**

Smoke spot number
Smoke Density in Flue Gases from Burning Distillate Fuels, Test Method for, **D2156 (05.01)**

Smoke test
Detention Sliding Door Locking Device Assembly, Test Methods for, **F1643 (15.08)**

Smoke toxicity
Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, Guide for, **E2280 (04.07)**
Measuring Smoke Toxicity for Use in Fire Hazard Analysis, Test Method for, **E1678 (04.07)**

Smoke tracer method
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**

Smoking atmospheres (tobacco)
See **Tobacco-smoking atmospheres**

Smoldering combustion
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**
Smoldering Combustion Potential of Cotton-Based Batting, Test Method for, **D5238 (07.02)**

Smooth crack growth data
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**

Smooth dielectrics
See **Dielectric properties/testing**

Smooth (flat) floor treads
Resilient Stair Treads, Specification for, **F2169 (15.04)**

Smooth-interior PVC pipe
Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, Specification for, **F949 (08.04)**

Smooth-surfaced roll roofing
Asphalt Roll Roofing (Organic Felt), Specification for, **D6380/D6380M (04.04)**

Smooth-tread tires
Sa **Tire testing**
A Size 10 × 4–5 Smooth-Tread Friction Test Tire, Specification for, **E1844 (04.03)**
Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, Specification for, **E1551 (04.03)**
Standard Smooth Tire for Pavement Skid-Resistance Tests, Specification for, **E524 (04.03)**

Smooth-wall conduits
Sa **Conduits**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, Specification for, **F512 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Smoothwall polyethylene (PE) pipe
Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields, Specification for, **F810 (08.04)**
Smudge
Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, Test Method for, **D5181 (06.02)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Office Products (GA-CAT Method), Practice for, **F1486 (15.09)**
Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), Test Method for, **F1478 (15.09)**
Determining the Drying Time of Inkjet Media and Inks Using a Smudge Method, Practice for, **F2498 (15.09)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Snagging resistance
Snagging Resistance of Fabrics (Bean Bag), Test Method for, **D5362 (07.02)**
Snagging Resistance of Fabrics (Mace), Test Method for, **D3939/D3939M (07.01)**
Snap fasteners
Holding Strength of Prong-Ring Attached Snap Fasteners, Test Method for, **D7142 (07.02)**
Resistance to Unsnapping of Snap Fasteners, Test Method for, **D4846 (07.02)**
Snapping resistance
Resistance to Unsnapping of Snap Fasteners, Test Method for, **D4846 (07.02)**
S-N curve
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures, Practice for, **C1361 (15.01)**
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Practice for, **C1360 (15.01)**
Flexural Fatigue Properties of Plastics, Test Method for, **D7774 (08.03)**
Snell's law
Crosshole Seismic Testing, Test Methods for, **D4428/D4428M (04.08)**
SNM (special nuclear materials)
Sa **Nuclear applications/materials**
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, Guide for, **C1169 (12.01)**
Nondestructive Analysis of Special Nuclear Materials in Homogeneous Solutions by Gamma-Ray Spectrometry, Test Method for, **C1221 (12.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**
Procedures for Calibrating Automatic Pedestrian SNM Monitors, Guide to, **C1189 (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
Snow
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Snow and ice removal
Calcium Chloride, Specification for, **D98 (04.03)**
Snow and Ice Control for Walkway Surfaces, Guide for, **F2966 (15.07)**
Snowboarding
Helmets Used for Recreational Snow Sports, Specification for, **F2040 (15.07)**
Snowboard Step-in Bindings, Test Method for, **F2546 (15.07)**
Snowboarding, Terminology Relating to, **F1107 (15.07)**
Snowboards with a Channel-Mounting System and Removable Inserts, Test Method for, **F3030 (15.07)**
Snowboards—bindings
Snowboards with a Channel-Mounting System and Removable Inserts, Test Method for, **F3030 (15.07)**
Snowboards—channel-mounting system
Snowboards with a Channel-Mounting System and Removable Inserts, Test Method for, **F3030 (15.07)**
Snowboards—removable Inserts
Snowboards with a Channel-Mounting System and Removable Inserts, Test Method for, **F3030 (15.07)**
Snow climbing
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Snow/ice surfaces
Single Wheel Driving Traction in a Straight Line on Snow- and Ice-Covered Surfaces, Test Method for, **F1805 (09.02)**
Tire Performance Testing on Snow and Ice Surfaces, Test Methods for, **F1572 (09.02)**
Snowmobiles
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Snow skiing
See **Alpine skis**
Snow sports
Helmets Used for Recreational Snow Sports, Specification for, **F2040 (15.07)**
Snowboard Step-in Bindings, Test Method for, **F2546 (15.07)**
SNS (Santocure NS)
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Soak containers
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Soak-freeze-thaw procedure
Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, Practice for, **D5722 (06.01)**
Soak testing
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Estimating the Maximum Use Temperature of Thermal Insulations, Practice for, **C447 (04.06)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Linear Shrinkage of Preformed High-Temperature Thermal Insulation Subjected to Soaking Heat, Test Method for, **C356 (04.06)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Soap
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Ethylene Diamine Tetraacetate (EDTA) in Soaps or Synthetic Detergents, Test Method for, **D1767 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Foam Stability of Hand Dishwashing Detergents, Guide for, **D4009 (15.04)**
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**
Particle Size of Soaps and Other Detergents, Test Method for, **D502 (15.04)**
pH of Aqueous Solutions of Soaps and Detergents, Guide for, **D1172 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Soaps and Other Detergents, Terminology Relating to, **D459 (15.04)**

Soap content
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**

Soap scum
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**

Soapstone
See **Magnesium silicate pigment**

Soapstone refractory mortar
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**

Soccer
Headgear Used in Soccer, Specification for, **F2439 (15.07)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Safer Use of Movable Soccer Goals, Guide for, **F1938 (15.11)**
Soccer Goals, Safety and Performance Specification for, **F2056 (15.11)**
Special Tip-Resistant Movable Soccer Goals, Safety Specification for, **F2673 (15.11)**

Soccer goals
Soccer Goals, Safety and Performance Specification for, **F2950 (15.11)**

Socket
Central Vacuum Hose Inlet Valve Socket Dimensions, Specification for, **F2863 (15.08)**
Tension Testing of Wire Ropes and Strand, Test Method for, **A931 (01.03)**

Socket button screws
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F835 (01.08)**
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F835M (01.08)**

Socket joints
Determining Tribomechanical Properties of Grease Lubricated Plastic Socket Suspension Joints Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7420 (05.04)**
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**

Sockets
Joints for IPS PVC Pipe Using Solvent Cement, Specification for, **D2672 (08.04)**
Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, Specification for, **F1056 (08.04)**

Socket set screws (SSS)
Sa **Screws—specifications**
Alloy Steel Socket Set Screws, Specification for, **F912 (01.08)**
Alloy Steel Socket Set Screws (Metric), Specification for, **F912M (01.08)**
Stainless Steel Socket Set Screws (Metric), Specification for, **F880M (01.08)**
Stainless Steel Socket, Square Head, and Slotted Headless-Set Screws, Specification for, **F880 (01.08)**

Socket-type PVC pipe fittings
Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, Specification for, **D2467 (08.04)**
Pressure Rating Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40 and 80 Socket-Type, Test Method for, **F2261 (08.04)**
Socket-Type Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40, Specification for, **F438 (08.04)**

Socket-welded applications
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Non-Reinforced Extruded Tee Connections for Piping Applications, Specification for, **F2014 (01.07)**

Soda ash (sodium carbonate)
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**

Soda-lime glass
Sa **Glass—specifications**
Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, Specification for, **F2179 (15.11)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**

Sodar
Measurement of Atmospheric Wind and Turbulence Profiles by Acoustic Means, Guide for, **D7145 (11.07)**

Sodium
Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, Test Method for, **D7550 (05.06)**

Sodium—nuclear applications
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**

Sodium alkylbenzene sulfonate
Sa **Alkylbenzene compounds**
Sodium Alkylbenzene Sulfonate in Synthetic Detergents by Ultraviolet Absorption, Test Method for, **D1768 (15.04)**

Sodium bicarbonate
Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), Test Method for, **D3268 (11.07)**

Sodium bicarbonate content
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**

Sodium biphenyl reduction
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**

Sodium carbonate content
Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), Test Methods for, **E291 (15.05)**

Sodium carboxymethylcellulose
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**

Sodium chlorate content
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**

Sodium chloride
Chemical Analysis of Sodium Chloride, Test Methods for, **E534 (15.05)**
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**
Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, Practice for, **G110 (03.02)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Evaluating the Corrosion Resistance of Stainless Steel Powder Metallurgy (PM) Parts/Specimens by Immersion in a Sodium Chloride Solution, Test Methods for, **B895 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**
Sodium Chloride, Specification for, **D632 (04.03)**

Sodium chloride content
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**

Sodium content
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**
Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials, Guide for, **B712 (02.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Sodium content—atmospheric analysis
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**

Sodium content—petroleum products
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Sodium in Residual Fuel Oil (Flame Photometric Method), Test Method for, **D1318 (05.01)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**
Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, Test Method for, **D3605 (05.01)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

Sodium content—water
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Lithium, Potassium, and Sodium Ions in Brackish Water, Seawater, and Brines by Atomic Absorption Spectrophotometry, Test Method for, **D3561 (11.02)**
Low Level Sodium in High Purity Water by Graphite Furnace Atomic Absorption Spectroscopy, Test Method for, **D6071 (11.01)**
On-line Determination of Sodium in Water, Test Method for, **D2791 (11.01)**
Sodium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4191 (11.01)**

Sodium cycle method
Operating Performance of Particulate Cation-Exchange Materials, Test Methods for, **D1782 (11.02)**

Sodium glycolate content
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**

Sodium hyalurdnate
Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, Guide for, **F2347 (13.01)**

Sodium hydroxide
1 % Sodium Hydroxide Solubility of Wood, Test Method for, **D1109 (04.10)**
Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2989 (15.05)**
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), Test Methods for, **E291 (15.05)**
Colorimetric Determination of, Test Method for, **D4590 (06.04)**
Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution, Test Method for, **E2098/E2098M (04.11)**
Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), Test Method for, **C1567 (04.02)**
Mercury in Caustic Soda (Sodium Hydroxide) and Caustic Potash (Potassium Hydroxide), Test Methods for, **E538 (15.05)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Solubility of Cellulose in Sodium Hydroxide, Test Method for, **D1696 (06.03)**

Sodium hydroxide etch test
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**

Sodium hypochlorite solutions
Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, Practice for, **B920 (02.04)**

Sodium iodide (NaI)
NaI(Tl) Gamma-Ray Spectrometry of Water, Practice for, **D4962 (11.02)**

Sodium ion removal (from water)
Operating Performance of Particulate Cation-Exchange Materials, Test Methods for, **D1782 (11.02)**

Sodium naphthalene complex treatment
Preparation of Surfaces of Plastics Prior to Adhesive Bonding, Practice for, **D2093 (15.06)**

Sodium oxide (Na_2O)
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**

Sodium oxide (Na_2O) content
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**

Sodium oxide (Na_2O) content—coal/coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sodium peroxide bomb ignition
Chlorine in Organic Compounds by Sodium Peroxide Bomb Ignition, Test Method for, **E256 (15.05)**
Sodium petroleum sulfonates
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**
Sodium polysulfide test
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Silver-Coated Soft or Annealed Copper Wire, Specification for, **B298 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, Specification for, **B33 (02.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**
Sodium silicate mortars
Chemically Setting Silicate and Silica Chemical-Resistant Mortars, Specification for, **C466 (04.05)**
Sodium silicates
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Sodium sulfate content
Analysis of Soda Ash (Sodium Carbonate), Test Methods for, **E359 (15.05)**
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Sodium sulfate method
Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate, Test Method for, **D5240/D5240M (04.08)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**
Sodium thiosulfate solution
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Sodium toluene sulfonate content
Analysis for Sodium Toluene Sulfonate in Detergents, Test Method of, **D2023 (15.04)**
Sodium tracer method
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Soffit board
See **Gypsum products**
Soffits
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, Practice for, **D4756 (08.03)**
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**
Softball equipment
Compression-Displacement of Baseballs and Softballs, Test Method for, **F1888 (15.07)**
Construction and Maintenance of Skinned Areas on Baseball and Softball Fields, Guide for, **F2107 (15.07)**
Construction and Maintenance of Warning Track Areas on Athletic Fields, Guide for, **F2270 (15.07)**
Displacement Compression of Softball and Baseball Bat Barrels, Test Method for, **F2844 (15.07)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Measuring Moment of Inertia and Center of Percussion of a Baseball or Softball Bat, Test Method for, **F2398 (15.07)**
Measuring Softball Bat Performance Factor, Test Method for, **F1890 (15.07)**
Measuring the Coefficient of Restitution (COR) of Baseballs and Softballs, Test Method for, **F1887 (15.07)**
Measuring the Dynamic Stiffness (DS) and Cylindrical Coefficient of Restitution (CCOR) of Baseballs and Softballs, Test Method for, **F2845 (15.07)**
Soft bronze (casting)
See **UNS C94300 (cast high-leaded tin bronze)**
Soft contained play equipment
Soft Contained Play Equipment, Safety Performance Specification for, **F1918 (15.11)**
Soft copper electrical wire
Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, Specification for, **B902/B902M (02.03)**
Nickel-Coated Soft or Annealed Copper Wire, Specification for, **B355 (02.03)**
Silver-Coated Soft or Annealed Copper Wire, Specification for, **B298 (02.03)**
Soft or Annealed Copper Wire, Specification for, **B3 (02.03)**
Soft Rectangular and Square Bare Copper Wire for Electrical Conductors, Specification for, **B48 (02.03)**
Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, Specification for, **B33 (02.03)**
Softened water
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Softeners
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Softening
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Softening agent
Asphalt Used in Roofing, Specification for, **D312 (04.04)**
Softening and stuffing compounds
Determination of the Moisture and Volatile Content of Sulfonated and Sulfated Oils by Hot-Plate Method, Test Method for, **D5349 (15.04)**
Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene, Test Method for, **D5348 (15.04)**
Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds, Test Method for, **D5346 (15.04)**
Softening point
Assignment of the Glass Transition Temperature by Thermomechanical Analysis, Test Method for, **E1545 (14.02)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Rubber Cements, Test Methods for, **D816 (09.01)**
Softening Point of Bitumen (Ring-and-Ball Apparatus), Test Method for, **D36/D36M (04.04)**
Softening Point of Certain Alkali-Soluble Resins, Test Method for, **D3642 (15.04)**
Softening Point of Glass, Test Method for, **C338 (15.02)**
Softening Point of Hydrocarbon Resins and Rosin Based Resins by Automated Ring-and-Ball Apparatus, Test Methods for, **D6493 (06.03)**
Softening Point of Resins Derived from Naval Stores by Ring-and-Ball Apparatus, Test Methods for, **E28 (06.03)**
Softening Point Resins (Mettler Cup and Ball Method), Test Method for, **D6090 (06.03)**
Staining Tendency of Asphalt (Stain Index), Test Method for, **D2746 (04.04)**
Softening point—pitches
Softening Point of Asphalt and Pitch (Mettler Cup-and-Ball Method), Test Method for, **D3461 (05.01)**
Softening Point of Pitch (Cube-in-Air Method), Test Method for, **D2319/D2319M (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Softening Point of Pitches (Cube-in-Water Method), Test Method for, **D61 (05.01)**
Softening Point of Pitches (Mettler Softening Point Method), Test Method for, **D3104 (05.01)**
Softening resistance
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Softening/stuffing compounds
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Determination of the Cloud Point of Oil, Test Method for, **D5551 (15.04)**
Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds, Test Method for, **D5556 (15.04)**
Softening temperature
Epoxy Resins, Specification for, **D1763 (08.01)**
Indentation Softening Temperature by Thermomechanical Analysis, Test Method for, **E2347 (14.02)**
Vicat Softening Temperature of Plastics, Test Method for, **D1525 (08.01)**
Soft infant carriers
Soft Infant and Toddler Carriers, Consumer Safety Specification for, **F2236 (15.11)**
Soft magnetic alloys
See **Magnetic alloys (soft)**
Soft marine soil
Handling, Storing, and Preparing Soft Intact Marine Soil, Practices for, **D3213 (04.08)**
Softness
Softness of Preformed Tape Sealants, Test Method for, **C782 (04.07)**
Soft pitch
Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), Test Method for, **D4312 (05.02)**
Soft rock
Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, Test Method for, **D5334 (04.08)**
Soft serve
Freezers, Ice Cream, Soft Serve, Shake, Specification for, **F1604 (15.12)**
Performance of Self-Contained Soft Serve and Shake Machines, Test Method for, **F2795 (15.12)**
Soft/square/rectangular Cu/Al wire
Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, Test Method for, **B279 (02.03)**
Soft tissue implant materials
Implantable Breast Prostheses, Specification for, **F703 (13.01)**
Metallic Bone Staples, Specification and Test Methods for, **F564 (13.01)**
Soft-Tissue Expander Devices, Specification for, **F1441 (13.01)**
Software
Sa **Computerized systems**
Digital Data Acquisition in Wear and Friction Measurements, Guide for, **G163 (03.02)**
Performing Detection and Quantitation Estimation and Data Assessment Utilizing DQCALC Software, based on ASTM Practices D6091 and D6512 of Committee D19 on Water, Practice for, **D7510 (11.01)**
Transition and Performance of Marine Software Systems Maintenance, Guide for, **F1716 (01.07)**
Verifying Computer-Generated Test Results Through The Use Of Standard Data Sets, Guide for, **E2443 (03.01)**
Software—groundwater analysis applications
Describing the Functionality of a Ground-Water Modeling Code, Guide for, **D6033 (04.09)**
Documenting a Ground-Water Modeling Code, Guide for, **D6171 (04.09)**
Software treatment (of infrared data)
General Techniques of Liquid Chromatography-Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, Practice for, **E2106 (03.06)**
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**
Soft window coverings
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Softwoods
Sa **Wood products**
Ash in Biomass, Test Method for, **E1755 (05.06)**
Commercial Hardwoods and Softwoods, Nomenclature of, **D1165 (04.10)**
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
SOHSP (shipboard occupational health/safety program)
Basic Elements of Shipboard Occupational Health and Safety Program, Guide for, **F2039 (01.07)**
Soil
Sa **Soil-cement**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Amount of Material in Soils Finer than No. 200 (75-μm) Sieve, Test Methods for, **D1140 (04.08)**
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
Applying Statistical Methods for Assessment and Corrective Action Environmental Monitoring Programs, Guide for, **D7048 (04.09)**
Assessing Biodegradability of Hydraulic Fluids, Guide for, **D6006 (05.02)**
Carbonate Content of Soils, Test Method for Rapid Determination of, **D4373 (04.08)**
CBR (California Bearing Ratio) of Soils in Place, Test Method for, **D4429 (04.08)**
Centrifuge Moisture Equivalent of Soils, Test Method for, **D425 (04.08)**
Characterizing Fly Ash for Use in Soil Stabilization, Practice for, **D5239 (04.08)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Consolidated Drained Triaxial Compression Test for Soils, Test Method for, **D7181 (04.09)**
Construction of Sand-based Rootzones for Golf Putting Greens and Tees, Guide for, **F2747 (15.07)**
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Crosshole Seismic Testing, Test Methods for, **D4428/D4428M (04.08)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Deep Foundations Under Lateral Load, Test Methods for, **D3966/D3966M (04.08)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Description of Frozen Soils (Visual-Manual Procedure), Practice for, **D4083 (04.08)**
Design of Stabilization of Soil and Soil-Like Materials with Self-Cementing Fly Ash, Practice for, **D7762 (04.09)**
Determination of Asbestos in Soil, Test Method for, **D7521 (11.07)**
Determination of Beryllium in Soil, Rock, Sediment, and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, Test Method for, **D7458 (04.09)**
Determination of Bisphenol A in Soil, Sludge and Biosolids by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7858 (11.04)**
Determination of Diisopropyl Methylphosphonate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Soil by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **E2866 (15.08)**
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Determination of Sediment Retention Device Effectiveness in Sheet Flow Applications, Test Method for, **D7351 (04.09)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, Test Method for, **D5334 (04.08)**
Determination of Thiodiglycol in Soil Using Pressurized Fluid Extraction Followed by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2787 (15.08)**
Determining Aerobic Biodegradation of Plastic Materials in Soil, Test Method for, **D5988 (08.03)**
Determining Filtering Efficiency and Flow Rate of the Filtration Component of a Sediment Retention Device, Test Method for, **D5141 (04.13)**
Determining Loose and Tapped Bulk Densities of Powders using a Graduated Cylinder, Test Methods for, **D7481 (04.09)**
Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, Test Method for, **D5321/D5321M (04.13)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Dispersive Characteristics of Clay Soil by Double Hydrometer, Test Method for, **D4221 (04.08)**
Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, Practice for, **D421 (04.08)**
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Energy Measurement for Dynamic Penetrometers, Test Method for, **D4633 (04.08)**
Erodibility Determination of Soil in the Field or in the Laboratory by the Jet Index Method, Test Method for, **D5852 (04.08)**
Estimating the Permanganate Natural Oxidant Demand of Soil and Aquifer Solids, Test Method for, **D7262 (04.09)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Expansion Index of Soils, Test Method for, **D4829 (04.08)**
Exposure and Retrieval of Samples to Evaluate Installation Damage of Geosynthetics, Practice for, **D5818 (04.13)**
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**
Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, Test Method for, **D5093 (04.08)**
Field Vane Shear Test in Cohesive Soil, Test Method for, **D2573 (04.08)**
Frost Heave and Thaw Weakening Susceptibility of Soils, Test Methods for, **D5918 (04.09)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth), Test Method for, **D6938 (04.09)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A798/A798M (01.06)**
Laboratory Determination of Density (Unit Weight) of Soil Specimens, Test Methods for, **D7263 (04.09)**
Laboratory Determination of the Fiber Content of Peat Samples by Dry Mass, Test Method for, **D1997 (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Liquid Limit, Plastic Limit, and Plasticity Index of Soils, Test Methods for, **D4318 (04.08)**
Measurement of Hydraulic Conductivity of Unsaturated Soils, Test Methods for, **D7664 (04.09)**
Measurement of Oxidation-Reduction Potential (ORP) of Soil, Test Method for, **G200 (03.02)**
Measurement of Soil Potential (Suction) Using Filter Paper, Test Method for, **D5298 (04.08)**
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Measuring Geosynthetic-Soil Resilient Interface Shear Stiffness, Test Method for, **D7499/D7499M (04.13)**
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**
Measuring the Exchange Complex and Cation Exchange Capacity of Inorganic Fine-Grained Soils, Test Method for, **D7503 (04.09)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**
Neps in Cotton Fibers, Test Method for, **D5866 (07.02)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**
Particle-Size Analysis of Soils, Test Method for, **D422 (04.08)**
pH of Soils, Test Method for, **D4972 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, Specification for, **E1745 (04.11)**
Pore Water Extraction and Determination of the Soluble Salt Content of Soils by Refractometer, Test Method for, **D4542 (04.08)**
Quicklime and Hydrated Lime for Soil Stabilization, Specification for, **C977 (04.01)**
Radiochemical Determination of Strontium-90 in Soil, Test Method for, **C1507 (12.01)**
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Resistance, Test Method for, **D2844/D2844M (04.08)**
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**
Screening Trichloroethylene (TCE)-Contaminated Media Using a Heated Diode Sensor, Practice for, **D7203 (11.04)**
Seed Starter Mix, Specification for, **D5539 (04.08)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Soil, Rock, and Contained Fluids, Terminology Relating to, **D653 (04.08)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**
Specific Gravity of Soil Solids by Water Pycnometer, Test Methods for, **D854 (04.08)**
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**
the Determination of Technetium-99 in Soil, Guide for, **C1387 (12.01)**
Topsoil Used for Landscaping Purposes, Specification for, **D5268 (04.08)**
Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, Practice for, **E1979 (04.11)**
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**
Volatile Organic Compound (VOC) Solvents Absorbed/Adsorbed By Simulated Soil Impacted by Pesticide Emulsifiable Concentrate (EC) Applications, Test Method for, **E2686 (11.05)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**
X-Ray Radiography of Soil Samples, Practice for, **D4452 (04.08)**

Soil—specifications
Circular-Knit Geotextile for Use in Subsurface Drainage Applications, Specification for, **D6707 (04.13)**
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Seed Starter Mix, Specification for, **D5539 (04.08)**
Silt Fence Materials, Specification for, **D6461 (04.09)**
Topsoil Used for Landscaping Purposes, Specification for, **D5268 (04.08)**

Soil accumulation
See **Dirt accumulation/analysis**

Soil-aggregate
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth), Test Method for, **D6938 (04.09)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**

Soil-aggregate—classification
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**

Soil-aggregate—moisture-unit weight relations
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**

Soil bioengineering
Construction of Live Fascines on Slopes, Practice for, **D6599 (04.09)**
Live Staking, Practice for, **D6765 (04.09)**
Placement of Riprap Revetments, Guide for, **D6825 (04.09)**

Soilblock culture testing
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**

Soil burial test
Conducting and Evaluating Laboratory Corrosion Tests in Soils, Practice for, **G162 (03.02)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Soil calibrating instrumentation
See **Calibration—soil/rock analysis instrumentation**

Soil-cement
Cement Content of Hardened Soil-Cement Mixtures, Test Method for, **D806 (04.08)**
Compressive Strength of Molded Soil-Cement Cylinders, Test Methods for, **D1633 (04.08)**
Compressive Strength of Soil-Cement Using Portions of Beams Broken in Flexure (Modified Cube Method), Test Method for, **D1634 (04.08)**
Coring and Logging Soil-Cement or Lime-Stabilized Soil, Guide for, **D6236 (04.09)**
Determining Cement Content of Fresh Soil-Cement (Heat of Neutralization Method), Test Method for, **D5982 (04.09)**
Flexural Strength of Soil-Cement Using Simple Beam with Third-Point Loading, Test Method for, **D1635/D1635M (04.08)**
Making and Curing Soil-Cement Compression and Flexure Test

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specimens in the Laboratory, Practice for, **D1632 (04.08)**
Moisture-Density (Unit Weight) Relations of Soil-Cement Mixtures, Test Methods for, **D558 (04.08)**
Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders, Test Method for, **D4832 (04.08)**

Soil (chemically-grouted)
See **Chemical-grouted soil**

Soil classification
Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, Practice for, **D3282 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), Test Method for, **D5715 (04.08)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Peat Samples by Laboratory Testing, Classification of, **D4427 (04.08)**
Sizes of Aggregate for Road and Bridge Construction, Classification for, **D448 (04.03)**
Subsurface Site Characterization of Test Pits for On-Site Septic Systems, Practice for, **D5921 (04.09)**

Soil (cohesionless)
See **Cohesionless soil**

Soil (cohesive)
See **Cohesive soils**

Soil compaction
Sa **Compaction measurement—soils**
Soil Compaction Determination at Shallow Depths Using 5-lb (2.3 kg) Dynamic Cone Penetrometer, Test Method for, **D7380 (04.09)**

Soil consolidation
Testing Vertical Strip Drains in the Crimped Condition, Test Method for, **D6918 (04.13)**

Soil corrosion testing
Conducting and Evaluating Laboratory Corrosion Tests in Soils, Practice for, **G162 (03.02)**
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
Measuring pH of Soil for Use in Corrosion Testing, Test Method for, **G51 (03.02)**

Soil density
In-Place Density (Unit Weight) and Water Content of Soil Using an Electromagnetic Soil Density Gauge, Test Method for, **D7830/D7830M (04.09)**
Laboratory Determination of Density (Unit Weight) of Soil Specimens, Test Methods for, **D7263 (04.09)**

Soil deposition
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**

Soil/dirt resistance
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**

Soil exploration
Sa **Site identification/investigation/selection**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
Obtaining Intact Block (Cubical and Cylindrical) Samples of Soils, Practices for, **D7015 (04.09)**
Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, Practice for, **D1587 (04.08)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**

Soil gas analysis
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Passive Soil Gas Sampling in the Vadose Zone for Source Identification, Spatial Variability Assessment, Monitoring, and Vapor Intrusion Evaluations, Practice for, **D7758 (04.09)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**

Soil-geotextile system
Sa **Geosynthetics**
Measuring the Filtration Compatibility of Soil-Geotextile Systems, Test Method for, **D5101 (04.13)**

Soil (granular)
See **Granular soil**

Soiling
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**
Evaluating Cleaning Performance of Ceramic Tile Cleaners, Guide for, **D5343 (15.04)**

Soil-lime mixtures
Coring and Logging Soil-Cement or Lime-Stabilized Soil, Guide for, **D6236 (04.09)**
Laboratory Preparation of Soil-Lime Mixtures Using Mechanical Mixer, Practice for, **D3551 (04.08)**
Lime Content of Uncured Soil-Lime Mixtures, Test Method for, **D3155 (04.08)**
One-Dimensional Expansion, Shrinkage, and Uplift Pressure of Soil-Lime Mixtures, Test Methods for, **D3877 (04.08)**
Unconfined Compressive Strength of Compacted Soil-Lime Mixtures, Test Methods for, **D5102 (04.08)**
Using pH to Estimate the Soil-Lime Proportion Requirement for Soil Stabilization, Test Method for, **D6276 (04.09)**

Soil loss
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, Test Method for, **D6459 (04.09)**

Soil modification
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**

Soil-moisture analysis
Centrifuge Moisture Equivalent of Soils, Test Method for, **D425 (04.08)**
Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, Guide for, **D6642 (04.09)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, Test Method for, **D5093 (04.08)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Logging In Situ Moisture Content and Density of Soil and Rock

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, Test Method for, **D6031/D6031M (04.09)**
Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, Test Method for, **D1558 (04.08)**
Moisture, Ash, and Organic Matter of Peat and Other Organic Soils, Test Methods for, **D2974 (04.08)**
Moisture-Density (Unit Weight) Relations of Soil-Cement Mixtures, Test Methods for, **D558 (04.08)**
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**

Soil (paving applications)
Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1196/D1196M (04.03)**
Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, Test Method for, **D1195/D1195M (04.03)**
Sand Equivalent Value of Soils and Fine Aggregate, Test Method for, **D2419 (04.03)**
Sizes of Aggregate for Road and Bridge Construction, Classification for, **D448 (04.03)**

Soil penetration
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**

Soil pipe (cast iron)
Sa **Cast iron soil pipe/fittings—specifications**
Gaskets for Use in Connection with Hub and Spigot Cast Iron Soil Pipe and Fittings for Sanitary Drain, Waste, Vent, and Storm Piping Applications, Test Method for, **C1563 (01.02)**

Soil (radioactive analysis)
Analysis of Total and Isotopic Uranium and Total Thorium in Soils by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1345 (12.01)**
Analysis of Uranium and Thorium in Soils by Energy Dispersive X-Ray Fluorescence Spectroscopy, Test Method for, **C1255 (12.01)**
Determination of Neptunium-237 in Soil, Guide for, **C1475 (12.01)**
High-Resolution Gamma-Ray Spectrometry of Soil Samples, Guide for, **C1402 (12.01)**
Radiochemical Determination of Plutonium in Soil by Alpha Spectroscopy, Test Method for, **C1001 (12.01)**
Radiochemical Determination of Uranium Isotopes in Soil by Alpha Spectrometry, Test Method for, **C1000 (12.01)**
Sampling Surface Soil for Radionuclides, Practice for, **C998 (12.01)**
Soil Sample Preparation for the Determination of Radionuclides, Practice for, **C999 (12.01)**
The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, Test Method for, **C1205 (12.01)**

Soil relative humidity
Measurement of Soil Potential (Suction) Using Filter Paper, Test Method for, **D5298 (04.08)**

Soil removal properties
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**

Soil resistance
Evaluation of Spray-Buff Products on Test Floors, Practice for, **D3758 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**

Soil resistivity
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
Measurement of Soil Resistivity Using the Two-Electrode Soil Box Method, Test Method for, **G187 (03.02)**

Soil retention
Determining Apparent Opening Size of a Geotextile, Test Method for, **D4751 (04.13)**

Soil sampling
Active Soil Gas Sampling for Direct Push or Manual-Driven Hand-Sampling Equipment, Practice for, **D7648 (04.09)**
Collection and Handling of Soils Obtained in Core Barrel Samplers for Environmental Investigations, Practice for, **D6640 (11.04)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Conducting a Sensitivity Analysis for a Groundwater Flow Model Application, Guide for, **D5611 (04.08)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, Practice for, **D421 (04.08)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
High-Resolution Gamma-Ray Spectrometry of Soil Samples, Guide for, **C1402 (12.01)**
Measurement of Soil Resistivity Using the Two-Electrode Soil Box Method, Test Method for, **G187 (03.02)**
Minimum Set of Data Elements to Identify a Soil Sampling Site, Practice for, **D5911/D5911M (04.09)**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Preserving and Transporting Soil Samples, Practices for, **D4220 (04.08)**
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**
Sampling Freshly Mixed Controlled Low-Strength Material, Practice for, **D5971/D5971M (04.09)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Sampling of Soil Using the Hydraulically Operated Stationary Piston Sampler, Practice for, **D6519 (04.09)**
Sampling Processed Peat Materials, Practice of, **D2944 (04.08)**
Sampling Soils and Contaminated Media with Hand-Operated Bucket Augers, Practice for, **D6907 (11.04)**
Sampling Using a Trier Sampler, Practice for, **D5451 (11.04)**
Sampling Waste and Soils for Volatile Organic Compounds, Guide for, **D4547 (11.04)**
Sampling with a Scoop, Practice for, **D5633 (11.04)**
Screening Fuels in Soils, Test Method for, **D5831 (11.04)**
Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, Guide for, **D6232 (11.04)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Soil Exploration and Sampling by Auger Borings, Practice for, **D1452 (04.08)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Standard Penetration Test (SPT) and Split-Barrel Sampling of Soils, Test Method for, **D1586 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils, Practice for, **D3550 (04.08)**
Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, Practice for, **D1587 (04.08)**
Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling, Practice for, **D6151 (04.09)**
Using the Disposable En Core Sampler for Sampling and Storing Soil for Volatile Organic Analysis, Practice for, **D6418 (11.04)**
X-Ray Radiography of Soil Samples, Practice for, **D4452 (04.08)**

Soil (sports playing surfaces)
See **Sports facilities playing surfaces**

Soil stabilization
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Characterizing Fly Ash for Use in Soil Stabilization, Practice for, **D5239 (04.08)**
Classification of Soils for Engineering Purposes (Unified Soil Classification System), Practice for, **D2487 (04.08)**
Compressive Strength of Molded Soil-Cement Cylinders, Test Methods for, **D1633 (04.08)**
Concrete Grid Paving Units, Specification for, **C1319 (04.05)**
Coring and Logging Soil-Cement or Lime-Stabilized Soil, Guide for, **D6236 (04.09)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Laboratory Preparation of Soil-Lime Mixtures Using Mechanical Mixer, Practice for, **D3551 (04.08)**
Marsh Funnel Viscosity of Clay Construction Slurries, Test Method for, **D6910/D6910M (04.09)**
Preparation of Test Specimens of Asphalt-Stabilized Soils, Practice for, **D4223/D4223M (04.08)**
Quicklime and Hydrated Lime for Soil Stabilization, Specification for, **C977 (04.01)**
Unconfined Compressive Strength of Compacted Soil-Lime Mixtures, Test Methods for, **D5102 (04.08)**
Using pH to Estimate the Soil-Lime Proportion Requirement for Soil Stabilization, Test Method for, **D6276 (04.09)**

Soil stiffness
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**

Soil suction
Determination of the Soil Water Characteristic Curve for Desorption Using Hanging Column, Pressure Extractor, Chilled Mirror Hygrometer, or Centrifuge, Test Methods for, **D6836 (04.09)**
Measurement of Soil Potential (Suction) Using Filter Paper, Test Method for, **D5298 (04.08)**

Soil support
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**

Soil surveys
See **Environmental site assessment (ESA)**

Soil-synthetic interface
Measuring Geosynthetic Pullout Resistance in Soil, Test Method for, **D6706 (04.13)**

Soil tightness
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**

Soil toxicity
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, Guide for, **E1676 (11.06)**
Conducting Laboratory Soil Toxicity Tests with the Nematode, Guide for, **E2172 (11.06)**

Soil venting
Simulation of Subsurface Airflow Using Groundwater Flow Modeling Codes, Guide for, **D5719 (04.08)**

Soil-water content
Sa **Water content—soil**
Measurement of Hydraulic Conductivity of Unsaturated Soils, Test Methods for, **D7664 (04.09)**

Soil-water tension
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**

Solanesol
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on Solanesol, Test Method for, **D6271 (11.07)**

Solar collectors
Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, Test Method for, **E1362 (12.02)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determination of the Spectral Mismatch Parameter Between a Photovoltaic Device and a Photovoltaic Reference Cell, Test Method for, **E973 (12.02)**
Determining Resistance of Photovoltaic Modules to Hail by Impact with Propelled Ice Balls, Test Method for, **E1038 (12.02)**
Determining Resistance of Solar Collector Covers to Hail by Impact With Propelled Ice Balls, Practice for, **E822 (12.02)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Determining Thermal Performance of Tracking Concentrating Solar Collectors, Test Method for, **E905 (12.02)**
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Electrical Performance of Photovoltaic Cells Using Reference Cells Under Simulated Sunlight, Test Method for, **E948 (12.02)**
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Evaluating Thermal Insulation Materials for Use in Solar Collectors, Practice for, **E861 (12.02)**
Exposure of Cover Materials for Solar Collectors to Natural Weathering Under Conditions Simulating Operational Mode, Practice for, **E782 (12.02)**
Exposure of Solar Collector Cover Materials to Natural Weathering Under Conditions Simulating Stagnation Mode, Practice for, **E881 (12.02)**
Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, Test Methods for, **E1462 (12.02)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, Test Method for, **E1597 (12.02)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Solar Constant and Zero Air Mass Solar Spectral Irradiance Tables, Standard, **E490 (15.03)**
Solar Energy Conversion, Terminology of, **E772 (12.02)**
Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, Test Method for, **E1084 (12.02)**
Spectral Responsivity Measurements of Photovoltaic Devices, Test Method for, **E1021 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Solar collectors—specifications
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**
Rubber Seals Contacting Liquids in Solar Energy Systems, Specification for, **D3832 (09.02)**
Rubber Seals Used in Concentrating Solar Collectors, Specification for, **D3771 (09.02)**
Rubber Seals Used in Flat-Plate Solar Collectors, Specification for, **D3667 (09.02)**
Solar Simulation for Photovoltaic Testing, Specification for, **E927 (12.02)**
Solar energy
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**
Calibration of Pyrheliometers by Comparison to Reference Pyrheliometers, Test Method for, **E816 (14.04)**
Calorimetric Determination of Hemispherical Emittance and the Ratio of Solar Absorptance to Hemispherical Emittance Using Solar Simulation, Test Method for, **E434 (15.03)**
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Electrical Performance of Concentrator Terrestrial Photovoltaic Modules and Systems Under Natural Sunlight, Test Method for, **E2527 (12.02)**
Installation of Roof Mounted Photovoltaic Arrays on Steep-Slope Roofs, Practice for, **E2766 (12.02)**
Measurement of Electrical Performance and Spectral Response of Nonconcentrator Multijunction Photovoltaic Cells and Modules, Test Methods for, **E2236 (12.02)**
Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, Test Method for, **E903 (12.02)**
Solar Energy Conversion, Terminology of, **E772 (12.02)**
Solar Energy Transmittance and Reflectance (Terrestrial) of Sheet Materials, Test Methods for, **E424 (12.02)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**
Solar Simulation for Thermal Balance Testing of Spacecraft, Practice for, **E491 (15.03)**
Space Simulation, Terminology Relating to, **E349 (15.03)**
Transfer of Calibration From Reference to Field Radiometers, Test Method for, **E824 (14.04)**
Wet Insulation Integrity Testing of Photovoltaic Arrays, Test Method for, **E2047 (12.02)**
Wet Insulation Integrity Testing of Photovoltaic Modules, Test Methods for, **E1802 (12.02)**
Solar energy blankets
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Solar flares
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Solar heating/cooling systems
Evaluating Solar Absorptive Materials for Thermal Applications, Practice for, **E744 (12.02)**
Installation and Service of Solar Domestic Water Heating Systems for One- and Two-Family Dwellings, Practice for, **E1056 (12.02)**
Installation and Service of Solar Space Heating Systems for One- and Two-Family Dwellings, Practice for, **E683 (12.02)**
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, Guide for, **E1185 (04.11)**
Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, Practices for, **E745 (12.02)**
Solar Energy Conversion, Terminology of, **E772 (12.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Solar heating/cooling systems—specifications
Exterior Solar Radiation Control Coatings on Buildings, Specification for, **C1483/C1483M (04.06)**
Rubber Seals Contacting Liquids in Solar Energy Systems, Specification for, **D3832 (09.02)**
Rubber Seals Used in Air-Heat Transport of Solar Energy Systems, Specification for, **D3903 (09.02)**
Rubber Seals Used in Concentrating Solar Collectors, Specification for, **D3771 (09.02)**
Rubber Seals Used in Flat-Plate Solar Collectors, Specification for, **D3667 (09.02)**
Solar materials/applications
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Hot Spot Protection Testing of Photovoltaic Modules, Test Method for, **E2481 (12.02)**
Solar materials/applications—specifications
Exterior Solar Radiation Control Coatings on Buildings, Specification for, **C1483/C1483M (04.06)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**
Rubber Seals Contacting Liquids in Solar Energy Systems, Specification for, **D3832 (09.02)**
Rubber Seals Used in Air-Heat Transport of Solar Energy Systems, Specification for, **D3903 (09.02)**
Rubber Seals Used in Concentrating Solar Collectors, Specification for, **D3771 (09.02)**
Rubber Seals Used in Flat-Plate Solar Collectors, Specification for, **D3667 (09.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Solar Simulation for Photovoltaic Testing, Specification for, **E927 (12.02)**
Solar radiation shields
Exterior Solar Radiation Control Coatings on Buildings, Specification for, **C1483/C1483M (04.06)**
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**
Solar reflectance
Calculating Solar Reflectance Index of Horizontal and Low-Sloped Opaque Surfaces, Practice for, **E1980 (04.04)**
Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer, Test Method for, **C1549 (04.06)**
Measuring Solar Reflectance of Horizontal and Low-Sloped Surfaces in the Field, Test Method for, **E1918 (04.04)**
Solar spectral irradiance
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**
Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, Test Method for, **E1362 (12.02)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, Practice for, **E991 (06.01)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Determination of the Spectral Mismatch Parameter Between a Photovoltaic Device and a Photovoltaic Reference Cell, Test Method for, **E973 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Determining Thermal Performance of Tracking Concentrating Solar Collectors, Test Method for, **E905 (12.02)**
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Electrical Performance of Photovoltaic Cells Using Reference Cells Under Simulated Sunlight, Test Method for, **E948 (12.02)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**
Reference Solar Spectral Distributions: Direct and Diffuse on 20° Tilted and Vertical Surfaces, Table for, **G197 (14.04)**
Reference Solar Spectral Irradiances: Direct Normal and Hemispherical on 37° Tilted Surface, Tables for, **G173 (14.04)**
Reference Solar Ultraviolet Spectral Distributions: Hemispherical on 37° Tilted Surface, Tables for, **G177 (14.04)**
Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, Test Method for, **E903 (12.02)**
Solar Constant and Zero Air Mass Solar Spectral Irradiance Tables, Standard, **E490 (15.03)**
Solar Energy Conversion, Terminology of, **E772 (12.02)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**
Solar Simulation for Photovoltaic Testing, Specification for, **E927 (12.02)**
Solar Simulation for Thermal Balance Testing of Spacecraft, Practice for, **E491 (15.03)**
Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, Test Method for, **E1084 (12.02)**
Spectral Responsivity Measurements of Photovoltaic Devices, Test Method for, **E1021 (12.02)**

Solderability
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
High Performance Tin-Coated Annealed Copper Wire Intended for Electrical and Electronic Application for Solderability, Specification for, **B965 (02.03)**
Solderability of Metallic-Coated Products, Test Method for, **B678 (02.05)**

Solder adapter
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**

Solder and solder flux contaminant content
See **Contamination**

Solder dip test
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**

Soldered joints
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**

Solder float test
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**

Solder plug test
Evaluating Flat-Faced Gasketed Joint Assemblies, Practice for, **F145 (09.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**

Solder/soldering applications
Sa **Silver brazing alloys**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**

Solder/soldering applications—specifications
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Solder Metal, Specification for, **B32 (02.04)**
Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**

Solder/soldering applications (corrosion by engine coolants)
Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
Simulated Service Corrosion Testing of Engine Coolants, Test Method for, **D2570 (15.05)**
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**

Sole-heated oven technique
Expansion or Contraction of Coal by the Sole-Heated Oven, Test Method for, **D2014 (05.06)**

Sole leather
Compressibility of Leather, Test Method for, **D2213 (15.04)**

Solenoids
Iron-Silicon Relay Steels, Specification for, **A867 (03.04)**

Soles/soling materials (for shoes)
See **Footwear—soles/heels/related materials**

Solid aluminum conductors
Sa **Aluminum electrical conductors—specifications**
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**

Solid aromatic hydrocarbons
Sa **Hydrocarbons**
Color of Solid Aromatic Hydrocarbons and Related Materials in the Molten State (Platinum-Cobalt Scale), Test Method for, **D1686 (06.04)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**

Solid bleached Kraft paperboard
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**

Solid ceramic dielectrics
Sa **Ceramic electrical/electronic devices/applications**
Permittivity (Dielectric Constant) And Dissipation Factor Of Solid Dielectrics At Frequencies To 10 MHz And Temperatures To 500°C, Test Method for, **D2149 (10.01)**

Solid coatings
Measurement of the Surface Tension of Solid Coatings, Substrates and Pigments using Contact Angle Measurements, Test Method for, **D7490 (06.01)**

Solid colored plastic siding products
Color and Appearance Retention of Solid Colored Plastic Siding Products, Specification for, **D6864 (08.03)**
Color and Appearance Retention of Variegated Color Plastic Siding Products, Specification for, **D7251 (08.03)**

Solid dielectrics
Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, Test Method for, **D6097 (10.02)**

Solid electrical conductors
Evaluation of Crimped Electrical Connections to 16-Gauge and Smaller Diameter Stranded and Solid Conductors, Test Method for, **B913 (02.04)**

Solid electrical insulating materials
Sa **Electrical insulating solids**
Complex Permittivity (Dielectric Constant) of Solid Electrical

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Insulating Materials at Microwave Frequencies and Temperatures to 1650°C, Test Methods for, **D2520 (10.02)**

Solid fiberboard
Sa **Fiberboard containers**
Fabrication of Fiberboard Shipping Boxes, Practice for, **D5118/D5118M (15.10)**

Solid-fill output image analysis
Determining the Quality of the Text, Line- and Solid-Fill Output Produced by Ink Jet Printers, Practice for, **F1944 (15.09)**

Solid film lubricant
Sa **Lubricants**
Adhesion of Solid Film Lubricants, Test Method for, **D2510 (05.01)**
Corrosion Characteristics of Solid Film Lubricants, Test Method for, **D2649 (05.01)**
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Determining Extreme Pressure Properties of Solid Bonded Films Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7217 (05.04)**
Endurance (Wear) Life and Load-Carrying Capacity of Solid Film Lubricants (Falex Pin and Vee Method), Test Method for, **D2625 (05.01)**
Thermal Shock Sensitivity of Solid Film Lubricants, Test Method for, **D2511 (05.01)**
Wear Life of Solid Film Lubricants in Oscillating Motion, Test Method for, **D2981 (05.01)**

Solid fuel-burning masonry heaters
Construction of Solid Fuel Burning Masonry Heaters, Guide for, **E1602 (04.11)**
Determining Particulate Matter Emissions from Pellet Heaters, Test Method for, **E2779 (04.12)**

Solid hydrocarbon crystal formation
Freezing Point of Aviation Fuels (Automatic Phase Transition Method), Test Method for, **D5972 (05.02)**

Solidification patterns
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Use of Coal Combustion Products for Solidification/Stabilization of Inorganic Wastes, Guide for, **E2060 (11.05)**

Solidification point
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Solidification Point of Benzene, Test Method for, **D852 (06.04)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**
Solidification Point of Industrial Organic Chemicals by Thermistor, Test Method for, **D6875 (06.04)**
Solidification Point of Petroleum Wax, Test Method for, **D3944 (05.02)**

Solidification rate
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**

Solidified waste
Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, Test Method for, **C1308 (12.01)**

Solid masonry unit
Building Brick (Solid Masonry Units Made From Clay or Shale), Specification for, **C62 (04.05)**
Masonry, Terminology of, **C1232 (04.05)**

Solid (municipal) waste
See **Resource recovery**

Solid non-black thermoplastic/crosslinked electrical insulation
Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, Test Method for, **D6097 (10.02)**

Solid phase extraction (SPE)
99Tc in Water by Solid Phase Extraction Disk, Test Method for, **D7168 (11.02)**
Determination of Boron, Silicon, and Technetium in Hydrolyzed Uranium Hexafluoride by Inductively Coupled Plasma—Mass Spectrometer After Removal of Uranium by Solid Phase Extraction, Test Method for, **C1771 (12.01)**
Determination of Nonylphenol, p-*tert*-Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7485 (11.02)**
Determination of Static Dissipater Additives (SDA) in Aviation Turbine Fuel and Middle Distillate Fuels—High Performance Liquid Chromatograph (HPLC) Method, Test Method for, **D7524 (05.04)**
Determination of Uranium-232 in Uranium Hexafluoride, Guide for the, **C1636 (12.01)**
Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), Test Method for, **D5837 (10.03)**

Solid phase materials
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment, Test Method for, **G72/G72M (14.04)**
Coefficient of Friction, Yarn to Solid Material, Test Method for, **D3108/D3108M (07.01)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**
Constituent Content of Composite Prepreg, Test Methods for, **D3529M (15.03)**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Density of Semi-Solid and Solid Bituminous Materials (Nickel Crucible Method), Test Method for, **D3289 (04.03)**
Determination of Insoluble Solids in Organic Liquid Hazardous Waste, Test Method for, **D6050 (11.04)**
Determination of Slurry Abrasivity (Miller Number) and Slurry Abrasion Response of Materials (SAR Number), Test Method for, **G75 (03.02)**
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Drop Weight Impact Sensitivity of Solid-Phase Hazardous Materials, Test Method for, **E680 (14.02)**
Erosion of Solid Materials by Cavitating Liquid Jet, Test Method for, **G134 (03.02)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Measurement of Transition Temperatures of Petroleum Waxes by Differential Scanning Calorimetry (DSC), Test Method for, **D4419 (05.02)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

n-Heptane Insolubles, Test Method for, **D3279 (04.03)**
Penetration of Bituminous Materials, Test Method for, **D5/D5M (04.03)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**
Relative Density of Solid Pitch and Asphalt (Displacement Method), Test Method for, **D71 (05.01)**
Sampling Bituminous Materials, Practice for, **D140/D140M (04.03)**
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Selection and Use of ASTM Standards for the Determination of Flash Point of Chemicals by Closed Cup Methods, Test Method for, **E502 (14.02)**
Specific Heat of Liquids and Solids, Test Method for, **D2766 (05.01)**
Specific Optical Density of Smoke Generated by Solid Materials, Test Method for, **E662 (04.07)**
Static Electrification, Test Method for, **D4470 (10.02)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Water Using Volumetric Karl Fischer Titration, Test Method for, **E203 (15.05)**

Solid phase materials—leather
Evaporation and Drying of Analytical Solutions, Test Method for, **D4902 (15.04)**
Preparation of Solution of Liquid Vegetable Tannin Extracts, Practice for, **D4901 (15.04)**
Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, Practice for, **D4905 (15.04)**
Total Solids and Ash Content in Leather Finishing Materials, Test Method for, **D4906 (15.04)**
Total Solids and Water in Vegetable Tanning Material Extracts, Test Method for, **D4903 (15.04)**

Solid phase materials—paints/related coatings/materials
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**
Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, Practice for, **E1247 (06.01)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, Test Methods for, **D5286 (06.02)**
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Determining Volatile and Nonvolatile Content of Pigments, Guide for, **D4139 (06.03)**
Determining Whether a Material Is a Liquid or a Solid, Test Method for, **D4359 (06.01)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, Practice for, **D5327 (06.02)**
Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, Test Method for, **D2621 (06.01)**
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Percent Solids in Titanium Dioxide Slurries, Test Methods for, **D3926 (06.03)**
Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, Guide for Determining, **D4140 (06.01)**

Solid phase materials—plastics
Color and Appearance Retention of Solid Colored Plastic Siding Products, Specification for, **D6864 (08.03)**

Solid phase materials—soil
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**

Solid phase materials—waste
Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, Test Method for, **D5232 (11.04)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**
Screening of Oxidizers in Waste, Test Method for, **D4981 (11.04)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**

Solid phase microextraction (SPME)
Determination of Parent and Alkyl Polycyclic Aromatics in Sediment Pore Water Using Solid-Phase Microextraction and Gas Chromatography/Mass Spectrometry in Selected Ion Monitoring Mode, Test Method for, **D7363 (11.02)**
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**

Solid plastics
Determining the Flammability Characteristics of Nonrigid Solid Plastics, Test Method for, **D4804 (08.02)**
Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, Test Method for, **E831 (14.02)**
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**
Physical Dimensions of Solid Plastics Specimens, Test Methods for, **D5947 (08.03)**
Specular Gloss of Plastic Films and Solid Plastics, Test Method for, **D2457 (08.01)**
Ultra-High-Molecular-Weight Polyethylene (UHMW-PE) Solid Plastic Shapes, Specification for, **D6712 (08.03)**

Solid refractories
Bulk Density and Volume of Solid Refractories by Wax Immersion, Test Method for, **C914 (15.01)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**

Solid residue
Determination of Total, Combustible and Carbonate Carbon in Solid Residues from Coal and Coke, Test Method for, **D6316 (05.06)**

Solid rocket propellant
See **Aerospace fluids/propellants**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Solid rubber fenders
Sa **Alkyd resins**
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Solid sawm lumber
Assigning Allowable Properties for Mechanically Graded Lumber, Practice for, **D6570 (04.10)**
Solids content
Sa **Nonvolatile matter content**
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Magnet-Wire Enamels, Test Methods for, **D3288/D3288M (10.02)**
Measurement of Solids in Water, Test Method for, **C1603 (04.02)**
Nonvolatile Matter (Total Solids) in Water-Emulsion Floor Polishes, Solvent-Based Floor Polishes, and Polymer-Emulsion Floor Polishes, Test Method for, **D2834 (15.04)**
Physical and Chemical Properties of Powdered Ion Exchange Resins, Test Methods for, **D4456 (11.02)**
Pyrolysis Solids Content in Pyrolysis Liquids by Filtration of Solids in Methanol, Test Method for, **D7579 (05.04)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**
Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings, Specification for, **D2235 (08.04)**
Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings, Specification for, **F493 (08.04)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Total Solids and Ash Content in Leather Finishing Materials, Test Method for, **D4906 (15.04)**
Total Solids and Water in Vegetable Tanning Material Extracts, Test Method for, **D4903 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes, Practice for, **D4095 (15.04)**
Solids content—adhesives
Amylaceous Matter in Adhesives, Test Method for, **D1488 (15.06)**
Determination of Percent Nonvolatile Content of Liquid Phenolic Resins Used for Wood Laminating, Test Method for, **D4426 (15.06)**
Filler Content of Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1579 (15.06)**
Nonvolatile Content of Liquid Phenol, Resorcinol, and Melamine Adhesives, Test Method for, **D1582 (15.06)**
Solids content—emvironmental
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Solids content—environmental
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Shake Extraction of Solid Waste with Water, Practice for, **D3987 (11.04)**
Solid sorbent diffusional samplers
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Solid state equipment
Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), Test Method for, **E854 (12.02)**
Solid State Bargraph Meters for Shipboard Use Metric, Specification for, **F1755M (01.07)**
Solid-stem thermometers
ASTM Liquid-in-Glass Thermometers, Specification for, **E1 (14.03)**
Solid surface analysis
See **Surface analysis**
Solid uncompounded styrene-butadiene copolymers
Sa **SBR (styrene-butadiene rubber)**
Rubber—Determination of Bound Styrene in Styrene Butadiene Rubber by Refractive Index, Test Method for, **D5775 (09.01)**
Solidus
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Solid vinyl floor tile
Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**
Solid waste
Sa **Waste materials/processing/analysis**
Collecting Treatment Process Design Data at a Contaminated Site—A Site Contaminated With Chemicals of Interest, Guide for, **D7294 (11.04)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Soller slits
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Solubility
Cloud Point of Nonionic Surfactants, Test Method for, **D2024 (15.04)**
Cooling of Analytical Solutions, Practice for, **D4904 (15.04)**
Designing a Process for Cleaning Technical Glasses, Practice for, **C912 (15.02)**
Determination of Percent Hydroxyl on Cellulose Esters by Potentiometric Titration—Alternative Method, Test Method for, **D5897 (06.03)**
Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection), Test Method for, **D7112 (05.04)**
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**
Estimation of Solubility of Gases in Petroleum Liquids, Test Method for, **D2779 (05.01)**
Estimation of Solubility of Water in Hydrocarbon and Aliphatic Ester Lubricants, Test Method for, **D4056 (05.02)**
Felt, Specification for, **D2475 (07.01)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**
Rubber Chemicals—Solubility, Test Method for, **D1766 (09.01)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Solubility of Asphalt Binders in Toluene by Centrifuge, Test Method for, **D5546 (04.03)**
Solubility of Asphalt Materials in N-Propyl Bromide, Test Method for, **D7553 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Solubility of Asphalt Materials in Trichloroethylene, Test Method for, **D2042 (04.03)**
Solubility of Cellulose in Sodium Hydroxide, Test Method for, **D1696 (06.03)**
Solubility of Fixed Gases in Low-Boiling Liquids, Test Method for, **D3429 (05.01)**

Solubility—alkali
Alkali-Solubility of Wools, Test Method for, **D1283 (07.01)**
Solubility of Cellulose in Sodium Hydroxide, Test Method for, **D1696 (06.03)**

Solubility—sulfuric acid
Chemical-Resistant Masonry Units, Specification for, **C279 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**

Solubility—wood and wood products
1 % Sodium Hydroxide Solubility of Wood, Test Method for, **D1109 (04.10)**
Dichloromethane Solubles in Wood, Test Method for, **D1108 (04.10)**
Ethanol-Toluene Solubility of Wood, Test Method for, **D1107 (04.10)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**

Soluble analytes
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**

Soluble calcium content
Determination of Calcium Fluoride in Fluorspar by Complexometric Titrimetry, Test Method for, **E815 (03.05)**

Soluble cellulose nitrate (nitrocellulose)
See **Cellulose and cellulose derivatives**

Soluble chloride
Sa **Chloride analysis**
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**

Soluble chloride ion
Quantitative Accelerated Laboratory Evaluation of Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, Practice for, **C1617 (04.06)**

Soluble contaminants
Sa **Contamination**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, Practice for, **G136 (14.04)**
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**

Soluble dye test
Integrity Testing of Water Filtration Membrane Systems, Practice for, **D6908 (11.02)**

Soluble nitrocellulose
Nitrogen Content of Soluble Nitrocellulose—Alternative Method, Test Method for, **D4795 (06.03)**

Soluble non-tannins
Determining Non-Tannins and Tannin in Extracts of Vegetable Tanning Materials, Test Method for, **D6401 (15.04)**

Soluble organic carbon (SOC) content
Sa **Carbon content**
Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, Test Method for, **D5210 (08.03)**

Soluble salt content
See **Salts**

Soluble salts
Determination of Magnesium Sulfate (Epsom Salt) in Leather, Test Method for, **D6017 (15.04)**

Solubles content
Water Solubles in Activated Carbon, Test Method for, **D5029 (15.01)**

Soluble solids/insolubles
Determining Soluble Solids and Insolubles in Extracts of Vegetable Tanning Materials, Test Method for, **D6402 (15.04)**

Soluble sulfates content
Chemical Analysis of Red Lead, Test Methods of, **D49 (06.03)**
Soluble Sulfate in Ceramic Whiteware Clays (Photometric Method), Test Method for, **C867 (15.02)**

Soluble thiocyanate content
See **Thiocyanate (soluble) content**

Solutes
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**

Solute sorption
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**

Solution heat treatment
Extrusion Press Solution Heat Treatment for Aluminum Alloys, Practice for, **B807/B807M (02.02)**
Heat Treatment of Aluminum-Alloy Castings from All Processes, Practice for, **B917/B917M (02.02)**
Hot Rolling Mill Solution Heat Treatment for Aluminum Alloy Plate, Practice for, **B947 (02.02)**

Solutions
Determining Synergism Between Wear and Corrosion, Guide for, **G119 (03.02)**
Dissolving Polymer Materials, Practice for, **D5226 (08.03)**
Measuring Physical and Rheological Properties of Radioactive Solutions, Slurries, and Sludges, Guide for, **C1752 (12.01)**

Solutions (leather tanning)
See **Tanning analysis/materials**

Solution temperature coefficient
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**

Solution viscosity
Measuring Solution Viscosity of Polymers with a Differential Viscometer, Test Method for, **D5225 (08.03)**

Solvent-base cleaning compounds
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**

Solvent-based floor polishes
Sa **Polishes**
Nonvolatile Matter (Total Solids) in Water-Emulsion Floor Polishes, Solvent-Based Floor Polishes, and Polymer-Emulsion Floor Polishes, Test Method for, **D2834 (15.04)**
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**

Solvent-bearing bituminous compounds
Solvent Bearing Bituminous Compounds, Test Methods for, **D6511/D6511M (04.04)**

Solvent-bonded seams
Sa **Seams**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**

Solventborne paints/coatings
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Antimony Oxide in White Pigment Separated From Solvent-Reducible Paints, Test Method for, **D2350 (06.01)**
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**
Blocking Resistance of Architectural Paints, Test Method for, **D4946 (06.02)**
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Detection of Lead in Paint by Direct Aspiration Atomic Absorption Spectroscopy, Test Method for, **D4834 (06.01)**
Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, Test Method for, **D4764 (06.01)**
Determination of the Pigment Content of Solvent-Reducible Paints by High-Speed Centrifuging, Test Method for, **D2698 (06.01)**
Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans, Test Method for, **D5200 (06.01)**
Determining the Compatibility of Resin/Solvent Mixtures by Precipitation Temperature (Cloud Point), Test Methods for, **D6038 (06.03)**
Determining the Relative Tinting Strength of Chromatic Paints, Test Method for, **D4838 (06.02)**
Direct Injection of Solvent-Reducible Paints Into a Gas Chromatograph for Solvent Analysis, Practice for, **D3271 (06.01)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Hiding Power of Architectural Paints Applied by Roller, Test Method for, **D5150 (06.02)**
Hiding Power of Paints by Reflectometry, Test Method for, **D2805 (06.01)**
Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, Test Method for, **D5380 (06.01)**
Identification of Oils and Oil Acids in Solvent-Reducible Paints, Test Method for, **D2245 (06.01)**
Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, Test Method for, **D2621 (06.01)**
Leveling of Paints by Draw-Down Method, Test Method for, **D4062 (06.02)**
Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3717 (06.01)**
Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3718 (06.01)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3624 (06.01)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**
Nature of Solvent Composition in Solvent-Reducible Paints, Test Method for Qualitative Determination of, **D2349 (06.01)**
Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1353 (06.04)**
Package Stability of Paint, Test Method for, **D1849 (06.02)**
Pigment Content of Solvent-Reducible Paints, Test Method for, **D2371 (06.01)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Preparing Drawdowns of Artists' Paste Paints, Practice for, **D4941 (06.02)**
Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Separation of Vehicle From Solvent-Reducible Paints, Practice for, **D2372 (06.01)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Sulfide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2351 (06.01)**
Sulfur Dioxide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2352 (06.01)**
Testing Exterior Wood Stains and Clear Water Repellents, Guide for, **D6763 (06.02)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Volatile Content of Coatings, Test Method for, **D2369 (06.01)**
Volume Nonvolatile Matter in Clear or Pigmented Coatings, Test Method for, **D2697 (06.01)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Wet-to-Dry Hiding Change, Test Method for, **D5007 (06.02)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**

Solvent brushing and wiping
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**

Solvent cements for joining thermoplastic pipe/fittings
Making Solvent-Cemented Joints with Poly(Vinyl Chloride) (PVC) Pipe and Fittings, Practice for, **D2855 (08.04)**
Safe Handling of Solvent Cements, Primers, and Cleaners Used for Joining Thermoplastic Pipe and Fittings, Practice for, **F402 (08.04)**

Solvent cements for joining thermoplastic pipe/fittings—specifications
Joints for IPS PVC Pipe Using Solvent Cement, Specification for, **D2672 (08.04)**
Primers for Use in Solvent Cement Joints of Poly(Vinyl Chloride) (PVC) Plastic Pipe and Fittings, Specification for, **F656 (08.04)**
Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings, Specification for, **D2235 (08.04)**
Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings, Specification for, **F493 (08.04)**
Solvent Cements for Poly(Vinyl Chloride) (PVC) Plastic Piping Systems, Specification for, **D2564 (08.04)**
Solvent Cements for Styrene-Rubber (SR) Plastic Pipe and Fittings, Specification for, **D3122 (08.04)**
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**

Solvent composition
Direct Injection of Solvent-Reducible Paints Into a Gas Chromatograph for Solvent Analysis, Practice for, **D3271 (06.01)**

Solvent emissions
Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, Test Methods for, **D5286 (06.02)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, Practice for, **D5327 (06.02)**

Solvent exposure
for Determining the Effects of Chemical/Solvent Exposure to a Membrane Switch/Graphic Overlay (Spot Test Method), Test Method, **F1598 (10.04)**

Solvent-extractable substances
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Gravimetric Determination of Nonvolatile Residue From Cleanroom Wipers, Test Method for, **E1560 (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Solvent extraction
Carbon Black—Solvent Extractables, Test Method for, **D4527 (09.01)**
Determination of Thiodiglycol on Wipes by Solvent Extraction Followed by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2838 (15.08)**
Determining Gel Content in Crosslinked Ethylene Plastics Using Pressurized Liquid Extraction, Test Method for, **D7567 (08.03)**
Extractable Matter in Textiles, Test Method for, **D2257 (07.01)**
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Pigment Content of Solvent-Reducible Paints, Test Method for, **D2371 (06.01)**
Rubber Chemicals—Determination of Percent Sulfur by Extraction, Test Methods for, **D4578 (09.01)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**
Solvent Extractables in Petroleum Waxes, Test Method for, **D3235 (05.01)**
Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, Practice for, **D5765 (11.02)**
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**
Total Petroleum Hydrocarbons (TPH) in Water and Wastewater with Solvent Extraction using Mid-IR Laser Spectroscopy, Test Method for, **D7678 (11.02)**
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**
Uranium in Drinking Water by High-Resolution Alpha-Liquid-Scintillation Spectrometry, Test Method for, **D6239 (11.02)**
Solvent-grade compounds/applications
Vapor-Degreasing Solvents Based on, Specification for, **D6368 (15.05)**
Solventless varnishes
Sa **Electrical insulating varnishes**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Solvent naphthas
Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, Test Method for, **D847 (06.04)**
Solvent preparation
Preparation of Surfaces of Plastics Prior to Adhesive Bonding, Practice for, **D2093 (15.06)**
Solvent recovery
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Solvent red 164 dye
Determination of Solvent Red 164 Dye Concentration in Diesel Fuels, Test Method for, **D6258 (05.03)**
Solvent release
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Determining Amount of Volatile Organic Compound (VOC) Released from Solventborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D5087 (06.01)**
Solvent-release sealants
Sa **Sealants**
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**
Adhesion and Cohesion of One-Part Elastomeric Solvent Release Sealants, Test Method for, **C1216/C1216M (04.07)**
Bond and Cohesion of One-Part Elastomeric Solvent Release-Type Sealants, Test Method for, **C910 (04.07)**
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C711 (04.07)**
Solvent Release Sealants, Specification for, **C1311 (04.07)**
Solvent removable penetrants
Sa **Penetrant inspection**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Solvent removal
Accumulated Deposition in a Steam Generator Tube, Test Methods for, **D3483 (11.02)**
Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, Test Method for, **D2007 (05.01)**
Solvent resistance
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Determining the Solvent Resistance of an Organic Coating using a Mechanical Rubbing Machine, Test Method for, **D7835/D7835M (06.02)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Solvent ring test
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Solvent rub method
Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, Practice for, **D5402 (06.02)**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
Solvents
Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, Test Method for, **D2943 (15.05)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Designing a Process for Cleaning Technical Glasses, Practice for, **C912 (15.02)**
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**
Electrical Resistivity of Liquid Paint and Related Materials, Test Methods for, **D5682 (06.01)**
Extractable Matter in Textiles, Test Method for, **D2257 (07.01)**
FT-IR Fingerprinting of a Non-Aqueous Liquid Paint as Supplied in the Manufacturers Container, Guide for, **D7588 (06.01)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Measurement of Hexane Extractable Content of Polyolefins, Test Method for, **D5227 (08.03)**
Methyl Ethyl Ketone, Specification for, **D740 (06.04)**
Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), Test Method for, **F331 (15.03)**
Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), Test Method for, **D4952 (05.02)**
Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**
Recovery of Asphalt from Solution Using the Rotary Evaporator, Practice for, **D5404/D5404M (04.03)**
Refractive Index Detectors Used in Liquid Chromatography, Practice for, **E1303 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Selection of Cleaning Agents for Oxygen Systems, Guide for, **G127 (14.04)**
Solvent Extractables in Petroleum Waxes, Test Method for, **D3235 (05.01)**
Solvent Vapor Degreasing Operations, Practice for, **D3698 (15.05)**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**
Vapor-Degreasing Grade and General Solvent Grade, Specification for, **D4126 (15.05)**

Solvents—hydrocarbon
See **Hydrocarbon solvents—specifications**

Solvents—paints/related coatings/materials
Acetone, Specification for, **D329 (06.04)**
Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1613 (06.04)**
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**
Commercial Hexanes, Specification for, **D1836 (06.04)**
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Determining Amount of Volatile Organic Compound (VOC) Released from Solventborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D5087 (06.01)**
Dilution Ratio of Active Solvents in Cellulose Nitrate Solutions, Test Method for, **D1720 (06.04)**
Direct Injection of Solvent-Reducible Paints Into a Gas Chromatograph for Solvent Analysis, Practice for, **D3271 (06.01)**
Distillation Range of Volatile Organic Liquids, Test Method for, **D1078 (06.04)**
Ester Value of Solvents and Thinners, Test Method for, **D1617 (06.04)**
Ethyl Acetate (All Grades), Specification for, **D4614 (06.04)**
Heptane Miscibility of Lacquer Solvents, Test Method for, **D1476 (06.04)**
Hexyl Acetate, Specification for, **D5137 (06.04)**
High-Flash Aromatic Naphthas, Specification for, **D3734 (06.04)**
Isobutyl Acetate (95 % Grade), Specification for, **D1718 (06.04)**
Methyl Isoamyl Ketone, Specification for, **D2917 (06.04)**
Methyl Isobutyl Ketone, Specification for, **D1153 (06.04)**
n-Butyl Acetate (All Grades), Specification for, **D4615 (06.04)**
n-Propyl Acetate (96 % Grade), Specification for, **D3130 (06.04)**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**
Nonvolatile Content of Resin Solutions, Test Methods for, **D1259 (06.01)**
Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1353 (06.04)**
Odor of Volatile Solvents and Diluents, Test Method for, **D1296 (06.04)**
Primary Amyl Acetate, Synthetic (98 % Grade), Specification for, **D3540 (06.04)**
Purity of Methyl Amyl Ketone and Methyl Isoamyl Ketone by Gas Chromatography, Test Method for, **D3893 (06.04)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Sampling and Testing Volatile Solvents and Chemical Intermediates for Use in Paint and Related Coatings and Material, Guide for, **D268 (06.04)**
Solvent and Fuel Resistance of Traffic Paint, Test Method for, **D2792 (06.02)**
Solvent-Extractable Material in Black Pigments, Test Method for, **D305 (06.03)**
Trace Amounts of Peroxides In Organic Solvents, Test Method for, **E299 (15.05)**
VM&P Naphthas, Specification for, **D3735 (06.04)**
Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, Guide for Determining, **D4140 (06.01)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Water in Volatile Solvents (Karl Fischer Reagent Titration Method), Test Method for, **D1364 (06.04)**
Water Miscibility of Water-Soluble Solvents, Test Method for, **D1722 (06.04)**

Solvents—waste applications
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Solvents Analysis in Hazardous Waste Using Gas Chromatography, Test Method for, **D5830 (11.04)**
Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, Test Method for, **D5530 (11.04)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Solvents—water applications
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, Test Method for, **D5256 (11.02)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Solvents (for polymeric solutions)
Dissolving Polymer Materials, Practice for, **D5226 (08.03)**

Solvent tests
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**

Solvent tolerance
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**

Sonic anemometer/thermometer
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**

Sonication
Recovery of Viruses from Wastewater Sludges, Practice for, **D4994 (11.02)**

Sonic drilling
Sonic Drilling for Site Characterization and the Installation of Subsurface Monitoring Devices, Practice for, **D6914 (04.09)**

Sonic receivers
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**

Sonic resonance
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Sonic Resonance, Test Method for, **E1875 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Young's Modulus of Refractory Shapes by Sonic Resonance, Test Method for, **C885 (15.01)**

Sonic shear test
Sonic Shear Stability of Hydraulic Fluids, Test Method for, **D5621 (05.02)**
Sonic Shear Stability of Polymer-Containing Oils, Test Method for, **D2603 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sonic slurry
Carbon Black—pH Value, Test Methods for, **D1512 (09.01)**
Sonic temperature
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**
Sonic thermometer
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**
Sonic velocity
Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, Test Method for, **C1171 (15.01)**
Sonic Velocity in Manufactured Carbon and Graphite Materials for Use in Obtaining an Approximate Young's Modulus, Test Method for, **C769 (05.05)**
Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus, Test Method for, **C1419 (15.01)**
Soot
Condition Monitoring of Soot in In-Service Lubricants by Trend Analysis using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7844 (05.04)**
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Field-Based Condition Monitoring of Soot in In-Service Lubricants Using a Fixed-Filter Infrared (IR) Instrument, Test Method for, **D7686 (05.04)**
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Sorbents
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Sorption
Determination of One-Point, Bulk Water Sorption of Dried Concrete, Test Method for, **C1757 (04.02)**
Sorption capacity/rate
Sa **Hygroscopic materials/properties/tests**
Sa **Water absorption**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Sorting
Electromagnetic (Eddy Current) Sorting of Ferrous Metals, Practice for, **E566 (03.03)**
Magnetic Particle Indications on Ferrous Castings, Reference Photographs for, **E125 (03.03)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**
Sound absorbing/insulating materials/applications
Acoustically Absorptive Materials Applied by Trowel or Spray, Classification for, **E1042 (04.06)**
Determination of Decay Rates for Use in Sound Insulation Test Methods, Test Method for, **E2235 (04.06)**
Impedance and Absorption of Acoustical Materials by Impedance Tube Method, Test Method for, **C384 (04.06)**
Laboratory Measurement of Noise Reduction of Sound-Isolating Enclosures, Test Method for, **E596 (04.06)**
Measurement of Normal Incidence Sound Transmission of Acoustical Materials Based on the Transfer Matrix Method, Test Method for, **E2611 (04.06)**
Mounting Test Specimens During Sound Absorption Tests, Practices for, **E795 (04.06)**
Mounting Test Specimens for Sound Transmission Loss Testing of Naval and Marine Ship Bulkhead Treatment Materials, Practices for, **E1123 (04.06)**
Rating Sound Insulation, Classification for, **E413 (04.06)**
Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method, Test Method for, **C423 (04.06)**
Use of Sealants in Acoustical Applications, Practice for, **C919 (04.07)**
Sound absorbing/insulating materials/applications—specifications
Cellular Melamine Thermal and Sound-Absorbing Insulation, Specification for, **C1410 (04.06)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Polyimide Flexible Cellular Thermal and Sound Absorbing Insulation, Specification for, **C1482 (04.06)**
Sound-Absorbing Board, Fibrous Glass, Perforated Fibrous Glass Cloth Faced, Specification for, **F2154 (01.07)**
Spray-Applied Mineral Fiber Thermal and Sound Absorbing Insulation, Specification for, **C1014 (04.06)**
Sound analysis
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Sound attenuation
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Sound deadening board
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Sound exposure level (SEL)
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Sound field parameters
Sa **Ultrasonic testing**
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Laboratory Measurement of Airborne Transmission Loss of Building Partitions and Elements Using Sound Intensity, Test Method for, **E2249 (04.06)**
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**
Sounding
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Sounding rods/lines/reels
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**
Sound-isolating enclosures
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Soundness
Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate, Test Method for, **D5240/D5240M (04.08)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**
Sound power level (of vacuum cleaners)
Determining A-Weighted Sound Power Level of Vacuum Cleaners, Test Method for, **F1334 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sound pressure levels
Measurement of In-Duct Sound Pressure Levels from Large Industrial Gas Turbines and Fans, Guide for, **E2459 (04.06)**
Sound transmission
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Measurement of Normal Incidence Sound Transmission of Acoustical Materials Based on the Transfer Matrix Method, Test Method for, **E2611 (04.06)**
Measurement of Outdoor A-Weighted Sound Levels, Guide for, **E1014 (04.06)**
Measurement of the Normalized Insertion Loss of Doors, Test Method for, **E2964 (04.06)**
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Rating Outdoor-Indoor Sound Attenuation, Classification for, **E1332 (04.06)**
Sound transmission—building materials/applications
Acoustical Ceiling Products, Classification for, **E1264 (04.06)**
Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, Test Method for, **E1414/E1414M (04.06)**
Airflow Resistance of Acoustical Materials, Test Method for, **C522 (04.06)**
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Building and Environmental Acoustics, Terminology Relating to, **C634 (04.06)**
Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems, Practice for, **E1425 (04.11)**
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis System, Test Method for, **E1050 (04.06)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Laboratory Measurement of Noise Reduction of Sound-Isolating Enclosures, Test Method for, **E596 (04.06)**
Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, Test Method for, **E2179 (04.06)**
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**
Measurement of Airborne Sound Attenuation between Rooms in Buildings, Test Method for, **E336 (04.06)**
Measurement of Normal Incidence Sound Transmission of Acoustical Materials Based on the Transfer Matrix Method, Test Method for, **E2611 (04.06)**
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**
Measuring Insertion Loss of Pneumatic Exhaust Silencers, Test Method for, **E1265 (04.06)**
Measuring Vibration-Damping Properties of Materials, Test Method for, **E756 (04.06)**
Rating Sound Insulation, Classification for, **E413 (04.06)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**
Serviceability of an Office Facility for Sound and Visual Environment, Classification for, **E1662 (04.11)**
Specifying Acoustical Performance of Sound-Isolating Enclosures, Guide for, **E1704 (04.06)**
Sound transmission—office environments
Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, Test Method for, **E1414/E1414M (04.06)**
Determination of Articulation Class, Classification for, **E1110 (04.06)**
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**
Measuring the Interzone Attenuation of Open Office Components, Test Method for, **E1111 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Open Office Acoustics and Applicable ASTM Standards, Guide for, **E1374 (04.06)**
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**
Sound transmission class (STC)
Rating Sound Insulation, Classification for, **E413 (04.06)**
Source agency
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Source of blood donor
Selection of Blood for in vitro Evaluation of Blood Pumps, Practice for, **F1830 (13.01)**
Sources of uncertainty
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Sources/radiation
Radioscopy, Practice for, **E1255 (03.03)**
Source testing
Competence of Air Emission Testing Bodies, Practice for, **D7036 (11.07)**
Source to object distance
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Southern pine
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Soxhlet extraction
Constituent Content of Composite Prepreg by Soxhlet Extraction, Test Method for, **C613 (15.03)**
Determination of Benzo-α-Pyrene (BaP) Content in Carbon Black, Test Method for, **D7771 (09.01)**
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Dichloromethane Solubles in Wood, Test Method for, **D1108 (04.10)**
Extractable Matter in Textiles, Test Method for, **D2257 (07.01)**
Extraction of Additives in Polyolefin Plastics, Practice for, **D7210 (08.03)**
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Water-Extractable Chloride in Aggregate (Soxhlet Method), Test Method for, **C1524 (04.02)**
Space
Measurement of Sound in Residential Spaces, Test Method for, **E1574 (04.06)**
Space and time measurement
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Space applications
Ground Laboratory Atomic Oxygen Interaction Evaluation of Materials for Space Applications, Practices for, **E2089 (15.03)**
Silver Coated Copper and Copper Alloy Stranded Conductors for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Electronic Space Application, Specification for, **B961 (02.03)**

Space conditioning
See **Air conditioning materials/applications—specifications**
See **Solar heating/cooling systems**

Spacecraft construction areas
Design and Construction of Aerospace Cleanrooms and Contamination Controlled Areas, Practice for, **E2217 (15.03)**
Tests of Cleanroom Materials, Practice for, **E2312 (15.03)**

Spacecraft materials
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, Specification for, **E1549/E1549M (15.03)**
Gravimetric Determination of Nonvolatile Residue From Cleanroom Wipers, Test Method for, **E1560 (15.03)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Selection of Spacecraft Materials, Practice for the, **E1997 (15.03)**
Spacecraft Hardware Thermal Vacuum Bakeout, Practice for, **E2900 (15.03)**

Space dividers
Measuring the Interzone Attenuation of Open Office Components, Test Method for, **E1111 (04.06)**

Space factor
Lamination Factor of Amorphous Magnetic Strip, Test Method for, **A900/A900M (03.04)**

Space performance
Heat Gain to Space Performance of Commercial Kitchen Ventilation/Appliance Systems, Test Method for, **F2474 (15.12)**

Spacers
Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, Specification for, **C1716/C1716M (04.05)**
Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, Specification for, **C864 (04.07)**
Dense Elastomeric Silicone Rubber Gaskets and Accessories, Specification for, **C1115 (04.07)**
Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, Specification for, **E2203 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, Test Method to, **C1635 (04.07)**
Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, Test Method for, **C1166 (04.07)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**

Space simulation
See **Simulated service test—space environment**

Spacing factor
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**

Spade lift
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**

SPADNS procedure
Fluoride Ion in Water, Test Methods for, **D1179 (11.01)**

Spalling
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**

Spalling/hangers
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**

Spalling (transverse/longitudinal)
Airport Pavement Condition Index Surveys, Test Method for, **D5340 (04.03)**

Spandex fibers
Sa **Man-made textile fibers**
Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2731 (07.01)**
Linear Density of Elastomeric Yarns (Short Length Specimens), Test Method for, **D2591 (07.01)**
Linear Density of Elastomeric Yarns (Skein Specimens), Test Method for, **D6717 (07.02)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**

Spandrel glass
Structural Sealant Glazing, Guide for, **C1401 (04.07)**

Spangle
Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**

Spanish oxide
See **Iron oxide pigments—red (natural/synthetic)**

Span wires
See **Steel wire strand—specifications**

Spark ignition
Blending Mid-Level Ethanol Fuel Blends for Flexible-Fuel Vehicles with Automotive Spark-Ignition Engines, Practice for, **D7794 (05.04)**
Corrosiveness to Silver by Automotive Spark–Ignition Engine Fuel–Silver Strip Method, Test Method for, **D7671 (05.04)**
Determination of Corrosiveness to Silver by Automotive Spark-Ignition Engine Fuel—Thin Silver Strip Method, Test Method for, **D7667 (05.04)**
Evaluation of Automotive Engine Oils in the Sequence IIIF, Spark-Ignition Engine, Test Method for, **D6984 (05.04)**
Evaluation of Automotive Engine Oils in the Sequence IIIG, Spark-Ignition Engine, Test Method for, **D7320 (05.04)**
Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, Test Method for, **D7753 (05.04)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, Test Method for, **D7589 (05.04)**
Minimum Ignition Energy of a Dust Cloud in Air, Test Method for, **E2019 (14.02)**
Oxidation Stability of Spark Ignition Fuel—Rapid Small Scale Oxidation Test (RSSOT), Test Method for, **D7525 (05.04)**
Water Separation Properties of Light and Middle Distillate, and Compression and Spark Ignition Fuels, Test Method for, **D7451 (05.04)**

Spark-ignition aircraft engines
Design and Manufacture of Reciprocating Spark Ignition Engines for Light Sport Aircraft, Practice for, **F2339 (15.11)**
Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, Specification for, **D7618 (05.04)**
Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**

Spark-ignition engine fuels—specifications
See **Automotive engine fuels/oils—specifications**

Spark plugs
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**

Spark-source mass spectrometry
Sa **Mass spectrometry**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, Test Method for, **D3115 (05.01)**

Spark testing
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
the Nondestructive Testing of Geomembrane Seams using the Spark Test, Practice for, **D6365 (04.13)**

Spar varnish
Gold Bronze Powder, Specification for, **D267 (06.03)**

Spas
Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas, Guide for, **F1908 (01.06)**
Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot Tubs, Specification for, **F2387 (15.11)**
Removable Mesh Fencing for Swimming Pools, Hot Tubs, and Spas, Design and Performance Specification for, **F2286 (15.11)**
Residential Pool Alarms, Safety Specification for, **F2208 (15.11)**
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Use of a Residential Swimming Pool, Spa, and Hot Tub Safety Audit to Prevent Unintentional Drowning, Guide for, **F2518 (15.11)**

Spatial conditions of measurement
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**

Spatial frequency
Minimum Resolvable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1213 (03.03)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**

Spatial linearity/resolution
Evaluating the Performance of Radiographic Digitization Systems, Reference Radiograph for, **E1936 (03.03)**

Spatial resolution
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining Total Image Unsharpness in Radiology, Practice for, **E2002 (03.03)**
Digital Detector Array Performance Evaluation and Long-Term Stability, Practice for, **E2737 (03.03)**
Manufacturing Characterization of Digital Detector Arrays, Practice for, **E2597/E2597M (03.03)**
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**

Spatial uniformity
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**

Spattering
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**

Spat test (for lead)
Detection of Lead in Paint and Dried Paint Films, Test Method for, **D3618 (06.01)**

Spatula rub-out test
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Oil Absorption of Pigments by Spatula Rub-out, Test Method for, **D281 (06.01)**

Spawning
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**

Speaker/speaking
Quality Assurance in Translation, Guide for, **F2575 (15.11)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Special airworthiness certificate
Continued Airworthiness System for Weight-Shift-Control Aircraft, Specification for, **F2425 (15.11)**
Design and Performance Requirements for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2355 (15.11)**
Design and Performance Requirements for Powered Parachute Aircraft, Specification for, **F2244 (15.11)**
Production Acceptance Test Procedures for Weight-Shift-Control Aircraft, Practice for, **F2447 (15.11)**

Special engineered fittings/appurtenances
Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, Specification for, **F1970 (08.04)**

Special process control (of testing/inspection agencies)
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**

Special-purpose tire
Sa **Tire testing**
Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, Specification for, **E1551 (04.03)**

Special requirements
Special Requirements for Valves Used in Gaseous Oxygen Service, Specification for, **F1792 (01.07)**

Specialty spring-quality wire
Steel Wire, Carbon and Alloy Specialty Spring Quality, Specification for, **A1000/A1000M (01.03)**

Speciation
Collection of Integrated Samples for the Speciation of Biomass (Biogenic) and Fossil-Derived Carbon Dioxide Emitted from Stationary Emissions Sources, Practice for, **D7459 (11.07)**
Determination of the Individual Volatile Organic Compounds (VOCs) in Air-Dry Coatings by Gas Chromatography, Test Method for, **D6886 (06.01)**
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**

Specific absorption rate (SAR)
Measurement of Radio Frequency Induced Heating On or Near Passive Implants During Magnetic Resonance Imaging, Test Method for, **F2182 (13.01)**

-`-`-,`,,,`,`,`,,,,`````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification preparation
Inclusion of Precision Statement Variation in Specification Limits, Practice for, **D6607 (04.03)**
Specifications
Preparing Specifications for Solvent-based Floor Polishes, Guide for, **D3757 (15.04)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**
Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples, Specification and, **E230/E230M (14.03)**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**
Specifications—acrylonitrile-butadiene-styrene (ABS) pipe
See **Acrylonitrile-butadiene-styrene (ABS) pipe/fittings—specifications**
Specifications—adhesives
See **Adhesives—specifications**
Specifications—aggregate
See **Aggregate—specifications**
Specifications—aluminum electrical conductors
See **Aluminum electrical conductors—specifications**
Specifications—archery equipment
See **Archery equipment—specifications**
Specifications—asbestos-cement products
See **Asbestos-cement**
Specifications—asphalt roofing materials/applications
See **Asphalt roofing materials—specifications**
Specifications—automotive spark-ignition engine fuels
See **Automotive engine fuels/oils—specifications**
Specifications—ball/roller bearings
See **Ball/roller bearings—specifications**
Specifications—bituminous paving mixtures
See **Bituminous paving mixtures—specifications**
Specifications—brick
See **Brick—specifications**
Specifications—bridge/structural materials
See **Bridge/structural materials—specifications**
Specifications—chain-link fence materials/applications
See **Chain-link fence/fencing systems—specifications**
Specifications—chemicals
See **Chemicals—specifications**
Specifications—chlorinated poly(vinyl chloride)(CPVC) pipe
See **Chlorinated poly(vinyl chloride)(CPVC) pipe—specifications**
Specifications—cleaning agents/processes
See **Cleaning agents/processes—specifications**
Specifications—climbing and mountaineering equipment
See **Climbing and mountaineering equipment—specifications**
Specifications—cobalt alloys (for surgical implants)
See **Cobalt alloys (for surgical implants)—specifications**
Specifications—composite piping
See **Composites—piping applications (specifications)**
Specifications—computerized systems
See **Computerized systems—specifications**
Specifications—concentric stranded electrical conductors
See **Concentric-lay-stranded copper electrical conductors**
See **Stranded aluminum electrical conductors—specifications**
Specifications—concrete materials/applications
See **Concrete construction materials/applications—specifications**
Specifications—concrete pipe
See **Concrete pipe—specifications**
Specifications—consumer safety
See **Consumer safety specifications**
Specifications—copper alloy
See **Copper alloy—specifications**
Specifications—copper alloy castings
See **Copper alloy castings—specifications**
Specifications—copper alloy pipe
See **Copper alloy pipe—specifications**
Specifications—copper alloy plate/sheet/strip/rolled bar
See **Copper alloy plate/sheet/strip/rolled bar—specifications**
Specifications—copper alloy sand castings
See **Sand castings (copper alloy)—specifications**
Specifications—copper electrical conductors
See **Copper electrical conductors—specifications**
Specifications—couplings
See **Couplings—specifications**
Specifications—culvert pipe (concrete)
See **Culvert pipe (concrete)—specifications**
Specifications—dimension stone
See **Dimension stone—specifications**
Specifications—dishwashing equipment (commercial)
See **Dishwashing equipment (commercial)—specifications**
Specifications—doors/door assemblies
See **Doors/door assemblies—specifications**
Specifications—electrical insulating gases
See **Electrical insulating gases—specifications**
Specifications—electrical insulating liquids
See **Electrical insulating liquids—specifications**
Specifications—electrical insulating oils
See **Electrical insulating oils—specifications**
Specifications—electrical materials/applications
See **Electrical insulating materials—specifications**
Specifications—electrodeposited coatings
See **Electrodeposited coatings—specifications**
Specifications—electronic applications
See **Electronic materials/applications—specifications**
Specifications—engineering applications
See **Engineered electrodeposited coatings—specifications**
Specifications—fabricated materials
See **Fabricated materials—specifications**
Specifications—felt roofing/waterproofing materials
See **Felt roofing/waterproofing materials—specifications**
Specifications—fencing materials
See **Fences/fencing materials—specifications**
Specifications—fiberglass pipe
See **Fiberglass pipe—specifications**
Specifications—fire-resistive materials/testing
See **Fire-resistant materials/testing—specifications**
Specifications—flooring/floor covering systems
See **Flooring/floor covering systems—specifications**
Specifications—gaskets
See **Gaskets—specifications**
Specifications—geothermal materials/applications
See **Geothermal resources—specifications**
Specifications—glass
See **Glass—specifications**
Specifications—glass-fiber-reinforced plastics (GRP)
See **Glass-fiber-reinforced (GRP) plastics—specifications**
Specifications—gypsum materials/applications
See **Gypsum plaster—specifications**
See **Gypsum products—specifications**
Specifications—home (safety)
See **Home safety—specifications**
Specifications—insulation (thermal)
See **Thermal insulating materials—specifications**
Specifications—iron materials/applications
See **Iron—specifications**
Specifications—laboratory apparatus
See **Laboratory apparatus—specifications**
Specifications—lime/limestone materials/applications
See **Hydrated lime—specifications**
See **Quicklime—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specifications—magnetic materials/applications
See **Magnetic materials/applications—specifications**
Specifications—marine (shipibuilding) materials/applications
See **Marine systems/subsystems/equipment—specifications**
See **Shipboard materials/applications—specifications**
Specifications—masonry mortar
See **Masonry mortar—specifications**
Specifications—masonry units
See **Masonry units—specifications**
Specifications—medical materials/applications
See **Medical materials/applications—specifications**
Specifications—metals/alloys (aluminum)
See **Aluminum—specifications**
Specifications—metals/alloys (cadmium)
See **Cadmium metals/alloys—specifications**
Specifications—metals/alloys (cobalt)
See **Cobalt alloys—specifications**
Specifications—metals/alloys (copper)
See **Copper alloy rod/bar/shapes—specifications**
See **Copper structural materials/applications—specifications**
See **Seamless Cu/Cu alloy tube—specifications**
Specifications—metals/alloys (gold)
See **Gold metal/alloys—specifications**
Specifications—metals/alloys (iron-nickel-chromium alloys)
See **Iron-nickel-chromium alloys—specifications**
Specifications—metals/alloys (lead)
See **Lead metals/alloys—specifications**
Specifications—metals/alloys (molybdenum)
See **Molybdenum—specifications**
Specifications—metals/alloys (nickel-chromium)
See **Nickel-chromium alloys—specifications**
Specifications—metals/alloys (nickel-cobalt)
See **Nickel-cobalt alloy**
Specifications—metals/alloys (nickel-copper)
See **Nickel-copper alloy—specifications**
Specifications—metals/alloys (nickel-molybdenum)
See **Nickel-molybdenum alloys—specifications**
Specifications—metals/alloys (niobium)
See **Niobium and niobium alloys—specifications**
Specifications—metals/alloys (niobium-hafnium)
See **Niobium-hafnium alloys**
Specifications—metals/alloys (palladium)
See **Palladium alloy electrical contact materials—specifications**
Specifications—metals/alloys (silver)
See **Silver—specifications**
Specifications—metals/alloys (tantalum)
See **Tantalum (Ta)/tantalum alloys—specifications**
Specifications—metals/alloys (titanium)
See **Titanium (Ti)/alloys—specifications**
Specifications—metals/aloys (titanium for surgical implants)
See **Titanium (Ti) (for surgical implants)—specifications**
Specifications—metals/alloys (zinc)
See **Zinc—specifications**
Specifications—metals/alloys (zinc-copper-aluminum)
See **Zinc-copper-aluminum alloy**
Specifications—mineral fiber insulation
See **Mineral fiber insulation—specifications**
Specifications—mortar
See **Mortar—specifications**
Specifications—nonasbestos fiber-cement materials
See **Nonasbestos fiber-cement materials—specifications**
Specifications—nonpressure piping
See **Nonpressure piping—specifications**
Specifications—nuclear materials/applications
See **Nuclear materials/applications—specifications**
Specifications—oil-impregnated bearings
See **Oil-impregnated bearings—specifications**
Specifications—orthopaedic materials/applications
See **Orthopaedic medical devices—specifications**
Specifications—paint materials/applications
See **Paint materials/applications—specifications**
Specifications—paper
See **Paper—specifications**
Specifications—paperboard
See **Paperboard—specifications**
Specifications—patient biographical/medical data
See **Patient biographical/medical data—specifications**
Specifications—pavement surfaces
See **Pavement surfaces—specifications**
Specifications—petroleum products
See **Petroleum products—specifications**
Specifications—pipe thermal insulation
See **Pipe thermal insulation—specifications**
Specifications—plaster
See **Plaster—specifications**
Specifications—plastics
See **Plastics—specifications**
Specifications—playground equipment
See **Playground equipment—specifications**
Specifications—polyethylene (PE) pipe
See **Polyethylene (PE) pipe—specifications**
Specifications—polyethylene (PE) plastics
See **Polyethylene (PE)—specifications**
Specifications—polyethylene (PE) sheet and film
See **Polyethylene (PE) sheet and film—specifications**
Specifications—poly(vinyl chloride)(PVC) pipe
See **Poly(vinyl chloride)(PVC) pipe—specifications**
Specifications—powder metallurgy (P/M) materials
See **Powder metallurgy (P/M) materials—specifications**
Specifications—precast concrete products
See **Precast concrete products—specifications**
Specifications—pressure-sensitive tapes
See **Pressure-sensitive tapes—specifications**
Specifications—propylene (PP)
See **Propylene (PP) plastics—specifications**
Specifications—protective coatings
See **Protective coatings—specifications**
Specifications—quenched and tempered steels
See **Quenched and tempered steels (specifications)**
Specifications—reinforced thermosetting plastic (RTP)
See **Reinforced thermosetting plastics (RTP)—specifications**
Specifications—reinforced thermosetting-resin pipe (RTRP)
See **Reinforced thermosetting-resin pipe (RTRP)—specifications**
Specifications—roofing/waterproofing materials/applications
See **Roofing materials/applications—specifications**
Specifications—rubber materials/applications
See **Rubber—specifications**
Specifications—safety and performance
Soccer Goals, Safety and Performance Specification for, **F2950 (15.11)**
Specifications—sealants
See **Sealants—specifications**
Specifications—seamless Cu/Cu alloy pipe
See **Seamless Cu/Cu alloy pipe—specifications**
Specifications—seamless Cu/Cu alloy tube
See **Seamless Cu/Cu alloy tube—specifications**
Specifications—security equipment
See **Security systems and equipment—specifications**
Specifications—sewer pipe (concrete)
See **Sewer pipe (concrete)—specifications**
Specifications—sewer pipe (thermoplastic)
See **Sewer pipe (thermoplastic)—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specifications—shipbuilding materials/applications
See **Shipbuilding materials (general)—specifications**
See **Shipbuilding steel materials—specifications**
Specifications—shipbuilding pipe materials
See **Shipbuilding piping materials—specifications**
See **Shipbuilding steel pipe materials—specifications**
Specifications—shipping containers
See **Shipping containers/materials/applications—specifications**
Specifications—solar materials/applications
See **Solar materials/applications—specifications**
Specifications—sports equipment
Sa **Sports equipment—specifications**
Soccer Goals, Safety and Performance Specification for, **F2950 (15.11)**
Specifications—storm/sewer drainage pipe
See **Storm sewer/drainage pipe—specifications**
Specifications—stranded electrical conductors
See **Stranded aluminum electrical conductors—specifications**
See **Stranded copper electrical conductors—specifications**
Specifications—surgical implants
See **Surgical implants—specifications**
Specifications—surgical instruments
See **Surgical instruments**
Specifications—textile fabrics/fibers
See **Textile fabrics/fibers—specifications**
Specifications—thermal insulating cement
See **Thermal insulating cement—specifications**
Specifications—thermal insulating materials/applications
See **Thermal insulating materials—specifications**
Specifications—thermoplastic pipe/tube/fittings
See **Thermoplastic pipe/tube/fittings—specifications**
Specifications—water vapor retarders
See **Water vapor retarders—specifications**
Specifications—weathering materials/applicatioins
See **Weathering—specifications**
Specifications—windows/window assemblies
See **Windows/window assemblies—specifications**
Specifications—wood materials/applications
See **Wood products—specifications**
Specification writing
Development of Fire-Risk-Assessment Standards, Guide for, **E1776 (04.07)**
Specific conductance
Sa **Conductance and conductivity (electrical)**
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
Corrosivity Index of Plastics and Fillers, Test Method for, **D4350 (08.02)**
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Specific core loss
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Specific electrical impedance
See **Impedance**
Specific exciting/reactive power
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Specific free energy
Dynamic Surface Tension by the Fast-Bubble Technique, Test Method for, **D3825 (05.02)**
Specific gravity
Absorption and Bulk Specific Gravity of Dimension Stone, Test Methods for, **C97/C97M (04.07)**
Apparent Porosity, Apparent Specific Gravity, and Bulk Density of Graphite Electrodes, Test Methods for, **C1039 (05.05)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Density, Absorption, and Voids in Hardened Concrete, Test Method for, **C642 (04.02)**
Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, Test Method for, **D7370 (04.03)**
Determining The Relative Density (Specific Gravity) And Absorption Of Fine Aggregates Using Infrared, Test Method for, **D7172 (04.03)**
Felt, Specification for, **D2475 (07.01)**
Relative Density of Solid Pitch and Asphalt (Displacement Method), Test Method for, **D71 (05.01)**
Screening Apparent Specific Gravity and Bulk Density of Waste, Test Method for, **D5057 (11.04)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Specific Gravity of Fired Ceramic Whiteware Materials, Test Method for, **C329 (15.02)**
Specific Gravity of Water and Brine, Test Methods for, **D1429 (11.01)**
Specific Gravity, API Gravity, or Density of Cutback Asphalts by Hydrometer Method, Test Method for, **D3142/D3142M (04.03)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Test Method for, **C373 (15.02)**
Specific gravity—aggregates
Aggregates for Radiation-Shielding Concrete, Specification for, **C637 (04.02)**
Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, Test Method for, **C127 (04.02)**
Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate, Test Method for, **C128 (04.02)**
Specific gravity—bituminous mixtures
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6752/D6752M (04.03)**
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples, Test Method for, **D1188 (04.03)**
Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, Test Method for, **D2726/D2726M (04.03)**
Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6857/D6857M (04.03)**
Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures, Test Method for, **D2041/D2041M (04.03)**
Specific gravity—chemicals
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Density or Relative Density of Engine Coolant Concentrates and Engine Coolants By The Hydrometer, Test Method for, **D1122 (15.05)**
Specific Gravity and Density of Halogenated Organic, Test Methods for, **D2111 (15.05)**
Specific Gravity, Apparent, of Liquid Industrial Chemicals, Test Methods for, **D891 (15.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specific gravity—cleaners/detergents
Specific Gravity of Oils and Liquid Fats, Test Method for, **D5355 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Specific gravity—coal/coke
Apparent and True Specific Gravity and Porosity of Lump Coke, Test Method for, **D167 (05.06)**
Determining the Washability Characteristics of Coal, Test Method for, **D4371 (05.06)**
Specific gravity—paints/related coatings/materials
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Sampling and Testing Pine Oils, Test Methods for, **D802 (06.03)**
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**
Specific Gravity of Coating Powders, Test Methods for, **D5965 (06.02)**
Specific Gravity of Pigments, Test Methods for, **D153 (06.03)**
Specific gravity—petroleum products
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**
ASTM Butadiene Measurement Tables, Standard, **D1550 (05.01)**
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Calculation of Certain Physical Properties of Liquefied Petroleum (LP) Gases from Compositional Analysis, Practice for, **D2598 (05.01)**
Density (Relative Density) of Solid Pitch (Pycnometer Method), Test Method for, **D2320 (05.01)**
Density and Relative Density (Specific Gravity) of Liquids by Bingham Pycnometer, Test Method for, **D1217 (05.01)**
Density and Relative Density (Specific Gravity) of Viscous Materials by Bingham Pycnometer, Test Method for, **D1480 (05.01)**
Density and Relative Density (Specific Gravity) of Viscous Materials by Lipkin Bicapillary Pycnometer, Test Method for, **D1481 (05.01)**
Density, Relative Density, or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method, Test Method for, **D1298 (05.01)**
Elastomer Compatibility of Lubricating Greases and Fluids, Test Method for, **D4289 (05.02)**
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**
Specific gravity—plastics
Density and Specific Gravity (Relative Density) of Plastics by Displacement, Test Methods for, **D792 (08.01)**
Polyphenylene Ether (PPE) Materials, Classification System and Basis for Specification for, **D4349 (08.02)**
Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, Test Methods for, **D4659 (08.02)**
Polyurethane Raw Materials: Determination of Specific Gravity of Polyols, Test Method for, **D4669 (08.02)**
Sampling and Testing Plasticizers Used in Plastics, Test Methods for, **D1045 (08.01)**
Specific gravity—refractory materials
Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure, Test Methods for, **C830 (15.01)**
Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, Test Methods for, **C20 (15.01)**
True Specific Gravity of Refractory Materials by Gas-Comparison Pycnometer, Test Method for, **C604 (15.01)**
True Specific Gravity of Refractory Materials by Water Immersion, Test Method for, **C135 (15.01)**
Specific gravity—rock
Field Determination of Rapid Specific Gravity of Rock and Man-made Materials for Erosion Control, Test Method for, **D5779/D5779M (04.08)**
Specific Gravity And Absorption of Rock For Erosion Control, Test Method For, **D6473 (04.09)**
Specific gravity—soil
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples, Test Method for, **D1188 (04.03)**
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**
Specific Gravity of Soil Solids by Water Pycnometer, Test Methods for, **D854 (04.08)**
Specific gravity—wood products
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**
Specific heat
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Specific heat capacity
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**
Specific heat (of petroleum products)
See **Heating tests—petroleum products**
Specific heat thermal capacity
Determining Specific Heat Capacity by Sinusoidal Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E2716 (14.02)**
Specific luminance
Retroreflectance of Horizontal Coatings, Test Method for, **D4061 (06.01)**
Specific optical density
See **Optical density**
Specific packability
Determining Specific Packability of Fabrics Used in Inflatable Restraints, Test Method for, **D6478 (07.02)**
Specific permeability
Sa **Permeability**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**
Specific resistance (resistivity)
Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements, Specification for, **B344 (02.04)**
Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, Test Method for, **D5391 (11.01)**
Electrical Resistivity of Liquid Paint and Related Materials, Test Methods for, **D5682 (06.01)**
Specific Resistance (Resistivity) of Electrical Insulating Liquids, Test Method for, **D1169 (10.03)**
Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, Test Method for, **D2448 (06.03)**
Specific retention/yield
Centrifuge Moisture Equivalent of Soils, Test Method for, **D425 (04.08)**
Specific surface area
Sa **Surface analysis**
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**

Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**

Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, Test Method for, **C1069 (15.02)**

Specific viscosity

Sa **Viscosity—asphalts/bituminous materials**

Engler Specific Viscosity of Tar Products, Test Method for, **D1665 (04.03)**

Specified design load

Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**

Specimen alignment

Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**

Specimen area

Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**

Specimen preparation (for testing)

Conditioning Containers, Packages, or Packaging Components for Testing, Practice for, **D4332 (15.10)**

Dimension Stone Test Specimen Sampling and Preparation, Guide to, **C1799/C1799M (04.07)**

Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, Test Method for, **E1153 (11.05)**

Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**

Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, Practice for, **C1336 (15.01)**

Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, Practice for, **C1190 (15.01)**

Metallographic Preparation of Thermal Sprayed Coatings, Guide for, **E1920 (03.01)**

Performance of Griddles, Test Method for, **F1275 (15.12)**

Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**

Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation, Guide for, **D5687/D5687M (15.03)**

Preparing a Solution of Alkali–Soluble Resins, Practice for, **D3837 (15.04)**

Preparing Field Sprayer Calibration Procedures, Guide for, **E549 (11.05)**

Preparing Granular Pesticide Ground Applicator Calibration Procedures, Guide for, **E550 (11.05)**

Reducing Samples of Aggregate to Testing Size, Practice for, **C702/C702M (04.02)**

Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Specimen Preparation and Mounting of Tapes to Assess Surface Burning Characteristics, Practice for, **E2688 (04.07)**

Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) Wall or Ceiling Coverings, and of Facings and Wood Veneers Intended to be Applied on Site Over a Wood Substrate, to Assess Surface Burning Characteristics, Practice for, **E2404 (04.07)**

Substrates Used in Testing Building Seals and Sealants, Guide for, **C1375 (04.07)**

Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**

Specimen preparation (for testing)—adhesives

Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**

Preparation of Bar and Rod Specimens for Adhesion Tests, Practice for, **D2094 (15.06)**

Specimen preparation (for testing)—aerospace materials

Fabrication of Ring Test Specimens for Glass-Resin Composites, Practice for, **D2291 (08.01)**

Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters, Practice for, **F311 (15.03)**

Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, Test Method for, **F945 (15.03)**

Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**

Specimen preparation (for testing)—asbestos

Asbestos Yarns, Specification for, **D299/D299M (04.05)**

Woven Asbestos Tape, Specification for, **D315/D315M (04.05)**

Specimen preparation (for testing)—atmospheric analysis

Conditioning, Terminology Relating To, **E41 (14.04)**

Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, Test Methods for, **D2010/D2010M (11.07)**

Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**

Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**

Specimen preparation (for testing)—bituminous materials

Preparation of Bituminous Mixture Test Specimens by Means of California Kneading Compactor, Practice for, **D1561/D1561M (04.03)**

Preparation of Test Panels for Accelerated and Outdoor Weathering of Bituminous Coatings, Practice for, **D1669/D1669M (04.04)**

Preparation of Test Specimens of Asphalt-Stabilized Soils, Practice for, **D4223/D4223M (04.08)**

Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**

Specimen preparation (for testing)—coal/coke

Sa **Coal sampling systems**

Collection and Preparation of Coke Samples for Laboratory Analysis, Practice for, **D346/D346M (05.06)**

Preparing Coal Samples for Microscopical Analysis by Reflected Light, Practice for, **D2797/D2797M (05.06)**

Preparing Coke Samples for Microscopical Analysis by Reflected Light, Practice for, **D3997/D3997M (05.06)**

Specimen preparation (for testing)—corrosion testing

Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**

Exposing and Evaluating Metals and Alloys in Surface Seawater, Practice for, **G52 (03.02)**

Laboratory Immersion Corrosion Testing of Metals, Guide for, **G31 (03.02)**

Making and Using C-Ring Stress-Corrosion Test Specimens, Practice for, **G38 (03.02)**

Making and Using Precracked Double Beam Stress Corrosion Specimens, Practice for, **G168 (03.02)**

Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**

Monitoring Atmospheric SO2 Deposition Rate for Atmospheric Corrosivity Evaluation, Practice for, **G91 (03.02)**

Preparation and Use of Bent-Beam Stress-Corrosion Test Specimens, Practice for, **G39 (03.02)**

Preparation and Use of Direct Tension Stress-Corrosion Test Specimens, Practice for, **G49 (03.02)**

Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specimen preparation (for testing)—electrical insulation
Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, Test Methods for, **D4568 (10.02)**
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Specimen preparation (for testing)—leather
Conditioning Leather and Leather Products for Testing, Practice for, **D1610 (15.04)**
Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, Practice for, **D4905 (15.04)**
Specimen preparation (for testing)—metals/alloys
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Fabrication and Control of Metal, Other than Aluminum, Reference Blocks Used in Ultrasonic Testing, Practice for, **E428 (03.03)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, Practice for, **E1306 (03.05)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**
Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, Practice for, **B208 (02.01)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**
Sampling and Sample Preparation of Iron Ores and Related Materials for Determination of Chemical Composition and Physical Properties, Practice for, **E877 (03.05)**
Specimen preparation (for testing)—nuclear applications
Preparation and Dissolution of Plutonium Materials for Analysis, Practice for, **C1168 (12.01)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Soil Sample Preparation for the Determination of Radionuclides, Practice for, **C999 (12.01)**
Specimen preparation (for testing)—paints/related coatings
Abrading Concrete, Practice for, **D4259 (06.02)**
Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, Practice for, **D3456 (06.01)**
Liquid and Gelled Acid Etching of Concrete, Practice for, **D4260 (06.02)**
Making Cementitious Panels for Testing Coatings, Practice for, **D1734 (06.02)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
pH of Chemically Cleaned or Etched Concrete Surfaces, Test Method for, **D4262 (06.02)**
Preparation of Aluminum and Aluminum-Alloy Surfaces for Painting, Practices for, **D1730 (02.05)**
Preparation of Cold-Rolled Steel Panels for Testing Paint, Varnish, Conversion Coatings, and Related Coating Products, Practice for, **D609 (06.01)**
Preparation of Glass Panels for Testing Paint, Varnish, Lacquer, and Related Products, Practice for, **D3891 (06.01)**
Preparation of Hot-Dip Aluminum Surfaces for Painting, Practices for, **D1731 (02.05)**
Preparation of Magnesium Alloy Surfaces for Painting, Practices for, **D1732 (02.05)**
Preparation of Paint Brushes for Evaluation, Practice for, **D5068 (06.02)**
Preparation of Paint-Roller Covers for Evaluation of Architectural Coatings, Practice for, **D5069 (06.02)**
Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, Practice for, **E259 (06.01)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Preparing Drawdowns of Artists' Paste Paints, Practice for, **D4941 (06.02)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Selection of Coating Specimens for Appearance Measurements, Practice for, **D3964 (06.01)**
Surface Cleaning Concrete for Coating, Practice for, **D4258 (06.02)**
Surface Cleaning Concrete Masonry Units for Coating, Practice for, **D4261 (06.02)**
Use of Pictorial Surface Preparation Standards and Guides for Painting Steel Surfaces, Practice for, **D2200 (06.02)**
Specimen preparation (for testing)—petroleum products
Obtaining LPG Samples Using a Floating Piston Cylinder, Practice for, **D3700 (05.01)**
Preparation of Liquid Blends for Use as Analytical Standards, Practice for, **D4307 (05.02)**
Preparation of Low-Pressure Gas Blends, Practice for, **D4051 (05.02)**
Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, Practice for, **D1176 (15.05)**
Specimen preparation (for testing)—plastics
Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets, Practice for, **D4703 (08.02)**
Conditioning Plastics for Testing, Practice for, **D618 (08.01)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Preparation of Plastics and Polymeric Specimens for Microstructural Examination, Guide for, **E2015 (03.01)**
Preparing Plastic Film Specimens for a Round-Robin Study, Practice for, **D4204 (08.02)**
Specimen preparation (for testing)—refractories
Preparing Refractory Castable Specimens by Cold Gunning, Practice for, **C903 (15.01)**
Preparing Refractory Concrete Specimens by Casting, Practice for, **C862 (15.01)**
Preparing Test Specimens from Basic Refractory Castable Products by Casting, Practice for, **C974 (15.01)**
Preparing Test Specimens From Basic Refractory Gunning Products by Pressing, Practice for, **C973 (15.01)**
Preparing Test Specimens from Basic Refractory Ramming Products by Pressing, Practice for, **C975 (15.01)**
Specimen preparation (for testing)—rock
Preparation of Rock Slabs for Durability Testing, Practice for, **D5121 (04.08)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Specimen preparation (for testing)—rubber
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**
Rubber—Materials, Equipment, and Procedures for Mixing Stan-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

dard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Rubber—Preparation of Pieces for Test Purposes from Products, Practice for, **D3183 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**

Specimen preparation (for testing)—semiconductor materials
Making and Testing Reference Glass-Metal Bead-Seal, Practice for, **F14 (15.02)**
Making Reference Glass-Metal Butt Seals and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F140 (15.02)**
Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F144 (15.02)**

Specimen preparation (for testing)—soil
Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, Practice for, **D421 (04.08)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Expansion Index of Soils, Test Method for, **D4829 (04.08)**
Identification and Classification of Dispersive Clay Soils by the Pinhole Test, Test Methods for, **D4647/D4647M (04.08)**
Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, Practice for, **D4320/D4320M (04.08)**
Making and Curing Soil-Cement Compression and Flexure Test Specimens in the Laboratory, Practice for, **D1632 (04.08)**
Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders, Test Method for, **D4832 (04.08)**
Preparation of Test Specimens of Asphalt-Stabilized Soils, Practice for, **D4223/D4223M (04.08)**

Specimen preparation (for testing)—sound transmission studies
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Mounting Test Specimens During Sound Absorption Tests, Practices for, **E795 (04.06)**
Mounting Test Specimens for Sound Transmission Loss Testing of Naval and Marine Ship Bulkhead Treatment Materials, Practices for, **E1123 (04.06)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**

Specimen preparation (for testing)—spectrochemical analysis
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Handling Specimens Prior to Surface Analysis, Guide for, **E1829 (03.06)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**

Specimen preparation (for testing)—textiles
Composition of Plumage, Test Method for, **D4524 (07.02)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Pile Fabric Abrasion, Test Method for, **D4685 (07.02)**
Preparation of Textiles Prior to Ultraviolet (UV) Transmission Testing, Practice for, **D6544 (07.02)**

Specimen preparation (for testing)—thermal insulating materials
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, Practice for, **C419 (04.06)**

Specimen preparation (for testing)—water testing
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Preparation of Samples for Identification of Waterborne Oils, Practice for, **D3326 (11.02)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
the Preparation of Substitute Ocean Water, Practice for, **D1141 (11.02)**

Specimen preparation (for testing)—wood
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**

Specimen preparation (general)
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), Guide for, **D3933 (15.06)**
Preparation of Solution of Liquid Vegetable Tannin Extracts, Practice for, **D4901 (15.04)**
Preparation of Use and Care Booklets for Vacuum Cleaners, Practice for, **F486 (15.08)**
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**
Production and Preparation of Gray Iron Castings for Porcelain Enameling, Practices for, **C660 (02.05)**
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics, Practice for, **E2231 (04.07)**
Surface Preparation and Marking of Metallic Surgical Implants, Practice for, **F86 (13.01)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**

Specimen preparation (general)—electroplating
Cleaning Metals Prior to Electroplating, Guide for, **B322 (02.05)**
Engineering Chromium Electroplating, Guide for, **B177/B177M (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of Chromium for Electroplating with Chromium, Practice for, **B630 (02.05)**
Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings, Practice for, **B281 (02.05)**
Preparation of High-Carbon Steel for Electroplating, Guide for, **B242 (02.05)**
Preparation of Iron Castings for Electroplating, Practice for, **B320 (02.05)**
Preparation of Lead and Lead Alloys for Electroplating, Guide for, **B319 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preparation of Low-Carbon Steel for Electroplating, Practice for, **B183 (02.05)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Preparation of Molybdenum and Molybdenum Alloys for Electroplating, Practice for, **B629 (02.05)**
Preparation of Nickel Alloys for Electroplating, Practice for, **B558 (02.05)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**
Preparation of Titanium and Titanium Alloys, Practice for, **B481 (02.05)**
Preparation of Tungsten and Tungsten Alloys for Electroplating, Practice for, **B482 (02.05)**
Preparation of Zinc Alloy Die Castings for Electroplating and Conversion Coatings, Guide for, **B252 (02.05)**

Specimen preparation (metallographic)
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**

Specimen removal from usage
Selection, Removal, and Shipment of Manufactured Masonry Units and Masonry Specimens from Existing Construction, Practice for, **C1532/C1532M (04.05)**

Spectacle plate
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**

Spectral absorption
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**

Spectral attenuation
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**

Spectral bandwidths
Wavelength Accuracy and Spectral Bandwidth of Fluorescence Spectrometers, Test Method for, **E388 (03.06)**

Spectral data
2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, Test Method for, **D2668 (10.03)**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, Practice for, **E261 (12.02)**
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**
Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, Test Method for, **C609 (15.02)**
Measuring Optical Reflectivity of Transparent Materials, Test Method for, **F1252 (15.03)**
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**
Qualitative Classification of Surfactants by Infrared Absorption, for, **D2357 (15.04)**
Radioscopy, Guide for, **E1000 (03.03)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**

Spectral data—metals/alloys
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Establishing and Controlling Atomic Emission Spectrochemical Analytical Curves, Practice for, **E305 (03.05)**
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Reporting Data in Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy, Practice for, **E996 (03.06)**
Reporting Mass Spectral Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1504 (03.06)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**
Wavelength Accuracy and Spectral Bandwidth of Fluorescence Spectrometers, Test Method for, **E388 (03.06)**

Spectral data—paints/related coatings
Appearance, Terminology of, **E284 (06.01)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Computing the Colors of Objects by Using the CIE System, Practice for, **E308 (06.01)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Electronic Interchange of Color and Appearance Data, Practice for, **E1708 (06.01)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**
Visual Evaluation of Metamerism, Practice for, **D4086 (06.01)**

Spectral data—rubber
Rubber Chemicals—Determination of Infrared Absorption Characteristics, Practice for, **D2702 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**

Spectral data—solar devices
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, Test Method for, **E1362 (12.02)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Determination of the Spectral Mismatch Parameter Between a Photovoltaic Device and a Photovoltaic Reference Cell, Test Method for, **E973 (12.02)**
Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, Test Method for, **E1143 (12.02)**
Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, Test Methods for, **E1036 (12.02)**
Measurement of Electrical Performance and Spectral Response of Nonconcentrator Multijunction Photovoltaic Cells and Modules, Test Methods for, **E2236 (12.02)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, Specification for, **E1040 (12.02)**
Spectral Responsivity Measurements of Photovoltaic Devices, Test Method for, **E1021 (12.02)**

Spectral data interchange/transmission
Electronic Interchange of Color and Appearance Data, Practice for, **E1708 (06.01)**

Spectral distribution
Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, Practice for, **G178 (14.04)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**

Spectral irradiance (solar)
See **Solar spectral irradiance**

Spectral mismatch parameter
Determination of the Spectral Mismatch Parameter Between a Photovoltaic Device and a Photovoltaic Reference Cell, Test Method for, **E973 (12.02)**

Spectralon
Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, Practice for, **E1791 (03.06)**

Spectral response curve
Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, Practice for, **G178 (14.04)**

Spectrochemical analysis
Sa **Spectrometry**
Sa **Spectroscopy**
Sa **X-ray emission spectrometry**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Chemical and Spectrochemical Analysis of Nuclear-Grade Silver-Indium-Cadmium Alloys, Test Methods for, **C760 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Establishing and Controlling Atomic Emission Spectrochemical Analytical Curves, Practice for, **E305 (03.05)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Linearity of Fluorescence Measuring Systems, Test Method for, **E578 (03.06)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Sampling Magnesium and Magnesium Alloys for Spectrochemical Analysis, Practice for, **B953 (02.02)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**

Spectrochemical analysis—optical emission
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Sampling and Sample Preparation of Aluminum and Aluminum Alloys for Determination of Chemical Composition by Spectrochemical Analysis, Practices for, **E716 (03.05)**
Sampling of Zinc and Zinc Alloys by Spark Atomic Emission Spectrometry, Practice for, **E634 (03.05)**
Using Controlled Atmospheres in Spectrochemical Analysis, Practice for, **E406 (03.05)**

Spectrochemical analysis—steel
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**

Spectrocolorimeter
Appearance, Terminology of, **E284 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**

Spectrographic analysis
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, Practice for, **G178 (14.04)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**

Spectrometer calibration/characterization
See **Calibration—spectrochemical analysis instrumentation**

Spectrometry
Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, Test Method for, **F1471 (11.07)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of High Manganese Steel by Spark Atomic Emission Spectrometry, Test Method for, **E2209 (03.05)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, Test Methods for, **E1915 (03.05)**
Analysis of Nickel Alloys by Inductively Coupled Plasma Mass Spectrometry (Performance-Based Method), Test Method for, **E2823 (03.05)**
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Chemical Analysis of Ceramic Whiteware Materials Using Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Methods for, **C1605 (15.02)**
Chlorine in Aromatics by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7536 (06.04)**
Describing and Specifying a Direct Current Plasma Atomic Emission Spectrometer, Practice for, **E1832 (03.05)**
Determination of Additive Elements in Lubricating Oils by EDXRF Analysis, Test Method for, **D7751 (05.04)**
Determination of Copper in Jet Fuels by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6732 (05.03)**
Determination of Dipropylene Glycol Monobutyl Ether and Ethylene Glycol Monobutyl Ether in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7731 (11.02)**
Determination of Metals in Lubricating Greases by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D7303 (05.04)**
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**
Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Determination of Total Carbon in Mold Powders by Combustion, Test Method for, **E2050 (03.05)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, Guide for, **E1865 (03.06)**
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**
Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, Test Methods of, **D4875 (08.02)**
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**
Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, Practice for, **E1726 (04.11)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Set-Up and Operation of Fourier Transform Infrared (FT-IR) Spectrometers for In-Service Oil Condition Monitoring, Practice for, **D7418 (05.04)**
Set-up, Calibration, and Quality Control of Instruments Used for Radioactivity Measurements, Practice for, **D7282 (11.02)**
Spectrometric Analysis of Reactive and Refractory Metals, Guide for, **E2626 (03.05)**
Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7220 (05.04)**
Testing the Performance of Scanning Raman Spectrometers, Practice for, **E1683 (03.06)**
Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **D5839 (11.04)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**
Verifying Minimum Acceptable Performance of Trace Explosive Detectors, Practice for, **E2520 (15.08)**

Spectrometry—electron
Literature Describing Properties of Electrostatic Electron Spectrometers, Guide for, **E1016 (03.06)**

Spectrometry (Fourier-Transform)
Sa **FTIR analysis**
Condition Monitoring of Nitration in In-Service Petroleum and Hydrocarbon-Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7624 (05.04)**
Condition Monitoring of Soot in In-Service Lubricants by Trend Analysis using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7844 (05.04)**

Spectrometry (gamma-ray)
Rapid Assessment of Gamma-ray Emitting Radionuclides in Environmental Media by Gamma Spectrometry, Practice for the, **D7784 (11.02)**

Spectrometry—ion scattering
Sa **SIMS (secondary ion mass spectrometry)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Spectrometry—nuclear magnetic resonance (NMR)
See **Nuclear magnetic resonance (NMR) spectrometry**

Spectrometry—X-ray emission
See **X-ray emission spectrometry**

Spectrometry—X-ray fluorescence (XRF)
Sa **XRF (X-ray fluorescence)**
Low Sulfur in Automotive Fuels by Energy-Dispersive X-ray Fluorescence Spectrometry Using a Low-Background Proportional Counter, Test Method for, **D7212 (05.04)**

Spectrophotometer performance testing
See **Performance—spectrochemical equipment**

Spectrophotometry
Aldehydes in Mono-, Di-, and Triethylene Glycol (Spectrophotometric Method), Test Method for, **E2313 (15.05)**
Analysis of Aqueous Extractable Protein in Natural Rubber and Its Products Using the Modified Lowry Method, Test Method for, **D5712 (09.02)**
Appearance, Terminology of, **E284 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
Color and Color Difference of Whitewares by Abriged Spectrophotometry, Test Method for, **C1510 (15.02)**
Colorimetric/Spectrophotometric Procedure to Quantify Extractable Chemical Dialkyldithiocarbamate, Thiuram, and Mercaptobenzothiazole Accelerators in Natural Rubber Latex and Nitrile Gloves, Test Method for, **D7558 (09.02)**
Cyanogen Chloride in Water, Test Method for, **D4165 (11.02)**
Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**
Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, Test Method for, **D6802 (10.03)**
Establishing Spectrophotometer Performance Tests, Guide for, **E1866 (03.06)**
Estimating Uncertainty of Test Results Derived from Spectrophotometry, Practice for, **E2867 (06.01)**
General Techniques of Ultraviolet-Visible Quantitative Analysis, Practices for, **E169 (03.06)**
Haze and Luminous Transmittance of Transparent Plastics, Test Method for, **D1003 (08.01)**
Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, Practice for, **E805 (06.01)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**
Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, Test Method for, **C609 (15.02)**
Measuring Light Stability of Resilient Flooring by Color Change, Test Method for, **F1515 (15.04)**
Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, Practice for, **E2153 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51275 (12.02)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **ISO/ASTM51310 (12.02)**
Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, Test Method for, **C1307 (12.01)**
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**
Rectification of Spectrophotometric Bandpass Differences, Practice for, **E2729 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**
Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1331 (06.01)**
Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, Test Method for, **D6531 (06.02)**
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
the Determination of Hexavalent Chromium in Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide, Test Method for, **D6832 (11.07)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Total Peroxides in Acrylonitrile, Test Method for, **E1784 (15.05)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**
Use of a Ceric-Cerous Sulfate Dosimetry System, Practice for, **ISO/ASTM51205 (12.02)**
Use of a Polymethylmethacrylate Dosimetry System, Practice for, **ISO/ASTMD51276 (12.02)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**
X-ray Spectrometric Analysis of Lime and Limestone, Test Method for, **C1271 (04.01)**

Spectrophotometry—absorption
Alkyl Nitrate in Diesel Fuels by Spectrophotometry, Test Method for, **D4046 (05.02)**
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, Practice for, **E991 (06.01)**
Computing the Colors of Objects by Using the CIE System, Practice for, **E308 (06.01)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Determination of Titanium in Iron Ores and Related Materials by Diantipyrylmethane Ultraviolet Spectrophotometry, Test Method for, **E878 (03.05)**
Determination of Titanium in Nickel Alloys by Diantipyrylmethane Spectrophotometry, Test Method for, **E1938 (03.05)**
Estimating Stray Radiant Power Ratio of Dispersive Spectrophotometers by the Opaque Filter Method, Test Method for, **E387 (03.06)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Oxides of Nitrogen in Gaseous Combustion Products (Phenol-Disulfonic Acid Procedures), Test Method for, **D1608 (11.07)**
Platinum in Reforming Catalysts by Wet Chemistry, Test Method for, **D4642 (05.05)**
Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, Test Method for, **E903 (12.02)**
Solar Energy Transmittance and Reflectance (Terrestrial) of Sheet Materials, Test Methods for, **E424 (12.02)**
Trace Amounts of Peroxides In Organic Solvents, Test Method for, **E299 (15.05)**

Spectrophotometry—atomic absorption
Analysis of Calcium Chloride, Test Methods for, **E449 (15.05)**
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Clay and Zeolite in Powdered Laundry Detergents by Atomic Absorption, Test Method for, **D5547 (15.04)**
Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, Test Method for, **D4606 (05.06)**
Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, Test Method for, **D5086 (11.07)**
Determination of Copper in Iron Ores and Related Materials by Flame Atomic Absorption Spectrometry, Test Method for, **E841 (03.05)**
Determination of Elements by Graphite Furnace Atomic Absorption Spectrometry, Practice for, **E1184 (03.05)**
Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, Test Method for, **E1600 (03.05)**
Dissolved Copper In Electrical Insulating Oil By Atomic Absorption Spectrophotometry, Test Method for, **D3635 (10.03)**
Lead and Cadmium Extracted from Glazed Ceramic Surfaces, Test Method for, **C738 (15.02)**
Lead and Cadmium Extracted from Glazed Ceramic Tile, Test Method for, **C895 (15.02)**
Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, Test Method for, **C927 (15.02)**
Lead and Cadmium Release from Porcelain Enamel, Test Method for, **C872 (02.05)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**
Measurement of Metals in Workplace Atmospheres by Flame Atomic Absorption Spectrophotometry, Practice for, **D4185 (11.07)**
Mercury in Caustic Soda (Sodium Hydroxide) and Caustic Potash (Potassium Hydroxide), Test Methods for, **E538 (15.05)**
Mercury in Liquid Chlorine, Test Method for, **E506 (15.05)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, Test Methods of, **D3376 (10.02)**
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**
Use of a Dichromate Dosimetry System, Practice for, **ISO/ASTM51401 (12.02)**

Spectrophotometry—atomic absorption (paints/related coatings)
Color Measurement of Flax Fiber, Test Method for, **D6961/D6961M (07.02)**
Colorimetric Determination of, Test Method for, **D4590 (06.04)**
Detection of Lead in Paint by Direct Aspiration Atomic Absorption Spectroscopy, Test Method for, **D4834 (06.01)**
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**
Organotin Release Rates of Antifouling Coating Systems in Sea Water, Test Method for, **D5108 (06.02)**
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**

Spectrophotometry—atomic absorption (petroleum)
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Determination of the Red Dye Concentration and Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, Test Method for, **D6756 (05.03)**
Lead in Gasoline by Atomic Absorption Spectroscopy, Test Method for, **D3237 (05.01)**
Manganese in Gasoline By Atomic Absorption Spectroscopy, Test Method for, **D3831 (05.02)**
Palladium in Molecular Sieve Catalyst by Atomic Absorption, Test Method for, **D5153 (05.05)**
Phosphorus in Gasoline, Test Method for, **D3231 (05.01)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**

Spectrophotometry—atomic absorption (water/wastewater)
Aluminum in Water, Test Method for, **D857 (11.01)**
Antimony in Water, Test Method for, **D3697 (11.01)**
Arsenic in Water, Test Methods for, **D2972 (11.01)**
Barium in Brackish Water, Seawater, and Brines, Test Method for, **D3651 (11.02)**
Barium in Water, Atomic Absorption Spectrophotometry, Graphite Furnace, Test Method for, **D4382 (11.01)**
Beryllium in Water, Test Methods for, **D3645 (11.01)**
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Calcium and Magnesium In Water, Test Methods for, **D511 (11.01)**
Chromium in Water, Test Methods for, **D1687 (11.01)**
Cobalt in Water, Test Methods for, **D3558 (11.01)**
Copper in Water, Test Methods for, **D1688 (11.01)**
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Iron in Water, Test Methods for, **D1068 (11.01)**
Lead in Water, Test Methods for, **D3559 (11.01)**
Lithium, Potassium, and Sodium Ions in Brackish Water, Seawater, and Brines by Atomic Absorption Spectrophotometry, Test Method for, **D3561 (11.02)**
Manganese in Water, Test Methods for, **D858 (11.01)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, Practice for, **D3919 (11.01)**
Molybdenum in Water, Test Method for, **D3372 (11.01)**
Nickel in Water, Test Methods for, **D1886 (11.01)**
Potassium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4192 (11.01)**
Selenium in Water, Test Methods for, **D3859 (11.01)**
Silver in Water, Test Methods for, **D3866 (11.01)**
Sodium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4191 (11.01)**
Strontium in Water, Test Method for, **D3920 (11.01)**
Strontium Ion in Brackish Water, Seawater, and Brines, Test Method for, **D3352 (11.02)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Total Mercury in Water, Test Method for, **D3223 (11.01)**
Vanadium in Water, Test Method for, **D3373 (11.01)**
Zinc in Water, Test Methods for, **D1691 (11.01)**

Spectrophotometry—flame photometry
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**

Spectrophotometry—fluorescence
Sa **Fluorescence spectrochemical analysis**
Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, Practice for, **E1247 (06.01)**
Limit of Detection of Fluorescence of Quinine Sulfate in Solution, Test Method for, **E579 (03.06)**
Linearity of Fluorescence Measuring Systems, Test Method for, **E578 (03.06)**

Spectrophotometry—goniophotometry
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Measuring Photometric Characteristics of Retroreflectors, Practice for, **E809 (06.01)**

Spectrophotometry—ultraviolet
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, Practice for, **E958 (03.06)**
Ultraviolet Transmittance of Monoethylene Glycol (Ultraviolet Spectrophotometric Method), Test Method for, **E2193 (15.05)**

Spectroradiometric data analysis
Calibration of a Spectroradiometer Using a Standard Source of Irradiance, Test Method for, **G138 (14.04)**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**

Spectroscopy
Condition Monitoring of Oxidation in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7414 (05.04)**
Condition Monitoring of Phosphate Antiwear Additives in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7412 (05.04)**
Condition Monitoring of Sulfate By-Products in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7415 (05.04)**
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**
Determination of the Fatty Acid Methyl Ester (FAME) Content of a Blend of Biodiesel and Petroleum-Based Diesel Fuel Oil Using Mid-Infrared Spectroscopy, Test Method for, **D7806 (05.04)**
Determining Argon Concentration in Sealed Insulating Glass Units Using Spark Emission Spectroscopy, Test Method for, **E2649 (04.12)**
Fluorescence—Instrument Calibration and Qualification, Guide for, **E2719 (03.06)**
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**
Measurement of Percent Crystallinity of Polyetheretherketone (PEEK) Polymers by Means of Specular Reflectance Fourier Transform Infrared Spectroscopy (R-FTIR), Test Method for, **F2778 (13.02)**
Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, Guide for, **E1654 (03.06)**
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**
Preparation of Oils and Oily Waste Samples by High-Pressure, High-Temperature Digestion for Trace Element Determinations, Practice for, **C1234 (05.01)**
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Solvent-Free Membrane Recoverable Oil and Grease by Infrared Determination, Test Method for, **D7575 (11.02)**
Testing the Performance of Scanning Raman Spectrometers, Practice for, **E1683 (03.06)**
Use of Modeling for Passive Gamma Measurements, Guide for, **C1726/C1726M (12.01)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**

Spectroscopy—alpha spectroscopy
Radiochemical Determination of Plutonium in Soil by Alpha Spectroscopy, Test Method for, **C1001 (12.01)**

Spectroscopy—atomic absorption
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Describing Photomultiplier Detectors in Emission and Absorption Spectrometry, Practice for, **E520 (03.05)**
Detection of Lead in Paint by Direct Aspiration Atomic Absorption Spectroscopy, Test Method for, **D4834 (06.01)**
Determination by Atomic Absorption Spectroscopy of Titanium Dioxide Content of Pigments Recovered From Whole Paint, Test Method for, **D4563 (06.01)**
Determination of Aluminum in Iron Ores by Flame Atomic Absorption Spectrometry, Test Method for, **E507 (03.05)**
Determination of Calcium and Magnesium in Iron Ores by Flame Atomic Absorption Spectrometry, Test Method for, **E508 (03.05)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3717 (06.01)**
Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3718 (06.01)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3624 (06.01)**
Low-Level Total Silica in High-Purity Water by Flameless Atomic Absorption Spectroscopy, Test Method for, **D4517 (11.02)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**

Spectroscopy—atomic absorption (petroleum)
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**

Spectroscopy—atomic emission
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Analysis of Aqueous Leachates from Nuclear Waste Materials

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D1976 (11.01)**

Spectroscopy (auger electron (AES))
See **Auger electron spectroscopy (AES)**

Spectroscopy—emission
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Analytical Chemistry for Metals, Ores, and Related Materials, Terminology Relating to, **E135 (03.05)**
Chemical Analysis of Refined Gold by Direct Current Plasma Atomic Emission Spectrometry, Test Method for, **E1446 (03.05)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Describing and Specifying Inductively-Coupled Plasma Atomic Emission Spectrometers, Practice for, **E1479 (03.05)**
Describing Photomultiplier Detectors in Emission and Absorption Spectrometry, Practice for, **E520 (03.05)**
Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, Test Method for, **C1517 (12.01)**
Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**

Spectroscopy—gamma-ray
See **Gamma-ray spectrometry**

Spectroscopy—infrared
See **Infrared spectroscopy**

Spectroscopy—internal reflection (IRS)
See **Internal reflection infrared spectroscopy (IRS)**

Spectroscopy—molecular
See **Molecular spectroscopy**

Spectroscopy—nuclear magnetic resonance (NMR)
Sa **Nuclear magnetic resonance (NMR) spectrometry**
Hydrogen Content of Middle Distillate Petroleum Products by Low-Resolution Pulsed Nuclear Magnetic Resonance Spectroscopy, Test Method for, **D7171 (05.04)**

Spectroscopy—ultraviolet
See **Ultraviolet (UV) spectrochemical analysis**

Spectroscopy—X-ray emission
Sa **X-ray emission spectrometry**
Elemental Analysis by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Guide for, **E1621 (03.05)**
Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**

Spectroscopy—X-ray fluorescence (XRF)
Sa **XRF (X-ray fluorescence)**
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, Test Method for, **D4764 (06.01)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Lead in Gasoline by X-Ray Spectroscopy, Test Methods for, **D5059 (05.02)**
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Sulfur Content of Cellulosic Materials by X-Ray Fluorescence, Test Method for, **D2929 (06.03)**
Sulfur in Petroleum Products by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D2622 (05.01)**
Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **D5839 (11.04)**
X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, Guide for, **D5381 (06.01)**

Spectroscopy (argon plasma)
See **Argon plasma spectrometry/spectroscopy**

Spectrum
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**

Spectrum sensors
Use of 2N2222A Silicon Bipolar Transistors as Neutron Spectrum Sensors and Displacement Damage Monitors, Test Method for, **E1855 (12.02)**

Spectrum shape/level
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**

Specular gloss
60° Specular Gloss of Emulsion Floor Polish, Test Method for, **D1455 (15.04)**
Sample Preparation of Transparent Plastic Films used on Membrane Switch Overlays for Specular Gloss Measurements, Practice for, **F1843 (10.04)**
Specular Gloss, Test Method for, **D523 (06.01)**
Specular Gloss of Printed Matter, Test Method for, **D7163 (06.02)**

Specular optical properties
Sa **Solar spectral irradiance**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**

Specular reflectance
Sa **Reflectance and reflectivity**
Measurement of Percent Crystallinity of Polyetheretherketone (PEEK) Polymers by Means of Specular Reflectance Fourier Transform Infrared Spectroscopy (R-FTIR), Test Method for, **F2778 (13.02)**

Specular silicon surfaces
See **Silicon semiconductors**

Speech
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Speech privacy
Sa **Sound transmission**
Determination of Articulation Class, Classification for, **E1110 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**
Measuring the Interzone Attenuation of Open Office Components, Test Method for, **E1111 (04.06)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Objective Measurement of the Speech Privacy Provided by a Closed Room, Test Method for, **E2638 (04.06)**
Sound Sources Used for Testing Open Office Components and Systems, Specification for, **E1179 (04.06)**

Speech recognition technology
Speech Recognition Technology Products in Health Care, Guide to, **E2364 (14.01)**

Speed and distance
Determining the Stopping Distance Number by Initial Speed and Stopping Distance at Traffic Incident Sites, Test Method for, **E2341/E2341M (04.03)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**
Verification of Speed for Material Testing Machines, Practices for, **E2658 (03.01)**

Speed bump
Safe Walking Surfaces, Practice for, **F1637 (15.07)**

Speed of sound
See **Sound field parameters**

Speed range
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**

Speed removal
Liner Removal at High Speeds from Pressure-Sensitive Label Stock, Test Methods for, **D5375/D5375M (15.10)**

Speedskating
Helmets Used in Short Track Speed Ice Skating (Not to Include Hockey), Specification for, **F1849 (15.07)**

Speed skating facilities
Skating and Ice Hockey Playing Facilities, Guide for, **F1703 (15.07)**

Spent materials
Determining Moisture in Raw and Spent Materials, Test Method for, **D6403 (15.04)**
Extraction of Tannins from Raw and Spent Materials, Practice for, **D6405 (15.04)**

Spent nuclear fuels (SNF)
Sa **Nuclear fuels (reactor)—specifications**
Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Specification for, **C992 (12.01)**
Characterization of Spent Nuclear Fuel in Support of Geologic Repository Disposal, Guide for, **C1682 (12.01)**
Corrosion Testing of Aluminum-Based Spent Nuclear Fuel in Support of Repository Disposal, Guide for, **C1431 (12.01)**
Drying Behavior of Spent Nuclear Fuel, Guide for, **C1553 (12.01)**
Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, Guide for, **C1187 (12.01)**
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**

SPF (spray polyurethane foam)
Sa **Roofing materials/applications**
Liquid Applied Moisture Cured Polyurethane Coating Used in Spray Polyurethane Foam Roofing System, Specification for, **D6947/D6947M (04.04)**
Repair and Recoat of Spray Polyurethane Foam Roofing Systems, Guide for, **D6705/D6705M (04.04)**
Spraying, Sampling, Packaging, and Test Specimen Preparation of Spray Polyurethane Foam (SPF) Insulation for Testing of Emissions Using Environmental Chambers, Practice for, **D7859 (11.07)**

Spheres
Measuring Rolling Friction Characteristics of a Spherical Shape on a Flat Horizontal Plane, Test Method for, **G194 (03.02)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Spherical bearings
High Load Rotational Spherical Bearings for Bridges and Structures, Specification for, **D5977 (04.03)**
Roller, Bearing, Needle, Ferrous, Solid, Spherical End, Specification for, **F2443 (01.08)**

Spherical diameter
Non-Powder Gun Projectiles and Propellants, Consumer Safety Specification for, **F590 (15.11)**

Spherical joints
Interchangeable Spherical Ground Joints, Specification for, **E677 (14.04)**

Spherical thermal insulation
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**

Spheroidized carbon spring steel
See **Steel springs—specifications**

Spices
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**

Spider mites
Phytoseiulus persimilis Athias-Henriot (*Acarina:Phytoseiidae*), Specification for, **E2198 (11.05)**

Spider test
Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, Practices for, **D3923 (11.02)**

Spiegeleisen
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**

Spigot/bell pipe joints
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals, Specification for, **D4161 (08.03)**
Joints for IPS PVC Pipe Using Solvent Cement, Specification for, **D2672 (08.04)**

Spigot mandrel
Assembly Force of Plastic Underground Conduit Joints That Use Flexible Elastomeric Seals Located in the Bell, Test Method for, **F1429 (08.04)**

Spiked samples
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**

Spiked sediment
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**

Spike gas
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**

Spike recovery
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Spike resistance
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Spikes
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Steel Screw Spikes, Specification for, **A66 (01.04)**
Steel Track Spikes, Specification for, **A65 (01.04)**
Spiking
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Spillage
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Spill control materials/systems
See **Oil spill control systems**
Spill loss
Selection of Methods for Estimating Soil Loss by Erosion, Guide for, **D6629 (04.09)**
Spill-resistant fueling systems
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**
Spill valves
Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, Specification for, **F1271 (01.07)**
Spinal cord immobilization
Characteristics for Adjunct Cervical Spine Immobilization Devices (ACSID), Guide for, **F1558 (13.02)**
Characteristics for Cervical Spine Immobilization Collar(s) (CSIC), Guide for, **F1559 (13.02)**
Characteristics for Extremity Splints, Guide for, **F1555 (13.02)**
Cranial Traction Tongs and Halo External Spinal Immobilization Devices, Specification for, **F1831 (13.01)**
Full Body Spinal Immobilization Devices (FBSID) Characteristics, Guide for, **F1557 (13.02)**
Spinal Immobilization and Extrication (SPINE) Device Characteristics, Guide for, **F1556 (13.02)**
Spinal fusion
Pre-clinical *in vivo* Evaluation of Spinal Fusion, Guide for, **F2884 (13.02)**
Spinal implants
Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**
Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, Test Method for, **F1798 (13.01)**
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**
Mechanical and Functional Characterization of Nucleus Devices, Guide for, **F2789 (13.02)**
Occipital-Cervical and Occipital-Cervical-Thoracic Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F2706 (13.02)**
Pre-clinical *in vivo* Evaluation of Spinal Fusion, Guide for, **F2884 (13.02)**
Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F1717 (13.01)**
Spinal Implants, Terminology Relating to, **F1582 (13.01)**
Static and Dynamic Characterization of Motion Preserving Lumbar Total Facet Prostheses, Practice for, **F2790 (13.02)**
Static and Dynamic Characterization of Spinal Artificial Discs, Test Methods for, **F2346 (13.01)**
Static, Dynamic, and Wear Assessment of Extra-Discal Single Level Spinal Constructs, Test Method for, **F2624 (13.02)**
Spindle torque
Measuring Viscosity of Glass Above the Softening Point, Practice for, **C965 (15.02)**
Spinning machines
Yarn Spinning Systems, Terminology for, **D3888 (07.01)**
Spinodal alloy strip
Copper-Nickel-Tin Spinodal Alloy Strip, Specification for, **B740 (02.01)**
Spinout
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Spiral contractometer
Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, Test Method for, **B636 (02.05)**
Spiral flow
Spiral Flow of Low-Pressure Thermosetting Molding Compounds, Test Method for, **D3123 (08.01)**
Spiral/helical coils (of thermostat metals)
See **Thermostat metals**
Spiral wound pipe
Glass Fiber Reinforced Polyethylene (PE-GF) Spiral Wound Large Diameter Pipe, Specification for, **F2720/F2720M (08.04)**
Spiral wound PVC liner pipe
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Spiral wound reverse osmosis devices
See **Reverse osmosis (RO) installations**
Spiral-wrap method
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Spirits of turpentine
See **Turpentine**
Spiritual well-being data quality index
Rating-Scale Measures Relevant to the Electronic Health Record, Practice for, **E2171 (14.01)**
Splash bar
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Splash filling
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Splash-protective clothing
Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, Test Method for, **F1359/F1359M (11.03)**
Splices/splicing
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Testing Mechanical Splices for Steel Reinforcing Bars, Test Methods for, **A1034/A1034M (01.04)**
Splice strength
Determining Apparent Overlap Splice Shear Strength Properties of Wet Lay-Up Fiber-Reinforced Polymer Matrix Composites Used for Strengthening Civil Structures, Test Method for, **D7616/D7616M (15.03)**
Rubber Seals—Splice Strength, Specification for, **D2527 (09.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Spline technique
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Splint
Characteristics for Extremity Splints, Guide for, **F1555 (13.02)**
Split-barrel drive samplers
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Split-barrel method
Standard Penetration Test (SPT) and Split-Barrel Sampling of Soils, Test Method for, **D1586 (04.08)**
Split-barrel sampling
Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils, Practice for, **D3550 (04.08)**
Split cap hanger (for ships)
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**
Split-disk method
Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe, Test Method for, **D2290 (08.04)**
Split-drum specimen clamp
Breaking Strength and Elongation of Textile Webbing, Tape and Braided Material, Test Method for, **D6775 (07.02)**
Split injection linearity
Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, Test Method for, **D5134 (05.02)**
Split mull technique
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Split ring test
Evaluating Springback of Sheet Metal Using the Demeri Split Ring Test, Test Method for, **E2492 (03.01)**
Split seals
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Split-solvent technique
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Splitters
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**
Split-μ testing
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Splitting
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Splitting resistance
Felt, Specification for, **D2475 (07.01)**
Splitting tensile strength
Sa **Tensile properties/testing**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**
SPLP (synthetic precipitation leaching procedure)
Shake Extraction of Mining Waste by the Synthetic Precipitation Leaching Procedure, Test Method for, **D6234 (11.04)**
SPME (solid phase microextraction)
Acetone, Methyl Acetate, and Parachlorobenzotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, Test Method for, **D6438 (06.01)**
Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), Practice for, **E2154 (14.02)**
the Solid Phase Micro Extraction (SPME) of Water and its Headspace for the Analysis of Volatile and Semi-Volatile Organic Compounds, Practice for, **D6520 (11.02)**
Spoilage
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, Guide for, **F1885 (12.02)**
Spoilage prevention
Efficacy of Fungal Control Agents as Preservatives for Aqueous-Based Products Used in the Paper Industry, Test Method for, **E875 (11.05)**
Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), Practice for, **E723 (11.05)**
Spoils
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Sponge
Primary Zirconium, Specification for, **B494/B494M (02.04)**
Refined Iridium, Specification for, **B671 (02.04)**
Titanium Sponge, Specification for, **B299 (02.04)**
Zirconium Sponge and Other Forms of Virgin Metal for Nuclear Application, Specification for, **B349/B349M (02.04)**
Sponge rubber
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Flexible Cellular Materials—Sponge or Expanded Rubber, Specification for, **D1056 (08.01)**
Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction, Specification for, **D1752 (04.03)**
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**
Sponge rubber gasket
Preformed Open–Cell Sponge Rubber Pail and Drum Gaskets, Specification for, **F1909 (09.02)**
Spontaneous (background) mutant frequency
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Spontaneous heating values (SHV)
Sa **Heating tests**
Measuring Maximum Spontaneous Heating Temperature of Art and Other Materials, Test Method for, **D6801 (06.02)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Spontaneous ignition
Sa **Ignition**
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**
Spontaneous potential logging
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Spooled aluminum/gold wire
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**
Spool piece
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Spool rack
Conducting Corrosion Tests in Field Applications, Guide for, **G4 (03.02)**
Spore concentration (in inoculum)
Ability of Adhesive Films to Support or Resist the Growth of Fungi, Test Methods for, **D4300 (15.06)**
Applying Aerosolized, Test Method for, **E2894 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Spore detection
Characterization of, Practice for, **E2800 (15.08)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Spores of clostridium difficile—Viable and semi-purified
Producing High Titers of Viable and Semi-Purified Spores of Clostridium difficile using a Liquid Medium, Test Method for, **E2895 (11.05)**
Spore suspension
Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), Test Method for, **D4445 (04.10)**
Sporicides
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Production of, Test Method for, **E2839 (11.05)**
Sports equipment
Air Soft Gun Barrel Blocking Devices, Specification for, **F3085 (15.07)**
Bicycle Grips, Specification for, **F2793 (15.07)**
Bicycle Usage, Classification for, **F2043 (15.07)**
Compression-Displacement of Baseballs and Softballs, Test Method for, **F1888 (15.07)**
Condition 2 Bicycle Frames, Specification for, **F2868 (15.07)**
Consumer Recreational Use of Fun-Karts, Safety Guide for, **F1928 (15.11)**
Design, Manufacture, and Operation of Concession Go-Karts and Facilities, Practice for, **F2007 (15.07)**
Determining the Force-Draw and Let-Down Curves for Archery Bows, Test Method for, **F1832 (15.07)**
Displacement Compression of Softball and Baseball Bat Barrels, Test Method for, **F2844 (15.07)**
Evaluating Design and Performance Characteristics of Fitness Equipment, Test Methods for, **F2571 (15.07)**
Evaluating Design and Performance Characteristics of Motorized Treadmills, Test Methods for, **F2106 (15.07)**
Evaluating Paintball Barrier Netting, Test Method for, **F2278 (15.07)**
Fixed Blade Broadhead Performance and Safety Standards, Guide for, **F1352 (15.07)**
Helmets Used in Pole Vaulting, Specification for, **F2400 (15.07)**
Impact Testing of Sports Surfaces and Equipment, Terminology Relating to, **F2650 (15.07)**
Layout of Ice Arena, Guide for, **F2442 (15.07)**
Manufacturers for Labeling Headgear Products, Guide for, **F2727 (15.07)**
Manufacturing Quality Control of Consumer Trampoline Bed Material, Practice for, **F2774 (15.07)**
Measurement of Arrow Shaft Static Spine (Stiffness), Test Method for, **F2031 (15.07)**
Measuring Softball Bat Performance Factor, Test Method for, **F1890 (15.07)**
Measuring the Coefficient of Restitution (COR) of Baseballs and Softballs, Test Method for, **F1887 (15.07)**
Permeability of Synthetic Turf Sports Field Base Stone and Surface System by Non-confined Area Flood Test Method, Test Method for, **F2898 (15.07)**
Protective Headgear Used in Horse Sports and Horseback Riding, Specification for, **F1163 (15.07)**
Reduction of Risk of Injury for Archery Overdraws, Guide for, **F1363 (15.07)**
Safer Use of Movable Soccer Goals, Guide for, **F1938 (15.11)**
Special Tip-Resistant Movable Soccer Goals, Safety Specification for, **F2673 (15.11)**
Sports equipment—specifications
Binding Mounting Area Dimensions on Alpine Skis and Bindings, Specification for, **F473 (15.07)**
Body Protectors Used in Horse Sports and Horseback Riding, Specification for, **F1937 (15.07)**
Classification and Marking of Single-Lens Scopes for Use with Archery Bows, Specification for, **F1753 (15.07)**
Climbing and Mountaineering Carabiners, Specification for, **F1774 (13.02)**
Competition Wrestling Mats, Specification for, **F1081 (15.07)**
Components, Assembly, Use, and Labeling of Consumer Trampolines, Safety Specification for, **F381 (15.07)**
Designation of the Balance Point Location for Archery Arrows, Specification for, **F1435 (15.07)**
Determination of Accessibility of Surface Systems Under and Around Playground Equipment, Specification for, **F1951 (15.07)**
Determination of Percent of Let-Off for Archery Bows, Test Method for the, **F1880 (15.07)**
Determining the Rating Velocities of a Compound Archery Bow, Specification for, **F1544 (15.07)**
Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment, Specification for, **F2075 (15.07)**
Eye and Face Protective Equipment for Hockey Players, Specification for, **F513 (15.07)**
Eye Protective Devices for Paintball Sports, Specification for, **F1776 (15.07)**
Eye Protectors for Women's Lacrosse, Specification for, **F3077 (15.07)**
Face Guards for Youth Baseball, Specification for, **F910 (15.07)**
Fitness Equipment, Specification for, **F2276 (15.07)**
Fitness Equipment and Fitness Facility Safety Signage and Labels, Specification for, **F1749 (15.07)**
Football Helmets, Specification for, **F717 (15.07)**
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Headgear Used in Soccer, Specification for, **F2439 (15.07)**
Helmets Used in Recreational Bicycling or Roller Skating, Specification for, **F1447 (15.07)**
Helmets Used in Skateboarding and Trick Roller Skating, Specification for, **F1492 (15.07)**
Illustrating the Footprint of a Backpacking or Mountaineering Tent, Specification for, **F1933 (15.07)**
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Low Energy Air Guns, Specification for, **F2748 (15.07)**
Motorized Treadmills, Specification for, **F2115 (15.07)**
Non-Powder Gun Projectiles and Propellants, Consumer Safety Specification for, **F590 (15.11)**
Non-Powder Guns, Consumer Safety Specification for, **F589 (15.11)**
Non-Powered Scooters, Consumer Safety Specification for, **F2264 (15.11)**
Nonpowered Bicycle Trailers Designed for Human Passengers, Specification for, **F1975 (15.07)**
Paintball Cylinder Burst Disk Assemblies, Specification for, **F2030 (15.07)**
Paintball Field Operation, Practice for, **F1777 (15.07)**
Paintball Marker Barrel Blocking Devices, Specification for, **F2271 (15.07)**
Paintball Marker Threaded-Propellant Source Interface, Specification for, **F1750 (15.07)**
Paintball Markers, Specification for, **F2272 (15.07)**
Paintballs Used in the Sport of Paintball, Specification for, **F1979 (15.07)**
Protective Headgear Used in Horse Sports and Horseback Riding, Specification for, **F1163 (15.07)**
Residential Basketball Systems, Specification for, **F1882 (15.07)**
Safety Covers and Labeling Requirements for All Covers for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Shock Attenuation Properties of Fencing Surfaces, Specification for, **F1543 (15.07)**
Ski Binding Test Devices, Specification for, **F1061 (15.07)**
Soccer Goals, Safety and Performance Specification for, **F2056 (15.11)**
Stationary Activity Centers, Consumer Safety Performance Specification for, **F2012 (15.11)**
Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, Specification for, **F1250 (15.07)**
Testing Off-Road Motorcycle and ATV Helmets, Specification for, **F3103 (15.07)**
Total Lead Content in Synthetic Turf Fibers, Specification for, **F2765 (15.07)**

Sports equipment (athletic footwear)
Sa **Athletic footwear**
Traction Characteristics of the Athletic Shoe–Sports Surface Interface, Test Method for, **F2333 (15.07)**

Sports facilities
Above Ground Public Use Skatepark Facilities, Guide for, **F2334 (15.07)**
Installation of Chain-Link Fence for Outdoor Sports Fields, Sports Courts and Other Recreation Facilities, Practice for, **F2631 (01.06)**
Layout of Ice Arena, Guide for, **F2442 (15.07)**

Sports facilities playing surfaces
Athletic Performance Properties of Indoor Sports Floor Systems, Specification for, **F2772 (15.07)**
Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, Test Methods for, **F1551 (15.07)**
Construction and Maintenance of Skinned Areas on Baseball and Softball Fields, Guide for, **F2107 (15.07)**
Construction and Maintenance of Warning Track Areas on Athletic Fields, Guide for, **F2270 (15.07)**
Fences for Baseball and Softball Fields, Guide for, **F2000 (01.06)**
Impact Attenuation of Playing Surface Systems and Materials, Test Method for, **F355 (15.07)**
Impact Testing of Sports Surfaces and Equipment, Terminology Relating to, **F2650 (15.07)**
Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, Test Method for, **F1702 (15.07)**
Permeability of Synthetic Turf Sports Field Base Stone and Surface System by Non-confined Area Flood Test Method, Test Method for, **F2898 (15.07)**
Relative Abrasiveness of Synthetic Turf Playing Surfaces, Test Method for, **F1015 (15.07)**
Skating and Ice Hockey Playing Facilities, Guide for, **F1703 (15.07)**
Specification, Purchase, Installation and Maintenance of Poured-In-Place Playground Surfacing, Guide for, **F2479 (15.07)**
Traction Characteristics of the Athletic Shoe–Sports Surface Interface, Test Method for, **F2333 (15.07)**
Vertical Rebound Characteristics of Sports Surface/Ball Systems; Acoustical Measurement, Test Method for, **F2117 (15.07)**

Sports facilities playing surfaces—specifications
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Shock Attenuation Properties of Fencing Surfaces, Specification for, **F1543 (15.07)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**

Sports field rootzone mixes
Organic Matter Content of Athletic Field Rootzone Mixes, Test Methods for, **F1647 (15.07)**
Particle Size Analysis and Sand Shape Grading of Golf Course Putting Green and Sports Field Rootzone Mixes, Test Method for, **F1632 (15.07)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**

Sports field rootzone mixes—sand-based
Construction of High Performance Sand-Based Rootzones for Athletic Fields, Guide for, **F2396 (15.07)**

Sport shoes
Impact Attenuation of Athletic Shoe Cushioning Systems and Materials, Test Method for, **F1976 (15.07)**
Water Resistance of Footwear Using a Walking Step Simulator, Test Method for, **F1900 (15.07)**

Sports protective equipment
Care and Use of Athletic Mouth Protectors, Practice for, **F697 (15.07)**
Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear, Test Methods for, **F1446 (15.07)**
Goggle- and Spectacle-Type Eye Protectors for Selected Motor Sports, Specification for, **F2812 (15.07)**
Shock-Attenuation Characteristics of Protective Headgear for Football, Test Method for, **F429 (15.07)**

Sports protective equipment—specifications
Body Protectors Used in Horse Sports and Horseback Riding, Specification for, **F1937 (15.07)**
Competition Wrestling Mats, Specification for, **F1081 (15.07)**
Eye and Face Protective Equipment for Hockey Players, Specification for, **F513 (15.07)**
Eye Protective Devices for Paintball Sports, Specification for, **F1776 (15.07)**
Eye Protectors for Field Hockey, Specification for, **F2713 (15.07)**
Eye Protectors for Selected Sports, Specification for, **F803 (15.07)**
Face Guards for Youth Baseball, Specification for, **F910 (15.07)**
Fitness Equipment, Specification for, **F2276 (15.07)**
Fitness Equipment and Fitness Facility Safety Signage and Labels, Specification for, **F1749 (15.07)**
Football Helmets, Specification for, **F717 (15.07)**
Harnesses for Rescue, Safety, and Sport Activities, Specification for, **F1772 (13.02)**
Head and Face Protective Equipment for Ice Hockey Goaltenders, Specification for, **F1587 (15.07)**
Headforms, Specification for, **F2220 (15.07)**
Helmets Used for BMX Cycling, Specification for, **F2032 (15.07)**
Helmets Used for Downhill Mountain Bicycle Racing, Specification for, **F1952 (15.07)**
Helmets Used for Recreational Snow Sports, Specification for, **F2040 (15.07)**
Helmets Used in Recreational Bicycling or Roller Skating, Specification for, **F1447 (15.07)**
Helmets Used in Short Track Speed Ice Skating (Not to Include Hockey), Specification for, **F1849 (15.07)**
Helmets Used in Skateboarding and Trick Roller Skating, Specification for, **F1492 (15.07)**
Ice Hockey Helmets, Performance Specification for, **F1045 (15.07)**
Ski and Snowboard Goggles, Specification for, **F659 (15.07)**

Sportswear
Evaluation of Launderable Woven Dress Shirts and Sports Shirts, Practice for, **D4231 (07.01)**
Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, Performance Specification for, **D4154 (07.01)**
Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3782 (07.01)**
Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3780 (07.01)**
Women's and Girls' Knitted Sportswear Fabrics, Performance Specification for, **D4156 (07.01)**
Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, Performance Specification for, **D4155 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Spot adhesion test
Qualitative Determination of Adhesion of Adhesives to Substrates by Spot Adhesion, Test Method for, **D3808 (15.06)**
Spot test
Chromates on Aluminum, Specification for, **B449 (02.05)**
Cleanliness and Compatibility of Residual Fuels by Spot Test, Test Method for, **D4740 (05.02)**
Measurement of Thin Chromium Coatings by Spot Test, Guide for, **B556 (02.05)**
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**
Spray-applied thermal insulation—specifications
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**
Spray-Applied Mineral Fiber Thermal and Sound Absorbing Insulation, Specification for, **C1014 (04.06)**
Spray-Applied Rigid Cellular Polyurethane Thermal Insulation, Specification for, **C1029 (04.06)**
Spray applications/testing
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method), Practice for, **D4798/D4798M (04.04)**
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Determining Spray Patterns of Mechanical Pump Dispensers, Practice for, **D4041/D4041M (15.10)**
Determining the Resistance of Lubricating Grease to Water Spray, Test Method for, **D4049 (05.02)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Resistance to Wetting of Garment-Type Leathers, Test Method for, **D1913 (15.04)**
Spray Shields for Mechanical Joints, Specification for, **F1138 (01.07)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Water Resistance of Shipping Containers by Spray Method, Test Method for, **D951 (15.10)**
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**
Spray-applied coatings
Application of New Spray Applied Polyurethane Foam and Coated Roofing Systems, Guide for, **D5469/D5469M (04.04)**
Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, Test Method for, **D5066 (06.02)**
Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, Test Methods for, **D5286 (06.02)**
Determining the Hiding Power of Paint by Visual Evaluation of Spray Applied Coatings, Test Method for, **D6762 (06.01)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, Practice for, **D5327 (06.02)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under Laboratory Conditions, Test Method for, **D5009 (06.02)**
Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, Practice for, **C1321 (04.06)**
Liquid-Applied Silicone Coating Used in Spray Polyurethane Foam Roofing Systems, Specification for, **D6694/D6694M (04.04)**
Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, Test Method for, **F1978 (13.01)**
Spray-applied thermal insulation
Design Considerations and Spray Application of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, Practice for, **C945 (04.06)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Spray buff products
Evaluation of Buffable Shoe Polish, Practice for, **D4002 (15.04)**
Evaluation of Spray-Buff Products on Test Floors, Practice for, **D3758 (15.04)**
Sprayed fire-resistive materials (SFRMs)
Sa **Fire testing**
Air Erosion of Sprayed Fire-Resistive Materials (SFRMs) Applied to Structural Members, Test Method for, **E859 (04.11)**
Application of Sprayed Fire-Resistive Materials (SFRMs), Practice for, **E1513 (04.11)**
Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members, Test Method for, **E736 (04.11)**
Compressive Strength of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E761 (04.11)**
Corrosion of Steel by Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Method for, **E937 (04.11)**
Effect of Deflection on Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E759 (04.11)**
Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E760 (04.11)**
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Methods for, **E605 (04.11)**
Spray flammability
See **Flammability**
Spray-formed steel pipe
Spray-Formed Seamless Austenitic Stainless Steel Pipes, Specification for, **A943/A943M (01.01)**
Spray-Formed Seamless Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A949/A949M (01.01)**
Spray-jet device
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Spray nozzles
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Hydraulic Spray Nozzles Used in Agriculture, Methods for Testing, **E641 (11.05)**
Use of Oil Spill Dispersant Application Equipment During Spill Response: Boom and Nozzle Systems, Guide for, **F1737/F1737M (11.05)**
Spray oils
See **Plant spray oils**
Spray-on materials
Acoustically Absorptive Materials Applied by Trowel or Spray, Classification for, **E1042 (04.06)**
Latex Agents for Bonding Fresh To Hardened Concrete, Specification for, **C1059/C1059M (04.02)**
Sampling Spray Polyurethane Foam and Coating in Roofing, Guide for, **D7119/D7119M (04.04)**
Spray test
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**
Spray triggers
Sensory Evaluation of Household Hard Surface-Cleaning Products with Emphasis on Spray Triggers, Guide for, **E2346/E2346M (15.08)**
Spray valves
Prerinse Spray Valves, Test Method for, **F2324 (15.12)**
Spreading application
Applied Weight Per Unit Area of Liquid Adhesive, Practice for, **D899 (15.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hiding Power of Paints by Reflectometry, Test Method for, **D2805 (06.01)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**

Spreading resistance probe
See **Probe methods**

Spread plate colony counting techniques
Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, Practice for, **D5465 (11.02)**

Spread test
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**

Spring-action forceps
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb Type), Specification for, **F1613 (13.01)**

Springback
Evaluating Springback of Sheet Metal Using the Demeri Split Ring Test, Test Method for, **E2492 (03.01)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**

Spring constant
Center Spring Constant and Spring Constant Balance of Alpine Skis, Test Method for, **F498 (15.07)**

Spring-driven steel hammer
Rebound Number of Hardened Concrete, Test Method for, **C805/C805M (04.02)**

Springiness
Compressibility and Recovery of Asbestos, Test Method for, **C1123/C1123M (04.05)**

Spring-loaded valves
Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, Specification for, **F1508 (01.07)**

Spring rate
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**

Springs
Sa **Steel springs—specifications**
Bend Test for Determining the Formability of Copper and Copper Alloy Strip, Test Method for, **B820 (02.01)**
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**

Spring site
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**

Spring wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**

Sprouting inhibition
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**

SPT (standard penetration test)
Sa **Penetration**
Determining the Normalized Penetration Resistance of Sands for Evaluation of Liquefaction Potential, Practice for, **D6066 (04.09)**
Energy Measurement for Dynamic Penetrometers, Test Method for, **D4633 (04.08)**
Standard Penetration Test (SPT) and Split-Barrel Sampling of Soils, Test Method for, **D1586 (04.08)**

Spunbonded material
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**

Spun yarns
Classifying and Counting Faults in Spun Yarns in Electronic Tests, Test Method for, **D6197 (07.02)**
Measuring Hairiness of Yarns by the Photo-Electric Apparatus, Guide for, **D5647 (07.02)**
Yarn Number Using Automatic Tester, Test Method for, **D6587 (07.02)**

Spur dikes
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**

Spur gear units
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**

Sputter depth profiling data
Analytically Describing Depth-Profile and Linescan-Profile Data by an Extended Logistic Function, Practice for, **E1636 (03.06)**
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Measuring Widths of Interfaces in Sputter Depth Profiling Using SIMS, Guide for, **E1438 (03.06)**
Performing Sputter Crater Depth Measurements, Guide for, **E1634 (03.06)**
Reporting of Ion Beam Parameters Used in Surface Analysis, Guide for, **E1577 (03.06)**
Reporting Sputter Depth Profile Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1162 (03.06)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Sputtered thin films
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, Practice for, **F1711 (10.04)**
Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, Practice for, **F1844 (10.04)**

Sputtering process/targets
Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, Guide for, **F2113 (10.04)**
Pass Through Flux of Circular Magnetic Sputtering Targets, Test Method for, **F1761 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, Test Method for, **F1593 (10.04)**
Trace Metallic Impurities in Electronic Grade Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1710 (10.04)**
Trace Metallic Impurities in High Purity Copper by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F2405 (10.04)**
Ultrasonic C-Scan Bond Evaluation of Sputtering, Practice for, **F1512 (10.04)**

Sputtering process/targets—specifications
Chromium Sputtering Targets for Thin Film Applications, Specification for, **F1367 (10.04)**
High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, Specification for, **F1709 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, Specification for, **F1513 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**

Squalene resistance
Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance, Test Method for, **D5909 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Square
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Square barbed nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Square Cu/Cu alloy tube
Angle of Twist in Rectangular and Square Copper and Copper Alloy Tube, Test Method for, **B428 (02.01)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Square Cu wire
Soft Rectangular and Square Bare Copper Wire for Electrical Conductors, Specification for, **B48 (02.03)**
Square drive interconnections
Square Drive Interconnections on Surgical Instruments, Specification for, **F2062 (13.01)**
Square-formed upholstery springs
See **Steel springs—specifications**
Square-head bolts
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**
Squareness
Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, Test Method for, **C550 (04.06)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Size and Squareness of Resilient Floor Tile by Dial Gage Method, Test Method for, **F2055 (15.04)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**
Squareness tolerance
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Square-opening plate and screens
Industrial Perforated Plate and Screens (Square Opening Series), Specification for, **E454 (14.02)**
Square wire
Brass Wire, Specification for, **B134/B134M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**
Squeeze-off materials/applications
Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, Practice for, **F1734 (08.04)**
Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, Guide for, **F1025 (08.04)**
Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, Guide for, **F1041 (08.04)**
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**
SRE (stray radiant energy)
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
SRRL nonlint tester
Non-Lint Content of Cotton, Test Method for, **D2812 (07.01)**
SRV (Schwingung/Reibung/Verschleiss) test machine
Determining Extreme Pressure Properties of Lubricating Greases Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5706 (05.02)**
Determining Extreme Pressure Properties of Solid Bonded Films Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7217 (05.04)**
Determining Fretting Wear Resistance of Lubricating Greases Under High Hertzian Contact Pressures Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7594 (05.04)**
Determining the Wear Volume on Standard Test Pieces Used by High-Frequency, Linear-Oscillation (SRV) Test Machine, Practice for, **D7755 (05.04)**
Measuring Friction and Wear Properties of Extreme Pressure (EP) Lubricating Oils Using SRV Test Machine, Test Method for, **D6425 (05.03)**
Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5707 (05.02)**
SSG (structural sealant glazing)
Evaluating Failure of Structural Sealant Glazing, Guide for, **C1392 (04.07)**
In-Situ Structural Silicone Glazing Evaluation, Guide for, **C1394 (04.07)**
Secondary Edge Sealants for Structurally Glazed Insulating Glass Units, Specification for, **C1369 (04.07)**
Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, Guide for, **C1249 (04.07)**
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
S shielding wall plugs
Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, Guide for, **C1572 (12.01)**
SSI integrated circuits
Sa **Integrated circuits**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
SSNM (strategic special nuclear material) monitors
See **SNM (special nuclear materials)**
SSRTT (slow strain rate) testing technique
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, Practice for, **G129 (03.02)**
SST (superpave shear tester)
Determining the Permanent Shear Strain and Complex Shear Modulus of Asphalt Mixtures Using the Superpave Shear Tester (SST), Test Method for, **D7312 (04.03)**
Stability
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Basic Functional Stability of a Mechanical Pump Dispenser, Test Method for, **D6633 (15.10)**
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Constant-Temperature Stability of Chemical Materials, Test Method for, **E487 (14.02)**
Design and Construction of Brick Liners for Industrial Chimneys, Guide for, **C1298 (04.05)**
Design, Testing, and Construction of Micro-Surfacing, Practice for, **D6372 (04.03)**
Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, Test Method for, **D5232 (11.04)**
Determining the Stability of Compost by Measuring Oxygen Consumption, Test Method for, **D5975 (11.04)**
Drop Shatter Test for Coal, Test Method of, **D440 (05.06)**
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Emulsification Characteristics of Pesticide Emulsifiable Concentrates, Test Method for, **E1116 (11.05)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Evaluation of Physical Compatibility of Pesticides in Aqueous

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tank Mixtures by the Dynamic Shaker Method, Practice for, **E1518 (11.05)**
Freeze-Thaw Stability of Multicolor Lacquers, Test Method for, **D2337 (06.01)**
Linear Dimensional Stability of a Gasket Material to Moisture, Test Method for, **F1087 (09.02)**
Mastics and Coatings Used With Thermal Insulation, Test Methods for, **C461 (04.06)**
Oxidation Stability of Mineral Insulating Oil, Test Method for, **D2440 (10.03)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Pasted Mica Used in Electrical Insulation, Test Methods for, **D352 (10.01)**
Pigments for Integrally Colored Concrete, Specification for, **C979/C979M (04.02)**
Quicklime and Hydrated Lime for Soil Stabilization, Specification for, **C977 (04.01)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Treestand Static Stability and Adherence, Test Method for, **F2125 (15.07)**

Stability—chemicals
Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, Test Method for, **D2943 (15.05)**
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**

Stability—consumer products
Comparison of Rearfoot Motion Control Properties of Running Shoes, Test Method for, **F1833 (15.07)**
Foam Stability of Hand Dishwashing Detergents, Guide for, **D4009 (15.04)**
High Chairs, Consumer Safety Specification for, **F404 (15.11)**
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**

Stability—copy materials/applications
Determining Stability of Direct Thermal Imaging Products, Practices for, **F1721 (15.09)**
Evaluation of Image Quality Produced by Carbonless Copy Paper with an Electric or Electronic Typewriter, Practice for, **F686 (15.09)**
Image Stability of Chemical Carbonless Paper to Light, Test Method for, **F767 (15.09)**

Stability—fabric
Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, Test Method for, **D4912/D4912M (07.02)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**

Stability—floor polishes
Freeze/Thaw Resistance of Polymer Floor Polishes, Test Method for, **D3209 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**

Stability—metals/alloys
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**

Stability—paints/related coatings/materials
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Estimating Package Stability of Coatings for Ultraviolet Curing, Test Method for, **D4144 (06.01)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Package Stability of Paint, Test Method for, **D1849 (06.02)**
Stability of Cellulose Fibers in Alkaline Environments, Test Method for, **D6942 (06.03)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**

Stability—petroleum products
Cleanliness and Compatibility of Residual Fuels by Spot Test, Test Method for, **D4740 (05.02)**
Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection), Test Method for, **D7112 (05.04)**
Dispersion Stability of New (Unused) Rolling Oil Dispersions in Water, Test Method for, **D3342 (05.01)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Roll Stability of Lubricating Grease, Test Method for, **D1831 (05.01)**
Sonic Shear Stability of Polymer-Containing Oils, Test Method for, **D2603 (05.01)**

Stability—plastics
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**

Stability (dimensional)
See **Dimensional stability**

Stability (oxidation)
See **Oxidation stability**

Stability (thermal)
See **Thermal stability**

Stabilization
Calcium Chloride, Specification for, **D98 (04.03)**
Performance of Drawer Warmers, Test Method for, **F2142 (15.12)**

Stabilization testing
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Use of Coal Combustion Products for Solidification/Stabilization of Inorganic Wastes, Guide for, **E2060 (11.05)**

Stabilized cellulosic fiber insulation
Cellulosic Fiber Stabilized Thermal Insulation, Specification for, **C1497 (04.06)**

Stabilizer migration resistance
Crosslinked Polyethylene (PEX) Tubing, Specification for, **F876 (08.04)**

Stabilizers
Sa **Rubber chemicals**
Analysis of Halogenated Organic Solvents and Their Admixtures by Gas Chromatography, Practice for, **D6806 (15.05)**
Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, Specification for, **E2731 (15.08)**

Stabilizing additive
Determination of Antioxidants and Erucamide Slip Additives in Polyethylene Using Liquid Chromatography (LC), Test Method for, **D6953 (08.03)**
Nuclear Grade Hafnium Oxide Pellets, Specification for, **C1076 (12.01)**
Nuclear Grade Zirconium Oxide Pellets, Specification for, **C1066 (12.01)**
Nuclear-Grade Hafnium Oxide Powder, Specification for, **C1098 (12.01)**
Nuclear-Grade Zirconium Oxide Powder, Specification for, **C1065 (12.01)**

Stabinger viscometer
Dynamic Viscosity and Density of Liquids by Stabinger Viscometer (and the Calculation of Kinematic Viscosity), Test Method for, **D7042 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stacked chair
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Stack gas analysis
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Stacking factor
Lamination Factor of Amorphous Magnetic Strip, Test Method for, **A900/A900M (03.04)**
Stacking fault density
See **Density—electronic applications**
Stacking test
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Environmental Stress Crack Resistance (ESCR) of Plastic Tighthead Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, Practice for, **D5639/D5639M (15.10)**
Short Term Creep Performance of Corrugated Fiberboard Containers Under Constant Load Using a Compression Test Machine, Test Method for, **D7030 (15.10)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Stack loss
Magnet-Wire Enamels, Test Methods for, **D3288/D3288M (10.02)**
Stack resonance
Vibration Testing of Shipping Containers, Test Methods for, **D999 (15.10)**
Stack samplling
Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), Test Method for, **D6331 (11.07)**
Stacks/flues
Sa **Workplace air/atmospheres**
Average Velocity in a Duct (Pitot Tube Method), Test Method for, **D3154 (11.07)**
Average Velocity in a Duct Using a Thermal Anemometer, Test Method for, **D3464 (11.07)**
Calibration of Type S Pitot Tubes, Practice for, **D3796 (11.07)**
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Determination of Gaseous Organic Compounds by Direct Interface Gas Chromatography-Mass Spectrometry, Test Method for, **D6420 (11.07)**
Sampling and Determination of Particulate Matter in Stack Gases, Test Methods for, **D3685/D3685M (11.07)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Stadia measurement
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**
Staff retention
Serviceability of an Office Facility for Amenities to Attract and Retain Staff, Classification for, **E1668 (04.11)**
Stage-discharge relation
Developing a Stage-Discharge Relation for Open Channel Flow, Practice for, **D5541 (11.01)**
Stage micrometer
Calibrating Reticles and Light Microscope Magnifications, Guide for, **E1951 (03.01)**
Stagnation conditions
Calculation of Stagnation Enthalpy from Heat Transfer Theory and Experimental Measurements of Stagnation-Point Heat Transfer and Pressure, Test Method for, **E637 (15.03)**
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Evaluating Thermal Insulation Materials for Use in Solar Collectors, Practice for, **E861 (12.02)**
Exposure of Solar Collector Cover Materials to Natural Weathering Under Conditions Simulating Stagnation Mode, Practice for, **E881 (12.02)**
Stain index
Staining Tendency of Asphalt (Stain Index), Test Method for, **D2746 (04.04)**
Staining process/analysis
Sa **Angle lapping and staining technique**
Sa **Colorfastness**
Colorfastness and Transfer of Color in the Washing of Leather, Test Method for, **D2096 (15.04)**
Determination of Resistance of Factory-Applied Coatings on Wood Products to Stains and Reagents, Practice for, **D3023 (06.02)**
Determination of Resistance to Staining, Test Method for, **C1378 (15.02)**
Determine Color Change and Staining Caused by Aircraft Maintenance Chemicals upon Aircraft Cabin Interior Hard Surfaces, Test Method to, **F2109 (15.03)**
Evaluating Stain Removal Performance in Home Laundering, Guide for, **D4265 (15.04)**
Iron Staining Materials in Lightweight Concrete Aggregates, Test Method for, **C641 (04.02)**
Lightweight Aggregates for Concrete Masonry Units, Specification for, **C331/C331M (04.02)**
Measurement of Stain Resistance of Anodic Coatings on Aluminum, Method for, **B136 (02.05)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Staining and Color Change of Single- or Multicomponent Joint Sealants, Test Method for, **C510 (04.07)**
Staining from Sealants, Test Method for, **D2203 (04.07)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**
Staining Tendency of Asphalt (Stain Index), Test Method for, **D2746 (04.04)**
Staining resistance
Determination of Resistance to Staining, Test Method for, **C1378 (15.02)**
Evaluating Ink Stainblocking of Architectural Paint Systems by Visual Assessment, Test Method for, **D7514 (06.02)**
Evaluation of Tannin Stain Resistance of Coatings, Test Method for, **D6686 (06.02)**
Stainless chromium-nickel-iron alloys
See **Chromium-nickel-iron alloys**
Stainless steel
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**
Detecting mu-phase in Wrought Nickel-Rich, Chromium, Molybdenum-Bearing Alloys, Practice for, **G209 (03.02)**
Editorial Procedures and Form of Product Specifications for Steel, Stainless Steel, and Related Alloys, Guide for, **A994 (01.01)**
Evaluating the Corrosion Resistance of Stainless Steel Powder Metallurgy (PM) Parts/Specimens by Immersion in a So-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

dium Chloride Solution, Test Methods for, **B895 (02.05)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Hot Isostatic Pressing of Steel, Stainless Steel, and Related Alloy Castings, Practice for, **A1080 (01.02)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Laser-Fused Stainless Steel Bars, Plates, and Shapes, Specification for, **A1069/A1069M (01.03)**
Measurement of Thin Chromium Coatings by Spot Test, Guide for, **B556 (02.05)**
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Specific Heat of Liquids and Solids, Test Method for, **D2766 (05.01)**
Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, Guide for, **A959 (01.03)**
Stainless and Alloy-Steel Turbine-Type Bolting Specially Heat Treated for High-Temperature Service, Specification for, **A437/A437M (01.01)**
Stainless Steel Jacketing for Insulation, Specification for, **C1767 (04.06)**
Steel, Stainless Steel, Related Alloys, and Ferroalloys, Terminology Relating to, **A941 (01.01, 01.02, 01.03, 01.04, 01.05)**

Stainless steel—austenitic steel
Sa **Austenitic steel**
Stainless Steel Forgings, Ferritic/Austenitic (Duplex), for Pressure Vessels and Related Components, Specification for, **A1049/A1049M (01.05)**

Stainless steel—chemical analysis
See **Chemical analysis—steel**

Stainless steel—ferritic steel
Sa **Ferritic stainless steel**
Stainless Steel Forgings, Ferritic/Austenitic (Duplex), for Pressure Vessels and Related Components, Specification for, **A1049/A1049M (01.05)**

Stainless steel—nuclear applications
See **Nuclear applications/materials—steel**

Stainless steel—specifications
Chemical Passivation Treatments for Stainless Steel Parts, Specification for, **A967/A967M (01.03)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Passivation of Stainless Steels Using Electropolishing, Specification for, **B912 (02.05)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**
Thermal Insulation for Use in Contact with Austenitic Stainless Steel, Specification for, **C795 (04.06)**

Stainless steel—structural
See **Structural steel (SS)**

Stainless steel—tool-resisting
See **Tool-resisting steel bars**

Stainless steel—tool steel
See **Tool steel—specifications**

Stainless steel alloying additives
Ferrotitanium, Specification for, **A324 (01.02)**
Ferrovanadium, Specification for, **A102 (01.02)**
Sampling and Testing Ferroalloys for Determination of Size, Test Methods for, **A610 (01.02)**
Sizes of Ferroalloys and Alloy Additives, Specification for, **A835/A835M (01.02)**

Stainless steel alloying additives (boron/columbium)
Ferroboron, Specification for, **A323 (01.02)**
Ferrocolumbium, Specification for, **A550 (01.02)**

Stainless steel alloying additives (chromium)
Chromium Metal, Specification for, **A481 (01.02)**
Ferrochrome-Silicon, Specification for, **A482/A482M (01.02)**
Ferrochromium, Specification for, **A101 (01.02)**

Stainless steel alloying additives (manganese)
Electrolytic Manganese Metal, Specification for, **A601/A601M (01.02)**
Ferromanganese, Specification for, **A99 (01.02)**
Ferromanganese-Silicon, Specification for, **A701/A701M (01.02)**
Silicomanganese, Specification for, **A483/A483M (01.02)**

Stainless steel alloying additives (molybdenum/nickel)
Ferromolybdenum, Specification for, **A132 (01.02)**
Molybdenum Oxide Products, Specification for, **A146 (01.02)**
Nickel Oxide Sinter, Specification for, **A636 (01.02)**

Stainless steel alloying additives (silicon)
Calcium-Silicon Alloys, Specification for, **A495 (01.02)**
Ferrosilicon, Specification for, **A100 (01.02)**

Stainless steel alloy (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**

Stainless steel bars/billets
Laser-Fused Stainless Steel Bars, Plates, and Shapes, Specification for, **A1069/A1069M (01.03)**
Macroetch Testing of Consumable Electrode Remelted Steel Bars and Billets, Practice for, **A604/A604M (01.05)**

Stainless steel bars/billets—specifications
Sa **Alloy steel bars—specifications**
Deformed and Plain Stainless-Steel Bars for Concrete Reinforcement, Specification for, **A955/A955M (01.04)**
Free-Machining Stainless Steel Bars, Specification for, **A582/A582M (01.03)**
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Martensitic Stainless Steel Forgings and Forging Stock for High-Temperature Service, Specification for, **A1021/A1021M (01.05)**
Stainless Steel Bars and Shapes, Specification for, **A276 (01.03)**
Stainless Steel Bars and Shapes for Use in Boilers and Other Pressure Vessels, Specification for, **A479/A479M (01.03)**
Stainless Steel Bars for Compressor and Turbine Airfoils, Specification for, **A1028 (01.03)**
Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Manganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), Specification for, **F1314 (13.01)**
Wrought Stainless Steels for Surgical Instruments, Specification for, **F899 (13.01)**

Stainless steel bolting materials—specifications
Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications, Specification for, **A193/A193M (01.01)**
Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, Specification for, **A320/A320M (01.01)**
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Stainless Steel and Nickel Alloy Bolts, Hex Cap Screws, and Studs, for Heat Resistance and High Temperature Applications, Specification for, **F2281 (01.08)**
Stainless Steel Bolts, Hex Cap Screws, and Studs, Specification for, **F593 (01.08)**
Stainless Steel Metric Bolts, Screws, and Studs, Specification for, **F738M (01.08)**
Stainless Steel Nuts, Specification for, **F594 (01.08)**
Style 1 Stainless Steel Metric Nuts (Metric), Specification for, **F836M (01.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stainless steel castings
Castings, Carbon, Low-Alloy, and Martensitic Stainless Steel, Ultrasonic Examination Thereof, Practice for, **A609/A609M (01.02)**
Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, Practice for, **A799/A799M (01.02)**
Stainless steel castings—specifications
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
Steel Castings Suitable for Pressure Service, Specification for, **A487/A487M (01.02)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Steel Castings, Ferritic and Martensitic, for Pressure-Containing and Other Applications, for Low-Temperature Service, Specification for, **A757/A757M (01.02)**
Steel Castings, Ferritic and Martensitic, for Pressure-Containing Parts, Suitable for Low-Temperature Service, Specification for, **A352/A352M (01.02)**
Steel Castings, Martensitic Stainless and Alloy, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A217/A217M (01.02)**
Stainless steel cladding
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
Nickel and Nickel-Base Alloy-Clad Steel Plate, Specification for, **A265 (01.04)**
Stainless Chromium Steel-Clad Plate, Specification for, **A263 (01.04)**
Stainless Chromium-Nickel Steel-Clad Plate, Specification for, **A264 (01.04)**
Stainless steel clamps
Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings, Specification for, **F2098 (08.04)**
Stainless steel (corrosion testing)
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, Test Method for, **G61 (03.02)**
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Electrochemical Critical Pitting Temperature Testing of Stainless Steels, Test Method for, **G150 (03.02)**
Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**
Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, Test Method for, **G123 (03.02)**
Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, Practice for, **G36 (03.02)**
Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, Test Method for, **C692 (04.06)**
Macroetching Metals and Alloys, Test Method for, **E340 (03.01)**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, Test Methods for, **G48 (03.02)**
Stainless steel fittings—specifications
Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications, Specification for, **A193/A193M (01.01)**
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Wrought Austenitic Stainless Steel Piping Fittings, Specification for, **A403/A403M (01.01)**
Wrought Ferritic, Ferritic/Austenitic, and Martensitic Stainless Steel Piping Fittings, Specification for, **A815/A815M (01.01)**
Stainless steel forgings—specifications
Sa **Steel bars/forgings/forging stock—specifications**
Age-Hardening Stainless Steel Forgings, Specification for, **A705/A705M (01.03)**
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Martensitic Stainless Steel Forgings and Forging Stock for High-Temperature Service, Specification for, **A1021/A1021M (01.05)**
Stainless Steel Billets and Bars for Forging, Specification for, **A314 (01.03)**
Stainless Steel Forgings, Specification for, **A473 (01.03, 01.05)**
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**
Steel Forgings, Stainless, for Compressor and Turbine Airfoils, Specification for, **A982/A982M (01.05)**
Stainless steel gas distribution systems
Determination of Moisture Contribution by Gas Distribution System Components, Test Method for, **F1397 (10.04)**
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1375 (10.04)**
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Metallurgical Analysis for Gas Distribution System Components, Guide for, **F1376 (10.04)**
Stainless steel instruments
See **Surgical instruments**
Stainless steel needle tubing
Stainless Steel Needle Tubing, Specification for, **A908 (01.01)**
Stainless steel pipe
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stainless steel pipe—specifications
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Centrifugally Cast Austenitic Steel Pipe for High-Temperature Service, Specification for, **A451/A451M (01.01, 01.02)**
Centrifugally Cast Ferritic/Austenitic Stainless Steel Pipe for Corrosive Environments, Specification for, **A872/A872M (01.02)**
Cold-Worked Welded Austenitic Stainless Steel Pipe, Specification for, **A814/A814M (01.01)**
Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, Specification for, **A928/A928M (01.01)**
General Requirements for Alloy and Stainless Steel Pipe, Specification for, **A999/A999M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A790/A790M (01.01)**
Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, Specification for, **A333/A333M (01.01)**
Seamless, Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes, Specification for, **A312/A312M (01.01)**
Single- or Double-Welded Austenitic Stainless Steel Pipe, Specification for, **A813/A813M (01.01)**
Spray-Formed Seamless Austenitic Stainless Steel Pipes, Specification for, **A943/A943M (01.01)**
Spray-Formed Seamless Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A949/A949M (01.01)**
Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ANSI/ASMEB36.19M-1985** (Related Material) **(01.01)**
Wrought Austenitic Stainless Steel Piping Fittings, Specification for, **A403/A403M (01.01)**
Wrought Ferritic, Ferritic/Austenitic, and Martensitic Stainless Steel Piping Fittings, Specification for, **A815/A815M (01.01)**

Stainless steel plate/sheet/strip—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Borated Stainless Steel Plate, Sheet, and Strip for Nuclear Application, Specification for, **A887 (01.03)**
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**
Free-Machining Stainless Steel Plate, Sheet, and Strip, Specification for, **A895 (01.03)**
General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A480/A480M (01.03)**
Higher-Strength Martensitic Stainless Steel Plate, Sheet, and Strip, Specification for, **A1010/A1010M (01.03)**
Laser-Fused Stainless Steel Bars, Plates, and Shapes, Specification for, **A1069/A1069M (01.03)**
Rolled Floor Plate, Stainless Steel, Specification for, **A793 (01.03)**
Stainless Chromium-Nickel Steel-Clad Plate, Specification for, **A264 (01.04)**
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**

Stainless steel powder metallurgy (P/M)
Powder Metallurgy (PM) Boron Stainless Steel Structural Components, Specification for, **B853 (02.05)**

Stainless steel screws—specifications
Stainless Steel Bolts, Hex Cap Screws, and Studs, Specification for, **F593 (01.08)**
Stainless Steel Metric Bolts, Screws, and Studs, Specification for, **F738M (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F879 (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F879M (01.08)**
Stainless Steel Socket Head Cap Screws, Specification for, **F837 (01.08)**
Stainless Steel Socket Head Cap Screws Metric, Specification for, **F837M (01.08)**
Stainless Steel Socket Set Screws (Metric), Specification for, **F880M (01.08)**
Stainless Steel Socket, Square Head, and Slotted Headless-Set Screws, Specification for, **F880 (01.08)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**

Stainless steel surgical applications
Care and Handling of Stainless Steel Surgical Instruments, Guide for, **F1744 (13.01)**
Hemostatic Forceps, Terminology Relating to, **F921 (13.01)**
Surgical Suture Needles, Terminology for, **F1840 (13.01)**

Stainless steel surgical applications—specifications
Inserted and Noninserted Surgical Scissors, Specification for, **F1079 (13.01)**
Metallic Implantable Strands and Cables, Specification for, **F2180 (13.01)**
Stainless Steel Forgings for Surgical Implants, Specification for, **F621 (13.01)**
Stainless Steel Suture Needle Holders-General Workmanship Requirements and Corresponding Test Methods, Specification for, **F1325 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), Specification for, **F138 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Sheet and Strip for Surgical Implants (UNS S31673), Specification for, **F139 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Surgical Fixation Wire (UNS S31673), Specification for, **F1350 (13.01)**
Wrought Nitrogen Strengthened 11Manganese-17Chromium-3Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29225), Specification for, **F2581 (13.02)**
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**
Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Manganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), Specification for, **F1314 (13.01)**
Wrought Seamless or Welded and Drawn 18 Chromium-14Nickel-2.5Molybdenum Stainless Steel Small Diameter Tubing for Surgical Implants (UNS S31673), Specification for, **F2257 (13.01)**
Wrought Seamless Stainless Steel Tubing for Surgical Implants, Specification for, **F2181 (13.01)**
Wrought Stainless Steels for Surgical Instruments, Specification for, **F899 (13.01)**
Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108), Specification for, **F2229 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stainless steel tube
Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, Practice for, **E426 (03.03)**
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**
Videoborescoping of Tubular Products for Sanitary Applications, Guide for, **A1015 (01.01)**
Stainless steel tube—specifications
Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, Specification for, **A787/A787M (01.01)**
General Requirements for Carbon and Low Alloy Steel Tubes, Specification for, **A450/A450M (01.01)**
General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, Specification for, **A1016/A1016M (01.01)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, Specification for, **A270/A270M (01.01)**
Seamless and Welded Austenitic Stainless Steel Feedwater Heater Tubes, Specification for, **A688/A688M (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing (Small-Diameter) for General Service, Specification for, **A632 (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing for General Service, Specification for, **A269 (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless and Welded Ferritic and Martensitic Stainless Steel Tubing for General Service, Specification for, **A268/A268M (01.01)**
Seamless and Welded Ferritic Stainless Steel Feedwater Heater Tubes, Specification for, **A803/A803M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, Specification for, **A789/A789M (01.01)**
Seamless Stainless Steel Mechanical Tubing, Specification for, **A511/A511M (01.01)**
Stainless Steel Needle Tubing, Specification for, **A908 (01.01)**
Welded Stainless Steel Mechanical Tubing, Specification for, **A554 (01.01)**
Welded, Unannealed Austenitic Stainless Steel Tubular Products, Specification for, **A778 (01.01)**
Stainless steel wire—specifications
Chromium-Nickel Stainless Steel Weaving and Knitting Wire, Specification for, **A478 (01.03)**
Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement, Specification for, **A1022/A1022M (01.04)**
Free-Machining Stainless Steel Wire and Wire Rods, Specification for, **A581/A581M (01.03)**
General Requirements for Stainless Steel Wire and Wire Rods, Specification for, **A555/A555M (01.03)**
Stainless Steel Rope Wire, Specification for, **A492 (01.03)**
Stainless Steel Spring Wire, Specification for, **A313/A313M (01.03)**
Stainless Steel Wire, Specification for, **A580/A580M (01.03)**
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**
Stainless Steel Wire Strand, Specification for, **A368 (01.03)**
Stain removal
Evaluating Stain Removal Performance in Home Laundering, Guide for, **D4265 (15.04)**
Stain resistance
Determining the Stain Resistance of Images Produced by Ink Jet Printers, Practice for, **F2293 (15.09)**
Measurement of Stain Resistance of Anodic Coatings on Aluminum, Method for, **B136 (02.05)**
Resistance of Plastics to Sulfide Staining, Practice for, **D1712 (08.01)**
Stain test
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**
Stain tube
Determination of Ethyl Mercaptan in LP-Gas Vapor, Test Method for, **D5305 (05.02)**
Stair-rail systems
Performance of Permanent Metal Railing Systems and Rails for Buildings, Test Methods for, **E935 (04.11)**
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**
Stairs
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Stairs/Landings, Test Method for, **E2804 (15.08)**
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Stair treads
Resilient Stair Treads, Specification for, **F2169 (15.04)**
Stairways
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**
Stakeholder involvement
Consensus-based Process for an Occupational Safety and Health Standard that Includes an Occupational Exposure Guideline, Guide for, **E2565 (11.03)**
Stakeholder-Focused, Consensus-Based Disaster Restoration Process for Contaminated Assets, Guide for, **E2541 (15.08)**
Stakes
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Stalling speeds
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Stanadyne model pumps
Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, Test Method for, **D6898 (05.03)**
Stanchions
Portable Intermediate Flush Deck Stanchion, Specification for, **F987 (01.07)**
Standard additions
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**
Standard atmospheres
Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, Practice for, **G147 (14.04)**
Conditioning and Testing Flexible Barrier Packaging, Practice for, **E171/E171M (15.10)**
Standard colors
Standard Colors for Polymer-Coated Chain Link Fence Materials, Specification for, **F934 (01.06)**
Standard depth of penetration
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Standard deviation
Determination of a Pooled Limit of Quantitation, Practice for, **D6259 (05.03)**
Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, Specification for, **F2340 (15.12)**
Statistical Treatment of Thermoanalytical Data, Practice for, **E1970 (14.02)**
Standard dynamic chamber test conditions
Determination of Volatile Organic Compounds (Excluding Formaldehyde) Emissions from Wood-Based Panels Using Small Environmental Chambers Under Defined Test Conditions, Practice for, **D6330 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Standard foil technique
Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, Guide for, **E721 (12.02)**
Determining Thermal Neutron Reaction Rates and Thermal Neutron Fluence Rates by Radioactivation Techniques, Test Method for, **E262 (12.02)**
Standard fuel
Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, Test Method for, **D2885 (05.05)**
Standard hard water
See **Hard water**
Standardization test
Inspection, Calibration, and Verification of ASTM Hydrometers, Test Method for, **E126 (14.03)**
Standardizing Cotton Fiber Test Results by Use of Calibration Cotton Standards, Practice for, **D3025 (07.01)**
Standardizing Reverse Osmosis Performance Data, Practice for, **D4516 (11.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Standardless analysis
Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**
Standard matrix
See **Matrix data/programs**
Standard metric sizes
Standard Metric Sizes of Electrical Conductors, Specification for, **B682 (02.03)**
Standard mixer
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Standard platinum resistance thermometer (SPRT)
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Standard Reference Blacks (SRB)
Carbon Black—Evaluation of an Industry Reference Black, Practice for, **D4122 (09.01)**
Carbon Black—Evaluation of Standard Reference Blacks, Practice for, **D6915 (09.01)**
Carbon Black—Validation of Test Method Precision and Bias, Guide for, **D4821 (09.01)**
Standard reference materials (SRM)
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
the Relative Intensity Correction of Raman Spectrometers, Guide for, **E2911 (03.06)**
Standards
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Standard sand
Sa **Sand**
Standard Sand, Specification for, **C778 (04.01)**
Standards development/review
Relevant Standards and Publications for Commercial Shipbuilding, Guide Listing, **F1547 (01.07)**
Standard sieves
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**
Standard size copper pipe (seamless)
See **Seamless Cu/Cu alloy pipe—specifications**
Standard size designation
Specifying Standard Sizes of Stone for Erosion Control, Practice for, **D6092 (04.09)**
Standard solutions
ASTM Reference Fluid for Coolant Tests, Specification for, **D3585 (15.05)**
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**
Preparation of Liquid Blends for Use as Analytical Standards, Practice for, **D4307 (05.02)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Standards (technical)
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**
Standard temperature
Rubber—Standard Temperatures for Testing, Practice for, **D1349 (09.01)**
Standard test coupon
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, Practice for, **G121 (14.04)**
Standard test current
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Standard uniform distribution (R_u)
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Standard weight apparatus
Sa **Weight**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Standing-body work positions
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Standing seam
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Standing steel roof panel systems
Structural Standing Seam Steel Roof Panel Systems, Specification for, **E1514 (04.11)**
Standpipes
Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use, Specification for, **A795/A795M (01.01)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Staphylococus aureus
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Staple fibers
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Staple filament yarns
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Staple length (of grease wool)
Sampling and Testing Staple Length of Grease Wool, Test Method of, **D1234 (07.01)**
Staples
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Metallic Bone Staples, Specification and Test Methods for, **F564 (13.01)**
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**

Staples (for ships)
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**

Starch
Amylaceous Matter in Adhesives, Test Method for, **D1488 (15.06)**
Nonvolatile Content of Aqueous Adhesives, Test Method for, **D1489 (15.06)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**

Starch content
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Starting threshold
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**

State emergency medical services (EMS)
Sa **Emergency medical services (EMS)**
Organization and Operation of Emergency Medical Services Systems, Guide for, **F1339 (13.02)**

State remediation programs
Use of Activity and Use Limitations, Including Institutional and Engineering Controls, Guide for, **E2091 (11.05)**

Staterooms
Chest of Drawers (Chiffonier), Steel, Marine, Specification for, **F822 (01.07)**
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Static acute toxicity
See **Static tests—environmental materials/applications**

Static aerospace fluid sampling
Sampling for Particles in Aerospace Fluids and Components, Practices for, **F303 (15.03)**

Statically-cast materials/applications
Statically Cast Chilled White Iron-Gray Iron Dual Metal Rolls for Pressure Vessel Use, Specification for, **A748/A748M (01.02)**
Statically Cast Permanent Mold Gray Iron Castings, Specification for, **A823 (01.02)**

Static axial compression
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**

Static bulk modulus
Determination of Isothermal Secant and Tangent Bulk Modulus, Test Method for, **D6793 (05.03)**

Static charge
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Static Electrification, Test Method for, **D4470 (10.02)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**

Static coefficient of friction
Sa **Coefficient of friction (COF)**
Calibration of the James Static Coefficient of Friction Machine, Practice for, **D6205 (15.04)**
Determination of Surface Lubrication on Flexible Webs, Test Method for, **G164 (03.02)**
Measuring and Reporting Friction Coefficients, Guide for, **G115 (03.02)**
Static and Kinetic Coefficients of Friction of Plastic Film and Sheeting, Test Method for, **D1894 (08.01)**

Static dissipater additives (SDA)
Determination of Static Dissipater Additives (SDA) in Aviation Turbine Fuel and Middle Distillate Fuels—High Performance Liquid Chromatograph (HPLC) Method, Test Method for, **D7524 (05.04)**

Static dissipative flooring
Electrical Resistance of Conductive and Static Dissipative Resilient Flooring, Test Method for, **F150 (15.04)**
Linoleum Floor Tile, Specification for, **F2195 (15.04)**
Sheet Linoleum Floor Covering, Specification for, **F2034 (15.04)**

Static electrical connections
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**

Static fatigue testing
Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, Test Methods for, **F2345 (13.01)**
Occipital-Cervical and Occipital-Cervical-Thoracic Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F2706 (13.02)**

Static heat resistance
Measuring Static Heat Resistance of Self-Cleaning Oven Coating, Test Method for, **B915 (02.05)**

Static load test
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Mechanical Static Load Testing of Non-Structural Marine Joiner Bulkheads, Test Method for, **F3040/F3040M (01.07)**
Static Load Limit, Test Method for, **F970 (15.04)**

Static longitudinal stability
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**

Static mode
Determination of Turbidity Above 1 Turbidity Unit (TU) in Static Mode, Test Method for, **D7315 (11.01)**

Static modulus of elasticity
Sa **Modulus of elasticity**
Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression, Test Method for, **C469/C469M (04.02)**

Static pose measurement performance
Evaluating the Performance of Systems that Measure Static, Six Degrees of Freedom (6DOF), Pose, Test Method for, **E2919 (10.04)**

Static puncture strength
Static Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5602/D5602M (04.04)**
Static Puncture Strength of Geotextiles and Geotextile-Related Products Using a 50-mm Probe, Test Method for the, **D6241 (04.13)**

Static segregation
Rapid Assessment of Static Segregation Resistance of Self-Consolidating Concrete Using Penetration Test, Test Method for, **C1712 (04.02)**
Static Segregation of Self-Consolidating Concrete Using Column Technique, Test Method for, **C1610/C1610M (04.02)**

Static slip resistance
See **Slip resistance**

Static tests
Sa **Compression testing**
Treestand Static Load Capacity, Test Method for, **F2126 (15.07)**
Treestand Static Stability and Adherence, Test Method for, **F2125 (15.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Static tests—air/atmospheric environments
Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environmental Chambers, Guide for, **D6329 (11.07)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**
Static tests—building materials/applications
Sa **Air pressure testing**
Evaluating the Engagement Between Windows and Insect Screens as an Integral System, Test Method for, **E1748 (04.11)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Water Penetration of Metal Roof Panel Systems by Static Water Pressure Head, Test Method for, **E2140 (04.12)**
Static tests—environmental materials/applications
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Static tests—leather
Sa **Water absorption**
Static Water Absorption of Leather, Test Method for, **D6015 (15.04)**
Water Absorption (Static) of Vegetable Tanned Leather, Test Method for, **D1815 (15.04)**
Static tests—metals/alloys
Measuring and Reporting Friction Coefficients, Guide for, **G115 (03.02)**
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**
Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, Practice for, **E467 (03.01)**
Static tests—orthopaedic materials/applications
Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, Test Method for, **F1798 (13.01)**
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**
Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F1717 (13.01)**
Static and Dynamic Characterization of Spinal Artificial Discs, Test Methods for, **F2346 (13.01)**
Static tests—paper products/applications
Determining Static Thermal Sensitivity of Direct Thermal Media, Test Method for, **F1445 (15.09)**
Static tests—pavement surfaces
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
Static tests—plastics
Static and Kinetic Coefficients of Friction of Plastic Film and Sheeting, Test Method for, **D1894 (08.01)**
Testing Polymeric Seal Materials for Geothermal or High Temperature Service, or both, Under Sealing Stress, Test Method for, **E1069 (12.02)**
Static tests—recreational/sports equipment
Compression-Displacement of Baseballs and Softballs, Test Method for, **F1888 (15.07)**
Measurement of Arrow Shaft Static Spine (Stiffness), Test Method for, **F2031 (15.07)**
Static tests—rubber
Static Measurements on Tires for Passenger Cars, Light Trucks, and Medium Duty Vehicles, Test Method for, **F1502 (09.02)**
Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, Test Method for, **F1112 (09.02)**
Static tests—textiles
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Elongation of Narrow Elastic Fabrics (Static-Load Testing), Test Method for, **D5278/D5278M (07.02)**
Static volumetric measurement
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Stationary activity centers
Stationary Activity Centers, Consumer Safety Performance Specification for, **F2012 (15.11)**
Stationary exercise bicycles
Evaluating Design and Performance Characteristics of Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, Test Methods for, **F3023 (15.07)**
Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, Specification for, **F1250 (15.07)**
Stationary phase
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Stationary piston sampler
Sampling of Soil Using the Hydraulically Operated Stationary Piston Sampler, Practice for, **D6519 (04.09)**
Stationary point chemical vapor detector (SPCVD)
Stationary Point Chemical Vapor Detectors (SPCVD) for Homeland Security Applications, Specification for, **E2933 (15.08)**
Stationary pump
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**
Stationary rack commercial dishwashing machine
Sa **Dishwashing equipment (commercial)**
Hot Water and Chemical Sanitizing Commercial Dishwashing Machines, Stationary Rack Type, Specification for, **F857 (15.12)**
Stationary-side (crib) tests
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
Stationary source
Competence of Air Emission Testing Bodies, Practice for, **D7036 (11.07)**
Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, Test Method for, **D6348 (11.07)**
Determination of Gaseous Organic Compounds by Direct Interface Gas Chromatography-Mass Spectrometry, Test Method for, **D6420 (11.07)**

--`,,`,,,,``,`,,,,`````````,,-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stationary source emissions
Collection of Integrated Samples for the Speciation of Biomass (Biogenic) and Fossil-Derived Carbon Dioxide Emitted from Stationary Emissions Sources, Practice for, **D7459 (11.07)**
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Station cabinets
Construction of Fire and Foam Station Cabinets, Specification for, **F1333 (01.07)**
Statistical methods
Sa **Data analysis**
Acceptance of Evidence Based on the Results of Probability Sampling, Practice for, **E141 (14.02)**
Application of Basic Statistical Methods to Weathering Tests, Guide for, **G169 (14.04)**
Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, Guide for, **G117 (03.02)**
Calculating and Using Basic Statistics, Practice for, **E2586 (14.02)**
Calculating Precision Limits Where Values are Calculated from Other Test Methods, Practice for, **D4460 (04.03)**
Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, Practice for, **E122 (14.02)**
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**
Conducting an Interlaboratory Study to Determine the Precision of a Test Method, Practice for, **E691 (14.02)**
Conducting Equivalence Testing in Laboratory Applications, Practice for, **E2935 (14.02)**
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Dealing With Outlying Observations, Practice for, **E178 (14.02)**
Demonstrating Capability to Comply with an Acceptance Procedure, Practice for, **E2709 (14.02)**
Design of Experiments, Terminology Relating to, **E1325 (14.02)**
Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, Practice for, **C1155 (04.06)**
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Evaluation of Scientific or Technical Data, Practice for, **E678 (14.02)**
Laboratory Bias Detection Using Single Test Result from Standard Material, Practice for, **D6617 (05.03)**
Life and Reliability Testing Based on the Exponential Distribution, Practice for, **E2696 (14.02)**
LNG Density Calculation Models, Specification for, **D4784 (05.06)**
Preferred Methods for Acceptance of Product, Guide for, **E2910 (14.02)**
Preparing Precision and Bias Statements for Test Methods for Construction Materials, Practice for, **C670 (04.02)**
Relating to Quality and Statistics, Terminology, **E456 (14.02)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Nonconformities, Using Attribute Data, When There is a Zero Response in the Sample, Practice for, **E2334 (14.02)**
Statistical Analysis of Accelerated Service Life Data, Guide for, **G172 (14.04)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Statistical Analysis of Service Life Data, Guide for, **G166 (14.04)**
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**
Statistical Procedures to Use in Developing and Applying Test Methods, Guide for, **E1488 (14.02)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Use of the Terms Precision and Bias in ASTM Test Methods, Practice for, **E177 (14.02)**
Using Significant Digits in Geotechnical Data, Practice for, **D6026 (04.09)**
Using Significant Digits in Test Data to Determine Conformance with Specifications, Practice for, **E29 (14.02)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**
Statistical methods—atmospheric analysis
Determining the Operational Comparability of Meteorological Measurements, Practice for, **D4430 (11.07)**
Statistical Evaluation of Atmospheric Dispersion Model Performance, Guide for, **D6589 (11.07)**
Statistical Evaluation of Indoor Air Quality Models, Guide for, **D5157 (11.07)**
Statistical methods—carbon black/rubber applications
Carbon Black—Validation of Test Method Precision and Bias, Guide for, **D4821 (09.01)**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Statistical methods—ground water analysis
Developing Appropriate Statistical Approaches for Groundwater Detection Monitoring Programs, Guide for, **D6312 (04.09)**
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**
Statistical methods—metals/alloys
Applying Statistics to Analysis of Corrosion Data, Guide for, **G16 (03.02)**
Conducting a Repeatability and Reproducibility Study on Test Equipment for Nondestructive Testing, Guide for, **F1469 (01.08)**
Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, Practice for, **E1601 (03.05)**
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Use of Terms Relating to the Development and Evaluation of Methods for Chemical Analysis, Practice for, **E1914 (03.05)**
Statistical methods—paints/related coatings
Reducing the Effect of Variability of Color Measurement by Use of Multiple Measurements, Practice for, **E1345 (06.01)**
Statistical methods—petroleum
Applying Statistical Quality Assurance and Control Charting Techniques to Evaluate Analytical Measurement System Performance, Practice for, **D6299 (05.03)**
Determination of a Pooled Limit of Quantitation, Practice for, **D6259 (05.03)**
Establishing a Linear Correlation Relationship Between Analyzer and Primary Test Method Results Using Relevant ASTM Standard Practices, Guide for, **D7235 (05.04)**
Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, Practice for, **D6708 (05.03)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**
Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Statistical methods—textile test methods
Carbon Black—Calculation of Process Indexes From an Analysis of Process Control Data, Practice for, **D4583 (09.01)**
Statistical methods—water analysis
99 %/95 % Interlaboratory Detection Estimate (IDE) for Analytical Methods with Negligible Calibration Error, Practice for, **D6091 (11.01)**
Basic Statistics in Committee D19 on Water, Practice for, **D4375 (11.01)**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Selection of Methods of Particle Size Analysis of Fluvial Sediments (Manual Methods), Guide for, **D4822 (11.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Statistical modeling
See **Models/modeling**
Statistical process control (SPC)
Demonstrating Capability to Comply with an Acceptance Procedure, Practice for, **E2709 (14.02)**
Statistically Evaluating Measurand Alarm Limits when Using Oil Analysis to Monitor Equipment and Oil for Fitness and Contamination, Guide for, **D7720 (05.04)**
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**
Use of Control Charts in Statistical Process Control, Practice for, **E2587 (14.02)**
Statistical quality assurance
Demonstrating Capability to Comply with an Acceptance Procedure, Practice for, **E2709 (14.02)**
Single- and Multi-Level Continuous Sampling of a Stream of Product by Attributes Indexed by AQL, Practice for, **E2819 (14.02)**
Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems, Practice for, **D6122 (05.02)**
Statistical thickness surface area (STSA)
Carbon Black—Total and External Surface Area by Nitrogen Adsorption, Test Method for, **D6556 (09.01)**
Statistics
Calculating and Using Basic Statistics, Practice for, **E2586 (14.02)**
Demonstrating Capability to Comply with an Acceptance Procedure, Practice for, **E2709 (14.02)**
Preparing and Interpreting Precision and Bias Statements in Test Method Standards Used in the Nuclear Industry, Guide for, **C1215 (12.01)**
Stauff twin clamp hanger (for shipboard piping)
Sa **Shipbuilding steel pipe materials—specifications**
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**
Steady-state bioconcentration
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**
Steady-state centrifugation (SSC)
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Steady-state dynamic deflection testing device
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Steady-state ionizing radiation
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**
Steady-state leak detection
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Steady-state (solar) simulator
Solar Simulation for Photovoltaic Testing, Specification for, **E927 (12.02)**
Steady-state technique
Determination of the Thermal Conductivity of Anode Carbons by the Guarded Heat Flow Meter Technique, Test Method for, **D6744 (05.03)**
Steady-state testing
Documenting the Results of Chemical Permeation Testing of Materials Used in Protective Clothing, Guide for, **F1194 (11.03)**
Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, Test Method for, **F739 (11.03)**
Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus, Test Method for, **C518 (04.06)**
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**
Steady-state transmission rate
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Oxygen Transmission Rate Through Dry Packages Using a Coulometric Sensor, Test Method for, **F1307 (15.10)**
Steam
Sa **Water vapor transmission (WVT)**
Acoustic Emission Examination of Cast Iron Yankee and Steam Heated Paper Dryers, Practice for, **E2598/E2598M (03.03)**
Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, Specification for, **F1508 (01.07)**
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
Packing Material, Graphitic or Carbon Braided Yarn, Specification for, **F2191 (01.07)**
Pneumatic-Operated, Globe-Style, Control Valves, Specification for, **F1985 (01.07)**
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**
Sampling Steam, Practice for, **D1066 (11.01)**
Sampling Two-Phase Geothermal Fluid for Purposes of Chemical Analysis, Practice for, **E1675 (12.02)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**
Steam blackening/treatment
Steam Treatment of Ferrous Powder Metallurgy (PM) Materials, Guide for, **B935 (02.05)**
Steam bronze (casting)
Sa **UNS C92200 (cast leaded tin bronze)**
Steam or Valve Bronze Castings, Specification for, **B61 (02.01)**
Steam condensate
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
Steam cooker
Sa **Cooking/food service equipment—specifications**
Combination Oven Electric or Gas Fired, Specification for, **F1495 (15.12)**
Cooker, Steam, Specification for, **F1217 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Steam cylinder stocks
Precipitation Number of Lubricating Oils, Test Method for, **D91 (05.01)**
Steam deactivation
Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, Guide for, **D4463/D4463M (05.05)**
Steam-distilled wood turpentine
See **Turpentine**
Steam generator tubes
Accumulated Deposition in a Steam Generator Tube, Test Methods for, **D3483 (11.02)**
Steam kettles
Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1602 (15.12)**
Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1603 (15.12)**
Performance of Steam Kettles, Test Method for, **F1785 (15.12)**
Steam power generating facilities
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Steam service
Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**
Steam stripping
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Steam surface condenser tubes
See **Condenser and heat exchanger systems**
Steam tests
Comparison of Nonmetallic Flat Gaskets in High Pressure Saturated Steam, Practice for, **F2716 (09.02)**
Steam traps
Steam Traps and Drains, Specification for, **F1139 (01.07)**
Steam turbine lubricants
Sa **Gas turbine fuel oils**
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Rust-Preventing Characteristics of Steam Turbine Oil in the Presence of Water (Horizontal Disk Method), Test Method for, **D3603 (05.01)**
Steam turbine materials/applications
Sa **Shipbuilding steel materials—specifications**
Heat Stability of Steam Turbine Shafts and Rotor Forgings, Specification for, **A472/A472M (01.05)**
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Stearic acid
Rubber Compounding Materials—Stearic Acid, Classification for, **D4817 (09.01)**
Steel
Sa **Corrosion—metals/alloys**
Sa **Stainless steel**
Sa **Steel sheet**
Sa **Steel sheet/strip**
Sa **Steel wire**
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Aluminum for Use in Iron and Steel Manufacture, Specification for, **B37 (02.02)**
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Chemical Analysis of Steel Products, Test Methods, Practices, and Terminology for, **A751 (01.01, 01.02, 01.03, 01.04, 01.05)**
Chemical Resistance of Protective Linings, Test Method for, **C868 (06.02)**
Chocks, Panama, Mooring Cast Steel, Specification for, **F2935 (01.07)**
Chocks, Ship Mooring, Cast Steel, Specification for, **F2936 (01.07)**
Color Codes on Zinc and Zinc Alloy Ingot for Use in Hot-Dip Galvanizing of Steel, Practice for, **B914 (02.04)**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Conducting Cyclic Humidity Exposures, Practice for, **G60 (03.02)**
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, Test Method for, **G76 (03.02)**
Conducting Force Controlled Constant Amplitude Axial Fatigue Tests of Metallic Materials, Practice for, **E466 (03.01)**
Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, Test Method for, **A991/A991M (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Determining Hardenability of Steel, Test Methods for, **A255 (01.05)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Determining the Accelerated Iron Corrosion Rating of Denatured Fuel Ethanol and Ethanol Fuel Blends, Test Method for, **D7577 (05.04)**
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, Specification for, **B200 (02.05)**
Electrodeposited Engineering Chromium Coatings on Ferrous Substrates, Specification for, **B650 (02.05)**
Engineering Chromium Electroplating, Guide for, **B177/B177M (02.05)**
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**
Ferroalloys and Other Alloying Materials, General Requirements, Specification for, **A1025/A1025M (01.02)**
Forged Steel Rolls Used for Corrugating Paper Machinery, Specification for, **A649/A649M (01.05)**
Life-Cycle Cost Analysis of Corrosion Protection Systems on Iron and Steel Products, Practice for, **A1068 (01.06)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Measurement of Hydrogen Embrittlement Threshold in Steel by

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Mechanical Testing of Steel Products—Metric, Test Methods for, **A1058 (01.01, 01.02, 01.03, 01.04, 01.05)**
Perforated-Plate Sieves for Testing Purposes, Specification for, **E323 (14.02)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Radioscopy, Guide for, **E1000 (03.03)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Residual Stress Measurement by X-Ray Diffraction for Bearing Steels, Test Method for, **E2860 (03.01)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Sampling Steel and Iron for Determination of Chemical Composition, Practice for, **E1806 (03.05)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Soundness of Welds in Steel by Comparison to Graded ASTM, Radiographic Examination for, **E1955 (03.03)**
Source Reduction Reuse, Recycling, or Disposal of Steel Cans, Guide for, **D5833 (15.10)**
Steel Castings Sampling, Specification for, **A1062 (01.02)**
Steel Deck Gear Stowage Box Metric, Specification for, **F1019M (01.07)**
Steel Stud Assemblies for Shear Reinforcement of Concrete, Specification for, **A1044/A1044M (01.04)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1083/A1083M (01.03)**
Steel, Stainless Steel, Related Alloys, and Ferroalloys, Terminology Relating to, **A941 (01.01, 01.02, 01.03, 01.04, 01.05)**
Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1057/A1057M (01.06)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Test Coupons for Steel Castings, Specification for, **A1067/A1067M (01.02)**
Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, Practice for, **G106 (03.02)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Wrought Alloy Steel Rolls for Cold and Hot Reduction, Specification for, **A427/A427M (01.05)**

Steel—carbon steel
Sa **Carbon steel bars/shapes—specifications**
Sa **Carbon steel forgings—specifications**
Sa **Carbon steel pipe—specifications**
Sa **Carbon steel plate—specifications**
Sa **Carbon steel sheet—specifications**
Sa **Carbon steel wire—specifications**
Cold-Formed Welded Carbon Steel Hollow Structural Sections (HSS), Specification for, **A1085 (01.01)**
Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1057/A1057M (01.06)**

Steel—electrodeposited coatings
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, Specification for, **B200 (02.05)**
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**
Electrodeposited Coatings of Zinc on Iron and Steel, Specification for, **B633 (02.05)**
Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, Test Method for, **B636 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Measurement of Thin Chromium Coatings by Spot Test, Guide for, **B556 (02.05)**
Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**

Steel—electroplating
Engineering Chromium Electroplating, Guide for, **B177/B177M (02.05)**
Preparation of and Electroplating on Stainless Steel, Practice for, **B254 (02.05)**
Preparation of High-Carbon Steel for Electroplating, Guide for, **B242 (02.05)**
Preparation of Low-Carbon Steel for Electroplating, Practice for, **B183 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**

Steel—inclusions
See **Inclusions—metals/alloys**

Steel—low-alloy steel
See **Low-alloy steel**

Steel—mechanically deposited coatings
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Coatings of Cadmium Mechanically Deposited, Specification for, **B696 (02.05)**
Coatings of Cadmium-Tin Mechanically Deposited, Specification for, **B635 (02.05)**
Coatings of Zinc Mechanically Deposited on Iron and Steel, Specification for, **B695 (02.05)**
Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**

Steel—metallic-coated
See **Metallic-coated steel materials**

Steel—spectrochemical analysis
See **Spectrochemical analysis—steel**

Steel—vacuum deposited coatings
Coatings of Cadmium Vacuum-Deposited on Iron and Steel, Specification for, **B699 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Steel—zinc coatings
Sa **Hot-dip (galvanized) coatings**
Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1057/A1057M (01.06)**
Zinc Alloy Thermo-Diffusion Coatings (TDC) on Steel Fasteners, Hardware, and Other Products, Specification for, **A1059/A1059M (01.06)**
Steel additives
Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, Practices for, **E32 (03.05)**
Steel alloy (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**
Steel anchors
Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, Test Method for, **C1230 (04.05)**
Steel armoring tape
Zinc-Coated Flat Steel Armoring Tape, Specification for, **A459 (01.06)**
Steel assemblies/subassemblies
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**
Steel axles
Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, Specification for, **A729/A729M (01.05)**
Steel ball/roller bearings
See **Ball/roller bearings**
Steel bar mats
Welded Deformed Steel Bar Mats for Concrete Reinforcement, Specification for, **A184/A184M (01.04)**
Steel bars
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Determining Hardenability of Steel, Test Methods for, **A255 (01.05)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Macroetch Testing of Consumable Electrode Remelted Steel Bars and Billets, Practice for, **A604/A604M (01.05)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, Practice for, **A1033 (01.03)**
Steel Bars, Selection Guide, Composition, and Mechanical Properties, Practice for, **A400 (01.05)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Steel bars—specifications
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, Specification for, **A588/A588M (01.04)**
Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for, Specification for, **A29/A29M (01.05)**
Steel Fence Posts, Hot Wrought, Specification for, **A702 (01.05)**
Steel Springs, Helical, Heat-Treated, Specification for, **A125 (01.05)**
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**
Zinc-Coated (Galvanized) Steel Bars for Concrete Reinforcement, Specification for, **A767/A767M (01.04)**
Steel bars and billets
Macroetch Testing of Consumable Electrode Remelted Steel Bars and Billets, Practice for, **A604/A604M (01.05)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Steel bars and billets—specifications
Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement, Specification for, **A615/A615M (01.04)**
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
Stainless Steel Billets and Bars for Forging, Specification for, **A314 (01.03)**
Steel bars and shapes—specifications
Chromium, Chromium-Nickel, and Silicon Alloy Steel Bars and Shapes for Corrosion and Heat-Resisting Service, Specification for, **A968/A968M (01.03)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), Specification for, **A913/A913M (01.04)**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Stainless Steel Bars and Shapes, Specification for, **A276 (01.03)**
Stainless Steel Bars and Shapes for Use in Boilers and Other Pressure Vessels, Specification for, **A479/A479M (01.03)**
Steel bars (carbon steel)
See **Carbon steel bars/shapes—specifications**
Steel bars (concrete reinforcement)
Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, Test Method for, **A944 (01.04)**
Deformed and Plain, Low-Carbon, Chromium, Steel Bars for Concrete Reinforcement, Specification for, **A1035/A1035M (01.04)**
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Steel bars (concrete reinforcement—specifications
Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement, Specification for, **A615/A615M (01.04)**
Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement, Specification for, **A706/A706M (01.04)**
Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement, Specification for, **A996/A996M (01.04)**
Steel bars (concrete reinforcement- specifications)
Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, Test Method for, **G109 (03.02)**
Epoxy-Coated Steel Reinforcing Bars, Specification for, **A775/A775M (01.04)**
Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, Specification for, **D3963/D3963M (04.03)**
Steel Fibers for Fiber-Reinforced Concrete, Specification for, **A820/A820M (01.04)**
Uncoated High-Strength Steel Bars for Prestressing Concrete,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **A722/A722M (01.04)**
Uncoated, Stress-Relieved Steel Bars for Prestressed Concrete Railroad Ties, Specification for, **A911/A911M (01.04)**
Uncoated, Weldless, 2-Wire and 3-Wire Steel Strand for Prestressed Concrete, Specification for, **A910/A910M (01.04)**
Welded Deformed Steel Bar Mats for Concrete Reinforcement, Specification for, **A184/A184M (01.04)**
Welded Steel Plain Bar or Rod Mats for Concrete Reinforcement, Specification for, **A704/A704M (01.04)**

Steel bars (epoxy-coated)
See **Epoxy-coated steel bars—specifications**

Steel bars/forgings/forging stock—specifications
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
Martensitic Stainless Steel Bars for High-Temperature Service, Specification for, **A565/A565M (01.03)**
Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service, Specification for, **A638/A638M (01.03)**

Steel bars (joint bars)
See **Joint steel bars—specifications**

Steel bars/shapes/wires
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Stainless Steel Bars and Shapes for Use in Boilers and Other Pressure Vessels, Specification for, **A479/A479M (01.03)**
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**

Steel bars (stainless/heat-resisting)
See **Stainless steel bars/billets—specifications**

Steel bars (structural)
See **Structural steel (SS) bars—specifications**

Steel bars (tool steel)
See **Tool steel bars**

Steel bearings (for bridges)
See **Ball/roller bearings**

Steel billets—specifications
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
Stainless Steel Billets and Bars for Forging, Specification for, **A314 (01.03)**

Steel billets and blooms
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**

Steel billets and blooms—specifications
Carburizing Steels for Anti-Friction Bearings, Specification for, **A534 (01.05)**
Premium Quality Alloy Steel Blooms and Billets for Aircraft and Aerospace Forgings, Specification for, **A646/A646M (01.05)**
Steel Forging Stock, Specification for, **A711/A711M (01.05)**
Wrought Stainless Steels for Surgical Instruments, Specification for, **F899 (13.01)**

Steel blue pigment
See **Iron blue pigment**

Steel bolting materials
Sa **Nails**
Sa **Nonferrous bolting materials**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Selecting Bolting Lengths for Piping System Flanged Joints, Practice for, **F704 (01.07)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**

Steel bolting materials—specifications
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **F1852 (01.08)**
Aluminum Transmission Tower Bolts and Nuts, Specification for, **F901 (01.08)**
Anchor Bolts, Steel, 36, 55, and 105-ksi Yield Strength, Specification for, **F1554 (01.08)**
Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength, Specification for, **A307 (01.08)**
Carbon Steel Track Bolts and Nuts, Specification for, **A183 (01.04)**
Hex Cap Screws, Bolts and Studs, Steel, Heat Treated, 120/105/90 ksi Minimum Tensile Strength, General Use, Specification for, **A449 (01.08)**
High-Strength Steel Bolts, Classes 10.9 and 10.9.3, for Structural Steel Joints (Metric), Specification for, **A490M (01.08)**
High-Temperature Bolting, with Expansion Coefficients Comparable to Austenitic Stainless Steels, Specification for, **A453/A453M (01.01)**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**
Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners, Specification for, **A354 (01.08)**
Roof and Rock Bolts and Accessories, Specification for, **F432 (01.08)**
Stainless Steel Bolts, Hex Cap Screws, and Studs, Specification for, **F593 (01.08)**
Stainless Steel Metric Bolts, Screws, and Studs, Specification for, **F738M (01.08)**
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**
Structural Bolts, Alloy Steel, Heat Treated, 150 ksi Minimum Tensile Strength, Specification for, **A490 (01.08)**
Structural Bolts, Steel, Heat Treated 830 MPa Minimum Tensile Strength (Metric), Specification for, **A325M (01.08)**
Structural Bolts, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **A325 (01.08)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**

Steel bolting materials (alloy steel)
See **Alloy steel bolting materials—specifications**

Steel bolting materials (eyebolts)
See **Eyebolts (steel)**

Steel bolting materials (nuts)
See **Nuts—specifications**

Steel bolting materials (rivets)
See **Rivets**

Steel bolting materials (screws)
See **Steel screws—specifications**

Steel bolting materials (studs)
See **Studs (materials/applications)—specifications**

Steel bolting materials (washers)
See **Steel washers**

Steel bulkhead panels
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, Practice for, **D5327 (06.02)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Preparation of Cold-Rolled Steel Panels for Testing Paint, Varnish, Conversion Coatings, and Related Coating Products, Practice for, **D609 (06.01)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Reference Specimen for Sound Transmission Loss, Specification for, **E1289 (04.06)**

Steel cable
Stranded Carbon Steel Wire Ropes for General Purposes, Specification for, **A1023/A1023M (01.03)**

Steel castings
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**
Investment Steel Castings for Aerospace Applications, Digital Reference Images for, **E2660 (03.03)**
Leeb Hardness Testing of Steel Products, Test Method for, **A956 (01.05)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Magnetic Particle Indications on Ferrous Castings, Reference Photographs for, **E125 (03.03)**
Radiographic Examination of Metallic Castings, Test Method for, **E1030 (03.03)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Steel Castings Sampling, Specification for, **A1062 (01.02)**
Steel Castings up to 2 in. (50.8 mm) in Thickness, Digital Reference Images for, **E2868 (03.03)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Steel Castings, Welding, Qualifications of Procedures and Personnel, Practice for, **A488/A488M (01.02)**
Test Coupons for Steel Castings, Specification for, **A1067/A1067M (01.02)**

Steel castings—specifications
Castings, Chromium-Nickel Alloy, Specification for, **A560/A560M (01.02)**
Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A781/A781M (01.02)**
Cleats, Welded Horn Type, Specification for, **F1074 (01.07)**
High Strength Steel Castings in Heavy Sections, Specification for, **A1001 (01.02)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Steel Castings Suitable for Pressure Service, Specification for, **A487/A487M (01.02)**
Steel Castings, Alloy, Specially Heat-Treated, for Pressure-Containing Parts, Suitable for High-Temperature Service, Specification for, **A389/A389M (01.02)**
Steel Castings, Carbon, and Alloy, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A915/A915M (01.02)**
Steel Castings, Carbon, for General Application, Specification for, **A27/A27M (01.02)**
Steel Castings, Carbon, Suitable for Fusion Welding, for High-Temperature Service, Specification for, **A216/A216M (01.02)**
Steel Castings, Chromium-Nickel-Iron Alloy (25-12 Class), for High-Temperature Service, Specification for, **A447/A447M (01.02)**
Steel Castings, General Requirements, for Pressure-Containing Parts, Specification for, **A703/A703M (01.02)**
Steel Castings, Iron-Chromium and Iron-Chromium-Nickel, Heat Resistant, for General Application, Specification for, **A297/A297M (01.02)**
Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, Specification for, **A903/A903M (01.02)**
Steel Investment Castings General Requirements, for Pressure-Containing Parts, Specification for, **A985/A985M (01.02)**

Steel castings (alloy steel)
See **Alloy steel castings—specifications**
Steel castings (austenitic alloy)
See **Austenitic stainless steel castings—specifications**
Steel castings (carbon steel)
See **Carbon steel castings—specifications**
Steel castings (ferritic alloy)
See **Ferritic steel castings—specifications**
Steel castings (investment)
See **Investment castings—specifications**
Steel castings (iron-chromium alloy)
See **Iron-chromium castings—specifications**
Steel castings (martensitic alloy)
See **Martensitic stainless steel castings—specifications**
Steel castings (reference radiographs)
Heavy-Walled (2 to 4 1/2-in. (50.8 to 114-mm)) Steel Castings, Reference Radiographs for, **E186 (03.03)**
Heavy-Walled (4 1/2 to 12-in. (114 to 305-mm)) Steel Castings, Reference Radiographs for, **E280 (03.03)**
Investment Steel Castings for Aerospace Applications, Reference Radiographs of, **E192 (03.03)**
Steel Castings Up to 2 in. (50.8 mm) in Thickness, Reference Radiographs for, **E446 (03.03)**
Steel castings (stainless steel)
See **Stainless steel castings—specifications**
Steel chain
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**

Steel chain—specifications
Carbon Steel Chain, Specification for, **A413/A413M (01.05)**
Grade 100 Alloy Steel Chain, Specification for, **A973/A973M (01.05)**
Grade 80 Alloy Steel Chain, Specification for, **A391/A391M (01.05)**
Grade 80 and Grade 100 Alloy Steel Chain Slings for Overhead Lifting, Specification for, **A906/A906M (01.05)**
Machine and Coil Chain, Specification for, **A467/A467M (01.05)**
Weldless Chain, Specification for, **A466/A466M (01.05)**
Wildcats, Ship Anchor Chain, Specification for, **F765 (01.07)**
Steel chain-link fence fabric
See **Chain-link fence/fencing systems**
Steel composition
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Steel cords
Sa **Tire cords and tire cord fabrics**
Adhesion Between Steel Tire Cords and Rubber, Test Method for, **D2229 (07.01)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Steel core wire (for electrical conductors)
Sa **Steel-reinforced electrical conductors—specifications**
Extra-High-Strength and Ultra-High-Strength Class A Zinc–5% Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B958/B958M (02.03)**
Extra-High-Strength and Ultra-High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Overhead Electrical Conductors, Specification for, **B957/B957M (02.03)**
High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**
Zinc-Coated (Galvanized) Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B498/B498M (02.03)**
Steel corrosion
Sa **Corrosion—metals/alloys**
Admixtures to Inhibit Chloride-Induced Corrosion of Reinforcing Steel in Concrete, Specification for, **C1582/C1582M (04.02)**
Cold-Formed Welded and Seamless High-Strength, Low-Alloy

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, Practice for, **A1004/A1004M (01.06)**
Evaluating the Corrosion Resistance of Stainless Steel Powder Metallurgy (PM) Parts/Specimens by Immersion in a Sodium Chloride Solution, Test Methods for, **B895 (02.05)**
Thermal Stability of Way Lubricants, Test Method for, **D6203 (05.03)**

Steel couplings
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**

Steel cubes (for testing)
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**

Steel deck
Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E760 (04.11)**

Steel deck gear stowage boxes
Steel Deck Gear Stowage Box Metric, Specification for, **F1019M (01.07)**

Steel doors
See **Doors/door assemblies—specifications**

Steel fasteners
Collated and Cohered Fasteners and Their Application Tools, Terminology of, **F592 (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, Test Method for, **F1940 (01.08)**

Steel fasteners—specifications
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners, Specification for, **A354 (01.08)**

Steel fences
Sa **Chain-link fence/fencing systems—specifications**
Design and Construction of Ornamental Steel Picket Fence Systems for Security Purposes, Guide for, **F2814 (01.06)**
Expanded Metal Fence Systems for Security Purposes, Specification for, **F2548 (01.06)**
Ornamental Fences Employing Steel Tubular Pickets, Specification for, **F2589 (01.06)**

Steel fiber-reinforced concrete/shotcrete
Sa **Concrete reinforcement—specifications**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**

Steel fibers
Sa **Steel bars (concrete reinforcement- specifications)**
Steel Fibers for Fiber-Reinforced Concrete, Specification for, **A820/A820M (01.04)**

Steel fittings—specifications
Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications, Specification for, **A193/A193M (01.01)**
Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, Specification for, **A320/A320M (01.01)**
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, Specification for, **A694/A694M (01.01)**
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, Specification for, **A961/A961M (01.01)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Forged or Rolled 8 and 9% Nickel Alloy Steel Flanges, Fittings, Valves, and Parts for Low-Temperature Service, Specification for, **A522/A522M (01.01)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
High-Strength Quenched and Tempered Low-Alloy Steel Forged Parts for Pressure Vessels, Specification for, **A592/A592M (01.05)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A798/A798M (01.06)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service, Specification for, **A420/A420M (01.01)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and High Temperature Service, Specification for, **A234/A234M (01.01)**
Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**
Wrought Austenitic Stainless Steel Piping Fittings, Specification for, **A403/A403M (01.01)**
Wrought Carbon Steel Sleeve-Type Pipe Couplings, Specification for, **F682 (01.07)**
Wrought Ferritic, Ferritic/Austenitic, and Martensitic Stainless Steel Piping Fittings, Specification for, **A815/A815M (01.01)**
Wrought High-Strength Ferritic Steel Butt-Welding Fittings, Specification for, **A860/A860M (01.01)**
Wrought-Carbon Steel Butt-Welding Piping Fittings with Improved Notch Toughness, Specification for, **A758/A758M (01.01)**

Steel flanges
Galling Resistance of Materials, Test Method for, **G98 (03.02)**

Steel flanges—specifications
Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications, Specification for, **A193/A193M (01.01)**
Alloy-Steel and Stainless Steel Bolting for Low-Temperature Ser-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

vice, Specification for, **A320/A320M (01.01)**
Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, Specification for, **A694/A694M (01.01)**
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, Specification for, **A961/A961M (01.01)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**

Steel forgings
Determining Hardenability of Steel, Test Methods for, **A255 (01.05)**
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Magnetic Particle Examination of Steel Forgings, Practice for, **A275/A275M (01.05)**
Magnetic Particle Examination of Steel Forgings Using Alternating Current, Practice for, **A966/A966M (01.05)**
Nonmetallic Inclusion Content of Powders Intended for Powder Forging (PF) Applications, Test Method for, **B796 (02.05)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Ultrasonic Examination from Bored Surfaces of Cylindrical Forgings, Practice for, **A939/A939M (01.05)**
Ultrasonic Examination of Steel Forgings, Practice for, **A388/A388M (01.05)**

Steel forgings—specifications
Sa **Stainless steel forgings—specifications**
Age-Hardening Stainless Steel Forgings, Specification for, **A705/A705M (01.03)**
Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, Specification for, **A729/A729M (01.05)**
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, Specification for, **A961/A961M (01.01)**
General Requirements for Stainless Steel Bars, Billets, and Forgings, Specification for, **A484/A484M (01.03)**
Magnetic Particle Examination of Large Crankshaft, Specification for, **A456/A456M (01.05)**
Stainless Steel Billets and Bars for Forging, Specification for, **A314 (01.03)**
Stainless Steel Forgings, Specification for, **A473 (01.03, 01.05)**
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**
Steel Bars, Microalloy, Hot-Wrought, Special Quality, for Subsequent Hot Forging, Specification for, **A921/A921M (01.05)**
Steel Forgings, General Requirements, Specification for, **A788/A788M (01.05)**
Steel Forgings, Microalloy, for General Industrial Use, Specification for, **A909/A909M (01.05)**
Steel, Closed-Impression Die Forgings for General Industrial Use, Specification for, **A521/A521M (01.05)**
Tool Steel High Speed, Specification for, **A600 (01.05)**
Tool Steel, Carbon, Specification for, **A686 (01.05)**
Ultrasonic Examination of Forged Crankshafts, Specification for, **A503/A503M (01.05)**
Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**

Steel forgings (alloy steel)
See **Alloy steel forgings—specifications**

Steel forgings (austenitic steel)
See **Austenitic stainless steel forgings—specifications**

Steel forgings (carbon steel)
See **Carbon steel forgings—specifications**

Steel forgings (ferritic alloy)
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**

Steel forgings (martensitic stainless steel)
See **Martensitic stainless steel forgings—specifications**

Steel forgings (tool steel)
Tool Steel High Speed, Specification for, **A600 (01.05)**
Tool Steel, Carbon, Specification for, **A686 (01.05)**

Steel forgings (turbine)
Heat Stability of Steam Turbine Shafts and Rotor Forgings, Specification for, **A472/A472M (01.05)**
Ultrasonic Examination of Turbine and Generator Steel Rotor Forgings, Practice for, **A418/A418M (01.05)**

Steel forgings (turbine)—specifications
Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, Specification for, **A288 (01.05)**
Vacuum-Treated 12% Chromium Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A768/A768M (01.05)**
Vacuum-Treated Alloy Steel Forgings for Turbine Rotor Disks and Wheels, Specification for, **A471/A471M (01.05)**
Vacuum-Treated Carbon and Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A470/A470M (01.05)**
Vacuum-Treated Steel Forgings for Generator Rotors, Specification for, **A469/A469M (01.05)**

Steel furniture (marine)
See **Shipboard materials/applications—specifications**

Steel gears
Carbon and Alloy Steel Forgings for Rings for Reduction Gears, Specification for, **A290/A290M (01.05)**
Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, Specification for, **A291/A291M (01.05)**

Steel hardware—zinc coatings
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**
Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**
Zinc Coating (Hot-Dip) on Iron and Steel Hardware, Specification for, **A153/A153M (01.06)**

Steel hull
Sa **Shipbuilding steel materials (structural)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**

Steel industry wastewater
Sa **Wastewater testing/treatment**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**

Steel ingots
Steel Forging Stock, Specification for, **A711/A711M (01.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Steel-laminated bearings (for bridges)
Plain and Steel-Laminated Elastomeric Bearings for Bridges, Specification for, **D4014 (04.03)**
Steel line pipe
Sa **Black steel pipe—specifications**
Steel Line Pipe, Black, Furnace-Butt-Welded, Specification for, **A1037/A1037M (01.01)**
Steel line pipe (black)—specifications
Steel Line Pipe, Black, Plain-End, Electric-Resistance-Welded, Specification for, **A984/A984M (01.01)**
Steel locking edge rails
Elastomeric Strip Seals with Steel Locking Edge Rails Used in Expansion Joint Sealing, Specification for, **D5973 (04.03)**
Steel manufacturing
Aluminum for Use in Iron and Steel Manufacture, Specification for, **B37 (02.02)**
Steel mill dispersions
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Steel missile
Impact Resistance of Bituminous Roofing Systems, Test Method for, **D3746 (04.04)**
Steel needle roller bearings
Bearing, Roller, Needle: Thick Outer Ring With Rollers and Cage, Specification for, **F2246 (01.08)**
Steel parts (powder-forged)
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Nonmetallic Inclusion Content of Powders Intended for Powder Forging (PF) Applications, Test Method for, **B796 (02.05)**
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Steel pipe
Sa **Carbon steel pipe—specifications**
Sa **Steel fittings—specifications**
Acoustic Emission Monitoring of Structures During Controlled Stimulation, Practice for, **E569/E569M (03.03)**
Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe, Test Method for, **A926 (01.06)**
Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, Practice for, **E1419 (03.03)**
Guided Wave Testing of Above Ground Steel Piping with Magnetostrictive Transduction, Practice for, **E2929 (03.03)**
Holiday Detection in Pipeline Coatings, Test Methods for, **G62 (06.02)**
HVAC Duct Shapes; Identification and Description of Design Configuration, Practice for, **F1005 (01.07)**
Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, Test Method for, **E1222 (04.06)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ASMEB36.10M-1996** (Related Material) **(01.01)**
Steel pipe—specifications
Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, Specification for, **A961/A961M (01.01)**
Corrugated Steel Pipe, Polymer Precoated for Sewers and Drains, Specification for, **A762/A762M (01.06)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Fusion Bonded Epoxy-Coated Pipe Piles, Specification for, **A972/A972M (01.01)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Metal-Arc-Welded Steel Pipe for Use With High-Pressure Transmission Systems, Specification for, **A381 (01.01)**
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**
Steel Line Pipe, Black, Plain-End, Electric-Resistance-Welded, Specification for, **A984/A984M (01.01)**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**
Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, Specification for, **A742/A742M (01.06)**
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**
Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**
Welded Ferritic-Martensitic Stainless Steel Pipe, Specification for, **A1053/A1053M (01.01)**
Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, Specification for, **A810 (01.06)**
Steel pipe arches
See **Pipe-arches**
Steel pipe (black)
See **Black steel pipe—specifications**
Steel pipe (electric-fusion-welded)
See **Electric-fusion-welded steel pipe**
Steel pipe (electric-resistance-welded (ERW))
See **Electric-resistance-welded (ERW) steel pipe—specifications**
Steel pipe (ferritic alloy)
See **Ferritic steel pipe—specifications**
Steel pipe fittings
Sa **Steel fittings—specifications**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**
Steel pipe (high-temperature/pressure service)
See **High-temperature service applications—steel pipe**
Steel pipe joints
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**
Steel pipe (nondestructive testing)
Acoustic Emission Monitoring of Structures During Controlled Stimulation, Practice for, **E569/E569M (03.03)**
Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, Practice for, **E1139/E1139M (03.03)**
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Ultrasonic Testing of Metal Pipe and Tubing, Practice for, **E213 (03.03)**
Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing, Practice for, **E273 (03.03)**
Steel pipe (pipeline coatings)
Guided Wave Testing of Above Ground Steel Pipework Using Piezoelectric Effect Transduction, Practice for, **E2775 (03.03)**
Steel pipe (pipe nipples)
See **Pipe nipples**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Steel pipe (sewers and drainage systems)
Sa **Sewer pipe (steel)—specifications**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**
Steel pipe (shipbuilding applications)
See **Shipbuilding steel pipe materials—specifications**
Steel pipe (structural)
See **Structural steel (SS) pipe—specifications**
Steel pipe (zinc-coated)
See **Zinc-coated steel pipe—specifications**
Steel plate
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Steel plate—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Copper and Copper Alloy Clad Steel Plate, Specification for, **B432 (02.01)**
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A480/A480M (01.03)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
General Requirements for Steel Plates for Pressure Vessels, Specification for, **A20/A20M (01.04)**
Higher-Strength Martensitic Stainless Steel Plate, Sheet, and Strip, Specification for, **A1010/A1010M (01.03)**
Hot-Rolled Carbon, Low-Alloy, High-Strength Low-Alloy, and Alloy Steel Floor Plates, Specification for, **A786/A786M (01.04)**
Industrial Perforated Plate and Screens (Round Opening Series), Specification for, **E674 (14.02)**
Rolled Floor Plate, Stainless Steel, Specification for, **A793 (01.03)**
Stainless Chromium Steel-Clad Plate, Specification for, **A263 (01.04)**
Steel Plates for Pressure Vessels, Produced by Thermo-Mechanical Control Process (TMCP), Specification for, **A841/A841M (01.04)**
Steel Tie Plates, Low-Carbon and High-Carbon-Hot-Worked, Specification for, **A67 (01.04)**
Through-Thickness Tension Testing of Steel Plates for Special Applications, Specification for, **A770/A770M (01.04)**
Tool Steel High Speed, Specification for, **A600 (01.05)**
Steel plate (ultrasonic examination)
Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, Specification for, **A578/A578M (01.04)**
Straight-Beam Ultrasonic Examination of Steel Plates, Specification for, **A435/A435M (01.04)**
Ultrasonic Angle-Beam Examination of Steel Plates, Specification for, **A577/A577M (01.04)**
Steel plate (alloy steel)
See **Alloy steel plate—specifications**
Steel plate (carbon steel)
See **Carbon steel plate—specifications**
Steel plate (chromium alloy)
See **Chromium alloy steel plate—specifications**
Steel plate (high-strength/low alloy (HSLA))
See **HSLA (high-strength low-alloy) steel—specifications**
Steel plate (manganese alloy)
See **Manganese alloy steel plate—specifications**
Steel plate (nickel alloy)
See **Nickel alloy steel plate—specifications**
Steel plate pipe—specifications
Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, Practice for, **A807/A807M (01.06)**
Pipe, Steel, Electric-Fusion (Arc)-Welded (Sizes NPS 16 and Over), Specification for, **A134 (01.01)**
Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**
Steel plate (pressure vessels)
See **Pressure vessel steel plate—specifications**
Steel plates/shapes/bars—specifications
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), Specification for, **A913/A913M (01.04)**
Steel plate (structural)
See **Structural steel (SS) plate—specifications**
Steel plate (zinc-coated (galvanized))
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**
Steel posts/rails (for chain link fence)
See **Chain-link fence/fencing systems**
Steel probe
Penetration Resistance of Hardened Concrete, Test Method for, **C803/C803M (04.02)**
Steel rails
Carbon Steel Tee Rails, Specification for, **A1 (01.04)**
Steel reduction
Wrought Alloy Steel Rolls for Cold and Hot Reduction, Specification for, **A427/A427M (01.05)**
Steel-reinforced electrical conductors
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Steel-reinforced electrical conductors—specifications
Aluminum-Clad Steel Core Wire for Use in Overhead Electrical Aluminum Conductors, Specification for, **B502/B502M (02.03)**
Compact Round Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/COMP), Specification for, **B401 (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Coated Steel Supported (ACSS), Specification for, **B856 (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR), Specification for, **B232/B232M (02.03)**
Copper-Clad Stainless Steel Sheet and Strip for Building Construction, Specification for, **B506 (02.01)**
Hard-Drawn Aluminum-Clad Steel Wire, Specification for, **B415 (02.03)**
High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**
High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced, Specification for, **B606/B606M (02.03)**
Metallic Coated or Aluminum Clad Stranded Steel Core for Use

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

in Overhead Electrical Conductors, Specification for, **B500/B500M (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**
Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Specification for, **B802/B802M (02.03)**
Zinc-Coated (Galvanized) Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B498/B498M (02.03)**

Steel reinforced stranded aluminum conductors
ACSR Twisted Pair Conductor (ACSR/TP), Specification for, **B911/B911M (02.03)**
Concentric-Lay-Stranded Self-Damping Aluminum Conductors, Steel Reinforced (ACSR/SD), Specification for, **B701/B701M (02.03)**

Steel reinforcing bars
Sa **Structural steel (SS) bars—specifications**
Testing Mechanical Splices for Steel Reinforcing Bars, Test Methods for, **A1034/A1034M (01.04)**
Zinc and Epoxy Dual-Coated Steel Reinforcing Bars, Specification for, **A1055/A1055M (01.04)**

Steel rod
See **Steel wire rod—specifications**

Steel rolling mills
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**

Steel rolls
Forged Steel Rolls Used for Corrugating Paper Machinery, Specification for, **A649/A649M (01.05)**
Wrought Alloy Steel Rolls for Cold and Hot Reduction, Specification for, **A427/A427M (01.05)**

Steel rule
Linear Measurement Using Precision Steel Rule, Test Method for, **F2203 (15.10)**

Steel sampling
Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, Specification for, **D5139 (06.02)**
Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, Test Method for, **D4042 (05.02)**
Sampling Procedure for Impact Testing of Structural Steel, Specification for, **A673/A673M (01.04)**
Sampling Steel and Iron for Determination of Chemical Composition, Practice for, **E1806 (03.05)**
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**

Steel screens
Design of Surveillance Programs for Light-Water Moderated Nuclear Power Reactor Vessels, Practice for, **E185 (12.02)**
In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, Guide for, **E509/E509M (12.02)**
Industrial Perforated Plate and Screens (Round Opening Series), Specification for, **E674 (14.02)**

Steel screws—specifications
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F835 (01.08)**
Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F835M (01.08)**
Alloy Steel Socket Set Screws, Specification for, **F912 (01.08)**
Alloy Steel Socket Set Screws (Metric), Specification for, **F912M (01.08)**
Alloy Steel Socket-Head Cap Screws, Specification for, **A574 (01.08)**
Alloy Steel Socket-Head Cap Screws (Metric), Specification for, **A574M (01.08)**
Stainless Steel Metric Bolts, Screws, and Studs, Specification for, **F738M (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws, Specification for, **F879 (01.08)**
Stainless Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), Specification for, **F879M (01.08)**
Stainless Steel Socket Head Cap Screws, Specification for, **F837 (01.08)**
Stainless Steel Socket Head Cap Screws Metric, Specification for, **F837M (01.08)**
Stainless Steel Socket Set Screws (Metric), Specification for, **F880M (01.08)**
Stainless Steel Socket, Square Head, and Slotted Headless-Set Screws, Specification for, **F880 (01.08)**
Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness, Specification for, **C954 (04.01)**
Steel Screw Spikes, Specification for, **A66 (01.04)**
Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs, Specification for, **C1002 (04.01)**
Steel Tapping Screws for Cold-Formed Steel Framing Connections, Specification for, **C1513 (04.01)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**

Steel shapes
See **Structural steel (SS) shapes—specifications**

Steel sheet
Ball Punch Deformation of Metallic Sheet Material, Test Method for, **E643 (03.01)**
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, Practice for, **A1004/A1004M (01.06)**
Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Measuring Flatness Characteristics of Steel Sheet Products, Practice for, **A1030/A1030M (01.06)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Plastic Strain Ratio, Test Method for, **E517 (03.01)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Salt-Accelerated Outdoor Cosmetic Corrosion Testing of Organic Coatings on Automotive Sheet Steel, Practice for, **D6675 (06.01)**
Steel Sheet, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A1079 (01.06)**
Steel Sheet, Twin-Roll Cast, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1063/A1063M (01.06)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1083/A1083M (01.03)**
Steel, Sheet, Hot Rolled, Carbon, Commercial, Structural, and High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1039/A1039M (01.03)**
Tensile Strain-Hardening Exponents (n -Values) of Metallic Sheet Materials, Test Method for, **E646 (03.01)**
Using Hand Micrometers to Measure the Thickness of Nonmetallic and Metallic-Coated Steel Sheet, Practice for, **A1073/A1073M (01.06)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**
Weight Loss (Mass Loss) of Sheet Steel During Immersion in Sulfuric Acid Solution, Test Method for, **C694 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Steel sheet—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Free-Machining Stainless Steel Plate, Sheet, and Strip, Specification for, **A895 (01.03)**
General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A480/A480M (01.03)**
Precipitation-Hardening Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A693 (01.03)**
Stainless and Heat-Resisting Chromium Steel Plate, Sheet, and Strip, Specification for, **A176 (01.03)**
Stainless and Heat-Resisting Chromium-Nickel Steel Plate, Sheet, and Strip, Specification for, **A167 (01.03)**
Stainless Chromium Steel-Clad Plate, Specification for, **A263 (01.04)**
Stainless Chromium-Nickel Steel-Clad Plate, Specification for, **A264 (01.04)**
Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, Specification for, **A742/A742M (01.06)**
Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, Specification for, **A929/A929M (01.06)**
Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, Specification for, **A308/A308M (01.06)**
Steel, Sheet, for Porcelain Enameling, Specification for, **A424/A424M (01.03)**
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**
Tool Steel High Speed, Specification for, **A600 (01.05)**
Welded Deformed Steel Bar Mats for Concrete Reinforcement, Specification for, **A184/A184M (01.04)**

Steel sheet (Al-coated)
See **Aluminum-coated steel sheet—specifications**

Steel sheet (alloy steel)
See **Alloy steel sheet/strip—specifications**

Steel sheet (carbon steel)
See **Carbon steel sheet—specifications**

Steel sheet (cold-rolled)
Steel, Sheet, Cold-Rolled, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Specification for, **A1088 (01.03)**

Steel sheet (cold rolled)—complex phase (CP)
Steel, Sheet, Cold-Rolled, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Specification for, **A1088 (01.03)**

Steel sheet (cold rolled)—dual phase (DP)
Steel, Sheet, Cold-Rolled, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Specification for, **A1088 (01.03)**

Steel sheet (cold rolled)—transformation induced plasticity (TRIP)
Steel, Sheet, Cold-Rolled, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Specification for, **A1088 (01.03)**

Steel sheet (electrical)
Ductility of Nonoriented Electrical Steel, Test Method for, **A720/A720M (03.04)**
Ductility of Oriented Electrical Steel, Test Method for, **A721/A721M (03.04)**
Lamination Factor of Magnetic Materials, Test Method for, **A719/A719M (03.04)**

Steel sheet (high-strength/low-alloy)
See **HSLA (high-strength low-alloy) steel sheet/strip—specifications**

Steel sheet piling—specifications
Sa **Structural steel (SS) piles—specifications**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**

Steel sheet (porcelain enameling)
See **Porcelain enamel products**

Steel sheet/strip
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Steel sheet/strip—alloy steel
See **Alloy steel sheet/strip—specifications**

Steel sheet/strip—carbon (cold-rolled)
See **Carbon steel sheet/strip—specifications**

Steel sheet/strip—carbon steel
Sa **Carbon steel sheet/strip—specifications**
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Carbon, Commercial, Drawing, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1018/A1018M (01.03)**

Steel sheet/strip—structural
Sa **Structural steel (SS) sheet/strip—specifications**
Steel, Sheet and Strip, Heavy-Thickness Coils, Alloy, Drawing Steel and Structural Steel, Hot-Rolled, Specification for, **A1031/A1031M (01.03)**

Steel sheet/strip/plate
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Tensile Strain-Hardening Exponents (n -Values) of Metallic Sheet Materials, Test Method for, **E646 (03.01)**

Steel sheet/strip/plate—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Free-Machining Stainless Steel Plate, Sheet, and Strip, Specification for, **A895 (01.03)**
General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A480/A480M (01.03)**
Precipitation-Hardening Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A693 (01.03)**
Stainless and Heat-Resisting Chromium Steel Plate, Sheet, and Strip, Specification for, **A176 (01.03)**
Stainless and Heat-Resisting Chromium-Nickel Steel Plate, Sheet, and Strip, Specification for, **A167 (01.03)**
Stainless Chromium Steel-Clad Plate, Specification for, **A263 (01.04)**
Stainless Chromium-Nickel Steel-Clad Plate, Specification for, **A264 (01.04)**
Tool Steel, Carbon, Specification for, **A686 (01.05)**

Steel sheet (terne-coated)
See **Terne-coated steel sheet—specifications**

Steel sheet (zinc/zinc alloy-coated)
Sa **Zinc-coated steel sheet—specifications**
Steel Sheet, Zinc-Aluminum-Magnesium Alloy-Coated by the Hot-Dip Process, Specification for, **A1046/A1046M (01.06)**

Steel shipping crates
Steel or Aluminum Slotted Angle Crates, Specification for, **D6255/D6255M (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Steel slag
Potential Expansion of Aggregates from Hydration Reactions, Test Method for, **D4792/D4792M (04.03)**
Steel slag aggregates
Steel Slag Aggregates for Bituminous Paving Mixtures, Specification for, **D5106 (04.03)**
Steel springs
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Steel springs—specifications
Carbon and Alloy Steel Bars for Springs, Specification for, **A689 (01.05)**
Chromium-Vanadium Alloy Steel Spring Wire, Specification for, **A231/A231M (01.03)**
Chromium-Vanadium Alloy Steel Valve Spring Quality Wire, Specification for, **A232/A232M (01.03)**
Metallic Coated Carbon Steel Wire, Coated at Size and Drawn to Size for Mechanical Springs, Specification for, **A764 (01.06)**
Stainless Steel Spring Wire, Specification for, **A313/A313M (01.03)**
Steel Springs, Helical, Heat-Treated, Specification for, **A125 (01.05)**
Steel Wire, Carbon and Alloy Specialty Spring Quality, Specification for, **A1000/A1000M (01.03)**
Steel Wire, Chromium-Silicon Alloy, Specification for, **A401/A401M (01.03)**
Steel Wire, Chromium-Silicon Alloy, Chrome-Silicon-Vanadium Alloy Valve Spring Quality, Specification for, **A877/A877M (01.03)**
Steel Wire, Cold-Drawn for Mechanical Springs, Specification for, **A227/A227M (01.03)**
Steel Wire, Cold-Drawn, for Coiled-Type Springs, Specification for, **A407 (01.03)**
Steel Wire, High Tensile Strength, Cold Drawn, Specification for, **A679/A679M (01.03)**
Steel Wire, High-Carbon Spring, for Heat-Treated Components, Specification for, **A713 (01.03)**
Steel Wire, Modified Chromium Vanadium Valve Spring Quality, Specification for, **A878/A878M (01.03)**
Steel Wire, Quenched and Tempered for Mechanical Springs, Specification for, **A229/A229M (01.03)**
Steel springs (musical instruments)—specifications
Steel Wire, Music Spring Quality, Specification for, **A228/A228M (01.03)**
Steel springs (upholstery)—specifications
Steel Wire, Cold-Drawn, for Coiled-Type Springs, Specification for, **A407 (01.03)**
Steel springs (valve)—specifications
Chromium-Vanadium Alloy Steel Valve Spring Quality Wire, Specification for, **A232/A232M (01.03)**
Steel Wire, Chromium-Silicon Alloy, Chrome-Silicon-Vanadium Alloy Valve Spring Quality, Specification for, **A877/A877M (01.03)**
Steel Wire, Modified Chromium Vanadium Valve Spring Quality, Specification for, **A878/A878M (01.03)**
Steel Wire, Oil-Tempered Carbon Valve Spring Quality, Specification for, **A230/A230M (01.03)**
Steel stowage lockers
Steel Deck Gear Stowage Box Metric, Specification for, **F1019M (01.07)**
Steel Emergency Gear Stowage Locker, Specification for, **F1018 (01.07)**
Steel strand
Sa **Steel wire strand—specifications**
Testing Multi-Wire Steel Strand, Test Methods for, **A1061/A1061M (01.04)**
Steel strapping
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Strapping, Flat Steel and Seals, Specification for, **D3953 (15.10)**
Steel strip
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A480/A480M (01.03)**
Steel, Strip, Carbon and High-Strength, Low-Alloy, Hot-Rolled, General Requirements for, Specification for, **A749/A749M (01.03)**
Tool Steel High Speed, Specification for, **A600 (01.05)**
Steel strip—carbon steel
See **Carbon steel sheet/strip—specifications**
Steel strip—zinc coatings
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**
Steel structural shapes
See **Structural steel (SS)**
Steel structural strand
See **Steel wire strand—specifications**
Steel structural wire rope
See **Steel wire rope—specifications**
Steel studs
Steel Stud Assemblies for Shear Reinforcement of Concrete, Specification for, **A1044/A1044M (01.04)**
Steel substrates
Chemical Resistance of Protective Linings, Test Method for, **C868 (06.02)**
Electrodeposited Engineering Chromium Coatings on Ferrous Substrates, Specification for, **B650 (02.05)**
Steel surfaces
Assessing the Condition of Aged Coatings on Steel Surfaces, Guide for, **D5065 (06.02)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Determining Coating Contractor Qualifications for Nuclear Powered Electric Generation Facilities, Practice for, **D4286 (06.02)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, Practice for, **D5327 (06.02)**
Evaluating Coatings For High Temperature Service, Test Methods for, **D2485 (06.01)**
Evaluating Degree of Rusting on Painted Steel Surfaces, Practice for, **D610 (06.01)**
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, Test Method for, **G12 (06.02)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Preparation of Cold-Rolled Steel Panels for Testing Paint, Varnish, Conversion Coatings, and Related Coating Products, Practice for, **D609 (06.01)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Qualification of Coating Applicators for Application of Coatings to Steel Surfaces, Practice for, **D4228 (06.02)**
Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**
Steel tape
Zinc-Coated Flat Steel Armoring Tape, Specification for, **A459 (01.06)**
Steel tie plate
Steel Tie Plates, Low-Carbon and High-Carbon-Hot-Worked, Specification for, **A67 (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Steel tube
Cold-Formed Welded Carbon Steel Hollow Structural Sections (HSS), Specification for, **A1085 (01.01)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Ornamental Fences Employing Steel Tubular Pickets, Specification for, **F2589 (01.06)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1057/A1057M (01.06)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Steel tube—specifications
Centrifugally Cast Iron-Chromium-Nickel High-Alloy Tubing for Pressure Application at High Temperatures, Specification for, **A608/A608M (01.02)**
Copper-Brazed Steel Tubing, Specification for, **A254/A254M (01.01)**
General Requirements for Carbon and Low Alloy Steel Tubes, Specification for, **A450/A450M (01.01)**
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**

Steel tube (alloy steel)
See **Alloy steel tube—specifications**

Steel tube (electric-resistance-welded)
See **Electric-resistance-welded (ERW) steel tube—specifications**

Steel tube (martensitic stainless steel)
See **Martensitic stainless steel**

Steel tube (mechanical tubing)
See **Mechanical tubing—specifications**

Steel tube (nondestructive testing)
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, Practice for, **E426 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Ultrasonic Testing of Metal Pipe and Tubing, Practice for, **E213 (03.03)**
Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing, Practice for, **E273 (03.03)**

Steel tube (structural)
See **Structural steel (SS) tube—specifications**

Steel valves
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Selection of Valve Operators, Practice for, **F1030 (01.07)**

Steel valves—specifications
Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications, Specification for, **A193/A193M (01.01)**
Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, Specification for, **A320/A320M (01.01)**
Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, Specification for, **A694/A694M (01.01)**
Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, Specification for, **A350/A350M (01.01)**
Castings, Austenitic, for Pressure-Containing Parts, Specification for, **A351/A351M (01.02)**
Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, Specification for, **A961/A961M (01.01)**
Envelope Dimensions for Bronze Globe Valves NPS, Specification for, **F885 (01.07)**
Envelope Dimensions for Butterfly Valves—NPS 2 to 24, Specification for, **F1098 (01.07)**
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A989/A989M (01.01)**
Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, Specification for, **A988/A988M (01.01)**
Line-Blind Valves for Marine Applications, Specification for, **F1020 (01.07)**
Valve Label Plates, Specification for, **F992 (01.07)**
Valve Locking Devices, Specification for, **F993 (01.07)**

Steel washers
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Hardened Steel Washers, Specification for, **F436 (01.08)**
Hardened Steel Washers (Metric), Specification for, **F436M (01.08)**
Washers, Steel, Plain (Flat), Unhardened for General Use, Specification for, **F844 (01.08)**

Steel welds
Steel Fusion Welds, Reference Radiographs for, **E390 (03.03)**

Steel wheels (for railroads/locomotives)
See **Railroad steel materials—wheels**

Steel wire
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**
Carbon-Steel Wire and Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1064/A1064M (01.04)**
Evaluating Bond of Seven-Wire Steel Prestressing Strand, Test Method for, **A1081/A1081M (01.04)**
Hydrogen Embrittlement Resistance for Steel Wire Hard Drawn Used for Prestressing Concrete Pipe, Test Method for, **A1032 (01.04)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**

Steel wire—specifications
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Free-Machining Stainless Steel Wire and Wire Rods, Specification for, **A581/A581M (01.03)**
General Requirements for Stainless Steel Wire and Wire Rods, Specification for, **A555/A555M (01.03)**
Stainless Steel Rope Wire, Specification for, **A492 (01.03)**
Stainless Steel Spring Wire, Specification for, **A313/A313M (01.03)**
Stainless Steel Wire, Specification for, **A580/A580M (01.03)**
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**
Steel Wire, Cold-Drawn, for Coiled-Type Springs, Specification for, **A407 (01.03)**
Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, Specification for, **A881/A881M (01.04)**
Steel Wire, Pressure Vessel Winding, Specification for, **A905 (01.03)**
Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Coated or Polyvinyl Chloride (PVC) Coated), Specification for, **A974 (01.06)**
Wrought Stainless Steels for Surgical Instruments, Specification for, **F899 (13.01)**
Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, Specification for, **A810 (01.06)**

Steel wire (chromium alloy)—specifications
Chromium-Nickel Stainless Steel Weaving and Knitting Wire, Specification for, **A478 (01.03)**
Chromium-Vanadium Alloy Steel Spring Wire, Specification for, **A231/A231M (01.03)**
Chromium-Vanadium Alloy Steel Valve Spring Quality Wire, Specification for, **A232/A232M (01.03)**
Stainless Steel Spring Wire, Specification for, **A313/A313M (01.03)**
Steel Wire, Chromium-Silicon Alloy, Specification for, **A401/A401M (01.03)**
Steel Wire, Chromium-Silicon Alloy, Chrome-Silicon-Vanadium Alloy Valve Spring Quality, Specification for, **A877/A877M (01.03)**
Steel Wire, Modified Chromium Vanadium Valve Spring Quality, Specification for, **A878/A878M (01.03)**

Steel wire (coated)
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**

Steel wire (coated)—specifications
Epoxy-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A884/A884M (01.04)**
Metallic-Coated, Steel-Woven Wire Fence Fabric, Specification for, **A116 (01.06)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence, Specification for, **F1665 (01.06)**
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence, Specification for, **F1664 (01.06)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Steel Wire, Epoxy-Coated, Specification for, **A899 (01.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**
Vinyl-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A933/A933M (01.04)**
Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), Specification for, **A390 (01.06)**
Zinc-Coated Steel Chain-Link Fence Fabric, Specification for, **A392 (01.06)**
Zinc-Coated Steel Structural Wire Rope, Specification for, **A603 (01.06)**

Steel wire (concrete reinforcement applications)—specifications
Sa **Concrete reinforcement—specifications**
Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement, Specification for, **A1022/A1022M (01.04)**
Epoxy-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A884/A884M (01.04)**
Steel Fibers for Fiber-Reinforced Concrete, Specification for, **A820/A820M (01.04)**
Steel Strand, Seven-Wire, Uncoated, Compacted for Prestressed Concrete, Specification for, **A779/A779M (01.04)**
Vinyl-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A933/A933M (01.04)**

Steel wire (copper processed)—specifications
Annealed Copper-Clad Steel Wire, Specification for, **B910/B910M (02.03)**
Concentric-Lay-Stranded Copper and Copper-Clad Steel Composite Conductors, Specification for, **B229 (02.03)**
Concentric-Lay-Stranded Copper-Clad Steel Conductors, Specification for, **B228 (02.03)**
Copper-Clad Aluminum Wire, Specification for, **B566 (02.03)**
Copper-Clad Steel Electrical Conductor for CATV Drop Wire, Specification for, **B869 (02.03)**
Copper-Clad Steel Wire for Electronic Application, Specification for, **B452 (02.03)**
Copper-Clad Steel Wire Strand, Specification for, **A460 (01.06)**
Coppered Carbon Steel Wire, Specification for, **A818 (01.06)**
Hard-Drawn Copper-Clad Steel Wire, Specification for, **B227 (02.03)**
Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B559 (02.03)**
Silver-Coated, Copper-Clad Steel Wire for Electronic Application, Specification for, **B501 (02.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**

Steel wire fabric—specifications
Sa **Welded steel wire—specifications**
Metallic-Coated, Steel-Woven Wire Fence Fabric, Specification for, **A116 (01.06)**
Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), Specification for, **A390 (01.06)**
Zinc-Coated Steel Chain-Link Fence Fabric, Specification for, **A392 (01.06)**

Steel wire lath
Welded Wire Lath, Specification for, **C933 (04.01)**

Steel wire (prestressed concrete)
Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, Specification for, **A886/A886M (01.04)**
Steel Strand, Seven-Wire, Uncoated, Compacted for Prestressed Concrete, Specification for, **A779/A779M (01.04)**
Steel Strand, Uncoated Seven-Wire for Prestressed Concrete, Specification for, **A416/A416M (01.04)**
Steel Wire, Hard-Drawn for Prestressed Concrete Pipe, Specification for, **A648 (01.04)**
Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, Specification for, **A821/A821M (01.04)**
Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, Specification for, **A421/A421M (01.04)**
Uncoated, Stress-Relieved Steel Bars for Prestressed Concrete Railroad Ties, Specification for, **A911/A911M (01.04)**

Steel wire rod
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Steel wire rod—specifications
Free-Machining Stainless Steel Wire and Wire Rods, Specification for, **A581/A581M (01.03)**
General Requirements for Stainless Steel Wire and Wire Rods, Specification for, **A555/A555M (01.03)**
General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel, and Alloy Steel, Specification for, **A510/A510M (01.03)**
Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, Specification for, **A493 (01.03)**

Steel wire rope
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**
Tension Testing of Wire Ropes and Strand, Test Method for, **A931 (01.03)**

Steel wire rope—specifications
Metallic-Coated Steel Wire Rope and Fittings for Highway Guardrail, Specification for, **A741 (01.06)**
Stainless Steel Rope Wire, Specification for, **A492 (01.03)**
Zinc-Coated Steel Structural Wire Rope, Specification for, **A603 (01.06)**

Steel wire strand
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Evaluating Bond Strength for 0.600-in. 15.24-mm Diameter Steel Prestressing Strand, Grade 270 1860, Uncoated, Used in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Prestressed Ground Anchors, Test Method for, **A981/A981M (01.04)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**

Steel wire strand—specifications
Aluminum-Coated Steel Wire Strand, Specification for, **A474 (01.06)**
Copper-Clad Steel Wire Strand, Specification for, **A460 (01.06)**
Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, Specification for, **A882/A882M (01.04)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors (AAC/TW), Specification for, **B778 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW), Specification for, **B779 (02.03)**
Stainless Steel Rope Wire, Specification for, **A492 (01.03)**
Stainless Steel Wire Strand, Specification for, **A368 (01.03)**
Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, Specification for, **A886/A886M (01.04)**
Steel Strand, Seven-Wire, Uncoated, Compacted for Prestressed Concrete, Specification for, **A779/A779M (01.04)**
Steel Strand, Uncoated Seven-Wire for Prestressed Concrete, Specification for, **A416/A416M (01.04)**
Uncoated, Weldless, 2-Wire and 3-Wire Steel Strand for Prestressed Concrete, Specification for, **A910/A910M (01.04)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Overhead Ground Wire Strand, Specification for, **A925 (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand, Specification for, **A855/A855M (01.06)**
Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand, Specification for, **A363 (01.06)**
Zinc-Coated Parallel and Helical Steel Wire Structural Strand, Specification for, **A586 (01.06)**
Zinc-Coated Steel Strand for Messenger Support of Figure 8 Cable, Specification for, **A640 (01.06)**
Zinc-Coated Steel Wire Strand, Specification for, **A475 (01.06)**

Steel wire (tendon)
Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, Specification for, **A881/A881M (01.04)**
Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, Specification for, **A421/A421M (01.04)**

Steepness of slope
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**

Steep slope roofing applications
Installation of Roof Mounted Photovoltaic Arrays on Steep-Slope Roofs, Practice for, **E2766 (12.02)**
Self-Adhesive Glass Fiber Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7530/D7530M (04.04)**
Self-Adhesive Polyester Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7505/D7505M (04.04)**
Underlayment Felt Containing Inorganic Fibers Used in Steep-Slope Roofing, Specification for, **D6757 (04.04)**

Stem cell
Automated Colony Forming Unit (CFU) Assays—Image Acquisition and Analysis Method for Enumerating and Characterizing Cells and Colonies in Culture, Test Method for, **F2944 (13.02)**

Stents
in vitro Pulsatile Durability Testing of Vascular Stents, Test Methods for, **F2477 (13.01)**
Characterization and Presentation of the Dimensional Attributes of Vascular Stents, Guide for, **F2081 (13.01)**
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**
Three-Point Bending of Balloon Expandable Vascular Stents and Stent Systems, Guide for, **F2606 (13.02)**

Step-backwater method
Indirect Measurements of Discharge by Step-Backwater Method, Test Method for, **D5388 (11.01)**

Step-down method
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**

Step-function force events
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**

Step gages
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**

Step index silica optical fibers
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**

Stepped cooling method
Cloud Point of Petroleum Products (Optical Detection Stepped Cooling Method), Test Method for, **D5771 (05.02)**

Stepped isothermal method
Accelerated Compressive Creep of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, Test Method for, **D7361 (04.13)**
Accelerated Tensile Creep and Creep-Rupture of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, Test Method for, **D6992 (04.13)**

Steps and ladders
Precast Reinforced Concrete Manhole Sections, Specification for, **C478 (04.05)**
Precast Reinforced Concrete Manhole Sections (Metric), Specification for, **C478M (04.05)**

Step structure
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**

Step test
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**

Step wedge
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**

Steranes
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**

Stereological measurement
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**
Stereological Evaluation of Porous Coatings on Medical Implants, Test Method for, **F1854 (13.01)**

Stereomicroscopy
Sa **Microscopic examination**
Petrographic Examination of Hardened Concrete, Practice for, **C856 (04.02)**

Stereotactic instruments/systems
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**

Sterilant
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**

Sterile medical device packages
Accelerated Aging of Sterile Barrier Systems for Medical Devices, Guide for, **F1980 (15.10)**
Determining Integrity of Seals for Flexible Packaging by Visual Inspection, Test Method for, **F1886/F1886M (15.10)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Writing a Specification for Sterilizable Peel Pouches, Guide for, **F2559/F2559M (15.10)**

Sterility
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), Test Method for, **F1608 (15.10)**

Sterilization
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Care and Handling of Stainless Steel Surgical Instruments, Guide for, **F1744 (13.01)**
Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, Test Method for, **E1766 (11.05)**
Dosimetry for Sterile Insect Release Programs, Guide for, **ISO/ASTM51940 (12.02)**
Dosimetry in a Gamma Irradiation Facilities for Radiation Processing, Practice for, **ISO/ASTM51702 (12.02)**
Evaluating Modular Hip and Knee Joint Components, Guide for, **F1814 (13.01)**
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**
Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, Test Methods for, **D4783 (15.06)**
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**

Sterilization—water analysis
Autoclavability of Membrane Filters, Test Methods for, **D4199 (11.02)**
Confirming the Sterility of Membrane Filters, Test Method for, **D4196 (11.02)**
Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, Test Methods for, **D4198 (11.02)**
Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, Test Method for, **D4200 (11.02)**

Stewardship
Assessment of Rainwater Quality, Practice for, **E2727 (04.12)**
Stewardship for the Cleaning of Commercial and Institutional Buildings, Guide for, **E1971 (04.12)**
Water Stewardship in the Design, Construction, and Operation of Buildings, Guide for, **E2728 (04.12)**

Stickies
Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, Practice for, **F1442 (15.09)**

Sticking
Blocking Resistance of Architectural Paints, Test Method for, **D4946 (06.02)**

Sticking (at stops)
Operability of Zippers, Test Methods for, **D2062 (07.01)**

Stick load capacity
Testing Treestand Ladder, Tripod Stand and Climbing Stick Load Capacity, Practice for, **F2124 (15.07)**

Stiction
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**

Stiff and Davis stability index
Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, Practice for, **D4582 (11.02)**

Stiff diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Stiffness
Bolted Connections in Wood and Wood-Based Products, Test Methods for, **D5652 (04.10)**
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Determining Stiffness of Geosynthetics Used as Turf Reinforcement Mats (TRMs), Test Method for, **D6575 (04.13)**
Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications, Test Method for, **C1265 (04.07)**
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**
Early Stiffening of Hydraulic Cement (Mortar Method), Test Method for, **C359 (04.01)**
Early Stiffening of Hydraulic Cement (Paste Method), Test Method for, **C451 (04.01)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Measurement of Arrow Shaft Static Spine (Stiffness), Test Method for, **F2031 (15.07)**
Measuring the Dynamic Stiffness (DS) and Cylindrical Coefficient of Restitution (CCOR) of Baseballs and Softballs, Test Method for, **F2845 (15.07)**
Measuring the Relative Stiffness of Leather by Means of a Torsional Wire Apparatus, Test Method for, **D2821 (15.04)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, Test Method for, **B279 (02.03)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Tensile Properties of Organic Coatings, Test Method for, **D2370 (06.01)**

Stiffness—building materials/applications
Evaluating System Effects in Repetitive-Member Wood Assemblies, Guide for, **D6555 (04.10)**

Stiffness—plastics
Apparent Bending Modulus of Plastics by Means of a Cantilever Beam, Test Method for, **D747 (08.01)**
Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading, Test Method for, **D2412 (08.04)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials, Test Methods for, **D790 (08.01)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, Test Method for, **D6272 (08.03)**
Relative Rigidity of Poly(Vinyl Chloride)(PVC) Siding, Test Method for, **D6777 (08.03)**
Stiffness Properties of Plastics as a Function of Temperature by Means of a Torsion Test, Test Method for, **D1043 (08.01)**

Stiffness—textile materials/applications
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stiffness of Fabric by Blade/Slot Procedure, Test Method for, **D6828 (07.02)**
Stiffness of Fabric by the Circular Bend Procedure, Test Method for, **D4032 (07.01)**
Stiffness of Fabrics, Test Method for, **D1388 (07.01)**

Still
Handling an Acid Degreaser or Still, Practice for, **D4579 (15.05)**

Stirrup rung
Staple, Handgrab, Handle, and Stirrup Rung, Specification for, **F783 (01.07)**

Stitches
Industrial Textile Stitches and Seams, Terminology Relating to, **D7722 (07.02)**
Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, Practice for, **D1974/D1974M (15.10)**
Seams and Stitches Used in Home Sewing, Terminology Relating to, **D5646 (07.02)**

Stitch-quilted products
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**

Stitch tear strength
Stitch Tear Strength of Leather, Double Hole, Test Method for, **D4705 (15.04)**
Stitch Tear Strength, Single Hole, Test Method for, **D4786 (15.04)**

Stitch type
Stitches and Seams, Practice for, **D6193 (07.02)**

Stochastic modeling
Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, Guide for, **E2232 (12.02)**

Stockade picket fences
Sa **Fences/fencing materials**
Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials, Specification for, **F537 (01.06)**

Stock-break failure (SB)
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**

Stockholm invariant convention
Sa **Corrosion**
Conventions Applicable to Electrochemical Measurements in Corrosion Testing, Practice for, **G3 (03.02)**

Stockpiles
Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, Test Method for, **D6347/D6347M (05.06)**
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**
Tonnage Calculation of Coal in a Stockpile, Practice for, **D6542 (05.06)**

Stockpile sampling
Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, Practice for, **D6883 (05.06)**
Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, Practice for, **C50/C50M (04.01)**

Stock solutions
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**

Stoddard solvent
Sa **Solvents**
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**

Stoichiometric combustion
Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, Test Method for, **D4891 (05.06)**

Stoichiometry
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**

Stoker links
Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, Specification for, **A319 (01.02)**

Stoll abrasion method
Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method), Test Method for, **D3885 (07.01)**
Abrasion Resistance of Textile Fabrics (Inflated Diaphragm Apparatus), Test Method for, **D3886 (07.01)**

Stone
Sa **Dimension stone**
Sa **Rock materials/properties/analysis**
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**
Selection and Use of Stone Consolidants, Guide for, **E2167 (04.12)**
Soil, Rock, and Contained Fluids, Terminology Relating to, **D653 (04.08)**
Staining from Sealants, Test Method for, **D2203 (04.07)**

Stone—specifications
Architectural Cast Stone, Specification for, **C1364 (04.05)**

Stone anchors
Sa **Anchors/anchorage systems**
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**
Strength of Individual Stone Anchorages in Dimension Stone, Test Method for, **C1354/C1354M (04.07)**

Stone consolidants
Selection and Use of Stone Consolidants, Guide for, **E2167 (04.12)**

Stone design/erection considerations
Selection, Design, and Installation of Dimension Stone Attachment Systems, Guide for, **C1242 (04.07)**

Stone evaluation/selection
Selection of Dimension Stone, Guide for, **C1528 (04.07)**
Specifying Standard Sizes of Stone for Erosion Control, Practice for, **D6092 (04.09)**

Stop-and-go service
Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, Test Method for, **D6593 (05.03)**

Stopcocks/stoppers
Glass Stopcocks with Polytetrafluoroethylene (PTFE) Plugs, Specification for, **E911 (14.04)**
Interchangeable Taper-Ground Stopcocks And Stoppers, Specification for, **E675 (14.04)**

Stop leak additives
Sa **Engine coolants/concentrates**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Stop-Leak Additive for Engine Coolants Used in Light Duty Service, Specification for, **D6107 (15.05)**
Stop-Leak Additives for Engine Coolants, Test Method for Testing, **D3147 (15.05)**

Stopped belt primary increments
Sampling and Sample Preparation of Iron Ores and Related Materials for Determination of Chemical Composition and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Physical Properties, Practice for, **E877 (03.05)**

Stopping distance
Determining the Stopping Distance Number by Initial Speed and Stopping Distance at Traffic Incident Sites, Test Method for, **E2341/E2341M (04.03)**
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Stopping Distance on Paved Surfaces Using a Passenger Vehicle Equipped With Full-Scale Tires, Test Method for, **E445/E445M (04.03)**

Stopping distance number (SDN)
Determining the Stopping Distance Number by Initial Speed and Stopping Distance at Traffic Incident Sites, Test Method for, **E2341/E2341M (04.03)**

Storage
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Clothing Storage Chests, Consumer Safety Specification for, **F2598 (15.11)**
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Determining Effect of Packaging on Food and Beverage Products During Storage, Practice for, **E460 (15.08)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Handling, Transportation, and Storage of Halon 1211, Bromochlorodifluoromethane (CF2BrCl), Practice for, **D7815 (15.05)**
Handling, Transportation, and Storage of IG-100 (Nitrogen), Practice for, **D7323 (15.05)**
Handling, Transportation, and Storage of IG-541 N2, Ar , CO2, Practice for, **D7325 (15.05)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Identification, Packaging, Handling, Storage and Deployment of Fabricated Geomembrane Panels, Guide for, **D7865 (04.13)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Moveable Property Storage, Practice for, **E2715 (04.12)**
Packaging, Identification, Shipment, and Storage of Lock-Strip Gaskets, Specification for, **C963 (04.07)**
Packaging/Packing of Aluminum and Magnesium Products, Practices for, **B660 (02.02)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Pictorial Markings for Handling of Goods, Practice for, **D5445 (15.10)**
Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, Specification for, **C1264 (04.01)**
Sampling, Storage, and Handling of Hydrocarbons for Mercury Analysis, Practice for, **D7482 (05.04)**
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Storage of Radiographs and Unexposed Industrial Radiographic Films, Guide for, **E1254 (03.03)**
Storage Testing of Aerosol Products, Practice for, **D3090 (15.10)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Use of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Practice for, **C397 (04.05)**
Use of Image Capture and Storage Technology in Forensic Document Examination, Practice for, **E2765 (14.02)**

Storage—adhesives
Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, Test Methods for, **D4783 (15.06)**
Storage Life of Adhesives by Viscosity and Bond Strength, Practice for, **D1337 (15.06)**

Storage—aquifers
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**

Storage—chemicals
Confined Area Entry, Practice for, **D4276 (15.05)**
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Handling, Transportation, and Storage of HFC-23 (Trifluoromethane, CHF3), Practice for, **D6127 (15.05)**
Handling, Transportation, and Storage of HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane (CF3CH2CF3), Practice for, **D6427/D6427M (15.05)**

Storage—environmental materials
Collecting Performance Data on Temporary Storage Devices, Guide for, **F1599 (11.05)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Design and Maintenance of Low-Temperature Storage Facilities for Maintaining Cryopreserved Biological Materials, Guide for, **E1564 (14.02)**
Handling Hazardous Biological Materials in Liquid Nitrogen, Guide for, **E1566 (14.02)**
Inventory Control and Handling of Biological Material Maintained at Low Temperatures, Guide for, **E1565 (14.02)**
Measuring Particle Size Distribution of RDF-5, Test Method for, **E1037 (11.04)**
Using the Disposable En Core Sampler for Sampling and Storing

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Soil for Volatile Organic Analysis, Practice for, **D6418 (11.04)**

Storage—petroleum products/applications
Ampulization and Storage of Gasoline and Related Hydrocarbon Materials, Practice for, **D6596 (05.03)**
Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, Practice for, **D6849 (05.03)**

Storage—soil/rock/related materials
Centrifuge Moisture Equivalent of Soils, Test Method for, **D425 (04.08)**
Handling, Storing, and Preparing Soft Intact Marine Soil, Practices for, **D3213 (04.08)**
Identification, Storage, and Handling of Geosynthetic Rolls and Samples, Guide for, **D4873 (04.13)**
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Sampling Bituminous Materials, Practice for, **D140/D140M (04.03)**
Sampling Bituminous Paving Mixtures, Practice for, **D979/D979M (04.03)**
Storage and Handling of Geosynthetic Clay Liners, Guide for, **D5888 (04.13)**

Storage—water samples
Estimation of Holding Time for Water Samples Containing Organic and Inorganic Constituents, Practice for, **D4841 (11.01)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Preservation of Waterborne Oil Samples, Practice for, **D3325 (11.02)**
Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**

Storage containers/tanks
Examination of Liquid-Filled Atmospheric and Low-Pressure Metal Storage Tanks Using Acoustic Emission, Practice for, **E1930/E1930M (03.03)**
Investigation of Equipment Problems and Releases for Petroleum Underground Storage Tank Systems, Guide for, **E2733 (11.05)**
Outdoor Evaluation of Wet Stack Storage Conditions on Coil-Coated Metals, Practice for, **D7376 (06.02)**
Sampling of Tanks by Field Personnel, Practice for, **D7831 (11.04)**

Storage containers/tanks—specifications
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Heavy Duty Sheathed Wood Crates, Specification for, **D7478/D7478M (15.10)**
Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, Specification for, **C511 (04.01, 04.02)**
Polyethylene Upright Storage Tanks, Specification for, **D1998 (08.01)**
Tanks, 5 and 10-Gal (20 and 40-L) Lube Oil Dispensing, Specification for, **F670 (01.07)**

Storage drums
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**

Storage modulus
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Storage Modulus Calibration of Dynamic Mechanical Analyzers, Test Method for, **E2254 (14.02)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using Rotorless Shear Rheometers, Test Method for, **D7605 (09.01)**

Storage phosphor imaging plate
Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**

Storage stability
Accelerated Aging of Liquid Water-Emulsion Floor Polishes, Test Method for, **D1791 (15.04)**
Basic Storage Stability of a Mechanical Pump Dispenser, Test Method for, **D6654 (15.10)**
Determination of Real Time Expiration Dating of Mature Medical Gloves Stored Under Typical Warehouse Conditions, Practice for, **D7161 (09.02)**
Determination of Storage Stability and Compatibility in Automotive Gear Oils, Test Method for, **D7603 (05.04)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Mastics and Coatings Used With Thermal Insulation, Test Methods for, **C461 (04.06)**
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**

Storage stability—petroleum products
Assessing Middle Distillate Fuel Storage Stability by Oxygen Overpressure, Test Method for, **D5304 (05.02)**
Coated Fabrics Used for Oil Spill Control and Storage, Test Methods for, **F715 (11.05)**
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**
Estimating Oil Spill Recovery System Effectiveness, Guide for, **F1780 (11.05)**
High Temperature Stability of Middle Distillate Fuels, Test Method for, **D6468 (05.03)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, Test Method for, **D6794 (05.03)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time, Test Method for, **D6795 (05.03)**
Middle Distillate Fuel Storage Stability at 43°C (110°F), Test Method for, **D4625 (05.02)**
Oil Separation from Lubricating Grease During Storage, Test Method for, **D1742 (05.01)**
Oxidation Stability of Distillate Fuel Oil (Accelerated Method), Test Method for, **D2274 (05.01)**
Receipt, Storage, and Handling of Fuels for Gas Turbines, Practice for, **D4418 (05.02)**
Stability of Water-in-Oil Emulsions Under Low to Ambient Temperature Cycling Conditions, Test Method for, **D3709 (05.01)**
Storage Stability of Water-in-Oil Emulsions by the Oven Test Method, Test Method for, **D3707 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Storativity
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**

Stored energy
Determining the Rating Velocities of a Compound Archery Bow, Specification for, **F1544 (15.07)**

Storerooms
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**

Storm doors
See **Doors/door assemblies**

Storm drain pipe—steel fiber reinforced
Steel Fiber Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C1765 (04.05)**

Stormer method
Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, Specification for, **D2824/D2824M (04.04)**
Asphalt Roof Coatings, Asbestos-Containing, Specification for, **D2823/D2823M (04.04)**
Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer, Test Method for, **D562 (06.01)**

Stormer viscometer
See **Viscometers—Stormer**

Storm sewer/drainage concrete pipe—specifications
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, Specification for, **C877 (04.05)**
External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), Specification for, **C877M (04.05)**
Installation of Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, Practice for, **C1675 (04.05)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, Specification for, **C990 (04.05)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, Specification for, **C1417 (04.05)**
Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), Specification for, **C1417M (04.05)**
Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe, Specification for, **C14 (04.05)**
Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe (Metric), Specification for, **C14M (04.05)**
Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe, Specification for, **C985 (04.05)**
Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C985M (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, Specification for, **C1433 (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers (Metric), Specification for, **C1433M (04.05)**
Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD, Specification for, **C1577 (04.05)**
Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe, Specification for, **C506 (04.05)**
Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C506M (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, Specification for, **C76 (04.05)**
Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C76M (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe, Specification for, **C655 (04.05)**
Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C655M (04.05)**
Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe, Specification for, **C507 (04.05)**
Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe (Metric), Specification for, **C507M (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals, Specification for, **C1478 (04.05)**
Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals (Metric), Specification for, **C1478M (04.05)**

Storm sewer/drainage pipe
12 to 60 in. (300 to 1500 mm) Polypropylene (PP) Dual Wall Pipe and Fittings for Non-Pressure Storm Sewer Applications, Specification for, **F2881 (08.04)**
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations, Practice for, **C1479 (04.05)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations (Metric), Practice for, **C1479M (04.05)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Polymer Concrete Pipe, Specification for, **D6783 (08.03)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**

Storm sewer/drainage pipe—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, Specification for, **D3840 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe, Specification for, **D3262 (08.03)**
Asbestos-Cement Storm Drain Pipe, Specification for, **C663 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications, Specification for, **A888 (01.02)**
Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), Specification for, **C990M (04.05)**
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Non-Asbestos Fiber-Cement Storm Drain Pipe, Specification for, **C1450/C1450M (04.05)**
Poly (Vinyl Chloride) (PVC) Gaskets for Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems, Specification for, **D5926 (08.03)**
Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, Specification for, **F1697 (08.04)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**

Storm sewer/drainage pipe (Al/Al alloy)
Aluminum Alloy Sheet for Corrugated Aluminum Pipe, Specification for, **B744/B744M (02.02)**
Corrugated Aluminum Box Culverts, Specification for, **B864/B864M (02.02)**
Corrugated Aluminum Pipe for Sewers and Drains, Specification for, **B745/B745M (02.02)**
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**

Storm sewer/drainage pipe (clay)
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Storm sewer/drainage structures—specifications
Corrugated Steel Box Culverts, Specification for, **A964/A964M (01.06)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains, Specification for, **C1504 (04.05)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric), Specification for, **C1504M (04.05)**

Storm sewer/drainage tube
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**

Storm shutters
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**

Storm shutters/windows
Sa **Windows/window assemblies**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**

Stormwater
Corrugated High Density Polyethylene (HDPE) Water Quality Units, Specification for, **F2737 (08.04)**
Determination of Temporary Ditch Check Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D7208 (04.09)**
Measurement of Hydraulic Characteristics of Hydrodynamic Stormwater Separators and Underground Settling Devices, Test Method for, **C1745/C1745M (04.05)**
Measurement of Suspended Sediment Removal Efficiency of Hydrodynamic Stormwater Separators and Underground Settling Devices, Test Method for, **C1746/C1746M (04.05)**
Polyethylene (PE) Corrugated Wall Stormwater Collection Chambers, Specification for, **F2922 (08.04)**
Polypropylene (PP) Corrugated Wall Stormwater Collection Chambers, Specification for, **F2418 (08.04)**
Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, Practice for, **F2787 (08.04)**

Stormwater-induced erosion
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determination of Temporary Ditch Check Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D7208 (04.09)**

Stove pipe
Installing Clay Flue Lining, Practice for, **C1283 (04.05)**

Stoves
Copper-Brazed Steel Tubing, Specification for, **A254/A254M (01.01)**
Induction Cooktops, Counter Top, Drop-in Mounted, or Floor Standing, Specification for, **F2834 (15.12)**

Stowage
Steel Deck Gear Stowage Box Metric, Specification for, **F1019M (01.07)**
Steel Emergency Gear Stowage Locker, Specification for, **F1018 (01.07)**

Straight base
Resilient Wall Base, Specification for, **F1861 (15.04)**

Straight beam
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**

Straight-beam ultrasonic testing
Sa **Ultrasonic testing—steel**
Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, Specification for, **A578/A578M (01.04)**
Ultrasonic Pulse-Echo Straight-Beam Contact Testing, Practice for, **E114 (03.03)**

Straight-bore taper-ground stopcocks
See **Stopcocks/stoppers**

Straightedge method
Measuring Rut-Depth of Pavement Surfaces Using a Straightedge, Test Method for, **E1703/E1703M (04.03)**
Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, Test Method for, **C550 (04.06)**

Straight lengths
Seamless Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B903 (02.01)**

Straight line poultry fence fabric
Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), Specification for, **A390 (01.06)**

Straight line recorders
Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, Test Methods for, **D5895 (06.01)**

Straight liner plates
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Straight-line testing
Straight Line Movement of Vacuum Cleaners While Cleaning Carpets, Test Method for, **F1409 (15.08)**
Straightness
Asbestos-Cement Pipe, Test Methods for, **C500/C500M (04.05)**
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Measurement of Straightness of Bar, Rod, Tubing and Wire to be used for Medical Devices, Test Methods for, **F2819 (13.02)**
Measuring Zipper Dimensions, Test Methods for, **D2060 (07.01)**
Straightness Measurement of Arrow Shafts, Guide for, **F1889 (15.07)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Straight-wall/necked-in aerosol cans
Three-Piece Steel and Tinplate Straight-Wall and Necked-In Aerosol Cans, Guide for, **D3061 (15.10)**
Strain-controlled testing
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Strain Controlled Thermomechanical Fatigue Testing, Practice for, **E2368 (03.01)**
Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, Practice for, **E2207 (03.01)**
Strain corrosion
Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, Test Method for, **D3681 (08.03)**
Strainers
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, Specification for, **F1567 (01.07)**
Suction Strainer Boxes, Specification for, **F986 (01.07)**
Strain gages
Ambient Temperature Fatigue Life of Metallic Bonded Resistance Strain Gages, Test Method for, **E1949 (03.01)**
Analysis of Strain Gage Rosette Data, Practice for, **E1561 (03.01)**
Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, Test Method for, **D5335 (04.08)**
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**
Strain gradient
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Strain-hardening exponents (*n*-values)
Tensile Strain-Hardening Exponents (n -Values) of Metallic Sheet Materials, Test Method for, **E646 (03.01)**
Strain relief (etching)
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Strain relief (shrinkage)
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Strain testing
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**
Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, Test Method for, **E2092 (14.02)**
Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, Test Method for, **C1291 (15.01)**
Evaluating Non-Contacting Optical Strain Measurement Systems, Guide for, **E2208 (03.01)**
Low-Temperature Torque of Grease-Lubricated Wheel Bearings, Test Method for, **D4693 (05.02)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Modulus of Rupture of Refractory Materials at Elevated Temperatures, Test Method for, **C583 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**
Rubber Property—Elongation at Specific Stress, Test Method for, **D1456 (09.01)**
Rubber Property—Extension Cycling Fatigue, Test Method for, **D4482 (09.01)**
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, Test Method for, **C1273 (15.01)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Strain testing—adhesives
Conducting Creep Tests of Metal-to-Metal Adhesives, Practice for, **D1780 (15.06)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Strain testing—electrical insulating materials
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Strain testing—geosynthetics
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**
Multi-Axial Tension Test for Geosynthetics, Test Method for, **D5617 (04.13)**
Strain testing—glass
Annealing Point and Strain Point of Glass by Beam Bending, Test Method for, **C598 (15.02)**
Annealing Point and Strain Point of Glass by Fiber Elongation, Test Method for, **C336 (15.02)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Strain testing—metallic materials
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Evaluating Non-Contacting Optical Strain Measurement Systems, Guide for, **E2208 (03.01)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, Practice for, **G129 (03.02)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Tensile Strain-Hardening Exponents (n -Values) of Metallic Sheet Materials, Test Method for, **E646 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**

Strain testing—plastics
Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, Test Method for, **D5365 (08.03)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**

Strain testing—soil/rock/related materials/applications
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**
Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**
Laboratory Determination of Strength Properties of Frozen Soil at a Constant Rate of Strain, Test Method for, **D7300 (04.09)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, Test Method for, **D5335 (04.08)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**

Strand
Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, Guide for, **E1471 (15.03)**

Stranded aluminum electrical conductors
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**

Stranded aluminum electrical conductors—specifications
Sa **Aluminum electrical conductors—specifications**
19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, Specification for, **B786/B786M (02.03)**
ACSR Twisted Pair Conductor (ACSR/TP), Specification for, **B911/B911M (02.03)**
Compact Round Concentric-Lay-Stranded Aluminum 1350 Conductors, Specification for, **B400/B400M (02.03)**
Compact Round Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/COMP), Specification for, **B401 (02.03)**
Compact Round Stranded Aluminum Conductors Using Single Input Wire Construction, Specification for, **B836 (02.03)**
Compressed Round Stranded Aluminum Conductors Using Single Input Wire Construction, Specification for, **B901 (02.03)**
Concentric-Lay-Stranded Aluminum 1350 Conductors, Specification for, **B231/B231M (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Alloy Reinforced (ACAR, 1350/6201), Specification for, **B524/B524M (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Clad Steel Reinforced for Use in Overhead Electrical Conductors, Specification for, **B549 (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Coated Steel Supported (ACSS), Specification for, **B856 (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR), Specification for, **B232/B232M (02.03)**
Concentric-Lay-Stranded Aluminum-Alloy 6201-T81 Conductors, Specification for, **B399/B399M (02.03)**
Concentric-Lay-Stranded Aluminum-Alloy Conductors, Steel Reinforced (AACSR) (6201), Specification for, **B711 (02.03)**
Concentric-Lay-Stranded Aluminum-Clad Steel Conductors, Specification for, **B416 (02.03)**
Concentric-Lay-Stranded Conductors of 8000 Series Aluminum Alloy for Subsequent Covering or Insulation, Specification for, **B801 (02.03)**
Concentric-Lay-Stranded Self-Damping Aluminum Conductors, Steel Reinforced (ACSR/SD), Specification for, **B701/B701M (02.03)**
Metallic Coated or Aluminum Clad Stranded Steel Core for Use in Overhead Electrical Conductors, Specification for, **B500/B500M (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors (AAC/TW), Specification for, **B778 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW), Specification for, **B779 (02.03)**

Stranded carbon steel wire rope
Stranded Carbon Steel Wire Ropes for General Purposes, Specification for, **A1023/A1023M (01.03)**

Stranded copper electrical conductors
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**

Stranded copper electrical conductors—specifications
Sa **Copper electrical conductors—specifications**
19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, Specification for, **B787/B787M (02.03)**
Bunch-Stranded Copper Conductors for Electrical Conductors, Specification for, **B174 (02.03)**
Compact Round Concentric-Lay-Stranded Copper Conductors, Specification for, **B496 (02.03)**
Compact Round Stranded Copper Conductors Using Single Input Wire Construction, Specification for, **B835 (02.03)**
Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, Specification for, **B902/B902M (02.03)**
Concentric-Lay-Stranded Copper and Copper-Clad Steel Composite Conductors, Specification for, **B229 (02.03)**
Concentric-Lay-Stranded Copper Conductors, Hard, Medium-Hard, or Soft, Specification for, **B8 (02.03)**
Concentric-Lay-Stranded Copper-Clad Steel Conductors, Specification for, **B228 (02.03)**
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**
Cored, Annular, Concentric-Lay-Stranded Copper Conductors, Specification for, **B226 (02.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fine-Wire Bunch-Stranded and Rope-Lay Bunch-Stranded Copper Conductors for Use as Electrical Conductors, Specification for, **B738 (02.03)**
Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, Specification for, **B784 (02.03)**
Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members, for Electrical Conductors, Specification for, **B172 (02.03)**
Rope-Lay-Stranded Copper Conductors Having Concentric-Stranded Members, for Electrical Conductors, Specification for, **B173 (02.03)**

Stranded electrical conductors
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**
Determination of Tensile Strength by Mass Method for Stranded Conductors Intended for use in Electronic Application, Test Method for, **B986 (02.03)**
Evaluation of Crimped Electrical Connections to 16-Gauge and Smaller Diameter Stranded and Solid Conductors, Test Method for, **B913 (02.04)**
Standard Metric Sizes of Electrical Conductors, Specification for, **B682 (02.03)**

Stranded oil
Describing Shoreline Response Techniques, Guide for, **F2204 (11.05)**

Strands
Polyolefin Chopped Strands for Use in Concrete, Specification for, **D7508/D7508M (07.02)**

Strand (tendons)
Sa **Steel wire strand—specifications**
Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, Specification for, **A882/A882M (01.04)**

Strap hanger (for ships)
Sa **Shipbuilding steel pipe materials—specifications**
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**

Strapping materials
Buckle Tear Strength of Leather, Test Method for, **D4831 (15.04)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Strapping, Flat Steel and Seals, Specification for, **D3953 (15.10)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**

Stratified liquids
Sampling With a Composite Liquid Waste Sampler (COLIWASA), Practice for, **D5495 (11.04)**

Stratified samples
See **Sampling waste materials/applications**

Stratigraphic correlation/description
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**

Stream analyzer data
Determining a Flow-Proportioned Average Property Value (FPAPV) for a Collected Batch of Process Stream Material Using Stream Analyzer Data, Practice for, **D6624 (05.03)**

Stream conditioning
Automatic Sampling of Petroleum and Petroleum Products, Practice for, **D4177 (05.02)**

Stream process analyzers
See **Process stream analysis**

Streams
Sa **Fresh water**
Indirect Measurements of Discharge by Step-Backwater Method, Test Method for, **D5388 (11.01)**
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Open Channel Flow Measurement of Water with the Parshall Flume, Test Method for, **D1941 (11.01)**
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Operation of a Gaging Station, Guide for, **D5674 (11.02)**

Strength
Sa **Bond strength**
Adhesion or Cohesion Strength of Thermal Spray Coatings, Test Method for, **C633 (02.05)**
Archery Bowstring Component—Serving String Material, Test Methods for, **F1648 (15.07)**
Asbestos Strength Units, Test Method for, **D3880/D3880M (04.05)**
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Carbon Black, Pelleted—Mass Strength, Test Method for, **D1937 (09.01)**
Cold Bonding Strength of Refractory Mortar, Test Method for, **C198 (15.01)**
Color and Strength of Color Pigments by Use of a Miniature Sandmill, Test Method for, **D3022 (06.01)**
Conducting Time-for-Rupture Notch Tension Tests of Materials, Test Methods for, **E292 (03.01)**
Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, Test Method for, **D2143 (08.03)**
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**
Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, Test Method for, **D1075 (04.03)**
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Node Tensile Strength of Honeycomb Core Materials, Test Method for, **C363/C363M (15.03)**
Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, Test Method for, **C1171 (15.01)**
Rubber Seals—Splice Strength, Specification for, **D2527 (09.02)**
Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, Test Method for, **D4179 (05.05)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Tensile Strength Characteristics of Oil Spill Response Boom, Test Methods for, **F1093 (11.05)**
Tension Testing of Metallic Foil, Test Methods of, **E345 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Transverse Rupture Strength of Cemented Carbides, Test Method for, **B406 (02.05)**

Strength—adhesives
Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), Test Method for, **D1002 (15.06)**
Cleavage Strength of Metal-to-Metal Adhesive Bonds, Test Method for, **D1062 (15.06)**
Determining Strength Development of Adhesive Bonds, Practice for, **D1144 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Joints, Test Method for, **D5041 (15.06)**
Multi-Modal Strength Testing of Autohesives (Contact Adhesives), Test Methods for, **D1995 (15.06)**
Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**
Strength Properties of Adhesive Bonds in Shear by Compression

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Loading, Test Method for, **D905 (15.06)**
Strength Properties of Adhesives in Plywood Type Construction in Shear by Tension Loading, Test Method for, **D906 (15.06)**
Strength Properties of Tissue Adhesives in Lap-Shear by Tension Loading, Test Method for, **F2255 (13.01)**
Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, Test Method for, **F2256 (13.01)**
Strength Properties of Tissue Adhesives in Tension, Test Method for, **F2258 (13.01)**
Tensile Properties of Adhesive Bonds, Test Method for, **D897 (15.06)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Strength—cement/concrete mixtures/applications
Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), Test Method for, **C109/C109M (04.01)**
Compressive Strength of Hydraulic-Cement Mortars, Test Method for, **C349 (04.01)**
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**
Effect of Organic Impurities in Fine Aggregate on Strength of Mortar, Test Method for, **C87/C87M (04.02)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Evaluation of Cement Strength Uniformity From a Single Source, Test Method for, **C917 (04.01)**
Flexural Strength of Hydraulic-Cement Mortars, Test Method for, **C348 (04.01)**
Making and Curing Concrete Test Specimens in the Laboratory, Practice for, **C192/C192M (04.02)**
Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, Test Method for, **C918/C918M (04.02)**
Penetration Resistance of Hardened Concrete, Test Method for, **C803/C803M (04.02)**
Pullout Strength of Hardened Concrete, Test Method for, **C900 (04.02)**
Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, Test Methods for, **C311/C311M (04.02)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Strength Imparted by Asbestos to a Cementitious Matrix, Test Method for, **D3752 (04.05)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**

Strength—ceramic materials/applications
Flexural Properties of Ceramic Whiteware Materials, Test Methods for, **C674 (15.02)**
Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature, Test Method for, **C1323 (15.01)**

Strength—construction materials/applications
Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, Test Method for, **D952 (08.01)**
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Evaluating Failure of Structural Sealant Glazing, Guide for, **C1392 (04.07)**
Pullout Resistance of Ties and Anchors Embedded in Masonry Mortar Joints, Test Method for, **E754 (04.11)**
Strength and Protective Coatings on Steel Industrial Fence Framework, Specification for, **F1043 (01.06)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Strength Properties of Prefabricated Architectural Acoustical Tile or Lay-In Ceiling Panels, Test Methods for, **C367/C367M (04.06)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Strength—electrical/alectronic materials/applications
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Strength—geosynthetics
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Grab Breaking Load and Elongation of Geotextiles, Test Method for, **D4632/D4632M (04.13)**
Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**
Trapezoid Tearing Strength of Geotextiles, Test Method for, **D4533 (04.13)**

Strength—hydrostatic
See **Hydrostatic testing—cement/concrete applications**

Strength—insulation applications
19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, Specification for, **B786/B786M (02.03)**
19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, Specification for, **B787/B787M (02.03)**
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Strength—leather
Buckle Tear Strength of Leather, Test Method for, **D4831 (15.04)**
Stitch Tear Strength of Leather, Double Hole, Test Method for, **D4705 (15.04)**
Tearing Strength, Tongue Tear of Leather, Test Method for, **D4704 (15.04)**

Strength—plastics
Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, Test Method for, **D952 (08.01)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**

Strength—roofing materials/applications
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**

Strength—shipping materials/applications
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**

Strength—soil
CBR (California Bearing Ratio) of Laboratory-Compacted Soils, Test Method for, **D1883 (04.08)**
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Laboratory Determination of Strength Properties of Frozen Soil at a Constant Rate of Strain, Test Method for, **D7300 (04.09)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, Practice for, **D4320/D4320M (04.08)**
Torsional Ring Shear Test to Determine Drained Fully Softened Shear Strength and Nonlinear Strength Envelope of Cohesive Soils (Using Normally Consolidated Specimen) for Slopes with No Preexisting Shear Surfaces, Test Method for, **D7608 (04.09)**

Strength—textiles
Resistance to Unsnapping of Snap Fasteners, Test Method for, **D4846 (07.02)**
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Strength—tinting
See **Tinting strength**
Strength—wood materials/applications
Bolted Connections in Wood and Wood-Based Products, Test Methods for, **D5652 (04.10)**
Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing, Practice for, **D6305 (04.10)**
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber, Test Method for, **D5664 (04.10)**
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Strength anisotropy
See **Anisotropy**
Strength equipment
Selectorized Strength Equipment, Specification for, **F2216 (15.07)**
Strength (of cement)
See **Strength—cement/concrete mixtures/applications**
Strength training equipment
Evaluating Design and Performance Characteristics of Selectorized Strength Equipment, Test Methods for, **F2277 (15.07)**
Strength values (wood)
Evaluating the Shear Strength of Adhesive Bonds in Laminated Wood Products at Elevated Temperatures, Test Method for, **D7247 (15.06)**
Streptoverticillium reticulum
Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, Test Method for, **E1428 (11.05)**
Evaluation of Hygienic Handwash and Handrub Formulations for Virus-Eliminating Activity Using the Entire Hand, Test Method for, **E2011 (11.05)**
Stress
Calibration of Surface/Stress Measuring Devices, Test Method for, **C1377 (15.02)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**
Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, Test Methods for, **C1181 (04.02)**
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**
Creep Relaxation of Laminated Composite Gasket Materials, Test Method for, **F1276 (09.02)**
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, Test Method for, **E2092 (14.02)**
Entrainment Separators for Use in Marine Piping Applications, Specification for, **F1006 (01.07)**
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Rubber Property—Elongation at Specific Stress, Test Method for, **D1456 (09.01)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Stress—adhesives
Conducting Creep Tests of Metal-to-Metal Adhesives, Practice for, **D1780 (15.06)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Multi-Modal Strength Testing of Autohesives (Contact Adhesives), Test Methods for, **D1995 (15.06)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Stress—aerospace materials
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate, Test Method for, **D3518/D3518M (15.03)**
Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, Test Method for, **F1362 (15.03)**
Stress Crazing of Acrylic Plastics in Contact with Liquid or Semi-Liquid Compounds, Test Method for, **F484 (15.03)**
Stress—building materials/applications
Establishing Allowable Stresses for Round Timber Piles, Practice for, **D2899 (04.10)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Stress—ceramics
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Stress—electronic components/devices
Analysis of Overtest Data in Radiation Testing of Electronic Parts, Guide for, **F1263 (10.04)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stress—environmental effects
Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, Guide for, **E2186 (11.06)**
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**
Environmental Stress Crack Resistance (ESCR) of Plastic Tight-head Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**

Stress—geosynthetics
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, Test Method for, **D5397 (04.13)**
Large Scale Hydrostatic Puncture Testing of Geosynthetics, Test Method for, **D5514/D5514M (04.13)**
Multi-Axial Tension Test for Geosynthetics, Test Method for, **D5617 (04.13)**

Stress—glass materials/applications
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Measurement of Glass Stress—Optical Coefficient, Test Method for, **C770 (15.02)**
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**

Stress—metallic materials
Ammonia Vapor Test for Determining Susceptibility to Stress Corrosion Cracking in Copper Alloys, Test Method for, **B858 (02.01)**
Analysis of Strain Gage Rosette Data, Practice for, **E1561 (03.01)**
Conducting Creep, Creep-Rupture, and Stress-Rupture Tests of Metallic Materials, Test Methods for, **E139 (03.01)**
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Determining Offset Yield Strength in Tension for Copper Alloys, Practice for, **B598 (02.01)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Determining the Effective Elastic Parameter for X-Ray Diffraction Measurements of Residual Stress, Test Method for, **E1426 (03.01)**
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Estimating the Approximate Residual Circumferential Stress in Straight Thin-walled Tubing, Practice for, **E1928 (03.01)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Fracture Toughness Testing of Aluminum Alloys, Practice for, **B646 (02.02)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, Test Method for, **B636 (02.05)**
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Tension Testing of Metallic Foil, Test Methods of, **E345 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**
Young's Modulus, Tangent Modulus, and Chord Modulus, Test Method for, **E111 (03.01)**

Stress—plastics
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**
Environmental Stress Crack Resistance (ESCR) of Plastic Tight-head Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Environmental Stress Crack Resistance (ESCR) of Threaded Plastic Closures, Test Method for, **D5419 (08.03)**
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, Test Method for, **D2837 (08.04)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials, Test Methods for, **D5045 (08.02)**
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**
Testing Polymeric Seal Materials for Geothermal or High Temperature Service, or both, Under Sealing Stress, Test Method for, **E1069 (12.02)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**

Stress—refractories
Modulus of Rupture of Refractory Materials at Elevated Temperatures, Test Method for, **C583 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, Test Method for, **C1171 (15.01)**

Stress—rock

Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**

Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**

Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, Test Method for, **D4555 (04.08)**

Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**

Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**

Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, Test Method for, **D4506 (04.08)**

Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**

In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**

In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**

Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, Test Method for, **D5607 (04.08)**

Stress—soil

Consolidated Undrained Direct Simple Shear Testing of Cohesive Soils, Test Method for, **D6528 (04.09)**

Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**

Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**

One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**

Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**

the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, Test Methods for, **D3999/D3999M (04.08)**

Unconfined Compressive Strength of Cohesive Soil, Test Method for, **D2166/D2166M (04.08)**

Stress—stress rupture

Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Stress—tapes

Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle and Constant Stress, Test Method for, **D2860/D2860M (15.10)**

Flexural Strength of Adhesive Bonded Laminated Assemblies, Test Method for, **D1184 (15.06)**

Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**

Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**

Stress corrosion

Ammonia Vapor Test for Determining Susceptibility to Stress Corrosion Cracking in Copper Alloys, Test Method for, **B858 (02.01)**

Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**

Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**

Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), Specification for, **B857 (02.03)**

Stress corrosion cracking (SCC)

Sa **Corrosion**

Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**

Determining Cracking Susceptibility of Metals Exposed Under Stress to a Hot Salt Environment, Practice for, **G41 (03.02)**

Determining Stress-Corrosion Cracking Resistance of Heat-Treatable Aluminum Alloy Products Using Breaking Load Method, Test Method for, **G139 (03.02)**

Determining Susceptibility to Stress-Corrosion Cracking of 2XXX and 7XXX Aluminum Alloy Products, Test Method for, **G47 (03.02)**

Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**

Determining Whether Gas-Leak-Detector Fluid Solutions Can Cause Stress Corrosion Cracking of Brass Alloys, Test Method for, **G186 (03.02)**

Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, Test Method for, **G108 (03.02)**

Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, Test Method for, **G123 (03.02)**

Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, Practice for, **G36 (03.02)**

Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, Test Method for, **C692 (04.06)**

Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, Practice for, **G44 (03.02)**

Leak Detector Solutions Intended for Use on Brasses and Other Copper Alloys, Specification for, **G188 (03.02)**

Making and Using C-Ring Stress-Corrosion Test Specimens, Practice for, **G38 (03.02)**

Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**

Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**

Preparation and Use of Bent-Beam Stress-Corrosion Test Specimens, Practice for, **G39 (03.02)**

Preparation and Use of Direct Tension Stress-Corrosion Test Specimens, Practice for, **G49 (03.02)**

Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**

Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, Classification of, **G64 (03.02)**

Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, Test Method for, **F945 (15.03)**

Use of Mattson's Solution of pH 7.2 to Evaluate the Stress-Corrosion Cracking Susceptibility of Copper-Zinc Alloys, Practice for, **G37 (03.02)**

Stress corrosion test specimens

Making and Using Precracked Double Beam Stress Corrosion Specimens, Practice for, **G168 (03.02)**

Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**

Stress cracking tests

Crosslinked Polyethylene (PEX) Tubing, Specification for, **F876 (08.04)**

Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**

Determining Residual Stresses in Extruded or Molded Sulfone Plastic (SP) Parts by Immersion in Various Chemical Reagents, Practice for, **D7474 (08.03)**

Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**

Environmental Stress Crack Resistance (ESCR) of Plastic Tight-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

head Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, Test Method for, **D1975 (15.10)**
Environmental Stress-Cracking of Ethylene Plastics, Test Method for, **D1693 (08.01)**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, Test Method for, **D5397 (04.13)**
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Measurement of Glass Stress—Optical Coefficient, Test Method for, **C770 (15.02)**
Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, Test Method for, **B636 (02.05)**
Measuring Optical Retardation and Analyzing Stress in Glass, Test Method for, **F218 (15.02)**
Mercurous Nitrate Test for Copper Alloys, Test Method for, **B154 (02.01)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**
Strength of Glass by Flexure (Determination of Modulus of Rupture), Test Methods for, **C158 (15.02)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**

Stress crazing
Sa **Crazing**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**

Stress decay
Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2731 (07.01)**

Stress-dependency
Defining Boundary Conditions in Groundwater Flow Modeling, Guide for, **D5609 (04.08)**

Stressed adhesive joints
Durability Assessment of Adhesive Joints Stressed in Peel, Test Method for, **D2918 (15.06)**

Stress grading—lumber
Sa **Wood products**
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**

Stress grading—timber
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**

Stress relaxation tests
Evaluating Connectability Characteristics of Electrical Conductor Materials, Test Methods for, **B896 (02.04)**
Measuring the Time Dependent Modulus of Sealants Using Stress Relaxation, Test Method for, **C1735 (04.07)**
Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), Test Methods for, **D1646 (09.01)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Vulcanized Rubber and Thermoplastic Elastomer—Determination of Force Decay (Stress Relaxation) in Compression, Test Method for, **D6147 (09.01)**

Stress relief
Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, Guide for, **B850 (02.05)**
Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, Specification for, **B849 (02.05)**

Stress-relieved steel bars
Sa **Alloy steel bars—specifications**
Cold-Drawn, Stress-Relieved Carbon Steel Bars Subject to Mechanical Property Requirements, Specification for, **A311/A311M (01.05)**

Stress-relieved steel strand (for prestressed concrete)
See **Steel wire (prestressed concrete)**

Stress-relieved steel wire
Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, Specification for, **A881/A881M (01.04)**
Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, Specification for, **A421/A421M (01.04)**

Stress retention
Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**

Stress rupture
Conducting Creep, Creep-Rupture, and Stress-Rupture Tests of Metallic Materials, Test Methods for, **E139 (03.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, Test Method for, **C1576 (15.01)**

Stress-strain characteristics
Consolidated Drained Triaxial Compression Test for Soils, Test Method for, **D7181 (04.09)**

Stress-strain testing
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**
Determination of Green Strength and Stress Relaxation of Raw Rubber or Unvulcanized Compounds, Test Method for, **D6746 (09.01)**
Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, Practice for, **E739 (03.01)**
Young's Modulus, Tangent Modulus, and Chord Modulus, Test Method for, **E111 (03.01)**

Stress versus cycles/time to failure
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**

Stress wave factor
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**

Stretch
Archery Bow ComponentCord Material, Test Method for, **F1752 (15.07)**

Stretch at rupture
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stretching void index (SVI)
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Stretch properties
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**
Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, Test Method for, **F1306 (15.10)**
Stretch Properties of Fabrics Woven from Stretch Yarns, Test Methods for, **D3107 (07.01)**
Stretch Properties of Knitted Fabrics Having Low Power, Test Method for, **D2594 (07.01)**
Stretch Properties of Textile Fabrics – CRE Method, Test Method for, **D6614 (07.02)**
Stretch wrap films/materials
Evaluating Abrasion Resistance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5416 (15.10)**
Evaluating Load Containment Performance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5415 (15.10)**
Evaluation of Horizontal Impact Performance of Load Unitizing Stretch Wrap Films, Test Method for, **D5414 (15.10)**
Evaluation of Mechanical Handling of Unitized Loads Secured with Stretch Wrap Films, Test Method for, **D5331 (15.10)**
Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**
Peel Cling of Stretch Wrap Film, Test Method for, **D5458 (15.10)**
Protrusion Puncture Resistance of Stretch Wrap Film, Test Method for, **D5748 (15.10)**
Rotary Stretch Wrapper Method for Determining the Readability of Passive RFID Transponders on Homogenous Palletized or Unitized Loads, Test Method for, **D7580/D7580M (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Stretch yarns
Evaluation of Recoverable Stretch of Stretch Yarns (Skein Method), Test Method for, **D6720 (07.02)**
Stretch Properties of Fabrics Woven from Stretch Yarns, Test Methods for, **D3107 (07.01)**
Striker impact test
Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), Test Method for, **D5420 (08.03)**
Striker plate
Construction of Sounding Tube and Striker Plate for Tank Sounding, Guide for, **F1386 (01.07)**
Strike team
Training for Land Search and Rescue Strike Team/Task Force Leader, Guide for, **F3024 (13.02)**
Stringer
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
String hole
Center Serving Diameter Dimensions for Archery Bow Strings, Guide for, **F1436 (15.07)**
Strip
Lock-Strip Gaskets, Specification for, **C542 (04.07)**
Strip chart recorder
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Strip (copper)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Strip force test
Breaking Force and Elongation of Textile Fabrics (Strip Method), Test Method for, **D5035 (07.02)**
Strip (narrow width/light gage)
Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
Stripping
Peel or Stripping Strength of Adhesive Bonds, Test Method for, **D903 (15.06)**
Removing Volatile Contaminants from Used Engine Oils by Stripping, Test Method for, **D3607 (05.01)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Stripping solution
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Stripping test (90°)
Rubber Property—Adhesion to Rigid Substrates, Test Methods for, **D429 (09.01)**
Strip seals
Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, Test Method for, **E1399/E1399M (04.11)**
Preformed Architectural Strip Seals for Buildings and Parking Structures, Specification for, **E1783/E1783M (04.11)**
Strip steel flash butt welds
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Strip tensile properties—specifications
Strip Tensile Properties of Reinforced Geomembranes, Test Method for, **D7003/D7003M (04.13)**
Strip test
Breaking Force and Elongation of Textile Fabrics (Strip Method), Test Method for, **D5035 (07.02)**
Corrosiveness to Copper from Petroleum Products by Copper Strip Test, Test Method for, **D130 (05.01)**
Stroke cure time
Determining Stroke Cure Time of Thermosetting Phenol-Formaldehyde Resins, Test Method for, **D4640 (06.03)**
Stroke curve
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Strollers
Carriages and Strollers, Consumer Safety Performance Specification for, **F833 (15.11)**
Strong acid number
See **Acid number—petroleum products**
Strong acid removal
Operating Performance of Anion-Exchange Materials for Strong Acid Removal, Test Method for, **D3087 (11.02)**
Strong base number
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Strong metal cyanide complex
Understanding Cyanide Species, Guide for, **D6696 (11.02)**
Strongylocentrotus droebachiensis
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Strongylocentrotus purpuratus
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Strontium
Rapid Screening of Vegetation for Radioactive Strontium Aerial Deposition, Guide for, **D7362 (11.02)**
Strontium-90
Radiochemical Determination of Strontium-90 in Soil, Test Method for, **C1507 (12.01)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**
Strontium chromate pigment
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Strontium Chromate Pigment, Specification for, **D1649 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Strontium content
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Strontium content—water
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Strontium in Water, Test Method for, **D3920 (11.01)**
Strontium Ion in Brackish Water, Seawater, and Brines, Test Method for, **D3352 (11.02)**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**
Strontium oxide content
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Strontium sulfate ($SrSO_4$)
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, Practice for, **D4328 (11.02)**
Structural adhesives
Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, Test Method for, **D3632 (15.06)**
Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), Test Method for, **D1002 (15.06)**
Conducting Creep Tests of Metal-to-Metal Adhesives, Practice for, **D1780 (15.06)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications, Test Method for, **C1265 (04.07)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), Guide for, **D3933 (15.06)**
Qualitative Determination of Adhesion of Adhesives to Substrates by Spot Adhesion, Test Method for, **D3808 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies, Test Method for, **D3165 (15.06)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**
Structural adhesives—specifications
Sa **Adhesives—specifications**
Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Structural Insulated Panel (SIP) Adhesives for Laminating Oriented Strand Board (OSB) to Rigid Cellular Polystryene Thermal Insulation Core Materials, Specification for, **D7446 (15.06)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**
Structural aluminum—specifications
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Structural analysis/applications
Sa **Clay products (structural)—brick (specifications)**
Alumina and Alumina-Silicate Castable Refractories, Classification of, **C401 (15.01)**
Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, Test Method for, **D3238 (05.01)**
Characterization of Inorganic Process Wastes for Use as Structural Fill, Guide for, **E850 (11.04)**
Determining Neutron Exposures for Nuclear Reactor, Practice for, **E1035 (12.02)**
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Evaluating Material Property Characteristic Values for Polymeric Composites for Civil Engineering Structural Applications, Practice for, **D7290 (15.03)**
Full-Size Baby Cribs, Consumer Safety Specification for, **F1169 (15.11)**
Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, Practice for, **C1131 (04.05)**
Measuring and Reporting Probe Tip Shape in Scanning Probe Microscopy, Practice for, **E1813 (03.06)**
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Radioscopy, Guide for, **E1000 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Strength Properties of Prefabricated Architectural Acoustical Tile or Lay-In Ceiling Panels, Test Methods for, **C367/C367M (04.06)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy, Test Method for, **D6480 (11.07)**
Structural analysis/applications—metals/alloys
See **Structural metals/alloys—specifications**
Structural analysis/applications—paper materials/applications
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Structural analysis/applications—steel
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Evaluating the Microstructure of Graphite in Iron Castings, Test Method for, **A247 (01.02)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**
Structural backfill
Sa **Backfill—testing**
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, Practice for, **A807/A807M (01.06)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A798/A798M (01.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Structural building materials/applications
Compressive Strength of Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E761 (04.11)**
Conducting Flexural Tests on Beams and Girders for Building Construction, Guide for, **E529 (04.11)**
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**
Corrosion of Steel by Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Method for, **E937 (04.11)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Determining Strength Capacities of Structural Insulated Panels, Test Methods for, **E1803 (04.11)**
Effect of Deflection on Sprayed Fire-Resistive Material Applied to Structural Members, Test Method for, **E759 (04.11)**
Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, Test Method for, **C1519 (04.07)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**
Fire Tests of Penetration Firestop Systems, Test Method for, **E814 (04.07)**
Gravity Load Testing of Floors and Low Slope Roofs, Practice for, **E196 (04.11)**
Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures, Practice for, **C890 (04.05)**
Minimum Structural Design Loading for Underground Precast Concrete Utility Structures, Practice for, **C857 (04.05)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Remedying Structural Silicone Glazing, Guide for, **C1487 (04.07)**
Reporting Data from Structural Tests of Building Constructions, Elements, Connections, and Assemblies, Practice for, **E575 (04.11)**
Serviceability of an Office Facility for Manageability, Classification for, **E1701 (04.11)**
Serviceability of an Office Facility for Structure and Building Envelope, Classification for, **E1700 (04.11)**
Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, Test Method for, **E455 (04.11)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Structural Clay Load-Bearing Wall Tile, Specification for, **C34 (04.05)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Methods for, **E605 (04.11)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy, Test Method for, **D6480 (11.07)**

Structural building materials/applications—specifications
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, Specification for, **F959 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), Specification for, **F959M (01.08)**
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Hydrated Hydraulic Lime for Structural Purposes, Specification for, **C141/C141M (04.01)**
Lime Putty for Structural Purposes, Specification for, **C1489 (04.01)**
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Metal Injection Molding (MIM) Ferrous Materials, Specification for, **B883 (02.05)**
Microindentation Hardness of Powder Metallurgy (PM) Materials, Test Method for, **B933 (02.05)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**
Quicklime for Structural Purposes, Specification for, **C5 (04.01)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Secondary Edge Sealants for Structurally Glazed Insulating Glass Units, Specification for, **C1369 (04.07)**
Steam Treatment of Ferrous Powder Metallurgy (PM) Materials, Guide for, **B935 (02.05)**
Structural Paste Adhesive for Sandwich Panel Repair, Specification for, **E1555 (04.11)**
Structural Silicone Sealants, Specification for, **C1184 (04.07)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Structural building materials/applications (wood)
Sa **Wood products**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, Practice for, **D5266 (15.06)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Shear Modulus of Wood-Based Structural Panels, Test Method for, **D3044 (04.10)**
Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Panels in Planar Shear (Rolling Shear), Test Methods for, **D2718 (04.10)**
Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, Practice for, **D5124 (04.10)**
Toughness of Wood-Based Structural Panels, Test Method for, **D3499 (04.10)**
Wood-Based Structural Panels in Compression, Test Methods for, **D3501 (04.10)**

Structural building materials/applications (wood)—specifications
Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design, Specification for, **D5457 (04.10)**
Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, Specification for, **D5055 (04.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Structural composite lumber (SCL)—specifications
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**
Structural concrete
Determining Density of Structural Lightweight Concrete, Test Method for, **C567/C567M (04.02)**
Examination and Sampling of Hardened, Practice for, **C823/C823M (04.02)**
Sampling and Testing Structural Cementitious Panels, Test Method for, **C1704/C1704M (04.05)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Structural Cementitious Panels, Specification for, **C1705/C1705M (04.05)**
Temperature of Freshly Mixed Hydraulic-Cement Concrete, Test Method for, **C1064/C1064M (04.02)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Structural concrete—specifications
Concrete Roof Pavers, Specification for, **C1491 (04.05)**
Concrete Roof Tile, Specification for, **C1492 (04.05)**
General Requirements for Prestressed Concrete Poles Statically Cast, Specification for, **C935 (04.05)**
Lightweight Aggregates for Structural Concrete, Specification for, **C330/C330M (04.02)**
Structural deck
Sa **Decks**
Low Slope Insulated Roof Membrane Assembly Performance, Guide for, **D6630 (04.04)**
Structural design/engineering
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**
Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, Test Method for, **C1331 (15.01)**
Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **B790/B790M (02.02)**
Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, Practice for, **F2787 (08.04)**
Structural fasteners
Sa **Fasteners (metal)**
Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, Specification for, **F959 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), Specification for, **F959M (01.08)**
Structural geomembrane applications
Mechanical Attachment of Geomembrane to Penetrations or Structures, Guide for, **D6497 (04.13)**
Structural insulation
Shock Testing of Structural Insulation of A-Class Divisions Constructed of Steel or Aluminum, Test Method for, **F2877/F2877M (01.07)**
Structural integrity
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**
Structural land fill
Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, Practice for, **E1266 (11.04)**
Structural lime—specifications
Sa **Hydrated lime—specifications**
Hydrated Hydraulic Lime for Structural Purposes, Specification for, **C141/C141M (04.01)**
Quicklime for Structural Purposes, Specification for, **C5 (04.01)**
Structural materials
Radial Crushing Strength, *K*, of Powder Metallurgy (PM) Bearings and Structural Materials, Test Method for, **B939 (02.05)**
Structural medical applications
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**
Structural metals/alloys
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Determining Average Grain Size, Test Methods for, **E112 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), Test Methods for, **E930 (03.01)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Microindentation Hardness of Powder Metallurgy (PM) Materials, Test Method for, **B933 (02.05)**
Preparation of Metallographic Specimens, Guide for, **E3 (03.01)**
Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**
X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**
Young's Modulus, Tangent Modulus, and Chord Modulus, Test Method for, **E111 (03.01)**
Structural metals/alloys—specifications
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Materials for Copper Base Powder Metallurgy (PM) Structural Parts, Specification for, **B823 (02.05)**
Materials for Ferrous Powder Metallurgy (PM) Structural Parts, Specification for, **B783 (02.05)**
Metal Injection Molding (MIM) Ferrous Materials, Specification for, **B883 (02.05)**
Powder Forged (PF) Ferrous Materials, Specification for, **B848 (02.05)**
Powder Metallurgy (PM) Boron Stainless Steel Structural Components, Specification for, **B853 (02.05)**
Steam Treatment of Ferrous Powder Metallurgy (PM) Materials, Guide for, **B935 (02.05)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

Structural performance (of building materials)
Sa **Performance—building materials/applications**
Structural Performance of Thermal Barriers in Fenestration Products, Test Method for, **E2692 (04.12)**

Structural plastics
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**
Determination of Structural Features in Polyolefins and Polyolefin Copolymers by Infrared Spectrophotometry (FT-IR), Practice for, **D5576 (08.03)**
Determining Chemical Resistance of Thermosetting Resins Used in Glass-Fiber-Reinforced Structures Intended for Liquid Service, Practice for, **C581 (08.03)**
Diffuse Light Transmission Factor of Reinforced Plastics Panels, Test Method for, **D1494 (08.03)**
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Material Properties Needed in Engineering Design Using Plastics, Guide for, **D5592 (08.03)**

Structural plastics—specifications
Contact-Molded Reinforced Thermosetting Plastic (RTP) Laminates for Corrosion-Resistant Equipment, Specification for, **C582 (08.03)**
Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, Specification for, **D5319 (08.03)**

Structural return loss
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**

Structural rivets
See **Rivets**

Structural rock
Sa **Rock materials/properties/analysis**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Determining In Situ Creep Characteristics of Rock, Test Method for, **D4553 (04.08)**
Evaluation of Rock to be Used for Erosion Control, Practice for, **D4992 (04.08)**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**

Structural roof decks
Sa **Roofing materials/applications—specifications**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**

Structural sandwich constructions
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Bond Integrity of Transparent Laminates, Test Methods for, **F521 (15.03)**
Density of Sandwich Core Materials, Test Method for, **C271/C271M (15.03)**
Flatwise Tensile Strength of Sandwich Constructions, Test Method for, **C297/C297M (15.03)**
Selection of Test Methods for Interlayer Materials for Aerospace Transparent Enclosures, Guide for, **F942 (15.03)**
Structural Sandwich Constructions, Terminology of, **C274 (15.03)**
Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, Practice for, **E1307 (04.11)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**
Water Absorption of Core Materials for Sandwich Constructions, Test Method for, **C272/C272M (15.03)**

Structural sandwich constructions—specifications
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, Specification for, **E1556 (04.11)**
Nonmetallic Honeycomb Core for Use in Shelter Panels, Specification for, **E1091 (04.11)**
Structural Film Adhesives for Honeycomb Sandwich Panels, Specification for, **E865 (04.11)**

Structural sealants
Sa **Caulking compounds and sealants**
Sa **SSG (structural sealant glazing)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Determining Tensile Adhesion Properties of Structural Sealants, Test Method for, **C1135 (04.07)**

Structural shipbuilding materials/applications
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, Specification for, **F1068 (01.07)**
Doors, Non-Tight, for Marine Use, Specification for, **F1070 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**
Expanded-Metal Bulkhead Panels, Specification for, **F1071 (01.07)**
Expanded-Metal Doors, Specification for, **F1072 (01.07)**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Selection of Structural Details for Ship Construction, Guide for, **F1455 (01.07)**
Shock Testing of Structural Insulation of A-Class Divisions Constructed of Steel or Aluminum, Test Method for, **F2877/F2877M (01.07)**
Structural Steel for Ships, Specification for, **A131/A131M (01.04)**
Wildcats, Ship Anchor Chain, Specification for, **F765 (01.07)**

Structural sintered metal powder
See **Sintered metal powder parts—structural**

Structural soil applications
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, Practice for, **D1587 (04.08)**
X-Ray Radiography of Soil Samples, Practice for, **D4452 (04.08)**

Strucutural steel rivets—specifications
Rivets, Steel, Structural, Specification for, **A502 (01.08)**

Structural steel (SS)
Sa **Bridge/structural materials**
Sa **Generator materials**
Sa **Pressure vessel steel**
Sa **Shipbuilding steel materials—specifications**
Sa **Structural steel (SS) bars—specifications**
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Conducting Flexural Tests on Beams and Girders for Building Construction, Guide for, **E529 (04.11)**
Corrosion of Steel by Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Method for, **E937 (04.11)**
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Fire Tests of Building Construction and Materials, Test Methods for, **E119 (04.07)**
Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Static Load Testing of Truss Assemblies, Practice for, **E73 (04.11)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1083/A1083M (01.03)**
Structural Steel with Improved Yield Strength at High Temperature for Use in Buildings, Specification for, **A1077/A1077M (01.04)**
Structural Steel with Low Yield to Tensile Ratio for Use in Buildings, Specification for, **A1043/A1043M (01.04)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Structural steel (SS)—specifications
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), Specification for, **A913/A913M (01.04)**
Sampling Procedure for Impact Testing of Structural Steel, Specification for, **A673/A673M (01.04)**
Structural Standing Seam Steel Roof Panel Systems, Specification for, **E1514 (04.11)**

Structural steel (SS) bars—specifications
Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**
Carbon and Alloy Steel Bars Subject to End-Quench Hardenability Requirements, Specification for, **A304 (01.05)**
Cold-Drawn, Stress-Relieved Carbon Steel Bars Subject to Mechanical Property Requirements, Specification for, **A311/A311M (01.05)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, Specification for, **A588/A588M (01.04)**
Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**
Steel Bars, Alloy, Standard Grades, Specification for, **A322 (01.05)**
Steel Bars, Carbon, Hot-Wrought, Special Quality, Specification for, **A576 (01.05)**
Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties, Specification for, **A675/A675M (01.05)**
Steel Bars, Carbon, Merchant Quality, M-Grades, Specification for, **A575 (01.05)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**
Structural Steel for Ships, Specification for, **A131/A131M (01.04)**

Structural steel (SS) bolting materials—specifications
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **F1852 (01.08)**
Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength, Specification for, **A307 (01.08)**
High-Strength Steel Bolts, Classes 10.9 and 10.9.3, for Structural Steel Joints (Metric), Specification for, **A490M (01.08)**
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**
Structural Bolts, Alloy Steel, Heat Treated, 150 ksi Minimum Tensile Strength, Specification for, **A490 (01.08)**
Structural Bolts, Steel, Heat Treated 830 MPa Minimum Tensile Strength (Metric), Specification for, **A325M (01.08)**
Structural Bolts, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **A325 (01.08)**

Structural steel (SS) castings—specifications
Sa **Alloy steel castings—specifications**
Sa **Austenitic stainless steel castings—specifications**
Sa **Carbon steel castings—specifications**
Sa **Steel castings—specifications**
Steel Castings, Chromium-Nickel-Iron Alloy (25-12 Class), for High-Temperature Service, Specification for, **A447/A447M (01.02)**
Steel Castings, High Strength, for Structural Purposes, Specification for, **A148/A148M (01.02)**

Structural steel (SS) forgings—specifications
Superstrength Alloy Steel Forgings, Specification for, **A579/A579M (01.05)**

Structural steel (SS) piles
Deep Foundations Under Lateral Load, Test Methods for, **D3966/D3966M (04.08)**
Deep Foundations Under Static Axial Compressive Load, Test Methods for, **D1143/D1143M (04.08)**
Deep Foundations Under Static Axial Tensile Load, Test Methods for, **D3689/D3689M (04.08)**
Establishing Allowable Stresses for Round Timber Piles, Practice for, **D2899 (04.10)**
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**

Structural steel (SS) piles—specifications
Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, Specification for, **A950/A950M (01.04)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, Specification for, **A690/A690M (01.04)**
Round Timber Piles, Specification for, **D25 (04.10)**
Steel Sheet Piling, Specification for, **A328/A328M (01.04)**
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**

Structural steel (SS) pipe

Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**

Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**

Structural steel (SS) pipe—specifications

Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains, Specification for, **A760/A760M (01.06)**

Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**

Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, Practice for, **A807/A807M (01.06)**

Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**

Structural steel (SS) plate

Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**

High-Strength Low-Alloy Structural Steel Plate Produced by Thermo-Mechanical Controlled Process (TMCP), Specification for, **A1066/A1066M (01.04)**

Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, Practice for, **A807/A807M (01.06)**

Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**

Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**

Structural steel (SS) plate—specifications

Alloy Structural Steel Plates, Specification for, **A829/A829M (01.04)**

Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**

Carbon Structural Steel, Specification for, **A36/A36M (01.04)**

Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field, Specification for, **A979/A979M (01.06)**

Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**

General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**

High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**

High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**

High-Strength Low-Alloy Structural Steel Plate With Atmospheric Corrosion Resistance, Specification for, **A871/A871M (01.04)**

High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**

High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**

Higher-Strength Martensitic Stainless Steel Plate, Sheet, and Strip, Specification for, **A1010/A1010M (01.03)**

Hot-Rolled Carbon, Low-Alloy, High-Strength Low-Alloy, and Alloy Steel Floor Plates, Specification for, **A786/A786M (01.04)**

Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, Specification for, **A656/A656M (01.04)**

Low and Intermediate Tensile Strength Carbon Steel Plates, Specification for, **A283/A283M (01.04)**

Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**

Plates, Carbon Steel, Structural Quality, Furnished to Chemical Composition Requirements, Specification for, **A830/A830M (01.04)**

Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, Specification for, **A849 (01.06)**

Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, Specification for, **A710/A710M (01.04)**

Steel Plates for Pressure Vessels, Produced by Thermo-Mechanical Control Process (TMCP), Specification for, **A841/A841M (01.04)**

Structural Carbon Steel Plates of Improved Toughness, Specification for, **A573/A573M (01.04)**

Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

Structural Steel for Ships, Specification for, **A131/A131M (01.04)**

Structural steel (SS) shapes—specifications

Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**

Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**

Carbon Structural Steel, Specification for, **A36/A36M (01.04)**

General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**

High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**

High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), Specification for, **A913/A913M (01.04)**

High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**

Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**

Straight Beam Ultrasonic Examination of Rolled Steel Structural Shapes, Specification for, **A898/A898M (01.04)**

Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

Structural Steel for Ships, Specification for, **A131/A131M (01.04)**

Structural Steel Shapes, Specification for, **A992/A992M (01.04)**

Structural steel (SS) sheet/strip—specifications

Alloy and Structural Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, Specification for, **A506 (01.03)**

Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, Specification for, **A666 (01.03)**

General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

Seamless and Welded Austenitic Stainless Steel Tubing (Small-Diameter) for General Service, Specification for, **A632 (01.01)**

Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, Specification for, **A755/A755M (01.06)**

Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for, Specification for, **A635/A635M (01.03)**

Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1011/A1011M (01.03)**

Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, Specifica-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tion for, **A1008/A1008M (01.03)**
Structural steel (SS) tube
Cold Formed Carbon Structural Steel Tubing Made from Metallic Precoated Sheet Steel, Specification for, **A1076/A1076M (01.01)**
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, Practice for, **E426 (03.03)**
Structural steel (SS) tube—specifications
Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes, Specification for, **A500/A500M (01.01)**
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Hot-Formed Welded and Seamless Carbon Steel Structural Tubing, Specification for, **A501 (01.01)**
Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing, Specification for, **A618/A618M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, Specification for, **A789/A789M (01.01)**
Steel Tubes, Low-Carbon or High-Strength Low-Alloy, Tapered for Structural Use, Specification for, **A595/A595M (01.01)**
Structural steel (SS) wire
See **Steel wire**
Structural strand
See **Steel wire strand—specifications**
Structural tanks
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Structural thermal insulation applications
Sa **Thermal insulating materials**
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Structural thermal insulation applications—specifications
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**
Structural-use panels
Establishing Design Capacities for Oriented Strand Board (OSB) Wood-Based Structural-Use Panels, Practice for, **D7033 (04.10)**
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**
Structural wood panels
Structural Panels in Tension, Test Methods for, **D3500 (04.10)**
Structure (computer applications)
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Structure-mounted insulating work platforms
Structure-Mounted Insulating Work Platforms for Electrical Workers, Specification for, **F1564 (10.03)**
Structures
Doubler Plate Repairs for Non-Classed Ship Structures, Guide for, **F2991 (01.07)**
Stucco
Application of Portland Cement-Based Plaster, Specification for, **C926 (04.01)**
Lime Putty for Structural Purposes, Specification for, **C1489 (04.01)**
Plastic (Stucco) Cement, Specification for, **C1328/C1328M (04.01)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Student
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Studs—gypsum board applications
Sa **Gypsum products**
Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, Specification for, **C1007 (04.01)**
Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products, Specification for, **C754 (04.01)**
Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, Specification for, **C955 (04.01)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Studs (materials/applications)
Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, Practice for, **F1179 (01.07)**
Selecting Bolting Lengths for Piping System Flanged Joints, Practice for, **F704 (01.07)**
Studs (materials/applications)—specifications
Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength, Specification for, **A307 (01.08)**
Hex Cap Screws, Bolts and Studs, Steel, Heat Treated, 120/105/90 ksi Minimum Tensile Strength, General Use, Specification for, **A449 (01.08)**
Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, Specification for, **C1007 (04.01)**
Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products, Specification for, **C754 (04.01)**
Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, Specification for, **C955 (04.01)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners, Specification for, **A354 (01.08)**
Stainless Steel and Nickel Alloy Bolts, Hex Cap Screws, and Studs, for Heat Resistance and High Temperature Applications, Specification for, **F2281 (01.08)**
Stainless Steel Bolts, Hex Cap Screws, and Studs, Specification for, **F593 (01.08)**
Stainless Steel Metric Bolts, Screws, and Studs, Specification for, **F738M (01.08)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**
Stuffing compounds
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5557 (15.04)**
Determination of the Cloud Point of Oil, Test Method for, **D5551 (15.04)**
Stuffing tubes
Stuffing Tubes, Nylon, and Packing Assemblies (Metric), Specification for, **F1836M (01.07)**
Stumbles
Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Style 1 stainless steel metric nuts
Style 1 Stainless Steel Metric Nuts (Metric), Specification for, **F836M (01.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Stylus drag coefficient
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**

Styrene
Acrylonitrile–Styrene–Acrylate (ASA) and Acrylonitrile–EPDM–Styrene (AES) Plastics and Alloys Molding and Extrusion Materials, Classification System and Basis for Specifications for, **D6865 (08.03)**
Analysis of Styrene by Capillary Gas Chromatography, Test Method for, **D5135 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Colorimetric Determination of, Test Method for, **D4590 (06.04)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Rubber—Determination of Bound Styrene in Styrene Butadiene Rubber by Refractive Index, Test Method for, **D5775 (09.01)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**

Styrene—monomer
Aldehydes in Styrene Monomer, Test Method for, **D2119 (06.04)**
Peroxides in Styrene Monomer, Test Method for, **D2340 (06.04)**
Polymer Content of Styrene Monomer and AMS (α–Methylstyrene), Test Methods for, **D2121 (06.04)**
Styrene Monomer, Specification for, **D2827 (06.04)**
Total Aldehydes in Styrene Monomer by Potentiometric Titration, Test Method for, **D7704 (06.04)**

Styrene-acrylnitrile (SAN) materials
Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), Test Method for, **D5508 (08.03)**
Styrene-Acrylonitrile (SAN) Injection and Extrusion Materials, Specification for and Basis for Specifications for, **D4203 (08.02)**

Styrene-based polymers
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**

Styrene-butadiene coatings systems
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Water Content of Coatings by Direct Injection Into a Gas Chromatograph, Test Method for, **D3792 (06.01)**

Styrene-butadiene rubber (SBR)
See **SBR (styrene-butadiene rubber)**

Styrene-butadiene-rubber (SBR)
See **SBR (styrene-butadiene rubber)**

Styrene-butadiene (SB)
Sa **Acrylonitrile-butadiene-styrene (ABS)**
Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets, Practice for, **D4703 (08.02)**

Styrene-butadiene-styrene (SBS)
Cyclic Thermal Shock of SBS-Modified Bituminous Roofing Sheets with Factory-Applied Metal Surface, Test Method for, **D7051 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6162 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6163 (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6164/D6164M (04.04)**

Styrene-butadiene-styrene (SBS) sheet
Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, Specification for, **D6298 (04.04)**

Styrene content
Butadiene Dimer and Styrene in Butadiene Concentrates by Gas Chromatography, Test Method for, **D2426 (05.01)**
Citrate in Detergents, Test Method for, **D4608 (15.04)**
Rubber Latex—Styrene-Butadiene Copolymer—Determination of Residual Styrene, Test Method for, **D4026 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**

Styrenedivinylbenzene
On-Line Measurement of Turbidity Below 5 NTU in Water, Test Method for, **D6698 (11.01)**

Styrene (inhibitor/TBC content)
Colorimetric Determination of, Test Method for, **D4590 (06.04)**

Styrene-maleic anhydride (SMA) plastics
Acid Number of Styrene-Maleic Anhydride Resins, Test Method for, **D3644 (15.04)**
Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), Classification System and Basis for Specification for, **D4634 (08.02)**

Styrene-rubber (SR) plastic pipe/tubing/fittings
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Solvent Cements for Styrene-Rubber (SR) Plastic Pipe and Fittings, Specification for, **D3122 (08.04)**
Styrene-Rubber (SR) Plastic Drain Pipe and Fittings, Specification for, **D2852 (08.04)**

Styrenic plastics
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**
Determining Adhesive Attack on Rigid Cellular Foam, Test Method for, **D5113 (15.06)**
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**
Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, Classification System and Basis for Specifications for, **D3965 (08.02)**
Serological Pipet, Disposable Plastic, Specification for, **E934 (14.04)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**

Subacute dietary toxicity testing
See **Toxicity/toxicology**

Subassemblies
Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, Test Method for, **F1798 (13.01)**
Pocket Reinforcement, Test Method for, **D7506/D7506M (07.02)**

Subassembly (frame)
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**

Subbase
Sa **Soil-aggregate**
CBR (California Bearing Ratio) of Laboratory-Compacted Soils,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D1883 (04.08)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**

Sub-bituminous coal
Sa **Coal products**
Coals by Rank, Classification of, **D388 (05.06)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**

Subcritical crack growth
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**

Subculture medium
See **Antimicrobial formulations/testing**

Subcutaneous tissue screening
Subcutaneous Screening Test for Implant Materials, Practice for, **F1408 (13.01)**

Subdrainage
12 to 60 in. [300 to 1500 mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Gravity-Flow Storm Sewer and Subsurface Drainage Applications, Specification for, **F2306/F2306M (08.04)**
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**

Subflooring
Sa **Flooring/floor covering systems**
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**
Preparing Panel Underlayments, Thick Poured Gypsum Concrete Underlayments, Thick Poured Lightweight Cellular Concrete Underlayments, and Concrete Subfloors with Underlayment Patching Compounds to Receive Resilient Flooring, Practice for, **F2678 (15.04)**

Subgrade testing
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**

Sub-heat process
Investment Castings, Steel and Alloy, Common Requirements, for General Industrial Use, Specification for, **A957/A957M (01.02)**
Steel Investment Castings General Requirements, for Pressure-Containing Parts, Specification for, **A985/A985M (01.02)**

Subjective ride quality
Computing Ride Number of Roads from Longitudinal Profile Measurements Made by an Inertial Profile Measuring Device, Practice for, **E1489 (04.03)**
Conducting Subjective Pavement Ride Quality Ratings, Guide for, **E1927 (04.03)**

Sublethal effects
Measurement of Behavior During Fish Toxicity Tests, Guide for, **E1711 (11.06)**

Sublimation
Calculating Heat of Vaporization or Sublimation from Vapor Pressure Data, Practice for, **E2071 (14.02)**

Subluxation
Dynamic Evaluation of Glenoid Loosening or Disassociation, Test Methods for, **F2028 (13.01)**

Submarine hulls
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**

Submersion
Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, Test Method for, **D7370 (04.03)**
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**
Submersion of a Membrane Switch, Test Method for, **F1895 (10.04)**

Subnormal temperature testing
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**
Rubber—Directions for Achieving Subnormal Test Temperatures, Practice for, **D3847 (09.01)**

Subservice contamination
Risk-Based Corrective Action Applied at Petroleum Release Sites, Guide for, **E1739 (11.05)**

Subsidence
Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, Test Method for, **F2267 (13.01)**

Substance identification
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**

Substations
Aluminum Transmission Tower Bolts and Nuts, Specification for, **F901 (01.08)**
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**

Substitute, non-hazardous, liquid filling substances for packagings—selection of
Selection of Substitute, Non-hazardous, Liquid Filling Substances for Packagings Subjected to the United Nations Performance Tests, Guide for, **D7887 (15.10)**

Substitute ocean water
See **Seawater (natural/synthetic)**

Substitute wastewater
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
the Preparation of Substitute Wastewater, Practice for, **D5905 (11.01)**

Substitution
Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, Guide for, **F1448 (15.08)**

Substitutional carbon content
See **Carbon content**

Substitution (cellulose)
Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D4794 (06.03)**

Substrates
Application of Emulsion Floor Polishes to Substrates for Testing Purposes, Test Methods for, **D1436 (15.04)**
Application of Fully Adhered Vulcanized Rubber Sheets Used in Waterproofing, Guide for, **D5843 (04.04)**
Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, Specification for, **B904 (02.05)**
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Conducting Exterior Exposure Tests of Paints and Coatings on Metal Substrates, Practice for, **D1014 (06.01)**
Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, Test Method for, **B380 (02.05)**
Determination of Zirconium Treatment Weight or Thickness on Metal Substrates by X-Ray Fluorescence, Test Method for, **D7639 (06.02)**
Determining Adhesive Attack on Rigid Cellular Foam, Test Method for, **D5113 (15.06)**
Durability of Sealants Exposed to Continuous Immersion in Liquids, Test Method for, **C1247 (04.07)**
Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, Test Method to, **C1635 (04.07)**
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Method, Practice for, **F1711 (10.04)**
Platinum in Reforming Catalysts by Wet Chemistry, Test Method for, **D4642 (05.05)**
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Pull-Off Strength for FRP Bonded to Concrete Substrate, Test Method for, **D7522/D7522M (15.03)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**
Substrates Used in Testing Building Seals and Sealants, Guide for, **C1375 (04.07)**
Surface Wettability of Coatings, Substrates and Pigments by Advancing Contact Angle Measurement, Practice for, **D7334 (06.01)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**

Substrates—coating applications
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Determining Ink or Coating Adhesion on Plastic Substrates for Membrane Switch Applications, Test Method for, **F1842 (10.04)**
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**
Electrodeposited Coatings of Cadmium, Specification for, **B766 (02.05)**
Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted, Practice for, **D5367 (06.02)**
Mandrel Bend Test of Attached Organic Coatings, Test Methods for, **D522 (06.01)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**
Measuring Adhesion of Organic Coatings to Plastic Substrates by Direct Tensile Testing, Test Method for, **D5179 (06.01)**
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**
Painting Inspectors (Concrete and Masonry Substrates), Guide for, **D6237 (06.02)**
Painting Inspectors (Metal Substrates), Guide for, **D3276 (06.02)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Selection of Porosity and Gross Defect Tests for Electrodeposits and Related Metallic Coatings, Guide for, **B765 (02.05)**
Surface Wettability of Coatings, Substrates and Pigments by Advancing Contact Angle Measurement, Practice for, **D7334 (06.01)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**

Substrates—metallic
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Determination of Titanium Treatment Weight on Metal Substrates by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6906 (06.02)**
Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, Practice for, **D5162 (06.02)**
Selection of Porosity and Gross Defect Tests for Electrodeposits and Related Metallic Coatings, Guide for, **B765 (02.05)**

Substrates—surgical implant applications
Characterization and Testing of Raw or Starting Biomaterials for Tissue-Engineered Medical Products, Guide for, **F2027 (13.01)**
Characterization of Type I Collagen as Starting Material for Surgical Implants and Substrates for Tissue Engineered Medical Products (TEMPs), Guide for, **F2212 (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**

Substrate sheets
Non-Asbestos Fiber-Mat Reinforced Cementitious Backer Units, Specification for, **C1325 (04.05)**

Subsurface abrasion
Sa **Abrasion resistance**
Abrasion Resistance of Porcelain Enamels, Test Methods for, **C448 (02.05)**

Subsurface injection
Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, Practice for, **D4025 (11.02)**

Subsurface installation
See **Underground installation—water supply/distribution systems**

Subsurface investigation—geosynthetic applications
Circular-Knit Geotextile for Use in Subsurface Drainage Applications, Specification for, **D6707 (04.13)**

Subsurface investigation—soil/rock
Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, Test Method for, **D5195 (04.08)**
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
Field Logging of Subsurface Explorations of Soil and Rock, Guide for, **D5434 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, Guide for, **D6169/D6169M (04.09)**
Subsurface Flow and Transport Modeling, Guide for, **D5880 (04.09)**
Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5782 (04.08)**
Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5783 (04.08)**
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**
Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**
Use of the Metal Detection Method for Subsurface Exploration, Guide for, **D7046 (04.09)**
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**
Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling, Practice for, **D6151 (04.09)**
Using the Direct Current Resistivity Method for Subsurface Investigation, Guide for, **D6431 (04.09)**
Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, Practice for, **D6067 (04.09)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Using the Frequency Domain Electromagnetic Method for Subsurface Investigations, Guide for, **D6639 (04.09)**
Using the Gravity Method for Subsurface Investigation, Guide for, **D6430 (04.09)**
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**

Subsurface investigations
Detecting Hot Spots Using Point-Net (Grid) Search Patterns, Practice for, **D6982 (11.04)**
Obtaining Intact Block (Cubical and Cylindrical) Samples of Soils, Practices for, **D7015 (04.09)**
Using the Seismic-Reflection Method for Shallow Subsurface Investigation, Guide for, **D7128 (04.09)**

Subsurface monitoring devices
Sonic Drilling for Site Characterization and the Installation of Subsurface Monitoring Devices, Practice for, **D6914 (04.09)**

Subzero temperature testing
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**

Suction
Determination of the Soil Water Characteristic Curve for Desorption Using Hanging Column, Pressure Extractor, Chilled Mirror Hygrometer, or Centrifuge, Test Methods for, **D6836 (04.09)**
Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems, Test Method for, **F820 (15.08)**
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**
Vacuum Drainage of Asbestos-Cement Mixes, Test Method for, **C1119/C1119M (04.05)**

Suction lifter pumps
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**

Suction-limiting vent system
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**

Suction samplers
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

Suction strainer boxes
Suction Strainer Boxes, Specification for, **F986 (01.07)**

Sugar content
Analysis of Sugar in Vegetable Tanning Materials, Test Method for, **D6406 (15.04)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**

Suit closures
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**

Suit fabrics
Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, Performance Specification for, **D4155 (07.01)**

Sulfar fibers
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**

Sulfate by-products
Condition Monitoring of Sulfate By-Products in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7415 (05.04)**

Sulfate content
Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), Test Methods for, **E291 (15.05)**
Chemical Analysis of Sodium Chloride, Test Methods for, **E534 (15.05)**
Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, Test Method for, **D5085 (11.07)**
Determination of Existent and Potential Sulfate and Inorganic Chloride in Fuel Ethanol and Butanol by Direct Injection Suppressed Ion Chromatography, Test Method for, **D7319 (05.04)**
Inorganic Chlorides and Sulfates in Insulating Oils, Test Method for, **D878 (10.03)**
Neps in Cotton Fibers, Test Method for, **D5866 (07.02)**
Soluble Sulfate in Ceramic Whiteware Clays (Photometric Method), Test Method for, **C867 (15.02)**

Sulfate content—cleaning materials
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Inorganic Sulfate in Surfactants by Potentiometric Lead Titration, Test Method for, **D6174 (15.04)**
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Sulfate content—leather
Sulfate Basicity in Leather, Test Method for, **D4654 (15.04)**
Sulfates in Leather (Total, Neutral, and Combined Acid), Test Methods for, **D4655 (15.04)**

Sulfate content—paints/related coatings
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Chemical Analysis of Red Lead, Test Methods of, **D49 (06.03)**
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**

Sulfate content—water
Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, Test Method for, **D5996 (11.01)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**
Sulfate Ion in Brackish Water, Seawater, and Brines, Test Method for, **D4130 (11.02)**
Sulfate Ion in Water, Test Method for, **D516 (11.01)**
Sulfate-Reducing Bacteria in Water and Water-Formed Deposits, Test Methods for, **D4412 (11.02)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**

Sulfated Ash
Sulfated Ash of Organic Materials by Thermogravimetry, Test Method for, **E2403 (14.02)**

Sulfated ash content
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Ashing Cellulose, Test Methods for, **D3516 (06.03)**
Ethylcellulose, Test Methods for, **D914 (06.03)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**

Sulfated oils
Determination of the Unsaponifiable Nonvolatile Matter in Sulfated Oils, Test Method for, **D5553 (15.04)**

Sulfate electrical insulating paper/paperboard
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sulfate (ion) analysis
Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, Test Method for, **E1787 (15.05)**
Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**
Sulfate resistance
Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution, Test Method for, **C1012/C1012M (04.01)**
Potential Expansion of Portland-Cement, Test Method for, **C452/C452M (04.01)**
Sulfate scaling salts
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Sulfate sulfur content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Forms of Sulfur in Coal, Test Method for, **D2492 (05.06)**
Sulfation plate technique
Monitoring Atmospheric SO2 Deposition Rate for Atmospheric Corrosivity Evaluation, Practice for, **G91 (03.02)**
Sulfation (total)
Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, Test Methods for, **D2010/D2010M (11.07)**
Sulfenamide accelerator
Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, Test Method for, **D4936 (09.01)**
Rubber Chemical Accelerator—Purity by High Performance Liquid Chromatography, Test Methods for, **D5297 (09.01)**
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Sulfide content
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Sulfide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2351 (06.01)**
Sulfide Ion in Water, Test Method for, **D4658 (11.01)**
Sulfide distribution
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Sulfide removal
Chemical Passivation Treatments for Stainless Steel Parts, Specification for, **A967/A967M (01.03)**
Sulfide resistance
Resistance of Plastics to Sulfide Staining, Practice for, **D1712 (08.01)**
Sulfide Resistance of Ceramic Decorations on Glass, Test Method for, **C777 (15.02)**
Sulfides
Screening of Reactive Sulfides in Waste, Test Methods for, **D4978 (11.04)**
Sulfide/sulfur environments
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**
Sulfide test
Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, Practice for, **E1753 (04.11)**
Sulfite cellulose
Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, Test Method for, **D4900 (15.04)**
Sulfite content
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**
Sulfochromate etch solution
Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, Methods of, **D2674 (15.06)**
Sulfonate content
Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, Test Method of, **D3712 (05.02)**
Sulfonated and sulfated oils
Chemical Analysis of Alpha Olefin Sulfonates, Test Methods for, **D3673 (15.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of Inorganic Salt Content of Sulfated and Sulfonated Oils, Test Method for, **D5566 (15.04)**
Determination of Organically Combined Sulfuric Anhydride Ash-Gravimetric, Test Method C, Test Method for, **D5352 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Extraction Titration, Test Method B, Test Method for, **D5351 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Titration, Test Method A, Test Method for, **D5350 (15.04)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Determination of the Moisture and Volatile Content of Sulfonated and Sulfated Oils by Hot-Plate Method, Test Method for, **D5349 (15.04)**
Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene, Test Method for, **D5348 (15.04)**
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils, Test Method for, **D5564 (15.04)**
Determination of Total Active Ingredients in Sulfonated and Sulfated Oils, Test Method for, **D5354 (15.04)**
Determination of Total Desulfated Fatty Matter, Test Method for, **D5353 (15.04)**
Sampling and Chemical Analysis of Alkylbenzene Sulfonates, Test Methods for, **D1568 (15.04)**
Specific Gravity of Oils and Liquid Fats, Test Method for, **D5355 (15.04)**
Sulfone plastics (SP)
Determining Residual Stresses in Extruded or Molded Sulfone Plastic (SP) Parts by Immersion in Various Chemical Reagents, Practice for, **D7474 (08.03)**
Sulfone Plastics (SP), Specification for, **D6394 (08.03)**
Sulfonic acid
Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, Test Method for, **D4711 (15.04)**
Sulfur
Analysis of Hydrochloric Acid, Test Methods for, **E224 (15.05)**
Carbon Black—Sulfur Content, Test Methods for, **D1619 (09.01)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical Passivation Treatments for Stainless Steel Parts, Specification for, **A967/A967M (01.03)**
Determination of Boiling Range Distribution of Hydrocarbon and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sulfur Components of Petroleum Distillates by Gas Chromatography and Chemiluminescence Detection, Test Method for, **D7807 (05.04)**
Low Sulfur in Automotive Fuels by Energy-Dispersive X-ray Fluorescence Spectrometry Using a Low-Background Proportional Counter, Test Method for, **D7212 (05.04)**
Multielement Analysis of Crude Oils Using Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7691 (05.04)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Sulfur Content of Cellulosic Materials by X-Ray Fluorescence, Test Method for, **D2929 (06.03)**
Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7220 (05.04)**
Sulfur in Graphite by Combustion-Iodometric Titration Method, Test Method for, **C816 (05.05)**
Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, Specification for, **C1159 (04.05)**
Total Sulfur in the Analysis Sample of Refuse-Derived Fuel, Test Methods for, **E775 (11.04)**

Sulfur—aromatic compounds
Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), Specification for, **D235 (06.04)**
Sampling and Handling Bisphenol A, Practice for, **D4297 (06.04)**

Sulfur—cement/concrete applications
Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Methods for, **C579 (06.02)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**

Sulfur—chemical applications
Chemicals According to Functional Groups, Classification System for, **F1186 (11.03)**

Sulfur—coal/coke
Forms of Sulfur in Coal, Test Method for, **D2492 (05.06)**
Sulfur in the Analysis Sample of Coal and Coke Using High-Temperature Tube Furnace Combustion, Test Method for, **D4239 (05.06)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**

Sulfur—Cu/Cu alloys
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B248 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar (Metric), Specification for, **B248M (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**

Sulfur—metals/alloys
Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, Test Method for, **E1086 (03.05)**
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, Test Methods for, **E1915 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Chemical Analysis of Zinc Dust (Metallic Zinc Powder), Test Methods for, **D521 (06.03)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, Test Methods for, **E1019 (03.05)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur"), Test Method for, **B809 (02.05)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**

Sulfur—Ni/Ni alloys
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**

Sulfur—nuclear materials
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, Test Methods for, **C889 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**

Sulfur—petroleum products
Sa **Fuel sulfur**
Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6334 (05.03)**
Sulfur in Gasoline, Diesel Fuel, Jet Fuel, Kerosine, Biodiesel, Biodiesel Blends, and Gasoline-Ethanol Blends by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7039 (05.04)**
Sulfur in Liquefied Petroleum Gases (Oxy-Hydrogen Burner or Lamp), Test Method for, **D2784 (05.01)**
Sulfur in Petroleum Products (Lamp Method), Test Method for, **D1266 (05.01)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**

Sulfur—rubber
Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, Test Method for, **D4573 (09.01)**
Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), Test Method for, **D4570 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rubber Chemicals—Determination of Percent Sulfur by Extraction, Test Methods for, **D4578 (09.01)**
Rubber Chemicals—Wet Sieve Analysis of Sulfur, Test Method for, **D4572 (09.01)**
Rubber Compounding Material—Zinc Oxide, Test Methods for, **D4315 (09.01)**
Rubber Compounding Materials—Determination of Acidity in Sulfur, Test Method for, **D4569 (09.01)**
Rubber Compounding Materials—Determination of Ash Content, Test Methods for, **D4574 (09.01)**
Rubber Compounding Materials—Determination of Volatile Material, Test Methods for, **D4571 (09.01)**
Rubber Compounding Materials—Sulfur, Classification for, **D4528 (09.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Silanes Used in Rubber Formulations, Test Methods for, **D6741 (09.01)**

Sulfur—steel
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**

Sulfur basicity
Total Chlorides in Leather, Test Method for, **D4653 (15.04)**

Sulfur compounds
Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, Test Method for, **D7652 (05.06)**
Gas Chromatograph Based On-line/At-line Analysis for Sulfur Content of Gaseous Fuels, Practice for, **D7165 (05.06)**
Online Measurement of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatograph and Electrochemical Detection, Test Method for, **D7493 (05.06)**
Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, Test Method for, **D6968 (05.06)**

Sulfur content
Sulfur Content in Carbon Black Feedstock Oils, Test Method for, **D7679 (09.01)**
Total Sulfur Analyzer Based On-line/At-line for Sulfur Content of Gaseous Fuels, Practice for, **D7166 (05.06)**

Sulfur dioxide (SO_2)
Analysis of Sulfuric Acid, Test Methods for, **E223 (15.05)**
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Conducting Moist SO, Practice for, **G87 (03.02)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**
Monitoring Atmospheric SO2 Deposition Rate for Atmospheric Corrosivity Evaluation, Practice for, **G91 (03.02)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Sulfur Dioxide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2352 (06.01)**

Sulfur dioxide (SO_2)—atmospheric
Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, Practice for, **D5835 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Sulfur Dioxide Content of the Atmosphere (West-Gaeke Method), Test Methods for, **D2914 (11.07)**

Sulfur hexafluoride (electrical insulating gas)
Acidity of Sulfur Hexafluoride, Test Method for, **D2284 (10.03)**
Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, Test Method for, **D2685 (10.03)**
Sulfur Hexafluoride, Specification for, **D2472 (10.03)**

Sulfuric acid
Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, Methods of, **D2674 (15.06)**
Analysis of Sulfuric Acid, Test Methods for, **E223 (15.05)**
Determination of Sulfuric Acid Mist in Workplace Atmospheres Collected on Mixed Cellulose Ester Filters (Ion Chromatographic Analysis), Test Method for, **D4856 (11.07)**
Determining Plutonium by Controlled-Potential Coulometry in H, Test Method for, **C1165 (12.01)**
Electrolytic Polishing of Metallographic Specimens, Guide for, **E1558 (03.01)**
Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, Test Methods for, **D2010/D2010M (11.07)**
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**
Operating Performance of Anion-Exchange Materials for Strong Acid Removal, Test Method for, **D3087 (11.02)**
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, Test Method for, **D4711 (15.04)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**
Weight Loss (Mass Loss) of Sheet Steel During Immersion in Sulfuric Acid Solution, Test Method for, **C694 (02.05)**

Sulfuric acid—dichromate solution treatment
Preparation of Surfaces of Plastics Prior to Adhesive Bonding, Practice for, **D2093 (15.06)**

Sulfuric acid solubility
Sa **Solubility**
Chemical-Resistant Masonry Units, Specification for, **C279 (04.05)**
Industrial Chimney Lining Brick, Specification for, **C980 (04.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**

Sulfuric acid stripping
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**

Sulfuric anhydride
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of Organically Combined Sulfuric Anhydride Ash-Gravimetric, Test Method C, Test Method for, **D5352 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Extraction Titration, Test Method B, Test Method for, **D5351 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Titration, Test Method A, Test Method for, **D5350 (15.04)**

Sulfur mortar
Sa **Chemical-resistant mortars**
Chemical-Resistant Sulfur Mortar, Specification for, **C287 (04.05)**
Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C580 (06.02)**
Use of Chemical-Resistant Sulfur Mortar, Practice for, **C386 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sulfur mortar caps
Capping Cylindrical Concrete Specimens, Practice for, **C617/C617M (04.02)**
Sulfurous acid/SO_2 vapor test
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Sulfur oxide gases
Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, Test Methods for, **D2010/D2010M (11.07)**
Sulfur polymer cement concrete (SC)
Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, Test Method for, **C1370 (04.05)**
Making and Conditioning Chemical-Resistant Sulfur Polymer Cement Concrete Test Specimens in the Laboratory, Practice for, **C1312 (04.05)**
Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, Specification for, **C1159 (04.05)**
Sulfur print test
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**
Preparing Sulfur Prints for Macrostructural Evaluation, Practice for, **E1180 (03.01)**
Sulfur selective detection
Determination of Trace Thiophene in Refined Benzene by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D7011 (06.04)**
Sulfur specific detection
Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, Test Method for, **D6021 (05.02)**
Sulfur trioxide (SO_3)
Approximation of Optimum SO_3 in Hydraulic Cement Using Compressive Strength, Test Method for, **C563 (04.01)**
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Chemical Analysis of Soda-Lime and Borosilicate Glass, Test Methods for, **C169 (15.02)**
Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure, Test Method for, **D1681 (15.04)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**
Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar, Test Method for, **C265 (04.01)**
Sulfur vulcanization accelerators
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Summer coolant
See **Engine coolants/concentrates**
Summerwood
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Sumps
Confined Area Entry, Practice for, **D4276 (15.05)**
Sunlamp
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**
Sunlight/monochromatic light exposure
Sa **Light transmission and reflection**
Sa **Reflectance and reflectivity**
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Aggregate Layer Hiding Power, Test Method for, **D5081/D5081M (04.04)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Lightfastness of Pigments Used in Artists' Paints, Test Methods for, **D4303 (06.02)**
Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, Practice for, **D5722 (06.01)**
Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**
Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight, Practice for, **D5105 (15.10)**
Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, Practice for, **D4364 (08.02)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Visual Determination of the Lightfastness of Art Materials by Art Technologists, Practice for, **D5383 (06.02)**
Visual Evaluation of the Lightfastness of Art Materials by the User, Practice for, **D5398 (06.02)**
Sunlight-resistant materials/applications
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Sunshine carbon-arc
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Superalloy steel
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**
Superalloy steels—specifications
Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service, Specification for, **A638/A638M (01.03)**
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**
Supercharged diesel engine performance
Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, Test Method for, **D6618 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Supercharge method
Sa **Knock characteristics**
Supercharge Rating of Spark-Ignition Aviation Gasoline, Test Method for, **D909 (05.05)**
Superconducting wires
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**
Superconductors
Niobium-Titanium Alloy Billets, Bar, and Rod for Superconducting Applications, Specification for, **B884 (02.04)**
Supercritical fluid chromatography (SFC)
Sa **SFC (supercritical fluid chromatography)**
Determination of Olefin Content in Denatured Ethanol by Supercritical Fluid Chromatography, Test Method for, **D7347 (05.04)**
Packed Column Gas Chromatography, Practice for, **E260 (03.06)**
Supercritical fluid extraction (SFE)
Purity of Carbon Dioxide Used in Supercritical Fluid Applications, Guide for, **E1747 (03.06)**
Superelasticity
Tension Testing of Nickel-Titanium Superelastic Materials, Test Method for, **F2516 (13.02)**
Superficial Rockwell hardness
See **Rockwell hardness**
Superheated steam
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Sampling Steam, Practice for, **D1066 (11.01)**
Superheater tubes—specifications
Sa **Condenser and heat exchanger systems**
Alloy Steel Forgings for Pressure and High-Temperature Parts, Specification for, **A336/A336M (01.05)**
Carbon Steel Forgings for Pressure Vessel Components, Specification for, **A266/A266M (01.05)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes, Specification for, **A209/A209M (01.01)**
Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, Specification for, **A213/A213M (01.01)**
Seamless Medium-Carbon Steel Boiler and Superheater Tubes, Specification for, **A210/A210M (01.01)**
Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, Specification for, **A1020/A1020M (01.01)**
Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes, Specification for, **A249/A249M (01.01)**
Superheating
Vapor Pressure of Liquids by Ebulliometry, Test Method for, **E1719 (14.02)**
Superimposed load test
Calculating the Superimposed Load on Wood-frame Floor-Ceiling Assemblies for Standard Fire-Resistance Tests, Practice for, **D7746 (04.10)**
Superimposed load testiing
Calculating the Superimposed Load on Wood-frame Walls for Standard Fire-Resistance Tests, Practice for, **D6513 (04.10)**
Superpave gyratory compactor
Measurement of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading, Test Method for, **D7115 (04.03)**
Preparation and Determination of Bulk Specific Gravity of Dense-Graded Cold Mix Asphalt (CMA) Specimens by Means of Superpave Gyratory Compactor, Test Method for, **D7229 (04.03)**
Preparation and Determination of the Relative Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor, Test Method for, **D6925 (04.03)**
Superpave shear tester (SST)
Determining the Permanent Shear Strain and Complex Shear Modulus of Asphalt Mixtures Using the Superpave Shear Tester (SST), Test Method for, **D7312 (04.03)**
Superplastic forming properties (SPF)
Bulge-Forming Superplastic Metallic Sheet, Test Methods for, **E2712 (03.01)**
Determining the Superplastic Properties of Metallic Sheet Materials, Test Method for, **E2448 (03.01)**
Supersaturation
Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, Practice for, **D4328 (11.02)**
Superstrength alloy steel forgings
Superstrength Alloy Steel Forgings, Specification for, **A579/A579M (01.05)**
Superstructures
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**
Superstructures—ships
Sa **Shipbuilding steel materials—specifications**
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**
Supplemental coolant additive (SCA)
Sa **Engine coolants/concentrates**
Compatibility of Supplemental Coolant Additives (SCAs) and Engine Coolant Concentrates, Test Method for, **D5828 (15.05)**
Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, Specification for, **D6210 (15.05)**
Low Silicate Ethylene Glycol Base Engine Coolant for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), Specification for, **D4985 (15.05)**
Supplemental Coolant Additives (SCAs) for Use in Precharging Coolants for Heavy-Duty Engines, Specification for, **D5752 (15.05)**
Supplemental load handling attachments
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Supplementary requirements
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Supplies
Specification for Equipment and Supplies in Sexual Assault Investigations, Practice for, **E2124 (14.02)**
Supply chain
European Union' Registration, Evaluation, and Authorization of Chemicals (REACH) Supply Chain for Information Exchange, Guide for, **F2725 (10.04)**
Support
Serviceability of an Office Facility for Support for Office Work, Classification for, **E1660 (04.11)**
Supported platinum catalysts
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**
Supporting data
Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, Test Method for, **E1503 (04.06)**
Support structures
Determining Neutron Exposures for Nuclear Reactor, Practice for, **E1035 (12.02)**
Suppression circuit
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Suprathreshold odor intensity
Referencing Suprathreshold Odor Intensity, Practices for, **E544 (15.08)**
Surface abrasion
Abrasion Resistance of Porcelain Enamels, Test Methods for, **C448 (02.05)**
Surface abrasion resistance
See **Abrasion resistance**
Surface acceptance standards
Investment Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A997 (01.02)**
Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, Specification for, **A903/A903M (01.02)**
Surface-active agents
See **Surfactants**
Surface analysis
Air Permeability of Asbestos Fibers, Test Methods for, **D2752/D2752M (04.05)**
Assessment of Surface Texture of Non-Porous Biomaterials in Two Dimensions, Guide for, **F2791 (13.02)**
Dimensions of Knife-Edge Flanges, Specification for, **E2734/E2734M (03.06)**
Dynamic Surface Tension by the Fast-Bubble Technique, Test Method for, **D3825 (05.02)**
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**
Measuring the Skid Resistance of Pavements and Other Trafficked Surfaces Using a Continuous Reading, Fixed-Slip Technique, Test Method for, **E2340/E2340M (04.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Performing Sputter Crater Depth Measurements, Guide for, **E1634 (03.06)**
Pulse Counting System Dead Time Determination by Measuring Isotopic Ratios with SIMS, Practice for, **E2426 (03.06)**
Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, Test Method for, **F1160 (13.01)**
Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, Test Method for, **C1069 (15.02)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Surface analysis—adhesives/tape
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Surface analysis—aerospace materials
Measuring and Counting Particulate Contamination on Surfaces, Test Method for, **F24 (15.03)**
Sampling for Particulate Contamination by Tape Lift, Practice for, **E1216 (15.03)**
Surface analysis—atmospheric
Measuring Surface Atmospheric Pressure, Test Methods for, **D3631 (11.07)**
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**
Surface analysis—building construction materials/insulation
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Determining Steady State Thermal Transmittance of Fenestration Systems, Practice for, **E1423 (04.11)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), Test Method for, **D4445 (04.10)**
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Total Hemispherical Emittance of Surfaces up to 1400°C, Test Method for, **C835 (04.06)**
Surface analysis—carbon black
Carbon Black—Total and External Surface Area by Nitrogen Adsorption, Test Method for, **D6556 (09.01)**
Surface analysis—catalysts
Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, Practice for, **D4641 (05.05)**
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, Test Method for, **D4567 (05.05)**
Surface Area of Catalysts and Catalyst Carriers, Test Method for, **D3663 (05.05)**
Surface analysis—ceramics
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Effect of Surface Grinding on Flexure Strength of Advanced Ceramics, Test Method for, **C1495 (15.01)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**
Surface analysis—concrete
Abrasion Resistance of Horizontal Concrete Surfaces, Test Method for, **C779/C779M (04.02)**
Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, Test Method for, **C457/C457M (04.02)**
Surface Moisture in Fine Aggregate, Test Method for, **C70 (04.02)**
Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), Test Methods for, **C1252 (04.02)**
Surface analysis—electrodeposits/electroplating
Appearance of Electroplated Plastic Surfaces, Specification for, **B532 (02.05)**
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**
Measurement of Coating Thickness by the Beta Backscatter Method, Test Method for, **B567 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section, Test Method for, **B487 (02.05)**
Measurement of Thickness of Metallic Coatings by the Coulometric Method, Test Method for, **B504 (02.05)**
Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, Test Method for, **B799 (02.04)**
Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, Test Method for, **B735 (02.04)**
Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, Test Method for, **B798 (02.04)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Surface analysis—electronic components/devices
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Hydrophobic Surface Films by the Atomizer Test, Test Method for, **F21 (15.03)**
Hydrophobic Surface Films by the Water-Break Test, Test Method for, **F22 (15.03)**
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**
Surface Flaws in Tungsten Seal Rod and Wire, Test Method for, **F204 (10.04)**
Surface Imperfections on Ceramics, Terminology Relating to, **F109 (15.02)**
Surface analysis—environmental applications
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Field Collection of Organic Compounds from Surfaces Using Wipe Sampling, Practice for, **D6661 (11.04)**
Surface analysis—glass
Hydrophobic Contamination on Glass by Contact Angle Measurement, Test Method for, **C813 (15.02)**
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**
Surface analysis—metals/alloys
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**
Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1375 (10.04)**
Estimating the Depth of Decarburization of Steel Specimens, Test Methods for, **E1077 (03.01)**
Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, Practice for, **E1210 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, Practice for, **E1208 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, Practice for, **E1219 (03.03)**
Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, Practice for, **E1209 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
Fracture Testing with Surface-Crack Tension Specimens, Practice for, **E740/E740M (03.01)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, Test Method for, **F1374 (10.04)**
Liquid Penetrant Testing, Practice for, **E1417/E1417M (03.03)**
Magnetic Particle Examination of Steel Forgings, Practice for, **A275/A275M (01.05)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Making Potentiodynamic Anodic Polarization Measurements, Reference Test Method for, **G5 (03.02)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Metal Powder Specific Surface Area by Physical Adsorption, Test Method for, **B922 (02.05)**
Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Reporting of Ion Beam Parameters Used in Surface Analysis, Guide for, **E1577 (03.06)**
Scanning Electron Microscope (SEM) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1372 (10.04)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, Specification for, **A578/A578M (01.04)**
Straight-Beam Ultrasonic Examination of Steel Plates, Specification for, **A435/A435M (01.04)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**
Surface Discontinuities of Nuts, Inch and Metric Series, Specification for, **F812 (01.08)**
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**
Ultrasonic Angle-Beam Examination of Steel Plates, Specification for, **A577/A577M (01.04)**
Visible Penetrant Testing Using Solvent-Removable Process, Practice for, **E1220 (03.03)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**
Surface analysis—nuclear materials
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**
Surface analysis—paints/related coatings/materials
Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, Test Method for, **D3274 (06.01)**
Evaluation of Visual Color Difference With a Gray Scale, Test Method for, **D2616 (06.01)**
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, Test Methods for, **E430 (06.01)**
Pull-Off Strength of Coatings Using Portable Adhesion Testers, Test Method for, **D4541 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, Test Method for, **D3273 (06.01)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Testing Printing Inks and Related Materials, Guide for, **D5010 (06.02)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Surface analysis—pavements
Measuring Pavement Roughness Using a Profilograph, Test Method for, **E1274 (04.03)**
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
Measuring Surface Frictional Properties Using the British Pendulum Tester, Test Method for, **E303 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Surface Infiltration Rate of Permeable Unit Pavement Systems, Test Method for, **C1781/C1781M (04.05)**
Trailers Used for Measuring Vehicular Response to Road Roughness, Specification for, **E1215 (04.03)**

Surface analysis—plastics
Determining Surface Temperature of Molds for Plastics, Practice for, **D957 (08.01)**
Polyolefin Composition Floor Tile, Specification for, **F3009 (15.04)**
Resistance of Transparent Plastics to Surface Abrasion, Test Method for, **D1044 (08.01)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**

Surface analysis—pressure-sensitive tapes
Accelerated Aging of Pressure-Sensitive Tapes, Practice for, **D3611 (15.10)**
Accelerated Weathering of Pressure-Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus, Practice for, **D3815/D3815M (15.10)**
Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, Test Method for, **D3889/D3889M (15.10)**
Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle and Constant Stress, Test Method for, **D2860/D2860M (15.10)**
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Quality Assurance of Pressure-Sensitive Tapes, Practice for, **D3715/D3715M (15.10)**
Shear Adhesion of Pressure-Sensitive Tapes, Test Methods for, **D3654/D3654M (15.10)**

Surface analysis—rubber chemicals/materials
Evaluating the Effective Surface Area of Zinc Oxide in Rubber, Test Method for, **D4620 (09.01)**
Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, Test Methods for, **D5604 (09.01)**
Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, Test Method for, **D1993 (09.01)**
Rubber Compounding Material—Zinc Oxide, Test Methods for, **D4315 (09.01)**
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Silica, Precipitated, Hydrated—CTAB (Cetyltrimethylammonium Bromide) Surface Area, Test Method for, **D6845 (09.01)**
Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, Test Method for, **D3675 (08.02)**
Tire Performance Testing on Snow and Ice Surfaces, Test Methods for, **F1572 (09.02)**

Surface analysis—soil/rock/related materials
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Electronic Friction Cone and Piezocone Penetration Testing of Soils, Test Method for, **D5778 (04.08)**
In Situ Determination of Direct Shear Strength of Rock Discontinuities, Test Method for, **D4554 (04.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Materials for Soil-Aggregate Subbase, Base, and Surface Courses, Specification for, **D1241 (04.08)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**
Selecting Surface Geophysical Methods, Guide for, **D6429 (04.09)**
Surface Site Characterization for On-Site Septic Systems, Practice for, **D5879 (04.09)**
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**
Using the Seismic Refraction Method for Subsurface Investigation, Guide for, **D5777 (04.08)**
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**

Surface analysis—spectrochemical analysis
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Handling Specimens Prior to Surface Analysis, Guide for, **E1829 (03.06)**
Identifying Chemical Effects and Matrix Effects in Auger Electron Spectroscopy, Guide for, **E984 (03.06)**
Identifying Elements by the Peaks in Auger Electron Spectroscopy, Practice for, **E827 (03.06)**
Literature Describing Properties of Electrostatic Electron Spectrometers, Guide for, **E1016 (03.06)**
Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy, Guide for, **E983 (03.06)**
Reporting Data in Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy, Practice for, **E996 (03.06)**
Reporting Sputter Depth Profile Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1162 (03.06)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Surface analysis—textile fabrics/fibers
Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, Practice for, **D6119 (07.02)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Brush Pilling Tester, Test Method for, **D3511/D3511M (07.01)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Elastomeric Pad, Test Method for, **D3514/D3514M (07.01)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling Tester, Test Method for, **D3512/D3512M (07.01)**
Woven Upholstery Fabrics—Plain, Tufted, or Flocked, Performance Specification for, **D3597 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Surface-applied bonding compound
Surface-Applied Bonding Compounds for Exterior Plastering, Specification for, **C932 (04.01)**
Surface-area-to-volume (S/V) ratio
Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, Test Method for, **C1220 (12.01)**
Surface-beam Rayleigh waves
See **Ultrasonic testing**
Surface blistering
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Surface bonding materials/applications
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Surface-bonding mortars
Packaged, Dry, Combined Materials for Surface Bonding Mortar, Specification for, **C887 (04.05)**
Surface burning characteristics
Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, Specification for, **C1288 (04.05)**
Extended Duration Surface Burning Characteristics of Building Materials (30 min Tunnel Test), Test Method for, **E2768 (04.07)**
Specimen Preparation and Mounting of Caulks and Sealants to Assess Surface Burning Characteristics, Practice for, **E2690 (04.07)**
Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics, Practice for, **E2231 (04.07)**
Specimen Preparation and Mounting of Reflective Insulation, Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics, Practice for, **E2599 (04.07)**
Specimen Preparation and Mounting of Site-Fabricated Stretch Systems to Assess Surface Burning Characteristics, Practice for, **E2573 (04.07)**
Specimen Preparation and Mounting of Tapes to Assess Surface Burning Characteristics, Practice for, **E2688 (04.07)**
Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) Wall or Ceiling Coverings, and of Facings and Wood Veneers Intended to be Applied on Site Over a Wood Substrate, to Assess Surface Burning Characteristics, Practice for, **E2404 (04.07)**
Specimen Preparation and Mounting of Wood Products to Assess Surface Burning Characteristics, Practice for, **E2579 (04.07)**
Surface charging
Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**
Surface clay
See **Clay products (structural)—brick (specifications)**
Surface cleaning/cleanliness
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Static Electrification, Test Method for, **D4470 (10.02)**
Surface Cleaning Concrete for Coating, Practice for, **D4258 (06.02)**
Surface compression
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**
Surface condensers
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**
Surface contact
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Surface contact (electromagnetic)
Density of Bituminous Paving Mixtures in Place by the Electromagnetic Surface Contact Methods, Test Method for, **D7113/D7113M (04.03)**
Surface crack in flexure
Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, Test Methods for, **C1421 (15.01)**
Surface-decorated vinyl floor tile
Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**
Surface deformation
Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, Test Methods for, **F1566 (15.11)**
Surface descaling/cleaning
Cleaning Metals Prior to Electroplating, Guide for, **B322 (02.05)**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Descaling and Cleaning Titanium and Titanium Alloy Surfaces, Guide for, **B600 (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Surface discharges (corona)
Voltage Endurance of Solid Electrical Insulating Materials Subjected to Partial Discharges (Corona) on the Surface, Test Method for, **D2275 (10.01)**
Surface drainage test
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Surface dust
Collection of Surface Dust by Micro-vacuum Sampling for Subsequent Metals Determination, Practice for, **D7144 (11.07)**
Wipe Sampling Materials for Beryllium in Surface Dust, Specification for, **D7707 (11.07)**
Wipe Sampling Materials for Lead in Surface Dust, Specification for, **E1792 (04.11)**
Surface fatigue
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Surface films
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Surface finger oxide penetration depth
Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, Test Method for, **B797 (02.05)**
Surface finish
Non-Specular (NS) Surface Finish on Overhead Aluminum Electrical Conductors, Specification for, **B979 (02.03)**
Surface Finish of Powder Metallurgy (PM) Products, Test Method for, **B946 (02.05)**
Surface flammability
Sa **Flammability**
Sa **Ignition**
Surface Burning Characteristics of Building Materials, Test Method for, **E84 (04.07)**
Surface Flammability of Materials Using a Radiant Heat Energy Source, Test Method for, **E162 (04.07)**
Surface flatness/levelness
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Surface ground penetrating radar method
Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, Guide for, **D6432 (04.09)**
Surface hardening/hardness
Sa **Hardness tests**
Determining the Hardness of Organic Coatings with a Sward-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Type Hardness Rocker, Test Method for, **D2134 (06.01)**
Steel Bars, Alloys, for Nitriding, Specification for, **A355 (01.05)**
Surface infiltration rate
Surface Infiltration Rate of Permeable Unit Pavement Systems, Test Method for, **C1781/C1781M (04.05)**
Surface infrared (IR) spectroscopy
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Surface insulation resistivity
Surface Insulation Resistivity of Single-Strip Specimens, Test Method for, **A717/A717M (03.04)**
Surface lubrication
Determination of Surface Lubrication on Flexible Webs, Test Method for, **G164 (03.02)**
Surface macrotexture depth
Measuring Pavement Macrotexture Depth Using a Volumetric Technique, Test Method for, **E965 (04.03)**
Surface metal contamination
See **Contamination—semiconductors**
Surface mine reclamation
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Re-contouring and Highwall Reclamation, Guide for, **E2243 (11.05)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Surface-modifying material
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Surface mount device (SMD)
Determining the Shear Strength of the Bond between a Surface Mount Device (SMD) and Substrate in a Membrane Switch, Test Method for, **F1995 (10.04)**
Surface-mounted acoustic emission sensors
See **Acoustic emission (AE) testing**
Surface ozone cracking
See **Ozone (O_3) cracking**
Surface pavement
Sa **Pavement surfaces**
Specification, Purchase, Installation and Maintenance of Poured-In-Place Playground Surfacing, Guide for, **F2479 (15.07)**
Surface preparation
Sa **Specimen preparation (for testing)**
Abrading Concrete, Practice for, **D4259 (06.02)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Inspection of Marine Surface Preparation and Coating Application, Practice for, **F941 (01.07)**
Installation of Thick Poured Gypsum Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2419 (15.04)**
Liquid and Gelled Acid Etching of Concrete, Practice for, **D4260 (06.02)**
Measurement of Vehicular Response to Traveled Surface Roughness, Test Method for, **E1082 (04.03)**
Preparation of Concrete Surfaces for Adhered (Bonded) Membrane Waterproofing Systems, Guide for, **D5295 (04.04)**
Preparation of Plastics Materials for Electroplating, Practice for, **B727 (02.05)**
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, Practice for, **D7803 (06.02)**
Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, Guide for, **E768 (03.01)**
Soil Sample Preparation for the Determination of Radionuclides, Practice for, **C999 (12.01)**
Surface Preparation and Marking of Metallic Surgical Implants, Practice for, **F86 (13.01)**
Surface Preparation and Structural Adhesive Bonding of Pre-cured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, Practice for, **E1307 (04.11)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, Guide for, **C1127 (04.04)**
Surface preparation—adhesive bonding
Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, Methods of, **D2674 (15.06)**
Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), Guide for, **D3933 (15.06)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Preparation of Surfaces of Plastics Prior to Adhesive Bonding, Practice for, **D2093 (15.06)**
Surface preparation—flooring
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Surface preparation—paints/related coatings
Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted, Practice for, **D5367 (06.02)**
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Painting, Practice for, **D6386 (06.02)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Preparatory Surface Cleaning of Architectural Sandstone, Practice for, **D5107 (06.02)**
Use of Pictorial Surface Preparation Standards and Guides for Painting Steel Surfaces, Practice for, **D2200 (06.02)**
Surface profile
Abrading Concrete, Practice for, **D4259 (06.02)**
Replication and Measurement of Concrete Surface Profiles Using Replica Putty, Test Method for, **D7682 (06.02)**
Surface Cleaning Concrete for Coating, Practice for, **D4258 (06.02)**
Surface protection
Monitoring Well Protection, Practice for, **D5787 (04.08)**
Surface repellancy
Resistance to Wetting of Garment-Type Leathers, Test Method for, **D1913 (15.04)**
Surface resistivity
Sa **Electrical resistance/resistivity**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Polymeric Films Used for Electrical Insulation, Test Methods for, **D2305 (10.01)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**
Surface roughness measurement
Centrifuge Kerosine Equivalent, Test Method for, **D5148 (04.03)**
Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, Test Method for, **D6891 (05.03)**
Field Measurement of Surface Profile of Blast Cleaned Steel, Test Methods for, **D4417 (06.02)**
Measurement of Surface Roughness of Abrasive Blast Cleaned Metal Surfaces Using a Portable Stylus Instrument, Test Method for, **D7127 (06.02)**
Measuring Pavement Roughness Using a Profilograph, Test Method for, **E1274 (04.03)**
Surface Finish of Powder Metallurgy (PM) Products, Test Method for, **B946 (02.05)**
Surfacers
See **Primers**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Surface sea water
See **Brackish water/brines**
Surface shipment
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**
Surface ships—materials/applications
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Sound-Absorbing Board, Fibrous Glass, Perforated Fibrous Glass Cloth Faced, Specification for, **F2154 (01.07)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**
Weight Control Technical Requirements for Surface Ships, Guide for, **F1808 (01.07)**
Surfaces (of nuclear facilities)
Determining Coating Contractor Qualifications for Nuclear Powered Electric Generation Facilities, Practice for, **D4286 (06.02)**
Qualification of Coating Applicators for Application of Coatings to Concrete Surfaces, Practice for, **D4227 (06.02)**
Qualification of Coating Applicators for Application of Coatings to Steel Surfaces, Practice for, **D4228 (06.02)**
Surface stress
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, Test Method for, **C1279 (15.02)**
Surface-stress measuring devices
Calibration of Surface/Stress Measuring Devices, Test Method for, **C1377 (15.02)**
Surface systems
ASTM Standards on Playground Surfacing, Guide for, **F2223 (15.07)**
Determination of Accessibility of Surface Systems Under and Around Playground Equipment, Specification for, **F1951 (15.07)**
Surface temperature
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Surface temperature (for burns)
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Surface tension
Estimating Critical Surface Tensions, Practice for, **D7541 (06.01)**
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**
Measurement of the Surface Tension of Solid Coatings, Substrates and Pigments using Contact Angle Measurements, Test Method for, **D7490 (06.01)**
Surface and Interfacial Tension of Solutions of Surface-Active Agents, Test Methods for, **D1331 (06.01)**
Surface topography
See **Topography**
Surface treatments
Aggregate for Single or Multiple Bituminous Surface Treatments, Specification for, **D1139/D1139M (04.03)**
Application of Electrical Discharge Surface Treatment (Activation) of Plastics for Adhesive Bonding, Practice for, **D6105 (15.06)**
Corona-Treated Polymer Films Using Water Contact Angle Measurements, Test Method for, **D5946 (08.03)**
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**
Determining the Transverse-Aggregate Spread Rate for Surface Treatment Applications, Practice for, **D5624 (04.03)**
Sweep Test of Bituminous Emulsion Surface Treatment Samples, Test Method for, **D7000 (04.03)**
Surface velocity
Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, Guide for, **D5116 (11.07)**
Surface voids
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Surface washing agent
Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces, Guide for, **F1279 (11.05)**
Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces, Guide for, **F1280 (11.05)**
Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, Guide for, **F1872 (11.05)**
Surface water
Sa **Seawater (natural/synthetic)**
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**
Determination of Aldicarb, Carbofuran, Oxamyl and Methomyl by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7600 (11.02)**
Determination of Diethanolamine, Triethanolamine, N-Methyldiethanolamine and N-Ethyldiethanolamine in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7599 (11.02)**
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D1976 (11.01)**
Elements of a Complete Data Set for Non-Cohesive Sediments, Guide for, **D5387 (11.01)**
Exposing and Evaluating Metals and Alloys in Surface Seawater, Practice for, **G52 (03.02)**
Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, Test Methods for, **D5907 (11.01)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**
Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, Practice for, **D4025 (11.02)**
Sampling with a Dipper or Pond Sampler, Practice for, **D5358 (11.04)**
Selection of Booms in Accordance With Water Body Classifications, Guide for, **F1523 (11.05)**
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
The Selection of Maximum Transit-Rate Ratios and Depths for the U.S. Series of Isokinetic Suspended-Sediment Samplers, Practice for, **D6326 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Total Cyanide by Segmented Flow Injection Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, Test Method for, **D7511 (11.02)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**

Surface water absorption
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Measuring Surface Water Absorption of Overlaid Wood-Based Panels, Test Method for, **D7433 (04.10)**

Surface water resistance
See **Water resistance**

Surface waviness (SW) index
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**

Surface wax materials/applications
Surface Wax Coating On Corrugated Board, Test Method for, **D3521 (05.01)**
Surface Wax on Waxed Paper or Paperboard, Test Method for, **D2423 (05.01)**

Surface wind
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**

Surfacings
Public Use Play Equipment for Children 6 Months through 23 Months, Consumer Safety Performance Specification for, **F2373 (15.11)**
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Sieve Analysis of Granular Mineral Surfacing For Asphalt Roofing Products, Test Method for, **D451/D451M (04.04)**
Sieve Analysis of Surfacing for Asphalt Roofing Products, Test Method for, **D452/D452M (04.04)**

Surfactants
Active Matter in Anionic Surfactants by Potentiometric Titration, Test Method for, **D4251 (15.04)**
Cloud Point of Nonionic Surfactants, Test Method for, **D2024 (15.04)**
Determination of Various Anionic Surfactant Actives by Potentiometric Titration, Test Method for, **D6173 (15.04)**
Ethylene Oxide Content of Polyethoxylated Nonionic Surfactants, Test Method for, **D2959 (15.04)**
Evaluate Leaching of Water-Soluble Materials from Latex Paint Films, Practice to, **D7190 (06.02)**
Evaluating Activity of Clay Elements Using a Side-Stream Sensor, Practice for, **D5000 (05.02)**
Foaming Properties of Surface-Active Agents, Test Method for, **D1173 (15.04)**
Inorganic Sulfate in Surfactants by Potentiometric Lead Titration, Test Method for, **D6174 (15.04)**
Qualitative Classification of Surfactants by Infrared Absorption, for, **D2357 (15.04)**
Separation of Active Ingredient from Surfactant and Syndet Compositions, Test Method for, **D2358 (15.04)**
Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure, Test Method for, **D1681 (15.04)**
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Water Separation Properties of Light and Middle Distillate, and Compression and Spark Ignition Fuels, Test Method for, **D7451 (05.04)**

Surge current
Surge Suppressors for Shipboard Use, Specification for, **F1507 (01.07)**

Surge line turbocharger
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**

Surge pressure testing
See **Pressure testing**

Surge suppressors
Surge Suppressors for Shipboard Use, Specification for, **F1507 (01.07)**

Surgical adhesives
Burst Strength of Surgical Sealants, Test Method for, **F2392 (13.01)**
Strength Properties of Tissue Adhesives in Lap-Shear by Tension Loading, Test Method for, **F2255 (13.01)**
Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, Test Method for, **F2256 (13.01)**
Strength Properties of Tissue Adhesives in Tension, Test Method for, **F2258 (13.01)**

Surgical applications tubing
Wrought Seamless Stainless Steel Tubing for Surgical Implants, Specification for, **F2181 (13.01)**

Surgical castings
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**

Surgical castings—specifications
Cobalt-28 Chromium-6 Molybdenum Alloy Castings and Casting Alloy for Surgical Implants (UNS R30075), Specification for, **F75 (13.01)**
Titanium-6Aluminum-4Vanadium Alloy Castings for Surgical Implants (UNS R56406), Specification for, **F1108 (13.01)**

Surgical exploration
Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, Practice for, **F1992 (13.01)**

Surgical fixation wire
Measurement of Straightness of Bar, Rod, Tubing and Wire to be used for Medical Devices, Test Methods for, **F2819 (13.02)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Surgical Fixation Wire (UNS S31673), Specification for, **F1350 (13.01)**

Surgical gown
Surgical Gowns Intended for Use in Healthcare Facilities, Specification for, **F2407 (11.03)**

Surgical implant forgings—specifications
35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), Specification for, **F961 (13.01)**
Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), Specification for, **F799 (13.01)**
Stainless Steel Forgings for Surgical Implants, Specification for, **F621 (13.01)**
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**

Surgical implant resins
Sa **Polymers (surgical applications)**
in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, Test Method for, **F1635 (13.01)**
Implantable Thermoset Epoxy Plastics, Criteria for, **F602 (13.01)**

Surgical implant resins—specifications
Amorphous Poly(lactide) and Poly(lactide-co-glycolide) Resins for Surgical Implants, Specification for, **F2579 (13.02)**
Polycarbonate Resin for Medical Applications, Specification for, **F997 (13.01)**
Polyoxymethylene (Acetal) for Medical Applications, Specification for, **F1855 (13.01)**
Polysulfone Resin for Medical Applications, Specification for, **F702 (13.01)**
Semi-Crystalline Poly(lactide) Polymer and Copolymer Resins for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Surgical Implants, Specification for, **F1925 (13.01)**

Surgical implants

Sa **Plastic surgical devices/applications**

In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**

in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, Test Method for, **F1635 (13.01)**

Accelerated Aging of Sterile Barrier Systems for Medical Devices, Guide for, **F1980 (15.10)**

Assessment of Absorbable Polymeric Implants, Guide for, **F2902 (13.02)**

Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**

Care and Handling of Orthopedic Implants and Instruments, Practice for, **F565 (13.01)**

Characterization of Ceramic and Mineral Based Scaffolds used for Tissue-Engineered Medical Products (TEMPs) and as Device for Surgical Implant Applications, Guide for, **F2883 (13.02)**

Characterization of Type I Collagen as Starting Material for Surgical Implants and Substrates for Tissue Engineered Medical Products (TEMPs), Guide for, **F2212 (13.01)**

Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**

Digital Radiography of Cast Metallic Implants, Practice for, **F2895 (13.02)**

Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, Practice for, **F647 (13.01)**

Evaluating Knee Bearing (Tibial Insert) Endurance and Deformation Under High Flexion, Test Method for, **F2777 (13.02)**

Evaluating Mobile Bearing Knee Dislocation, Test Method for, **F2724 (13.02)**

Evaluating Mobile Bearing Knee Tibial Baseplate Rotational Stops, Test Method for, **F2722 (13.02)**

Evaluating Mobile Bearing Knee Tibial Baseplate/Bearing Resistance to Dynamic Disassociation, Test Method for, **F2723 (13.02)**

Evaluating the Extent of Oxidation in Polyethylene Fabricated Forms Intended for Surgical Implants, Guide for, **F2102 (13.01)**

Evaluating Trans-Vinylene Yield in Irradiated Ultra-High Molecular Weight Polyethylene Fabricated Forms Intended for Surgical Implants by Infrared Spectroscopy, Test Method for, **F2381 (13.01)**

Evaluation of MR Image Artifacts from Passive Implants, Test Method for, **F2119 (13.01)**

Extensively Irradiation-Crosslinked Ultra-High Molecular Weight Polyethylene Fabricated Forms for Surgical Implant Applications, Guide for, **F2565 (13.02)**

High-Purity Dense Magnesia Partially Stabilized Zirconia (Mg-PSZ) for Surgical Implant Applications, Specification for, **F2393 (13.01)**

Measurement of Magnetically Induced Displacement Force on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2052 (13.01)**

Measurement of Straightness of Bar, Rod, Tubing and Wire to be used for Medical Devices, Test Methods for, **F2819 (13.02)**

Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, Test Method for, **F1978 (13.01)**

Medical and Surgical Materials and Devices, Terminology Relating to, **F2809 (13.02)**

Metal Injection Molded Titanium-6Aluminum-4Vanadium Components for Surgical Implant Applications, Specification for, **F2885 (13.02)**

Metal Injection Molded Unalloyed Titanium Components for Surgical Implant Applications, Specification for, **F2989 (13.02)**

Polyetherketoneketone (PEKK) Polymers for Surgical Implant Applications, Specification for, **F2820 (13.02)**

Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**

Small Punch Testing of Polymeric Biomaterials Used in Surgical Implants, Test Method for, **F2977 (13.02)**

Small Punch Testing of Ultra-High Molecular Weight Polyethylene Used in Surgical Implants, Test Method for, **F2183 (13.01)**

Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**

Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**

Total Elbow Prostheses, Specification for, **F2887 (13.02)**

Wrought Zirconium-2.5Niobium Alloy for Surgical Implant Applications (UNS R60901), Specification for, **F2384 (13.01)**

Surgical implants—specifications

Sa **Orthopaedic medical devices—specifications**

Acetabular Prostheses, Specification for, **F2091 (13.01)**

Amorphous Poly(lactide) and Poly(lactide-co-glycolide) Resins for Surgical Implants, Specification for, **F2579 (13.02)**

Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**

Calcium Phosphate Coatings for Implantable Materials, Specification for, **F1609 (13.01)**

Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), Specification for, **F1377 (13.01)**

Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**

Composition of Hydroxylapatite for Surgical Implants, Specification for, **F1185 (13.01)**

Femoral ProsthesesMetallic Implants, Specification for, **F2068 (13.01)**

Fixation Pins and Wires, Specification for, **F366 (13.01)**

Glass and Glass Ceramic Biomaterials for Implantation, Specification for, **F1538 (13.01)**

High Purity Calcium Sulfate Hemihydrate or Dihydrate for Surgical Implants, Specification for, **F2224 (13.01)**

Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**

Implantable Polytetrafluoroethylene (PTFE) Sheet, Tube, and Rod Shapes Fabricated from Granular Molding Powders, Specification for, **F754 (13.01)**

Metal Injection Molded Cobalt-28Chromium-6Molybdenum Components for Surgical Implant Applications, Specification for, **F2886 (13.02)**

Poly(glycolide) and Poly(glycolide-co-lactide) Resins for Surgical Implants with Mole Fractions Greater Than or Equal to 70 % Glycolide, Specification for, **F2313 (13.01)**

Polyetheretherketone (PEEK) Polymers for Surgical Implant Applications, Specification for, **F2026 (13.01)**

Polysulfone Resin for Medical Applications, Specification for, **F702 (13.01)**

Resurfacing Patellar Prosthesis, Specification for, **F1672 (13.01)**

Selection of Porous Polyethylene for Use in Surgical Implants, Specification for, **F755 (13.01)**

Semi-Crystalline Poly(lactide) Polymer and Copolymer Resins for Surgical Implants, Specification for, **F1925 (13.01)**

Silicone Elastomers, Gels, and Foams Used in Medical Applications Part I—Formulations and Uncured Materials, Guide for, **F2038 (13.01)**

Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, Guide for, **F2042 (13.01)**

Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**

Ultra-High Molecular Weight Polyethylene Powder Blended With Alpha-Tocopherol (Vitamin E) and Fabricated Forms for Surgical Implant Applications, Specification for, **F2695 (13.02)**

Unalloyed Tantalum for Surgical Implant Applications (UNS R05200, UNS R05400), Specification for, **F560 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), Specification for, **F138 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Surgical Fixation Wire (UNS S31673), Specification for, **F1350 (13.01)**
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**
Wrought Nickel-Titanium Shape Memory Alloys for Medical Devices and Surgical Implants, Specification for, **F2063 (13.01)**
Wrought Nitrogen Strengthened 11Manganese-17Chromium-3Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29225), Specification for, **F2581 (13.02)**
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**
Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), Specification for, **F2527 (13.02)**
Wrought Seamless Nickel-Titanium Shape Memory Alloy Tube for Medical Devices and Surgical Implants, Specification for, **F2633 (13.02)**
Wrought Seamless Stainless Steel Tubing for Surgical Implants, Specification for, **F2181 (13.01)**
Wrought Titanium-15 Molybdenum Alloy for Surgical Implant Applications (UNS R58150), Specification for, **F2066 (13.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy for Surgical Implant Applications (UNS R56320), Specification for, **F3046 (13.02)**
Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108), Specification for, **F2229 (13.01)**

Surgical instruments
Bend Testing of Needles Used in Surgical Sutures, Test Method for, **F1874 (13.01)**
Care and Handling of Intracranial Aneurysm Clips and Instruments, Practice for, **F700 (13.01)**
Care and Handling of Neurosurgical Implants and Instruments, Practice for, **F701 (13.01)**
Care and Handling of Orthopedic Implants and Instruments, Practice for, **F565 (13.01)**
Care and Handling of Stainless Steel Surgical Instruments, Guide for, **F1744 (13.01)**
Corrosion of Surgical Instruments, Test Method for, **F1089 (13.01)**
Hemostatic Forceps, Terminology Relating to, **F921 (13.01)**
Penetration Testing of Needles Used in Surgical Sutures, Test Method for, **F3014 (13.02)**
Surgical Scissors--Inserted and Non-Inserted Blades, Terminology for, **F1078 (13.01)**
Surgical Suture Needles, Terminology for, **F1840 (13.01)**

Surgical instruments—specifications
Cerebral Stereotactic Instruments, Performance Specification for, **F1266 (13.01)**
Fixation Pins and Wires, Specification for, **F366 (13.01)**
General Workmanship and Performance Measurements of Hemostatic Forceps, Specification for, **F1026 (13.01)**
Inserted and Noninserted Surgical Scissors, Specification for, **F1079 (13.01)**
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Medical Screwdriver Bits, Specification for, **F116 (13.01)**
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**
Puncture Resistance of Materials Used in Containers for Discarded Medical Needles and Other Sharps, Specification for, **F2132 (13.01)**
Square Drive Interconnections on Surgical Instruments, Specification for, **F2062 (13.01)**
Stainless Steel Suture Needle Holders-General Workmanship Requirements and Corresponding Test Methods, Specification for, **F1325 (13.01)**
Wrought Stainless Steels for Surgical Instruments, Specification for, **F899 (13.01)**

Surgical/medical rubber materials
See **Rubber medical/surgical applications**

Surgical needle
Penetration Testing of Needles Used in Surgical Sutures, Test Method for, **F3014 (13.02)**

Surgical scrubs
Evaluation of Surgical Hand Scrub Formulations, Test Method for, **E1115 (11.05)**

Surgical stainless steel
Wrought Nitrogen Strengthened 11Manganese-17Chromium-3Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29225), Specification for, **F2581 (13.02)**

Surgical suction and drainage systems
Rubber Surgical Drainage Tubes, Penrose-Type, Specification for, **D3579 (09.02)**

Surgical tissue applications
Burst Strength of Surgical Sealants, Test Method for, **F2392 (13.01)**
Classification of Therapeutic Skin Substitutes, Guide for, **F2311 (13.01)**
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb Type), Specification for, **F1613 (13.01)**
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb-Type), Terminology for, **F1638 (13.01)**
Tissue Engineered Medical Products (TEMPs) for Reinforcement of Tendon and Ligament Surgical Repair, Guide for, **F2903 (13.02)**

Surreptitious entry
Padlocks, Performance Specification for, **F883 (15.08)**
Privacy Padlocks, Performance Specification for, **F2348 (15.08)**

Surrogates
Spiking into Aqueous Samples, Guide for, **D5810 (11.01)**
Spiking Organics into Aqueous Samples, Guide for, **D5788 (11.02)**

Surrogate species
Conducting Renewal Phytotoxicity Tests With Freshwater Emergent Macrophytes, Guide for, **E1841 (11.06)**

Surround panel
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**

Surveillance
Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, Guide for, **D5163 (06.02)**

Surveillance—nuclear reactor vessels
See **Nuclear reactor vessels—surveillance**

Surveillance and maintenance (S)
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Post-Deactivation Surveillance and Maintenance of Radiologically Contaminated Facilities, Guide for, **E2420 (12.02)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**

Survey line waviness
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**

Surveys
Conducting Environmental Baseline Surveys, Practice for, **D6008 (11.05)**
Evaluating Capabilities of Nondestructive Testing Agencies, Guide for, **E1359 (03.03)**
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Surveys to Document and Assess Oiling Conditions on Shorelines, Guide for, **F1686 (11.05)**

Survey sampling
Using Probability Sampling Methods in Studies of Indoor Air Quality in Buildings, Guide for, **D5791 (11.07)**

Survival craft
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**

Survival curve
Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, Guide for, **E1891 (11.05)**

Susceptibility
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Determination of Susceptibility of Metals to Embrittlement in Hydrogen Containing Environments at High Pressure, High Temperature, or Both, Test Method for, **G142 (03.02)**
Determination of the Susceptibility of Metallic Materials to Hydrogen Gas Embrittlement (HGE), Test Method for, **F1459 (15.03)**
Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, Practice for, **G129 (03.02)**

Susceptor/food interface temperatures
Calibration of Microwave Ovens, Test Method for, **F1317 (15.10)**
Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, Test Method for, **F1349 (15.10)**
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**
Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**
Temperature Measurement and Profiling for Microwave Susceptors, Test Method for, **F874 (15.10)**

Suspended level viscometer
Glass Capillary Kinematic Viscometers, Specifications and Operating Instructions for, **D446 (05.01)**

Suspended matter
Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, Test Methods for, **D5907 (11.01)**
Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, Test Method for, **D4670 (08.02)**

Suspended particulate matter
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**

Suspended sediment concentration
Monitoring of Suspended-Sediment Concentration in Open Channel Flow Using Optical Instrumentation, Guide for, **D7512 (11.01)**

Suspended solids
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Corrugated High Density Polyethylene (HDPE) Water Quality Units, Specification for, **F2737 (08.04)**
Determination of Insoluble Solids in Organic Liquid Hazardous Waste, Test Method for, **D6050 (11.04)**
Determining Flow Rate of Water and Suspended Solids Retention from a Closed Geosynthetic Bag, Test Method for, **D7880/D7880M (04.13)**
Determining the Flow Rate of Water and Suspended Solids from a Geotextile Bag, Test Method for, **D7701 (04.13)**

Suspensibility
Percent Suspensibility, Test Method for, **E1673 (11.05)**

Suspension
Emulsification/Suspension of Multiphase Fluid Waste Materials, Practice for, **D5761 (05.02)**
Measurement of Particle Size Distribution of Nanomaterials in Suspension by Nanoparticle Tracking Analysis (NTA), Guide for, **E2834 (14.02)**

Suspension bicycle forks
Condition 3 Bicycle Forks, Specification for, **F2274 (15.07)**

Suspension-cell cultures
Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, Test Method for, **F2149 (13.01)**

Suspension fluids
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**

Suspension tests
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Evaluation of Cleanroom Disinfectants, Guide for, **E2614 (11.05)**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**

Sustainability
Additive Manufacturing—Coordinate Systems and Test Methodologies, Terminology for, **E2921 (04.12)**
Assessment of Rainwater Quality, Practice for, **E2727 (04.12)**
Building Enclosure Commissioning, Practice for, **E2813 (04.12)**
Data Collection for Sustainability Assessment of Building Products, Practice for, **E2129 (04.12)**
Environmental Impact Analysis of Commercial Food Service Equipment, Practice for, **F2916 (15.12)**
Estimating the Environmental Load of Residential Wastewater, Practice for, **E2717 (04.12)**
Evaluating the Attributes of a Forest Management Plan, Guide for, **D7480 (04.10)**
Evaluation and Selection of Accommodations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2772 (04.12)**
Evaluation and Selection of Audio Visual (AV) and Production for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2745 (04.12)**
Evaluation and Selection of Communication and Marketing Materials for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2746 (04.12)**
Evaluation and Selection of Destinations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2741 (04.12)**
Evaluation and Selection of Exhibits for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2742 (04.12)**
Evaluation and Selection of Food and Beverage for Environmen-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2773 (04.12)**
Evaluation and Selection of Onsite Offices for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2747 (04.12)**
Evaluation and Selection of Transportation for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2743 (04.12)**
Evaluation and Selection of Venues for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2774 (04.12)**
General Principles of Sustainability Relative to Buildings, Guide for, **E2432 (04.12)**
Integrating Sustainable Objectives into Cleanup, Guide for, **E2876 (11.05)**
Maximum Media Density for Dead Load Analysis of Vegetative (Green) Roof Systems, Test Method for, **E2399 (04.04)**
Selection, Installation, and Maintenance of Plants for Green Roof Systems, Guide for, **E2400 (04.04)**
Sustainability Relative to the Performance of Buildings, Terminology for, **E2114 (04.12)**
Vegetative (Green) Roof Systems, Guide for, **E2777 (04.04)**
Water Conservation in Buildings Through In-Situ Water Reclamation, Practice for, **E2635 (04.12)**
Water Stewardship in the Design, Construction, and Operation of Buildings, Guide for, **E2728 (04.12)**

Sustained burning test
Sa **Burning characteristics**
Sa **Flammability**
Sa **Flash point**
Sa **Heating tests**
Sa **Ignition**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, Test Method for, **D4206 (06.01)**

Sustained self-ignition
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**

Sustained shear loading
Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, Test Method for, **D6463/D6463M (15.10)**

Sustained speed
Evaluating Emergency Response Robot Capabilities: Mobility: Maneuvering Tasks: Sustained Speed, Test Method for, **E2829 (15.08)**

Sutherland ink rub tester
Abrasion and Scuff Resistance of Inkjet Media by the Sutherland Rub Tester, Practice for, **F2497 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**

Sutherland tester
Abrasion and Scuff Resistance of Inkjet Media by the Sutherland Rub Tester, Practice for, **F2497 (15.09)**
Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, Practice for, **D5264 (15.10)**

SUT (sensor under testing)
Secondary Calibration of Acoustic Emission Sensors, Practice for, **E1781/E1781M (03.03)**

Suture needles
Bend Testing of Needles Used in Surgical Sutures, Test Method for, **F1874 (13.01)**
Penetration Testing of Needles Used in Surgical Sutures, Test Method for, **F3014 (13.02)**
Stainless Steel Suture Needle Holders-General Workmanship Requirements and Corresponding Test Methods, Specification for, **F1325 (13.01)**
Surgical Suture Needles, Terminology for, **F1840 (13.01)**

Suture wire
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Surgical Fixation Wire (UNS S31673), Specification for, **F1350 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**

Swaged welded/cast/forged turnbuckles
Turnbuckles, Swaged, Welded, Forged, Specification for, **F1145 (01.07)**

Swap samples
Bulk Sample Collection and Swab Sample Collection of Visible Powders Suspected of Being Biothreat Agents from Nonporous Surfaces, Practices for, **E2458 (15.08)**

Sward hardness rocker
Determining the Hardness of Organic Coatings with a Sward-Type Hardness Rocker, Test Method for, **D2134 (06.01)**

Swath distribution patterns
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Preparing Field Sprayer Calibration Procedures, Guide for, **E549 (11.05)**
Preparing Granular Pesticide Ground Applicator Calibration Procedures, Guide for, **E550 (11.05)**

Sweating hot plate
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**

Sweating manikin
Measuring the Evaporative Resistance of Clothing Using a Sweating Manikin, Test Method for, **F2370 (11.03)**

Sweat joints
Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, Practice for, **B828 (02.01)**

Sweep test
Sweep Test of Bituminous Emulsion Surface Treatment Samples, Test Method for, **D7000 (04.03)**

Swell index
Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, Guide for, **D6141 (04.13)**
Swell Index of Clay Mineral Component of Geosynthetic Clay Liners, Test Method for, **D5890 (04.13)**

Swelling
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, Test Method for, **D2065 (06.02)**
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**
Determination of the Swelling Properties of Bituminous Coal Using a Dilatometer, Test Method for, **D5515 (05.06)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Maturity of Cotton Fibers (Sodium Hydroxide Swelling and Polarized Light Procedures), Test Method for, **D1442 (07.01)**
Neutron Radiation Damage Simulation by Charged-Particle Irradiation, Practice for, **E521 (12.02)**
One-Dimensional Consolidation Properties of Soils Using Incremental Loading, Test Methods for, **D2435/D2435M (04.08)**
One-Dimensional Swell or Collapse of Cohesive Soils, Test Methods for, **D4546 (04.08)**
Rubber—Determination of Gel, Swelling Index, and Dilute Solution Viscosity, Test Method for, **D3616 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Simulation of Helium Effects in Irradiated Metals, Guide for, **E942 (12.02)**

Swell potential
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**

Swimming
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**

Swimming pools
Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas, Guide for, **F1908 (01.06)**
Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot Tubs, Specification for, **F2387 (15.11)**
Removable Mesh Fencing for Swimming Pools, Hot Tubs, and Spas, Design and Performance Specification for, **F2286 (15.11)**
Residential Pool Alarms, Safety Specification for, **F2208 (15.11)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Use of a Residential Swimming Pool, Spa, and Hot Tub Safety Audit to Prevent Unintentional Drowning, Guide for, **F2518 (15.11)**

Swimwear
Sa **Bathrooms**
Knit Swimwear Fabrics, Performance Specification for, **D3996 (07.01)**
Seamless Knit Garments Including Intimates and Swimwear, Performance Specification for, **D7268 (07.02)**
Woven Swimwear Fabrics, Performance Specification for, **D3994 (07.01)**

Swing expansion joint
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**

Swinging door assemblies
Sa **Doors/door assemblies**
Detention Hinges Used on Detention-Grade Swinging Doors, Test Methods for, **F1758 (15.08)**
Detention Locks for Swinging Doors, Test Methods for, **F1577 (15.08)**
Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, Test Methods for, **F1450 (15.08)**
Security of Swinging Door Assemblies, Test Methods for, **F476 (15.08)**

Swinging door assemblies—security of
Security of Swinging Door Assemblies, Test Methods for, **F476 (15.08)**

Swing jar sampler
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**

Swings
Sa **Consumer safety specifications**
Home Playground Equipment, Consumer Safety Performance Specification for, **F1148 (15.11)**
Infant Swings, Consumer Safety Specification for, **F2088 (15.11)**
Playground Equipment for Public Use, Consumer Safety Performance Specification for, **F1487 (15.11)**

Swing-type fence gates
Sa **Fences/fencing materials**
Automated Vehicular Gate Construction, Specification for, **F2200 (01.06)**
Industrial and Commercial Steel Swing Gates, Specification for, **F900 (01.06)**

Swirl
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**

Swirling flask method
Laboratory Oil Spill Dispersant Effectiveness Using the Swirling Flask, Test Method for, **F2059 (11.05)**

Switchboards
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**

Switch contacts
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**

Switches
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Security Engineering Symbols, Practice for, **F967 (15.08)**

Switchgear
Mineral Insulating Oil Used in Electrical Apparatus, Specification for, **D3487 (10.03)**

Switchgears
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**

Switchgrass
Ash in Biomass, Test Method for, **E1755 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**

Switch position proximity
Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, Specification for, **F2071 (01.07)**

Swivel traps
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**

Symbols
Bar Code Verification, Practice for, **F1851 (15.09)**
Basic Statistics in Committee D19 on Water, Practice for, **D4375 (11.01)**
Communications Procedures—Phonetics, Practice for, **F1583 (13.02)**
Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, Practice for, **E386 (03.06)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Heat Transmission, Symbols for, **C108 (15.01)**
Location and Instruction Symbols for Evacuation and Lifesaving Equipment, Guide for, **F1297 (01.07)**
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**
Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.2 Degree Observation Angle, Test Method for, **E1709 (06.01)**
Mechanical Symbols, Shipboard—Heating, Ventilation, and Air Conditioning (HVAC), Practice for, **F856 (01.07)**
Molecular Spectroscopy, Terminology Relating to, **E131 (03.06)**
Pictorial Markings for Handling of Goods, Practice for, **D5445 (15.10)**
Piping System Drawing Symbols, Practice for, **F1000 (01.07)**
Security Engineering Symbols, Practice for, **F967 (15.08)**
Symbolizing Adhesive Applications, Practice for, **D7447 (15.06)**
Symbols and Definitions Relating to Magnetic Testing, Terminology of, **A340 (03.04)**
Symbols and Markings for Use With Land Search Maps, Practice for, **F1846 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Symbols for dimensions
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**
Synchronizer performance
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
Synchronous detection instrumentation
Spectral Responsivity Measurements of Photovoltaic Devices, Test Method for, **E1021 (12.02)**
Synchronous fluorescence
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, Test Method for, **E2143 (03.06)**
Syndiotactic polystyrene
Syndiotactic Polystyrene Molding and Extrusion (SPS), Classification System for and Basis for Specifications for, **D6339 (08.03)**
Synergism
Determining Synergism Between Wear and Corrosion, Guide for, **G119 (03.02)**
Syntactic completeness
Information Modeling, Practice for, **E2145 (14.01)**
Synthesized hydrocarbons
Aviation Turbine Fuel Containing Synthesized Hydrocarbons, Specification for, **D7566 (05.04)**
Synthetic anions
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**
Synthetic-base fibers
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Synthetic black iron oxide (magnetite)
See **Iron oxide pigments—black (natural/synthetic)**
Synthetic blood penetration
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique, Test Method for, **F1819 (11.03)**
Synthetic blood resistance
Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, Test Method for, **F1671/F1671M (11.03)**
Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood, Test Method for, **F1670/F1670M (11.03)**
Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity), Test Method for, **F1862/F1862M (11.03)**
Synthetic bone
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Pre-clinical *in vivo* Evaluation in Critical Size Segmental Bone Defects, Guide for, **F2721 (13.02)**
Synthetic cleaning materials/systems
See **Detergent materials/systems—synthetic**
Synthetic contraceptive materials
Male Condoms Made from Polyurethane, Specification for, **D6324 (09.02)**
Synthetic detergent content
Sa **Detergent materials/systems**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Synthetic dielectric fluids
Synthetic Dielectric Fluids For Capacitors, Test Methods for, **D3809 (10.03)**
Synthetic drying oils
See **Drying oils**
Synthetic ethylhexanol
See **2-Ethylhexanol**
Synthetic fabrics
Determine Melting Temperature of Synthetic Fibers, Test Method to, **D7138 (07.02)**
Selection of Test Methods for Prefabricated Bituminous Geomembranes (PBGM), Guide for the, **D6455 (04.13)**
Synthetic fiber-reinforced concrete/shotcrete
Sa **Glass fiber reinforced concrete (GFRC)**
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Synthetic filament
Measuring Curl in Paint Brush Filling Material, Practice for, **D6957 (06.02)**
Synthetic fluids
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Estimating Apparent Vapor Pressures and Molecular Weights of Lubricating Oils, Test Method for, **D2878 (05.01)**
Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, Test Method for, **D3827 (05.02)**
Water Separability of Petroleum Oils and Synthetic Fluids, Test Method for, **D1401 (05.01)**
Synthetic gear lubricants
See **Gear oils (GO)**
Synthetic geomembranes
See **Geosynthetics**
Synthetic hematite (red)
See **Iron oxide pigments—red (natural/synthetic)**
Synthetic hydrated yellow iron oxide
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Synthetic iron oxide brown pigment
See **Iron oxide pigments—brown (natural/synthetic)**
Synthetic mica
See **Mica**
Synthetic motor oil
Screening Fuels in Soils, Test Method for, **D5831 (11.04)**
Synthetic natural gas
See **Natural gas service systems**
Synthetic plasticizers
Sa **Plasticizers**
Testing Synthetic Plasticizers Used in Rubber, Guide for, **D1992 (09.01)**
Synthetic polymers
Determining Resistance of Synthetic Polymeric Materials to Fungi, Practice for, **G21 (14.04)**
Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, Test Method for, **D5210 (08.03)**
Measurement of Material Flammability Using a Fire Propagation Apparatus (FPA), Test Methods for, **E2058 (04.07)**
Synthetic precipitation
Shake Extraction of Mining Waste by the Synthetic Precipitation Leaching Procedure, Test Method for, **D6234 (11.04)**
Synthetic primary amyl acetate
See **Amyl acetate**
Synthetic rock
Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, Test Method for, **C1335 (04.06)**
Synthetic rubber
Disposable Embalming Gloves for Single-Use Applications, Specification for, **D7198 (09.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Human Repeat Insult Patch Testing of Medical Gloves, Test Method for, **D6355 (09.02)**
Rubber From Synthetic Sources—Sampling, Practice for, **D3896 (09.01)**
Rubber From Synthetic Sources—Total and Water Soluble Ash, Test Method for, **D5667 (09.01)**
Rubber From Synthetic Sources—Volatile Matter, Test Methods for, **D5668 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber—Chemical Analysis of Extractables, Test Methods for, **D5774 (09.01)**
Rubber—Determination of Bound Styrene in Styrene Butadiene Rubber by Refractive Index, Test Method for, **D5775 (09.01)**
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**

Synthetic rubber—specifications
Polychloroprene Examination Gloves for Medical Application, Specification for, **D6977 (09.02)**

Synthetic sapphire
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**

Synthetic sea water
See **Seawater (natural/synthetic)**

Synthetic turf field system—specifications
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Total Lead Content in Synthetic Turf Fibers, Specification for, **F2765 (15.07)**

Synthetic turf field system
Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, Test Methods for, **F1551 (15.07)**
Permeability of Synthetic Turf Sports Field Base Stone and Surface System by Non-confined Area Flood Test Method, Test Method for, **F2898 (15.07)**
Relative Abrasiveness of Synthetic Turf Playing Surfaces, Test Method for, **F1015 (15.07)**

Synthetic waxes
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**

Synthetic yellow iron oxide
See **Iron oxide pigments—yellow**

Syphonic roof drainage systems
Design and Installation of Plastic Siphonic Roof Drainage Systems, Guide for, **F2021 (08.04)**

Syringes
Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), Specification for, **D4775/D4775M (15.10)**

Syringe sampler
Sampling Liquids Using Grab and Discrete Depth Samplers, Practice for, **D6759 (11.04)**

Syrup drinks
Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), Specification for, **F918 (15.12)**

System analysis/compliance assurance
Agencies Engaged in System Analysis and Compliance Assurance for Manufactured Building, Specification for, **E541 (14.02)**
Evaluating Capabilities of Agencies Involved in System Analysis and Compliance Assurance for Manufactured Building, Practice for, **E651/E651M (14.02)**

Systematic manual point count
Determining Volume Fraction by Systematic Manual Point Count, Test Method for, **E562 (03.01)**

System delay
Determining the Performance of a Sonic Anemometer/Thermometer, Test Method for, **D6011 (11.07)**

System design considerations
Structural Sealant Glazing, Guide for, **C1401 (04.07)**

System effects
Evaluating System Effects in Repetitive-Member Wood Assemblies, Guide for, **D6555 (04.10)**

System Medical Director
Sa **Emergency medical services (EMS)**
Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, Practice for, **F1149 (13.02)**

System reliability
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**

Systems
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Reporting Photovoltaic Non-Concentrator System Performance, Test Method for, **E2848 (12.02)**

Systems evaluation
Selecting Cleaning Agents and Processes, Guide for, **D6361/D6361M (15.05)**

Systems implementation/development
Pavement Management Implementation, Guide for, **E1889 (04.03)**
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**

T

T-10 exhaust Gas recirculation diesel engine
Evaluation of Diesel Engine Oils in T-10 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D6987/D6987M (05.04)**
Evaluation of Diesel Engine Oils in T-10 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D6987/D6987M (05.04)**

Tabbing technique
Tensile Properties of Single Textile Fibers, Test Method for, **D3822/D3822M (07.01)**

Taber tester
Abrasion Resistance of Dimension Stone Subjected to Foot Traffic Using a Rotary Platform, Double-Head Abraser, Test Method for, **C1353/C1353M (04.07)**
Abrasion Resistance of Organic Coatings by the Taber Abraser, Test Method for, **D4060 (06.01)**
Conducting Wear Tests Using a Rotary Platform Abraser, Guide for, **G195 (03.02)**
Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), Test Method for, **F1478 (15.09)**
Determining the Abrasion Resistance of Inks and Coatings on Membrane Switches Using the Norman Tool RCA Abrader, Test Method for, **F2357 (10.04)**
Dry Abrasion Mar Resistance of High Gloss Coatings, Test Methods for, **D6037 (06.01)**
Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, Test Method for, **F1978 (13.01)**
Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser, Test Method for, **C501 (15.02)**
Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method, Test Method for, **F510/F510M (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tablecloth fabrics
Woven Napery and Tablecloth Fabrics: Household and Institutional, Performance Specification for, **D4111 (07.01)**
Table mounted kettles
Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1603 (15.12)**
Tables
Sa **Shipboard materials/applications—specifications**
Glass Used as a Horizontal Surface in Desks and Tables, Specification for, **F2813 (15.11)**
Tables, Mess, Marine, Steel, Specification for, **F824 (01.07)**
Tables (measurement)
Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness, Hardness Conversion Tables for, **E140 (03.01)**
Reference Solar Ultraviolet Spectral Distributions: Hemispherical on 37° Tilted Surface, Tables for, **G177 (14.04)**
Road Tar, Volume Correction Table for, **D633 (04.03)**
Solar Constant and Zero Air Mass Solar Spectral Irradiance Tables, Standard, **E490 (15.03)**
Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples, Specification and, **E230/E230M (14.03)**
Viscosity-Temperature Chart for Asphalts, Standard, **D2493/D2493M (04.03)**
Tables (measurement)—clothing
Body Dimensions for Apparel Sizing, Terminology Relating to, **D5219 (07.02)**
Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**
Body Measurements for Boys, Sizes 4H to 20H Husky, Tables of, **D6860/D6860M (07.02)**
Body Measurements for Boys, Sizes 8 to 14 Slim and 8 to 20 Regular, Tables of, **D6458 (07.02)**
Body Measurements for Children, Infant Sizes—Preemie to 24 Months, Tables of, **D4910/D4910M (07.02)**
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Body Measurements for Juniors, Sizes 0 to 19, Tables of, **D6829 (07.02)**
Body Measurements for Mature Men, ages 35 and older, Sizes Thirty-Four to Fifty-Two (34 to 52) Short, Regular, and Tall, Tables of, **D6240/D6240M (07.02)**
Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**
Conversion Factors and Equivalent Yarn Numbers Measured in Various Numbering Systems, Tables of, **D2260 (07.01)**
Tables (measurement)—gaseous fuels
Ethane Thermophysical Property Tables, Specification for, **D3984 (05.06)**
Isobutane Thermophysical Property Tables, Specification for, **D4651 (05.06)**
Methane Thermophysical Property Tables, Specification for, **D3956 (05.06)**
Normal Butane Thermophysical Property Tables, Specification for, **D4650 (05.06)**
Propane Thermophysical Property Tables, Specification for, **D4362 (05.06)**
Tables (measurement)—petroleum products
ASTM Butadiene Measurement Tables, Standard, **D1550 (05.01)**
Reference Solar Spectral Irradiances: Direct Normal and Hemispherical on 37° Tilted Surface, Tables for, **G173 (14.04)**
Tableware
Sa **Ceramic whitewares**
Impact Resistance of Ceramic Tableware, Test Method for, **C368 (15.02)**
Tab mechanical uplift resistance
Measurement of Asphalt Shingle Mechanical Uplift Resistance, Test Method for, **D6381/D6381M (04.04)**
Tabulated reference spectrum irradiance distribution
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**
Tachometers
Tachometers, Various, Specification for, **F2046 (01.07)**
Tack
Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter, Test Method for, **D4361 (06.02)**
Holding Strength of Tack and Prong Fastener Attached Buttons, Test Method for, **D7842/D7842M (07.02)**
Pressure-Sensitive Tack of Adhesives Using an Inverted Probe Machine, Test Method for, **D2979 (15.10)**
Tack of Pressure-Sensitive Adhesives by Rolling Ball, Test Method for, **D3121 (15.10)**
Tack force
Loop Tack, Test Methods for, **D6195 (15.10)**
Tack-free time
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Tack-Free Time of Caulking Compounds and Sealants, Test Method for, **D2377 (04.07)**
Tack-Free Time of Elastomeric Sealants, Test Method for, **C679 (04.07)**
Tackifiers
Mucilloid Content of Plantago Insularis (Ovata, Psyllium), Test Method for, **D7047 (04.09)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Tackiness
Friction Tapes, Test Methods for, **D69 (10.01)**
Resistance of Finish to Heat Aging (Finish Stability), Test Method for, **D7912 (15.04)**
Tackiness of Finish on Leather, Test Method for, **D6183 (15.04)**
Tack-tear resistance
Coated Fabrics, Test Methods for, **D751 (09.02)**
Tactical shelters
Adhesive Bonding of Aluminum Facings in Foam and Beam Type Shelters, Practice for, **E1801 (04.11)**
Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, Practice for, **E874 (04.11)**
Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Specification for, **E866 (04.11)**
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**
Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, Practice for, **E1773 (04.11)**
Structural Film Adhesives for Honeycomb Sandwich Panels, Specification for, **E865 (04.11)**
Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, Practice for, **E864 (04.11)**
Tactile properties
Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, Guide for, **E1490 (15.08)**
Tafel slopes
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Conducting Potentiodynamic Polarization Resistance Measurements, Test Method for, **G59 (03.02)**
Tag closed-cup tester
Sa **Flash point**
Flash Point by Tag Closed Cup Tester, Test Method for, **D56 (05.01)**
Tagline positioning technique
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tag open-cup tester
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Flash Point of Cutback Asphalt with Tag Open-Cup Apparatus, Test Method for, **D3143/D3143M (04.03)**
Tailings
Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, Test Methods for, **E1915 (03.05)**
Tailored modulation techniques (TMT)
Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**
Tailwater
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Takeoff
Design and Performance of a Light Sport Airplane, Specification for, **F2245 (15.11)**
Talc
Contact Compatibility Between Asphaltic Materials (Oliensis Test), Test Method for, **D1370/D1370M (04.04)**
Talc (body)
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Talc (pigment)
See **Magnesium silicate pigment**
Tall oil fatty acids
Determination of Iodine Value of Tall Oil Fatty Acids, Test Method for, **D5768 (06.03)**
Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1585 (06.03)**
Measuring Color After Heating of Tall Oil Fatty Acids, Test Method for, **D1981 (06.03)**
Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1240 (06.03)**
Saponification Number of Naval Store Products Including Tall Oil and Other Related Products, Test Methods for, **D464 (06.03)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Tall oil/tall oil rosin
Acid Number of Naval Stores Products Including Tall Oil and Other Related Products, Test Methods for, **D465 (06.03)**
Color of Pine Chemicals and Related Products (Instrumental Determination of Gardner Color), Test Method for, **D6166 (06.03)**
Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1585 (06.03)**
Pine Chemicals, Including Tall Oil and Related Products, Terminology Relating to, **D804 (06.03)**
Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1240 (06.03)**
Saponification Number of Naval Store Products Including Tall Oil and Other Related Products, Test Methods for, **D464 (06.03)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**
Unsaponifiable Matter in Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Method for, **D1065 (06.03)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Tallow content
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
TAME (*tert*-amyl methylether)
Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, Test Method for, **D6729 (05.03)**
Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, Test Method for, **D6730 (05.03)**
Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, Test Method for, **D5845 (05.02)**
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, Test Method for, **D5599 (05.02)**
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**
Tampering
Inspection and Evaluation of Tampering of Security Seals, Guide for, **F1158 (15.08)**
Tampering prevention
Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**
Tan delta
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Plastics: Dynamic Mechanical Properties: In Torsion, Test Method for, **D5279 (08.03)**
Viscoelastic Properties of Paste Ink Vehicle Using an Oscillatory Rheometer, Test Method for, **D7271 (06.03)**
Tandem seals
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Tangent bulk modulus
Determination of Isothermal Secant and Tangent Bulk Modulus, Test Method for, **D6793 (05.03)**
Tangential shrinkage
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Tangential stress (on encapsulants for semiconductors)
See **Electronic encapsulants**
Tangent modulus
Young's Modulus, Tangent Modulus, and Chord Modulus, Test Method for, **E111 (03.01)**
Tank bottoms
Hydraulic Integrity of New, Repaired, or Reconstructed Aboveground Storage Tank Bottoms for Petroleum Service, Guide for, **E2256 (11.05)**
Tank cars/wagons/other shipping containers
See **Containers—tank cars/wagons**
Tank heater
Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, Test Method for, **F1696 (15.12)**
Tank linings
Installation of Vulcanized Rubber Linings, Practice for, **D7602 (06.02)**
Tank mix adjuvants
Agricultural pH Control Agents, Test Method for, **E1910/E1910M (11.05)**
Tank mixtures
Agricultural Tank Mix Adjuvants, Terminology Relating to, **E1519 (11.05)**
Evaluation of Physical Compatibility of Pesticides in Aqueous Tank Mixtures by the Dynamic Shaker Method, Practice for, **E1518 (11.05)**
Tanks
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Acoustic Emission Examination of Pressurized Containers Made

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

of Fiberglass Reinforced Plastic with Balsa Wood Cores, Practice for, **E1888/E1888M (03.03)**
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Construction of Sounding Tube and Striker Plate for Tank Sounding, Guide for, **F1386 (01.07)**
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
Sampling of Tanks by Field Personnel, Practice for, **D7831 (11.04)**
Sampling Radioactive Tank Waste, Guide for, **C1751 (12.01)**
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**

Tanks—specifications
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, Specification for, **A821/A821M (01.04)**
Suction Strainer Boxes, Specification for, **F986 (01.07)**
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**
Tanks, 5 and 10-Gal (20 and 40-L) Lube Oil Dispensing, Specification for, **F670 (01.07)**

Tank trailer
Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, Practice for, **E1888/E1888M (03.03)**

Tank-type aircraft maintenance chemicals
See **Aircraft chemicals/processes**

Tank vent flame arresters
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**

Tanning analysis/materials
Analysis of Iron and Copper in Vegetable Tanning Materials, Test Method for, **D6407 (15.04)**
Analysis of Sugar in Vegetable Tanning Materials, Test Method for, **D6406 (15.04)**
Analysis of Vegetable Tanning Materials—General, Practice for, **D4899 (15.04)**
Calculation of (Non-Mineral) Combined Tanning Agents and Degree of Tannage, Practice for, **D6020 (15.04)**
Cooling of Analytical Solutions, Practice for, **D4904 (15.04)**
Determination of Chromic Oxide in Basic Chromium Tanning Liquors (Ammonium Persulfate Oxidation), Test Method for, **D6019 (15.04)**
Determination of Nitrogen, Water Extractable in Leather, Test Method for, **D6016 (15.04)**
Determining Moisture in Raw and Spent Materials, Test Method for, **D6403 (15.04)**
Determining Non-Tannins and Tannin in Extracts of Vegetable Tanning Materials, Test Method for, **D6401 (15.04)**
Determining Soluble Solids and Insolubles in Extracts of Vegetable Tanning Materials, Test Method for, **D6402 (15.04)**
Evaluation of Tannin Stain Resistance of Coatings, Test Method for, **D6686 (06.02)**
Evaporation and Drying of Analytical Solutions, Test Method for, **D4902 (15.04)**
Extraction of Tannins from Raw and Spent Materials, Practice for, **D6405 (15.04)**
Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, Test Method for, **D4900 (15.04)**
pH of Chrome Tanning Solutions, Test Method for, **D5356 (15.04)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Preparation of Solution of Liquid Vegetable Tannin Extracts, Practice for, **D4901 (15.04)**
Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, Practice for, **D4905 (15.04)**
Sampling Vegetable Materials Containing Tannin, Practice for, **D6404 (15.04)**
Shrinkage Temperature of Leather, Test Method for, **D6076 (15.04)**
Total Solids and Water in Vegetable Tanning Material Extracts, Test Method for, **D4903 (15.04)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**

Tanning color test
Color Tests with Sheepskin Skiver, Practice for, **D6409 (15.04)**

Tanning liquors
Acidity in Basic Chromium Tanning Liquors, Test Method for, **D3913 (15.04)**
Analysis of Iron and Copper in Vegetable Tanning Materials, Test Method for, **D6407 (15.04)**
Analysis of Tannery Liquors, Test Method for, **D6408 (15.04)**
Calculation of Basicity of Chrome Tanning Liquors, Practice for, **D3897 (15.04)**
Chromic Oxide in Basic Chromium Tanning Liquors, Test Method for, **D3898 (15.04)**
Determination of Chromic Oxide in Basic Chromium Tanning Liquors (Ammonium Persulfate Oxidation), Test Method for, **D6019 (15.04)**
Determining Acidity of Vegetable Tanning Liquors, Test Method for, **D6410 (15.04)**
Determining Non-Tannins and Tannin in Extracts of Vegetable Tanning Materials, Test Method for, **D6401 (15.04)**

Tantalum (Ta) content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**

Tantalum (Ta) content—metals/alloys
Chemical Analysis of Ferroniobium, Test Methods for, **E367 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**

Tantalum (Ta) powder
Sa **Metal powders**
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Determination of Oxygen in Tantalum Powder by Inert Gas Fusion Technique, Test Method for, **E1569 (03.05)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**

Tantalum (Ta)/tantalum alloys
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tantalum (Ta)/tantalum alloys—specifications
Reactive and Refractory Metal Clad Plate, Specification for, **B898 (02.04)**
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**
Tantalum and Tantalum Alloy Ingots, Specification for, **B364 (02.04)**
Tantalum and Tantalum Alloy Plate, Sheet, and Strip, Specification for, **B708 (02.04)**
Tantalum and Tantalum Alloy Rod and Wire, Specification for, **B365 (02.04)**
Tantalum and Tantalum Alloy Seamless and Welded Tubes, Specification for, **B521 (02.04)**
Unalloyed Tantalum for Surgical Implant Applications (UNS R05200, UNS R05400), Specification for, **F560 (13.01)**
Tap density
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Tape
Colorfastness of Zipper Tapes to Crocking, Test Method for, **D2054 (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**
PTFE Resin Skived Tape, Specification for, **D3308 (08.02)**
Reinforced and Plain Gummed Tape for Sealing and Securing, Specification for, **D5749 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Tensile Testing of High Performance Polyethylene Tapes, Test Methods for, **D7744/D7744M (07.02)**
Water Resistance of Tape and Adhesives Used as Box Closure, Test Method for, **D5570/D5570M (15.10)**
Width and Length of Pressure-Sensitive Tape, Guide for, **D5750/D5750M (15.10)**
Tape adhesion test
Evaluating Ink or Coating Adhesion to Flexible Packaging Materials Using Tape, Practice for, **F2252/F2252M (15.10)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**
Taped seams
Determining the Integrity of Seams Used in Joining Geomembranes by Pre-manufactured Taped Methods, Test Method for, **D7272 (04.13)**
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**
Tape extensometers
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Tapeless measurement procedure
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Tape lift method
Collection of Fungal Material From Surfaces by Tape Lift, Practice for, **D7910 (11.07)**
Sampling for Particulate Contamination by Tape Lift, Practice for, **E1216 (15.03)**
Taper dimensions
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**
Tapered bearing simulator
Measuring Viscosity at High Shear Rate by Tapered Bearing Simulator Viscometer at 100°C, Test Method for, **D6616 (05.03)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Tapered-edge depth (of gypsum boards)
Sa **Gypsum products**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Taper edge tape
Bondable Silicone Rubber Tapes Used for Electrical Insulation, Test Methods for, **D2148 (10.01)**
Tapered mandrel technique
Fibrous-Insulated Magnet Wire, Test Methods for, **D3353 (10.02)**
Tapered-plug viscometer
Sa **Viscometers**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Tapered refractory brick/shapes
Sa **Brick—specifications**
Dimensions of a Modular Series of Refractory Brick and Shapes, Practice for, **C909 (15.01)**
Tapered sockets (for plastic pipe)
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**
Tapered structural steel tube
Sa **Structural steel (SS) tube—specifications**
Steel Tubes, Low-Carbon or High-Strength Low-Alloy, Tapered for Structural Use, Specification for, **A595/A595M (01.01)**
Taper-ground joints/stopcocks/stoppers
Sa **Stopcocks/stoppers**
Interchangeable Taper-Ground Stopcocks And Stoppers, Specification for, **E675 (14.04)**
Taper-pin electrodes
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**
Taper pipe threads
Modified Stub ACME Thread Joint with Elastomeric Seal in Plastic Piping Components, Specification for, **F2768 (08.04)**
Taper Pipe Threads 60° for Thermoplastic Pipe and Fittings, Specification for, **F1498 (08.04)**
Tape sampling
Manual Sampling of Petroleum and Petroleum Products, Practice for, **D4057 (05.02)**
Tape sealants (preformed)
See **Preformed sealant tapes**
Tape test
Specimen Preparation and Mounting of Tapes to Assess Surface Burning Characteristics, Practice for, **E2688 (04.07)**
Tape wound core
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Tap-Pak Volumeter
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Tapped bulk density
Determination of Loose and Tapped Bulk Density of Plutonium Oxide, Test Method for, **C1770 (12.01)**
Determining Loose and Tapped Bulk Densities of Powders using a Graduated Cylinder, Test Methods for, **D7481 (04.09)**
Tapping machine method
Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures, Test Method for, **E1007 (04.06)**
Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine, Test Method for, **E492 (04.06)**
Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, Test Method for, **E2179 (04.06)**
Tapping torque
Comparing Metal Removal Fluids Using the Tapping Torque Test Machine, Test Method for, **D5619 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tap water
Sa **Drinking water**
Strontium-90 in Water, Test Method for, **D5811 (11.02)**
Tar acids
Pyridine Bases in Cresylic Acid by Direct Titration, Test Method for, **D4471 (06.04)**
Tar Acid Composition by Capillary Gas Chromatography, Test Method for, **D5310 (06.04)**
Tar-bonded brick
Sa **Brick**
Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, Practice for, **C1190 (15.01)**
Tare
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**
Tare weights
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Target compound chromatogram (TCC)
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**
Target metals
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**
Target ranges
Installation of Paintball Barrier Netting, Guide for, **F2184 (15.07)**
Targets
Chromium Sputtering Targets for Thin Film Applications, Specification for, **F1367 (10.04)**
Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, Specification for, **F1513 (10.04)**
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**
Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney Viscosity Target Values, Practice for, **D5605 (09.01)**
Ultrasonic C-Scan Bond Evaluation of Sputtering, Practice for, **F1512 (10.04)**
Target size
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Target specifications
Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, Guide for, **F2113 (10.04)**
Target-width/distance ratio
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Taring
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Tarnish
Sa **Corrosivity**
Conducting Mixed Flowing Gas (MFG) Environmental Tests, Practice for, **B827 (02.04)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur"), Test Method for, **B809 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Tarnish films
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Tarpaulins
Coated Fabrics, Test Methods for, **D751 (09.02)**
Tars
Ash in Coal Tar and Pitch, Test Method for, **D2415 (05.01)**
Coking Value of Tar and Pitch (Alcan), Test Method for, **D4715 (05.02)**
Coking Value of Tar and Pitch (Modified Conradson), Test Method for, **D2416 (05.01)**
Density of Semi-Solid Bituminous Materials (Pycnometer Method), Test Method for, **D70 (04.03)**
Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, Test Method for, **D4746 (05.02)**
Dimethylformamide-Insoluble (DMF-I) Content of Tar and Pitch, Test Method for, **D2764 (05.01)**
Emulsified Refined Coal Tar (Mineral Colloid Type), Specification for, **D5727/D5727M (04.04)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**
Quinoline-Insoluble (QI) Content of Tar and Pitch, Test Method for, **D2318 (05.01)**
Quinoline-Insoluble (QI) Content of Tar and Pitch by Stainless Steel Crucible Filtration, Test Method for, **D7280 (05.04)**
Toluene-Insoluble (TI) Content of Tar and Pitch, Test Method for, **D4072 (05.02)**
Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), Test Method for, **D4312 (05.02)**
Tar sands
Calculated Cetane Index by Four Variable Equation, Test Method for, **D4737 (05.02)**
Tars (road)
See **Road tars**
Task assignment form
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**
Task force
Training for Land Search and Rescue Strike Team/Task Force Leader, Guide for, **F3024 (13.02)**
Taste
Sa **Sensory analysis—foods and beverages**
Evaluating Effects of Contaminants on Odor and Taste of Exposed Fish, Practice for, **E1810 (15.08)**
Odor and Taste Transfer from Polymeric Packaging Film, Test Method for, **E1870 (15.08)**
Odor or Flavor Transfer or Both from Rigid Polymeric Packaging, Test Method for, **E2609 (15.08)**
Sensory Evaluation of Edible Oils and Fats, Practice for, **E1627 (15.08)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Tax-exempt diesel fuels
Determination of Solvent Red 164 Dye Concentration in Diesel Fuels, Test Method for, **D6258 (05.03)**
TBC inhibitor
Colorimetric Determination of, Test Method for, **D4590 (06.04)**
TBP curves
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
TC
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
TCEP micro-packed column
Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, Test Method for, **D4815 (05.02)**
TCLP leachate
Sa **Leachates/leaching**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
TCLP (toxicity characteristic leaching procedure)
Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), Guide for, **E1908 (04.11)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling Protocol for TCLP Testing of Container Glassware, Test Method for, **C1606 (15.02)**

TCP phases (of multiphasic materials)
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**

TCR (temperature coefficient of resistance)
See **Temperature tests**

Time domain electromagnetic method (TDEM)
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**

TDI (toluene diisocyanate)
See **Toluene diisocyanate (TDI)**

Teacher/teaching
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Team assignment form
Forms Used for Search and Rescue, Guide for, **F1767 (13.02)**

Tear resistance
Coated Fabrics, Test Methods for, **D751 (09.02)**
Dynamic Tear Testing of Metallic Materials, Test Method for, **E604 (03.01)**
Evaluating the Tear Resistance of a Sealant Under Constant Strain, Test Method for, **C1681 (04.07)**
Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, Test Method for, **D4932/D4932M (04.04)**
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, Test Method for, **D1922 (08.01)**
Puncture-Propagation Tear Resistance of Plastic Film and Thin Sheeting, Test Method for, **D2582 (08.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Slit Tear Resistance of Leather, Test Method for, **D2212 (15.04)**
Tear Resistance (Graves Tear) of Plastic Film and Sheeting, Test Method for, **D1004 (08.01)**
Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers, Test Method for, **D624 (09.01)**
Tear-Propagation Resistance (Trouser Tear) of Plastic Film and Thin Sheeting by a Single-Tear Method, Test Method for, **D1938 (08.01)**

Tear testing
Coated Fabrics, Test Methods for, **D751 (09.02)**
Determining Modulus, Tear and Adhesion Properties of Precured Elastomeric Joint Sealants, Test Method for, **C1523 (04.07)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Tear Testing of Aluminum Alloy Products, Test Method for, **B871 (02.02)**
Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus, Test Method for, **D1424 (07.01)**

Tear testing—geosynthetic materials/applications
Determining Tearing Strength of Internally Reinforced Geomembranes, Test Method for, **D5884 (04.13)**
Trapezoid Tearing Strength of Geotextiles, Test Method for, **D4533 (04.13)**

Tear testing—leather
Buckle Tear Strength of Leather, Test Method for, **D4831 (15.04)**
Slit Tear Resistance of Leather, Test Method for, **D2212 (15.04)**
Stitch Tear Strength of Leather, Double Hole, Test Method for, **D4705 (15.04)**
Stitch Tear Strength, Single Hole, Test Method for, **D4786 (15.04)**
Tearing Strength, Tongue Tear of Leather, Test Method for, **D4704 (15.04)**
Trapezoid Tearing Strength of Leather, Test Method for, **D6077 (15.04)**

Tear testing—paper products/applications
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Tear testing—textile materials/applications
Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine), Test Method for, **D2261 (07.01)**
Tearing Strength of Fabrics by Trapezoid Procedure, Test Method for, **D5587 (07.02)**

Technetium-99
99Tc in Water by Solid Phase Extraction Disk, Test Method for, **D7168 (11.02)**
Determination of Boron, Silicon, and Technetium in Hydrolyzed Uranium Hexafluoride by Inductively Coupled Plasma—Mass Spectrometer After Removal of Uranium by Solid Phase Extraction, Test Method for, **C1771 (12.01)**
Determination of Technetium-99 in Uranium Hexafluoride by Liquid Scintillation Counting, Test Method for, **C1539 (12.01)**
the Determination of Technetium-99 in Soil, Guide for, **C1387 (12.01)**

Technical competence
Evaluating Capabilities of Nondestructive Testing Agencies, Guide for, **E1359 (03.03)**

Technical experts/investigations
Sa **Documents/documentation**
Collection and Preservation of Information and Physical Items by a Technical Investigator, Practice for, **E1188 (14.02)**
Evaluation of Scientific or Technical Data, Practice for, **E678 (14.02)**
Reporting Opinions of Scientific or Technical Experts, Practice for, **E620 (14.02)**
Selection, Assignment, and Monitoring of Persons To Be Utilized as Assessors/Auditors or Technical Experts, Guide for, **E2159 (14.02)**

Technical glass
Sa **Glass**
Designing a Process for Cleaning Technical Glasses, Practice for, **C912 (15.02)**

Technical grade ethylene dichloride
Technical Grade Ethylene Dichloride, Specification for, **D5960 (15.05)**

Technical grade hydrochloric acid
See **Hydrochloric acid (HCL)**

Technical grade methylene chloride
Technical Grade Methylene Chloride, Specification for, **D4701 (15.05)**

Technical grades
Natural Rubber (NR) Technical Grades, Specification for, **D2227 (09.01)**

Technical-grade trichloroethylene
Trichloroethylene, Technical and Vapor-Degreasing Grade, Specification for, **D4080 (15.05)**

Technical standards
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**

Technology
Serviceability of an Office Facility for Typical Office Information Technology, Classification for, **E1663 (04.11)**

Technology and underground utilities
Laser Technologies for Direct Measurement of Cross Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, Practice for, **F3095 (04.12)**

Tee sockets (for plastic pipe)
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**
PVC Hub and Elastomeric Seal (Gasket) Tee Connection for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Joining Plastic Pipe to Insitu Pipelines and Manholes, Specification for, **F2946 (08.04)**

Teeth
Colorimetry of Teeth Using Digital Still Camera Technology, Test Method for, **E2466 (06.01)**
Objective Quantification of Dental Plaque Using Digital Still Cameras, Test Method for, **E2670 (06.01)**

Teethers
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**

TEG (temperature effect gauge)
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**

Telecolorimeter/telespectroradiometer
Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, Practice for, **E811 (06.01)**

Telecommunications
Sa **Communications**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Emergency Medical Dispatch, Practice for, **F1258 (13.02)**
Emergency Medical Dispatch Management, Practice for, **F1560 (13.02)**
Emergency Medical Services System (EMSS) Telecommunications, Guide for, **F1220 (13.02)**
Minimum Training of Dispatchers and Telecommunicators of SAR Incidents, Guide for, **F2662 (13.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, Practice for, **F1552 (13.02)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Telecommunications—specifications
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**

Telemetry devices
Implantable Epoxy Electronic Encapsulants, Specification for, **F641 (13.01)**

Teleoperated ground robot
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Gaps, Test Method for, **E2801 (15.08)**

Telephone systems
Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire, Specification for, **A111 (01.06)**

Telescoping live line tool
Live Line and Measuring Telescoping Tools, Specification for, **F1826 (10.03)**

Television equipment
Chemically Strengthened Flat Glass, Specification for, **C1422/C1422M (15.02)**

Tellurium
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**

Tellurium content—Cu/Cu alloys
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**

Temper
Rolled Zinc, Specification for, **B69 (02.04)**
Temper Designations of Magnesium Alloys, Cast and Wrought, Practice for, **B296 (02.02)**

Temperature (applications)
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Moisture Conditioning of Wood and Wood-Based Materials, Guide for, **D4933 (04.10)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**

Temperature blank
Field Preservation of Groundwater Samples, Guide for, **D6517 (04.09)**

Temperature calibration
Sa **Calibration—laboratory analysis instrumentation**
Calibration and Use of Thermocouple Reference Junction Probes in Evaluation of Electronic Reference Junction Compensation Circuits, Practice for, **E2730 (14.03)**
Calibration of Temperature Scale for Thermogravimetry, Practice for, **E1582 (14.02)**
Mass Scale Calibration of Thermogravimetric Analyzers, Test Method for, **E2040 (14.02)**
Reporting Thermometer Calibrations, Practice for, **E2623 (14.03)**
Temperature Calibration of Differential Scanning Calorimeters and Differential Thermal Analyzers, Test Method for, **E967 (14.02)**
Temperature Calibration of Dynamic Mechanical Analyzers, Test Method for, **E1867 (14.02)**
Temperature Calibration of Rheometers in Isothermal Mode, Test Method for, **E2509 (14.02)**
the Preparation and Evaluation of Liquid Baths Used for Temperature Calibration by Comparison, Guide for, **E2488 (14.03)**

Temperature compensation/control
Flow Control and Temperature Control for On-Line Water Sampling and Analysis, Practice for, **D5540 (11.01)**

Temperature controlled packages
Thermal Insulation Performance of Distribution Packages, Test Method for, **D3103 (15.10)**

Temperature-controlled thermal chamber
Viscosity Determination of Asphalt at Elevated Temperatures Using a Rotational Viscometer, Test Method for, **D4402/D4402M (04.04)**

Temperature correction factors
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**

Temperature cycling test
Determining the Effects of Temperature Cycling on Fenestration Products, Practice for, **E2264 (04.12)**
Polyamide 11 (PA 11) and Polyamide 12 (PA12) Mechanical Fittings for Use on Outside Diameter Controlled Polyamide 11 and Polyamide 12 Pipe and Tubing, Specification for, **F2145 (08.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Temperature-decomposition profile
Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, Practice for, **E1877 (14.02)**
Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, Test Method for, **E1641 (14.02)**
Temperature-electromotive force (EMF)
Sa **Electromotive force (EMF)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples, Specification and, **E230/E230M (14.03)**
Temperature fluctuation/gradient
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Temperature gradient
Measuring Heat Flux Using Flush-Mounted Insert Temperature-Gradient Gages, Test Method for, **E2683 (15.03)**
Measuring Heat Flux Using Surface-Mounted One-Dimensional Flat Gages, Test Method for, **E2684 (15.03)**
Temperature (human)
See **Thermometers**
Temperature-humidity cyclic test
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Temperature index
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**
Temperature instrumentation
Sa **Thermocouples**
Calibration and Use of Thermocouple Reference Junction Probes in Evaluation of Electronic Reference Junction Compensation Circuits, Practice for, **E2730 (14.03)**
Temperature monitoring equipment
Temperature Monitoring Equipment, Specification for, **F2362 (01.07)**
Temperature ratings (clothing)
Determining the Temperature Ratings for Cold Weather Protective Clothing, Practice for, **F2732 (11.03)**
Temperature resistance
Temperature-Resistance Constants of Alloy Wires for Precision Resistors, Test Method for, **B84 (02.04)**
Temperature response time
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Temperature-retraction procedure
Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), Test Method for, **D1329 (09.01)**
Temperature scales/intervals/value/difference/increment
Expression of Temperature, Guide for, **E1594 (14.03)**
Temperature scanning technique
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Temperature-sensitive thermostat metals
See **Thermostat metals**
Temperature sensitivity
Noise Equivalent Temperature Difference of Thermal Imaging Systems, Test Method for, **E1543 (03.03)**
Temperature service applications (high)
See **High-temperature service applications**
Temperature service applications (high-steel)
See **High-temperature service applications—steel bolting applications**
Temperature service applications (elevated)
See **Elevated temperature service applications**
Temperature service applications (elevated)—steel
See **Elevated temperature service applications—steel**
Temperature tests
Sa **Fire testing**
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Cloud Point of Nonionic Surfactants, Test Method for, **D2024 (15.04)**
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, Test Method for, **A991/A991M (01.03)**
Determination of Fusion Temperature of Dry Electrostatic Heat-Fixing Toners, Practice for, **F706 (15.09)**
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Dropping Point of Waxes, Test Method for, **D3954 (15.04)**
Estimating Concrete Strength, Practice for, **C1074 (04.02)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Explosibility of Dust Clouds, Test Method for, **E1226 (14.02)**
Fire Standards, Terminology of, **E176 (04.07)**
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Foaming Tendencies of Engine Coolants at Room Temperature, Test Method for, **D4921 (15.05)**
General Pavement Deflection Measurements, Guide for, **D4695 (04.03)**
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measurement of Liquidus Temperature of Glass by the Gradient Furnace Method, Practices for, **C829 (15.02)**
Melting And Crystallization Temperatures By Thermal Analysis, Test Method for, **E794 (14.02)**
Melting Point of Waxes, Test Method for, **F766/F766M (15.09)**
Metal Black Panel and White Panel Temperature Devices for Natural Weathering Tests, Specification for, **G179 (14.04)**
Minimum Resolvable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1213 (03.03)**
Prediction of Asphalt-Bound Pavement Layer Temperatures, Test Method for, **D7228 (04.03)**
Resistance of Concrete to Rapid Freezing and Thawing, Test Method for, **C666/C666M (04.02)**
Selection of Time-Temperature Indicators, Guide for, **F1416 (15.10)**
Temperature of Freshly Mixed Hydraulic-Cement Concrete, Test Method for, **C1064/C1064M (04.02)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Temperature tests—adhesives
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Effect of Moisture and Temperature on Adhesive Bonds, Practice for, **D1151 (15.06)**
Heat Stability of Hot-Melt Adhesives, Test Method for, **D4499 (15.10)**
Heat-Fail Temperature in Shear of Hot Melt Adhesives, Test Method for, **D4498 (15.10)**

--`,,`,,`-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Resistance of Adhesives to Cyclic Laboratory Aging Conditions, Practices for, **D1183 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), Test Method for, **D2295 (15.06)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**

Temperature tests—aircraft/aerospace materials
Determining Vacuum Chamber Gaseous Environment Using a Cold Finger, Practice for, **E834 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**
Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, Practice for, **F1105 (15.03)**

Temperature tests—apparatus
Calibration of Refractory Metal Thermocouples Using a Radiation Thermometer, Test Method for, **E452 (14.03)**
Expression of Temperature, Guide for, **E1594 (14.03)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Temperature tests—building materials
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, Test Method for, **C793 (04.07)**
Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber, Test Method for, **D5664 (04.10)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C711 (04.07)**
Low-Temperature Flexibility of Latex Sealants After Artificial Weathering, Test Method for, **C734 (04.07)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Temperature tests—chemicals
Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment, Test Method for, **G72/G72M (14.04)**
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Constant-Temperature Stability of Chemical Materials, Test Method for, **E487 (14.02)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**
Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry, Test Method for, **E793 (14.02)**
Heat Flow Calibration of Differential Scanning Calorimeters, Practice for, **E968 (14.02)**
Melting And Crystallization Temperatures By Thermal Analysis, Test Method for, **E794 (14.02)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
Temperature Calibration of Differential Scanning Calorimeters and Differential Thermal Analyzers, Test Method for, **E967 (14.02)**
Temperature Limit of Flammability of Chemicals, Test Method for, **E1232 (14.02)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Temperature tests—coal/coke
Sulfur in the Analysis Sample of Coal and Coke Using High-Temperature Tube Furnace Combustion, Test Method for, **D4239 (05.06)**
Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, Test Method for, **D5016 (05.06)**

Temperature tests—cryogenic
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**

Temperature tests—electrical contact materials
Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, Test Method for, **B76 (02.04)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, Test Method for, **B812 (02.04)**

Temperature tests—electrical insulation
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Gel Time of Thermosetting Coating Powder, Test Method for, **D4217 (06.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**

Temperature tests—electronic components/devices
Exposure of Membrane Switches to Temperature and Relative Humidity, Test Method for, **F1596 (10.04)**

Temperature tests—food service equipment
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, Test Method for, **F1500 (15.10)**
Temperature Measurement and Profiling for Microwave Susceptors, Test Method for, **F874 (15.10)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**

Temperature tests—gaskets
Compressibility and Recovery of Gasket Materials, Test Method for, **F36 (09.02)**
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**

Temperature tests—image analysis instrumentation
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Examining Electrical and Mechanical Equipment with Infrared Thermography, Guide for, **E1934 (03.03)**
Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, Test Methods for, **E1933 (03.03)**
Measuring and Compensating for Reflected Temperature Using Infrared Imaging Radiometers, Test Methods for, **E1862 (03.03)**
Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, Test Methods for, **E1897 (03.03)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Temperature tests—metals/alloys
Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, Test Method for, **E208 (03.01)**
Corrosion Tests in High Temperature or High Pressure Environment, or Both, Guide for, **G111 (03.02)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, Test Method for, **E2092 (14.02)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**
Temperature tests—nuclear applications
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), Guide for, **E1214 (12.02)**
Temperature tests—paints/related coatings/materials
Evaluating Coatings For High Temperature Service, Test Methods for, **D2485 (06.01)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Minimum Film Formation Temperature (MFFT) of Emulsion Vehicles, Test Method for, **D2354 (06.03)**
Pigment Content of Paints by Low-Temperature Ashing, Test Method for, **D4451 (06.01)**
Solidification Point of Bisphenol A, Test Method for, **D4493 (06.04)**
Temperature tests—petroleum products
Calculation of True Vapor Pressures of Petroleum Distillate Fuels, Test Method for, **D2889 (05.01)**
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Diesel Fuel Oils, Specification for, **D975 (05.01)**
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**
Drop Melting Point of Petroleum Wax, Including Petrolatum, Test Method for, **D127 (05.01)**
Dropping Point of Lubricating Grease, Test Method for, **D566 (05.01)**
Dropping Point of Lubricating Grease Over Wide Temperature Range, Test Method for, **D2265 (05.01)**
Estimation of Engine Oil Volatility by Capillary Gas Chromatography, Test Method for, **D6417 (05.03)**
Evaporation Loss of Lubricating Greases Over Wide-Temperature Range, Test Method for, **D2595 (05.01)**
Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), Test Method for, **D4539 (05.02)**
High Temperature Foaming Characteristics of Lubricating Oils, Test Method for, **D6082 (05.02)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Low-Temperature Torque of Ball Bearing Grease, Test Method for, **D1478 (05.01)**
Low-Temperature Torque of Grease-Lubricated Wheel Bearings, Test Method for, **D4693 (05.02)**
Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer, Test Method for, **D2983 (05.01)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Measurement of Transition Temperatures of Petroleum Waxes by Differential Scanning Calorimetry (DSC), Test Method for, **D4419 (05.02)**
Measuring Apparent Viscosity of Lubricating Greases, Test Method for, **D1092 (05.01)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Middle Distillate Fuel Storage Stability at 43°C (110°F), Test Method for, **D4625 (05.02)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**
Oxidation Stability of Lubricating Greases by the Oxygen Pressure Vessel Method, Test Method for, **D942 (05.01)**
Pour Point of Petroleum Products, Test Method for, **D97 (05.01)**
Predicting the Borderline Pumping Temperature of Engine Oil, Test Method for, **D3829 (05.02)**
Reaction Threshold Temperature of Liquid and Solid Materials, Test Method for, **D2883 (05.01)**
Specific Heat of Liquids and Solids, Test Method for, **D2766 (05.01)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Universal Oxidation/Thermal Stability Test Apparatus, Guide for, **D4871 (05.02)**
Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope, Test Method for, **D2879 (05.01)**
Vapor-Liquid Ratio Temperature Determination of Fuels (Evacuated Chamber Method), Test Method for, **D5188 (05.02)**
Viscosity and Viscosity Change After Standing at Low Temperature of Aircraft Turbine Lubricants, Test Method for, **D2532 (05.01)**
Temperature tests—plastics
Conditioning and Testing Flexible Barrier Packaging, Practice for, **E171/E171M (15.10)**
Conditioning Plastics for Testing, Practice for, **D618 (08.01)**
Determination of the Temperature of Above-Ground Plastic Gas Pressure Pipe Within Metallic Casings, Practice for, **F689 (08.04)**
Determining Surface Temperature of Molds for Plastics, Practice for, **D957 (08.01)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature, Test Method for, **D1204 (08.01)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Predicting Heat Buildup in PVC Building Products, Test Method for, **D4803 (08.03)**
Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry, Test Method for, **D3418 (08.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Vicat Softening Temperature of Plastics, Test Method for, **D1525 (08.01)**

Temperature tests—roofing/waterproofing applications
Calculating Volume-Temperature Correction For Coal-Tar Pitches, Practice for, **D2962 (05.01)**
Density of Solid Pitch (Helium Pycnometer Method), Test Method for, **D4892 (05.02)**
Evaluating the Effects of Heat on Asphalts, Practice for, **D3791/D3791M (04.04)**
Sampling and Testing Modified Bituminous Sheet Material, Test Methods for, **D5147/D5147M (04.04)**

Temperature tests—room
Electrical Resistivity of Manufactured Carbon and Graphite Articles at Room Temperature, Test Method for, **C611 (05.05)**
Foaming Tendencies of Engine Coolants at Room Temperature, Test Method for, **D4921 (15.05)**
Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, Practice for, **D5032 (10.02)**
Permeability of Refractories, Test Method for, **C577 (15.01)**

Temperature tests—rubber
Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), Test Method for, **D1329 (09.01)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Rubber Thread—Resistance to Dry Heat, Test Method for, **D3854 (09.02)**
Rubber—Standard Temperatures for Testing, Practice for, **D1349 (09.01)**

Temperature tests—soil/rock/related materials
Calculating Thermal Diffusivity of Rocks, Practice for, **D4612 (04.08)**
Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, Test Method for, **D5334 (04.08)**
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**
Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, Test Method for, **D5335 (04.08)**
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**

Temperature tests—solar devices/applications
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, Test Method for, **E1597 (12.02)**
Testing Polymeric Seal Materials for Geothermal or High Temperature Service, or both, Under Sealing Stress, Test Method for, **E1069 (12.02)**

Temperature tests—textiles
Conditioning and Testing Textiles, Practice for, **D1776 (07.01)**
Determining the Temperature Ratings for Cold Weather Protective Clothing, Practice for, **F2732 (11.03)**
Dimensional Stability of Fabrics to Changes in Humidity and Temperature, Test Method for, **D6207 (07.02)**

Temperature tests—thermal insulation
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, Practice for, **C1155 (04.06)**
Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, Practice for, **C680 (04.06)**
Estimating the Maximum Use Temperature of Thermal Insulations, Practice for, **C447 (04.06)**
Evacuated Reflective Insulation In Cryogenic Service, Guide for, **C740/C740M (04.06)**
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**
In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, Practice for, **C1046 (04.06)**
Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, Specification for, **C667 (04.06)**
Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, Practice for, **C1058/C1058M (04.06)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Total Hemispherical Emittance of Surfaces up to 1400°C, Test Method for, **C835 (04.06)**

Temperature tests—water
Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, Guide for, **D6764 (11.01)**
pH Measurement of Water of Low Conductivity, Test Method for, **D5464 (11.01)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**

Temperature-time factor
Estimating Concrete Strength, Practice for, **C1074 (04.02)**

Temperature transducers
In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, Practice for, **C1046 (04.06)**

Temperature uniformity
Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, Test Method for, **A991/A991M (01.03)**
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Performance of Conveyor Broilers, Test Method for, **F2239 (15.12)**
Performance of Drawer Warmers, Test Method for, **F2142 (15.12)**
Performance of Hot Food Holding Cabinets, Test Method for, **F2140 (15.12)**

Temperature versus resistance
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**

Temper designation systems
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**
Temper Designations of Magnesium Alloys, Cast and Wrought, Practice for, **B296 (02.02)**

Tempered glass
Glasses, Portlight, Circular, Fully Tempered, Specification for, **C1443 (15.02)**
Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tem-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

pered Flat Glass, Test Method for, **C1279 (15.02)**

Tempered structural steel—specifications
Sa **Quenched and tempered steels (specifications)**
High-Strength Low-Alloy Structural Steel Plate With Atmospheric Corrosion Resistance, Specification for, **A871/A871M (01.04)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Higher-Strength Martensitic Stainless Steel Plate, Sheet, and Strip, Specification for, **A1010/A1010M (01.03)**
Structural Steel for Bridges, Specification for, **A709/A709M (01.04)**

Templates
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Editorial Procedures and Form of Product Specifications for Copper and Copper Alloys, Guide for, **B950 (02.01)**

Temporal characteristics
Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, Test Method for, **E1573 (04.06)**
Measuring Outdoor Sound Received from a Nearby Fixed Source, Guide for, **E1780 (04.06)**

Temporary grounding systems
In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, Specification for, **F2249 (10.03)**
Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, Specifications for, **F855 (10.03)**

Temporary jumpers
Flexible Insulated Temporary By-Pass Jumpers, Specification for, **F2321 (10.03)**

Temporary storage devices
Coated Fabrics Used for Oil Spill Control and Storage, Test Methods for, **F715 (11.05)**
Collecting Performance Data on Temporary Storage Devices, Guide for, **F1599 (11.05)**

TEMPs (tissue engineered medical products)
in vivo Assessment of Implantable Devices Intended to Repair or Regenerate Articular Cartilage, Guide for, **F2451 (13.01)**
Assessing the Attachment of Cells to Biomaterial Surfaces by Physical Methods, Guide for, **F2664 (13.02)**
Assessment of Adventitious Agents in Tissue Engineered Medical Products (TEMPs), Guide for, **F2383 (13.01)**
Assessment of Surface Texture of Non-Porous Biomaterials in Two Dimensions, Guide for, **F2791 (13.02)**
Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, Test Method for, **F2149 (13.01)**
Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, Guide for, **F2064 (13.01)**
Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, Guide for, **F2150 (13.01)**
Characterization and Testing of Chitosan Salts as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Product Applications, Guide for, **F2103 (13.01)**
Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, Guide for, **F2347 (13.01)**
Characterization and Testing of Raw or Starting Biomaterials for Tissue-Engineered Medical Products, Guide for, **F2027 (13.01)**
Characterization of Ceramic and Mineral Based Scaffolds used for Tissue-Engineered Medical Products (TEMPs) and as Device for Surgical Implant Applications, Guide for, **F2883 (13.02)**
Characterization of Type I Collagen as Starting Material for Surgical Implants and Substrates for Tissue Engineered Medical Products (TEMPs), Guide for, **F2212 (13.01)**
Classification of Therapeutic Skin Substitutes, Guide for, **F2311 (13.01)**
Determining Degree of Deacetylation in Chitosan Salts by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2260 (13.01)**
Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, Test Method for, **F2259 (13.01)**
Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, Guide for, **F2315 (13.01)**
Processing Cells, Tissues, and Organs for Use in Tissue Engineered Medical Products, Guide for, **F2210 (13.01)**
Quantitating Cell Viability Within Biomaterial Scaffolds, Guide for, **F2739 (13.02)**
Tissue Engineered Medical Products, Terminology Relating to, **F2312 (13.01)**
Tissue Engineered Medical Products (TEMPs), Classification for, **F2211 (13.01)**

TEM (transmission electron microscopy)
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**

Tenacity
Sa **Breaking strength/tenacity**
Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C711 (04.07)**
Shrinkage and Tenacity of Oil- and Resin-Base Caulking Compounds, Test Method for, **D2453 (04.07)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**

Ten-day storage test
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**

Ten-day testing
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**

Tender journal bearings
Car and Tender Journal Bearings, Lined, Specification for, **B67 (02.01)**

Tennis courts
Construction of Chain-Link Tennis Court Fence, Practice for, **F969 (01.06)**

Tensile-adhesion performance
Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS), Test Method for, **E2134/E2134M (04.12)**

Tensile adhesion properties
Determining Tensile Adhesion Properties of Sealants When Used in Exterior Insulation and Finish Systems (EIFS) Joints, Test Method for, **C1382 (04.07)**

Tensile breaking strength (load)
Asbestos Roving, Specification for, **D375/D375M (04.05)**
Woven Asbestos Tape, Specification for, **D315/D315M (04.05)**

Tensile green strength
Determination of Green Strength and Stress Relaxation of Raw Rubber or Unvulcanized Compounds, Test Method for, **D6746 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tensile impact energy
Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials, Test Method for, **D1822 (08.01)**
Tensile load capacity
Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, Test Method for, **C1230 (04.05)**
Tensile loading
Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, Test Method for, **C1337 (15.01)**
Tensile mode
Assignment of a Glass Transition Temperature Using Thermomechanical Analysis: Tension Method, Test Method for, **E1824 (14.02)**
Tensile properties/testing
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution, Test Method for, **E2098/E2098M (04.11)**
Determining Tensile Properties of Fiber Reinforced Polymer Matrix Composites Used for Strengthening of Civil Structures, Test Method for, **D7565/D7565M (15.03)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Determining Winding Torque and Tension of Typewriter Ribbons, Test Method for, **F1050/F1050M (15.09)**
Elongation of Leather, Test Method for, **D2211 (15.04)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
Making and Testing Reference Glass-Metal Bead-Seal, Practice for, **F14 (15.02)**
Open-Hole Tensile Strength of Polymer Matrix Composite Laminates, Test Method for, **D5766/D5766M (15.03)**
Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, Test Method for, **C1230 (04.05)**
Polyolefin Chopped Strands for Use in Concrete, Specification for, **D7508/D7508M (07.02)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Specimens and Testing Conditions for Testing Polyethylene (PE) Pipe Butt Fusions Using Tensile and Hydrostatic Test Methods, Practice for, **F2928 (08.04)**
Splitting Tensile Strength for Brittle Nuclear Waste Forms, Test Method for, **C1144 (12.01)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Tensile Properties of Fiber Reinforced Polymer Matrix Composite Bars, Test Method for, **D7205/D7205M (15.03)**
Tensile Strength Characteristics of Oil Spill Response Boom, Test Methods for, **F1093 (11.05)**
Tensile Strength of Leather, Test Method for, **D2209 (15.04)**
Tensile Testing of Aramid Yarns, Test Methods for, **D7269/D7269M (07.02)**
Tensile Testing of High Performance Polyethylene Tapes, Test Methods for, **D7744/D7744M (07.02)**
Tension Testing of Carbon and Graphite Mechanical Materials, Test Methods for, **C565 (05.05)**
Ultimate Tensile Properties of Turf Reinforcement Mats, Test Method for, **D6818 (04.13)**
Tensile properties/testing—adhesive bonds
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), Test Method for, **D1002 (15.06)**
Creep Properties of Adhesives in Shear by Tension Loading (Metal-to-Metal), Test Method for, **D2294 (15.06)**
Determining Durability of Adhesive Joints Stressed in Shear by Tension Loading, Test Method for, **D2919 (15.06)**
Determining Strength Development of Adhesive Bonds, Practice for, **D1144 (15.06)**
Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, Test Method for, **D3163 (15.06)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, Test Method for, **D3929 (15.06)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Fatigue Properties of Adhesives in Shear by Tension Loading (Metal/Metal), Test Method for, **D3166 (15.06)**
Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, Test Method for, **D3433 (15.06)**
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen, Test Method for, **D3983 (15.06)**
Preparation of Bar and Rod Specimens for Adhesion Tests, Practice for, **D2094 (15.06)**
Strength Properties of Adhesively Bonded Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading, Test Method for, **D3164 (15.06)**
Strength Properties of Adhesives in Plywood Type Construction in Shear by Tension Loading, Test Method for, **D906 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), Test Method for, **D2295 (15.06)**
Strength Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies, Test Method for, **D3165 (15.06)**
Strength Properties of Adhesives in Two-Ply Wood Construction in Shear by Tension Loading, Test Method for, **D2339 (15.06)**
Strength Properties of Double Lap Shear Adhesive Joints by Tension Loading, Test Method for, **D3528 (15.06)**
Strength Properties of Tissue Adhesives in Lap-Shear by Tension Loading, Test Method for, **F2255 (13.01)**
Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, Test Method for, **F2256 (13.01)**
Strength Properties of Tissue Adhesives in Tension, Test Method for, **F2258 (13.01)**
Tensile Properties of Adhesive Bonds, Test Method for, **D897 (15.06)**
Tensile Strength of Adhesives by Means of Bar and Rod Specimens, Test Method for, **D2095 (15.06)**
Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from −267.8 to −55°C (−450 to −67°F), Test Method for, **D2557 (15.06)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Tensile properties/testing—aerospace materials
Bond Integrity of Transparent Laminates, Test Methods for, **F521 (15.03)**
Flatwise Tensile Strength of Sandwich Constructions, Test Method for, **C297/C297M (15.03)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tensile properties/testing—bituminous materials
Ductility of Bituminous Materials, Test Method for, **D113 (04.03)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**
Tensile properties/testing—building materials/applications
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Determining Tensile Adhesion Properties of Sealants When Used in Exterior Insulation and Finish Systems (EIFS) Joints, Test Method for, **C1382 (04.07)**
Determining Tensile Adhesion Properties of Structural Sealants, Test Method for, **C1135 (04.07)**
Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications, Test Method for, **C1265 (04.07)**
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Tensile Adhesive Strength of Preformed Tape Sealants by Disk Method, Test Method for, **C907 (04.07)**
Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, Test Method for, **C307 (06.02)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**
Tensile properties/testing—ceramics
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures, Practice for, **C1361 (15.01)**
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Practice for, **C1360 (15.01)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, Test Method for, **C1368 (15.01)**
Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, Test Method for, **C1291 (15.01)**
Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, Test Method for, **C1275 (15.01)**
Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures, Test Method for, **C1359 (15.01)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**
Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, Test Method for, **C1273 (15.01)**
Tensile Strength of Monolithic Advanced Ceramics at Elevated Temperatures, Test Method for, **C1366 (15.01)**
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**
Tensile properties/testing—composites
Bearing Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D6873/D6873M (15.03)**
Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, Practice for, **D6742/D6742M (15.03)**
Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, Guide for, **E1434 (15.03)**
Tensile Properties of Fiber Reinforced Metal Matrix Composites, Test Method for, **D3552 (15.03)**
Tensile Properties of Polymer Matrix Composite Materials, Test Method for, **D3039/D3039M (15.03)**
Tension-Tension Fatigue of Polymer Matrix Composite Materials, Test Method for, **D3479/D3479M (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Tensile properties/testing—concrete
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, Test Method for, **C42/C42M (04.02)**
Splitting Tensile Strength of Cylindrical Concrete Specimens, Test Method for, **C496/C496M (04.02)**
Tensile Strength of Concrete Surfaces and the Bond Strength or Tensile Strength of Concrete Repair and Overlay Materials by Direct Tension (Pull-off Method), Test Method for, **C1583/C1583M (04.02)**
Tensile properties/testing—electrical insulating materials
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Tensile properties/testing—electronic materials/applications
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Tension and Vacuum Testing Metallized Ceramic Seals, Test Method for, **F19 (10.04)**
Tensile properties/testing—gaskets
Adhesion of Gasket Materials to Metal Surfaces, Test Method for, **F607 (09.02)**
Tension Testing of Nonmetallic Gasket Materials, Test Methods for, **F152 (09.02)**
Tensile properties/testing—geosynthetics
Accelerated Tensile Creep and Creep-Rupture of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, Test Method for, **D6992 (04.13)**
Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, Test Method for, **D4355 (04.13)**
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method, Test Method for, **D6637 (04.13)**
Effects of Temperature on Stability of Geotextiles, Test Method for, **D4594 (04.13)**
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**
Grab Breaking Load and Elongation of Geotextiles, Test Method for, **D4632/D4632M (04.13)**
Grab Tensile Properties of Reinforced Geomembranes, Test Method for, **D7004/D7004M (04.13)**
Multi-Axial Tension Test for Geosynthetics, Test Method for, **D5617 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**
Strip Tensile Properties of Reinforced Geomembranes, Test Method for, **D7003/D7003M (04.13)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Tensile Strength of Geosynthetic Clay Liners, Test Method for, **D6768 (04.13)**
Trapezoid Tearing Strength of Geotextiles, Test Method for, **D4533 (04.13)**

Tensile properties/testing—insulation
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Parting Strength of Mineral Fiber Batt- and Blanket-Type Insulation, Test Method for, **C686 (04.06)**

Tensile properties/testing—masonry assemblies
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Diagonal Tension (Shear) in Masonry Assemblages, Test Method for, **E519/E519M (04.05)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Splitting Tensile Strength of Masonry Units, Test Method for, **C1006 (04.05)**
Strength of Anchors in Concrete Elements, Test Methods for, **E488/E488M (04.11)**

Tensile properties/testing—metallic materials
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength, Specification for, **A307 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, Specification for, **F959 (01.08)**
Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), Specification for, **F959M (01.08)**
Constant Tensile Load Joint Test (CTLJT), Test Method for, **F1588 (08.04)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Determination of Susceptibility of Metals to Embrittlement in Hydrogen Containing Environments at High Pressure, High Temperature, or Both, Test Method for, **G142 (03.02)**
Determining Offset Yield Strength in Tension for Copper Alloys, Practice for, **B598 (02.01)**
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, Test Method for, **E837 (03.01)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
Pearlitic Malleable Iron, Specification for, **A220/A220M (01.02)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, Test Method for, **E1304 (03.01)**
Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, Practice for, **B208 (02.01)**
Shear Testing of Aluminum Alloys, Test Method for, **B769 (02.02)**
Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, Practice for, **G129 (03.02)**
Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A958/A958M (01.02)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Tensile Strain-Hardening Exponents (n -Values) of Metallic Sheet Materials, Test Method for, **E646 (03.01)**
Tension Testing of Metallic Foil, Test Methods of, **E345 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Tension Testing of Structural Alloys in Liquid Helium, Test Method for, **E1450 (03.01)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products, Test Methods for, **B557 (02.02)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products (Metric), Test Methods for, **B557M (02.02)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**

Tensile properties/testing—paints/related coatings
Measuring Adhesion of Organic Coatings to Plastic Substrates by Direct Tensile Testing, Test Method for, **D5179 (06.01)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Tensile Properties of Organic Coatings, Test Method for, **D2370 (06.01)**

Tensile properties/testing—paper products
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**

Tensile properties/testing—petroleum products
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Dynamic Surface Tension by the Fast-Bubble Technique, Test Method for, **D3825 (05.02)**

Tensile properties/testing—plastics
Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe, Test Method for, **D2290 (08.04)**
Determining Allowable Tensile Load for Polyethylene (PE) Gas Pipe During Pull-In Installation, Practice for, **F1804 (08.04)**
Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test, Practice for, **D3826 (08.02)**
Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes, Test Method for, **D6693 (04.13)**
Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, Specification for, **F1055 (08.04)**
Extruded Polytetrafluoroethylene (PTFE) Rod, Heavy Walled Tubing and Basic Shapes, Specification for, **D1710 (08.01)**
Laboratory Testing of Polyethylene (PE) Butt Fusion Joints using Tensile-Impact Method, Test Method for, **F2634 (08.04)**
Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, Test Method for, **D2105 (08.03)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, Test Method for, **F1473 (08.04)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**
Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics, Test Method for, **D1623 (08.01)**
Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics, Test Method for, **D2343 (08.01)**
Tensile Properties of Plastics, Test Method for, **D638 (08.01)**
Tensile Properties of Plastics by Use of Microtensile Specimens, Test Method for, **D1708 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tensile Properties of Pultruded Glass-Fiber-Reinforced, Test Method for, **D3916 (08.02)**
Tensile Properties of Reinforced Thermosetting Plastics Using Straight-Sided Specimens, Test Method for, **D5083 (08.02)**
Tensile Properties of Thin Plastic Sheeting, Test Method for, **D882 (08.01)**
Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics, Test Methods for, **D2990 (08.01)**
Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials, Test Method for, **D1822 (08.01)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Time-to-Failure of Plastics Using Plane Strain Tensile Specimens, Test Method for, **F2018 (08.04)**

Tensile properties/testing—roofing materials
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Tensile-Tear Strength of Bituminous Roofing Membranes, Test Method for, **D4073 (04.04)**

Tensile properties/testing—rubber/related materials
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**
Determination of Green Strength and Stress Relaxation of Raw Rubber or Unvulcanized Compounds, Test Method for, **D6746 (09.01)**
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Rubber Contraceptives (Male Condoms), Specification for, **D3492 (09.02)**
Rubber Deterioration—Cracking in an Ozone Controlled Environment, Test Methods for, **D1149 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber O-Rings, Test Methods for, **D1414 (09.02)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Rubber Property—Extension Cycling Fatigue, Test Method for, **D4482 (09.01)**
Vulcanized Rubber and Thermoplastic Elastomers—Tension, Test Methods for, **D412 (09.01)**

Tensile properties/testing—soil/rock/related materials
Deep Foundations Under Static Axial Tensile Load, Test Methods for, **D3689/D3689M (04.08)**
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Direct Tensile Strength of Intact Rock Core Specimens, Test Method for, **D2936 (04.08)**
One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, Test Method for, **D4186/D4186M (04.08)**
Splitting Tensile Strength of Intact Rock Core Specimens, Test Method for, **D3967 (04.08)**
Transverse Rupture Strength of Cemented Carbides, Test Method for, **B406 (02.05)**

Tensile properties/testing—steel
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Tension Testing of Wire Ropes and Strand, Test Method for, **A931 (01.03)**
Through-Thickness Tension Testing of Steel Plates for Special Applications, Specification for, **A770/A770M (01.04)**

Tensile properties/testing—surgical implants
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**

Tensile properties/testing—tapes
Breaking Strength and Elongation of Pressure-Sensitive Tape, Test Method for, **D3759/D3759M (15.10)**

Tensile properties/testing—textile materials/applications
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, Test Method for, **D5397 (04.13)**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Force, Deformation and Related Properties of Textiles, Terminology Related to, **D4848 (07.02)**
Peel Strength (T Method) of Hook and Loop Touch Fasteners, Test Method for, **D5170 (07.02)**
Pocket Reinforcement, Test Method for, **D7506/D7506M (07.02)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Resistance to Unsnapping of Snap Fasteners, Test Method for, **D4846 (07.02)**
Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners, Test Method for, **D5169 (07.02)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**
Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine), Test Method for, **D2261 (07.01)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**
Tensile Properties of Single Textile Fibers, Test Method for, **D3822/D3822M (07.01)**
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**
Tensile Testing Machines for Textiles, Specification for, **D76/D76M (07.01)**
Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine), Test Method for, **D4964 (07.02)**
Tension Strength of Sew-Through Flange Buttons, Test Method for, **D6644 (07.02)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Tensile properties/testing—wood products
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Evaluating Side-Bonding Potential of Wood Coatings, Test Methods for, **D6958 (04.10)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
Structural Panels in Tension, Test Methods for, **D3500 (04.10)**

Tensile property classification
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**

Tensile requirements
Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A958/A958M (01.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tensile strength
Determination of Tensile Strength by Mass Method for Stranded Conductors Intended for use in Electronic Application, Test Method for, **B986 (02.03)**
Inch Series Machine Screws, Carbon Steel, 60 000 psi Tensile Strength, Specification for, **F2403 (01.08)**
Indirect Tensile (IDT) Strength of Bituminous Mixtures, Test Method for, **D6931 (04.03)**
Individual Geogrid Junction Strength, Test Method for, **D7737 (04.13)**
Mechanical Testing of Steel Products—Metric, Test Methods for, **A1058 (01.01, 01.02, 01.03, 01.04, 01.05)**
Size Scaling of Tensile Strengths Using Weibull Statistics for Advanced Ceramics, Practice for, **C1683 (15.01)**

Tensile strength requirements
Steel Castings, Carbon, for General Application, Specification for, **A27/A27M (01.02)**

Tensile strength/stress
Determining Age at Cracking and Induced Tensile Stress Characteristics of Mortar and Concrete under Restrained Shrinkage, Test Method for, **C1581/C1581M (04.02)**
Determining the Tensile Shear Strength of Pre-Fabricated Bituminous Geomembrane Seams, Test Method for, **D7056 (04.13)**
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Tension Testing of Nonmetallic Gasket Materials, Test Methods for, **F152 (09.02)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

Tensile stress (perpendicular to grain)
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**

Tensile/transverse resistance
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**

Tensiometer
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**

Tension bars and brace bands
Fence Fittings, Specification for, **F626 (01.06)**

Tension control structural bolt/nut/washer assembly
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **F1852 (01.08)**

Tension indicators
Sa **Direct tension indicators (DTI)**
Carbon and Alloy Steel Compressible-Washer-Type Direct Tension Indicators for Use with Cap Screws, Bolts, Anchors, and Studs, Specification for, **F2437 (01.08)**

Tension parallel to grain
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**

Tension shear strength
Determining Adhesive Shear Strength of Carpet Adhesives, Test Method for, **D6004 (15.06)**

Tension-supported roof
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**

Tension-tension cyclic fatigue
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures, Practice for, **C1361 (15.01)**
Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, Practice for, **C1360 (15.01)**

Tension testing
Mechanical Testing of Steel Products—Metric, Test Methods for, **A1058 (01.01, 01.02, 01.03, 01.04, 01.05)**
Open-Hole Fatigue Response of Polymer Matrix Composite Laminates, Practice for, **D7615/D7615M (15.03)**
Surface and Interfacial Tension of Solutions of Surface-Active Agents, Test Methods for, **D1331 (06.01)**
Tension Testing of Nickel-Titanium Superelastic Materials, Test Method for, **F2516 (13.02)**

Tension wire
Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence, Specification for, **F1664 (01.06)**

Tents
Illustrating the Footprint of a Backpacking or Mountaineering Tent, Specification for, **F1933 (15.07)**
Labeling of Backpacking and Mountaineering Tents and Bivouac Sacks, Practice for, **F2441 (15.07)**
Measuring the Headroom of a Backpacking or Mountaineering Tent, Test Method for, **F1935 (15.07)**
Weighing a Backpacking or Mountaineering Tent, Test Method for, **F1934 (15.07)**

TEOST (thermo-oxidation engine oil simulation test)
Determination of High Temperature Deposits by Thermo-Oxidation Engine Oil Simulation Test, Test Method for, **D6335 (05.03)**
Determination of Moderately High Temperature Piston Deposits by Thermo-Oxidation Engine Oil Simulation Test—TEOST MHT, Test Method for, **D7097 (05.04)**

Teratogenenicity
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**

Terminal boards
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**

Terminals
Sa **Security systems and equipment**
Evaluating Thermal EMF Properties of Base-Metal Thermocouple Connectors, Test Method for, **E2820 (14.03)**

Terminal value
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, Practice for, **E1057 (04.11)**

Terminating
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**

Terminiology—digital and multimedia evidence examination
Digital and Multimedia Evidence Examination, Terminology for, **E2916 (14.02)**

Terminology
Activated Carbon, Terminology Relating to, **D2652 (15.01)**
Adhesives, Terminology of, **D907 (15.06)**
Aerosol Products, Terminology Relating To, **D3064 (15.10)**
Amusement Rides and Devices, Terminology Relating to, **F747 (15.07)**
Appearance, Terminology of, **E284 (06.01)**
Barbed Tape, Terminology Relating to, **F1379 (01.06)**
Building and Environmental Acoustics, Terminology Relating to, **C634 (04.06)**
Carbon Black, Terminology Relating to, **D3053 (09.01)**
Chain Link Fencing, Terminology Relating to, **F552 (01.06)**
Coal Combustion Products, Terminology for, **E2201 (11.05)**
Compatibility and Sensitivity of Materials in Oxygen Enriched Atmospheres, Terminology Relating to the, **G126 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Computed Radiology (Photostimulable Luminescence Method), Practice for, **E2033 (03.03)**
Conditioning, Terminology Relating To, **E41 (14.04)**
Corrosion, Terminology and Acronyms Relating to, **G193 (03.02)**
Describing Retroreflection, Practice for, **E808 (06.01)**
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Electrical Contacts and Their Use, Terminology Relating to, **B542 (02.04)**
Electrical Insulation, Terminology Relating to, **D1711 (10.01)**
Examination of Questioned Documents, Terminology Relating to, **E2195 (14.02)**
F16 Mechanical Fasteners, Terminology for, **F1789 (01.08)**
Fire Standards, Terminology of, **E176 (04.07)**
Flexible Barrier Packaging, Terminology Relating to, **F17 (15.10)**
Food Service Equipment, Terminology Relating to, **F1827 (15.12)**
Glass and Glass Products, Terminology of, **C162 (15.02)**
Inflatable Restraints, Terminology Relating to, **D6799 (07.02)**
Leather, Terminology Relating to, **D1517 (15.04)**
Light Sport Aircraft, Terminology for, **F2626 (15.11)**
Manufactured Carbon and Graphite, Terminology Relating to, **C709 (05.05)**
Measurements Taken on Thin, Reflecting Films, Terminology Relating to, **E2444 (03.01)**
Metalworking Fluids and Operations, Terminology for, **E2523 (11.03)**
Natural Multi-Cellular Biological Control Organisms, Terminology Relating to, **E2643 (11.05)**
Nonsieving Methods of Powder Characterization, Terminology Relating to, **E2589 (14.02)**
Paint Brush Application Tools, Terminology for, **D7801 (06.02)**
Paint Roller Application Tools, Terminology for, **D7802 (06.02)**
Print Problems, Terminology Relating to, **D6488 (06.02)**
Printing Inks, Materials, and Processes, Terminology for, **D7188 (06.02)**
Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
Refractories, Terminology Relating to, **C71 (15.01)**
Relating to Liquid Particles and Atomization, Terminology, **E1620 (14.02)**
Relating to Occupational Health and Safety, Terminology, **E1542 (11.03)**
Relating to Optical Fiber Sensing Systems, Terminology, **F3092 (04.12)**
Relating to Sieves, Sieving Methods, and Screening Media, Terminology, **E1638 (14.02)**
Safety and Traction for Footwear, Terminology Relating to, **F1646 (15.07)**
Scientific Charge-Coupled Device (CCD) Detectors, Terminology for, **E2642 (03.06)**
Sensory Evaluation of Materials and Products, Terminology Relating to, **E253 (15.08)**
Sewn Products Automation, Terminology Relating to, **D6963 (07.02)**
Soaps and Other Detergents, Terminology Relating to, **D459 (15.04)**
Terminology Relating to Candles and Associated Accessory Items, Guide for, **F1972 (15.11)**
Three-Dimensional (3D) Imaging Systems, Terminology for, **E2544 (10.04)**
Urban Search and Rescue Robotic Operations, Terminology for, **E2521 (15.08)**
Vacuum Cleaners, Terminology Relating to, **F395 (15.08)**

Terminology—aerospace applications/materials
Composite Materials, Terminology for, **D3878 (15.03)**
Space Simulation, Terminology Relating to, **E349 (15.03)**
Structural Sandwich Constructions, Terminology of, **C274 (15.03)**

Terminology—atmospheric analysis
Sampling and Analysis of Atmospheres, Terminology Relating to, **D1356 (11.07)**

Terminology—building materials/applications
Anchors and Fasteners in Concrete and Masonry, Terminology for, **E2265 (04.12)**
Asbestos and Asbestos–Cement Products, Terminology for, **D2946 (04.05)**
Building Constructions, Terminology of, **E631 (04.11)**
Building Economics, Terminology of, **E833 (04.11)**
Building Seals and Sealants, Terminology of, **C717 (04.07)**
Chemical-Resistant Nonmetallic Materials, Terminology Relating to, **C904 (04.05)**
Clay Products, Terminology Relating to, **C896 (04.05)**
Collated and Cohered Fasteners and Their Application Tools, Terminology of, **F592 (01.08)**
Dimension Stone, Terminology Relating to, **C119 (04.07)**
Exterior Insulation and Finish Systems (EIFS), Terminology for, **E2110 (04.11)**
Facility Management (Building-Related), Terminology of, **E1480 (04.11)**
Fire Standards, Terminology of, **E176 (04.07)**
Guides for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings, Terminology of, **E2151 (04.12)**
Mortar and Grout for Unit Masonry, Terminology of, **C1180 (04.05)**
Nails for Use with Wood and Wood-Base Materials, Terminology of, **F547 (01.08)**
Non-Asbestos Fiber-Reinforced Cement Products, Terminology for, **C1154 (04.05)**
Property and Asset Management, Terminology for, **E2135 (04.12)**
Railing Systems and Rails for Buildings, Terminology of, **E1481 (04.11)**
Rigid Wall Relocatable Shelters, Terminology Relating to, **E1749 (04.11)**
Roofing and Waterproofing, Terminology Relating to, **D1079 (04.04)**
Sustainability Relative to the Performance of Buildings, Terminology for, **E2114 (04.12)**
Veneer and Plywood, Terminology Relating to, **D1038 (04.10)**
Wood and Wood-Based Products, Terminology Relating to, **D9 (04.10)**
Wood-Base Fiber and Particle Panel Materials, Terminology Relating to, **D1554 (04.10)**

Terminology—cement/concrete
Gypsum and Related Building Materials and Systems, Terminology Relating to, **C11 (04.01)**
Hydraulic Cement, Terminology Relating to, **C219 (04.01)**
Lime and Limestone (as used by the Industry), Terminology Relating to, **C51 (04.01)**
Non-Asbestos Fiber-Reinforced Cement Products, Terminology for, **C1154 (04.05)**

Terminology—ceramics
Advanced Ceramics, Terminology of, **C1145 (15.01)**
Ceramic Whitewares and Related Products, Terminology of, **C242 (15.02)**
Surface Imperfections on Ceramics, Terminology Relating to, **F109 (15.02)**

Terminology—chemicals
Engine Coolants and Related Fluids, Terminology for, **D4725 (15.05)**
Industrial and Specialty Chemicals, Terminology Relating to, **E1547 (15.05)**
Understanding Cyanide Species, Guide for, **D6696 (11.02)**

Terminology—chromatography
Gas Chromatography Terms and Relationships, Practice for, **E355 (03.06)**
Ion Chromatography Terms and Relationships, Practice for, **E1151 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Liquid Chromatography Terms and Relationships, Practice for, **E682 (03.06)**
Supercritical Fluid Chromatography Terms and Relationships, Guide for, **E1449 (03.06)**
Use of Liquid Exclusion Chromatography Terms and Relationships, Practice for, **D3016 (08.01)**
Terminology—coal products
Coal and Coke, Terminology of, **D121 (05.06)**
Terminology—concrete/aggregates/masomry
Concrete Pipe and Related Products, Terminology Relating to, **C822 (04.05)**
Constituents of Aggregates for Radiation-Shielding Concrete, Descriptive Nomenclature of, **C638 (04.02)**
Constituents of Concrete Aggregates, Descriptive Nomenclature for, **C294 (04.02)**
Masonry, Terminology of, **C1232 (04.05)**
Terminology—copy materials/applications
Automatic Identification Hard Copy Printing Systems, Terminology Relating to, **F1294 (15.09)**
Carbon Paper and Inked Ribbon Products and Images Made Therefrom, Terminology Relating to, **F221 (15.09)**
Carbonless Copy Products, Terminology Relating to, **F549 (15.09)**
Electrostatic Imaging, Terminology Relating to, **F335 (15.09)**
Ink Jet Printers and Images Made Therefrom, Terminology Relating to, **F1857 (15.09)**
Laser Printers, Terminology Relating to, **F1457 (15.09)**
Optical Character Recognition, Terminology Relating to, **F149 (15.09)**
Printers, Terminology Relating to, **F909 (15.09)**
Thermal Imaging Products, Terminology Relating to, **F1623 (15.09)**
Terminology—Cu/Cu alloy
Copper and Copper Alloys, Terminology for, **B846 (02.01)**
Coppers, Classification of, **B224 (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
Terminology—data analysis
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Design of Experiments, Terminology Relating to, **E1325 (14.02)**
Relating to Quality and Statistics, Terminology, **E456 (14.02)**
Terminology—electrical/electronic components/devices
Definition and Determination of Thermionic Constants of Electron Emitters, Practice for, **F83 (10.04)**
Membrane Switches, Terminology for, **F2112 (10.04)**
Nomenclature for Wire Leads Used as Conductors in Electron Tubes, Practice for, **F85 (10.04)**
Relating to Electrical Protective Equipment for Workers, Terminology, **F819 (10.03)**
Surface Imperfections on Ceramics, Terminology Relating to, **F109 (15.02)**
Uninsulated Metallic Electrical Conductors, Terminology Relating to, **B354 (02.03)**
Terminology—environmental
Agricultural Chemical Application, Terminology Relating to, **E1102 (11.05)**
Agricultural Tank Mix Adjuvants, Terminology Relating to, **E1519 (11.05)**
Biological Effects and Environmental Fate, Terminology Relating to, **E943 (11.06)**
Geothermal Energy, Terminology Relating to, **E957 (12.02)**
Hazard Potential of Chemicals, Terminology Relating to, **E1445 (14.02)**
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Pesticides, Terminology Relating to, **E609 (11.05)**
Relating to Biotechnology, Terminology, **E1705 (05.06)**
Spill Response Barriers, Terminology Relating to, **F818 (11.05)**
Terminology and Indices to Describe Oiling Conditions on Shorelines, Guide for, **F1687 (11.05)**
Waste and Waste Management, Terminology for, **D5681 (11.04)**
Terminology—flooring/related applications
Polishes and Related Materials, Terminology Relating to, **D2825 (15.04)**
Resilient Floor Coverings, Terminology Relating to, **F141 (15.04)**
Terminology—forensic analysis
Expressing Conclusions of Forensic Document Examiners, Terminology for, **E1658 (14.02)**
Forensic Psychophysiology, Terminology Relating to, **E2035 (14.02)**
Relating to Forensic Science, Terminology, **E1732 (14.02)**
Terminology—ground water applications
Establishing Nomenclature of Ground-Water Aquifers, Guide for, **D6106 (04.09)**
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Terminology—insulating materials/applications
Electrical Insulating Liquids and Gases, Terminology Relating to, **D2864 (10.03)**
Thermal Insulation, Terminology Relating to, **C168 (04.06)**
Terminology—laboratory applications
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**
Microscopy, Terminology of, **E175 (03.01)**
Thermometry and Hydrometry, Terminology Relating to, **E344 (14.03)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Terminology—medical/surgical systems/applications
Canine Search Resources, Classification System for, **F1848 (13.02)**
Content and Structure of the Electronic Health Record (EHR), Practice for, **E1384 (14.01)**
Emergency Medical Services, Terminology Relating to, **F1177 (13.02)**
Emergency Medical Services System (EMSS) Telecommunications, Guide for, **F1220 (13.02)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Hemostatic Forceps, Terminology Relating to, **F921 (13.01)**
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**
Intramedullary Reamers, Specification for, **F1611 (13.01)**
Medical and Surgical Materials and Devices, Terminology Relating to, **F2809 (13.02)**
Nickel-Titanium Shape Memory Alloys, Terminology for, **F2005 (13.01)**
Spinal Implants, Terminology Relating to, **F1582 (13.01)**
Surgical Scissors--Inserted and Non-Inserted Blades, Terminology for, **F1078 (13.01)**
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb-Type), Terminology for, **F1638 (13.01)**
Tissue Engineered Medical Products, Terminology Relating to, **F2312 (13.01)**
Underwater Search, Rescue, and Recovery Activities, Terminology Relating to, **F1549 (13.02)**
Terminology—metals/alloys materials/applications
Aluminum- and Magnesium-Alloy Products, Terminology Relating to, **B881 (02.02)**
Analytical Chemistry for Metals, Ores, and Related Materials, Terminology Relating to, **E135 (03.05)**
Barbed Tape, Terminology Relating to, **F1379 (01.06)**
Chain Link Fencing, Terminology Relating to, **F552 (01.06)**
Chemical Analysis of Steel Products, Test Methods, Practices, and Terminology for, **A751 (01.01, 01.02, 01.03, 01.04, 01.05)**
Electroplating, Terminology Relating to, **B374 (02.05)**
F16 Mechanical Fasteners, Terminology for, **F1789 (01.08)**
Hydrogen Embrittlement Testing, Terminology Relating to, **F2078 (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Iron Castings, Terminology Relating to, **A644 (01.02)**
Metallography, Terminology Relating to, **E7 (03.01)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Molecular Spectroscopy, Terminology Relating to, **E131 (03.06)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Porcelain Enamel and Ceramic-Metal Systems, Terminology Relating to, **C286 (02.05)**
Powder Metallurgy, Terminology of, **B243 (02.05)**
Relating to Fatigue and Fracture Testing, Terminology, **E1823 (03.01)**
Relating to Metallic Coated Steel Products, Terminology, **A902 (01.06)**
Relating to Non-ferrous Metals and Alloys, Terminology, **B899 (02.04)**
Steel, Stainless Steel, Related Alloys, and Ferroalloys, Terminology Relating to, **A941 (01.01, 01.02, 01.03, 01.04, 01.05)**
Symbols and Definitions Relating to Magnetic Testing, Terminology of, **A340 (03.04)**
Use of Terms Relating to the Development and Evaluation of Methods for Chemical Analysis, Practice for, **E1914 (03.05)**
Wear and Erosion, Terminology Relating to, **G40 (03.02)**

Terminology—nondestructive testing
Nondestructive Examinations, Terminology for, **E1316 (03.03)**

Terminology—nonmetallic materials
Relating to Natural and Artificial Weathering Tests of Nonmetallic Materials, Terminology, **G113 (14.04)**

Terminology—nuclear
C26.10 Nondestructive Assay Methods, Terminology of, **C1673 (12.01)**
Nuclear Materials, Terminology Relating to, **C859 (12.01)**
Radiation Measurements and Dosimetry, Terminology Relating to, **E170 (12.02)**

Terminology—packaging
Electrostatic Discharge (ESD) Packaging Materials, Terminology Relating to, **D5077 (15.10)**
Mechanical Pump Dispensers, Terminology Relating to, **D6655 (15.10)**
Packaging and Distribution Environments, Terminology of, **D996 (15.10)**

Terminology—paints/related coatings/materials
Appearance, Terminology of, **E284 (06.01)**
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Cellulose and Cellulose Derivatives, Terminology of, **D1695 (06.03)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Hydrocarbon Resins, Terminology Relating to, **D6440 (06.01)**
Lead in Buildings, Terminology Relating to, **E1605 (04.11)**
Paint, Related Coatings, Materials, and Applications, Terminology for, **D16 (06.01)**
Pine Chemicals, Including Tall Oil and Related Products, Terminology Relating to, **D804 (06.03)**
Printing Ink Vehicles and Related Materials, Terminology for, **D7805 (06.03)**
Protective Coating and Lining Work for Power Generation Facilities, Terminology Relating to, **D4538 (06.02)**

Terminology—paving materials
Concrete and Concrete Aggregates, Terminology Relating to, **C125 (04.02)**
Materials for Roads and Pavements, Terminology Relating to, **D8 (04.03)**
Pavement Distress, Terminology Relating to, **E1778 (04.03)**
Vehicle-Pavement Systems, Terminology Relating to, **E867 (04.03)**

Terminology—petroleum materials/applications
Biodegradability and Ecotoxicity of Lubricants, Terminology Relating to, **D6384 (05.03)**
Catalysts and Catalysis, Terminology Relating to, **D3766 (05.05)**
Gaseous Fuels, Terminology Relating to, **D4150 (05.06)**
Petroleum, Petroleum Products, and Lubricants, Terminology Relating to, **D4175 (05.02)**

Terminology—plastics
Abbreviated Terms Relating to Plastics, Terminology for, **D1600 (08.01)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Plastic Piping Systems, Terminology Relating to, **F412 (08.04)**
Plastics, Terminology Relating to, **D883 (08.01)**
Plastics: Dynamic Mechanical Properties, Terminology for, **D4092 (08.02)**
Reinforced Plastic Pultruded Products, Terminology Relating to, **D3918 (08.02)**
Thermoplastic Elastomers—Terminology and Abbreviations, Practice for, **D5538 (09.01)**

Terminology—rubber compounds/materials
Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, Practice for, **F1426 (09.02)**
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Rubber and Rubber Latices—Nomenclature, Practice for, **D1418 (09.01)**
Sampling in Rubber Testing—Terminology and Basic Concepts, Practice for, **D6085 (09.01)**
Tire Cord, Bead Wire, Hose Reinforcing Wire, and Fabrics, Terminology Relating to, **D6477 (07.02)**

Terminology—shipboard applications
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**

Terminology—soil/rock/related materials
Description of Frozen Soils (Visual-Manual Procedure), Practice for, **D4083 (04.08)**
Geosynthetics, Terminology for, **D4439 (04.13)**
Soil, Rock, and Contained Fluids, Terminology Relating to, **D653 (04.08)**

Terminology—solar devices
Solar Energy Conversion, Terminology of, **E772 (12.02)**

Terminology—sports equipment
Climbing, Mountaineering, Search and Rescue Equipment and Practices, Terminology Relating to, **F1773 (13.02)**
Geometry of Alpine Skis, Terminology for, **F472 (15.07)**
Impact Testing of Sports Surfaces and Equipment, Terminology Relating to, **F2650 (15.07)**
Safety and Traction for Footwear, Terminology Relating to, **F1646 (15.07)**
Snowboarding, Terminology Relating to, **F1107 (15.07)**

Terminology—textile materials/applications
Body Dimensions for Apparel Sizing, Terminology Relating to, **D5219 (07.02)**
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Conditioning, Chemical, and Thermal Properties, Terminology Relating to, **D4920 (07.02)**
Cotton Fibers, Terminology for, **D7139 (07.02)**
Fabric Defects, Terminology Relating to, **D3990 (07.01)**
Fabrics and Fabric Test Methods, Terminology Relating to, **D4850 (07.02)**
Fasteners and Closures Used with Textiles, Terminology Relating to, **D2050 (07.01)**
Flax and Linen, Terminology Relating to, **D6798 (07.02)**
Floor Coverings and Textile Upholstered Furniture, Terminology Relating to, **D5253 (07.02)**
Force, Deformation and Related Properties of Textiles, Terminology Related to, **D4848 (07.02)**
Glass Fiber and Its Products, Terminology Relating to, **D7018/D7018M (07.02)**
Multicomponent Textile Fibers, Terminology Related to, **D4466 (07.02)**
Protective Clothing, Terminology Relating to, **F1494 (11.03)**
Relating to Pile Floor Coverings, Terminology, **D5684 (07.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Seams and Stitches Used in Home Sewing, Terminology Relating to, **D5646 (07.02)**
Textiles, Terminology Relating to, **D123 (07.01)**
The Burning Behavior of Textiles, Terminology Relating to, **D4391 (07.01)**
Wool, Terminology Relating to, **D4845 (07.02)**
Yarn Spinning Systems, Terminology for, **D3888 (07.01)**
Yarns and Fibers, Terminology Related to, **D4849 (07.02)**

Terminology—thermal analysis
Performance Validation in Thermal Analysis, Terminology Relating to, **E2161 (14.02)**
Thermal Analysis and Rheology, Terminology Relating to, **E473 (14.02)**

Terminology—thoroughbred horse racing surfaces
Thoroughbred Horse Racing Surfaces, Terminology Relating to, **F2867 (15.07)**

Terminology—tires
Characteristics and Performance of Tires, Terminology Relating to the, **F538 (09.02)**
Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, Practice for, **F1426 (09.02)**
Tire Testing Operations–Basic Concepts and Terminology for Reference Tire Use, Practice for, **F1806 (09.02)**

Terminology—waste materials/processing
Waste and Waste Management, Terminology for, **D5681 (11.04)**

Terminology—water
Basic Statistics in Committee D19 on Water, Practice for, **D4375 (11.01)**
Fluvial Sediment, Terminology for, **D4410 (11.01)**
Ion-Selective Electrodes, Terminology Used with, **D4127 (11.01)**
Used for Microfiltration, Ultrafiltration, Nanofiltration and Reverse Osmosis Membrane Processes, Terminology, **D6161 (11.02)**
Water, Terminology Relating to, **D1129 (11.01)**

Terminology management
Quality Assurance in Translation, Guide for, **F2575 (15.11)**

Termite resistance
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, Test Method for, **D3345 (04.10)**

Terne-coated steel sheet
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**

Terne-coated steel sheet—specifications
General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process, Specification for, **A924/A924M (01.06)**
Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, Specification for, **A308/A308M (01.06)**

Terne plate
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**

Terpene products
Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, Test Methods for, **D6387 (06.03)**
Molecular Weight Averages and Molecular Weight Distribution of Hydrocarbon, Rosin and Terpene Resins by Size-Exclusion Chromatography, Practice for, **D6579 (06.03)**
Sampling and Testing Pine Oils, Test Methods for, **D802 (06.03)**

Terpene solvents
Sa **Solvents**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**

Terra alba
See **Calcium sulfate ($CaSO_4$)**

Terra cotta
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**

Terra di sienna
See **Sienna (burnt and raw) pigments**

Terrain
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**

Terrazzo flooring
Sa **Flooring/floor covering systems**
Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, Test Method for, **C1028 (15.02)**
Preparing Concrete Floors to Receive Resilient Flooring, Practice for, **F710 (15.04)**

Terrestrial oil spill treatments
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**

Terrestrial photovoltaic reference cells
Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, Test Method for, **E1125 (12.02)**

Terrestrial plant toxicity
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**

Terrestrial radiation shields
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**

Terrestrial systems
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Conducting Laboratory Soil Toxicity Tests with the Nematode, Guide for, **E2172 (11.06)**
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**
Reference Solar Ultraviolet Spectral Distributions: Hemispherical on 37° Tilted Surface, Tables for, **G177 (14.04)**

Terris analyzer
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**

Terry bath towel fabrics
See **Bathrooms**

Tertiary amines
See **Amine values**

Test animals
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, Guide for, **E1263 (13.01)**
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Estimating Sensory Irritancy of Airborne Chemicals, Test Method for, **E981 (11.06)**
Evaluating Material Extracts by Intracutaneous Injection in the Rabbit, Practice for, **F749 (13.01)**
Evaluating Material Extracts by Systemic Injection in the Mouse, Practice for, **F750 (13.01)**
Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, Guide for, **F1439 (13.01)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**
Testing Biomaterials in Rabbits for Primary Skin Irritation, Practice for, **F719 (13.01)**
Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, Practice for, **F720 (13.01)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**

Test cell construction
Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials, Practice for, **F34 (15.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test engines
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, Test Method for, **D6894 (05.03)**
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Test fuel
High Octane Unleaded Test Fuel, Specification for, **D7719 (05.04)**
Test grade wire cloth/sieve
Woven Wire Test Sieve Cloth and Test Sieves, Specification for, **E11 (14.02)**
Testing
Conditioning Paper and Paper Products for Testing, Practice for, **D685 (15.10)**
Evaluating Springback of Sheet Metal Using the Demeri Split Ring Test, Test Method for, **E2492 (03.01)**
Hot Spot Protection Testing of Photovoltaic Modules, Test Method for, **E2481 (12.02)**
Same-Different Test, Test Method for, **E2139 (15.08)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Testing and inspection agencies
Accreditation of Testing Agencies for Masonry, Practice for, **C1093 (04.05)**
Agencies Engaged in Construction Inspection, Testing, or Special Inspection, Specification for, **E329 (04.02)**
Agencies Engaged in System Analysis and Compliance Assurance for Manufactured Building, Specification for, **E541 (14.02)**
Agencies Performing Nondestructive Testing, Specification for, **E543 (03.03)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Evaluating Capabilities of Agencies Involved in System Analysis and Compliance Assurance for Manufactured Building, Practice for, **E651/E651M (14.02)**
Evaluating Capabilities of Nondestructive Testing Agencies, Guide for, **E1359 (03.03)**
Laboratories Engaged in Testing of Building Sealants, Practice for, **C1021 (04.07)**
Quality Management Systems for Nondestructive Testing Agencies, Practice for, **E1212 (03.03)**
Testing and inspection agencies—bituminous materials
Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, Specification for, **D3666 (04.03)**
Organizations Engaged in the Certification of Personnel Testing and Inspecting Bituminous Paving Materials, Practice for, **D5506 (04.03)**
Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, Practice for, **D4561 (04.03)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**
Testing and inspection agencies—cement/concrete
Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, Practice for, **C1077 (04.02)**
Conducting an Interlaboratory Test Program to Determine the Precision of Test Methods for Construction Materials, Practice for, **C802 (04.02)**
Evaluation of Laboratories Testing Hydraulic Cement, Practice for, **C1222 (04.01)**
Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, Specification for, **C511 (04.01, 04.02)**
Testing and inspection agencies—soil/rock
Certification of Personnel Engaged in the Testing of Soil and Rock, Practice for, **D5255 (04.08)**
Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, Practice for, **D3740 (04.08)**
Testing machines
Calibration of Force-Measuring Instruments for Verifying the Force Indication of Testing Machines, Practice of, **E74 (03.01)**
Force Verification of Testing Machines, Practices for, **E4 (03.01)**
Rockwell Hardness of Metallic Materials, Test Methods for, **E18 (03.01)**
Tensile Testing Machines for Textiles, Specification for, **D76/D76M (07.01)**
Torque Calibration of Testing Machines and Devices, Practice for, **E2624 (03.01)**
Verification of Speed for Material Testing Machines, Practices for, **E2658 (03.01)**
Testing methods
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Development and Use of Oil-Spill Trajectory Models, Practice for, **F2067 (11.05)**
Evaluating Test Sensitivity for Rubber Test Methods, Practice for, **D6600 (09.01)**
Generating a Test Pattern for Single-Pass Film Ribbons, Practice for, **F1232 (15.09)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**
Preparing Precision and Bias Statements for Test Methods for Construction Materials, Practice for, **C670 (04.02)**
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Relative Abrasiveness of Synthetic Turf Playing Surfaces, Test Method for, **F1015 (15.07)**
Reporting Data for Test Specimens Prepared by Additive Manufacturing, Practice for, **F2971 (10.04)**
Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**
Reporting Opinions of Scientific or Technical Experts, Practice for, **E620 (14.02)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Sampling and the Amount of Testing of Hydraulic Cement, Practice for, **C183 (04.01)**
Selection and Use of Keywords for Thermal Insulation Test Methods and Standards, Guide for, **C1302 (04.06)**
Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, Practice for, **D6708 (05.03)**
Test Carpets and Pads for Vacuum Cleaner Testing, Specification for, **F655 (15.08)**
Utilization of Test Data to Determine Conformance with Specifications, Practice for, **D3244 (05.01)**
Testing methods—atmospheric analysis
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environmental Chambers, Guide for, **D6329 (11.07)**
Testing methods—burning analysis
Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, Practice for, **D5207 (08.03)**
Testing methods—electronic applications
Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, Practice for, **E1854 (12.02)**
Testing methods—environmental analysis
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Testing methods—laboratory instrumentation
Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials, Practice for, **F34 (15.10)**
Laboratory Glass Test Tubes, Specification for, **E982 (14.04)**
Molds for Forming Concrete Test Cylinders Vertically, Specification for, **C470/C470M (04.02)**
Woven Wire Test Sieve Cloth and Test Sieves, Specification for, **E11 (14.02)**
Testing methods—paints/related coatings
Analysis of Electrocoat Bath Samples, Guide for, **D1978 (06.01)**
Chemical Analysis of White Pigments, Guide for, **D34 (06.03)**
Clear and Pigmented Lacquers, Guide for, **D333 (06.02)**
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Determining Volatile and Nonvolatile Content of Paint and Related Coatings, Guide for, **D2832 (06.01)**
Determining Volatile and Nonvolatile Content of Pigments, Guide for, **D4139 (06.03)**
Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings, Practice for, **D3960 (06.01)**
Establishing Color and Gloss Tolerances, Practice for, **D3134 (06.01)**
Evaluation of Coatings Applied to Plastics, Guide for, **D3002 (06.02)**
Evaluation of Optical Properties of Powder Coatings, Guide to, **D5382 (06.02)**
Sampling and Testing Dipentene, Test Methods for, **D801 (06.03)**
Sampling and Testing Pine Oils, Test Methods for, **D802 (06.03)**
Sampling and Testing Volatile Solvents and Chemical Intermediates for Use in Paint and Related Coatings and Material, Guide for, **D268 (06.04)**
Selection of Tests for Traffic Paints, Guide for, **D2205 (06.02)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Testing Epoxy Resins, Guide for, **D4142 (06.03)**
Testing High-Performance Interior Architectural Wall Coatings, Guide for, **D3730 (06.02)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Testing Latex Vehicles, Guide for, **D4143 (06.03)**
Testing Primers and Primer Surfacers Over Preformed Metal, Practice for, **D3322 (06.02)**
Testing Printing Inks and Related Materials, Guide for, **D5010 (06.02)**
Testing Solvent-Borne Architectural Coatings, Guide to, **D5146 (06.02)**
Testing Varnishes, Guide for, **D154 (06.03)**
Testing Water-Borne Architectural Coatings, Guide for, **D5324 (06.02)**
Use of Protective Coating Standards in Nuclear Power Plants, Guide for, **D5144 (06.02)**
Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, Guide for Determining, **D4140 (06.01)**
Testing methods—rubber
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Rubber—Deterioration by Heating in Air (Test Tube Enclosure), Test Method for, **D865 (09.01)**
Testing methods—soil/rock
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Exposure and Retrieval of Samples to Evaluate Installation Damage of Geosynthetics, Practice for, **D5818 (04.13)**
Testing methods—surgical implants
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**
in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, Test Method for, **F1635 (13.01)**
Accelerated Aging of Sterile Barrier Systems for Medical Devices, Guide for, **F1980 (15.10)**
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Articulating Total Wrist Implants, Specification for, **F1357 (13.01)**
Care and Handling of Orthopedic Implants and Instruments, Practice for, **F565 (13.01)**
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Components Used in the Surgical Fixation of the Spinal Skeletal System, Specifications and Test Methods for, **F2193 (13.01)**
Cyclic Fatigue Testing of Metal Tibial Tray Components of Total Knee Joint Replacements, Practice for, **F1800 (13.01)**
Determining Radiopacity for Medical Use, Test Methods for, **F640 (13.01)**
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**
Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, Test Method for, **F2009 (13.01)**
External Skeletal Fixation Devices, Specification and Test Methods for, **F1541 (13.01)**
Fluorescent Penetrant Inspection of Metallic Surgical Implants, Practice for, **F601 (13.01)**
Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, Test Method for, **F897 (13.01)**
Metallic Angled Orthopedic Fracture Fixation Devices, Specifications and Test Methods for, **F384 (13.01)**
Metallic Bone Plates, Specification and Test Method for, **F382 (13.01)**
Permanent Marking of Orthopaedic Implant Components, Practice for, **F983 (13.01)**
Pitting or Crevice Corrosion of Metallic Surgical Implant Materials, Test Method for, **F746 (13.01)**
Radiography of Cast Metallic Surgical Implants, Practice for, **F629 (13.01)**
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**
Rubber Examination Gloves, Specification for, **D3578 (09.02)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**
Static Evaluation of Glenoid Locking Mechanism in Shear, Test Method for, **F1829 (13.01)**
Subcutaneous Screening Test for Implant Materials, Practice for, **F1408 (13.01)**
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**
Testing methods—textile applications
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, Test Method for, **D5591 (07.02)**
Testing methods—water
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Measuring Horizontal Positioning During Measurements of Surface Water Depths, Guide for, **D5906 (11.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Use of Test Kits to Measure Inorganic Constituents in Water, Guide for, **D5463 (11.01)**

Testing of sieves
Acceptance by Performance Testing for Sieves, Test Method for, **E2427 (14.02)**
Sieve Analysis of Raw Materials for Glass Manufacture, Test Method for, **C429 (15.02)**

Test method precision
See **Precision—test methods**

Test performance data
Generating a Test Pattern for Single-Pass Film Ribbons, Practice for, **F1232 (15.09)**
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**
Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**

Test performance index (TPI)
Quality System in Petroleum Products and Lubricants Testing Laboratories, Practice for, **D6792 (05.03)**

Test pressure difference
See **Pressure testing**

Test results
Defining the Test Result of a Test Method, Guide for, **E2282 (14.02)**
Estimating and Monitoring the Uncertainty of Test Results of a Test Method Using Control Chart Techniques, Practice for, **E2554 (14.02)**
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**

Test specimen geometries
Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1424 (15.01)**

Test specimen mounting
Sa **Mounting test specimens**
Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) Wall or Ceiling Coverings, and of Facings and Wood Veneers Intended to be Applied on Site Over a Wood Substrate, to Assess Surface Burning Characteristics, Practice for, **E2404 (04.07)**

Test specimens
Dimension Stone Test Specimen Sampling and Preparation, Guide to, **C1799/C1799M (04.07)**
Reporting Data for Test Specimens Prepared by Additive Manufacturing, Practice for, **F2971 (10.04)**

Test specimens—continuous fiber-reinforced advanced ceramic, tubular
Monotonic Axial Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramic Tubular Test Specimens at Ambient Temperature, Test Method for, **C1773 (15.01)**

Tetrabutylammonium hydroxide
Hydroxyl Groups Using Reaction with, Test Method for, **E1899 (15.05)**

Tetrachloroethane
See **Solvents**

Tetrachloroethylene
Drycleaning-Grade Perchloroethylene, Specification for, **D4081 (15.05)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Vapor-Degreasing Grade Perchloroethylene, Specification for, **D4376 (15.05)**

Tetraethylammonium bromide
Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, Test Method for, **D4764 (06.01)**

Tetraethylene glycol
Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, Test Method for, **E2679 (15.05)**
Glycol Impurities in Mono-, Di-, Tri- and Tetraethylene Glycol and in Mono- and Dipropylene Glycol, Test Method for, **E2409 (15.05)**

Tetraethyllead
Lead in Gasoline by X-Ray Spectroscopy, Test Methods for, **D5059 (05.02)**

Tetrafluoroethylene (TFE)
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, Test Method for, **D4591 (08.02)**
FEP-Fluorocarbon Molding and Extrusion Materials, Specification for, **D2116 (08.01)**
Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2902 (10.02)**
Modified ETFE-Fluoropolymer Molding and Extrusion Materials, Specification for, **D3159 (08.01)**

Tetrahydrofuran
Determination of the Individual Volatile Organic Compounds (VOCs) in Air-Dry Coatings by Gas Chromatography, Test Method for, **D6886 (06.01)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**

Tetramethyl thiuram disulfide (TMTD)
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**

Tetranychus urticae
Phytoseiulus persimilis Athias-Henriot (*Acarina:Phytoseiidae*), Specification for, **E2198 (11.05)**

Tetrasodium pyrophosphate
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**

Tex system
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**

Textile care
Sa **Sampling textiles**
Industrial Textile Stitches and Seams, Terminology Relating to, **D7722 (07.02)**
International Test Methods Associated with Textile Care Procedures, Guide to, **D6322 (07.02)**

"Textile" composite materials/applications
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**

Textile crockmeter
Powdering of Floor Polish Films, Test Method for, **D2048 (15.04)**

Textile fabric analysis
Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder Method), Test Method for, **D4157 (07.01)**
Forensic Examination of Fabrics and Cordage, Guide for, **E2225 (14.02)**
Stretch Properties of Fabrics Woven from Stretch Yarns, Test Methods for, **D3107 (07.01)**

Textile fabrics/fibers—specifications
100 % Cotton Denim Fabrics, Specification for, **D6554/D6554M (07.02)**
Blanket Products for Institutional and Household Use, Performance Specification for, **D5432 (07.02)**
Felt, Specification for, **D2475 (07.01)**
Fineness of Types of Alpaca, Specification for, **D2252 (07.01)**
Fineness of Wool or Mohair and Assignment of Grade, Specifications for, **D3991 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**
Finished Glass Fabrics Woven From Rovings, Specification for, **D4389/D4389M (07.01)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Knit Swimwear Fabrics, Performance Specification for, **D3996 (07.01)**
Knitted Necktie and Scarf Fabrics, Performance Specification for, **D4035 (07.01)**
Knitted Upholstery Fabrics for Indoor Furniture, Performance Specification for, **D4771/D4771M (07.02)**
Labeled Length per Holder of Sewing Thread, Specification for, **D3693 (07.01)**
Maximum Cashmere Coarse-Hair Content in Cashmere, Specification for, **D2817 (07.01)**
Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, Performance Specification for, **D4154 (07.01)**
Men's and Boys' Knitted Dress Shirt Fabrics, Performance Specification for, **D4119 (07.01)**
Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3782 (07.01)**
Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3780 (07.01)**
Men's and Women's Dress and Vocational Career Apparel Fabrics, Performance Specification for, **D4232 (07.01)**
Men's and Women's Knitted Career Apparel Fabrics: Dress and Vocational, Performance Specification for, **D3995 (07.01)**
Men's and Women's Sliver Knitted Overcoat and Jacket Fabrics, Performance Specification for, **D3655 (07.01)**
Men's, Women's, and Children's Woven Handkerchief Fabrics, Performance Specification for, **D4153 (07.01)**
Performance of Bonded, Fused, and Laminated Apparel Fabrics, Specification for, **D3135 (07.01)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Tensile Testing Machines for Textiles, Specification for, **D76/D76M (07.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, Performance Specification for, **D3690 (07.01)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**
Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, Performance Specification for, **D4116 (07.01)**
Women's and Girls' Knitted and Woven Dress Glove Fabrics, Performance Specification for, **D4115 (07.01)**
Women's and Girls' Knitted Blouse and Dress Fabrics, Performance Specification for, **D4235 (07.01)**
Women's and Girls' Knitted Sportswear Fabrics, Performance Specification for, **D4156 (07.01)**
Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, Performance Specification for, **D4155 (07.01)**
Women's Woven Coverall, Dungaree, Overall, and Shop Coat Fabrics, Performance Specification for, **D4118 (07.01)**
Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, Specification for, **D6663 (07.02)**
Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**
Woven and Warp Knitted Comforter Fabrics, Specification for, **D4769 (07.02)**
Woven Awning and Canopy Fabrics, Performance Specification for, **D4847 (07.02)**
Woven Drycleanable Coat Fabrics, Performance Specification for, **D3562 (07.01)**
Woven Flat Lining Fabrics for Women's and Girls' Apparel, Performance Specification for, **D4114 (07.01)**
Woven Napery and Tablecloth Fabrics: Household and Institutional, Performance Specification for, **D4111 (07.01)**
Woven Necktie and Scarf Fabrics, Performance Specification for, **D3785 (07.01)**
Woven Slipcover Fabrics, Performance Specification for, **D4113 (07.01)**
Woven Swimwear Fabrics, Performance Specification for, **D3994 (07.01)**
Woven Umbrella Fabrics, Performance Specification for, **D4112 (07.01)**
Woven Upholstery Fabrics—Plain, Tufted, or Flocked, Performance Specification for, **D3597 (07.01)**
Woven, Knitted, or Flocked Bedspread Fabrics, Performance Specification for, **D4037 (07.01)**
Woven, Lace, and Knit Household Curtain and Drapery Fabrics, Performance Specification for, **D3691/D3691M (07.01)**
Yarn Number Using Automatic Tester, Test Method for, **D6587 (07.02)**
Zipper Dimensions, Specification for, **D3657 (07.01)**
Zippers for Dungarees, Jeans and Work Trousers, Performance Specification for, **D4465 (07.02)**

Textile fabrics (bonded and laminated)
Bonded, Fused, and Laminated Apparel Fabrics, Test Methods for, **D2724 (07.01)**
Performance of Bonded, Fused, and Laminated Apparel Fabrics, Specification for, **D3135 (07.01)**

Textile fabrics (felted)
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**

Textile fabrics (flocked)
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Woven, Knitted, or Flocked Bedspread Fabrics, Performance Specification for, **D4037 (07.01)**

Textile fabrics (general)
Sa **Flame-resistant (FR) clothing/materials**
Sa **Glass fabrics/fibers/textile products—specifications**
Sa **Pile yarn floor coverings**
Sa **Tire cords and tire cord fabrics**
Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method), Guide for, **D3884 (07.01)**
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Apparel, Terminology Relating to, **D7022 (07.02)**
Breaking Force and Elongation of Textile Fabrics (Strip Method), Test Method for, **D5035 (07.02)**
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Conditioning, Chemical, and Thermal Properties, Terminology Relating to, **D4920 (07.02)**
Conducting Wear Tests on Textiles, Guide for, **D3181 (07.01)**
Determining Physical Properties of Fabrics, Yarns, and Sewing Thread Used in Inflatable Restraints, Practice for, **D5446 (07.02)**
Determining Specific Packability of Fabrics Used in Inflatable Restraints, Test Method for, **D6478 (07.02)**
Evaluating Stain Removal Performance in Home Laundering, Guide for, **D4265 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fabric Defects, Terminology Relating to, **D3990 (07.01)**
Fabrics and Fabric Test Methods, Terminology Relating to, **D4850 (07.02)**
Force, Deformation and Related Properties of Textiles, Terminology Related to, **D4848 (07.02)**
Home Furnishings, Terminology Relating to, **D7023 (07.02)**
International Test Methods Associated with Textile Care Procedures, Guide to, **D6322 (07.02)**
Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), Test Method for, **D4008 (15.04)**
Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), Guide for, **D3050 (15.04)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Brush Pilling Tester, Test Method for, **D3511/D3511M (07.01)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Elastomeric Pad, Test Method for, **D3514/D3514M (07.01)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling Tester, Test Method for, **D3512/D3512M (07.01)**
Preparation of Textiles Prior to Ultraviolet (UV) Transmission Testing, Practice for, **D6544 (07.02)**
Protective Clothing Material Resistance to Puncture, Test Method for, **F1342/F1342M (11.03)**
Qualification of Cotton Classification Instruments for Cotton Marketing, Practice for, **D7410 (07.02)**
Sampling Cotton Fibers for Testing, Practice for, **D1441 (07.01)**
Seams and Stitches Used in Home Sewing, Terminology Relating to, **D5646 (07.02)**
Snagging Resistance of Fabrics (Mace), Test Method for, **D3939/D3939M (07.01)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Stiffness of Fabric by the Circular Bend Procedure, Test Method for, **D4032 (07.01)**
Stiffness of Fabrics, Test Method for, **D1388 (07.01)**
Stretch Properties of Textile Fabrics – CRE Method, Test Method for, **D6614 (07.02)**
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine), Test Method for, **D2261 (07.01)**
Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine), Test Method for, **D4964 (07.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Textiles, Terminology Relating to, **D123 (07.01)**
Visually Inspecting and Grading Fabrics, Test Methods for, **D5430 (07.02)**
Woven Awning and Canopy Fabrics, Performance Specification for, **D4847 (07.02)**
Yarn Number and Yarn Number Variability Using Automated Tester, Test Method for, **D6612 (07.02)**

Textile fabrics (general)—abrasion resistance
See **Abrasion resistance—textile fabrics/fibers**

Textile fabrics (general)—fire/flame-resistant
Sa **Flammability—textile fabrics/fibers**
Measure Heat Transfer Through Textile Thermal Barrier Materials, Test Method to, **D7140/D7140M (07.02)**

Textile fabrics (general)—geosynthetic applications
See **Geomembranes**

Textile fabrics (knitted)
See **Knitted textile fabrics**

Textile fabrics (nonwoven)
See **Nonwoven textile fabrics**

Textile fabrics (vinyl)
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**

Textile fabrics (woven)
See **Woven textile fabrics**

Textile fiber (forensic) analysis
Forensic Examination of Fabrics and Cordage, Guide for, **E2225 (14.02)**
Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, Guide for, **E2227 (14.02)**
Microscopical Examination of Textile Fibers, Guide for, **E2228 (14.02)**

Textile fiber linear density
See **Linear density**

Textile fibers
Sa **Sampling textiles**
Breaking Strength and Elongation of Textile Webbing, Tape and Braided Material, Test Method for, **D6775 (07.02)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Coefficient of Friction, Yarn to Yarn, Test Method for, **D3412/D3412M (07.01)**
Conditioning, Chemical, and Thermal Properties, Terminology Relating to, **D4920 (07.02)**
Determine Melting Temperature of Synthetic Fibers, Test Method to, **D7138 (07.02)**
Diameter of Wool and Other Animal Fibers By Sirolan-Laserscan Fiber Diameter Analyser, Test Method for, **D6466 (07.02)**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Fiber Cohesion in Sliver and Top (Static Tests), Test Method for, **D2612 (07.01)**
Grading Spun Yarns for Appearance, Test Method for, **D2255/D2255M (07.01)**
Home Furnishings, Terminology Relating to, **D7023 (07.02)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Internal Reflection Spectroscopy, Practices for, **E573 (03.06)**
Length and Length Distribution of Manufactured Staple Fibers (Single-Fiber Test), Test Method for, **D5103 (07.02)**
Length of Fiber in Wool Top, Test Method for, **D519 (07.01)**
Measuring Hairiness of Yarns by the Photo-Electric Apparatus, Guide for, **D5647 (07.02)**
Multicomponent Textile Fibers, Terminology Related to, **D4466 (07.02)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Shrinkage of Textile Fibers (Bundle Test), Test Method for, **D2102 (07.01)**
Tables of Commercial Moisture Regains and Commercial Allowances for Textile Fibers, Standard, **D1909 (07.01)**
Tensile Properties of Single Textile Fibers, Test Method for, **D3822/D3822M (07.01)**
Textile Fibers, Guide for, **D7641 (07.02)**
Textiles, Terminology Relating to, **D123 (07.01)**
Thermal Resistance of Batting Systems Using a Hot Plate, Test Method for, **D1518 (07.01)**
Thickness of Textile Materials, Test Method for, **D1777 (07.01)**
Yarns and Fibers, Terminology Related to, **D4849 (07.02)**

Textile fibers—bast and leaf
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**

Textile fibers—man-made
See **Man-made textile fibers**

Textile floor covering materials
Sa **Pile yarn floor coverings**
Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, Practice for, **D6119 (07.02)**
Edge Ravel Resistance of Finished Loop Pile, Pile Yarn Floor Covering, Test Method for, **D7267 (07.02)**
Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, Test Method for, **D3936 (07.01)**
Tuft Element Length of Uncoated Pile Yarn Floor Coverings, Test Method for, **D6283 (07.02)**

Textile publications
Sewn Products Marker Data Interchange, Practice for, **D7331 (07.02)**

Textile reinforcement
Pocket Reinforcement, Test Method for, **D7506/D7506M (07.02)**

Textiles—specifications
Circular-Knit Geotextile for Use in Subsurface Drainage Applications, Specification for, **D6707 (04.13)**

Textile strands
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Fiber Cohesion in Sliver and Top (Static Tests), Test Method for, **D2612 (07.01)**
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**

Textile thermal barriers
Measure Heat Transfer Through Textile Thermal Barrier Materials, Test Method to, **D7140/D7140M (07.02)**

Textile tire cord
See **Automotive rubber**

Textile webbing
Abrasion Resistance of Textile Webbing (Hex Bar Method), Test Method for, **D6770 (07.02)**
Breaking Strength and Elongation of Textile Webbing, Tape and Braided Material, Test Method for, **D6775 (07.02)**

Text image analysis
Determining the Quality of the Text, Line- and Solid-Fill Output Produced by Ink Jet Printers, Practice for, **F1944 (15.09)**

Texture
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
the Operation of the Hexapod Tumble Drum Tester, Practice for, **D5252 (07.02)**
Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, Guide for, **E2278 (11.05)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**

Texture changes
Operation of the Vettermann Drum Tester, Practice for, **D5417 (07.02)**

Textured geomembranes
Measuring Core Thickness of Textured Geomembranes, Test Method for, **D5994 (04.13)**

Textured stainless steel sheet
Textured Stainless Steel Sheet Metric, Specification for, **A947M (01.03)**

Textured tape
Packing Material, Graphitic, Corrugated Ribbon or Textured Tape, and Die-Formed Ring, Specification for, **F2168 (01.07)**

Textured yarns
Sa **Yarn properties**
Bulk Properties of Textured Yarns, Test Method for, **D4031 (07.01)**
Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, Test Method for, **D6774 (07.02)**
Evaluation of Recoverable Stretch of Stretch Yarns (Skein Method), Test Method for, **D6720 (07.02)**

Tex yarn numbering system
Conversion Factors and Equivalent Yarn Numbers Measured in Various Numbering Systems, Tables of, **D2260 (07.01)**

TFOT (thin film oven test)
See **Thin film oven test (TFOT)**

TGA air reactivity
Determination of Thermogravimetric (TGA) Air Reactivity of Baked Carbon Anodes and Cathode Blocks, Test Method for, **D6559 (05.03)**

TGA Co_2 reactivity
Determination of TGA CO, Test Method for, **D6558 (05.03)**

TGA/IR (thermogravimetric/infrared analysis)
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**

TGA Noack volatility
Evaporation Loss of Lubricating Oils by Thermogravimetric Analyzer (TGA) Noack Method, Test Method for, **D6375 (05.03)**

Thallium
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**

Thallium content
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**

Thawing
Sa **Freezing and thawing**
Reach-in Refrigerators, Freezers, Combination Refrigerator/Freezers, and Thaw Cabinets, Specification for, **F2520 (15.12)**
Resistance of Cured Coatings to Thermal Cycling, Practice for, **D6944 (06.02)**

Theft
Sa **SNM (special nuclear materials)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, Guide for, **C1169 (12.01)**

Theis methods of analysis
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**

Theoretical CO_2 evolution
Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, Test Method for, **D5864 (05.02)**
Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, Test Method for, **D6139 (05.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Theoretical maximum specific gravity/density
Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures, Test Method for, **D2041/D2041M (04.03)**
Therapeutic materials
Poly(vinyl chloride) Gloves for Medical Application, Specification for, **D5250 (09.02)**
Therapeutic modality
Image-Interactive Stereotactic and Localization Systems, Specification for, **F1719 (13.01)**
Therapeutic skin substitutes
Classification of Therapeutic Skin Substitutes, Guide for, **F2311 (13.01)**
Thermal
Spacecraft Hardware Thermal Vacuum Bakeout, Practice for, **E2900 (15.03)**
Thermal Rating and Installation of Internal Combustion Engine Packages for use in Hazardous Locations in Marine Applications, Practice for, **F2876 (01.07)**
Thermal analysis (TA)
Sa **Heating tests**
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Arrhenius Kinetic Constants for Thermally Unstable Materials Using Differential Scanning Calorimetry and the Flynn/Wall/Ozawa Method, Test Method for, **E698 (14.02)**
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, Test Method for, **E1641 (14.02)**
Description of Thermal Analysis and Rheology Apparatus, Practice for, **E1953 (14.02)**
Determining Vapor Pressure by Thermal Analysis, Test Method for, **E1782 (14.02)**
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Elapsed Time Calibration of Thermal Analyzers, Test Method for, **E1860 (14.02)**
Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry, Test Method for, **E793 (14.02)**
Ethane Thermophysical Property Tables, Specification for, **D3984 (05.06)**
Evaluation of Methods for Determination of Kinetic Parameters by Thermal Analysis, Practice for, **E2781 (14.02)**
Glass Transition Temperatures by Differential Scanning Calorimetry, Test Method for Assignment of the, **E1356 (14.02)**
Heat Flow Calibration of Differential Scanning Calorimeters, Practice for, **E968 (14.02)**
Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, Test Method for, **E2160 (14.02)**
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**
Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, Test Method for, **E2890 (14.02)**
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Melting And Crystallization Temperatures By Thermal Analysis, Test Method for, **E794 (14.02)**
Methane Thermophysical Property Tables, Specification for, **D3956 (05.06)**
Minimum Resolvable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1213 (03.03)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Performance Validation in Thermal Analysis, Terminology Relating to, **E2161 (14.02)**
Pressure Calibration of Thermal Analyzers, Test Method for, **E2744 (14.02)**
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**
RubberDeterioration by Heat and Oxygen, Test Method for, **D572 (09.01)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Statistical Treatment of Thermoanalytical Data, Practice for, **E1970 (14.02)**
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**
Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**
Temperature Calibration of Differential Scanning Calorimeters and Differential Thermal Analyzers, Test Method for, **E967 (14.02)**
Temperature Calibration of Dynamic Mechanical Analyzers, Test Method for, **E1867 (14.02)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Temperature Calibration on Cooling of Differential Scanning Calorimeters, Test Method for, **E2069 (14.02)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**
the Assignment of the Glass Transition Temperature by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E2602 (14.02)**
Thermal Analysis and Rheology, Terminology Relating to, **E473 (14.02)**
Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E1952 (14.02)**
Thermal Diffusivity by the Flash Method, Practice for, **E2585 (14.02)**
Thermal Endurance Characteristics of Electrical Insulating Varnishes Applied Over Film-Insulated Magnet Wire, Test Method for, **D3251 (10.02)**
Thermal Insulation Performance of Distribution Packages, Test Method for, **D3103 (15.10)**
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Thermal analysis (TA)—aircraft/aerospace environments
Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, Practice for, **E512 (15.03)**
Measuring Heat Flux Using a Water-Cooled Calorimeter, Test Method for, **E422 (15.03)**
Solar Simulation for Thermal Balance Testing of Spacecraft, Practice for, **E491 (15.03)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**
Thermal analysis (TA)—building materials
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Determination of the Thermal Resistance of Low-Density Blanket-Type Mineral Fiber Insulation, Guide for, **C653 (04.06)**
Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, Practice for, **C1155 (04.06)**
Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Treated Lumber, Test Method for, **D5664 (04.10)**
In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, Practice for, **C1046 (04.06)**
Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, Practice for, **C1058/C1058M (04.06)**
Serviceability of an Office Facility for Thermal Environment and Indoor Air Conditions, Classification for, **E2320 (04.12)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Thermal Integrity of Flexible Water Vapor Retarders, Test Method for, **C1263 (04.06)**

Thermal analysis (TA)—chemicals
Determining Specific Heat Capacity by Differential Scanning Calorimetry, Test Method for, **E1269 (14.02)**
Reaction Induction Time by Thermal Analysis, Test Method for, **E2046 (14.02)**
The Thermal Stability of Chemicals by Differential Scanning Calorimetry, Test Method for, **E537 (14.02)**

Thermal analysis (TA)—electrical insulation
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
Thermal Endurance of Rigid Electrical Insulating Materials, Test Method for, **D2304 (10.01)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**

Thermal analysis (TA)—metals/alloys
Determination of Hydrogen in Titanium and Titanium Alloys by Inert Gas Fusion Thermal Conductivity/Infrared Detection Method, Test Method for, **E1447 (03.05)**
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Thermal Deflection Rate of Spiral and Helical Coils of Thermostat Metal, Test Method for, **B389 (02.04)**
Transformation Temperature of Nickel-Titanium Alloys by Thermal Analysis, Test Method for, **F2004 (13.01)**

Thermal analysis (TA)—petroleum products
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, Test Method for, **D5483 (05.02)**
Oxidation Induction Time of Lubricating Oils by Pressure Differential Scanning Calorimetry (PDSC), Test Method for, **D6186 (05.03)**
Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), Test Method for, **D3523 (05.01)**
Thermal Stability of Organic Heat Transfer Fluids, Test Method for, **D6743 (05.03)**

Thermal analysis (TA)—plastics
Curing Properties of Pultrusion Resins by Thermal Analysis, Test Method for, **D5028 (08.02)**
Heat Aging of Plastics Without Load, Practice for, **D3045 (08.01)**
Low Molecular Weight PTFE and FEP Micronized Powders, Classification for, **D5675 (08.03)**
Response of Rigid Cellular Plastics to Thermal and Humid Aging, Test Method for, **D2126 (08.01)**
Thermal Conductivity of Plastics by Means of a Transient Line-Source Technique, Test Method for, **D5930 (08.03)**
Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, Test Method for, **D3795 (08.02)**
Thermal-Oxidative Stability of Polypropylene Using a Specimen Rotator Within an Oven, Test Method for, **D3012 (08.01)**
Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry, Test Method for, **D3418 (08.02)**

Thermal analysis (TA)—refractories
Thermal Conductivity of Carbon Refractories, Test Method for, **C767 (15.01)**
Thermal Conductivity of Insulating Firebrick, Test Method for, **C182 (15.01)**
Thermal Conductivity of Refractories, Test Method for, **C201 (15.01)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Thermal Conductivity of Refractory Brick, Test Method for, **C202 (15.01)**
Thermal Conductivity of Unfired Monolithic Refractories, Test Method for, **C417 (15.01)**

Thermal analysis (TA)—roofing materials
Dynamic Mechanical Analysis and Thermogravimetry of Roofing and Waterproofing Membrane Material, Practice for, **D6382/D6382M (04.04)**

Thermal analysis (TA)—soil/rock
Calculating Thermal Diffusivity of Rocks, Practice for, **D4612 (04.08)**
Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, Test Method for, **D5334 (04.08)**
Measurement of Thermal Expansion of Rock Using Dilatometer, Test Methods for, **D4535 (04.08)**
Specific Heat of Rock and Soil, Test Method for, **D4611 (04.08)**

Thermal analysis (TA)—solar collectors
Determining Thermal Performance of Tracking Concentrating Solar Collectors, Test Method for, **E905 (12.02)**
Evaluating Solar Absorptive Materials for Thermal Applications, Practice for, **E744 (12.02)**

Thermal analysis (TA)—textiles
Determining the Arc Rating of Materials for Clothing, Test Method for, **F1959/F1959M (10.03)**
Determining the Temperature Ratings for Cold Weather Protective Clothing, Practice for, **F2732 (11.03)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**

Thermal anemometer
Average Velocity in a Duct Using a Thermal Anemometer, Test Method for, **D3464 (11.07)**

Thermal black
See **Carbon black**

Thermal capacitance
Measuring Heat-Transfer Rate Using a Thermal Capacitance (Slug) Calorimeter, Test Method for, **E457 (15.03)**
Thermal Conductivity of Materials Using a Thermal Capacitance (Slug) Calorimeter, Practice for, **E2584 (14.02)**

Thermal cleaning effects
Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, Practice for, **G93 (14.04)**

Thermal coefficient of expansion
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**

Thermal compatibility
Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, Test Method for, **C884/C884M (04.02)**

Thermal conductance/conductivity
Sa **Thermal transmission properties**
Cellular Melamine Thermal and Sound-Absorbing Insulation, Specification for, **C1410 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Determination of the Thermal Conductivity of Anode Carbons by the Guarded Heat Flow Meter Technique, Test Method for, **D6744 (05.03)**
Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, Test Method for, **D5334 (04.08)**
Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, Test Method for, **D4864 (05.02)**
Determining Steady State Thermal Transmittance of Fenestration Systems, Practice for, **E1423 (04.11)**
Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, Guide for, **C1558 (04.06)**
Evaluating the Resistance to Thermal Transmission of Materials by the Guarded Heat Flow Meter Technique, Test Method for, **E1530 (14.02)**
Evaluating Thermal Conductivity of Gasket Materials, Practice for, **F433 (09.02)**
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Flexible Aerogel Insulation, Specification for, **C1728 (04.06)**
Heat Transmission, Symbols for, **C108 (15.01)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, Practice for, **C781 (05.05)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**
Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E1952 (14.02)**
Thermal Conductivity of Liquids, Test Method for, **D2717 (05.01)**
Thermal Conductivity of Materials Using a Thermal Capacitance (Slug) Calorimeter, Practice for, **E2584 (14.02)**
Thermal Conductivity of Plastics by Means of a Transient Line-Source Technique, Test Method for, **D5930 (08.03)**
Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), Test Method for, **C1113/C1113M (15.01)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermal Conductivity of Whiteware Ceramics, Test Method for, **C408 (15.02)**
Thermal Conductivity, Thermal Diffusivity and Volumetric Heat Capacity of Engine Coolants and Related Fluids by Transient Hot Wire Liquid Thermal Conductivity Method, Test Method for, **D7896 (15.05)**
Thermal Diffusivity by the Flash Method, Practice for, **E2585 (14.02)**
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, Test Method for, **D5470 (10.02)**

Thermal conductivity detectors (TCD)
Atmospheric Leaks Using a Thermal Conductivity Leak Detector, Practice for, **E2024/E2024M (03.03)**
Calculation of Gas Chromatographic Response Factors, Practice for, **D4626 (05.02)**
Testing Thermal Conductivity Detectors Used in Gas Chromatography, Practice for, **E516 (03.06)**

Thermal control materials
Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, Practice for, **E512 (15.03)**

Thermal cracking
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**
Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT), Test Method for, **D6723 (04.03)**

Thermal cycling test
Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, Specification for, **F877 (08.04)**
Nuclear Grade Hafnium Oxide Pellets, Specification for, **C1076 (12.01)**
Nuclear Grade Zirconium Oxide Pellets, Specification for, **C1066 (12.01)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, Test Method for, **C1171 (15.01)**
Resistance of Cured Coatings to Thermal Cycling, Practice for, **D6944 (06.02)**
Specifying Thermal Performance of Geothermal Power Systems, Guide for, **E974 (12.02)**

Thermal damage
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

Thermal decomposition
Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, Practice for, **E1877 (14.02)**
Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, Test Method for, **E1641 (14.02)**
Determination of High Temperature Deposits by Thermo-Oxidation Engine Oil Simulation Test, Test Method for, **D6335 (05.03)**
Determination of Moderately High Temperature Piston Deposits by Thermo-Oxidation Engine Oil Simulation Test—TEOST MHT, Test Method for, **D7097 (05.04)**
Evaluating the Under-Deck Fire Test Response of Deck Materials, Test Method for, **E2632/E2632M (04.07)**

Thermal deflection rate
Thermal Deflection Rate of Spiral and Helical Coils of Thermostat Metal, Test Method for, **B389 (02.04)**

Thermal desorption analysis
Determination of Volatile Organic Compounds Emitted from Carpet using a Specific Sorbent Tube and Thermal Desorption / Gas Chromatography, Test Method for, **D7339 (11.07)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**

Thermal desorption gas chromatography
Determination of Low Level, Regulated Phthalates in Poly (Vinyl Chloride) Plastics by Thermal Desorption—Gas Chromatography/Mass Chromatography, Test Method for, **D7823 (08.03)**
Determination of Residue Composition in Liquefied Petroleum Gas (LPG) Using Automated Thermal Desorption/Gas Chromatography (ATD/GC), Test Method for, **D7828 (05.04)**
Determination of Volatile Organic Compounds Emitted from Carpet using a Specific Sorbent Tube and Thermal Desorption / Gas Chromatography, Test Method for, **D7339 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thermal diffusivity
Description of Thermal Analysis and Rheology Apparatus, Practice for, **E1953 (14.02)**
Measurements on Small Graphite Specimens, Guide for, **D7775 (05.05)**
Testing the Thermal Properties of Advanced Ceramics, Guide for, **C1470 (15.01)**
Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, Test Method for, **E1952 (14.02)**
Thermal Conductivity, Thermal Diffusivity and Volumetric Heat Capacity of Engine Coolants and Related Fluids by Transient Hot Wire Liquid Thermal Conductivity Method, Test Method for, **D7896 (15.05)**
Thermal Diffusivity by the Flash Method, Practice for, **E2585 (14.02)**
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Thermal Diffusivity of Carbon and Graphite by Thermal Pulse Method, Test Method for, **C714 (05.05)**

Thermal effects
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**
Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Methods for, **D5499 (06.02)**
Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, Test Method for, **D6137 (06.02)**

Thermal (EMF) materials/applications
Evaluating Thermal EMF Properties of Base-Metal Thermocouple Connectors, Test Method for, **E2820 (14.03)**

Thermal endurance
Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, Practice for, **E1877 (14.02)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**

Thermal endurance—electrical insulating materials
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**
Flexible Treated Sleeving Used for Electrical Insulation, Test Methods for, **D350 (10.01)**
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Thermal Endurance Characteristics of Electrical Insulating Varnishes Applied Over Film-Insulated Magnet Wire, Test Method for, **D3251 (10.02)**
Thermal Endurance of Electrical Insulating Varnishes by the Helical Coil Method, Test Method for, **D3145 (10.02)**
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**
Thermal Endurance of Flexible Electrical Insulating Varnishes, Test Method for, **D1932 (10.01)**
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**
Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, Test Method for, **D4881 (10.02)**
Weight Loss of Electrical Insulating Varnishes, Test Method for, **D2756 (10.02)**
Weight Loss of Solventless Varnishes, Test Method for, **D3377 (10.02)**

Thermal equilibrium
Measurement of Viscosity of Glass Between Softening Point and Annealing Range (Approximately 10, Test Method for, **C1350M (15.02)**
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**

Thermal expansion
Determination of the Linear Coefficient of Thermal Expansion of Plastic Lumber and Plastic Lumber Shapes Between –30 and 140°F (–34.4 and 60°C), Test Method for, **D6341 (08.03)**
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**

Thermal expansion/contraction
Calculating Volume-Temperature Correction For Coal-Tar Pitches, Practice for, **D2962 (05.01)**
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, Test Method for, **D5335 (04.08)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Making and Testing Reference Glass-Metal Bead-Seal, Practice for, **F14 (15.02)**
Making Reference Glass-Metal Butt Seals and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F140 (15.02)**
Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, Practice for, **F144 (15.02)**

Thermal expansion/contraction—electrical insulating materials
Determining the Coefficient of Thermal Expansion of Electrical Insulating Liquids of Petroleum Origin, and Askarels, Practice for, **D1903 (10.03)**

Thermal expansion/contraction (linear)
See **Linear thermal expansion**

Thermal flow
Sa **Flow and flow rate—thermoplastics**
Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, Test Method for, **D3795 (08.02)**

Thermal gradient
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**

Thermal hazard
Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing, Practice for, **F1731 (11.03)**
Flame Resistant Rainwear for Protection Against Flame Hazards, Specification for, **F2733 (11.03)**

Thermal hazards
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards, Performance Specification for, **F1506 (10.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thermal imaging systems
Determining Stability of Direct Thermal Imaging Products, Practices for, **F1721 (15.09)**
Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, Test Method for, **F1405 (15.09)**
Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, Test Method for, **F1943 (15.09)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Minimum Resolvable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1213 (03.03)**
Noise Equivalent Temperature Difference of Thermal Imaging Systems, Test Method for, **E1543 (03.03)**
Thermal Imaging Products, Terminology Relating to, **F1623 (15.09)**
Thermal impedance
Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, Test Method for, **D5470 (10.02)**
Thermal inertia value (k_{pc})
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Obtaining Data for Fire Growth Models, Guide for, **E1591 (04.07)**
Thermal insulating cement
Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement, Test Method for, **C166 (04.06)**
Mixing Thermal Insulating Cement Samples, Practice for, **C163 (04.06)**
Thermal insulating cement—specifications
Expanded or Exfoliated Vermiculite Thermal Insulating Cement, Specification for, **C196 (04.06)**
Mineral Fiber Hydraulic-Setting Thermal Insulating and Finishing Cement, Specification for, **C449 (04.06)**
Mineral Fiber Thermal Insulating Cement, Specification for, **C195 (04.06)**
Thermal insulating fitting covers
Sa **Pipe thermal insulation**
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**
Thermal insulating materials
Assessing the Odor Emission of Thermal Insulation Materials, Test Method for, **C1304 (04.06)**
Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, Test Method for, **C1512 (04.06)**
Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, Test Methods for, **C871 (04.06)**
Conditioning of Thermal Insulating Materials, Practice for, **C870 (04.06)**
Conducting Exterior Exposure Tests of Finishes for Thermal Insulation, Test Method for, **C488 (04.06)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**
Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, Test Method for, **C1485 (04.06)**
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Determining Fungi Resistance of Insulation Materials and Facings, Test Method for, **C1338 (04.06)**
Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, Guide for, **C1558 (04.06)**
Estimating the Maximum Use Temperature of Thermal Insulations, Practice for, **C447 (04.06)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Evaluating Thermal Insulation Materials for Use in Solar Collectors, Practice for, **E861 (12.02)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**
Location of Wet Insulation in Roofing Systems Using Infrared Imaging, Practice for, **C1153 (04.06)**
Low Slope Insulated Roof Membrane Assembly Performance, Guide for, **D6630 (04.04)**
Measuring Thermal Insulation of Sleeping Bags Using a Heated Manikin, Test Method for, **F1720 (15.07)**
Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories, Classification of, **C930 (04.06)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, Guide for, **C1146 (04.06)**
Rigid Foam for Use in Structural Sandwich Panel Cores, Specification for, **E1730 (04.11)**
Sampling and Acceptance of Thermal Insulation Lots, Practice for, **C390 (04.06)**
Selecting Jacketing Materials for Thermal Insulation, Guide for, **C1423 (04.06)**
Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, Practice for, **C1058/C1058M (04.06)**
Selection and Use of Keywords for Thermal Insulation Test Methods and Standards, Guide for, **C1302 (04.06)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Structural Performance of Thermal Barriers in Fenestration Products, Test Method for, **E2692 (04.12)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermal Insulation, Terminology Relating to, **C168 (04.06)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Thermal insulating materials—specifications
Adhesives for Duct Thermal Insulation, Specification for, **C916 (04.06)**
Asbestos-Cement Fiberboard Insulating Panels, Specification for, **C551/C551M (04.05)**
Asbestos-Cement Organic-Foam Core Insulating Panels, Specification for, **C659 (04.05)**
Cellulosic Fiber Loose-Fill Thermal Insulation, Specification for, **C739 (04.06)**
Cellulosic Fiber Stabilized Thermal Insulation, Specification for, **C1497 (04.06)**
Determining the Properties of Jacketing Materials for Thermal Insulation, Practice for, **C921 (04.06)**
Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, Specification for, **C1427 (04.06)**
Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, Specification for, **C1126 (04.06)**
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, Specification for, **C1290 (04.06)**
Flexible Polymeric Foam Sheet Insulation Used as a Thermal and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sound Absorbing Liner for Duct Systems, Specification for, **C1534 (04.06)**
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Glass Fiber Mechanically Bonded Felt Thermal Insulation, Specification for, **C1086 (04.06)**
High-Temperature Fiber Blanket Thermal Insulation, Specification for, **C892 (04.06)**
Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type), Specification for, **C592 (04.06)**
Mineral Fiber Loose-Fill Thermal Insulation, Specification for, **C764 (04.06)**
Mineral Wool Roof Insulation Board, Specification for, **C726 (04.06)**
Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing, Specification for, **C665 (04.06)**
Molded Expanded Perlite Block and Pipe Thermal Insulation, Specification for, **C610 (04.06)**
Perlite Loose Fill Insulation, Specification for, **C549 (04.06)**
Perpendicularly Oriented Mineral Fiber Roll and Sheet Thermal Insulation for Pipes and Tanks, Specification for, **C1393 (04.06)**
Polyimide Flexible Cellular Thermal and Sound Absorbing Insulation, Specification for, **C1482 (04.06)**
Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, Specification for, **C667 (04.06)**
Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, Specification for, **C534/C534M (04.06)**
Reflective Insulation for Building Applications, Specification for, **C1224 (04.06)**
Rigid, Cellular Polystyrene Thermal Insulation, Specification for, **C578 (04.06)**
Selection and Use of Keywords for Thermal Insulation Test Methods and Standards, Guide for, **C1302 (04.06)**
Self-Supported Spray Applied Cellulosic Thermal Insulation, Specification for, **C1149 (04.06)**
Spray-Applied Mineral Fiber Thermal and Sound Absorbing Insulation, Specification for, **C1014 (04.06)**
Structural Insulating Board, Calcium Silicate, Specification for, **C656 (04.06)**
Thermal Insulation for Use in Contact with Austenitic Stainless Steel, Specification for, **C795 (04.06)**
Unfaced Preformed Rigid Cellular Polyisocyanurate, Specification for, **C591 (04.06)**
Vacuum Insulation Panels, Specification for, **C1484 (04.06)**
Vermiculite Loose Fill Thermal Insulation, Specification for, **C516 (04.06)**

Thermal insulating materials (asbestos-cement panels)
Asbestos-Cement Fiberboard Insulating Panels, Specification for, **C551/C551M (04.05)**
Asbestos-Cement Organic-Foam Core Insulating Panels, Specification for, **C659 (04.05)**

Thermal insulating materials (blanket)
Sa **Blanket thermal insulation**
Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, Specification for, **C1290 (04.06)**

Thermal insulating materials (block/board)
See **Block and board thermal insulation**

Thermal insulating materials (clothing)
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with a Hot Liquid Splash, Test Method for, **F2701 (11.03)**
Measuring the Thermal Insulation of Clothing Using a Heated Manikin, Test Method for, **F1291 (11.03)**

Thermal insulating materials (electrical)
Sa **Electrical insulating materials**
Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, Test Method for, **D5470 (10.02)**
Thin Thermally Conductive Solid Materials for Electrical Insulation and Dielectric Applications, Test Methods for, **D6343 (10.02)**

Thermal insulating materials (fabrication)
Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, Practice for, **C450 (04.06)**

Thermal insulating materials (fibrous (spray-applied))
See **Spray-applied thermal insulation**

Thermal insulating materials (glass)
See **Glass thermal insulation—specifications**

Thermal insulating materials (lining)
Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), Specification for, **C1071 (04.06)**
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**

Thermal insulating materials (loose-fill)
Sa **Loose-fill thermal insulation**
Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, Test Method for, **E970 (04.07)**

Thermal insulating materials (mastic coatings)
Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, Practice for, **C419 (04.06)**
Mastics and Coatings Used With Thermal Insulation, Test Methods for, **C461 (04.06)**
Properties and Tests of Mastics and Coating Finishes for Thermal Insulation, Guide to, **C647 (04.06)**

Thermal insulating materials (mineral fiber)
See **Mineral fiber insulation**

Thermal insulating materials (pipe)
Sa **Pipe thermal insulation**
Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, Practice for, **C585 (04.06)**
Selection and Application of Thermal Insulation for Piping and Machinery, Practice for, **F683 (01.07)**

Thermal insulating materials (polyurethane insulation)
See **Polyurethane insulation—specifications**

Thermal insulating materials (preformed)
See **Preformed thermal insulation**

Thermal insulating materials (reflective)
See **Reflective insulation**

Thermal insulating materials (rigid)
See **Rigid thermal insulation**

Thermal insulating materials (water vapor transmission)
Sa **Water vapor transmission (WVT)**
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Selection of Water Vapor Retarders for Thermal Insulation, Practice for, **C755 (04.06)**
Use of Test Methods, Practice for, **E2321 (04.12)**
Water Vapor Transmission of Materials, Test Methods for, **E96/E96M (04.06)**

Thermal insulating materials (wicking)
See **Wicking**

Thermal insulation
Aluminum Jacketing for Insulation, Specification for, **C1729 (04.06)**
Aluminum Jacketing for Insulation, Specification for, **C1729M (04.06)**
Concentration of Pinhole Detections in Moisture Barriers on Metal Jacketing, Test Method for, **C1785 (04.06)**
Development of Coverage Charts for Loose-Fill Thermal Building Insulations, Guide for, **C1630 (04.06)**
Externally Applied Reflective Insulation Systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems, Specification for, **C1668 (04.06)**
Industrial Thermal Insulation Systems, Guide for, **C1696 (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, Practice for, **C1744 (04.06)**
Installation and Use of Radiant Barrier Systems (RBS) in Resi-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

dential Building Construction, Practice for, **C1743 (04.06)**
Laboratory Simulation of Corrosion Under Insulation, Guide for, **G189 (03.02)**
Laminate Protective Jacket and Tape for Use over Thermal Insulation for Outdoor Applications, Specification for, **C1775 (04.06)**
Microporous Thermal Insulation, Specification for, **C1676 (04.06)**
Quantitative Accelerated Laboratory Evaluation of Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, Practice for, **C1617 (04.06)**
Thermal Performance Testing of Cryogenic Insulation Systems, Guide for, **C1774 (04.06)**
Water Absorption by Immersion of Thermal Insulation Materials, Test Method for, **C1763 (04.06)**

Thermal insulation boards
Expanded Polystyrene ("EPS") Thermal Insulation Boards for Use in Exterior Insulation and Finish Systems ("EIFS"), Specification For, **E2430/E2430M (04.12)**
Structural Insulated Panel (SIP) Adhesives for Laminating Oriented Strand Board (OSB) to Rigid Cellular Polystryene Thermal Insulation Core Materials, Specification for, **D7446 (15.06)**

Thermal insulation quality
Thermal Insulation Performance of Distribution Packages, Test Method for, **D3103 (15.10)**

Thermal insulation test method/standards
Selection and Use of Keywords for Thermal Insulation Test Methods and Standards, Guide for, **C1302 (04.06)**
Water Absorption by Immersion of Thermal Insulation Materials, Test Method for, **C1763 (04.06)**

Thermal ionization mass spectrometry
Determination of Uranium or Plutonium Isotopic Composition or Concentration by the Total Evaporation Method Using a Thermal Ionization Mass Spectrometer, Test Method for, **C1672 (12.01)**
Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry, Test Method for, **C1413 (12.01)**
The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, Practice for, **C1411 (12.01)**
Uranium and Plutonium Concentrations and Isotopic Abundances by Thermal Ionization Mass Spectrometry, Test Method for, **C1625 (12.01)**

Thermal lag time
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**

Thermal life curve
Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, Test Method for, **D1830 (10.01)**

Thermal loadings
Determining the Resistance of Single Glazed Annealed Architectural Flat Glass to Thermal Loadings, Practice for, **E2431 (04.12)**

Thermally-bonded seams
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**

Thermally-induced stress
Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, Practice for, **D6816 (04.03)**

Thermally unstable materials
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**

Thermal measurements
Kinetic Parameters by Factor Jump/Modulated Thermogravimetry, Test Methods for, **E2958 (14.02)**
Performance Validation of Thermomechanical Analyzers, Test Method for, **E2918 (14.02)**
Thermal Performance Testing of Cryogenic Insulation Systems, Guide for, **C1774 (04.06)**

Thermal needle probe procedure
Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, Test Method for, **D5334 (04.08)**

Thermal-neutron coincidence counting
Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, Test Method for, **C1207 (12.01)**

Thermal neutron flux
Sa **Fast neutron flux/fluence**
Determining Thermal Neutron Reaction Rates and Thermal Neutron Fluence Rates by Radioactivation Techniques, Test Method for, **E262 (12.02)**
Measuring Neutron Fluence Rates by Radioactivation of Cobalt and Silver, Test Method for, **E481 (12.02)**

Thermal neutron radiation
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), Guide for, **E844 (12.02)**

Thermal neutron radiographic testing
Sa **Radiographic examination**
Determining Image Quality in Direct Thermal Neutron Radiographic Examination, Test Method for, **E545 (03.03)**
Thermal Neutron Radiography of Materials, Practices for, **E748 (03.03)**

Thermal-optical analysis
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**

Thermal oxidation
Determination of Moderately High Temperature Piston Deposits by Thermo-Oxidation Engine Oil Simulation Test—TEOST MHT, Test Method for, **D7097 (05.04)**

Thermal oxidation stability
Determination of High Temperature Deposits by Thermo-Oxidation Engine Oil Simulation Test, Test Method for, **D6335 (05.03)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**
Thermal Oxidation Stability of Aviation Turbine Fuels, Test Method for, **D3241 (05.01)**
Thermal Oxidative Stability Measurement via Quartz Crystal Microbalance, Practice for, **D7739 (05.04)**
Universal Oxidation/Thermal Stability Test Apparatus, Guide for, **D4871 (05.02)**

Thermal paper
Evaluating Thermal Paper Employing a Facsimile Thermal Printer as a Test Instrument, Test Method for, **F1320 (15.09)**

Thermal performance
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**
Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, Test Method for, **C1363 (04.06)**
Thermal Performance Testing of Cryogenic Insulation Systems, Guide for, **C1774 (04.06)**

Thermal pressurization
Acoustic Emission Examination of Welded Steel Sphere Pressure Vessels Using Thermal Pressurization, Practice for, **E2863 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thermal process/properties
Determining Static Thermal Sensitivity of Direct Thermal Media, Test Method for, **F1445 (15.09)**
Lightweight Aggregates for Insulating Concrete, Specification for, **C332 (04.02)**
Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, Test Method for, **D5335 (04.08)**
Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, Specification for, **E671 (14.04)**
Thermal Diffusivity of Carbon and Graphite by Thermal Pulse Method, Test Method for, **C714 (05.05)**
Thermal profiles
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Thermal protective clothing
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Home Laundering Care and Maintenance of Flame, Thermal and Arc Resistant Clothing, Guide for, **F2757 (11.03)**
Industrial Laundering of Flame, Thermal, and Arc Resistant Clothing, Guide for, **F1449 (11.03)**
Measuring the Transmitted and Stored Energy of Firefighter Protective Clothing Systems, Test Method for, **F2731 (11.03)**
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, Test Method for, **F1060 (11.03)**
Thermal qualifications
Thermal Qualification of Type B Packages for Radioactive Material, Practice for, **E2230 (04.07)**
Thermal radiation
Calorimetric Determination of Hemispherical Emittance and the Ratio of Solar Absorptance to Hemispherical Emittance Using Solar Simulation, Test Method for, **E434 (15.03)**
Normal Spectral Emittance at Elevated Temperatures, Test Method for, **E307 (15.03)**
Normal Spectral Emittance at Elevated Temperatures of Nonconducting Specimens, Test Method for, **E423 (15.03)**
Total Normal Emittance of Surfaces Using Inspection-Meter Techniques, Test Methods for, **E408 (15.03)**
Thermal reactivation
Carbon Reactivation, Guide for, **D6781 (15.01)**
Thermal resistance/resistivity
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Determination of the Thermal Conductivity of Anode Carbons by the Guarded Heat Flow Meter Technique, Test Method for, **D6744 (05.03)**
Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, Practice for, **C1155 (04.06)**
Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, Guide for, **C1558 (04.06)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Evaluating the Resistance to Thermal Transmission of Materials by the Guarded Heat Flow Meter Technique, Test Method for, **E1530 (14.02)**
Externally Applied Reflective Insulation Systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems, Specification for, **C1668 (04.06)**
Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, Specification for, **C1290 (04.06)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, Test Method for, **F1868 (11.03)**
Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, Test Method for, **C1363 (04.06)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Using Heat Flow Meter Apparatus to Measure the Center-of-Panel Thermal Resistivity of Vacuum Panels, Test Method for, **C1667 (04.06)**
Thermal shock materials/testing
Application of Hose Stream, Practice for, **E2226 (04.07)**
Chemical-Resistant Sulfur Mortar, Specification for, **C287 (04.05)**
Crazing Resistance of Fired Glazed Ceramic Whitewares by a Thermal Shock Method, Test Method for, **C554 (15.02)**
Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, Test Method for, **C1525 (15.01)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, Test Method for, **C1171 (15.01)**
Thermal Shock Resistance of Glass Containers, Test Method for, **C149 (15.02)**
Thermal Shock Resistance of Glazed Ceramic Tile, Test Method for, **C484 (15.02)**
Thermal Shock Resistance of Porcelain-Enameled Utensils, Test Method for, **C385 (02.05)**
Thermal Shock Sensitivity of Solid Film Lubricants, Test Method for, **D2511 (05.01)**
Thermal Shock Test on Glass Pipe, Test Method of, **C600 (15.02)**
Thermal-Shock-Preventing Devices and Systems in Showering Areas, Consumer Safety Specification for, **F445 (15.11)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**
Vitrified Ceramic Materials for Electrical Applications, Test Methods for, **D116 (15.02)**
Thermal shrinkage force
Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, Test Method for, **D5591 (07.02)**
Thermal-sprayed coatings
Determining Area Percentage Porosity in Thermal Sprayed Coatings, Test Methods for, **E2109 (03.01)**
Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, Test Method for, **F1978 (13.01)**
Metallographic Preparation of Thermal Sprayed Coatings, Guide for, **E1920 (03.01)**
Thermal spraying
Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications, Specification for, **B943 (02.04)**
Thermal spraying (metallizing)
Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, Specification for, **B833 (02.04)**
Thermal stability
Arrhenius Kinetic Constants for Thermally Unstable Materials Using Differential Scanning Calorimetry and the Flynn/Wall/Ozawa Method, Test Method for, **E698 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Assessing Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry, Guide for, **E1981 (14.02)**
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, Test Method for, **E2890 (14.02)**
Mastics and Coatings Used With Thermal Insulation, Test Methods for, **C461 (04.06)**
Reaction Induction Time by Thermal Analysis, Test Method for, **E2046 (14.02)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
The Thermal Stability of Chemicals by Differential Scanning Calorimetry, Test Method for, **E537 (14.02)**
Thermal Stability by Thermogravimetry, Test Method for, **E2550 (14.02)**

Thermal stability—petroleum products
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
High Temperature Stability of Middle Distillate Fuels, Test Method for, **D6468 (05.03)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**
Thermal Oxidation Stability of Aviation Turbine Fuels, Test Method for, **D3241 (05.01)**
Thermal Stability of Hydraulic Oils, Test Method for, **D2070 (05.01)**
Thermal Stability of Organic Heat Transfer Fluids, Test Method for, **D6743 (05.03)**
Thermal Stability of Way Lubricants, Test Method for, **D6203 (05.03)**
Universal Oxidation/Thermal Stability Test Apparatus, Guide for, **D4871 (05.02)**

Thermal stability—plastics
Flexible Cellular Materials Made From Olefin Polymers, Test Methods for, **D3575 (08.02)**
Oven Heat Stability of Poly(Vinyl Chloride) Compositions, Practice for, **D2115 (08.01)**
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Thermal-Oxidative Stability of Polypropylene Using a Specimen Rotator Within an Oven, Test Method for, **D3012 (08.01)**

Thermal storage properties—measuring
Using a Heat Flow Meter Apparatus for Measuring Thermal Storage Properties of Phase Change Materials and Products, Test Method for, **C1784 (04.06)**

Thermal stress
Determination of Gassing Characteristics of Insulating Liquids Under Thermal Stress, Test Method for the, **D7150 (10.03)**
Measuring the Performance of Personal Cooling Systems Using Physiological Testing, Test Method for, **F2300 (11.03)**
Resistance of Cured Coatings to Thermal Cycling, Practice for, **D6944 (06.02)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

Thermal stress-cracking
See **Stress cracking tests**

Thermal testing
Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, Test Method for, **F1930 (11.03)**
Resistance of Cured Coatings to Thermal Cycling, Practice for, **D6944 (06.02)**
Security Glazing Materials And Systems, Test Method for, **F1233 (15.08)**

Thermal transfer imaging systems
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**
Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, Practice for, **F1423 (15.09)**
Determining Dynamic Thermal Response of Direct Thermal Paper-Label Printer Method, Test Method for, **F1444 (15.09)**
Determining Static Thermal Sensitivity of Direct Thermal Media, Test Method for, **F1445 (15.09)**
Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, Test Method for, **F1943 (15.09)**
Evaluating Color Image Output from Color Printers and Copiers, Test Method for, **F1206 (15.09)**

Thermal transmission properties
Determination of the Thermal Resistance of Low-Density Blanket-Type Mineral Fiber Insulation, Guide for, **C653 (04.06)**
Determination of Thermal Resistance of Loose-Fill Building Insulation, Practice for, **C687 (04.06)**
Determining Thermal Performance of Tracking Concentrating Solar Collectors, Test Method for, **E905 (12.02)**
Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, Practice for, **C1155 (04.06)**
Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, Guide for, **C1558 (04.06)**
Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**
Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, Test Method for, **F955 (11.03)**
Evaluating Thermal Conductivity of Gasket Materials, Practice for, **F433 (09.02)**
Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, Test Methods for, **E1725 (04.07)**
Guarded-Hot-Plate Design Using Circular Line-Heat Sources, Practice for, **C1043 (04.06)**
In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, Practice for, **C1041 (04.06)**
Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, Practice for, **C1058/C1058M (04.06)**
Specifying Thermal Performance of Geothermal Power Systems, Guide for, **E974 (12.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Thermal Characteristics of Refuse-Derived Fuel Macrosamples, Test Method for, **E955 (11.04)**
Thermal Conductivity of Liquids, Test Method for, **D2717 (05.01)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Thermal Conductivity of Whiteware Ceramics, Test Method for, **C408 (15.02)**
Thermal Resistance of Batting Systems Using a Hot Plate, Test Method for, **D1518 (07.01)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Thermal transmission properties—steady-state
Calculating Thermal Transmission Properties Under Steady-State Conditions, Practice for, **C1045 (04.06)**
Determining Steady State Thermal Transmittance of Fenestration Systems, Practice for, **E1423 (04.11)**
Evaluating the Resistance to Thermal Transmission of Materials

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

by the Guarded Heat Flow Meter Technique, Test Method for, **E1530 (14.02)**
In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, Practice for, **C1046 (04.06)**
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**
Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus, Test Method for, **C177 (04.06)**
Steady-State Heat Transfer Properties of Pipe Insulation, Test Method for, **C335/C335M (04.06)**
Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus, Test Method for, **C518 (04.06)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Thermal Performance Testing of Cryogenic Insulation Systems, Guide for, **C1774 (04.06)**
Using a Guarded-Hot-Plate Apparatus or Thin-Heater Apparatus in the Single-Sided Mode, Practice for, **C1044 (04.06)**

Thermal treatment
Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, Guide for, **C1571 (12.01)**

Thermesthesiometer
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**

Thermionic emitters
Definition and Determination of Thermionic Constants of Electron Emitters, Practice for, **F83 (10.04)**

Thermionic ionization detectors
Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, Practice for, **E1140 (03.06)**

Thermionic nickel alloys
See **Nickel alloys**

Thermistor sensors
Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, Practice for, **D6176 (11.07)**
Temperature Monitoring Equipment, Specification for, **F2362 (01.07)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**

Thermoanalytical data
Statistical Treatment of Thermoanalytical Data, Practice for, **E1970 (14.02)**

Thermocouple quick disconnect
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**

Thermocouples
Sa **Electrical contact materials**
Calibration and Use of Thermocouple Reference Junction Probes in Evaluation of Electronic Reference Junction Compensation Circuits, Practice for, **E2730 (14.03)**
Calibration of Refractory Metal Thermocouples Using a Radiation Thermometer, Test Method for, **E452 (14.03)**
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Evaluating Thermal EMF Properties of Base-Metal Thermocouple Connectors, Test Method for, **E2820 (14.03)**
Expansion or Contraction of Coal by the Sole-Heated Oven, Test Method for, **D2014 (05.06)**
Fusibility of Coal and Coke Ash, Test Method for, **D1857/D1857M (05.06)**
Fusibility of Refuse-Derived Fuel (RDF) Ash, Test Method for, **E953/E953M (11.04)**
Internal Temperature Measurements in Low-Conductivity Materials, Practice for, **E377 (15.03)**
Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, Specification for, **E1652 (14.03)**
Measuring Electromotive Force (emf) Stability of Base-Metal Thermoelement Materials with Time in Air, Test Method for, **E601 (14.03)**
Measuring the Insulation Resistance of Mineral-Insulated, Metal-Sheathed Thermocouples and Thermocouple Cable at Room Temperature, Test Method for, **E780 (14.03)**
Reporting Thermometer Calibrations, Practice for, **E2623 (14.03)**
Sheathed Thermocouples and Sheathed Thermocouple Cable, Test Methods for, **E839 (14.03)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Temperature Monitoring Equipment, Specification for, **F2362 (01.07)**
Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, Guide for, **E1350 (14.03)**
Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, Test Method for, **E207 (14.03)**
Thermocouple Verification, Guide for, **E2846 (14.03)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**

Thermocouples—specifications
Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, Specification for, **E585/E585M (14.03)**
Compacted Mineral-Insulated, Metal-Sheathed, Noble Metal Thermocouples and Thermocouple Cable, Specification for, **E2181/E2181M (14.03)**
Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, Specification for, **E574 (14.03)**
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Mineral-Insulated, Metal-Sheathed Base Metal Thermocouples, Specification for, **E608/E608M (14.03)**
Miniature Thermocouple Connectors, Specification for, **E1684 (14.03)**
Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples, Specification and, **E230/E230M (14.03)**
Thermocouple Connectors, Specification for, **E1129/E1129M (14.03)**
Thermocouple Materials, Platinum-Rhodium Alloys, and Platinum, Specification for, **E1159 (14.03)**
Tungsten-Rhenium Alloy Thermocouple Wire, Specification for, **E696 (14.03)**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**

Thermocouple tolerances
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Thermocycling (of PE pipe)
Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, Specification for, **F1281 (08.04)**
Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pressure Pipe, Specification for, **F1282 (08.04)**

Thermodilatometry
Assignment of a Glass Transition Temperature Using Thermomechanical Analysis: Tension Method, Test Method for, **E1824 (14.02)**
Assignment of the Glass Transition Temperature by Thermomechanical Analysis, Test Method for, **E1545 (14.02)**
Tungsten-Rhenium Alloy Thermocouple Wire, Specification for, **E696 (14.03)**

Thermodynamic temperature
Expression of Temperature, Guide for, **E1594 (14.03)**

Thermoelectric method
Corrosion-Preventive Properties of Lubricating Greases in Presence of Dilute Synthetic Sea Water Environments, Test Method for, **D5969 (05.02)**
Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, Test Method for, **E1917 (03.05)**
Identification of Mixed Lots of Metals, Guide for, **E1916 (03.05)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**

Thermoelectric power rating
Thermoelectric Power of Electrical-Resistance Alloys, Test Method for, **B77 (02.04)**
Thermoelectric Sorting of Electrically Conductive Materials, Practice for, **E977 (03.03)**

Thermoelements
Mineral-Insulated, Metal-Sheathed Base Metal Thermocouples, Specification for, **E608/E608M (14.03)**
Sheathed Thermocouples and Sheathed Thermocouple Cable, Test Methods for, **E839 (14.03)**

Thermoforming
Sa **Molding/extrusion compounds/materials—specifications**
Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, Specification for, **D5203 (08.03)**

Thermofusion methods
Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Grab Method, Test Method for, **D7749 (04.13)**
Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Strip Tensile Method, Test Method for, **D7747/D7747M (04.13)**
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**

Thermographic inspection
Detecting Delaminations in Bridge Decks Using Infrared Thermography, Test Method for, **D4788 (04.03)**
Examining Electrical and Mechanical Equipment with Infrared Thermography, Guide for, **E1934 (03.03)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Noise Equivalent Temperature Difference of Thermal Imaging Systems, Test Method for, **E1543 (03.03)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**

Thermogravimetric analysis (TGA)
Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, Practice for, **E1877 (14.02)**
Calibration of Temperature Scale for Thermogravimetry, Practice for, **E1582 (14.02)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, Test Method for, **E1641 (14.02)**
Description of Thermal Analysis and Rheology Apparatus, Practice for, **E1953 (14.02)**
Dynamic Mechanical Analysis and Thermogravimetry of Roofing and Waterproofing Membrane Material, Practice for, **D6382/D6382M (04.04)**
Evaporation Loss of Lubricating Oils by Thermogravimetric Analyzer (TGA) Noack Method, Test Method for, **D6375 (05.03)**
General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), Practice for, **E2105 (03.06)**
Kinetic Parameters by Factor Jump/Modulated Thermogravimetry, Test Methods for, **E2958 (14.02)**
Loss on Ignition (LOI) of Solid Combustion Residues, Test Methods for, **D7348 (05.06)**
Loss-On-Drying by Thermogravimetry, Test Method for, **E1868 (14.02)**
Mass Loss and Residue Measurement Validation of Thermogravimetric Analyzers, Test Method for, **E2402 (14.02)**
Mass Scale Calibration of Thermogravimetric Analyzers, Test Method for, **E2040 (14.02)**
Nonvolatile Matter of Agricultural Adjuvant Solutions by Thermogravimetry, Test Method for, **E2043 (11.05)**
Proximate Analysis of Coal and Coke by Macro Thermogravimetric Analysis, Test Methods for, **D7582 (05.06)**
Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), Test Method for, **D3850 (10.02)**
Rubber—Compositional Analysis by Thermogravimetry (TGA), Test Method for, **D6370 (09.01)**
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**
Sulfated Ash of Organic Materials by Thermogravimetry, Test Method for, **E2403 (14.02)**
Thermal Stability by Thermogravimetry, Test Method for, **E2550 (14.02)**
Volatility Rate by Thermogravimetry, Test Methods for, **E2008 (14.02)**

Thermogravimetric analyzer
Humidity Calibration (or Conformation) of Humidity Generators for Use with Thermogravimetric Analyzers, Test Method for, **E2551 (14.02)**

Thermohydrometers
ASTM Hydrometers, Specification for, **E100 (14.03)**
Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, Test Method for, **D6822 (05.03)**

Thermoluminescent dosimeter (TLD)
Application of CaF, Practice for, **E2450 (12.02)**
Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, Test Method for, **E1250 (12.02)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, Practice for, **E1249 (12.02)**
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, Guide for, **E1894 (12.02)**

Thermomechanical analysis (TMA)
Assignment of a Glass Transition Temperature Using Thermomechanical Analysis: Tension Method, Test Method for, **E1824 (14.02)**
Assignment of the Glass Transition Temperature by Thermomechanical Analysis, Test Method for, **E1545 (14.02)**
Description of Thermal Analysis and Rheology Apparatus, Practice for, **E1953 (14.02)**
Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, Test Method for, **E2092 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Elastic Modulus by Thermomechanical Analysis Using Three-Point Bending and Controlled Rate of Loading, Test Method for, **E2769 (14.02)**
Force Calibration of Thermomechanical Analyzers, Test Method for, **E2206 (14.02)**
Indentation Softening Temperature by Thermomechanical Analysis, Test Method for, **E2347 (14.02)**
Length Change Calibration of Thermomechanical Analyzers, Test Method for, **E2113 (14.02)**
Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, Test Method for, **E831 (14.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**

Thermomechanical analyzers
Performance Validation of Thermomechanical Analyzers, Test Method for, **E2918 (14.02)**

Thermomechanical analyzers—performance validation of
Performance Validation of Thermomechanical Analyzers, Test Method for, **E2918 (14.02)**

Thermomechanical control process (TMCP)
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
High-Strength Low-Alloy Structural Steel Plate Produced by Thermo-Mechanical Controlled Process (TMCP), Specification for, **A1066/A1066M (01.04)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Steel Plates for Pressure Vessels, Produced by Thermo-Mechanical Control Process (TMCP), Specification for, **A841/A841M (01.04)**

Thermomechanical fatigue testing (TMF)
Strain Controlled Thermomechanical Fatigue Testing, Practice for, **E2368 (03.01)**

Thermometers
Calibration and Accuracy Verification of Wideband Infrared Thermometers, Test Method for, **E2847 (14.03)**
Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, Test Method for, **D6822 (05.03)**
Digital Contact Thermometers, Guide for, **E2877 (14.03)**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1161 (15.01)**
Inspection and Verification of Thermometers, Test Method for, **E77 (14.03)**
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Selection and Use of Wideband, Low Temperature Infrared Thermometers, Guide for, **E2758 (14.03)**
Testing Industrial Resistance Thermometers, Test Methods for, **E644 (14.03)**
Thermometry and Hydrometry, Terminology Relating to, **E344 (14.03)**
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**

Thermometers—specifications
ASTM Liquid-in-Glass Thermometers, Specification for, **E1 (14.03)**
Clinical Thermometer Probe Covers and Sheaths, Specification for, **E1104 (13.01)**
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Electronic Thermometer for Intermittent Determination of Patient Temperature, Specification for, **E1112 (13.01)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Infrared Thermometers for Intermittent Determination of Patient Temperature, Specification for, **E1965 (13.01)**
Liquid-in-Glass ASTM Thermometers with Low-Hazard Precision Liquids, Specification for, **E2251 (14.03)**
Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, Specification for, **E667 (13.01)**
Phase Change-Type Disposable Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E825 (13.01)**
Reusable Phase-Change-Type Fever Thermometer for Intermittent Determination of Human Temperature, Specification for, **E1299 (13.01)**
Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, Specification for, **E879 (14.03)**

Thermophilic sulfate-reducing bacteria
Sulfate-Reducing Bacteria in Water and Water-Formed Deposits, Test Methods for, **D4412 (11.02)**

Thermophysical properties
Hydrogen Thermophysical Property Tables, Specification for, **D7265 (05.06)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**

Thermophysical property tables
Ethane Thermophysical Property Tables, Specification for, **D3984 (05.06)**
Hydrogen Thermophysical Property Tables, Specification for, **D7265 (05.06)**
Isobutane Thermophysical Property Tables, Specification for, **D4651 (05.06)**
Methane Thermophysical Property Tables, Specification for, **D3956 (05.06)**
Normal Butane Thermophysical Property Tables, Specification for, **D4650 (05.06)**
Propane Thermophysical Property Tables, Specification for, **D4362 (05.06)**

Thermoplastic containers
Column Crush Properties of Blown Thermoplastic Containers, Test Method for, **D2659 (08.01)**
Drop Impact Resistance of Blow-Molded Thermoplastic Containers, Test Method for, **D2463 (08.01)**
Permeability of Thermoplastic Containers to Packaged Reagents or Proprietary Products, Test Method for, **D2684 (08.01)**

Thermoplastic containers—specifications
Dimensions and Tolerances for Plastic Bottles, Specification for, **D2911 (08.01)**
Polyethylene Upright Storage Tanks, Specification for, **D1998 (08.01)**

Thermoplastic elastomer-ether-ester (TEEE)
Thermoplastic Elastomer-Ether-Ester Molding and Extrusion Materials (TEEE), Classification System for, **D6835 (08.03)**

Thermoplastic elastomers (TPE)
Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, Classification System for, **D6338 (08.03)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Reporting Properties for Plastics and Thermoplastic Elastomers, Guide for, **D6436 (08.03)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers, Test Method for, **D624 (09.01)**
Thermoplastic Elastomer-Ether-Ester Molding and Extrusion Materials (TEEE), Classification System for, **D6835 (08.03)**
Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rotorless Shear Rheometers, Test Method for, **D7605 (09.01)**
Thermoplastic Elastomers—Terminology and Abbreviations, Practice for, **D5538 (09.01)**
Vulcanized Rubber and Thermoplastic Elastomer—Determination of Force Decay (Stress Relaxation) in Compression, Test Method for, **D6147 (09.01)**

Thermoplastic elastomers (TPE)—specifications
Asphaltic Plug Joints for Bridges, Specification for, **D6297 (04.03)**
Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, Specification for, **E2203 (04.07)**
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 C Operation, Specification for, **D4246 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, Specification for, **D4245 (10.02)**
Poly(Vinyl Chloride) Jacket for Wire and Cable, Specification for, **D1047 (10.01)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**

Thermoplastic insulation materials/applications
Longitudinal Measurement of Volume Resistivity for Extruded Crosslinked and Thermoplastic Semiconducting Conductor and Insulation Shielding Materials, Test Method for, **D6095 (10.02)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**

Thermoplastic insulation materials/applications—specifications
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 C Operation, Specification for, **D4246 (10.02)**
Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, Specification for, **D4245 (10.02)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, Specification for, **D2219 (10.01)**
Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, Specification for, **D2220 (10.01)**
Poly(Vinyl Chloride) Jacket for Wire and Cable, Specification for, **D1047 (10.01)**
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Thermoplastic Polyethylene Insulation for Electrical Wire and Cable, Specification for, **D1351 (10.01)**
Thermoplastic Polyethylene Jacket for Electrical Wire and Cable, Specification for, **D2308 (10.01)**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**

Thermoplastic molding/extrusion materials
CPT-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7471 (08.03)**
EFEP-Fluoropolymer Molding and Extrusion Materials, Specification for, **D7472 (08.03)**

Thermoplastic pipe/tube/fittings
Sa **Reinforced thermosetting-resin pipe (RTRP)—specifications**
Sa **Solvent cements for joining thermoplastic pipe/fittings—specifications**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight), Test Method for, **D2444 (08.04)**
Determining Chemical Compatibility of Substances in Contact with Thermoplastic Pipe and Fittings Materials, Test Method for, **F2331 (08.04)**
Determining Dimensions of Thermoplastic Pipe and Fittings, Test Method for, **D2122 (08.04)**
Determining Thermoplastic Pipe Wall Stiffness, Test Method for, **F2433 (08.04)**
Dimensions of Plastic Pipe Fittings, Symbols for, **D2749 (08.04)**
Drafting Impact Test Requirements In Thermoplastic Pipe And Fittings Standards, Practice for, **F725 (08.04)**
Heat Fusion Joining of Polyolefin Pipe and Fittings, Practice for, **D2657 (08.04)**
Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, Practice for, **F1675 (08.04)**
Multilayer Thermoplastic And Flexible Steel Pipe And Connections, Specification for, **F2805 (08.04)**
Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, Test Method for, **D2837 (08.04)**
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**
Safe Handling of Solvent Cements, Primers, and Cleaners Used for Joining Thermoplastic Pipe and Fittings, Practice for, **F402 (08.04)**
Selection, Design, and Installation of Thermoplastic Water- Pressure Piping Systems, Guide for, **F645 (08.04)**
Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, Specification for, **F2562/F2562M (08.04)**
Time-to-Failure of Plastic Pipe Under Constant Internal Pressure, Test Method for, **D1598 (08.04)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Time-to-Failure of Plastics Using Plane Strain Tensile Specimens, Test Method for, **F2018 (08.04)**
Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, Practice for, **D2321 (08.04)**
Underground Installation of Thermoplastic Pressure Piping, Practice for, **D2774 (08.04)**

Thermoplastic pipe/tube/fittings—specifications
Sa **Sewer pipe (thermoplastic)—specifications**
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core, Specification for, **F628 (08.04)**
Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, Specification for, **F891 (08.04)**
Drain, Waste, and Vent (DWV) Plastic Fittings Patterns, Specification for, **D3311 (08.04)**
Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, Test Method for, **F2023 (08.04)**
Excess Flow Valves for Natural Gas Service, Specification for, **F2138 (08.04)**
Fluid Conditioner Fittings in Piping Applications Above 0°F, Specification for, **F1201 (01.07)**
Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, Specification for, **F1504 (08.04)**
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Metallic Mechanical Fittings for Use on Outside Diameter Con-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

trolled Thermoplastic Gas Distribution Pipe and Tubing, Specification for, **F1948 (08.04)**
Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series), Specification for, **D2241 (08.04)**
Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, Specification for, **D2729 (08.04)**
Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, Specification for, **D2513 (08.04)**
Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter, Specification for, **D2239 (08.04)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Taper Pipe Threads 60° for Thermoplastic Pipe and Fittings, Specification for, **F1498 (08.04)**
Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings, Specification for, **F409 (08.04)**
Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, Specification for, **C1440 (01.02)**
Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F913 (08.04)**
Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, Specification for, **F480 (08.04)**
Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, Specification for, **F1563 (08.04)**

Thermoplastic polyester (TPES)
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Hot Seal Strength (Hot Tack) of Thermoplastic Polymers and Blends Comprising the Sealing Surfaces of Flexible Webs, Test Methods for, **F1921/F1921M (15.10)**

Thermoplastic polyester (TPES)—specifications
Extruded and Compression Molded Basic Shapes Made from Thermoplastic Polyester (TPES), Specification for, **D6261 (08.03)**
Thermoplastic Polyester (TPES) Injection and Extrusion Materials Based on ISO Test Methods, Classification System for, **D5927 (08.03)**

Thermoplastic resins
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**

Thermoplastic roofing/waterproofing materials
Sa **Roofing materials/applications**
Application of New Spray Applied Polyurethane Foam and Coated Roofing Systems, Guide for, **D5469/D5469M (04.04)**
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**

Thermoplastic roofing/waterproofing materials—specifications
Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, Specification for, **D6298 (04.04)**
Poly(Vinyl Chloride) Sheet Roofing, Specification for, **D4434/D4434M (04.04)**
Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6162 (04.04)**
Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, Specification for, **D5665 (04.04)**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**
Thermoplastic Polyolefin Based Sheet Roofing, Specification for, **D6878/D6878M (04.04)**

Thermoplastic rubbers
Vulcanized Rubber and Thermoplastic Elastomers—Tension, Test Methods for, **D412 (09.01)**

Thermoplastics
Sa **Insulated wire and cable**
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Ash Content in Plastics, Test Method for, **D5630 (08.03)**
Blocking Point of Potentially Adhesive Layers, Test Method for, **D1146 (15.06)**
Bond Strength of Thermoplastic Traffic Marking Materials, Test Method for, **D4796 (06.02)**
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**
Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets, Practice for, **D4703 (08.02)**
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**
Determining the Flammability Characteristics of Nonrigid Solid Plastics, Test Method for, **D4804 (08.02)**
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Evaluating High-Density Rigid Cellular Plastics, Practice for, **D3748 (08.02)**
Evaluation of Color for Thermoplastic Traffic Marking Materials, Test Method for, **D4960 (06.02)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Hot Seal Strength (Hot Tack) of Thermoplastic Polymers and Blends Comprising the Sealing Surfaces of Flexible Webs, Test Methods for, **F1921/F1921M (15.10)**
Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, Practice for, **D3641 (08.02)**
Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature, Test Method for, **D1204 (08.01)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, Test Method for, **D5422 (08.03)**
Melt Flow Rates of Thermoplastics by Extrusion Plastometer, Test Method for, **D1238 (08.01)**
Packaging/Packing of Plastics, Practice for, **D3892 (08.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Poly(Methyl Methacrylate) (PMMA) Molding and Extrusion Compounds, Classification System for, **D788 (08.01)**
Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), Classification System and Basis for Specification for, **D4549 (08.02)**
Self-Adhesive Polyester Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, Specification for, **D7505/D7505M (04.04)**
Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**
Specification for Crosslinked Polyethylene (PEX) Material Gas Pressure Pipe and Tubing, Specification for, **F2818 (08.04)**
Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, Practice for, **F2787 (08.04)**
Thermal Conductivity of Plastics by Means of a Transient Line-Source Technique, Test Method for, **D5930 (08.03)**
Thermoplastic Elastomers—Terminology and Abbreviations, Practice for, **D5538 (09.01)**
Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Meth-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

odology, Classification System for, **D7436 (08.03)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Vicat Softening Temperature of Plastics, Test Method for, **D1525 (08.01)**

Thermoplastics—specifications
Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, Classification System for, **D4673 (08.02)**
Cellulose Acetate Butyrate Molding and Extrusion Compounds, Classification System and Basis for Specification for, **D707 (08.01)**
Cellulose Acetate Molding and Extrusion Compounds, Classification System and Basis for Specifications for, **D706 (08.01)**
Cellulose Acetate Propionate Molding and Extrusion Compounds, Classification System and Basis for Specification for, **D1562 (08.01)**
Ethyl Cellulose Molding and Extrusion Compounds, Specification for, **D787 (08.01)**
Extruded and Compression Molded Basic Shapes Made from Thermoplastic Polyester (TPES), Specification for, **D6261 (08.03)**
Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, Specification for, **C1461 (01.02)**
Resilient Stair Treads, Specification for, **F2169 (15.04)**
Resilient Wall Base, Specification for, **F1861 (15.04)**
Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, Classification System and Basis for Specifications for, **D3965 (08.02)**
Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), Classification System and Basis for Specification for, **D4634 (08.02)**
Thermoplastic Polyester (TPES) Injection and Extrusion Materials Based on ISO Test Methods, Classification System for, **D5927 (08.03)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

Thermoplastic sheet and film
Sa **Plastic sheet and film**
Flexible Polypropylene Reinforced (fPP-R) and Nonreinforced (fPP) Geomembranes, Specification for, **D7613 (04.13)**

Thermoplastic surgical implant applications
Evaluation of Thermoplastic Polyurethane Solids and Solutions for Biomedical Applications, Guide for, **F624 (13.01)**

Thermoplastic surgical implant applications—specifications
Polycarbonate Resin for Medical Applications, Specification for, **F997 (13.01)**
Polyoxymethylene (Acetal) for Medical Applications, Specification for, **F1855 (13.01)**
Polysulfone Resin for Medical Applications, Specification for, **F702 (13.01)**

Thermoplastic/thermoset polymers
Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, Test Method for, **E1640 (14.02)**

Thermoplastic traffic marking material
Evaluation of Color for Thermoplastic Traffic Marking Materials, Test Method for, **D4960 (06.02)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Pigment Content of Paints by Low-Temperature Ashing, Test Method for, **D4451 (06.01)**
Sample Preparation of Thermoplastic Traffic Marking Materials, Practice for, **D7308 (06.02)**
Sampling of Thermoplastic Traffic Marking Materials, Practice for, **D7307 (06.02)**

Thermoplastic vulcanizate
Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, Classification System for, **D6338 (08.03)**
Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using Rotorless Shear Rheometers, Test Method for, **D7605 (09.01)**

Thermoplastic vulcanizate—specifications
Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, Specification for, **E2203 (04.07)**
Preformed Thermoplastic Vulcanizate Elastomeric Joint Seals for Bridges, Specification for, **D6924 (04.03)**

Thermosel viscometer
Sa **Brookfield viscometer**
Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, Test Method for, **D6267 (06.03)**

Thermoset cure
Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, Test Method for, **E2160 (14.02)**
Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, Test Method for, **E2070 (14.02)**

Thermoset encapsulating compounds
See **Electronic encapsulants**

Thermosetting coating powders
Corner Coverage of Powder Coatings, Test Method for, **D2967 (06.02)**
Gel Time of Thermosetting Coating Powder, Test Method for, **D4217 (06.02)**
Inclined Plate Flow for Thermosetting Coating Powders, Test Method for, **D4242 (06.02)**

Thermosetting laminate
See **Laminates (electrical insulation)**

Thermosetting materials/properties
Molding Index of Thermosetting Molding Powder, Test Method for, **D731 (08.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**

Thermosetting plastic pipe/tubing/fittings
Sa **Reinforced thermosetting-resin pipe (RTRP)—specifications**
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP), Practice for, **F1743 (08.04)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**

Thermosetting plastic pipe/tubing/fittings—specifications
Cured-In-Place Thermosetting Resin Sewer Piping Systems, Specification for, **D5813 (08.03)**

Thermosetting plastics
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**
Compression Molding Test Specimens of Thermosetting Molding Compounds, Practice for, **D5224 (08.03)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Implantable Thermoset Epoxy Plastics, Criteria for, **F602 (13.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds, Practice for, **D3419 (08.02)**
Laminated Round Rods Used for Electrical Insulation, Test Methods for, **D349 (10.01)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, Test Method for, **D6289 (08.03)**
Measuring Shrinkage from Mold Dimensions of Thermoplastics, Test Method of, **D955 (08.01)**
Molding Index of Thermosetting Molding Powder, Test Method for, **D731 (08.01)**
Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, Test Method for, **D3895 (08.02)**
Packaging/Packing of Plastics, Practice for, **D3892 (08.02)**
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Spiral Flow of Low-Pressure Thermosetting Molding Compounds, Test Method for, **D3123 (08.01)**
Thermal Conductivity of Plastics by Means of a Transient Line-Source Technique, Test Method for, **D5930 (08.03)**
Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, Test Method for, **D3795 (08.02)**
Transfer Molding Test Specimens of Thermosetting Compounds, Practice for, **D1896/D1896M (08.01)**

Thermosetting plastics—specifications
Allyl Molding Compounds, Specification for, **D1636 (08.01)**
Contact-Molded Reinforced Thermosetting Plastic (RTP) Laminates for Corrosion-Resistant Equipment, Specification for, **C582 (08.03)**
Epoxy Molding Compounds, Specification for, **D3013 (08.01)**
Laminated Thermosetting Materials, Specification for, **D709 (10.01)**
Melamine-Formaldehyde Molding Compounds, Specification for, **D704 (08.01)**
Molding Compounds, Thermosetting, Specification for, **D5948 (08.03)**
Thermosetting Polyester Molding Compounds, Specification for, **D1201 (08.01)**
Urea-Formaldehyde Molding Compounds, Specification for, **D705 (08.01)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**

Thermosetting resins
Sa **Phenolic resins**
Determination of Reactivity of Unsaturated Polyesters and Vinyl Esters at 180.0°F (82.2°C), Test Method for, **D7029 (08.03)**
Determining Stroke Cure Time of Thermosetting Phenol-Formaldehyde Resins, Test Method for, **D4640 (06.03)**
Implantable Thermoset Epoxy Plastics, Criteria for, **F602 (13.01)**
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Tension Testing of Wire Ropes and Strand, Test Method for, **A931 (01.03)**

Thermostat metals
Cross Curvature of Thermostat Metals, Test Method for, **B478 (02.04)**
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Mechanical Torque Rate of Spiral Coils of Thermostat Metal, Test Method for, **B362 (02.04)**
Modulus of Elasticity of Thermostat Metals (Cantilever Beam Method), Test Method for, **B223 (02.04)**
Thermal Deflection Rate of Spiral and Helical Coils of Thermostat Metal, Test Method for, **B389 (02.04)**

Thermostat metals—specifications
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Thermostat Metal Sheet and Strip, Specification for, **B388 (02.04)**

Thermostat testing
Performance of Griddles, Test Method for, **F1275 (15.12)**

Thiazole
Rubber Chemicals—2-Mercaptobenzothiazole (MBT)—Assay, Test Method for, **D1991 (09.01)**

Thickness
Conducting Time-for-Rupture Notch Tension Tests of Materials, Test Methods for, **E292 (03.01)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Determining Load Resistance of Glass in Buildings, Practice for, **E1300 (04.11)**
Estimating Peat Deposit Thickness, Practice for, **D4544 (04.08)**
Expansion Index of Soils, Test Method for, **D4829 (04.08)**
Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile, Test Method for, **C499 (15.02)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Measurement of Thickness of Coatings Over Fabric Reinforcement, Test Method for, **D7635/D7635M (04.04)**
Measurement of Thickness of Sandwich Cores, Test Methods for, **C366/C366M (15.03)**
Measuring Sleeping Bag Loft, Test Method for, **F1932/F1932M (15.07)**
Measuring the Resiliency of Turf Reinforcement Mats (TRMs), Test Method for, **D6524 (04.13)**
Measuring Thickness by Manual Ultrasonic Pulse-Echo Contact Method, Practice for, **E797/E797M (03.03)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, Test Methods for, **E605 (04.11)**
Thickness Measurement of Flexible Packaging Material, Test Method for, **F2251 (15.10)**
Thickness of Foil, Thin Sheet, and Film by Mass Measurement, Test Method for, **E252 (02.02)**
Thickness of Pressure-Sensitive Tapes, Test Method for, **D3652/D3652M (15.10)**
Through-Thickness Tension Testing of Steel Plates for Special Applications, Specification for, **A770/A770M (01.04)**

Thickness—concrete
Measuring the P-Wave Speed and the Thickness of Concrete Plates Using the Impact-Echo Method, Test Method for, **C1383 (04.02)**
Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, Test Method for, **C174/C174M (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thickness—electrical insulating materials
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Thickness of Solid Electrical Insulation (Metric), Test Methods for, **D374M (10.01)**

Thickness—electrodeposited coatings
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, Test Method for, **B530 (02.05)**
Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, Test Method for, **B499 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, Test Method for, **B244 (02.05)**
Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, Test Method for, **B748 (02.05)**
Measurement of Thickness of Metallic Coatings by the Coulometric Method, Test Method for, **B504 (02.05)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), Test Method for, **B764 (02.05)**
Thickness of Diffusion Coating, Test Methods for, **C664 (02.05)**

Thickness—geosynthetics
Measuring Core Thickness of Textured Geomembranes, Test Method for, **D5994 (04.13)**
Measuring Nominal Thickness of Rolled Erosion Control Products, Test Method for, **D6525 (04.13)**
Measuring the Nominal Thickness of Geosynthetics, Test Method for, **D5199 (04.13)**

Thickness—glass
Determining the Thickness of Glass in Airport Traffic Control Tower Cabs, Practice for, **E2461 (04.12)**

Thickness—leather
Measuring Thickness of Leather Test Specimens, Test Method for, **D1813 (15.04)**
Measuring Thickness of Leather Units, Test Method for, **D1814 (15.04)**
Stitch Tear Strength of Leather, Double Hole, Test Method for, **D4705 (15.04)**
Tearing Strength, Tongue Tear of Leather, Test Method for, **D4704 (15.04)**

Thickness—paints/related coatings/materials
See **Paint thickness**

Thickness—paving mixtures/applications
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Thickness or Height of Compacted Bituminous Paving Mixture Specimens, Test Method for, **D3549/D3549M (04.03)**

Thickness—plastics
Determination of Thickness of Plastic Film Test Specimens, Guide for, **D6988 (08.03)**
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**
Nonrigid Vinyl Chloride Plastic Film and Sheeting, Specification for, **D1593 (08.01)**
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Polyethylene Film and Sheeting, Specification for, **D2103 (08.01)**

Thickness—resilient floor coverings
Measuring Thickness of Resilient Floor Covering With Foam Layer, Test Method for, **F387 (15.04)**
Thickness of Resilient Flooring Materials Having Flat Surfaces, Test Method for, **F386 (15.04)**
Wear Layer Thickness of Resilient Floor Coverings by Optical Measurement, Test Method for, **F410 (15.04)**

Thickness—rubber materials
Coated Fabrics, Test Methods for, **D751 (09.02)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**
Rubber—Measurement of Dimensions, Practice for, **D3767 (09.01)**

Thickness—semiconductors
Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**

Thickness—surgical implant materials
Stereological Evaluation of Porous Coatings on Medical Implants, Test Method for, **F1854 (13.01)**

Thickness—textile fabrics/fibers
Felt, Specification for, **D2475 (07.01)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Thickness of Textile Materials, Test Method for, **D1777 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Thickness—thermal insulating materials
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Determination of Installed Thickness of Pneumatically Applied Loose-Fill Building Insulation, Test Method for, **C1374 (04.06)**
Thickness and Density of Blanket or Batt Thermal Insulations, Test Methods for, **C167 (04.06)**

Thickness change
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**

Thickness control
Metallized Surfaces on Ceramic, Specification for, **F44 (10.04)**

Thickness gaging
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**

Thickness swelling
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Internal Bond Strength and Thickness Swell of Cellulosic-Based Fiber and Particle Panels After Repeated Wetting, Test Method for, **D7519 (04.10)**

Thickness tolerance
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**

Thick PE sheeting
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**

Thick poured lightweight cellular concrete
Installation of Thick Poured Lightweight Cellular Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2471 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Thick PE sheeting
See **Polyethylene (PE) sheet and film—specifications**
Thick/thin adherend
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Thick-wall split-barrel sampling
Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils, Practice for, **D3550 (04.08)**
Thief samplers
Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, Practice for, **D7464 (05.04)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Thin-bonded overlays
Determining the Penetration of Chloride Ion into Concrete by Ponding, Test Method for, **C1543 (04.02)**
Thin-edge paint (forensic) specimens
Forensic Paint Analysis and Comparison, Guide for, **E1610 (14.02)**
Thin electrical insulating materials
Sa **Electrical insulating solids**
Thin Thermally Conductive Solid Materials for Electrical Insulation and Dielectric Applications, Test Methods for, **D6343 (10.02)**
Thin film applications
Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, Guide for, **F2113 (10.04)**
Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, Test Methods for, **B905 (02.05)**
Evaluating Abrasion Resistance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5416 (15.10)**
Evaluating Load Containment Performance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5415 (15.10)**
Evaluation of Horizontal Impact Performance of Load Unitizing Stretch Wrap Films, Test Method for, **D5414 (15.10)**
Evaluation of Mechanical Handling of Unitized Loads Secured with Stretch Wrap Films, Test Method for, **D5331 (15.10)**
High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, Specification for, **F1709 (10.04)**
In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2244 (03.01)**
Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, Test Method for, **D5459 (15.10)**
Measurements Taken on Thin, Reflecting Films, Terminology Relating to, **E2444 (03.01)**
Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, Practice for, **F1711 (10.04)**
Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, Practice for, **F1844 (10.04)**
Peel Cling of Stretch Wrap Film, Test Method for, **D5458 (15.10)**
Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2245 (03.01)**
Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, Test Method for, **E2246 (03.01)**
Ultrasonic C-Scan Bond Evaluation of Sputtering, Practice for, **F1512 (10.04)**
Thin-film (electronic) applications
See **Electronic thin-film applications**
Thin film evaporator monitor
Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, Test Method for, **B808 (02.04)**
Thin film oven test (TFOT)
Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), Test Method for, **D2872 (04.03)**
Effects of Heat and Air on Asphaltic Materials (Thin-Film Oven Test), Test Method for, **D1754/D1754M (04.03)**
Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), Test Method for, **D4742 (05.02)**
Thin-film oxygen uptake (TFOUT)
Oxidation Stability of Lubricants by Thin-Film Oxygen Uptake (TFOUT) Catalyst B, Test Method for, **D7098 (05.04)**
Thin film petroleum applications
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Thin-gauge steel
Thin-Gauge Nonoriented Electrical Steel Fully Processed Types, Specification for, **A1086 (03.04)**
Thin heater apparatus/applications
Calibrating Thin Heat Flux Transducers, Practice for, **C1130 (04.06)**
Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, Test Method for, **C1114 (04.06)**
Using a Guarded-Hot-Plate Apparatus or Thin-Heater Apparatus in the Single-Sided Mode, Practice for, **C1044 (04.06)**
Thin layer chromatography (TLC)
Sa **Gas chromatography (GC)**
Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, Guide for, **E2227 (14.02)**
General Techniques of Infrared Microanalysis, Practice for, **E334 (03.06)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Rubber—Chromatographic Analysis of Antidegradants (Antioxidants, Antiozonants and Stabilizers), Practice for, **D3156 (09.01)**
Thin layer cohesive failure
Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, Practice for, **D5573 (15.06)**
Thin material specimens/applications
Charpy Impact Test on Thin Specimens of Polyethylene Used in Pressurized Pipes, Test Method for, **F2231 (08.04)**
Evaluating the Resistance to Thermal Transmission of Materials by the Guarded Heat Flow Meter Technique, Test Method for, **E1530 (14.02)**
Measurement of Thin Chromium Coatings by Spot Test, Guide for, **B556 (02.05)**
Natural Muscovite Block Mica and Thins Based on Visual Quality, Classification for, **D351 (10.01)**
Shear Testing of Thin Aluminum Alloy Products, Test Method for, **B831 (02.02)**
Thin material specimens/applications—concrete
Dry and Wet Bulk Density, Water Absorption, and Apparent Porosity of Thin Sections of Glass-Fiber Reinforced Concrete, Test Method for, **C948 (04.05)**
Effects of Heat and Air on Asphaltic Materials (Thin-Film Oven Test), Test Method for, **D1754/D1754M (04.03)**
Flexural Properties of Thin-Section Glass-Fiber-Reinforced Concrete (Using Simple Beam With Third-Point Loading), Test Method for, **C947 (04.05)**
Thinners (paint)
Ester Value of Solvents and Thinners, Test Method for, **D1617 (06.04)**
Evaporation Rates of Volatile Liquids by Shell Thin-Film Evaporometer, Test Methods for, **D3539 (06.01)**
Nature of Solvent Composition in Solvent-Reducible Paints, Test Method for Qualitative Determination of, **D2349 (06.01)**
Thinnest spot test
Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**
Thin plate weirs
Open-Channel Flow Measurement of Water with Thin-Plate Weirs, Test Method for, **D5242 (11.01)**
Thin sheeting
Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, Test Method for, **D1922 (08.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, Test Method for, **D2838 (08.01)**
Tear Resistance (Graves Tear) of Plastic Film and Sheeting, Test Method for, **D1004 (08.01)**
Tear-Propagation Resistance (Trouser Tear) of Plastic Film and Thin Sheeting by a Single-Tear Method, Test Method for, **D1938 (08.01)**
Tensile Properties of Thin Plastic Sheeting, Test Method for, **D882 (08.01)**

Thin-skin calorimeter
Measuring Heat Transfer Rate Using a Thin-Skin Calorimeter, Test Method for, **E459 (15.03)**

Thin-walled irrigation pipe
See **Irrigation piping—specifications**

Thin-walled pressure vessels
Sa **Pressure vessel steel**
Carbon and Alloy Steel Forgings for Thin-Walled Pressure Vessels, Specification for, **A372/A372M (01.05)**

Thin-walled tubular test specimen
Estimating the Approximate Residual Circumferential Stress in Straight Thin-walled Tubing, Practice for, **E1928 (03.01)**
Sampling Consolidated Solids in Drums or Similar Containers, Practice for, **D5679 (11.04)**
Sampling of Soil Using the Hydraulically Operated Stationary Piston Sampler, Practice for, **D6519 (04.09)**
Sampling Unconsolidated Solids in Drums or Similar Containers, Practice for, **D5680 (11.04)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**
Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, Practice for, **E2207 (03.01)**
Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, Practice for, **D1587 (04.08)**

Thiocyanate (soluble) content
Thiocyanate in Water, Test Method for, **D4193 (11.02)**

Thiodiglycol
Determination of Thiodiglycol in Soil Using Pressurized Fluid Extraction Followed by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **E2787 (15.08)**
Determination of Thiodiglycol in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7598 (11.02)**

Thiophene content
Determination of Trace Thiophene in Refined Benzene by Gas Chromatography, Test Method for, **D4735 (06.04)**
Determination of Trace Thiophene in Refined Benzene by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D7011 (06.04)**

Thiosulfate method
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**

Third degree burn
Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, Practice for, **C1057 (04.06)**
Flame Resistant Rainwear for Protection Against Flame Hazards, Specification for, **F2733 (11.03)**
Heated System Surface Conditions that Produce Contact Burn Injuries, Guide for, **C1055 (04.06)**

Thixotropy
Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, Test Methods for, **D2196 (06.01)**

THMG cleansing
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**

Thoracic convention
Personal Samplers of Health-Related Aerosol Fractions, Guide for, **D6062 (11.07)**

Thorium
Alternate Actinide Calibration for Inductively Coupled Plasma-Mass Spectrometry, Practice for, **C1590 (12.01)**
Analysis of Total and Isotopic Uranium and Total Thorium in Soils by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1345 (12.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**

Thorium-232 content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, Practice for, **C1614 (12.01)**

Thorium and rare earth elements content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**

Thorium content
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Analysis of Uranium and Thorium in Soils by Energy Dispersive X-Ray Fluorescence Spectroscopy, Test Method for, **C1255 (12.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**

Thorium oxide (ThO_2)
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**

Thran spray gun
Recovery of Microorganisms From Skin using the Cup Scrub Technique, Test Method for, **E1874 (11.05)**

Thread count
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**

Threaded adapter
Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, Specification for, **F1986 (08.04)**

Threaded articles/fasteners/rods
Residual Embrittlement in Metallic Coated, Externally Threaded Articles, Fasteners, and Rod—Inclined Wedge Method, Test Method for, **B839 (02.05)**

Threaded closures
Application and Removal Torque of Threaded or Lug-Style Closures, Test Method for, **D3198 (15.10)**
Environmental Stress Crack Resistance (ESCR) of Threaded Plastic Closures, Test Method for, **D5419 (08.03)**

Threaded couplings
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Threaded fasteners
Electrodeposited Coatings on Threaded Fasteners (Metric), Specification for, **F1941M (01.08)**
Electrodeposited Coatings on Threaded Fasteners (Unified Inch Screw Threads (UN/UNR)), Specification for, **F1941 (01.08)**
Fluid Tightness Ability of Adhesives Used on Threaded Fasteners, Test Method for, **D5657 (15.06)**
Load-Indicating Externally Threaded Fasteners, Specification for, **F2482 (01.08)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Shear Strength of Adhesives Using Pin-and-Collar Specimen, Test Method for, **D4562 (15.06)**

Threaded fittings
Determining Chemical Compatibility of Substances in Contact with Thermoplastic Pipe and Fittings Materials, Test Method for, **F2331 (08.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**

Threaded pipe
Determining Chemical Compatibility of Substances in Contact with Thermoplastic Pipe and Fittings Materials, Test Method for, **F2331 (08.04)**
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
Modified Stub ACME Thread Joint with Elastomeric Seal in Plastic Piping Components, Specification for, **F2768 (08.04)**
Testing of Pipe Thread Sealants on Pipe Tees, Test Method for, **D6396 (15.06)**

Threaded plastic pipe/fittings
Taper Pipe Threads 60° for Thermoplastic Pipe and Fittings, Specification for, **F1498 (08.04)**
Threaded Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, Specification for, **F437 (08.04)**

Threaded PVC pipe
Threaded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, Specification for, **D2464 (08.04)**

Threaded steel/bolts/screws/studs
Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs, Test Method for, **F2328 (01.08)**
Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs (Metric), Test Method for, **F2328M (01.08)**

Threaded stud
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**

Threading
Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, Practice for, **D3567 (08.03)**

Threading specifications
Impervious Graphite Pipe and Threading, Specification for, **C662 (05.05)**

Threadless copper pipe
Threadless Copper Pipe, Standard Sizes, Specification for, **B302 (02.01)**

Threadlocking
Fluid Tightness Ability of Adhesives Used on Threaded Fasteners, Test Method for, **D5657 (15.06)**
Torque Strength of Adhesives Used on Threaded Fasteners, Test Method for, **D5649 (15.06)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**

Thread locking fasteners
Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, Practice for, **F1179 (01.07)**

Thread rolling rod
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**

Three-Alternative-Forced-Choice (3-AFC) presentation
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**

Three-arm caliper
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**

Three brood toxicity test
Sa **Toxicity/toxicology**
Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**

Three-circle (Abrams) procedure
Determining Average Grain Size, Test Methods for, **E112 (03.01)**

Three dimensional
Three-Dimensional (3D) Imaging Systems, Terminology for, **E2544 (10.04)**

Three-edge bearings
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**

Three-piece steel/tinplate aerosol cans
Three-Piece Steel and Tinplate Straight-Wall and Necked-In Aerosol Cans, Guide for, **D3061 (15.10)**

Three-point loading
Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, Test Methods for, **E855 (03.01)**
Determination of Breaking Strength of Ceramic Tiles by Three-Point Loading, Test Method for, **C1505 (15.02)**
Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, Test Method for, **E2092 (14.02)**
Flexural Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1161 (15.01)**
Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading), Test Method for, **C78/C78M (04.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**

Three-probe voltage breakdown method
See **Probe methods**

Three-roller tackmeter
Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter, Test Method for, **D4361 (06.02)**

3-second design loading
Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, Practice for, **F2248 (15.08)**

Three-sided structures
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains, Specification for, **C1504 (04.05)**
Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric), Specification for, **C1504M (04.05)**

Threshold analysis
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**
Disposal of Personal Property, Practice for, **E2306 (04.12)**

Threshold detectors
Dosimetry in an Electron Beam Facility for Radiation Processing at Energies Between 300 keV and 25 MeV, Practice for, **ISO/ASTM51649 (12.02)**
Refractive Index Detectors Used in Liquid Chromatography, Practice for, **E1303 (03.06)**
Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, Guide for, **E720 (12.02)**
Testing Fixed-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E685 (03.06)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Threshold detectors—.01 MeV to 20 MeV
Calculating Absorbed Dose From Gamma or X Radiation, Practice for, **E666 (12.02)**
Threshold detectors—0.7 to 6 MeV
Measuring Reaction Rates by Radioactivation of Neptunium-237, Test Method for, **E705 (12.02)**
Threshold detectors—10 to 50 MeV
Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**
Threshold detectors—14 MeV
Conducting Irradiations at Accelerator-Based Neutron Sources, Practice for, **E798 (12.02)**
Measuring Neutron Fluence and Average Energy from, Test Method for, **E496 (12.02)**
Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, Test Method for, **E385 (12.02)**
Threshold detectors—1.5 to 7 MeV
Measuring Reaction Rates by Radioactivation of Uranium-238, Test Method for, **E704 (12.02)**
Threshold detectors—1.6 MeV
Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, Test Method for, **E526 (12.02)**
Measuring Reaction Rates by Analysis of Barium-140 From Fission Dosimeters, Test Method for, **E393 (12.02)**
Threshold detectors—1 MeV
Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel, Test Method for, **E264 (12.02)**
Threshold detectors—1 to 30 MeV
Using the Fricke Dosimetry System, Practice for, **E1026 (12.02)**
Threshold detectors—20 keV
High-Resolution Gamma-Ray Spectrometry of Water, Practice for, **D3649 (11.02)**
Threshold detectors—.220 MeV or greater
Detector Calibration and Analysis of Radionuclides, Test Methods for, **E181 (12.02)**
Threshold detectors—2.2 MeV
Measuring Fast-Neutron Reaction Rates by Radioactivation of Iron, Test Method for, **E263 (12.02)**
Threshold detectors—2 MeV
Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, Test Method for, **E265 (12.02)**
Threshold detectors—4 to 12 MeV
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Threshold detectors—50 keV (greater)
NaI(Tl) Gamma-Ray Spectrometry of Water, Practice for, **D4962 (11.02)**
Threshold detectors—5 MeV
Measuring Fast-Neutron Reaction Rates by Radioactivation of Copper, Test Method for, **E523 (12.02)**
Threshold detectors—.5 MeV and above
Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, Test Method for, **E1297 (12.02)**
Threshold detectors—60 MeV
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Threshold detectors—6 MeV
Measuring Fast-Neutron Reaction Rates by Radioactivation of Aluminum, Test Method for, **E266 (12.02)**
Threshold galling stress
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Threshold of capture/containment
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Threshold pressure
Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, Test Method for, **G124 (14.04)**
Threshold sensitivity
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**
Determination of Odor and Taste Thresholds By a Forced-Choice Ascending Concentration Series Method of Limits, Practice for, **E679 (15.08)**
Threshold stopping speed (TSS)
Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, Test Method for, **F1414 (11.03)**
Threshold stress intensity factors
Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, Test Method for, **E1681 (03.01)**
Making and Using Precracked Double Beam Stress Corrosion Specimens, Practice for, **G168 (03.02)**
Threshold temperature
See **Temperature tests**
Threshold voltage
Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, Test Method for, **F996 (10.04)**
Thriethanolamine soap
Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, Test Method for, **D5559 (15.04)**
Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, Test Method for, **D5562 (15.04)**
Throttle valves
Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**
Through-penetration fire stops
Sa **Fire testing**
Fire Tests of Penetration Firestop Systems, Test Method for, **E814 (04.07)**
Throughput
Computed Tomography (CT) System Selection, Guide for, **E1672 (03.03)**
Measuring the Throughput of Resource-Recovery Unit Operations, Test Method for, **E1107 (11.04)**
Performance of a Pasta Cooker, Test Method for, **F1784 (15.12)**
Performance of Conveyor Ovens, Test Method for, **F1817 (15.12)**
Performance of Deck Ovens, Test Method for, **F1965 (15.12)**
Performance of Double-Sided Griddles, Test Method for, **F1605 (15.12)**
Performance of Large Open Vat Fryers, Test Method for, **F2144 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Through-thickness testing
Sa **Tensile properties/testing**
Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, Test Method for, **D6415/D6415M (15.03)**
Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, Test Method for, **D5229/D5229M (15.03)**
Through-Thickness "Flatwise" Tensile Strength and Elastic Modulus of a Fiber-Reinforced Polymer Matrix Composite Material, Test Method for, **D7291/D7291M (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Through-Thickness Tension Testing of Steel Plates for Special Applications, Specification for, **A770/A770M (01.04)**

Throwbag
Throwing a Water Rescue Throwbag, Guide for, **F1730 (13.02)**

Throwing power
Design of Articles to Be Electroplated on Racks, Practice for, **B507 (02.05)**

Thrusters
Sa **Shipbuilding steel materials—specifications**
Thrusters, Tunnel, Permanently Installed in Marine Vessels, Specification for, **F841 (01.07)**

Thrust test
Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, Specification for, **C1277 (01.02)**

Thrust washer machine
Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, Test Method for, **D3702 (05.01)**

Thumb-type forceps
Sa **Forceps**
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb Type), Specification for, **F1613 (13.01)**
Surgical Tissue/Dressing/Pick-Up Forceps (Thumb-Type), Terminology for, **F1638 (13.01)**

Thumper
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**

Thurstonian discriminal distances
Estimating Thurstonian Discriminal Distances, Practice for, **E2262 (15.08)**

Thyssen grade 45653
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**

Tibial components/dimensions/testing
Cyclic Fatigue Testing of Metal Tibial Tray Components of Total Knee Joint Replacements, Practice for, **F1800 (13.01)**
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**
Evaluating Mobile Bearing Knee Tibial Baseplate/Bearing Resistance to Dynamic Disassociation, Test Method for, **F2723 (13.02)**

Tickell radial diagrams
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

Ticket numbers
Determining Ticket Numbers for Sewing Threads, Practice for, **D3823 (07.01)**

Ticks
Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, Test Method of, **E939 (11.05)**

Tie plates
Steel Tie Plates, Low-Carbon and High-Carbon-Hot-Worked, Specification for, **A67 (01.04)**

Ties
Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, Specification for, **A881/A881M (01.04)**

Tietjen outlier test
Sa **Statistical methods**
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**

Tie wires/clips/fasteners
Fence Fittings, Specification for, **F626 (01.06)**

Tight buffers
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Tighthead drum
Environmental Stress Crack Resistance (ESCR) of Plastic Tighthead Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, Test Method for, **D5571 (15.10)**
Molded Polyethylene Shipping and Storage Drums, Specification for, **D5998 (08.03)**

Tile
Sa **Flooring/floor covering systems (tile)**
Sa **Resilient flooring**
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Concrete Floor Tile, Specification for, **C1731 (04.05)**
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, Practice for, **F1482 (15.04)**
Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, Test Method for, **C307 (06.02)**

Tile—clay (structural)
See **Clay products (structural)—tile**

Tile—gypsum
See **Gypsum products**

Tile grouts
Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, Test Methods for, **C267 (06.02)**
Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C531 (06.02)**
Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, Test Method for, **C307 (06.02)**

Tile tubs
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**

Tilted pyranometers
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**

Tilting compensator optical retardation procedure
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, Test Method for, **C978 (15.02)**

Tilting pans
Frying and Braising Pans, Tilting Type, Specification for, **F1047 (15.12)**

Timber
Sa **Wood products (structural)**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Allowable Stresses for Round Timber Piles, Practice for, **D2899 (04.10)**
Establishing Characteristic Values for Flexural Properties of Structural Glued Laminated Timber by Full-Scale Testing, Practice for, **D7341 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Recommended Design Stresses for Round Timber Construction Poles, Specification and Test Method for, **D3200 (04.10)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Sampling Forest Trees for Determination of Clear Wood Properties, Practice for, **D5536 (04.10)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wood and Wood-Based Products, Terminology Relating to, **D9 (04.10)**
Timber—specifications
Round Timber Piles, Specification for, **D25 (04.10)**
Time-averaged thermal resistance
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Time-based mechanical sampling systems
See **Coal sampling systems**
Time base section
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Time calibration
Elapsed Time Calibration of Thermal Analyzers, Test Method for, **E1860 (14.02)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Time constant
Gravity-Convection and Forced-Ventilation Ovens, Specification for, **E145 (14.04)**
Time-delayed failure
Sa **Failure end point**
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Time dependent effects
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**
Time domain reflectometry (TDR)
Water Content and Density of Soil In situ by Time Domain Reflectometry (TDR), Test Method for, **D6780/D6780M (04.09)**
Time-domain reflectometry (TDR) method
Determination of Water (Moisture) Content of Soil by the Time-Domain Reflectometry (TDR) Method, Test Method for, **D6565 (04.09)**
Time-for-rupture
See **Rupture/rupture strength**
Time-intensity (T-I) evaluation
Time-Intensity Evaluation of Sensory Attributes, Guide for, **E1909 (15.08)**
Time of efflux
Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), Test Method for, **C939 (04.02)**
Time of flight
Interpretation of Mass Spectral Data Acquired with Time-of-Flight Secondary Ion Mass Spectroscopy, Guide for, **E2695 (03.06)**
Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), Test Method for, **D7134 (08.03)**
Time-of-Flight Diffraction (TOFD)
Use of the Ultrasonic Time of Flight Diffraction (TOFD) Technique, Practice for, **E2373/E2373M (03.03)**
Time of flight (TOF) sizing technique
Planar Flaw Height Sizing by Ultrasonics, Guide for, **E2192 (03.03)**
Time of setting
See **Setting time**
Time of travel
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**
Time of wetness
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**
Time response
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Timestamp
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
Time-temperature indicators (TTI)
Accelerated Tensile Creep and Creep-Rupture of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, Test Method for, **D6992 (04.13)**
Selection of Time-Temperature Indicators, Guide for, **F1416 (15.10)**
Time tests
Sa **Ninety-six hour test**
Sa **Ten-day testing**
Sa **Twenty-eight day testing**
Sa **Twenty-four hour testing**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Elapsed Time Calibration of Thermal Analyzers, Test Method for, **E1860 (14.02)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Time to burn
Sa **Burning characteristics**
Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, Test Method for, **D3014 (08.01)**
Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, Test Method for, **D635 (08.01)**
Time-to-failure (TTF)
Sa **Failure end point—building constructions/materials**
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, Test Method for, **C1576 (15.01)**
Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, Test Method for, **C1291 (15.01)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**
Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, Test Method for, **F1624 (15.03)**
Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, Practice for, **D2992 (08.03)**
Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, Test Method for, **D1599 (08.04)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Thermal Endurance of Film-Insulated Round Magnet Wire, Test Method for, **D2307 (10.02)**
Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, Test Method for, **D6463/D6463M (15.10)**
Time-to-Failure (Creep-Rupture) of Adhesive Joints Fabricated from EPDM Roof Membrane Material, Practice for, **D6383/D6383M (04.04)**
Time-to-Failure of Plastic Pipe Under Constant Internal Pressure,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D1598 (08.04)**
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Time-to-Failure of Plastics Using Plane Strain Tensile Specimens, Test Method for, **F2018 (08.04)**
Time to ignition (t_{ig})
Sa **Ignition**
Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), Test Method for, **E1623 (04.07)**
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Time to steady-state
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**
Time to thermal runaway
Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, Practice for, **E1231 (14.02)**
Time-to-track method
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**
Time variable gain (TVG)
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Time-weighted average mass concentration
the Determination of Hexavalent Chromium in Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide, Test Method for, **D6832 (11.07)**
Time-weighted average sound level (TWA)
Applying Environmental Noise Measurement Methods and Criteria, Guide for, **E1686 (04.06)**
Timken test method
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), Test Method for, **D2782 (05.01)**
Measurement of Load-Carrying Capacity of Lubricating Grease (Timken Method), Test Method for, **D2509 (05.01)**
Tin
Hot Tin and Hot Tin/Lead Dip on Ferrous and Non-Ferrous Metals, Specification for, **A1074 (01.06)**
Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications, Specification for, **B943 (02.04)**
Tin-antimony alloys
Solder Metal, Specification for, **B32 (02.04)**
Tin-antimony-copper alloys
Modern Pewter Alloys, Specification for, **B560 (02.04)**
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
Tin brass
Sa **Brass**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
Tin bronze castings
See **Copper alloy castings—specifications**
See **UNS C40500 (tin brass)**
See **UNS C90300 (cast tin bronze)**
Tin-cadmium-zinc alloys
Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**
Tin-coated copper electrical wire
Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, Specification for, **B470 (02.03)**
Bunch-Stranded Copper Conductors for Electrical Conductors, Specification for, **B174 (02.03)**
Concentric-Lay-Stranded Copper Conductors, Hard, Medium-Hard, or Soft, Specification for, **B8 (02.03)**
Copper Conductors for Use in Hookup Wire for Electronic Equipment, Specification for, **B286 (02.03)**
Cored, Annular, Concentric-Lay-Stranded Copper Conductors, Specification for, **B226 (02.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
High Performance Tin-Coated Annealed Copper Wire Intended for Electrical and Electronic Application for Solderability, Specification for, **B965 (02.03)**
Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, Specification for, **B784 (02.03)**
Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members, for Electrical Conductors, Specification for, **B172 (02.03)**
Rope-Lay-Stranded Copper Conductors Having Concentric-Stranded Members, for Electrical Conductors, Specification for, **B173 (02.03)**
Tin-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, Specification for, **B973 (02.03)**
Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, Specification for, **B33 (02.03)**
Tin-Coated, Copper-Clad Steel Wire for Electronic, Specification for, **B520 (02.03)**
Tin-coated steel sheet
Sa **Steel sheet**
Tin Mill Products, Electrolytic Tin-Coated, Cold-Rolled Sheet, Specification for, **A599/A599M (01.06)**
Tin coating weights
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**
Tin content
Municipal Ferrous Scrap, Test Methods for, **E701 (11.04)**
Tin content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Tin content—cadmium
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**
Tin content—Cu/Cu alloys
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Tin content—metals/alloys
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Tin content—Ni/Ni alloys
Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Tin content—pig lead
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**
Tin content—steel
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of High-Temperature, Electrical, Magnetic,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Other Similar Iron, Nickel, and Cobalt Alloys, Test Methods for, **E354 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**

Tin-copper alloys
Solder Metal, Specification for, **B32 (02.04)**
Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, Specification for, **B33 (02.03)**
Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposes, Specification for, **B246 (02.03)**

Tin crystal size test
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Tin lead eutetic
Low Melting Point Alloys, Specification for, **B774 (02.04)**

Tin metals/alloys
Sa **Metallographic analysis/inspection**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Pig Tin, Specification for, **B339 (02.04)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**
Tin Bronze Castings, Reference Radiographs for, **E310 (03.03)**

Tin metals/alloys—electrodeposited coatings
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Electrodeposited Coatings of Tin, Specification for, **B545 (02.05)**
Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), Specification for, **B579 (02.05)**
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**

Tin metals/alloys—specifications
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Pig Tin, Specification for, **B339 (02.04)**
White Metal Bearing Alloys, Specification for, **B23 (02.04)**

Tin mill products
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**
Measuring Shape Characteristics of Tin Mill Products, Practice for, **A987/A987M (01.06)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**

Tin mill products—specifications
Steel Wire, Hard-Drawn for Prestressed Concrete Pipe, Specification for, **A648 (01.04)**
Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced, Specification for, **A657/A657M (01.06)**
Tin Mill Products, Black Plate, Double Reduced, Specification for, **A650/A650M (01.06)**
Tin Mill Products, Black Plate, Single-Reduced, Specification for, **A625/A625M (01.06)**
Tin Mill Products, Electrolytic Tin Plate, Double Reduced, Specification for, **A626/A626M (01.06)**
Tin Mill Products, Electrolytic Tin Plate, Single Reduced, Specification for, **A624/A624M (01.06)**
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Tin mill products (coating thickness)
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**

Tinner's brake
Ductility of Oriented Electrical Steel, Test Method for, **A721/A721M (03.04)**

Tin-nickel
Electrodeposited Coatings of Tin-Nickel Alloy, Specification for, **B605 (02.05)**

Tin oxide
Silver-Tin Oxide Contact Material, Guide for, **B844 (02.04)**

Tinplate
Measuring Shape Characteristics of Tin Mill Products, Practice for, **A987/A987M (01.06)**

Tinplate aerosol cans
Three-Piece Steel and Tinplate Straight-Wall and Necked-In Aerosol Cans, Guide for, **D3061 (15.10)**

Tin-silver alloys
Solder Metal, Specification for, **B32 (02.04)**

Tint
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Tintability
Color Development in Tinted Latex Paints, Test Method for, **D5326 (06.02)**

Tinted glass
Flat Glass, Specification for, **C1036 (15.02)**

Tint etch
Microetching Metals and Alloys, Practice for, **E407 (03.01)**

Tinting strength
Sa **Pigments (general properties)**
Carbon Black—Tint Strength, Test Method for, **D3265 (09.01)**
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Chrome Oxide Green Pigment, Specification for, **D263 (06.03)**
Color and Strength of Chromatic Pigments with a Mechanical Muller, Test Method for, **D387 (06.01)**
Color and Strength of Color Pigments by Use of a Miniature Sandmill, Test Method for, **D3022 (06.01)**
Color Development in Tinted Latex Paints, Test Method for, **D5326 (06.02)**
Determining the Relative Tinting Strength of Chromatic Paints, Test Method for, **D4838 (06.02)**
Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, Test Method for, **D6531 (06.02)**
Relative Tinting Strength of Paste-Type Printing Ink Dispersions, Test Methods for, **D2066 (06.02)**
Relative Tinting Strength of White Pigments by Reflectance Measurements, Test Method for, **D2745 (06.01)**
Relative Tinting Strength of White Pigments by Visual Observation, Test Method for, **D332 (06.01)**

Tint undertone
Evaluating the Relative Tint Undertone of Titanium Dioxide Pigments, Test Method for, **D6131 (06.01)**

Tin-zinc alloys
Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications, Specification for, **B943 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**

Tipover
Chests, Door Chests, and Dressers, Safety Specification for, **F2057 (15.11)**

Tipping resistance
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**
Special Tip-Resistant Movable Soccer Goals, Safety Specification for, **F2673 (15.11)**

Tire braking force coefficient
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**

Tire cords and tire cord fabrics
Adhesion Between Steel Tire Cords and Rubber, Test Method for, **D2229 (07.01)**
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**
Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, Test Method for, **D4776/D4776M (07.02)**
Air Wicking of Tire Fabrics, Tire Cord Fabrics, Tire Cord, and Yarns, Test Method for, **D2692/D2692M (07.01)**
Fatigue of Tire Cords (Disc Fatigue Test), Test Method for, **D6588/D6588M (07.02)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Tensile Testing of Aramid Yarns, Test Methods for, **D7269/D7269M (07.02)**
Testing Tire Cords, Tire Cord Fabrics, and Industrial Yarns Made From Glass Filaments, Test Methods for, **D2970/D2970M (07.01)**
Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, Test Method for, **D5591 (07.02)**
Tire Cord, Bead Wire, Hose Reinforcing Wire, and Fabrics, Terminology Relating to, **D6477 (07.02)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**

Tire deflection measurement method
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**

Tire-derived fuel (TDF)
Use of Scrap Tire-Derived Fuel, Practice for, **D6700 (11.04)**

Tire design
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**

Tire groove depth loss
Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, Test Method for, **F762/F762M (09.02)**

Tire-pavement friction forces
Sa **Pavement surfaces**
225/75R16C 116/114S M+S Radial Light Truck Standard Reference Test Tire, Specification for, **F2872 (09.02)**
245/70R19.5 136/134M Radial Truck Standard Reference Test Tire, Specification for, **F2871 (09.02)**
315/70R22.5 154/150L Radial Truck Standard Reference Test Tire, Specification for, **F2870 (09.02)**
Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, Specification for, **E1551 (04.03)**

Tire plunger energy
Energy Absorbed by a Tire When Deformed by Slow-Moving Plunger, Test Method for, **F414 (09.02)**

Tires
Accelerated Laboratory Roadwheel Generation of Belt Separation in Radial Passenger Car and Light Truck Tires through Load Range E, Test Method for, **F3015 (09.02)**

Tires—bead unseating
Bead Unseating of Tubeless Tires for Motor Vehicles with GVWR of 4536 kg (10 000 lb) or Less, Test Method for, **F2663 (09.02)**
Evaluating Rim Slip Performance of Tires and Wheels, Test Method for, **F2803 (09.02)**

Tires—belt separation; roadwheel generation of
Accelerated Laboratory Roadwheel Generation of Belt Separation in Radial Passenger Car and Light Truck Tires through Load Range E, Test Method for, **F3015 (09.02)**

Tires—laboratory (non-vehicular) testing
Accelerated Laboratory Roadwheel Generation of Belt Separation in Radial Passenger Car and Light Truck Tires through Load Range E, Test Method for, **F3015 (09.02)**

Tires—tubeless
Bead Unseating of Tubeless Tires for Motor Vehicles with GVWR of 4536 kg (10 000 lb) or Less, Test Method for, **F2663 (09.02)**

Tire specifications
A Size 10 × 4–5 Smooth-Tread Friction Test Tire, Specification for, **E1844 (04.03)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
P195/75R14 Radial Standard Reference Test Tire, Specification for, **E1136 (09.02)**
Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, Specification for, **E1551 (04.03)**
Standard Rib Tire for Pavement Skid-Resistance Tests, Specification for, **E501 (04.03)**
Standard Smooth Tire for Pavement Skid-Resistance Tests, Specification for, **E524 (04.03)**

Tire testing
Accelerometer Use in Vehicles for Tire Testing, Practice for, **F811 (09.02)**
Calibration of Braking/Tractive Measuring Devices for Testing Tires, Practice for, **F377 (09.02)**
Characteristics and Performance of Tires, Terminology Relating to the, **F538 (09.02)**
Commercial Radial Truck-Bus Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Roadwheel and a Flat Surface, Practice for, **F2779 (09.02)**
Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, Test Method for, **F762/F762M (09.02)**
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
Electrical Resistance of Tires Under Load On the Test Bench, Test Method for, **F1971 (09.02)**
Energy Absorbed by a Tire When Deformed by Slow-Moving Plunger, Test Method for, **F414 (09.02)**
Evaluating Tire Traction Performance Data Under Varying Test Conditions, Practice for, **F1650 (09.02)**
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Friction Coefficient Measurements Between Tire and Pavement Using a Variable Slip Technique, Test Method for, **E1859/E1859M (04.03)**
Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, Practice for, **F1426 (09.02)**
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring Groove and Void Depth in Passenger Car Tires, Test Method for, **F421 (09.02)**
Measuring Length of Road Test Courses Using a Fifth Wheel, Test Method for, **F559 (09.02)**
Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, Test Method for, **F724 (09.02)**
p-Phenylenediamine Antidegradants Purity by Gas Chromatography, Test Method for, **D4937 (09.01)**
P225/60R16 97S Radial Standard Reference Test Tire, Specification for, **F2493 (09.02)**
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**
Rubber Deterioration—Dynamic Fatigue, Test Methods for, **D430 (09.01)**
Static Measurements on Tires for Passenger Cars, Light Trucks, and Medium Duty Vehicles, Test Method for, **F1502 (09.02)**
Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, Test Method for, **F1112 (09.02)**
Stopping Distance on Paved Surfaces Using a Passenger Vehicle Equipped With Full-Scale Tires, Test Method for, **E445/E445M (04.03)**
Tire Performance Testing on Snow and Ice Surfaces, Test Methods for, **F1572 (09.02)**
Tire Testing Operations–Basic Concepts and Terminology for Reference Tire Use, Practice for, **F1806 (09.02)**
Tires, Pneumatic, Low Speed, Off Highway, Test Method for, **F1923 (09.02)**
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**
Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, Practice for, **F870 (09.02)**
Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, Practice for, **F1364 (09.02)**
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**
Using a 1.707-m 67.23-in. Diameter Laboratory Test Roadwheel in Testing Tires, Practice for, **F551/F551M (09.02)**
Validating New Area Reference Skid Measurement Systems and Equipment, Guide for, **E1890 (04.03)**

Tire testing—wet traction
Sa **Traction testing**
Evaluating Tire Traction Performance Data Under Varying Test Conditions, Practice for, **F1650 (09.02)**
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**

Tire tread identification/description
Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, Practice for, **F1426 (09.02)**
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**

Tissue adhesives
Burst Strength of Surgical Sealants, Test Method for, **F2392 (13.01)**
Strength Properties of Tissue Adhesives in Lap-Shear by Tension Loading, Test Method for, **F2255 (13.01)**
Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, Test Method for, **F2256 (13.01)**
Strength Properties of Tissue Adhesives in Tension, Test Method for, **F2258 (13.01)**
Wound Closure Strength of Tissue Adhesives and Sealants, Test Method for, **F2458 (13.01)**

Tissue cryosection analysis
Tissue Cryosection Analysis with SIMS, Practice for, **E1880 (03.06)**

Tissue culture host systems
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**

Tissue engineered medical products (TEMPs)
Sa **TEMPs (tissue engineered medical products)**
Assessing Microstructure of Polymeric Scaffolds for Use in Tissue-Engineered Medical Products, Guide for, **F2450 (13.01)**
Assessment of Adventitious Agents in Tissue Engineered Medical Products (TEMPs), Guide for, **F2383 (13.01)**
Determining the Molar Mass of Chitosan and Chitosan Salts by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), Test Method for, **F2602 (13.02)**
Determining the Molar Mass of Sodium Alginate by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), Test Method for, **F2605 (13.02)**
Interpreting Images of Polymeric Tissue Scaffolds, Guide for, **F2603 (13.02)**
Pre-clinical *in vivo* Evaluation in Critical Size Segmental Bone Defects, Guide for, **F2721 (13.02)**
Tissue Engineered Medical Products (TEMPs) for Reinforcement of Tendon and Ligament Surgical Repair, Guide for, **F2903 (13.02)**

Tissue homogenation
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**

Tissue reactions
Sa **Biocompatibility**
Assessment of Compatibility of Absorbable/Resorbable Biomaterials for Implant Applications, Practice for, **F1983 (13.01)**
Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, Practice for, **F981 (13.01)**
Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, Practice for, **F1027 (13.01)**
Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, Practice for, **F561 (13.01)**
Short-Term Screening of Implant Materials, Practice for, **F763 (13.01)**
Subcutaneous Screening Test for Implant Materials, Practice for, **F1408 (13.01)**

Tissue repair/regeneration
in vivo Assessment of Implantable Devices Intended to Repair or Regenerate Articular Cartilage, Guide for, **F2451 (13.01)**
Classification of Therapeutic Skin Substitutes, Guide for, **F2311 (13.01)**

Tissues
One-Time Carbonizing Tissue for Pinholes, Practice for Testing, **F509 (15.09)**

Titania
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**

Titanium alloying additives
Sa **Stainless steel alloying additives**
Ferrotitanium, Specification for, **A324 (01.02)**

Titanium alloy pipe/tube—specifications
Lap Joint Flange Pipe End Applications, Specification for, **F2015 (01.07)**
Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer, Specification for, **B891 (02.04)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Titanium and Titanium Alloy Seamless Pipe, Specification for, **B861 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Titanium and Titanium Alloy Welded Pipe, Specification for, **B862 (02.04)**

Titanium alloys
Analysis of Titanium Alloys by X-Ray Fluorescence Spectrometry, Test Method for, **E539 (03.05)**
Descaling and Cleaning Titanium and Titanium Alloy Surfaces, Guide for, **B600 (02.04)**
Determination of Hydrogen in Titanium and Titanium Alloys by Inert Gas Fusion Thermal Conductivity/Infrared Detection Method, Test Method for, **E1447 (03.05)**
Determination of Oxygen and Nitrogen in Titanium and Titanium Alloys by Inert Gas Fusion, Test Method for, **E1409 (03.05)**
Powder Metallurgy (PM) Titanium and Titanium Alloy Structural Components, Specification for, **B988 (02.05)**
Preparation of Metal Surfaces for Adhesive Bonding, Guide for, **D2651 (15.06)**
Preparation of Titanium and Titanium Alloys, Practice for, **B481 (02.05)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, Test Method for, **F945 (15.03)**
Titanium and Titanium Ingots, Specification for, **B977 (02.04)**

Titanium castings
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium Castings, Reference Radiographs for, **E1320 (03.03)**
Titanium Castings, Digital Reference Images for, **E2669 (03.03)**

Titanium content
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium with Powder Bed Fusion, Specification for, **F2924 (10.04)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**

Titanium content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Titanium content—metals/alloys
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Ferroniobium, Test Methods for, **E367 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**

Titanium content—Ni/Ni alloys
Determination of Titanium in Nickel Alloys by Diantipyrylmethane Spectrophotometry, Test Method for, **E1938 (03.05)**

Titanium content—ores
Determination of Titanium in Iron Ores and Related Materials by Diantipyrylmethane Ultraviolet Spectrophotometry, Test Method for, **E878 (03.05)**

Titanium dioxide (TiO_2)
Rubber Compounding Materials—Titanium Dioxide, Classification for, **D4677 (09.01)**
Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, Guide for, **F1524 (11.05)**

Titanium dioxide (TiO_2) content
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Titanium dioxide (TiO_2) content—coal and coke ash
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Major and Minor Elements in Combustion Residues from Coal Utilization Processes, Test Method for, **D3682 (05.06)**

Titanium dioxide (TiO_2) products
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**
Determination by Atomic Absorption Spectroscopy of Titanium Dioxide Content of Pigments Recovered From Whole Paint, Test Method for, **D4563 (06.01)**
Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, Test Method for, **D4764 (06.01)**
Dry Pigmentary Titanium Dioxide Products, Classification for, **D476 (06.03)**
Evaluating the Relative Tint Undertone of Titanium Dioxide Pigments, Test Method for, **D6131 (06.01)**
Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, Test Methods for, **D4797 (06.02)**
Percent Solids in Titanium Dioxide Slurries, Test Methods for, **D3926 (06.03)**
Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, Test Method for, **D3720 (06.03)**
Relative Tinting Strength of White Pigments by Reflectance Measurements, Test Method for, **D2745 (06.01)**

Titanium oxide content
Chemical Analysis of Ceramic Whiteware Clays, Test Methods for, **C323 (15.02)**
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**

Titanium plus palladium—specifications
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**

Titanium silicide
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**

Titanium sponge
Titanium Sponge, Specification for, **B299 (02.04)**

Titanium sputtering targets
Sa **Sputtering process/targets—specifications**
High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, Specification for, **F1709 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Titanium (Ti)/alloys
Analysis of Titanium and Titanium Alloys by Direct Current Plasma and Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Test Methodology), Test Method for, **E2371 (03.05)**
Descaling and Cleaning Titanium and Titanium Alloy Surfaces, Guide for, **B600 (02.04)**
Determination of Hydrogen in Titanium and Titanium Alloys by Inert Gas Fusion Thermal Conductivity/Infrared Detection Method, Test Method for, **E1447 (03.05)**
Determination of Oxygen and Nitrogen in Titanium and Titanium Alloys by Inert Gas Fusion, Test Method for, **E1409 (03.05)**
Determination of Titanium Treatment Weight on Metal Substrates by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6906 (06.02)**
Measuring Fast-Neutron Reaction Rates by Radioactivation of Copper, Test Method for, **E523 (12.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Preparation of Titanium and Titanium Alloys, Practice for, **B481 (02.05)**
Trace Metallic Impurities in Electronic Grade Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1710 (10.04)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**
Titanium (Ti)/alloys—specifications
High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, Specification for, **F1709 (10.04)**
Niobium-Titanium Alloy Billets, Bar, and Rod for Superconducting Applications, Specification for, **B884 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**
Reactive and Refractory Metal Clad Plate, Specification for, **B898 (02.04)**
Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer, Specification for, **B891 (02.04)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings, Specification for, **B363 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Seamless Pipe, Specification for, **B861 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**
Titanium and Titanium Alloy Welded Pipe, Specification for, **B862 (02.04)**
Titanium and Titanium Alloy Wire, Specification for, **B863 (02.04)**
Titanium Sponge, Specification for, **B299 (02.04)**
Titanium-Stabilized Carbon Steel Forgings for Glass-Lined Piping and Pressure Vessel Service, Specification for, **A836/A836M (01.01)**
Titanium (Ti) (for surgical implants)
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Metal Injection Molded Titanium-6Aluminum-4Vanadium Components for Surgical Implant Applications, Specification for, **F2885 (13.02)**
Titanium (Ti) (for surgical implants)—specifications
Sa **Orthopaedic medical devices—specifications**
Metallic Implantable Strands and Cables, Specification for, **F2180 (13.01)**
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**
Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, Specification for, **F1580 (13.01)**
Titanium-6Aluminum-4Vanadium Alloy Castings for Surgical Implants (UNS R56406), Specification for, **F1108 (13.01)**
Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), Specification for, **F67 (13.01)**
Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), Specification for, **F1813 (13.01)**
Wrought Titanium-13Niobium-13Zirconium Alloy for Surgical Implant Applications (UNS R58130), Specification for, **F1713 (13.01)**
Wrought Titanium-15 Molybdenum Alloy for Surgical Implant Applications (UNS R58150), Specification for, **F2066 (13.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), Specification for, **F1472 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), Specification for, **F136 (13.01)**
Wrought Titanium-6Aluminum-7Niobium Alloy for Surgical Implant Applications (UNS R56700), Specification for, **F1295 (13.01)**
Titanium (TI) wire—specifications
Titanium and Titanium Alloy Wire, Specification for, **B863 (02.04)**
Titanium treatment weight
Determination of Titanium Treatment Weight on Metal Substrates by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6906 (06.02)**
Titer test
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Titer of Fatty Acids, Test Method for, **D1982 (06.03)**
Titratable acidity
Sa **Acidity, alkalinity, pH**
Acidity in Basic Chromium Tanning Liquors, Test Method for, **D3913 (15.04)**
Titration
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Acid Number of Certain Alkali-Soluble Resins, Test Method for, **D3643 (15.04)**
Acid Number of Styrene-Maleic Anhydride Resins, Test Method for, **D3644 (15.04)**
Acidity in Acrylonitrile, Test Method for, **E1788 (15.05)**
Acidity in Ethanol and Ethanol Blends by Titration, Test Method for, **D7795 (05.04)**
Acidity-Alkalinity of Halogenated Organic Solvents and Their

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Admixtures, Test Method for, **D2989 (15.05)**
Active Matter in Anionic Surfactants by Potentiometric Titration, Test Method for, **D4251 (15.04)**
Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, Test Method for, **D4548 (11.02)**
Bromine Index of Aromatic Hydrocarbons by Coulometric Titration, Test Method for, **D1492 (06.04)**
Bromine Index of Aromatic Hydrocarbons by Electrometric Titration, Test Method for, **D5776 (06.04)**
Calcium and Magnesium In Water, Test Methods for, **D511 (11.01)**
Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, Test Methods for, **E1473 (03.05)**
Determination of Carbonyls in C4 Hydrocarbons, Test Method for, **D4423 (05.02)**
Determination of Glycerin Assay by Titration (Sodium Meta Periodate), Test Method for, **D7637 (15.05)**
Determination of Iodine Number of Activated Carbon, Test Method for, **D4607 (15.01)**
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Determination of Organically Combined Sulfuric Anhydride by Extraction Titration, Test Method B, Test Method for, **D5351 (15.04)**
Determination of Organically Combined Sulfuric Anhydride by Titration, Test Method A, Test Method for, **D5350 (15.04)**
Determination of Tin Coating Weights for Electrolytic Tin Plate, Test Methods for, **A630 (01.06)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D7457 (06.04)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, Test Method for, **D4936 (09.01)**
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**
Polyurethane Raw Materials: Alkalinity in Low-Alkalinity Polyols (Determination of CPR Values of Polyols), Test Method for, **D6437 (08.03)**
Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, Test Methods for, **D4662 (08.02)**
Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, Test Method for, **D5629 (08.03)**
Polyurethane Raw Materials: Determination of Basicity in Polyols, Expressed as Percent Nitrogen, Test Method for, **D6979 (08.03)**
Rubber Compounding Materials—Determination of Acidity in Sulfur, Test Method for, **D4569 (09.01)**
Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, Test Method for, **D4711 (15.04)**
Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure, Test Method for, **D1681 (15.04)**
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**
Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, Test Method for, **C1267 (12.01)**
Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, Test Method for, **C1204 (12.01)**
Water in Lint Cotton by Oven Evaporation Combined with Volumetric Karl Fischer Titration, Test Method for, **D7785 (07.02)**

Titration vessel/electrode cleaning
Water in Insulating Liquids by Coulometric Karl Fischer Titration, Test Method for, **D1533 (10.03)**

Titrimetric method
Assay of Nitric Acid, Test Method for, **E1584 (15.05)**
Chloride Ion In Water, Test Methods for, **D512 (11.01)**
Determination of Manganese in Manganese Ores by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, Test Method for, **E248 (03.05)**
Determination of Phosphorus in Iron Ores by Phosphomolybdate Coprecipitation and Nitric Acid Titrimetry, Test Method for, **E278 (03.05)**
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**

TKN
Total Kjeldahl Nitrogen in Water, Test Methods for, **D3590 (11.02)**

TMCP
See **Thermomechanical control process (TMCP)**

TNB/TNT explosives
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
Verifying Minimum Acceptable Performance of Trace Explosive Detectors, Practice for, **E2520 (15.08)**

Tobacco-smoking atmospheres
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on UVPM and FPM, Test Methods for, **D5955 (11.07)**
Nicotine and 3-Ethenylpyridine in Indoor Air, Test Method for, **D5075 (11.07)**
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**

TOC test
Integrity Testing of Water Filtration Membrane Systems, Practice for, **D6908 (11.02)**

Toddler beds
Toddler Beds, Consumer Safety Specification for, **F1821 (15.11)**

Toddlers
Helmets for Non-Motorized Wheeled Vehicle Used by Infants and Toddlers, Specification for, **F1898 (15.07)**
Public Use Play Equipment for Children 6 Months through 23 Months, Consumer Safety Performance Specification for, **F2373 (15.11)**

Toe compensation
Tensile Properties of Thin Plastic Sheeting, Test Method for, **D882 (08.01)**

Toilet soap bars
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**

Tolerances
American National Standard Dimensional Tolerances for Aluminum Mill Products, **ANSIH35.2-2009** (Related Material) **(02.02)**
American National Standard Dimensional Tolerances for Aluminum Mill Products (Metric), **ANSIH35.2(M)-2009** (Related Material) **(02.02)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Flat Fiber-Cement Sheets, Specification for, **C1186 (04.05)**
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tolerances—medical/laboratory equipment applications
Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, Test Method for, **G175 (14.04)**
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Tolerances—metals/alloys
75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, Specification for, **B780 (02.04)**
Hafnium and Hafnium Alloy Strip, Sheet, and Plate, Specification for, **B776 (02.04)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Silver-Cadmium Oxide Contact Material, Guide for, **B781 (02.04)**
Sizes of Ferroalloys and Alloy Additives, Specification for, **A835/A835M (01.02)**
Tolerances—paints/related coatings/materials
Establishing Color and Gloss Tolerances, Practice for, **D3134 (06.01)**
Reducing the Effect of Variability of Color Measurement by Use of Multiple Measurements, Practice for, **E1345 (06.01)**
Tolerances—plastics
Conditioning and Testing Flexible Barrier Packaging, Practice for, **E171/E171M (15.10)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes, Specification for, **D3917 (08.02)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Tolerances—soil/rock/related material
Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, Guide for, **D4753 (04.09)**
Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, Practices for, **D4543 (04.08)**
Tolerances—textiles
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Manufactured Organic-Base Filament Single Yarns, Tolerances for, **D2497 (07.01)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Yarns Spun on the Woolen System, Tolerances for, **D2644 (07.01)**
Tolerances (water)
See **Water tolerance**
Tolstichin water type diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Toluene
Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C413 (06.02)**
Acid Wash Color of Industrial Aromatic Hydrocarbons, Test Method for, **D848 (06.04)**
Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, Test Method for, **D847 (06.04)**
Analysis of Toluene by Capillary Column Gas Chromatography, Test Method for, **D6526 (06.04)**
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Benzene, Toluene, Xylene (BTX) Concentrates Analysis by Gas Chromatography, Test Method for, **D6563 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Carbon Black Extractables—Transmittance of Toluene Extract, Test Method for, **D1618 (09.01)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Isocyanate Groups in Urethane Materials or Prepolymers, Test Method for, **D2572 (06.03)**
Nitration Grade Toluene, Specification for, **D841 (06.04)**
Recovery of Asphalt from Solution Using Toluene and the Rotary Evaporator, Practice for, **D7906 (04.03)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Selection of Chemicals to Evaluate Protective Clothing Materials, Guide for, **F1001 (11.03)**
Toluene for Toluene Diisocyanate (TDI) Feedstock, Specification for, **D5606 (06.04)**
Trace Chloride in Liquid Aromatic Hydrocarbons, Test Method for, **D5194 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, Test Method for, **D2360 (06.04)**
Toluene—petroleum products
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Determination of Benzene and Toluene in Finished Motor and Aviation Gasoline by Gas Chromatography, Test Method for, **D3606 (05.01)**
Determination of Benzene, Toluene, and Total Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, Test Method for, **D5769 (05.02)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, Test Method for, **D5986 (05.02)**
Insolubles in Used Lubricating Oils, Test Method for, **D893 (05.01)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Toluene diisocyanate (TDI)
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, Test Method for, **D5932 (11.07)**
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Workplace Atmospheres (1-2 PP Method), Test Method for, **D5836 (11.07)**
Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, Test Method for, **D5523 (08.03)**
Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, Test Method for, **D5629 (08.03)**
Polyurethane Raw Materials: Determination of Hydrolyzable

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chlorine of Isocyanates, Test Method for, **D4663 (08.02)**
Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, Test Methods for, **D4659 (08.02)**
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**
Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, Test Methods for, **D4660 (08.02)**
Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, Test Methods for, **D4661 (08.02)**
Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, Test Methods for, **D4889 (08.02)**
Toluene Diisocyanate, Specification for, **D1786 (08.01)**

Toluene diisocyanate (TDI) feedstock
Toluene for Toluene Diisocyanate (TDI) Feedstock, Specification for, **D5606 (06.04)**

Toluene discoloration
Carbon Black Extractables—Transmittance of Toluene Extract, Test Method for, **D1618 (09.01)**

Toluene distillation
Moisture in Wool by Distillation With Toluene, Test Method for, **D2462 (07.01)**

Toluene extraction
Rubber Chemicals—Determination of Percent Sulfur by Extraction, Test Methods for, **D4578 (09.01)**

Toluene insolubles (TI)
Determination of Sediment in Moellon, Test Method for, **D5439 (15.04)**
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Insolubles in Used Lubricating Oils, Test Method for, **D893 (05.01)**
Toluene-Insoluble (TI) Content of Tar and Pitch, Test Method for, **D4072 (05.02)**
Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), Test Method for, **D4312 (05.02)**

Toluene purity
Analysis of Toluene by Capillary Column Gas Chromatography, Test Method for, **D6526 (06.04)**

Toluene saturation
Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure), Test Method for, **D1796 (05.01)**

Toluene solubility
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**

***p*-Toluenesulfonyl isocyanate (TSI)**
Hydroxyl Groups Using Reaction with, Test Method for, **E1899 (15.05)**

Tomography
Computed Tomographic (CT) Examination, Practice for, **E1570 (03.03)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Nondestructive Assay of Radioactive Material by Tomographic Gamma Scanning, Test Method for, **C1718 (12.01)**
X-Ray Compton Scatter Tomography, Guide for, **E1931 (03.03)**

Toner images
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), Test Method for, **F1319 (15.09)**

Toner usage
Determining the Toner Usage for Color Printer Cartridges, Practice for, **F2632 (15.09)**
Determining Toner Usage for Printer Cartridges, Practice for, **F1856 (15.09)**
Estimating Toner Usage in Copiers Utilizing Dry Two-Component Developer, Practice for, **F995 (15.09)**
Estimating Toner Usage in Full-Color Copiers Utilizing Dry Mono- or Dual-Component Toners, Test Method for, **F1424 (15.09)**
Examination of Documents Produced with Toner Technology, Guide for, **E2390 (14.02)**

Tongue tear method
Coated Fabrics, Test Methods for, **D751 (09.02)**
Tearing Strength, Tongue Tear of Leather, Test Method for, **D4704 (15.04)**

Toning blue
See **Iron blue pigment**

Tonnage
Tonnage Calculation of Coal in a Stockpile, Practice for, **D6542 (05.06)**

Tooling
Identification and Categorization of Tooling, Practice for, **E2672 (04.12)**
Volume Shrinkage of Latex Sealants During Cure, Test Method for, **C1241 (04.07)**

Tool-resisting steel bars
Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, Test Methods for, **A627 (15.08)**

Tools
Insulated and Insulating Hand Tools, Specification for, **F1505 (10.03)**

Tool steel—specifications
Cast Tool Steel, Specification for, **A597 (01.05)**
Tool Steel High Speed, Specification for, **A600 (01.05)**
Tool Steel, Carbon, Specification for, **A686 (01.05)**
Tool Steels Alloy, Specification for, **A681 (01.05)**

Tool steel bars
Macroetch Testing of Tool Steel Bars, Practice for, **A561 (01.05)**

Tooth count
Measuring Wear Properties of Fluid Lubricants (Falex Pin and Vee Block Method), Test Method for, **D2670 (05.01)**

Top-coating bitumen
Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, Test Method for, **D4074/D4074M (04.04)**

Topcoatings
Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, Specification for, **F1428 (01.08)**
Evaluating Ink Stainblocking of Architectural Paint Systems by Visual Assessment, Test Method for, **D7514 (06.02)**
Sampling and Analysis of Existing Built-Up Roof Systems, Practice for, **D2829 (04.04)**
Testing Primers and Primer Surfacers Over Preformed Metal, Practice for, **D3322 (06.02)**

Topical antimicrobials
Sa **Antimicrobial formulations/testing**
Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, Test Method for, **E1173 (11.05)**
Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, Test Method for, **E1174 (11.05)**

Top liquid layers
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**

Top-loading laboratory scales/balances
Sa **Scales**
Top-Loading, Direct-Reading Laboratory Scales and Balances, Test Method of Testing, **E898 (14.04)**

Topographical coordinates
Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, Guide for, **F2099 (13.02)**

Topography
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Production and Evaluation of Field Metallographic Replicas, Practice for, **E1351 (03.01)**

Topological analysis
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**

Topping compound
Joint Treatment Materials for Gypsum Board Construction, Test Methods for, **C474 (04.01)**

Toprails
Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures, Specification for, **F1083 (01.06)**

Top rail sleeves
Sa **Fences/fencing materials**
Fence Fittings, Specification for, **F626 (01.06)**

Top ring weight loss
Cummins ISM Test, Test Method for, **D7468 (05.04)**
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, Test Method for, **D7422 (05.04)**

Tops
Tops, Furniture, Marine, Steel, Specification for, **F826 (01.07)**

Topside (ships)
Inspecting the Coating System of a Ship, Practice for, **F1130 (01.07)**

Top side stowage baskets
Metal, Expanded, Steel, Specification for, **F1267 (01.03)**

Topsize (nominal)
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**

Topsoil
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**
Topsoil Used for Landscaping Purposes, Specification for, **D5268 (04.08)**
Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, Guide for, **D5883 (04.09)**

Torn paper
Physical Match of Paper Cuts, Tears, and Perforations in Forensic Document Examinations, Guide for, **E2288 (14.02)**

Toroidal tape wound cores
Alternating-Current Magnetic Properties of Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A927/A927M (03.04)**

Toroidal transformer
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**

Torque
Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), Test Method for, **E556/E556M (04.03)**
Calibration of Torque-Measuring Instruments for Verifying the Torque Indication of Torque Testing Machines, Practice for, **E2428 (03.01)**
Cycle Counting in Fatigue Analysis, Practices for, **E1049 (03.01)**
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
Determining the Drive Torque for Film and Fabric Ribbon Cartridges, Test Method for, **F1520 (15.09)**
Determining Winding Torque and Tension of Typewriter Ribbons, Test Method for, **F1050/F1050M (15.09)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Measuring Viscosity of Glass Above the Softening Point, Practice for, **C965 (15.02)**
Mechanical Torque Rate of Spiral Coils of Thermostat Metal, Test Method for, **B362 (02.04)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, Test Method for, **D3795 (08.02)**
Torque Calibration of Testing Machines and Devices, Practice for, **E2624 (03.01)**
Torque Calibration or Conformance of Rheometers, Test Method for, **E2510 (14.02)**

Torque—adhesives
Determining the Torque Strength of Ultraviolet (UV) Light-Cured Glass/Metal Adhesive Joints, Test Method for, **D3658 (15.06)**
Torque Strength of Adhesives Used on Threaded Fasteners, Test Method for, **D5649 (15.06)**
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**

Torque—alpine skis
Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, Practice for, **F1063 (15.07)**
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**
Selection of Release Torque Values for Alpine Ski Bindings, Practice for, **F939 (15.07)**

Torque—closures
Application and Removal Torque of Threaded or Lug-Style Closures, Test Method for, **D3198 (15.10)**
Calibration and Use of Torque Meters Used in Packaging Applications, Practice for, **D3474 (15.10)**
Measurement of Removal Lug Strippage of Type IIA Child-Resistant Closures, Test Method for, **D3470 (15.10)**
Measurement of Torque Retention for Packages with Continuous Thread Closures Using Non-Automated (Manual) Torque Testing Equipment, Test Methods for, **D2063/D2063M (15.10)**
Minimum Application Torque of Type IA Child-Resistant Closures, Test Method for, **D3810 (15.10)**
Monitoring of Rotational Torque of Type IIIA Child-Resistant Closures, Test Method for, **D3968 (15.10)**

Torque—petroleum materials/applications
Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, Test Method for, **D6121 (05.02)**
Low-Temperature Torque of Grease-Lubricated Wheel Bearings, Test Method for, **D4693 (05.02)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, Test Method for, **D3702 (05.01)**

Torque—rubber materials
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**

Torque—surgical implant applications
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**
Measurement of Magnetically Induced Torque on Medical Devices in the Magnetic Resonance Environment, Test Method for, **F2213 (13.01)**

Torque loss
Creep Relaxation of a Gasket Material, Test Methods for, **F38 (09.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Torque meter
Characterizing Gripping Performance of Gloves Using a Torque Meter, Test Method for, **F2961 (11.03)**
Torque removal
Testing of Pipe Thread Sealants on Pipe Tees, Test Method for, **D6396 (15.06)**
Torque rheometer
Powder-Mix Time of Poly(Vinyl Chloride) (PVC) Resins Using a Torque Rheometer, Test Methods for, **D2396 (08.01)**
Torque-tension (lubricity)
Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), Test Method for, **D5648 (15.06)**
Torsional braid analyzer
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Torsional frequencies
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Torsional ring shear test
Torsional Ring Shear Test to Determine Drained Fully Softened Shear Strength and Nonlinear Strength Envelope of Cohesive Soils (Using Normally Consolidated Specimen) for Slopes with No Preexisting Shear Surfaces, Test Method for, **D7608 (04.09)**
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**
Torsional shear modulus
Plastics: Dynamic Mechanical Properties: In Torsion, Test Method for, **D5279 (08.03)**
Torsion springs
Carbon and Alloy Steel Bars for Springs, Specification for, **A689 (01.05)**
Torsion testing
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Measuring the Relative Stiffness of Leather by Means of a Torsional Wire Apparatus, Test Method for, **D2821 (15.04)**
Methods of Mechanical Testing, Terminology Relating to, **E6 (03.01)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, Test Methods for, **D1053 (09.01)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, Test Method for, **F1362 (15.03)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Strength of Power-Actuated Fasteners Installed in Structural Members, Test Methods for, **E1190 (04.11)**
Torsion Characteristic of Alpine Skis, Test Method for, **F779 (15.07)**
Torsion Testing of Wire, Test Method for, **A938 (01.03)**
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**
Torsion testing—medical/surgical devices/applications
in vitro Axial, Bending, and Torsional Durability Testing of Vascular Stents, Guide for, **F2942 (13.02)**
Intramedullary Fixation Devices, Specification and Test Methods for, **F1264 (13.01)**
Torsion testing—plastics
Plastics: Dynamic Mechanical Properties: In Torsion, Test Method for, **D5279 (08.03)**
Stiffness Properties of Plastics as a Function of Temperature by Means of a Torsion Test, Test Method for, **D1043 (08.01)**
Total acid/base evaluation
Sa **Acidity, alkalinity, pH**
Sa **Neutralization numbers**
Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1613 (06.04)**
Approximate Acidity in Electrical Insulating Liquids by Color-Indicator Titration, Test Method for, **D1534 (10.03)**
Total Acid Acceptance of Halogenated Organic Solvents (Nonreflux Methods), Test Method for, **D2942 (15.05)**
Total active ingredients
Determination of Total Active Ingredients in Sulfonated and Sulfated Oils, Test Method for, **D5354 (15.04)**
Total ammonia
Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils, Test Method for, **D5564 (15.04)**
Total ankle replacement (TAR)
Total Ankle Replacement Prosthesis, Specification for, **F2665 (13.02)**
Total aromatics
Sa **Aromatic compounds**
Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6379 (05.03)**
Determination of Benzene, Toluene, and Total Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, Test Method for, **D5769 (05.02)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determination of Total Aromatics and Total Saturates in Lube Basestocks by High Performance Liquid Chromatography (HPLC) with Refractive Index Detection, Test Method for, **D7419 (05.04)**
Total aromatics in fuel
Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, Test Method for, **D6591 (05.03)**
Determination of Benzene and Total Aromatics in Denatured Fuel Ethanol by Gas Chromatography, Test Method for, **D7576 (05.04)**
Total arthroplasty
Shoulder Prostheses, Specification for, **F1378 (13.01)**
Total ash
Rubber From Synthetic Sources—Total and Water Soluble Ash, Test Method for, **D5667 (09.01)**
Total Ash in Leather, Test Method for, **D2617 (15.04)**
Total Ash in Wet Blue or Wet White, Test Method for, **D6716 (15.04)**
Total bacterial count
See **Bacteria/bacterial control**
Total bacterial count—semiconductors
See **Bacteria/bacterial control—semiconductors**
Total bacterial count—water
See **Bacteria/bacterial control—water**
Total carbon (TC)
Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, Test Methods for, **E1915 (03.05)**
Carbon (Total) in Uranium Oxide Powders and Pellets By Direct Combustion-Infrared Detection Method, Test Method for, **C1408 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Cleaning of Materials and Components by Ultrasonic Techniques, Practice for, **G131 (14.04)**
Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, Test Method for, **G144 (14.04)**
Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, Practice for, **G136 (14.04)**
Determination of Total Carbon in Mold Powders by Combustion, Test Method for, **E2050 (03.05)**
Determination of Total Hydrocarbons in Hydrogen by FID Based Total Hydrocarbon (THC) Analyzer, Test Method for, **D7675 (05.06)**
Determination of Total, Combustible and Carbonate Carbon in Solid Residues from Coal and Coke, Test Method for, **D6316 (05.06)**
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**
Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection, Test Method for, **D7573 (11.02)**

Total chloride
Sa **Chloride analysis—paints/related coatings/materials**
Determination of Existent and Potential Inorganic Sulfate and Total Inorganic Chloride in Fuel Ethanol by Ion Chromatography Using Aqueous Sample Injection, Test Method for, **D7328 (05.04)**
Determination of Existent and Potential Sulfate and Inorganic Chloride in Fuel Ethanol and Butanol by Direct Injection Suppressed Ion Chromatography, Test Method for, **D7319 (05.04)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Total Chlorides in Leather, Test Method for, **D4653 (15.04)**

Total chlorine
Sa **Chlorine content**
Determination of Chlorine in Coal by Oxidative Hydrolysis Microcoulometry, Test Method for, **D6721 (05.06)**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**

Total cobalt
Total Cobalt in Alumina-Base Cobalt-Molybdenum Catalyst by Potentiometric Titration Method, Test Method for, **D3610 (05.05)**

Total contraction testing
Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, Test Method for, **D6774 (07.02)**

Total cyanide
Sa **Cyanides**
Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, Test Method for, **D6994 (11.02)**
Total Cyanide by Segmented Flow Injection Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, Test Method for, **D7511 (11.02)**
Total Cyanide in Water by Micro Distillation followed by Flow Injection Analysis with Gas Diffusion Separation and Amperometric Detection, Test Method for, **D7284 (11.02)**

Total cycle time
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**

Total desulfated fatty matter
Sa **Desulfated fatty matter**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**

Total digestion
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**

Total disc prostheses
Functional, Kinematic, and Wear Assessment of Total Disc Prostheses, Guide for, **F2423 (13.01)**

Total dose testing
Sa **Electrical conductors (semiconductors)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**

Total elbow prostheses
Total Elbow Prostheses, Specification for, **F2887 (13.02)**

Total elongation
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**

Total emission rates
Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, Test Method for, **D6831 (11.07)**

Total energy impact test
Sa **Impact testing**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**

Total equivalent boron content
See **Boron equivalents**

Total exciting power
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**

Total fluorine
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, Test Method for, **D5987 (05.06)**

Total free acid
Determination of Chlorinated Organic Acid Compounds in Water by Gas Chromatography with an Electron Capture Detector, Test Method for, **D5317 (11.02)**

Total gas enthalpy
Measuring Plasma Arc Gas Enthalpy by Energy Balance, Practice for, **E341 (15.03)**

Total global (hemispherical) irradiance
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**

Total gold plus silver
Determination of Gold in Bullion by Fire Assay Cupellation Analysis, Test Methods for, **E1335 (03.05)**

Total growth
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**

Total hemispherical emittance
Sa **Emittance**
Total Hemispherical Emittance of Surfaces up to 1400°C, Test Method for, **C835 (04.06)**

Total hip prostheses
Sa **Hip replacement prosthesis**
Determining Femoral Head Penetration into Acetabular Components of Total Hip Replacement Using Clinical Radiographs, Test Method for, **F2385 (13.01)**

Total hydrocarbons (THC)
Sa **Hydrocarbons**
Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, Test Method for, **F1398 (10.04)**
Determination of Total Hydrocarbons in Hydrogen by FID Based Total Hydrocarbon (THC) Analyzer, Test Method for, **D7675 (05.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measurement of Gases Present or Generated During Fires, Guide for, **E800 (04.07)**

Total hydrogen applications
Determination of Total Hydrogen Content of Uranium Oxide Powders and Pellets by Carrier Gas Extraction, Test Method for, **C1457 (12.01)**
Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, Test Method for, **D6021 (05.02)**

Total image unsharpness
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining Total Image Unsharpness in Radiology, Practice for, **E2002 (03.03)**

Total indicator reading
Measurement of Arrow Shaft Static Spine (Stiffness), Test Method for, **F2031 (15.07)**
Straightness Measurement of Arrow Shafts, Guide for, **F1889 (15.07)**

Total inhibitor content (TBC)
Total Inhibitor Content (TBC) of Light Hydrocarbons, Test Method for, **D1157 (05.01)**

Total integrated light scattering
See **Light transmission and reflection**

Total inventory
Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, Guide for, **C1562 (12.01)**

Total ion chromatogram (TIC)
Sa **Gas chromatography (GC)**
Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, Test Method for, **E1618 (14.02)**

Total iron
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**

Total joint prostheses
See **Joint prostheses**

Total knee replacement constraint
Determination of Total Knee Replacement Constraint, Test Method for, **F1223 (13.01)**

Total knee replacement (TKR)
See **Knee replacement prosthesis—specifications**

Total luminous reflectance
See **Luminous reflectance factor**
See **Reflectance and reflectivity**

Totally-encapsulating chemical protective clothing
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**

Total mass flux
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**

Total mass loss (TML)
See **Mass loss testing**

Total measurement uncertainty (TMU)
Making Quality Nondestructive Assay Measurements, Guide for, **C1592/C1592M (12.01)**

Total mercury
Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), Test Method for, **D6784 (11.07)**
Sampling, Storage, and Handling of Hydrocarbons for Mercury Analysis, Practice for, **D7482 (05.04)**
Total Mercury in Coal and Coal Combustion Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, Test Methods for, **D6414 (05.06)**
Total Mercury in Coal and Coal Combustion Residues by Direct Combustion Analysis, Test Method for, **D6722 (05.06)**
Total Mercury in Coal by the Oxygen Bomb, Test Method for, **D3684 (05.06)**
Total Mercury in Crude Oil Using Combustion and Direct Cold Vapor Atomic Absorption Method with Zeeman Background Correction, Test Method for, **D7622 (05.04)**
Total Mercury in Crude Oil Using Combustion-Gold Amalgamation and Cold Vapor Atomic Absorption Method, Test Method for, **D7623 (05.04)**
Total Mercury in Water, Test Method for, **D3223 (11.01)**

Total moisture analysis
Sa **Moisture analysis**
Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36-mm (No. 8 Sieve) Topsize, Test Method for, **D2961 (05.06)**
Total Evaporable Moisture Content of Aggregate by Drying, Test Method for, **C566 (04.02)**
Total Moisture in Coal, Test Method for, **D3302/D3302M (05.06)**
Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, Test Method for, **D5530 (11.04)**

Total neutralizing capability
Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), Test Method for, **C1318 (04.01)**

Total nitrogen (organic/inorganic)
Sa **Nitrogen content**
Trace Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D6069 (06.04)**

Total noise
See **Noise level measurement**
See **Sound transmission—building materials/applications**

Total/normal reflectance/transmittance
Sa **Reflectance and reflectivity**
Sa **Transmissivity and reflectivity**
Sa **Transmittance and reflectance**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**

Total olefins
Total Olefins in Spark-ignition Engine Fuels by Multidimensional Gas Chromatography, Test Method for, **D6296 (05.03)**

Total organic carbon (TOC)
Sa **Organic carbon (OC)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
On-Line Monitoring of Total Carbon, Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5997 (11.01)**
Real-time Release Testing of Pharmaceutical Water for the Total Organic Carbon Attribute, Practice for, **E2656 (14.02)**
Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**
Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**
Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5904 (11.02)**

Total oxygen
Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, Test Methods for, **D5622 (05.02)**

Total oxygen demand (TOD)
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
Low-Level Dissolved Oxygen in Water, Test Method for, **D5543 (11.01)**
On-Line Measurement of Low-Level Dissolved Oxygen in Water,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D5462 (11.02)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Total Oxygen Demand in Water, Test Method for, **D6238 (11.02)**

Total particulate matter
Sa **Particulate matter content**
Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), Test Method for, **D4096 (11.07)**

Total peroxides
Sa **Peroxides**
Total Peroxides in Acrylonitrile, Test Method for, **E1784 (15.05)**

Total pore volume
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**

Total potential residue
Oxidation Stability of Aviation Fuels (Potential Residue Method), Test Method for, **D873 (05.01)**

Total radiation pyrometer
Sa **Pyrometer**
Flammability of Marine Surface Finishes, Test Method for, **E1317 (04.07)**

Total recoverable elements (in water)
Antimony in Water, Test Method for, **D3697 (11.01)**
Beryllium in Water, Test Methods for, **D3645 (11.01)**
Cadmium in Water, Test Methods for, **D3557 (11.01)**
Cobalt in Water, Test Methods for, **D3558 (11.01)**
Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, Test Method for, **D4190 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Molybdenum in Water, Test Method for, **D3372 (11.01)**
Potassium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4192 (11.01)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Selenium in Water, Test Methods for, **D3859 (11.01)**
Silver in Water, Test Methods for, **D3866 (11.01)**
Sodium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4191 (11.01)**
Strontium in Water, Test Method for, **D3920 (11.01)**
Vanadium in Water, Test Method for, **D3373 (11.01)**

Total sediment
Sa **Sediment content**
Determination of Total Sediment in Residual Fuels, Test Method for, **D4870 (05.02)**

Total shoulder prosthesis
See **Shoulder prosthesis**

Total slick area
Estimating Oil Spill Recovery System Effectiveness, Guide for, **F1780 (11.05)**

Total smoke released
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**

Total solids
Sa **Solid phase materials**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Total Solids and Water in Vegetable Tanning Material Extracts, Test Method for, **D4903 (15.04)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**

Total sulfation
Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, Test Methods for, **D2010/D2010M (11.07)**

Total sulfur content
Determination of Total Sulfur in Aromatic Hydrocarbons and Related Chemicals by Ultraviolet Fluorescence, Test Method for, **D7183 (06.04)**
Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, Test Method for, **D5453 (05.02)**
Determination of Total Sulfur in Liquid Hydrocarbon Based Fuels by Continuous Injection, Air Oxidation and Ultraviolet Fluorescence Detection, Test Method for, **D7620 (05.04)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, Test Method for, **D7551 (05.06)**
Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, Test Method for, **D7652 (05.06)**
Sulfur Content in Carbon Black Feedstock Oils, Test Method for, **D7679 (09.01)**

Total sulfur content—petroleum products/applications
Determination of Total Sulfur in Light Hydrocarbons, Motor Fuels, and Oils by Online Gas Chromatography with Flame Photometric Detection, Test Method for, **D7041 (05.04)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases by Ultraviolet Fluorescence, Test Method for, **D6667 (05.03)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, Test Method for, **D6920 (05.03)**

Total surface oil
Tin Mill Products, General Requirements, Specification for, **A623 (01.06)**
Tin Mill Products, General Requirements Metric, Specification for, **A623M (01.06)**

Total titanium
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**

Total uranium concentration
Sa **Uranium content**
Analysis of Urine for Uranium-235 and Uranium-238 Isotopes by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1379 (12.01)**

Total vapor pressure
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**

Total volatile organic content
Sa **Volatile organic compounds (VOC)**
Volatile Content of Radiation Curable Materials, Test Methods for, **D5403 (06.02)**

Total water extractable protein
Analysis of Aqueous Extractable Protein in Natural Rubber and Its Products Using the Modified Lowry Method, Test Method for, **D5712 (09.02)**

Total zinc
Chemical Analysis of Zinc Dust (Metallic Zinc Powder), Test Methods for, **D521 (06.03)**

Touch fasteners
Peel Strength (T Method) of Hook and Loop Touch Fasteners, Test Method for, **D5170 (07.02)**
Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners, Test Method for, **D5169 (07.02)**

Touch-up properties
Evaluating Touch-Up Properties of Architectural Coatings under Various Environmental Conditions, Practice for, **D7489 (06.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Toughness
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Short Rod Fracture Toughness of Cemented Carbides, Test Method for, **B771 (02.05)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Tensile Properties of Thin Plastic Sheeting, Test Method for, **D882 (08.01)**
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**
Toughness and Tenacity of Bituminous Materials, Test Method for, **D5801 (04.03)**
Toughness of Wood-Based Structural Panels, Test Method for, **D3499 (04.10)**

Tough pitch coppers
Coppers, Classification of, **B224 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Tough-Pitch Fire-Refined Copper—Refinery Shapes, Specification for, **B216 (02.01)**

Tow
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**

Towels
Cooking Fire Suppression Blankets, Specification for, **F1989 (15.11)**
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**

Tower packing
Chemical-Resistant Ceramic Tower Packings, Specification for, **C515 (05.05)**

Tow net method
Sampling Phytoplankton with Conical Tow Nets, Practice for, **D4132 (11.02)**

Toxic gases
Acquisition, Maintenance, Storage, and Use of Hazardous Material Detection Instrumentation, Guide for, **E2852 (15.08)**
Fire Testing of Mattresses, Test Method for, **E1590 (04.07)**
Fire Testing of Stacked Chairs, Test Method for, **E1822 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5424 (10.02)**

Toxicity/toxicology
Acute Toxicity Test with the Rotifer Brachionus, Guide for, **E1440 (11.06)**
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Biocompatibility Evaluation of Medical Device Packaging Materials, Guide for, **F2475 (15.10)**
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**
Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, Guide for, **E1562 (11.06)**
Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, Guide for, **E1676 (11.06)**
Conducting Renewal Microplate-Based Life-Cycle Toxicity Tests with a Marine Meiobenthic Copepod, Guide for, **E2317 (11.06)**
Conducting Static Acute Toxicity Tests with Echinoid Embryos, Guide for, **E1563 (11.06)**
Conducting Subacute Dietary Toxicity Tests with Avian Species, Practice for, **E857 (11.06)**
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**
Detailed Clinical Observations of Test Animals, Practice for, **E2045 (11.06)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), Test Method for, **D4445 (04.10)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Subcutaneous Screening Test for Implant Materials, Practice for, **F1408 (13.01)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Toxicity/toxicology—animals
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, Guide for, **E1262 (13.01)**
Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, Guide for, **E1280 (13.01)**

Toxicity/toxicology—petroleum products
Aquatic Toxicity Testing of Lubricants: Sample Preparation and Results Interpretation, Practice for, **D6081 (05.02)**

Toxicity/toxicology—water environments
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**
Behavioral Testing in Aquatic Toxicology, Guide for, **E1604 (11.06)**
Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, Guide for, **E1391 (11.06)**
Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E1192 (11.06)**
Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, Guide for, **E729 (11.06)**
Conducting Daphnia magna Life-Cycle Toxicity Tests, Guide for, **E1193 (11.06)**
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, Guide for, **E1191 (11.06)**
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Conducting Sexual Reproduction Tests with Seaweeds, Guide for, **E1498 (11.06)**
Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, Guide for, **E724 (11.06)**
Conducting Static Toxicity Tests With, Guide for, **E1415 (11.06)**
Conducting Static Toxicity Tests with Microalgae, Guide for, **E1218 (11.06)**
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**
Cyanogen Chloride in Water, Test Method for, **D4165 (11.02)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, Test Methods for, **D4198 (11.02)**
Measurement of Behavior During Fish Toxicity Tests, Guide for, **E1711 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, Test Method for, **E1367 (11.06)**
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Standardized Aquatic Microcosms: Fresh Water, Practice for, **E1366 (11.06)**
Thiocyanate in Water, Test Method for, **D4193 (11.02)**
Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, Practice for, **E1242 (11.06)**
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**

Toxic metals
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**

Toxin
Measurement of the Biological Activity of Ricin, Practice for, **E2805 (15.08)**

Toxoplasma gondii
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**

Toys
Sa **Consumer safety specifications (infants/children)**
Determination of Lead in Paint Layers and Similar Coatings or in Substrates and Homogenous Materials by Energy Dispersive X-Ray Fluorescence Spectrometry Using Multiple Monochromatic Excitation Beams, Test Method for, **F2853 (10.04)**
Toy Chests, Consumer Safety Specification for, **F834 (15.11)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**

T-peel test
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Durability Assessment of Adhesive Joints Stressed in Peel, Test Method for, **D2918 (15.06)**
Peel Resistance of Adhesives (T-Peel Test), Test Method for, **D1876 (15.06)**
Peel Strength (T Method) of Hook and Loop Touch Fasteners, Test Method for, **D5170 (07.02)**
Strength of Modified Bitumen Sheet Material Laps Using Cold Process Adhesive, Test Methods for, **D7379 (04.04)**
Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, Test Method for, **F2256 (13.01)**

Traceability
Intercomparing Permeation Tubes to Establish Traceability, Guide for, **D4298 (11.07)**
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Tracking and Traceability Encoding System of Natural Gas Distribution Components (Pipe, Tubing, Fittings, Valves, and Appurtenances), Specification for, **F2897 (08.04)**

Traceable chemical analysis
Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Water Samples, Guide for, **D6568 (11.01)**

Trace carbonyl sulfide (COS)
Trace Carbonyl Sulfide in Propylene by Gas Chromatography, Test Method for, **D5303 (05.02)**

Trace contamination testing
See **Contamination**

Trace elements
Sa **Nonvolatile matter content**
Determination of Concentrations of Elements in Glass Samples Using Inductively Coupled Plasma Mass Spectrometry (ICP-MS) for Forensic Comparisons, Test Method for, **E2330 (14.02)**
Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), Test Method for, **C1301 (04.01)**
Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, Practice for, **E1770 (03.05)**
Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, Guide for, **D5012 (11.07)**

Trace elements—chemicals
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Iron in Trace Quantities Using the FerroZine Method, Test Method for, **E1615 (15.05)**
Trace Amounts of Peroxides In Organic Solvents, Test Method for, **E299 (15.05)**
Trace Chloride Ion in Engine Coolants, Test Method for, **D3634 (15.05)**

Trace elements—coal/coke
Determination of Trace Elements in Coal, Coke, and Combustion Residues from Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry, Test Methods for, **D6357 (05.06)**

Trace elements—ground water
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Use of Maps, Guide for, **D6036 (04.09)**
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Trace elements—nuclear materials
Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**
Chemical and Spectrochemical Analysis of Nuclear-Grade Silver-Indium-Cadmium Alloys, Test Methods for, **C760 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, Test Methods for, **C809 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**
Unrestricted Disposition of Bulk Materials Containing Residual Amounts of Radioactivity, Guide for, **E1760 (12.02)**

Trace elements—paints/related coatings/materials
Analysis of Benzene by Gas Chromatography, Test Method for, **D4492 (06.04)**
Determining Unreacted Monomer Content of Latexes Using Gas-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Liquid Chromatography, Test Method for, **D4747 (06.01)**
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**
Trace Benzene in Hydrocarbon Solvents by Capillary Gas Chromatography, Test Method for, **D6229 (06.04)**
Trace Chloride in Liquid Aromatic Hydrocarbons, Test Method for, **D5194 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, Test Method for, **D2360 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, Test Method for, **D5917 (06.04)**
Trace Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, Test Method for, **D6069 (06.04)**

Trace elements—petroleum products
Aviation Fuel Sample Containers for Tests Affected by Trace Contamination, Practice for, **D4306 (05.02)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Rapid Field Test for Trace Lead in Unleaded Gasoline (Colorimetric Method), Test Method for, **D3348 (05.01)**
Trace Carbonyl Sulfide in Propylene by Gas Chromatography, Test Method for, **D5303 (05.02)**
Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, Test Method for, **D3605 (05.01)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**
Trace Sediment in Lubricating Oils, Test Method for, **D2273 (05.01)**

Trace elements—spectrochemical analysis
Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1834 (03.05)**
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **E1852 (03.05)**
Determination of Trace Carbon Dioxide, Argon, Nitrogen, Oxygen and Water in Hydrogen Fuel by Jet Pulse Injection and Gas Chromatography/Mass Spectrometer Analysis, Test Method for, **D7649 (05.06)**
Reporting Mass Spectral Data in Secondary Ion Mass Spectrometry (SIMS), Practice for, **E1504 (03.06)**

Trace elements—waste materials/applications
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**
Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **D5839 (11.04)**

Trace elements—water analysis
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, Test Methods for, **D5907 (11.01)**
Low Level Sodium in High Purity Water by Graphite Furnace Atomic Absorption Spectroscopy, Test Method for, **D6071 (11.01)**
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, Practice for, **D3919 (11.01)**
On-line Determination of Sodium in Water, Test Method for, **D2791 (11.01)**
Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, Practice for, **D5074 (11.02)**
Trace Anions in High Purity Water by Ion Chromatography, Test Methods for, **D5542 (11.01)**

Trace ethylene glycol
See **Ethylene glycol**

Trace impurities
Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, Test Method for, **D5507 (08.03)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and Effective Carbon Number, Test Method for, **D7504 (06.04)**

Trace iron
Iron in Trace Quantities Using the FerroZine Method, Test Method for, **E1615 (15.05)**

Trace lead/cadmium/cobalt paint
Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, Test Method for, **D3335 (06.01)**

Trace metallic impurities
Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, Test Method for, **F1593 (10.04)**
Trace Metallic Impurities in Electronic Grade Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1845 (10.04)**
Trace Metallic Impurities in Electronic Grade Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F1710 (10.04)**
Trace Metallic Impurities in High Purity Copper by High-Mass-Resolution Glow Discharge Mass Spectrometer, Test Method for, **F2405 (10.04)**

Trace metals content
Preparation of Oils and Oily Waste Samples by High-Pressure, High-Temperature Digestion for Trace Element Determinations, Practice for, **C1234 (05.01)**

Trace methanol
See **Methanol (methyl alcohol)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Trace monomers
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**
Tracer dilution method
Determining Air Change in a Single Zone by Means of a Tracer Gas Dilution, Test Method for, **E741 (04.11)**
Volumetric and Mass Flow Rate Measurement in a Duct Using Tracer Gas Dilution, Test Method for, **E2029 (04.11)**
Tracer gas method
Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, Practices for, **E1186 (04.11)**
Measuring Package and Seal Integrity Using Helium as the Tracer Gas, Test Method for, **F2391 (15.10)**
Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, Test Method for, **F2227 (15.10)**
Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, Test Method for, **F2228 (15.10)**
Tracer material
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Tracer probe mode
Sa **Probe methods**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**
Tracer study analysis/data presentation
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**
Track bolts and nuts—specifications
Carbon Steel Track Bolts and Nuts, Specification for, **A183 (01.04)**
Tracking, contamination
Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum), Test Method for, **D5288 (10.02)**
Tracking systems
Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum), Test Method for, **D5288 (10.02)**
Track resistance—electrical insulating materials
Comparative Tracking Index of Electrical Insulating Materials, Test Method for, **D3638 (10.02)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum), Test Method for, **D5288 (10.02)**
Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, Test Method for, **D2132 (10.01)**
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**
Track-resistant insulation
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**
Track scanning
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**
Tracks (runners)
Sa **Gypsum products**
Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, Specification for, **C955 (04.01)**
Nonstructural Steel Framing Members, Specification for, **C645 (04.01)**
Track-to-Earth resistance
Determining Rail-to-Earth Resistance, Practice for, **G165 (03.02)**
Traction characteristics
Traction Characteristics of the Athletic Shoe–Sports Surface Interface, Test Method for, **F2333 (15.07)**
Traction power substations
Determining Rail-to-Earth Resistance, Practice for, **G165 (03.02)**
Traction/safety (for footwear)
Sa **Footwear—soles/heels/related materials**
Foot Protection, Test Methods for, **F2412 (15.07)**
Traction Characteristics of the Athletic Shoe–Sports Surface Interface, Test Method for, **F2333 (15.07)**
Traction testing
Calibration of Braking/Tractive Measuring Devices for Testing Tires, Practice for, **F377 (09.02)**
Evaluating Tire Traction Performance Data Under Varying Test Conditions, Practice for, **F1650 (09.02)**
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**
Tractors
Automotive Gray Iron Castings, Specification for, **A159 (01.02)**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**
Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, Practices for, **E2034 (04.03)**
Trade estimate
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
Trade sales paint
Blocking Resistance of Architectural Paints, Test Method for, **D4946 (06.02)**
Testing Water-Borne Architectural Coatings, Guide for, **D5324 (06.02)**
Traffic
Acquiring Intersection Turning Movement Traffic Data, Practice for, **E2667 (04.03)**
Evaluating Performance of Highway Traffic Monitoring Devices, Test Methods for, **E2532 (04.03)**
Highway Traffic Monitoring Truth-in-Data, Practice for, **E2759 (04.03)**
Installing and Using Pneumatic Tubes with Roadway Traffic Counters and Classifiers, Practice for, **E1957 (04.03)**
Photoluminescent (Phosphorescent) Safety Markings, Specification for, **E2072 (06.01)**
Retroreflective Sheeting for Traffic Control, Specification for, **D4956 (04.03)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Traffic counters
Evaluating Performance of Highway Traffic Monitoring Devices, Test Methods for, **E2532 (04.03)**
Installing Piezoelectric Highway Traffic Sensors, Practice for, **E2415 (04.03)**
Traffic incident sites
Determining the Stopping Distance Number by Initial Speed and Stopping Distance at Traffic Incident Sites, Test Method for, **E2341/E2341M (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Traffic monitoring device (TMD)
Archiving ITS-Generated Traffic Monitoring Data, Specification for, **E2665 (04.03)**
Evaluating Performance of Highway Traffic Monitoring Devices, Test Methods for, **E2532 (04.03)**
Highway Traffic Monitoring Devices, Specification for, **E2300 (04.03)**
Highway Traffic Monitoring Truth-in-Data, Practice for, **E2759 (04.03)**
Traffic noise
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Traffic paint
Sa **Thermoplastic traffic marking material**
Conducting Road Service Tests on Fluid Traffic Marking Materials, Practice for, **D713 (06.02)**
Determination of Degree of Bleeding of Traffic Paint, Practice for, **D868 (06.02)**
Evaluating Degree of Traffic Paint Line Wear, Practice for, **D913 (06.02)**
Evaluating Retroreflective Pavement Markings Using Portable Hand-Operated Instruments, Practice for, **D7585/D7585M (04.03)**
Evaluating the Water Wash-Off Resistance of Traffic Paints using a Water Faucet, Practice for, **D7377 (06.02)**
Evaluating the Water Wash-Off Resistance of Traffic Paints Using an Atomizing Spray Device, Practice for, **D7538 (06.02)**
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**
No-Pick-Up Time of Traffic Paint, Test Method for, **D711 (06.02)**
Pigment Content of Paints by Low-Temperature Ashing, Test Method for, **D4451 (06.01)**
Preformed Retroreflective Pavement Marking Tape for Limited Service Life, Specification for, **D4592 (04.03)**
Retroreflectance of Horizontal Coatings, Test Method for, **D4061 (06.01)**
Roundness of Glass Spheres, Test Method for, **D1155 (06.02)**
Sample Preparation of Thermoplastic Traffic Marking Materials, Practice for, **D7308 (06.02)**
Selection of Tests for Traffic Paints, Guide for, **D2205 (06.02)**
Settling Properties of Traffic Paints During Storage, Test Method for, **D1309 (06.02)**
Solvent and Fuel Resistance of Traffic Paint, Test Method for, **D2792 (06.02)**
Uniformity of Traffic Paint Vehicle Solids by Spectroscopy and Gas Chromatography, Practices for, **D2743 (06.02)**
Using a Test Chamber for Humidity Conditioning of Test Panels of Pavement Marking Paints, Practice for, **D7539 (06.02)**
Traffic parameters
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Traffic signs/control
Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, Test Method for, **E2301 (06.01)**
Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.2 Degree Observation Angle, Test Method for, **E1709 (06.01)**
Traffic speeds
Classification of Automated Pavement Condition Survey Equipment, Guide for, **E1656/E1656M (04.03)**
Evaluating Performance of Highway Traffic Monitoring Devices, Test Methods for, **E2532 (04.03)**
Traffic stripes
Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, Test Method for, **E1710 (06.01)**
Traffic supports
Spun Cast Prestressed Concrete Poles, Specification for, **C1089 (04.05)**
Trailers
Bicycle Trailer Cycles Designed for Human Passengers, Specification for, **F2917 (15.07)**
Cargo Bed Cover (CBC) M105A2 Trailer, Type II, Performance Specification for, **E2463 (04.12)**
Nonpowered Bicycle Trailers Designed for Human Passengers, Specification for, **F1975 (15.07)**
Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, Practices for, **E2034 (04.03)**
Trailers Used for Measuring Vehicular Response to Road Roughness, Specification for, **E1215 (04.03)**
"T" rails
Sa **Rail steel bars**
Carbon Steel Tee Rails, Specification for, **A1 (01.04)**
Steel Bars and Shapes, Carbon Rolled from "T" Rails, Specification for, **A499 (01.05)**
Train-absorption method
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Training programs
Certificate Programs, Practice for, **E2659 (14.02)**
Education and Training in Computer Forensics, Guide for, **E2678 (14.02)**
Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, Guide for, **E1323 (14.02)**
Fixed Anchorages Installed on Structures used for Rope Rescue Training, Specification for, **F2822 (13.02)**
Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders, Guide for, **E2162 (14.02)**
Minimum Training Requirements for Examiners Conducting Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders in Treatment, Probation or Other Similar Programs, Guide for, **E2163 (14.02)**
Minimum Training Requirements for Forensic Document Examiners, Guide for, **E2388 (14.02)**
Operational Guidelines for Initial Response to a Suspected Biothreat Agent, Guide for, **E2770 (15.08)**
Personnel Credentialing, Terminology for, **E2708 (14.02)**
Pilot's Operating Handbook (POH) for Light Sport Airplane, Specification for, **F2746 (15.11)**
Training for Land Search and Rescue Strike Team/Task Force Leader, Guide for, **F3024 (13.02)**
Training for Level I Rope Rescue (R1) Rescuer Endorsement, Guide for, **F2752 (13.02)**
Training for Level II Rope Rescue (R2) Rescuer Endorsement, Guide for, **F2954 (13.02)**
Training for Level III Rope Rescue (R3) Rescuer Endorsement, Guide for, **F2955 (13.02)**
Training of Personnel Operating in Mountainous Terrain (Mountain Endorsement), Guide for, **F3027 (13.02)**
Training of Support Level Land Rescue Team Member (LRT-Support) Member, Guide for, **F2751 (13.02)**
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
Training programs—environmental
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**
Preparing a Training Program for Environmental Analytical Laboratories, Guide for, **D5829 (11.04)**
Training programs—medical
Sa **Emergency medical services (EMS)**
Qualification and Training of EMS Air Medical Patient Care Providers, Guide for, **F1229 (13.02)**
Selection and Practice of Emergency Medical Services Instructor for Advanced Emergency Medical Technician, Guide for, **F1257 (13.02)**
Selection and Practice of Emergency Medical Services Instructor

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

for Emergency Medical Technician (EMT) Training Programs, Guide for, **F1256 (13.02)**
Training Emergency Medical Services Ambulance Operations, Guide for, **F1705 (13.02)**
Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, Practice for, **F1552 (13.02)**
Training of a Land Search Team Leader (STL), Guide for, **F2685 (13.02)**
Training the Emergency Medical Technician (Paramedic), Guide for, **F1651 (13.02)**

Training programs—nuclear
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Radiological Protection Training for Nuclear Facility Workers, Guide for, **E1168 (12.02)**
the Selection, Training and Qualification of Nondestructive Assay (NDA) Personnel, Guide for, **C1490 (12.01)**

Training programs—paint/related coatings
Developing a Training Program for Personnel Performing Coating and Lining Work Inspection for Nuclear Facilities, Guide for, **D5498 (06.02)**
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**

Trajectory models
Development and Use of Oil-Spill Trajectory Models, Practice for, **F2067 (11.05)**

Trampoline
Design, Manufacture, Installation, Operation, Maintenance, Inspection and Major Modification of Trampoline Courts, Practice for, **F2970 (15.07)**
Manufacturing Quality Control of Consumer Trampoline Bed Material, Practice for, **F2774 (15.07)**

Trampoline equipment/applications—specifications
Sa **Sports equipment**
Components, Assembly, Use, and Labeling of Consumer Trampolines, Safety Specification for, **F381 (15.07)**
Consumer Trampoline Enclosures, Safety Specification for, **F2225 (15.07)**

Transaction screen process
Limited Environmental Due Diligence: Transaction Screen Process, Practice for, **E1528 (11.05)**

Transcribed health records
Identification and Establishment of a Quality Assurance Program for Medical Transcription, Guide for, **E2117 (14.01)**

Transducer-channel bandwidth
Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, Guide for, **E1856 (03.01)**

Transducers
Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), Test Method for, **E556/E556M (04.03)**
Deflections with a Falling-Weight-Type Impulse Load Device, Test Method for, **D4694 (04.03)**
Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, Test Method for, **E1337 (04.03)**
Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, Test Method for, **D4748 (04.03)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Measuring Heat Flux Using a Copper-Constantan Circular Foil, Heat-Flux Transducer, Test Method for, **E511 (15.03)**
Measuring the Dynamic Characteristics of Amusement Rides and Devices, Practice for, **F2137 (15.07)**
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**
Transducers, Pressure and Differential, Pressure, Electrical and Fiber-Optic, Specification for, **F2070 (01.07)**
Validating New Area Reference Skid Measurement Systems and Equipment, Guide for, **E1890 (04.03)**

Transfer characteristics
Release Papers Used with Preformed Tape Sealants, Test Methods for, **C879 (04.07)**

Transfer efficiency (TE)
Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, Test Method for, **D5066 (06.02)**
Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, Test Methods for, **D5286 (06.02)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, Practice for, **D5327 (06.02)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under Laboratory Conditions, Test Method for, **D5009 (06.02)**

Transfer molded pipe
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, Specification for, **D5685 (08.03)**

Transfer molding encapsulating compounds
See **Electronic encapsulants**

Transfer molding of specimens
See **Molding/extrusion compounds/materials**

Transfer (of data)
Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**

Transfer (of data)—specifications
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**

Transfer (of patients)
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**

Transfer points
Collection of Calcined Petroleum Coke Samples for Analysis, Practice for, **D6970 (05.03)**
Soft Contained Play Equipment, Safety Performance Specification for, **F1918 (15.11)**

Transfer rail systems
Performance of Permanent Metal Railing Systems and Rails for Buildings, Test Methods for, **E935 (04.11)**
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**

Transfer standards
Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, Practice for, **E1791 (03.06)**

Transformations
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**
Evaluation of Glass-to-Metal Headers Used in Electron Devices, Specification and Test Method for, **F18 (10.04)**
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**

Transformation temperature
Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, Test Method for, **F2082 (13.01)**
Transformation Temperature of Nickel-Titanium Alloys by Thermal Analysis, Test Method for, **F2004 (13.01)**

Transformer askarels
Determining the Coefficient of Thermal Expansion of Electrical Insulating Liquids of Petroleum Origin, and Askarels, Practice for, **D1903 (10.03)**

Transformer board
Sa **Pressboard (electrical insulating)**
Pressboard for Electrical Insulating Purposes, Specification for, **D4063 (10.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Transformer cores
Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, Specification for, **A876 (03.04)**
Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Inductor Applications, Specification for, **A1009 (03.04)**
Transformer oils
Sa **Electrical insulating oils**
Interfacial Tension of Oil Against Water by the Ring Method, Test Method for, **D971 (10.03)**
Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, Test Method for, **D2112 (10.03)**
Oxidation Stability of Mineral Insulating Oil, Test Method for, **D2440 (10.03)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Sediments and Soluble Sludge in Service-Aged Insulating Oils, Test Method for, **D1698 (10.03)**
Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field, Test Method for, **D1524 (10.03)**
Transformers
Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, Practice for, **D3284 (10.03)**
Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, Test Method for, **D2477 (10.03)**
Sampling Gas from a Transformer Under Positive Pressure, Practice for, **D2759 (10.03)**
Transformers—specifications
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
High Fire-Point Mineral Electrical Insulating Oils, Specification for, **D5222 (10.03)**
Mineral Insulating Oil Used in Electrical Apparatus, Specification for, **D3487 (10.03)**
Silicone Fluid Used for Electrical Insulation, Specification for, **D4652 (10.03)**
Transform infrared spectrometer
Describing and Measuring Performance of Fourier Transform Mid-Infrared (FT-MIR) Spectrometers: Level Zero and Level One Tests, Practice for, **E1421 (03.06)**
Transient electromagnetic method (TEM)
Use of the Time Domain Electromagnetic Method for Subsurface Investigation, Guide for, **D6820 (04.09)**
Transient microorganism
Evaluation of Antimicrobial Formulations by the Agar Patch Technique, Test Method for, **E1882 (11.05)**
Transient nuclear workers
Nuclear Facility Transient Worker Records, Specification for, **E1034 (12.02)**
Transient temperature
Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, Test Method for, **E598 (15.03)**
Thermal Diffusivity by the Flash Method, Practice for, **E2585 (14.02)**
Transient organism
Recovery of Microorganisms From Skin using the Cup Scrub Technique, Test Method for, **E1874 (11.05)**
Transient radiation upset threshold testing
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Transients
Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, Practice for, **G148 (03.02)**
Transient stress waves
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Transient temperature measurements
Thermal Diffusivity by the Flash Method, Test Method for, **E1461 (14.02)**
Transilluminated displays
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Transistors
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Transition
Transition and Performance of Marine Software Systems Maintenance, Guide for, **F1716 (01.07)**
Transition alumina
Gamma Alumina Content in Catalysts Containing Silica and Alumina by X-ray Powder Diffraction, Test Method for, **D4926 (05.05)**
Transition couplings
Sa **Couplings—specifications**
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground, Specification for, **C1460 (01.02)**
Transition joints
Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, Specification for, **D3138 (08.04)**
Transition temperatures
Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), Guide for, **E900 (12.02)**
Temperature Calibration of Thermomechanical Analyzers, Test Method for, **E1363 (14.02)**
Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry, Test Method for, **D3418 (08.02)**
Transit-stadia survey
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Translaminar fracture toughness
Translaminar Fracture Toughness of Laminated and Pultruded Polymer Matrix Composite Materials, Test Method for, **E1922 (03.01)**
Translation
Quality Assurance in Translation, Guide for, **F2575 (15.11)**
Translational shear tester
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Translucent materials
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, Practice for, **E1247 (06.01)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**

Transmission
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**
Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**
Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, Test Method for, **C1133/C1133M (12.01)**

Transmission—thermal
See **Thermal transmission properties**

Transmission densitometers
Calibration of Transmission Densitometers, Practice for, **E1079 (03.03)**

Transmission electron microscopy (TEM)
Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), Test Method for, **D6281 (11.07)**
Determination of Asbestos in Soil, Test Method for, **D7521 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, Practice for, **D7200 (11.07)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), Practice for, **D7201 (11.07)**
Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy, Test Method for, **D6480 (11.07)**

Transmission fluids
Sa **Hydraulic fluids/oils**
Sa **Lubricants (fluid)**
Sa **Lubricating oils**
Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), Test Method for, **D5182 (05.02)**
Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**
Performance of Manual Transmission Gear Lubricants, Specification for, **D5760 (05.02)**

Transmission lines (electric)
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand, Specification for, **A363 (01.06)**
Zinc-Coated Steel Wire Strand, Specification for, **A475 (01.06)**

Transmission loss
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Measurement of Normal Incidence Sound Transmission of Acoustical Materials Based on the Transfer Matrix Method, Test Method for, **E2611 (04.06)**

Transmission pipe—specifications
Asbestos-Cement Transmission Pipe, Specification for, **C668 (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Transmission ratios
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**

Transmission/reflection
Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, Test Method for, **D5568 (10.02)**

Transmission (sound)
See **Sound transmission**

Transmission systems
Aluminum Transmission Tower Bolts and Nuts, Specification for, **F901 (01.08)**
Metal-Arc-Welded Steel Pipe for Use With High-Pressure Transmission Systems, Specification for, **A381 (01.01)**
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**

Transmissivity
(Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, Test Method for, **D5473 (04.08)**
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
Defining Initial Conditions in Groundwater Flow Modeling, Guide for, **D5610 (04.08)**
Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, Test Method (Analytical Procedure) for, **D6029 (04.09)**
Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, Test Method (Analytical Procedure) for, **D6028 (04.09)**
Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**
Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, Test Method for, **D5270 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Estimation of LNAPL Transmissivity, Guide for, **E2856 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring the Night Vision Goggle-Weighted Transmissivity of Transparent Parts, Test Method for, **F1863 (15.03)**
Selection of Test Methods for Prefabricated Vertical Drains (PVD), Guide for, **D6917 (04.13)**

Transmissivity and reflectivity
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
(Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), Test Method, **D4104 (04.08)**
(Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, Test Method for, **D4044 (04.08)**
(Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, Test Method for, **D4050 (04.08)**
Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, Test Method for, **D4716/D4716M (04.13)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Measuring the Transmissivity of Transparent Parts, Test Method for, **F1316 (15.03)**
Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, Guide for, **D4043 (04.08)**

Transmissometer
Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, Practice for, **D6216 (11.07)**

Transmittal (of information)
Transmittal of Evidence in Sexual Assault Investigation, Practice for, **E2123 (14.02)**

Transmittance and reflectance
Analysis of Metals, Ores, and Related Materials by Spectrophotometry, Practice for, **E60 (03.05)**
Appearance, Terminology of, **E284 (06.01)**
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Conducting Exposures to Daylight Filtered Through Glass, Practice for, **G24 (14.04)**
Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, Test Method for, **D5263 (05.06)**
Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, Guide for, **C1558 (04.06)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, Practice for, **E805 (06.01)**
Instrumental Transmittance Measurement of Color for Flat Glass, Coated and Uncoated, Practice for, **C1649 (15.02)**
Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, Test Method for, **E1477 (06.01)**
Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, Test Methods for, **E1897 (03.03)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, Practice for, **E1767 (06.01)**
Thermal Resistance of Batting Systems Using a Hot Plate, Test Method for, **D1518 (07.01)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**
Ultraviolet Transmittance of Monoethylene Glycol (Ultraviolet Spectrophotometric Method), Test Method for, **E2193 (15.05)**

Transmittance and reflectance—plastics
Diffuse Light Transmission Factor of Reinforced Plastics Panels, Test Method for, **D1494 (08.03)**
Glass-Fiber-Reinforced Polyester Plastic Panels, Specification for, **D3841 (08.03)**
Haze and Luminous Transmittance of Transparent Plastics, Test Method for, **D1003 (08.01)**
Polyethylene Film and Sheeting, Specification for, **D2103 (08.01)**

Transmittance and reflectance—solar devices
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, Test Method for, **E903 (12.02)**
Solar Energy Transmittance and Reflectance (Terrestrial) of Sheet Materials, Test Methods for, **E424 (12.02)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**
Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, Test Method for, **E1084 (12.02)**

Transmitted beam
Qualification of Radioscopic Systems, Practice for, **E1411 (03.03)**

Transmited shock characteristics
Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, Test Methods for, **D4168 (15.10)**

Transparent coatings
Sa **Opacity/opaque materials**
Abrasion Resistance of Transparent Plastics and Coatings Using the Oscillating Sand Method, Test Method for, **F735 (15.03)**
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, Test Method for, **B588 (02.05)**
Polarized Light Detection of Flaws in Aerospace Transparency Heating Elements, Practice for, **F319 (15.03)**

Transparent conducting electrodes (TCEs)
Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2240 (04.12)**
Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, Test Method for, **E2241 (04.12)**
Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, Test Method for, **E2355 (04.12)**

Transparent glass
Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Retardation Compensation Procedures, Test Method for, **C978 (15.02)**

Transparent glass—specifications
Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, Specification for, **F2179 (15.11)**
Flat Glass, Specification for, **C1036 (15.02)**

Transparent liquids
Color of Transparent Liquids (Gardner Color Scale), Test Method for, **D1544 (06.01)**
Glass Capillary Kinematic Viscometers, Specifications and Operating Instructions for, **D446 (05.01)**
Kinematic Viscosity of Transparent and Opaque Liquids by Automated Houillon Viscometer, Test Method for, **D7279 (05.04)**

Transparent materials
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Dust Erosion Resistance of Optical and Infrared Transparent Materials and Coatings, Test Method for, **F1864 (15.03)**
Measuring Optical Angular Deviation of Transparent Parts Using the Double-Exposure Method, Test Method for, **F2469 (15.03)**
Measuring the Night Vision Goggle-Weighted Transmissivity of Transparent Parts, Test Method for, **F1863 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**
Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, Test Method for, **E1349 (06.01)**
Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, Test Method for, **E1348 (06.01)**
Viscosity of Transparent Liquids by Bubble Time Method, Test Method for, **D1545 (06.01)**
Visual Color Evaluation of Transparent Sheet Materials, Practice for, **E1478 (06.01)**

Transparent plastics
Diffuse Light Transmission Factor of Reinforced Plastics Panels, Test Method for, **D1494 (08.03)**
Haze and Luminous Transmittance of Transparent Plastics, Test Method for, **D1003 (08.01)**
Index of Refraction of Transparent Organic Plastics, Test Method for, **D542 (08.01)**
Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, Test Method for, **D4093 (08.02)**
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
Resistance of Transparent Plastics to Surface Abrasion, Test Method for, **D1044 (08.01)**
Sample Preparation of Transparent Plastic Films used on Membrane Switch Overlays for Specular Gloss Measurements, Practice for, **F1843 (10.04)**
Transparency of Plastic Sheeting, Test Method for, **D1746 (08.01)**

Transparent plastics (aerospace)
See **Aerospace transparent enclosures**

Transportable shelters
Cargo Bed Cover (CBC) HMMWV, Type I, Performance Specification for, **E2462 (04.12)**
Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, Practice for, **E1793 (04.11)**

Transportation
Commercial Packaging, Practice for, **D3951 (15.10)**
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Evaluation and Selection of Transportation for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, Specification for, **E2743 (04.12)**
Financing and Financial Accountability of Medical Transportation Systems, Guide for, **F1493 (13.02)**
Fire Hazard Assessment of Rail Transportation Vehicles, Guide for, **E2061 (04.07)**
Handling, Transportation, and Storage of IG-100 (Nitrogen), Practice for, **D7323 (15.05)**
Handling, Transportation, and Storage of IG-541 N2, Ar , CO2, Practice for, **D7325 (15.05)**
Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, Practice for, **E1234 (15.03)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Multi-Layer Steel (MLS) and Other Metal Layer Gaskets for Transportation Applications, Classification for, **F2325 (09.02)**
Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, Practice for, **E1628 (11.03)**
Preserving and Transporting Rock Core Samples, Practices for, **D5079 (04.08)**
Preserving and Transporting Soil Samples, Practices for, **D4220 (04.08)**
Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, Specification for, **F2234 (15.11)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Transportation—chemicals
Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), Practice for, **D5631 (15.05)**
Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), Practice for, **D6268 (15.05)**
Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), Practice for, **D6065 (15.05)**
Handling, Transportation, and Storage of HFC-23 (Trifluoromethane, CHF3), Practice for, **D6127 (15.05)**
Handling, Transportation, and Storage of HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane (CF3CH2CF3), Practice for, **D6427/D6427M (15.05)**

Transportation applications
Determination of Volatile Content for Formed-in-Place Gaskets (FIPG) Silicone Adhesives and Sealants for Transportation Applications, Practice for, **F2524 (09.02)**
Determining Silicone Volatiles in Silicone Rubber for Transportation Applications, Practice for, **F2466 (09.02)**
Measuring Static Sealing Pressure Using Pressure-Indicating Film (PIF) in Transportation Applications, Practice for, **F2467 (09.02)**
Specifying Silicone Adhesives and Sealants for Transportation Applications, Classification for, **F2468 (09.02)**

Transportation vibration
Mechanical-Shock Fragility of Products, Using Shock Machines, Test Methods for, **D3332 (15.10)**
Vibration (Vertical Linear Motion) Test of Products, Test Methods for, **D3580 (15.10)**

Transport in metals
Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, Practice for, **G148 (03.02)**

Transport mechanism
Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, Practice for, **E1312 (03.03)**

Transport of ions
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Transport packaging
Concentrated Impacts to Transport Packages, Test Method for, **D6344 (15.10)**
Transport Packaging Design, Guide for, **D6198 (15.10)**
Transport speed
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Transport units (EMS)
See **Emergency medical services (EMS)**
Transthickness tensile strength
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**
Transverse aggregate spread rate
Determining the Transverse-Aggregate Spread Rate for Surface Treatment Applications, Practice for, **D5624 (04.03)**
Transverse application rate
Estimating Application Rate of Bituminous Distributors, Practice for, **D2995 (04.03)**
Transverse compressive properties
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse discontinuities
Sa **Discontinuities**
Ultrasonic Testing of Metal Pipe and Tubing, Practice for, **E213 (03.03)**
Transverse frequencies
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, Test Method for, **C747 (05.05)**
Transverse load-bearing materials/applications
Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, Test Method for, **E2322 (04.12)**
Evaluating System Effects in Repetitive-Member Wood Assemblies, Guide for, **D6555 (04.10)**
Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, Specification for, **C1007 (04.01)**
Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, Methods of, **E2127 (04.12)**
Transverse modulus of elasticity
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Transverse profile
Classification of Automated Pavement Condition Survey Equipment, Guide for, **E1656/E1656M (04.03)**
Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**
Transverse rupture strength
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Transverse Rupture Strength of Cemented Carbides, Test Method for, **B406 (02.05)**
Transverse Rupture Strength of Powder Metallurgy (PM) Specimens, Test Method for, **B528 (02.05)**
Transverse sensitivity
Performance Characteristics of Metallic Bonded Resistance Strain Gauges, Test Methods for, **E251 (03.01)**
Transverse strength
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Strength Properties of Prefabricated Architectural Acoustical Tile or Lay-In Ceiling Panels, Test Methods for, **C367/C367M (04.06)**
Transverse Shear Strength of Fiber-reinforced Polymer Matrix Composite Bars, Test Method for, **D7617/D7617M (15.03)**
Transverse testing
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Nondestructive Evaluation of Wood-Based Flexural Members Using Transverse Vibration, Test Methods for, **D6874 (04.10)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Transvinylene unsaturation
Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6248 (08.03)**
Trans-vinylene yield
Evaluating Trans-Vinylene Yield in Irradiated Ultra-High Molecular Weight Polyethylene Fabricated Forms Intended for Surgical Implants by Infrared Spectroscopy, Test Method for, **F2381 (13.01)**
Trapezoidal structure
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Trapezoid tearing test
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Tearing Strength of Fabrics by Trapezoid Procedure, Test Method for, **D5587 (07.02)**
Trapezoid Tearing Strength of Geotextiles, Test Method for, **D4533 (04.13)**
Trapezoid Tearing Strength of Leather, Test Method for, **D6077 (15.04)**
Trapped seed sediment
Live Staking, Practice for, **D6765 (04.09)**
Traps
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**
Steam Traps and Drains, Specification for, **F1139 (01.07)**
Water Trap for Diesel Exhaust, Specification for, **F1431 (01.07)**
Trap sampling
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Traps (drainage)
Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, Specification for, **F2618 (08.04)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**
Trash receptacle
Blast Resistance of Trash Receptacles, Test Method for, **E2639 (15.08)**
Trash Receptacles Subjected to Blast Resistance Testing, Specification for, **E2740 (15.08)**
Trauma
Development and Operation of Level 1 Pediatric Trauma Facilities, Guide for, **F1286 (13.02)**
Travel
Measuring the Force-Displacement of a Membrane Switch, Test Method for, **F2592 (10.04)**
Traveled surface characteristics
Sa **Pavement surfaces**
Simulating Profilograph Response to Longitudinal Profiles of Traveled Surfaces, Practice for, **E2955 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, Test Method for, **E2133 (04.03)**

Traveltime
Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, Test Method for, **D5389 (11.01)**

Travertine dimension stone
Travertine Dimension Stone, Specification for, **C1527/C1527M (04.07)**

Treadlife/treadware
Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, Practice for, **F1426 (09.02)**
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**

Treadmills (motorized)
See **Motorized treadmills**

Tread plate
Aluminum-Alloy Rolled Tread Plate, Specification for, **B632/B632M (02.02)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**

Tread surface wear patterns
Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, Test Method for, **F762/F762M (09.02)**
Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, Practice for, **F1426 (09.02)**
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**
Measuring Groove and Void Depth in Passenger Car Tires, Test Method for, **F421 (09.02)**
Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, Practice for, **F870 (09.02)**

Treatability
Consideration of Bioremediation as an Oil Spill Response Method on Land, Guide for, **F1693 (11.05)**

Treated fabric
Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, Test Methods for, **D2861 (10.02)**

Treated wood
Combustible Properties of Treated Wood by the Fire-Tube Apparatus, Test Method for, **E69 (04.10)**
Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, Test Method for, **D5516 (04.10)**
Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, Test Method for, **D3345 (04.10)**

Treatment adjustment factors
Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, Practice for, **D6841 (04.10)**

Treeing
Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, Test Method for, **D3756 (10.02)**
Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, Test Method for, **D6097 (10.02)**

Trees
Construction of Sand-based Rootzones for Golf Putting Greens and Tees, Guide for, **F2747 (15.07)**
Personal Climbing Equipment, Specifications for, **F887 (10.03)**
Sampling Forest Trees for Determination of Clear Wood Properties, Practice for, **D5536 (04.10)**
Wood and Wood-Based Products, Terminology Relating to, **D9 (04.10)**

Treestand (materials/applications/testing)
Load Capacity of Treestand Seats, Test Method for, **F2531 (15.07)**
Testing Treestand Ladder, Tripod Stand and Climbing Stick Load Capacity, Practice for, **F2124 (15.07)**
Testing Treestand Load Capacity, Practice for, **F2120 (15.07)**
Treestand Fall Arrest System, Test Method for, **F2337 (15.07)**
Treestand Instructions, Practice for, **F2123 (15.07)**
Treestand Labels, Practice for, **F2121 (15.07)**
Treestand Manufacturer Quality Assurance Program, Practice for, **F2275 (15.07)**
Treestand Repetitive Loading Capability, Test Method for, **F2128 (15.07)**
Treestand Safety Devices, Practice for, **F2122 (15.07)**
Treestand Static Load Capacity, Test Method for, **F2126 (15.07)**
Treestand Static Stability and Adherence, Test Method for, **F2125 (15.07)**

Trellis wire
Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, Specification for, **A854/A854M (01.06)**

Tremolite asbestos fibers
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, Test Method for, **D5756 (11.07)**
Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, Test Method for, **D5755 (11.07)**

Trenches
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Installing Asbestos-Cement Nonpressure Pipe, Guide for, **C966 (04.05)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A998/A998M (01.06)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**

Trench safety
Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, Guide for, **F2233 (04.12)**

Trend analysis
Condition Monitoring of Nitration in In-Service Petroleum and Hydrocarbon-Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7624 (05.04)**
Condition Monitoring of Oxidation in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7414 (05.04)**
Condition Monitoring of Phosphate Antiwear Additives in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7412 (05.04)**
Condition Monitoring of Sulfate By-Products in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Test Method for, **D7415 (05.04)**
Practical Lubricant Condition Data Trend Analysis, Guide for, **D7669 (05.04)**
Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, Practice for, **E1847 (11.06)**

Triage
Planning for and Response to a Multiple Casualty Incident, Guide for, **F1288 (13.02)**
Scope of Performance of Triage in a Prehospital Environment, Guide for, **F1653 (13.02)**
Training and Evaluation of First Responders Who Provide Emer-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

gency Medical Care, Guide for, **F1453 (13.02)**
Training and Evaluation of Individuals Who are Responsible for or Perform Triage in a Prehospital Environment, Guide for, **F1654 (13.02)**
Trialeurodes vaporarium **Westwood**
Encarsia formosa Gahan (*Hymenoptera:Aphelinidae*), Specification for, **E2199 (11.05)**
Triangle test
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
Sensory Analysis—Triangle Test, Test Method for, **E1885 (15.08)**
Triangular specimens
Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), Test Method for, **D1171 (09.01)**
Triaxial braid
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**
Triaxial compression
Sa **Compression testing**
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Creep of Rock Core Under Constant Stress and Temperature, Test Methods for, **D7070 (04.09)**
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils, Test Method for, **D2850 (04.08)**
Triaxial pressure
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Load Controlled Cyclic Triaxial Strength of Soil, Test Method for, **D5311/D5311M (04.08)**
Triaxial stress
the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, Test Methods for, **D3999/D3999M (04.08)**
Triazines
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Tribasic calcium phosphate
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**
Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, Test Method for, **F1044 (13.01)**
Tribocharge
Determining the Tribocharge of Two-Component Developer Materials, Test Method for, **F1425 (15.09)**
Triboelectric method
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**
Triboelements
Measuring and Reporting Friction Coefficients, Guide for, **G115 (03.02)**
Tribological systems
Damage to Contacting Solid Surfaces under Fretting Conditions, Test Method for, **G204 (03.02)**
Determining Friction Energy Dissipation in Reciprocating Tribosystems, Guide for, **G203 (03.02)**
Determining the Tribological Behavior and the Relative Lifetime of a Fluid Lubricant using the Spiral Orbit Tribometer, Test Method for, **F2661 (01.08)**
Tribology
Digital Data Acquisition in Wear and Friction Measurements, Guide for, **G163 (03.02)**
Tribomechanical properties
Determining Tribomechanical Properties of Grease Lubricated Plastic Socket Suspension Joints Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7420 (05.04)**
Tribometer
Determining the Tribological Behavior and the Relative Lifetime of a Fluid Lubricant using the Spiral Orbit Tribometer, Test Method for, **F2661 (01.08)**
Reporting Slip Resistance Test Results, Practice for, **F2048 (15.07)**
Validation, Calibration, and Certification of Walkway Tribometers Using Reference Surfaces, Practice for, **F2508 (15.07)**
Tributyl tin (TBT)
Organotin Release Rates of Antifouling Coating Systems in Sea Water, Test Method for, **D5108 (06.02)**
Tricalcium phosphate
X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings, Practice for, **F2024 (13.01)**
Trichinella spiralis
Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, Practice for, **F1356 (12.02)**
1,1,2-Trichloro 1,2,2-trifluoroethane—specifications
Reclaimed 1,1,2-Trichloro 1,2,2-Trifluoroethane, Specification for, **D5248 (15.05)**
1,1,1–Trichloroethane
Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, Test Method for, **D2943 (15.05)**
Reclaimed 1,1,1-Trichloroethane, Specification for, **D5394 (15.05)**
Solubility of Asphalt Binders in Toluene by Centrifuge, Test Method for, **D5546 (04.03)**
Vapor-Degreasing Grade and General Solvent Grade, Specification for, **D4126 (15.05)**
Trichloroethylene
Sa **Solvents**
Reclaimed Trichloroethylene, Specification for, **D5616 (15.05)**
Screening Trichloroethylene (TCE)-Contaminated Media Using a Heated Diode Sensor, Practice for, **D7203 (11.04)**
Trichloroethylene, Technical and Vapor-Degreasing Grade, Specification for, **D4080 (15.05)**
Trichloroethylene solubility
Solubility of Asphalt Materials in Trichloroethylene, Test Method for, **D2042 (04.03)**
2,4,5-Trichlorophenoxyacetic acid (2,4,5-T)
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
2,4,5-Trichlorophenoxypropionic acid (silvex)
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Trichlorotrifluoroethane
Chloride in Trichlorotrifluoroethane, Test Method for, **D3443 (15.05)**
Electronic and Degreasing Grades of, Specification for, **D4995 (15.05)**
Specific Aqueous Conductance of Trichlorotrifluoroethane, Test Method for, **D3448 (15.05)**
Total Acid Number of Trichlorotrifluoroethane, Test Method for, **D3444 (15.05)**
Trichophyton mentagrophytes conidia
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, Quantitative Carrier Test Method to, **E2111 (11.05)**
Trickling filters
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Tridirectional (3-D) ceramic matrix composites
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tridymite
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Trier sampler
Sampling Unconsolidated Solids in Drums or Similar Containers, Practice for, **D5680 (11.04)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**
Sampling Using a Trier Sampler, Practice for, **D5451 (11.04)**
***bis*-Triethoxysilylpropyl sulfanes**
Silanes Used in Rubber Formulations, Test Method for, **D6843 (09.01)**
Silanes Used in Rubber Formulations, Test Method for, **D6844 (09.01)**
***bis*-(Triethoxysilylpropyl) sulfanes**
Silanes Used in Rubber Formulations, Test Method for, **D6740 (09.01)**
Silanes Used in Rubber Formulations, Test Methods for, **D6741 (09.01)**
Triethylamine
Compatibility of Screening Analysis of Waste, Practices for, **D5058 (11.04)**
Triethylene glycol
Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, Test Method for, **E2679 (15.05)**
Glycol Impurities in Mono-, Di-, Tri- and Tetraethylene Glycol and in Mono- and Dipropylene Glycol, Test Method for, **E2409 (15.05)**
Trifluoromethane (CHF_3)
Handling, Transportation, and Storage of HFC-23 (Trifluoromethane, CHF3), Practice for, **D6127 (15.05)**
HFC-23 (Trifluoromethane, CHF, Specification for, **D6126/D6126M (15.05)**
TRIGA-type reactors
Neutron Irradiation of Unbiased Electronic Components, Guide for, **F1190 (10.04)**
Trigeminal response
Sensory Evaluation of Axillary Deodorancy, Guide for, **E1207 (15.08)**
Trigger pull test
Non-Powder Guns, Consumer Safety Specification for, **F589 (15.11)**
Triglyceride
Triglyceride Burner Fuel, Specification for, **D7666 (05.04)**
Trilinear diagram
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
TMQ (2,2,4–trimethyl–1,2–dihydroquinoline)
Rubber Compounding Materials—Determination of the Basic Nitrogen Content in Rubber Antioxidant: Polymerized TMQ, Test Method for, **D5376 (09.01)**
Trimethylamine
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Trimethyl-dihydroquinolines
Rubber Compounding Materials—Antidegradants, Classification for, **D4676 (09.01)**
2,2,4-Trimethylpentane
See *Iso*octane
Trinidad lake asphalt
Performance Graded Trinidad Lake Modified Asphalt Binder, Specification for, **D6626 (04.03)**
the Identification of Trinidad Lake Asphalt in Asphalt Mixes, Practice for, **D6608 (04.03)**
Trinidad Lake Modified Asphalt, Specification for, **D5710/D5710M (04.03)**
Triple expansion method
Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), Test Method for, **D6378 (05.03)**
Triple point cells
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Triple spot test
Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, Test Method for, **A309 (01.06)**
Triple wall corrugated fiberboard containers
Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, Practice for, **D5168 (15.10)**
Triple-wall percussion-hammer drilling method
Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**
Tripod treestand
Load Capacity of Treestand Seats, Test Method for, **F2531 (15.07)**
Testing Treestand Ladder, Tripod Stand and Climbing Stick Load Capacity, Practice for, **F2124 (15.07)**
Trip sheet
Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, Test Method for, **F762/F762M (09.02)**
Trisodium phosphate
See **Sodium hydroxide**
Tristimulus value
Appearance, Terminology of, **E284 (06.01)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates, Practice for, **D2244 (06.01)**
Calculation of Weighting Factors for Tristimulus Integration, Practice for, **E2022 (06.01)**
Color and Color-Difference Measurement by Tristimulus Colorimetry, Test Method for, **E1347 (06.01)**
Color of Liquids Using Tristimulus Colorimetry, Test Method for, **D5386 (06.04)**
Color of Petroleum Products by the Automatic Tristimulus Method, Test Method for, **D6045 (05.02)**
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**
Computing the Colors of Objects by Using the CIE System, Practice for, **E308 (06.01)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, Test Method for, **C609 (15.02)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**
Specifying Color by Using the Optical Society of America Uniform Color Scales System, Practice for, **E1360 (06.01)**
Visual Evaluation of Metamerism, Practice for, **D4086 (06.01)**
Tritensile plane strain
Linear-Elastic Plane-Strain Fracture Toughness K, Test Method for, **E399 (03.01)**
Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, Practice for, **B645 (02.02)**
Triterpanes
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tritium
Nondestructive Assay of Plutonium, Tritium and 241Am by Calorimetric Assay, Test Method for, **C1458 (12.01)**
Tritium in Drinking Water, Test Method for, **D4107 (11.02)**
Tritium removal
Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, Guide for, **C1062 (12.01)**
TRM (turf reinforcement mat)
See **Turf reinforcement mats (TRMs)**
Trolley wire
Bronze Trolley Wire, Specification for, **B9 (02.03)**
Copper Trolley Wire, Specification for, **B47 (02.03)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Figure-9 Deep-Grooved and Figure-8 Copper Trolly Wire for Industrial Haulage, Specification for, **B116 (02.03)**
Tropical environments
Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments, Guide for, **F2205 (11.05)**
Trouble shooting
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Troughability
Rubber (Elastomeric) Conveyor Belting, Flat Type, Test Methods for, **D378 (09.02)**
Trouser tear
Tear-Propagation Resistance (Trouser Tear) of Plastic Film and Thin Sheeting by a Single-Tear Method, Test Method for, **D1938 (08.01)**
Trout
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
Trowel-on materials
Acoustically Absorptive Materials Applied by Trowel or Spray, Classification for, **E1042 (04.06)**
Coal Tar Roof Cement, Asbestos Containing, Specification for, **D4022/D4022M (04.04)**
Trowel applications
Asphalt Roof Cement, Asbestos-Free, Specification for, **D4586/D4586M (04.04)**
Trowel-applied asbestos-containing building materials
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
TR test
Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), Test Method for, **D1329 (09.01)**
Trucks
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, Specification for, **A656/A656M (01.04)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIB Spark Ignition Engine, Test Method for, **D6837 (05.03)**
Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, Test Method for, **D7589 (05.04)**
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**
Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, Practices for, **E2034 (04.03)**
Strapping, Nonmetallic (and Joining Methods), Specification for, **D3950 (15.10)**
Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**
Trucks—tires
Static Measurements on Tires for Passenger Cars, Light Trucks, and Medium Duty Vehicles, Test Method for, **F1502 (09.02)**
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**
Truck sampling
Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, Practice for, **D6883 (05.06)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**
Truck tires
225/75R16C 116/114S M+S Radial Light Truck Standard Reference Test Tire, Specification for, **F2872 (09.02)**
245/70R19.5 136/134M Radial Truck Standard Reference Test Tire, Specification for, **F2871 (09.02)**
315/70R22.5 154/150L Radial Truck Standard Reference Test Tire, Specification for, **F2870 (09.02)**
Commercial Radial Truck-Bus Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Roadwheel and a Flat Surface, Practice for, **F2779 (09.02)**
Preparing Artificially Worn Passenger and Light Truck Tires for Testing, Guide for, **F1046 (09.02)**
True boiling point (TBP)
Distillation of Crude Petroleum (15-Theoretical Plate Column), Test Method for, **D2892 (05.01)**
True continuous magnetization technique
See **Magnetic particle inspection**
Trueness/squareness
Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, Test Method for, **C550 (04.06)**
True red lead pigment
Chemical Analysis of Red Lead, Test Methods of, **D49 (06.03)**
True shear strength
See **Shear testing**
True size
Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD), Specification for, **F2160 (08.04)**
True specific gravity
Sa **Specific gravity**
True Specific Gravity of Refractory Materials by Gas-Comparison Pycnometer, Test Method for, **C604 (15.01)**
True Specific Gravity of Refractory Materials by Water Immersion, Test Method for, **C135 (15.01)**
True vertical
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
True volume
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**
Trunk cut nails
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Truss assemblies
Static Load Testing of Truss Assemblies, Practice for, **E73 (04.11)**
Trusses
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
Truss rod assembly
Fence Fittings, Specification for, **F626 (01.06)**
Trusted third party
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
TSEC (total solvent extractables content)
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
T-shirts
the Evaluation of Machine Washable T-Shirts, Practice for, **D6321/D6321M (07.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Toasters
Performance of Conveyor Toasters, Test Method for, **F2380 (15.12)**
Tube bending
Low Melting Point Alloys, Specification for, **B774 (02.04)**
Tube bundles
Acoustic Pulse Reflectometry Examination of Tube Bundles, Practice for, **E2906/E2906M (03.03)**
Tube for medical gas systems
Seamless Copper Tube for Medical Gas Systems, Specification for, **B819 (02.01)**
Tube-furnace method
Behavior of Materials in a Tube Furnace with a Cone-shaped Airflow Stabilizer, at 750°C, Test Method for, **E2652 (04.07)**
Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, Test Method for, **D5987 (05.06)**
Tube loop test
Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, Practice for, **E712 (12.02)**
Tuberculosis (TB)
Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, Guide for, **E2048 (14.02)**
Tubes (electrical insulating)
Sa **Electrical insulating solids**
Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3150 (10.02)**
Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2903 (10.02)**
Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3144 (10.02)**
Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D3149 (10.02)**
Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, Specification for, **D2902 (10.02)**
Heat-Shrinkable Tubing for Electrical Use, Test Methods for, **D2671 (10.02)**
Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, Test Methods of, **D668 (10.01)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, Specification for, **D710 (10.01)**
Tube shear test
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Tube sheet leak test
Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, Practices for, **D3923 (11.02)**
Tubestock
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
Tube-type sampler
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**
Tubifex Tubifex
Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, Test Method for, **E1706 (11.06)**
Tubing
Chlorinated Poly(Vinyl Chloride)/Aluminum/Chlorinated Poly(Vinyl Chloride) (CPVC-AL-CPVC) Composite Pressure Tubing, Specification for, **F2855 (08.04)**
Cold Formed Carbon Structural Steel Tubing Made from Metallic Precoated Sheet Steel, Specification for, **A1076/A1076M (01.01)**
Crosslinked Polyethylene (PEX) Tubing of 0.070 in. Wall and Fittings for Radiant Heating Systems up to 75 psig, Specification for, **F2929 (08.04)**
Estimating the Approximate Residual Circumferential Stress in Straight Thin-walled Tubing, Practice for, **E1928 (03.01)**
Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, Practice for, **C585 (04.06)**
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Pneumatic Leak Testing of Tubing, Test Method for, **A1047/A1047M (01.01)**
Polyamide 11 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2945 (08.04)**
Polyamide 12 Gas Pressure Pipe, Tubing, and Fittings, Specification for, **F2785 (08.04)**
Polyethylene of Raised Temperature (PE-RT) Plastic Hot and Cold-Water Tubing and Distribution Systems, Specification for, **F2769 (08.04)**
Polyethylene of Raised Temperature (PE-RT) SDR 9 Tubing, Specification for, **F2623 (08.04)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), Specification for, **F2527 (13.02)**
Tubing—plastic
Plastic Insert Fittings For SDR9 Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing, Specification for, **F2735 (08.04)**
Tubular bar
Extruded and Compression Molded Shapes Made from Polycarbonate (PC), Specification for, **D6098 (08.03)**
Tubular glass/plastic reading indicators
Indicators, Sight, Liquid Level, Direct and Indirect Reading, Tubular Glass/Plastic, Specification for, **F2045 (01.07)**
Tubular glassware (graduated/non-graduated)
Sampling and Testing of Reusable Laboratory Glassware, Specification for, **E1157 (14.04)**
Tubular ovens
See **Ovens**
Tubular products
Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, Practice for, **E309 (03.03)**
Flux Leakage Examination of Ferromagnetic Steel Tubular Products, Practice for, **E570 (03.03)**
In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, Practice for, **E2096/E2096M (03.03)**
Videoborescoping of Tubular Products for Sanitary Applications, Guide for, **A1015 (01.01)**
Tubular reverse osmosis devices
See **Reverse osmosis (RO) installations**
Tubular sleeving
Sa **Sleeves/sleeving—specifications**
Asbestos Tubular Sleeving, Specification for, **D628/D628M (04.05)**
Tuck pointing
Repointing (Tuckpointing) Historic Masonry, Guide for, **E2260 (04.12)**
Tuft bind
Tuft Bind of Pile Yarn Floor Coverings, Test Method for, **D1335 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tufted pile flooring
Sa **Pile yarn floor coverings**
Tufted and Woven Broadloom Carpet Adhesives Without Homogenous PVC or Non-PVC Backings, Specification for, **D7799 (15.06)**
Tuft element length
Tuft Element Length of Uncoated Pile Yarn Floor Coverings, Test Method for, **D6283 (07.02)**
Tuft height
Pile Thickness of Finished Level Pile Yarn Floor Coverings, Test Method for, **D6859 (07.02)**
Tuft Height of Pile Floor Coverings, Test Method for, **D5823 (07.02)**
Tumble jar
Evaluation of Laundry Sanitizers and Disinfectants, Test Method for, **E2274 (11.05)**
Tumble tests
Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, Test Method for, **E279 (03.05)**
Toy Safety, Consumer Safety Specification for, **F963 (15.11)**
Tumbler Test for Coal, Test Method of, **D441 (05.06)**
Tumbler Test for Coke, Test Method for, **D3402/D3402M (05.06)**
Tumbling friability
Tumbling Friability of Preformed Block-Type and Preformed Pipe-Covering-Type Thermal Insulation, Test Method for, **C421 (04.06)**
Tumoreigenic potential
Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, Guide for, **F1439 (13.01)**
Tungsten
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Preparation of Tungsten and Tungsten Alloys for Electroplating, Practice for, **B482 (02.05)**
Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, Guide for, **E1751/E1751M (14.03)**
Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, Test Method for, **E1225 (14.02)**
Tungsten—specifications
Ferrotungsten, Specification for, **A144 (01.02)**
Tungsten Base, High-Density Metal, Specification for, **B777 (02.04)**
Tungsten Plate, Sheet, and Foil, Specification for, **B760 (02.04)**
Tungsten alloying additives
See **Stainless steel alloying additives**
Tungsten alloys
Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, Test Method for, **B890 (02.05)**
Preparation of Tungsten and Tungsten Alloys for Electroplating, Practice for, **B482 (02.05)**
Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, Specification for, **A1048/A1048M (01.05)**
Tungsten carbide
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, Practice for, **B859 (02.05)**
Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, Test Method for, **B890 (02.05)**
Determination of Tap Density of Metallic Powders and Compounds, Test Method for, **B527 (02.05)**
Metallographic Identification of Microstructure in Cemented Carbides, Guide for, **B657 (02.05)**
Metallographic Sample Preparation of Cemented Tungsten Carbides, Guide for, **B665 (02.05)**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**
Tungsten carbide powder
See **Metal powders**
Tungsten carbide scribe
Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, Specification for, **F2179 (15.11)**
Tungsten content
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Tungsten-copper
Copper-Tungsten Electrical Contact Material, Specification for, **B702 (02.04)**
Tungsten electrical/electronic applications
Copper-Tungsten Electrical Contact Material, Specification for, **B702 (02.04)**
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Sag of Tungsten Wire, Test Method for, **F269 (10.04)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**
Surface Flaws in Tungsten Seal Rod and Wire, Test Method for, **F204 (10.04)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, Specification for, **F73 (10.04)**
Tungsten high-speed tool steel
Sa **Tool steel—specifications**
Tool Steel High Speed, Specification for, **A600 (01.05)**
Tungsten powder
Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), Test Method for, **E159 (02.05)**
Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**
Tungsten-rhenium thermocouple systems
See **Thermocouples**
Tungsten-rhenium wire
Tungsten-Rhenium Alloy Thermocouple Wire, Specification for, **E696 (14.03)**
Tungsten silicide (WSi_x)
Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, Test Method for, **F1894 (10.04)**
Refractory Silicide Sputtering Targets for Microelectronic Applications, Specification for, **F1238 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Tool steel
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Tungsten/tungsten-halogen lamps
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Tuning fork weldment
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Tunneling
Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, Test Method for, **F1438 (10.04)**
Tunnel method
Small-Scale Evaluation of Fire-Retardant Paints (2-Foot Tunnel Method), Test Method of, **D3806 (06.01)**
Tunnels
Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, Test Method for, **D4645 (04.08)**
Extended Duration Surface Burning Characteristics of Building Materials (30 min Tunnel Test), Test Method for, **E2768 (04.07)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Tup (falling weight)
Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight), Test Method for, **D2444 (08.04)**
Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Falling Dart (Tup or Falling Mass), Test Method for, **D5628 (08.03)**
Turbidimeter method
Determination of Turbidity Below 5 NTU in Static Mode, Test Method for, **D6855 (11.01)**
Fineness of Portland Cement by the Turbidimeter, Test Method for, **C115/C115M (04.01)**
Reporting Particle Size Characteristics of Pigments, Practice for, **D1366 (06.03)**
Sulfate Ion in Brackish Water, Seawater, and Brines, Test Method for, **D4130 (11.02)**
The Use of Various Turbidimeter Technologies for Measurement of Turbidity in Water, Guide for, **D7726 (11.01)**
Turbidity
Continuous Measurement of Turbidity Above 1 Turbidity Unit (TU), Test Method for the, **D7725 (11.01)**
Determination of Turbidity Above 1 Turbidity Unit (TU) in Static Mode, Test Method for, **D7315 (11.01)**
Determination of Turbidity Below 5 NTU in Static Mode, Test Method for, **D6855 (11.01)**
Monitoring of Suspended-Sediment Concentration in Open Channel Flow Using Optical Instrumentation, Guide for, **D7512 (11.01)**
On-Line Measurement of Turbidity Below 5 NTU in Water, Test Method for, **D6698 (11.01)**
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**
Resin Solution Dilutability by Volumetric/Gravimetric Determination, Test Method for, **D5062 (06.03)**
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**
Turbidity titration
Silica, Precipitated, Hydrated—CTAB (Cetyltrimethylammonium Bromide) Surface Area, Test Method for, **D6845 (09.01)**
Turbine airfoil/blade/bucket applications
Stainless Steel Bars for Compressor and Turbine Airfoils, Specification for, **A1028 (01.03)**
Steel Forgings, Stainless, for Compressor and Turbine Airfoils, Specification for, **A982/A982M (01.05)**
Turbine fuels
Sa **Aviation turbine fuels**
Aviation Certification Turbine Fuel, Specification for, **D7223 (05.04)**
Aviation Turbine Fuel Containing Synthesized Hydrocarbons, Specification for, **D7566 (05.04)**
Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), Test Method for, **D6748 (05.03)**
Turbine generators
See **Generator materials—turbine**
Turbine lubricants
Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, Guide for, **D6439 (05.03)**
Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, Test Method for, **D4636 (05.02)**
Evaluating Compatibility of Mixtures of Turbine Lubricating Oils, Practice for, **D7155 (05.04)**
Measurement of Remaining Primary Antioxidant Content In In-Service Industrial Lubricating Oils by Linear Sweep Voltammetry, Guide for, **D7590 (05.04)**
Phosphate Ester Based Fluids for Turbine Lubrication, Specification for, **D4293 (05.02)**
Turbine oils
Determination of Oxidation Stability and Insolubles Formation of Inhibited Turbine Oils at 120 °C Without the Inclusion of Water (Dry TOST Method), Test Method for, **D7873 (05.04)**
Measurement of Lubricant Generated Insoluble Color Bodies in In-Service Turbine Oils using Membrane Patch Colorimetry, Test Method for, **D7843 (05.04)**
Turbine oil stability test (TOST)—dry
Determination of Oxidation Stability and Insolubles Formation of Inhibited Turbine Oils at 120 °C Without the Inclusion of Water (Dry TOST Method), Test Method for, **D7873 (05.04)**
Turbine powered nozzle
Life Evaluation of a Turbine-Powered Nozzle for Household Central Vacuum Cleaning Systems, Test Method for, **F1692 (15.08)**
Turbine rotors/shafts
Heat Stability of Steam Turbine Shafts and Rotor Forgings, Specification for, **A472/A472M (01.05)**
Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, Specification for, **A891/A891M (01.05)**
Ultrasonic Examination from Bored Surfaces of Cylindrical Forgings, Practice for, **A939/A939M (01.05)**
Vacuum Treated Steel Forgings, Alloy, Differentially Heat Treated, for Turbine Rotors, Specification for, **A940/A940M (01.05)**
Vacuum-Treated 12% Chromium Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A768/A768M (01.05)**
Vacuum-Treated Alloy Steel Forgings for Turbine Rotor Disks and Wheels, Specification for, **A471/A471M (01.05)**
Vacuum-Treated Carbon and Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A470/A470M (01.05)**
Turbines
Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, Specification for, **A962/A962M (01.01)**
Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, Test Method for, **D6522 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measurement of Hindered Phenolic and Aromatic Amine Antioxidant Content in Non-zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6971 (05.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**

Turbines—steel forgings
See **Steel forgings (turbine)**

Turbine-type bolting material
Stainless and Alloy-Steel Turbine-Type Bolting Specially Heat Treated for High-Temperature Service, Specification for, **A437/A437M (01.01)**

Turbocharged/aftercooled four-stroke cycle diesel engine
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**

Turbocharged/supercharged aircraft engine
Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, Practice for, **D6812 (05.03)**

Turbocharger
Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, Guide for, **F1338 (01.07)**

Turbulence
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**
Explosibility of Dust Clouds, Test Method for, **E1226 (14.02)**
Measurement of Atmospheric Wind and Turbulence Profiles by Acoustic Means, Guide for, **D7145 (11.07)**

Turf playing surfaces (athletic)
Sa **Playing surfaces (athletic)**
Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, Test Methods for, **F1551 (15.07)**
Construction and Maintenance of Grass Tennis Courts, Guide for, **F1953 (15.07)**
Construction of Sand-based Rootzones for Golf Putting Greens and Tees, Guide for, **F2747 (15.07)**
Impact Attenuation of Turf Playing Systems as Measured in the Field, Specification for, **F1936 (15.07)**
Maintaining Cool Season Turfgrasses on Athletic Fields, Guide for, **F2060 (15.07)**
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**
Soil and Turfgrass Characteristics of Natural Playing Surfaces, Terminology Relating to, **F2651 (15.07)**
Total Lead Content in Synthetic Turf Fibers, Specification for, **F2765 (15.07)**

Turf reinforcement mats (TRMs)
Determining Stiffness of Geosynthetics Used as Turf Reinforcement Mats (TRMs), Test Method for, **D6575 (04.13)**
Determining the Short-Term Compression Behavior of Turf Reinforcement Mats (TRMs), Test Method for, **D6454 (04.13)**
Measuring Mass per Unit Area of Turf Reinforcement Mats, Test Method for, **D6566 (04.13)**
Measuring the Light Penetration of a Turf Reinforcement Mat (TRM), Test Method for, **D6567 (04.13)**
Measuring the Resiliency of Turf Reinforcement Mats (TRMs), Test Method for, **D6524 (04.13)**
Ultimate Tensile Properties of Turf Reinforcement Mats, Test Method for, **D6818 (04.13)**

Turf testing
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**

Turkey red
See **Iron oxide pigments—red (natural/synthetic)**

Turkish umber
See **Umber (burnt and raw)**

Turnaround time
Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, Guide for, **E1959 (14.01)**

Turnbuckles
Turnbuckles, Swaged, Welded, Forged, Specification for, **F1145 (01.07)**

Turner and Newall (T & N)
Magnetic Rating of Asbestos Fiber and Asbestos Textiles, Test Method for, **D1118/D1118M (04.05)**
Turner and Newall (T and N) Wet-Length Classification of Asbestos, Test Method for, **C1121/C1121M (04.05)**

Turner fluorometer
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**

Turnings
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, Practice for, **E1010 (03.05)**

Turns of twist
Asbestos Yarns, Specification for, **D299/D299M (04.05)**

Turntables
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**

Turpentine
Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, Test Methods for, **D6387 (06.03)**
Sampling and Testing Turpentine, Test Methods of, **D233 (06.03)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**

Twenty-eight day testing
Conducting Sediment Toxicity Tests with Polychaetous Annelids, Guide for, **E1611 (11.06)**
Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, Guide for, **E1688 (11.06)**

Twenty-four hour testing
Sa **Ninety-six hour test**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Approximation of Optimum SO_3 in Hydraulic Cement Using Compressive Strength, Test Method for, **C563 (04.01)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**

Twin-roll casting
Steel Sheet, Twin-Roll Cast, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1063/A1063M (01.06)**
Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1083/A1083M (01.03)**
Steel, Sheet, Hot Rolled, Carbon, Commercial, Structural, and High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, Specification for, **A1039/A1039M (01.03)**

Twist
Angle of Twist in Rectangular and Square Copper and Copper Alloy Tube, Test Method for, **B428 (02.01)**
Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Shear Modulus at Room Temperature, Test Method for, **E143 (03.01)**
Torsion Testing of Wire, Test Method for, **A938 (01.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Twist—textiles
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Manufactured Organic-Base Filament Single Yarns, Tolerances for, **D2497 (07.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Twist in Single Spun Yarns by the Untwist-Retwist Method, Test Method for, **D1422/D1422M (07.01)**
Twist in Yarns by Direct-Counting, Test Method for, **D1423 (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Yarns Spun on the Woolen System, Tolerances for, **D2644 (07.01)**

Twist balance
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**

Twisted coil test
Bond Strength of Electrical Insulating Varnishes by the Twisted-Coil Test, Test Method for, **D4882 (10.02)**

Twisted pair
Thermal Endurance Characteristics of Electrical Insulating Varnishes Applied Over Film-Insulated Magnet Wire, Test Method for, **D3251 (10.02)**

Twisted strand method
Coefficient of Friction, Yarn to Yarn, Test Method for, **D3412/D3412M (07.01)**

Twisting and curling
Curling, Twisting, and Tubing on Unwind of Pressure-Sensitive Tapes, Test Method for, **D3813/D3813M (15.10)**

"Twist off" type bolt/nut/washer assembly
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **F1852 (01.08)**

Two-component developer materials
Determining the Tribocharge of Two-Component Developer Materials, Test Method for, **F1425 (15.09)**
Estimating Toner Usage in Copiers Utilizing Dry Two-Component Developer, Practice for, **F995 (15.09)**

Two-component resin based membrane-forming moisture mitigation systems
Two-Component Resin Based Membrane-Forming Moisture Mitigation Systems for Use Under Resilient Floor Coverings, Practice for, **F3010 (15.04)**

Two-dimensional flexural properties
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**

Two-dimensional process analysis
Dimensional Stability of Sandwich Core Materials, Test Method for, **D6772 (15.03)**

Two-dimensional trilinear graphs
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**

Two-foot tunnel method
Small-Scale Evaluation of Fire-Retardant Paints (2-Foot Tunnel Method), Test Method of, **D3806 (06.01)**

Two-microphone method
Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis System, Test Method for, **E1050 (04.06)**

Two-monochromator method
Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, Practice for, **E2152 (06.01)**

Two-phase geothermal fluids
Sampling Two-Phase Geothermal Fluid for Purposes of Chemical Analysis, Practice for, **E1675 (12.02)**

Two-phase metals
Assessing the Degree of Banding or Orientation of Microstructures, Practice for, **E1268 (03.01)**

Two-phase titrations
Synthetic Anionic Ingredient by Cationic Titration, Test Method for, **D3049 (15.04)**

Two-piece child-resistant closures
Manual Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D3481 (15.10)**

Two-point probe method
See **Probe methods**

Two-point test
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**

Two-sided expandable shelter
Shelter, Tactical, Expandable, Two-Side, Specification for, **E1978 (04.11)**

Two-sided extraction
Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, Test Method for, **D4754 (08.02)**

Two simultaneous dissimilar motions
Automated Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D7257 (15.10)**

Two-step membrane filter (MF) procedure
Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, Test Method for, **D5259 (11.02)**
Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**

Two-stroke-cycle engines
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**

Two-surface method
Field Measurement of Sound Power Level by the Two-Surface Method, Test Method for, **E1124 (04.06)**

Two surface test
Determining Interlaminar Resistance of Insulating Coatings Using Two Adjacent Test Surfaces, Test Method for, **A937/A937M (03.04)**

Two terminal multijunction PV devices
Measurement of Electrical Performance and Spectral Response of Nonconcentrator Multijunction Photovoltaic Cells and Modules, Test Methods for, **E2236 (12.02)**

Two-way digital transmission
Coded Values Used in the Electronic Health Record, Specification for, **E1633 (14.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, Practice for, **E1239 (14.01)**

Two week test
Settling Properties of Traffic Paints During Storage, Test Method for, **D1309 (06.02)**

Tympanic membrane
Infrared Thermometers for Intermittent Determination of Patient Temperature, Specification for, **E1965 (13.01)**

Type A/B/C/D/E/G/H/I/J/K/L mounting
Mounting Test Specimens During Sound Absorption Tests, Practices for, **E795 (04.06)**

Type IA child-resistant closure
Automated Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D7257 (15.10)**

Type IB child-resistant closure
Automated Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D7257 (15.10)**

Type IC child-resistant closure
Automated Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, Test Method for, **D7257 (15.10)**

Type K/L medical gas tube
Seamless Copper Tube for Medical Gas Systems, Specification for, **B819 (02.01)**

Type K (sheathed) thermocouple
Sa **Thermocouples**
Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, Specification for, **E235/E235M (14.03)**
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Type M/1/2/3 vault
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**

Type "Mu" pipe
High-Silicon Iron Pipe and Fittings, Specification for, **A861 (01.02)**

Type R/S/T thermocouples
Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, Guide for, **E633 (03.01)**

Types of dependence
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**

Type S pitot tubes
Calibration of Type S Pitot Tubes, Practice for, **D3796 (11.07)**

Typewriter
Examination of Typewritten Items, Guide for, **E2494 (14.02)**

Typewriter materials/applications
Comparing Cover-Up Correction Media, Test Method for, **F935 (15.09)**
Comparing Lift-Off Correction Media, Test Method for, **F1033 (15.09)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), Test Method for, **F1571 (15.09)**
Determination of Character Yield of Inked Fabric Typewriter and Printer Ribbons, Practice for, **F92 (15.09)**
Determining the Drive Torque for Film and Fabric Ribbon Cartridges, Test Method for, **F1520 (15.09)**
Determining Winding Torque and Tension of Typewriter Ribbons, Test Method for, **F1050/F1050M (15.09)**
Evaluation of Image Quality Produced by Carbonless Copy Paper with an Electric or Electronic Typewriter, Practice for, **F686 (15.09)**
Generating a Test Pattern for Single-Pass Film Ribbons, Practice for, **F1232 (15.09)**
Measuring the Ribbon Exit Force for Film and Fabric Cartridges, Test Method for, **F1225 (15.09)**
Printers, Terminology Relating to, **F909 (15.09)**
Testing Flake of Single-Strike Film Typewriter Ribbons, Practice for, **F627 (15.09)**
Use of the Electric and Electronic Typewriter as a Test Instrument, Practice for, **F497 (15.09)**

Typewritten text
Examination of Typewritten Items, Guide for, **E2494 (14.02)**

U

UAS (Unmanned Aircraft System)
Design and Performance of Pneumatic-Hydraulic Unmanned Aircraft System (UAS) Launch System, Specification for, **F2585 (15.11)**
Maintenance and Development of Maintenance Manuals for Light Unmanned Aircraft System (UAS), Practice for, **F2584 (15.11)**
UAS Registration and Marking (Excluding Small Unmanned Aircraft Systems), Practice for, **F2851 (15.11)**

U-bend discharge
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, Specification for, **D3555 (10.02)**
Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, Specification for, **D3554 (10.02)**

U-bend specimens
Accessories for Gypsum Wallboard and Gypsum Veneer Base, Specification for, **C1047 (04.01)**
Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, Test Method for, **G123 (03.02)**
Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**

U-bolt hangers/joints (for shipboard piping)
Sa **Shipbuilding steel pipe materials—specifications**
Design and Installation of Rigid Pipe Hangers, Practice for, **F708 (01.07)**

U-channel
Flanged Steel U-Channel Posts, Specification for, **A1075 (01.05)**

Udimet alloy
Cobalt-28 Chromium-6 Molybdenum Alloy Castings and Casting Alloy for Surgical Implants (UNS R30075), Specification for, **F75 (13.01)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
High-Temperature Bolting, with Expansion Coefficients Comparable to Austenitic Stainless Steels, Specification for, **A453/A453M (01.01)**
Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, Specification for, **A564/A564M (01.03)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy, Specification for, **B443 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy (UNS

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

N06625), Nickel-Chromium-Molybdenum-Silicon Alloy (UNS N06219), and Nickel-Chromium-Molybdenum-Tungsten Alloy (UNS N06650) Rod and Bar, Specification for, **B446 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloys, Specification for, **B444 (02.04)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, Specification for, **B670 (02.04)**
Precipitation-Hardening Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, Specification for, **A693 (01.03)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**

Udluft circular diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**

UGC gravitometer
Relative Density of Gaseous Fuels, Test Methods for, **D1070 (05.06)**

UHID (universal healthcare identifier)
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**

UHMWPE (ultra-high molecular weight polyethylene)
Accelerated Aging of Ultra-High Molecular Weight Polyethylene after Gamma Irradiation in Air, Practice for, **F2003 (13.01)**
Evaluating the Extent of Oxidation in Polyethylene Fabricated Forms Intended for Surgical Implants, Guide for, **F2102 (13.01)**
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials, Specification for, **D4020 (08.02)**
Ultra-High-Molecular-Weight Polyethylene Powder and Fabricated Form for Surgical Implants, Specification for, **F648 (13.01)**

UHMWPE (ultra-high molecular weight polyethylene)—specifications
Medical-Grade Ultra-High Molecular Weight Polyethylene Yarns, Specification for, **F2848 (13.02)**
Ultra-High Molecular Weight Polyethylene Powder Blended With Alpha-Tocopherol (Vitamin E) and Fabricated Forms for Surgical Implant Applications, Specification for, **F2695 (13.02)**
Ultra-High-Molecular-Weight Polyethylene (UHMW-PE) Solid Plastic Shapes, Specification for, **D6712 (08.03)**

UIndisturbed block soil samples
Obtaining Intact Block (Cubical and Cylindrical) Samples of Soils, Practices for, **D7015 (04.09)**

Ullage space
Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, Guide for, **D4865 (05.02)**

Ultimate analysis
Analysis of Wood Fuels, Test Methods for, **E870 (05.06)**

Ultimate analysis—coal and coke
Calculating Coal and Coke Analyses from As-Determined to Different Bases, Practice for, **D3180 (05.06)**
Ultimate Analysis of Coal and Coke, Practice for, **D3176 (05.06)**

Ultimate shear strength
Sa **Shear testing**
Shear Testing of Thin Aluminum Alloy Products, Test Method for, **B831 (02.02)**

Ultimate strength
Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature, Test Method for, **C1323 (15.01)**

Ultimet alloy
Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, Specification for, **B815 (02.04)**
Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, Specification for, **B818 (02.04)**

Ultrafiltrates/ultrafiltration (UF) systems
Acid and Base Milliequivalent Content of Electrocoat Bath, Test Methods for, **D4370 (06.01)**
Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Measuring Apparent pH of Electrocoat Baths, Test Method for, **D4584 (06.01)**
Measuring Electrical Conductivity of Electrocoat Baths, Test Method for, **D4399 (06.01)**
Nonvolatile and Pigment Content of Electrocoat Baths, Test Methods for, **D5145 (06.01)**
Recordkeeping Microfiltration and Ultrafiltration Systems, Guide for, **D7285 (11.02)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Use of Membrane Technology in Mitigating Hazardous Chemical Spills, Guide for, **F1525/F1525M (11.05)**
Used for Microfiltration, Ultrafiltration, Nanofiltration and Reverse Osmosis Membrane Processes, Terminology, **D6161 (11.02)**

Ultra-fine particle analysis
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**

Ultra-high molecular-weight polyethylene (UHMWPE)
In Situ Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), Test Method for, **F2214 (13.01)**
Assessment of the Ultra High Molecular Weight Polyethylene (UHMWPE) Used in Orthopedic and Spinal Devices, Guide for, **F2759 (13.02)**
Evaluating Trans-Vinylene Yield in Irradiated Ultra-High Molecular Weight Polyethylene Fabricated Forms Intended for Surgical Implants by Infrared Spectroscopy, Test Method for, **F2381 (13.01)**
Extensively Irradiation-Crosslinked Ultra-High Molecular Weight Polyethylene Fabricated Forms for Surgical Implant Applications, Guide for, **F2565 (13.02)**
Measurement of Enthalpy of Fusion, Percent Crystallinity, and Melting Point of Ultra-High-Molecular Weight Polyethylene by Means of Differential Scanning Calorimetry, Test Method for, **F2625 (13.02)**
Small Punch Testing of Ultra-High Molecular Weight Polyethylene Used in Surgical Implants, Test Method for, **F2183 (13.01)**
Total Ankle Replacement Prosthesis, Specification for, **F2665 (13.02)**
Ultra-High Molecular Weight Polyethylene Powder Blended With Alpha-Tocopherol (Vitamin E) and Fabricated Forms for Surgical Implant Applications, Specification for, **F2695 (13.02)**

Ultra-high strength cold-rolled steel
Steel, Sheet, Carbon, Ultra High Strength Cold Rolled, Specification for, **A980/A980M (01.03)**

Ultramarine blue pigment
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Chemical Analysis of Phthalocyanine Blue and Green Pigments, Test Methods for, **D3256 (06.03)**

Ultra-pure water
Sa **High-purity water**
Sa **Reagent water**
Handling of High Purity Water Samples, Practice for, **D4453 (11.01)**
Reagent Water, Specification for, **D1193 (11.01)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ultra-Pure Water Used in the Electronics and Semiconductor Industries, Guide for, **D5127 (11.01)**

Ultrasonic cleaning
Cleaning of Materials and Components by Ultrasonic Techniques, Practice for, **G131 (14.04)**
Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, Practice for, **F1992 (13.01)**

Ultrasonic contact impedance method
Portable Hardness Testing by the Ultrasonic Contact Impedance Method, Test Method for, **A1038 (01.05)**

Ultrasonic diffraction
Planar Flaw Height Sizing by Ultrasonics, Guide for, **E2192 (03.03)**

Ultrasonic examination
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Ultrasonic Test Methods, Practice for, **E2663 (03.03)**
Evaluating Performance Characteristics of Phased-Array Ultrasonic Testing Instruments and Systems, Guide for, **E2491 (03.03)**
Ultrasonic Testing of Wrought Products, Practice for, **E2375 (03.03)**

Ultrasonic extraction
Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, Practice for, **G136 (14.04)**
Ultrasonic Extraction of Lead from Composited Wipe Samples, Practice for, **E2914 (04.12)**
Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, Practice for, **E1979 (04.11)**

Ultrasonic logging
Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, Test Method for, **D6760 (04.09)**

Ultrasonic reference blocks
Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, Practice for, **E127 (03.03)**
Fabrication and Control of Metal, Other than Aluminum, Reference Blocks Used in Ultrasonic Testing, Practice for, **E428 (03.03)**
Material Selection and Fabrication of Reference Blocks for the Pulsed Longitudinal Wave Ultrasonic Testing of Metal and Metal Alloy Production Material, Guide for, **E1158 (03.03)**

Ultrasonic testing
Sa **Electromagnetic (eddy current) testing**
Sa **Radiographic examination**
Sa **Reference radiographs**
Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, Guide for, **E1495/E1495M (03.03)**
Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, Practice for, **E1736 (03.03)**
Castings, Carbon, Low-Alloy, and Martensitic Stainless Steel, Ultrasonic Examination Thereof, Practice for, **A609/A609M (01.02)**
Contact Ultrasonic Testing of Weldments, Practice for, **E164 (03.03)**
Contact Ultrasonic Testing of Welds Using Phased Arrays, Practice for, **E2700 (03.03)**
Detection and Evaluation of Discontinuities by Contact Pulse-Echo Straight-Beam Ultrasonic Methods, Guide for, **E1901 (03.03)**
Detection and Evaluation of Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves, Practice for, **E1001 (03.03)**
Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, Practice for, **G136 (14.04)**
Electrolytic Extraction of Phases from Ni and Ni-Fe Base Superalloys Using a Hydrochloric-Methanol Electrolyte, Practice for, **E963 (03.01)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Evaluating Performance Characteristics of Ultrasonic Pulse-Echo Testing Instruments and Systems without the Use of Electronic Measurement Instruments, Practice for, **E317 (03.03)**
Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, Practice for, **G146 (03.02)**
Leaks Using Ultrasonics, Practice for, **E1002 (03.03)**
Measurement of the Apparent Attenuation of Longitudinal Ultrasonic Waves by Immersion Method, Practice for the, **E664/E664M (03.03)**
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, Practice for, **E1685 (03.01)**
Measuring Thickness by Manual Ultrasonic Pulse-Echo Contact Method, Practice for, **E797/E797M (03.03)**
Measuring Ultrasonic Velocity in Materials, Practice for, **E494 (03.03)**
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**
Niobium-Titanium Alloy Billets, Bar, and Rod for Superconducting Applications, Specification for, **B884 (02.04)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Planar Flaw Height Sizing by Ultrasonics, Guide for, **E2192 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Surveillance Testing of High-Temperature Nuclear Component Materials, Practice for, **E531 (12.02)**
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**
Ultrasonic Angle-Beam Contact Testing, Practice for, **E587 (03.03)**
Ultrasonic C-Scan Bond Evaluation of Sputtering, Practice for, **F1512 (10.04)**
Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, Practice for, **E1979 (04.11)**
Ultrasonic Pulse-Echo Straight-Beam Contact Testing, Practice for, **E114 (03.03)**
Ultrasonic Surface Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, Practice for, **E1962 (03.03)**
Ultrasonic Testing of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, Practice for, **E2580 (03.03)**
Ultrasonic Testing of Geomembranes, Practice for, **D7006 (04.13)**
Ultrasonic Testing of Metal Pipe and Tubing, Practice for, **E213 (03.03)**
Ultrasonic Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, Practice for, **E1816 (03.03)**

Ultrasonic testing—advanced ceramics
Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique, Test Method for, **C1332 (15.01)**
Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, Test Method for, **C1331 (15.01)**
Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, Guide to, **C1175 (15.01)**

Ultrasonic testing—alumina/quartz
Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, Test Method for, **C1070 (15.01)**
Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **C958 (15.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ultrasonic testing—environmental materials/applications
Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, Test Method for, **D6760 (04.09)**
Laboratory Determination of Pulse Velocities and Ultrasonic Elastic Constants of Rock, Test Method for, **D2845 (04.08)**
Ultrasonic testing—metals/alloys
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels, Test Method for, **B548 (02.02)**
Ultrasonic Inspection of Aluminum-Alloy Wrought Products, Practice for, **B594 (02.02)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Ultrasonic testing—steel
Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, Practice for, **E588 (01.05)**
Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, Practice for, **E2223 (03.03)**
Straight Beam Ultrasonic Examination of Rolled Steel Structural Shapes, Specification for, **A898/A898M (01.04)**
Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, Specification for, **A578/A578M (01.04)**
Straight-Beam Ultrasonic Examination of Steel Plates, Specification for, **A435/A435M (01.04)**
Ultrasonic Angle-Beam Examination of Steel Plates, Specification for, **A577/A577M (01.04)**
Ultrasonic Examination from Bored Surfaces of Cylindrical Forgings, Practice for, **A939/A939M (01.05)**
Ultrasonic Examination of Austenitic Steel Forgings, Practice for, **A745/A745M (01.05)**
Ultrasonic Examination of Forged Crankshafts, Specification for, **A503/A503M (01.05)**
Ultrasonic Examination of Steel Forgings, Practice for, **A388/A388M (01.05)**
Ultrasonic Examination of Turbine and Generator Steel Rotor Forgings, Practice for, **A418/A418M (01.05)**
Ultrasonic Examination of Turbine-Generator Steel Retaining Rings, Practice for, **A531/A531M (01.05)**
Ultrasonic testing—welds
Contact Ultrasonic Testing of Weldments, Practice for, **E164 (03.03)**
Contact Ultrasonic Testing of Welds Using Phased Arrays, Practice for, **E2700 (03.03)**
Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing, Practice for, **E273 (03.03)**
Ultrasonic thickness gage
Nondestructive Measurement of Dry Film Thickness of Applied Organic Coatings Using an Ultrasonic Gage, Test Method for, **D6132 (06.01)**
Ultrasonic velocity
Measuring the Ultrasonic Velocity in Polyethylene Tank Walls Using Lateral Longitudinal (LCR) Waves, Practice for, **E2479 (03.03)**
Ultrasonic velocity meter (UVM) systems
Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, Test Method for, **D5389 (11.01)**
Ultrasound testing
Density of Polyethylene by the Ultrasound Technique, Test Method for, **D4883 (08.02)**
Evaluation of Seal Quality and Integrity Using Airborne Ultrasound, Test Method for, **F3004 (15.10)**
Ultraviolet
Determination of Total Sulfur in Aromatic Hydrocarbons and Related Chemicals by Ultraviolet Fluorescence, Test Method for, **D7183 (06.04)**
Determination of Total Sulfur in Liquid Hydrocarbon Based Fuels by Continuous Injection, Air Oxidation and Ultraviolet Fluorescence Detection, Test Method for, **D7620 (05.04)**
Relative Cure of Energy-Cured Inks and Coatings, Test Method for, **D7244 (06.02)**
Ultraviolet-cured coatings
Estimating Package Stability of Coatings for Ultraviolet Curing, Test Method for, **D4144 (06.01)**
Measure Volatiles from Radiation Curable Acrylate Monomers, Oligomers, and Blends and Thin Coatings Made from Them, Test Method to, **D7767 (06.01)**
Reporting Cure Times of Ultraviolet-Cured Coatings, Practice for, **D3732 (06.02)**
Ultraviolet (UV) analysis
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), Practice for, **D4799/D4799M (04.04)**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Comparing the Brightness of Fluorescent Penetrants, Test Method for, **E1135 (03.03)**
Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, Practice for, **D6625 (15.04)**
Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), Practice for, **D5894 (06.01)**
Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, Test Method for, **D4355 (04.13)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, Test Method for, **D7551 (05.06)**
Establishing Spectrophotometer Performance Tests, Guide for, **E1866 (03.06)**
Exposure of Adhesive Specimens to Artificial Light, Practice for, **D904 (15.06)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, Test Method for, **F1349 (15.10)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Volatile Content of Radiation Curable Materials, Test Methods for, **D5403 (06.02)**
Ultraviolet (UV) analysis—atmospheric applications
Calibration of Ozone Monitors and Certification of Ozone Transfer Standards Using Ultraviolet Photometry, Practice for, **D5110 (11.07)**
Calibration of Ozone Monitors Using Transfer Standards, Practices for, **D5011 (11.07)**
Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), Test Methods for, **D5156 (11.07)**
Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on UVPM and FPM, Test Methods for, **D5955 (11.07)**
Ultraviolet (UV) analysis—nonmetallic materials
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, Practice for, **G90 (14.04)**

Ultraviolet (UV) analysis—paints/related coatings
Conducting Black Box and Solar Concentrating Exposures of Coatings, Practice for, **D4141 (06.01)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**
Volatile Content of Radiation Curable Materials, Test Methods for, **D5403 (06.02)**
Zinc Oxide Pigments, Specification for, **D79 (06.03)**

Ultraviolet (UV) analysis—petroleum products
Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, Test Method for, **D5453 (05.02)**
Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases by Ultraviolet Fluorescence, Test Method for, **D6667 (05.03)**
Ultraviolet Absorbance and Absorptivity of Petroleum Products, Test Method for, **D2008 (05.01)**

Ultraviolet (UV) analysis—plastics
Determination of Phenolic Antioxidants and Erucamide Slip Additives in Polypropylene Homopolymer Formulations Using Liquid Chromatography (LC), Test Method for, **D6042 (08.03)**
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Enclosed Carbon-Arc Exposures of Plastics, Practice for, **D6360 (08.03)**
Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics, Practice for, **D5208 (08.03)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Outdoor Exposure Testing of Photodegradable Plastics, Practice for, **D5272 (08.03)**
Xenon-Arc Exposure of Plastics Intended for Outdoor Applications, Practice for, **D2565 (08.01)**

Ultraviolet (UV) analysis—rubber
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Specification for, **D4388 (10.02)**
Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**
Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, Test Method for, **D1148 (09.01)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**
Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), Test Methods for, **D925 (09.01)**

Ultraviolet (UV) analysis—sealants
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**
Conducting Tests on Sealants Using Artificial Weathering Apparatus, Practice for, **C1442 (04.07)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, Test Method for, **C793 (04.07)**
Staining of Porous Substrate by Joint Sealants, Test Method for, **C1248 (04.07)**

Ultraviolet (UV) analysis—textiles
Preparation of Textiles Prior to Ultraviolet (UV) Transmission Testing, Practice for, **D6544 (07.02)**

Ultraviolet (UV) analysis—water
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Low Level Determination of Total Carbon, Inorganic Carbon and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D6317 (11.01)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
On-Line Monitoring of Total Carbon, Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, Test Method for, **D5997 (11.01)**
Total Cyanide by Segmented Flow Injection Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, Test Method for, **D7511 (11.02)**

Ultraviolet (UV) calibration
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Calibration of Ozone Monitors and Certification of Ozone Transfer Standards Using Ultraviolet Photometry, Practice for, **D5110 (11.07)**
Calibration of Ozone Monitors Using Transfer Standards, Practices for, **D5011 (11.07)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**

Ultraviolet (UV) solar spectral irradiance
Reference Solar Ultraviolet Spectral Distributions: Hemispherical on 37° Tilted Surface, Tables for, **G177 (14.04)**

Ultraviolet (UV) spectrochemical analysis
Sa **Nuclear magnetic resonance (NMR) spectrometry**
Analysis for Sodium Toluene Sulfonate in Detergents, Test Method of, **D2023 (15.04)**
Assay for Alkaline Protease, Test Method of, **D3048 (15.04)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, Practice for, **E958 (03.06)**
Evaluation of White Mineral Oils by Ultraviolet Absorption, Test Method for, **D2269 (05.01)**
General Techniques of Ultraviolet-Visible Quantitative Analysis, Practices for, **E169 (03.06)**
Naphthalene Hydrocarbons in Aviation Turbine Fuels by Ultraviolet Spectrophotometry, Test Method for, **D1840 (05.01)**
Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, Test Method for, **D5412 (11.02)**
Sodium Alkylbenzene Sulfonate in Synthetic Detergents by Ultraviolet Absorption, Test Method for, **D1768 (15.04)**
Ultraviolet Transmittance of Monoethylene Glycol (Ultraviolet Spectrophotometric Method), Test Method for, **E2193 (15.05)**
Use of a Cellulose Acetate Dosimetry System, Practice for, **ISO/ASTM51650 (12.02)**

Ultra-visible luminescence/fluorescence
Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, Test Method for, **E2143 (03.06)**

Ultra-visible spectroscopy
Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, Practice for, **E2056 (03.06)**

Umber (burnt and raw)
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**
Raw and Burnt Umber Pigments, Specification for, **D763 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Umbra
Determining the, Test Method for, **E803 (03.03)**
Umbrella fabrics
Woven Umbrella Fabrics, Performance Specification for, **D4112 (07.01)**
Unalloyed copper
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**
Unalloyed iron contamination
Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, Test Method for, **B795 (02.05)**
Unalloyed magnesium
Codification of Unalloyed Magnesium and Magnesium-Alloys, Cast and Wrought, Practice for, **B951 (02.02)**
Unalloyed magnesium ingot/stick
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**
Unalloyed titanium/titanium alloys (for surgical implants)
Metal Injection Molded Unalloyed Titanium Components for Surgical Implant Applications, Specification for, **F2989 (13.02)**
Titanium and Titanium Ingots, Specification for, **B977 (02.04)**
Unalloyed tungsten
Tungsten Plate, Sheet, and Foil, Specification for, **B760 (02.04)**
Unannealed austenitic stainless steel tube
Welded, Unannealed Austenitic Stainless Steel Tubular Products, Specification for, **A778 (01.01)**
Unattached deposits
Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, Test Method for, **D5256 (11.02)**
Unbleached Kraft paperboard
Validating Recycled Content in Packaging Paper and Paperboard, Guide for, **D5663 (15.10)**
Unbleached sulfate kraft
Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, Specification for, **D1305 (10.01)**
Unbonded capping system
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, Practice for, **C1231/C1231M (04.02)**
Uncased boreholes
See **Borehole drilling**
Uncertainty
Sa **Statistical methods**
Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**
Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, Practice for, **E2059 (12.02)**
Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), Guide for, **E1018 (12.02)**
Benchmark Testing of Light Water Reactor Calculations, Guide for, **E2006 (12.02)**
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Characterizing Uncertainty in Air Quality Measurements, Practice for, **D7440 (11.07)**
Estimating and Monitoring the Uncertainty of Test Results of a Test Method Using Control Chart Techniques, Practice for, **E2554 (14.02)**
Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**
Estimating Uncertainty of Test Results Derived from Spectrophotometry, Practice for, **E2867 (06.01)**
Nuclear Surface Moisture and Density Gauge Calibration, Guide for, **D7759 (04.09)**
Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**
Optimizing, Controlling and Reporting Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **D6689 (11.01)**
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
Performance of Conveyor Broilers, Test Method for, **F2239 (15.12)**
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Pressure Fryers, Test Method for, **F1964 (15.12)**
Performance of Rack Conveyor, Commercial Dishwashing Machines, Test Method for, **F1920 (15.12)**
Performance of Rapid Cook Ovens, Test Method for, **F2238 (15.12)**
Performance of Upright Overfired Broilers, Test Method for, **F2237 (15.12)**
Reporting Uncertainty of Test Results and Use of the Term Measurement Uncertainty in ASTM Test Methods, Guide for, **E2655 (14.02)**
Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**
Uncertainty Assessment in the Context of Seized-Drug Analysis, Practice for, **E2764 (14.02)**
Uncertainty budgets
Uncertainty Assessment in the Context of Seized-Drug Analysis, Practice for, **E2764 (14.02)**
Uncoated areas (of galvanized coatings)
Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings, Practice for, **A780/A780M (01.06)**
Uncoated copper wire
See **Copper electrical conductors—specifications**
Uncoated flat glass
Sa **Glass**
Heat-Strengthened and Fully Tempered Flat Glass, Specification for, **C1048 (15.02)**
Instrumental Reflectance Measurement of Color for Flat Glass, Coated, and Uncoated, Practice for, **C1650 (15.02)**
Uncoated pile yarn floor covering
Tuft Element Length of Uncoated Pile Yarn Floor Coverings, Test Method for, **D6283 (07.02)**
Uncoated steel
Corrosion Potentials of Uncoated Reinforcing Steel in Concrete, Test Method for, **C876 (03.02, 04.02)**
Evaluating Bond Strength for 0.600-in. 15.24-mm Diameter Steel Prestressing Strand, Grade 270 1860, Uncoated, Used in Prestressed Ground Anchors, Test Method for, **A981/A981M (01.04)**
Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, Specification for, **A886/A886M (01.04)**
Uncoated High-Strength Steel Bars for Prestressing Concrete, Specification for, **A722/A722M (01.04)**
Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, Specification for, **A421/A421M (01.04)**
Uncoated, Stress-Relieved Steel Bars for Prestressed Concrete Railroad Ties, Specification for, **A911/A911M (01.04)**
Uncompacted asphaltic mixtures
Determination of Draindown Characteristics in Uncompacted Asphalt Mixtures, Test Method for, **D6390 (04.03)**
Uncompacted bituminous paving mixtures
Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6857/D6857M (04.03)**
Uncompacted void content
Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), Test Methods for, **C1252 (04.02)**
Unconfined compressive strength (UCS)
Sa **Compression testing—rock/related materials**
Determination of Rock Hardness by Rebound Hammer Method, Test Method for, **D5873 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Unconfined Compressive Strength of Cohesive Soil, Test Method for, **D2166/D2166M (04.08)**

Unconfined tension creep
Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, Test Method for, **D5262 (04.13)**

Unconfined/unconsolidated aquifers
Sa **Aquifers**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, Test Method for, **D4105 (04.08)**
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, Test Method for, **D4106 (04.08)**
Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, Test Method for, **D5269 (04.08)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**

Unconfined yield strength
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**

Unconsolidated geologic materials (geomedia)
See **Geomembranes**

Unconsolidated sediments
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**

Unconsolidated, undrained compressive strength
Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils, Test Method for, **D2850 (04.08)**

Unconsolidated waste
Sampling Unconsolidated Solids in Drums or Similar Containers, Practice for, **D5680 (11.04)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**

Uncontaminated samples
Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, Specification for, **E947 (12.02)**

Uncrushed solid material
Sampling Bituminous Materials, Practice for, **D140/D140M (04.03)**

Uncured elastomeric materials
Silicone Elastomers, Gels, and Foams Used in Medical Applications Part I—Formulations and Uncured Materials, Guide for, **F2038 (13.01)**

Uncured flashing details
Design of Standard Flashing Details for EPDM Roof Membranes, Guide for, **D6369 (04.04)**

Uncured polyethylene (PE) plastics
Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, Test Method for, **E1090 (15.05)**

Undecylbenzene
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Undercool
Use of Fixed-Point Cells for Reference Temperatures, Guide for, **E1502 (14.03)**

Underdamped well-aquifer system
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
(Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), Test Method for, **D5785 (04.08)**

Underdrain pipe
Corrugated Polyethylene Pipe and Fittings for Mine Heap Leach Aeration Applications, Specification for, **F2987 (08.04)**
Non-Asbestos Fiber-Cement Underdrain Pipe, Specification for, **C1447/C1447M (04.05)**

Underdrain systems
Sa **Culvert pipe**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils, Test Method for, **D2850 (04.08)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**

Underfired broilers
Performance of Underfired Broilers, Test Method for, **F1695 (15.12)**

Underground conduit
Sa **Conduits**
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, Specification for, **F512 (08.04)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**

Underground environments
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), Test Method for, **G95 (06.02)**
Conducting and Evaluating Laboratory Corrosion Tests in Soils, Practice for, **G162 (03.02)**
Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, Test Method for, **D4395 (04.08)**
Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, Test Method for, **D4394 (04.08)**
Extensometers Used in Rock, Practice for, **D4403 (04.08)**
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**
In Situ Stress and Modulus of Deformation Using Flatjack Method, Test Method for, **D4729 (04.08)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, Test Method for, **G97 (03.02)**

Underground excavations (civil/mining)
Geotechnical Mapping of Large Underground Openings in Rock, Guide for, **D4879 (04.08)**

Underground fluids
Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, Guide for, **D6168 (04.09)**

Underground installation
Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe, Practice for, **A862/A862M (01.06)**
Installation of Underground Precast Concrete Utility Structures, Practice for, **C891 (04.05)**
Installing Asbestos-Cement Nonpressure Pipe, Guide for, **C966 (04.05)**
Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, Practice for, **B789/B789M (02.02)**
Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, Practice for, **A807/A807M (01.06)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Underground installation—cable
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**

Underground installation—pipe materials/applications
Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings, Specification for, **D2661 (08.04)**
Flexible Transition Couplings for Underground Piping Systems, Specification for, **C1173 (01.02)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations, Practice for, **C1479 (04.05)**
Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations (Metric), Practice for, **C1479M (04.05)**
Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, Practice for, **B788/B788M (02.02)**
Selection of Natural Gas Pipelines Suitable for Installation of Optical Fiber Systems, Practice for, **F2350 (04.12)**

Underground installation—water supply/distribution systems
Sa **Water supply/distribution systems—specifications**
Construction Procedures for Buried Plastic Pipe, Guide for, **F1668 (08.04)**
Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, Specification for, **F1504 (08.04)**
Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation, Specification for, **F1871 (08.04)**
Insertion of Flexible Polyethylene Pipe Into Existing Sewers, Guide for, **F585 (08.04)**
Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, Practice for, **F1417 (08.04)**
Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, Practice for, **F1741 (08.04)**
Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, Practice for, **F1698 (08.04)**
Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields, Practice for, **F481 (08.04)**
Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, Practice for, **A798/A798M (01.06)**
Polyethylene Encasement for Ductile Iron Pipe for Water or Other Liquids, Practice for, **A674 (01.02)**
Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Selection, Design, and Installation of Thermoplastic Water- Pressure Piping Systems, Guide for, **F645 (08.04)**
Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, Specification for, **F512 (08.04)**
Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, Practice for, **A796/A796M (01.06)**
Subsurface Installation of Corrugated Polyethylene Pipe for Agricultural Drainage or Water Table Control, Practice for, **F449 (08.04)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**
Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, Practice for, **D2321 (08.04)**
Underground Installation of Thermoplastic Pressure Piping, Practice for, **D2774 (08.04)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**

Underground precast concrete utility structures
Sa **Precast concrete utility structures**
Inspection of Underground Precast Concrete Utility Structures, Practice for, **C1037 (04.05)**
Installation of Underground Precast Concrete Utility Structures, Practice for, **C891 (04.05)**
Measurement of Hydraulic Characteristics of Hydrodynamic Stormwater Separators and Underground Settling Devices, Test Method for, **C1745/C1745M (04.05)**
Minimum Structural Design Loading for Underground Precast Concrete Utility Structures, Practice for, **C857 (04.05)**
Underground Precast Concrete Utility Structures, Specification for, **C858 (04.05)**

Underground storage tanks (USTs)
Sa **Tanks**
Environmental Management of Underground Storage Tank Systems Storing Hazardous Substances or Petroleum, Guide for, **E2681 (11.05)**
Investigation of Equipment Problems and Releases for Petroleum Underground Storage Tank Systems, Guide for, **E2733 (11.05)**
Performing Evaluations of Underground Storage Tank Systems for Operational Conformance with 40 CFR, Part 280 Regulations, Guide for, **E1990 (11.05)**
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**

Underhang
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**

Underlayers
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Rubber Cellular Cushion Used for Carpet or Rug Underlay, Specification for, **D3676 (08.02)**

Underlayment products/applications
Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, Practice for, **F1482 (15.04)**
Installation of Thick Poured Gypsum Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2419 (15.04)**
Installation of Thick Poured Lightweight Cellular Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, Practice for, **F2471 (15.04)**
Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, Practice for, **D6962 (07.02)**
Preparing Panel Underlayments, Thick Poured Gypsum Concrete Underlayments, Thick Poured Lightweight Cellular Concrete Underlayments, and Concrete Subfloors with Underlayment Patching Compounds to Receive Resilient Flooring, Practice for, **F2678 (15.04)**
the Installation of Self-Leveling Underlayment and the Preparation of Surface to Receive Resilient Flooring, Practice for, **F2873 (15.04)**

Underlayment products/applications—specifications
Sa **Resilient flooring**
Asphalt for Undersealing Portland-Cement Concrete Pavements, Specification for, **D3141/D3141M (04.03)**
Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, Specification for, **D4869/D4869M (04.04)**
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Underlayment Felt Containing Inorganic Fibers Used in Steep-Slope Roofing, Specification for, **D6757 (04.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Underplate
Electrodeposited Coatings of Gold for Engineering Uses, Specification for, **B488 (02.05)**
Underwater method
Abrasion Resistance of Concrete (Underwater Method), Test Method for, **C1138M (04.02)**
Underwater pressure test
Sa **Pressure testing**
Seamless and Welded Austenitic Stainless Steel Tubing for General Service, Specification for, **A269 (01.01)**
Underwater search and rescue operations
Sa **SAR (search and rescue) operations**
Underwater Search, Rescue, and Recovery Activities, Terminology Relating to, **F1549 (13.02)**
Underwear
Brassiere, Slip, Lingerie and Underwear Fabrics, Performance Specification for, **D7019 (07.02)**
Undissolved water content
Undissolved Water In Aviation Turbine Fuels, Test Method for, **D3240 (05.01)**
Undisturbed soil
Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, Test Method for, **D6035/D6035M (04.09)**
Direct Shear Test of Soils Under Consolidated Drained Conditions, Test Method for, **D3080/D3080M (04.08)**
Handling, Storing, and Preparing Soft Intact Marine Soil, Practices for, **D3213 (04.08)**
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, Practice for, **D1587 (04.08)**
Unconfined Compressive Strength of Cohesive Soil, Test Method for, **D2166/D2166M (04.08)**
Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, Test Method for, **D6951/D6951M (04.03)**
X-Ray Radiography of Soil Samples, Practice for, **D4452 (04.08)**
Undrained strength
Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**
Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils, Test Method for, **D2850 (04.08)**
Undyed motor gasoline
Color of Petroleum Products by the Automatic Tristimulus Method, Test Method for, **D6045 (05.02)**
Unevenness
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Unexposed radiographic film
Sa **Radiographic examination**
Storage of Radiographs and Unexposed Industrial Radiographic Films, Guide for, **E1254 (03.03)**
Unextended capacity
Measurement of Backpack Capacity, Test Method for, **F2153 (15.07)**
Unfaced thermal insulation
Sa **Mineral fiber insulation**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, Test Method for, **C1303/C1303M (04.06)**
Unfaced thermal insulation—specifications
Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, Specification for, **C1126 (04.06)**
Flexible Polymeric Foam Sheet Insulation Used as a Thermal and Sound Absorbing Liner for Duct Systems, Specification for, **C1534 (04.06)**
Unfaced Preformed Rigid Cellular Polyisocyanurate, Specification for, **C591 (04.06)**
Unfiberized content
High-Temperature Fiber Blanket Thermal Insulation, Specification for, **C892 (04.06)**
Unfinned end diameters
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**
Unfired clays
Modulus of Rupture of Unfired Clays, Test Method for, **C689 (15.02)**
Unglazed ceramic tile
Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, Test Method for, **C1243 (15.02)**
Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser, Test Method for, **C501 (15.02)**
Unhardened concrete
In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, Test Methods for, **C1040/C1040M (04.02)**
Unhardened steel washers
Washers, Steel, Plain (Flat), Unhardened for General Use, Specification for, **F844 (01.08)**
Unheated toluene-dibutylamine method
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**
Unheated trichlorobenzene toluene-dibutylamine method
Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, Test Methods for, **D5155 (08.03)**
Unhydrated oxides
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, Test Methods for, **C25 (04.01)**
Lime Putty for Structural Purposes, Specification for, **C1489 (04.01)**
Uniaxial compaction
Compressibility of Metal Powders in Uniaxial Compaction, Test Method for, **B331 (02.05)**
Uniaxial compression testing
Sa **Compression testing**
Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, Test Method for, **D5520 (04.08)**
Laboratory Determination of Strength Properties of Frozen Soil at a Constant Rate of Strain, Test Method for, **D7300 (04.09)**
Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature, Test Method for, **C1424 (15.01)**
Uniaxial elongation
Coated and Laminated Fabrics for Architectural Use, Test Methods for, **D4851 (07.02)**
Uniaxial loading
Preparation and Use of Direct Tension Stress-Corrosion Test Specimens, Practice for, **G49 (03.02)**
Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, Test Method for, **C1273 (15.01)**
Time-to-Failure of Plastics Using Plane Strain Tensile Specimens, Test Method for, **F2018 (08.04)**
Uniaxially oriented PP film
Oriented Polypropylene Film, Specification for, **D2673 (08.01)**
Uniaxial strength data
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Graphites, Practice for, **D7846 (05.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Uniaxial tensile test
Sa **Tensile properties/testing**
Determining Forming Limit Curves, Test Method for, **E2218 (03.01)**
Unidimensional equal-variance model
Estimating Thurstonian Discriminal Distances, Practice for, **E2262 (15.08)**
Unidirectional (1-D) ceramic matrix composites
Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, Test Method for, **C1468 (15.01)**
Unidirectional polymer matrix
Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich Beam, Test Method for, **D5467/D5467M (15.03)**
Unidirectional scrape resistance
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Unified inch screw threads (UN/UNR)
Electrodeposited Coatings on Threaded Fasteners (Metric), Specification for, **F1941M (01.08)**
Electrodeposited Coatings on Threaded Fasteners (Unified Inch Screw Threads (UN/UNR)), Specification for, **F1941 (01.08)**
Unified Numbering System (UNS)
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**
Unified rock classification system (URCS)
Using Rock-Mass Classification Systems for Engineering Purposes, Guides for, **D5878 (04.09)**
Uniform abrasion method
Abrasion Resistance of Textile Fabrics (Uniform Abrasion), Guide for, **D4158 (07.01)**
Uniform air pressure difference
Sa **Air pressure testing**
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**
UNIFORMAT
Building Construction Field Requirements, and Office Overhead & Profit, Classification for, **E2083 (04.11)**
Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**
Organizing and Managing Building Data, Practice for, **E2166 (04.12)**
Uniform color scales system
Specifying Color by Using the Optical Society of America Uniform Color Scales System, Practice for, **E1360 (06.01)**
Uniform continuous film
Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, Test Method for, **D3260 (06.02)**
Uniformity
Bulk Solids Characterization by Carr Indices, Test Method for, **D6393 (04.09)**
Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, Test Method for, **A991/A991M (01.03)**
Demonstrating Capability to Comply with the Test for Uniformity of Dosage Units, Practice for, **E2810 (14.02)**
Determining the Uniformity of the Luminance of an Electroluminescent Lamp or Other Diffuse Lighting Device, Test Method for, **F2964 (10.04)**
Evaluation of Cement Strength Uniformity From a Single Source, Test Method for, **C917 (04.01)**
Evaluation of Limestone or Lime Uniformity From a Single Source, Practice for, **C1164 (04.01)**
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**
Uniformity of Traffic Paint Vehicle Solids by Spectroscopy and Gas Chromatography, Practices for, **D2743 (06.02)**
Uniformity of adhesion
Peel Adhesion of Pressure-Sensitive Tape, Test Method for, **D3330/D3330M (15.10)**
Uniformity of concrete
Penetration Resistance of Hardened Concrete, Test Method for, **C803/C803M (04.02)**
Uniformity (of concrete ingredients)
Determining Variability of Ingredients of Concrete From a Single Source, Practice for, **C1451 (04.02)**
Uniformity of distribution
Determining Application Rates and Distribution Patterns from Aerial Application Equipment, Practice for, **E642 (11.05)**
Uniformity of shipment
Shear Viscosity of Coal-Tar and Petroleum Pitches, Test Method for, **D5018 (05.02)**
Uniform marking practices
Treatment and/or Marking of Wood Packaging Materials, Practice for, **D6253 (15.10)**
Uniforms
Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing, Practice for, **F1731 (11.03)**
Uniform static air pressure difference
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**
Uniform test procedure
Performance of Range Tops, Test Methods for, **F1521 (15.12)**
Unilay-stranded aluminum electrical conductors
Sa **Aluminum electrical conductors—specifications**
19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, Specification for, **B786/B786M (02.03)**
Compressed Round Stranded Aluminum Conductors Using Single Input Wire Construction, Specification for, **B901 (02.03)**
Unilay-stranded copper electrical conductors
Sa **Copper electrical conductors—specifications**
19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, Specification for, **B787/B787M (02.03)**
Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, Specification for, **B902/B902M (02.03)**
Unimodal surface transport
Securement of Cargo in Intermodal and Unimodal Surface Transport, Practices for, **D5728 (15.10)**
Uninhibited formaldehyde
Formaldehyde 50 % Grade Uninhibited and 37 % Grade Inhibited and Uninhibited, Specification for, **D2378 (06.04)**
Uninsulated metallic electrical conductors
Uninsulated Metallic Electrical Conductors, Terminology Relating to, **B354 (02.03)**
Uniplanar configuration
Specifying the Geometry of Multiangle Spectrophotometers, Practice for, **E2175 (06.01)**
Unipolar magnitude estimation
Unipolar Magnitude Estimation of Sensory Attributes, Test Method for, **E1697 (15.08)**
Unipolar self-initiating capacitor discharge
Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, Test Method for, **E1251 (03.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Unit cell dimension
Determination of the Unit Cell Dimension of a Faujasite-Type Zeolite, Test Method for, **D3942 (05.05)**
United Nations performance tests
Selection of Substitute, Non-hazardous, Liquid Filling Substances for Packagings Subjected to the United Nations Performance Tests, Guide for, **D7887 (15.10)**
United States Army
Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, Test Method for, **D5143 (04.08)**
United States Coast Guard (USCG)
Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, Guide for, **F1321 (01.07)**
Unitized loads
Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Palletized or Unitized Loads, Test Method for, **D7434 (15.10)**
Evaluation of Mechanical Handling of Unitized Loads Secured with Stretch Wrap Films, Test Method for, **D5331 (15.10)**
Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6055 (15.10)**
Rotary Stretch Wrapper Method for Determining the Readability of Passive RFID Transponders on Homogenous Palletized or Unitized Loads, Test Method for, **D7580/D7580M (15.10)**
Rough Handling of Unitized Loads and Large Shipping Cases and Crates, Test Methods for, **D6179 (15.10)**
Selection and Use of Flat Strapping Materials, Guide for, **D4675 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Transport Packaging Design, Guide for, **D6198 (15.10)**
Unitizing films
Evaluating Abrasion Resistance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5416 (15.10)**
Evaluating Load Containment Performance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5415 (15.10)**
Evaluation of Horizontal Impact Performance of Load Unitizing Stretch Wrap Films, Test Method for, **D5414 (15.10)**
Unit masonry mortars
Preblended Dry Mortar Mix for Unit Masonry, Specification for, **C1714/C1714M (04.05)**
Unit of production
Sampling a Stream of Product by Variables Indexed by AQL, Practice for, **E2762 (14.02)**
Unit prices
Measuring and Estimating Quantities of Insulated Piping and Components, Guide for, **C1409 (04.06)**
Unit propagation energy
Tear Testing of Aluminum Alloy Products, Test Method for, **B871 (02.02)**
Unit weight
Sa **Weight**
Bulk Density ("Unit Weight") and Voids in Aggregate, Test Method for, **C29/C29M (04.02)**
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, Test Method for, **C138/C138M (04.02)**
Density (Unit Weight), Yield, Cement Content, and Air Content (Gravimetric) of Controlled Low-Strength Material (CLSM), Test Method for, **D6023 (04.09)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Density of Soil in Place by the Drive-Cylinder Method, Test Method for, **D2937 (04.08)**
Determining Density of Structural Lightweight Concrete, Test Method for, **C567/C567M (04.02)**
In-Place Density (Unit Weight) and Water Content of Soil Using an Electromagnetic Soil Density Gauge, Test Method for, **D7830/D7830M (04.09)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Rapid Determination of Percent Compaction, Test Method for, **D5080 (04.08)**
Sampling Freshly Mixed Controlled Low-Strength Material, Practice for, **D5971/D5971M (04.09)**
Universal calibration
See **Calibration**
Universal expansion joint
Circular Metallic Bellows Type Expansion Joints for Piping Applications, Specification for, **F1120 (01.07)**
Universal healthcare identifier (UHID)
Properties of a Universal Healthcare Identifier (UHID), Guide for, **E1714 (14.01)**
Universal mill edge
General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, Specification for, **A6/A6M (01.04)**
Universal oxidation testing
High Temperature Universal Oxidation Test for Turbine Oils, Test Method for, **D6514 (05.03)**
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**
Universal Oxidation Test for Hydraulic and Turbine Oils Using the Universal Oxidation Test Apparatus, Test Method for, **D5846 (05.02)**
Universal Oxidation/Thermal Stability Test Apparatus, Guide for, **D4871 (05.02)**
Universal testing machine
Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, Guide for, **E1856 (03.01)**
Unlatching failure
Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, Test Method for, **E1592 (04.11)**
Unleaded automotive gasoline
Sa **Automotive engine fuels/oils—specifications**
Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, Test Method for, **D6201 (05.03)**
Rapid Field Test for Trace Lead in Unleaded Gasoline (Colorimetric Method), Test Method for, **D3348 (05.01)**
Unleaded aviation gasoline
Hydrocarbon Unleaded Aviation Gasoline, Specification for, **D7547 (05.04)**
Specification for Grade 94 Unleaded Aviation Gasoline Certification and Test Fuel, Specification for, **D7592 (05.04)**
Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, Specification for, **D6227 (05.03)**
Unloading tank cars/wagons/other shipping containers
Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, Practice for, **D3438 (06.04)**
Sampling and Handling Phenol, Cresols, and Cresylic Acid, Practice for, **D3852 (06.04)**
Unlubricated materials/testing
Scratch Hardness of Materials Using a Diamond Stylus, Test Method for, **G171 (03.02)**
Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, Test Method for, **D3702 (05.01)**
Unmanned Aircraft System (UAS)
Batteries for Use in Small Unmanned Aircraft Systems (sUAS), Specification for, **F3005 (15.11)**
Design and Performance of Pneumatic-Hydraulic Unmanned Air-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

craft System (UAS) Launch System, Specification for, **F2585 (15.11)**
Handling of Unmanned Aircraft Systems at Divert Airfields, Practice for, **F2849 (15.11)**
Maintenance and Development of Maintenance Manuals for Light Unmanned Aircraft System (UAS), Practice for, **F2584 (15.11)**
Quality Assurance in the Manufacture of Light Unmanned Aircraft System, Practice for, **F2512 (15.11)**
Unmanned Aircraft System (UAS) Visual Range Flight Operations, Practice for, **F2500 (15.11)**

Unmanned air vehicle systems
Maintenance and Development of Maintenance Manuals for Light Unmanned Aircraft System (UAS), Practice for, **F2584 (15.11)**
Unmanned Aircraft System Airworthiness, Practices for, **F2501 (15.11)**

Unmanned undersea vehicle (UUV)
Unmanned Undersea Vehicle (UUV) Autonomy and Control Architecture, Guide for, **F2541 (15.11)**
Unmanned Undersea Vehicle (UUV) Communications, Guide for, **F2594 (15.11)**
Unmanned Undersea Vehicle (UUV) Physical Payload Interface, Guide for, **F2545 (15.11)**
Unmanned Undersea Vehicle (UUV) Sensor Data Formats, Guide for, **F2595 (15.11)**

Unmasked plastic sheet
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**

Unmodified PVDF molding/extrusion materials
Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials, Specification for, **D3222 (08.02)**

Unnotched cantilever beam test
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**

Unpainted aircraft surfaces
Effects of Cleaners on Unpainted Aircraft Surfaces, Practice for, **F485 (15.03)**

Unplasticized PVC soffit
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**

Unpolarized light
Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, Guide for, **E1614 (03.06)**

Unprocessed municipal solid waste (MSW)
Sa **Municipal solid waste (MSW)**
Determination of the Composition of Unprocessed Municipal Solid Waste, Test Method for, **D5231 (11.04)**

Unreacted monomer content
Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, Test Method for, **D4827 (06.01)**
Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, Test Method for, **D4747 (06.01)**

Unreinforced masonry assemblages
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
Installation and Testing of Reinforced Autoclaved Aerated Concrete (AAC) Units, Practice for, **C1686 (04.05)**
Unreinforced Autoclaved Aerated Concrete (AAC) Masonry Units, Specification for, **C1691 (04.05)**

Unreinforced nylon plastics
See **Nylon plastics (PA)**

Unreinforced plastics
Compressive Properties of Plastic Lumber and Shapes, Test Method for, **D6108 (08.03)**
Flexural Properties of Unreinforced and Reinforced Plastic Lumber and Related Products, Test Methods for, **D6109 (08.03)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials, Test Methods for, **D790 (08.01)**
Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, Test Method for, **D6272 (08.03)**
Sulfone Plastics (SP), Specification for, **D6394 (08.03)**
Tensile Properties of Plastics, Test Method for, **D638 (08.01)**

Unreinforced vulcanized rubber sheet
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**

Unrestrained packaging
Internal Pressurization Failure Resistance of Unrestrained Packages, Test Methods for, **F1140/F1140M (15.10)**

Unrestrained/untensioned yarn skeins
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**

Unrestricted disposition
Unrestricted Disposition of Bulk Materials Containing Residual Amounts of Radioactivity, Guide for, **E1760 (12.02)**

Unrolling
Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, Test Method for, **D5636/D5636M (04.04)**

UNS A02010 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A02012 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02040 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A02042 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02080 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A02081 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02082 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02130 (Aluminum foundry alloy)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**

UNS A02220 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A02221 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS A02381 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02382 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02420 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A02421 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02422 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02950 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A02951 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A02952 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03190 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A03191 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03192 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03280 (Aluminum foundry alloy, castings)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A03281 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03320 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**

UNS A03330 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**

UNS A03331 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03360 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**

UNS A03540 (Aluminum foundry alloy, casting)
Aluminum Alloy Castings, High-Strength, Specification for, **B686/B686M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**

UNS A03541 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03550 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A03551 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03552 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03560 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A03561 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03562 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03590 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**

UNS A03592 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A03600 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**

UNS A03800 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**

UNS A03830 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**

UNS A03840 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**

UNS A03900 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**

UNS A03920 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**

UNS A04130 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**

UNS A04430 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**

UNS A04431 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

UNS A04432 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS A05120 (Aluminum foundry alloy, casting)
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A05130 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
UNS A05140 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A05141 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A05180 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
UNS A05200 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A05202 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A05350 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A05352 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A07050 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A07051 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A07070 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A07071 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A07100 (Aluminum foundry alloy, casting)
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A07110 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
UNS A07120 (Aluminum foundry alloy, casting)
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A07130 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A07131 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A07710 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A07712 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A08500 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A08501 (Aluminum foundry alloy, ingot)
Aluminum Alloy Castings, High-Strength, Specification for, **B686/B686M (02.02)**
UNS A08510 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A08520 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A12010 (Aluminum foundry alloy, casting)
Aluminum Alloy Castings, High-Strength, Specification for, **B686/B686M (02.02)**
UNS A12420 (Aluminum foundry alloy, casting)
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A12421 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A12422 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A13321 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A13322 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A13560 (Aluminum foundry alloy, casting)
Aluminum Alloy Castings, High-Strength, Specification for, **B686/B686M (02.02)**
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A13562 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A13570 (Aluminum foundry alloy, casting)
Aluminum Alloy Castings, High-Strength, Specification for, **B686/B686M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS A13600 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
UNS A13800 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
UNS A14130 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
UNS A14430 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A14431 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A14440 (Aluminum foundry alloy, casting)
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
UNS A14442 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A15142 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A17120 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
UNS A17121 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A18500 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A18501 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A23900 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
UNS A24430 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A24431 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A25140 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
UNS A25142 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A28500 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
UNS A28501 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A33550 (Aluminum foundry alloy, casting)
Aluminum Alloy Castings, High-Strength, Specification for, **B686/B686M (02.02)**
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Permanent Mold Castings, Specification for, **B108/B108M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A33552 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A34430 (Aluminum foundry alloy, casting)
Aluminum-Alloy Die Castings, Specification for, **B85/B85M (02.02)**
UNS A37121 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A47120 (Aluminum foundry alloy, casting)
Aluminum-Alloy Investment Castings, Specification for, **B618/B618M (02.02)**
Aluminum-Alloy Sand Castings, Specification for, **B26/B26M (02.02)**
UNS A47122 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A63321 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A63322 (Aluminum foundry alloy, ingot)
Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, Specification for, **B179 (02.02)**
UNS A91050 (Wr. alum. alloy, non-heat treatable)
Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**
UNS A91060 (Wr. alum. alloy)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
UNS A91060 (Wr. alum. alloy)—pipe/tube
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**
UNS A91060 (Wr. alum. alloy)—tube
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
UNS A91100 (Wr. alum. alloy)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**

UNS A91100 (Wr. alum. alloy)—tube
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

UNS A91145 (Wr. alum. alloy, non-heat treatable)
Aluminum Foil for Capacitors, Specification for, **B373 (02.02)**

UNS A91200 (Wr. alum. alloy, non-heat treatable)
Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

UNS A91230 (Wr. alum. alloy, non-heat treatable)
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A91235 (Wr. alum. alloy, non-heat treatable)
Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
Aluminum Foil for Capacitors, Specification for, **B373 (02.02)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

UNS A91350 (Wr. alum. alloy)
Aluminum 1350 Drawing Stock for Electrical Purposes, Specification for, **B233 (02.03)**
Aluminum Bars for Electrical Purposes (Bus Bars), Specification for, **B236 (02.02)**
Aluminum Bars for Electrical Purposes (Bus Bars) (Metric), Specification for, **B236M (02.02)**

UNS A91350 (Wr. alum. alloy)—wire (electrical)
Aluminum 1350 Round Wire, Annealed and Intermediate Tempers, for Electrical Purposes, Specification for, **B609/B609M (02.03)**
Aluminum 1350–H19 Wire for Electrical Purposes, Specification for, **B230/B230M (02.03)**
Aluminum Rectangular and Square Wire for Electrical Purposes, Specification for, **B324 (02.03)**
Compact Round Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/COMP), Specification for, **B401 (02.03)**
Concentric-Lay-Stranded Aluminum 1350 Conductors, Specification for, **B231/B231M (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Alloy Reinforced (ACAR, 1350/6201), Specification for, **B524/B524M (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Clad Steel Reinforced for Use in Overhead Electrical Conductors, Specification for, **B549 (02.03)**
Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR), Specification for, **B232/B232M (02.03)**
High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced, Specification for, **B606/B606M (02.03)**

UNS A91435 (Wr. alum. alloy, non-heat treatable)
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**

UNS A92011 (Wr. alum. alloy, non-heat treatable)
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**

UNS A92014 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A92017 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**

UNS A92018 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS A92024 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A92025 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**

UNS A92117 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**

UNS A92124 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A92218 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**

UNS A92219 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A92618 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**

UNS A93003 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
- Aluminum-Alloy Rolled Tread Plate, Specification for, **B632/B632M (02.02)**
- Conducting Cyclic Galvanostaircase Polarization, Test Method for, **G100 (03.02)**

UNS A93003 (Wr. alum. alloy)—pipe/tube
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**

UNS A93003 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
- Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
- Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
- Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
- Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
- Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
- Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

UNS A93004 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A93004 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
- Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
- Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS A93005 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A93102 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**

UNS A93102 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
- Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

UNS A93105 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A93303 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**

UNS A94032 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**

UNS A95005 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95005 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**

UNS A95050 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95050 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
- Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
- Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
- Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**

UNS A95052 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95052 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
- Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
- Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
- Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
- Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**

UNS A95056 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**

UNS A95083 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95083 (Wr. alum. alloy)—pipe/tube
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**

UNS A95083 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS A95086 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95086 (Wr. alum. alloy)—pipe/tube
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**

UNS A95086 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
- Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
- Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**

UNS A95154 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95154 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
- Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
- Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**

UNS A95252 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95254 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95454 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95454 (Wr. alum. alloy)—tube
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
- Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**

UNS A95456 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
- Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95457 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95652 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A95657 (Wr. alum. alloy, non-heat treatable)
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A96003 (Wr. alum. alloy, cladding)
- Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
- Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**

UNS A96005 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**

UNS A96053 (Wr. alum. alloy, heat treatable)
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**

UNS A96061 (Wr. alum. alloy)
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
- Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
- Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
- Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
- Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
Aluminum-Alloy 6061-T6 Standard Structural Profiles, Specification for, **B308/B308M (02.02)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**
Aluminum-Alloy Rolled Tread Plate, Specification for, **B632/B632M (02.02)**
Silver-Tungsten Electrical Contact Materials, Specification for, **B631 (02.04)**

UNS A96061 (Wr. alum. alloy)—pipe/tube
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**

UNS A96061 (Wr. alum. alloy)—tube
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**

UNS A96061 (Wr. alum. alloy)—wire (electrical)
Aluminum-Alloy 6201-T81 Wire for Electrical Purposes, Specification for, **B398/B398M (02.03)**
Concentric-Lay-Stranded Aluminum-Alloy 6201-T81 Conductors, Specification for, **B399/B399M (02.03)**

UNS A96063 (Wr. alum. alloy)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**

UNS A96063 (Wr. alum. alloy)—pipe/tube
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**
Aluminum-Alloy Extruded Structural Pipe and Tube, Specification for, **B429/B429M (02.02)**

UNS A96063 (Wr. alum. alloy)—tube
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**
Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, Specification for, **B491/B491M (02.02)**
Micrometer Bend Test for Ductility of Electrodeposits, Practice for, **B490 (02.05)**

UNS A96066 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**

UNS A96070 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**

UNS A96105 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**

UNS A96151 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**

UNS A96201 (Wr. alum. alloy, heat treatable)
Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Alloy Reinforced (ACAR, 1350/6201), Specification for, **B524/B524M (02.03)**

UNS A96253 (Wr. alum. alloy, cladding)
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**

UNS A96262 (Wr. alum. alloy)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**

UNS A96262 (Wr. alum. alloy)—tube
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, Specification for, **B483/B483M (02.02)**

UNS A96351 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**

UNS A96463 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS A97005 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
UNS A97008 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
UNS A97011 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
UNS A97049 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
UNS A97050 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
UNS A97072 (Wr. alum. alloy)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
UNS A97072 (Wr. alum. alloy)—pipe/tube
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, Specification for, **B345/B345M (02.02)**
UNS A97072 (Wr. alum. alloy)—tube
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, Specification for, **B234 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), Specification for, **B234M (02.02)**
Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, Specification for, **B547/B547M (02.02)**
Aluminum and Aluminum-Alloy Round Welded Tubes, Specification for, **B313/B313M (02.02)**
Green Strength of Specimens Compacted from Metal Powders, Test Method for, **B312 (02.05)**
UNS A97075 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes, Specification for, **B210 (02.02)**
Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), Specification for, **B210M (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, Specification for, **B211 (02.02)**
Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), Specification for, **B211M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
UNS A97076 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
UNS A97175 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, Specification for, **B247 (02.02)**
Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), Specification for, **B247M (02.02)**
UNS A97178 (Wr. alum. alloy, heat treatable)
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, Specification for, **B221 (02.02)**
Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), Specification for, **B221M (02.02)**
Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, Specification for, **B316/B316M (02.02)**
Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, Specification for, **B241/B241M (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate, Specification for, **B209 (02.02)**
Aluminum and Aluminum-Alloy Sheet and Plate (Metric), Specification for, **B209M (02.02)**
UNS A98017 (Wr. alum alloy, non-heat treatable)
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**
UNS A98030 (Wr. alum alloy, non-heat treatable)
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**
UNS A98076 (Wr. alum alloy, non-heat treatable)
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**
UNS A98130 (Wr. alum alloy, non-heat treatable)
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**
UNS A98176 (Wr. alum alloy, non-heat treatable)
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**
UNS A98177 (Wr. alum alloy, non-heat treatable)
8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, Specification for, **B800 (02.03)**
Unsafe building conditions
Periodic Inspection of Building Facades for Unsafe Conditions, Practice for, **E2270 (04.12)**
Unsaponifiable acetone extract
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Unsaponifiable matter content
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**
Determination of the Unsaponifiable Nonvolatile Matter in Sulfated Oils, Test Method for, **D5553 (15.04)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**
Unsaponifiable Matter in Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Method for, **D1065 (06.03)**
Unsaturated aliphatic compounds
See **Aliphatic hydrocarbons**
Unsaturated compacted fill
Determination of the Impact Value (IV) of a Soil, Test Method for, **D5874 (04.08)**
Unsaturated flow
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Unsaturated hydraulic conductivity
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**
Unsaturated hydrocarbons
Sa **Hydrocarbons**
Determination of Olefin Content of Gasolines by Supercritical-Fluid Chromatography, Test Method for, **D6550 (05.03)**
Unsaturated roofing felt
Kerosine Number of Unsaturated (Dry) Felt by Vacuum Method, Test Method for, **D6136/D6136M (04.04)**
Unsaturated sampling
Sa **Soil sampling**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Unsaturated soil
Determination of the Soil Water Characteristic Curve for Desorption Using Hanging Column, Pressure Extractor, Chilled Mirror Hygrometer, or Centrifuge, Test Methods for, **D6836 (04.09)**
Measurement of Hydraulic Conductivity of Unsaturated Soils, Test Methods for, **D7664 (04.09)**
Unsaturated zone
Selecting a Ground-Water Modeling Code, Guide for, **D6170 (04.09)**
Unsaturation
Determination of Iodine Value of Tall Oil Fatty Acids, Test Method for, **D5768 (06.03)**
Determination of the Iodine Value of Fats and Oils, Test Method for, **D5554 (15.04)**
Polyurethane Raw Materials: Determination of Unsaturation of Polyols, Test Methods for, **D4671 (08.02)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, Test Method for, **D5670 (09.01)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value, Test Method for, **D5902 (09.01)**
Vinylidene Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D3124 (08.01)**
UNS C10100 (oxygen-free copper)
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Copper Rod Drawing Stock for Electrical Purposes, Specification for, **B49 (02.01)**
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Coppers, Classification of, **B224 (02.01)**
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
UNS C10100 (oxygen-free copper)—pipe/tube
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Welded Copper Tube, Specification for, **B447 (02.01)**
UNS C10100 (oxygen-free copper)—tube (for condensers/heat exchangers
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**
UNS C10200 (oxygen-free copper (OF))
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Copper Rod Drawing Stock for Electrical Purposes, Specification for, **B49 (02.01)**
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Coppers, Classification of, **B224 (02.01)**
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, Specification for, **B280 (02.01)**
Seamless Copper Water Tube, Specification for, **B88 (02.01)**
Seamless Copper Water Tube (Metric), Specification for, **B88M (02.01)**
Welded Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B919 (02.01)**
UNS C10200—pipe/tube (seamless/welded)
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Seamless Copper Pipe, Standard Sizes, Specification for, **B42 (02.01)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Seamless Copper Tube in Coils, Specification for, **B743 (02.01)**
Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**
Welded Copper Tube, Specification for, **B447 (02.01)**
UNS C10200—tube (for condensers/heat exchangers)
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C10300 (oxygen-free extra low phosphorus copper (OFXLP))
- Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
- Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
- Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
- Coppers, Classification of, **B224 (02.01)**
- Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
- Phosphorized Coppers—Refinery Shapes, Specification for, **B379 (02.01)**
- Seamless Copper Tube in Coils, Specification for, **B743 (02.01)**

UNS C10300—pipe/tube (seamless/welded)
- Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
- Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
- Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
- Seamless Copper Pipe, Standard Sizes, Specification for, **B42 (02.01)**
- Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
- Seamless Copper Tube in Coils, Specification for, **B743 (02.01)**
- Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**
- Threadless Copper Pipe, Standard Sizes, Specification for, **B302 (02.01)**
- Welded Copper Tube, Specification for, **B447 (02.01)**

UNS C10300—tube (for condensers/heat exchangers)
- Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
- Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
- U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

UNS C10400 (oxygen-free copper with silver, OFS)
- Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
- Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
- Coppers, Classification of, **B224 (02.01)**
- Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
- Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
- Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**

UNS C10500 (oxygen-free copper with silver, OFS)
- Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
- Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
- Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
- Coppers, Classification of, **B224 (02.01)**
- Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
- Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
- Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**

UNS C10700 (oxygen-free copper with silver, OFS)
- Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
- Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
- Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
- Coppers, Classification of, **B224 (02.01)**
- Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
- Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
- Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**

UNS C10800 (oxygen-free low phosphorus copper (OFLP))
- Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
- Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
- Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
- Coppers, Classification of, **B224 (02.01)**
- Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
- Phosphorized Coppers—Refinery Shapes, Specification for, **B379 (02.01)**

UNS C10800—pipe/tube (seamless/welded)
- Hard-Drawn Copper Capillary Tube for Restrictor Applications, Specification for, **B360 (02.01)**
- Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
- Seamless Copper Pipe, Standard Sizes, Specification for, **B42 (02.01)**
- Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
- Seamless Copper Tube in Coils, Specification for, **B743 (02.01)**
- Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**
- Welded Copper Tube, Specification for, **B447 (02.01)**

UNS C10800—tube (for condensers/heat exchangers)
- Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
- Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
- U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
- Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

UNS C10910 (copper (controlled oxygen))
- Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**

UNS C10920 (controlled oxygen)
- Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**

UNS C10930 (controlled oxygen)
- Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**

UNS C10940 (controlled oxygen)
- Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**

UNS C11000 (electrolytic tough pitch coper (ETP))
- Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
- Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
- Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
- Copper Rod Drawing Stock for Electrical Purposes, Specification for, **B49 (02.01)**
- Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
- Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
- Coppers, Classification of, **B224 (02.01)**
- High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Welded Copper Tube, Specification for, **B447 (02.01)**

UNS C11000—rod/bar/shapes
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**

UNS C11010
Coppers, Classification of, **B224 (02.01)**

UNS C11020 (fire-refined, high-conductivity tough-pitch (FRHC))
Coppers, Classification of, **B224 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**

UNS C11040
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Copper Rod Drawing Stock for Electrical Purposes, Specification for, **B49 (02.01)**
Coppers, Classification of, **B224 (02.01)**
Electrolytic Copper Cathode, Specification for, **B115 (02.01)**

UNS C11100
Coppers, Classification of, **B224 (02.01)**

UNS C11300 (silver-bearing tough pitch, STP)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Coppers, Classification of, **B224 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**

UNS C11400 (silver-bearing tough pitch, STP)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Coppers, Classification of, **B224 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**

UNS C11500 (tough pitch copper with silver (STP))
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Coppers, Classification of, **B224 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**

UNS C11600 (silver-bearing tough pitch, STP)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Coppers, Classification of, **B224 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**

UNS C11700
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**

UNS C12000 (phosphorus deoxidized, low residual phosphorus copper (DLP))
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**
Coppers, Classification of, **B224 (02.01)**
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Phosphorized Coppers—Refinery Shapes, Specification for, **B379 (02.01)**
Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, Specification for, **B280 (02.01)**
Seamless Copper Water Tube, Specification for, **B88 (02.01)**
Seamless Copper Water Tube (Metric), Specification for, **B88M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C12000—pipe/tube (seamless/welded)
Hard-Drawn Copper Capillary Tube for Restrictor Applications, Specification for, **B360 (02.01)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Seamless Copper Bus Pipe and Tube, Specification for, **B188 (02.01)**
Seamless Copper Pipe, Standard Sizes, Specification for, **B42 (02.01)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Seamless Copper Tube in Coils, Specification for, **B743 (02.01)**
Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**
Welded Copper Tube, Specification for, **B447 (02.01)**

UNS C12000—tube (for condensers/heat exchangers)
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**

UNS C12100
Coppers, Classification of, **B224 (02.01)**

UNS C12200 (phosphorus deoxidized, high residual phosphorus copper (DHP))
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, Specification for, **B187/B187M (02.01)**
Coppers, Classification of, **B224 (02.01)**
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Seamless Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B903 (02.01)**
Seamless Copper Tube for Medical Gas Systems, Specification for, **B819 (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
Welded Copper Heat Exchanger Tubes With Internal Enhancement, Specification for, **B919 (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C12200—pipe/tube (seamless/welded)
Copper Drainage Tube (DWV), Specification for, **B306 (02.01)**
Hard-Drawn Copper Capillary Tube for Restrictor Applications, Specification for, **B360 (02.01)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Seamless Copper Pipe, Standard Sizes, Specification for, **B42 (02.01)**
Seamless Copper Tube, Specification for, **B75/B75M (02.01)**
Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, Specification for, **B280 (02.01)**
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**
Seamless Copper Tube in Coils, Specification for, **B743 (02.01)**
Seamless Copper Tube, Bright Annealed, Specification for, **B68/B68M (02.01)**
Seamless Copper Water Tube, Specification for, **B88 (02.01)**
Seamless Copper Water Tube (Metric), Specification for, **B88M (02.01)**
Threadless Copper Pipe, Standard Sizes, Specification for, **B302 (02.01)**
Welded Copper Tube, Specification for, **B447 (02.01)**

UNS C12200—refinery shapes
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Phosphorized Coppers—Refinery Shapes, Specification for, **B379 (02.01)**

UNS C12200—tube
Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, Specification for, **B837 (02.01)**

UNS C12200—tube (for condensers/heat exchangers)
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**

UNS C12300 (silver-bearing, high residual phosphorus copper)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Coppers, Classification of, **B224 (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**

UNS C12500 (fire-refined tough pitch copper, FRTP)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Coppers, Classification of, **B224 (02.01)**
Tough-Pitch Fire-Refined Copper—Refinery Shapes, Specification for, **B216 (02.01)**

UNS C12900
Coppers, Classification of, **B224 (02.01)**

UNS C14200 (phosphorus deoxidized copper, arsenical (DPA))
Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), Specification for, **B272 (02.01)**
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**
Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, Test Methods for, **B577 (02.01)**
Welded Copper Tube, Specification for, **B447 (02.01)**

UNS C14200—refinery shapes
Phosphorized Coppers—Refinery Shapes, Specification for, **B379 (02.01)**

UNS C14200—tube (for condensers/heat exchangers)
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

UNS C14420 (copper-tellurium-tin alloy)
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**

UNS C14500 (phosphorus deoxidized copper, tellurium bearing)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Coppers, Classification of, **B224 (02.01)**
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**

UNS C14510 (copper-tellurium alloy)
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**

UNS C14520 (copper-tellurium)
Coppers, Classification of, **B224 (02.01)**
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**
High Conductivity Tough-Pitch Copper Refinery Shapes, Specification for, **B5 (02.01)**
Tough-Pitch Fire-Refined Copper—Refinery Shapes, Specification for, **B216 (02.01)**

UNS C14530 (copper-tellurium alloy)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper Sheet, Strip, Plate, and Rolled Bar, Specification for, **B152/B152M (02.01)**

UNS C14700 (sulfur-bearing copper)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Coppers, Classification of, **B224 (02.01)**
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**

UNS C15000
Coppers, Classification of, **B224 (02.01)**

UNS C15100 (copper-zirconium alloy)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Zirconium Alloy Sheet and Strip, Specification for, **B747 (02.01)**

UNS C15500 (silver-bearing copper)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

UNS C17000 (beryllium copper)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Beryllium Alloy (UNS Nos. C17000 and C17200) Forgings and Extrusions, Specification for, **B570 (02.01)**
Copper-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B194 (02.01)**
Copper-Beryllium Alloy Rod and Bar, Specification for, **B196/B196M (02.01)**

UNS C17200 (beryllium copper)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Beryllium Alloy (UNS Nos. C17000 and C17200) Forg-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ings and Extrusions, Specification for, **B570 (02.01)**
Copper-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B194 (02.01)**
Copper-Beryllium Alloy Rod and Bar, Specification for, **B196/B196M (02.01)**
Copper-Beryllium Alloy Seamless Tube, Specification for, **B643 (02.01)**
Copper-Beryllium Alloy Wire, Specification for, **B197/B197M (02.01)**

UNS C17300 (beryllium copper)
Copper-Beryllium Alloy Rod and Bar, Specification for, **B196/B196M (02.01)**
Copper-Beryllium Alloy Wire, Specification for, **B197/B197M (02.01)**

UNS C17410 (copper-beryllium alloy)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Strip and Sheet, Specification for, **B768 (02.01)**

UNS C17450 (copper-beryllium alloy)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Strip and Sheet, Specification for, **B768 (02.01)**

UNS C17460 (copper-beryllium alloy)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Strip and Sheet, Specification for, **B768 (02.01)**

UNS C17465
Copper-Cobalt-Beryllium, Copper-Nickel-Beryllium, and Copper-Nickel-Lead-Beryllium Rod and Bar (UNS Nos. C17500, C17510, and C17465), Specification for, **B441 (02.01)**

UNS C17500 (beryllium copper)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Beryllium Alloy Forgings and Extrusions Alloys (UNS Nos. C17500 and C17510), Specification for, **B870 (02.01)**
Copper-Beryllium Seamless Tube (UNS Nos. C17500 and C17510), Specification for, **B937 (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B534 (02.01)**
Copper-Cobalt-Beryllium, Copper-Nickel-Beryllium, and Copper-Nickel-Lead-Beryllium Rod and Bar (UNS Nos. C17500, C17510, and C17465), Specification for, **B441 (02.01)**

UNS C17510 (beryllium copper)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Beryllium Alloy Forgings and Extrusions Alloys (UNS Nos. C17500 and C17510), Specification for, **B870 (02.01)**
Copper-Beryllium Seamless Tube (UNS Nos. C17500 and C17510), Specification for, **B937 (02.01)**
Copper-Beryllium Welded Heat Exchanger and Condenser Tube (UNS No. C17510), Specification for, **B944 (02.01)**
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B534 (02.01)**
Copper-Cobalt-Beryllium, Copper-Nickel-Beryllium, and Copper-Nickel-Lead-Beryllium Rod and Bar (UNS Nos. C17500, C17510, and C17465), Specification for, **B441 (02.01)**

UNS C18080
Copper-Chromium-Iron-Titanium Alloy Plate, Sheet, Strip and Rolled Bar, Specification for, **B936 (02.01)**

UNS C18700 (leaded copper)
Free-Cutting Copper Rod, Bar, Wire, and Shapes, Specification for, **B301/B301M (02.01)**

UNS C19002
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C19010
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C19015
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C19020
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C19025 (high copper alloy, NB109)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C19200—tube (seamless) for condensers/heat exchangers
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

UNS C19200 (high copper alloy)
Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B465 (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C19210
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B465 (02.01)**

UNS C19400—tube (welded)
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C19400 (high copper alloy)
- Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
- Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**
- Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B465 (02.01)**
- Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C19500 (high copper alloy)
- Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
- Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B465 (02.01)**

UNS C19700 (copper alloy)
- Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
- Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B465 (02.01)**

UNS C19720
- Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B465 (02.01)**

UNS C21000 (brass, gilding 95%)
- Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
- Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
- Brass Wire, Specification for, **B134/B134M (02.01)**
- Welded Brass Tube, Specification for, **B587 (02.01)**

UNS C22000 (commercial bronze, 80%)
- Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
- Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
- Brass Wire, Specification for, **B134/B134M (02.01)**
- Commercial Bronze Strip for Bullet Jackets, Specification for, **B130 (02.01)**
- Copper Alloy Bullet Jacket Cups, Specification for, **B131 (02.01)**
- Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**

UNS C22000—tube (seamless/welded)
- Seamless Brass Tube, Specification for, **B135 (02.01)**
- Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
- Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
- Welded Brass Tube, Specification for, **B587 (02.01)**

UNS C22600 (jewelry bronze)
- Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
- Brass Wire, Specification for, **B134/B134M (02.01)**

UNS C23000 (red brass, 85%)
- Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
- Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
- Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
- Brass Wire, Specification for, **B134/B134M (02.01)**
- Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
- Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
- U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
- Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C23000—electromagnetic shielding copper
- Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**

UNS C23000—pipe/tube (seamless/welded)
- Seamless Brass Tube, Specification for, **B135 (02.01)**
- Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
- Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
- Seamless Red Brass Pipe, Standard Sizes, Specification for, **B43 (02.01)**
- U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
- Welded Brass Tube, Specification for, **B587 (02.01)**
- Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

UNS C23000—tube (for condensers/heat exchangers)
- Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
- Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
- Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**

UNS C23400
- Brass Wire, Specification for, **B134/B134M (02.01)**

UNS C24000 (low brass, 80 %)
- Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
- Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
- Brass Wire, Specification for, **B134/B134M (02.01)**

UNS C26000 (cartridge brass, 70%)
- Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
- Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
- Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**
- Brass Wire, Specification for, **B134/B134M (02.01)**
- Cartridge Brass Cartridge Case Cups, Specification for, **B129 (02.01)**
- Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, Specification for, **B19 (02.01)**
- Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

UNS C26000—corrosion by engine coolants
- Corrosion Test for Engine Coolants in Glassware, Test Method for, **D1384 (15.05)**
- Simulated Service Corrosion Testing of Engine Coolants, Test Method for, **D2570 (15.05)**
- Testing Engine Coolants in Car and Light Truck Service, Practice for, **D2847 (15.05)**

UNS C26000—tube
- Seamless Brass Tube, Specification for, **B135 (02.01)**
- Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
- Welded Brass Tube, Specification for, **B587 (02.01)**

UNS C26130 (arsenic inhibited cartridge brass)
- Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, Specification for, **B569 (02.01)**

UNS C26800 (yellow brass, 66 %)
- Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
Welded Brass Tube, Specification for, **B587 (02.01)**

UNS C27000 (yellow brass, 65%)
Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
Brass Wire, Specification for, **B134/B134M (02.01)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
Welded Brass Tube, Specification for, **B587 (02.01)**

UNS C27200 (brass)
Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
Welded Brass Tube, Specification for, **B587 (02.01)**

UNS C27400 (yellow brass, 63 %)
Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
Brass Wire, Specification for, **B134/B134M (02.01)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**

UNS C27450
Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

UNS C27451
Brass Rod, Bar, and Shapes, Specification for, **B927/B927M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

UNS C28000 (Muntz metal, 60 %)
Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**

UNS C31400 (hardware bronze; leaded commercial bronze)
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**

UNS C31600 (hardware bronze; leaded commercial bronze)
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**

UNS C32000 (hardware bronze; leaded red brass)
Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, Specification for, **B140/B140M (02.01)**

UNS C33000 (low leaded brass)
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**

UNS C33200 (high leaded brass)
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**

UNS C33500 (low leaded brass)
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**

UNS C34000 (medium leaded brass, 64.5%)
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**

UNS C34200 (high leaded brass, 64.5%)
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**

UNS C34500 (leaded brass)
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**

UNS C35000 (leaded brass)
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**

UNS C35300 (high leaded brass, 62%)
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**

UNS C35330
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**

UNS C35340 (leaded brass)
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**

UNS C35350
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**

UNS C35600 (extra high leaded brass)
Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, Specification for, **B453/B453M (02.01)**
Leaded Brass Plate, Sheet, Strip, and Rolled Bar, Specification for, **B121/B121M (02.01)**

UNS C36000 (free-cutting brass)
Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines, Specification for, **B16/B16M (02.01)**

UNS C36010
Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines, Specification for, **B16/B16M (02.01)**

UNS C36300
Low Leaded Brass Rod, Bar and Shapes, Specification for, **B981/B981M (02.01)**

UNS C36500 (leaded Muntz metal, uninhibited)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Low Leaded Brass Rod, Bar and Shapes, Specification for, **B981/B981M (02.01)**

UNS C37000 (free-cutting Muntz metal)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Low Leaded Brass Rod, Bar and Shapes, Specification for, **B981/B981M (02.01)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**

UNS C37100
Low Leaded Brass Rod, Bar and Shapes, Specification for, **B981/B981M (02.01)**

UNS C37700 (forging brass)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Low Leaded Brass Rod, Bar and Shapes, Specification for, **B981/B981M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C38000 (leaded brass)
Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, Specification for, **B455 (02.01)**
UNS C38500 (architectural bronze)
Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, Specification for, **B455 (02.01)**
UNS C40500 (tin brass)
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C40810 (tin brass)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C40850 (tin brass)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C40860 (tin brass)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C41100 (tin brass)
Copper Alloy Strip for Flexible Metal Hose, Specification for, **B508 (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C41300 (tin brass)
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C41500 (tin brass)
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C42200 (tin brass)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C42500 (tin brass)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C42520 (tin brass)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C42600
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
UNS C43000 (tin brass)
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C43400 (tin brass)
Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, Specification for, **B591 (02.01)**
UNS C44300 (admiralty, arsenical)
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**
UNS C44300 (admiralty, arsenical)—tube
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
UNS C44400 (admiralty, antimonial (Cu-Zn-Sn))
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
UNS C44500 (admiralty, phosphorized (Cu-Zn-Sn))
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**
UNS C44500 (admiralty, phosphorized (Cu-Zn-Sn))—tube
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
UNS C46200 (naval brass, 63.5%)
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**
UNS C46400 (naval brass, uninhibited)
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**
UNS C46500 (naval brass, arsenical)
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
UNS C46750
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
General Requirements for Wrought Copper and Copper-Alloy

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**

UNS C47940 (Brass alloy)
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**

UNS C48200 (naval brass, medium leaded)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**

UNS C48500 (naval brass, high leaded)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Naval Brass Rod, Bar, and Shapes, Specification for, **B21/B21M (02.01)**

UNS C48600
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

UNS C49250
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**
Free-Cutting Bismuth Brass Rod, Bar and Wire, Specification for, **B974/B974M (02.01)**

UNS C49255
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**

UNS C49260
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**
Free-Cutting Bismuth Brass Rod, Bar and Wire, Specification for, **B974/B974M (02.01)**

UNS C49300
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**

UNS C49340
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**
Free-Cutting Bismuth Brass Rod, Bar and Wire, Specification for, **B974/B974M (02.01)**

UNS C49350
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**

UNS C49355
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**

UNS C49360
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, Specification for, **B967/B967M (02.01)**

UNS C50500 (phosphor bronze, 1.25% E)
Copper Alloy Strip for Flexible Metal Hose, Specification for, **B508 (02.01)**

UNS C50580
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

UNS C50700 (phosphor bronze)
Hard-Drawn Copper Alloy Wires for Electric Conductors, Specification for, **B105 (02.03)**

UNS C50780
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

UNS C51000 (phosphor bronze, 5% A)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Hard-Drawn Copper Alloy Wires for Electric Conductors, Specification for, **B105 (02.03)**
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**
Phosphor Bronze Rod, Bar, and Shapes, Specification for, **B139/B139M (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

UNS C51080
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

UNS C51100 (phosphor bronze)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

UNS C51180
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**

UNS C51900 (phosphor bronze)
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**

UNS C51980
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C52100 (phosphor bronze, 8% C)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**
Phosphor Bronze Rod, Bar, and Shapes, Specification for, **B139/B139M (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**

UNS C52180
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**

UNS C52400 (phosphor bronze, 10% D)
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**
Phosphor Bronze Rod, Bar, and Shapes, Specification for, **B139/B139M (02.01)**
Phosphor Bronze Wire, Specification for, **B159/B159M (02.01)**

UNS C52480
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

UNS C53400 (phosphor bronze B-1)
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**
Phosphor Bronze Rod, Bar, and Shapes, Specification for, **B139/B139M (02.01)**

UNS C54400 (phosphor bronze B-2)
Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, Specification for, **B103/B103M (02.01)**
Phosphor Bronze Rod, Bar, and Shapes, Specification for, **B139/B139M (02.01)**

UNS C60800 (aluminum bronze)
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

UNS C61300 (aluminum bronze)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Aluminum Bronze Sheet, Strip, and Rolled Bar, Specification for, **B169/B169M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

UNS C61300 (aluminum bronze)—pipe/tube
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**

UNS C61400 (aluminum bronze D)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Aluminum Bronze Sheet, Strip, and Rolled Bar, Specification for, **B169/B169M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

UNS C61400 (aluminum bronze D)—pipe/tube
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**

UNS C61900 (aluminum bronze)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

UNS C62300 (aluminum bronze)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

UNS C62400, C62410 (aluminum bronze)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**

UNS C63000 (aluminum bronze)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**

UNS C63020 (copper alloy)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**

UNS C63200 (aluminum bronze)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**

UNS C63800 (aluminum bronze)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C64200 (aluminum bronze)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

UNS C64210 (aluminum-silicon bronze)
Aluminum Bronze Rod, Bar, and Shapes, Specification for, **B150/B150M (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C64700 (silicon bronze)
Copper-Nickel-Silicon Alloy Rod and Bar, Specification for, **B411/B411M (02.01)**

UNS C64725
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C64785
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**

UNS C65100 (low silicon bronze B)
Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, Specification for, **B96/B96M (02.01)**
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Hard-Drawn Copper Alloy Wires for Electric Conductors, Specification for, **B105 (02.03)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**

UNS C65400 (silicon bronze)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, Specification for, **B96/B96M (02.01)**

UNS C65500 (high silicon bronze A)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, Specification for, **B96/B96M (02.01)**
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**
Copper-Silicon Alloy Wire for General Applications, Specification for, **B99/B99M (02.01)**
Seamless Copper Alloy Pipe and Tube, Specification for, **B315 (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

UNS C66100 (silicon bronze)
Copper-Silicon Alloy Rod, Bar and Shapes, Specification for, **B98/B98M (02.01)**

UNS C66300 (misc. copper-zinc alloy)
Copper-Zinc-Aluminum-Cobalt Alloy, Copper-Zinc-Tin-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B592 (02.01)**

UNS C66400 copper alloy
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**

UNS C66410 (misc. copper-zinc alloy)
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**

UNS C66430
Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**

UNS C67000 (manganese bronze B)
Manganese Bronze Rod, Bar, and Shapes, Specification for, **B138/B138M (02.01)**

UNS C67500 (manganese bronze A)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Manganese Bronze Rod, Bar, and Shapes, Specification for, **B138/B138M (02.01)**

UNS C67600 (leaded manganese bronze)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Manganese Bronze Rod, Bar, and Shapes, Specification for, **B138/B138M (02.01)**

UNS C68700 (aluminum brass, aresenical)
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

UNS C68800 (copper alloy)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Zinc-Aluminum-Cobalt Alloy, Copper-Zinc-Tin-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B592 (02.01)**

UNS C69100 (copper alloy)
Seamless Copper Alloy (UNS No. C69100) Pipe and Tube, Specification for, **B706 (02.01)**

UNS C69150
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**

UNS C69300
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Zinc-Silicon Alloy Rod, Specification for, **B371/B371M (02.01)**

UNS C69400 (silicon red brass)
Copper-Zinc-Silicon Alloy Rod, Specification for, **B371/B371M (02.01)**

UNS C69430 (silicon red brass)
Copper-Zinc-Silicon Alloy Rod, Specification for, **B371/B371M (02.01)**

UNS C69700 (leaded silicon brass)
Copper-Zinc-Silicon Alloy Rod, Specification for, **B371/B371M (02.01)**

UNS C69710 (leaded silicon brass)
Copper-Zinc-Silicon Alloy Rod, Specification for, **B371/B371M (02.01)**

UNS C70250 (copper-nickel)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C70260 (copper-nickel)

Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C70265

Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C70310

Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**

Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, Specification for, **B422/B422M (02.01)**

UNS C70400 (copper-nickel, 5 %)

Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**

Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**

Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**

U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

UNS C70600 (Cu-Ni, 10%)

Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**

Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**

Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C70600 (Cu-Ni)—pipe/tube (seamless/welded)

Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**

Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**

Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

Welded Copper-Nickel Pipe, Specification for, **B467 (02.01)**

UNS C70600 (Cu-Ni)—rod/bar

Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

UNS C70600 (Cu-Ni)—tube (for condensers/heat exchangers)

Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**

Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**

U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

UNS C70620 (90/10 Cu-Ni welding rod composition)

Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**

Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

UNS C70620—90/10 Cu-Ni welding grade

Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**

Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**

Welded Copper-Nickel Pipe, Specification for, **B467 (02.01)**

UNS C70620 (90/10 Cu-Ni welding rod)

Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**

Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**

Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**

Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**

Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**

U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C70690 (copper nickel)

Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**

UNS C71000

Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, Specification for, **B694 (02.01)**

Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**

Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**

Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C71000—pipe and tube

Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**

UNS C71000—tube (for condensers/heat exchangers)

Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**

Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**

U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C71500
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C71500—pipe/tube (seamless/welded)
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
Welded Copper-Nickel Pipe, Specification for, **B467 (02.01)**

UNS C71500—rod/bar
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

UNS C71500—tube (for condensers/heat exchangers)
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**

UNS C71520—70/30 Cu-Ni welding grade
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**

UNS C71520 (70/30 copper-nickel (welding rod composition))
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
Welded Copper-Nickel Pipe, Specification for, **B467 (02.01)**

UNS C71520 (70/30 Cu-Ni welding rod)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C71580 (copper nickel)
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**

UNS C71590 (copper nickel)
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**

UNS C71640 (copper-nickel)
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

UNS C71700
Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B534 (02.01)**

UNS C72200 (copper nickel)
Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, Specification for, **B111/B111M (02.01)**
Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, Specification for, **B171/B171M (02.01)**
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Seamless Copper-Nickel Pipe and Tube, Specification for, **B466/B466M (02.01)**
Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, Specification for, **B956/B956M (02.01)**

UNS C72200 (copper nickel)—tube
Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B359/B359M (02.01)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, Specification for, **B395/B395M (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**

UNS C72500 (copper nickel)
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**

UNS C72650 (copper-nickel tin alloy)
Copper-Nickel-Tin Spinodal Alloy Strip, Specification for, **B740 (02.01)**

UNS C72700 (copper-nickel tin spinoidal alloy)
Copper-Nickel-Tin Spinodal Alloy Strip, Specification for, **B740 (02.01)**

UNS C72900 (copper-nickel tin spinodal alloy)
Copper-Nickel-Tin Spinodal Alloy Rod and Bar, Specification for, **B929 (02.01)**
Copper-Nickel-Tin Spinodal Alloy Strip, Specification for, **B740 (02.01)**

UNS C73500 (nickel silver)
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**

UNS C74000 (nickel silver)
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**

UNS C74500 (nickel silver)
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**

UNS C74500 (nickel silver)—rod/bar
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

UNS C75200 (nickel silver)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**

UNS C75200 (nickel silver)—rod/bar
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

UNS C75700 (nickel silver, 65-12)
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

UNS C76200 (nickel silver)
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**

UNS C76400 (nickel silver)
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**

UNS C76400 (nickel silver)—rod/bar
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

UNS C77000 (nickel silver)
Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, Specification for, **B122/B122M (02.01)**
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**

UNS C77000 (nickel silver)—rod/bar
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

UNS C77400 (nickel silver)
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

UNS C79200 (leaded nickel silver)
Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, Specification for, **B206/B206M (02.01)**
Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, Specification for, **B151/B151M (02.01)**

UNS C81400 (cast chromium copper)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

UNS C82000 (cast beryllium copper)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

UNS C82200 (cast beryllium copper)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

UNS C82400 (cast beryllium copper)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

UNS C82500 (cast beryllium copper)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

UNS C82510 (copper-beryllium alloy)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

UNS C82600 (cast beryllium copper)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

UNS C82800 (cast beryllium copper)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

UNS C83450 (leaded red brass)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C83470
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C83600 (cast leaded red brass)
Composition Bronze or Ounce Metal Castings, Specification for, **B62 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C83800 (cast leaded red brass)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C84020
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C84030
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C84200 (cast semi-red brass)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C84400 (cast semi-red brass)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C84800 (cast semi-red brass)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C85200 (cast leaded yellow brass)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C85400 (cast leaded yellow brass)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C85470
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C85700 (cast leaded yellow brass)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C85800 (cast leaded yellow brass)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**

UNS C86100 (cast manganese bronze)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C86200 (cast manganese bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C86300 (cast manganese bronze)
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C86400 (cast leaded manganese bronze)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C86500 (cast manganese bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C86700 (cast leaded manganese bronze)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C87300 (copper silicon alloy)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C87400 (cast silicon brass)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C87500 (cast silicon brass)
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C87600 (cast silicon brass)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C87610 (cast leaded tin bronze)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C87610 (cast silicon brass)
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C87700
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C87710
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper and Copper Alloy Forging Rod, Bar, and Shapes, Specification for, **B124/B124M (02.01)**
Copper and Copper-Alloy Die Forgings (Hot-Pressed), Specification for, **B283/B283M (02.01)**

UNS C87800 (cast silicon bronze)
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**

UNS C87845
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C87850
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89320 (cast Cu-Sn-Bi bronze alloy (magnolia B-1 lead-free bronze))
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89510
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89520 (cast Cu-Sn-Zn-Bi-Se alloy, SeBiLOY II)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89530
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89535
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89537
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89540
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89570
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89720
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89833
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89836
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C89844 (cast Cu-Zn-Sn-Bi alloy)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C90300 (cast tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C90420
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C90500 (cast tin bronze)
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C90700 (cast tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Gear Bronze Alloy Castings, Specification for, **B427 (02.01)**

UNS C90800 (cast tin bronze)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Gear Bronze Alloy Castings, Specification for, **B427 (02.01)**

UNS C91000 (cast tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C91100 (cast tin bronze)
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C91300 (cast tin bronze)
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C91600 (cast tin bronze)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Gear Bronze Alloy Castings, Specification for, **B427 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C91700 (cast tin bronze)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Gear Bronze Alloy Castings, Specification for, **B427 (02.01)**
UNS C92200 (cast leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
Steam or Valve Bronze Castings, Specification for, **B61 (02.01)**
UNS C92210 (cast leaded tin bronze)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C92300 (cast leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C92500 (cast leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C92600 (cast leaded tin bronze)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C92700 (cast leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C92800 (cast leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C92900 (leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Gear Bronze Alloy Castings, Specification for, **B427 (02.01)**
UNS C93200 (cast high-leaded tin bronze)
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C93400 (cast high-leaded tin bronze)
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C93500 (cast high-leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C93600 (cast high-leaded tin bronze)
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C93700 (cast high-leaded tin bronze)
Bronze Castings for Bridges and Turntables, Specification for, **B22/B22M (02.01)**
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C93800 (cast high-leaded tin bronze)
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C93900 (cast high-leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C94000 (cast high-leaded tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C94100 (cast high-leaded tin bronze)
Car and Tender Journal Bearings, Lined, Specification for, **B67 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C94300 (cast high-leaded tin bronze)
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C94400 (cast high-leaded tin bronze)
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C94500 (cast high-leaded tin bronze)
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C94700 (cast nickel-tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C94800 (cast nickel-tin bronze)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C94900 (cast nickel-tin bronze)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C95200 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C95300 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C95400 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Bronze Castings for Steam Locomotive Wearing Parts, Specification for, **B66 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C95410 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C95500 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C95520 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C95600 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C95700 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**

UNS C95800 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Permanent Mold Castings for General Applications, Specification for, **B806 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C95820
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**

UNS C95900 (cast aluminum bronze)
Aluminum-Bronze Sand Castings, Specification for, **B148 (02.01)**
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**

UNS C96200 (cast copper-nickel)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Nickel Alloy Castings, Specification for, **B369 (02.01)**

UNS C96400 (cast copper nickel)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Nickel Alloy Castings, Specification for, **B369 (02.01)**

UNS C96700 (cast copper nickel)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Beryllium Alloy Sand Castings for General Applications, Specification for, **B770 (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS C96800 (cast copper nickel)
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C96900
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
UNS C96970
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
UNS C97300 (cast nickel-silver)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C97600 (cast nickel silver)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C97800 (cast nickel-silver)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for General Applications, Specification for, **B584 (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Base Alloy Centrifugal Castings, Specification for, **B271/B271M (02.01)**
UNS C99400 (cast copper alloy)
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C99500 (cast copper alloy)
Copper Alloy Continuous Castings, Specification for, **B505/B505M (02.01)**
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
UNS C99700 (cast copper alloy)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**
UNS C99750 (cast copper alloy)
Copper Alloys in Ingot Form, Specification for, **B30 (02.01)**
Copper-Alloy Die Castings, Specification for, **B176 (02.01)**
Unsealed torsion shear cure meters
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**
Unseasoned/untreated lumber
See **Wood products**
Unseating load
Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), Test Method for, **F2247 (15.08)**
UNS G10080 (carbon steel)
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
UNS G10100 (carbon steel)
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
UNS G10220 (carbon steel)
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
UNS G51986 (Cr alloy steel)
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
UNS G52986 (Cr alloy steel)
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Unsharpness
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Unshielded eddy current probes
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Unsintered PTFE (polytetrafluoroethylene)
Standard Test Methods for Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Guide to, **D6040 (08.03)**
Unsintered Pigmented Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Specification for, **D7193 (08.03)**
Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, Specification for, **D6585 (08.03)**
UNS J93371 (duplex alloy steel casting, 3A)
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
UNS J93372 (cast duplex Cr-Ni-Cu-Mo-N stainless steel)
Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, Specification for, **A890/A890M (01.02)**
UNS K91800 (iron, chromium sealing alloy)
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**
UNS K92650 (Fe-Co soft magnetic alloy)
Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), Specification for, **A801 (03.04)**
UNS K92801 (iron, chromium sealing alloy)
Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, Specification for, **F256 (10.04)**
UNS K93050 (Fe-Ni low expansion alloy, Invar FC)
Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, Specification for, **F1684 (10.04)**
UNS K93500 (Fe-Ni-Co low expansion alloy, Super Invar)
Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, Specification for, **F1684 (10.04)**
UNS K93603 (Fe-Ni low expansion alloy, Invar)
Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, Specification for, **F1684 (10.04)**
UNS K94490 (Fe-Ni ferromagnetic alloy)
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**
UNS K94610 (Fe-Ni-Co sealing alloy, KOVAR)
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**
UNS K94620 (Fe-Ni-Co, metal-to-ceramic sealing alloy)
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
UNS K94630 (Fe-Ni-Co, metal-to-ceramic sealing alloy)
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
UNS K94760 (iron, nickel-chromium sealing alloy)
Nickel-Chromium-Iron Sealing Alloys, Specification for, **F31 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS K94840 (Fe-Ni ferromagnetic alloy)
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**
UNS L01951 (cadmium metal, 99.95 Cd)
Cadmium, Specification for, **B440 (02.04)**
UNS L01971 (cadmium metal, 99.99 Cd)
Cadmium, Specification for, **B440 (02.04)**
UNS L01981 (cadmium metal, 99.995 Cd)
Cadmium, Specification for, **B440 (02.04)**
UNS L13840 (white metal bearing alloy)
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
UNS L13870 (white metal bearing alloy)
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
UNS L13890 (white metal bearing alloy)
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
UNS L13910 (white metal bearing alloy)
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
UNS L13911 (modern pewter casting alloys)
Modern Pewter Alloys, Specification for, **B560 (02.04)**
UNS L13912 (modern pewter sheet alloy)
Modern Pewter Alloys, Specification for, **B560 (02.04)**
UNS L13963 (modern pewter)
Modern Pewter Alloys, Specification for, **B560 (02.04)**
UNS L53346 (lead-base bearing alloy)
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
UNS L53565 (lead-base white metal bearing alloy)
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
UNS L53585 (lead-base white metal bearing alloy)
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
UNS L53620 (lead-base bearing alloy)
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
UNS M10100 (magnesium alloy, casting)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
UNS M10410 (magnesium alloy, casting)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
UNS M10600 (magnesium alloy, casting)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
UNS M11311 (magnesium alloy)
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Magnesium-Alloy Sheet and Plate, Specification for, **B90/B90M (02.02)**
UNS M11312 (magnesium alloy)
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Magnesium-Alloy Sheet and Plate, Specification for, **B90/B90M (02.02)**
UNS M11610 (magnesium alloy)
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
UNS M11630 (magnesium alloy, casting)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
UNS M11800 (magnesium alloy, casting)
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
UNS M11910 (magnesium alloy, casting)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
UNS M11912 (magnesium alloy, casting)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Die Castings, Specification for, **B94 (02.02)**
UNS M11914 (magnesium alloy, casting)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
UNS M11920 (magnesium alloy, casting)
Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, Specification for, **B93/B93M (02.02)**
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
UNS M12330 (magnesium alloy, casting)
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
UNS M13210 (magnesium alloy)
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Magnesium-Alloy Sheet and Plate, Specification for, **B90/B90M (02.02)**
UNS M13310 (magnesium alloy, casting)
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
Magnesium-Alloy Sheet and Plate, Specification for, **B90/B90M (02.02)**
UNS M13320 (magnesium alloy, casting)
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**
UNS M14141 (magnesium alloy)
Magnesium-Alloy Sheet and Plate, Specification for, **B90/B90M (02.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS M15100 (magnesium alloy)
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**

UNS M16100 (magnesium alloy)
Magnesium-Alloy Sheet and Plate, Specification for, **B90/B90M (02.02)**

UNS M16400 (magnesium alloy)
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**

UNS M16410 (magnesium alloy, casting)
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**

UNS M16510 (magnesium alloy, casting)
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**

UNS M16600 (magnesium alloy)
Flexivity of Thermostat Metals, Test Methods for, **B106 (02.04)**
Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, Specification for, **B107/B107M (02.02)**
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**

UNS M16610 (magnesium alloy, casting)
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**

UNS M16620 (magnesium alloy, casting)
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**

UNS M16630 (magnesium alloy, casting)
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**

UNS M18010 (magnesium alloy, casting)
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**

UNS M18220 (magnesium alloy, casting)
Magnesium-Alloy Investment Castings, Specification for, **B403 (02.02)**
Magnesium-Alloy Permanent Mold Castings, Specification for, **B199 (02.02)**
Magnesium-Alloy Sand Castings, Specification for, **B80 (02.02)**

UNS M19980 (magnesium remelt alloy)
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**

UNS M19990 (magnesium remelt alloy)
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**

UNS M19991 (magnesium remelt alloy)
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**

UNS M19995 (magnesium remelt alloy)
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**

UNS M19998 (magnesium remelt alloy)
Magnesium-Alloy Forgings, Specification for, **B91 (02.02)**
Unalloyed Magnesium Ingot and Stick For Remelting, Specification for, **B92/B92M (02.02)**

UNS N02200 (commercially pure Ni alloy, Nickel 200)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel Plate, Sheet, and Strip, Specification for, **B162 (02.04)**
Nickel Rod and Bar, Specification for, **B160 (02.04)**
Nickel Seamless Pipe and Tube, Specification for, **B161 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Pipe, Specification for, **B725 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Tube, Specification for, **B730 (02.04)**

UNS N02201 (commercially pure Ni alloy, Nickel 201)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Plate, Sheet, and Strip, Specification for, **B162 (02.04)**
Nickel Rod and Bar, Specification for, **B160 (02.04)**
Nickel Seamless Pipe and Tube, Specification for, **B161 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Pipe, Specification for, **B725 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Tube, Specification for, **B730 (02.04)**

UNS N02211 (nickel alloy, solution strengthened, Nickel 211)
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**

UNS N03300 (Ni alloy, Permanickel 300)
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**

UNS N04400 (Ni-Cu alloy, Monel 400)
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip, Specification for, **B127 (02.04)**
Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube, Specification for, **B165 (02.04)**
Nickel-Copper Alloy Rod, Bar, and Wire, Specification for, **B164 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Pipe, Specification for, **B725 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Tube, Specification for, **B730 (02.04)**

UNS N04404 (nickel-copper alloys)
Electronic Grade Alloys of Copper and Nickel in Wrought Forms, Specification for, **F96 (10.04)**
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**

UNS N04405 (Ni-Cu alloy solution strengthened (Monel R405))
Nickel-Copper Alloy Rod, Bar, and Wire, Specification for, **B164 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**

UNS N05500 (Ni-Cu alloy, Monel K500)
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Precipitation Hardening Nickel-Copper-Aluminum Alloy, Specification for, **B865 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS N06002 (Ni-Cr alloy, Hastelloy X)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, Specification for, **B435 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod, Specification for, **B572 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N06007 (Ni-Cr alloy, Hastelloy G)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip, Specification for, **B582 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N06022 (Ni-Cr-Mo alloy, Hastelloy C-22)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Determining the Crevice Repassivation Potential of Corrosion-Resistant Alloys Using a Potentiodynamic-Galvanostatic-Potentiostatic Technique, Test Method for, **G192 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N06025 (Ni-Cr-Fe-Al alloy, Nicofer 6025 HT)
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**
Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**
UNS N06030 (wrought Ni-Cr-Fe-Mo-Cu alloy, Hastelloy G-30)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip, Specification for, **B582 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N06045 (Ni-Cr-Fe-Si alloy, Nicrofer 45)
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674)

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**
Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**

UNS N06058 (low-carbon Ni-Cr-Mo alloy)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**

UNS N06059 (low carbon Ni-Cr-Mo alloy, Alloy 59)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N06060 (Ni-Cr-Mo-Fe alloy)
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**

UNS N06110 (austenitic corrosion resistant Ni alloy, Allcorr)
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloy, Specification for, **B756 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B759 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B758 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B755 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten-Alloys, Specification for, **B757 (02.04)**

UNS N06200 (Ni-Cr-Mo-Cu alloy, Hastelloy C-2000)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N06210 (Ni-Cr-Mo-Ta alloy, Hastelloy C-2000)
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N06219 (Ni-Cr-Mo-Si alloy, Nicrofer 6219Si)
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy, Specification for, **B443 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloys, Specification for, **B444 (02.04)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**

UNS N06230 (Ni-Cr-W-Mo alloy, Alloy No. 230)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod, Specification for, **B572 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N06250 (Ni-Cr-Fe-Mo alloy, SM2050)
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**

UNS N06255 (Ni-Cr-Fe-Mo-W alloy, SM2550)
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**

UNS N06333 (Ni-Cr alloy, RA 333)
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-, Specification for, **B719 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Plate, Sheet, and Strip, Specification for, **B718 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Seamless Pipe and Tube, Specification for, **B722 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, Specification for, **B723 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Tube, Specification for, **B726 (02.04)**

UNS N06455 (Ni-Cr alloy, Hastelloy C-4)

Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**

Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**

Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**

Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**

Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**

Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**

Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N06464 (Ni-Cr-Mo-Gd alloy)

Low-Carbon Nickel-Chromium-Molybdenum-Gadolinium Alloy Plate, Sheet, and Strip, Specification for, **B932 (02.04)**

UNS N06600 (Ni-Cr alloy, Inconel 600)

Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**

Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**

General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**

Nickel Alloy Forgings, Specification for, **B564 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**

Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**

Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**

Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**

UNS N06601 (Ni-Cr alloy, Inconel 601)

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**

Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**

UNS N06603 (Ni-Cr-Fe-Al-C alloy, 603GT)

Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**

Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**

Nickel Alloy Forgings, Specification for, **B564 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**

Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**

Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**

UNS N06617 (Ni-Cr alloy, Inconel 617)

Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**

Nickel Alloy Forgings, Specification for, **B564 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**

Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**

UNS N06625

Additive Manufacturing Nickel Alloy (UNS N06625) with Powder Bed Fusion, Specification for, **F3056 (10.04)**

Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**

Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**

General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**

Nickel Alloy Forgings, Specification for, **B564 (02.04)**

Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **B705 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy, Specification for, **B443 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625), Nickel-Chromium-Molybdenum-Silicon Alloy (UNS N06219), and Nickel-Chromium-Molybdenum-Tungsten Alloy (UNS N06650) Rod and Bar, Specification for, **B446 (02.04)**
Nickel-Chromium-Molybdenum-Columbium Alloys, Specification for, **B444 (02.04)**
Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, Specification for, **B834 (02.04)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**

UNS N06686 (Ni-Cr-Mo-W alloy, Inconel 686)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N06690 (Ni-Cr alloy, Inconel 690)
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**

UNS N06693 (Ni-Cr-Fe-Al-CB alloy, Inconel 693)
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, Specification for, **B168 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, Specification for, **B166 (02.04)**
Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, Specification for, **B167 (02.04)**

UNS N06920 (Ni-Cr-Fe-Mo-W alloy, Hastelloy H-9M)
Nickel-Chromium-Iron-Molybdenum-Tungsten Alloy, Specification for, **B814 (02.04)**

UNS N06975 (Ni-Cr alloy, Hastelloy G-2)
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip, Specification for, **B582 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N06985 (Ni-Cr alloy ERNiCrMo-9, Hastelloy G-3)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip, Specification for, **B582 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N07001 (Ni-Cr alloy, Waspaloy)
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**

UNS N07080 (Ni-Cr alloy, Nimonic 80A)
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**

UNS N07252 (Ni-Cr alloy, M252)
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**

UNS N07500 (Ni-Cr alloy, Udimet 500)
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**

UNS N07716 (Ni-Cr alloy)
Precipitation Hardening Nickel Alloys Bar and Wire, Specification for, **B805 (02.04)**

UNS N07718
Additive Manufacturing Nickel Alloy (UNS N07718) with Powder Bed Fusion, Specification for, **F3055 (10.04)**
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, Specification for, **B637 (02.04)**
Precipitation-Hardening Bolting (UNS N07718) for High Temperature Service, Specification for, **A1014/A1014M (01.01)**
Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, Specification for, **B670 (02.04)**

UNS N07725 (Ni-Cr-Mo alloy, Inconel 725)
Precipitation Hardening Nickel Alloys Bar and Wire, Specification for, **B805 (02.04)**

UNS N07750 (Ni-Cr alloy, Inconel X750)
Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Tempera-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ture Service, Specification for, **B637 (02.04)**

UNS N07773 (Ni-Cr-Fe-Cb-Mo alloy, PH3)
Precipitation Hardening Nickel Alloys Bar and Wire, Specification for, **B805 (02.04)**

UNS N07776 (Ni-Cr-Mo-Fe-Cb-W alloy, PH6)
Precipitation Hardening Nickel Alloys Bar and Wire, Specification for, **B805 (02.04)**

UNS N08020 (Ni-Fe-Cr alloy, Carpenter 20Cb3)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, Specification for, **A358/A358M (01.01)**
Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, Test Method for, **G123 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, Specification for, **B473 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**

UNS N08020 (Ni-Fe-Cr alloy, Carpenter 20Cb3)—pipe
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**

UNS N08020 (Ni-Fe-Cr alloy, Carpenter 20Cb3)—wire
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**

UNS N08024 (Cr-Ni-Fe-Mo-Cu alloy, columbium stabilized)
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, Specification for, **B473 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**

UNS N08026 (Ni-Cr wrought alloy, Carpenter 20Mo6)
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, Specification for, **B729 (02.04)**
UNS N08020 Alloy Plate, Sheet, and Strip, Specification for, **B463 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, Specification for, **B473 (02.04)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**

UNS N08028 (Ni-Fe-Cr alloy, Sanicro 28)
Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip, Specification for, **B709 (02.04)**
UNS N08028 Seamless Pipe and Tube, Specification for, **B668 (02.04)**

UNS N08031 (Ni-Fe-Cr-Mo-Cu, Alloy No. 31)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, Specification for, **B649 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, Specification for, **B581 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N08110
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**

UNS N08120 (Ni-Fe-Cr alloy, HR-120)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B409 (02.04)**
Nickel-Iron-Chromium Alloy Rod and Bar, Specification for, **B408 (02.04)**
Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel-Iron-Chromium Alloy Pipe, Specification for, **B514 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS N08135 (Ni-Fe-Cr-Mo-W alloy, SM2035)
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**

UNS N08221 (Ni-Fe-Cr-Cu alloy)
Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Plate, Sheet, and Strip, Specification for, **B424 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Copper Alloy, Specification for, **B423 (02.04)**
Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Rod and Bar, Specification for, **B425 (02.04)**

UNS N08320 (Ni-Fe-Cr alloy, Haynes No. 20 Mod)
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip, Specification for, **B620 (02.04)**
Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod, Specification for, **B621 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS N08330 (Ni-Fe-Cr alloy, RA 330)
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel-Chromium-Silicon Alloy (UNS N08330) Billets and Bars, Specification for, **B512 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes, Specification for, **B511 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, Specification for, **B710 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Tube, Specification for, **B739 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Plate, Sheet, and Strip, Specification for, **B536 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**

UNS N08332 (Ni-Fe-Cr-Si alloy, RA 330TX)
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes, Specification for, **B511 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, Specification for, **B710 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Tube, Specification for, **B739 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Plate, Sheet, and Strip, Specification for, **B536 (02.04)**
Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, Specification for, **B535 (02.04)**

UNS N08366 (Ni-Fe-Cr alloy, AL-6X)
Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, Specification for, **B688 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire, Specification for, **B691 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
UNS N08367 Welded Pipe, Specification for, **B675 (02.04)**

UNS N08367 (Cr-Ni-Mo-N alloy, AL 6XN)
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, Specification for, **B688 (02.04)**
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire, Specification for, **B691 (02.04)**
Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, Specification for, **B690 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, Specification for, **B834 (02.04)**
UNS N08367 and UNS N08926 Welded Pipe, Specification for, **B804 (02.04)**
UNS N08367 Welded Pipe, Specification for, **B675 (02.04)**
UNS N08367 Welded Tube, Specification for, **B676 (02.04)**

UNS N08535 (Ni-Cr-Mo-Fe-Cu alloy)
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**

UNS N08700 (Fe-Ni-Cr alloy, JS 700)
Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire, Specification for, **B672 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip, Specification for, **B599 (02.04)**

UNS N08800 (Fe-Ni-Cr alloy, Incoloy 800)
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, Specification for, **A358/A358M (01.01)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B409 (02.04)**
Nickel-Iron-Chromium Alloy Rod and Bar, Specification for, **B408 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel-Iron-Chromium Alloy Pipe, Specification for, **B514 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**

UNS N08801 (Fe-Ni-Cr alloy, Incoloy 801))
Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**

UNS N08810 (Fe-Ni-Cr alloy, Incoloy 800H)
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, Specification for, **A358/A358M (01.01)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B409 (02.04)**
Nickel-Iron-Chromium Alloy Rod and Bar, Specification for, **B408 (02.04)**
Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Welded Nickel-Iron-Chromium Alloy Pipe, Specification for, **B514 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**

UNS N08811 (wrought Ni-Fe-Cr alloy, Incoloy 800HT)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B409 (02.04)**
Nickel-Iron-Chromium Alloy Rod and Bar, Specification for, **B408 (02.04)**
Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, Specification for, **B407 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**

UNS N08825 (Ni-Fe-Cr alloy, Incoloy 825)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Plate, Sheet, and Strip, Specification for, **B424 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Iron-Chromium-Molybdenum-Copper Alloy, Specification for, **B423 (02.04)**
Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, Specification for, **B163 (02.04)**
Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Rod and Bar, Specification for, **B425 (02.04)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**

UNS N08904 (Ni-Cr-Mo alloy)
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, Specification for, **B649 (02.04)**
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Tube, Specification for, **B674 (02.04)**

UNS N08925 (Ni-Fe-Cr-Mo-Cu-low-carbon alloy)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**
Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, Specification for, **B649 (02.04)**
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Tube, Specification for, **B674 (02.04)**

UNS N08926 (Ni-Fe-Cr-Mo-Cu-N alloy, low C, N modified)
Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, Specification for, **A240/A240M (01.03)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, Specification for, **B649 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
UNS N08367 and UNS N08926 Welded Pipe, Specification for, **B804 (02.04)**
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, Specification for, **B677 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Tube, Specification for, **B674 (02.04)**

UNS N08932 (Ni-Fe-Cr-Mo-Cu low C alloy, Creusot UR SB 8)
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**

UNS N09008 (Ni-Fe-Cr-Nb-Ti-Al alloy, Incoloy alloy 908)
Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, Specification for, **B872 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS N09777 (Ni-Fe-Cr-Mo-Ti alloy, PH7)
Precipitation Hardening Nickel Alloys Bar and Wire, Specification for, **B805 (02.04)**
UNS N10001 (Ni-Mo alloy, Hastelloy B)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel-Molybdenum Alloy Plate, Sheet, and Strip, Specification for, **B333 (02.04)**
Nickel-Molybdenum Alloy Rod, Specification for, **B335 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N10002 (Ni-Mo alloy, Hastelloy C)
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
UNS N10003 (Ni-Mo alloy, Hastelloy N)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, N10242) Rod, Specification for, **B573 (02.04)**
Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, UNS N10242) Plate, Sheet, and Strip, Specification for, **B434 (02.04)**
UNS N10242 (Ni-Mo-Cr alloy, Haynes 242)
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
UNS N10276 (Ni-Mo alloy, Hastelloy C276)
Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, Test Methods for, **G28 (03.02)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, Specification for, **B575 (02.04)**
Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, Specification for, **B574 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, Test Methods for, **G48 (03.02)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N10624 (low carbon Ni-Mo-Cr-Fe alloy, B-10)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N10629 (Ni-Mo alloy, B-4)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Molybdenum Alloy Plate, Sheet, and Strip, Specification for, **B333 (02.04)**
Nickel-Molybdenum Alloy Rod, Specification for, **B335 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N10665 (Ni-Mo alloy, Hastelloy B-2)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Nickel-Molybdenum Alloy Plate, Sheet, and Strip, Specification for, **B333 (02.04)**
Nickel-Molybdenum Alloy Rod, Specification for, **B335 (02.04)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N10675 (Ni-Mo-Cr-Fe alloy, Hastelloy B-3)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
UNS N12160 (Ni-Co-Cr-Si alloy, HR-160)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, Specification for, **B435 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod, Specification for, **B572 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS N14052 (nickel-iron alloy)
Iron-Nickel Sealing Alloys, Specification for, **F30 (10.04)**
UNS N14076 (Ni-Fe ferromagnetic alloy)
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**
UNS N14080 (Ni-Fe ferromagnetic alloy)
Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), Specification for, **A753 (03.04)**
UNS P00691 (gold electrical contact alloy)
Gold-Silver-Platinum Electrical Contact Alloy, Specification for, **B522 (02.04)**
UNS P00692 (gold electrical contact alloy)
Gold-Silver-Platinum Electrical Contact Alloy, Specification for, **B522 (02.04)**
UNS P00710 (gold electrical contact alloy)
Gold Electrical Contact Alloy, Specification for, **B541 (02.04)**
UNS P00750 (gold electrical contact alloy)
Gold-Silver-Nickel Electrical Contact Alloy, Specification for, **B477 (02.04)**
UNS P00901 (gold electrical contact alloy)
Gold-Copper Alloy Electrical Contact Material, Specification for, **B596 (02.04)**
UNS P03350 (palladium electrical contact alloy)
Palladium Electrical Contact Alloy, Specification for, **B540 (02.04)**
UNS P03440 (palladium electrical contact alloy)
Palladium-Silver-Copper Electrical Contact Alloy, Specification for, **B563 (02.04)**
UNS P03995 (refined palladium - 99.95 % grade)
Refined Palladium, Specification for, **B589 (02.04)**
UNS P04995 (refined platinum - 99.95 % grade)
Refined Platinum, Specification for, **B561 (02.04)**
UNS P05980 (rhodium - 99.80 % grade)
Refined Rhodium, Specification for, **B616 (02.04)**
UNS P05981 (refined rhodium - 99.90 % grade)
Refined Rhodium, Specification for, **B616 (02.04)**
UNS P05982 (refined rhodium - 99.95 % grade)
Refined Rhodium, Specification for, **B616 (02.04)**
UNS P06100 (refined iridium - 99.80 % grade)
Refined Iridium, Specification for, **B671 (02.04)**
UNS P07010 (refined silver - 99.99 % grade)
Refined Silver, Specification for, **B413 (02.04)**
UNS P07015 (refined silver - 99.95 % grade)
Refined Silver, Specification for, **B413 (02.04)**
UNS P07016 (silver)
Brazing Filler Metals for Electron Devices, Specification for, **F106 (10.04)**
UNS P07020 (refined silver - 99.90 % grade)
Refined Silver, Specification for, **B413 (02.04)**
UNS P07900 (silver electrical contact alloy)
Coin Silver Electrical Contact Alloy, Specification for, **B617 (02.04)**
UNS R03600 (Mo, unalloyed)
Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, Specification for, **B387 (02.04)**
Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, Specification for, **B386 (02.04)**
UNS R03603 (molybdenum)
Molybdenum Flattened Wire for Electron Tubes, Specification for, **F364 (10.04)**
UNS R03604 (molybdenum)
Molybdenum Flattened Wire for Electron Tubes, Specification for, **F364 (10.04)**
UNS R03610 (Mo, unalloyed)
Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, Specification for, **B387 (02.04)**
Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, Specification for, **B386 (02.04)**
UNS R03620 (Mo alloy)
Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, Specification for, **B387 (02.04)**
Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, Specification for, **B386 (02.04)**
UNS R03630 (Mo alloy)
Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, Specification for, **B387 (02.04)**
Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, Specification for, **B386 (02.04)**
UNS R03640 (Mo alloy)
Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, Specification for, **B387 (02.04)**
Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, Specification for, **B386 (02.04)**
UNS R03650 (Mo unalloyed, low carbon)
Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, Specification for, **B387 (02.04)**
Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, Specification for, **B386 (02.04)**
UNS R04200 (Nb (Cb), unalloyed, reactor grade)
Niobium and Niobium Alloy Bar, Rod, and Wire, Specification for, **B392 (02.04)**
Niobium and Niobium Alloy Ingots, Specification for, **B391 (02.04)**
Niobium and Niobium Alloy Seamless and Welded Tubes, Specification for, **B394 (02.04)**
Niobium and Niobium Alloy Strip, Sheet, and Plate, Specification for, **B393 (02.04)**
UNS R04210 (Nb (Cb), unalloyed, commercial grade)
Niobium and Niobium Alloy Bar, Rod, and Wire, Specification for, **B392 (02.04)**
Niobium and Niobium Alloy Ingots, Specification for, **B391 (02.04)**
Niobium and Niobium Alloy Seamless and Welded Tubes, Specification for, **B394 (02.04)**
Niobium and Niobium Alloy Strip, Sheet, and Plate, Specification for, **B393 (02.04)**
UNS R04251 (Nb (Cb)-Zr, reactor grade)
Niobium and Niobium Alloy Bar, Rod, and Wire, Specification for, **B392 (02.04)**
Niobium and Niobium Alloy Ingots, Specification for, **B391 (02.04)**
Niobium and Niobium Alloy Seamless and Welded Tubes, Specification for, **B394 (02.04)**
Niobium and Niobium Alloy Strip, Sheet, and Plate, Specification for, **B393 (02.04)**
UNS R04261 (Nb (Cb)-Zr, commercial grade)
Niobium and Niobium Alloy Bar, Rod, and Wire, Specification for, **B392 (02.04)**
Niobium and Niobium Alloy Ingots, Specification for, **B391 (02.04)**
Niobium and Niobium Alloy Seamless and Welded Tubes, Specification for, **B394 (02.04)**
Niobium and Niobium Alloy Strip, Sheet, and Plate, Specification for, **B393 (02.04)**
UNS R04295 (Nb-Cb alloy)
Niobium-Hafnium Alloy Bar and Wire, Specification for, **B655/B655M (02.04)**
Niobium-Hafnium Alloy Foil, Sheet, Strip, and Plate, Specification for, **B654/B654M (02.04)**
Niobium-Hafnium Alloy Ingots, Specification for, **B652/B652M (02.04)**
UNS R05200 (Ta, unalloyed, cast)
Tantalum and Tantalum Alloy Ingots, Specification for, **B364 (02.04)**
Tantalum and Tantalum Alloy Plate, Sheet, and Strip, Specification for, **B708 (02.04)**
Tantalum and Tantalum Alloy Rod and Wire, Specification for, **B365 (02.04)**
Tantalum and Tantalum Alloy Seamless and Welded Tubes,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **B521 (02.04)**
Unalloyed Tantalum for Surgical Implant Applications (UNS R05200, UNS R05400), Specification for, **F560 (13.01)**

UNS R05240 (TA-40 Nb (Cb) alloy)
Tantalum and Tantalum Alloy Plate, Sheet, and Strip, Specification for, **B708 (02.04)**
Tantalum and Tantalum Alloy Rod and Wire, Specification for, **B365 (02.04)**
Tantalum and Tantalum Alloy Seamless and Welded Tubes, Specification for, **B521 (02.04)**

UNS R05252 (97.5 Ta-2.5W)
Tantalum and Tantalum Alloy Ingots, Specification for, **B364 (02.04)**
Tantalum and Tantalum Alloy Plate, Sheet, and Strip, Specification for, **B708 (02.04)**
Tantalum and Tantalum Alloy Rod and Wire, Specification for, **B365 (02.04)**
Tantalum and Tantalum Alloy Seamless and Welded Tubes, Specification for, **B521 (02.04)**

UNS R05255 (90Ta-10W)
Tantalum and Tantalum Alloy Ingots, Specification for, **B364 (02.04)**
Tantalum and Tantalum Alloy Plate, Sheet, and Strip, Specification for, **B708 (02.04)**
Tantalum and Tantalum Alloy Rod and Wire, Specification for, **B365 (02.04)**
Tantalum and Tantalum Alloy Seamless and Welded Tubes, Specification for, **B521 (02.04)**

UNS R05400 (Ta, unalloyed, sintered)
Tantalum and Tantalum Alloy Ingots, Specification for, **B364 (02.04)**
Tantalum and Tantalum Alloy Plate, Sheet, and Strip, Specification for, **B708 (02.04)**
Tantalum and Tantalum Alloy Rod and Wire, Specification for, **B365 (02.04)**
Tantalum and Tantalum Alloy Seamless and Welded Tubes, Specification for, **B521 (02.04)**
Unalloyed Tantalum for Surgical Implant Applications (UNS R05200, UNS R05400), Specification for, **F560 (13.01)**

UNS R07005 (tungsten)
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**

UNS R07031 (tungsten/rhenium alloy)
Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, Specification for, **F73 (10.04)**

UNS R20033 (Cr-Ni-Fe-Mo austenitic stainless steel, Alloy 33)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, Specification for, **B462 (02.04)**
Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, Specification for, **B649 (02.04)**
Nickel Alloy Billets and Bars for Reforging, Specification for, **B472 (02.04)**
Nickel Alloy Forgings, Specification for, **B564 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, Specification for, **B625 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS R20500 (chromium-nickel alloy)
Castings, Chromium-Nickel Alloy, Specification for, **A560/A560M (01.02)**

UNS R20600 (chromium-nickel alloy)
Castings, Chromium-Nickel Alloy, Specification for, **A560/A560M (01.02)**

UNS R20990 (chromium metal)
Chromium Metal, Specification for, **A481 (01.02)**

UNS R20994 (chromium metal)
Chromium Metal, Specification for, **A481 (01.02)**

UNS R30003
Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), Specification for, **F2527 (13.02)**

UNS R30005 (Co-Ni-Cr-Mo alloy, MP-35-N)
Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), Specification for, **A801 (03.04)**

UNS R30008
Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), Specification for, **F2527 (13.02)**

UNS R30035 (Co-Ni-Cr-Mo alloy, MP-35-N)
35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), Specification for, **F961 (13.01)**
Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications (UNS R30035), Specification for, **F562 (13.01)**
Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), Specification for, **F688 (13.01)**
Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), Specification for, **F2527 (13.02)**

UNS R3003 (cobalt alloy)
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**

UNS R30075 (Co-Cr-Mo alloy)
Cobalt-28 Chromium-6 Molybdenum Alloy Castings and Casting Alloy for Surgical Implants (UNS R30075), Specification for, **F75 (13.01)**
Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), Specification for, **F1377 (13.01)**

UNS R3008 (cobalt alloy)
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**

UNS R30155 (Fe-Cr-Ni-Co alloy)
Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, Specification for, **B639 (02.04)**

UNS R30556 (Fe-Cr-Ni-Co alloy, HS 556)
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, Specification for, **B622 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, Specification for, **B435 (02.04)**
UNS N06002, UNS N06230, UNS N12160, and UNS R30556

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Rod, Specification for, **B572 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**

UNS R30605 (Co-Cr-Ni-W alloy, L-605)
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy for Surgical Implant Applications (UNS R30605), Specification for, **F90 (13.01)**
Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), Specification for, **F2527 (13.02)**

UNS R30816 (Co-Cr-Ni-Cb-Mo-W alloy)
Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, Specification for, **B639 (02.04)**

UNS R31233 (Co-Cr-Ni-Mo-W) (Ultimet alloy)
Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, Specification for, **B818 (02.04)**
Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, Specification for, **B815 (02.04)**

UNS R31537 (Co-Cr-Mo alloy)
Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), Specification for, **F799 (13.01)**
Wrought Cobalt-28Chromium-6Molybdenum Alloys for Surgical Implants (UNS R31537, UNS R31538, and UNS R31539), Specification for, **F1537 (13.01)**
Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), Specification for, **F2527 (13.02)**

UNS R31538 (Co-Cr-Mo alloy)
Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), Specification for, **F799 (13.01)**
Wrought Cobalt-28Chromium-6Molybdenum Alloys for Surgical Implants (UNS R31537, UNS R31538, and UNS R31539), Specification for, **F1537 (13.01)**

UNS R31539 (Co-Cr-Mo alloy)
Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), Specification for, **F799 (13.01)**
Wrought Cobalt-28Chromium-6Molybdenum Alloys for Surgical Implants (UNS R31537, UNS R31538, and UNS R31539), Specification for, **F1537 (13.01)**

UNS R50250 (Ti, unalloyed)
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings, Specification for, **B363 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**
Titanium Sponge, Specification for, **B299 (02.04)**
Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), Specification for, **F67 (13.01)**

UNS R50400 (Ti, unalloyed)
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings, Specification for, **B363 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**
Titanium Sponge, Specification for, **B299 (02.04)**
Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), Specification for, **F67 (13.01)**

UNS R50550 (Ti, unalloyed)
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings, Specification for, **B363 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**
Titanium Sponge, Specification for, **B299 (02.04)**
Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), Specification for, **F67 (13.01)**

UNS R50700 (Ti, unalloyed)
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Nonferrous Nuts for General Use (Metric), Specification for, **F467M (01.08)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings, Specification for, **B363 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**
Titanium Sponge, Specification for, **B299 (02.04)**
Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), Specification for, **F67 (13.01)**

UNS R52250 (Ti, low-alloyed)
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**

UNS R52400 (Ti, low-alloyed)
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**

UNS R52550 (Ti alloy)
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**

UNS R52700 (Ti alloy)
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**

UNS R53400 (Ti alloy)
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**

UNS R54520 (Ti alloy)
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**

UNS R56320 (Ti alloy)
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**

UNS R56400 (Ti alloy)
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Castings, Specification for, **B367 (02.04)**
Titanium and Titanium Alloy Forgings, Specification for, **B381 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**
Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), Specification for, **F1472 (13.01)**

UNS R56401 (Ti alloy)
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), Specification for, **F136 (13.01)**

UNS R56700 (Ti-6 Al-7 Nb alloy)
Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, Specification for, **F620 (13.01)**
Wrought Titanium-6Aluminum-7Niobium Alloy for Surgical Implant Applications (UNS R56700), Specification for, **F1295 (13.01)**

UNS R58030 (Ti alloy)
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Titanium and Titanium Alloy Bars and Billets, Specification for, **B348 (02.04)**
Titanium and Titanium Alloy Strip, Sheet, and Plate, Specification for, **B265 (02.04)**

UNS R58150 (Ti-15 Mo alloy)
Wrought Titanium-15 Molybdenum Alloy for Surgical Implant Applications (UNS R58150), Specification for, **F2066 (13.01)**

UNS R60001 (Zr/Zr alloy for nuclear applications)
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, Specification for, **B351/B351M (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Zirconium and Zirconium Alloy Ingots for Nuclear Application, Specification for, **B350/B350M (02.04)**
Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application, Specification for, **B352/B352M (02.04)**

UNS R60702 (Zr/Zr alloy for nonnuclear applications)
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Primary Zirconium, Specification for, **B494/B494M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Pipe, Specification for, **B658/B658M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Tubes, Specification for, **B523/B523M (02.04)**
Zirconium and Zirconium Alloy Bar and Wire, Specification for, **B550/B550M (02.04)**
Zirconium and Zirconium Alloy Forgings, Specification for, **B493/B493M (02.04)**
Zirconium and Zirconium Alloy Ingots, Specification for, **B495 (02.04)**
Zirconium and Zirconium Alloy Strip, Sheet, and Plate, Specification for, **B551/B551M (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS R60703 (Zr/Zr alloy for nonnuclear applications)
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Primary Zirconium, Specification for, **B494/B494M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Tubes, Specification for, **B523/B523M (02.04)**
Zirconium and Zirconium Alloy Bar and Wire, Specification for, **B550/B550M (02.04)**
Zirconium and Zirconium Alloy Ingots, Specification for, **B495 (02.04)**
Zirconium and Zirconium Alloy Strip, Sheet, and Plate, Specification for, **B551/B551M (02.04)**
UNS R60704 (Zr/Zr alloy for nonnuclear applications)
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Tubes, Specification for, **B523/B523M (02.04)**
Zirconium and Zirconium Alloy Bar and Wire, Specification for, **B550/B550M (02.04)**
Zirconium and Zirconium Alloy Forgings, Specification for, **B493/B493M (02.04)**
Zirconium and Zirconium Alloy Ingots, Specification for, **B495 (02.04)**
Zirconium and Zirconium Alloy Strip, Sheet, and Plate, Specification for, **B551/B551M (02.04)**
UNS R60705 (Zr/Zr alloy for nonnuclear applications)
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Tubes, Specification for, **B523/B523M (02.04)**
Zirconium and Zirconium Alloy Bar and Wire, Specification for, **B550/B550M (02.04)**
Zirconium and Zirconium Alloy Forgings, Specification for, **B493/B493M (02.04)**
Zirconium and Zirconium Alloy Ingots, Specification for, **B495 (02.04)**
Zirconium and Zirconium Alloy Strip, Sheet, and Plate, Specification for, **B551/B551M (02.04)**
UNS R60802 (Zr/Zr alloy for nuclear applications)
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, Specification for, **B351/B351M (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Zirconium and Zirconium Alloy Ingots for Nuclear Application, Specification for, **B350/B350M (02.04)**
Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application, Specification for, **B352/B352M (02.04)**
UNS R60804 (Zr/Zr alloy for nuclear applications)
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, Specification for, **B351/B351M (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Zirconium and Zirconium Alloy Ingots for Nuclear Application, Specification for, **B350/B350M (02.04)**
Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application, Specification for, **B352/B352M (02.04)**
UNS R60901
Wrought Zirconium-2.5Niobium Alloy for Surgical Implant Applications (UNS R60901), Specification for, **F2384 (13.01)**
UNS R60901 (Zr/Zr alloy for nuclear applications)
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, Specification for, **B351/B351M (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Zirconium and Zirconium Alloy Ingots for Nuclear Application, Specification for, **B350/B350M (02.04)**
Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application, Specification for, **B352/B352M (02.04)**
UNS S29108 (wrought nitrogen strengthened 23 Mn-21 Cr-1 Mo low-nickel stainless steel alloy)
Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108), Specification for, **F2229 (13.01)**
UNS S31673 (Cr-Ni-Mo stainless steel (Surgical implant 316L))
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), Specification for, **F138 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Sheet and Strip for Surgical Implants (UNS S31673), Specification for, **F139 (13.01)**
UNS S44003 (hardenable Cr stainless steel)
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
UNS S44004 (hardenable Cr stainless steel)
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
UNS T11350 (bearing steel)
Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, Specification for, **F2215 (01.08)**
Unstratified liquids
Sampling With a Composite Liquid Waste Sampler (COLIWASA), Practice for, **D5495 (11.04)**
Unsulfated matter content
Sampling and Chemical Analysis of Fatty Alkyl Sulfates, Test Methods for, **D1570 (15.04)**
Unsulfonated matter content
See **Neutral oil content**
Unsupported gage section
Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, Test Method for, **D3410/D3410M (15.03)**
UNS Z30500 (Zn alloy)
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

UNS Z33520 (Zn alloy AG40A)
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
UNS Z33521 (Zn alloy AG40A)
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
UNS Z33522 (Zn alloy)
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
UNS Z33530 (Zn alloy AC41A)
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
UNS Z34510 (Zn alloy)
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**
UNS Z35523 (Zn alloy, AG40B)
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
UNS Z35531 (Zn alloy AC41A)
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
UNS Z35540 (Zn alloy, AC43A)
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
UNS Z35541 (Zn alloy, AC43A)
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
UNS Z35542 (Zn alloy)
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**
UNS Z35543 (Zn alloy)
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**
UNS Z38510 (Zn coating alloy)
GALFAN, Specification for, **B750 (02.04)**
Untreated die forgings
Steel, Closed-Impression Die Forgings for General Industrial Use, Specification for, **A521/A521M (01.05)**
Untreated mica paper
Sa **Mica**
Sampling and Testing Untreated Mica Paper Used for Electrical Insulation, Methods for, **D1677 (10.01)**
Untreated textile fabrics
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Untreated wood
Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, Test Method for, **D3345 (04.10)**
Untwisted
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Unused carbon
Determination of Iodine Number of Activated Carbon, Test Method for, **D4607 (15.01)**
Unused lubricating oils
Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, Test Method for, **D4628 (05.02)**
Unused polypropylene rope
Unused Rope with Special Electrical Properties, Specification for, **F1701 (10.03)**
Unused rolling oil dispersion (in water)
Dispersion Stability of New (Unused) Rolling Oil Dispersions in Water, Test Method for, **D3342 (05.01)**
Unventilated rooms
Confined Area Entry, Practice for, **D4276 (15.05)**
Unvulcanized compounds
Determination of Green Strength and Stress Relaxation of Raw Rubber or Unvulcanized Compounds, Test Method for, **D6746 (09.01)**
Rubber PropertyExtrudability of Unvulcanized Compounds, Test Method for, **D2230 (09.01)**
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, Test Method for, **D6204 (09.01)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Unwanted electron beam effects
Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy, Guide for, **E983 (03.06)**
Unwashed gum content
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**
Unwelded air channel
Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, Practice for, **D5820 (04.13)**
Unwind force
Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, Test Methods for, **D1000 (10.01)**
Unwinding
Curling, Twisting, and Tubing on Unwind of Pressure-Sensitive Tapes, Test Method for, **D3813/D3813M (15.10)**
Unwind Force of Pressure-Sensitive Tapes, Test Method for, **D3811/D3811M (15.10)**
Unworked penetration
Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment, Test Methods for, **D1403 (05.01)**
Up and down method
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Upholstery fabrics/materials/applications
Cigarette Ignition Resistance of Components of Upholstered Furniture, Test Methods for, **E1353 (04.07)**
Cigarette Ignition Resistance of Mock-Up Upholstered Furniture Assemblies, Test Method for, **E1352 (04.07)**
Data Exchange Format for Sewn Product Plotting Devices, Practice for, **D6959 (07.02)**
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **E1474 (04.07)**
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, Guide for, **E2280 (04.07)**
Fire Testing of Upholstered Furniture, Test Method for, **E1537 (04.07)**
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**
Floor Coverings and Textile Upholstered Furniture, Terminology Relating to, **D5253 (07.02)**
Selection of Fire Test Methods for the Assessment of Upholstered

--`,,`,,`,`,,`,,,`,,,`,,,,,,,,,,,,,,-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Furnishings in Detention and Correctional Facilities, Guide for, **F1870 (15.08)**
Smoldering Combustion Potential of Cotton-Based Batting, Test Method for, **D5238 (07.02)**

Upholstery fabrics/materials/applications—specifications
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Knitted Upholstery Fabrics for Indoor Furniture, Performance Specification for, **D4771/D4771M (07.02)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**
Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, Performance Specification for, **D3690 (07.01)**
Woven Upholstery Fabrics—Plain, Tufted, or Flocked, Performance Specification for, **D3597 (07.01)**

Upholstery leather materials
Cold-Crack Resistance of Upholstery Leather, Test Method for, **D1912 (15.04)**
Flex Testing of Finish on Upholstery Leather, Test Method for, **D2097 (15.04)**
Slit Tear Resistance of Leather, Test Method for, **D2212 (15.04)**

Upholstery steel spring wire
Steel Wire, Cold-Drawn, for Coiled-Type Springs, Specification for, **A407 (01.03)**

Uplift
Structural Standing Seam Aluminum Roof Panel Systems, Specification for, **E1637 (04.11)**

Uplift capacity/pressure
Deep Foundations Under Static Axial Tensile Load, Test Methods for, **D3689/D3689M (04.08)**
One-Dimensional Expansion, Shrinkage, and Uplift Pressure of Soil-Lime Mixtures, Test Methods for, **D3877 (04.08)**

Uplift resistance
Wind Resistance of Asphalt Shingles (Uplift Force/Uplift Resistance Method), Test Method for, **D7158/D7158M (04.04)**
Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), Test Method for, **C1570 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**

Upper leather (for shoes)
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**
Resistance of Shoe Upper Leather to Artificial Perspiration, Test Method for, **D2322 (15.04)**
Static Water Absorption of Leather, Test Method for, **D6015 (15.04)**

Upper limits (of measurement)
Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, Practice for, **D5280 (11.07)**
Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Nonconformities, Using Attribute Data, When There is a Zero Response in the Sample, Practice for, **E2334 (14.02)**

Upper liquid layer
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**

Uppermost edge
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**

Upper specification limit (USL)
Uniform Test Methods and Frequency, Specification for, **B830 (02.03)**

Upright brooms
Labeling for Upright Brooms for Consumer and Institutional Use, Specification for, **F2367 (15.11)**

Upright overfired broiler
Performance of Upright Overfired Broilers, Test Method for, **F2237 (15.12)**

Upright vacuum cleaners
Sa **Vacuum cleaners/systems**
Motor Life Evaluation of an Upright Vacuum Cleaner, Test Method for, **F555 (15.08)**

Upset threshold
Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, Guide for the, **F1192 (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**

Uptake phase
Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, Guide for, **E1022 (11.06)**

Urania
Nuclear-Grade, Sinterable Uranium Dioxide Powder, Specification for, **C753 (12.01)**
Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Specification for, **C922 (12.01)**
Sintered Uranium Dioxide Pellets, Specification for, **C776 (12.01)**

Uranium
Alternate Actinide Calibration for Inductively Coupled Plasma-Mass Spectrometry, Practice for, **C1590 (12.01)**
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Atom Percent Fission in Uranium and Plutonium Fuel (Neodymium-148 Method), Test Method for, **E321 (12.01)**
Design of Equipment for Processing Nuclear and Radioactive Materials, Guide for, **C1217 (12.01)**
Determination of Impurities in Nuclear Grade Uranium Compounds by Inductively Coupled Plasma Mass Spectrometry, Test Method for, **C1287 (12.01)**
Determination of Total Chlorine and Fluorine in Uranium Dioxide and Gadolinium Oxide, Test Method for, **C1502 (12.01)**
Determination of Uranium or Plutonium Isotopic Composition or Concentration by the Total Evaporation Method Using a Thermal Ionization Mass Spectrometer, Test Method for, **C1672 (12.01)**
Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration, Test Method for, **C1430 (12.01)**
Establishing a Quality Assurance Program for Uranium Conversion Facilities, Guide for, **C1188 (12.01)**
In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, Guide for, **C993 (12.01)**
Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, Guide for, **C1169 (12.01)**
Measuring Reaction Rates by Radioactivation of Uranium-238, Test Method for, **E704 (12.02)**
Nondestructive Analysis of Special Nuclear Materials in Homogeneous Solutions by Gamma-Ray Spectrometry, Test Method for, **C1221 (12.01)**
Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, Test Method for, **C1316 (12.01)**
Nuclear Facility Decommissioning Plans, Guide for, **E1281 (12.02)**
Procedures for Calibrating Automatic Pedestrian SNM Monitors, Guide to, **C1189 (12.01)**
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**
Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**
Radiation Protection Program for Decommissioning Operations, Guide for, **E1167 (12.02)**
Removal of Uranium or Plutonium, or both, for Impurity Assay in Uranium or Plutonium Materials, Practice for, **C1647 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Sampling Surface Soil for Radionuclides, Practice for, **C998 (12.01)**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Soil Sample Preparation for the Determination of Radionuclides, Practice for, **C999 (12.01)**
Subsampling of Uranium Hexafluoride, Practice for, **C1689 (12.01)**
Uranium and Plutonium Concentrations and Isotopic Abundances by Thermal Ionization Mass Spectrometry, Test Method for, **C1625 (12.01)**
Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, Test Method for, **C1267 (12.01)**
Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, Test Method for, **C1204 (12.01)**
Uranium Ore Concentrate, Specification for, **C967 (12.01)**

Uranium—specifications
Nuclear-Grade Uranyl Nitrate Solution or Crystals, Specification for, **C788 (12.01)**
Nuclear-Grade, Sinterable Uranium Dioxide Powder, Specification for, **C753 (12.01)**
Sintered (Uranium-Plutonium) Dioxide Pellets, Specification for, **C833 (12.01)**
Sintered Uranium Dioxide Pellets, Specification for, **C776 (12.01)**
Uranium Hexafluoride Enriched to Less Than 5 %, Specification for, **C996 (12.01)**
Uranium Hexafluoride for Enrichment, Specification for, **C787 (12.01)**
Uranium Metal Enriched to More than 15 % and Less Than 20 %, Specification for, **C1462 (12.01)**
Uranium Ore Concentrate, Specification for, **C967 (12.01)**
Uranium Oxides with a 235U Content of Less Than 5 % for Dissolution Prior to Conversion to Nuclear-Grade Uranium Dioxide, Specification for, **C1334 (12.01)**

Uranium-232 content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Uranium-232 in Uranium Hexafluoride, Guide for the, **C1636 (12.01)**

Uranium-233 isotopic abundance
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**

Uranium-235
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, Practice for, **C1614 (12.01)**
Measurement of, Test Method for, **C1514 (12.01)**
Uranium Metal Enriched to More than 15 % and Less Than 20 %, Specification for, **C1462 (12.01)**

Uranium-238
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Measuring Reaction Rates by Radioactivation of Uranium-238, Test Method for, **E704 (12.02)**

Uranium-238 fission by-products
Measuring Reaction Rates by Analysis of Barium-140 From Fission Dosimeters, Test Method for, **E393 (12.02)**

Uranium analysis in product/fuel
Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, Test Method for, **C1267 (12.01)**

Uranium atomic ratio
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**

Uranium concentration
Analysis of Urine for Uranium-235 and Uranium-238 Isotopes by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1379 (12.01)**
the Determination of Uranium Content and Isotopic Composition by Isotope Dilution Mass Spectrometry, Test Method for, **C1380 (12.01)**

Uranium content
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Analysis of Total and Isotopic Uranium and Total Thorium in Soils by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1345 (12.01)**
Analysis of Uranium and Thorium in Soils by Energy Dispersive X-Ray Fluorescence Spectroscopy, Test Method for, **C1255 (12.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, Test Methods for, **C759 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Low Concentrations of Uranium in Oils and Organic Liquids by X-ray Fluorescence, Test Method for, **C1343 (12.01)**
Determination of Uranium in Mineral Acids by X-Ray Fluorescence, Test Method for, **C1254 (12.01)**
Radiochemical Determination of Uranium Isotopes in Soil by Alpha Spectrometry, Test Method for, **C1000 (12.01)**

Uranium content—water
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Isotopic Uranium in Water by Radiochemistry, Test Method for, **D3972 (11.02)**
Trace Uranium in Water by Pulsed-Laser Phosphorimetry, Test Method for, **D5174 (11.02)**
Uranium in Drinking Water by High-Resolution Alpha-Liquid-Scintillation Spectrometry, Test Method for, **D6239 (11.02)**

Uranium conversion facilities
Establishing a Quality Assurance Program for Uranium Conversion Facilities, Guide for, **C1188 (12.01)**

Uranium dioxide (powders and pellets)
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Determination of Total Chlorine and Fluorine in Uranium Diox-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ide and Gadolinium Oxide, Test Method for, **C1502 (12.01)**
Sintered Uranium Dioxide Pellets, Specification for, **C776 (12.01)**
the Determination of Uranium by Ignition and the Oxygen to Uranium (O/U) Atomic Ratio of Nuclear Grade Uranium Dioxide Powders and Pellets, Test Method for, **C1453 (12.01)**

Uranium dioxide powder (sinterable)
Nuclear-Grade, Sinterable Uranium Dioxide Powder, Specification for, **C753 (12.01)**

Uranium dissolution
Preparation and Dissolution of Uranium Materials for Analysis, Practice for, **C1347 (12.01)**

Uranium hexafluoride (UF_6)
Arsenic in Uranium Hexafluoride, Test Methods for, **C1219 (12.01)**
Bulk Sampling of Liquid Uranium Hexafluoride, Practice for, **C1052 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Determination of Boron, Silicon, and Technetium in Hydrolyzed Uranium Hexafluoride by Inductively Coupled Plasma—Mass Spectrometer After Removal of Uranium by Solid Phase Extraction, Test Method for, **C1771 (12.01)**
Determination of Bromine and Chlorine in UF, Test Method for, **C1508 (12.01)**
Determination of Plutonium and Neptunium in Uranium Hexafluoride and U-Rich Matrix by Alpha Spectrometry, Guide for, **C1561 (12.01)**
Determination of Technetium-99 in Uranium Hexafluoride by Liquid Scintillation Counting, Test Method for, **C1539 (12.01)**
Determination of Uranium-232 in Uranium Hexafluoride, Guide for the, **C1636 (12.01)**
Dissolution of UF, Practice for, **C1346 (12.01)**
Gamma Energy Emission from Fission and Decay Products in Uranium Hexafluoride and Uranyl Nitrate Solution, Test Method for, **C1295 (12.01)**
Isotopic Abundance Analysis of Uranium Hexafluoride and Uranyl Nitrate Solutions by Multi-Collector, Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1477 (12.01)**
Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry, Test Method for, **C1413 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Double Standard Single-Collector Gas Mass Spectrometer Method, Test Method for, **C1742 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Double-Standard Multi-Collector Gas Mass Spectrometer, Test Method for, **C1429 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Single–Standard Gas Source Multiple Collector Mass Spectrometer Method, Test Method for, **C1428 (12.01)**
Isotopic Analysis of Uranium Hexafluoride by Single-Standard Gas Source Mass Spectrometer Method, Test Method for, **C1344 (12.01)**
Sampling of Gaseous Uranium Hexafluoride, Practice for, **C1703 (12.01)**
Subsampling of Uranium Hexafluoride, Practice for, **C1689 (12.01)**
The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, Test Method for, **C1441 (12.01)**
Uranium Hexafluoride Enriched to Less Than 5 %, Specification for, **C996 (12.01)**
Uranium Hexafluoride for Enrichment, Specification for, **C787 (12.01)**

Uranium in plutonium
Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, Test Method for, **C1204 (12.01)**

Uranium isotopic analysis
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Radiochemical Determination of Uranium Isotopes in Urine by Alpha Spectrometry, Test Method for, **C1473 (12.01)**
The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, Practice for, **C1411 (12.01)**

Uranium metal
Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, Test Method for, **C1517 (12.01)**
Preparation and Dissolution of Uranium Materials for Analysis, Practice for, **C1347 (12.01)**
Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, Guide for, **C1454 (12.01)**
Uranium Metal Enriched to More than 15 % and Less Than 20 %, Specification for, **C1462 (12.01)**

Uranium ore
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**
Uranium Ore Concentrate, Specification for, **C967 (12.01)**

Uranium oxide
Determination of Iodine-129 In Uranium Oxide, Guide for the, **C1638 (12.01)**

Uranium oxide (U_3O_8)
Analysis of Urine for Uranium-235 and Uranium-238 Isotopes by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1379 (12.01)**
Carbon (Total) in Uranium Oxide Powders and Pellets By Direct Combustion-Infrared Detection Method, Test Method for, **C1408 (12.01)**
Determination of Impurities in Nuclear Grade Uranium Compounds by Inductively Coupled Plasma Mass Spectrometry, Test Method for, **C1287 (12.01)**
Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, Test Method for, **C1517 (12.01)**
Determination of Total Hydrogen Content of Uranium Oxide Powders and Pellets by Carrier Gas Extraction, Test Method for, **C1457 (12.01)**
Determination of Uranium or Gadolinium (or both) in Gadolinium Oxide-Uranium Oxide Pellets or by X-Ray Fluorescence (XRF), Test Method for, **C1456 (12.01)**
Preparation and Dissolution of Uranium Materials for Analysis, Practice for, **C1347 (12.01)**
Uranium Oxides with a 235U Content of Less Than 5 % for Dissolution Prior to Conversion to Nuclear-Grade Uranium Dioxide, Specification for, **C1334 (12.01)**

Uranium oxide (U_3O_8) powders/pellets
See **Gadolinium oxide-uranium dioxide powder/pellets**

Uranium-plutonium dioxide pellets (sintered)
Sintered (Uranium-Plutonium) Dioxide Pellets, Specification for, **C833 (12.01)**

Uranium-plutonium mixed oxide
Determining Plutonium by Controlled-Potential Coulometry in H, Test Method for, **C1165 (12.01)**
Preparation and Dissolution of Plutonium Materials for Analysis, Practice for, **C1168 (12.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Uranium-plutonium mixtures
Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, Test Method for, **C1206 (12.01)**
Uranium scrap
Preparation and Dissolution of Uranium Materials for Analysis, Practice for, **C1347 (12.01)**
Urano-uranic oxide (U_3O_8) preparation
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Uranyl fluoride
Arsenic in Uranium Hexafluoride, Test Methods for, **C1219 (12.01)**
Uranyl nitrate solutions
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Determination of Bromine and Chlorine in UF, Test Method for, **C1508 (12.01)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry, Test Method for, **C1413 (12.01)**
Nuclear-Grade Uranyl Nitrate Solution or Crystals, Specification for, **C788 (12.01)**
Urban search and rescue
Evaluating Emergency Response Robot Capabilities: Human-System Interaction (HSI): Search Tasks: Random Mazes with Complex Terrain, Test Method for, **E2853 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Gaps, Test Method for, **E2801 (15.08)**
Evaluating Emergency Response Robot Capabilities: Mobility: Maneuvering Tasks: Sustained Speed, Test Method for, **E2829 (15.08)**
Hazard Awareness for Search and Rescue Personnel, Guide for, **F2890 (13.02)**
Urea-formaldehyde (UF)
Sa **Formaldehyde**
Nonvolatile Content of Urea-Formaldehyde Resin Solutions, Test Method for, **D1490 (15.06)**
Urea-Formaldehyde Molding Compounds, Specification for, **D705 (08.01)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**
Ureas
Field Test Determination of Urea Concentration in Diesel Exhaust Fluid (DEF), Test Method for, **D7821 (15.05)**
Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, Practice for, **D4861 (11.07)**
Urethane coatings
2-Ethoxyethyl Acetate (99 % Grade), Specification for, **D3728 (06.04)**
Urethane foam
Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, Test Methods for, **D3574 (08.02)**
Toluene Diisocyanate, Specification for, **D1786 (08.01)**
Urethane-grade methyl ethyl ketone (MEK)
Methyl Ethyl Ketone, Specification for, **D740 (06.04)**
Urethane intermediate/prepolymer
Isocyanate Groups in Urethane Materials or Prepolymers, Test Method for, **D2572 (06.03)**
Urethanes
Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, Specification for, **D3453 (08.02)**
Isocyanate Groups in Urethane Materials or Prepolymers, Test Method for, **D2572 (06.03)**
Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, Test Method for, **D4670 (08.02)**
Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, Performance Specification for, **D3690 (07.01)**
Urethanes—microcellular
Microcellular Urethane Materials, Test Methods for, **D3489 (08.02)**
Microcellular Urethanes—Flexural Recovery, Test Method for, **D3768 (08.02)**
Microcellular Urethanes—High-Temperature Sag, Test Method for, **D3769 (08.02)**
Urethane Microcellular Shoe Soling Materials, Specification for, **D3851 (08.02)**
Urethanes—polyurethane raw materials
See **Polyurethane raw materials**
Urinalysis
Analysis of Urine for Uranium-235 and Uranium-238 Isotopes by Inductively Coupled Plasma-Mass Spectrometry, Test Method for, **C1379 (12.01)**
Chronic Oral Toxicity Study in Rats, Test Method for, **E1619 (11.06)**
Urine
Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, Practice for, **C1614 (12.01)**
Radiochemical Determination of Uranium Isotopes in Urine by Alpha Spectrometry, Test Method for, **C1473 (12.01)**
Urn coffee brewer
Commercial Coffee Brewers, Specification for, **F2988 (15.12)**
Urological materials/devices
Foley Catheter, Performance Specification for, **F623 (13.01)**
Ureteral Stents, Specification for, **F1828 (13.01)**
Usage instructions
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
USBM test
Assessing the Tendency of Industrial Boiler Waters to Cause Embrittlement (USBM Embrittlement Detector Method), Practice for, **D807 (11.01)**
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**
U.S. Corps of Engineers
Compaction and Shear Properties of Bituminous Mixtures by Means of the U.S. Corps of Engineers Gyratory Testing Machine (GTM), Test Method for, **D3387 (04.03)**
Use
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**
Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, Practice for, **E1679 (04.11)**
Used electrical insulating oils
Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field, Test Method for, **D1524 (10.03)**
Used engine oils
Determination of Yield Stress and Apparent Viscosity of Used Engine Oils at Low Temperature, Test Method for, **D6896 (05.03)**
Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, Test Method for, **D5966 (05.02)**
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Removing Volatile Contaminants from Used Engine Oils by Stripping, Test Method for, **D3607 (05.01)**
Saponification Number of Petroleum Products, Test Methods for, **D94 (05.01)**
Trace Ethylene Glycol in Used Engine Oil, Test Method for, **D4291 (05.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Used hydraulic fluids
Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6595 (05.03)**
Used lubricating oils
Sa **Lubricating oils**
Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method), Test Method for, **D808 (05.01)**
Coagulated Pentane Insolubles in Used Lubricating Oils by Paper Filtration (LMOA Method), Test Method for, **D7317 (05.04)**
Commercial Boiler Fuels With Used Lubricating Oils, Specification for, **D6823 (05.03)**
Condition Monitoring of In-Service Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, Practice for, **E2412 (05.04)**
Detecting Glycol-Base Antifreeze in Used Lubricating Oils, Test Methods for, **D2982 (05.01)**
Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6595 (05.03)**
Industrial Burner Fuels from Used Lubricating Oils, Specification for, **D6448 (05.03)**
Insolubles in Used Lubricating Oils, Test Method for, **D893 (05.01)**
Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, Test Method for, **D5984 (05.02)**
Semiquantitative Micro Determination of Acid Number of Lubricating Oils During Oxidation Testing, Test Method for, **D5770 (05.02)**
Used motor oil
Screening Fuels in Soils, Test Method for, **D5831 (11.04)**
Used oil
Determination of the Oxidation of Used Lubricants by FT-IR Using Peak Area Increase Calculation, Test Method for, **D7214 (05.04)**
Used petroleum products
Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, Test Method for, **D3339 (05.01)**
Base Number Determination by Potentiometric Hydrochloric Acid Titration, Test Method for, **D4739 (05.02)**
Chlorine in Used Petroleum Products (Field Test Kit Method), Test Methods for, **D5384 (05.02)**
Coagulated Pentane Insolubles in Used Lubricating Oils by Paper Filtration (LMOA Method), Test Method for, **D7317 (05.04)**
Use-oriented training program
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**
User authentication/authorization
User Authentication and Authorization, Guide for, **E1985 (14.01)**
User identification
Electronic Authentication of Health Care Information, Guide for, **E1762 (14.01)**
User requirements
Driven Fasteners: Nails, Spikes, and Staples, Specification for, **F1667 (01.08)**
User Requirements for Livestock, Meat, and Poultry Evaluation Devices or Systems, Practice for, **F2341 (15.12)**
U.S. Government
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
U.S. Government Agencies
Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, Practice for, **B900 (02.01)**
U.S. Government property management systems
Contractor Self Assessment for U.S. Government Property Management Systems, Guide for, **E2936 (04.12)**
USGS (United States Geological Survey)
Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, Guide for, **F2099 (13.02)**
U.S. standard test sieves
Acceptance by Performance Testing for Sieves, Test Method for, **E2427 (14.02)**
Utensil dishwashing machines
Sa **Dishwashing equipment (commercial)**
Powered Pot, Pan and Utensil Washing Sinks, Specification for, **F2643 (15.12)**
Washing MachinesPot, Pan, and Utensil, Heat Sanitizing, Commercial Rotary Conveyor Type, Specification for, **F1203 (15.12)**
Washing Machines, Heat Sanitizing, Commercial, Pot, Pan, and Utensil Vertically Oscillating Arm Type, Specification for, **F1202 (15.12)**
Utility lighters
Utility Lighters, Consumer Safety Specification for, **F2201 (15.11)**
Utility cable
Stranded Carbon Steel Wire Ropes for General Purposes, Specification for, **A1023/A1023M (01.03)**
Utility clamps
Clamps, Utility, Laboratory, and Holders, Buret and Clamp, Specification for, **E784 (14.04)**
Utility gaseous fuels
Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, Practice for, **D3588 (05.06)**
Utility vacuum cleaners
Measuring Maximum Dry Volume of Utility Vacuum Cleaners, Test Method for, **F1326 (15.08)**
Measuring Maximum Functional Wet Volume of Utility Vacuum Cleaners, Test Method for, **F1410 (15.08)**
UTM (universal transverse mercator)
Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, Guide for, **F2099 (13.02)**
UUV (unmanned undersea vehicle)
Unmanned Undersea Vehicle (UUV) Autonomy and Control Architecture, Guide for, **F2541 (15.11)**
Unmanned Undersea Vehicle (UUV) Communications, Guide for, **F2594 (15.11)**
Unmanned Undersea Vehicle (UUV) Sensor Data Formats, Guide for, **F2595 (15.11)**
U-value
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**
UVA/UVB radiation protection
Labeling of UV-Protective Textiles, Specification for, **D6603 (07.02)**
UVA/UVT plastic materials
Poly(Methyl Methacrylate) Acrylic Plastic Sheet, Specification for, **D4802 (08.02)**
UV comparison microscopy
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
UV/condensation cabinet
Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), Practice for, **D5894 (06.01)**
UV-protective textiles
Labeling of UV-Protective Textiles, Specification for, **D6603 (07.02)**
UV radiometers
Field Use of Pyranometers, Pyrheliometers and UV Radiometers, Practice for, **G183 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

V

V12
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**
Vacuum-arc remelt (VAR) process
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Vacuum box leak testing
Leaks Using Bubble Emission Techniques, Practice for, **E515 (03.03)**
Vacuum braking system
Rubber Hose for Automotive Air and Vacuum Brake System, Test Methods for, **D622 (09.02)**
Vacuum chamber
Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, Test Method for, **D7370 (04.03)**
Geomembrane Seam Evaluation by Vacuum Chamber, Practice for, **D5641 (04.13)**
Vacuum cleaners/systems
Access Depth Under Furniture of Vacuum Cleaners, Test Method for, **F420 (15.08)**
Air Performance Measurement Plenum Chamber for Vacuum Cleaners, Specification for, **F431 (15.08)**
Approved Methods of Installing a CVS (Central Vacuum System), Guide for, **F2647 (15.08)**
Assessing Carpet Cleaning Effectiveness in Terms of Visual Appearance Change When Cleaned with a Wet Extraction Cleaning System, Test Method for, **F2828 (15.08)**
Central Vacuum Hose Inlet Valve Socket Dimensions, Specification for, **F2863 (15.08)**
Determining A-Weighted Sound Power Level of Vacuum Cleaners, Test Method for, **F1334 (15.08)**
Determining Energy Consumption of Vacuum Cleaners, Test Method for, **F2756 (15.08)**
Determining Initial, Fractional, Filtration Efficiency of a Vacuum Cleaner System, Test Method for, **F1977 (15.08)**
Determining the Change in Room Air Particulate Counts as a Result of the Vacuum Cleaning Process, Test Method for, **F2608 (15.08)**
Evaluating Carpet Embedded Dirt Removal Effectiveness of Residential Central Vacuum Cleaning Systems, Test Method for, **F1284 (15.08)**
Evaluating Edge Cleaning Effectiveness of Vacuum Cleaners, Test Method for, **F2797 (15.08)**
Evaluating Primary Disposable Bag Integrity for Vacuum Cleaners, Test Methods for, **F494 (15.08)**
Evaluation of Carpet Embedded Dirt Removal Effectiveness of Household/Commercial Vacuum Cleaners, Test Method for, **F608 (15.08)**
Life Evaluation of a Turbine-Powered Nozzle for Household Central Vacuum Cleaning Systems, Test Method for, **F1692 (15.08)**
Litter-Cleaning Effectiveness of Vacuum Cleaners, Test Method for, **F2609 (15.08)**
Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems, Test Method for, **F820 (15.08)**
Measuring Air Performance Characteristics of Vacuum Cleaner Motor/Fan Systems, Test Method for, **F2105 (15.08)**
Measuring Air Performance Characteristics of Vacuum Cleaners, Test Method for, **F558 (15.08)**
Measuring Maximum Dry Volume of Utility Vacuum Cleaners, Test Method for, **F1326 (15.08)**
Measuring Maximum Function Volume of the Primary Dirt, Test Method for, **F888 (15.08)**
Measuring Maximum Functional Wet Volume of Utility Vacuum Cleaners, Test Method for, **F1410 (15.08)**
Measuring the Hard Surface Floor-Cleaning Ability of Household/Commercial Vacuum Cleaners, Test Method for, **F2607 (15.08)**
Motor Life Evaluation of a Built-In (Central Vacuum) Vacuum Cleaner, Test Method for, **F884 (15.08)**
Motor Life Evaluation of a Canister, Hand-held, Stick, and Utility Type Vacuum Cleaner Without a Driven Agitator, Test Method for, **F1038 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle, Test Method for, **F922 (15.08)**
Motor Life Evaluation of an Electric Motorized Nozzle for Central Vacuum Cleaning Systems, Test Method for, **F1601 (15.08)**
Motor Life Evaluation of an Upright Vacuum Cleaner, Test Method for, **F555 (15.08)**
Paper Used for Vacuum Cleaner Filter Bags, Specification for, **F430 (15.08)**
Preparation of Use and Care Booklets for Vacuum Cleaners, Practice for, **F486 (15.08)**
Presenting Selected Information on Vacuum Cleaners for Consumer Use, Practice for, **F1411 (15.08)**
Straight Line Movement of Vacuum Cleaners While Cleaning Carpets, Test Method for, **F1409 (15.08)**
Test Carpets and Pads for Vacuum Cleaner Testing, Specification for, **F655 (15.08)**
Vacuum Cleaner Hose—Durability and Reliability (Plastic), Test Methods for, **F450 (15.08)**
Vacuum Cleaners, Terminology Relating to, **F395 (15.08)**
Vacuum coating applications
Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, Specification for, **F1594 (10.04)**
Vacuum coatings
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**
Vacuum coatings—specifications
Coatings of Cadmium Vacuum-Deposited on Iron and Steel, Specification for, **B699 (02.05)**
Pyrolytic and Vacuum Deposition Coatings on Flat Glass, Specification for, **C1376 (15.02)**
Vacuum conditions
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**
Vacuum decay
Integrity Testing of Water Filtration Membrane Systems, Practice for, **D6908 (11.02)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Vacuum distillation
Determination of Residue of Emulsified Asphalt by Low Temperature Vacuum Distillation, Test Method for, **D7403 (04.03)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**
Vacuum drainage
Vacuum Drainage of Asbestos-Cement Mixes, Test Method for, **C1119/C1119M (04.05)**
Vacuum drying
Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, Practice for, **D2413 (10.01)**
Rapid Drying of Compacted Asphalt Specimens Using Vacuum Drying Apparatus, Practice for, **D7227/D7227M (04.03)**
Vacuum EB welds
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Vacuum electronic applications
Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, Specification for, **F1466 (10.04)**
Iron-Nickel-Cobalt Sealing Alloy, Specification for, **F15 (10.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, Specification for, **F1513 (10.04)**

Vacuum flusher
Evaluation of Flushing Vehicles for Pigment Wetting Using a Vacuum Modified Sigma Blade Mixer, Practice for, **D6336 (06.03)**

Vacuum insulation panels
Vacuum Insulation Panels, Specification for, **C1484 (04.06)**

Vacuum leak test
Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, Practices for, **D3923 (11.02)**
Determining Product Leakage from a Package with a Mechanical Pump Dispenser, Test Method for, **D6834 (15.10)**
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**

Vacuum lysimeters
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

Vacuum method
Determining the Effects of High Altitude on Packaging Systems by Vacuum Method, Test Methods for, **D6653/D6653M (15.10)**

Vacuum panels
Using Heat Flow Meter Apparatus to Measure the Center-of-Panel Thermal Resistivity of Vacuum Panels, Test Method for, **C1667 (04.06)**

Vacuum plate samplers
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**

Vacuum potstill method
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**

Vacuum pyrolysis method
Rubber—Determination of Carbon Black in Masterbatches, Test Methods for, **D5805 (09.01)**

Vacuum seals/sealing
Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method, Test Method for, **D6752/D6752M (04.03)**
Dimensions of Knife-Edge Flanges, Specification for, **E2734/E2734M (03.06)**
Mechanical Seals for Shipboard Pump Applications, Specification for, **F1511 (01.07)**
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**

Vacuum spectrometer
Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, Practice for, **E1009 (03.05)**

Vacuum testing
Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, Practice for, **E1067/E1067M (03.03)**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1244 (04.05)**
Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), Test Method for, **C1244M (04.05)**
Consolidated Undrained Triaxial Compression Test for Cohesive Soils, Test Method for, **D4767 (04.08)**
Determining Gas Permeability Characteristics of Plastic Film and Sheeting, Test Method for, **D1434 (15.10)**
Dimensions of Knife-Edge Flanges, Specification for, **E2734/E2734M (03.06)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Installed Precast Concrete Tanks and Accessories by the Negative Air Pressure (Vacuum) Test Prior to Backfill, Test Method for, **C1719 (04.05)**
Kerosine Number of Unsaturated (Dry) Felt by Vacuum Method, Test Method for, **D6136/D6136M (04.04)**
Leakage Testing of Empty Rigid Containers by Vacuum Method, Test Method for, **D4991 (15.10)**
Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, Practice for, **E498/E498M (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
Performance of Gasketed Mechanical Couplings for Use in Piping Applications, Specification for, **F1476 (01.07)**
Tension and Vacuum Testing Metallized Ceramic Seals, Test Method for, **F19 (10.04)**

Vacuum testing—aerospace materials
Contamination Outgassing Characteristics of Spacecraft Materials, Test Method for, **E1559 (15.03)**
Determining Vacuum Chamber Gaseous Environment Using a Cold Finger, Practice for, **E834 (15.03)**
Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment, Test Method for, **E595 (15.03)**

Vacuum testing—petroleum products
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**

Vacuum treated steel forgings—specifications
Sa **Alloy steel forgings—specifications**
Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, Specification for, **A508/A508M (01.05)**
Vacuum Treated Steel Forgings, Alloy, Differentially Heat Treated, for Turbine Rotors, Specification for, **A940/A940M (01.05)**
Vacuum-Treated Alloy Steel Forgings for Turbine Rotor Disks and Wheels, Specification for, **A471/A471M (01.05)**
Vacuum-Treated Carbon and Alloy Steel Forgings for Turbine Rotors and Shafts, Specification for, **A470/A470M (01.05)**
Vacuum-Treated Steel Forgings for Generator Rotors, Specification for, **A469/A469M (01.05)**

Vadose zone monitoring
Active Soil Gas Sampling for Direct Push or Manual-Driven Hand-Sampling Equipment, Practice for, **D7648 (04.09)**
Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, Guide for, **D5126/D5126M (04.08)**
Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, Guide for, **D6642 (04.09)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**
Passive Soil Gas Sampling in the Vadose Zone for Source Identification, Spatial Variability Assessment, Monitoring, and Vapor Intrusion Evaluations, Practice for, **D7758 (04.09)**
Pore-Liquid Sampling from the Vadose Zone, Guide for, **D4696 (04.08)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5875/D5875M (04.08)**

Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5782 (04.08)**

Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5783 (04.08)**

Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5876 (04.08)**

Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5781/D5781M (04.08)**

Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5784/D5784M (04.08)**

Vaginal diaphragms

Sa **Diaphragms**

Rubber Contraceptives—Vaginal Diaphragms, Specification for, **D6976 (09.02)**

Valence

Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**

Validation

Conduct of Research in Psychophysiological Detection of Deception (Polygraph), Practice for, **E1954 (14.02)**

Evaluating the Predictive Capability of Deterministic Fire Models, Guide for, **E1355 (04.07)**

Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, Test Method for, **D2837 (08.04)**

Performance Validation in Thermal Analysis, Terminology Relating to, **E2161 (14.02)**

Sample Chain-of-Custody Procedures, Guide for, **D4840 (11.01)**

Sampling of Petroleum Products for Analysis by Process Stream Analyzers and for Process Stream Analyzer System Validation, Practice for, **D7453 (05.04)**

Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, Test Method for, **E2253 (14.02)**

Validating Analytical Methods, Guide for, **E2857 (03.05)**

Validation of Empirically Derived Multivariate Calibrations, Practice for, **E2617 (03.06)**

Validation of Laboratory Information Management Systems, Guide for, **E2066 (03.06)**

Validation of Seized-Drug Analytical Methods, Practice for, **E2549 (14.02)**

Validation of the Performance of Process Stream Analyzer Systems, Practice for, **D3764 (05.02)**

Validation, Calibration, and Certification of Walkway Tribometers Using Reference Surfaces, Practice for, **F2508 (15.07)**

Validation—test methods

Sa **Statistical methods**

Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, Specification for, **F2340 (15.12)**

Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, Guide for, **C1068 (12.01)**

Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems, Practice for, **D6122 (05.02)**

Validity

Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, Test Method for, **D5579 (05.02)**

Value analysis (VA)

Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, Practice for, **E2013 (04.11)**

Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, Practice for, **E2283 (03.01)**

Performing Value Engineering (VE)/Value Analysis (VA) of Projects, Products and Processes, Practice for, **E1699 (04.11)**

Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, Guide for, **E1369 (04.11)**

Value engineering

Building Elements and Related Sitework—UNIFORMAT II, Classification for, **E1557 (04.11)**

Valve bailers

Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**

Valve bronze

Sa **Brass**

Sa **Bronze**

Steam or Valve Bronze Castings, Specification for, **B61 (02.01)**

Valve castings

Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**

Valve chests

Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, Specification for, **A356/A356M (01.02)**

Valve freeze method

Dryness of Propane (Valve Freeze Method), Test Method for, **D2713 (05.01)**

Valves

Sa **Steel valves—specifications**

Determination of Cycle Life of Automatic Valves for Gas Distribution System Components, Test Method for, **F1373 (10.04)**

Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**

Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, Practice for, **C1129 (04.06)**

Gray Iron Castings for Valves, Flanges, and Pipe Fittings, Specification for, **A126 (01.02)**

Malleable Iron Flanges, Pipe Fittings, and Valve Parts for Railroad, Marine, and Other Heavy Duty Service at Temperatures Up to 650F (345C), Specification for, **A338 (01.02)**

Measuring and Estimating Quantities of Insulated Piping and Components, Guide for, **C1409 (04.06)**

Valves—geothermal resources

Installation, Inspection, and Maintenance of Valve-body Pressure-relief Methods for Geothermal and Other High-Temperature Liquid Applications, Practice for, **E1008 (12.02)**

Valves—marine vessels

Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, Specification for, **F1508 (01.07)**

Automatic Shut-Off Valves (Also Known as Excess Flow Valves, EFV) for Air or Nitrogen Service, Specification for, **F1793 (01.07)**

Hand-Operated, Globe-Style Valves for Gas (Except Oxygen Gas) and Hydraulic Systems, Specification for, **F1794 (01.07)**

Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**

Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Pneumatic-Operated, Globe-Style, Control Valves, Specification for, **F1985 (01.07)**

Pressure-Reducing Valves for Steam Service, Specification for, **F1565 (01.07)**

Pressure-Reducing Valves for Water Systems, Shipboard, Specification for, **F1370 (01.07)**

Special Requirements for Valves Used in Gaseous Oxygen Service, Specification for, **F1792 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Valve Label Plates, Specification for, **F992 (01.07)**
Valve Locking Devices, Specification for, **F993 (01.07)**
Valve seats
Evaluating Nonmetallic Materials for Oxygen Service, Guide for, **G63 (14.04)**
Valve springs
See **Steel springs (valve)—specifications**
Valve stem
Packing Material, Graphitic or Carbon Braided Yarn, Specification for, **F2191 (01.07)**
Valve train wear
Cummins ISM Test, Test Method for, **D7468 (05.04)**
Cummins M11 EGR Test, Test Method for, **D6975 (05.04)**
Cummins M11 High Soot Test, Test Method for, **D6838 (05.03)**
Evaluation of Automotive Engine Oils for Valve-Train Wear Performance in Cummins ISB Medium-Duty Diesel Engine, Test Method for, **D7484 (05.04)**
Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, Test Method for, **D6891 (05.03)**
Valve trim
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Vanadium
Additive Manufacturing Titanium-6 Aluminum-4 Vanadium with Powder Bed Fusion, Specification for, **F2924 (10.04)**
Multielement Analysis of Crude Oils Using Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7691 (05.04)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Vanadium—surgical implant applications
Titanium-6Aluminum-4Vanadium Alloy Castings for Surgical Implants (UNS R56406), Specification for, **F1108 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), Specification for, **F1472 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), Specification for, **F136 (13.01)**
Vanadium alloying additives
Sa **Stainless steel alloying additives**
Ferrovanadium, Specification for, **A102 (01.02)**
Vanadium alloy steel
Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Carbon, Commercial, Drawing, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, Specification for, **A1018/A1018M (01.03)**
Vanadium content
Chemical Analysis of Graphite, Test Methods for, **C560 (05.05)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**
Vanadium in Paint Driers by EDTA Method, Test Method for, **D3988 (06.01)**
Vanadium content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Vanadium content—metals/alloys
Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, Test Method for, **E415 (03.05)**
Analysis of Cast Iron by Spark Atomic Emission Spectrometry, Test Method for, **E1999 (03.05)**
Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Chemical Analysis of Cast Iron—All Types, Test Methods for, **E351 (03.05)**
Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, Test Methods for, **E353 (03.05)**
Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, Test Methods for, **E352 (03.05)**
Vanadium content—petroleum products
Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, Test Methods for, **D5708 (05.02)**
Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, Test Methods for, **D5863 (05.02)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, Test Method for, **D1977 (05.05)**
Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, Test Method for, **D3605 (05.01)**
Trace Metals in Petroleum Coke by Atomic Absorption, Test Method for, **D5056 (05.02)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**
Vanadium content—Ti/Ti alloys
Analysis of Titanium Alloys by X-Ray Fluorescence Spectrometry, Test Method for, **E539 (03.05)**
Vanadium content—water
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Vanadium in Water, Test Method for, **D3373 (11.01)**
Vandalism
Sa **Security systems and equipment**
Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, Test Method for, **F1550 (15.08)**
Monitoring Well Protection, Practice for, **D5787 (04.08)**
van der Waals adsorption
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Vane pump
Determining the Shear Strength Between Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6916 (04.13)**
Indicating Wear Characteristics of Non-Petroleum and Petroleum Hydraulic Fluids in a Constant Volume Vane Pump, Test Method for, **D7043 (05.04)**
Indicating Wear Characteristics of Petroleum Hydraulic Fluids in a High Pressure Constant Volume Vane Pump, Test Method for, **D6973 (05.04)**
Vane shear test
Field Vane Shear Test in Cohesive Soil, Test Method for, **D2573 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Laboratory Miniature Vane Shear Test for Saturated, Test Method for, **D4648/D4648M (04.08)**

Vans
Performance of Active API Service Category Engine Oils, Specification for, **D4485 (05.02)**

Vant Hoff equation
Purity by Differential Scanning Calorimetry, Test Method for, **E928 (14.02)**

Van trailers
Confined Area Entry, Practice for, **D4276 (15.05)**

Vapor barriers
Conducting Exterior Exposure Tests of Finishes for Thermal Insulation, Test Method for, **C488 (04.06)**
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Selection of Water Vapor Retarders for Thermal Insulation, Practice for, **C755 (04.06)**
Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, Specification for, **E2556/E2556M (04.12)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Vapor barriers—specifications
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, Specification for, **E1993/E1993M (04.11)**
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, Specification for, **E1745 (04.11)**

Vapor degreasing
Sa **Solvents**
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Confined Area Entry, Practice for, **D4276 (15.05)**
Handling an Acid Degreaser or Still, Practice for, **D4579 (15.05)**
Solvent Vapor Degreasing Operations, Practice for, **D3698 (15.05)**

Vapor degreasing—specifications
Trichloroethylene, Technical and Vapor-Degreasing Grade, Specification for, **D4080 (15.05)**
Vapor-Degreasing Grade and General Solvent Grade, Specification for, **D4126 (15.05)**
Vapor-Degreasing Grade Methylene Chloride, Specification for, **D4079 (15.05)**
Vapor-Degreasing Grade Perchloroethylene, Specification for, **D4376 (15.05)**
Vapor-Degreasing Solvents Based on, Specification for, **D6368 (15.05)**

Vapor dispersion
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**

Vapor encroachment
Vapor Encroachment Screening on Property Involved in Real Estate Transactions, Guide for, **E2600 (11.05)**

Vapor hydration
Measuring Waste Glass or Glass Ceramic Durability by Vapor Hydration Test, Test Method for, **C1663 (12.01)**

Vapor inhalation
Confined Area Entry, Practice for, **D4276 (15.05)**

Vapor intrusion
Active Soil Gas Sampling in the Vadose Zone for Vapor Intrusion Evaluations, Practice for, **D7663 (04.09)**
Passive Soil Gas Sampling in the Vadose Zone for Source Identification, Spatial Variability Assessment, Monitoring, and Vapor Intrusion Evaluations, Practice for, **D7758 (04.09)**
Vapor Encroachment Screening on Property Involved in Real Estate Transactions, Guide for, **E2600 (11.05)**

Vaporizable organic/inorganic mixtures
Packed Column Gas Chromatography, Practice for, **E260 (03.06)**

Vapor-liquid (V/L) ratio
Vapor-Liquid Ratio Temperature Determination of Fuels (Evacuated Chamber Method), Test Method for, **D5188 (05.02)**

Vapor phase analysis/processing
Chemical Resistance of Pipeline Coatings, Test Method for, **G20 (06.02)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, Test Method for, **F1869 (15.04)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**

Vapor phase analysis/processing—atmospheric
Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, Practice for, **D3687 (11.07)**
Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, Test Method of, **D4230 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Sampling Atmospheres to Collect Organic Compound Vapors (Activated Charcoal Tube Adsorption Method), Practice for, **D3686 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Tank Vent Flame Arresters, Specification for, **F1273 (01.07)**
Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, Guide for, **D6332 (11.07)**
Vapor Attack on Refractories for Furnace Superstructures, Test Method for, **C987 (15.01)**

Vapor phase analysis/processing—petroleum
Sa **Vapor pressure (VP_x)—petroleum products**
Calculation of Certain Physical Properties of Liquefied Petroleum (LP) Gases from Compositional Analysis, Practice for, **D2598 (05.01)**
Deposition Tendencies of Liquids in Thin Films and Vapors, Test Method for, **D3711 (05.02)**
Measurement of Hydrogen Sulfide in the Vapor Phase Above Residual Fuel Oils, Test Method for, **D5705 (05.02)**
Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, Test Method for, **D4045 (05.02)**
Vapor-Phase Rust-Preventing Characteristics of Hydraulic Fluids, Test Method for, **D5534 (05.02)**

Vapor phase analysis/processing—samples
Concentration Limits of Flammability of Chemicals (Vapors and Gases), Test Method for, **E681 (14.02)**
Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, Practice for, **E918 (14.02)**

Vapor pressure (VP_x)
Sa **Pressure testing**
Calculating Heat of Vaporization or Sublimation from Vapor Pressure Data, Practice for, **E2071 (14.02)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determining Vapor Pressure by Thermal Analysis, Test Method for, **E1782 (14.02)**
Vapor Pressure of Liquids by Ebulliometry, Test Method for, **E1719 (14.02)**

Vapor pressure (VP_x)—petroleum products
Calculation of True Vapor Pressures of Petroleum Distillate Fuels, Test Method for, **D2889 (05.01)**
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), Test Method for, **D6378 (05.03)**
Determination of Vapor Pressure of Crude Oil: VPCR, Test Method for, **D6377 (05.03)**
Distillation of Petroleum Products at Reduced Pressure, Test Method for, **D1160 (05.01)**
Estimating Apparent Vapor Pressures and Molecular Weights of Lubricating Oils, Test Method for, **D2878 (05.01)**
Gage Vapor Pressure of Liquefied Petroleum (LP) Gases (LP-Gas Method), Test Method for, **D1267 (05.01)**
Relative Molecular Mass (Molecular Weight) of Hydrocarbons by Thermoelectric Measurement of Vapor Pressure, Test Method for, **D2503 (05.01)**
Sampling and Handling of Fuels for Volatility Measurement, Practice for, **D5842 (05.02)**
Vapor Pressure of Gasoline and Gasoline-Oxygenate Blends (Dry Method), Test Method for, **D4953 (05.02)**
Vapor Pressure of Liquefied Petroleum Gases (LPG) (Expansion Method), Test Method for, **D6897 (05.03)**
Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), Test Method for, **D5482 (05.02)**
Vapor Pressure of Petroleum Products (Mini Method), Test Method for, **D5191 (05.02)**
Vapor Pressure of Petroleum Products (Reid Method), Test Method for, **D323 (05.01)**
Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope, Test Method for, **D2879 (05.01)**

Vapor simulant
Man-In-Simulant Test (MIST) for Protective Ensembles, Test Method for, **F2588 (11.03)**

Vapor temperature measurement
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**

Vapor transmission
Sa **Water vapor transmission (WVT)**
Electric-Fusion (Arc)-Welded Steel Pipe (NPS 4 and Over), Specification for, **A139/A139M (01.01)**
Electric-Resistance-Welded Steel Pipe, Specification for, **A135/A135M (01.01)**
Rubber PropertyVapor Transmission of Volatile Liquids, Test Method for, **D814 (09.01)**

Variability
Addressing Variability in Exposure Testing of Nonmetallic Materials, Guide for, **G141 (14.04)**
Calculating Precision Limits Where Values are Calculated from Other Test Methods, Practice for, **D4460 (04.03)**
Conducting Ruggedness Tests, Practice for, **E1169 (14.02)**
Preparing and Interpreting Precision and Bias Statements in Test Method Standards Used in the Nuclear Industry, Guide for, **C1215 (12.01)**
Process and Measurement Capability Indices, Practice for, **E2281 (14.02)**
Reducing the Effect of Variability of Color Measurement by Use of Multiple Measurements, Practice for, **E1345 (06.01)**
Statistical Procedures to Use in Developing and Applying Test Methods, Guide for, **E1488 (14.02)**

Variable-area flowmeters
Rotameter Calibration, Practice for, **D3195/D3195M (11.07)**

Variable capacitance strain gages
High-Temperature Static Strain Measurement, Guide for, **E1319 (03.01)**

Variable-frequency audio oscillator
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**

Variable rod-in-tube orifice
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**

Variable slip technique
Friction Coefficient Measurements Between Tire and Pavement Using a Variable Slip Technique, Test Method for, **E1859/E1859M (04.03)**

Variables sampling
Preferred Methods for Acceptance of Product, Guide for, **E2910 (14.02)**
Variables Sampling of Metallic and Inorganic Coatings, Test Method of, **B762 (02.05)**

Variable-voltage method
Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, Test Methods for, **D2303 (10.01)**

Variable volume method
Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), Test Method for, **D6378 (05.03)**

Variable-wavelength photometric detectors
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**

Variance
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Selecting and Characterizing Weathering Reference Materials, Practice for, **G156 (14.04)**

Variance (in statistical analysis)
See **Statistical methods**

Variation
Sa **Precision**
Determining Variations in Hardness of Film Ribbon Pancakes, Test Method for, **F1151 (15.09)**

Variogram
Analysis of Spatial Variation in Geostatistical Site Investigations, Guide for, **D5922 (04.09)**

Varmeter
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**

Varnish-coated glass fabric/tape
Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, Test Methods for, **D902 (10.01)**

Varnish deposits/deposition
Evaluation of Automotive Engine Oils in the Sequence IIIF, Spark-Ignition Engine, Test Method for, **D6984 (05.04)**
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, Test Method for, **D5704 (05.02)**

Varnished cotton fabric
Varnished Cotton Fabrics Used for Electrical Insulation, Test Methods for, **D295 (10.01)**

Varnishes
Sa **Electrical insulating varnishes**
Abrasion Resistance of Organic Coatings by Falling Abrasive, Test Methods for, **D968 (06.01)**
Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1613 (06.04)**
Adhesion of Organic Coatings by Scrape Adhesion, Test Method for, **D2197 (06.01)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Block Resistance of Organic Coatings on Wood Panel Substrates,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Test Method for, **D2793 (06.02)**
Color of Transparent Liquids (Gardner Color Scale), Test Method for, **D1544 (06.01)**
Density of Liquid Coatings, Inks, and Related Products, Test Method For, **D1475 (06.01)**
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, Test Methods for, **D1640 (06.01)**
Effect of Household Chemicals on Clear and Pigmented Organic Finishes, Test Method for, **D1308 (06.02)**
Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D822/D822M (06.01)**
Flash Point of Liquids by Small Scale Closed-Cup Apparatus, Test Methods for, **D3278 (06.01)**
High-Shear Viscosity Using a Cone/Plate Viscometer, Test Method for, **D4287 (06.01)**
Indentation Hardness of Organic Coatings, Test Methods for, **D1474 (06.01)**
Liquid Paint Driers, Test Methods for, **D564 (06.01)**
Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, Test Method for, **D1005 (06.01)**
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**
Nonvolatile Content of Varnishes, Test Methods for, **D1644 (06.01)**
Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products, Test Method for, **D1353 (06.04)**
Paint, Related Coatings, Materials, and Applications, Terminology for, **D16 (06.01)**
Preparation of Cold-Rolled Steel Panels for Testing Paint, Varnish, Conversion Coatings, and Related Coating Products, Practice for, **D609 (06.01)**
Preparation of Glass Panels for Testing Paint, Varnish, Lacquer, and Related Products, Practice for, **D3891 (06.01)**
Preparation of Uniform Free Films of Organic Coatings, Practice for, **D4708 (06.01)**
Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, Practice for, **D2201 (06.01)**
Printing Ink Vehicles and Related Materials, Terminology for, **D7805 (06.03)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Tensile Properties of Organic Coatings, Test Method for, **D2370 (06.01)**
Testing Varnishes, Guide for, **D154 (06.03)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**
Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, Practice for, **D3361/D3361M (06.01)**
Viscosity by Dip-Type Viscosity Cups, Test Method for, **D4212 (06.01)**
Viscosity by Ford Viscosity Cup, Test Method for, **D1200 (06.01)**
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**

Varnishes—specifications
Acrylic Acid, Specification for, **D4416 (06.04)**
Shellac Varnishes, Specification for, **D360 (06.03)**
Specification for Methyl n-Amyl Ketone, Specification for, **D4360 (06.04)**
Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, Specification for, **D3924 (06.01)**

Vascular stents
in vitro Pulsatile Durability Testing of Vascular Stents, Test Methods for, **F2477 (13.01)**
Characterization and Presentation of the Dimensional Attributes of Vascular Stents, Guide for, **F2081 (13.01)**
Coating Inspection and Acute Particulate Characterization of Coated Drug-Eluting Vascular Stent Systems, Guide for, **F2743 (13.02)**
Finite Element Analysis (FEA) of Metallic Vascular Stents Subjected to Uniform Radial Loading, Guide for, **F2514 (13.02)**
Identification of Shelf-life Test Attributes for Endovascular Devices, Guide for, **F2914 (13.02)**
in vitro Axial, Bending, and Torsional Durability Testing of Vascular Stents, Guide for, **F2942 (13.02)**
Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, Test Method for, **F2079 (13.01)**
Three-Point Bending of Balloon Expandable Vascular Stents and Stent Systems, Guide for, **F2606 (13.02)**

VATL (value analysis team leader)
Performing Value Engineering (VE)/Value Analysis (VA) of Projects, Products and Processes, Practice for, **E1699 (04.11)**

Vaults
Bank and Mercantile Vault Construction, Classification for, **F1090 (15.08)**
Intrusion Resistant Generic Vault Structures, Specification for, **F1247 (15.08)**

VCM impurities
Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, Test Method for, **D5507 (08.03)**

VCT (vinyl composition tile)
Vinyl Composition Floor Tile, Specification for, **F1066 (15.04)**

VDE (Verband Deutsdcher) electrodes
Dielectric Breakdown Voltage of Insulating Liquids Using VDE Electrodes, Test Method for, **D1816 (10.03)**

Vebe vibrating table
Determining Consistency and Density of Roller-Compacted Concrete Using a Vibrating Table, Test Method for, **C1170/C1170M (04.02)**

Vector data
Data Exchange Format for Sewn Product Plotting Devices, Practice for, **D6959 (07.02)**

Vector wind
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**

Vee Block method
Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, Test Method for, **D2714 (05.01)**
Endurance (Wear) Life and Load-Carrying Capacity of Solid Film Lubricants (Falex Pin and Vee Method), Test Method for, **D2625 (05.01)**
Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), Test Methods for, **D3233 (05.01)**
Measuring Wear Properties of Fluid Lubricants (Falex Pin and Vee Block Method), Test Method for, **D2670 (05.01)**
Wear Preventive Properties of Lubricating Greases Using the (Falex) Block on Ring Test Machine in Oscillating Motion, Test Method for, **D3704 (05.01)**

Vegetable fibers
Sa **Bast and leaf fibers/products**
Sa **Cotton fabrics/fibers**
Sa **Textile fibers**
Textile Fibers, Guide for, **D7641 (07.02)**

Vegetable matter content
Neps, Vegetable Matter, and Colored Fiber in Wool Top, Test Method for, **D1770 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**

Vegetable oils
Bulk Sampling, Handling, and Preparing Edible Vegetable Oils for Sensory Evaluation, Practice for, **E1346 (15.08)**
Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, Test Method for, **D5555 (15.04)**
Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, Test Method for, **D5565 (15.04)**
Determining the Melting Point of Fats and Oils, Test Method for, **D5440 (15.04)**
Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, Test Method for, **E2881 (14.02)**

Vegetable oils—specifications
Natural (Vegetable Oil) Ester Fluids Used in Electrical Apparatus, Specification for, **D6871 (10.03)**

Vegetable origin
Artists' Oil, Resin-Oil, and Alkyd Paints, Specification for, **D4302 (06.02)**

Vegetable peeling machines
Vegetable Peeling Machines, Electric, Specification for, **F1371 (15.12)**

Vegetables
Selection and Calibration of Dosimetry Systems for Radiation Processing, Guide for, **ISO/ASTM51261 (12.02)**

Vegetable-tanned leather
Sa **Tanning analysis/materials**
Analysis of Iron and Copper in Vegetable Tanning Materials, Test Method for, **D6407 (15.04)**
Analysis of Sugar in Vegetable Tanning Materials, Test Method for, **D6406 (15.04)**
Analysis of Vegetable Tanning Materials—General, Practice for, **D4899 (15.04)**
Calculation of (Non-Mineral) Combined Tanning Agents and Degree of Tannage, Practice for, **D6020 (15.04)**
Color Tests with Sheepskin Skiver, Practice for, **D6409 (15.04)**
Cooling of Analytical Solutions, Practice for, **D4904 (15.04)**
Determining Acidity of Vegetable Tanning Liquors, Test Method for, **D6410 (15.04)**
Determining Moisture in Raw and Spent Materials, Test Method for, **D6403 (15.04)**
Determining Non-Tannins and Tannin in Extracts of Vegetable Tanning Materials, Test Method for, **D6401 (15.04)**
Determining Soluble Solids and Insolubles in Extracts of Vegetable Tanning Materials, Test Method for, **D6402 (15.04)**
Evaporation and Drying of Analytical Solutions, Test Method for, **D4902 (15.04)**
Extraction of Tannins from Raw and Spent Materials, Practice for, **D6405 (15.04)**
Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, Test Method for, **D4900 (15.04)**
Preparation of Solution of Liquid Vegetable Tannin Extracts, Practice for, **D4901 (15.04)**
Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, Practice for, **D4905 (15.04)**
Sampling Vegetable Materials Containing Tannin, Practice for, **D6404 (15.04)**
Total Solids and Water in Vegetable Tanning Material Extracts, Test Method for, **D4903 (15.04)**
Water Absorption (Static) of Vegetable Tanned Leather, Test Method for, **D1815 (15.04)**

Vegetation
Diagnostic Soil Test for Plant Growth and Food Chain Protection, Test Method for, **D5435 (04.08)**
Rapid Screening of Vegetation for Radioactive Strontium Aerial Deposition, Guide for, **D7362 (11.02)**
Techniques in Land Search, Guide for, **F1633 (13.02)**

Vegetation—natural/planted
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Vegetation—plant tissues
Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Semiautomated Method), Test Methods for, **D3270 (11.07)**
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**

Vegetative roof systems
Vegetative (Green) Roof Systems, Guide for, **E2777 (04.04)**

Vehicle axles
Developing Axle Count Adjustment Factors, Practice for, **E2467 (04.03)**
Installing Piezoelectric Highway Traffic Sensors, Practice for, **E2415 (04.03)**

Vehicle classifiers
Installing and Using Pneumatic Tubes with Roadway Traffic Counters and Classifiers, Practice for, **E1957 (04.03)**
Installing Piezoelectric Highway Traffic Sensors, Practice for, **E2415 (04.03)**

Vehicle controls
Security Engineering Symbols, Practice for, **F967 (15.08)**

Vehicle crash testing
Vehicle Crash Testing of Perimeter Barriers, Test Method for, **F2656 (15.08)**

Vehicle monitoring
Developing Axle Count Adjustment Factors, Practice for, **E2467 (04.03)**
Evaluating Performance of Highway Traffic Monitoring Devices, Test Methods for, **E2532 (04.03)**

Vehicle-mounted insulated material handling aerial devices (IMHAD)
Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, Test Method for, **F914/F914M (10.03)**
Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, Test Method for, **F1430/F1430M (10.03)**

Vehicles
Cargo Bed Cover (CBC) HMMWV, Type I, Performance Specification for, **E2462 (04.12)**
Fleet Management, Guide for, **E2962 (04.12)**
Installing and Using Pneumatic Tubes with Roadway Traffic Counters and Classifiers, Practice for, **E1957 (04.03)**
Nonvolatile Content of Heatset and Liquid Printing Ink Systems, Test Methods for, **D4713 (06.02)**
Standard Guide for the Evaluation, and Calibration, Continuous Friction Measurement Equipment (CFME), Guide for, **E2883 (04.03)**

Vehicles (automotive)
Rubber Products in Automotive Applications, Classification System for, **D2000 (09.02)**

Vehicle separation (paints/related coatings)
Determination of the Pigment Content of Solvent-Reducible Paints by High-Speed Centrifuging, Test Method for, **D2698 (06.01)**
Determination of the Upper Layer Separated from a Viscous Liquid, Test Method for, **D4948 (06.01)**
Evaluation of Flushing Vehicles for Pigment Wetting Using a Vacuum Modified Sigma Blade Mixer, Practice for, **D6336 (06.03)**
Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, Test Method for, **D2621 (06.01)**
Pigment Content of Solvent-Reducible Paints, Test Method for, **D2371 (06.01)**
Separation of Vehicle From Solvent-Reducible Paints, Practice for, **D2372 (06.01)**

Vehicle speed and distance
Evaluating Performance of Highway Traffic Monitoring Devices, Test Methods for, **E2532 (04.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**

Vehicle uncontrollability
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**

Vehicular friction
See **Friction/frictional properties**
See **Pavement surfaces**

Vehicular paving brick
Heavy Vehicular Paving Brick, Specification for, **C1272 (04.05)**

Vehicular response
Measurement of Vehicular Response to Traveled Surface Roughness, Test Method for, **E1082 (04.03)**
Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, Practices for, **E1170 (04.03)**
Trailers Used for Measuring Vehicular Response to Road Roughness, Specification for, **E1215 (04.03)**

Vehicular tires
Sa **Tire testing**
Bead Unseating of Tubeless Tires for Motor Vehicles with GVWR of 4536 kg (10 000 lb) or Less, Test Method for, **F2663 (09.02)**
Tires, Pneumatic, Low Speed, Off Highway, Test Method for, **F1923 (09.02)**
Tires, Pneumatic, Vehicular, Highway, Test Method for, **F1922 (09.02)**

Vehicular trafficways
Concrete Grid Paving Units, Specification for, **C1319 (04.05)**

Vehicular traveled surfaces
Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, Practices for, **E2034 (04.03)**

Vehicular underpasses
Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **B746/B746M (02.02)**
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**

Veihmeyer tube sampler
Soil Sampling from the Vadose Zone, Guide for, **D4700 (04.08)**

Velocity
Arc Erosion Testing of Electrical Contact Materials, Guide for, **B576 (02.04)**
Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, Test Method for, **F2192 (01.07)**
Determining the Rating Velocities of a Compound Archery Bow, Specification for, **F1544 (15.07)**
Face Guards for Youth Baseball, Specification for, **F910 (15.07)**
High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, Test Method for, **D3763 (08.02)**
High-Strain Dynamic Testing of Deep Foundations, Test Method for, **D4945 (04.08)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, Specification for, **F1292 (15.07)**
Low Strain Impact Integrity Testing of Deep Foundations, Test Method for, **D5882 (04.09)**
Measuring the Minimum Fluidization Velocities of Free Flowing Powders, Test Method for, **D7743 (04.09)**
Measuring Ultrasonic Velocity in Materials, Practice for, **E494 (03.03)**
Mixed Flowing Gas (MFG) Tests for Electrical Contacts, Guide for, **B845 (02.04)**
Non-Powder Guns, Consumer Safety Specification for, **F589 (15.11)**
Performance Testing of Articulating Concrete Block (ACB) Revetment Systems for Hydraulic Stability in Open Channel Flow, Test Method for, **D7277 (04.09)**
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**
Sonic Velocity in Manufactured Carbon and Graphite Materials for Use in Obtaining an Approximate Young's Modulus, Test Method for, **C769 (05.05)**
Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, Test Method for, **F457 (09.02)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Total Energy Impact of Plastic Films By Dart Drop, Test Method for, **D4272 (08.02)**

Velocity—air
See **Air velocity**

Velocity—gases in stacks and flues
Average Velocity in a Duct (Pitot Tube Method), Test Method for, **D3154 (11.07)**
Average Velocity in a Duct Using a Thermal Anemometer, Test Method for, **D3464 (11.07)**

Velocity—pulse
See **Pulse velocity**

Velocity transducer
Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, Guide for, **D4602 (04.03)**

Velocity variance
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**

Veneer
Sa **Wood products**
Adhered Manufactured Stone Masonry Veneer Units, Specification for, **C1670/C1670M (04.05)**
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**
Installation Methods for Adhered Manufactured Stone Masonry Veneer, Practice for, **C1780 (04.05)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Thin Veneer Brick Units Made From Clay or Shale, Specification for, **C1088 (04.05)**
Veneer and Plywood, Terminology Relating to, **D1038 (04.10)**

Veneer composites
Shear Modulus of Wood-Based Structural Panels, Test Method for, **D3044 (04.10)**
Wood-Based Structural Panels in Compression, Test Methods for, **D3501 (04.10)**

Veneer plaster
See **Plaster—specifications**

Venetian red
Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, Test Methods for, **D50 (06.03)**

Vented combustion appliances
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**

Vented water-tree growth
Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, Test Method for, **D6097 (10.02)**

Ventilation materials/applications
Confined Area Entry, Practice for, **D4276 (15.05)**
Determining Air Leakage Rate by Fan Pressurization, Test Method for, **E779 (04.11)**
Manufactured Polymeric Drainage and Ventilation Materials Used to Provide a Rainscreen Function, Specification for, **E2925 (04.12)**
Physical Assault on Ventilation Grilles for Detention and Correctional Facilities, Test Methods for, **F2542 (15.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Room Fire Experiments, Guide for, **E603 (04.07)**
Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality and Ventilation, Guide for, **D6245 (11.07)**
Ventilation materials/applications—specifications
Cell-Type Oven with Controlled Rates of Ventilation, Specification for, **E95 (14.04)**
Gravity Convection and Forced Ventilation Incubators, Specification for, **E1292 (14.04)**
Gravity-Convection and Forced-Ventilation Ovens, Specification for, **E145 (14.04)**
Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, Test Method for, **E477 (04.06)**
Ventilation materials/applications (buildings)
Adhesives for Duct Thermal Insulation, Specification for, **C916 (04.06)**
Determining Air Leakage of Air Barrier Assemblies, Test Method for, **E2357 (04.12)**
Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Indoor Air Quality, Guide for, **E2267 (04.12)**
Ventilation materials/applications (kitchens)
Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, Test Method for, **F1704 (15.12)**
Determining the Field Performance of Commercial Kitchen Demand Control Ventilation Systems, Practice for, **F2976 (15.12)**
Grease Particle Capture Efficiency of Commercial Kitchen Filters and Extractors, Test Method for, **F2519 (15.12)**
Measuring the Field Performance of Commercial Kitchen Ventilation Systems, Test Method for, **F2975 (15.12)**
Ventilation materials/applications (shipboard)
Mechanical Symbols, Shipboard—Heating, Ventilation, and Air Conditioning (HVAC), Practice for, **F856 (01.07)**
Ventilation rate
Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, Test Methods for, **D5374 (10.02)**
Ventilatory behavioral response
Ventilatory Behavioral Toxicology Testing of Freshwater Fish, Guide for, **E1768 (11.06)**
Venting
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Installing Clay Flue Lining, Practice for, **C1283 (04.05)**
Venting base sheet (for roofing)
Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, Specification for, **D4897/D4897M (04.04)**
Vents
Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement, Test Method for, **E2886/E2886M (04.07)**
Vent tube
Copper Drainage Tube (DWV), Specification for, **B306 (02.01)**
Verification
Sa **Statistical methods**
Bar Code Verification, Practice for, **F1851 (15.09)**
Calibrating a Ground-Water Flow Model Application, Guide for, **D5981 (04.09)**
Characterization and Verification of Phased Array Probes, Practice for, **E2904 (03.03)**
Developing and Evaluating Ground-Water Modeling Codes, Guide for, **D6025 (04.09)**
Force Verification of Testing Machines, Practices for, **E4 (03.01)**
Installing Bonded Resistance Strain Gages, Guide for, **E1237 (03.01)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Nuclear Surface Moisture and Density Gauge Calibration, Guide for, **D7759 (04.09)**
Preferred Methods for Acceptance of Product, Guide for, **E2910 (14.02)**
Rockwell Hardness of Metallic Materials, Test Methods for, **E18 (03.01)**
Specifying and Verifying the Performance of Color-Measuring Instruments, Practice for, **E2214 (06.01)**
Thermocouple Verification, Guide for, **E2846 (14.03)**
Verification and Calibration of Polarimeters, Practices for, **C1426 (15.02)**
Verification and Use of Control Charts in Spectrochemical Analysis, Practice for, **E1329 (03.05)**
Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, Practice for, **E467 (03.01)**
Verification of Displacement Measuring Systems and Devices Used in Material Testing Machines, Practices for, **E2309/E2309M (03.01)**
Verification of Ski Binding Test Devices, Test Method for, **F1062 (15.07)**
Verification of Speed for Material Testing Machines, Practices for, **E2658 (03.01)**
Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, Practice for, **E1012 (03.01)**
Verifying Acoustic Emission Sensor Response, Practice for, **F2174 (10.03)**
Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**
Verification of counts
Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, Practice for, **D5465 (11.02)**
Vermiculite
Inorganic Aggregates for Use in Gypsum Plaster, Specification for, **C35 (04.01)**
Vermiculite insulation
Sa **Loose-fill thermal insulation**
Expanded or Exfoliated Vermiculite Thermal Insulating Cement, Specification for, **C196 (04.06)**
Vermiculite Loose Fill Thermal Insulation, Specification for, **C516 (04.06)**
Vermiculite thermal insulating cements
See **Thermal insulating cement**
Vernier caliper
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Vertebrate control agents (avicides)
Conducting Subacute Dietary Toxicity Tests with Avian Species, Practice for, **E857 (11.06)**
Vertebrate control agents (rodenticides)
Estimating Acute Oral Toxicity in Rats, Test Method for, **E1163 (11.06)**
Vertebrectomy
Occipital-Cervical and Occipital-Cervical-Thoracic Spinal Implant Constructs in a Vertebrectomy Model, Test Methods for, **F2706 (13.02)**
Vertical access tube
Logging In Situ Moisture Content and Density of Soil and Rock by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, Test Method for, **D6031/D6031M (04.09)**
Vertical cable tray configuration
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Vertical compression test
Vertical Compression of Geocomposite Pavement Panel Drains, Test Method for, **D6244 (04.13)**
Vertical cylindrical molds
Measuring Changes in Height of Cylindrical Specimens of Hydraulic-Cement Grout, Test Method for, **C1090 (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Molds for Forming Concrete Test Cylinders Vertically, Specification for, **C470/C470M (04.02)**

Vertical deformation
Installing and Operating Settlement Platforms for Monitoring Vertical Deformations, Guide for, **D6598 (04.09)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**

Vertical dimension stone
Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, Guide for, **C1515 (04.07)**

Vertical drains
Selection of Test Methods for Prefabricated Vertical Drains (PVD), Guide for, **D6917 (04.13)**

Vertical drop tests
Simulated Drop of Loaded Containers by Shock Machines, Test Method for, **D5487 (15.10)**

Vertical fixed barriers
Physical Assault on Vertical Fixed Barriers for Detention and Correctional Facilities, Test Methods for, **F2322 (15.08)**

Vertical flame test
Determining Material Ignition and Flame Spread Properties, Test Method for, **E1321 (04.07)**
Flame Resistance of Textiles (Vertical Test), Test Method for, **D6413/D6413M (07.02)**

Vertical hydraulic conductivity
Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, Test Method for, **D6391 (04.09)**

Vertical linear motion
Vibration (Vertical Linear Motion) Test of Products, Test Methods for, **D3580 (15.10)**

Vertical osciliating pot/pan/utensil washing machines
Sa **Dishwashing equipment (commercial)**
Washing Machines, Heat Sanitizing, Commercial, Pot, Pan, and Utensil Vertically Oscillating Arm Type, Specification for, **F1202 (15.12)**

Vertical piles
Deep Foundations Under Static Axial Tensile Load, Test Methods for, **D3689/D3689M (04.08)**
Individual Piles in Permafrost Under Static Axial Compressive Load, Test Methods for, **D5780 (04.08)**

Vertical position/testing
Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, Test Method for, **D3014 (08.01)**
Frost/Dew Point of Sealed Insulating Glass Units in the Vertical Position, Test Method for, **E576 (04.11)**
Measurement of Vertical Downward Forces to Disengage Type IIA Lug-Style Child-Resistant Closures, Test Methods for, **D3469 (15.10)**
Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, Test Method for, **D3801 (08.02)**
Rock Core Drilling and Sampling of Rock for Site Investigation, Practice for, **D2113 (04.08)**

Vertical rebound test
Rubber Property—Resilience by Vertical Rebound, Test Method for, **D2632 (09.01)**
Vertical Rebound Characteristics of Sports Surface/Ball Systems; Acoustical Measurement, Test Method for, **F2117 (15.07)**

Vertical sliding watertight door assemblies
Sliding Watertight Door Assemblies, Specification for, **F1196 (01.07)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**

Vertical strength
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**

Vertical strip drains
Testing Vertical Strip Drains in the Crimped Condition, Test Method for, **D6918 (04.13)**

Vertical surfaces
Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1787 (04.01)**
Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, Specification for, **C1788 (04.01)**
the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces, Guide for, **C1471 (04.04)**

Vertical test
Measuring Fluidization Segregation Tendencies of Powders, Practice for, **D6941 (04.09)**
Textile Flammability Test Methods, Classification Index of and Descriptions of, **D4723 (07.02)**

Vertical to horizontal hydraulic conductivity
Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**

Vertical tube furnace method
Behavior of Materials in a Vertical Tube Furnace at 750°C, Test Method for, **E136 (04.07)**

Vertical UTM grid lines
Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, Guide for, **F2099 (13.02)**

Vessel (systems/subsystems/equipment)
Sa **Marine systems/subsystems/equipment**
Selection and Operation of Vessel-mounted Camera Systems, Guide for, **F2926 (11.05)**

Veterinary thermometers
Sa **Thermometers**
Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, Specification for, **E667 (13.01)**

Vettermann drum tester
Operation of the Vettermann Drum Tester, Practice for, **D5417 (07.02)**

Vezzin method
Sampling Uranium-Ore Concentrate, Practices for, **C1075 (12.01)**

VFPE (very flexible polyethylene)
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**

Viable bacteria
Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, Practice for, **D6974 (05.04)**

Vials
Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, Specification for, **D5022 (15.10)**

Vibrated apparent packing density
Vibrated Apparent Packing Density of Fine Catalyst and Catalyst Carrier Particles and Powder, Test Method for, **D4512 (05.05)**
Vibratory Packing Density of Formed Catalyst Particles and Catalyst Carriers, Test Method for, **D4180 (05.05)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**

Vibrating hammer
Determination of Maximum Dry Unit Weight and Water Content Range for Effective Compaction of Granular Soils Using a Vibrating Hammer, Test Methods for, **D7382 (04.09)**
Molding Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Hammer, Practice for, **C1435/C1435M (04.02)**

Vibrating plate fieldmeter
Static Electrification, Test Method for, **D4470 (10.02)**

Vibrating-sample magnetometer
Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, Test Method for, **A894/A894M (03.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Vibrating table
Determining Consistency and Density of Roller-Compacted Concrete Using a Vibrating Table, Test Method for, **C1170/C1170M (04.02)**
Making Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Table, Practice for, **C1176/C1176M (04.02)**
Vibrating wire piezometers
Pre-Installation Acceptance Testing of Vibrating Wire Piezometers, Practice for, **D7764 (04.09)**
Vibrating wire piezometers—pre-installation acceptance testing of
Pre-Installation Acceptance Testing of Vibrating Wire Piezometers, Practice for, **D7764 (04.09)**
Vibration damping applications
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Measuring Vibration-Damping Properties of Materials, Test Method for, **E756 (04.06)**
Tungsten Base, High-Density Metal, Specification for, **B777 (02.04)**
Vibration resistance
Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, Specification for, **C1139 (04.06)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Vibration Testing of Shipping Containers, Test Methods for, **D999 (15.10)**
Vibration test
Cavitation Erosion Using Vibratory Apparatus, Test Method for, **G32 (03.02)**
Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2187 (10.04)**
Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, Test Method for, **F2188 (10.04)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Industrial Platinum Resistance Thermometers, Specification for, **E1137/E1137M (14.03)**
Maximum Index Density and Unit Weight of Soils Using a Vibratory Table, Test Methods for, **D4253 (04.08)**
Measuring Delaminations in Concrete Bridge Decks by Sounding, Practice for, **D4580/D4580M (04.03)**
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**
Performance of Piping and Tubing Mechanically Attached Fittings, Specification for, **F1387 (01.07)**
Plastics: Dynamic Mechanical Properties: Cure Behavior, Test Method for, **D4473 (08.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Unnotched Cantilever Beam Impact Resistance of Plastics, Test Method for, **D4812 (08.02)**
Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, Test Method for, **D4699 (05.05)**
Vibration test—packaging/shipping materials
Evaluating Load Containment Performance of Stretch Wrap Films by Vibration Testing, Test Method for, **D5415 (15.10)**
Gross Leakage of Liquids from Containers with Threaded or Lug-Style Closures, Test Methods for, **D5094/D5094M (15.10)**
Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, Specification for, **D4504 (15.10)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Performance Testing of Shipping Containers and Systems, Practice for, **D4169 (15.10)**
Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, Test Method for, **D5277 (15.10)**
Random Vibration Testing of Shipping Containers, Test Method for, **D4728 (15.10)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Vibration (Horizontal Linear Motion) Test of Products, Test Method for, **D5112 (15.10)**
Vibration (Vertical Linear Motion) Test of Products, Test Methods for, **D3580 (15.10)**
Vibration Testing of Shipping Containers, Test Methods for, **D999 (15.10)**
Vibratory-driven samplers
Core Sampling Submerged, Unconsolidated Sediments, Guide for, **D4823 (11.02)**
Vibratory methods
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**
Vibrodriving
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Vibroscope method
Linear Density of Textile Fibers, Test Methods for, **D1577 (07.01)**
Vicat needle
Time of Setting of Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C953 (04.02)**
Time of Setting of Hydraulic Cement by Vicat Needle, Test Methods for, **C191 (04.01)**
Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle, Test Method for, **C807 (04.01)**
Vicat softening temperature (VST)
Indentation Softening Temperature by Thermomechanical Analysis, Test Method for, **E2347 (14.02)**
Vicat Softening Temperature of Plastics, Test Method for, **D1525 (08.01)**
Vickers hardness (HV)
Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, Test Method for, **B934 (02.05)**
Knoop and Vickers Hardness of Materials, Test Method for, **E384 (03.01)**
Vickers Indentation Hardness of Advanced Ceramics, Test Method for, **C1327 (15.01)**
Videoborescoping
Videoborescoping of Tubular Products for Sanitary Applications, Guide for, **A1015 (01.01)**
Video displays
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Video teleconference
Serviceability of an Office Facility for Special Facilities and Technologies, Classification for, **E1694 (04.11)**
Viewing box
Determining Visible Abrasion Resistance of Glazed Ceramic Tile, Test Method for, **C1027 (15.02)**
Viewing distance
Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), Practice for, **E312 (06.01)**
Viewing geometries
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Viewing screen
Illuminators Used for Viewing Industrial Radiographs, Specification for, **E1390 (03.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Viewing systems
Viewing Systems for Remotely Operated Facilities, Guide for, **C1661 (12.01)**
Vinal fibers
Sa **Man-made textile fibers**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
Vinegar (acetic acid)
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**
Vinsol resin content
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Vinyl acetate
Acetaldehyde Content of Vinyl Acetate, Test Method for, **D2191 (06.04)**
Acidity in Vinyl Acetate and Acetaldehyde, Test Method for, **D2086 (06.04)**
Hydroquinone in Vinyl Acetate, Test Method for, **D2193 (06.04)**
Vinyl Acetate, Specification for, **D2190 (06.04)**
Vinyl acetate content
Determination of the Vinyl Acetate Content of Ethylene-Vinyl Acetate (EVA) Copolymers by Fourier Transform Infrared Spectroscopy (FT-IR), Test Method for, **D5594 (08.03)**
Vinyl asbestos tile
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Vinyl chloride monomer content
Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, Test Method for, **D5507 (08.03)**
Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography, Test Method for, **D4443 (08.02)**
Residual Vinyl Chloride Monomer in Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique, Test Method for, **D3749 (08.02)**
Vinyl chloride polymers
Sa **Chlorinated poly(vinyl chloride)(CPVC)—specifications**
Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, Practice for, **F1331 (01.07)**
Methanol Extract of Vinyl Chloride Resins, Test Method for, **D2222 (08.01)**
Nonrigid Vinyl Chloride Polymer Tubing, Specification for, **D922 (10.01)**
Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, Test Methods for, **D876 (10.01)**
Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications, Specification for, **D3915 (08.02)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**
Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D2301 (10.01)**
Vinyl Chloride Plastics Used in Biomedical Application, Classification for, **F665 (13.01)**
Vinyl chloride polymers—specifications
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Low-Temperature Resistant Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, Specification for, **D3005 (10.02)**
Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds, Specification for, **D2287 (08.01)**
Vinyl-coated fabrics/fibers/yarns
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, Test Method for, **D4912/D4912M (07.02)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, Performance Specification for, **D3690 (07.01)**
Vinyl-coated glass yarns
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, Specification for, **D4028/D4028M (07.01)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**
Vinylcyclohexene
Butadiene Dimer and Styrene in Butadiene Concentrates by Gas Chromatography, Test Method for, **D2426 (05.01)**
Vinyl ester plastics
Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D5421 (08.03)**
Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D4097 (08.03)**
Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, Specification for, **D3299 (08.03)**
Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, Specification for, **D4024 (08.03)**
Vinyl flooring/floor coverings
Sa **Flooring/floor covering systems**
Application of Floor Polishes to Maintain Vinyl Composition Tile or Flooring, Practice for, **D3564 (15.04)**
Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, Test Method for, **D5215 (15.06)**
Measuring Heat Stability of Resilient Flooring by Color Change, Test Method for, **F1514 (15.04)**
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Static Load Limit, Test Method for, **F970 (15.04)**
Vinyl Composition Floor Tile, Specification for, **F1066 (15.04)**
Vinyl flooring/floor coverings—specifications
Sheet Vinyl Floor Covering with Backing, Specification for, **F1303 (15.04)**
Solid Vinyl Floor Tile, Specification for, **F1700 (15.04)**
Vinylidene fluoride (VDF)
Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, Classification System for, **D5575 (08.03)**
Vinyl-PVC-coated steel wire fabric
Vinyl-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A933/A933M (01.04)**
Vinyl sheet floor covering
Vinyl Sheet Floor Covering Without Backing, Specification for, **F1913 (15.04)**
Vinyl textile fabrics
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Vinyl unsaturation
Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, Test Method for, **D6248 (08.03)**
Vinyon fibers
Sa **Man-made textile fibers**
Forensic Analysis of Fibers by Infrared Spectroscopy, Guide for, **E2224 (14.02)**
Violets
Concentric-Lay-Stranded Aluminum 1350 Conductors, Specification for, **B231/B231M (02.03)**
Viral penetration
Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, Test Method for, **F1671/F1671M (11.03)**
Surgical Gowns Intended for Use in Healthcare Facilities, Specification for, **F2407 (11.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Virgin base oils
Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, Test Method for, **E1687 (11.03)**
Virgin fiber content
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**
Virgin homopolymer polypropylene fibers
Fiber-Reinforced Concrete, Specification for, **C1116/C1116M (04.02)**
Virgin impregnated activated carbon
See **Activated carbon**
Virgin middle distillates
Hydrocarbon Types in Middle Distillates by Mass Spectrometry, Test Method for, **D2425 (05.01)**
Virgin poly(L-lactic acid) resin
See **PLLA (poly(L-lactic acid)) resin**
Virgin Ti metal melting stock
Titanium Sponge, Specification for, **B299 (02.04)**
Virgin zirconium (Zr) metal
Zirconium Sponge and Other Forms of Virgin Metal for Nuclear Application, Specification for, **B349/B349M (02.04)**
Virology
Assess the Activity of Microbicides against Viruses in Suspension, Test Method to, **E1052 (11.05)**
Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, Test Method to, **E1053 (11.05)**
Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, Test Method for, **E1838 (11.05)**
Identification of Bacteriophage Lambda (λ) or Its DNA, Guide for, **E1285 (14.02)**
Identification of Herpes Simplex Virus or Its DNA, Guide for, **E1286 (14.02)**
Recovery of Viruses from Wastewater Sludges, Practice for, **D4994 (11.02)**
Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, Practice for, **E1482 (11.05)**
Virucides/viruses
Antimicrobial and Antiviral Agents, Terminology Relating to, **E2756 (11.05)**
Determining Bactericidal, Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, Quantitative Disk Carrier Test Method for, **E2197 (11.05)**
Virus
Evaluation of Effectiveness of Decontamination Procedures for Air-Permeable Materials when Challenged with Biological Aerosols Containing Human Pathogenic Viruses, Test Method for, **E2720 (11.05)**
Viscoelastic properties
Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), Test Method for, **D1329 (09.01)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, Practice for, **D4065 (08.02)**
Plastics: Dynamic Mechanical Properties: In Compression, Test Method for, **D5024 (08.02)**
Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), Test Method for, **D5418 (08.03)**
Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), Test Method for, **D5023 (08.02)**
Plastics: Dynamic Mechanical Properties: In Tension, Test Method for, **D5026 (08.02)**
Plastics: Dynamic Mechanical Properties: In Torsion, Test Method for, **D5279 (08.03)**
Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, Test Method for, **D6049 (09.01)**
Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, Practice for, **D6048 (09.01)**
Viscoelastic Properties of Paste Ink Vehicle Using an Oscillatory Rheometer, Test Method for, **D7271 (06.03)**
Viscometer—rotational paddle
Determining the Viscosity of Emulsified Asphalts Using a Rotational Paddle Viscometer, Test Method for, **D7226 (04.03)**
Viscometers
Basic Calibration of Master Viscometers and Viscosity Oil Standards, Practice for, **D2162 (05.01)**
Kinematic Viscosity of Transparent and Opaque Liquids by Automated Houillon Viscometer, Test Method for, **D7279 (05.04)**
Measurement of Apparent Viscosity of Asphalt-Rubber or Other Asphalt Binders by Using a Rotational Hand Held Viscometer, Test Method for, **D7741/D7741M (04.03)**
Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, Test Methods for, **D7867 (06.01)**
Measuring Solution Viscosity of Polymers with a Differential Viscometer, Test Method for, **D5225 (08.03)**
Viscosity and Yield of Vehicles and Varnishes by the Duke Viscometer, Test Method for, **D6606 (06.03)**
Viscometers—Brookfield
Rheological Characterization of Architectural Coatings using Three Rotational Bench Viscometers, Practice for, **D7394 (06.01)**
Viscometers—capillary
Glass Capillary Kinematic Viscometers, Specifications and Operating Instructions for, **D446 (05.01)**
Viscometers—Engler
Engler Specific Viscosity of Tar Products, Test Method for, **D1665 (04.03)**
Viscometers—extrusion
Apparent Viscosity of Plastisols and Organosols at High Shear Rates by Extrusion Viscometer, Test Method for, **D1823 (08.01)**
Viscometers—falling needle
Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, Test Methods for, **D7836 (06.01)**
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**
Viscometers—falling rod
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Viscometers—Gardner-Holdt
Testing Tall Oil, Test Methods for, **D803 (06.03)**
Viscosity of Transparent Liquids by Bubble Time Method, Test Method for, **D1545 (06.01)**
Viscometers—Hake
Shear Viscosity of Coal-Tar and Petroleum Pitches, Test Method for, **D5018 (05.02)**
Viscometers—ICI cone/plate
See **ICI cone/plate viscometers**
Viscometers—mini-rotary
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Viscometers—Mooney
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber Property—Processability of Emulsion SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer (Delta Mooney), Test Methods for, **D3346 (09.01)**
Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), Test Methods for, **D1646 (09.01)**
Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Viscosity Target Values, Practice for, **D5605 (09.01)**
Viscometers—pipet
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**
Viscometers—reverse-flow
Kinematic Viscosity of Asphalts (Bitumens), Test Method for, **D2170/D2170M (04.03)**
Viscometers—Saybolt
Conversion of Kinematic Viscosity to Saybolt Universal Viscosity or to Saybolt Furol Viscosity, Practice for, **D2161 (05.01)**
Saybolt Viscosity, Test Method for, **D88 (04.04)**
Viscometers—Saybolt-Furol
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Saybolt Furol Viscosity of Bituminous Materials at High Temperatures, Test Method for, **E102/E102M (04.04)**
Viscometers—Stormer
Asphalt Roof Coatings—Asbestos-Free, Specification for, **D4479/D4479M (04.04)**
Viscosity of Adhesives, Test Methods for, **D1084 (15.06)**
Viscometers—tapered bearing simulator-viscometer (TBS)
Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, Test Method for, **D4683 (05.02)**
Viscometers—tapered-plug
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Viscometers—vacuum capillary
Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, Test Method for, **D4957 (04.03)**
Viscosity of Asphalts by Vacuum Capillary Viscometer, Test Method for, **D2171/D2171M (04.03)**
Viscometers—Weissenberg Rheogoniometer
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Viscometers—Zahn
Viscosity of Adhesives, Test Methods for, **D1084 (15.06)**
Viscometric performance
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Viscosities
Reporting of Test Performance Data for Oil Spill Response Pumps, Guide for, **F1607 (11.05)**
Viscosity
Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, Practice for, **D7416 (05.04)**
Analysis of In-Service Lubricants Using Particular Four-Part Integrated Tester (Atomic Emission Spectroscopy, Infrared Spectroscopy, Viscosity, and Laser Particle Counter), Test Method for, **D7417 (05.04)**
Asphalt Used in Roofing Measured by Dynamic Shear Rheometer, Specification for, **D7654/D7654M (04.04)**
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**
Cure Behavior of Thermosetting Resins by Dynamic Mechanical Procedures using an Encapsulated Specimen Rheometer, Test Method for, **D7750 (15.03)**
Determination of Dynamic Viscosity and Derived Kinematic Viscosity of Liquids by Oscillating Piston Viscometer, Test Method for, **D7483 (05.04)**
Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D7111 (05.04)**
Determining the Consistency of Viscous Liquids Using a Consistometer, Test Method for, **F1080 (15.03)**
Determining the Viscosity of Emulsified Asphalts Using a Rotational Paddle Viscometer, Test Method for, **D7226 (04.03)**
Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, Test Method for, **D7110 (05.04)**
Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), Test Method for, **C939 (04.02)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Measurement of the Rheological Properties of Hydraulic Cementious Paste Using a Rotational Rheometer, Guide for, **C1749 (04.01)**
Measurement of Viscosity of Glass Between 10, Test Method for, **C1351M (15.02)**
Measurement of Viscosity of Glass Between Softening Point and Annealing Range (Approximately 10, Test Method for, **C1350M (15.02)**
Measuring Viscosity of Glass Above the Softening Point, Practice for, **C965 (15.02)**
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**
Relative Extensional Viscosity of Agricultural Spray Tank Mixes, Test Method for, **E2408 (11.05)**
Rheological Characterization of Architectural Coatings using Three Rotational Bench Viscometers, Practice for, **D7394 (06.01)**
Thermophysical Properties, Terminology Relating to, **E1142 (14.02)**
Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using Rotorless Shear Rheometers, Test Method for, **D7605 (09.01)**
Viscosity of Chemical Grouts by Brookfield Viscometer (Laboratory Method), Test Method for, **D4016 (04.08)**
Viscosity of Silicone Fluids, Test Method for, **D4283 (15.04)**
Viscosity—acrylic resins
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Viscosity—adhesives
Apparent Viscosity of Adhesives Having Shear-Rate-Dependent Flow Properties Using Rotational Viscometry, Test Method for, **D2556 (15.06)**
Heat Stability of Hot-Melt Adhesives, Test Method for, **D4499 (15.10)**
Viscosity of Adhesives, Test Methods for, **D1084 (15.06)**
Viscosity—apparent
Measurement of Apparent Viscosity of Asphalt-Rubber or Other Asphalt Binders by Using a Rotational Hand Held Viscometer, Test Method for, **D7741/D7741M (04.03)**
Use of Emulsion Polymers in Floor Polishes, Test Methods for, **D3716 (15.04)**
Viscosity—asphalts/bituminous materials
Apparent Viscosity (Flow) of Roofing Bitumens Using the Parallel Plate Plastometer, Test Method for, **D4989/D4989M (04.04)**
Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, Test Method for, **D4957 (04.03)**
Classifying Hot-Mix Recycling Agents, Practice for, **D4552/D4552M (04.03)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Engler Specific Viscosity of Tar Products, Test Method for, **D1665 (04.03)**
Kinematic Viscosity of Asphalts (Bitumens), Test Method for, **D2170/D2170M (04.03)**
Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, Practice for, **D4887/D4887M (04.03)**
Saybolt Furol Viscosity of Bituminous Materials at High Temperatures, Test Method for, **E102/E102M (04.04)**
Shear Viscosity of Coal-Tar and Petroleum Pitches, Test Method for, **D5018 (05.02)**
Viscosity Determination of Asphalt at Elevated Temperatures Us-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ing a Rotational Viscometer, Test Method for, **D4402/D4402M (04.04)**
Viscosity of Asphalts by Vacuum Capillary Viscometer, Test Method for, **D2171/D2171M (04.03)**
Viscosity-Temperature Chart for Asphalts, Standard, **D2493/D2493M (04.03)**

Viscosity—clay materials/applications
Marsh Funnel Viscosity of Clay Construction Slurries, Test Method for, **D6910/D6910M (04.09)**

Viscosity—electrical insulating materials
Silicone Fluid Used for Electrical Insulation, Specification for, **D4652 (10.03)**
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**

Viscosity—Gardner-Holdt
Viscosity of Transparent Liquids by Bubble Time Method, Test Method for, **D1545 (06.01)**

Viscosity—intrinsic
Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, Test Method for, **D4243 (10.02)**

Viscosity—paints/related coatings/materials
Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, Test Method for, **D6267 (06.03)**
Cellulose Acetate, Test Methods of Testing, **D871 (06.03)**
Cellulose Acetate Propionate and Cellulose Acetate Butyrate, Test Methods of Testing, **D817 (06.03)**
Comparison of the Brush Drag of Latex Paints, Test Method for, **D4958 (06.02)**
Cone/Plate Viscosity at a 500 s-1 Shear Rate, Test Method for, **D7395 (06.01)**
Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer, Test Method for, **D562 (06.01)**
Ethylcellulose, Test Methods for, **D914 (06.03)**
High-Shear Viscosity Using a Cone/Plate Viscometer, Test Method for, **D4287 (06.01)**
Hydroxyethylcellulose, Test Methods for, **D2364 (06.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Hydroxypropylcellulose, Test Methods for, **D5400 (06.03)**
Intrinsic Viscosity of Cellulose, Test Method for, **D1795 (06.03)**
Preparing Resin Solutions for Viscosity Measurement by Bubble Time Method, Practice for, **D1725 (06.03)**
Rheological Characterization of Architectural Coatings using Three Rotational Bench Viscometers, Practice for, **D7394 (06.01)**
Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, Test Methods for, **D2196 (06.01)**
Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, Test Method for, **D4040 (06.02)**
Sodium Carboxymethylcellulose, Test Methods for, **D1439 (06.03)**
Soluble Nitrocellulose Base Solutions, Guide for, **D365 (06.02)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Testing Tall Oil, Test Methods for, **D803 (06.03)**
Viscosity and Yield of Vehicles and Varnishes by the Duke Viscometer, Test Method for, **D6606 (06.03)**
Viscosity by Dip-Type Viscosity Cups, Test Method for, **D4212 (06.01)**
Viscosity by Ford Viscosity Cup, Test Method for, **D1200 (06.01)**
Viscosity of Cellulose by Cuprammonium Ball Fall, Test Method for, **D6188 (06.03)**
Viscosity of Cellulose Derivatives by Ball-Drop Method, Test Method for, **D1343 (06.03)**
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**
Viscosity of Paints and Related Materials by ISO Flow Cups, Test Method for, **D5125 (06.01)**
Viscosity of Transparent Liquids by Bubble Time Method, Test Method for, **D1545 (06.01)**

Viscosity—petroleum products
Apparent Viscosity of Engine Oils and Base Stocks Between –5 and –35°C Using Cold-Cranking Simulator, Test Method for, **D5293 (05.02)**
Apparent Viscosity of Hot Melt Adhesives and Coating Materials, Test Method for, **D3236 (05.01)**
Apparent Viscosity of Petroleum Waxes Compounded with Additives (Hot Melts), Test Method for, **D2669 (05.01)**
Basic Calibration of Master Viscometers and Viscosity Oil Standards, Practice for, **D2162 (05.01)**
Calculating Viscosity Index from Kinematic Viscosity at 40 and 100°C, Practice for, **D2270 (05.01)**
Calculation of Viscosity-Gravity Constant (VGC) of Petroleum Oils, Test Method for, **D2501 (05.01)**
Defining the Viscosity Characteristics of Hydraulic Fluids, Practice for, **D6080 (05.02)**
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Determination of Yield Stress and Apparent Viscosity of Used Engine Oils at Low Temperature, Test Method for, **D6896 (05.03)**
Estimation of Mean Relative Molecular Mass of Petroleum Oils from Viscosity Measurements, Test Method for, **D2502 (05.01)**
Evaluation of Diesel Engine Oils in T-8 Diesel Engine, Test Method for, **D5967 (05.02)**
Evaluation of Hydrocarbon Heat Transfer Fluids, Guide for, **D5372 (05.02)**
Fuel Injector Shear Stability Test (FISST) for Polymer Containing Fluids, Test Method for, **D5275 (05.02)**
Glass Capillary Kinematic Viscometers, Specifications and Operating Instructions for, **D446 (05.01)**
Industrial Fluid Lubricants by Viscosity System, Classification of, **D2422 (05.01)**
Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity), Test Method for, **D445 (05.01)**
Kinematic Viscosity of Volatile and Reactive Liquids, Test Method for, **D4486 (05.02)**
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, Test Method for, **D5133 (05.02)**
Low-Temperature Torque of Grease-Lubricated Wheel Bearings, Test Method for, **D4693 (05.02)**
Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer, Test Method for, **D2983 (05.01)**
Measuring Apparent Viscosity at High-Temperature and High-Shear Rate by Multicell Capillary Viscometer, Test Method for, **D5481 (05.02)**
Measuring Apparent Viscosity of Lubricating Greases, Test Method for, **D1092 (05.01)**
Measuring Viscosity at High Shear Rate by Tapered Bearing Simulator Viscometer at 100°C, Test Method for, **D6616 (05.03)**
Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, Test Method for, **D4741 (05.02)**
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**
Predicting the Borderline Pumping Temperature of Engine Oil, Test Method for, **D3829 (05.02)**
Saybolt Viscosity, Test Method for, **D88 (04.04)**
Sonic Shear Stability of Hydraulic Fluids, Test Method for, **D5621 (05.02)**
Trace Nitrogen in Liquid Petroleum Hydrocarbons by

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, Test Method for, **D4629 (05.02)**
Viscosity and Viscosity Change After Standing at Low Temperature of Aircraft Turbine Lubricants, Test Method for, **D2532 (05.01)**
Viscosity-Temperature Charts for Liquid Petroleum Products, Practice for, **D341 (05.01)**

Viscosity—plastics
Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, Test Method for, **D3835 (08.02)**
Determination of Solution Viscosities of Polyamide (PA), Test Methods for, **D789 (08.01)**
Determining Inherent Viscosity of Poly(Ethylene Terephthalate) (PET) by Glass Capillary Viscometer, Test Method for, **D4603 (08.02)**
Determining Logarithmic Viscosity Number of Poly(Vinyl Chloride) (PVC) in Formulated Compounds, Test Method for, **D3591 (08.02)**
Determining the Apparent Viscosity of Polyethylene Wax, Test Method for, **D1986 (15.04)**
Dilute Solution Viscosity of Ethylene Polymers, Test Method for, **D1601 (08.01)**
Dilute Solution Viscosity of Polymers, Practice for, **D2857 (08.01)**
Dilute Solution Viscosity of Vinyl Chloride Polymers, Test Method for, **D1243 (08.01)**
Measuring Solution Viscosity of Polymers with a Differential Viscometer, Test Method for, **D5225 (08.03)**
Plastics: Dynamic Mechanical Properties Melt Rheology, Test Method for, **D4440 (08.02)**
Polyphthalamide (PPA) Injection Molding Materials, Specification for, **D5336 (08.03)**
Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, Test Methods for, **D4889 (08.02)**
Polyurethane Raw Materials: Determination of Viscosity of Polyols, Test Methods for, **D4878 (08.02)**
Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials, Specification for, **D4020 (08.02)**

Viscosity—plastisols and organosols
Apparent Viscosity of Plastisols and Organosols at High Shear Rates by Extrusion Viscometer, Test Method for, **D1823 (08.01)**
Apparent Viscosity of Plastisols and Organosols at Low Shear Rates, Test Method for, **D1824 (08.01)**

Viscosity—rock
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**

Viscosity—rubber
Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, Practice for, **D4483 (09.01)**
Rubber Latices—Synthetic, Test Methods for, **D1417 (09.01)**
Rubber Property—Processability of Emulsion SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer (Delta Mooney), Test Methods for, **D3346 (09.01)**
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**
Rubber—Determination of Gel, Swelling Index, and Dilute Solution Viscosity, Test Method for, **D3616 (09.01)**
Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), Test Methods for, **D1646 (09.01)**
Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney Viscosity Target Values, Practice for, **D5605 (09.01)**

Viscosity at high shear
High-Shear Viscosity Using a Cone/Plate Viscometer, Test Method for, **D4287 (06.01)**

Viscosity classification
Defining the Viscosity Characteristics of Hydraulic Fluids, Practice for, **D6080 (05.02)**

Viscosity-gravity constant (VGC)
Calculating Carbon-Type Composition of Insulating Oils of Petroleum Origin, Practice for, **D2140 (10.03)**
Calculation of Viscosity-Gravity Constant (VGC) of Petroleum Oils, Test Method for, **D2501 (05.01)**

Viscosity increase
Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, Test Method for, **D5763 (05.02)**

Viscosity loss
Calculation of Permanent Shear Stability Index, Practice for, **D6022 (05.02)**
Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus at 30 and 90 Cycles, Test Method for, **D7109 (05.04)**

Viscosity oil standards
Basic Calibration of Master Viscometers and Viscosity Oil Standards, Practice for, **D2162 (05.01)**

Viscosity stable
Sonic Shear Stability of Hydraulic Fluids, Test Method for, **D5621 (05.02)**

Viscosity-temperature chart
Viscosity-Temperature Chart for Asphalts, Standard, **D2493/D2493M (04.03)**

Viscous liquids/materials
Density and Relative Density (Specific Gravity) of Viscous Materials by Bingham Pycnometer, Test Method for, **D1480 (05.01)**
Density and Relative Density (Specific Gravity) of Viscous Materials by Lipkin Bicapillary Pycnometer, Test Method for, **D1481 (05.01)**
Determining Whether a Material Is a Liquid or a Solid, Test Method for, **D4359 (06.01)**
Flash Point by Pensky-Martens Closed Cup Tester, Test Methods for, **D93 (05.01)**
General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, Practice for, **E1252 (03.06)**
Refractive Index of Viscous Materials, Test Method for, **D1747 (05.01)**

Visibility/vision
See **Retroreflective marking materials**

Visible emissions
Collection and Analysis of Visible Emissions from Candles as They Burn, Test Method for, **F2326 (15.11)**

Visible light
Use of Lighting in Laboratory Testing, Guide for, **E1733 (11.06)**
Use of UV-A and Visible Light Sources and Meters used in the Liquid Penetrant and Magnetic Particle Methods, Guide for, **E2297 (03.03)**

Visible light polarizer
Identification of Polymer Layers or Inclusions by Fourier Transform Infrared Microspectroscopy (FT-IR), Practice for, **D5477 (08.03)**

Visible liquid penetrant testing
Sa **Liquid penetration**
Sa **Penetrant inspection**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**

Visible quantitative analysis
Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, Practice for, **E958 (03.06)**
General Techniques of Ultraviolet-Visible Quantitative Analysis, Practices for, **E169 (03.06)**

Visible smoke release rates
Sa **Flammability**
Heat and Visible Smoke Release Rates for Materials and Prod-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ucts Using an Oxygen Consumption Calorimeter, Test Method for, **E1354 (04.07)**

Visible spectrophotometry
Determination of the Red Dye Concentration and Estimation of Saybolt Color of Aviation Turbine Fuels and Kerosine Using a Portable Visible Spectrophotometer, Test Method for, **D7058 (05.04)**
Determination of the Red Dye Concentration and Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, Test Method for, **D6756 (05.03)**

Visible spectrum
Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, Test Method for, **D6802 (10.03)**

Visors
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**

Visual classification
Sa **Classification (standards)**
Subsurface Site Characterization of Test Pits for On-Site Septic Systems, Practice for, **D5921 (04.09)**

Visual communications/signals
Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, Practice for, **F1591 (13.02)**

Visual comparative test method
Determine Color Change and Staining Caused by Aircraft Maintenance Chemicals upon Aircraft Cabin Interior Hard Surfaces, Test Method to, **F2109 (15.03)**

Visual density
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**

Visual displays
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**

Visual display unit (VDU)
Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, Guide for, **E1682 (06.01)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, Practice for, **E1455 (06.01)**

Visual examination
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Appearance, Terminology of, **E284 (06.01)**
Appearance of Clear, Transparent Liquids (Visual Inspection Procedure), Test Method for, **E2680 (15.05)**
Detecting Delaminations in Bridge Decks Using Infrared Thermography, Test Method for, **D4788 (04.03)**
Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, Practice for, **D4913 (11.07)**
Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, Test Method for, **E1260 (14.02)**
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Direct-Reading Liquid Crystal Forehead Thermometers, Specification for, **E1061 (13.01)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Film-Insulated Magnet Wire, Test Methods for, **D1676 (10.02)**
Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, Test Method for, **G74 (14.04)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Measuring the Insulation Resistance of Mineral-Insulated, Metal-Sheathed Thermocouples and Thermocouple Cable at Room Temperature, Test Method for, **E780 (14.03)**
Metal Corrosion by Halogenated Organic, Test Method for, **D2251 (15.05)**
Natural Muscovite Block Mica and Thins Based on Visual Quality, Classification for, **D351 (10.01)**
Reporting Visual Observations of Oil on Water, Practice for, **F1779 (11.05)**
Visually Estimating Oil Spill Thickness on Water, Guide for, **F2534 (11.05)**

Visual examination—aerospace applications
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**
Intensity of Scratches on Aerospace Glass Enclosures, Test Method for, **F428 (15.03)**
Intensity of Scratches on Aerospace Transparent Plastics, Test Method for, **F548 (15.03)**
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**
Stress Crazing of Transparent Plastics, Test Method for, **F791 (15.03)**

Visual examination—building materials
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**
Conducting Visual Assessments for Lead Hazards in Buildings, Practice for, **E2255/E2255M (04.12)**
Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, Test Method for, **C1087 (04.07)**
Thermal Integrity of Flexible Water Vapor Retarders, Test Method for, **C1263 (04.06)**
Visual Inspection of Asbestos Abatement Projects, Practice for, **E1368 (11.07)**

Visual examination—ceramic materials
Acid Resistance of Ceramic Decorations on Architectural-Type Glass, Test Method for, **C724 (15.02)**
Acid Resistance of Ceramic Decorations on Returnable Beer and Beverage Glass Containers, Test Method for, **C735 (15.02)**
Alkali Resistance of Ceramic Decorations on Returnable Beverage Glass Containers, Test Method for, **C675 (15.02)**
Detergent Resistance of Ceramic Decorations on Glass Tableware, Test Method for, **C676 (15.02)**
Determining Visible Abrasion Resistance of Glazed Ceramic Tile, Test Method for, **C1027 (15.02)**
Methylene Blue Index of Clay, Test Method for, **C837 (15.02)**
Sulfide Resistance of Ceramic Decorations on Glass, Test Method for, **C777 (15.02)**

Visual examination—color
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Evaluation of Visual Color Difference With a Gray Scale, Test Method for, **D2616 (06.01)**
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Reducing the Effect of Variability of Color Measurement by Use of Multiple Measurements, Practice for, **E1345 (06.01)**
Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, Guide for, **E179 (06.01)**
Specifying Color by the Munsell System, Practice for, **D1535 (06.01)**
Specifying Color by Using the Optical Society of America Uniform Color Scales System, Practice for, **E1360 (06.01)**
Visual Color Evaluation of Transparent Sheet Materials, Practice for, **E1478 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Visual examination—concrete
Iron Staining Materials in Lightweight Concrete Aggregates, Test Method for, **C641 (04.02)**
Petrographic Examination of Hardened Concrete, Practice for, **C856 (04.02)**
Visual examination—copy materials
Cleanliness of Carbon Paper, Test Method for, **F854 (15.09)**
Determining the Stain Resistance of Images Produced by Ink Jet Printers, Practice for, **F2293 (15.09)**
Determining Variations in Hardness of Film Ribbon Pancakes, Test Method for, **F1151 (15.09)**
Evaluating Color Image Output from Color Printers and Copiers, Test Method for, **F1206 (15.09)**
Evaluation of Image Quality Produced by Carbonless Copy Paper with an Electric or Electronic Typewriter, Practice for, **F686 (15.09)**
Image Stability of Chemical Carbonless Paper to Light, Test Method for, **F767 (15.09)**
Specifying Color by the Munsell System, Practice for, **D1535 (06.01)**
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**
Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, Practice for, **F1442 (15.09)**
Using a Personal Computer Printer as a Test Instrument, Practice for, **F1174 (15.09)**
Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, Practice for, **F1175 (15.09)**
Visual examination—electrical insulating materials
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Color of Clear Electrical, Test Method for, **D2129 (10.03)**
Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, Guide for, **D117 (10.03)**
Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field, Test Method for, **D1524 (10.03)**
Visual Inspection of Electrical Protective Rubber Products, Guide for, **F1236 (10.03)**
Visual examination—electrodeposits/electroplating
Appearance of Electroplated Plastic Surfaces, Specification for, **B532 (02.05)**
Cleanability of Surface Finishes, Test Method for, **C756 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Visual examination—electronic components/devices
for Determining the Effects of Chemical/Solvent Exposure to a Membrane Switch/Graphic Overlay (Spot Test Method), Test Method, **F1598 (10.04)**
Viewing Conditions for Visual Inspection of Membrane Switches, Practice for, **F1595 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**
Visual examination—metals/alloys
Characterizing Duplex Grain Sizes, Test Methods for, **E1181 (03.01)**
Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, Guide for, **G78 (03.02)**
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**
Examination and Evaluation of Pitting Corrosion, Guide for, **G46 (03.02)**
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Making and Using U-Bend Stress-Corrosion Test Specimens, Practice for, **G30 (03.02)**
Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), Guide for, **G96 (03.02)**
Preparing, Cleaning, and Evaluating Corrosion Test Specimens, Practice for, **G1 (03.02)**
Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, Practice for, **G33 (03.02)**
Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), Test Method for, **G66 (03.02)**
Visual examination—organic compounds
Appearance of Admixtures Containing Halogenated Organic Solvents, Test Methods for, **D3741 (15.05)**
Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, Test Method for, **D1882 (15.05)**
Visual examination—paints/related coatings/materials
Color of Solid Aromatic Hydrocarbons and Related Materials in the Molten State (Platinum-Cobalt Scale), Test Method for, **D1686 (06.04)**
Determination of Degree of Bleeding of Traffic Paint, Practice for, **D868 (06.02)**
Determining the Hiding Power of Paint by Visual Evaluation of Spray Applied Coatings, Test Method for, **D6762 (06.01)**
Evaluation of Gloss or Sheen Uniformity, Test Method for, **D3928 (06.02)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel, Test Method for, **D4146 (06.02)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
Porosity of White or Near White Paint Films by Staining, Test Method for, **D3258 (06.02)**
Relative Tinting Strength of White Pigments by Visual Observation, Test Method for, **D332 (06.01)**
Solution Color of Bisphenol A (4,4`-Isopropylidenediphenol), Test Method for, **D4789 (06.04)**
Specifying Color by the Munsell System, Practice for, **D1535 (06.01)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, Practice for, **D1729 (06.01)**
Visual Determination of the Lightfastness of Art Materials by Art Technologists, Practice for, **D5383 (06.02)**
Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, Test Method for, **D4449 (06.01)**
Visual Evaluation of Metamerism, Practice for, **D4086 (06.01)**
Visual Evaluation of the Lightfastness of Art Materials by the User, Practice for, **D5398 (06.02)**
Wet-to-Dry Hiding Change, Test Method for, **D5007 (06.02)**
Visual examination—petroleum products
ASTM Color of Petroleum Products (ASTM Color Scale), Test Method for, **D1500 (05.01)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), Test Method for, **D4860 (05.02)**
Free Water, Particulate and Other Contamination in Aviation Fu-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

els (Visual Inspection Procedures), Test Method for, **D6986 (05.04)**
Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, Test Method for, **D4898 (05.02)**

Visual examination—pipeline coatings
Cathodic Disbonding of Pipeline Coatings, Test Methods for, **G8 (06.02)**
Effects of Outdoor Weathering on Pipeline Coatings, Test Method for, **G11 (06.02)**

Visual examination—plastics
Classifying Visual Defects in Glass-Reinforced Plastic Laminate Parts, Practice for, **D2563 (08.01)**
Classifying Visual Defects in Parts Molded from Reinforced Thermosetting Plastics, Practice for, **D2562 (08.01)**
Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, Practice for, **D4385 (08.02)**
Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics, Test Method For, **D5596 (04.13)**
Polyurethane Raw Materials: Determination of APHA Color in Isocyanates, Test Method for, **D4877 (08.02)**
Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, Test Method for, **D4670 (08.02)**
Techniques to Separate and Identify Contaminants in Recycled Plastics, Guide for, **D5577 (08.03)**

Visual examination—polishes
Evaluation of Buffable Shoe Polish, Practice for, **D4002 (15.04)**
Evaluation of Fiberglass Boat Polish and Wax, Practice for, **D4330 (15.04)**
Evaluation of Furniture Polish, Practice for, **D3751/D3751M (15.04)**
Field Evaluation of Automotive Polish, Practice for, **D4955 (15.04)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**

Visual examination—protective clothing
Pressure Testing Vapor Protective Suits, Test Method for, **F1052 (11.03)**

Visual examination—rubber
Carbon Black—Dispersion in Rubber, Test Methods for, **D2663 (09.01)**
Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**

Visual examination—soil
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Description of Frozen Soils (Visual-Manual Procedure), Practice for, **D4083 (04.08)**

Visual examination—solar devices
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Photovoltaic Modules in Cyclic Temperature and Humidity Environments, Test Methods for, **E1171 (12.02)**
Visual Inspections of Photovoltaic Modules, Practice for, **E1799 (12.02)**

Visual examination—sports equipment
Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, Practice for, **F1063 (15.07)**
Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, Practice for, **F1064 (15.07)**

Visual examination—steel
Conducting Case Studies on Galvanized Structures, Practice for, **A896/A896M (01.06)**
Defining and Rating the Microstructure of High Carbon Bearing Steels, Guide for, **A892 (01.05)**
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Investment Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A997 (01.02)**
Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, Method of, **E381 (03.01)**
Magnetic Particle Examination of Steel Forgings, Practice for, **A275/A275M (01.05)**
Performance of Enameling System, Baking, Metal Joiner Work and Furniture, Specification for, **F1178 (01.07)**
Steel Casting, Austenitic Alloy, Estimating Ferrite Content Thereof, Practice for, **A800/A800M (01.02)**
Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, Practice for, **A799/A799M (01.02)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**
Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, Specification for, **A578/A578M (01.04)**
Straight-Beam Ultrasonic Examination of Steel Plates, Specification for, **A435/A435M (01.04)**
Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, Specification for, **F788 (01.08)**
Three Methods of Assessing Buried Steel Tanks, Guide for, **G158 (03.02)**
Ultrasonic Angle-Beam Examination of Steel Plates, Specification for, **A577/A577M (01.04)**

Visual examination—textiles
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Visually Inspecting and Grading Fabrics, Test Methods for, **D5430 (07.02)**

Visual examination—waste materials
Physical Description Screening Analysis in Waste, Test Method for, **D4979 (11.04)**
Wetting and Drying Test of Solid Wastes, Test Method for, **D4843 (11.04)**

Visual examination—wood preservatives
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**

Visual experiments
Designing and Conducting Visual Experiments, Guide for, **E1808 (06.01)**

Visual grading (of lumber)
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**

Visually impaired materials/applications
Resilient Stair Treads, Specification for, **F2169 (15.04)**

Visual-manual procedure
Description and Identification of Soils (Visual-Manual Procedure), Practice for, **D2488 (04.08)**
Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), Test Method for, **D5715 (04.08)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Visual observation
Assessing Carpet Cleaning Effectiveness in Terms of Visual Appearance Change When Cleaned with a Wet Extraction Cleaning System, Test Method for, **F2828 (15.08)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**
Selection, Evaluation, and Training of Observers, Guide for, **E1499 (06.01)**
Testing Low Temperature Film-Formation of Latex Paints by Visual Observation, Practice for, **D7306 (06.02)**
Visualizing Particulate Sizes and Morphology of Particles Contained in Hydrogen Fuel by Microscopy, Test Method for, **D7634 (05.06)**
Visual (office) environment
Serviceability of an Office Facility for Sound and Visual Environment, Classification for, **E1662 (04.11)**
Visual seal inspection
Determining Integrity of Seals for Flexible Packaging by Visual Inspection, Test Method for, **F1886/F1886M (15.10)**
Vitreous glass enamel decorations
See **Ceramic glass enamel**
Vitreous glass enamels
Sa **Enamel coatings**
Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, Practice for, **C824 (15.02)**
Vitreous silica dilatometer
Coefficient of Linear Thermal Expansion of Plastics Between −30°C and 30°C with a Vitreous Silica Dilatometer, Test Method for, **D696 (08.01)**
Linear Thermal Expansion of Electrode Carbons, Test Method for, **D6745 (05.03)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Vitrified ceramic materials
Sa **Ceramic materials/applications**
Vitrified Ceramic Materials for Electrical Applications, Test Methods for, **D116 (15.02)**
Vitrified clay
Clay Flue Liners and Chimney Pots, Specification for, **C315 (04.05)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Vitrified clay brick
See **Brick**
Vitrified clay pipe/fittings
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Installing Vitrified Clay Pipe Lines, Practice for, **C12 (04.05)**
Low-Pressure Air Test of Vitrified Clay Pipe Lines, Test Method for, **C828 (04.05)**
Vitrified Clay Liner Plates, Specification for, **C479 (04.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, Specification for, **C1208/C1208M (04.05)**
Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, Specification for, **C700 (04.05)**
Vitrinite
Microscopical Determination of the Reflectance of Vitrinite Dispersed in Sedimentary Rocks, Test Method for, **D7708 (05.06)**
Microscopical Determination of the Vitrinite Reflectance of Coal, Test Method for, **D2798 (05.06)**
in vitro **Evaluation**
in vitro Pulsatile Durability Testing of Vascular Stents, Test Methods for, **F2477 (13.01)**
In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, Practice for, **F1634 (13.01)**
in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, Test Method for, **F1635 (13.01)**
Assessment of Antimicrobial Activity Using a Time-Kill Procedure, Guide for, **E2315 (11.05)**
Selection of Blood for in vitro Evaluation of Blood Pumps, Practice for, **F1830 (13.01)**
Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, Practice for, **F2065 (13.01)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing for Whole Complement Activation in Serum by Solid Materials, Practice for, **F1984 (13.01)**
in vivo **Evaluation**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**
VLDPE (very low density polyethylene)
Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, Test Method for, **D6392 (04.13)**
VM & P naphthas
Sa **Naphtha and naphtha derivatives**
VM&P Naphthas, Specification for, **D3735 (06.04)**
V-notched specimens
Impact Testing of Miniaturized Charpy V-Notch Specimens, Test Method for, **E2248 (03.01)**
Shear Properties of Composite Materials by the V-Notched Beam Method, Test Method for, **D5379/D5379M (15.03)**
Shear Properties of Composite Materials by V-Notched Rail Shear Method, Test Method for, **D7078/D7078M (15.03)**
Vocational career apparel fabrics
Sa **Career apparel fabrics**
Men's and Women's Dress and Vocational Career Apparel Fabrics, Performance Specification for, **D4232 (07.01)**
VOC calculation
Sa **Volatile organic compounds (VOC)**
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Determination of Volatile Organic Compound (VOC) Content of Electrical Insulating Varnishes, Test Method for, **D6053 (10.02)**
Determining Amount of Volatile Organic Compound (VOC) Released from Solventborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D5087 (06.01)**
Determining the Amount of Volatile Organic Compound (VOC) Released From Waterborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D6266 (06.01)**
Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings, Practice for, **D3960 (06.01)**
Speciated Organic Volatile Content of Waterborne Multi-Component Coatings by Gas Chromatography, Test Method for, **D7768 (06.01)**
Using the Disposable En Core Sampler for Sampling and Storing Soil for Volatile Organic Analysis, Practice for, **D6418 (11.04)**
Volatile Content of Coatings, Test Method for, **D2369 (06.01)**
Void content
Bulk Density ("Unit Weight") and Voids in Aggregate, Test Method for, **C29/C29M (04.02)**
Density and Void Content of Freshly Mixed Pervious Concrete, Test Method for, **C1688/C1688M (04.02)**
Density and Void Content of Hardened Pervious Concrete, Test Method for, **C1754/C1754M (04.02)**
Density, Absorption, and Voids in Hardened Concrete, Test Method for, **C642 (04.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Holiday Detection in Pipeline Coatings, Test Methods for, **G62 (06.02)**
Stereological Evaluation of Porous Coatings on Medical Implants, Test Method for, **F1854 (13.01)**
Testing Polymer Matrix Composite Materials, Guide for, **D4762 (15.03)**
Void Content of Reinforced Plastics, Test Methods for, **D2734 (08.01)**

Void metal coatings
Tension Testing of Calcium Phosphate and Metallic Coatings, Test Method for, **F1147 (13.01)**

Voids
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Determining Field VMA based on the Maximum Specific Gravity of the Mix (Gmm), Test Method for, **D6995 (04.03)**
Fabricating Ceramic Reference Specimens Containing Seeded Voids, Practice for, **C1212 (15.01)**
Image Quality in Impact Printing Systems, Terminology of, **F1125 (15.09)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**
Measuring Voids in Roofing and Waterproofing Membranes, Test Method for, **D5076/D5076M (04.04)**
Minimum Detectable Temperature Difference for Thermal Imaging Systems, Test Method for, **E1311 (03.03)**
Porosity in Vitreous Whitewares by Dye Penetration, Test Method for, **C949 (15.02)**
Radiologic Examination of Semiconductors and Electronic Components, Practice for, **E1161 (03.03)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), Test Methods for, **C1252 (04.02)**
Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, Practice for, **F1443 (15.09)**

Voids—passenger car tires
Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, Test Method for, **F762/F762M (09.02)**
Measuring Groove and Void Depth in Passenger Car Tires, Test Method for, **F421 (09.02)**
Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, Practice for, **F870 (09.02)**

Voids—void volume
Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**

Void volume
Carbon Black—Void Volume (VV), Test Method for, **D6086 (09.01)**
Carbon Black-Void Volume at Mean Pressure, Test Method for, **D7854 (09.01)**
Constituent Content of Composite Materials, Test Methods for, **D3171 (15.03)**

Volatile acids content
Determination of Volatile Inorganic Acids (HCl, HBr, and HNO, Test Method for, **D7773 (11.07)**

Volatile components
Calibration of Microwave Ovens, Test Method for, **F1317 (15.10)**
Direct Push Technology for Volatile Contaminant Logging with the Membrane Interface Probe (MIP), Practice for, **D7352 (04.09)**

Volatile distillate fraction
Determination of a Volatile Distillate Fraction of Cold Asphalt Mixtures, Test Method for, **D6627/D6627M (04.03)**

Volatile extractables
Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, Test Method for, **F1519 (15.10)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**
Temperature Measurement and Profiling for Microwave Susceptors, Test Method for, **F874 (15.10)**

Volatile fatty acids content
Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, Specification for, **D1076 (09.01)**

Volatile liquids
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Evaporation Rates of Volatile Liquids by Shell Thin-Film Evaporometer, Test Methods for, **D3539 (06.01)**
Kinematic Viscosity of Volatile and Reactive Liquids, Test Method for, **D4486 (05.02)**
Rubber PropertyVapor Transmission of Volatile Liquids, Test Method for, **D814 (09.01)**

Volatile loss
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Volatile Loss From Plastics Using Activated Carbon Methods, Test Methods for, **D1203 (08.01)**

Volatile materials
Carbon Black—Heating Loss, Test Methods for, **D1509 (09.01)**

Volatile matter content
Sa **Nonvolatile matter content**
Analysis of Acid-Grade Calcium Fluoride (Fluorspar), Test Methods for, **E1506 (15.05)**
Chemical Analysis of Wood Charcoal, Test Method for, **D1762 (04.10)**
Compositional Analysis by Thermogravimetry, Test Method for, **E1131 (14.02)**
Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds, Test Method for, **D5556 (15.04)**
Distillation of Cutback Asphaltic (Bituminous) Products, Test Method for, **D402 (04.03)**
Loss-On-Drying by Thermogravimetry, Test Method for, **E1868 (14.02)**
Measure Volatiles from Radiation Curable Acrylate Monomers, Oligomers, and Blends and Thin Coatings Made from Them, Test Method to, **D7767 (06.01)**
Moisture or Volatile Distillates in Bituminous Paving Mixtures, Test Method for, **D1461 (04.03)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**
Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment, Test Method for, **E595 (15.03)**
Volatile Content of Sheet-Fed and Coldset Web Offset Printing Inks, Test Method for, **D6419 (06.02)**
Volatile Matter (Moisture) of Leather by Oven Drying, Test Method for, **D3790 (15.04)**
Volatile Matter Content of Activated Carbon Samples, Test Method for, **D5832 (15.01)**
Volatile Matter in Silicone Fluid, Test Method for, **D4559 (10.03)**
Volatile Matter in the Analysis of Particulate Wood Fuels, Test Method for, **E872 (05.06)**
Volatile N-Nitrosamine Levels in Rubber Nipples on Pacifiers, Specification for, **F1313 (15.11)**
Volatiles Content of Composite Material Prepreg, Test Method for, **D3530 (15.03)**

Volatile matter content—cleaning compounds/detergents
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Chemical Analysis of Sulfonated and Sulfated Oils, Test Methods of, **D500 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of the Moisture and Volatile Content of Sulfonated and Sulfated Oils by Hot-Plate Method, Test Method for, **D5349 (15.04)**
Volatile Matter (Moisture) of Wet Blue by Oven Drying, Test Method for, **D6658 (15.04)**

Volatile matter content—coal/coke
Proximate Analysis of Coal and Coke, Practice for, **D3172 (05.06)**
Proximate Analysis of Coal and Coke by Macro Thermogravimetric Analysis, Test Methods for, **D7582 (05.06)**
Volatile Matter in the Analysis Sample of Coal and Coke, Test Method for, **D3175 (05.06)**

Volatile matter content—nuclear materials
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), Test Methods for, **C698 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, Test Methods for, **C697 (12.01)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, Test Methods for, **C696 (12.01)**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, Test Methods for, **C799 (12.01)**

Volatile matter content—paints/related coatings/materials
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**
Chemical Analysis of Strontium Chromate Pigment, Test Methods for, **D1845 (06.03)**
Common Properties of Certain Pigments, Test Methods for, **D1208 (06.03)**
Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans, Test Method for, **D5200 (06.01)**
Determination of Weight Percent Volatile Content of Water-Borne Aerosol Paints, Test Method for, **D5325 (06.01)**
Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, Practice for, **D4209 (06.01)**
Determining Volatile and Nonvolatile Content of Paint and Related Coatings, Guide for, **D2832 (06.01)**
Determining Volatile and Nonvolatile Content of Pigments, Guide for, **D4139 (06.03)**
Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings, Practice for, **D3960 (06.01)**
Hygroscopic Moisture (and Other Matter Volatile Under the Test Conditions) in Pigments, Test Methods for, **D280 (06.03)**
Sampling and Testing Volatile Solvents and Chemical Intermediates for Use in Paint and Related Coatings and Material, Guide for, **D268 (06.04)**
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, Guide for Determining, **D4140 (06.01)**
Volatile Content of Coatings, Test Method for, **D2369 (06.01)**
Volatile Content of Radiation Curable Materials, Test Methods for, **D5403 (06.02)**
Volatile Oil in Rosin, Test Method for, **D889 (06.03)**

Volatile matter content—petroleum products
See **Volatility—petroleum products**

Volatile matter content—plastics
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Determination of Volatiles in Polymers by Static Headspace Gas Chromatography, Practice for, **D4526 (08.02)**
Volatile Matter (Including Water) of Vinyl Chloride Resins, Test Method for, **D3030 (08.01)**

Volatile matter content—rubber
Precipitated Silica—Volatile Content, Test Method for, **D6738 (09.01)**
Rubber Compounding Materials—Determination of Volatile Material, Test Methods for, **D4571 (09.01)**
Rubber from Natural Sources - Chemical Analysis, Test Methods for, **D1278 (09.01)**
Rubber From Synthetic Sources—Volatile Matter, Test Methods for, **D5668 (09.01)**

Volatile matter content—water
Measuring Volatile Organic Matter in Water by Aqueous-Injection Gas Chromatography, Practice for, **D2908 (11.02)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Preparation of Sample Containers and for Preservation of Organic Constituents, Practices for, **D3694 (11.02)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**
Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, Test Method for, **D3695 (11.02)**

Volatile organic compounds (VOC)
Active Soil Gas Sampling in the Vadose Zone for Vapor Intrusion Evaluations, Practice for, **D7663 (04.09)**
Determination of Volatile Organic Compound (VOC) Content of Electrical Insulating Varnishes, Test Method for, **D6053 (10.02)**
Determination of Volatile Organic Compounds Emitted from Carpet using a Specific Sorbent Tube and Thermal Desorption / Gas Chromatography, Test Method for, **D7339 (11.07)**
Determining Residual Solvents in Packaging Materials, Test Methods for, **F1884 (15.10)**
Emission Cells for the Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D7143 (11.07)**
Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, Practice for, **D6670 (11.07)**
Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, Specification for, **E1826 (04.11)**
Measuring Total Water and Volatiles in Liquid Coatings Which Produce Cure Water Upon Heating, Test Method for, **D7245 (06.01)**
Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, Test Method for, **F1308 (15.10)**
Rapid Screening of VOC Emissions from Products Using Micro-Scale Chambers, Practice for, **D7706 (11.07)**
Sampling Waste and Soils for Volatile Organic Compounds, Guide for, **D4547 (11.04)**
Screening Trichloroethylene (TCE)-Contaminated Media Using a Heated Diode Sensor, Practice for, **D7203 (11.04)**
Soil Gas Monitoring in the Vadose Zone, Guide for, **D5314 (04.08)**
Spraying, Sampling, Packaging, and Test Specimen Preparation of Spray Polyurethane Foam (SPF) Insulation for Testing of Emissions Using Environmental Chambers, Practice for, **D7859 (11.07)**
Standard Test Method for Collection of Volatile Organic Compounds Emitted During Simulated Manufacturing of Engineered Wood Products Via a Sealed Caul Plate Method, Test Method for, **D7770 (04.10)**
Sulfur Compounds in Light Petroleum Liquids by Gas Chromatography and Sulfur Selective Detection, Test Method for, **D5623 (05.02)**
Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, Guide for, **F1129/F1129M (11.05)**
Using the Disposable En Core Sampler for Sampling and Storing

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Soil for Volatile Organic Analysis, Practice for, **D6418 (11.04)**
Volatile Organic Compound (VOC) Solvents Absorbed/Adsorbed By Simulated Soil Impacted by Pesticide Emulsifiable Concentrate (EC) Applications, Test Method for, **E2686 (11.05)**

Volatile organic compounds (VOC)—atmospheres
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**
Determination of Gaseous Organic Compounds by Direct Interface Gas Chromatography-Mass Spectrometry, Test Method for, **D6420 (11.07)**
Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), Test Method for, **D5466 (11.07)**
Determination of Volatile Organic Compounds (Excluding Formaldehyde) Emissions from Wood-Based Panels Using Small Environmental Chambers Under Defined Test Conditions, Practice for, **D6330 (11.07)**
Determining Emission Profiles of Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6177 (11.07)**
Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Practice for, **D6178 (11.07)**
Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, Guide for, **D6485 (11.07)**
Sampling of Process Vents with a Portable Gas Chromatograph, Practice for, **D6060 (11.07)**
Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**

Volatile organic compounds (VOC)—paints/related coatings
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**
Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, Test Method for, **D4457 (06.01)**
Determination of the Individual Volatile Organic Compounds (VOCs) in Air-Dry Coatings by Gas Chromatography, Test Method for, **D6886 (06.01)**
Determination of the Nonvolatile Content in Silanes, Siloxanes and Silane-Siloxane Blends Used in Masonry Water Repellent Treatments, Test Method for, **D5095 (06.02)**
Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, Test Methods for, **D5286 (06.02)**
Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans, Test Method for, **D5200 (06.01)**
Determination of Weight Percent Volatile Content of Water-Borne Aerosol Paints, Test Method for, **D5325 (06.01)**
Determining the Amount of Volatile Organic Compound (VOC) Released From Waterborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D6266 (06.01)**
Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings, Practice for, **D3960 (06.01)**
Distillation Range of Volatile Organic Liquids, Test Method for, **D1078 (06.04)**
Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, Practice for, **D5327 (06.02)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Nonvolatile Content of Resin Solutions, Test Methods for, **D1259 (06.01)**
Odor of Volatile Solvents and Diluents, Test Method for, **D1296 (06.04)**
Percent Volume Nonvolatile Matter in Clear or Pigmented Coatings Using a Helium Gas Pycnometer, Test Method for, **D6093 (06.01)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**
Volatile Content of Coatings, Test Method for, **D2369 (06.01)**
Volatile Oil in Rosin, Test Method for, **D889 (06.03)**

Volatile organic compounds (VOC)—water
Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), Practice for, **D6889 (11.02)**
Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**
Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, Practice for, **D5241 (11.02)**
the Solid Phase Micro Extraction (SPME) of Water and its Headspace for the Analysis of Volatile and Semi-Volatile Organic Compounds, Practice for, **D6520 (11.02)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**

Volatility
Sa **Boiling point**
Sa **Evaporators/evaporation**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Determination of Pitch Volatility, Test Method for, **D4893 (05.02)**
Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, Test Method for, **D5808 (06.04)**
Distillation Range of Volatile Organic Liquids, Test Method for, **D1078 (06.04)**
Liquid Optical Adhesive, Specification for, **D2851 (15.06)**
Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, Test Method for, **F1407 (11.03)**
Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**
Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds, Test Method for, **C681 (04.07)**
Volatility Rate by Thermogravimetry, Test Methods for, **E2008 (14.02)**

Volatility—petroleum products
Estimation of Engine Oil Volatility by Capillary Gas Chromatography, Test Method for, **D6417 (05.03)**
Evaporation Loss of Lubricating Greases and Oils, Test Method for, **D972 (05.01)**
Flash Point by Small Scale Closed Cup Tester, Test Methods for, **D3828 (05.02)**
Preparation of Liquid Blends for Use as Analytical Standards, Practice for, **D4307 (05.02)**
Removing Volatile Contaminants from Used Engine Oils by Stripping, Test Method for, **D3607 (05.01)**
Sampling and Handling of Fuels for Volatility Measurement, Practice for, **D5842 (05.02)**
Traces of Volatile Chlorides in Butane-Butene Mixtures, Test Methods for, **D2384 (05.01)**
Volatile Matter in Green Petroleum Coke Quartz Crucible Procedure, Test Method for, **D6374 (05.03)**
Volatility of Liquefied Petroleum (LP) Gases, Test Method for, **D1837 (05.01)**
Volatilization Rates of Lubricants in Vacuum, Test Method for, **D2715 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Volatility—plastics
Estimating Processing Losses of Plastisols and Organosols Due to Volatility, Test Method for, **D6150 (08.03)**
Volcanic sand beach
See **Beaches**
Volhard titration
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Voltage
Sa **Dielectric breakdown voltage**
Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, Test Method for, **B76 (02.04)**
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Comparative Tracking Index of Electrical Insulating Materials, Test Method for, **D3638 (10.02)**
Coulometric Reduction of Surface Films on Metallic Test Samples, Test Method for, **B825 (02.04)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, Test Method for, **D1868 (10.01)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Determining Dielectric Strength of Dielectric Footwear, Test Method for, **F1116 (10.03)**
Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions, Test Method for, **D3300 (10.03)**
Dielectric Footwear, Specification for, **F1117 (10.03)**
Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, Specification for, **F1207M (01.07)**
Electrical Performance of Photovoltaic Cells Using Reference Cells Under Simulated Sunlight, Test Method for, **E948 (12.02)**
Electrically Insulating Plastic Guard Equipment for Protection of Workers, Test Methods and Specifications for, **F712 (10.03)**
Evaluating Characteristics of Ultrasonic Search Units, Practice for, **E1065/E1065M (03.03)**
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**
High Voltage Detectors—Part 1 Capacitive Type to be Used for Voltages Exceeding 600 Volts AC, Specification for, **F1796 (10.03)**
Hookup Wire Insulation, Test Methods for, **D3032 (10.02)**
In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, Test Method for, **D7698 (04.09)**
Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, Specification for, **F1134 (01.07)**
Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, Test Methods for, **D3382 (10.02)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Measuring Dose Rate Response of Linear Integrated Circuits (Metric), Practice for, **F773M (10.04)**
Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), Test Method for, **F744M (10.04)**
Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, Guide for, **E1324 (03.03)**
Measuring Voltage Drop on Closed Arcing Contacts, Guide for, **B497 (02.04)**
Plutonium by Controlled-Potential Coulometry, Test Method for, **C1108 (12.01)**
Primary Calibration of Acoustic Emission Sensors, Test Method for, **E1106 (03.03)**
Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, Test Method for, **C537 (02.05)**
Rubber Insulating Blankets, Specification for, **D1048 (10.03)**
Sheathed Thermocouples and Sheathed Thermocouple Cable, Test Methods for, **E839 (14.03)**
Solventless Electrical Insulating Varnishes, Test Methods for, **D4733 (10.02)**
Static Electrification, Test Method for, **D4470 (10.02)**
Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, Guide for, **E1350 (14.03)**
Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, Test Method for, **D4881 (10.02)**
Thermoplastic Insulations and Jackets for Wire and Cable, Test Methods for, **D2633 (10.02)**
Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, Specification for, **F1173 (01.07)**
Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), Guide for, **F1262M (10.04)**
Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, Test Method for, **F1662 (10.04)**
Voltage Endurance of Solid Electrical Insulating Materials Subjected to Partial Discharges (Corona) on the Surface, Test Method for, **D2275 (10.01)**
Voltage barriers
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Voltage detectors
High Voltage Detectors—Part 1 Capacitive Type to be Used for Voltages Exceeding 600 Volts AC, Specification for, **F1796 (10.03)**
Voltage drop
Measuring Voltage Drop on Closed Arcing Contacts, Guide for, **B497 (02.04)**
Voltage surge test
Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4566 (10.02)**
Voltage transients
Surge Suppressors for Shipboard Use, Specification for, **F1507 (01.07)**
Voltammetric analysis
Hydroperoxide Number of Aviation Turbine Fuels by Voltammetric Analysis, Test Method for, **D6447 (05.03)**
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Voltammetry—differential pulse anodic stripping
Lead in Water, Test Methods for, **D3559 (11.01)**
Voltmeter method
Sa **Wattmeter-ammeter-voltmeter method**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**

--`,,`,,`,`,,`,,,`,,,`````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Volume
Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, Test Method for, **D7710 (08.03)**
Volume change
Chemical Shrinkage of Hydraulic Cement Paste, Test Method for, **C1608 (04.01)**
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement, Test Method for, **C166 (04.06)**
Determining Volume Fraction by Systematic Manual Point Count, Test Method for, **E562 (03.01)**
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, Practice for, **D5964 (09.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Volume fractions
Determining the Inclusion Content of Steel, Test Methods for, **E45 (03.01)**
Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, Practice for, **E1245 (03.01)**
Volume nonvolatile content
Volume Nonvolatile Matter in Clear or Pigmented Coatings, Test Method for, **D2697 (06.01)**
Volume percent
Microscopical Determination of the Textural Components of Metallurgical Coke, Test Method for, **D5061 (05.06)**
Volume resistivity
Adhesives Relative to Their Use as Electrical Insulation, Test Methods for, **D1304 (15.06)**
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, Specification for, **D3004 (10.02)**
D-C Volume Resistivity of Glass, Test Method for, **C657 (15.02)**
DC Resistance or Conductance of Insulating Materials, Test Methods for, **D257 (10.01)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Longitudinal Measurement of Volume Resistivity for Extruded Crosslinked and Thermoplastic Semiconducting Conductor and Insulation Shielding Materials, Test Method for, **D6095 (10.02)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Rubber Property—Volume Resistivity Of Electrically Conductive and Antistatic Products, Test Method for, **D991 (09.01)**
Volume Resistivity of Conductive Adhesives, Test Method for, **D2739 (15.06)**
Volume shrinkage
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Drying Shrinkage of Mortar Containing Hydraulic Cement, Test Method for, **C596 (04.01)**
Volume Shrinkage of Latex Sealants During Cure, Test Method for, **C1241 (04.07)**
Volume solids
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**
Volume temperature correction
Calculating Volume-Temperature Correction For Coal-Tar Pitches, Practice for, **D2962 (05.01)**
Volumetric airflow meter
Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, Test Method for, **F2338 (15.10)**
Volumetric blend
Preparing Volumetric Blends of Denatured Fuel Ethanol and Gasoline Blendstocks for Laboratory Analysis, Practice for, **D7717 (05.04)**
Volumetric flow (of water)
See **Flow and flow rate—water**
Volumetric heat capacity
Thermal Conductivity, Thermal Diffusivity and Volumetric Heat Capacity of Engine Coolants and Related Fluids by Transient Hot Wire Liquid Thermal Conductivity Method, Test Method for, **D7896 (15.05)**
Volumetric Karl Fischer analysis
Sa **Karl Fischer reagent method—water content**
Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), Test Method for, **D6869 (08.03)**
Water in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D3401 (15.05)**
Volumetric laboratory apparatus
Calibration of Laboratory Volumetric Apparatus, Practice for, **E542 (14.04)**
Laboratory Glass Microvolumetric Vessels (Volumetric Flasks and Centrifuge Tubes), Specification for, **E237 (14.04)**
Laboratory Glass Volumetric Apparatus, Specification for, **E694 (14.04)**
Laboratory Glass Volumetric Flasks, Specification for, **E288 (14.04)**
Laboratory Glass Volumetric Flasks, Special Use, Specification for, **E1878 (14.04)**
Piston or Plunger Operated Volumetric Apparatus, Specification for, **E1154 (14.04)**
Volumetric measurement
Air Content of Freshly Mixed Concrete by the Volumetric Method, Test Method for, **C173/C173M (04.02)**
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Determination of Particle Contribution from Gas Distribution System Valves, Test Method for, **F1394 (10.04)**
Determining Specific Packability of Fabrics Used in Inflatable Restraints, Test Method for, **D6478 (07.02)**
Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, Test Method for, **D6172 (05.06)**
Dimensions and Tolerances for Plastic Bottles, Specification for, **D2911 (08.01)**
Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, Test Method for, **D5537 (10.02)**
Hydroxyl Groups Using Acetic Anhydride Acetylation, Test Methods for, **E222 (15.05)**
Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, Test Method for, **D6810 (05.03)**
Measuring Maximum Dry Volume of Utility Vacuum Cleaners, Test Method for, **F1326 (15.08)**
Measuring Maximum Function Volume of the Primary Dirt, Test Method for, **F888 (15.08)**
Measuring Maximum Functional Wet Volume of Utility Vacuum Cleaners, Test Method for, **F1410 (15.08)**
Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, Test Method for, **B873 (02.05)**
Preconstruction and Construction Evaluation of Mortars for Plain

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, Practice for, **D1176 (15.05)**
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**
Standard for Use of the International System of Units (SI): *The Modern Metric System*, **IEEE/ASTMSI-10** (Related Material) **(14.04)**
Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, Guide for, **D4896 (15.06)**
Volumetric and Mass Flow Rate Measurement in a Duct Using Tracer Gas Dilution, Test Method for, **E2029 (04.11)**
Volumetric Flow Rate of Metal Powders Using the Arnold Meter and Hall Flowmeter Funnel, Test Method for, **B855 (02.05)**
Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, Test Methods for, **D4942 (06.02)**
Wet Volume of Asbestos, Test Method for, **C1122/C1122M (04.05)**

Volumetric measurement—bituminous materials
Density of Solid Pitch (Helium Pycnometer Method), Test Method for, **D4892 (05.02)**
Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, Test Method for, **D4616 (05.02)**

Volumetric measurement—cement/concrete
Autoclave Expansion of Hydraulic Cement, Test Method for, **C151/C151M (04.01)**
Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, Test Method for, **C827/C827M (04.02)**
Concrete Made by Volumetric Batching and Continuous Mixing, Specification for, **C685/C685M (04.02)**
Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement, Test Method for, **C166 (04.06)**
Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C940 (04.02)**
Expansion of Hydraulic Cement Mortar Bars Stored in Water, Test Method for, **C1038/C1038M (04.01)**
Length Change of Hardened Hydraulic-Cement Mortar and Concrete, Test Method for, **C157/C157M (04.02)**
Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution, Test Method for, **C1012/C1012M (04.01)**
Potential Alkali Reactivity of Cement-Aggregate, Test Method for, **C227 (04.02)**
Potential Alkali-Silica Reactivity of Aggregates (Chemical Method), Test Method for, **C289 (04.02)**
Preparation and Conditioning of Cast, Drilled, or Sawed Specimens of Hydraulic-Cement Mortar and Concrete Used for Length Change Measurements, Practice for, **C341/C341M (04.02)**
Restrained Expansion of Expansive Cement Mortar, Test Method for, **C806 (04.01)**
Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete, Practice for, **C490/C490M (04.01, 04.02)**

Volumetric measurement—medical/surgical applications
In Situ Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), Test Method for, **F2214 (13.01)**

Volumetric measurement—pavement surfaces
Determining Asphalt Volume Correction to a Base Temperature, Practice for, **D4311/D4311M (04.03)**
Measuring Pavement Macrotexture Depth Using a Volumetric Technique, Test Method for, **E965 (04.03)**
Potential Expansion of Aggregates from Hydration Reactions, Test Method for, **D4792/D4792M (04.03)**
Road Tar, Volume Correction Table for, **D633 (04.03)**

Volumetric measurement—petroleum products
ASTM Butadiene Measurement Tables, Standard, **D1550 (05.01)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, Test Method for, **D4780 (05.05)**
Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, Test Method for, **D4222 (05.05)**
Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, Test Method for, **D6761 (05.05)**
Determination of Vibrated Bulk Density of Calcined Petroleum Coke, Test Method for, **D4292 (05.02)**
Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, Test Method for, **D5662 (05.02)**
Elastomer Compatibility of Lubricating Greases and Fluids, Test Method for, **D4289 (05.02)**
Fuel Oil Meters of the Volumetric Positive Displacement Type, Specification for, **F1172 (01.07)**
Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, Test Method for, **D3908 (05.05)**
Use of the Petroleum Measurement Tables, Guide for, **D1250 (05.01)**
Volumetric Measurement of Gaseous Fuel Samples, Test Methods for, **D1071 (05.06)**

Volumetric measurement—refractories
Bulk Density and Volume of Solid Refractories by Wax Immersion, Test Method for, **C914 (15.01)**
Calculating Areas, Volume, and Linear Change of Refractory Shapes, Practice for, **C1407 (15.01)**

Volumetric measurement—soil/related materials
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, Test Method for, **D4404 (04.08)**
Evaluating Effectiveness of Admixtures for Soil Stabilization, Guide for, **D4609 (04.08)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Prebored Pressuremeter Testing in Soils, Test Methods for, **D4719 (04.08)**
Volume Mass, Moisture-Holding Capacity, and Porocity of Saturated Peat Materials, Test Method for, **D2980 (04.08)**
Volume of Processed Peat Materials, Test Method for, **D2978 (04.08)**

Volumetric solutions
Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, Practice for, **E200 (15.05)**

Voluntary Universal Healthcare Identification System (VUHID)
Implementation of a Voluntary Universal Healthcare Identification System, Guide for, **E2553 (14.01)**

Volunteers
Workers Compensation Coverage of Emergency Services Volunteers, Practice for, **F2047 (13.02)**

$VPCR_x$ expansion method
Determination of Vapor Pressure of Crude Oil: VPCR, Test Method for, **D6377 (05.03)**

Vulcanization accelerators
Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, Test Method for, **D4936 (09.01)**
Rubber Compounding Materials—Benzothiazyl Disulfide (MBTS)—Assay, Test Method for, **D5051 (09.01)**
Rubber Compounding Materials—Determination of the Basic Nitrogen Content in Rubber Antioxidant: Polymerized TMQ, Test Method for, **D5376 (09.01)**
Rubber Compounding Materials—Free 2-Mercaptobenzothiazole

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

(MBT) in Benzothiazyl Disulfide (MBTS), Test Method for, **D5044 (09.01)**
Rubber Compounding Materials—Vulcanization Accelerators, Classification for, **D4818 (09.01)**
Vulcanization characteristics
Sa **Curing characteristics**
Evaluating the Effective Surface Area of Zinc Oxide in Rubber, Test Method for, **D4620 (09.01)**
Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, Classification System for, **D6338 (08.03)**
Rubber Property—Vulcanization Using Oscillating Disk Cure Meter, Test Method for, **D2084 (09.01)**
Rubber Property—Vulcanization Using Rotorless Cure Meters, Test Method for, **D5289 (09.01)**
Rubber—Identification by Infrared Spectrophotometry, Test Methods for, **D3677 (09.01)**
Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, Practice for, **D3182 (09.01)**
Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), Test Methods for, **D1646 (09.01)**
Silica—pH Value, Test Method for, **D6739 (09.01)**
Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers, Test Method for, **D624 (09.01)**
Vulcanized rubbers
Application of Fully Adhered Vulcanized Rubber Sheets Used in Waterproofing, Guide for, **D5843 (04.04)**
Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, Test Method for, **D5405/D5405M (04.04)**
Dynamic Puncture Resistance of Roofing Membrane Specimens, Test Method for, **D5635/D5635M (04.04)**
Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, Guide for, **D5992 (09.01)**
EPDM Sheet Used In Single-Ply Roof Membrane, Specification for, **D4637/D4637M (04.04)**
Ethylene Propylene Diene Terpolymer (EPDM) Sheet Used In Geomembrane Applications, Specification for, **D7465 (04.13)**
Installation of Vulcanized Rubber Linings, Practice for, **D7602 (06.02)**
Rubber Compounding Materials—Determination of Particle Size Distribution of Recycled Vulcanizate Particulate Rubber, Test Methods for, **D5644 (09.01)**
Rubber Compounding Materials—Recycled Vulcanizate Particulate Rubber, Classification for, **D5603 (09.01)**
Silicone Rubber Room Temperature Vulcanizing Low Outgassing Materials, Specification For, **D6411/D6411M (15.06)**
Vulcanized Rubber and Thermoplastic Elastomer—Determination of Force Decay (Stress Relaxation) in Compression, Test Method for, **D6147 (09.01)**
Vulcanized Rubber and Thermoplastic Elastomers—Tension, Test Methods for, **D412 (09.01)**
Vulcanized Rubber Sheets Used in Waterproofing Systems, Specification for, **D6134 (04.04)**
Vulcanizing agents/activators
Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, Terminology Relating to, **D3853 (09.01)**
Rubber Compounding Materials for Use in Computer Material Management Systems, Classification System for, **D5899 (09.01)**
Vulnerability
Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, Guide for, **F980 (10.04)**
VWPD (variable-wavelength photometric detectors)
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**

W

W-2 mouse stromal cell line
In Vitro Biological Activity of Recombinant Human Bone Morphogenetic Protein-2 (rhBMP-2) Using the W-20 Mouse Stromal Cell Line, Test Method for, **F2131 (13.01)**
Waals adsorption
Advanced Ceramic Specific Surface Area by Physical Adsorption, Test Method for, **C1274 (15.01)**
Wading pools
Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, Safety Performance Specification for, **F2707 (15.11)**
Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, Performance Specification for, **F1346 (15.11)**
Waferboard
Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, Specification for, **C1289 (04.06)**
Shear Modulus of Wood-Based Structural Panels, Test Method for, **D3044 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Panels in Tension, Test Methods for, **D3500 (04.10)**
Wood-Based Structural Panels in Compression, Test Methods for, **D3501 (04.10)**
Wafer head drill capacity
Steel Tapping Screws for Cold-Formed Steel Framing Connections, Specification for, **C1513 (04.01)**
Waffle board
Sound-Absorbing Board, Fibrous Glass, Perforated Fibrous Glass Cloth Faced, Specification for, **F2154 (01.07)**
Wagner turbidimeter
Fineness of Portland Cement by the Turbidimeter, Test Method for, **C115/C115M (04.01)**
Walkers (infant)
Sa **Consumer safety specifications (infants/children)**
Infant Walkers, Consumer Safety Specification for, **F977 (15.11)**
Walking step simulator
Water Resistance of Footwear Using a Walking Step Simulator, Test Method for, **F1900 (15.07)**
Walkley Black method
Organic Matter Content of Athletic Field Rootzone Mixes, Test Methods for, **F1647 (15.07)**
Walk-through metal detector
Sa **Security systems and equipment**
Adjusting the Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors, Practice for, **C1269 (12.01)**
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, Practice for, **F1468 (15.08)**
Installation of Walk-Through Metal Detectors, Guide for, **C1238 (12.01)**
Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, Test Method for, **C1268 (12.01)**
Walk-through metal detectors
Performance Evaluation of In-Plant Walk-Through Metal Detectors, Practice for, **C1309 (12.01)**
Walk-through property survey
Property Condition Assessments: Baseline Property Condition Assessment Process, Guide for, **E2018 (11.05)**
Walkway auditor qualifications
Walkway Auditor Qualifications, Guide for, **F2948 (15.07)**
Walkway surfaces
Sa **Pavement surfaces**
Composing Walkway Surface Investigation, Evaluation and Inci-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

dent Report Forms for Slips, Stumbles, Trips, and Falls, Guide for, **F1694 (15.07)**
Design and Performance of Supported Laminated Glass Walkways, Practice for, **E2751/E2751M (04.12)**
Pedestrian and Light Traffic Paving Brick, Specification for, **C902 (04.05)**
Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, Guide for, **F1240 (15.07)**
Reporting Slip Resistance Test Results, Practice for, **F2048 (15.07)**
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Safety and Traction for Footwear, Terminology Relating to, **F1646 (15.07)**
Selection of Walkway Surfaces and Treatments When Considering Aggressive Contaminant Conditions in Commercial and Industrial (Not Including Construction) Environments, Guide for, **F2965 (15.07)**
Snow and Ice Control for Walkway Surfaces, Guide for, **F2966 (15.07)**
Validation, Calibration, and Certification of Walkway Tribometers Using Reference Surfaces, Practice for, **F2508 (15.07)**
Walkway Auditor Qualifications, Guide for, **F2948 (15.07)**

Wallboard—specifications
Sa **Gypsum products—specifications**
Gypsum Board, Specification for, **C1396/C1396M (04.01)**

Wall construction
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**
Determining the Fire Resistance of Continuity Head-of-Wall Joint Systems Installed Between Rated Wall Assemblies and Nonrated Horizontal Assemblies, Test Method for, **E2837 (04.07)**
Measuring Relative Resistance of Wall, Floor, and Roof Construction to Impact Loading, Test Method of, **E695 (04.11)**
Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, Test Method for, **E1130 (04.06)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**
Rate of Air Leakage Through Exterior Metal Roof Panel Systems, Test Method for, **E1680 (04.11)**
Room Fire Test of Wall and Ceiling Materials and Assemblies, Test Method for, **E2257 (04.07)**

Wall construction—specifications
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Dry-Cast Segmental Retaining Wall Units, Specification for, **C1372 (04.05)**
Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, Specification for, **D5319 (08.03)**
Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, Practice for, **D4756 (08.03)**
Resilient Wall Base, Specification for, **F1861 (15.04)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**

Wallcovering materials/applications
Determining the Heat Release Rate and Other, Test Method for, **E1740 (04.07)**
Wall Covering, Specification for, **F1141 (15.11)**
Wall Covering by Use Characteristics, Classification of, **F793 (15.11)**

Wall coverings
Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) Wall or Ceiling Coverings, and of Facings and Wood Veneers Intended to be Applied on Site Over a Wood Substrate, to Assess Surface Burning Characteristics, Practice for, **E2404 (04.07)**

Wall friction
Bulk Solids Using Schulze Ring Shear Tester, Test Method for, **D6773 (04.09)**
Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, Test Method for, **D6682 (04.09)**
Shear Testing of Bulk Solids Using the Jenike Shear Cell, Test Method for, **D6128 (04.09)**
Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, Test Method for, **D6467 (04.09)**

Wall liner embedments
Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, Guide for, **C1572 (12.01)**

Wall mounted kettles
Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, Specification for, **F1602 (15.12)**

Wallner line
Interpreting Glass Fracture Surface Features, Practice for, **C1256 (15.02)**

Wall openings
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**

Wall padding
Indoor Wall/Feature Padding, Specification for, **F2440 (15.07)**

Wall panels
Abuse-Resistant Nondecorated Interior Gypsum Panel Products and Fiber-Reinforced Cement Panels, Classification for, **C1629/C1629M (04.01)**

Wall panel sound transmission
See **Sound transmission—building materials/applications**

Wall rails
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Performance of Permanent Metal Railing Systems and Rails for Buildings, Test Methods for, **E935 (04.11)**
Railing Systems and Rails for Buildings, Terminology of, **E1481 (04.11)**

Wall rails—specifications
Permanent Metal Railing Systems and Rails for Buildings, Specification for, **E985 (04.11)**

Walls
Application of Hose Stream, Practice for, **E2226 (04.07)**
Calculating the Superimposed Load on Wood-frame Walls for Standard Fire-Resistance Tests, Practice for, **D6513 (04.10)**
Conducting Strength Tests of Masonry Wall Panels, Test Methods for, **C1717 (04.05)**
Conducting Strength Tests of Panels for Building Construction, Test Methods of, **E72 (04.11)**
Construction of Dry-Stacked, Surface-Bonded Walls, Practice for, **C946 (04.05)**
Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings, Test Methods for, **E2126 (04.12)**
Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, Test Methods for, **E1529 (04.07)**
Evaluating Water Leakage of Building Walls, Guide for, **E2128 (04.12)**
Evaluation of Exterior Building Wall Materials, Products, and Systems, Guide for, **E1825 (04.11)**
Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, Guide for, **E2032 (04.07)**
Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, Practice for, **C1320 (04.06)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**
Static Load Test for Shear Resistance of Framed Walls for Buildings, Practice for, **E564 (04.11)**
the Specification and Evaluation of Pre-Construction Laboratory

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Mockups of Exterior Wall Systems, Practice for, **E2099 (04.11)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**
Walls—specifications
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Dry-Cast Segmental Retaining Wall Units, Specification for, **C1372 (04.05)**
Prefabricated Masonry Panels, Specification for, **C901 (04.05)**
Rigid Poly(Vinyl Chloride) (PVC) Siding, Specification for, **D3679 (08.03)**
Wall sheathing
Application of Cellulosic Fiber Insulating Board for Wall Sheathing, Practice for, **C846 (04.06)**
Cellulosic Fiber Insulating Board, Specification for, **C208 (04.06)**
Wall thickness
Determining Dimensions of Thermoplastic Pipe and Fittings, Test Method for, **D2122 (08.04)**
Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, Test Methods of, **D668 (10.01)**
Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, Guide for, **E2337/E2337M (03.03)**
Polytetrafluoroethylene Tubing, Test Methods for, **D1675 (10.01)**
Wall thickness (of semiconductors)
See **Thickness—semiconductors**
Wall tile
See **Ceramic tile**
Wall wash
Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, Test Method for, **E2664 (15.05)**
Warehousing ITS data
Archiving and Retrieving Intelligent Transportation Systems-Generated Data, Guide for, **E2259 (04.03)**
Warmer
Slow Cook/Hold Ovens and Hot Food Holding Cabinets, Specification for, **F2202 (15.12)**
Warm season turfgrass
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**
Warm-temperature impact testing
Glazing for Detention Facilities, Test Methods for, **F1915 (15.08)**
Warm-up time
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Warm water testing
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Warning statements
Expansion Gates and Expandable Enclosures, Consumer Safety Specification for, **F1004 (15.11)**
Warning track
Construction and Maintenance of Warning Track Areas on Athletic Fields, Guide for, **F2270 (15.07)**
Warpage
Hot-Surface Performance of High-Temperature Thermal Insulation, Test Method for, **C411 (04.06)**
Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, Test Methods of, **D668 (10.01)**
Measuring Warpage of Ceramic Tile, Test Method for, **C485 (15.02)**
Rigid Sheet and Plate Materials Used for Electrical Insulation, Test Methods for, **D229 (10.01)**
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**
Sampling and Testing Brick and Structural Clay Tile, Test Methods for, **C67 (04.05)**
Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, Test Methods for, **C134 (15.01)**
Warping heads
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**
Warp-knitted fabrics
Woven and Warp Knitted Comforter Fabrics, Specification for, **D4769 (07.02)**
Warp weaver/stuffer yarn
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**
Wartime conditions
Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, Practice for, **E1133 (14.04)**
Wash
Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, Guide for, **D4610 (06.01)**
Washability
Determining the Washability Characteristics of Coal, Test Method for, **D4371 (05.06)**
Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, Specification for, **F1021 (15.12)**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Soil Resistance of Floor Polishes, Test Method for, **D3206 (15.04)**
Washability Properties of Interior Architectural Coatings, Test Method for, **D3450 (06.02)**
Washcloth
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Wash durability
Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, Performance Specification for, **F1002 (11.03)**
Washed gum content
Gum Content in Fuels by Jet Evaporation, Test Method for, **D381 (05.01)**
Washed naphtha fractions
Determination of Organic Chloride Content in Crude Oil, Test Methods for, **D4929 (05.02)**
Washers/washer assemblies—specifications
Sa **Steel bolting materials**
"Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, Specification for, **F1852 (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Hardened Steel Washers, Specification for, **F436 (01.08)**
Hardened Steel Washers (Metric), Specification for, **F436M (01.08)**
Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, Specification for, **F2282 (01.08)**
Washers, Steel, Plain (Flat), Unhardened for General Use, Specification for, **F844 (01.08)**
Washing
Care Symbols for Care Instructions on Textile Products, Guide for, **D5489 (07.02)**
Evaluation of Laundry Sanitizers and Disinfectants for Use in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

High Efficiency Washing Operations, Test Method for, **E2406 (11.05)**
Separation and Washing of Recycled Plastics Prior to Testing, Practice for, **D6288 (08.03)**

Washing machine
Heat Sanitizing Commercial Pot, Pan, and Utensil Stationary Rack Type Water-Driven Rotary Spray, Specification for, **F1114 (15.12)**

Washing (of leather)
Colorfastness and Transfer of Color in the Washing of Leather, Test Method for, **D2096 (15.04)**

Washing solution treatment
Rubber Thread—Deterioration Due to Standard Washing Solution Treatment, Test Method for, **D3855 (09.02)**

Washout tests
Evaluating the Water Wash-Off Resistance of Traffic Paints using a Water Faucet, Practice for, **D7377 (06.02)**
Preparing Coupons for Flexural and Washout Tests on Glass Fiber Reinforced Concrete, Practice for, **C1228 (04.05)**

Wash test
Determination of Glass Fiber Content in Glass Fiber Reinforced Concrete (GFRC)(Wash-Out Test), Test Method for, **C1229 (04.05)**
Materials Finer than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing, Test Method for, **C117 (04.02)**
Wash Test of Asbestos, Test Method for, **C1120/C1120M (04.05)**

Waste—high-level
Development, Verification, Validation, and Documentation of Simulated High-Level Tank Waste, Guide for, **C1750 (12.01)**

Waste—simulants
Development, Verification, Validation, and Documentation of Simulated High-Level Tank Waste, Guide for, **C1750 (12.01)**

Waste acid solutions
Quicklime and Hydrated Lime for Neutralization of Waste Acid, Test Methods for, **C400 (04.01)**

Waste-derived fuel
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**

Waste disposal/drainage systems—specifications
Sa **Corrosive service applications—plastics**
Commercial Food Waste Disposers, Specification for, **F917 (15.12)**
Commercial Food Waste Pulper and Waterpress Assembly, Specification for, **F1150 (15.12)**
Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, Specification for, **F1412 (08.04)**
Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, Specification for, **F1673 (08.04)**
Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields, Specification for, **F810 (08.04)**

Waste disposal/drainage systems
Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, Specification for, **F2618 (08.04)**
Selection of Data Elements for Groundwater Investigations, Guide for, **D5474 (04.08)**

Waste glass
Determining Liquidus Temperature of Immobilized Waste Glasses and Simulated Waste Glasses, Test Method for, **C1720 (12.01)**
Measuring Waste Glass or Glass Ceramic Durability by Vapor Hydration Test, Test Method for, **C1663 (12.01)**
Waste Glass as a Raw Material for Glass Manufacturing, Test Methods for, **E688 (11.04)**
Waste Glass as a Raw Material for the Manufacture of Glass Containers, Specification for, **E708 (11.04)**

Waste leaching technique
Sequential Batch Extraction of Waste with Acidic Extraction Fluid, Test Method for, **D5284 (11.04)**

Waste management
Determination of Bisphenol A in Soil, Sludge and Biosolids by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7858 (11.04)**
Estimating the Environmental Load of Residential Wastewater, Practice for, **E2717 (04.12)**
Sampling of Tanks by Field Personnel, Practice for, **D7831 (11.04)**

Waste managment activities
Data Assessment for Environmental Waste Management Activities, Guide for, **D6233 (11.04)**
Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, Practice for, **D6250 (11.04)**
Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, Guide for, **D6842 (11.04)**
Detecting Hot Spots Using Point-Net (Grid) Search Patterns, Practice for, **D6982 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Selection and Optimization of Sampling Design, Guide for, **D6311 (11.04)**
Laboratory Subsampling of Media Related to Waste Management Activities, Guide for, **D6323 (11.04)**
Optimization of Ground Water Monitoring Constituents for Detection Monitoring Programs for RCRA Waste Disposal Facilities, Guide for, **D7045 (04.09)**
Preparing Waste Management Plans for Decommissioning Nuclear Facilities, Guide for, **E2421 (12.02)**
Sampling of Liquids in Waste Management Activities Using a Peristaltic Pump, Practice for, **D7353 (11.04)**
Sampling Soils and Contaminated Media with Hand-Operated Bucket Augers, Practice for, **D6907 (11.04)**
Screening Trichloroethylene (TCE)-Contaminated Media Using a Heated Diode Sensor, Practice for, **D7203 (11.04)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**
Waste and Waste Management, Terminology for, **D5681 (11.04)**

Waste materials/processing—shipboard
Selection of Shipboard Incinerators, Guide for, **F1322 (01.07)**
Shipboard Generated Waste Management Audits, Guide for, **F1799 (01.07)**
Shipboard Incinerators, Specification for, **F1323 (01.07)**

Waste materials/processing/analysis
Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, Test Method for, **C1308 (12.01)**
Assessment of Attaining Clean Up Level for Site Closure, Practice for, **D6597 (11.04)**
Characterization of Inorganic Process Wastes for Use as Structural Fill, Guide for, **E850 (11.04)**
Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, Guide for, **C1571 (12.01)**
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, Practice for, **D5245 (11.02)**
Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, Practice for, **D6010 (11.04)**
Conducting a Terrestrial Soil-Core Microcosm Test, Guide for, **E1197 (11.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**
Copper Drainage Tube (DWV), Specification for, **B306 (02.01)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**
Decontamination of Field Equipment Used at Waste Sites, Practice for, **D5088 (04.08)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Determination of Polychlorinated Biphenyls (PCBs) in Waste Materials by Gas Chromatography, Test Method for, **D6160 (05.03)**
Determination of the Recovery of a Product in a Materials Separation Device, Test Method for, **E1108 (11.04)**
Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**
Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, Test Method for, **D5526 (08.03)**
Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, Test Method for, **D5232 (11.04)**
Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, Guide for, **D5745 (11.04)**
Developing Appropriate Statistical Approaches for Groundwater Detection Monitoring Programs, Guide for, **D6312 (04.09)**
Developing Conceptual Site Models for Contaminated Sites, Guide for, **E1689 (11.05)**
Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**
Emulsification/Suspension of Multiphase Fluid Waste Materials, Practice for, **D5761 (05.02)**
Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, Guide for, **D6523 (04.13)**
Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, Practice for, **D6235 (04.09)**
Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, Practice for, **D5369 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, Practice for, **D5283 (11.04)**
Geomembrane Seam Evaluation by Vacuum Chamber, Practice for, **D5641 (04.13)**
Gross Calorific and Ash Value of Waste Materials, Test Method for, **D5468 (11.04)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**
Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, Practice for, **D5513 (11.04)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System, Test Method for, **C1493 (12.01)**
Sampling Consolidated Solids in Drums or Similar Containers, Practice for, **D5679 (11.04)**
Sampling of Drums and Similar Containers by Field Personnel, Guide for, **D6063 (11.04)**
Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, Practice for, **D5743 (11.04)**
Sampling Strategies for Heterogeneous Wastes, Guide for, **D5956 (11.04)**
Sampling Unconsolidated Solids in Drums or Similar Containers, Practice for, **D5680 (11.04)**
Sampling Unconsolidated Waste From Trucks, Practice for, **D5658 (11.04)**
Sampling Using a Trier Sampler, Practice for, **D5451 (11.04)**
Sampling Waste and Soils for Volatile Organic Compounds, Guide for, **D4547 (11.04)**
Sampling Waste Piles, Guide for, **D6009 (11.04)**
Sampling with a Scoop, Practice for, **D5633 (11.04)**
Screening Apparent Specific Gravity and Bulk Density of Waste, Test Method for, **D5057 (11.04)**
Screening of Waste for Radioactivity, Test Method for, **D5928 (11.04)**
Selecting and Using Ecological Endpoints for Contaminated Sites, Guide for, **E1848 (11.05)**
Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, Guide for, **D6232 (11.04)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**
Sequential Batch Extraction of Waste with Acidic Extraction Fluid, Test Method for, **D5284 (11.04)**
Single Batch Extraction Method for Wastes, Test Method for, **D5233 (11.04)**
Solvents Analysis in Hazardous Waste Using Gas Chromatography, Test Method for, **D5830 (11.04)**
Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, Specification for, **D6826 (04.13)**
Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, Practice for, **D5747/D5747M (04.13)**
Tests to Evaluate the Chemical Resistance of Geonets to Liquids, Practice for, **D6388 (04.13)**
Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, Practice for, **D6389 (04.13)**
Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, Test Method for, **D5530 (11.04)**
Use of Coal Combustion Products for Solidification/Stabilization of Inorganic Wastes, Guide for, **E2060 (11.05)**
Waste and Waste Management, Terminology for, **D5681 (11.04)**

Wastepaper
Ash in Biomass, Test Method for, **E1755 (05.06)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**

Waste piles
Sampling Waste Piles, Guide for, **D6009 (11.04)**

Waste reduction
Waste Reduction, Resource Recovery, and Use of Recycled Polymeric Materials and Products, Guide for, **D7209 (08.03)**

Waste rock
Laboratory Weathering of Solid Materials Using a Humidity Cell, Test Method for, **D5744 (11.04)**

Waste sampling
Sa **Sampling waste materials/applications**
Sampling Waste Streams on Conveyors, Practice for, **D7204 (11.04)**

Waste stabilization
Use of Coal Combustion Products for Solidification/Stabilization of Inorganic Wastes, Guide for, **E2060 (11.05)**

Waste streams
Sampling Waste Streams on Conveyors, Practice for, **D7204 (11.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wastewater testing/treatment

24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**

Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**

Alkaline Stabilization of Wastewater Treatment Plant Residuals, Guide for, **D6249 (04.01)**

Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, Practice for, **C1109 (12.01)**

Antimony in Water, Test Method for, **D3697 (11.01)**

Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, Guide for, **E1023 (11.06)**

Barium in Water, Atomic Absorption Spectrophotometry, Graphite Furnace, Test Method for, **D4382 (11.01)**

Cadmium in Water, Test Methods for, **D3557 (11.01)**

Characterization of Inorganic Process Wastes for Use as Structural Fill, Guide for, **E850 (11.04)**

Compatibility of Screening Analysis of Waste, Practices for, **D5058 (11.04)**

Conducting Three-Brood, Renewal Toxicity Tests with, Guide for, **E1295 (11.06)**

Containment of Hazardous Material Spills by Emergency Response Personnel, Guide for, **F1127 (11.05)**

Cyanogen Chloride in Water, Test Method for, **D4165 (11.02)**

Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**

Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, Test Method for, **D6508 (11.02)**

Determination of Free Cyanide in Water and Wastewater by Microdiffusion, Test Method for, **D4282 (11.02)**

Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, Test Methods for, **D6340 (08.03)**

Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, Test Method for, **C1111 (12.01)**

Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, Test Method for, **D5232 (11.04)**

Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, Practices for, **D1971 (11.01)**

Disposal of Laboratory Chemicals and Samples, Guide for, **D4447 (11.04)**

Dissolved Hexavalent Chromium in Water by Ion Chromatography, Test Method for, **D5257 (11.01)**

Documenting the Standard Operating Procedures Used for the Analysis of Water, Guide for, **D5172 (11.01)**

Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**

Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Test Method for, **D1976 (11.01)**

Estimating the Environmental Load of Residential Wastewater, Practice for, **E2717 (04.12)**

Fluid Loss of Clay Component of Geosynthetic Clay Liners, Test Method for, **D5891 (04.13)**

Fluvial Sediment, Terminology for, **D4410 (11.01)**

General Planning of Waste Sampling, Guide for, **D4687 (11.04)**

Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, Guide for, **D4128 (11.02)**

Ion-Selective Electrodes, Terminology Used with, **D4127 (11.01)**

Isolation and Enumeration of, Test Method for, **D5246 (11.02)**

Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, Test Method for, **D5392 (11.02)**

Leaching Solid Material in a Column Apparatus, Test Method for, **D4874 (11.04)**

Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, Test Method for, **D5790 (11.02)**

Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**

Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, Practice for, **D3919 (11.01)**

Measuring Volatile Organic Matter in Water by Aqueous-Injection Gas Chromatography, Practice for, **D2908 (11.02)**

Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures, Practice for, **C890 (04.05)**

Nickel in Water, Test Methods for, **D1886 (11.01)**

On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**

On-Line Monitoring Systems for Water Analysis, Guide for, **D3864 (11.01)**

Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**

Operating the Severe Wastewater Analysis Testing Apparatus, Practice for, **G210 (03.02)**

Operation of a Gaging Station, Guide for, **D5674 (11.02)**

Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**

Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, Practice for, **D4188 (11.01)**

Phenols in Water by Gas-Liquid Chromatography, Test Method for, **D2580 (11.02)**

Potassium in Water by Atomic Absorption Spectrophotometry, Test Method for, **D4192 (11.01)**

Purgeable Organic Compounds in Water Using Headspace Sampling, Test Method for, **D3871 (11.02)**

Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**

Recovery of Viruses from Wastewater Sludges, Practice for, **D4994 (11.02)**

Sampling Airborne Microorganisms at Municipal Solid-Waste Processing Facilities, Practice for, **E884 (11.04)**

Sampling Wastes from Pipes and Other Point Discharges, Practices for, **D5013 (11.04)**

Sampling Wastewater With Automatic Samplers, Guide for, **D6538 (11.04)**

Sampling with a Dipper or Pond Sampler, Practice for, **D5358 (11.04)**

Selection of Methods of Particle Size Analysis of Fluvial Sediments (Manual Methods), Guide for, **D4822 (11.02)**

Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, Guide for, **D5640 (11.02)**

Selenium in Water, Test Methods for, **D3859 (11.01)**

Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**

Shake Extraction of Solid Waste with Water, Practice for, **D3987 (11.04)**

Silica in Water, Test Method for, **D859 (11.01)**

Strontium in Water, Test Method for, **D3920 (11.01)**

Surface Site Characterization for On-Site Septic Systems, Practice for, **D5879 (04.09)**

the Preparation of Substitute Wastewater, Practice for, **D5905 (11.01)**

Thiocyanate in Water, Test Method for, **D4193 (11.02)**

Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, Test Method for, **D4129 (11.02)**

Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, Test Method for, **D4839 (11.02)**

Total Mercury in Water, Test Method for, **D3223 (11.01)**

Total Petroleum Hydrocarbons (TPH) in Water and Wastewater with Solvent Extraction using Mid-IR Laser Spectroscopy, Test Method for, **D7678 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Use of Test Kits to Measure Inorganic Constituents in Water, Guide for, **D5463 (11.01)**
Vanadium in Water, Test Method for, **D3373 (11.01)**
Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, Test Method for, **D3695 (11.02)**
Wastewater testing/treatment—specifications
Concrete Masonry Units for Construction of Catch Basins and Manholes, Specification for, **C139 (04.05)**
Copper Drainage Tube (DWV), Specification for, **B306 (02.01)**
Corrugated High Density Polyethylene (HDPE) Grease Interceptor Tanks, Specification for, **F2649 (08.04)**
Precast Concrete Water and Wastewater Structures, Specification for, **C913 (04.05)**
Sewer and Manhole Brick (Made From Clay or Shale), Specification for, **C32 (04.05)**
Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields, Specification for, **F810 (08.04)**
Vitrified Clay Filter Blocks, Specification for, **C159 (04.05)**
Water
Determination of One-Point, Bulk Water Sorption of Dried Concrete, Test Method for, **C1757 (04.02)**
Nitrite-Nitrate in Water by Nitrate Reductase, Test Method for, **D7781 (11.02)**
Water—specifications
Asphalt Used in Canal, Ditch, and Pond Lining, Specification for, **D2521/D2521M (04.04)**
Bio-Applications Grade Water, Guide for, **D5196 (11.01)**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Reagent Water, Specification for, **D1193 (11.01)**
Writing Quality Control Specifications for Standard Test Methods for Water Analysis, Practice for, **D5847 (11.02)**
Water absorption
Sa **Moisture analysis**
Acrylic Bone Cement, Specification for, **F451 (13.01)**
Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, Test Methods for, **C20 (15.01)**
Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Apparatus, Test Method for, **D5795 (06.02)**
Determination of Nitrogen, Water Extractable in Leather, Test Method for, **D6016 (15.04)**
Evaluating Clear Water Repellent Coatings on Wood, Test Method for, **D5401 (06.02)**
Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, Test Method for, **C1585 (04.02)**
Rigid Tubes Used for Electrical Insulation, Test Methods for, **D348 (10.01)**
Surface Water Absorption of Terry Fabrics (Water Flow), Test Method for, **D4772 (07.02)**
Water Absorption by Immersion of Thermal Insulation Materials, Test Method for, **C1763 (04.06)**
Water Absorption of Core Materials for Sandwich Constructions, Test Method for, **C272/C272M (15.03)**
Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, Test Method for, **C373 (15.02)**
Water absorption—aggregate/cement/concrete
Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, Test Method for, **C127 (04.02)**
Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate, Test Method for, **C128 (04.02)**
Determining the Water Absorption of Hardened Concrete Treated With a Water Repellent Coating, Test Method for, **D6489 (06.02)**
Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar Specimens, Test Method for, **D6532 (06.02)**
Molds for Forming Concrete Test Cylinders Vertically, Specification for, **C470/C470M (04.02)**
Water absorption—asbestos-cement products
Asbestos-Cement Corrugated Fill For Use in Cooling Towers, Specification for, **C1081 (04.05)**
Asbestos-Cement Flat Sheet for Cooling Tower Fill, Specification for, **C1082 (04.05)**
Asbestos-Cement Products Other Than Fill For Cooling Towers, Specification for, **C1080 (04.05)**
Corrugated Asbestos-Cement Sheets, Specification for, **C221 (04.05)**
Semidense Mineral Fiber Siding, Specification for, **C725 (04.05)**
Water absorption—brick/clay/concrete products
Absorption of Architectural Cast Stone, Test Method for, **C1195 (04.05)**
Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, Test Method for, **C413 (06.02)**
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Clay Drain Tile and Perforated Clay Drain Tile, Specification for, **C4 (04.05)**
Concrete Pipe, Manhole Sections, or Tile, Test Methods for, **C497 (04.05)**
Concrete Pipe, Manhole Sections, or Tile (Metric), Test Methods for, **C497M (04.05)**
Dry and Wet Bulk Density, Water Absorption, and Apparent Porosity of Thin Sections of Glass-Fiber Reinforced Concrete, Test Method for, **C948 (04.05)**
Vitrified Clay Pipe, Test Methods for, **C301 (04.05)**
Water absorption—building materials
Absorption and Bulk Specific Gravity of Dimension Stone, Test Methods for, **C97/C97M (04.07)**
Determination of Water Absorption of Sealant Backing, Test Method for, **C1016 (04.07)**
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Joints, Fittings, and Patches in Coated Pipelines, Test Method for, **G18 (06.02)**
Rate of Water Absorption of Masonry Mortars, Test Method for, **C1403 (04.05)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials, Test Method for, **C1083 (04.07)**
Water Absorption of Slate, Test Method for, **C121/C121M (04.07)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**
Water absorption—electrical insulating materials
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Crosslinked Insulations and Jackets for Wire and Cable, Test Methods for, **D470 (10.01)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Thermal Endurance of Rigid Electrical Insulating Materials, Test Method for, **D2304 (10.01)**
Water absorption—leather
Determination of Dynamic Water Absorption of Leather Surfaces, Test Method for, **D6014 (15.04)**
Static Water Absorption of Leather, Test Method for, **D6015 (15.04)**
Water Absorption (Static) of Vegetable Tanned Leather, Test Method for, **D1815 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Water absorption—paper materials
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Water absorption—preformed expansion joint fillers for concrete
Preformed Expansion Joint Filler for Concrete (Bituminous Type), Specification for, **D994/D994M (04.03)**
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Water absorption—thermal insulating materials
Cellulosic Fiber Insulating Board, Test Methods for, **C209 (04.06)**
Cellulosic Fiber Loose-Fill Thermal Insulation, Specification for, **C739 (04.06)**
Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications, Specification for, **C553 (04.06)**
Testing Cellular Glass Insulation Block, Test Methods of, **C240 (04.06)**
Water-activated polyurethane fiberglass casting tape
Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, Test Method for, **F1536 (13.01)**
Water adsorption strength
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Water analysis
Sa **Bacteria/bacterial control—water**
Sa **Calibration—water analysis instrumentation**
Sa **Chemical analysis—water applications**
Sa **Contamination—water**
Sa **Gas chromatography (GC)—water**
Sa **Reverse osmosis (RO) installations**
Sa **Sampling water analysis applications**
Sa **Seawater (natural/synthetic)**
Sa **Total recoverable elements (in water)**
Sa **Wastewater testing/treatment**
Sa **Water absorption**
Sa **Water penetration**
99Tc in Water by Solid Phase Extraction Disk, Test Method for, **D7168 (11.02)**
Acidity or Alkalinity of Water, Test Methods for, **D1067 (11.01)**
Bio-Applications Grade Water, Guide for, **D5196 (11.01)**
Calculation and Adjustment of the Langelier Saturation Index for Reverse Osmosis, Practice for, **D3739 (11.02)**
Centrifuge Moisture Equivalent of Soils, Test Method for, **D425 (04.08)**
Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, Test Methods for, **D1252 (11.02)**
Coagulation-Flocculation Jar Test of Water, Practice for, **D2035 (11.02)**
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Commercial Food Waste Disposers, Specification for, **F917 (15.12)**
Competency Requirements of Reference Material Producers for Water Analysis, Practice for, **D6808 (11.01)**
Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, Practices for, **D5608 (04.08)**
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**
Determination of Aldicarb, Aldicarb Sulfone, Aldicarb Sulfoxide, Carbofuran, Methomyl, Oxamyl, and Thiofanox in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7645 (11.02)**
Determination of Bromadiolone, Brodifacoum, Diphacinone and Warfarin in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7644 (11.02)**
Determination of Dioctyl Sulfosuccinate in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), Test Method for, **D7730 (11.02)**
Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, Test Method for, **D6919 (11.02)**
Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, Test Method for, **E1754 (15.05)**
Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, Test Method for, **E1786 (15.05)**
Determination of Nonylphenol, p-*tert*-Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, Test Method for, **D7485 (11.02)**
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Determining and Expressing Precision of Measurement Results, in the Analysis of Water, as Relative Standard Deviation, Utilizing DQCALC Software, Practice for, **D7729 (11.01)**
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**
Determining Water Injectivity Through the Use of On-Site Floods, Practice for, **D4520 (11.02)**
dimer/trimer of chlorotrifluoroethylene (S-316) Recoverable Oil and Grease and Nonpolar Material by Infrared Determination, Test Method for, **D7066 (11.02)**
Documenting the Standard Operating Procedures Used for the Analysis of Water, Guide for, **D5172 (11.01)**
Effect of Moisture on Asphalt Concrete Paving Mixtures, Test Method for, **D4867/D4867M (04.03)**
Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, Test Method for, **D1075 (04.03)**
Electrical Conductivity and Resistivity of Water, Test Methods for, **D1125 (11.01)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Estimation of Measurement Uncertainty for Data from Regression-based Methods, Practice for, **D7366 (11.01)**
Evaluation of Microbicides Used in Cooling Water Systems, Practice for, **E645 (11.05)**
Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, Practice for, **D5792 (11.04)**
Hardness in Water, Test Method for, **D1126 (11.01)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**
Lead-210 in Water, Test Method for, **D7535 (11.02)**
Management Systems in Laboratories Engaged in Analysis of Water, Guide for, **D3856 (11.01)**
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**
Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, Practice for, **D3919 (11.01)**
Odor in Water, Test Method for, **D1292 (11.01)**
On-Line Colorimetric Measurement of Silica, Test Method for, **D7126 (11.01)**
On-Line pH Measurement of Water of Low Conductivity, Test Method for, **D5128 (11.01)**
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Oxidation-Reduction Potential of Water, Test Method for, **D1498 (11.01)**
Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, Practice for, **D4188 (11.01)**
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**
Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**
Rubber Sheet Gaskets, Specification for, **D1330 (09.02)**
Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, Guide for, **E848 (06.01)**
Sampling Water from Closed Conduits, Practices for, **D3370 (11.01)**
Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, Guide for, **D6232 (11.04)**
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**
Silt Density Index (SDI) of Water, Test Method for, **D4189 (11.01)**
Sorbent Performance of Absorbents, Test Methods for, **F716 (11.05)**
Sorbent Performance of Adsorbents, Test Method for, **F726 (11.05)**
Standardizing Ultrafiltration Permeate Flow Performance Data, Practice for, **D5090 (11.02)**
Use of Calorimetric Dosimetry Systems for Electron Beam Dose Measurements and Dosimeter Calibrations, Practice for, **ISO/ASTM51631 (12.02)**
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Validating New Area Reference Skid Measurement Systems and Equipment, Guide for, **E1890 (04.03)**
Water, Terminology Relating to, **D1129 (11.01)**
Water Analysis for Electrodialysis/Electrodialysis Reversal Applications, Guide for, **D5091 (11.02)**
Water Migration in Honeycomb Core Materials, Test Method for, **F1645/F1645M (15.03)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**
Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, Test Methods for, **D4942 (06.02)**
Water Used in Milling of Porcelain Enamel, Classification of, **C375 (02.05)**
Writing Quality Control Specifications for Standard Test Methods for Water Analysis, Practice for, **D5847 (11.02)**

Water analysis—petroleum products testing
Analysis of Lubricating Grease, Test Methods for, **D128 (05.01)**
Apparatus for Determination of Water by Distillation, Specification for, **E123 (14.04)**
Aquatic Toxicity Testing of Lubricants: Sample Preparation and Results Interpretation, Practice for, **D6081 (05.02)**
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, Practice for, **D4174 (05.02)**
Demulsibility Characteristics of Lubricating Oils, Test Method for, **D2711 (05.01)**
Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, Test Method for, **D4310 (05.02)**
Determination of Water in Petroleum Products, Lubricating Oils, and Additives by Coulometric Karl Fischer Titration, Test Method for, **D6304 (05.04)**
Determining the Resistance of Lubricating Grease to Water Spray, Test Method for, **D4049 (05.02)**
Estimation of Solubility of Water in Hydrocarbon and Aliphatic Ester Lubricants, Test Method for, **D4056 (05.02)**
Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), Test Method for, **D4176 (05.02)**
Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, Test Method for, **D5006 (05.02)**
Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time, Test Method for, **D6795 (05.03)**
Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water, Test Method for, **D665 (05.01)**
Rust-Preventing Characteristics of Steam Turbine Oil in the Presence of Water (Horizontal Disk Method), Test Method for, **D3603 (05.01)**
Sediment and Water Determination in Crude Oil, Guide for, **D7829 (05.04)**
Undissolved Water In Aviation Turbine Fuels, Test Method for, **D3240 (05.01)**
Water in Petroleum Products and Bituminous Materials by Distillation, Test Method for, **D95 (05.01)**

Water analysis—plastics processing
Corona-Treated Polymer Films Using Water Contact Angle Measurements, Test Method for, **D5946 (08.03)**
Determination of Volatiles in Polymers by Static Headspace Gas Chromatography, Practice for, **D4526 (08.02)**
Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), Specification for, **D1667 (08.01)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds, Practice for, **D3419 (08.02)**
Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, Specification for, **D4894 (08.02)**
Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, Specification for, **D4895 (08.02)**
Polyurethane Raw Materials: Determination of Water Content of Polyols, Test Method for, **D4672 (08.02)**
Separation and Washing of Recycled Plastics Prior to Testing, Practice for, **D6288 (08.03)**
Water Absorption of Plastics, Test Method for, **D570 (08.01)**
Water Absorption of Rigid Cellular Plastics, Test Method for, **D2842 (08.01)**

Water analysis diagram
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, Guide for, **D5738 (04.08)**
Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Use of Maps, Guide for, **D6036 (04.09)**
Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, Guide for, **D5754 (04.08)**
Set of Data Elements to Describe a Groundwater Site, Guide for, **D5408 (04.08)**

Water and wastewater infrastructure
Laser Technologies for Direct Measurement of Cross Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, Practice for, **F3095 (04.12)**

Water-based cleaning compounds
Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, Test Method for, **F1104 (15.03)**

Water-based clear floor polishes
See **Floor polish**

Water-based ink systems
Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, Test Method for, **D6531 (06.02)**

Water-based suspensions
Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, Practice for, **C1545 (15.02)**

Water-base paints
See **Latex paints**

Water baths (for laboratory use)
Gravity-Convection and Forced-Circulation Water Baths, Specification for, **E715 (14.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Water body classification
Sa **Surface water**
Classifying Water Bodies for Spill Control Systems, Practice for, **F625/F625M (11.05)**
Selection of Booms in Accordance With Water Body Classifications, Guide for, **F1523 (11.05)**
Water boil efficiency
Performance of Griddles, Test Method for, **F1275 (15.12)**
Performance of Open Deep Fat Fryers, Test Method for, **F1361 (15.12)**
Waterborne coatings
Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, Test Method for, **D6133 (06.01)**
Density of Liquid Coatings, Inks, and Related Products, Test Method For, **D1475 (06.01)**
Determination of the Individual Volatile Organic Compounds (VOCs) in Air-Dry Coatings by Gas Chromatography, Test Method for, **D6886 (06.01)**
Determination of Weight Percent Volatile Content of Water-Borne Aerosol Paints, Test Method for, **D5325 (06.01)**
Determining the Amount of Volatile Organic Compound (VOC) Released From Waterborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), Test Method for, **D6266 (06.01)**
Freeze-Thaw Resistance of Water-Borne Coatings, Test Method for, **D2243 (06.02)**
Leveling of Paints by Draw-Down Method, Test Method for, **D4062 (06.02)**
Measuring Paint Spatter Resistance During Roller Application, Test Method for, **D4707 (06.02)**
Package Stability of Paint, Test Method for, **D1849 (06.02)**
Sag Resistance of Paints Using a Multinotch Applicator, Test Method for, **D4400 (06.02)**
Speciated Organic Volatile Content of Waterborne Multi-Component Coatings by Gas Chromatography, Test Method for, **D7768 (06.01)**
Testing Exterior Wood Stains and Clear Water Repellents, Guide for, **D6763 (06.02)**
Testing Water-Borne Architectural Coatings, Guide for, **D5324 (06.02)**
Using a Test Chamber for Humidity Conditioning of Test Panels of Pavement Marking Paints, Practice for, **D7539 (06.02)**
Waterborne materials/applications
Abrasion Resistance of Concrete (Underwater Method), Test Method for, **C1138M (04.02)**
Open-Channel Measurement of Time of Travel Using Dye Tracers, Test Method for, **D5613 (11.02)**
Paintability of Latex Sealants, Guide for, **C1520 (04.07)**
Waterborne oils
Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, Test Method for, **D3650 (11.02)**
Comparison of Waterborne Petroleum Oils by Gas Chromatography, Test Methods for, **D3328 (11.02)**
Comparison of Waterborne Petroleum Oils by Infrared Spectroscopy, Test Method for, **D3414 (11.02)**
Identification of Waterborne Oils, Practice for, **D3415 (11.02)**
Preparation of Samples for Identification of Waterborne Oils, Practice for, **D3326 (11.02)**
Preservation of Waterborne Oil Samples, Practice for, **D3325 (11.02)**
Sampling of Waterborne Oils, Practices for, **D4489 (11.02)**
Waterborne sediment
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Adenosine Triphosphate (ATP) Content of Microorganisms in Water, Test Method for, **D4012 (11.02)**
Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, Practice for, **D3975 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, Practice for, **D4025 (11.02)**
Sampling Fluvial Sediment in Motion, Guide for, **D4411 (11.02)**
Water bottles
Elastomeric Water Bottles, Specification for, **D4316 (09.02)**
Water (brackish/sea/brines)
See **Seawater (natural/synthetic)**
Waterbreak test
Hydrophobic Surface Films by the Water-Break Test, Test Method for, **F22 (15.03)**
Relative Evaporation Time of Halogenated, Test Method for, **D1901 (15.05)**
Water channel method
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Watercolor paint
Artists' Watercolor Paints, Specification for, **D5067 (06.02)**
Water concentration
Calibrating Moisture Analyzers, Practice for, **D4178 (05.02)**
Water-containment membrane
Air Channel Evaluation of Polyvinyl Chloride (PVC) Dual Track Seamed Geomembranes, Specification for, **D7177 (04.13)**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus, Test Method for, **D7238 (04.13)**
Non-Reinforced Polyvinyl Chloride (PVC) Geomembranes Used in Buried Applications, Specification for, **D7176 (04.13)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Water contamination
See **Contamination—water**
Water content
Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, Practice for, **D4692 (11.02)**
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, Test Methods for, **C791 (12.01)**
Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test, Test Method for, **C860 (15.01)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, Specification for, **D7618 (05.04)**
In-Place Density (Unit Weight) and Water Content of Soil Using an Electromagnetic Soil Density Gauge, Test Method for, **D7830/D7830M (04.09)**
In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth), Test Method for, **D6938 (04.09)**
Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, Test Method for, **C780 (04.05)**
Rubber Compounding Materials—Water in Rubber Additives, Test Method for, **D5460 (09.01)**
Sieve Analysis and Water Content of Refractory Materials, Test Methods for, **C92 (15.01)**
Water Content of Paints by Quantitative Calcium Hydride Reaction Test Kit, Test Method for, **D7358 (06.01)**
Water in Lint Cotton by Oven Evaporation Combined with Volu-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

metric Karl Fischer Titration, Test Method for, **D7785 (07.02)**

Water content—chemicals
Analysis of Acrylonitrile, Test Methods for, **E1178 (15.05)**
Analysis of Ethylene Glycols and Propylene Glycols, Test Methods for, **E202 (15.05)**
Sampling and Chemical Analysis of Chlorine-Containing Bleaches, Test Methods of, **D2022 (15.04)**
Water in Engine Coolant Concentrate by the Karl Fischer Reagent Method, Test Methods for, **D1123 (15.05)**
Water in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D3401 (15.05)**
Water in Organic Liquids by Coulometric Karl Fischer Titration, Test Method for, **E1064 (15.05)**
Water Using Volumetric Karl Fischer Titration, Test Method for, **E203 (15.05)**

Water content—concrete
Chemical Admixtures for Use in Producing Flowing Concrete, Specification for, **C1017/C1017M (04.02)**

Water content—crude oil
Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), Test Method for, **D4007 (05.02)**
Water in Crude Oil by Distillation, Test Method for, **D4006 (05.02)**
Water in Crude Oils by Coulometric Karl Fischer Titration, Test Method for, **D4928 (05.02)**
Water in Crude Oils by Potentiometric Karl Fischer Titration, Test Method for, **D4377 (05.02)**

Water content—gypsum products (free/combined)
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**

Water content—insulating materials
Water in Insulating Liquids by Coulometric Karl Fischer Titration, Test Method for, **D1533 (10.03)**

Water content—leather
Total Solids and Water in Vegetable Tanning Material Extracts, Test Method for, **D4903 (15.04)**

Water content—organic compounds
Analysis of Methanol, Test Methods for, **E346 (15.05)**

Water content—paints/related coatings/materials
Common Properties of Certain Pigments, Test Methods for, **D1208 (06.03)**
Heptane Miscibility of Lacquer Solvents, Test Method for, **D1476 (06.04)**
Indicating Oil or Water in Compressed Air, Test Method for, **D4285 (06.02)**
Water Content of Coatings by Direct Injection Into a Gas Chromatograph, Test Method for, **D3792 (06.01)**
Water in Liquid Pine Chemicals, Test Method for, **D890 (06.03)**
Water in Paints and Paint Materials by Karl Fischer Method, Test Method for, **D4017 (06.01)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**
Water in Volatile Solvents (Karl Fischer Reagent Titration Method), Test Method for, **D1364 (06.04)**

Water content—petroleum products
Sa **Water analysis—petroleum products testing**
Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, Specification for, **D7862 (05.04)**
Determination of Water in Liquid Petroleum Products by Karl Fischer Reagent, Test Method for, **D1744 (05.01)**

Water content—rock
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, Test Method for, **D5220 (04.08)**

Water content—soil
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Determination of Maximum Dry Unit Weight and Water Content Range for Effective Compaction of Granular Soils Using a Vibrating Hammer, Test Methods for, **D7382 (04.09)**
Determination of Water (Moisture) Content of Soil By Direct Heating, Test Method for, **D4959 (04.08)**
Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, Test Method for, **D4643 (04.08)**
Determination of Water (Moisture) Content of Soil by the Time-Domain Reflectometry (TDR) Method, Test Method for, **D6565 (04.09)**
Expansion Index of Soils, Test Method for, **D4829 (04.08)**
Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, Test Method for, **D4944 (04.08)**
In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, Test Method for, **D7698 (04.09)**
Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, Test Methods for, **D2216 (04.08)**
Pore Water Extraction and Determination of the Soluble Salt Content of Soils by Refractometer, Test Method for, **D4542 (04.08)**
Specific Gravity of Soil Solids by Gas Pycnometer, Test Method for, **D5550 (04.08)**
Water Content and Density of Soil In situ by Time Domain Reflectometry (TDR), Test Method for, **D6780/D6780M (04.09)**
Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, Test Method for, **D5220 (04.08)**

Water-cooled gasoline engines
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**
Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, Specification for, **D4859 (05.02)**
Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, Specification for, **D4682 (05.02)**

Water-cooled heat-transfer equipment
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**

Water-cooled surfaces
Measuring Heat Flux Using a Water-Cooled Calorimeter, Test Method for, **E422 (15.03)**

Water corrosivity
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Assessing the Tendency of Industrial Boiler Waters to Cause Embrittlement (USBM Embrittlement Detector Method), Practice for, **D807 (11.01)**
Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, Practice for, **D6301 (11.01)**
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**

Water delivery systems/applications
Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, Test Method for, **D6460 (04.09)**
Determining Water Injectivity Through the Use of On-Site

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Floods, Practice for, **D4520 (11.02)**

Water depth
Depth Measurement of Surface Water, Practice for, **D5073 (11.02)**

Water desalting
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**

Water discharge/velocity
Indirect Measurements of Discharge by Step-Backwater Method, Test Method for, **D5388 (11.01)**
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open Channel Flow Measurement of Water with the Parshall Flume, Test Method for, **D1941 (11.01)**
Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, Test Method for, **D5389 (11.01)**
Open-Channel Flow Measurement of Water Indirectly at Culverts, Test Method for, **D5243 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, Test Method for, **D5390 (11.01)**
Operation of a Gaging Station, Guide for, **D5674 (11.02)**
Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, Guide for, **D5640 (11.02)**
Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, Test Method for, **D5089 (11.01)**
Velocity Measurements of Water in Open Channels with Rotating Element Current Meters, Test Method for, **D4409 (11.01)**

Water displacement test
Bulk Density of Granular Refractory Materials, Test Method for, **C357 (15.01)**
Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, Test Method for, **B311 (02.05)**
Relative Density of Solid Pitch and Asphalt (Displacement Method), Test Method for, **D71 (05.01)**
Rubber Property—Effect of Liquids, Test Method for, **D471 (09.01)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Water (drinking)
Sa **Drinking water**
Water Conservation in Buildings Through In-Situ Water Reclamation, Practice for, **E2635 (04.12)**

Water droplets
Corona-Treated Polymer Films Using Water Contact Angle Measurements, Test Method for, **D5946 (08.03)**

Water-emulsion floor polishes
See **Floor polish (water emulsion)**
See **Waxes**

Water entrapment
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**

Water exposure apparatus
Filtered Open-Flame Carbon-Arc Exposures of Plastics, Practice for, **D1499 (08.01)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Xenon-Arc Exposure of Plastics Intended for Outdoor Applications, Practice for, **D2565 (08.01)**

Water-extractable matter/processing
Determination of Nitrogen, Water Extractable in Leather, Test Method for, **D6016 (15.04)**
Quantity of Water-Extractable Matter in Membrane Filters, Test Method for, **D3861 (11.02)**
Sampling and Testing Untreated Paper Used for Electrical Insulation, Test Methods for, **D202 (10.01)**
Sequential Batch Extraction of Waste with Water, Test Method for, **D4793 (11.04)**
Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar, Test Method for, **C265 (04.01)**

Water-extracted halogenated organic solvents/admixtures
pH of Water Extractions of Halogenated Organic Solvents and Their Admixtures, Test Method for, **D2110 (15.05)**

Water extraction
Water-Extractable Chloride in Aggregate (Soxhlet Method), Test Method for, **C1524 (04.02)**

Waterfastness
Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, Practice for, **F2292 (15.09)**

Water-filled bladder
Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, Test Method for, **D6416/D6416M (15.03)**

Water-film test
Hydrophobic Surface Films by the Atomizer Test, Test Method for, **F21 (15.03)**
Hydrophobic Surface Films by the Water-Break Test, Test Method for, **F22 (15.03)**

Water filtration systems/testing
See **Membrane filters (MF)—water testing**

Water flow
Sa **Flow and flow rate—water**
Determining the Flow Rate of Water and Suspended Solids from a Geotextile Bag, Test Method for, **D7701 (04.13)**

Water flux
Measuring Matric Potential in Vadose Zone Using Tensiometers, Guide for, **D3404 (04.08)**

Water flux density
Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, Test Method for, **D6527 (04.09)**

Water fog test
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**

Water-formed deposits
Accumulated Deposition in a Steam Generator Tube, Test Methods for, **D3483 (11.02)**
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Enumeration of Aquatic Bacteria by Epifluorescence Microscopy Counting Procedure, Test Method for, **D4455 (11.02)**
Examination of Water-Formed Deposits by Chemical Microscopy, Practice for, **D1245 (11.02)**
Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, Practices for, **D934 (11.02)**
Iron Bacteria in Water and Water-Formed Deposits, Test Method for, **D932 (11.02)**
Preparation and Preliminary Testing of Water-Formed Deposits, Practices for, **D2331 (11.02)**
Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, Test Method for, **D5256 (11.02)**
Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, Practice for, **D4025 (11.02)**
Sampling Water-Formed Deposits, Practices for, **D887 (11.02)**
Simultaneous Enumeration of Total and Respiring Bacteria in Aquatic Systems by Microscopy, Test Method for, **D4454 (11.02)**
Sulfate-Reducing Bacteria in Water and Water-Formed Deposits, Test Methods for, **D4412 (11.02)**

Water (fresh)
See **Fresh water**

Water-glycol hydraulic fluid
Vapor-Phase Rust-Preventing Characteristics of Hydraulic Fluids, Test Method for, **D5534 (05.02)**

Water hardness/softness
Emulsification Characteristics of Pesticide Emulsifiable Concentrates, Test Method for, **E1116 (11.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Water heating (solar)
See **Solar heating/cooling systems**
Water (high-purity)
Sa **High-purity water**
Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, Test Method for, **D6807 (11.02)**
Water-holding capacity (C_{wh})
Centrifuge Moisture Equivalent of Soils, Test Method for, **D425 (04.08)**
Determining Water Holding Capacity of Fiber Mulches for Hydraulic Planting, Test Method for, **D7367 (04.09)**
Volume Mass, Moisture-Holding Capacity, and Porocity of Saturated Peat Materials, Test Method for, **D2980 (04.08)**
Water immersion testing
Durability of Sealants Exposed to Continuous Immersion in Liquids, Test Method for, **C1247 (04.07)**
Evaluating Polymeric Lining Systems for Water Immersion in Coating Service Level III Safety-Related Applications on Metal Substrates, Guide for, **D7230 (06.02)**
Submersion of a Membrane Switch, Test Method for, **F1895 (10.04)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**
True Specific Gravity of Refractory Materials by Water Immersion, Test Method for, **C135 (15.01)**
Water-induced damage
Sa **Damage assessment**
Design and Construction of Low-Rise Frame Building Wall Systems to Resist Water Intrusion, Guide for, **E2266 (04.12)**
Limiting Water-Induced Damage to Buildings, Guide for, **E241 (04.11)**
Water infiltration/exfiltration
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**
Installing a Protective Cementitious Liner System in Sanitary Sewer Manholes, Practice for, **F2551 (04.12)**
Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, Test Method for, **F1365 (08.04)**
Water injection
Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, Practice for, **D4025 (11.02)**
Water-in-oil emulsions
Emulsification Characteristics of Pesticide Emulsifiable Concentrates, Test Method for, **E1116 (11.05)**
Stability of Water-in-Oil Emulsions Under Low to Ambient Temperature Cycling Conditions, Test Method for, **D3709 (05.01)**
Storage Stability of Water-in-Oil Emulsions by the Oven Test Method, Test Method for, **D3707 (05.01)**
Water (inorganic compound testing)
See **Inorganic compounds—water**
Water-insoluble hydrocarbons
Sampling of Headspace Vapors from Fire Debris Samples, Practice for, **E1388 (14.02)**
Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, Practice for, **E1386 (14.02)**
Water-insoluble material/process
Assessing Biodegradability of Hydraulic Fluids, Guide for, **D6006 (05.02)**
Chemical Analysis of Soaps Containing Synthetic Detergents, Test Methods for, **D820 (15.04)**
Chemical Analysis of Sodium Chloride, Test Methods for, **E534 (15.05)**
Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, Test Method for, **D6731 (05.03)**
Hydroxypropyl Methylcellulose, Test Methods for, **D2363 (06.03)**
Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, Guide for, **E848 (06.01)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Water-insoluble penetrating encapsulants
Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, Practice for, **E1494 (11.07)**
Water jetting
Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, Practice for, **A380/A380M (01.03)**
Water leaching
Deformed Polyethylene (PE) Liner, Specification for, **F1533 (08.04)**
Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, Test Method for, **F1534 (15.08)**
Evaluate Leaching of Water-Soluble Materials from Latex Paint Films, Practice to, **D7190 (06.02)**
Water leakage
Determining and Evaluating Causes of Water Leakage of Low-Sloped Roofs, Guide for, **D7053/D7053M (04.04)**
Evaluating Residential Indoor Air Quality Concerns, Practice for, **D7297 (11.07)**
Evaluating Water Leakage of Building Walls, Guide for, **E2128 (04.12)**
Evaluation of Water Leakage Performance of Masonry Wall Drainage Systems, Test Method for, **C1715 (04.05)**
Water level mark
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**
Water level observation
(Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), Test Method for, **D5881 (04.09)**
Measurement of Water Levels in Open-Water Bodies, Test Methods for, **D5413 (11.02)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**
Water migration
Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, Specification for, **E990 (04.11)**
Determining Water Migration Resistance Through Roof Membranes, Test Method for, **D7281 (04.04)**
Water Migration in Honeycomb Core Materials, Test Method for, **F1645/F1645M (15.03)**
Water migration prevention
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
Determining Water Migration Resistance Through Roof Membranes, Test Method for, **D7281 (04.04)**
Flooding Compounds for Telecommunications Wire and Cable, Specification for, **D4730 (10.02)**
Hot-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4731 (10.02)**
Water miscibility
Analysis of Methanol, Test Methods for, **E346 (15.05)**
Water Miscibility of Water-Soluble Solvents, Test Method for, **D1722 (06.04)**
Water-miscible metalworking fluids (MWF)
Sa **Metalworking fluids/related media**
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Determination of Endotoxin Concentrations in Water-Miscible Metalworking Fluids, Test Method for, **E2657 (11.03)**
Selecting Antimicrobial Pesticides for Use in Water-Miscible

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Metalworking Fluids, Practice for, **E2169 (11.03)**
Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, Practice for, **E1497 (11.03)**

Water monitoring program
The Use of Various Turbidimeter Technologies for Measurement of Turbidity in Water, Guide for, **D7726 (11.01)**

Water of hydration
Analysis of Calcium Borosilicate, Test Methods for, **D4487 (06.03)**

Water (organic compound testing)
See **Organic compounds—water**

Water penetration
Sa **Penetration**
Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, Test Method for, **D2099 (15.04)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, Practice for, **C969 (04.05)**
Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), Practice for, **C969M (04.05)**
Limiting Water-Induced Damage to Buildings, Guide for, **E241 (04.11)**
Penetration of Bituminous Materials, Test Method for, **D5/D5M (04.03)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Water Penetration into Pipeline Coatings, Test Method for, **G9 (06.02)**
Water Penetration Rate of Pressure-Sensitive Tapes, Test Method for, **D3816/D3816M (15.10)**
Water Permeability of Geotextiles by Permittivity, Test Methods for, **D4491 (04.13)**
Water Resistance of Footwear Using a Walking Step Simulator, Test Method for, **F1900 (15.07)**

Water penetration—exterior windows/curtain walls/doors
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Water Penetration of Exterior Windows, Skylights, and Doors by Rapid Pulsed Air Pressure Difference, Test Method for, **E2268 (04.12)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**

Water penetration—masonry materials/applications
Field Determination of Water Penetration of Masonry Wall Surfaces, Test Method for, **C1601 (04.05)**
Reduction of Efflorescence Potential in New Masonry Walls, Guide for, **C1400 (04.05)**
Water Penetration and Leakage Through Masonry, Test Method for, **E514/E514M (04.05)**

Water penetration—roofing materials/applications
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Water Penetration of Metal Roof Panel Systems by Static Water Pressure Head, Test Method for, **E2140 (04.12)**

Water permittivity
Permittivity of Geotextiles Under Load, Test Method for, **D5493 (04.13)**

Water (phytoplankton testing)
See **Phytoplankton**

Water pickup
Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, Test Methods for, **D4942 (06.02)**

Water plus sediment content
Sa **Sediment content**
Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), Test Method for, **D4007 (05.02)**
Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure), Test Method for, **D1796 (05.01)**
Water and Sediment in Middle Distillate Fuels by Centrifuge, Test Method for, **D2709 (05.01)**

Water pollution
Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, Practice for, **E1432 (15.08)**

Waterpress assembly
Commercial Food Waste Pulper and Waterpress Assembly, Specification for, **F1150 (15.12)**
Food Waste Pulper Without Waterpress Assembly, Specification for, **F1899 (15.12)**

Waterproofed seams
Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, Practice for, **D4437 (04.13)**

Waterproofing
Electronic Methods for Detecting and Locating Leaks in Waterproof Membranes, Guide for, **D7877 (04.04)**

Waterproofing materials/applications
Sa **Roofing materials/applications**
Application of Fully Adhered Hot-Applied Reinforced Waterproofing Systems, Guide for, **D6622 (04.04)**
Application of Fully Adhered Vulcanized Rubber Sheets Used in Waterproofing, Guide for, **D5843 (04.04)**
Application of Fully Adhered, Cold-Applied, Prefabricated Reinforced Modified Bituminous Membrane Waterproofing Systems, Guide for, **D6769/D6769M (04.04)**
Application of Heat Weldable Atactic Polypropylene (APP) Modified Bituminous Waterproofing Membranes Systems for New Building Decks, Practice for, **D6950/D6950M (04.04)**
Application of Self-Adhering Modified Bituminous Waterproofing, Practice for, **D6135 (04.04)**
Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D41/D41M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, Specification for, **D6223/D6223M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, Specification for, **D6222/D6222M (04.04)**
Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, Test Methods for, **D4830 (04.04)**
Corrosion Resistance of Ferrous Metal Fastener Assemblies Used in Roofing and Waterproofing, Test Method for, **D6294/D6294M (04.04)**
Crack Bridging Ability of Liquid-Applied Waterproofing Membrane, Test Method for, **C1305 (04.04)**
Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks, Guide for, **C981 (04.04)**
Determining the Adhesive and Cohesive Strength Between Materials in Roofing or Waterproofing Membranes and Systems, Test Method for, **D7105 (04.04)**
Dynamic Mechanical Analysis and Thermogravimetry of Roofing and Waterproofing Membrane Material, Practice for, **D6382/D6382M (04.04)**
Extensibility After Heat Aging of Cold Liquid-Applied Elastomeric Waterproofing Membranes, Test Method for, **C1522 (04.04)**
Flexibility of Roofing and Waterproofing Materials and Membranes, Test Method for, **D5683/D5683M (04.04)**
Flood Testing Horizontal Waterproofing Installations, Guide for, **D5957 (04.04)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Hydrostatic Pressure Resistance of a Liquid-Applied Waterproof-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ing Membrane, Test Method for, **C1306 (04.04)**
Hydrostatic Pressure Resistance of Waterproofing Membranes, Test Method for, **D5385 (04.04)**
Measuring Voids in Roofing and Waterproofing Membranes, Test Method for, **D5076/D5076M (04.04)**
Performance Attributes of Waterproofing Membranes Applied to Below-Grade Walls / Vertical Surfaces (Enclosing Interior Spaces), Guide for, **D7832/D7832M (04.04)**
Preparation of Concrete Surfaces for Adhered (Bonded) Membrane Waterproofing Systems, Guide for, **D5295 (04.04)**
Roofing and Waterproofing, Terminology Relating to, **D1079 (04.04)**
Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, Test Methods for, **D146/D146M (04.04)**
Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, Specification for, **D1970/D1970M (04.04)**
Standard Details for Adhered Sheet Waterproofing, Guide for, **D5898/D5898M (04.04)**
Use of Drainage System Media with Waterproofing Systems, Guide for, **D7492/D7492M (04.04)**
Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course, Guide for, **C898/C898M (04.04)**
Use of Portland Cement Concrete Bridge Deck Water Barrier Membrane Systems, Practice for, **D4071 (04.03)**
Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), Test Method for, **D3161/D3161M (04.04)**

Waterproofing materials/applications—specifications
Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, Specification for, **D4070 (04.03)**
Asphalt Based Protection Board for Below-Grade Waterproofing, Specification for, **D6506 (04.04)**
Asphalt Glass Felt Used in Roofing and Waterproofing, Specification for, **D2178/D2178M (04.04)**
Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D41/D41M (04.04)**
Asphalt Used in Dampproofing and Waterproofing, Specification for, **D449/D449M (04.04)**
Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D226/D226M (04.04)**
Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, Specification for, **D6509/D6509M (04.04)**
Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing, Specification for, **D173/D173M (04.04)**
Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, Specification for, **D1327/D1327M (04.04)**
Coal Tar Glass Felt Used in Roofing and Waterproofing, Specification for, **D4990 (04.04)**
Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D43/D43M (04.04)**
Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, Specification for, **D450/D450M (04.04)**
Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing, Specification for, **D227/D227M (04.04)**
Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, Specification for, **D1668 (04.04)**
High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane With Integral Wearing Surface, Specification for, **C957/C957M (04.04)**
Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, Specification for, **D3468/D3468M (04.04)**
Materials for Bridge Deck Waterproofing Membrane Systems, Specification for, **D6153 (04.03)**
Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), Specification for, **D2643/D2643M (04.13)**
Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, Specification for, **D5726 (04.04)**

Waterproof membranes
Electronic Methods for Detecting and Locating Leaks in Waterproof Membranes, Guide for, **D7877 (04.04)**

Waterproof membranes—electronic methods for detecting and locating leaks
Electronic Methods for Detecting and Locating Leaks in Waterproof Membranes, Guide for, **D7877 (04.04)**

Waterproof membranes—leaks
Electronic Methods for Detecting and Locating Leaks in Waterproof Membranes, Guide for, **D7877 (04.04)**

Waterproofness
Coated Fabrics—Waterproofness, Specification for, **D3393 (09.02)**

Water quality degradation
Selection of Methods for Assessing Ground Water or Aquifer Sensitivity and Vulnerability, Guide for, **D6030 (04.09)**

Water quality monitoring
Sa **Microbiological water quality**
Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, Practice for, **D5245 (11.02)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Corrugated High Density Polyethylene (HDPE) Water Quality Units, Specification for, **F2737 (08.04)**
Deposit-Forming Impurities in Steam, Test Methods for, **D2186 (11.02)**
Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, Practice for, **D6725 (04.09)**
Low Levels of Coliphages in Water, Test Method for, **D6734 (11.02)**
Monitoring Aqueous Nutrients in Watersheds, Guide for, **D6146 (11.01)**
Monitoring Sediment in Watersheds, Guide for, **D6145 (11.01)**
On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, Test Method for, **D4519 (11.01)**
On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, Test Method for, **D5173 (11.01)**
On-Line Monitoring Systems for Water Analysis, Guide for, **D3864 (11.01)**
pH of Water, Test Methods for, **D1293 (11.01)**
Planning and Implementing a Water Monitoring Program, Guide for, **D5851 (11.01)**
Purging Methods for Wells Used for Groundwater Quality Investigations, Guide for, **D6452 (04.09)**
Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Set of Data Elements to Describe a Groundwater Site, Guide for, **D5408 (04.08)**

Water quenching
Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, Test Method for, **C1525 (15.01)**

Water (radioactive analysis)
Sa **Radioactive water analysis**
Alpha and Beta Activity in Water By Liquid Scintillation Counting, Test Method for, **D7283 (11.02)**

Water reaction
Water Reaction of Aviation Fuels, Test Method for, **D1094 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Water-reducible coatings
Measurement of Evolved Formaldehyde from Water Reducible Air-Dry Coatings, Test Method for, **D6191 (06.01)**
Testing Industrial Water-Reducible Coatings, Guide for, **D4712 (06.02)**
Water-reducing admixtures (for concrete)
Sa **Concrete admixtures**
Chemical Admixtures for Concrete, Specification for, **C494/C494M (04.02)**
Water repellent coatings
Determining the Water Absorption of Hardened Concrete Treated With a Water Repellent Coating, Test Method for, **D6489 (06.02)**
Evaluating Clear Water Repellent Coatings on Wood, Test Method for, **D5401 (06.02)**
Evaluation of the Effect of Water Repellent Treatments on Freeze-Thaw Resistance of Hydraulic Cement Mortar Specimens, Test Method for, **D5860 (06.02)**
Preparatory Surface Cleaning for Clay Brick Masonry, Practice for, **D5703 (06.02)**
Qualitative Tests for the Presence of Water Repellents and Preservatives in Wood Products, Test Method for, **D2921 (06.02)**
Water-repellant materials/applications
Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, Test Method for, **D4446 (06.02)**
Determining the Water Retention (Repellency) Characteristics of Fibrous Glass Insulation (Aircraft Type), Test Method for, **C1511 (04.06)**
Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar Specimens, Test Method for, **D6532 (06.02)**
Qualitative Tests for the Presence of Water Repellents and Preservatives in Wood Products, Test Method for, **D2921 (06.02)**
Rate of Water Absorption of Masonry Mortars, Test Method for, **C1403 (04.05)**
Resistance to Wetting of Garment-Type Leathers, Test Method for, **D1913 (15.04)**
Water-repellant materials/applications—specifications
Admixtures for Masonry Mortars, Specification for, **C1384 (04.05)**
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
Rainwear and All-Purpose, Water-Repellent Coat Fabrics, Performance Specification for, **D7017 (07.02)**
Water replacement method
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Water rescue
Sa **SAR (search and rescue) operations**
Ice Awls Self-Rescue Technique, Guide for, **F1766 (13.02)**
Ice Staff Self-Rescue Technique, Guide for, **F1765 (13.02)**
Multiple Persons Cold Water Survival/Rescue Technique: Huddle Position, Practice for, **F1728 (13.02)**
Performance of a Water Rescuer–Level II, Guide for, **F1824 (13.02)**
Performance of a Water Rescuer-Level I, Guide for, **F1739 (13.02)**
Performance of an Ice Rescuer—Level II, Guide for, **F1783 (13.02)**
Single Person Cold Water Survival/Rescue Technique: HELP Position, Practice for, **F1729 (13.02)**
Throwing a Water Rescue Throwbag, Guide for, **F1730 (13.02)**
Water Rescue Personal Flotation Device (PFD), Guide for, **F1823 (13.02)**
Water resistance
Adhesive, Casein-Type, Specification for, **D4689 (15.06)**
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Determining the Water Washout Characteristics of Lubricating Greases, Test Method for, **D1264 (05.01)**
Dynamic Water Resistance of Shoe Upper Leather by the Dow Corning Leather Tester, Test Method for, **D2098 (15.04)**
Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, Test Method for, **D2099 (15.04)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**
Testing Water Resistance of Coatings in 100% Relative Humidity, Practice for, **D2247 (06.01)**
Testing Water Resistance of Coatings Using Controlled Condensation, Practice for, **D4585/D4585M (06.01)**
Testing Water Resistance of Coatings Using Water Fog Apparatus, Practice for, **D1735 (06.01)**
Testing Water Resistance of Coatings Using Water Immersion, Practice for, **D870 (06.01)**
Water Resistance of Footwear Using a Walking Step Simulator, Test Method for, **F1900 (15.07)**
Water Resistance of Shipping Containers by Spray Method, Test Method for, **D951 (15.10)**
Water Resistance of Tape and Adhesives Used as Box Closure, Test Method for, **D5570/D5570M (15.10)**
Water-resistant gypsum board—specifications
Coated Glass Mat Water-Resistant Gypsum Backing Panel, Specification for, **C1178/C1178M (04.01)**
Glass Mat Gypsum Substrate for Use as Sheathing, Specification for, **C1177/C1177M (04.01)**
Gypsum Board, Specification for, **C1396/C1396M (04.01)**
Water resistive barrier (WRB) coatings
Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, Specification for, **E2556/E2556M (04.12)**
Water retention
Determination of Dead Loads and Live Loads Associated with Vegetative (Green) Roof Systems, Practice for, **E2397 (04.04)**
Flexural Bond Strength of Masonry, Test Methods for, **E518/E518M (04.05)**
Masonry Cement, Specification for, **C91/C91M (04.01)**
Maximum Media Density for Dead Load Analysis of Vegetative (Green) Roof Systems, Test Method for, **E2399 (04.04)**
Measurement of Masonry Flexural Bond Strength, Test Methods for, **C1072 (04.05)**
Mortars for the Repair of Historic Masonry, Specification for, **C1713 (04.05)**
Physical and Chemical Properties of Particulate Ion-Exchange Resins, Test Methods for, **D2187 (11.02)**
Physical Testing of Quicklime, Hydrated Lime, and Limestone, Test Methods for, **C110 (04.01)**
Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, Test Methods for, **F1815 (15.07)**
Water Loss from a Mortar Specimen Through Liquid Membrane-Forming Curing Compounds for Concrete, Test Method for, **C156 (04.02)**
Water Retention of Hydraulic Cement-Based Mortars and Plasters, Test Method for, **C1506 (04.01)**
Water Retention of Rigid Thermal Insulations Following Partial Immersion, Test Method for, **C1134 (04.06)**
Water Retention of Textile Fibers (Centrifuge Procedure), Test Method for, **D2402 (07.01)**
Water Retentivity of Grout Mixtures for Preplaced-Aggregate Concrete in the Laboratory, Test Method for, **C941 (04.02)**
Water sampling
Sa **Ground-water monitoring/sampling**
Sa **Sampling water analysis applications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Continuous Measurement of Dissolved Ozone in Low Conductivity Water, Test Method for the, **D7677 (11.01)**
On-Line Colorimetric Measurement of Silica, Test Method for, **D7126 (11.01)**
Sampling, Preservation and Mitigating Interferences in Water Samples for Analysis of Cyanide, Practice for, **D7365 (11.02)**

Water-saturated porous materials
Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, Test Method for, **D5567 (04.13)**
Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, Test Methods for, **D5084 (04.08)**

Water saturation
Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, Test Method for, **D4630 (04.08)**
Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, Test Method for, **D4631 (04.08)**

Water (seawater)
Sa **Seawater (natural/synthetic)**
Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, Practice for, **D6800 (11.02)**

Water separation—aviation turbine fuels
Determining Water Separation Characteristics of Aviation Turbine Fuels by Portable Separometer, Test Method for, **D3948 (05.02)**

Water separation—fuels
Determining Water Separation Characteristics of Diesel Fuels by Portable Separometer, Test Method for, **D7261 (05.04)**
Water Separation Properties of Light and Middle Distillate, and Compression and Spark Ignition Fuels, Test Method for, **D7451 (05.04)**

Water-shedding surfaces (of fenestration units)
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**

Watersheds
Monitoring Aqueous Nutrients in Watersheds, Guide for, **D6146 (11.01)**
Monitoring Sediment in Watersheds, Guide for, **D6145 (11.01)**

Watershed segmentation
Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, Test Methods for, **E1382 (03.01)**

Water shower exposure test
Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, Specification for, **D4869/D4869M (04.04)**

Water slide systems
Classification, Design, Manufacture, Construction, and Operation of Water Slide Systems, Practice for, **F2376 (15.07)**

Water softening
Quicklime, Hydrated Lime, and Limestone for Environmental Uses, Specification for, **C1529 (04.01)**

Water solubility
Sa **Acidity, alkalinity, pH**
Evaluate Leaching of Water-Soluble Materials from Latex Paint Films, Practice to, **D7190 (06.02)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**

Water-soluble adhesives
Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, Specification for, **D1874 (15.10)**

Water-soluble ash
Rubber From Synthetic Sources—Total and Water Soluble Ash, Test Method for, **D5667 (09.01)**

Water-soluble chloride
Water-Soluble Chloride in Mortar and Concrete, Test Method for, **C1218/C1218M (04.02)**
Water-Soluble Chlorides Present as Admixtures in Graded Aggregate Road Mixes, Test Methods for, **D1411 (04.08)**

Water-soluble extractable residue
Extracting Residue from Metallic Medical Components and Quantifying via Gravimetric Analysis, Test Method for, **F2459 (13.01)**
Water Extractable Residue from Particulate Ion-Exchange Resins, Test Method for, **D5627 (11.02)**

Water soluble fraction (WSF)
Aquatic Toxicity Testing of Lubricants: Sample Preparation and Results Interpretation, Practice for, **D6081 (05.02)**

Water-soluble halide ion content
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**

Water-soluble-matter content
Aluminum Oxide Powder, Specification for, **F7 (10.04)**
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Chemical Analysis of Blue Pigments, Test Methods for, **D1135 (06.03)**
Chemical Analysis of Hydraulic Cement, Test Methods for, **C114 (04.01)**
Common Properties of Certain Pigments, Test Methods for, **D1208 (06.03)**
Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, Test Method for, **D4940 (06.02)**
Painting Inspectors (Metal Substrates), Guide for, **D3276 (06.02)**
Water Miscibility of Water-Soluble Solvents, Test Method for, **D1722 (06.04)**
Water Solubles in Activated Carbon, Test Method for, **D5029 (15.01)**
Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, Test Methods for, **D2988 (15.05)**
Water-Soluble Matter of Vegetable-Tanned Leather, Test Method for, **D2876 (15.04)**
Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, Test Method for, **D2448 (06.03)**

Water-soluble metalworking fluids
Sa **Metalworking fluids/related media**
Iron Chip Corrosion for Water–Miscible Metalworking Fluids, Test Method for, **D4627 (05.02)**

Water spotting
Evaluate Leaching of Water-Soluble Materials from Latex Paint Films, Practice to, **D7190 (06.02)**
Water Spotting of Emulsion Floor Polishes, Test Method for, **D1793 (15.04)**

Water spray method
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method), Practice for, **D4798/D4798M (04.04)**
Determining the Resistance of Lubricating Grease to Water Spray, Test Method for, **D4049 (05.02)**
Evaluating the Water Wash-Off Resistance of Traffic Paints Using an Atomizing Spray Device, Practice for, **D7538 (06.02)**
Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, Test Method for, **E1646 (04.11)**
Water Resistance of Shipping Containers by Spray Method, Test Method for, **D951 (15.10)**

Water supply/distribution systems
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**
Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), Guide for the, **D5952 (11.07)**
Isolation and Enumeration of, Test Method for, **D5246 (11.02)**
On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, Guide for, **E1160 (12.02)**
Operation of a Gaging Station, Guide for, **D5674 (11.02)**
Rehabilitation of Existing Pipelines and Conduits by the Inver-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

sion and Curing of a Resin-Impregnated Tube, Practice for, **F1216 (08.04)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, Guide for, **D3839 (08.03)**
Underground Installation of Thermoplastic Pressure Piping, Practice for, **D2774 (08.04)**
Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, Guide for, **F1962 (08.04)**

Water supply/distribution systems—marine vessels
See **Marine systems/subsystems/equipment—specifications**

Water supply/distribution systems—specifications
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, Specification for, **D3840 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals, Specification for, **D4161 (08.03)**
"Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe, Specification for, **D3517 (08.03)**
Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe, Schedules 40 and 80, Specification for, **D1527 (08.04)**
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems, Specification for, **D2846/D2846M (08.04)**
Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe (SDR–PR), Specification for, **F442/F442M (08.04)**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, Specification for, **F1960 (08.04)**
Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, Specification for, **A978/A978M (01.06)**
Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, Specification for, **F877 (08.04)**
Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals, Specification for, **D3139 (08.04)**
Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, Specification for, **B813 (02.01)**
Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, Specification for, **F1961 (08.04)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120, Specification for, **D1785 (08.04)**
Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series), Specification for, **D2241 (08.04)**
Polyethylene (PE) Plastic Tubing, Specification for, **D2737 (08.04)**
Seamless and Welded Carbon Steel Water-Well Pipe, Specification for, **A589/A589M (01.01)**
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Seamless Copper Water Tube, Specification for, **B88 (02.01)**
Seamless Copper Water Tube (Metric), Specification for, **B88M (02.01)**
Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, Specification for, **F913 (08.04)**
Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, Specification for, **F480 (08.04)**

Water (surface)
See **Surface water**

Water-surface profiles
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, Test Method for, **D5130 (11.01)**
Operation of a Gaging Station, Guide for, **D5674 (11.02)**

Water table
Defining Boundary Conditions in Groundwater Flow Modeling, Guide for, **D5609 (04.08)**
Presentation of Water-Level Information from Ground-Water Sites, Guide for, **D6000 (04.09)**

Water table control
Subsurface Installation of Corrugated Polyethylene Pipe for Agricultural Drainage or Water Table Control, Practice for, **F449 (08.04)**

Water test
Field Determination of Water Penetration of Masonry Wall Surfaces, Test Method for, **C1601 (04.05)**
Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, Test Method for, **C1091 (04.05)**

Watertight doors
Sa **Shipbuilding steel materials—specifications**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**
Sliding Watertight Door Assemblies, Specification for, **F1196 (01.07)**
Sliding Watertight Door Control Systems, Specification for, **F1197 (01.07)**

Watertight joints
Compression Joints for Vitrified Clay Pipe and Fittings, Specification for, **C425 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets, Specification for, **C443 (04.05)**
Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric), Specification for, **C443M (04.05)**
Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints, Specification for, **C505 (04.05)**
Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric), Specification for, **C505M (04.05)**

Watertight manhole cover assembly
Manhole Cover Assembly, Bolted, Raised, Oiltight and Watertight, Specification for, **F1143 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Specification for, **F1142 (01.07)**
Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Hinged, Specification for, **F1144 (01.07)**

Watertightness
Rubber Examination Gloves, Specification for, **D3578 (09.02)**
Rubber General Purpose, Household or Beautician Gloves, Specification for, **D4679 (09.02)**

Watertight roofing materials
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Watertight roofing materials—specifications
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**

Water tolerance
Blending Mid-Level Ethanol Fuel Blends for Flexible-Fuel Vehicles with Automotive Spark-Ignition Engines, Practice for, **D7794 (05.04)**

Water trap
Water Trap for Diesel Exhaust, Specification for, **F1431 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Water treatment applications
Erosion Testing of Antifouling Paints Using High Velocity Water, Test Method for, **D4938 (06.02)**
Estimation of Chlorine Demand of Water, Practice for, **D1291 (11.02)**
Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted, Practice for, **D5367 (06.02)**
Extraction of Tannins from Raw and Spent Materials, Practice for, **D6405 (15.04)**
Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, Test Method for, **D3385 (04.08)**
Pressure Water Cleaning and Cutting, Practice for, **E1575 (11.03)**
Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, Guide for, **E1857 (04.11)**
Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, Test Method for, **D4939 (06.02)**
Water-treeing
Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, Test Method for, **D6097 (10.02)**
Water triple point cell
Use of Water Triple Point Cells, Guide for, **E1750 (14.03)**
Water tube (copper/copper alloy)
See **Water supply/distribution systems—specifications**
Water use
Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, Guide for, **D5410 (04.08)**
Water Conservation in Buildings Through In-Situ Water Reclamation, Practice for, **E2635 (04.12)**
Water vapor
Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, Guide for, **E1998 (04.11)**
Measuring Water Vapor Transmission Rate (WVTR) of Pharmaceutical Bottles and Blisters, Test Methods for, **D7709 (15.10)**
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**
Water vapor content
Water Vapor Content of Electrical Insulating Gases by Measurement of Dew Point, Test Methods for, **D2029 (10.03)**
Water Vapor Content of Gaseous Fuels by, Test Method for, **D1142 (05.06)**
Water Vapor Content of Gaseous Fuels Using Electronic Moisture Analyzers, Test Method for, **D5454 (05.06)**
Water vapor diffusion
Water Vapor Diffusion Resistance and Air Flow Resistance of Clothing Materials Using the Dynamic Moisture Permeation Cell, Test Methods for, **F2298 (11.03)**
Water vapor permeability
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation, Test Method for, **C1258 (04.06)**
Mortars for the Repair of Historic Masonry, Specification for, **C1713 (04.05)**
Permeability of Leather to Water Vapor, Test Method for, **D5052 (15.04)**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**
Water vapor regained (WVR)
Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment, Test Method for, **E595 (15.03)**
Water vapor resistance
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Water vapor retarders
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**
Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation, Test Method for, **C1258 (04.06)**
Selecting Jacketing Materials for Thermal Insulation, Guide for, **C1423 (04.06)**
Selection of Water Vapor Retarders for Thermal Insulation, Practice for, **C755 (04.06)**
Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, Practice for, **E1643 (04.11)**
Thermal Integrity of Flexible Water Vapor Retarders, Test Method for, **C1263 (04.06)**
Water vapor retarders—specifications
Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, Specification for, **E1677 (04.11)**
Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, Specification for, **D4601/D4601M (04.04)**
Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, Specification for, **E1993/E1993M (04.11)**
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, Specification for, **E1745 (04.11)**
Water vapor sorption
Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, Test Method for, **C1104/C1104M (04.06)**
Moisture Retention Curves of Porous Building Materials Using Pressure Plates, Test Method for, **C1699 (04.06)**
Water vapor transmission (WVT)
Measuring Water Vapor Transmission Rate (WVTR) of Pharmaceutical Bottles and Blisters, Test Methods for, **D7709 (15.10)**
Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, Guide for, **D5886 (04.13)**
Water Vapor Diffusion Resistance and Air Flow Resistance of Clothing Materials Using the Dynamic Moisture Permeation Cell, Test Methods for, **F2298 (11.03)**
Water Vapor in Natural Gas Using Length-of-Stain Detector Tubes, Test Method for, **D4888 (05.06)**
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**
Water Vapor Transmission of Flexible Heat-Sealed Packages for Dry Products, Test Method for, **D3079 (15.10)**
Water Vapor Transmission of NonFilm Forming Treatments Used on Cementitious Panels, Test Method for, **D6490 (06.02)**
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**
Water Vapor Transmission of Pressure-Sensitive Tapes, Test Method for, **D3833/D3833M (15.10)**
Water Vapor Transmission of Shipping Containers—Constant and Cycle Methods, Test Methods for, **D4279 (15.10)**
Water Vapor Transmission Rate of Sheet Materials Using Dynamic Relative Humidity Measurement, Test Method for, **E398 (15.10)**
Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, Test Method for, **F1249 (15.10)**
Water vapor transmission (WVT)—thermal insulation
Flexible, Low Permeance Vapor Retarders for Thermal Insulation, Specification for, **C1136 (04.06)**
Selection of Water Vapor Retarders for Thermal Insulation, Practice for, **C755 (04.06)**
Use of Test Methods, Practice for, **E2321 (04.12)**
Water Vapor Transmission of Materials, Test Methods for, **E96/E96M (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Water velocity
Open Channel Flow Measurement of Water with the Parshall Flume, Test Method for, **D1941 (11.01)**
Open-Channel Flow Measurement of Water by Velocity-Area Method, Test Method for, **D3858 (11.01)**
Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, Test Method for, **D5089 (11.01)**
Velocity Measurements of Water in Open Channels with Rotating Element Current Meters, Test Method for, **D4409 (11.01)**
Water washable penetrants
Sa **Penetrant inspection**
Liquid Penetrant Examination for General Industry, Practice for, **E165/E165M (03.03)**
Visible Penetrant Testing Using the Water-Washable Process, Practice for, **E1418 (03.03)**
Water washout
Determining the Water Washout Characteristics of Lubricating Greases, Test Method for, **D1264 (05.01)**
Water wash sieve residue
Carbon Black—Sieve Residue, Test Method for, **D1514 (09.01)**
Waterways
Escort Vessel Evaluation and Selection, Guide for, **F1878 (01.07)**
Water well pipe
Sa **Carbon steel pipe—specifications**
Seamless and Welded Carbon Steel Water-Well Pipe, Specification for, **A589/A589M (01.01)**
Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, Specification for, **F480 (08.04)**
Clear electrical insulating liquids
Color of Clear Electrical, Test Method for, **D2129 (10.03)**
Wattmeter-ammeter-voltmeter method
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Wattmeter-ammeter-voltmeter method—magnetic properties
Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, Test Method for, **A697/A697M (03.04)**
Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, Test Method for, **A348/A348M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, Test Methods for, **A804/A804M (03.04)**
Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, Test Method for, **A343/A343M (03.04)**
High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, Test Method for, **A1013 (03.04)**
Wattmeter-varmeter-ammeter-voltmeter method
Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, Test Method for, **A889/A889M (03.04)**
Waveband
Radiation Thermometers (Single Waveband Type), Test Methods for, **E1256 (14.03)**
Waveform distortion
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, Test Method for, **A912/A912M (03.04)**
Waveforms
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Wavefront deviation/distortion
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**
Waveguides
Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, Practice for, **E1211/E1211M (03.03)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, Specification for, **B372 (02.01)**
Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, Guide for, **E1653 (03.06)**
Waveheight/waviness indices
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Wavelength
Fluorescence—Instrument Calibration and Qualification, Guide for, **E2719 (03.06)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Solar Simulation for Photovoltaic Testing, Specification for, **E927 (12.02)**
Wavelength accuracy
Describing and Measuring Performance of Dispersive Infrared Spectrometers, Practice for, **E932 (03.06)**
Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, Practice for, **E275 (03.06)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, Practice for, **E925 (03.06)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, Practice for, **E1657 (03.06)**
Wavelength Accuracy and Spectral Bandwidth of Fluorescence Spectrometers, Test Method for, **E388 (03.06)**
Wavelength dispersive X-ray fluorescence (WDXRF)
Sa **XRF (X-ray fluorescence)**
Analysis of Uranium and Thorium in Soils by Energy Dispersive X-Ray Fluorescence Spectroscopy, Test Method for, **C1255 (12.01)**
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Chemical Analysis of Ceramic Whiteware Materials Using Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Methods for, **C1605 (15.02)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Determination of Low Concentrations of Uranium in Oils and Organic Liquids by X-ray Fluorescence, Test Method for, **C1343 (12.01)**
Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6376 (05.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6334 (05.03)**
Sulfur in Gasoline, Diesel Fuel, Jet Fuel, Kerosine, Biodiesel, Biodiesel Blends, and Gasoline-Ethanol Blends by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7039 (05.04)**
Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D4294 (05.02)**
X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, Guide for, **D5381 (06.01)**

Wavelength dispersive X-ray spectrometry
X-ray Spectrometric Analysis of Lime and Limestone, Test Method for, **C1271 (04.01)**

Wavelength distribution
Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, Practice for, **G178 (14.04)**

Wavelength scale
Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, Test Method for, **E1336 (06.01)**
Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, Practice for, **E1341 (06.01)**

Wave mode
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**

Wavenumber calibration
Raman Shift Standards for Spectrometer Calibration, Guide for, **E1840 (03.06)**

Waves
Guided Wave Testing of Above Ground Steel Pipework Using Piezoelectric Effect Transduction, Practice for, **E2775 (03.03)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**

Wave velocity (of pulses)
Sa **Pulse velocity**
Ultrasonic Testing of Geomembranes, Practice for, **D7006 (04.13)**

Waviness index
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**

Wavy edges
Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, Test Method for, **B754 (02.01)**

Wax coatings
Coefficient of Kinetic Friction for Wax Coatings, Test Method for, **D2534 (05.01)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings, Practice for, **A780/A780M (01.06)**
Weight of Wax Applied During Curtain Coating Operation, Test Method for, **D3708 (05.01)**

Wax coatings—specifications
Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**
Zinc Coating (Hot-Dip) on Iron and Steel Hardware, Specification for, **A153/A153M (01.06)**

Wax crystals
Corrosion-Preventive Properties of Lubricating Greases in Presence of Dilute Synthetic Sea Water Environments, Test Method for, **D5969 (05.02)**
Freezing Point of Aviation Fuels (Automatic Laser Method), Test Method for, **D7153 (05.04)**
Freezing Point of Aviation Fuels (Automatic Phase Transition Method), Test Method for, **D5972 (05.02)**

Waxed paper/paperboard
Surface Wax Coating On Corrugated Board, Test Method for, **D3521 (05.01)**
Surface Wax on Waxed Paper or Paperboard, Test Method for, **D2423 (05.01)**
Total Wax Content of Corrugated Paperboard, Test Method for, **D3344 (05.01)**
Weight of Wax Applied During Curtain Coating Operation, Test Method for, **D3708 (05.01)**

Wax emulsion floor polish
Freeze/Thaw Resistance of Wax Emulsion Floor Polish, Test Method for, **D5678 (15.04)**

Waxes
Dichloromethane Solubles in Wood, Test Method for, **D1108 (04.10)**
Ethanol-Toluene Solubility of Wood, Test Method for, **D1107 (04.10)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**

Waxes—natural and synthetic
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**

Waxes—polish
Acid Number (Empirical) of Maleic Anhydride (MAH) Grafted Waxes, Test Method for, **D7389 (15.04)**
Acid Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1386 (15.04)**
Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, Practice for, **D6625 (15.04)**
Determining the Apparent Viscosity of Polyethylene Wax, Test Method for, **D1986 (15.04)**
Dropping Point of Waxes, Test Method for, **D3954 (15.04)**
Evaluation of Automotive Polish, Practice for, **D3836 (15.04)**
Evaluation of Fiberglass Boat Polish and Wax, Practice for, **D4330 (15.04)**
Freeze/Thaw Resistance of Wax Emulsion Floor Polish, Test Method for, **D5678 (15.04)**
Rating Water-Emulsion Floor Polishes, Practice for, **D3052 (15.04)**
Saponification Number (Empirical) of Synthetic and Natural Waxes, Test Method for, **D1387 (15.04)**
Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes, Practice for, **D4095 (15.04)**

Wax immersion
Bulk Density and Volume of Solid Refractories by Wax Immersion, Test Method for, **C914 (15.01)**

Wax method
Shrinkage Factors of Soils by the Wax Method, Test Method for, **D4943 (04.08)**

Wayfinding
Serviceability of an Office Facility for Location, Access and Wayfinding, Classification for, **E1669 (04.11)**

Way lubricants
Coolant Compatibility of Way Lubricants, Test Method for, **D6553 (05.03)**
Thermal Stability of Way Lubricants, Test Method for, **D6203 (05.03)**

WDG (water dispersible granules)
Percent Dispersibility, Test Method for, **E1945 (11.05)**

Weak acid-dissociable (WAD) cyanide
Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, Test Method for, **D6888 (11.02)**
Understanding Cyanide Species, Guide for, **D6696 (11.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Weak anion exchange high performance liquid chromatography
Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Weak Anion Exchange High Performance Liquid Chromatography, Test Method for, **D7883 (06.04)**
Weakest detection path
Detection Sensitivity Mapping of In-Plant Walk-Through, Practice for, **C1270 (12.01)**
Weak metal cyanide complex
Understanding Cyanide Species, Guide for, **D6696 (11.02)**
Weak rocks
Slake Durability of Shales and Similar Weak Rocks, Test Method for, **D4644 (04.08)**
Weapons detection
Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**
Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, Practice for, **F1468 (15.08)**
Wear and wear life
Measuring the Wear Volumes of Piston Ring Segments Run against Flat Coupons in Reciprocating Wear Tests, Guide for, **G206 (03.02)**
Wear assessment
Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, Practice for, **D7416 (05.04)**
Functional and Wear Evaluation of Motion-Preserving Lumbar Total Facet Prostheses, Practice for, **F2694 (13.02)**
Functional, Kinematic, and Wear Assessment of Total Disc Prostheses, Guide for, **F2423 (13.01)**
Galling Resistance of Material Couples, Test Method for, **G196 (03.02)**
Static, Dynamic, and Wear Assessment of Extra-Discal Single Level Spinal Constructs, Test Method for, **F2624 (13.02)**
Wear debris
Characterization of Particles, Practice for, **F1877 (13.01)**
In-Line, Full Flow, Inductive Sensor for Ferromagnetic and Nonferromagnetic Wear Debris Determination and Diagnostics for Aero-Derivative and Aircraft Gas Turbine Engine Bearings, Practice for, **D7685 (05.04)**
Weardown/overstrike test
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Wearing apparel
Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards, Performance Specification for, **F1506 (10.03)**
Wearing surface
Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, Test Method for, **D6024 (04.09)**
Wear metals
Sa **Wear testing—metallic materials**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Wear patterns
Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, Practice for, **F1426 (09.02)**
Wear resistance
Evaluating Degree of Traffic Paint Line Wear, Practice for, **D913 (06.02)**
Pin Abrasion Testing, Test Method for, **G132 (03.02)**
Wear-resistant materials
Linearly Reciprocating Ball-on-Flat Sliding Wear, Test Method for, **G133 (03.02)**
Wear testing
Abrasion Resistance of Horizontal Concrete Surfaces, Test Method for, **C779/C779M (04.02)**
Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, Guide for, **G117 (03.02)**
Conducting Wear Tests Using a Rotary Platform Abraser, Guide for, **G195 (03.02)**
Determining Synergism Between Wear and Corrosion, Guide for, **G119 (03.02)**
Determining the High Stress Abrasion Resistance of Hard Materials, Test Method for, **B611 (03.02)**
Determining the Wear Volume on Standard Test Pieces Used by High-Frequency, Linear-Oscillation (SRV) Test Machine, Practice for, **D7755 (05.04)**
Developing and Selecting Wear Tests, Guide for, **G190 (03.02)**
Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, Test Method for, **B794 (02.04)**
Linear Tire Treadwear Data Analysis, Practice for, **F1016 (09.02)**
Linearly Reciprocating Ball-on-Flat Sliding Wear, Test Method for, **G133 (03.02)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Ranking Resistance of Plastic Materials to Sliding Wear Using a Block-On-Ring Configuration, Test Method for, **G137 (03.02)**
Recommended Format of Wear Test Data Suitable for Databases, Guide for, **G118 (03.02)**
Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser, Test Method for, **C501 (15.02)**
Wear Testing Rotary Operators for Windows, Test Methods for, **E405 (04.11)**
Wear testing—coatings
Evaluating Degree of Traffic Paint Line Wear, Practice for, **D913 (06.02)**
Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, Test Method for, **F1978 (13.01)**
Wear testing—flooring
Vinyl Composition Floor Tile, Specification for, **F1066 (15.04)**
Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, Test Method for, **F1037 (15.04)**
Wear testing—inked ribbons
Abrasiveness of Ink-Impregnated Fabric Printer Ribbons and Other Web Materials, Test Method for, **G56 (03.02)**
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**
Determination of Character Yield of Inked Fabric Typewriter and Printer Ribbons, Practice for, **F92 (15.09)**
Determining the Yield of Wide Inked Computer Ribbons, Test Method for, **F153 (15.09)**
Wear testing—leather
Abrasion Resistance of Leather (Rotary Platform, Abraser Method), Test Method for, **D7255 (15.04)**
Compressibility of Leather, Test Method for, **D2213 (15.04)**
Wear testing—metallic materials
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Determination of Slurry Abrasivity (Miller Number) and Slurry Abrasion Response of Materials (SAR Number), Test Method for, **G75 (03.02)**
Digital Data Acquisition in Wear and Friction Measurements, Guide for, **G163 (03.02)**
Galling Resistance of Materials, Test Method for, **G98 (03.02)**
Linearly Reciprocating Ball-on-Flat Sliding Wear, Test Method for, **G133 (03.02)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Ranking Resistance of Plastic Materials to Sliding Wear Using a

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Block-On-Ring Configuration, Test Method for, **G137 (03.02)**
Wear and Erosion, Terminology Relating to, **G40 (03.02)**
Wear Testing with a Pin-on-Disk Apparatus, Test Method for, **G99 (03.02)**

Wear testing—petroleum products
Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, Test Method for, **D2714 (05.01)**
Cummins M11 EGR Test, Test Method for, **D6975 (05.04)**
Determination of the Coefficient of Friction of Lubricants Using the Four-Ball Wear Test Machine, Test Method for, **D5183 (05.02)**
Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, Test Method for, **D6595 (05.03)**
Determining Fretting Wear Resistance of Lubricating Greases Under High Hertzian Contact Pressures Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7594 (05.04)**
Determining the Shear Strength Between Segmental Concrete Units (Modular Concrete Blocks), Test Method for, **D6916 (04.13)**
Determining Tribomechanical Properties of Grease Lubricated Plastic Socket Suspension Joints Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D7420 (05.04)**
Endurance (Wear) Life and Load-Carrying Capacity of Solid Film Lubricants (Falex Pin and Vee Method), Test Method for, **D2625 (05.01)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), Test Method for, **D6079 (05.02)**
Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, Test Method for, **D7688 (05.04)**
Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), Test Method for, **D6078 (05.02)**
Evaluating Wear Characteristics of Tractor Hydraulic Fluids, Test Method for, **D4998 (05.02)**
Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, Test Method for, **D6891 (05.03)**
Evaluation of Corrosiveness of Diesel Engine Oil at 121 °C, Test Method for, **D5968 (05.02)**
Fretting Wear Protection by Lubricating Greases, Test Method for, **D4170 (05.02)**
Indicating Wear Characteristics of Non-Petroleum and Petroleum Hydraulic Fluids in a Constant Volume Vane Pump, Test Method for, **D7043 (05.04)**
Indicating Wear Characteristics of Petroleum Hydraulic Fluids in a High Pressure Constant Volume Vane Pump, Test Method for, **D6973 (05.04)**
Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), Test Methods for, **D3233 (05.01)**
Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Test Method for, **D5001 (05.02)**
Measuring Friction and Wear Properties of Extreme Pressure (EP) Lubricating Oils Using SRV Test Machine, Test Method for, **D6425 (05.03)**
Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, Test Method for, **D5707 (05.02)**
Measuring Wear Properties of Fluid Lubricants (Falex Pin and Vee Block Method), Test Method for, **D2670 (05.01)**
Reporting Friction and Wear Test Results of Manufactured Carbon and Graphite Bearing and Seal Materials, Guide for, **C808 (05.05)**
Wear Life of Solid Film Lubricants in Oscillating Motion, Test Method for, **D2981 (05.01)**
Wear Preventive Characteristics of Lubricating Fluid (Four-Ball Method), Test Method for, **D4172 (05.02)**
Wear Preventive Characteristics of Lubricating Grease (Four-Ball Method), Test Method for, **D2266 (05.01)**
Wear Preventive Properties of Lubricating Greases Using the (Falex) Block on Ring Test Machine in Oscillating Motion, Test Method for, **D3704 (05.01)**
Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, Test Method for, **D3702 (05.01)**

Wear testing—plastics
Ranking Resistance of Plastics to Sliding Wear Using Block-on-Ring Wear Test—Cumulative Wear Method, Test Method for, **G176 (03.02)**

Wear testing—surgical implant materials/applications
Characterization of Particles, Practice for, **F1877 (13.01)**
Gravimetric Measurement of Polymeric Components for Wear Assessment, Practice for, **F2025 (13.01)**
Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, Guide for, **F1714 (13.01)**
Testing For Biological Responses to Particles, Practice for, **F1903 (13.01)**
Testing the Biological Responses to Particles, Practice for, **F1904 (13.01)**
Wear Testing of Polymeric Materials Used in Total Joint Prostheses, Test Method for, **F732 (13.01)**

Wear testing—textiles
Conducting Wear Tests on Textiles, Guide for, **D3181 (07.01)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**

Wear-through
Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, Test Method for, **B866 (02.05)**
Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, Test Method for, **B877 (02.05)**

Weather
Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, Guide for, **F1011 (11.05)**

Weatherability color-hold guidelines
Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, Specification for, **D4477 (08.03)**

Weather balloons
Coated Fabrics—Air Retention, Test Method for, **D5193/D5193M (09.02)**

Weather conditions
Monitoring Weather Conditions for Safe Parasail Operation, Guide for, **F2993 (15.07)**

Weathered galvanized steel
Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Painting, Practice for, **D6386 (06.02)**

Weathered impact strength
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**

Weathering
Sa **Accelerated aging/testing**
Accelerated Acid Etch Weathering of Automotive Clearcoats Using a Xenon-Arc Exposure Device, Test Method for, **D7356/D7356M (06.01)**
Application of Basic Statistical Methods to Weathering Tests, Guide for, **G169 (14.04)**
Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, Practice for, **G147 (14.04)**
Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, Test Method for, **D5263 (05.06)**
Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, Specification for, **F1073 (01.07)**
Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, Specification for, **F1069 (01.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, Practice for, **D5031/D5031M (06.01)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, Test Method for, **D1654 (06.01)**
Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, Practice for, **G151 (14.04)**
Granule Cover of Mineral Surfaced Roofing, Test Method for, **D6225/D6225M (04.04)**
Metal Black Panel and White Panel Temperature Devices for Natural Weathering Tests, Specification for, **G179 (14.04)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, Practice for, **D5739 (11.02)**
Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G153 (14.04)**
Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, Practice for, **G154 (14.04)**
Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, Practice for, **G152 (14.04)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**
Outdoor Weathering of Construction Seals and Sealants, Practice for, **C1589/C1589M (04.07)**
Pressure-Sensitive Tape for Packaging, Filament-Reinforced, Specification for, **D5330/D5330M (15.10)**
Rubber Deterioration Using Artificial Weathering Apparatus, Practice for, **D750 (09.01)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Selecting and Characterizing Weathering Reference Materials, Practice for, **G156 (14.04)**
Selecting Wood Substrates for Weathering Evaluations of Architectural Coatings, Practice for, **D7787/D7787M (06.02)**
Selection of Committee F16 Fastener Specifications, Guide for, **F1077 (01.08)**
Spalling Resistance of Porcelain Enameled Aluminum, Test Methods for, **C703 (02.05)**
Synthetic Surfaced Running Tracks, Specification for, **F2157 (15.07)**

Weathering—specifications
Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, Specification for, **D4727/D4727M (15.10)**
Lead and Lead Alloy Strip, Sheet, and Plate Products, Specification for, **B749 (02.04)**
Metal Black Panel and White Panel Temperature Devices for Natural Weathering Tests, Specification for, **G179 (14.04)**
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**

Weathering (accelerated)
See **Accelerated weathering**

Weathering (aerospace materials/applications)
Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, Test Method for, **F520 (15.03)**
Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, Test Method for, **F1164 (15.03)**

Weathering (artificial)
See **Artificial weathering**

Weathering (building materials/applications)
Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing, Practice for, **D2898 (04.10)**
Fire Tests of Roof Coverings, Test Methods for, **E108 (04.07)**
Weather Resistance of Slate, Test Method for, **C217/C217M (04.07)**

Weathering (outdoor)
See **Outdoor weathering**

Weathering (paving materials/applications)
Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), Test Methods for, **D545 (04.03)**
Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, Test Methods for, **D5329 (04.03)**
Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, Test Method for, **C88 (04.02)**

Weathering (plastics)
Calculating Property Retention Index of Plastics, Practice for, **D5870 (08.03)**
Chip Impact Strength of Plastics, Test Method for, **D4508 (08.02)**
Flatwise Flexural Impact Resistance of Rigid Plastics, Test Method for, **D6395 (08.03)**
Outdoor Exposure Testing of Photodegradable Plastics, Practice for, **D5272 (08.03)**
Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, Practice for, **D4364 (08.02)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**

Weathering (sealants)
Accelerated Weathering of Solvent-Release-Type Sealants, Test Method for, **C1257 (04.07)**
Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, Test Method for, **C712 (04.07)**
Conducting Tests on Sealants Using Artificial Weathering Apparatus, Practice for, **C1442 (04.07)**
Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, Test Method for, **C793 (04.07)**
Evaluating Adhesion of Installed Weatherproofing Sealant Joints, Practice for, **C1521 (04.07)**
Low-Temperature Flexibility of Latex Sealants After Artificial Weathering, Test Method for, **C734 (04.07)**

Weathering (solar devices)
Determining Thermal Performance of Tracking Concentrating Solar Collectors, Test Method for, **E905 (12.02)**
Evaluating Absorptive Solar Receiver Materials When, Practice for, **E781 (12.02)**
Exposure of Cover Materials for Solar Collectors to Natural Weathering Under Conditions Simulating Operational Mode, Practice for, **E782 (12.02)**
Exposure of Solar Collector Cover Materials to Natural Weathering Under Conditions Simulating Stagnation Mode, Practice for, **E881 (12.02)**
Reference Solar Spectral Distributions: Direct and Diffuse on 20° Tilted and Vertical Surfaces, Table for, **G197 (14.04)**

Weathering steels
Carbon and Alloy Steel Nuts, Specification for, **A563 (01.08)**
Carbon and Alloy Steel Nuts (Metric), Specification for, **A563M (01.08)**
Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, Guide for, **G101 (03.02)**
Steel Transmission Tower Bolts, Zinc-Coated and Bare, Specification for, **A394 (01.08)**

Weathering tube
Volatility of Liquefied Petroleum (LP) Gases, Test Method for, **D1837 (05.01)**

Weatherometer test
Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, Specification for, **C1530/C1530M (04.05)**

Weather-protective coatings
Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, Performance Specification for, **D4866/D4866M (04.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Emulsified Refined Coal Tar (Mineral Colloid Type), Specification for, **D5727/D5727M (04.04)**
Weather resistance
Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, Specification for, **D4363 (10.02)**
Weather-resistant barrier
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, Specification for, **E2556/E2556M (04.12)**
Weather resistant sheet
Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, Specification for, **D4801 (08.02)**
Weather-resistant surfaces
Clay Roof Tiles, Specification for, **C1167 (04.05)**
Weathertightness
Structural Sealant Glazing, Guide for, **C1401 (04.07)**
Weaving wire
Sa **Steel springs—specifications**
Chromium-Nickel Stainless Steel Weaving and Knitting Wire, Specification for, **A478 (01.03)**
Industrial Woven Wire Filter Cloth, Guide for, **E2814 (14.02)**
UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, Specification for, **B475 (02.04)**
Webbings
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Web offset printing inks
Volatile Content of Sheet-Fed and Coldset Web Offset Printing Inks, Test Method for, **D6419 (06.02)**
Web/roller couple
Measurement of Web/Roller Friction Characteristics, Test Method for, **G143 (03.02)**
WEBs
Determination of Surface Lubrication on Flexible Webs, Test Method for, **G164 (03.02)**
Webster hardness
Sa **Hardness tests**
Indentation Hardness of Aluminum Alloys by Means of a Webster Hardness Gage, Test Method for, **B647 (02.02)**
Web thickness
Sampling and Testing Concrete Masonry Units and Related Units, Test Methods for, **C140/C140M (04.05)**
Wedge extraction
Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, Test Method for, **E1221 (03.01)**
Wedge tension testing
Sa **Tensile properties/testing**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), Test Methods for, **F606M (01.08)**
Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, Test Methods for, **F606 (01.08)**
Wedge test
Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), Test Method for, **D3762 (15.06)**
Wedging of Flat, Rectangular Ceramic Wall and Floor Tile, Test Method for, **C502 (15.02)**
Weed control
Chlorophenoxy Acid Herbicides in Waste Using HPLC, Test Method for, **D5659 (11.04)**
Weep holes
Reduction of Efflorescence Potential in New Masonry Walls, Guide for, **C1400 (04.05)**
Weeping
Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, Test Method for, **F948 (08.04)**
Weep system
Evaluation of Water Leakage Performance of Masonry Wall Drainage Systems, Test Method for, **C1715 (04.05)**
Weibull parameters
Compression Resistance of a Container Under Constant Load, Test Method for, **D4577 (15.10)**
Factors and Procedures for Applying the MIL-STD-105 Plans in Life and Reliability Inspection, Practice for, **E2555 (14.02)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, Practice for, **C1239 (15.01)**
Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Graphites, Practice for, **D7846 (05.04)**
Size Scaling of Tensile Strengths Using Weibull Statistics for Advanced Ceramics, Practice for, **C1683 (15.01)**
Statistical Analysis of Service Life Data, Guide for, **G166 (14.04)**
Weighing
Controlling and Characterizing Errors in Weighing Collected Aerosols, Practice for, **D6552 (11.07)**
Top-Loading, Direct-Reading Laboratory Scales and Balances, Test Method of Testing, **E898 (14.04)**
Weigh-in-motion (WIM) systems
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Weight percent volatile content
Determination of Weight Percent Volatile Content of Water-Borne Aerosol Paints, Test Method for, **D5325 (06.01)**
Weigh-strip-weigh
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Weight
Calculation of Commercial Weight and Yield of Scoured Wool, Top, and Noil for Various Commercial Compositions, Practice for, **D2720 (07.01)**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Chemical Resistance and Physical Properties of Carbon Brick, Test Methods for, **C1106 (04.05)**
Emulsified Asphalts, Test Methods and Practices for, **D244 (04.03)**
Equal Arm Balances, Test Method for, **E1270 (14.04)**
Evaluation of Single-Pan Mechanical Balances, Practice for the, **E319 (14.04)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, Test Methods for, **D4808 (05.02)**
Laboratory Weights and Precision Mass Standards, Specification for, **E617 (14.04)**
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Measuring Mass Per Unit Area of Erosion Control Blankets, Test Method for, **D6475 (04.09)**
Measuring Mass per Unit Area of Geotextiles, Test Method for, **D5261 (04.13)**
Measuring Mass per Unit Area of Turf Reinforcement Mats, Test Method for, **D6566 (04.13)**
Obtaining Char Density Profile of Ablative Materials by Machining and Weighing, Test Method for, **E471 (15.03)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Preparation of Liquid Blends for Use as Analytical Standards, Practice for, **D4307 (05.02)**
Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, Test Method for, **G77 (03.02)**
Reference Masses and Devices for Determining Mass and Vol-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ume for Use in the Physical Testing of Hydraulic Cements, Specification for, **C1005 (04.01)**
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**
Weighing a Backpacking or Mountaineering Tent, Test Method for, **F1934 (15.07)**
Weighing a Bicycle, Test Method for, **F2918 (15.07)**
Weighing and Drying Apparatus for Microchemical Analysis, Specification for, **E124 (14.04)**

Weight—concrete/aggregates
Bulk Density ("Unit Weight") and Voids in Aggregate, Test Method for, **C29/C29M (04.02)**
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, Test Method for, **C138/C138M (04.02)**
Determining Density of Structural Lightweight Concrete, Test Method for, **C567/C567M (04.02)**

Weight—falling weight test
See **Falling weight test**

Weight—paints/coatings/related material
Bulk Density of Tapered Paintbrush Filaments, Test Method for, **D6737 (06.02)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density of Liquid Coatings, Inks, and Related Products, Test Method For, **D1475 (06.01)**
Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, Test Method for, **D5066 (06.02)**
Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans, Test Method for, **D5200 (06.01)**
Impact Resistance of Pipeline Coatings (Falling Weight Test), Test Method for, **G14 (06.02)**
Rapid Determination of the Nonvolatile Content of Coatings by Loss in Weight, Test Method for, **D7232 (06.01)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**

Weight—plastics
Resistance of Plastic Films to Extraction by Chemicals, Test Method for, **D1239 (08.01)**

Weight—soil
Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, Practice for, **D4718 (04.08)**
Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, Test Methods for, **D4914 (04.08)**
Density and Unit Weight of Soil in Place by Sand-Cone Method, Test Method for, **D1556 (04.08)**
Density and Unit Weight of Soil in Place by the Rubber Balloon Method, Test Method for, **D2167 (04.08)**
Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, Test Methods for, **D5030/D5030M (04.08)**
Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), Test Methods for, **D1557 (04.08)**
Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), Test Methods for, **D698 (04.08)**

Weight change
Fluid Resistance of Gasket Materials, Test Methods for, **F146 (09.02)**
Preparation of Sediment Samples for Chemical Analysis, Practice for, **D3976 (11.02)**
Quantity of Water-Extractable Matter in Membrane Filters, Test Method for, **D3861 (11.02)**

Weight control requirements
Weight Control Technical Requirements for Surface Ships, Guide for, **F1808 (01.07)**

Weighted linear regression analysis
Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, Practice for, **D6300 (05.03)**

Weighting factors
Calculation of Weighting Factors for Tristimulus Integration, Practice for, **E2022 (06.01)**

Weight loss
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**
Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, Test Method for, **D4778 (11.01)**
Determination of Moisture Content of Particulate Wood Fuels Using a Microwave Oven, Test Method for, **E1358 (05.06)**
Determination of Pitch Volatility, Test Method for, **D4893 (05.02)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, Test Method for, **C792 (04.07)**
Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, Test Method for, **C1246 (04.07)**
Gravimetric Measurement of Polymeric Components for Wear Assessment, Practice for, **F2025 (13.01)**
High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, Specification for, **C836/C836M (04.04)**
Loss-On-Drying by Thermogravimetry, Test Method for, **E1868 (14.02)**
Rapid Determination of the Nonvolatile Content of Coatings by Loss in Weight, Test Method for, **D7232 (06.01)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Stability of Perchloroethylene with Copper, Test Method for, **D3316 (15.05)**
Thermal Oxidative Resistance of Carbon Fibers, Test Method for, **D4102 (15.03)**
Volatile Matter in the Analysis of Particulate Wood Fuels, Test Method for, **E872 (05.06)**
Weight Loss (Mass Loss) of Sheet Steel During Immersion in Sulfuric Acid Solution, Test Method for, **C694 (02.05)**
Weight Loss After Heat Aging of Preformed Tape Sealants, Test Method for, **C771 (04.07)**
Weight Loss of Electrical Insulating Varnishes, Test Method for, **D2756 (10.02)**
Weight Loss of Gasket Materials Upon Exposure to Elevated Temperatures, Test Method for, **F495 (09.02)**
Weight Loss of Solventless Varnishes, Test Method for, **D3377 (10.02)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**

Weight method
Determination of Cross-Sectional Area of Stranded Conductors, Test Method for, **B263/B263M (02.03)**

Weight of filaments (per unit volume)
Bulk Density of Tapered Paintbrush Filaments, Test Method for, **D6737 (06.02)**

Weight of toner
Determining Toner Usage for Printer Cartridges, Practice for, **F1856 (15.09)**

Weight percent epoxide (WPE)
Epoxy Content of Epoxy Resins, Test Method for, **D1652 (06.03)**

Weight-per-gallon cup
Density of Adhesives in Fluid Form, Test Method for, **D1875 (15.06)**
Density of Liquid Coatings, Inks, and Related Products, Test Method For, **D1475 (06.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Weight per unit area
Accumulated Deposition in a Steam Generator Tube, Test Methods for, **D3483 (11.02)**
Applied Weight Per Unit Area of Liquid Adhesive, Practice for, **D899 (15.06)**
ASTM Butadiene Measurement Tables, Standard, **D1550 (05.01)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, Guide for, **B767 (02.05)**
Dusting Attrition of Granular Activated Carbon, Guide for, **D5159 (15.01)**
Mass Per Unit Area (Weight) of Fabric, Test Methods for, **D3776/D3776M (07.01)**
Measurement of Coating Mass Per Unit Area on Anodically Coated Aluminum, Test Method for, **B137 (02.05)**
Use of the Petroleum Measurement Tables, Guide for, **D1250 (05.01)**
Weight per unit length
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Weight saving steel
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
Weights/counter-balances
Tungsten Base, High-Density Metal, Specification for, **B777 (02.04)**
Weight-shift-control aircraft
Continued Airworthiness System for Weight-Shift-Control Aircraft, Specification for, **F2425 (15.11)**
Design and Performance Requirements for Lighter-Than-Air Light Sport Aircraft, Specification for, **F2355 (15.11)**
Design of Weight-Shift-Control Aircraft, Specification for, **F2317/F2317M (15.11)**
Manufacturer Quality Assurance System for Weight-Shift-Control Aircraft, Practice for, **F2448 (15.11)**
Production Acceptance Test Procedures for Weight-Shift-Control Aircraft, Practice for, **F2447 (15.11)**
Required Product Information to be Provided with, Specification for, **F2457 (15.11)**
Weight solids
Calculating Formulation Physical Constants of Paints and Coatings, Practice for, **D5201 (06.01)**
Weight stack
Selectorized Strength Equipment, Specification for, **F2216 (15.07)**
Weirs
Methods for Measuring Well Discharge, Guide for, **D5737 (04.08)**
Open Channel Flow Measurement of Water with Broad-Crested Weirs, Test Method for, **D5614 (11.02)**
Open-Channel Flow Measurement of Water with Thin-Plate Weirs, Test Method for, **D5242 (11.01)**
Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, Guide for, **D5640 (11.02)**
Weir skimmers
Selection of Skimmers for Oil-Spill Response, Guide for, **F1778 (11.05)**
Weissenberg rheogoniometer test
Testing Coating Powders and Powder Coatings, Guide for, **D3451 (06.02)**
Welded attachment links
Forged Grade 80 and Grade 100 Steel Lifting Components and Welded Attachment Links, Specification for, **A952/A952M (01.05)**
Welded construction
Cold-Formed Welded Carbon Steel Hollow Structural Sections (HSS), Specification for, **A1085 (01.01)**
Examination of Welds Using the Alternating Current Field Measurement Technique, Practice for, **E2261/E2261M (03.03)**
High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, Specification for, **A945/A945M (01.04)**
Structural Steel with Improved Yield Strength at High Temperature for Use in Buildings, Specification for, **A1077/A1077M (01.04)**
Structural Steel with Low Yield to Tensile Ratio for Use in Buildings, Specification for, **A1043/A1043M (01.04)**
Welded Cu/Cu alloy castings
Copper Alloy Sand Castings for Valve Applications, Specification for, **B763/B763M (02.01)**
Welded Cu/Cu alloy pipe
Welded Copper-Alloy Pipe, Specification for, **B608 (02.01)**
Welded Copper-Nickel Pipe, Specification for, **B467 (02.01)**
Welded Cu/Cu alloy tube
Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, Specification for, **B552 (02.01)**
Seamless Copper and Copper Alloy Plumbing Pipe and Tube, Classification for, **B698 (02.01)**
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**
Welded Brass Tube, Specification for, **B587 (02.01)**
Welded Copper and Copper-Alloy Heat Exchanger Tube, Specification for, **B543/B543M (02.01)**
Welded Copper Tube, Specification for, **B447 (02.01)**
Welded Copper Tube for Air Conditioning and Refrigeration Service, Specification for, **B640 (02.01)**
Welded electrical contact assemblies
See **Electrical contact materials**
Welded layered pressure vessels
Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, Quenched and Tempered, for Welded Pressure Vessels, Specification for, **A724/A724M (01.04)**
Welded Ni/Ni alloy pipe—specifications
Electric Fusion Welded Nickel and Nickel Alloy Pipe, Specification for, **B474 (02.04)**
Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, Specification for, **B546 (02.04)**
Factory-Made Wrought Nickel and Nickel Alloy Fittings, Specification for, **B366 (02.04)**
General Requirements for Nickel and Nickel Alloy Welded Pipe, Specification for, **B775 (02.04)**
Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, Specification for, **B705 (02.04)**
Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, Specification for, **B723 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten-Alloys, Specification for, **B757 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, Specification for, **B710 (02.04)**
UNS N08367 Welded Pipe, Specification for, **B675 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, Specification for, **B673 (02.04)**
Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Pipe, Specification for, **B725 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Pipe, Specification for, **B619 (02.04)**
Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, Specification for, **B517 (02.04)**
Welded Nickel-Iron-Chromium Alloy Pipe, Specification for, **B514 (02.04)**
Welded UNS N08020 Alloy Pipe, Specification for, **B464 (02.04)**
Welded Ni/Ni alloy tube—specifications
General Requirements for Nickel and Nickel Alloy Welded Tube, Specification for, **B751 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Tube, Specification for, **B726 (02.04)**
Nickel-Chromium-Molybdenum-Tungsten Alloys, Specification for, **B758 (02.04)**
Nickel-Iron-Chromium-Silicon Alloy Welded Tube, Specification for, **B739 (02.04)**
Seamless and Welded Nickel Alloy Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **B924 (02.04)**
UNS N08367 Welded Tube, Specification for, **B676 (02.04)**
UNS N08925, UNS N08354, and UNS N08926 Welded Tube, Specification for, **B674 (02.04)**
Welded Nickel and Nickel-Cobalt Alloy Tube, Specification for, **B626 (02.04)**
Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, Specification for, **B516 (02.04)**
Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, Specification for, **B704 (02.04)**
Welded UNS N08020 Alloy Tubes, Specification for, **B468 (02.04)**
Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, Specification for, **B515 (02.04)**

Welded/seamless wrought steel pipe
Welded and Seamless Wrought Steel Pipe [American National Standard], **ANSI/ASMEB36.19M-1985** (Related Material) **(01.01)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ASMEB36.10M-1996** (Related Material) **(01.01)**

Welded steel bars/shapes—specifications
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
Headed Steel Bars for Concrete Reinforcement, Specification for, **A970/A970M (01.04)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
Welded Deformed Steel Bar Mats for Concrete Reinforcement, Specification for, **A184/A184M (01.04)**
Welded Steel Plain Bar or Rod Mats for Concrete Reinforcement, Specification for, **A704/A704M (01.04)**

Welded steel castings—specifications
Sa **Steel castings**
Steel Castings, Carbon, Suitable for Fusion Welding, for High-Temperature Service, Specification for, **A216/A216M (01.02)**
Steel Castings, Surface Acceptance Standards, Visual Examination, Practice for, **A802/A802M (01.02)**

Welded steel forgings
Magnetic Particle Examination of Steel Forgings, Practice for, **A275/A275M (01.05)**

Welded steel forgings—specifications
Sa **Steel forgings—specifications**
Steel Forgings, Alloy, for Carburizing Applications, Specification for, **A837/A837M (01.05)**

Welded steel materials/applications
Acoustic Emission Examination of Welded Steel Sphere Pressure Vessels Using Thermal Pressurization, Practice for, **E2863 (03.03)**
Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practices for, **A262 (01.03)**
Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, Practices for, **A763 (01.03)**
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**

Welded steel materials/applications—specifications
Sa **Structural steel (SS)**
Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, Specification for, **A769/A769M (01.04)**
Grade 80 and Grade 100 Alloy Steel Chain Slings for Overhead Lifting, Specification for, **A906/A906M (01.05)**
High-Strength Carbon-Manganese Steel of Structural Quality, Specification for, **A529/A529M (01.04)**
Machine and Coil Chain, Specification for, **A467/A467M (01.05)**
Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Nickel-Chromium-Molybdenum, Specification for, **A543/A543M (01.04)**
Structural Steel Shapes, Specification for, **A992/A992M (01.04)**

Welded steel pipe—specifications
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use, Specification for, **A795/A795M (01.01)**
Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures, Specification for, **A691/A691M (01.01)**
Cold-Worked Welded Austenitic Stainless Steel Pipe, Specification for, **A814/A814M (01.01)**
Electric-Fusion (Arc)-Welded Steel Pipe (NPS 4 and Over), Specification for, **A139/A139M (01.01)**
Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, Specification for, **A358/A358M (01.01)**
Electric-Resistance-Welded Low-Carbon Steel Pipe for the Chemical Industry, Specification for, **A587 (01.01)**
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
High-Strength Low-Alloy Welded and Seamless Steel Pipe, Specification for, **A714 (01.01)**
Metal-Arc-Welded Steel Pipe for Use With High-Pressure Transmission Systems, Specification for, **A381 (01.01)**
Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless, Specification for, **A53/A53M (01.01)**
Pipe, Steel, Electric-Fusion (Arc)-Welded (Sizes NPS 16 and Over), Specification for, **A134 (01.01)**
Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures, Specification for, **F1083 (01.06)**
Seamless and Welded Carbon Steel Water-Well Pipe, Specification for, **A589/A589M (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, Specification for, **A790/A790M (01.01)**
Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, Specification for, **A333/A333M (01.01)**
Seamless, Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes, Specification for, **A312/A312M (01.01)**
Single- or Double-Welded Austenitic Stainless Steel Pipe, Specification for, **A813/A813M (01.01)**
Steel Line Pipe, Black, Plain End, Laser Beam Welded, Specification for, **A1006/A1006M (01.01)**
Steel Line Pipe, Black, Plain End, Longitudinal and Helical Seam, Double Submerged-Arc Welded, Specification for, **A1005/A1005M (01.01)**
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**
Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**
Welded and Seamless Steel Pipe Piles, Specification for, **A252 (01.01)**
Welded Ferritic-Martensitic Stainless Steel Pipe, Specification for, **A1053/A1053M (01.01)**
Wrought High-Strength Ferritic Steel Butt-Welding Fittings,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Specification for, **A860/A860M (01.01)**
Welded steel plate/sheet/strip—specifications
Carbon Structural Steel, Specification for, **A36/A36M (01.04)**
High-Strength Low-Alloy Columbium-Vanadium Structural Steel, Specification for, **A572/A572M (01.04)**
High-Strength Low-Alloy Structural Steel, Specification for, **A242/A242M (01.04)**
High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, Specification for, **A514/A514M (01.04)**
Normalized High-Strength Low-Alloy Structural Steel Plates, Specification for, **A633/A633M (01.04)**
Pressure Vessel Plates, Alloy Steel, Double-Normalized and Tempered 9 % Nickel, Specification for, **A353/A353M (01.04)**
Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service, Specification for, **A516/A516M (01.04)**
Pressure Vessel Plates, Carbon Steel, Low- and Intermediate-Tensile Strength, Specification for, **A285/A285M (01.04)**
Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings, Specification for, **A562/A562M (01.04)**
Welded steel shipbuilding materials
Sa **Shipbuilding steel pipe materials—specifications**
Cleats, Welded Horn Type, Specification for, **F1074 (01.07)**
Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, Practice for, **F1076 (01.07)**
Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), Specification for, **F1200 (01.07)**
Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures, Specification for, **F1083 (01.06)**
Selection of Structural Details for Ship Construction, Guide for, **F1455 (01.07)**
Turnbuckles, Swaged, Welded, Forged, Specification for, **F1145 (01.07)**
Welded steel shipbuilding materials—specifications
Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), Specification for, **F1199 (01.07)**
Welded steel tube—specifications
Cold-Drawn Buttweld Carbon Steel Mechanical Tubing, Specification for, **A512 (01.01)**
Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes, Specification for, **A500/A500M (01.01)**
Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, Specification for, **A847/A847M (01.01)**
Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing, Specification for, **A513/A513M (01.01)**
Electric-Resistance-Welded Carbon Steel and Carbon-Manganese Steel Boiler and Superheater Tubes, Specification for, **A178/A178M (01.01)**
Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes, Specification for, **A214/A214M (01.01)**
Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, Specification for, **A250/A250M (01.01)**
Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, Specification for, **A787/A787M (01.01)**
General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, Specification for, **A1016/A1016M (01.01)**
Hot-Formed Welded and Seamless Carbon Steel Structural Tubing, Specification for, **A501 (01.01)**
Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing, Specification for, **A618/A618M (01.01)**
Seamless and Electric-Welded Low-Alloy Steel Tubes, Specification for, **A423/A423M (01.01)**
Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, Specification for, **A270/A270M (01.01)**
Seamless and Welded Austenitic Stainless Steel Feedwater Heater Tubes, Specification for, **A688/A688M (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing (Small-Diameter) for General Service, Specification for, **A632 (01.01)**
Seamless and Welded Austenitic Stainless Steel Tubing for General Service, Specification for, **A269 (01.01)**
Seamless and Welded Carbon and Alloy-Steel Tubes for Low-Temperature Service, Specification for, **A334/A334M (01.01)**
Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, Specification for, **A498 (01.01)**
Seamless and Welded Ferritic and Martensitic Stainless Steel Tubing for General Service, Specification for, **A268/A268M (01.01)**
Seamless and Welded Ferritic Stainless Steel Feedwater Heater Tubes, Specification for, **A803/A803M (01.01)**
Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, Specification for, **A1012 (01.01)**
Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, Specification for, **A789/A789M (01.01)**
Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, Specification for, **A1020/A1020M (01.01)**
Steel Tubes, Low-Carbon or High-Strength Low-Alloy, Tapered for Structural Use, Specification for, **A595/A595M (01.01)**
Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes, Specification for, **A249/A249M (01.01)**
Welded Stainless Steel Mechanical Tubing, Specification for, **A554 (01.01)**
Welded, Unannealed Austenitic Stainless Steel Tubular Products, Specification for, **A778 (01.01)**
Welded steel wire—specifications
Sa **Steel wire (concrete reinforcement applications)—specifications**
Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement, Specification for, **A1022/A1022M (01.04)**
Epoxy-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A884/A884M (01.04)**
General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel, and Alloy Steel, Specification for, **A510/A510M (01.03)**
Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric), Specification for, **A740 (01.06)**
Vinyl-Coated Steel Wire and Welded Wire Reinforcement, Specification for, **A933/A933M (01.04)**
Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated), Specification for, **A974 (01.06)**
Welded Wire Lath, Specification for, **C933 (04.01)**
Zinc-Coated (Galvanized) Steel Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1060/A1060M (01.04)**
Welded Ti/Ti alloy—specifications
Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer, Specification for, **B891 (02.04)**
Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, Specification for, **B338 (02.04)**
Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings, Specification for, **B363 (02.04)**
Titanium and Titanium Alloy Welded Pipe, Specification for, **B862 (02.04)**
Titanium and Titanium Alloy Wire, Specification for, **B863 (02.04)**
Welded wire
Carbon-Steel Wire and Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1064/A1064M (01.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**

Welded Zr/Zr alloy
Seamless and Welded Zirconium and Zirconium Alloy Pipe, Specification for, **B658/B658M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Tubes, Specification for, **B523/B523M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Welding Fittings, Specification for, **B653/B653M (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**

Weld filler metal (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**

Welding electrode (UNS) numbering system
Numbering Metals and Alloys in the Unified Numbering System (UNS), Practice for, **E527 (01.01)**

Welding/welds
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**
Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, Practice for, **C1147 (08.01)**
Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, Practice for, **G35 (03.02)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**
Guided Bend Test for Ductility of Welds, Test Method for, **E190 (03.01)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**
Niobium and Niobium Alloy Seamless and Welded Tubes, Specification for, **B394 (02.04)**
Preparation of Stress-Corrosion Test Specimens for Weldments, Practice for, **G58 (03.02)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Radiography of Cast Metallic Surgical Implants, Practice for, **F629 (13.01)**
Radioscopic Examination of Weldments, Test Method for, **E1416 (03.03)**
Reconstitution of Irradiated Charpy-Sized Specimens, Guide for, **E1253 (12.02)**
Steel Fusion Welds, Reference Radiographs for, **E390 (03.03)**
Stress Relaxation for Materials and Structures, Test Methods for, **E328 (03.01)**
Tantalum and Tantalum Alloy Seamless and Welded Tubes, Specification for, **B521 (02.04)**

Welding/welds—specifications
Factory-Made Wrought Aluminum and Aluminum-Alloy Welding Fittings, Specification for, **B361 (02.02)**

Welding/welds (nondestructive testing)
Acoustic Emission Monitoring During Continuous Welding, Practice for, **E749/E749M (03.03)**
Acoustic Emission Monitoring During Resistance Spot-Welding, Practice for, **E751/E751M (03.03)**
Ammonia Colorimetric Leak Testing, Practice for, **E1066/E1066M (03.03)**
Characterizing Acoustic Emission Instrumentation, Practice for, **E750 (03.03)**
Contact Ultrasonic Testing of Weldments, Practice for, **E164 (03.03)**
Electromagnetic (Eddy Current) Examination of Type, Practice for, **E1033 (03.03)**
Electromagnetic Acoustic Transducers (EMATs), Guide for, **E1774 (03.03)**
Radiographic Examination of Weldments, Test Method for, **E1032 (03.03)**
Steel Fusion Welds, Reference Radiographs for, **E390 (03.03)**
Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing, Practice for, **E273 (03.03)**

Welding/welds (pressure vessels)
See **Pressure vessel steel**

Weld interface failure
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**

Weldless steel chain
Sa **Steel chain—specifications**
Weldless Chain, Specification for, **A466/A466M (01.05)**

Weldless steel wire strand
Sa **Steel wire strand—specifications**
Uncoated, Weldless, 2-Wire and 3-Wire Steel Strand for Prestressed Concrete, Specification for, **A910/A910M (01.04)**

Weldpoint
Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), Test Method for, **D2783 (05.01)**

Weld strength/durability
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**

Weld zone
Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing, Practice for, **E273 (03.03)**

Well casing pipe and couplings
Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, Specification for, **F480 (08.04)**

Well construction
Conducting Borehole Geophysical Logging: Mechanical Caliper, Guide for, **D6167 (04.09)**

Well damage/protection
Monitoring Well Protection, Practice for, **D5787 (04.08)**

Well efficiency
Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, Test Method (Analytical Procedure) for, **D6034 (04.09)**

Well logging
Conducting Borehole Geophysical Logging - Gamma, Guide for, **D6274 (04.09)**
Conducting Borehole Geophysical Logging—Electromagnetic Induction, Guide for, **D6726 (04.09)**
Conducting Borehole Geophysical Logging—Neutron, Guide for, **D6727 (04.09)**
Planning and Conducting Borehole Geophysical Logging, Guide for, **D5753 (04.08)**

Well point
Direct-Push Groundwater Sampling for Environmental Site Characterization, Guide for, **D6001 (04.09)**

Wells
(Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, Test Method for, **D5855 (04.08)**
(Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, Practice for, **D5786 (04.08)**
24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, Test Method for, **D4646 (11.04)**
Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, Guide for, **D5299 (04.08)**
Determining Transmissivity, Storage Coefficient, and Anisotropy

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Ratio from a Network of Partially Penetrating Wells, Test Method for (Analytical Procedure), **D5850 (04.08)**
Development of Groundwater Monitoring Wells in Granular Aquifers, Guide for, **D5521/D5521M (04.08)**
Locating Abandoned Wells, Guide for, **D6285 (04.09)**
Measuring the Rate of Well Discharge by Circular Orifice Weir, Test Method for, **D5716 (04.08)**
Methods for Measuring Well Discharge, Guide for, **D5737 (04.08)**
Minimum Set of Data Elements to Identify a Groundwater Site, Practice for, **D5254/D5254M (04.08)**
Monitoring Well Protection, Practice for, **D5787 (04.08)**
Sampling Ground-Water Monitoring Wells, Guide for, **D4448 (11.04)**
Selection and Documentation of Existing Wells for Use in Environmental Site Characterization and Monitoring, Guide for, **D5980 (04.09)**

Well site
Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, Guide for, **D5409/D5409M (04.08)**

Welting
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**

Wenner four-electrode method
Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, Test Method for, **G57 (03.02)**

Westcott thermal neutron flux measurement
See **Thermal neutron flux**

Westergren method
Glass Westergren Tube, Disposable, Specification for, **E1046 (14.04)**
Glass Westergren Tube, Reusable, Specification for, **E923 (14.04)**

Western red cedar
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**

West-Gaeke method
Sulfur Dioxide Content of the Atmosphere (West-Gaeke Method), Test Methods for, **D2914 (11.07)**

Wet abrasion resistance
Sa **Abrasion resistance**
Practical Washability of Organic Coatings, Test Methods for, **D4828 (06.02)**
Scrub Resistance of Paints by Abrasion Weight Loss, Test Method for, **D4213 (06.02)**
Wet and Dry Yarn-on-Yarn Abrasion Resistance, Test Method for, **D6611 (07.02)**

Wet adhesion
Evaluating Adhesion by Knife, Test Method for, **D6677 (06.02)**
Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, Test Method for, **D6900 (06.02)**

Wet analysis
Measurement of Fines and Dust Particles on Plastic Pellets by Wet Analysis, Test Method for, **D7486 (08.03)**

Wet blue
Chromic Oxide in Ashed Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6714 (15.04)**
Determination of Chromic Oxide in Wet Blue (Perchloric Acid Oxidation), Test Method for, **D6656 (15.04)**
Determining the Area Stability of Wet Blue Submersed in Boiling Water, Test Method for, **D7477 (15.04)**
Evaluating the Resistance of the Surface of Wet Blue to the Growth of Fungi in an Environmental Chamber, Test Method for, **D7584 (15.04)**
Hexane/Petroleum Ether Extract in Wet Blue and Wet White, Test Method for, **D7674 (15.04)**
Mold Growth Resistance of Wet Blue, Test Method for, **D4576 (15.04)**
pH of Wet Blue, Test Method for, **D6657 (15.04)**
Sampling and Preparation of Wet Blue for Physical and Chemical Tests, Practice for, **D6659 (15.04)**
Total Ash in Wet Blue or Wet White, Test Method for, **D6716 (15.04)**
Volatile Matter (Moisture) of Wet Blue by Oven Drying, Test Method for, **D6658 (15.04)**

Wet candle method
Determining Atmospheric Chloride Deposition Rate by Wet Candle Method, Test Method for, **G140 (03.02)**

Wet chemical analysis
Sa **Chemical analysis**
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, Test Methods for, **C758 (12.01)**
Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, Test Methods for, **D4575 (09.01)**

Wet classification
McNett Wet Classification of Dual Asbestos Fiber, Test Method for, **D2589/D2589M (04.05)**

Wet conditioning/testing
Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS), Test Method for, **E2134/E2134M (04.12)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**

Wet covering capacity
Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement, Test Method for, **C166 (04.06)**

Wet cup method
Water Vapor Transmission of Organic Coating Films, Test Methods for, **D1653 (06.01)**

Wet deposition samples
See **Atmospheric wet deposition (AWD)**

Wet digestion
Preparation of Biological Samples for Inorganic Chemical Analysis, Guide for, **D4638 (11.01)**
Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, Practice for, **D4698 (11.02)**

Wet/dry cycling
Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, Specification for, **C1459 (04.05)**

Wet extraction
Assessing Carpet Cleaning Effectiveness in Terms of Visual Appearance Change When Cleaned with a Wet Extraction Cleaning System, Test Method for, **F2828 (15.08)**

Wet film thickness
Measurement of Wet Film Thickness by Notch Gages, Practice for, **D4414 (06.01)**
Measurement of Wet Film Thickness of Organic Coatings, Test Methods for, **D1212 (06.01)**

Wet ground mica pigment
Wet Ground Mica Pigments, Specification for, **D607 (06.03)**

Wet hair evaluation
Descriptive Analysis of Shampoo Performance, Guide for, **E2082 (15.08)**

Wet installation
Sa **Installation**
Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, Specification for, **D4068 (08.03)**
Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, Specification for, **D4551 (08.03)**

Wet insulation
Location of Wet Insulation in Roofing Systems Using Infrared Imaging, Practice for, **C1153 (04.06)**

Wet insulation integrity
Wet Insulation Integrity Testing of Photovoltaic Arrays, Test Method for, **E2047 (12.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wet Insulation Integrity Testing of Photovoltaic Modules, Test Methods for, **E1802 (12.02)**

Wet length—classification
Turner and Newall (T and N) Wet-Length Classification of Asbestos, Test Method for, **C1121/C1121M (04.05)**

Wet magnetic particle examination
Sa **Magnetic particle inspection**
Magnetic Particle Testing, Guide for, **E709 (03.03)**
Magnetic Particle Testing, Practice for, **E1444/E1444M (03.03)**

Wet-mix shotcrete
Materials for Shotcrete, Specification for, **C1436 (04.02)**

Wet mops
Labeling for Wet Mops for Consumer and Institutional Use, Specification for, **F2368 (15.11)**

Wetness
Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, Practice for, **G84 (03.02)**

Wet oxidation testing
Total Mercury in Coal and Coal Combustion Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, Test Methods for, **D6414 (05.06)**

Wet pavement friction
Calculating International Friction Index of a Pavement Surface, Practice for, **E1960 (04.03)**

Wet process
Asphalt-Rubber Binder, Specification for, **D6114/D6114M (04.03)**

Wet-process materials (black-white/color)
Reflected-Light Photomicrography, Guide for, **E883 (03.01)**

Wet retroreflective (R_L) properties
Sa **Retroreflective marking materials—specifications**
Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness, Test Method for, **E2177 (06.01)**

Wet sand/rubber wheel abrasion test
Conducting Wet Sand/Rubber Wheel Abrasion Tests, Test Method for, **G105 (03.02)**

Wet sieve analysis
Nuclear-Grade Beryllium Oxide Powder, Specification for, **C708 (12.01)**
Performing the Sieve Analysis of Coal and Designating Coal Size, Test Method for, **D4749 (05.06)**
Precision Electroformed Wet Sieve Analysis of Nonplastic Ceramic Powders, Guide for, **C925 (15.02)**
Rubber Chemicals—Wet Sieve Analysis of Sulfur, Test Method for, **D4572 (09.01)**
Rubber Compounding Materials—Wet Sieve Analysis of Powdered Rubber Compounding Materials, Test Method for, **D5461 (09.01)**
Wet Sieve Analysis of Ceramic Whiteware Clays, Guide for, **C325 (15.02)**

Wet sieving
Sampling Freshly Mixed Concrete, Practice for, **C172/C172M (04.02)**

Wet soil sample preparation
See **Sample preparation**

Wet stack
Outdoor Evaluation of Wet Stack Storage Conditions on Coil-Coated Metals, Practice for, **D7376 (06.02)**

Wet surface adhesion
Adhesion of Asphalt-Roof Cement to Damp, Wet, or Underwater Surfaces, Test Method for, **D3409 (04.04)**
Viscosity-Graded Asphalt Cement for Use in Pavement Construction, Specification for, **D3381/D3381M (04.03)**

Wettability
Determination of Dynamic Water Absorption of Leather Surfaces, Test Method for, **D6014 (15.04)**
Determining Corrosivity of Crude Oils, Guide for, **G205 (03.02)**
Estimating Critical Surface Tensions, Practice for, **D7541 (06.01)**
Pigments for Integrally Colored Concrete, Specification for, **C979/C979M (04.02)**
Surface Wettability of Coatings, Substrates and Pigments by Advancing Contact Angle Measurement, Practice for, **D7334 (06.01)**

Wettage
Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), Test Method for, **D5236 (05.02)**

Wet tape test
Chromates on Aluminum, Specification for, **B449 (02.05)**

Wet tensile strength
Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, Test Methods for, **E154/E154M (04.11)**

Wet testing
Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), Test Method for, **D4886 (04.13)**
Autoclavability of Membrane Filters, Test Methods for, **D4199 (11.02)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Determination of Corrosion-Preventive Properties of Lubricating Greases Under Dynamic Wet Conditions (Emcor Test), Test Method for, **D6138 (05.03)**
Strength of Sewn or Bonded Seams of Geotextiles, Test Method for, **D4884/D4884M (04.13)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**

Wet testing—surfaces
Unused Rope with Special Electrical Properties, Specification for, **F1701 (10.03)**

Wetting
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Estimating Critical Surface Tensions, Practice for, **D7541 (06.01)**
Internal Bond Strength and Thickness Swell of Cellulosic-Based Fiber and Particle Panels After Repeated Wetting, Test Method for, **D7519 (04.10)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**

Wetting agents
Chemical Analysis of Industrial Metal Cleaning Compositions, Test Methods of, **D800 (15.04)**
Evaluation of Wetting Agents by the Skein Test, Test Method for, **D2281 (15.04)**
Quantity of Water-Extractable Matter in Membrane Filters, Test Method for, **D3861 (11.02)**
Resistance to Wetting of Garment-Type Leathers, Test Method for, **D1913 (15.04)**

Wetting-and-drying conditions
Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, Test Method for, **D5313/D5313M (04.08)**
Wet-to-Dry Hiding Change, Test Method for, **D5007 (06.02)**
Wetting and Drying Test of Solid Wastes, Test Method for, **D4843 (11.04)**

Wetting tension
Corona-Treated Polymer Films Using Water Contact Angle Measurements, Test Method for, **D5946 (08.03)**
Wetting Tension of Polyethylene and Polypropylene Films, Test Method for, **D2578 (08.01)**

Wet track abrasion test
Design, Testing, and Construction of Slurry Seal, Practices for, **D3910 (04.03)**

Wet tracking
Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, Test Method for, **D2132 (10.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wet traction performance
Evaluating Tire Traction Performance Data Under Varying Test Conditions, Practice for, **F1650 (09.02)**
Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, Test Methods for, **F1649 (09.02)**
Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, Test Method for, **F408 (09.02)**
Wet use
Adhesives Used for Finger Joints in Nonstructural Lumber Products, Specification for, **D5572 (15.06)**
Wet volume
Sa **Volumetric measurement**
Measuring Maximum Functional Wet Volume of Utility Vacuum Cleaners, Test Method for, **F1410 (15.08)**
Wet Volume of Asbestos, Test Method for, **C1122/C1122M (04.05)**
Wheat straw
Ash in Biomass, Test Method for, **E1755 (05.06)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Wheel assemblies
Accelerated Polishing of Aggregates Using the British Wheel, Practice for the, **D3319 (04.03)**
Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, Specification for, **E1318 (04.03)**
Wheel bearing grease
Sa **Lubricating grease**
Automotive Service Greases, Classification and Specification for, **D4950 (05.02)**
Determining the Leakage Tendencies of Automotive Wheel Bearing Grease Under Accelerated Conditions, Test Method for, **D4290 (05.02)**
Life Performance of Automotive Wheel Bearing Grease, Test Method for, **D3527 (05.01)**
Wheelchair maneuverabilty
Determination of Accessibility of Surface Systems Under and Around Playground Equipment, Specification for, **F1951 (15.07)**
Wheel force transducer system
Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), Test Method for, **E556/E556M (04.03)**
Wheel path
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, Test Method for, **E1486 (04.11)**
Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), Test Method for, **E1486M (04.11)**
Evaluate the Effect of Dynamic Rolling Load over Resilient Floor Covering System, Practice to, **F2753 (15.04)**
Wheel retention
Manually Operated Front Wheel Retention Systems for Bicycles, Specification for, **F2680 (15.07)**
Wheel stop
Safe Walking Surfaces, Practice for, **F1637 (15.07)**
Wheeltrack
Measuring Road Roughness by Static Level Method, Test Method for, **E1364 (04.03)**
Wheel trencher
Installation of Geocomposite Pavement Drains, Practice for, **D6088 (04.13)**
Whelps
Wildcats, Ship Anchor Chain, Specification for, **F765 (01.07)**
Whipping
Mixing Machines, Food, Electric, Specification for, **F952 (15.12)**
Whiskers
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Whistle signals
Using Whistle Signals During Rope Rescue Operations, Guide for, **F1768 (13.02)**
White architectural enamels
See **Architectural paints/coatings**
White extender pigments
See **Extender pigments**
White iron castings
See **Cast iron—specifications**
White lead pigment
Sa **Basic carbonate white lead pigment**
Basic Carbonate White Lead Pigment, Specification for, **D81 (06.03)**
White linseed oil paints
See **Linseed oils**
White metal bearing alloys ("Babbitt")
White Metal Bearing Alloys, Specification for, **B23 (02.04)**
White mineral oil
Sa **Mineral oils**
Evaluation of White Mineral Oils by Ultraviolet Absorption, Test Method for, **D2269 (05.01)**
Whiteness index
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Comparing Colors of Films from Water-Emulsion Floor Polishes, Test Method for, **D3210 (15.04)**
Rubber Compounding Materials—Titanium Dioxide, Classification for, **D4677 (09.01)**
Whitening performance
Colorimetry of Teeth Using Digital Still Camera Technology, Test Method for, **E2466 (06.01)**
White oils
Saybolt Color of Petroleum Products (Saybolt Chromometer Method), Test Method for, **D156 (05.01)**
White output
Determination of Color Response of Electrostatic Copying System, Black and White Output, Practice for, **F974 (15.09)**
White pigments—general analysis
Analysis of White Zinc Pigments, Test Methods for, **D3280 (06.03)**
Antimony Oxide in White Pigment Separated From Solvent-Reducible Paints, Test Method for, **D2350 (06.01)**
Basic Carbonate White Lead Pigment, Specification for, **D81 (06.03)**
Chemical Analysis of White Lead Pigments, Test Methods for, **D1301 (06.03)**
Chemical Analysis of White Pigments, Guide for, **D34 (06.03)**
Chemical Analysis of White Titanium Pigments, Test Methods for, **D1394 (06.03)**
Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, Test Method for, **D3720 (06.03)**
Relative Tinting Strength of White Pigments by Reflectance Measurements, Test Method for, **D2745 (06.01)**
Relative Tinting Strength of White Pigments by Visual Observation, Test Method for, **D332 (06.01)**
Sulfide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2351 (06.01)**
Sulfur Dioxide in White Pigment Separated from Solvent-Reducible Paints, Test Method for, **D2352 (06.01)**
Zinc Oxide Pigments, Specification for, **D79 (06.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

White pine
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
White rust
Corrosion Resistance of Ferrous Metal Fastener Assemblies Used in Roofing and Waterproofing, Test Method for, **D6294/D6294M (04.04)**
White sheet cakes
Performance of Convection Ovens, Test Method for, **F1496 (15.12)**
White sidewalls
See **Tire testing**
White sucker
Conducting Early Life-Stage Toxicity Tests with Fishes, Guide for, **E1241 (11.06)**
White zinc pigments
See **Zinc pigments—specifications**
Whitlockite
Beta-Tricalcium Phosphate for Surgical Implantation, Specification for, **F1088 (13.01)**
X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings, Practice for, **F2024 (13.01)**
Whole air sampling
Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, Guide for, **D6345 (11.07)**
Whole body magnetic resonance
Measurement of Radio Frequency Induced Heating On or Near Passive Implants During Magnetic Resonance Imaging, Test Method for, **F2182 (13.01)**
Whole complement activation
Testing for Whole Complement Activation in Serum by Solid Materials, Practice for, **F1984 (13.01)**
Whole potato cooking efficiency
Performance of Steam Cookers, Test Methods for, **F1484 (15.12)**
Whole sediment
Conducting Whole Sediment Toxicity Tests with Amphibians, Guide for, **E2591 (11.06)**
Designing Biological Tests with Sediments, Guide for, **E1525 (11.06)**
Wick
Terminology Relating to Candles and Associated Accessory Items, Guide for, **F1972 (15.11)**
Wicking
Determining Wicking of Fibrous Glass Blanket Insulation (Aircraft Type), Test Method for, **C1559 (04.06)**
Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, Test Method for, **C692 (04.06)**
Fibrous Glass Blanket Insulation (Aircraft Type), Specification for, **C800 (04.06)**
Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, Practice for, **C929 (04.06)**
Thermal Insulation for Use in Contact with Austenitic Stainless Steel, Specification for, **C795 (04.06)**
Wick lamp
Hydrogen In Petroleum Fractions, Test Method for, **D1018 (05.01)**
Wick packing material
Packing, Fiberglass, Braided, Rope, and Wick, Specification for, **F2087 (01.07)**
Wick test
Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, Test Method for, **D5117 (08.03)**
Wide-area communications networks
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
Wide area network (WAN)
Implementation of a Fleet Management System Network, Guide for, **F1756 (01.07)**
Wide-band UV radiometers
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Wide-cut turbine fuel
Jet B Wide-Cut Aviation Turbine Fuel, Specification for, **D6615 (05.03)**
Wide selvage roofing
Asphalt Roll Roofing (Organic Felt), Specification for, **D6380/D6380M (04.04)**
Wide strip tensile method
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Wide temperature range
Dropping Point of Lubricating Grease Over Wide Temperature Range, Test Method for, **D2265 (05.01)**
Evaporation Loss of Lubricating Greases Over Wide-Temperature Range, Test Method for, **D2595 (05.01)**
Wide width method
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Width
Coated Fabrics, Test Methods for, **D751 (09.02)**
Determining Acceptability of Ribbon Welds in Fabric Cartridges, Test Methods for, **F1509 (15.09)**
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Friction Tapes, Test Methods for, **D69 (10.01)**
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Measurement of Sleeping Bags, Test Method for, **F2568 (15.07)**
Measuring Zipper Dimensions, Test Methods for, **D2060 (07.01)**
Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, Test Methods for, **D4325 (10.02)**
Physical Testing of Gypsum Panel Products, Test Methods for, **C473 (04.01)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, Test Methods for, **C1185 (04.05)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Thermostat Component Alloys, Specification for, **B753 (02.04)**
Width and Length of Pressure-Sensitive Tape, Guide for, **D5750/D5750M (15.10)**
Width of Leather, Test Method for, **D1516 (15.04)**
Width of Textile Fabric, Test Method for, **D3774 (07.01)**
Woven Asbestos Tape, Specification for, **D315/D315M (04.05)**
Width contractions
Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, Test Method for, **D5129 (11.01)**
WIJS procedure (iodine value)
Determination of Iodine Value of Tall Oil Fatty Acids, Test Method for, **D5768 (06.03)**
Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value, Test Method for, **D5902 (09.01)**
Sampling and Chemical Analysis of Soaps and Soap Products, Test Methods for, **D460 (15.04)**
Wildcats (for ship anchor chains)
Wildcats, Ship Anchor Chain, Specification for, **F765 (01.07)**
Wilderness
Basic Wilderness GPS/GNSS Use (GPS/GNSS-IW) Endorsement, Guide for, **F3071 (13.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Intermediate Wilderness GPS/GNSS Use (GPS/GNSS-IIW) Endorsement, Guide for, **F3072 (13.02)**
Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, Guide for, **F1616 (13.02)**
Training First Responders Who Practice in Wilderness, Delayed, or Prolonged Transport Settings, Guide for, **F1655 (13.02)**

Wildlife exposure
Estimating Wildlife Exposure Using Measures of Habitat Quality, Guide for, **E2385 (11.06)**

Wildlife incident data
Fish and Wildlife Incident Monitoring and Reporting, Guide for, **E1849 (11.06)**

Winch
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**

Wind
Characterizing Surface Wind Using a Wind Vane and Rotating Anemometer, Practice for, **D5741 (11.07)**
Determining Mechanical Integrity of Photovoltaic Modules, Test Methods for, **E1830 (12.02)**
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**
Determining the Performance of a Cup Anemometer or Propeller Anemometer, Test Method for, **D5096 (11.07)**
Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, Practice for, **D4329 (08.02)**
Measurement of Atmospheric Wind and Turbulence Profiles by Acoustic Means, Guide for, **D7145 (11.07)**
Measuring Surface Wind and Temperature by Acoustic Means, Practices for, **D5527 (11.07)**
Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), Test Method for, **D3161/D3161M (04.04)**

Windage and friction correction chart
Determining the Charpy Impact Resistance of Notched Specimens of Plastics, Test Method for, **D6110 (08.03)**

Windborne debris
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**

Wind driven rain
Field Determination of Water Penetration of Masonry Wall Surfaces, Test Method for, **C1601 (04.05)**
Resistance to Wind-Driven Rain for Exterior Coatings Applied on Masonry, Practice for, **D6904 (06.02)**

Winding mesh (for steel pipe)
Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, Specification for, **A810 (01.06)**

Winding steel wire
Sa **Steel wire**
Steel Wire, Pressure Vessel Winding, Specification for, **A905 (01.03)**

Windlass
Warping Heads, Rope Handling (Gypsy Head, Capstan Head), Specification for, **F1106 (01.07)**

Wind loading tests
Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, Test Method for, **C1201/C1201M (04.07)**
Windload Resistance of Rigid Plastic Siding, Test Method for, **D5206 (08.03)**

Window areas
Determining the Effects of Temperature Cycling on Fenestration Products, Practice for, **E2264 (04.12)**
Viewing Conditions for Visual Inspection of Membrane Switches, Practice for, **F1595 (10.04)**

Window coverings
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**

Window fall prevention devices
Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, Safety Specification for, **F2006 (15.11)**
Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, Specification for, **F2090 (15.11)**

Window-filtered daylight
Accelerated Testing of the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting and WindowFiltered Daylight, Practice for, **F1946/F1946M (15.09)**

Window lighting
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**

Window operating force
Determination of Operating Force of Sliding Windows and Doors, Test Method for, **E2068 (04.11)**

Windows/window assemblies
Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, Practice for, **D4674 (08.02)**
Application of Hose Stream, Practice for, **E2226 (04.07)**
Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, Practice for, **E971 (12.02)**
Deglazing Force of Fenestration Products, Test Methods for, **E987 (04.11)**
Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E2319 (04.12)**
Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, Test Method for, **E283 (04.11)**
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**
Determining Steady State Thermal Transmittance of Fenestration Systems, Practice for, **E1423 (04.11)**
Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems, Practice for, **E1425 (04.11)**
Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, Test Method for, **E1424 (04.11)**
Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, Guide for, **C1572 (12.01)**
Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, Test Method for, **E997 (04.11)**
Evaluating the Engagement Between Windows and Insect Screens as an Integral System, Test Method for, **E1748 (04.11)**
Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, Test Method for, **E1105 (04.11)**
Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, Guide for, **E966 (04.06)**
Glazing and Glazing Systems Subject to Airblast Loadings, Specification for, **F2912 (15.08)**
Installation of Exterior Windows, Doors and Skylights, Practice for, **E2112 (04.12)**
Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, Test Method for, **E90 (04.06)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Liquid Impingement Erosion Using Rotating Apparatus, Test Method for, **G73 (03.02)**
Measuring Optical Distortion in Transparent Parts Using Grid Line Slope, Test Method for, **F2156 (15.03)**
Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact, Test Methods for, **F588 (04.12)**
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**
Rating Outdoor-Indoor Sound Attenuation, Classification for, **E1332 (04.06)**
Soft Window Covering Fabrics for Household Use, Performance Specification for, **D4720 (07.02)**
Solar Photometric Transmittance of Sheet Materials Using Sunlight, Test Method for, **E972 (12.02)**
Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E330/E330M (04.11)**
Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, Test Method for, **E1233/E1233M (04.11)**
Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, Test Method for, **E998 (04.11)**
Structural Performance of Thermal Barriers in Fenestration Products, Test Method for, **E2692 (04.12)**
Voluntary Security Performance of Window and Door Assemblies with and without Glazing Impact, Specification for, **E2395 (04.12)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, Test Method for, **E547 (04.11)**
Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, Test Method for, **E331 (04.11)**
Wear Testing Rotary Operators for Windows, Test Methods for, **E405 (04.11)**

Windows/window assemblies—specifications
Sa **Doors/door assemblies—specifications**
Adhesives Used for Laminate Joints in Nonstructural Lumber Products, Specification for, **D5751 (15.06)**
Flat Glass, Specification for, **C1036 (15.02)**
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, Specification for, **E1996 (04.11)**
Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, Specification for, **D4726 (08.03)**
Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, Safety Specification for, **F2006 (15.11)**
Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, Specification for, **F2090 (15.11)**

Wind resistance
Determining the Thickness of Glass in Airport Traffic Control Tower Cabs, Practice for, **E2461 (04.12)**
Resistance to Wind-Driven Rain for Exterior Coatings Applied on Masonry, Practice for, **D6904 (06.02)**
Wind Resistance of Asphalt Shingles (Uplift Force/Uplift Resistance Method), Test Method for, **D7158/D7158M (04.04)**
Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), Test Method for, **C1570 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), Test Method for, **C1568 (04.05)**
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**
Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), Test Method for, **D3161/D3161M (04.04)**

Windscreens
Inspection of Transparent Parts by Prism, Practice for, **F2108 (15.03)**
Measuring Optical Distortion in Transparent Parts Using Grid Line Slope, Test Method for, **F2156 (15.03)**

Windshields
Hail Impact Resistance of Aerospace Transparent Enclosures, Test Method for, **F320 (15.03)**
Measuring Angular Displacement of Multiple Images in Transparent Parts, Test Method for, **F1165 (15.03)**
Measuring Binocular Disparity in Transparent Parts, Test Method for, **F1181 (15.03)**
Measuring Optical Angular Deviation of Transparent Parts, Test Method for, **F801 (15.03)**
Measuring the Transmissivity of Transparent Parts, Test Method for, **F1316 (15.03)**
Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, Practice for, **F733 (15.03)**

Windsor probe method
Sa **Probe methods**
Penetration Resistance of Hardened Concrete, Test Method for, **C803/C803M (04.02)**

Wind speed
Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, Test Method for, **C1199 (04.06)**

Wind speed and direction
Characterization of Atmospheric Test Sites, Practice for, **G92 (03.02)**

Wind storms
Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, Test Method for, **E1886 (04.11)**

Wind tunnel apparatus
Determining Cross-Section Averaged Characteristics of a Spray Using Laser-Diffraction Instruments in a Wind Tunnel Apparatus, Guide for, **E2872 (14.02)**

Wind tunnel method
Determining the Performance of a Cup Anemometer or Propeller Anemometer, Test Method for, **D5096 (11.07)**
Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), Test Method for, **C1569 (04.05)**

Wind vane
Characterizing Surface Wind Using a Wind Vane and Rotating Anemometer, Practice for, **D5741 (11.07)**
Determining the Dynamic Performance of a Wind Vane, Test Method for, **D5366 (11.07)**

Wingwalls
Steel Sheet Piling, Cold Formed, Light Gage, Specification for, **A857/A857M (01.04)**

Winter overseeding
Maintaining Warm Season Turfgrasses on Athletic Fields, Guide for, **F2269 (15.07)**

Winter weather conditions
Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, Practice for, **C1373/C1373M (04.06)**

Wintrobe tube
Blood Sedimentation Tube, Wintrobe, Glass, Disposable, Specification for, **E1047 (14.04)**
Blood Sedimentation Tube, Wintrobe, Glass, Reusable, Specification for, **E961 (14.04)**

Wipers/wipes
Determination of Soluble Residual Contamination by Soxhlet Extraction, Practice for, **G120 (14.04)**
Gravimetric Determination of Nonvolatile Residue From Cleanroom Wipers, Test Method for, **E1560 (15.03)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wipe sampling methods
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, Practice for, **D6966 (11.07)**
Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, Practice for, **E1728 (04.11)**
Dermal Wipe Sampling for the Subsequent Determination of Metals and Metalloids, Practice for, **D7822 (11.07)**
Field Collection of Organic Compounds from Surfaces Using Wipe Sampling, Practice for, **D6661 (11.04)**
Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, Practice for, **E1644 (04.11)**
Quantitative Petri Plate Method (QPM) for Determining the Effectiveness of Antimicrobial Towelettes, Test Method for, **E2896 (11.05)**
Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy, Test Method for, **D6480 (11.07)**

Wipe sampling methods—specifications
Wipe Sampling Materials for Beryllium in Surface Dust, Specification for, **D7707 (11.07)**
Wipe Sampling Materials for Lead in Surface Dust, Specification for, **E1792 (04.11)**

WIRA fiber fineness instrument
Resistance to Airflow as an Indication of Average Fiber Diameter of Wool Top, Card Sliver, and Scoured Wool, Test Method for, **D1282 (07.01)**

Wire
Conducting Rotating Bending Fatigue Tests of Solid Round Fine Wire, Test Method for, **E2948 (03.01)**
Fiber Reinforced Aluminum Matrix Composite (AMC) Core Wire for Aluminum Conductors, Composite Reinforced (ACCR), Specification for, **B976 (02.03)**
Measurement of Camber, Cast, Helix and Direction of Helix of Coiled Wire, Test Method for, **F2754/F2754M (13.02)**
Shear Testing of Aluminum and Aluminum-Alloy Rivets and Cold-Heading Wire and Rods, Test Method for, **B565 (02.02)**
Torsion Testing of Wire, Test Method for, **A938 (01.03)**
Tungsten-Rhenium Alloy Thermocouple Wire, Specification for, **E696 (14.03)**
Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) with Variable Mesh Patterns or Meshes Greater than 6 in., Specification for, **F2919/F2919M (01.06)**
Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications, Specification for, **B943 (02.04)**

Wire—electronic devices
Density of Fine Wire and Ribbon Wire for Electronic Devices, Test Method for, **F180 (10.04)**
Dumet Wire for Glass-to-Metal Seal Applications, Specification for, **F29 (10.04)**
Fine Aluminum–1 % Silicon Wire for Semiconductor Lead-Bonding, Specification for, **F487 (10.04)**
Fine Round and Flat Wire for Electron Devices and Lamps, Test Methods of Testing, **F219 (10.04)**
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**
Measuring Diameter of Fine Wire by Weighing, Test Method for, **F205 (10.04)**
Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, Test Methods for, **F16 (10.04)**
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**
Molybdenum Flattened Wire for Electron Tubes, Specification for, **F364 (10.04)**
Molybdenum Wire and Rod for Electronic Applications, Specification for, **F289 (10.04)**
Nomenclature for Wire Leads Used as Conductors in Electron Tubes, Practice for, **F85 (10.04)**
Nondestructive Pull Testing of Wire Bonds, Practice for, **F458 (10.04)**
Round Wire for Winding Electron Tube Grid Laterals, Specification for, **F290 (10.04)**
Surface Flaws in Tungsten Seal Rod and Wire, Test Method for, **F204 (10.04)**
Tungsten Wire for Electron Devices and Lamps, Specification for, **F288 (10.04)**
Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, Specification for, **F73 (10.04)**
Visual Inspection of Semiconductor Lead-Bonding Wire, Practice for, **F584 (10.04)**

Wire—surgical implants
Fixation Pins and Wires, Specification for, **F366 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), Specification for, **F138 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Surgical Fixation Wire (UNS S31673), Specification for, **F1350 (13.01)**

Wire adhesion
Adhesion Between Tire Bead Wire and Rubber, Test Method for, **D1871 (07.01)**

Wire and cable
Cool-Application Filling Compounds for Telecommunications Wire and Cable, Specification for, **D4732 (10.02)**
D-C Resistance or Conductance of Moderately Conductive Materials, Test Method for, **D4496 (10.02)**
Dielectric Testing of Wire and Cable Filling Compounds, Test Method for, **D4872 (10.02)**
Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, Test Methods for, **D4565 (10.02)**
Selection of Wire and Cable Size in AWG or Metric Units, Practice for, **F1883 (01.07)**

Wire and cable (insulated)
See **Insulated wire and cable**

Wire axial twist test
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**

Wirebound pallets
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**

Wirebound shipping boxes
General Purpose Wirebound Shipping Boxes, Specification for, **D6573/D6573M (15.10)**

Wire cloth
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**

Wire coating
Steel Chain-Link Fencing Materials Used for High Security Applications, Specification for, **F1712 (01.06)**

Wire coil test
Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), Test Method for, **D2688 (11.01)**

Wire (Cu alloy)
See **Copper electrical conductors—specifications**

Wire curl test
Gold Wire for Semiconductor Lead Bonding, Specification for, **F72 (10.04)**

Wired glass
Flat Glass, Specification for, **C1036 (15.02)**

Wire extensometers
See **Extensometers**

Wire heads
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**

Wire lath
See **Gypsum products—lath**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wireless communications equipment
Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, Specification for, **E2213 (04.03)**
Wireline drilling method
Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, Guide for, **D5876 (04.08)**
Wire-on-bolt test
Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, Practice for, **G116 (03.02)**
Wire rod (steel)
See **Steel wire rod—specifications**
Wire rope
Electromagnetic Examination of Ferromagnetic Steel Wire Rope, Practice for, **E1571 (03.03)**
Tension Testing of Wire Ropes and Strand, Test Method for, **A931 (01.03)**
Wire rope—specifications
Carbon Steel Wire for Wire Rope, Specification for, **A1007 (01.03)**
Stranded Carbon Steel Wire Ropes for General Purposes, Specification for, **A1023/A1023M (01.03)**
Zinc-Coated Steel Structural Wire Rope, Specification for, **A603 (01.06)**
Wire span failure
Measuring Pull Strength of Microelectronic Wire Bonds, Test Methods for, **F459 (10.04)**
Wire stitches
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**
Wire terminations
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**
Specification and Quality Assurance for the Electrical Contact Performance of Crimped Wire Terminations, Guide for, **B942 (02.04)**
Wire-wound drawdown bar method
Applying Coil Coatings Using The Wire-Wound Drawdown Bar, Practice for, **D4147 (06.02)**
Wire-wound eddy current probes
Determining the Impedance of Absolute Eddy-Current Probes, Practice for, **E1629 (03.03)**
Wire-wound electric tube furnaces
Calibration of Thermocouples By Comparison Techniques, Test Method for, **E220 (14.03)**
Wire-wound resistor units
Wire for Use In Wire-Wound Resistors, Specification for, **B267 (02.04)**
Wiring
Copper-Clad Thermosetting Laminates for Printed Wiring, Specification for, **D1867 (10.01)**
Design, Alteration, and Certification of Airplane Electrical Wiring Systems, Practice for, **F2639 (15.11)**
Inspection of Aircraft Electrical Wiring Systems, Practice for, **F2696 (15.11)**
Maintenance of Aircraft Electrical Wiring Systems, Practice for, **F2799 (15.11)**
Wiring boards
Copper-Clad Thermosetting Laminates for Printed Wiring Boards, Test Methods for, **D5109 (10.02)**
Presence of Foreign Matter on Printed Wiring Board Contacts, Test Method for, **B885 (02.04)**
Wisconsin net sampler
Sampling Phytoplankton with Conical Tow Nets, Practice for, **D4132 (11.02)**
Withdrawal resistance
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Nails for the Application of Gypsum Board, Specification for, **C514 (04.01)**
Small Clear Specimens of Timber, Test Methods for, **D143 (04.10)**
Withstand voltage
Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, Test Method for, **F1662 (10.04)**
Witness surfaces
Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, Practice for, **E2088 (15.03)**
WMO (World Meteorological Organization)
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Woks
Performance of Chinese (Wok) Ranges, Test Method for, **F1991 (15.12)**
Wolfe method
Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1585 (06.03)**
Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1240 (06.03)**
Wolfe-potentiometric method
Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, Test Methods for, **D1585 (06.03)**
Women's clothing
Sa **Body dimension measurements**
Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, Tables of, **D5585 (07.02)**
Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, Tables of, **D6192 (07.02)**
Body Measurements for Juniors, Sizes 0 to 19, Tables of, **D6829 (07.02)**
Body Measurements for Women Aged 55 and Older, Tables of, **D5586/D5586M (07.02)**
Men's and Women's Dress and Vocational Career Apparel Fabrics, Performance Specification for, **D4232 (07.01)**
Men's and Women's Knitted Career Apparel Fabrics: Dress and Vocational, Performance Specification for, **D3995 (07.01)**
Men's and Women's Sliver Knitted Overcoat and Jacket Fabrics, Performance Specification for, **D3655 (07.01)**
Men's, Women's, and Children's Woven Handkerchief Fabrics, Performance Specification for, **D4153 (07.01)**
Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, Performance Specification for, **D4116 (07.01)**
Women's and Girls' Knitted and Woven Dress Glove Fabrics, Performance Specification for, **D4115 (07.01)**
Women's and Girls' Knitted Blouse and Dress Fabrics, Performance Specification for, **D4235 (07.01)**
Women's and Girls' Knitted Sportswear Fabrics, Performance Specification for, **D4156 (07.01)**
Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, Performance Specification for, **D4155 (07.01)**
Women's Woven Coverall, Dungaree, Overall, and Shop Coat Fabrics, Performance Specification for, **D4118 (07.01)**
Woven Flat Lining Fabrics for Women's and Girls' Apparel, Performance Specification for, **D4114 (07.01)**
Woven Swimwear Fabrics, Performance Specification for, **D3994 (07.01)**
Women's shoes
See **Footwear—soles/heels/related materials**
Wood
Ash in Biomass, Test Method for, **E1755 (05.06)**
Assigning Allowable Properties for Mechanically Graded Lumber, Practice for, **D6570 (04.10)**
Categorizing Wood and Wood-Based Products According to Their Fiber Sources, Practice for, **D7612 (04.10)**

--```,``,,,``,``,,,,``````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**
Evaluating Elevated Temperature Performance of Adhesives Used in End-Jointed Lumber, Practice for, **D7374 (04.10)**
Evaluating Structural Capacities of Rim Board Products and Assemblies, Specification for, **D7672 (04.10)**
Measuring Surface Water Absorption of Overlaid Wood-Based Panels, Test Method for, **D7433 (04.10)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Standardization and Calibration of In-Line Dry Lumber Moisture Meters, Test Methods for, **D6782 (04.10)**
Test Fueling Masonry Heaters, Test Method for, **E2817 (04.12)**
Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, Practice for, **D6803 (11.07)**

Wood-based materials/applications
Sa **Wood products—specifications**
Bolted Connections in Wood and Wood-Based Products, Test Methods for, **D5652 (04.10)**
Categorizing Wood and Wood-Based Products According to Their Fiber Sources, Practice for, **D7612 (04.10)**
Determination of Volatile Organic Compounds (Excluding Formaldehyde) Emissions from Wood-Based Panels Using Small Environmental Chambers Under Defined Test Conditions, Practice for, **D6330 (11.07)**
Establishing Design Capacities for Oriented Strand Board (OSB) Wood-Based Structural-Use Panels, Practice for, **D7033 (04.10)**
Evaluating Clear Water Repellent Coatings on Wood, Test Method for, **D5401 (06.02)**
Evaluating Dowel-Bearing Strength of Wood and Wood-Based Products, Test Method for, **D5764 (04.10)**
Measuring Surface Water Absorption of Overlaid Wood-Based Panels, Test Method for, **D7433 (04.10)**
Nondestructive Evaluation of Wood-Based Flexural Members Using Transverse Vibration, Test Methods for, **D6874 (04.10)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Testing Wood-Base Panel Corner Impact Resistance, Test Method for, **D6643 (04.10)**

Wood base (in cellulosic fiber) thermal insulation
See **Thermal insulating materials**

Wood boxes/pallets
Heavy Duty Sheathed Wood Crates, Specification for, **D7478/D7478M (15.10)**
Quality of Wood Members of Containers and Pallets, Practice for, **D6199 (15.10)**
Wood Boxes, Specification for, **D6880/D6880M (15.10)**

Wood core laminates
Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, Test Method for, **D5824 (15.06)**

Wood crates
Open and Covered Wood Crates, Specification for, **D6039/D6039M (15.10)**

Wooden barrels
Testing of Hazardous Materials Packagings, Guide for, **D4919 (15.10)**

Wooden fencing materials
Sa **Fences/fencing materials**
Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials, Specification for, **F537 (01.06)**

Wood failure
Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, Practice for, **D5266 (15.06)**

Wood-fiber gypsum plaster
Chemical Analysis of Gypsum and Gypsum Products (Metric), Test Methods for, **C471M (04.01)**

Wood fiber materials/applications
ASTM Standards on Playground Surfacing, Guide for, **F2223 (15.07)**
Categorizing Wood and Wood-Based Products According to Their Fiber Sources, Practice for, **D7612 (04.10)**
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**

Wood frame constructions
Calculating the Superimposed Load on Wood-frame Floor-Ceiling Assemblies for Standard Fire-Resistance Tests, Practice for, **D7746 (04.10)**
Calculating the Superimposed Load on Wood-frame Walls for Standard Fire-Resistance Tests, Practice for, **D6513 (04.10)**
Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **D6464 (15.06)**
Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, Practice for, **C1060 (04.06)**

Wood gum
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**

Wood heater
Determining Particulate Matter Emissions from Wood Heaters, Test Method for, **E2780 (04.12)**

Wood-plastic composite
Establishing Performance Ratings for Wood-Plastic Composite Deck Boards and Guardrail Systems (Guards or Handrails), Specification for, **D7032 (04.10)**
Evaluating Mechanical and Physical Properties of Wood-Plastic Composite Products, Guide for, **D7031 (04.10)**

Wood preservatives
Determining the Relative Corrosion Performance of Driven Fasteners in Contact with Treated Wood, Test Method for, **G198 (03.02)**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Heat and Moisture Resistance of Wood-Adhesive Joints, Test Method for, **D4502 (15.06)**
Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, Test Method for, **D3345 (04.10)**
Qualitative Tests for the Presence of Water Repellents and Preservatives in Wood Products, Test Method for, **D2921 (06.02)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**

Wood products
1 % Sodium Hydroxide Solubility of Wood, Test Method for, **D1109 (04.10)**
Acid-Insoluble Lignin in Wood, Test Method for, **D1106 (04.10)**
Anchorage of Permanent Metal Railing Systems and Rails for Buildings, Test Method for, **E894 (04.11)**
Ash in Biomass, Test Method for, **E1755 (05.06)**
Ash in Wood, Test Method for, **D1102 (04.10)**
Atmospheric Environmental Exposure Testing of Nonmetallic Materials, Practice for, **G7/G7M (14.04)**
Chemical Analysis of Wood Charcoal, Test Method for, **D1762 (04.10)**
Determination of Acid-Insoluble Residue in Biomass, Test Method for, **E1721 (05.06)**
Determination of Carbohydrates in Biomass by Gas Chromatography, Test Method for, **E1821 (05.06)**
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**
Determination of Ethanol Extractives in Biomass, Test Method for, **E1690 (05.06)**
Determination of Total Solids in Biomass, Test Method for, **E1756 (05.06)**

--`,,`,,`-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Wood Fiber in Asbestos Cement, Test Method for, **C1096/C1096M (04.05)**
Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, Test Method for, **E1333 (04.10)**
Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber, Test Method for, **D6007 (04.10)**
Determining Formaldehyde Levels from Wood Products Using a Desiccator, Test Method for, **D5582 (04.10)**
Dichloromethane Solubles in Wood, Test Method for, **D1108 (04.10)**
Ethanol-Toluene Solubility of Wood, Test Method for, **D1107 (04.10)**
Evaluating Clear Water Repellent Coatings on Wood, Test Method for, **D5401 (06.02)**
Evaluating Dowel-Bearing Strength of Wood and Wood-Based Products, Test Method for, **D5764 (04.10)**
Evaluating Wood Preservatives by Field Tests with Stakes, Test Method of, **D1758 (04.10)**
Field Evaluation of Wood Preservatives in Round Post-Size Specimens, Test Method for, **D2278 (04.10)**
Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, Test Method for, **D3345 (04.10)**
Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, Test Method for, **E228 (14.02)**
Mechanical Fasteners in Wood, Test Methods for, **D1761 (04.10)**
Methoxyl Groups in Wood and Related Materials, Test Method for, **D1166 (04.10)**
Moisture Conditioning of Wood and Wood-Based Materials, Guide for, **D4933 (04.10)**
Nails for Use with Wood and Wood-Base Materials, Terminology of, **F547 (01.08)**
Pallets and Related Structures Employed in Materials Handling and Shipping, Test Methods for, **D1185 (15.10)**
Preparation of Biomass for Compositional Analysis, Practice for, **E1757 (05.06)**
Preparation of Extractive-Free Wood, Test Method for, **D1105 (04.10)**
Qualitative Tests for the Presence of Water Repellents and Preservatives in Wood Products, Test Method for, **D2921 (06.02)**
Specific Gravity of Wood and Wood-Based Materials, Test Methods for, **D2395 (04.10)**
Specimen Preparation and Mounting of Wood Products to Assess Surface Burning Characteristics, Practice for, **E2579 (04.07)**
Static Tests of Wood Poles, Test Methods of, **D1036 (04.10)**
Water Solubility of Wood, Test Methods for, **D1110 (04.10)**
Wirebound Pallet-Type Wood Boxes, Specification for, **D6254/D6254M (15.10)**
Wood and Wood-Based Products, Terminology Relating to, **D9 (04.10)**
Wood Preservatives by Laboratory Soil-Block Cultures, Test Method for, **D1413 (04.10)**
Wood to Be Used as Panels in Weathering Tests of Coatings, Specification for, **D358 (06.02)**
Wood-Cleated Panelboard Shipping Boxes, Specification for, **D6251/D6251M (15.10)**

Wood products—specifications
258-in. and 4-in. Diameter Metal Shear Plates for Use in Wood Constructions, Specification for, **D5933 (04.10)**
Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design, Specification for, **D5457 (04.10)**
Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, Specification for, **D5055 (04.10)**
Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, Specification for, **D6815 (04.10)**
Round Timber Piles, Specification for, **D25 (04.10)**

Wood products (adhesives)
Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, Specification for, **D2559 (15.06)**
Adhesives for Fastening Gypsum Wallboard to Wood Framing, Specification for, **C557 (15.06)**
Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, Specification for, **D3498 (15.06)**
Adhesives for Wood-Based Materials for Construction of Manufactured Homes, Specification for, **D3930 (15.06)**
Applied Weight Per Unit Area of Liquid Adhesive, Practice for, **D899 (15.06)**
Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), Test Method for, **D4680 (15.06)**
Determination of Percent Nonvolatile Content of Liquid Phenolic Resins Used for Wood Laminating, Test Method for, **D4426 (15.06)**
Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, Test Method for, **D3931 (15.06)**
Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, Test Methods for, **D5574 (15.06)**
Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, Practice for, **D5266 (15.06)**
Evaluating Structural Adhesives for Finger Jointing Lumber, Test Method for, **D4688 (15.06)**
Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, Test Methods for, **D1101 (15.06)**
Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, Test Method for, **D4027 (15.06)**
Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, Test Method for, **D3535 (15.06)**
Strength Properties of Adhesive Bonds in Shear by Compression Loading, Test Method for, **D905 (15.06)**
Strength Properties of Adhesives in Plywood Type Construction in Shear by Tension Loading, Test Method for, **D906 (15.06)**
Strength Properties of Adhesives in Two-Ply Wood Construction in Shear by Tension Loading, Test Method for, **D2339 (15.06)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**

Wood products (cellulose pulp)
Metals in Cellulose by Atomic Absorption Spectrophotometry, Test Method for, **D4085 (06.03)**

Wood products (composites)
Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, Test Method for, **D2065 (06.02)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**

Wood products (fiber/particle panel materials)
Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, Test Methods for, **D1037 (04.10)**
Wood-Base Fiber and Particle Panel Materials, Terminology Relating to, **D1554 (04.10)**

Wood products (fire-retardant-treated)
Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing, Practice for, **D2898 (04.10)**
Hygroscopic Properties of Fire-Retardant Wood and Wood-Based Products, Test Method for, **D3201/D3201M (04.10)**

Wood products (flooring)
Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, Practice for, **F1482 (15.04)**
Preparation of Substrate Surfaces for Coefficient of Friction Testing, Practice for, **D4103 (15.04)**
Simulated Service Testing of Wood and Wood-Base Finish Flooring, Test Methods for, **D2394 (04.10)**

Wood products (heartwood)
See **Heartwood**

Wood products (laminated)
See **Laminates (wood)**

Wood products (lumber)
See **Lumber—specifications**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wood products (paints/related coatings)
Conducting Exterior Exposure Tests of Paints on Wood, Practice for, **D1006/D1006M (06.01)**
Wood products (plywood)
See **Plywood**
Wood products (structural)
Bolted Connections in Wood and Wood-Based Products, Test Methods for, **D5652 (04.10)**
Determining Bending Yield Moment of Nails, Test Method for, **F1575 (01.08)**
End-Joints in Structural Wood Products, Test Methods for, **D7469 (04.10)**
Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), Practice for, **D3737 (04.10)**
Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, Practice for, **D1990 (04.10)**
Establishing Clear Wood Strength Values, Practice for, **D2555 (04.10)**
Establishing Stress Grades for Structural Members Used in Log Buildings, Practices for, **D3957 (04.10)**
Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, Practice for, **D245 (04.10)**
Mechanical Properties of Lumber and Wood-Base Structural Material, Test Methods for, **D4761 (04.10)**
Nails for Use with Wood and Wood-Base Materials, Terminology of, **F547 (01.08)**
Sampling and Data-Analysis for Structural Wood and Wood-Based Products, Practice for, **D2915 (04.10)**
Static Tests of Lumber in Structural Sizes, Test Methods of, **D198 (04.10)**
Structural Panels in Flexure, Test Methods for, **D3043 (04.10)**
Structural Panels in Shear Through-the-Thickness, Test Methods for, **D2719 (04.10)**
Structural Panels in Tension, Test Methods for, **D3500 (04.10)**
Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, Test Method for, **D5651 (04.10)**
Wood products (treated wood)
Combustible Properties of Treated Wood by the Fire-Tube Apparatus, Test Method for, **E69 (04.10)**
Wood products (veneer)
See **Veneer**
Wood products (wood fuel)
Analysis of Wood Fuels, Test Methods for, **E870 (05.06)**
Moisture Analysis of Particulate Wood Fuels, Test Method for, **E871 (05.06)**
Volatile Matter in the Analysis of Particulate Wood Fuels, Test Method for, **E872 (05.06)**
Wood rosin
Sa **Rosin**
Insoluble Matter in Rosin and Rosin Derivatives, Test Method for, **D269 (06.03)**
Wood sash glazing compounds
See **Glazing compounds/applications**
Wood screws
See **Steel screws—specifications**
Wood substrates
Block Resistance of Organic Coatings on Wood Panel Substrates, Test Method for, **D2793 (06.02)**
Selecting Wood Substrates for Weathering Evaluations of Architectural Coatings, Practice for, **D7787/D7787M (06.02)**
Wood turpentine
See **Turpentine**
Wood underlayment products
Sa **Resilient flooring**
Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, Practice for, **F1482 (15.04)**
Woody plant material
Live Staking, Practice for, **D6765 (04.09)**
Woody plants
Conducting Terrestrial Plant Toxicity Tests, Guide for, **E1963 (11.06)**
Wool and wool top
Alkali-Solubility of Wools, Test Method for, **D1283 (07.01)**
Calculation of Commercial Weight and Yield of Scoured Wool, Top, and Noil for Various Commercial Compositions, Practice for, **D2720 (07.01)**
Counting Partial Cleavages in Wool and Other Animal Fibers, Test Method for, **D4510 (07.02)**
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, Test Method for, **D4120 (07.01)**
Fiber Length of Wool in Scoured Wool and in Card Sliver, Test Method for, **D1575 (07.01)**
Fineness of Wool or Mohair and Assignment of Grade, Specifications for, **D3991 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**
Identification of Fibers in Textiles, Test Methods for, **D276 (07.01)**
Length of Fiber in Wool Top, Test Method for, **D519 (07.01)**
Med and Kemp Fibers in Wool and Other Animal Fibers by Microprojection, Test Method for, **D2968 (07.01)**
Neps, Vegetable Matter, and Colored Fiber in Wool Top, Test Method for, **D1770 (07.01)**
pH of Aqueous Extracts of Wool and Similar Animal Fibers, Test Method for, **D2165 (07.01)**
Quantitative Analysis of Textiles, Test Methods for, **D629 (07.01)**
Sampling and Testing Staple Length of Grease Wool, Test Method of, **D1234 (07.01)**
Textiles, Terminology Relating to, **D123 (07.01)**
Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, Test Method for, **D1113 (07.01)**
Wool, Terminology Relating to, **D4845 (07.02)**
Wool Content of Raw Wool—Laboratory Scale, Test Method for, **D584 (07.01)**
Wool and wool top—breaking strength
Breaking Tenacity of Wool Fibers, Flat Bundle Method - 18-in. (3.2-mm) Gage Length, Test Method for, **D2524 (07.01)**
Tensile Strength and Breaking Tenacity of Wool Fiber Bundles 1-in. (25.4-mm) Gage Length, Test Method for, **D1294 (07.01)**
Wool and wool top—fiber diameter
Diameter of Wool and Other Animal Fibers by Microprojection, Test Method for, **D2130 (07.01)**
Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, Test Method for, **D6500 (07.02)**
Resistance to Airflow as an Indication of Average Fiber Diameter of Wool Top, Card Sliver, and Scoured Wool, Test Method for, **D1282 (07.01)**
Wool and wool top—moisture content
Assigning a Standard Commercial Moisture Content for Wool and Its Products, Practice for, **D2118 (07.01)**
Moisture in Wool by Distillation With Toluene, Test Method for, **D2462 (07.01)**
Moisture in Wool by Oven-Drying, Test Method for, **D1576 (07.01)**
Sampling Wool for Moisture, Practice for, **D2525 (07.01)**
Wool and wool top—raw
Core Sampling of Raw Wool in Packages for Determination of Percentage of Clean Wool Fiber Present, Practice for, **D1060 (07.01)**
Wool Content of Raw Wool—Commercial Scale, Test Method for, **D1334 (07.01)**
Wool Content of Raw Wool—Laboratory Scale, Test Method for, **D584 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wool and wool top—sampling
Core Sampling of Raw Wool in Packages for Determination of Percentage of Clean Wool Fiber Present, Practice for, **D1060 (07.01)**
Sampling and Testing Staple Length of Grease Wool, Test Method of, **D1234 (07.01)**
Sampling Wool for Moisture, Practice for, **D2525 (07.01)**
Wool content—raw wool
Core Sampling of Raw Wool in Packages for Determination of Percentage of Clean Wool Fiber Present, Practice for, **D1060 (07.01)**
Wool Content of Raw Wool—Commercial Scale, Test Method for, **D1334 (07.01)**
Wool Content of Raw Wool—Laboratory Scale, Test Method for, **D584 (07.01)**
Woolen run
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**
Woolen system
Yarns Spun on the Woolen System, Tolerances for, **D2644 (07.01)**
Wool fabrics
Alkali-Solubility of Wools, Test Method for, **D1283 (07.01)**
Assigning a Standard Commercial Moisture Content for Wool and Its Products, Practice for, **D2118 (07.01)**
Extractable Matter in Wool and Other Animal Fibers, Test Method for, **D1574 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**
pH of Aqueous Extracts of Wool and Similar Animal Fibers, Test Method for, **D2165 (07.01)**
Wool felt
Felt, Specification for, **D2475 (07.01)**
Wool noil
Assigning a Standard Commercial Moisture Content for Wool and Its Products, Practice for, **D2118 (07.01)**
Calculation of Commercial Weight and Yield of Scoured Wool, Top, and Noil for Various Commercial Compositions, Practice for, **D2720 (07.01)**
Wool yarns
Alkali-Solubility of Wools, Test Method for, **D1283 (07.01)**
Assigning a Standard Commercial Moisture Content for Wool and Its Products, Practice for, **D2118 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**
pH of Aqueous Extracts of Wool and Similar Animal Fibers, Test Method for, **D2165 (07.01)**
Workability qualities/characteristics
Admixtures for Masonry Mortars, Specification for, **C1384 (04.05)**
and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, Test Methods for, **D6546 (05.03)**
Determining the Workability of Asphalt Cold Mix Patching Material, Test Method for, **D6704 (04.03)**
Slump of Hydraulic-Cement Concrete, Test Method for, **C143/C143M (04.02)**
Workability Index of Fireclay and High-Alumina Refractory Plastics, Test Method for, **C181 (15.01)**
Work breakdown structure (WBS)
Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, Classification for, **E2150 (04.12)**
Utilizing the Environmental Cost Element Structure Presented by Classification E2150, Guide for, **E2637 (04.12)**
Work damage/penetration
Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment, Test Methods for, **D1403 (05.01)**
Work design
Integration of Ergonomics/Human Factors into New Occupational Systems, Guide for, **E2350 (11.03)**
Workers compensation coverage
Workers Compensation Coverage of Emergency Services Volunteers, Practice for, **F2047 (13.02)**
Work footwear
Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, Guide for, **F1240 (15.07)**
Working conditions
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Serviceability of an Office Facility for Work Outside Normal Hours or Conditions, Classification for, **E1666 (04.11)**
Working life
Determining Strength Development of Adhesive Bonds, Practice for, **D1144 (15.06)**
Urea-Formaldehyde Resin Adhesives, Specification for, **D4690 (15.06)**
Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, Practice for, **D1338 (15.06)**
Working models
Rapid Prototyping of Information Systems, Guide for, **E1340 (14.01)**
Working qualities/characteristics
Conducting Machining Tests of Wood and Wood-Base Panel Materials, Test Methods for, **D1666 (04.10)**
Performance of a Pasta Cooker, Test Method for, **F1784 (15.12)**
Straight Line Movement of Vacuum Cleaners While Cleaning Carpets, Test Method for, **F1409 (15.08)**
Working reference materials (WRM)
Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, Guide for, **C1128 (12.01)**
Working/setting time
Measuring Consistency of Self-Flowing Castable Refractories, Test Method for, **C1446 (15.01)**
Working, Initial Setting, and Service Strength Setting Times of Chemical-Resistant Resin Mortars, Test Methods for, **C308 (06.02)**
Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, Test Method for, **C414 (04.05)**
Working viscosity
Solvent Containing Varnishes Used for Electrical Insulation, Test Methods for Testing, **D115 (10.01)**
Working zone
Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, Test Method for, **A991/A991M (01.03)**
Workmanship
Establishing Shipbuilding Quality Requirements for Hull Structure, Outfitting, and Coatings, Practice for, **F2016 (01.07)**
Fiber-Cement Roofing Shingles, Shakes, and Slates, Specification for, **C1225 (04.05)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Workplace air/atmospheres
Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, Guide for, **E1302 (11.03)**
Air Monitoring at Waste Management Facilities for Worker Protection, Guide for, **D4844 (11.04)**
Air Sampling Strategies for Worker and Workplace Protection, Guide for, **E1370 (11.07)**
Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, Practice for, **D3687 (11.07)**
Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, Test Methods for, **D3824 (11.07)**
Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), Test Methods for, **D5156 (11.07)**
Dermal Wipe Sampling for the Subsequent Determination of Metals and Metalloids, Practice for, **D7822 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, Test Method for, **D5932 (11.07)**
Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Workplace Atmospheres (1-2 PP Method), Test Method for, **D5836 (11.07)**
Determination of Aerosol Monomeric and Oligomeric Hexamethylene Diisocyanate (HDl) in Air with (Methoxy-2–phenyl-1) Piperazine (MOPIP) in the Workplace, Test Method for, **D6561 (11.07)**
Determination of Asphalt Fume Particulate Matter in Workplace Atmospheres as Benzene Soluble Fraction, Test Method for, **D6494 (11.07)**
Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, Test Method for, **D4600 (11.07)**
Determination of Beryllium in the Workplace by Extraction and Optical Fluorescence Detection, Test Method for, **D7202 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), Test Method for, **D4413 (11.07)**
Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), Test Method for, **D5578 (11.07)**
Determination of Gaseous Hexamethylene Diisocyanate (HDI) in Air with 9-(N-methylaminomethyl) Anthracene Method (MAMA) in the Workplace, Test Method for, **D6562 (11.07)**
Determination of Lead in Workplace Air Using Flame or Graphite Furnace Atomic Absorption Spectrometry, Test Method for, **D6785 (11.07)**
Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, Test Method for, **D5953M (11.07)**
Determination of Sulfuric Acid Mist in Workplace Atmospheres Collected on Mixed Cellulose Ester Filters (Ion Chromatographic Analysis), Test Method for, **D4856 (11.07)**
Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), Test Method for, **D5466 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, Practice for, **D6058 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, Test Method for, **D6057 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, Test Method for, **D6059 (11.07)**
Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, Test Method for, **D6056 (11.07)**
Evaluating the Performance of Diffusive Samplers, Practice for, **D6246 (11.07)**
Evaluating the Performance of Respirable Aerosol Samplers, Practice for, **D6061 (11.07)**
Flow Rate Adjustment of Personal Sampling Pumps, Practice for, **D5337 (11.07)**
Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, Practice for, **E1132 (11.03)**
Inspection of Linings in Operating Flue Gas Desulfurization Systems, Practice for, **D4619 (06.02)**
Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, Test Method for, **D4765 (11.07)**
Measurement of Metals in Workplace Atmospheres by Flame Atomic Absorption Spectrophotometry, Practice for, **D4185 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, Practice for, **D4490 (11.07)**
Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, Practice for, **D4599 (11.07)**
Metal Removal Fluid Aerosol in Workplace Atmospheres, Test Method for, **D7049 (11.07)**
Minimizing Effects of Aerosols in the Wet Metal Removal Environment, Practice for, **E1972 (11.03)**
Monitoring Diesel Particulate Exhaust in the Workplace, Test Method for, **D6877 (11.07)**
Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, Practice for, **E2144 (11.03)**
pH of Atmospheric Wet Deposition Samples by Electrometric Determination, Test Method for, **D5015 (11.07)**
Respirable Dust in Workplace Atmospheres Using Cyclone Samplers, Test Method for, **D4532 (11.07)**
Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, Guide for, **E848 (06.01)**
Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), Practice for, **D7201 (11.07)**
Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, Practice for, **D4597 (11.07)**
Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, Practice for, **D6196 (11.07)**
the Determination of Hexavalent Chromium in Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide, Test Method for, **D6832 (11.07)**
Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, Guide for, **E2148 (11.03)**
Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), Test Method for, **D4766 (11.07)**

Workplace air/atmospheres—specifications
Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, Specification for, **D4618 (06.02)**

Workplace health and safety training
Sa **Health hazards**
Prevention of Dermatitis in the Wet Metal Removal Fluid Environment, Practice for, **E2693 (11.03)**

Workplace injury
Defining the Performance of First Aid Providers in Occupational Settings, Guide for, **F2171 (13.02)**
Reporting Incidents that May Involve Criminal or Civil Litigation, Practice for, **E1020 (14.02)**

Work platforms
Structure-Mounted Insulating Work Platforms for Electrical Workers, Specification for, **F1564 (10.03)**

Workspace design/layout
Sa **Design—ship construction**
Human Engineering Design for Marine Systems, Equipment, and Facilities, Practice for, **F1166 (01.07)**
Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, Practice for, **F1337 (01.07)**
Serviceability of an Office Facility for Change and Churn by Occupants, Classification for, **E1692 (04.11)**

Workstations
Medical Transcription Workstations, Guide for, **E2502 (14.01)**
Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, Guide for, **E2093 (03.05)**

Work-to-break
Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, Test Method for, **D4885 (04.13)**
Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), Test Method for, **D2653 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Meth-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ods for, **D885/D885M (07.01)**
World Radiometric Reference (WRR)
Calibration of a Pyranometer Using a Pyrheliometer, Test Method for, **G167 (14.04)**
Worldwide published standards
Worldwide Published Standards Relating to Particle and Spray Characterization, Guide for, **E1919 (14.02)**
Worn garment simulation
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Worsted count
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**
Worsted system
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Wound healing
Classification of Therapeutic Skin Substitutes, Guide for, **F2311 (13.01)**
Wound polymer matrix composites
Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5448/D5448M (15.03)**
Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5449/D5449M (15.03)**
Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, Test Method for, **D5450/D5450M (15.03)**
Woven asbestos materials/applications—specifications
Woven Asbestos Cloth, Specification for, **D1571/D1571M (04.05)**
Woven Asbestos Tape, Specification for, **D315/D315M (04.05)**
Woven fabrics
Bow and Skew Using a Measuring Tool, Test Method for, **D7811 (07.02)**
Physical Characterization of Woven Paint Applicator Fabrics, Practice for, **D6337 (06.02)**
Tufted and Woven Broadloom Carpet Adhesives Without Homogenous PVC or Non-PVC Backings, Specification for, **D7799 (15.06)**
Woven Blouse, Dress, Dress Shirt & Sport Shirt Fabrics, Performance Specification for, **D7020 (07.02)**
Woven fabrics for roofing and waterproofing—specifications
Sa **Roofing materials/applications**
Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing, Specification for, **D173/D173M (04.04)**
Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, Specification for, **D1327/D1327M (04.04)**
Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, Specification for, **D1668 (04.04)**
Woven geotextile fabrics
Tensile Properties of Geotextiles by the Wide-Width Strip Method, Test Method for, **D4595 (04.13)**
Woven glass fabric
Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, Specification for, **D1668 (04.04)**
Woven glass (for plastic laminates)
Finished Glass Fabrics Woven From Rovings, Specification for, **D4389/D4389M (07.01)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Woven industrial fabrics
Bursting Strength of Textile Fabrics—Diaphragm Bursting Strength Tester Method, Test Method for, **D3786/D3786M (07.01)**
Determining the Edgecomb Resistance of Woven Fabrics Used in Inflatable Restraints, Test Method for, **D6479 (07.02)**
Woven paint applicator fabrics
Physical Characterization of Woven Paint Applicator Fabrics, Practice for, **D6337 (06.02)**
Woven steel wire fabric
Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric), Specification for, **A740 (01.06)**
Woven textile fabrics
Sa **Glass fabrics/fibers/textile products—specifications**
Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method), Test Method for, **D4966 (07.02)**
Air Permeability of Textile Fabrics, Test Method for, **D737 (07.01)**
Backing Fabric Characteristics of Pile Yarn Floor Coverings, Test Methods for, **D2646 (07.01)**
Bow and Skew in Woven and Knitted Fabrics, Test Method for, **D3882 (07.01)**
Breaking Strength and Elongation of Textile Fabrics (Grab Test), Test Method for, **D5034 (07.02)**
Bursting Strength of Fabrics Constant-Rate-of-Extension (CRE) Ball Burst Test, Test Method for, **D6797 (07.02)**
Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, Terminology Relating to, **D3136 (07.01)**
Conditioning, Chemical, and Thermal Properties, Terminology Relating to, **D4920 (07.02)**
Conducting Wear Tests on Textiles, Guide for, **D3181 (07.01)**
Distortion of Yarn in Woven Fabrics, Test Method for, **D1336 (07.01)**
Evaluation of Attached Upholstery Fabrics, Practice for, **D4852 (07.02)**
Evaluation of Launderable Woven Dress Shirts and Sports Shirts, Practice for, **D4231 (07.01)**
Evaluation of the Performance of Machine Washable and Dry-cleanable Bedcoverings and Accessories, Practice for, **D4721 (07.02)**
Fabrics and Fabric Test Methods, Terminology Relating to, **D4850 (07.02)**
Failure in Sewn Seams of Woven Apparel Fabrics, Test Method for, **D1683/D1683M (07.01)**
Length of Woven Fabric, Test Methods for, **D3773/D3773M (07.01)**
Mass Per Unit Area (Weight) of Fabric, Test Methods for, **D3776/D3776M (07.01)**
Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, Test Method for, **D4970/D4970M (07.02)**
Snagging Resistance of Fabrics (Bean Bag), Test Method for, **D5362 (07.02)**
Stiffness of Fabric by the Circular Bend Procedure, Test Method for, **D4032 (07.01)**
Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus, Test Method for, **D1424 (07.01)**
Tearing Strength of Fabrics by Trapezoid Procedure, Test Method for, **D5587 (07.02)**
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**
Textiles, Terminology Relating to, **D123 (07.01)**
The Burning Behavior of Textiles, Terminology Relating to, **D4391 (07.01)**
Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, Practices for, **D5426 (07.02)**
Warp (End) and Filling (Pick) Count of Woven Fabrics, Test Method for, **D3775 (07.01)**
Width of Textile Fabric, Test Method for, **D3774 (07.01)**
Yarn Crimp and Yarn Take-up in Woven Fabrics, Test Method for, **D3883 (07.01)**
Woven textile fabrics—specifications
Blanket Products for Institutional and Household Use, Performance Specification for, **D5432 (07.02)**
Insect Screening and Louver Cloth Woven from, Specification for, **D3656/D3656M (07.01)**
Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, Performance Specification for, **D4154 (07.01)**
Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, Performance Specification for, **D3780 (07.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Men's, Women's, and Children's Woven Handkerchief Fabrics, Performance Specification for, **D4153 (07.01)**
Towel Products for Institutional and Household Use, Performance Specification for, **D5433 (07.02)**
Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, Performance Specification for, **D4116 (07.01)**
Women's and Girls' Knitted and Woven Dress Glove Fabrics, Performance Specification for, **D4115 (07.01)**
Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, Performance Specification for, **D4155 (07.01)**
Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, Specification for, **D6663 (07.02)**
Woven and Knitted Sheeting Products for Institutional and Household Use, Performance Specification for, **D5431 (07.02)**
Woven and Knitted Shower Curtains for Institutional and Household Use, Performance Specification for, **D5378 (07.02)**
Woven and Warp Knitted Comforter Fabrics, Specification for, **D4769 (07.02)**
Woven Awning and Canopy Fabrics, Performance Specification for, **D4847 (07.02)**
Woven Blouse, Dress, Dress Shirt & Sport Shirt Fabrics, Performance Specification for, **D7020 (07.02)**
Woven Drycleanable Coat Fabrics, Performance Specification for, **D3562 (07.01)**
Woven Napery and Tablecloth Fabrics: Household and Institutional, Performance Specification for, **D4111 (07.01)**
Woven Necktie and Scarf Fabrics, Performance Specification for, **D3785 (07.01)**
Woven Slipcover Fabrics, Performance Specification for, **D4113 (07.01)**
Woven Swimwear Fabrics, Performance Specification for, **D3994 (07.01)**
Woven Umbrella Fabrics, Performance Specification for, **D4112 (07.01)**
Woven Upholstery Fabrics—Plain, Tufted, or Flocked, Performance Specification for, **D3597 (07.01)**
Woven, Knitted, or Flocked Bedspread Fabrics, Performance Specification for, **D4037 (07.01)**
Woven, Lace, and Knit Household Curtain and Drapery Fabrics, Performance Specification for, **D3691/D3691M (07.01)**

Woven upholstery fabrics
Woven Upholstery Fabrics—Plain, Tufted, or Flocked, Performance Specification for, **D3597 (07.01)**

Woven wire cloth
Industrial Woven Wire Cloth, Specification for, **E2016 (14.02)**
Industrial Woven Wire Filter Cloth, Guide for, **E2814 (14.02)**

Woven wood
Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, Test Method for, **E1175 (12.02)**

Wrap
Identification, Storage, and Handling of Geosynthetic Rolls and Samples, Guide for, **D4873 (04.13)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**

Wrapped-wire connections
Measuring Resistance of Electrical Connections (Static Contacts), Test Methods for, **B539 (02.04)**

Wrapping performance
Selection and Use of Stretch Wrap Films, Guide for, **D4649 (15.10)**

Wrapping tapes
Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, Guide for, **D4967 (10.02)**

Wrestling mats
Manufacturers for Labeling and Care Instructions for Wrestling Mats, Guide for, **F2983 (15.07)**

Wrinkling
Measuring Break Pattern of Leather (Break Scale), Test Method for, **D2941 (15.04)**

Wrist implants
Articulating Total Wrist Implants, Specification for, **F1357 (13.01)**

Writeability
Determining the Writeability of Print Media, Practice for, **F2294 (15.09)**

Writer/writing
Use-Oriented Foreign Language Instruction, Guide for, **F1562 (15.11)**

Writing
Examination of Questioned Documents, Terminology Relating to, **E2195 (14.02)**
Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, Practice for, **E1628 (11.03)**

Writing care instructions
Floor Coverings and Textile Upholstered Furniture, Terminology Relating to, **D5253 (07.02)**

Writing performance
Comparing Multistrike Film Ribbons, Test Method for, **F1051 (15.09)**

Writing specifications
Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, Guide for, **E1282 (03.05)**
Writing Material Standards in the Classification, Guide for, **D5740 (08.03)**
Writing Quality Control Specifications for Standard Test Methods for Water Analysis, Practice for, **D5847 (11.02)**

Wrought aluminum products
Heat Treatment of Wrought Aluminum Alloys, Practice for, **B918/B918M (02.02)**
Identification Marking of Aluminum and Magnesium Products, Practice for, **B666/B666M (02.02)**

Wrought austenitic stainless steel pipe
See **Austenitic stainless steel pipe—specifications**

Wrought carbon steel
Specifying Harmonized Standard Grade Compositions for Wrought Carbon, Low-Alloy, and Alloy Steels, Guide for, **A1040 (01.05)**

Wrought chromium surgical implant alloys
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), Specification for, **F138 (13.01)**
Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Sheet and Strip for Surgical Implants (UNS S31673), Specification for, **F139 (13.01)**

Wrought cobalt surgical implant alloys
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy for Surgical Implant Applications (UNS R30605), Specification for, **F90 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**
Wrought Cobalt-28Chromium-6Molybdenum Alloys for Surgical Implants (UNS R31537, UNS R31538, and UNS R31539), Specification for, **F1537 (13.01)**

Wrought Cu/Cu-alloy materials/applications
Coppers, Classification of, **B224 (02.01)**
General Requirements for Wrought Copper Alloy Wire, Specification for, **B250/B250M (02.01)**
General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, Specification for, **B249/B249M (02.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

General Requirements for Wrought Seamless Copper and Copper-Alloy Tube, Specification for, **B251 (02.01)**
General Requirements for Wrought Seamless Copper and Copper-Alloy Tube (Metric), Specification for, **B251M (02.01)**
Oxygen-Free Copper in Wrought Forms for Electron Devices, Specification for, **F68 (02.01)**
Temper Designations for Copper and Copper Alloys—Wrought and Cast, Classification for, **B601 (02.01)**
Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, Specification for, **B100 (02.01)**

Wrought duplex stainless steel
Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, Test Methods for, **A923 (01.03)**

Wrought galvanic zinc anodes
Cast and Wrought Galvanic Zinc Anodes, Specification for, **B418 (02.04)**

Wrought iron
Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, Test Methods for, **E350 (03.05)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**

Wrought iron-cobalt alloys
Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), Specification for, **A801 (03.04)**

Wrought iron/nickel-based corrosion-resistant alloys
Evaluating Corrosion Properties of Wrought Iron- and Nickel-Based Corrosion Resistant Alloys for Chemical Process Industries, Guide for, **G157 (03.02)**

Wrought magnesium alloys
Codification of Unalloyed Magnesium and Magnesium-Alloys, Cast and Wrought, Practice for, **B951 (02.02)**
Temper Designations of Magnesium Alloys, Cast and Wrought, Practice for, **B296 (02.02)**

Wrought nonferrous metals and alloys
See **Nonferrous metals/alloys**

Wrought products
Ultrasonic Testing of Wrought Products, Practice for, **E2375 (03.03)**

Wrought silver-tin oxide materials
Silver-Tin Oxide Contact Material, Guide for, **B844 (02.04)**

Wrought steel—specifications
Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, Specification for, **A182/A182M (01.01)**
Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, Guide for, **A959 (01.03)**
Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A958/A958M (01.02)**
Steel Castings, Carbon, and Alloy, Chemical Requirements Similar to Standard Wrought Grades, Specification for, **A915/A915M (01.02)**
Wrought Alloy Steel Rolls for Cold and Hot Reduction, Specification for, **A427/A427M (01.05)**
Wrought Carbon Steel Wheels, Specification for, **A504/A504M (01.05)**

Wrought steel fittings—specifications
Sa **Steel fittings—specifications**
As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, Specification for, **A774/A774M (01.01)**
Common Requirements for Wrought Steel Piping Fittings, Specification for, **A960/A960M (01.01)**
Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, Specification for, **A858/A858M (01.01)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service, Specification for, **A420/A420M (01.01)**
Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and High Temperature Service, Specification for, **A234/A234M (01.01)**
Wrought Austenitic Stainless Steel Piping Fittings, Specification for, **A403/A403M (01.01)**
Wrought High-Strength Ferritic Steel Butt-Welding Fittings, Specification for, **A860/A860M (01.01)**

Wrought steel forgings
Sa **Carbon steel forgings—specifications**
Steel Forgings, Microalloy, for General Industrial Use, Specification for, **A909/A909M (01.05)**

Wrought steel pipe
Welded and Seamless Wrought Steel Pipe [American National Standard], **ASMEB36.10M-1996** (Related Material) **(01.01)**
Welded and Seamless Wrought Steel Pipe [American National Standard], **ANSI/ASMEB36.19M-1985** (Related Material) **(01.01)**

Wrought surgical implant materials—specifications
Sa **Titanium (Ti) (for surgical implants)—specifications**
Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), Specification for, **F1058 (13.01)**
Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), Specification for, **F1091 (13.01)**
Wrought Nickel-Titanium Shape Memory Alloys for Medical Devices and Surgical Implants, Specification for, **F2063 (13.01)**
Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), Specification for, **F1586 (13.01)**
Wrought Seamless Stainless Steel Tubing for Surgical Implants, Specification for, **F2181 (13.01)**
Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), Specification for, **F1813 (13.01)**
Wrought Titanium-13Niobium-13Zirconium Alloy for Surgical Implant Applications (UNS R58130), Specification for, **F1713 (13.01)**
Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), Specification for, **F2146 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), Specification for, **F1472 (13.01)**
Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), Specification for, **F136 (13.01)**
Wrought Titanium-6Aluminum-7Niobium Alloy for Surgical Implant Applications (UNS R56700), Specification for, **F1295 (13.01)**

Wrought titanium-3aluminum-2.5vanadium alloy (UNS R56320)
Wrought Titanium-3Aluminum-2.5Vanadium Alloy for Surgical Implant Applications (UNS R56320), Specification for, **F3046 (13.02)**

"W" shapes
Structural Steel Shapes, Specification for, **A992/A992M (01.04)**

WVT
See **Water vapor transmission (WVT)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

X

X-cut adhesion test
Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, Practice for, **F2296 (15.09)**
Measuring Adhesion by Tape Test, Test Methods for, **D3359 (06.01)**

Xenogeneic
Composition of Anorganic Bone for Surgical Implants, Specification for, **F1581 (13.01)**

Xenon
Calculation of Dose Equivalent Xenon (DEX) for Radioactive Xenon Fission Products in Reactor Coolant, Practice for, **D7727 (11.02)**
Depth Profiling in Auger Electron Spectroscopy, Guide for, **E1127 (03.06)**

Xenon-arc light exposure
Accelerated Weathering of Pressure-Sensitive Tapes by Xenon-Arc Exposure Apparatus, Practice for, **D6551/D6551M (15.10)**
Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method), Practice for, **D4798/D4798M (04.04)**
Artists' Colored Pencils, Specification for, **D6901 (06.02)**
Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, Test Method for, **G130 (14.04)**
Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, Test Method for, **D4355 (04.13)**
Determining the Relative Lightfastness of Ink Jet Prints Exposed to Window Filtered Daylight Using a Xenon Arc Light Apparatus, Practice for, **F2366 (15.09)**
Evaluating the Relative Lightfastness and Weatherability of Printed Matter, Practice for, **D3424 (06.02)**
Exposure of Photodegradable Plastics in a Xenon Arc Apparatus, Practice for, **D5071 (08.02)**
Lightfastness of Pigments Used in Artists' Paints, Test Methods for, **D4303 (06.02)**
Obtaining Spectrometric Data for Object-Color Evaluation, Practice for, **E1164 (06.01)**
Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, Practice for, **G155 (14.04)**
Xenon Arc Exposure Test with Enhanced Light and Water Exposure for Transportation Coatings, Practice for, **D7869 (06.01)**
Xenon-Arc Exposure of Plastics Intended for Indoor Applications, Practice for, **D4459 (08.02)**
Xenon-Arc Exposure of Plastics Intended for Outdoor Applications, Practice for, **D2565 (08.01)**
Xenon-Arc Exposures of Paint and Related Coatings, Practice for, **D6695 (06.01)**

Xenopus
Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), Guide for, **E1439 (11.06)**

Xerographic paper
White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, Specification for, **D3460 (15.09)**

XHTML (extensible hypertext markup language)
Guideline Elements Model version 3 (GEM III)—Document Model for Clinical Practice Guidelines, Specification for, **E2210 (14.01)**

X-irradiation
Appearances of Radiographic Images as Certain Parameters are Changed, Reference Radiographs for, **E242 (03.03)**
Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, Practice for, **E668 (12.02)**
Calculating Absorbed Dose From Gamma or X Radiation, Practice for, **E666 (12.02)**
Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**
Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**
Determining Contrast Sensitivity in Radiology, Practice for, **E1647 (03.03)**
Determining Relative Image Quality of Industrial Radiographic Film Exposed to X-Radiation from 4 to 25 MeV, Test Method for, **E1735 (03.03)**
Determining the Size of Iridium-192 Industrial Radiographic Sources, Test Method for, **E1114 (03.03)**
Examination of Aluminum Fusion Welds, Reference Radiographs for, **E1648 (03.03)**
Exposure of Adhesive Specimens to Ionizing Radiation, Practice for, **D1879 (15.06)**
Radiologic Examination of Semiconductors and Electronic Components, Practice for, **E1161 (03.03)**
Radioscopic Examination of Weldments, Test Method for, **E1416 (03.03)**
Radioscopy, Practice for, **E1255 (03.03)**
Radioscopy, Guide for, **E1000 (03.03)**
Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, Guide for, **E1453 (03.03)**
Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**
Use of the Ethanol-Chlorobenzene Dosimetry System, Practice for, **ISO/ASTM51538 (12.02)**

XML pointer language
Guideline Elements Model version 3 (GEM III)—Document Model for Clinical Practice Guidelines, Specification for, **E2210 (14.01)**

XPS (extruded polystyrene) geofoam
Rigid Cellular Polystyrene Geofoam, Specification for, **D6817/D6817M (04.13)**

X-radiography
Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, Test Method for, **E1165 (03.03)**
Nondestructive Examinations, Terminology for, **E1316 (03.03)**
X-Ray Radiography of Soil Samples, Practice for, **D4452 (04.08)**

X-ray analysis
Determination of Iodine-129 In Uranium Oxide, Guide for the, **C1638 (12.01)**
Determining the Attenuation Properties in a Primary X-ray Beam of Materials Used to Protect Against Radiation Generated During the Use of X-ray Equipment, Test Method for, **F2547 (11.03)**
Radiographic Examination of Advanced Aero and Turbine Materials and Components, Practice for, **E2104 (03.03)**
Significance of Particle Size Measurements of Coating Powders, Guide for, **D5861 (06.02)**

X-ray Compton scatter tomography (CST)
X-Ray Compton Scatter Tomography, Guide for, **E1931 (03.03)**

X-ray diffraction analysis
Determination of Crystallite Size (Lc of Calcined Petroleum Coke by X-Ray Diffraction, Test Method for, **D5187 (05.02)**
Determination of Relative Crystallinity of Zeolite Sodium A by X-ray Diffraction, Test Method for, **D5357 (05.05)**
Determination of Relative Crystallinity of Zeolite ZSM-5 by X-Ray Diffraction, Test Method for, **D5758 (05.05)**
Determination of Relative X-ray Diffraction Intensities of Faujasite-Type Zeolite-Containing Materials, Test Method for, **D3906 (05.05)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, Test Method for, **C1365 (04.01)**

Determination of the Unit Cell Dimension of a Faujasite-Type Zeolite, Test Method for, **D3942 (05.05)**

Determining the Effective Elastic Parameter for X-Ray Diffraction Measurements of Residual Stress, Test Method for, **E1426 (03.01)**

Determining the Orientation of a Metal Crystal, Test Method for, **E82 (03.01)**

Gamma Alumina Content in Catalysts Containing Silica and Alumina by X-ray Powder Diffraction, Test Method for, **D4926 (05.05)**

Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, Practices for, **D934 (11.02)**

Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, Test Method for, **D5380 (06.01)**

Preparing Quantitative Pole Figures, Test Method for, **E81 (03.01)**

Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, Test Method for, **D3720 (06.03)**

Reporting Results of Examination and Analysis of Water-Formed Deposits, Practice for, **D933 (11.02)**

Residual Stress Measurement by X-Ray Diffraction for Bearing Steels, Test Method for, **E2860 (03.01)**

Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, Test Method for, **E915 (03.01)**

X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, Practice for, **E975 (03.01)**

X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings, Practice for, **F2024 (13.01)**

X-ray emission spectrometry

Sa **Spectrometry**

Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E322 (03.05)**

Analysis of Low-Alloy Steels by X-Ray Fluorescence Spectrometry, Test Method for, **E1085 (03.05)**

Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E572 (03.05)**

Analysis of Titanium Alloys by X-Ray Fluorescence Spectrometry, Test Method for, **E539 (03.05)**

Correction of Interelement Effects in X-Ray Spectrometric Analysis, Guide for, **E1361 (03.05)**

Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**

Elemental Analysis by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Guide for, **E1621 (03.05)**

Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, Test Method for, **F1375 (10.04)**

Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**

Nickel on Steel for Porcelain Enameling by X-Ray Emission Spectrometry, Test Method for, **C810 (02.05)**

Performance Evaluation of the Portable X-Ray Fluorescence Spectrometer for the Measurement of Lead in Paint Films, Practice for, **E2120 (04.12)**

Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, Practice for, **E826 (03.05)**

Wavelength Accuracy and Spectral Bandwidth of Fluorescence Spectrometers, Test Method for, **E388 (03.06)**

X-ray Spectrometric Analysis of Lime and Limestone, Test Method for, **C1271 (04.01)**

X-ray fluorescence

Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), Test Method for, **F2980 (10.04)**

Determination of Zirconium Treatment Weight or Thickness on Metal Substrates by X-Ray Fluorescence, Test Method for, **D7639 (06.02)**

Silicon in Gasoline and Related Products by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7757 (05.04)**

X-ray machine

Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, Test Method for, **F526 (12.02)**

X-ray microanalysis

Quantitative Analysis by Energy-Dispersive Spectroscopy, Guide for, **E1508 (03.01)**

Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, Test Methods for, **E2142 (03.01)**

X-ray monitoring/processing

Absorbed-Dose Mapping in Radiation Processing Facilities, Guide for, **E2303 (12.02)**

Data Fields for Computerized Transfer of Digital Radiological Examination Data, Guide for, **E1475 (03.03)**

Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, Practice for, **E747 (03.03)**

Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, Practice for, **E1025 (03.03)**

Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**

Determining Relative Image Quality of Industrial Radiographic Film Exposed to X-Radiation from 4 to 25 MeV, Test Method for, **E1735 (03.03)**

Dosimetry in an X-Ray (Bremsstrahlung) Facility For Radiation Processing, Practice for, **ISO/ASTM51608 (12.02)**

Estimating Uncertainties in Dosimetry for Radiation Processing, Guide for, **ISO/ASTM51707 (12.02)**

Evaluating the Imaging Performance of Security X-Ray Systems, Practice for, **F792 (15.08)**

Evaluating the Performance of Radiographic Digitization Systems, Reference Radiograph for, **E1936 (03.03)**

Metallographic Laboratory Safety, Guide on, **E2014 (03.01)**

Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, Guide to, **E592 (03.03)**

Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **C958 (15.02)**

Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, Test Method for, **B761 (02.05)**

Radioscopic Examination of Castings, Practice for, **E1734 (03.03)**

Soundness of Welds in Steel by Comparison to Graded ASTM, Radiographic Examination for, **E1955 (03.03)**

Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, Practice for, **F1035 (09.02)**

Use of the Alanine-EPR Dosimetry System, Practice for, **ISO/ASTM51607 (12.02)**

X-ray photoelectron spectroscopy (XPS)

Sa **Spectroscopy—X-ray fluorescence (XRF)**

Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, Guide for, **E995 (03.06)**

Calibration of the Electron Binding-Energy Scale of an X-Ray Photoelectron Spectrometer, Practice for, **E2108 (03.06)**

Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, Guide to, **E1523 (03.06)**

Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Photoelectron Spectrometers, Practice for, **E1217 (03.06)**
Handling Specimens Prior to Surface Analysis, Guide for, **E1829 (03.06)**
Selection of Calibrations Needed for X-ray Photoelectron Spectroscopy (XPS) Experiments, Guide for, **E2735 (03.06)**
Specimen Preparation and Mounting in Surface Analysis, Guide for, **E1078 (03.06)**

X-ray security screening systems
See **Security systems and equipment**

X-ray shielding garments—determining protection provided by
Determining Protection Provided by X-ray Shielding Garments Used in Medical X-ray Fluoroscopy from Sources of Scattered X-Rays, Test Method for, **F3094 (11.03)**

X-ray spectrometry
Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), Test Method for, **F2980 (10.04)**
Analysis of Ni-Base Alloys by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **E2465 (03.05)**
Determination of Chemical Elements in Fluid Catalytic Cracking Catalysts by X-ray Fluorescence Spectrometry (XRF), Guide for, **D7085 (05.05)**
Optimization, Sample Handling, Calibration, and Validation of X-ray Fluorescence Spectrometry Methods for Elemental Analysis of Petroleum Products and Lubricants, Practice for, **D7343 (05.04)**
Sulfur in Petroleum Products by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D2622 (05.01)**
Using Scanning Electron Microscopy/X-Ray Spectrometry in Forensic Paint Examinations, Guide for, **E2809 (14.02)**

X-ray testing
Digital Detector Array Radiology, Guide for, **E2736 (03.03)**
Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, Guide for, **F1892 (10.04)**
Radiographic Examination, Practice for, **E1742/E1742M (03.03)**
Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, Guide for, **F1467 (10.04)**

X-ray tomography
Sa **Computed tomography (CT)**
Computed Tomography (CT) Imaging, Guide for, **E1441 (03.03)**
Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for X-ray Computed Tomography (CT) Test Methods, Practice for, **E2767 (03.03)**
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**

XRF (X-ray fluorescence)
Calibration Requirements for Elemental Analysis of Petroleum Products and Lubricants, Guide for, **D7578 (05.04)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Determination of Chemical Elements in Fluid Catalytic Cracking Catalysts by X-ray Fluorescence Spectrometry (XRF), Guide for, **D7085 (05.05)**
Determination of Elemental Content of Polyolefins by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D6247 (08.03)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, Test Method for, **D4326 (05.06)**
Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, Test Method for, **D6052 (11.04)**
Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D7220 (05.04)**
Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, Test Method for, **D5839 (11.04)**

XRF (X-ray fluorescence)—coatings
Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, Test Method for, **B890 (02.05)**
Measurement of Coating Thickness by X-Ray Spectrometry, Test Method for, **B568 (02.05)**
Measuring Thickness of Metallic and Inorganic Coatings, Guide for, **B659 (02.05)**

XRF (X-ray fluorescence)—metals/alloys
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, Practice for, **E1172 (03.05)**
Determination of Titanium Treatment Weight on Metal Substrates by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6906 (06.02)**
Elemental Analysis by Wavelength Dispersive X-Ray Fluorescence Spectrometry, Guide for, **E1621 (03.05)**
Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, Guide for, **E1257 (03.05)**
Metals Identification, Grade Verification, and Sorting, Guide for, **E1476 (03.03)**

XRF (X-ray fluorescence)—nuclear materials
Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, Test Methods for, **C968 (12.01)**
Analysis of Uranium and Thorium in Soils by Energy Dispersive X-Ray Fluorescence Spectroscopy, Test Method for, **C1255 (12.01)**
Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, Test Methods for, **C1022 (12.01)**
Determination of Bromine and Chlorine in UF, Test Method for, **C1508 (12.01)**
Determination of Low Concentrations of Uranium in Oils and Organic Liquids by X-ray Fluorescence, Test Method for, **C1343 (12.01)**
Determination of Uranium in Mineral Acids by X-Ray Fluorescence, Test Method for, **C1254 (12.01)**
Determination of Uranium or Gadolinium (or both) in Gadolinium Oxide-Uranium Oxide Pellets or by X-Ray Fluorescence (XRF), Test Method for, **C1456 (12.01)**

XRF (X-ray fluorescence)—paints/related coatings/materials
Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, Test Method for, **D4764 (06.01)**
Determination of Chromium Treatment Weight on Metal Substrates by X-Ray Fluorescence, Practice for, **D5723 (06.02)**
Sulfur Content of Cellulosic Materials by X-Ray Fluorescence, Test Method for, **D2929 (06.03)**
X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, Guide for, **D5381 (06.01)**

XRF (X-ray fluorescence)—petroleum products
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Lead in Gasoline by X-Ray Spectroscopy, Test Methods for, **D5059 (05.02)**
Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence, Test Method for, **D6334 (05.03)**
Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D4294 (05.02)**
Sulfur in Petroleum Products by Wavelength Dispersive X-ray Fluorescence Spectrometry, Test Method for, **D2622 (05.01)**

XRF (X-ray fluorescence)—water
Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, Practice for, **D2332 (11.02)**
Identification of Chemicals in Water by Fluorescence Spectros-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

copy, Practice for, **D4763 (11.02)**
Measurement of On-line Integrated Samples of Low Level Suspended Solids and Ionic Solids in Process Water by X-Ray Fluorescence (XRF), Test Method for, **D6502 (11.01)**

Xylene
Acid Wash Color of Industrial Aromatic Hydrocarbons, Test Method for, **D848 (06.04)**
Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, Test Method for, **D847 (06.04)**
Aromatic Hydrocarbons and Related Chemicals, Terminology of, **D4790 (06.04)**
Benzene, Toluene, Xylene (BTX) Concentrates Analysis by Gas Chromatography, Test Method for, **D6563 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, Test Methods for, **D2765 (08.01)**
Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene, Test Method for, **D5348 (15.04)**
Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, Test Method for, **D5060 (06.04)**
Distillation of Industrial Aromatic Hydrocarbons and Related Materials, Test Method for, **D850 (06.04)**
Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, Test Method for, **D1310 (06.01)**
Identification of Chemicals in Water by Fluorescence Spectroscopy, Practice for, **D4763 (11.02)**
Purity of Hydrocarbons from Freezing Points, Test Method for, **D1016 (05.01)**
Sampling and Handling Liquid Cyclic Products, Practice for, **D3437 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, Test Method for, **D2360 (06.04)**
Xylenes for, Specification for, **D5211 (06.04)**

***meta*-Xylene**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**

***ortho*-Xylene**
Analysis of, Test Method for, **D3797 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, Test Method for, **D5580 (05.02)**
O-Xylene 980, Specification for, **D5471 (06.04)**

***para*-Xylene**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**
Flash Point of Liquids by Small Scale Closed-Cup Apparatus, Test Methods for, **D3278 (06.01)**
High Purity, Specification for, **D5136 (06.04)**
Solidification Point of Industrial Organic Chemicals by Thermistor, Test Method for, **D6875 (06.04)**
Trace Chloride in Liquid Aromatic Hydrocarbons, Test Method for, **D5194 (06.04)**
Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, Test Method for, **D5917 (06.04)**
Xylenes for, Specification for, **D5211 (06.04)**

Xylene displacement method
Real Density of Calcined Petroleum Coke by Xylene Displacement, Test Method for, **D5004 (05.02)**

Xylene (mixed)
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, Test Method for, **D1555 (06.04)**
Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, Test Method for, **D1555M (06.04)**
Density or Relative Density of Pure Liquid Chemicals, Test Method for, **D3505 (06.04)**

Xylene (nitration grade)
Nitration Grade Xylene, Specification for, **D843 (06.04)**

Xylene solubles
Determination of Xylene Solubles in Propylene Plastics, Test Method for, **D5492 (08.03)**

Xylenols
Tar Acid Composition by Capillary Gas Chromatography, Test Method for, **D5310 (06.04)**
Water in Phenol and Related Materials by the Iodine Reagent Method, Test Method for, **D1631 (06.04)**

Xylose
Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, Test Method for, **E1758 (05.06)**

Y

Yamaha CE-50S test engine
Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, Test Method for, **D4863 (05.02)**
Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, Test Method for, **D4858 (05.02)**

Yamaha RD-350B test engine
Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, Test Method for, **D4857 (05.02)**

Yards per pound
Asbestos Yarns, Specification for, **D299/D299M (04.05)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**

Yarn crimp/take-up
Yarn Crimp and Yarn Take-up in Woven Fabrics, Test Method for, **D3883 (07.01)**

Yarn faults
Classifying and Counting Faults in Spun Yarns in Electronic Tests, Test Method for, **D6197 (07.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Yarn floor covering (pile)
See **Pile yarn floor coverings**
Yarn number
Conversion Factors and Equivalent Yarn Numbers Measured in Various Numbering Systems, Tables of, **D2260 (07.01)**
Determining Ticket Numbers for Sewing Threads, Practice for, **D3823 (07.01)**
Fineness of Types of Alpaca, Specification for, **D2252 (07.01)**
Fineness of Wool or Mohair and Assignment of Grade, Specifications for, **D3991 (07.01)**
Fineness of Wool Top or Mohair Top and Assignment of Grade, Specifications for, **D3992 (07.01)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Glass Fiber Cord and Sewing Thread, Specification for, **D4030/D4030M (07.01)**
Glass Fiber Greige Braided Tubular Sleeving, Specification for, **D581/D581M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Greige Woven Glass Fabrics, Specification for, **D579/D579M (07.01)**
Greige Woven Glass Tapes and Webbings, Specification for, **D580/D580M (07.01)**
Linear Density of Textile Fibers, Test Methods for, **D1577 (07.01)**
Linear Density of Yarn (Yarn Number) by the Skein Method, Test Method for, **D1907/D1907M (07.01)**
Manufactured Organic-Base Filament Single Yarns, Tolerances for, **D2497 (07.01)**
Micronaire Reading of Cotton Fibers, Test Method for, **D1448 (07.01)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Sewing Threads, Test Methods for, **D204 (07.01)**
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**
Vinyl-Coated Glass Yarns, Specification for, **D3374/D3374M (07.01)**
Yarn Number and Yarn Number Variability Using Automated Tester, Test Method for, **D6612 (07.02)**
Yarn Number Using Automatic Tester, Test Method for, **D6587 (07.02)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Yarns Spun on the Woolen System, Tolerances for, **D2644 (07.01)**
Yarn number (cut)
Asbestos Yarns, Specification for, **D299/D299M (04.05)**
Yarn properties
Breaking Strength of Yarn in Skein Form, Test Method for, **D1578 (07.01)**
Bulk Properties of Textured Yarns, Test Method for, **D4031 (07.01)**
Classifying and Counting Faults in Spun Yarns in Electronic Tests, Test Method for, **D6197 (07.02)**
Coefficient of Friction, Yarn to Solid Material, Test Method for, **D3108/D3108M (07.01)**
Coefficient of Friction, Yarn to Yarn, Test Method for, **D3412/D3412M (07.01)**
Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, Test Method for, **D2494 (07.01)**
Designation of Yarn Construction, Practice for, **D1244 (07.01)**
Entanglements in Untwisted Filament Yarns by Needle Insertion, Test Method for, **D4724 (07.02)**
Evenness of Textile Strands Using Capacitance Testing Equipment, Test Method for, **D1425/D1425M (07.01)**
Extractable Matter in Textiles, Test Method for, **D2257 (07.01)**
Grading Spun Yarns for Appearance, Test Method for, **D2255/D2255M (07.01)**
Linear Density of Yarn (Yarn Number) by the Skein Method, Test Method for, **D1907/D1907M (07.01)**
Manufactured Organic-Base Filament Single Yarns, Tolerances for, **D2497 (07.01)**
Shrinkage of Yarns, Test Method for, **D2259 (07.01)**
Snagging Resistance of Fabrics (Mace), Test Method for, **D3939/D3939M (07.01)**
Tensile Properties of Yarns by the Single-Strand Method, Test Method for, **D2256/D2256M (07.01)**
Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine), Test Method for, **D4964 (07.02)**
Use of Liquid Exclusion Chromatography Terms and Relationships, Practice for, **D3016 (08.01)**
Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, Practice for, **D861 (07.01)**
Wet and Dry Yarn-on-Yarn Abrasion Resistance, Test Method for, **D6611 (07.02)**
Yarn Crimp and Yarn Take-up in Woven Fabrics, Test Method for, **D3883 (07.01)**
Yarn Number and Yarn Number Variability Using Automated Tester, Test Method for, **D6612 (07.02)**
Yarn Spinning Systems, Terminology for, **D3888 (07.01)**
Yarns Spun on the Cotton or Worsted Systems, Tolerances for, **D2645 (07.01)**
Yarns Spun on the Woolen System, Tolerances for, **D2644 (07.01)**
Yarn properties—industrial yarns
Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, Test Methods for, **D885/D885M (07.01)**
Yarns
Asbestos Yarns, Specification for, **D299/D299M (04.05)**
Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, Practice for, **D6119 (07.02)**
Distortion of Yarn in Woven Fabrics, Test Method for, **D1336 (07.01)**
Extension Force of Partially Oriented Yarn, Test Method for, **D5344 (07.02)**
Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, Test Method for, **D4912/D4912M (07.02)**
Finished Woven Glass Fabrics, Specification for, **D4029/D4029M (07.01)**
Glass Fiber Strands, Specification for, **D578/D578M (07.01)**
Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, Test Method for, **D4974 (07.02)**
Length and Length Distribution of Manufactured Staple Fibers (Single-Fiber Test), Test Method for, **D5103 (07.02)**
Measuring Hairiness of Yarns by the Photo-Electric Apparatus, Guide for, **D5647 (07.02)**
Polyolefin Monofilaments, Specification for, **D3218 (07.01)**
Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics, Test Method for, **D2343 (08.01)**
Tensile Testing of Aramid Yarns, Test Methods for, **D7269/D7269M (07.02)**
Testing Fabric-Reinforced Textile Composite Materials, Guide for, **D6856/D6856M (15.03)**
Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, Test Method for, **D5591 (07.02)**
Yarns and Fibers, Terminology Related to, **D4849 (07.02)**
Yarns—vinyl-coated
See **Vinyl-coated glass yarns**
Yarn slippage
Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, Test Method for, **D4912/D4912M (07.02)**
Knitted Upholstery Fabrics for Indoor Furniture, Performance Specification for, **D4771/D4771M (07.02)**
Yeast and mold count
Enumeration of Yeast and Mold in Raceway Brine, Brine-Cured Hides and Skins, Test Method for, **D7817 (15.04)**
Enumeration of Yeast and Mold on Fresh (Uncured) Hides and Skins, Test Method for, **D7819 (15.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Yeasts
Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, Test Method for, **D5588 (06.01)**
Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, Practice for, **E2275 (11.05)**
Preservatives in Water-Containing Cosmetics, Test Method for, **E640 (11.05)**
Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, Test Methods for, **D4783 (15.06)**
Yellow brass
Sa **Brass**
Sa **Bronze**
Brass Plate, Sheet, Strip, And Rolled Bar, Specification for, **B36/B36M (02.01)**
Brass Wire, Specification for, **B134/B134M (02.01)**
Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), Specification for, **F468M (01.08)**
Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, Specification for, **F468 (01.08)**
Nonferrous Nuts for General Use, Specification for, **F467 (01.08)**
Seamless Brass Tube, Specification for, **B135 (02.01)**
Seamless Brass Tube Metric, Specification for, **B135M (02.01)**
Welded Brass Tube, Specification for, **B587 (02.01)**
Yellow brass—high-strength/casting
See **UNS C86200 (cast manganese bronze)**
Yellow brass—high-strength/leaded/casting
See **UNS C86400 (cast leaded manganese bronze)**
Yellow brass—leaded/casting
See **UNS C85200 (cast leaded yellow brass)**
Yellow chromate
Chromates on Aluminum, Specification for, **B449 (02.05)**
Yellowing resistance
Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, Specification for, **C1315 (04.02)**
Yellowness index
Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, Practice for, **E313 (06.01)**
Clarity and Yellowness of Liquid Water-Based Clear Floor Polishes, Test Method for, **D3430 (15.04)**
Color Determination of Plastic Pellets, Test Method for, **D6290 (08.03)**
Polyurethane Raw Materials: Instrumental Measurement of Tristimulus CIELAB Color and Yellowness Index of Liquids, Test Method for, **D7133 (08.03)**
Yellow pigments
Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, Test Methods for, **D126 (06.03)**
Chrome Yellow and Chrome Orange Pigments, Specification for, **D211 (06.03)**
Yellow Iron Oxide Hydrated, Specification for, **D768 (06.03)**
Yerzley mechanical oscillograph
Rubber Properties in Compression or Shear (Mechanical Oscillograph), Test Methods for, **D945 (09.01)**
Yield
Calculation of Commercial Weight and Yield of Scoured Wool, Top, and Noil for Various Commercial Compositions, Practice for, **D2720 (07.01)**
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, Test Method for, **C138/C138M (04.02)**
Density (Unit Weight), Yield, Cement Content, and Air Content (Gravimetric) of Controlled Low-Strength Material (CLSM), Test Method for, **D6023 (04.09)**
Determining Bending Yield Moment of Nails, Test Method for, **F1575 (01.08)**
Intervertebral Body Fusion Devices, Test Methods For, **F2077 (13.01)**
Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, Test Method for, **D5656 (15.06)**
Tolerances for Knitted Fabrics, Specification for, **D3887 (07.01)**
Yield—food service equipment
Performance of Braising Pans, Test Method for, **F1786 (15.12)**
Performance of Rotisserie Ovens, Test Method for, **F1787 (15.12)**
Performance of Steam Kettles, Test Method for, **F1785 (15.12)**
Yield—plastic sheet and film
Oriented Polypropylene Film, Specification for, **D2673 (08.01)**
Package Yield of Plastic Film, Test Method for, **D4321 (08.02)**
Polyethylene Film and Sheeting, Specification for, **D2103 (08.01)**
Yield strength and yield point
Compression Testing of Metallic Materials at Room Temperature, Test Methods of, **E9 (03.01)**
Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, Specification for, **B888/B888M (02.01)**
Determining Offset Yield Strength in Tension for Copper Alloys, Practice for, **B598 (02.01)**
Determining Short-Term Compression Behavior of Geosynthetics, Test Method for, **D6364 (04.13)**
Elevated Temperature Tension Tests of Metallic Materials, Test Methods for, **E21 (03.01)**
Flanged Steel U-Channel Posts, Specification for, **A1075 (01.05)**
Mechanical Testing of Steel Products, Test Methods and Definitions for, **A370 (01.01, 01.02, 01.03, 01.04, 01.05)**
Single Filament Hose Reinforcing Wire Made from Steel, Test Methods for, **D6320/D6320M (07.02)**
Single-Filament Tire Bead Wire Made from Steel, Test Methods for, **D4975 (07.02)**
Structural Steel with Improved Yield Strength at High Temperature for Use in Buildings, Specification for, **A1077/A1077M (01.04)**
Tear Testing of Aluminum Alloy Products, Test Method for, **B871 (02.02)**
Tension Testing of Metallic Foil, Test Methods of, **E345 (03.01)**
Tension Testing of Metallic Materials, Test Methods for, **E8/E8M (03.01)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products, Test Methods for, **B557 (02.02)**
Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products (Metric), Test Methods for, **B557M (02.02)**
Yield Strength of Preformed Tape Sealants, Test Method for, **C908 (04.07)**
Yield stress
Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, Test Method for, **D4684 (05.02)**
Determination of Yield Stress and Apparent Viscosity of Used Engine Oils at Low Temperature, Test Method for, **D6896 (05.03)**
Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, Test Method for, **D5397 (04.13)**
Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, Test Method for, **D6821 (05.03)**
Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, Test Methods for, **D7836 (06.01)**
Predicting the Borderline Pumping Temperature of Engine Oil, Test Method for, **D3829 (05.02)**
Tensile Properties of Thin Plastic Sheeting, Test Method for, **D882 (08.01)**
Viscosity of Materials by a Falling Needle Viscometer, Test Methods for, **D5478 (06.01)**
Yield Stress of Heterogeneous Propellants by Cone Penetration Method, Test Method for, **D2884 (05.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Yield value/measurement
Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, Practice for, **D5166 (06.03)**
Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, Practice for, **D5165 (06.03)**
Measuring the Yield for Aerosol Foam Sealants, Test Method for, **C1536 (04.07)**
Yoke
Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, Test Method for, **A932/A932M (03.04)**
Youden procedure
Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, Practice for, **C1067 (04.02)**
Youden study design
Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, Practice for, **D2777 (11.01)**
Young's modulus
Sa **Compression testing**
Sa **Flexural testing**
Sa **Modulus of elasticity**
Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, Test Method for, **D4623 (04.08)**
Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, Test Method for, **D5202 (04.08)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Sonic Resonance, Test Method for, **E1875 (03.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, Test Method for, **C1259 (15.01)**
Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, Test Method for, **C1198 (15.01)**
Fundamental Transverse, Longitudinal, and, Test Method for, **C215 (04.02)**
Measurements on Small Graphite Specimens, Guide for, **D7775 (05.05)**
Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, Test Method for, **D6758 (04.09)**
Measuring Vibration-Damping Properties of Materials, Test Method for, **E756 (04.06)**
Modulus and Damping of Soils by Resonant-Column Method, Test Methods for, **D4015 (04.08)**
Properties of Continuous Filament Carbon and Graphite Fiber Tows, Test Methods for, **D4018 (15.03)**
Sonic Velocity in Manufactured Carbon and Graphite Materials for Use in Obtaining an Approximate Young's Modulus, Test Method for, **C769 (05.05)**
Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus, Test Method for, **C1419 (15.01)**
Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression, Test Method for, **C469/C469M (04.02)**
Tensile Strength and Young's Modulus of Fibers, Test Method for, **C1557 (15.01)**
the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, Test Methods for, **D3999/D3999M (04.08)**
Young's Modulus of Refractory Shapes by Sonic Resonance, Test Method for, **C885 (15.01)**
Young's Modulus, Shear Modulus, and Poisson's Ratio for Glass and Glass-Ceramics by Resonance, Test Method for, **C623 (15.02)**
Young's Modulus, Tangent Modulus, and Chord Modulus, Test Method for, **E111 (03.01)**
Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance, Test Method for, **C848 (15.02)**
Youth baseball
Face Guards for Youth Baseball, Specification for, **F910 (15.07)**
Youth-resistant firearm container (YRFC)
Youth-Resistant Firearms Containers (YRFCs), Specification for, **F2456 (15.11)**
Y-ray tomography
Measurement of Computed Tomography (CT) System Performance, Test Method for, **E1695 (03.03)**

Z

Zahm-Nagle pressure tester
Determining the Carbon Dioxide Loss of Beverage Containers, Test Method for, **F1115 (15.10)**
Zahn cup(s)
Viscosity by Dip-Type Viscosity Cups, Test Method for, **D4212 (06.01)**
Zahn viscometers
See **Viscometers—Zahn**
Zeeman background correction
Arsenic in Uranium Hexafluoride, Test Methods for, **C1219 (12.01)**
Total Mercury in Crude Oil Using Combustion and Direct Cold Vapor Atomic Absorption Method with Zeeman Background Correction, Test Method for, **D7622 (05.04)**
Zeeman correction
Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, Practice for, **D4691 (11.01)**
Zeisel technique
Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D4794 (06.03)**
Methoxyl and Hydroxypropyl Substitution in Cellulose Ether Products by Gas Chromatography, Test Method for, **D3876 (06.03)**
Zener diodes
Measuring Steady-State Primary Photocurrent, Test Method for, **F448 (10.04)**
Zeolite catalysts
Sa **Catalysts/catalyst carriers**
Benzene for Use with Zeolite Based Catalysts, Specification for, **D7124 (06.04)**
Clay and Zeolite in Powdered Laundry Detergents by Atomic Absorption, Test Method for, **D5547 (15.04)**
Cumene (Isopropylbenzene) Manufactured Via a Zeolite Process, Specification for, **D7125 (06.04)**
Determination of Catalyst Acidity by Ammonia Chemisorption, Test Method for, **D4824 (05.05)**
Determination of Relative Crystallinity of Zeolite Sodium A by X-ray Diffraction, Test Method for, **D5357 (05.05)**
Determination of Relative Crystallinity of Zeolite ZSM-5 by X-Ray Diffraction, Test Method for, **D5758 (05.05)**
Determination of Relative X-ray Diffraction Intensities of Faujasite-Type Zeolite-Containing Materials, Test Method for, **D3906 (05.05)**
Determination of the Unit Cell Dimension of a Faujasite-Type Zeolite, Test Method for, **D3942 (05.05)**
Determining Micropore Volume and Zeolite Area of a Catalyst, Test Method for, **D4365 (05.05)**
Platinum in Reforming Catalysts by Wet Chemistry, Test Method for, **D4642 (05.05)**
Zero air
Calibration of Ozone Monitors and Certification of Ozone Transfer Standards Using Ultraviolet Photometry, Practice for, **D5110 (11.07)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Zero pressure steamers
Cooker, Steam, Specification for, **F1217 (15.12)**
Zero response
Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Non-conformities, Using Attribute Data, When There is a Zero Response in the Sample, Practice for, **E2334 (14.02)**
Zero strength time
Polychlorotrifluoroethylene (PCTFE) Plastics, Classification System for, **D1430 (08.01)**
Zeta potential
Measurement of Electrophoretic Mobility and Zeta Potential of Nanosized Biological Materials, Guide for, **E2865 (14.02)**
Zeta potential distribution
Characterization of Proteins by Electrophoretic Mobility, Test Method for, **E1470 (14.02)**
Zig-zag upholstery springs
See **Steel springs—specifications**
Zinc
Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, Practice for, **D5258 (11.02)**
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Chemical Analysis of Refined Nickel, Test Methods for, **E1587 (03.05)**
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Configuration of Zinc and Zinc Alloy Jumbo, Block, Half Block, and Slab Ingot, Specification for, **B897 (02.04)**
Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, Specification for, **F2833 (01.08)**
Determination of Additive Elements in Lubricating Oils by EDXRF Analysis, Test Method for, **D7751 (05.04)**
Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, Guide for, **G82 (03.02)**
Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, Test Method for, **D5673 (11.02)**
Extraction of Trace Elements from Sediments, Practices for, **D3974 (11.02)**
General Requirements for Zinc and Zinc Alloy Products, Specification for, **B949 (02.04)**
Liquid Paint Driers, Test Methods for, **D564 (06.01)**
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**
Nitric Acid Digestion of Solid Waste, Practice for, **D5198 (11.04)**
Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, Practice for, **D4309 (11.01)**
Sampling of Zinc and Zinc Alloys by Spark Atomic Emission Spectrometry, Practice for, **E634 (03.05)**
Testing Non-Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B940 (02.05)**
Zinc Alloys in Ingot Form for Spin Casting, Specification for, **B952/B952M (02.04)**
Zinc and Epoxy Dual-Coated Steel Reinforcing Bars, Specification for, **A1055/A1055M (01.04)**
Zinc—specifications
Anodes, Sacrificial Zinc Alloy, Specification for, **F1182 (01.07)**
Cast and Wrought Galvanic Zinc Anodes, Specification for, **B418 (02.04)**
Coatings of Zinc Mechanically Deposited on Iron and Steel, Specification for, **B695 (02.05)**
Continuous Galvanizing Grade (CGG) Zinc Alloys for Hot-Dip Galvanizing of Sheet Steel, Specification for, **B852 (02.04)**
GALFAN, Specification for, **B750 (02.04)**
General Requirements for Zinc and Zinc Alloy Products, Specification for, **B949 (02.04)**
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**
Rolled Zinc, Specification for, **B69 (02.04)**
Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**
Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, Specification for, **A929/A929M (01.06)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**
Zinc, Specification for, **B6 (02.04)**
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**
Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications, Specification for, **B943 (02.04)**
Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, Specification for, **B833 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**
Zinc Master Alloys for Use in Hot Dip Galvanizing, Specification for, **B860 (02.04)**
Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, Specification for, **A856/A856M (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric, Specification for, **F1345 (01.06)**
Zinc alloy castings
Zinc Alloys in Ingot Form for Spin Casting, Specification for, **B952/B952M (02.04)**
Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, Specification for, **B793 (02.04)**
Zinc alloy ingots
Color Codes on Zinc and Zinc Alloy Ingot for Use in Hot-Dip Galvanizing of Steel, Practice for, **B914 (02.04)**
GALFAN, Specification for, **B750 (02.04)**
General Requirements for Zinc and Zinc Alloy Products, Specification for, **B949 (02.04)**
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**
Zinc Alloys in Ingot Form for Spin Casting, Specification for, **B952/B952M (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
Zinc alloys
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Chemical Analysis of Zinc and Zinc Alloys, Test Methods for, **E536 (03.05)**
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, Practice for, **B275 (02.04)**
Configuration of Zinc and Zinc Alloy Jumbo, Block, Half Block, and Slab Ingot, Specification for, **B897 (02.04)**
Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**
Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, Practice for, **G103 (03.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

General Requirements for Zinc and Zinc Alloy Products, Specification for, **B949 (02.04)**
Sampling of Zinc and Zinc Alloys by Spark Atomic Emission Spectrometry, Practice for, **E634 (03.05)**
Steel Sheet, Zinc-Aluminum-Magnesium Alloy-Coated by the Hot-Dip Process, Specification for, **A1046/A1046M (01.06)**
Use of Color Codes for Zinc Casting Alloy Ingot, Practice for the, **B908 (02.04)**
Zinc Alloy Thermo-Diffusion Coatings (TDC) on Steel Fasteners, Hardware, and Other Products, Specification for, **A1059/A1059M (01.06)**
Zinc Alloys in Ingot Form for Spin Casting, Specification for, **B952/B952M (02.04)**
Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**

Zinc alloys—electrodeposited coatings
Electrodeposited Coatings of Zinc Cobalt Alloy Deposits, Specification for, **B840 (02.05)**

Zinc alloys—specifications
GALFAN, Specification for, **B750 (02.04)**
Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**
Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, Specification for, **A929/A929M (01.06)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**
Zinc Alloys in Ingot Form for Slush Casting, Specification for, **B792 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**
Zinc Master Alloys for Use in Hot Dip Galvanizing, Specification for, **B860 (02.04)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, Specification for, **A856/A856M (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand, Specification for, **A855/A855M (01.06)**

Zinc-aluminum-magnesium alloy
Steel Sheet, Zinc-Aluminum-Magnesium Alloy-Coated by the Hot-Dip Process, Specification for, **A1046/A1046M (01.06)**

Zinc-aluminum-mischmetal alloy (Zn-Al-MM)
Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**
Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Specification for, **B802/B802M (02.03)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, Specification for, **A856/A856M (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric, Specification for, **F1345 (01.06)**
Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand, Specification for, **A855/A855M (01.06)**

Zinc-aluminum (ZA)
Use of Color Codes for Zinc Casting Alloy Ingot, Practice for the, **B908 (02.04)**
Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**

Zinc-aluminum (ZA) coatings
Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**
Detection of Hexavalent Chromium On Zinc and Zinc/Aluminum Alloy Coated Steel, Practice for, **D6492 (06.02)**
Zinc Master Alloys for Use in Hot Dip Galvanizing, Specification for, **B860 (02.04)**
Zinc-5 % Aluminum (Hot-Dip) Coatings on Iron and Steel Products, Specification for, **A1072/A1072M (01.06)**

Zinc-antimony alloy
Zinc Master Alloys for Use in Hot Dip Galvanizing, Specification for, **B860 (02.04)**

Zincate process
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**

Zinc-base master alloy
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**

Zinc casting alloy ingot
Use of Color Codes for Zinc Casting Alloy Ingot, Practice for the, **B908 (02.04)**

Zinc-coated fence fabric
Fence Fittings, Specification for, **F626 (01.06)**
Installation of Chain-Link Fence, Practice for, **F567 (01.06)**
Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcelled Tension Wire, Specification for, **A817 (01.06)**
Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), Specification for, **A390 (01.06)**
Zinc-Coated Steel Chain-Link Fence Fabric, Specification for, **A392 (01.06)**

Zinc-coated steel castings
Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, Practice for, **A384/A384M (01.06)**

Zinc-coated steel pipe—specifications
Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use, Specification for, **A795/A795M (01.01)**
Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains, Specification for, **A760/A760M (01.06)**
Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless, Specification for, **A53/A53M (01.01)**
Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures, Specification for, **F1083 (01.06)**
Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, Specification for, **A865/A865M (01.01)**
Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, Specification for, **A733 (01.01)**
Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, Specification for, **A810 (01.06)**

Zinc-coated steel plate—specifications
Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, Specification for, **A761/A761M (01.06)**
Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**

Zinc-coated steel products
Cold Formed Carbon Structural Steel Tubing Made from Metallic Precoated Sheet Steel, Specification for, **A1076/A1076M (01.01)**
Preparation of New, Continuous Zinc-Coated (Galvanized) Steel Surfaces for Painting, Guide for, **D7396 (06.02)**
Providing High-Quality Zinc Coatings (Hot-Dip), Practice for, **A385/A385M (01.06)**
Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, Practice for, **A143/A143M (01.06)**
Zinc-Coated Flat Steel Armoring Tape, Specification for, **A459 (01.06)**

Zinc-coated steel products—specifications
Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, Specification for, **A787/A787M (01.01)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Zinc Coating (Hot-Dip) on Iron and Steel Hardware, Specification for, **A153/A153M (01.06)**

Zinc-coated steel sheet

Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**

Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, Practice for, **A239 (01.06)**

Steel Sheet, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A1079 (01.06)**

Steel Sheet, Twin-Roll Cast, Zinc-Coated (Galvanized) by the Hot-Dip Process, Specification for, **A1063/A1063M (01.06)**

Weight Mass of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings, Test Method for, **A90/A90M (01.06)**

Zinc-coated steel sheet—specifications

Continuous Galvanizing Grade (CGG) Zinc Alloys for Hot-Dip Galvanizing of Sheet Steel, Specification for, **B852 (02.04)**

General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process, Specification for, **A924/A924M (01.06)**

Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**

Steel Forgings, General Requirements, Specification for, **A788/A788M (01.05)**

Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process, Specification for, **A792/A792M (01.06)**

Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), Specification for, **A917 (01.06)**

Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, Specification for, **A755/A755M (01.06)**

Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, Specification for, **A929/A929M (01.06)**

Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**

Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, Specification for, **A875/A875M (01.06)**

Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**

Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**

Zinc-coated steel wire

Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, Test Method for, **E1004 (03.03)**

Extra-High-Strength and Ultra-High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Overhead Electrical Conductors, Specification for, **B957/B957M (02.03)**

Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**

Zinc-coated steel wire—specifications

High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B803/B803M (02.03)**

High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced, Specification for, **B606/B606M (02.03)**

Metallic Coated or Aluminum Clad Stranded Steel Core for Use in Overhead Electrical Conductors, Specification for, **B500/B500M (02.03)**

Metallic-Coated Carbon Steel Barbed Wire, Specification for, **A121 (01.06)**

Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, Specification for, **A854/A854M (01.06)**

Metallic-Coated Steel Wire Rope and Fittings for Highway Guardrail, Specification for, **A741 (01.06)**

Metallic-Coated, Steel-Woven Wire Fence Fabric, Specification for, **A116 (01.06)**

Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, Specification for, **B833 (02.04)**

Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Specification for, **B802/B802M (02.03)**

Zinc–Coated (Galvanized) Carbon Steel Wire, Specification for, **A641/A641M (01.06)**

Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, Specification for, **A856/A856M (01.06)**

Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Overhead Ground Wire Strand, Specification for, **A925 (01.06)**

Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand, Specification for, **A855/A855M (01.06)**

Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire, Specification for, **A111 (01.06)**

Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire, Specification for, **A411 (01.06)**

Zinc-Coated (Galvanized) Steel Core Wire for Use in Overhead Electrical Conductors, Specification for, **B498/B498M (02.03)**

Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand, Specification for, **A363 (01.06)**

Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, Specification for, **A810 (01.06)**

Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), Specification for, **A390 (01.06)**

Zinc-Coated (Galvanized) Steel Welded Wire Reinforcement, Plain and Deformed, for Concrete, Specification for, **A1060/A1060M (01.04)**

Zinc-Coated Parallel and Helical Steel Wire Structural Strand, Specification for, **A586 (01.06)**

Zinc-Coated Steel Chain-Link Fence Fabric, Specification for, **A392 (01.06)**

Zinc-Coated Steel Strand for Messenger Support of Figure 8 Cable, Specification for, **A640 (01.06)**

Zinc-Coated Steel Structural Wire Rope, Specification for, **A603 (01.06)**

Zinc-Coated Steel Wire Strand, Specification for, **A475 (01.06)**

Zinc coatings—specifications

Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, Specification for, **A123/A123M (01.06)**

Zinc coatings

Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, Test Method for, **A754/A754M (01.06)**

Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, Practice for, **E376 (03.03)**

Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, Practice for, **D7803 (06.02)**

Weight Mass of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings, Test Method for, **A90/A90M (01.06)**

Zinc Alloy Thermo-Diffusion Coatings (TDC) on Steel Fasteners, Hardware, and Other Products, Specification for, **A1059/A1059M (01.06)**

Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners, Specification for, **F2329 (01.08)**

Zinc-cobalt alloy

Electrodeposited Coatings of Zinc Cobalt Alloy Deposits, Specification for, **B840 (02.05)**

Zinc content

Analysis of White Zinc Pigments, Test Methods for, **D3280 (06.03)**

Calcium or Zinc in Paint Driers by EDTA Method, Test Method for, **D2613 (06.01)**

Chemical Analysis of Zinc Dust (Metallic Zinc Powder), Test Methods for, **D521 (06.03)**

Chemical Analysis of Zinc Yellow Pigment (Zinc Chromate Yel-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

low), Test Methods for, **D444 (06.03)**
Determination of Zinc in Zinc Ores and Concentrates by EDTA Complexometric Titrimetry, Test Method for, **E945 (03.05)**
Oxygen-Free Electrolytic Copper—Refinery Shapes, Specification for, **B170 (02.01)**
Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, Test Methods for, **D4004 (09.01)**
Steel Tire Cords, Test Methods for, **D2969 (07.01)**
Zinc Analysis of Floor Polishes and Floor Polish Polymers By Flame Atomic Absorption (A.A.), Test Method for, **D6827 (15.04)**
Zinc in Water, Test Methods for, **D1691 (11.01)**

Zinc content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**

Zinc content—cadmium
Chemical Analysis of Cadmium, Test Methods for, **E396 (03.05)**

Zinc content—coal/coke
Trace Elements in Coal and Coke Ash by Atomic Absorption, Test Method for, **D3683 (05.06)**

Zinc content—Cu/Cu alloys
Chemical Analysis of Copper Alloys, Test Methods for, **E478 (03.05)**
Determination of Copper in Unalloyed Copper by Gravimetry, Test Method for, **E53 (03.05)**

Zinc content—paints/related coatings
The Determination of Metallic Zinc Content in Both Zinc Dust Pigment and in Cured Films of Zinc-Rich Coatings, Test Method for, **D6580 (06.01)**

Zinc content—petroleum products
Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, Test Method for, **D4628 (05.02)**
Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, Test Method for, **D4951 (05.02)**
Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), Test Method for, **D6443 (05.03)**
Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, Test Method for, **D6481 (05.03)**
Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, Test Methods for, **D4927 (05.02)**
Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5185 (05.02)**
Sulfated Ash from Lubricating Oils and Additives, Test Method for, **D874 (05.01)**
Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Test Method for, **D5600 (05.02)**

Zinc content—pig lead
Chemical Analysis of Pig Lead, Test Methods for, **E37 (03.05)**

Zinc-copper-aluminum alloy
ACuZinc5, Specification for, **B892 (02.04)**
Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, Specification for, **B894 (02.04)**

Zinc-copper-aluminum alloys
Use of Color Codes for Zinc Casting Alloy Ingot, Practice for the, **B908 (02.04)**

Zinc die casting alloy
ACuZinc5, Specification for, **B892 (02.04)**
Master Alloys Used in Making Zinc Die Casting Alloys, Specification for, **B327 (02.04)**
Preparation of Zinc Alloy Die Castings for Electroplating and Conversion Coatings, Guide for, **B252 (02.05)**
Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, Specification for, **B894 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, Specification for, **B240 (02.04)**

Zinc driers
See **Drying oils**
See **Paint driers**

Zinc electrodeposited coatings
Sa **Electroplated coatings**
Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), Test Method for, **B368 (02.05)**
Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, Guide for, **B555 (02.05)**
Preparation of Aluminum Alloys for Electroplating, Guide for, **B253 (02.05)**
Preparation of Iron Castings for Electroplating, Practice for, **B320 (02.05)**
Preparation of Magnesium and Magnesium Alloys for Electroplating, Guide for, **B480 (02.05)**
Rating of Electroplated Panels Subjected to, Practice for, **B537 (02.05)**
Testing Chromate Coatings on Zinc and Cadmium Surfaces, Practice for, **B201 (02.05)**

Zinc electrodeposited coatings—specifications
Coatings of Zinc Mechanically Deposited on Iron and Steel, Specification for, **B695 (02.05)**
Electrodeposited Coatings of Zinc Cobalt Alloy Deposits, Specification for, **B840 (02.05)**
Electrodeposited Coatings of Zinc Iron Alloy Deposits, Specification for, **B842 (02.05)**
Electrodeposited Coatings of Zinc Nickel Alloy Deposits, Specification for, **B841 (02.05)**
Electrodeposited Coatings of Zinc on Iron and Steel, Specification for, **B633 (02.05)**
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**
Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A879/A879M (01.06)**
Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, Specification for, **A653/A653M (01.06)**
Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, Specification for, **A918 (01.06)**
Zinc Master Alloys for Use in Hot Dip Galvanizing, Specification for, **B860 (02.04)**
Zinc/Aluminum Corrosion Protective Coatings for Fasteners, Specification for, **F1136/F1136M (01.08)**

Zinc (hot-dip galvanized) coatings
See **Hot-dip (galvanized) coatings**

Zinc isotope removal
Determination of Radioactive Iron in Water, Test Method for, **D4922 (11.02)**

Zinc master alloys
Zinc Master Alloys for Use in Hot Dip Galvanizing, Specification for, **B860 (02.04)**

Zinc metal
Continuous Galvanizing Grade (CGG) Zinc Alloys for Hot-Dip Galvanizing of Sheet Steel, Specification for, **B852 (02.04)**
Prime Western Grade-Recycled (PWG-R) Zinc, Specification for, **B960 (02.04)**
Zinc, Specification for, **B6 (02.04)**
Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, Specification for, **B86 (02.04)**
Zinc Master Alloys for Use in Hot Dip Galvanizing, Specification for, **B860 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Zinc-nickel alloy
Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, Test Methods for, **E1659 (03.05)**
Electrodeposited Coatings of Zinc Nickel Alloy Deposits, Specification for, **B841 (02.05)**
Zinc ores/concentrates
Determination of Zinc in Zinc Ores and Concentrates by EDTA Complexometric Titrimetry, Test Method for, **E945 (03.05)**
Zinc oxide (ZnO)
Evaluating the Effective Surface Area of Zinc Oxide in Rubber, Test Method for, **D4620 (09.01)**
Physical and Chemical Properties of Industry Reference Materials (IRM), Specification for, **D5900 (09.01)**
Rubber Compounding Material—Zinc Oxide, Test Methods for, **D4315 (09.01)**
Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, Test Methods for, **D4075 (09.01)**
Rubber Compounding Materials—Zinc Oxide, Classification for, **D4295 (09.01)**
Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, Practice for, **D4678 (09.01)**
Zinc oxide (ZnO) content
Analysis of Zinc Hydroxy Phosphite Pigment, Test Method for, **D4450 (06.03)**
Rubber Products—Chemical Analysis, Test Methods for, **D297 (09.01)**
Zinc phosphate (ZnP) coatings
Phosphate/Oil Corrosion Protective Coatings for Fasteners, Specification for, **F1137 (01.08)**
Zinc pigments
Analysis of White Zinc Pigments, Test Methods for, **D3280 (06.03)**
Analysis of Zinc Hydroxy Phosphite Pigment, Test Method for, **D4450 (06.03)**
Chemical Analysis of Zinc Dust (Metallic Zinc Powder), Test Methods for, **D521 (06.03)**
Chemical Analysis of Zinc Yellow Pigment (Zinc Chromate Yellow), Test Methods for, **D444 (06.03)**
The Determination of Metallic Zinc Content in Both Zinc Dust Pigment and in Cured Films of Zinc-Rich Coatings, Test Method for, **D6580 (06.01)**
Zinc pigments—specifications
Zinc Dust Pigment, Specification for, **D520 (06.03)**
Zinc Hydroxy Phosphite Pigment, Specification for, **D4462 (06.03)**
Zinc Oxide Pigments, Specification for, **D79 (06.03)**
Zinc Phosphate Pigments, Specification for, **D6280 (06.03)**
Zinc Yellow (Zinc Chromate) Pigments, Specification for, **D478 (06.03)**
Zinc plate/sheet
Rolled Zinc, Specification for, **B69 (02.04)**
Zinc removal
Metallic Abrasive Blasting to Descale the Interior of Pipe, Guide for, **F1330 (01.07)**
Zinc-rich primer
Sa **Primers**
Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, Practice for, **D4752 (06.02)**
The Determination of Metallic Zinc Content in Both Zinc Dust Pigment and in Cured Films of Zinc-Rich Coatings, Test Method for, **D6580 (06.01)**
Zinc-rich primer/chromate complex coatings
Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel, Test Method for, **D4146 (06.02)**
Zinc thermal spraying (metallizing)
Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, Specification for, **B833 (02.04)**
Zinc-tin alloys
Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications, Specification for, **B943 (02.04)**
Zinc, Tin and Cadmium Base Alloys Used as Solders, Specification for, **B907 (02.04)**
Zip line
Special Requirements for Aerial Adventure Courses, Practice for, **F2959 (15.07)**
Zipper finish durability
Durability of Finish of Zippers to Drycleaning, Test Method for, **D2058 (07.01)**
Durability of Finish of Zippers to Laundering, Test Method for, **D2051 (07.01)**
Zippers
Fasteners and Closures Used with Textiles, Terminology Relating to, **D2050 (07.01)**
Measuring Zipper Dimensions, Test Methods for, **D2060 (07.01)**
Operability of Zippers, Test Methods for, **D2062 (07.01)**
Resistance of Zippers to Salt Spray (Fog), Test Method for, **D2059/D2059M (07.01)**
Selection of Zippers for Care-Labeled Apparel and Household Furnishings, Practice for, **D3692 (07.01)**
Strength Tests for Zippers, Test Methods for, **D2061 (07.01)**
Zippers—specifications
Zipper Dimensions, Specification for, **D3657 (07.01)**
Zippers for Dungarees, Jeans and Work Trousers, Performance Specification for, **D4465 (07.02)**
Zippers (colorfastness)
See **Colorfastness—zippers**
Zirconia content
Nuclear-Grade Zirconium Oxide Powder, Specification for, **C1065 (12.01)**
Zirconia-silica
Zircon Refractories, Classification of, **C545 (15.01)**
Zirconium-2.5 niobium alloy
Wrought Zirconium-2.5Niobium Alloy for Surgical Implant Applications (UNS R60901), Specification for, **F2384 (13.01)**
Zirconium alloys (for nuclear applications)
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Zirconium content
Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, Test Methods for, **C761 (12.01)**
Zirconium in Paint Driers by EDTA Method, Test Method for, **D3969 (06.01)**
Zirconium content—Al/Al alloys
Chemical Analysis of Aluminum and Aluminum-Base Alloys, Test Methods for, **E34 (03.05)**
Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, Test Method for, **E1277 (03.05)**
Zirconium metals—specifications
Castings, Zirconium-Base, Corrosion Resistant, for General Application, Specification for, **B752 (02.04)**
Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, Specification for, **B351/B351M (02.04)**
Primary Zirconium, Specification for, **B494/B494M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Pipe, Specification for, **B658/B658M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Tubes, Specification for, **B523/B523M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Welding Fittings, Specification for, **B653/B653M (02.04)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Zirconium and Zirconium Alloy Bar and Wire, Specification for, **B550/B550M (02.04)**
Zirconium and Zirconium Alloy Forgings, Specification for, **B493/B493M (02.04)**
Zirconium and Zirconium Alloy Ingots, Specification for, **B495 (02.04)**
Zirconium and Zirconium Alloy Ingots for Nuclear Application, Specification for, **B350/B350M (02.04)**
Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application, Specification for, **B352/B352M (02.04)**
Zirconium and Zirconium Alloy Strip, Sheet, and Plate, Specification for, **B551/B551M (02.04)**
Zirconium Sponge and Other Forms of Virgin Metal for Nuclear Application, Specification for, **B349/B349M (02.04)**

Zirconium oxide content
Chemical Analysis of Glass Sand, Test Methods for, **C146 (15.02)**
Nuclear-Grade Zirconium Oxide Powder, Specification for, **C1065 (12.01)**

Zirconium oxide pellets/powder
Nuclear Grade Zirconium Oxide Pellets, Specification for, **C1066 (12.01)**

Zirconium/zirconium alloys—nonnuclear applications
Castings, Zirconium-Base, Corrosion Resistant, for General Application, Specification for, **B752 (02.04)**
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, Practice for, **B614 (02.04)**
Determining Hafnium in Zirconium and Zirconium Alloys By Direct Current Plasma-Atomic Emission Spectrometry, Test Method for, **E1552 (03.05)**
Primary Zirconium, Specification for, **B494/B494M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Pipe, Specification for, **B658/B658M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Tubes, Specification for, **B523/B523M (02.04)**
Seamless and Welded Zirconium and Zirconium Alloy Welding Fittings, Specification for, **B653/B653M (02.04)**
Zirconium and Zirconium Alloy Bar and Wire, Specification for, **B550/B550M (02.04)**
Zirconium and Zirconium Alloy Forgings, Specification for, **B493/B493M (02.04)**
Zirconium and Zirconium Alloy Ingots, Specification for, **B495 (02.04)**
Zirconium and Zirconium Alloy Strip, Sheet, and Plate, Specification for, **B551/B551M (02.04)**

Zirconium alloys (for nuclear applications)—specifications
Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), Test Method for, **G2/G2M (02.04)**
Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, Specification for, **B351/B351M (02.04)**
Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, Specification for, **B811 (02.04)**
Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), Specification for, **B353 (02.04)**
Zirconium and Zirconium Alloy Ingots for Nuclear Application, Specification for, **B350/B350M (02.04)**
Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application, Specification for, **B352/B352M (02.04)**
Zirconium Sponge and Other Forms of Virgin Metal for Nuclear Application, Specification for, **B349/B349M (02.04)**

Zirconium/zirconium alloys—surgical implants
Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), Specification for, **F1813 (13.01)**
Wrought Titanium-13Niobium-13Zirconium Alloy for Surgical Implant Applications (UNS R58130), Specification for, **F1713 (13.01)**

Zirconium (Zr)
Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, Practice for, **G102 (03.02)**
Determination of Zirconium Treatment Weight or Thickness on Metal Substrates by X-Ray Fluorescence, Test Method for, **D7639 (06.02)**
Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, Specification for, **B941 (02.03)**
Reactive and Refractory Metal Clad Plate, Specification for, **B898 (02.04)**

Z magnification
Calibrating the, Practice for, **E2530 (03.06)**

Zonal discrimination
Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, Practice for, **E1961 (03.03)**

Zoned fire detection systems
Shipboard Fire Detection Systems, Guide for, **F1198 (01.07)**

Zone location
Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), Practice for, **E1118/E1118M (03.03)**

Zones of security
Sa **Security systems and equipment**
Serviceability of an Office Facility for Protection of Occupant Assets, Classification for, **E1693 (04.11)**

Zooplankton
Preserving Zooplankton Samples, Practice for, **E1200 (11.02)**
Sampling Zooplankton with a Clarke-Bumpus Plankton Sampler, Practice for, **E1199 (11.02)**
Sampling Zooplankton with Conical Tow Nets, Practice for, **E1201 (11.02)**
Sampling Zooplankton with Pumps, Practice for, **E1198 (11.02)**

Z score
Proficiency Test Program for Fabrics, Guide for, **D6674 (07.02)**

Zwitterion
Measurement of Electrophoretic Mobility and Zeta Potential of Nanosized Biological Materials, Guide for, **E2865 (14.02)**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Alphanumeric List

ASTM Standards

Standards:

Classifications ..	66
Guides	683
Practices	1200
Specifications ...	3128
Terminology	231
Test Methods ...	7239
Total	12547

Each ASTM standard has a unique serial designation. It is comprised of a capital letter indicating general classification (A, ferrous metals; B, nonferrous metals; C, cementitious, ceramic, concrete, and masonry materials; D, miscellaneous materials; E, miscellaneous subjects; F, materials for specific applications; G, corrosion, deterioration, and degradation of materials; ES, emergency standards; P, proposals; PS, provisional standards), a serial number (one to four digits), a dash, and the year of issue.

In each serial designation, the number following the dash indicates the year of original adoption as standard or, in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 2014 have as their final number, 14. A letter following this number indicates more than one revision during that year, that is 14a indicates the second revision in 2014, 14b the third revision, etc. Standards that have been reapproved without change are indicated by the year of last reapproval in parentheses as part of the designation number, for example, (2014). A superscript epsilon indicates an editorial change since the last revision or reapproval; ε1 for the first change, ε2 for the second, etc.

If a standard is written in acceptable metric units and has a companion standard written in inch-pound units (or other units), the metric standard is identified by a letter M after the serial number; this standard contains “hard metric” units.

If a standard is written in inch-pound units (or other units) and acceptable metric units, the document is identified by a dual alphanumeric designation.

When reference is made to a standard, the *complete* designation should be given. Best practice is to state the *designation and title*.

The boldface number(s) following the title refer to the volume(s) of the *Annual Book of ASTM Standards* in which the standard appears.

This list includes only those standards which appear in the 2014 edition of each volume of the *Annual Book of ASTM Standards*. New and revised standards that were approved after the closing date for the volume are available as separate reprints and will be listed in next year’s edition.

Each ASTM standard is available as a separate reprint from ASTM. Price and order information are available from ASTM Customer Service, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, 610-832-9585.

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A. FERROUS METALS

A1-00(2010) Specification for Carbon Steel Tee Rails, **01.04**
A2-02(2008) Specification for Carbon Steel Girder Rails of Plain, Grooved, and Guard Types, **01.04**
A3-01(2012) Specification for Steel Joint Bars, Low, Medium, and High Carbon (Non-Heat-Treated), **01.04**
A4 Withdrawn 1965; Specification for Medium-Carbon-Steel Splice Bars; Replaced by A3
A5 Withdrawn 1979; Specification for High-Carbon Steel Joint Bars; Replaced by A3
A6/A6M-13a Specification for General Requirements for Rolled Structural Steel Bars, Plates, Shapes, and Sheet Piling, **01.04**
A7 Withdrawn 1967; Specification for Steel for Bridges and Building; Replaced by A36 (for rolled shapes), A283, A306, A663, A675
A8 Withdrawn 1963; Specification for Structural Nickel Steel
A9 Withdrawn 1940; Specification for Steel for Buildings
A10 Withdrawn 1970; Specification for Mild Steel Plates; Replaced by A283
A11 Withdrawn 1930; Specification for Structural Steel for Cars; Replaced by A113
A12 Withdrawn 1934; Specification for Structural Steel for Ships; Replaced by A131
A13 Withdrawn 1934; Specification for Rivet Steel for Ships; Replaced by A131
A14 Withdrawn 1950; Specification for Carbon-Steel Bars for Springs; Replaced by A68
A15 Withdrawn 1969; Specification for Billet-Steel Bars for Concrete Reinforcement; Replaced by A615
A16 Withdrawn 1969; Specification for Rail-Steel Bars of Concrete Reinforcement; Replaced by A616
A17 Withdrawn 1945; Specification for Carbon-Steel and Alloy-Steel Blooms, Billets and Slabs and Forms; Replaced by A273, A274
A18 Withdrawn 1940; Specification for Quenched-and-Tempered Carbon-Steel Axles, Shafts, and Other Forgings for Locomotives and Cars; Replaced by A236
A19 Withdrawn 1939; Specification for Quenched-and-Tempered Carbon-Steel Axles, Shafts, and Other Forgings for Locomotives and Cars; Replaced by A236
A20/A20M-13 Specification for General Requirements for Steel Plates for Pressure Vessels, **01.04**
A21 Withdrawn 2003; Specification for Carbon Steel Axles, Non-Heat-Treated and Heat-Treated, for Railway Use
A22 Withdrawn 1934; Specification for Cold-Rolled Steel Axles; Replaced by A57, A504
A23 Withdrawn 1917; Specification for Forged and Rolled, or Rolled Solid Carbon-Steel Wheels for Engine-Truck, Tender, and Passenger Service; Replaced by A57, A504
A24 Withdrawn 1917; Specification for Forged and Rolled, or Rolled Solid Carbon-Steel Wheels for Freight-Car Service; Replaced by A57, A504
A25 Withdrawn 1993; Specification for Wrought Steel Wheels for Electric Railway Service; Replaced by A504
A26 Withdrawn 1966; Specification for Steel Tires; Replaced by A551
A27/A27M-13 Specification for Steel Castings, Carbon, for General Application, **01.02**
A28 Withdrawn 1925; Specification for Lap-Welded and Seamless Steel Boiler Tubes for Locomotives; Replaced by A83
A29/A29M-12 Specification for Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for, **01.05**
A30 Withdrawn 1964; Specification for Boiler and Firebox Steel for Locomotives
A31-04(2009) Specification for Steel Rivets and Bars for Rivets, Pressure Vessels, **01.08**
A32 Withdrawn 1927; Specification for Cold-Drawn Bessemer Steel Automotive Screw Stock; Replaced by A107, A108
A33 Withdrawn 1937; Methods of Chemical Analysis of Plain Carbon Steel; Replaced by E30
A34/A34M-06(2012) Practice for Sampling and Procurement Testing of Magnetic Materials, **03.04**
A35 Withdrawn 1937; Recommended Practice for Annealing of Miscellaneous Rolled and Forged Carbon-Steel Objects
A36/A36M-12 Specification for Carbon Structural Steel, **01.04**
A37 Withdrawn 1936; Recommended Practice for Carburizing and Heat-Treatment of Carburized Objects
A38 Withdrawn 1924; Specification for Drawn or Rolled Alloy, 60 Percent Nickel, 16 Percent Chromium, and Balance Iron; Replaced by A83
A39 Withdrawn 1920; Specification for Staybolt Iron; Replaced by A84
A40 Withdrawn 1920; Specification for Engine Bolt Iron; Replaced by A84
A41 Withdrawn 1956; Specification for Refined Iron Bars
A42 Withdrawn 1972; Specification for Wrought Iron Plates
A43 Withdrawn 1992; Specification for Merchant Pig Iron
A44 Withdrawn 1955; Specification for Engine Bolt Iron Cast Iron Pit-Cast Pipe for Water Other Liquids; Replaced by A377
A45 Withdrawn 1943; Specification for Cast-Iron Locomotive Cylinders
A46 Withdrawn 1943; Specification for Chilled-Tread Cast-Iron Wheels
A47M Withdrawn 1999; Replaced by A47/A47M
A47/A47M-99(2009) Specification for Ferritic Malleable Iron Castings, **01.02**
A48M Withdrawn 2000; Replaced by A48/A48M
A48/A48M-03(2012) Specification for Gray Iron Castings, **01.02**
A49-12 Specification for Heat-Treated Carbon Steel Joint Bars, Microalloyed Joint Bars, and Forged Carbon Steel Compromise Joint Bars, **01.04**
A50 Withdrawn 1937; Specification for Quenched Carbon-Steel Track Bolts; Replaced by A183
A51 Withdrawn 1937; Specification for Quenched Alloy-Steel Track Bolts; Replaced by A183
A52 Withdrawn 1925; Specification for Lap-Welded and Seamless Steel and Wrought-Iron Boiler Tubes for Stationary Service; Replaced by A83
A53/A53M-12 Specification for Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless, **01.01**
A54 Withdrawn 1927; Specification for Cold-Drawn Open-Hearth Steel Automatic Screw Stock; Replaced by A107, A108
A55 Withdrawn 1937; Methods of Chemical Analysis of Alloy Steels; Replaced by E30
A56 Withdrawn 1972; Specification for Wrought Iron Crane Chain
A57 Withdrawn 1966; Specification for Multiple-Wear Wrought Steel Wheels; Replaced by A504
A58 Withdrawn 1943; Specification for Carbon-Steel Bars for Vehicle and General Purpose Springs; Replaced by A689
A59 Withdrawn 1966; Specification for Silicon-Manganese Steel Bars for Springs; Replaced by A689
A60 Withdrawn 1966; Specification for Chromium-Vanadium Steel Bars for Springs; Replaced by A689
A61 Withdrawn 1969; Specification for Deformed Rail Steel Bars for Concrete Reinforcement with 60,000 psi Minimum Yield Strength; Replaced by A616
A62 Withdrawn 1949; Specification for Steel Elliptical Springs
A63 Withdrawn 1941; Specification for Alloy Steel Forgings for Locomotives and Cars; Replaced by A237, A238
A64 Withdrawn 1937; Methods for Chemical Analysis of Steel, Cast Iron, Open-Hearth Iron, and Wrought Iron; Replaced by E30
A65-07(2013) Specification for Steel Track Spikes, **01.04**
A66-07(2013) Specification for Steel Screw Spikes, **01.04**
A67-00(2010) Specification for Steel Tie Plates, Low-Carbon and High-Carbon-Hot-Worked, **01.04**
A68 Withdrawn 1975; Specification for Carbon Steel Bars for Springs; Replaced by A689
A69 Withdrawn 1927; Specification for Elliptical Steel Springs for Automobiles
A70 Withdrawn 1947; Specification for Low and Intermediate Tensile Strength Carbon-Steel; Replaced by A285
A71 Withdrawn 1937; Specification for Carbon Tool Steel
A72 Withdrawn 1972; Specification for Welded Wrought-Iron Pipe
A73 Withdrawn 1972; Specification for Wrought Iron Rolled or Forged Blooms and Forgings
A74-13a Specification for Cast Iron Soil Pipe and Fittings, **01.02**
A75 Withdrawn 1921; Specification for Malleable Iron Castings; Replaced by A47
A76 Withdrawn 1981; Specification for Low-Carbon Steel Track Bolts and Nuts; Replaced by A183
A77 Withdrawn 1935; Specification for Electric Cast-Steel Stud-Link Anchor Chain
A78 Withdrawn 1947; Specification for Low Tensile Strength Carbon-Steel Plates of Structured Quality for Welding; Replaced by A283
A79 Withdrawn 1921; Specification for Staybolt Wrought Iron Solid; Replaced by A84
A80 Withdrawn 1927; Specification for Cold Finished Carbon-Steel Bars and Shafting; Replaced by A107, A108
A81 Withdrawn 1972; Specification for Wrought Iron
A82/A82M Withdrawn 2013; Specification for Steel Wire, Plain, for Concrete Reinforcement; Replaced by A1064
A83 Withdrawn 1967; Specification for Seamless Carbon Steel Boiler Tubes; Replaced by A192
A84 Withdrawn 1972; Specification for Staybolt Wrought Iron, Solid
A85 Withdrawn 1953; Specification for Common Iron Bars
A86 Withdrawn 1963; Specification for Staybolt Wrought Iron, Hollow-Rolled
A87 Withdrawn 1947; Specification for Mild to Medium-Strength Carbon-Steel Castings for General Application; Replaced by A27
A88 Withdrawn 1933; Specification for High-Test Gray-Iron Castings; Replaced by A48
A89 Withdrawn 1947; Specification for Low-Tensile Strength Steel Plates of Flange Carbon-Qualities and Firebox; Replaced by A285
A90/A90M-13 Test Method for Weight Mass of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings, **01.06**
A91 Withdrawn 1940; Methods of Determining Weight of Casting on Tin, Terne, and Lead-Coated Sheets
A92 Withdrawn 1937; Specification for High-Speed Tool Steel
A93 Withdrawn 1965; Specification for Zinc-Coated Galvanized Iron or Steel Sheets, Boils, and Butt Lengths; Replaced by A525
A94 Withdrawn 1966; Specification for High Strength Structural steel
A95 Withdrawn 1957; Specification for Carbon-Steel Castings for Valves, Flanges, and Fittings for High-Temperature Service; Replaced by A216
A96 Withdrawn 1965; Specification for Alloy-Steel Bolting Material for High-Temperature Service; Replaced by A193
A97 Withdrawn 1935; Specification for Tungsten Powder
A98 Withdrawn 1992; Specification for Spiegeleisen
A99-03(2009) Specification for Ferromanganese, **01.02**
A100-07(2012) Specification for Ferrosilicon, **01.02**
A101-04(2009) Specification for Ferrochromium, **01.02**
A102-04(2009) Specification for Ferrovanadium, **01.02**
A103 Withdrawn 1939; Methods of Sampling Ferro-Alloys; Replaced by E32

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A104 Withdrawn 1939; Methods of Chemical Analysis of Ferro-Alloys; Replaced by E31
A105/A105M-13 Specification for Carbon Steel Forgings for Piping Applications, **01.01**
A106/A106M-13 Specification for Seamless Carbon Steel Pipe for High-Temperature Service, **01.01**
A107 Withdrawn 1968; Specification for Hot-Rolled Carbon Steel Bars; Replaced by A575, A576
A108-13 Specification for Steel Bar, Carbon and Alloy, Cold-Finished, **01.05**
A109M Withdrawn 1998; Replaced by A109/A109M
A109/A109M-13 Specification for Steel, Strip, Carbon (0.25 Maximum Percent), Cold-Rolled, **01.03**
A110 Withdrawn 1936; Test Method for Weight of Coating on Zinc-Coated (Galvanized) Iron or Steel Articles; Replaced by A90
A111-99a(2009) Specification for Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire, **01.06**
A112 Withdrawn 1990; Specification for Zinc-Coated (Galvanized) Steel Tie Wires
A113 Withdrawn 1979; Specification for Structural Steel for Locomotives and Cars
A114 Withdrawn 1940; Specification for Marine Boiler Steel Plates
A115 Withdrawn 1937; Specification for Alloy Tool Steel
A116-11 Specification for Metallic-Coated, Steel-Woven Wire Fence Fabric, **01.06**
A117 Withdrawn 1956; Specification for Zinc-Coated Iron or Steel Chain-Link Fence Fabric Galvanized After Wearing; Replaced by A392
A118 Withdrawn 1933; Specification for Zinc-Coated Iron or Steel Chain-Link Fence Fabric Galvanized Before Wearing
A119 Withdrawn 1943; Definitions of Terms Relating to Heat Treatment Metals; Replaced by E44
A120 Withdrawn 1987; Specification for Pipe, Steel, Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless for Ordinary Uses; Replaced by A53
A121-13 Specification for Metallic-Coated Carbon Steel Barbed Wire, **01.06**
A122 Withdrawn 1963; Specification for Zinc-Coated Steel Wire Strand (Galvanized) and Class A Extra Galvanized; Replaced by A475
A123/A123M-13 Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, **01.06**
A124 Withdrawn 1940; Specification for Arbitration Test Bar and Tension Test Specimen for Cast Iron
A125-96(2013)ε1 Specification for Steel Springs, Helical, Heat-Treated, **01.05**
A126-04(2009) Specification for Gray Iron Castings for Valves, Flanges, and Pipe Fittings, **01.02**
A127 Withdrawn 1949; Definitions of Terms Relating to Magnetic Testing;Re-designated A340
A128/A128M-93(2012) Specification for Steel Castings, Austenitic Manganese, **01.02**
A129 Withdrawn 1969; Specification for Open-Hearth Iron Plates for Pressure Vessels
A130 Withdrawn 1937; Methods for Chemical Analysis of Steel Cast Iron, Open-Hearth Iron, and Wrought Iron; Replaced by E30
A131/A131M-13 Specification for Structural Steel for Ships, **01.04**
A132-04(2009) Specification for Ferromolybdenum, **01.02**
A133 Withdrawn 1941; Specification for Alloy-Steel Forgings for Locomotives and Cars; Replaced by A237, A238
A134-96(2012) Specification for Pipe, Steel, Electric-Fusion (Arc)-Welded (Sizes NPS 16 and Over), **01.01**
A135/A135M-09 Specification for Electric-Resistance-Welded Steel Pipe, **01.01**
A136 Withdrawn 1945; Specification for Forge-Welded Steel Pipe
A137 Withdrawn 1943; Specification for Lock-Bar Steel Pipe
A138 Withdrawn 1945; Specification for Riveted Steel and Wrought-Iron Pipe
A139/A139M-04(2010) Specification for Electric-Fusion (Arc)-Welded Steel Pipe (NPS 4 and Over), **01.01**
A140 Withdrawn 1935; Specification for Steel for Bridges and Buildings
A141 Withdrawn 1967; Specification for Structural Rivet Steel; Replaced by A502
A142 Withdrawn 1977; Specification for Cast Iron Culvert Pipe; Replaced by A716
A143/A143M-07 Practice for Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement, **01.06**
A144-04(2009) Specification for Ferrotungsten, **01.02**
A145 Withdrawn 1940; Specification for Low-Carbon Ferromolybdenum; Replaced by A132
A146-04(2009) Specification for Molybdenum Oxide Products, **01.02**
A147 Withdrawn 1984; Specification for Heat-Treated Steel Leaf Springs
A148/A148M-08 Specification for Steel Castings, High Strength, for Structural Purposes, **01.02**
A149 Withdrawn 1940; Specification for High Tensile Strength Carbon-Steel Plates for Boilers and Other Pressure Vessel Plates (2 in.); Replaced by A212
A150 Withdrawn 1940; Specification for High Tensile Strength Carbon-Silicon Steel Plates for Boilers and Other Pressure Vessel; Replaced by A212
A151 Withdrawn 1938; Specification for Steel Suitable for Fusion Welding
A152 Withdrawn 1972; Specification for Wrought Iron Rivets and Rivet Rounds
A153/A153M-09 Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware, **01.06**
A154 Withdrawn 1936; Specification for Mild-to-Medium-Strength Carbon-Steel Castings for General Application; Replaced by A27, A180
A155 Withdrawn 1978; Specification for Electric-Fusion Welded Steel Pipe for High-Pressure Service; Replaced by A671, A672, A691
A156 Withdrawn 1936; Specification for Molybdenum Salts and Compounds; Combined with A 146
A157 Withdrawn 1953; Specification for Alloy-Steel Castings for Pressure Containing Parts Suitable for High-Temperature Service; Replaced by A217, A351
A158 Withdrawn 1953; Specification for Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service; Replaced by A335
A159-83(2011) Specification for Automotive Gray Iron Castings, **01.02**
A160 Withdrawn 1969; Specification for Axle-Steel Bars for Concrete Reinforcement; Replaced by A617
A161 Withdrawn 1999; Specification for Seamless Low-Carbon and Carbon-Molybdenum Steel Still Tubes for Refinery Service; Replaced by A192, A209
A162 Withdrawn 1973; Specification for Uncoated Wrought Iron Sheets
A163 Withdrawn 1972; Specification for Zinc-Coated (Galvanized) Wrought Iron Sheets
A164 Withdrawn 1981; Specification for Electrodeposited Coatings of Zinc on Steel; Replaced by B633
A165 Withdrawn 1988; Specification for Electrodeposited Coatings of Cadmium on Steel; Replaced by B766
A166 Withdrawn 1968; Specification for Electrodeposited Coatings of Nickel and Chromium on Steel; Replaced by B456
A167-99(2009) Specification for Stainless and Heat-Resisting Chromium-Nickel Steel Plate, Sheet, and Strip, **01.03**
A168 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
A169 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
A170 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
A171 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
A172 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
A173 Withdrawn 1954; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
A174 Withdrawn 1940; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
A175 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
A176-99(2009) Specification for Stainless and Heat-Resisting Chromium Steel Plate, Sheet, and Strip, **01.03**
A177 Withdrawn 1989; Specification for High-Strength Stainless and Chromium-Nickel Steel Sheet and Strip; Replaced by A666
A178/A178M-02(2012) Specification for Electric-Resistance-Welded Carbon Steel and Carbon-Manganese Steel Boiler and Superheater Tubes, **01.01**
A179/A179M-90a(2012) Specification for Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and Condenser Tubes, **01.01**
A180 Withdrawn 1937; Specification for Mild-to-Medium-Strength Carbon-Steel Castings for General Application; Replaced by A27
A181/A181M-13 Specification for Carbon Steel Forgings, for General-Purpose Piping, **01.01**
A182/A182M-13a Specification for Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, **01.01**
A183-03(2009) Specification for Carbon Steel Track Bolts and Nuts, **01.04**
A184/A184M-06(2011) Specification for Welded Deformed Steel Bar Mats for Concrete Reinforcement, **01.04**
A185/A185M Withdrawn 2013; Specification for Steel Welded Wire Reinforcement, Plain, for Concrete; Replaced by A1064
A186 Withdrawn 1966; Specification for One-Wear Wrought Steel Wheels; Replaced by A504
A187 Withdrawn 1943; Specification for Seamless Cold-Drawn Alloy-Steel (4 to 6 Percent Chromium) Heat Exchanger and Condenser Tubes
A188 Withdrawn 1943; Specification for Seamless Alloy-Steel (4 to 6 Percent Chromium) Still Tubes for Refinery Service
A189 Withdrawn 1972; Specification for Single and Double Refined Wrought Iron Bars
A190 Withdrawn 1962; Specification for Lght Weight and Thin-Sectioned Gray Iron Castings
A191 Withdrawn 1942; Test Method for Uniformity of Coatlng by the Preece Test (Copper Sulfate Dip) on Zinc-Coated (Galvanized) Iron or Steel Articles; Replaced by A239
A192/A192M-02(2012) Specification for Seamless Carbon Steel Boiler Tubes for High-Pressure Service, **01.01**
A193/A193M-12b Specification for Alloy-Steel and Stainless Steel Bolting for High Temperature or High Pressure Service and Other Special Purpose Applications, **01.01**
A194/A194M-13 Specification for Carbon and Alloy Steel Nuts for Bolts for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

High Pressure or High Temperature Service, or Both, **01.01**

A195 Withdrawn; Specification for High-Strength Strucutural Rivet Steel; Replaced by A502

A196 Withdrawn 1962; Guidelines for Cast Iron

A197M Withdrawn 1998; Replaced by A197/A197M

A197/A197M-00(2011) Specification for Cupola Malleable Iron, **01.02**

A198 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297

A199/A199M Withdrawn 1995; Specification for Seamless Cold-Drawn Intermediate Alloy-Steel Heat-Exchanger and Condenser Tubes; Replaced by A213

A200 Withdrawn 1999; Specification for Seamless Intermediate Alloy-Steel Still Tubes for Refinery Service; Replaced by A213/A213M

A201 Withdrawn 1967; Specification for Carbon-Silicon Steel Plates of Intermediate Tensile Ranges for Fusion-Welded Boilers and Other Pressure Vessels; Replaced by A515, A516

A202/A202M Withdrawn 2004; Specification for Pressure Vessel Plates, Alloy Steel, Chromium-Manganese-Silicon

A203/A203M-12 Specification for Pressure Vessel Plates, Alloy Steel, Nickel, **01.04**

A204/A204M-12 Specification for Pressure Vessel Plates, Alloy Steel, Molybdenum, **01.04**

A205 Withdrawn 1967; Specification for Iron and Steel Filler Metal (Arc-Welding Electrodes and Gas-Welding Rods); Replaced by A233, A251

A206 Withdrawn 1953; Specification for Seamless Ferritic Alloy-Steel Pipe for HIgh-Temperature Service; Replaced by A335

A207 Withdrawn 1972; Specification for Rolled Wrought Iron Shapes and Bars

A208 Withdrawn 1941; Method of Test for Uniformity of Coating by the Preece Test (Copper Sulfate Dip) on Zinc or Steel Articles; Replaced by A239

A209/A209M-03(2012) Specification for Seamless Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes, **01.01**

A210/A210M-02(2012) Specification for Seamless Medium-Carbon Steel Boiler and Superheater Tubes, **01.01**

A211 Withdrawn 1993; Specification for Spiral-Welded Steel or Iron Pipe

A212 Withdrawn 1967; Specification for High Tensile Strength Carbon-Silicon Steel Plates for Boilers and Other Pressure Vessels; Replaced by A515, A516

A213/A213M-13 Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, **01.01**

A214/A214M-96(2012) Specification for Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes, **01.01**

A215 Withdrawn 1947; Specification for Mild-to-Medium-Strength Carbon-Steel Castings for General Application; Replaced by A27

A216/A216M-12 Specification for Steel Castings, Carbon, Suitable for Fusion Welding, for High-Temperature Service, **01.02**

A217/A217M-12 Specification for Steel Castings, Martensitic Stainless and Alloy, for Pressure-Containing Parts, Suitable for High-Temperature Service, **01.02**

A218 Withdrawn 1963; Specification for Zinc-Coated Steel Wire Strand (Class B and Class C Coatings); Replaced by A475

A219 Withdrawn 1972; Methods of Test for Local Thickness of Electrodeposited Coatings; Replaced by B244, B487, B499, B504, B529, B530

A220M Withdrawn 1999; Replaced by A220/A220M

A220/A220M-99(2009) Specification for Pearlitic Malleable Iron, **01.02**

A221 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297

A222 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297

A223 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297

A224 Withdrawn 1969; Recommended Practice for Conducting Plant Corrosion Tests; Replaced by G4

A225/A225M-12 Specification for Pressure Vessel Plates, Alloy Steel, Manganese-Vanadium-Nickel, **01.04**

A226/A226M Withdrawn 1997; Specification for Electric-Resistance-Welded Carbon Steel Boiler and Superheater Tubes for High-Pressure Service

A227/A227M-06(2011) Specification for Steel Wire, Cold-Drawn for Mechanical Springs, **01.03**

A228/A228M-07 Specification for Steel Wire, Music Spring Quality, **01.03**

A229/A229M-12 Specification for Steel Wire, Quenched and Tempered for Mechanical Springs, **01.03**

A230/A230M-05(2011)ε1 Specification for Steel Wire, Oil-Tempered Carbon Valve Spring Quality, **01.03**

A231/A231M-10 Specification for Chromium-Vanadium Alloy Steel Spring Wire, **01.03**

A232/A232M-05(2011)ε1 Specification for Chromium-Vanadium Alloy Steel Valve Spring Quality Wire, **01.03**

A233 Withdrawn 1970; Specification for Mild Steel Covered Arc-Welding Electrodes

A234/A234M-13 Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and High Temperature Service, **01.01**

A235 Withdrawn 1975; Specification for Carbon Steel Forgings for General Industrial Use; Replaced by A668

A236 Withdrawn 1981; Specification for Carbon Steel Forgings for Railway Use

A237 Withdrawn 1975; Specification for Alloy Steel Forgings for General Industrial Use; Replaced by A668

A238 Withdrawn 1989; Specification for Forgings, Alloy Steel, for Railway Use; Replaced by A730

A239-95(2009)ε1 Practice for Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, **01.06**

A240/A240M-13c Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications, **01.03**

A241 Withdrawn 1979; Specification for Hot-Worked High-Carbon Steel Tie Plates; Replaced by A67

A242/A242M-13 Specification for High-Strength Low-Alloy Structural Steel, **01.04**

A243 Withdrawn 1975; Specification for Carbon and Alloy Steel Ring, Hollow Cylinder, and Disk Forgings for General Industrial Use; Replaced by A668

A244 Withdrawn 1947; Specification for Multiple-Wear Wrought Steel Wheels; Replaced by A504

A245 Withdrawn 1972; Specification for Flat-Rolled Carbon Steel Sheets of Structural Quality; Replaced by A570, A611

A246 Withdrawn 1958; Specification for Light Gage Structural Quality Flat Rolled Carbon-Steel Sheets; Replaced by A245

A247-10 Test Method for Evaluating the Microstructure of Graphite in Iron Castings, **01.02**

A248 Withdrawn 1972; Specification for Carbon-Steel and Alloy-Steel Blooms, Billets, and Slabs for Forgings; Replaced by A273, A274

A249/A249M-10a Specification for Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes, **01.01**

A250/A250M-05(2009) Specification for Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, **01.01**

A251 Withdrawn 1970; Specification for Iron and Steel Gas-Welding Rods; Replaced by A251

A252-10 Specification for Welded and Seamless Steel Pipe Piles, **01.01**

A253 Withdrawn 1962; Specification for Welded and Seamless Open-Hearth Iron Pipe

A254/A254M-12 Specification for Copper-Brazed Steel Tubing, **01.01**

A255-10 Test Methods for Determining Hardenability of Steel, **01.05**

A256 Withdrawn 1990; Method of Compression Testing of Cast Iron

A257 Withdrawn 1945; Methods of Permeability and Core Loss of Flat-Rolled Magnetic Materials using 28 cm Specimen; Replaced by A34

A258 Withdrawn 1945; Methods of Testing Magnetic Materials; Replaced by A34

A259 Withdrawn 1945; Methods of Testing Magnetic Materials; Replaced by A34

A260 Withdrawn 1966; Recommended Practice for Torsion Tests of Cast Iron

A261 Withdrawn 1959; Specification for Heat-Treated Carbon-Steel Bolting Material

A262-13 Practices for Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, **01.03**

A263-12 Specification for Stainless Chromium Steel-Clad Plate, **01.04**

A264-12 Specification for Stainless Chromium-Nickel Steel-Clad Plate, **01.04**

A265-12 Specification for Nickel and Nickel-Base Alloy-Clad Steel Plate, **01.04**

A266/A266M-11 Specification for Carbon Steel Forgings for Pressure Vessel Components, **01.05**

A267 Withdrawn 1954; Specification for Lead Coating (Hot-Dip) on Iron or Steel Hardware

A268/A268M-10 Specification for Seamless and Welded Ferritic and Martensitic Stainless Steel Tubing for General Service, **01.01**

A269-13 Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service, **01.01**

A270/A270M-10 Specification for Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, **01.01**

A271 Withdrawn 1999; Specification for Seamless Austenitic Chromium-Nickel Steel Still Tubes for Refinery Service; Replaced by A213/A213M

A272 Withdrawn 1945; Method of Magnetic Particle Testing and Inspection of Commercial Steel Castings; Replaced by E109

A273 Withdrawn 1975; Specification for Carbon-Steel Blooms, Billets, and Slabs for Forgings; Replaced by A711

A274 Withdrawn 1975; Specification for Alloy-Steel Blooms, Billets, and Slabs for Forgings; Replaced by A711

A275/A275M-08(2013) Practice for Magnetic Particle Examination of Steel Forgings, **01.05**

A276-13a Specification for Stainless Steel Bars and Shapes, **01.03**

A277 Withdrawn 1952; Specification for Malleable Iron Flanges, Pipe Fittings, and Valve Parts for Railroad, Marine and Other Heavy Duty Service; Replaced by A338

A278M Withdrawn 2001; Replaced by A278/A278M

A278/A278M-01(2011) Specification for Gray Iron Castings for Pressure-Containing Parts for Temperatures Up to 650°F (350°C), **01.02**

A279 Withdrawn 1945; Method of Total Immersion Corrosion Test of Stainless Steels; Replaced by G31

A280 Withdrawn 1953; Specification for Seamless Ferritic Alloy-Steel Pipe for Service at High Temperatures; Replaced by A335

A281 Withdrawn 1947; Specification for Mild to Medium Strength Carbon-Steel Castings for General Application; Replaced by A27

A282 Withdrawn 1945; Specification for High-Strength Steel Castings for Structural Purposes; Replaced by A148

A283/A283M-13 Specification for Low and Intermediate Tensile Strength Carbon Steel Plates, **01.04**

A284/A284M Withdrawn 1992; Specification for Low and Intermediate Tensile Strength Carbon-Silicon Steel Plates for Machine Parts and General

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Construction; Replaced by A283/A283M
A285/A285M-12 Specification for Pressure Vessel Plates, Carbon Steel, Low- and Intermediate-Tensile Strength, **01.04**
A286 Withdrawn 1960; Specification for Heat-Treated Alloy-Steel Bars; Replaced by A434
A287 Withdrawn 1955; Specification for Rolled Carbon-Steel Locomotive Frames
A288-91(2013) Specification for Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, **01.05**
A289/A289M-97(2013) Specification for Alloy Steel Forgings for Nonmagnetic Retaining Rings for Generators, **01.05**
A290/A290M-05(2010) Specification for Carbon and Alloy Steel Forgings for Rings for Reduction Gears, **01.05**
A291/A291M-05(2010) Specification for Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, **01.05**
A292 Withdrawn 1968; Specification for Carbon and Alloy Steel Forgings for Turbine Generator Rotors and Shafts; Replaced by A469
A293 Withdrawn 1984; Specification for Steel Forgings, Carbon and Alloy, for Turbine Generator Rotors and Shafts; Replaced by A470
A294 Withdrawn 1988; Specification for Alloy Steel Forgings for Turbine Wheels and Disks; Replaced by A471
A295/A295M-09 Specification for High-Carbon Anti-Friction Bearing Steel, **01.05**
A296 Withdrawn 1980; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium Nickel and Nickel-B Alloy Castings; Replaced by A743, A744
A297/A297M-10 Specification for Steel Castings, Iron-Chromium and Iron-Chromium-Nickel, Heat Resistant, for General Application, **01.02**
A298 Withdrawn 1970; Specification for Corrosion-Resistant Chromium and Chromium-Nickel Steel Covered Welding Electrodes; Replaced by A298
A299/A299M-09 Specification for Pressure Vessel Plates, Carbon Steel, Manganese-Silicon, **01.04**
A300 Withdrawn 1975; Specification for Notch Toughness Requirements for Normalized Steel Plates for Pressure Vessels
A301 Withdrawn 1956; Specification for Chromium-Molybdenum Steel Plates for Boilers and Other Pressure Vessels; Replaced by A387
A302/A302M-12 Specification for Pressure Vessel Plates, Alloy Steel, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, **01.04**
A303 Withdrawn 1970; Specification for Hot-Rolled Carbon Steel Strip of Structural Quality; Replaced by A570
A304-11 Specification for Carbon and Alloy Steel Bars Subject to End-Quench Hardenability Requirements, **01.05**
A305 Withdrawn 1968; Specification for Minimum Requirements for the Deformations of Deformed Steel Bars for Concrete Reinforcement; Replaced by A615, A616, A617
A306 Withdrawn 1975; Specification for Carbon Steel Bars Subject to Mechanical Property Requirements; Replaced by A663, A675
A307-12 Specification for Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength, **01.08**
A308/A308M-10 Specification for Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, **01.06**
A309-01(2012) Test Method for Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, **01.06**
A310 Withdrawn 1949; Specification for Flat-Rolled Electrical Steel; Redesignated A345
A311/A311M-04(2010) Specification for Cold-Drawn, Stress-Relieved Carbon Steel Bars Subject to Mechanical Property Requirements, **01.05**
A312/A312M-13b Specification for Seamless, Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes, **01.01**
A313/A313M-13 Specification for Stainless Steel Spring Wire, **01.03**
A314-13a Specification for Stainless Steel Billets and Bars for Forging, **01.03**
A315 Withdrawn 1952; Specification for Seamless Ferritic Alloy-Steel Pipe for Service at High Temperatures; Replaced by A335
A316 Withdrawn 1969; Specification for Low-Alloy Steel Covered Filler Metal Arc-Welding Electrodes
A317 Withdrawn 1975; Method of Macroetch Testing and Inspection of Steel Forgings; Replaced by E381
A318 Withdrawn 1976; Method of Tension Testing and Inspection of Steel Spring Wire; Replaced by A370
A319-71(2011) Specification for Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, **01.02**
A320/A320M-11a Specification for Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, **01.01**
A321 Withdrawn 2007; Specification for Steel Bars, Carbon, Quenched and Tempered
A322-13 Specification for Steel Bars, Alloy, Standard Grades, **01.05**
A323-05(2010) Specification for Ferroboron, **01.02**
A324-08(2013) Specification for Ferrotitanium, **01.02**
A325-10$^{\varepsilon 1}$ Specification for Structural Bolts, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, **01.08**
A325M-13 Specification for Structural Bolts, Steel, Heat Treated 830 MPa Minimum Tensile Strength (Metric), **01.08**
A326 Withdrawn 1990; Specification for Zinc-Coated (Galvanized) High Tensile Steel Telephone and Telegraph Line Wire
A327M *Withdrawn 2011; Test Methods for Impact Testing of Cast Irons (Metric); Replaced by A327*, **01.02**
A327/A327M-11 Test Methods for Impact Testing of Cast Irons, **01.02**
A328/A328M-13a Specification for Steel Sheet Piling, **01.04**
A329 Withdrawn 1965; Specification for Heat-Treated Steel Tires; Replaced by A551
A330 Withdrawn 1954; Methods and Definition for Mechanical Testing of Steel Products; Replaced by A370
A331 Withdrawn 2004; Specification for Steel Bars, Alloy, Cold-Finished
A332 Withdrawn 1965; Specification for Nickel-Chromium-Molybdenum Steel Bars for Springs; Replaced by A689
A333/A333M-13 Specification for Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, **01.01**
A334/A334M-04a(2010) Specification for Seamless and Welded Carbon and Alloy-Steel Tubes for Low-Temperature Service, **01.01**
A335/A335M-11 Specification for Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service, **01.01**
A336/A336M-10a Specification for Alloy Steel Forgings for Pressure and High-Temperature Parts, **01.05**
A337 Withdrawn 1955; Specification for Zinc-Coated Iron or Steel Chain-link Fence Fabric Galvanized before Weaving; Replaced by A392
A338-84(2009) Specification for Malleable Iron Flanges, Pipe Fittings, and Valve Parts for Railroad, Marine, and Other Heavy Duty Service at Temperatures Up to 650F (345C), **01.02**
A339 Withdrawn 1965; Specification for Iron Castings; Replaced by A536
A340-03a(2011) Terminology of Symbols and Definitions Relating to Magnetic Testing, **03.04**
A341/A341M-00(2011)$^{\varepsilon 1}$ Test Method for Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, **03.04**
A342/A342M-04(2012) Test Methods for Permeability of Feebly Magnetic Materials, **03.04**
A343/A343M-03(2008) Test Method for Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, **03.04**
A344 Withdrawn 1977; Methods of Electrical and Mechanical Properties of Magnetic Materials; Replaced by A370, A712, A717, A718, A719, A720
A345-09 Specification for Flat-Rolled Electrical Steels for Magnetic Applications, **03.04**
A346 Withdrawn 1998; Test Method for Alternating-Current Magnetic Performance of Laminated Core Specimens Using the Dieterly Bridge Method
A347 Withdrawn 1996; Alternating Current Magnetic Properties ofMaterials Using the Dieterly Bridge Method with 25-cm Epstein Frame
A348/A348M-05(2011) Test Method for Alternating Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, **03.04**
A349 Withdrawn 1984; Test Methods for Alternating-Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 50 to 60 Hz and 50 cm Epstein Frame
A350/A350M-13 Specification for Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, **01.01**
A351/A351M-13a Specification for Castings, Austenitic, for Pressure-Containing Parts, **01.02**
A352/A352M-06(2012) Specification for Steel Castings, Ferritic and Martensitic, for Pressure-Containing Parts, Suitable for Low-Temperature Service, **01.02**
A353/A353M-09 Specification for Pressure Vessel Plates, Alloy Steel, Double-Normalized and Tempered 9 % Nickel, **01.04**
A354-11 Specification for Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners, **01.08**
A355-89(2012) Specification for Steel Bars, Alloys, for Nitriding, **01.05**
A356/A356M-11 Specification for Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, **01.02**
A357 Withdrawn 1973; Specification for Pressure Vessel Plates, Alloy Steel, Five Percent Chromium, 0.5 percent Molybdenum; Replaced by A387
A358/A358M-12 Specification for Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and General Applications, **01.01**
A359 Withdrawn 1954; Methods and Definitions for Mechanical Testing of Structural Steel; Replaced by A370
A360 Withdrawn 1993; Method of Testing Chilled and White Iron Castings
A360M Withdrawn 1993; Method of Testing Chilled and White Iron Castings [Metric]
A361/A361M Withdrawn 1995; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process for Roofing and Siding
A362 Withdrawn 1977; Specification for Iron-Chromium and Iron-Chromium-Nickel Alloy Tubular Centrifugal Castings for General Applications
A363-03(2009)$^{\varepsilon 1}$ Specification for Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand, **01.06**
A364 Withdrawn 1959; Specification for Cold-Finished Heat-Treated Alloy-Steel Bars; Replaced by A434
A365 Withdrawn 1968; Specification for Cold-Rolled Carbon Steel, Drawing Quality, and Special Killed; Replaced by A619, A620
A366/A366M Withdrawn 2000; Specification for Commercial Steel (CS) Sheet, Carbon, (0.15 Maximum Percent) Cold-Rolled; Replaced by A1008/A1008M
A367-11 Test Methods of Chill Testing of Cast Iron, **01.02**
A368-95a(2013) Specification for Stainless Steel Wire Strand, **01.03**
A369/A369M-11 Specification for Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service, **01.01**
A370-12a Test Methods and Definitions for Mechanical Testing of Steel Products, **01.01, 01.02, 01.03, 01.04, 01.05**
A371 Withdrawn 1969; Specification for Corrosion-Resisting Chromium and Chromium-Nickel Steel Welding Rods and Bare Electrodes

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A372/A372M-13 Specification for Carbon and Alloy Steel Forgings for Thin-Walled Pressure Vessels, **01.05**
A373 Withdrawn 1966; Specification for Structural Steel for Welding; Combined with A 36
A374 Withdrawn 1971; Specification for High-Strength Low-Alloy Cold-Rolled Steel Sheets and Strip; Replaced by A606, A607
A375 Withdrawn 1971; Specification for High-Strength Low-Alloy Hot-Rolled Steel Sheets and Strip; Replaced by A606, A607
A376/A376M-13 Specification for Seamless Austenitic Steel Pipe for High-Temperature Service, **01.01**
A377-03(2008)ε1 Index of Specifications for Ductile-Iron Pressure Pipe, **01.02**
A378 Withdrawn 1955; Specification for Flat-Rolled Electrical Steel; Replaced by A345
A379 Withdrawn 1955; Specification for Flat-Rolled Electrical Steel; Replaced by A345
A380/A380M-13 Practice for Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, **01.03**
A381-96(2012) Specification for Metal-Arc-Welded Steel Pipe for Use With High-Pressure Transmission Systems, **01.01**
A382 Withdrawn 1971; Specification for Cold-Drawn Wrought Iron Heat-Exchanger and Condenser Tubes
A383 Withdrawn 1996; Specification for Axles, Railway, Carbon Steel, Untreated for Export and General Industrial Use
A384/A384M-07(2013) Practice for Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, **01.06**
A385/A385M-11 Practice for Providing High-Quality Zinc Coatings (Hot-Dip), **01.06**
A386 Withdrawn 1984; Specification for Zinc Coating (Hot-Dip) on Assembled Steel Products; Combined with A 123
A387/A387M-11 Specification for Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum, **01.04**
A388/A388M-11 Practice for Ultrasonic Examination of Steel Forgings, **01.05**
A389/A389M-13 Specification for Steel Castings, Alloy, Specially Heat-Treated, for Pressure-Containing Parts, Suitable for High-Temperature Service, **01.02**
A390-06(2011) Specification for Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), **01.06**
A391/A391M-07(2012) Specification for Grade 80 Alloy Steel Chain, **01.05**
A392-11a Specification for Zinc-Coated Steel Chain-Link Fence Fabric, **01.06**
A393 Withdrawn 1974; Recommended Practice for Conducting Acidified Copper Sulfate Test for Intergranular Attack in Austenitic Stainless Steel; Replaced by A262
A394-08ε1 Specification for Steel Transmission Tower Bolts, Zinc-Coated and Bare, **01.08**
A395M Withdrawn 1988; Replaced by A395/A395M
A395/A395M-99(2009) Specification for Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures, **01.02**
A396 Withdrawn 1965; Specification for High-Strength Ductile Iron Castings; Replaced by A536
A397 Withdrawn 1958; Specification for High Tensile Strength Carbon-Manganeses Steel Plates for Unfired Pressure Vessels
A398 Withdrawn 1969; Specification for Welding Rods and Covered Electrodes for Welding Cast Iron
A399 Withdrawn 1969; Specification for Surfacing Welding Rods and Electrodes
A400-69(2012) Practice for Steel Bars, Selection Guide, Composition, and Mechanical Properties, **01.05**
A401/A401M-10 Specification for Steel Wire, Chromium-Silicon Alloy, **01.03**
A402 Withdrawn 1958; Specification for Forged or Rolled Alloy Steel Pipe Flanges, Forged Fittings, and Valves and Parts Specially Heat Treated for High-Temperature Service
A403/A403M-13a Specification for Wrought Austenitic Stainless Steel Piping Fittings, **01.01**
A404 Withdrawn 1975; Specification for Forged or Rolled Alloy Steel Pipe Flanges, Forged Fittings, and Valves and Parts Specially Heat Treated for High-Temperature Service
A405 Withdrawn 1995; Specification for Seamless Ferritic Alloy-Steel Pipe Specially Heat Treated for High-Temperature Service
A406 Withdrawn 1965; Specification for High-Strength Structural Alloy Rivet Steel
A407-07(2013) Specification for Steel Wire, Cold-Drawn, for Coiled-Type Springs, **01.03**
A407M Withdrawn 1989; Specification for Steel Wire, Cold-Drawn, for Coiled-Type Springs [Metric]
A408 Withdrawn 1968; Specification for Special Large Size Deformed Billet-Steel Bars for Concrete Reinforcement; Replaced by A615
A409/A409M-13 Specification for Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service, **01.01**
A410 Withdrawn 1976; Specification for Pressure Vessel Plates, Alloy Steel, Chromium-Copper-Nickel-Aluminum
A411-08(2013) Specification for Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire, **01.06**
A412 Withdrawn 1989; Specification for Stainless and Heat-Resisting Chromium-Nickel-Manganese Steel Plate, Sheet, and Strip
A413/A413M-07(2012) Specification for Carbon Steel Chain, **01.05**
A414/A414M-13 Specification for Steel, Sheet, Carbon, and High-Strength, Low-Alloy for Pressure Vessels, **01.03**
A415 Withdrawn 1970; Specification for Hot-Rolled Carbon Steel Sheets, Commercial Quality; Replaced by A569
A416/A416M-12a Specification for Steel Strand, Uncoated Seven-Wire for Prestressed Concrete, **01.04**
A417 Withdrawn 2008; Specification for Steel Wire, Cold-Drawn, for Zig-Zag, Square-Formed, and Sinuous-Type Upholstery Spring Units
A417M Withdrawn 1989; Specification for Steel Wire, Cold-Drawn, for Zig-Zag Square-Formed, and Sinuous-Type Upholstery Spring Units [Metric]
A418/A418M-10 Practice for Ultrasonic Examination of Turbine and Generator Steel Rotor Forgings, **01.05**
A419 Withdrawn 1971; Specification for Electric-Fusion (Arc)- Welded Wrought Iron Plate pipe
A420/A420M-13 Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service, **01.01**
A421/A421M-10 Specification for Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, **01.04**
A422 Withdrawn 1994; Specification for Butt Welds in Still Tubes for Refinery Service
A423/A423M-09 Specification for Seamless and Electric-Welded Low-Alloy Steel Tubes, **01.01**
A424/A424M-09a Specification for Steel, Sheet, for Porcelain Enameling, **01.03**
A425 Withdrawn 1970; Specification for Hot-Rolled Carbon Steel Strip, Commercial Quality; Replaced by A569
A426/A426M-13 Specification for Centrifugally Cast Ferritic Alloy Steel Pipe for High-Temperature Service, **01.01, 01.02**
A427/A427M-10 Specification for Wrought Alloy Steel Rolls for Cold and Hot Reduction, **01.05**
A428/A428M-10 Test Method for Weight Mass of Coating on Aluminum-Coated Iron or Steel Articles, **01.06**
A429 Withdrawn 1976; Specification for Hot- and Cold-Finished Bars of Stainless and Heat-Resisting Chromium-Nickel-Manganese Steel; Replaced by A276
A430/A430M Withdrawn 1995; Specification for Austenitic Steel Forged and Bored Pipe for High-Temperature Service; Replaced by A312/A312M
A431 Withdrawn 1968; Specification for High-Strength Deformed Billet-Steel Bars for Concrete Reinforcement with 75,000 psi Minimum Yield Strength; Replaced by A615
A432 Withdrawn 1968; Specification for Deformed Billet Steel Bars for Concrete Reinforcement with 60,000 psi Minimum Yield Point; Replaced by A615
A433 Withdrawn 1972; Specification for Leaded, Carbon Steel Plates for Pressure Vessels
A434-06(2012) Specification for Steel Bars, Alloy, Hot-Wrought or Cold-Finished, Quenched and Tempered, **01.05**
A435/A435M-90(2012) Specification for Straight-Beam Ultrasonic Examination of Steel Plates, **01.04**
A436-84(2011) Specification for Austenitic Gray Iron Castings, **01.02**
A437/A437M-12 Specification for Stainless and Alloy-Steel Turbine-Type Bolting Specially Heat Treated for High-Temperature Service, **01.01**
A438 Withdrawn 2003; Test Method for Transverse Testing of Gray Cast Iron
A439-83(2009) Specification for Austenitic Ductile Iron Castings, **01.02**
A440 Withdrawn 1979; Specification for High-Strength Structural Steel
A441/A441M Withdrawn 1989; Specification for High-Strength Low-Alloy Structural Manganese Vanadium Steel; Replaced by A572/A572M
A442/A442M Withdrawn 1991; Specification for Pressure Vessel Plates, Carbon Steel, Improved Transition Properties
A443 Withdrawn 1966; Method of Notch Toughness of Turbine and Generator Steel Forgings; Combined with A 370
A444/A444M Withdrawn 1995; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process for Storm Sewer and Drainage Pipe; Replaced by A929/A929M
A445 Withdrawn 1974; Specification for Ferritic Iron Castings for Valves, Flanges, Pipe Fittings, and Other Piping Components; Replaced by A395
A447/A447M-11 Specification for Steel Castings, Chromium-Nickel-Iron Alloy (25-12 Class), for High-Temperature Service, **01.02**
A448 Withdrawn 1976; Specification for Nickel-Chromium-Iron Alloy Castings (35-15 Class) for High-Temperature Service
A449-10 Specification for Hex Cap Screws, Bolts and Studs, Steel, Heat Treated, 120/105/90 ksi Minimum Tensile Strength, General Use, **01.08**
A450/A450M-10 Specification for General Requirements for Carbon and Low Alloy Steel Tubes, **01.01**
A451/A451M-06(2010) Specification for Centrifugally Cast Austenitic Steel Pipe for High-Temperature Service, **01.01, 01.02**
A452 Withdrawn 1995; Specification for Centrifugally Cast Austenitic Steel Cold-Wrought Pipe for High-Temperature Service
A453/A453M-12 Specification for High-Temperature Bolting, with Expansion Coefficients Comparable to Austenitic Stainless Steels, **01.01**
A454 Withdrawn 1980; Specification for Steel Conveyor Chain
A455/A455M-12a Specification for Pressure Vessel Plates, Carbon Steel, High-Strength Manganese, **01.04**
A456/A456M-08(2013) Specification for Magnetic Particle Examination of Large Crankshaft, **01.05**
A457 Withdrawn 1990; Specification for Hot-Worked, Hot-Cold-Worked, and Cold-Worked Alloy Steel Plate, Sheet, and Strip for High Strength at Elevated Temperatures
A458 Withdrawn 1991; Specification for Hot-Worked, Hot-Cold-Worked, and Cold-Worked Alloy Steel Bars for High Strength at Elevated Temperatures
A459-08(2013) Specification for Zinc-Coated Flat Steel Armoring Tape, **01.06**
A460-11 Specification for Copper-Clad Steel Wire Strand, **01.06**
A461 Withdrawn 1971; Specification for Precipitation Hardening Alloy Bars,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Forgings, and Forging Stock for High-Temperature Service; Replaced by A564, A637, A638, A639

A462 Withdrawn 1970; Method for Liquid Penetrant Inspection of Steel Forgings; Replaced by E165

A463/A463M-10 Specification for Steel Sheet, Aluminum-Coated, by the Hot-Dip Process, **01.06**

A464 Withdrawn 1968; Recommended Practice for Use of Magnetic Type Instruments for Measurement of Thickness of Hot-Dip Zinc Coatings on Iron and Steel; Replaced by A376

A465 Withdrawn 1975; Specification for Leaded Carbon Steel Forged Pipe Flanges and Parts for Pressure and General Service

A466/A466M-07(2012) Specification for Weldless Chain, **01.05**

A467/A467M-07(2012) Specification for Machine and Coil Chain, **01.05**

A468 Withdrawn 1969; Method of Normal Magnetic Induction Characteristics of Carbon and Alloy Steel Generator Rotor Forgings; Replaced by A6, A341

A469/A469M-07(2012) Specification for Vacuum-Treated Steel Forgings for Generator Rotors, **01.05**

A470/A470M-05(2010) Specification for Vacuum-Treated Carbon and Alloy Steel Forgings for Turbine Rotors and Shafts, **01.05**

A471/A471M-09 Specification for Vacuum-Treated Alloy Steel Forgings for Turbine Rotor Disks and Wheels, **01.05**

A472/A472M-07(2012) Specification for Heat Stability of Steam Turbine Shafts and Rotor Forgings, **01.05**

A473-13 Specification for Stainless Steel Forgings, **01.03, 01.05**

A474-03(2013) Specification for Aluminum-Coated Steel Wire Strand, **01.06**

A475-03(2009)$^{\varepsilon 1}$ Specification for Zinc-Coated Steel Wire Strand, **01.06**

A476M Withdrawn 2000; Replaced by A476/A476M

A476/A476M-00(2009) Specification for Ductile Iron Castings for Paper Mill Dryer Rolls, **01.02**

A477 Withdrawn 1991; Specification for Hot-Worked, Hot-Cold Worked and Cold-Worked Alloy Steel Forgings and Forging Billets for High Strength at Elevated Temperatures

A478-97(2013) Specification for Chromium-Nickel Stainless Steel Weaving and Knitting Wire, **01.03**

A479/A479M-13b Specification for Stainless Steel Bars and Shapes for Use in Boilers and Other Pressure Vessels, **01.03**

A480/A480M-13b Specification for General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, **01.03**

A481-05(2010) Specification for Chromium Metal, **01.02**

A482/A482M-11 Specification for Ferrochrome-Silicon, **01.02**

A483/A483M-10 Specification for Silicomanganese, **01.02**

A484/A484M-13a Specification for General Requirements for Stainless Steel Bars, Billets, and Forgings, **01.03**

A485-09 Specification for High Hardenability Antifriction Bearing Steel, **01.05**

A486/A486M Withdrawn 1989; Specification for Steel Castings for Highway Bridges

A487/A487M-93(2012) Specification for Steel Castings Suitable for Pressure Service, **01.02**

A488/A488M-12 Practice for Steel Castings, Welding, Qualifications of Procedures and Personnel, **01.02**

A489-12 Specification for Carbon Steel Lifting Eyes, **01.08**

A490-12 Specification for Structural Bolts, Alloy Steel, Heat Treated, 150 ksi Minimum Tensile Strength, **01.08**

A490M-12 Specification for High-Strength Steel Bolts, Classes 10.9 and 10.9.3, for Structural Steel Joints (Metric), **01.08**

A491-11 Specification for Aluminum-Coated Steel Chain-Link Fence Fabric, **01.06**

A492-95(2013) Specification for Stainless Steel Rope Wire, **01.03**

A493-09(2013) Specification for Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, **01.03**

A494/A494M-13 Specification for Castings, Nickel and Nickel Alloy, **01.02**

A495-06(2010) Specification for Calcium-Silicon Alloys, **01.02**

A496/A496M Withdrawn 2013; Specification for Steel Wire, Deformed, for Concrete Reinforcement; Replaced by A1064

A497/A497M Withdrawn 2013; Specification for Steel Welded Wire Reinforcement, Deformed, for Concrete; Replaced by A1064

A498-06 Specification for Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, **01.01**

A499-89(2008) Specification for Steel Bars and Shapes, Carbon Rolled from "T" Rails, **01.05**

A500/A500M-13 Specification for Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes, **01.01**

A501-07 Specification for Hot-Formed Welded and Seamless Carbon Steel Structural Tubing, **01.01**

A502-03(2009) Specification for Rivets, Steel, Structural, **01.08**

A503/A503M-01(2011) Specification for Ultrasonic Examination of Forged Crankshafts, **01.05**

A504/A504M-08(2013) Specification for Wrought Carbon Steel Wheels, **01.05**

A505-12 Specification for Steel, Sheet and Strip, Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, **01.03**

A506-12 Specification for Alloy and Structural Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, **01.03**

A507-12 Specification for Drawing Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, **01.03**

A508/A508M-05b(2010) Specification for Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, **01.05**

A509 Withdrawn 1983; Definition of Terms Relating to Steel Forgings; Replaced by A788

A510M Withdrawn 2012; Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel (Metric); Replaced by A510

A510/A510M-13 Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel, and Alloy Steel, **01.03**

A511/A511M-12 Specification for Seamless Stainless Steel Mechanical Tubing, **01.01**

A512-06(2012) Specification for Cold-Drawn Buttweld Carbon Steel Mechanical Tubing, **01.01**

A513/A513M-12 Specification for Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing, **01.01**

A514/A514M-13 Specification for High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, **01.04**

A515/A515M-10 Specification for Pressure Vessel Plates, Carbon Steel, for Intermediate- and Higher-Temperature Service, **01.04**

A516/A516M-10 Specification for Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service, **01.04**

A517/A517M-10 Specification for Pressure Vessel Plates, Alloy Steel, High-Strength, Quenched and Tempered, **01.04**

A518M Withdrawn 1999; Replaced by A518/A518M

A518/A518M-99(2012) Specification for Corrosion-Resistant High-Silicon Iron Castings, **01.02**

A519-06(2012) Specification for Seamless Carbon and Alloy Steel Mechanical Tubing, **01.01**

A520 Withdrawn 2000; Specification for Supplementary Requirements for Seamless and Electric-Resistance-Welded Carbon Steel Tubular Products for High-Temperature Service Conforming to ISO Recommendations for Boiler Construction

A521/A521M-06(2011) Specification for Steel, Closed-Impression Die Forgings for General Industrial Use, **01.05**

A522/A522M-13 Specification for Forged or Rolled 8 and 9% Nickel Alloy Steel Flanges, Fittings, Valves, and Parts for Low-Temperature Service, **01.01**

A523-96(2012) Specification for Plain End Seamless and Electric-Resistance-Welded Steel Pipe for High-Pressure Pipe-Type Cable Circuits, **01.01**

A524-96(2012) Specification for Seamless Carbon Steel Pipe for Atmospheric and Lower Temperatures, **01.01**

A525 Withdrawn 1994; Specification for General Requirements for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process; Replaced by A653/A653M, A924/A924M

A525M Withdrawn 1994; Specification for General Requirements for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process; Replaced by A653/A653M, A924/A924M

A526/A526M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Commercial Quality; Replaced by A653/A653M, A924/A924M

A527/A527M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Lock-Forming Quality; Replaced by A653/A653M, A924/A924M

A528/A528M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Drawing Quality; Replaced by A653/A653M, A924/A924M

A529/A529M-05(2009) Specification for High-Strength Carbon-Manganese Steel of Structural Quality, **01.04**

A530/A530M-12 Specification for General Requirements for Specialized Carbon and Alloy Steel Pipe, **01.01**

A531/A531M-13 Practice for Ultrasonic Examination of Turbine-Generator Steel Retaining Rings, **01.05**

A532/A532M-10 Specification for Abrasion-Resistant Cast Irons, **01.02**

A533/A533M-09$^{\varepsilon 1}$ Specification for Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel, **01.04**

A534-09 Specification for Carburizing Steels for Anti-Friction Bearings, **01.05**

A535 Withdrawn 1998; Specification for Special-Quality Ball and Roller Bearing Steel

A536-84(2009) Specification for Ductile Iron Castings, **01.02**

A537/A537M-13 Specification for Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, **01.04**

A538/A538M Withdrawn 1989; Specification for Pressure Vessel Plates, Alloy Steel, Precipitation Hardening (Maraging), 18 Percent Nickel

A539 Withdrawn 2004; Specification for Electric-Resistance-Welded Coiled Steel Tubing for Gas and Fuel Oil Lines

A540/A540M-11 Specification for Alloy-Steel Bolting for Special Applications, **01.01**

A541/A541M-05(2010) Specification for Quenched and Tempered Carbon and Alloy Steel Forgings for Pressure Vessel Components, **01.05**

A542/A542M-13 Specification for Pressure Vessel Plates, Alloy Steel, Quenched-and-Tempered, Chromium-Molybdenum, and Chromium-Molybdenum-Vanadium, **01.04**

A543/A543M-09 Specification for Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Nickel-Chromium-Molybdenum, **01.04**

A544 Withdrawn 1991; Specification for Steel Wire, Carbon, Scrapless Nut Quality

A545 Withdrawn 1991; Specification for Steel Wire, Carbon, Cold-Heading Quality, for Machine Screws

A546 Withdrawn 1991; Specification for Steel Wire, Medium-High-Carbon, Cold-Heading Quality, for Hexagon-Head Bolts

A547 Withdrawn 1991; Specification for Steel Wire, Alloy, Cold-Heading Quality, for Hexagon-Head Bolts

A548 Withdrawn 1991; Specification for Steel Wire, Carbon, Cold-Heading Quality, for Tapping or Sheet Metal Screws

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A549 Withdrawn 1991; Specification for Steel Wire, Carbon, Cold-Heading Quality, for Wood Screws
A550-06(2010) Specification for Ferrocolumbium, **01.02**
A551/A551M-08(2013) Specification for Carbon Steel Tires for Railway and Rapid Transit Applications, **01.05**
A552 Withdrawn 1974; Specification for Alloy Steel Bars for Springs; Replaced by A689
A553/A553M-10 Specification for Pressure Vessel Plates, Alloy Steel, Quenched and Tempered 8 and 9 % Nickel, **01.04**
A554-13 Specification for Welded Stainless Steel Mechanical Tubing, **01.01**
A555/A555M-05(2009) Specification for General Requirements for Stainless Steel Wire and Wire Rods, **01.03**
A556/A556M-96(2012) Specification for Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes, **01.01**
A557/A557M Withdrawn 1995; Specification for Electric-Resistance-Welded Carbon Steel Feedwater Heater Tubes; Replaced by A178
A558 Withdrawn 1969; Specification for Bare Mild Steel Electrodes and Fluxes for Submerged Arc Welding
A559 Withdrawn 1969; Specification for Mild Steel Electrodes for Gas Metal-Arc Welding
A560/A560M-12 Specification for Castings, Chromium-Nickel Alloy, **01.02**
A561-08 Practice for Macroetch Testing of Tool Steel Bars, **01.05**
A562/A562M-10 Specification for Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings, **01.04**
A563-07a Specification for Carbon and Alloy Steel Nuts, **01.08**
A563M-07 Specification for Carbon and Alloy Steel Nuts (Metric), **01.08**
A564/A564M-13 Specification for Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, **01.03**
A565/A565M-10 Specification for Martensitic Stainless Steel Bars for High-Temperature Service, **01.03**
A566 Withdrawn 1984; Test Method for Alternating-Current Magnetic Properties of Materials Using the Alternating Current Potentiometer and 25-cm Epstein frame
A567/A567M Withdrawn 1987; Specification for Castings, Iron, Cobalt, and Nickel-Base Alloy, for High Strength at Elevated Temperatures
A568M Withdrawn 1991; Replaced by A568/A568M
A568/A568M-13a$^{\varepsilon 1}$ Specification for Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, **01.03**
A569/A569M Withdrawn 2000; Specification for Steel, Carbon (0.15 Maximum, Percent), Hot-Rolled Sheet and Strip Commercial; Replaced by A1011/A1011M
A570/A570M Withdrawn 2000; Specification for Structural Steel, Sheet and Strip, Carbon, Hot-Rolled; Replaced by A1011/A1011M
A571M Withdrawn 2001; Replaced by A571/A571M
A571/A571M-01(2011) Specification for Austenitic Ductile Iron Castings for Pressure-Containing Parts Suitable for Low-Temperature Service, **01.02**
A572/A572M-13a Specification for High-Strength Low-Alloy Columbium-Vanadium Structural Steel, **01.04**
A573/A573M-13 Specification for Structural Carbon Steel Plates of Improved Toughness, **01.04**
A574-13 Specification for Alloy Steel Socket-Head Cap Screws, **01.08**
A574M-12 Specification for Alloy Steel Socket-Head Cap Screws (Metric), **01.08**
A575-96(2013)$^{\varepsilon 1}$ Specification for Steel Bars, Carbon, Merchant Quality, M-Grades, **01.05**
A576-90b(2012) Specification for Steel Bars, Carbon, Hot-Wrought, Special Quality, **01.05**
A577/A577M-90(2012) Specification for Ultrasonic Angle-Beam Examination of Steel Plates, **01.04**
A578/A578M-07(2012) Specification for Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, **01.04**
A579/A579M-04a(2009) Specification for Superstrength Alloy Steel Forgings, **01.05**
A580/A580M-13b Specification for Stainless Steel Wire, **01.03**
A581/A581M-95b(2009) Specification for Free-Machining Stainless Steel Wire and Wire Rods, **01.03**
A582/A582M-12$^{\varepsilon 1}$ Specification for Free-Machining Stainless Steel Bars, **01.03**
A583 Withdrawn 2004; Specification for Cast Steel Wheels for Railway Service
A584 Withdrawn 2002; Specification for Aluminum-Coated Steel Woven Wire Fence Fabric; Replaced by A116
A585 Withdrawn 2002; Specification for Aluminum-Coated Steel Barbed Wire; Replaced by A121
A586-04a(2009)$^{\varepsilon 1}$ Specification for Zinc-Coated Parallel and Helical Steel Wire Structural Strand, **01.06**
A587-96(2012) Specification for Electric-Resistance-Welded Low-Carbon Steel Pipe for the Chemical Industry, **01.01**
A588/A588M-10 Specification for High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, **01.04**
A589/A589M-06(2012) Specification for Seamless and Welded Carbon Steel Water-Well Pipe, **01.01**
A590 Withdrawn 1984; Specification for Pressure Vessel Plates, Alloy Steel, Precipitation Hardening (Maraging) 12 Percent Nickel
A591/A591M Withdrawn 2005; Specification for Steel Sheet, Electrolytic Zinc-Coated, for Light Coating Weight Applications; Replaced by A879/A879M
A592/A592M-10 Specification for High-Strength Quenched and Tempered Low-Alloy Steel Forged Parts for Pressure Vessels, **01.05**
A593 Withdrawn 1976; Specification for Charpy V-Notch Testing Requirements for Steel Plates for Pressure Vessel
A594 Withdrawn 1986; Specification for Carbon Steel Forgings with Special Magnetic Characteristics
A595/A595M-11 Specification for Steel Tubes, Low-Carbon or High-Strength Low-Alloy, Tapered for Structural Use, **01.01**
A596/A596M-95(2009)$^{\varepsilon 1}$ Test Method for Direct-Current Magnetic Properties of Materials Using the Ballistic Method and Ring Specimens, **03.04**
A597-87(2010) Specification for Cast Tool Steel, **01.05**
A598/A598M-02(2007) Test Method for Magnetic Properties of Magnetic Amplifier Cores, **03.04**
A599/A599M-07(2012) Specification for Tin Mill Products, Electrolytic Tin-Coated, Cold-Rolled Sheet, **01.06**
A600-92a(2010) Specification for Tool Steel High Speed, **01.05**
A601/A601M-10 Specification for Electrolytic Manganese Metal, **01.02**
A602-94(2009) Specification for Automotive Malleable Iron Castings, **01.02**
A603-98(2009)$^{\varepsilon 1}$ Specification for Zinc-Coated Steel Structural Wire Rope, **01.06**
A604/A604M-07(2012) Practice for Macroetch Testing of Consumable Electrode Remelted Steel Bars and Billets, **01.05**
A605/A605M Withdrawn 1989; Specification for Pressure Vessel Plates, Alloy Steel, Quenched-and-Tempered Nickel-Cobalt-Molybdenum-Chromium
A606/A606M-09a Specification for Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance, **01.03**
A607 Withdrawn 2000; Specification for Steel, Sheet and Strip, High-Strength, Low-Alloy, Columbium or Vanadium, or Both, Hot-Rolled and Cold-Rolled; Replaced by A1008/A1008M, A1011/A1011M
A608/A608M-12 Specification for Centrifugally Cast Iron-Chromium-Nickel High-Alloy Tubing for Pressure Application at High Temperatures, **01.02**
A609/A609M-12 Practice for Castings, Carbon, Low-Alloy, and Martensitic Stainless Steel, Ultrasonic Examination Thereof, **01.02**
A610-79(2009) Test Methods for Sampling and Testing Ferroalloys for Determination of Size, **01.02**
A611 Withdrawn 2000; Specification for Structural Steel (SS), Sheet, Carbon, Cold-Rolled; Replaced by A1008/A1008M
A612/A612M-12 Specification for Pressure Vessel Plates, Carbon Steel, High Strength, for Moderate and Lower Temperature Service, **01.04**
A613 Withdrawn 1984; Specification for Special Requirements for Steel Castings for Nuclear and Other Special Applications
A614 Withdrawn 1987; Specification for Special Requirements for Bolting Material for Nuclear and Other Special Applications
A615/A615M-13 Specification for Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement, **01.04**
A618/A618M-04(2010) Specification for Hot-Formed Welded and Seamless High-Strength Low-Alloy Structural Tubing, **01.01**
A619/A619M Withdrawn 1997; Specification for Non-Killed Forming Steel (NKFS) Sheet, Carbon, Cold-Rolled
A620/A620M Withdrawn 2000; Specification for Drawing Steel (DS) Sheet, Carbon, Cold-Rolled; Replaced by A1008/A1008M
A621/A621M Withdrawn 1997; Specification for Forming Steel (FS) Sheet and Strip, Carbon, Hot-Rolled
A622/A622M Withdrawn 2000; Specification for Drawing Steel (DS), Sheet and Strip, Carbon, Hot-Rolled; Replaced by A1011/A1011M
A623-11 Specification for Tin Mill Products, General Requirements, **01.06**
A623M-11 Specification for Tin Mill Products, General Requirements Metric, **01.06**
A624M Withdrawn 1995; Replaced by A624/A624M
A624/A624M-13 Specification for Tin Mill Products, Electrolytic Tin Plate, Single Reduced, **01.06**
A625M Withdrawn 1992; Replaced by A625/A625M
A625/A625M-13 Specification for Tin Mill Products, Black Plate, Single-Reduced, **01.06**
A626M Withdrawn 1995; Replaced by A626/A626M
A626/A626M-13 Specification for Tin Mill Products, Electrolytic Tin Plate, Double Reduced, **01.06**
A627-03(2011) Test Methods for Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, **15.08**
A628 Withdrawn 1982; Specification for Tool-Resisting Composite Steel Plates for Security Applications
A629 Withdrawn 2004; Specification for Tool-Resisting Steel Flat Bars and Shapes for Security Applications; Replaced by A627
A630-03(2009) Test Methods for Determination of Tin Coating Weights for Electrolytic Tin Plate, **01.06**
A631 Withdrawn 1993; Specification for Cast Steel Wheels for Electrical Railway Service; Replaced by A583
A632-04(2009) Specification for Seamless and Welded Austenitic Stainless Steel Tubing (Small-Diameter) for General Service, **01.01**
A633/A633M-13 Specification for Normalized High-Strength Low-Alloy Structural Steel Plates, **01.04**
A634 Withdrawn 1978; Specification for Steel Sheet and Strip, Alloy, Hot-Rolled and Cold-Rolled, Aircraft Quality
A635M Withdrawn 1990; Replaced by A635/A635M
A635/A635M-13 Specification for Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for, **01.03**
A636-08(2013) Specification for Nickel Oxide Sinter, **01.02**
A637 Redesignated 1981 - B637; Specification for Precipitation Hardening

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nickel Alloy Bars, Forgings, and Forging Stock for High-Temperature Service

A638/A638M-10 Specification for Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service, **01.03**

A639 Redesignated 1980 - B639; Specification for Precipitation Hardening Cobalt Containing Alloy Bars, Forgings and Forging Stock for High-Temperature Service

A640-97(2009)ε1 Specification for Zinc-Coated Steel Strand for Messenger Support of Figure 8 Cable, **01.06**

A641M Withdrawn 1997; Replaced by A641/A641M

A641/A641M-09a Specification for Zinc–Coated (Galvanized) Carbon Steel Wire, **01.06**

A642/A642M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Drawing Quality, Special Killed; Replaced by A653/A653M,A924/A924M

A643 Withdrawn 1982; Specification for Steel, Castings, Heavy-Walled, Carbon and Alloy for Pressure Vessels

A644-13 Terminology Relating to Iron Castings, **01.02**

A645/A645M-10 Specification for Pressure Vessel Plates, 5 % and 5 1/2 % Nickel Alloy Steels, Specially Heat Treated, **01.04**

A646/A646M-06(2011) Specification for Premium Quality Alloy Steel Blooms and Billets for Aircraft and Aerospace Forgings, **01.05**

A647 Withdrawn 1982; Specification for Special Requirements for Steel Plates for Nuclear and Other Special Applications

A648-12 Specification for Steel Wire, Hard-Drawn for Prestressed Concrete Pipe, **01.04**

A649/A649M-10 Specification for Forged Steel Rolls Used for Corrugating Paper Machinery, **01.05**

A650/A650M-13 Specification for Tin Mill Products, Black Plate, Double Reduced, **01.06**

A651 Withdrawn 1987; Specification for Stainless Steel, Water-DWV Tube

A652 Withdrawn 1984; Specification for Special Requirements for Steel Plates for Wrought Steel Welding Fittings for Nuclear and Other Special Applications

A653/A653M-11 Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, **01.06**

A654 Withdrawn 1984; Specification for Special Requirements for Steel Forgings and Bars for Nuclear and Other Special Applications

A655 Withdrawn 1984; Specification for Special Requirements for Pipe and Tubing for Nuclear and Other Special Applications

A656/A656M-13 Specification for Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability, **01.04**

A657/A657M-13 Specification for Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced, **01.06**

A658/A658M Withdrawn 1989; Specification for Pressure Vessel Plates, Alloy Steel, 36 Percent Nickel

A659/A659M-12 Specification for Commercial Steel (CS), Sheet and Strip, Carbon (0.16 Maximum to 0.25 Maximum Percent), Hot-Rolled, **01.03**

A660/A660M-11 Specification for Centrifugally Cast Carbon Steel Pipe for High-Temperature Service, **01.02**

A661 Not Assigned

A662/A662M-12 Specification for Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, **01.04**

A663/A663M-12 Specification for Steel Bars, Carbon, Merchant Quality, Mechanical Properties, **01.05**

A664-11 Practice for Identification of Standard Electrical Steel Grades in ASTM Specifications, **03.04**

A665 Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed, Types 23g048, 27g053, 30g058, and 35g066 [Metric]; Replaced by A876/A876M

A665M Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed, Types 23g048, 27g053, 30g058, and 35g066 [Metric]; Replaced by A876/A876M

A666-10 Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, **01.03**

A667/A667M-87(2012) Specification for Centrifugally Cast Dual Metal (Gray and White Cast Iron) Cylinders, **01.02**

A668/A668M-13ε1 Specification for Steel Forgings, Carbon and Alloy, for General Industrial Use, **01.05**

A669 Withdrawn 1984; Specification for Seamless Ferritic-Austenitic Alloy Steel Tubes; Replaced by A789

A670 Redesignated 1979 - B670; Specification for Precipitation Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Striip for High-Temperature Service

A671/A671M-13 Specification for Electric-Fusion-Welded Steel Pipe for Atmospheric and Lower Temperatures, **01.01**

A672/A672M-09 Specification for Electric-Fusion-Welded Steel Pipe for High-Pressure Service at Moderate Temperatures, **01.01**

A673/A673M-07(2012) Specification for Sampling Procedure for Impact Testing of Structural Steel, **01.04**

A674-10 Practice for Polyethylene Encasement for Ductile Iron Pipe for Water or Other Liquids, **01.02**

A675/A675M-03(2009) Specification for Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties, **01.05**

A676 Withdrawn 1990; Specification for Hot-Dipped Aluminum Coatings on Ferrous Articles

A677-12 Specification for Nonoriented Electrical Steel Fully Processed Types, **03.04**

A677M Withdrawn 2000; Replaced by A677/A677M

A678/A678M Withdrawn 2010; Specification for Quenched-and-Tempered Carbon and High-Strength Low-Alloy Structural Steel Plates

A679/A679M-06(2012) Specification for Steel Wire, High Tensile Strength, Cold Drawn, **01.03**

A680/A680M Withdrawn 1986; Specification for Steel, Strip, High-Carbon, Cold-Rolled Hard, Untempered Quality; Replaced by A684/A684M

A681-08 Specification for Tool Steels Alloy, **01.05**

A682/A682M Withdrawn 2009; Specification for Steel, Strip, High-Carbon, Cold-Rolled, General Requirements For

A683-05(2010) Specification for Nonoriented Electrical Steel, Semiprocessed Types, **03.04**

A683M Withdrawn 1999; Replaced by A683/A683M

A685 Withdrawn 1986; Specification for Machined Flat and Square Tool Steel Bars; Replaced by A681

A686-92(2010) Specification for Tool Steel, Carbon, **01.05**

A687 Withdrawn 1999; Specification for High-Strength Nonheaded Steel Bolts and Studs

A688/A688M-12 Specification for Seamless and Welded Austenitic Stainless Steel Feedwater Heater Tubes, **01.01**

A689-97(2013)ε1 Specification for Carbon and Alloy Steel Bars for Springs, **01.05**

A690/A690M-13a Specification for High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, **01.04**

A691/A691M-09 Specification for Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures, **01.01**

A692 Withdrawn 1995; Specification for Seamless Medium-Strength Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes; Replaced by A209

A693-13 Specification for Precipitation-Hardening Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, **01.03**

A694/A694M-13 Specification for Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, **01.01**

A695 Withdrawn 2002; Specification for Steel Bars, Carbon, Hot-Wrought, Special Quality, for Fluid Power Applications

A696-90a(2012) Specification for Steel Bars, Carbon, Hot-Wrought or Cold-Finished, Special Quality, for Pressure Piping Components, **01.05**

A697/A697M-13 Test Method for Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, **03.04**

A698/A698M-07 Test Method for Magnetic Shield Efficiency in Attenuating Alternating Magnetic Fields, **03.04**

A699 Withdrawn 1986; Specification for Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel Plates

A700 Withdrawn 2014; Practices for Packaging, Marking, and Loading Methods for Steel Products for Shipment

A701/A701M-10 Specification for Ferromanganese-Silicon, **01.02**

A702-13 Specification for Steel Fence Posts, Hot Wrought, **01.05**

A703/A703M-13a Specification for Steel Castings, General Requirements, for Pressure-Containing Parts, **01.02**

A704/A704M-06(2011) Specification for Welded Steel Plain Bar or Rod Mats for Concrete Reinforcement, **01.04**

A705/A705M-13 Specification for Age-Hardening Stainless Steel Forgings, **01.03**

A706/A706M-13 Specification for Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement, **01.04**

A707/A707M-13 Specification for Forged Carbon and Alloy Steel Flanges for Low-Temperature Service, **01.01**

A708 Withdrawn 1989; Recommended Practice for Detection of Susceptibility to Intergranular Corrosion in Severely Sensitized Austenitic Stainless Steel

A709/A709M-13a Specification for Structural Steel for Bridges, **01.04**

A710/A710M-02(2013) Specification for Precipitation–Strengthened Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Structural Steel Plates, **01.04**

A711/A711M-07(2012) Specification for Steel Forging Stock, **01.05**

A712-07(2013) Test Method for Electrical Resistivity of Soft Magnetic Alloys, **03.04**

A713-04(2010) Specification for Steel Wire, High-Carbon Spring, for Heat-Treated Components, **01.03**

A714-99(2009)ε1 Specification for High-Strength Low-Alloy Welded and Seamless Steel Pipe, **01.01**

A715 Withdrawn 2000; Specification for Steel Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled, and Steel Sheet, Cold-Rolled, High-Strength, Low-Alloy, with Improved Formability; Replaced by A1008/A1008M, A1011/A1011M

A716-08 Specification for Ductile Iron Culvert Pipe, **01.02**

A717/A717M-12 Test Method for Surface Insulation Resistivity of Single-Strip Specimens, **03.04**

A718 Withdrawn 1996; Test Method for Surface Insulation Resistivity of Multi-Strip Specimens

A719/A719M-02(2007) Test Method for Lamination Factor of Magnetic Materials, **03.04**

A720/A720M-02(2011) Test Method for Ductility of Nonoriented Electrical Steel, **03.04**

A721/A721M-02(2011) Test Method for Ductility of Oriented Electrical Steel, **03.04**

A722/A722M-12 Specification for Uncoated High-Strength Steel Bars for Prestressing Concrete, **01.04**

A723/A723M-10 Specification for Alloy Steel Forgings for High-Strength Pressure Component Application, **01.05**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A724/A724M-09(2013) Specification for Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, Quenched and Tempered, for Welded Pressure Vessels, **01.04**

A725 Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, Silicon Iron, Electrical Steel, Fully Processed, Types 27h076, 30h083, 35h094; Replaced by A876M

A725M Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, Silicon Iron, Electrical Steel, Fully Processed, Types 27h076, 30h083, 35h094 [Metric]; Replaced by A876M

A726-05(2010) Specification for Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types, **03.04**

A726M Withdrawn 1998; Specification for Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types [Metric]

A727/A727M-13 Specification for Carbon Steel Forgings for Piping Components with Inherent Notch Toughness, **01.01**

A728 Not Assigned

A729/A729M-09ε1 Specification for Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, **01.05**

A730 Withdrawn 2004; Specification for Forgings, Carbon and Alloy Steel, for Railway Use; Replaced by A668

A731/A731M Withdrawn 1995; Specification for Seamless, Welded Ferritic, and Martensitic Stainless Steel Pipe; Replaced by A268

A732/A732M-09 Specification for Castings, Investment, Carbon and Low Alloy Steel for General Application, and Cobalt Alloy for High Strength at Elevated Temperatures, **01.02**

A733-13 Specification for Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, **01.01**

A734/A734M-12 Specification for Pressure Vessel Plates, Alloy Steel and High-Strength Low-Alloy Steel, Quenched-and-Tempered, **01.04**

A735/A735M-12 Specification for Pressure Vessel Plates, Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, **01.04**

A736/A736M-12 Specification for Pressure Vessel Plates, Low-Carbon Age-Hardening Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Steel, **01.04**

A737/A737M-09(2013) Specification for Pressure Vessel Plates, High-Strength, Low-Alloy Steel, **01.04**

A738/A738M-12a Specification for Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, **01.04**

A739-90a(2012) Specification for Steel Bars, Alloy, Hot-Wrought, for Elevated Temperature or Pressure-Containing Parts, or Both, **01.05**

A740-98(2008) Specification for Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric), **01.06**

A741-11ε1 Specification for Metallic-Coated Steel Wire Rope and Fittings for Highway Guardrail, **01.06**

A742/A742M-13 Specification for Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, **01.06**

A743/A743M-13a Specification for Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application, **01.02**

A744/A744M-13 Specification for Castings, Iron-Chromium-Nickel, Corrosion Resistant, for Severe Service, **01.02**

A745/A745M-12 Practice for Ultrasonic Examination of Austenitic Steel Forgings, **01.05**

A746-09 Specification for Ductile Iron Gravity Sewer Pipe, **01.02**

A747/A747M-12 Specification for Steel Castings, Stainless, Precipitation Hardening, **01.02**

A748/A748M-87(2012) Specification for Statically Cast Chilled White Iron-Gray Iron Dual Metal Rolls for Pressure Vessel Use, **01.02**

A749M Withdrawn 1991; Replaced by A749/A749M

A749/A749M-08 Specification for Steel, Strip, Carbon and High-Strength, Low-Alloy, Hot-Rolled, General Requirements for, **01.03**

A750 Withdrawn 2004; Specification for Steel Air Ventillatilating Grille Units for Detention Areas

A751-11 Test Methods, Practices, and Terminology for Chemical Analysis of Steel Products, **01.01, 01.02, 01.03, 01.04, 01.05**

A752 Withdrawn 2011; Specification for General Requirements for Wire Rods and Coarse Round Wire, Alloy Steel; Replaced by A510

A752M Withdrawn 2011; Specification for General Requirements for Wire Rods and Coarse Round Wire, Alloy Steel (Metric); Replaced by A510

A753-08(2013) Specification for Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), **03.04**

A754/A754M-11 Test Method for Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, **01.06**

A755/A755M-11 Specification for Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, **01.06**

A756-09 Specification for Stainless Anti-Friction Bearing Steel, **01.05**

A757/A757M-10 Specification for Steel Castings, Ferritic and Martensitic, for Pressure-Containing and Other Applications, for Low-Temperature Service, **01.02**

A758/A758M-13 Specification for Wrought-Carbon Steel Butt-Welding Piping Fittings with Improved Notch Toughness, **01.01**

A759-10 Specification for Carbon Steel Crane Rails, **01.04**

A760/A760M-13 Specification for Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains, **01.06**

A761/A761M-13a Specification for Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, **01.06**

A762/A762M-08 Specification for Corrugated Steel Pipe, Polymer Precoated for Sewers and Drains, **01.06**

A763-93(2009) Practices for Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, **01.03**

A764-07(2012) Specification for Metallic Coated Carbon Steel Wire, Coated at Size and Drawn to Size for Mechanical Springs, **01.06**

A765/A765M-07(2012) Specification for Carbon Steel and Low-Alloy Steel Pressure-Vessel-Component Forgings with Mandatory Toughness Requirements, **01.05**

A766/A766M Withdrawn 1991; Specification for Forgings, Leaded, and Resulfurized Carbon Steel, for Pressure-Containing Applications

A767/A767M-09 Specification for Zinc-Coated (Galvanized) Steel Bars for Concrete Reinforcement, **01.04**

A768/A768M-05(2010) Specification for Vacuum-Treated 12% Chromium Alloy Steel Forgings for Turbine Rotors and Shafts, **01.05**

A769/A769M-05(2010) Specification for Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, **01.04**

A770/A770M-03(2012) Specification for Through-Thickness Tension Testing of Steel Plates for Special Applications, **01.04**

A771/A771M Withdrawn 2004; Specification for Seamless Austenitic and Martensitic Stainless Steel Tubing for Liquid Metal-Cooled Reactor Core Components

A772/A772M-00(2011)ε1 Test Method for AC Magnetic Permeability of Materials Using Sinusoidal Current, **03.04**

A773/A773M-01(2009) Test Method for dc Magnetic Properties of Materials Using Ring and Permeameter Procedures with dc Electronic Hysteresigraphs, **03.04**

A774/A774M-13 Specification for As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, **01.01**

A775/A775M-07b Specification for Epoxy-Coated Steel Reinforcing Bars, **01.04**

A776 Not Assigned

A777 Withdrawn 1995; Specification for Galvanized Round Steel Tying Wire

A778-01(2009)ε1 Specification for Welded, Unannealed Austenitic Stainless Steel Tubular Products, **01.01**

A779/A779M-12 Specification for Steel Strand, Seven-Wire, Uncoated, Compacted for Prestressed Concrete, **01.04**

A780/A780M-09 Practice for Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings, **01.06**

A781/A781M-13a Specification for Castings, Steel and Alloy, Common Requirements, for General Industrial Use, **01.02**

A782/A782M Withdrawn 2010; Specification for Pressure-Vessel Plates, Quenched-and-Tempered, Manganese-Chromium-Molybdenum-Silicon Zirconium Alloy Steel

A783 Withdrawn 1987; Specification for Aluminum-Zinc Alloy-Coated Steel Chain Link Fence Fabric

A784 Withdrawn 1988; Specification for Aluminum-Zinc Alloy-Coated Steel Wire Rope and Fittings for Highway Guard Rail

A785 Withdrawn 1988; Specification for Aluminum-Zinc Alloy-Coated Steel Wire Strand

A786/A786M-05(2009) Specification for Hot-Rolled Carbon, Low-Alloy, High-Strength Low-Alloy, and Alloy Steel Floor Plates, **01.04**

A787/A787M-09 Specification for Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, **01.01**

A788/A788M-11 Specification for Steel Forgings, General Requirements, **01.05**

A789/A789M-13aε1 Specification for Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, **01.01**

A790/A790M-13a Specification for Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, **01.01**

A791/A791M Withdrawn 1995; Specification for Welded, Unannealed Ferritic Stainless Steel Tubing; Replaced by A268/A268M

A792M Withdrawn 1994; Replaced by A792/A792M

A792/A792M-10 Specification for Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process, **01.06**

A793-96(2009) Specification for Rolled Floor Plate, Stainless Steel, **01.03**

A794/A794M-12 Specification for Commercial Steel (CS), Sheet, Carbon (0.16 % Maximum to 0.25 % Maximum), Cold-Rolled, **01.03**

A795/A795M-13 Specification for Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use, **01.01**

A796/A796M-13a Practice for Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, **01.06**

A797 Withdrawn 1990; Specification for Aluminum-Zinc Alloy-Coated Steel Overhead Ground Wire Strand

A798/A798M-13 Practice for Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, **01.06**

A799/A799M-10 Practice for Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, **01.02**

A800/A800M-10 Practice for Steel Casting, Austenitic Alloy, Estimating Ferrite Content Thereof, **01.02**

A801-09 Specification for Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), **03.04**

A802/A802M-95(2010)ε1 Practice for Steel Castings, Surface Acceptance Standards, Visual Examination, **01.02**

A803/A803M-12 Specification for Seamless and Welded Ferritic Stainless Steel Feedwater Heater Tubes, **01.01**

A804/A804M-04(2009)ε1 Test Methods for Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, **03.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A805/A805M-09 Specification for Steel, Flat Wire, Carbon, Cold-Rolled, **01.03**
A806/A806M Withdrawn 1995; Specification for Steel Sheet, 55 Aluminum-Zinc Alloy Coated by the Hot-Dip Process for Storm Sewer and Drainage Pipe; Replaced by A929/A929M
A807/A807M-13 Practice for Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, **01.06**
A808/A808M Withdrawn 2005; Specification for High-Strength, Low-Alloy Carbon, Manganese, Columbium, Vanadium Steel of Structural Quality with Improved Notch Toughness; Replaced by A656
A809-08(2013) Specification for Aluminum-Coated (Aluminized) Carbon Steel Wire, **01.06**
A810-01(2009)$^{\varepsilon 1}$ Specification for Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, **01.06**
A811-03(2008) Specification for Soft Magnetic Iron Parts Fabricated by Powder Metallurgy (P/M) Techniques, **03.04**
A812/A812M Withdrawn 1997; Specification for Steel Sheet, High-Strength, Low-Alloy, Hot-Rolled, for Welded Layered Pressure Vessels
A813/A813M-09 Specification for Single- or Double-Welded Austenitic Stainless Steel Pipe, **01.01**
A814/A814M-08 Specification for Cold-Worked Welded Austenitic Stainless Steel Pipe, **01.01**
A815/A815M-13a Specification for Wrought Ferritic, Ferritic/Austenitic, and Martensitic Stainless Steel Piping Fittings, **01.01**
A816/A816M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, High-Strength, Low Alloy; Replaced by A653/A653M, A924/A924M
A817-12 Specification for Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcelled Tension Wire, **01.06**
A818-06(2010) Specification for Coppered Carbon Steel Wire, **01.06**
A819 Withdrawn 1995; Specification for Steel Sheet, Aluminum-Coated Type 2 for Storm Sewer and Drainage Pipe; Replaced by A929/A929M
A820/A820M-11 Specification for Steel Fibers for Fiber-Reinforced Concrete, **01.04**
A821/A821M-10 Specification for Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, **01.04**
A822/A822M-04(2010) Specification for Seamless Cold-Drawn Carbon Steel Tubing for Hydraulic System Service, **01.01**
A823-99(2012) Specification for Statically Cast Permanent Mold Gray Iron Castings, **01.02**
A824-01(2012) Specification for Metallic-Coated Steel Marcelled Tension Wire for Use With Chain Link Fence, **01.06**
A825 Withdrawn 1991; Specification for Steel Sheet, Composite Coated for Corrugated Steel Sewer Pipe and Bin-Type Retaining Walls
A826/A826M Withdrawn 2004; Specification for Seamless Austenitic and Martensitic Stainless Steel Duct Tubes for Liquid Metal-Cooled Reactor Core Components
A827/A827M-11 Specification for Plates, Carbon Steel, for Forging and Similar Applications, **01.04**
A828 Not Assigned
A829/A829M-11 Specification for Alloy Structural Steel Plates, **01.04**
A830/A830M-13 Specification for Plates, Carbon Steel, Structural Quality, Furnished to Chemical Composition Requirements, **01.04**
A831/A831M Withdrawn 2005; Specification for Austenitic and Martensitic Stainless Steel Bars, Billets, and Forgings for Liquid Metal Cooled Reactor Core Components
A832/A832M-10 Specification for Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum-Vanadium, **01.04**
A833-08a Practice for Indentation Hardness of Metallic Materials by Comparison Hardness Testers, **01.05**
A834-95(2011) Specification for Common Requirements for Iron Castings for General Industrial Use, **01.02**
A835/A835M-10 Specification for Sizes of Ferroalloys and Alloy Additives, **01.02**
A836/A836M-13 Specification for Titanium-Stabilized Carbon Steel Forgings for Glass-Lined Piping and Pressure Vessel Service, **01.01**
A837/A837M-06(2011) Specification for Steel Forgings, Alloy, for Carburizing Applications, **01.05**
A838-02(2013) Specification for Free-Machining Ferritic Stainless Soft Magnetic Alloy Bar for Relay Applications, **03.04**
A839-02(2008) Specification for Iron-Phosphorus Powder Metallurgy (P/M) Parts for Soft Magnetic Applications, **03.04**
A840 Withdrawn 2011; Specification for Fully Processed Magnetic Lamination Steel
A841/A841M-13 Specification for Steel Plates for Pressure Vessels, Produced by Thermo-Mechanical Control Process (TMCP), **01.04**
A842-11a Specification for Compacted Graphite Iron Castings, **01.02**
A843 Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, High Permeability, Silicon-Iron Electrical Steel, Fully Processed, Types 27p066, 30p070, 35p076; Replaced by A876/A876M
A844/A844M-09 Specification for Steel Plates, 9% Nickel Alloy, for Pressure Vessels, Produced by the Direct-Quenching Process, **01.04**
A845 Withdrawn 2005; Specification for Titanium Scrap for Use in Deoxidation and Alloying of Steel
A846 Withdrawn 2005; Specification for Aluminum Scrap for Use in Deoxidation and Alloying of Steel
A847/A847M-12 Specification for Cold-Formed Welded and Seamless High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric Corrosion Resistance, **01.01**
A848-01(2011) Specification for Low-Carbon Magnetic Iron, **03.04**
A849-10 Specification for Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe, **01.06**
A850 Withdrawn 1991; Specification for Steel Bars, Carbon-Manganese Merchant Quality with 50 ksi (345 MPa) Yield Point
A851 Withdrawn 2002; Specification for High-Frequency Induction Welded, Unannealed, Austenitic Steel Condenser Tubes
A852/A852M Withdrawn 2010; Specification for Quenched and Tempered Low-Alloy Structural Steel Plate with 70 ksi [485 MPa] Minimum Yield Strength to 4 in. [100 mm] Thick
A853-04(2010) Specification for Steel Wire, Carbon, for General Use, **01.03**
A854/A854M-08(2013) Specification for Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire, **01.06**
A855/A855M-03(2009) Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand, **01.06**
A856/A856M-03(2009) Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, **01.06**
A857/A857M-07(2013) Specification for Steel Sheet Piling, Cold Formed, Light Gage, **01.04**
A858/A858M-13 Specification for Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, **01.01**
A859/A859M-04(2009) Specification for Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, **01.05**
A860/A860M-13 Specification for Wrought High-Strength Ferritic Steel Butt-Welding Fittings, **01.01**
A861-04(2013) Specification for High-Silicon Iron Pipe and Fittings, **01.02**
A862/A862M-98(2008) Practice for Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe, **01.06**
A863 Withdrawn 1991; Specification for Corrugated Steel Pipe with Smooth PVC Liner for Sewers and Drains
A864/A864M Withdrawn 1997; Specification for Steel Wire, Deformed, for Prestressed Concrete Railroad Ties
A865/A865M-06(2012) Specification for Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, **01.01**
A866-09 Specification for Medium Carbon Anti-Friction Bearing Steel, **01.05**
A867-03(2013) Specification for Iron-Silicon Relay Steels, **03.04**
A868 Not Assigned
A869 Not Assigned
A870 Not Assigned
A871/A871M-12 Specification for High-Strength Low-Alloy Structural Steel Plate With Atmospheric Corrosion Resistance, **01.04**
A872/A872M-07a(2012) Specification for Centrifugally Cast Ferritic/Austenitic Stainless Steel Pipe for Corrosive Environments, **01.02**
A873/A873M Withdrawn 1997; Specification for Steel Sheet and Strip, Chromium-Molybdenum Alloy, for Pressure Vessels
A874M Withdrawn 1998; Replaced by A874/A874M
A875/A875M-13 Specification for Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, **01.06**
A876-12 Specification for Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, **03.04**
A876M Withdrawn 1998; Replaced by A876A876M
A877/A877M-10$^{\varepsilon 1}$ Specification for Steel Wire, Chromium-Silicon Alloy, Chrome-Silicon-Vanadium Alloy Valve Spring Quality, **01.03**
A878/A878M-05(2011) Specification for Steel Wire, Modified Chromium Vanadium Valve Spring Quality, **01.03**
A879/A879M-12 Specification for Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, **01.06**
A880 Withdrawn 2004; Practice for Criteria for Use in Evaluation of Testing Laboratories and Organizations for Examination and Inspection of Steel, Stainless Steel, and Related Alloys
A881/A881M-10 Specification for Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, **01.04**
A882/A882M-04a(2010) Specification for Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, **01.04**
A883/A883M Withdrawn 2006; Test Method for Ferrimagnetic Resonance Linewidth and Gyromagnetic Ratio of Nonmetallic Magnetic Materials
A884/A884M-12 Specification for Epoxy-Coated Steel Wire and Welded Wire Reinforcement, **01.04**
A885/A885M Withdrawn 2006; Specification for Steel Sheet, Zinc and Aramid Fiber Composite Coated for Corrugated Steel Sewer, Culvert, and Underdrain Pipe
A886/A886M-12 Specification for Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, **01.04**
A887-89(2009) Specification for Borated Stainless Steel Plate, Sheet, and Strip for Nuclear Application, **01.03**
A888-13a Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications, **01.02**
A889/A889M-03(2008) Test Method for Alternating-Current Magnetic Properties of Materials at Low Magnetic Flux Density Using the Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, **03.04**
A890/A890M-12a Specification for Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, **01.02**
A891/A891M-10 Specification for Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, **01.05**
A892-09 Guide for Defining and Rating the Microstructure of High Carbon Bearing Steels, **01.05**
A893/A893M-03(2008) Test Method for Complex Dielectric Constant of Nonmetallic Magnetic Materials at Microwave Frequencies, **03.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A894/A894M-00(2011)$^{\epsilon 1}$ Test Method for Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, **03.04**
A895-89(2009) Specification for Free-Machining Stainless Steel Plate, Sheet, and Strip, **01.03**
A896/A896M-09 Practice for Conducting Case Studies on Galvanized Structures, **01.06**
A897M Withdrawn 2001; Replaced by A897/A897M
A897/A897M-06(2011) Specification for Austempered Ductile Iron Castings, **01.02**
A898/A898M-07(2012) Specification for Straight Beam Ultrasonic Examination of Rolled Steel Structural Shapes, **01.04**
A899-91(2007) Specification for Steel Wire, Epoxy-Coated, **01.03**
A900/A900M-01(2012) Test Method for Lamination Factor of Amorphous Magnetic Strip, **03.04**
A901-12 Specification for Amorphous Magnetic Core Alloys, Semi-Processed Types, **03.04**
A902-13b Terminology Relating to Metallic Coated Steel Products, **01.06**
A903/A903M-99(2012) Specification for Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, **01.02**
A904-09 Specification for 50 Nickel-50 Iron Powder Metallurgy Soft Magnetic Parts, **03.04**
A905-04(2010) Specification for Steel Wire, Pressure Vessel Winding, **01.03**
A906/A906M-02(2010) Specification for Grade 80 and Grade 100 Alloy Steel Chain Slings for Overhead Lifting, **01.05**
A907/A907M Withdrawn 2001; Specification for Steel, Sheet and Strip, Heavy Thickness Coils, Carbon, Hot-Rolled, Structural Quality; Replaced by A1018/A1018M
A908-03(2013) Specification for Stainless Steel Needle Tubing, **01.01**
A909/A909M-06(2011) Specification for Steel Forgings, Microalloy, for General Industrial Use, **01.05**
A910/A910M-12 Specification for Uncoated, Weldless, 2-Wire and 3-Wire Steel Strand for Prestressed Concrete, **01.04**
A911/A911M-11 Specification for Uncoated, Stress-Relieved Steel Bars for Prestressed Concrete Railroad Ties, **01.04**
A912/A912M-11 Test Method for Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, **03.04**
A913/A913M-11 Specification for High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), **01.04**
A914/A914M-92(2011) Specification for Steel Bars Subject to Restricted End-Quench Hardenability Requirements, **01.05**
A915/A915M-08(2013) Specification for Steel Castings, Carbon, and Alloy, Chemical Requirements Similar to Standard Wrought Grades, **01.02**
A916 Withdrawn 1995; Specification for Steel Sheet, Zinc-5 % Aluminum-Mischmetal Alloy-Coated by Hot-Dip Process for Storm Sewer and Drainage Pipe; Replaced by A929/A929M
A917-08 Specification for Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), **01.06**
A918-06(2011) Specification for Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, **01.06**
A919 Withdrawn 1998; Terminology Relating to Heat Treatment of Metals; Replaced by A941
A920/A920M-07 Specification for Steel Bars, Microalloy, Hot-Wrought, Special Quality, Mechanical Properties, **01.05**
A921/A921M-93(2011) Specification for Steel Bars, Microalloy, Hot-Wrought, Special Quality, for Subsequent Hot Forging, **01.05**
A922-05(2010) Specification for Silicon Metal, **01.02**
A923-08 Test Methods for Detecting Detrimental Intermetallic Phase in Duplex Austenitic/Ferritic Stainless Steels, **01.03**
A924/A924M-13 Specification for General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process, **01.06**
A925-03(2009)$^{\epsilon 1}$ Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Overhead Ground Wire Strand, **01.06**
A926-03(2008) Test Method for Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe, **01.06**
A927/A927M-11 Test Method for Alternating-Current Magnetic Properties of Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, **03.04**
A928/A928M-13 Specification for Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, **01.01**
A929/A929M-01(2007) Specification for Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe, **01.06**
A930-09 Practice for Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, **01.06**
A931-08(2013) Test Method for Tension Testing of Wire Ropes and Strand, **01.03**
A932/A932M-01(2012) Test Method for Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, **03.04**
A933/A933M-10 Specification for Vinyl-Coated Steel Wire and Welded Wire Reinforcement, **01.04**
A934/A934M-13 Specification for Epoxy-Coated Prefabricated Steel Reinforcing Bars, **01.04**
A935/A935M Withdrawn 2001; Specification for Steel, Sheet and Strip, Heavy Thickness Coils, High Strength, Low-Alloy, Columbium or Vanadium, or Both, Hot-Rolled; Replaced by A1018/A1018M
A936/A936M Withdrawn 2001; Specification for Steel, Sheet And Strip, Heavy Thickness Coils, High Strength, Low-Alloy, Hot-Rolled, With Improved Formability; Replaced by A1018/A1018M
A937/A937M-12 Test Method for Determining Interlaminar Resistance of Insulating Coatings Using Two Adjacent Test Surfaces, **03.04**
A938-07(2013) Test Method for Torsion Testing of Wire, **01.03**
A939/A939M-12 Practice for Ultrasonic Examination from Bored Surfaces of Cylindrical Forgings, **01.05**
A940/A940M-06(2011) Specification for Vacuum Treated Steel Forgings, Alloy, Differentially Heat Treated, for Turbine Rotors, **01.05**
A941-13b Terminology Relating to Steel, Stainless Steel, Related Alloys, and Ferroalloys, **01.01, 01.02, 01.03, 01.04, 01.05**
A942/A942M-95(2012)$^{\epsilon 1}$ Specification for Centrifugally Cast White Iron/Gray Iron Dual Metal Abrasion-Resistant Roll Shells, **01.02**
A943/A943M-01(2009) Specification for Spray-Formed Seamless Austenitic Stainless Steel Pipes, **01.01**
A944-10 Test Method for Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, **01.04**
A945/A945M-06(2011) Specification for High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, **01.04**
A946 Withdrawn 2012; Specification for Chromium, Chromium-Nickel and Silicon Alloy Steel Plate, Sheet, and Strip for Corrosion and Heat Resisting Service
A947M-13 Specification for Textured Stainless Steel Sheet Metric, **01.03**
A949 Redesignated 1995 - A949/A949M
A949/A949M-01(2009) Specification for Spray-Formed Seamless Ferritic/Austenitic Stainless Steel Pipe, **01.01**
A950/A950M-11 Specification for Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, **01.04**
A951/A951M-11 Specification for Steel Wire for Masonry Joint Reinforcement, **01.04**
A952/A952M-02(2010) Specification for Forged Grade 80 and Grade 100 Steel Lifting Components and Welded Attachment Links, **01.05**
A953 Withdrawn 2005; Specification for Austenitic Chromium-Nickel-Silicon Alloy Steel Seamless and Welded Tubing
A954 Withdrawn 2005; Specification for Austenitic Chromium-Nickel-Silicon Alloy Steel Seamless and Welded Pipe
A955/A955M-12$^{\epsilon 1}$ Specification for Deformed and Plain Stainless-Steel Bars for Concrete Reinforcement, **01.04**
A956-12 Test Method for Leeb Hardness Testing of Steel Products, **01.05**
A957/A957M-13 Specification for Investment Castings, Steel and Alloy, Common Requirements, for General Industrial Use, **01.02**
A958/A958M-10 Specification for Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, **01.02**
A959-11 Guide for Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, **01.03**
A960/A960M-13 Specification for Common Requirements for Wrought Steel Piping Fittings, **01.01**
A961/A961M-13 Specification for Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, **01.01**
A962/A962M-13b Specification for Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range, **01.01**
A963/A963M Withdrawn 2000; Specification for Deep Drawing Steel (DDS), Sheet, Carbon, Cold-Rolled; Replaced by A1008/A1008M
A964/A964M-03(2011) Specification for Corrugated Steel Box Culverts, **01.06**
A965/A965M-13 Specification for Steel Forgings, Austenitic, for Pressure and High Temperature Parts, **01.05**
A966/A966M-08(2012) Practice for Magnetic Particle Examination of Steel Forgings Using Alternating Current, **01.05**
A967/A967M-13 Specification for Chemical Passivation Treatments for Stainless Steel Parts, **01.03**
A968/A968M-96(2009) Specification for Chromium, Chromium-Nickel, and Silicon Alloy Steel Bars and Shapes for Corrosion and Heat-Resisting Service, **01.03**
A969/A969M Withdrawn 2000; Specification for Extra Deep Drawing Steel (EDDS), Sheet, Carbon, Cold-Rolled; Replaced by A1008/A1008M
A970/A970M-13a Specification for Headed Steel Bars for Concrete Reinforcement, **01.04**
A971/A971M-10 Test Method for Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, **03.04**
A972/A972M-00(2010) Specification for Fusion Bonded Epoxy-Coated Pipe Piles, **01.01**
A973/A973M-07(2012) Specification for Grade 100 Alloy Steel Chain, **01.05**
A974-97(2011) Specification for Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated), **01.06**
A975-11 Specification for Double–Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic–Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), **01.06**
A976-13 Classification of Insulating Coatings for Electrical Steels by Composition, Relative Insulating Ability and Application, **03.04**
A977/A977M-07(2013) Test Method for Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, **03.04**
A978/A978M-08(2013) Specification for Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, **01.06**
A979/A979M-03(2009) Specification for Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field, **01.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A980/A980M-11 Specification for Steel, Sheet, Carbon, Ultra High Strength Cold Rolled, **01.03**
A981/A981M-11 Test Method for Evaluating Bond Strength for 0.600-in. 15.24-mm Diameter Steel Prestressing Strand, Grade 270 1860, Uncoated, Used in Prestressed Ground Anchors, **01.04**
A982/A982M-10 Specification for Steel Forgings, Stainless, for Compressor and Turbine Airfoils, **01.05**
A983/A983M-06(2011) Specification for Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, **01.05**
A984/A984M-03(2009) Specification for Steel Line Pipe, Black, Plain-End, Electric-Resistance-Welded, **01.01**
A985/A985M-13 Specification for Steel Investment Castings General Requirements, for Pressure-Containing Parts, **01.02**
A986/A986M-01(2011) Specification for Magnetic Particle Examination of Continuous Grain Flow Crankshaft Forgings, **01.05**
A987/A987M-09 Practice for Measuring Shape Characteristics of Tin Mill Products, **01.06**
A988/A988M-13 Specification for Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, **01.01**
A989/A989M-13 Specification for Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, **01.01**
A990/A990M-11ε1 Specification for Castings, Iron-Nickel-Chromium and Nickel Alloys, Specially Controlled for Pressure Retaining Parts for Corrosive Service, **01.02**
A991/A991M-10 Test Method for Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, **01.03**
A992/A992M-11 Specification for Structural Steel Shapes, **01.04**
A993 Withdrawn 2004; Test Method for Dynamic Tear Testing of Cast Irons to Establish Transition Temperature
A994-13 Guide for Editorial Procedures and Form of Product Specifications for Steel, Stainless Steel, and Related Alloys, **01.01**
A995/A995M-12a Specification for Castings, Austenitic-Ferritic (Duplex) Stainless Steel, for Pressure-Containing Parts, **01.02**
A996/A996M-09b Specification for Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement, **01.04**
A997-08(2012) Practice for Investment Castings, Surface Acceptance Standards, Visual Examination, **01.02**
A998/A998M-12 Practice for Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, **01.06**
A999/A999M-13 Specification for General Requirements for Alloy and Stainless Steel Pipe, **01.01**
A1000/A1000M-11 Specification for Steel Wire, Carbon and Alloy Specialty Spring Quality, **01.03**
A1001-01(2010) Specification for High Strength Steel Castings in Heavy Sections, **01.02**
A1002-10 Specification for Castings, Nickel-Aluminum Ordered Alloy, **01.02**
A1003/A1003M-13b Specification for Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members, **01.06**
A1004/A1004M-99(2009) Practice for Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, **01.06**
A1005/A1005M-00(2010) Specification for Steel Line Pipe, Black, Plain End, Longitudinal and Helical Seam, Double Submerged-Arc Welded, **01.01**
A1006/A1006M-00(2010) Specification for Steel Line Pipe, Black, Plain End, Laser Beam Welded, **01.01**
A1007-07 Specification for Carbon Steel Wire for Wire Rope, **01.03**
A1008/A1008M-13 Specification for Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, **01.03**
A1009-05(2010) Specification for Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Inductor Applications, **03.04**
A1010/A1010M-13 Specification for Higher-Strength Martensitic Stainless Steel Plate, Sheet, and Strip, **01.03**
A1011/A1011M-13 Specification for Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, **01.03**
A1012-10 Specification for Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins, **01.01**
A1013-00(2013)ε1 Test Method for High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, **03.04**
A1014/A1014M-10 Specification for Precipitation-Hardening Bolting (UNS N07718) for High Temperature Service, **01.01**
A1015-01(2009) Guide for Videoborescoping of Tubular Products for Sanitary Applications, **01.01**
A1016/A1016M-13 Specification for General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, **01.01**
A1017/A1017M-11 Specification for Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum-Tungsten, **01.04**
A1018/A1018M-10 Specification for Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Carbon, Commercial, Drawing, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, **01.03**
A1019/A1019M Withdrawn 2012; Specification for Closed Rib Steel Pipe with Diameter of 36 in. [900 mm] or Less, Polymer Precoated for Sewers and Drains
A1020/A1020M-02(2012) Specification for Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, **01.01**
A1021/A1021M-05(2010) Specification for Martensitic Stainless Steel Forgings and Forging Stock for High-Temperature Service, **01.05**
A1022/A1022M-13 Specification for Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement, **01.04**
A1023/A1023M-09ε1 Specification for Stranded Carbon Steel Wire Ropes for General Purposes, **01.03**
A1024/A1024M-02(2012) Specification for Steel Line Pipe, Black, Plain-End, Seamless, **01.01**
A1025/A1025M-10 Specification for Ferroalloys and Other Alloying Materials, General Requirements, **01.02**
A1026 Withdrawn 2007; Specification for Alloy Steel Structural Shapes for Use in Building Framing
A1028-03(2009) Specification for Stainless Steel Bars for Compressor and Turbine Airfoils, **01.03**
A1030/A1030M-11 Practice for Measuring Flatness Characteristics of Steel Sheet Products, **01.06**
A1031/A1031M-12 Specification for Steel, Sheet and Strip, Heavy-Thickness Coils, Alloy, Drawing Steel and Structural Steel, Hot-Rolled, **01.03**
A1032-04(2010) Test Method for Hydrogen Embrittlement Resistance for Steel Wire Hard Drawn Used for Prestressing Concrete Pipe, **01.04**
A1033-10 Practice for Quantitative Measurement and Reporting of Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, **01.03**
A1034/A1034M-10a Test Methods for Testing Mechanical Splices for Steel Reinforcing Bars, **01.04**
A1035/A1035M-13b Specification for Deformed and Plain, Low-Carbon, Chromium, Steel Bars for Concrete Reinforcement, **01.04**
A1036-04(2009) Guide for Measuring Power Frequency Magnetic Properties of Flat-Rolled Electrical Steels Using Small Single Sheet Testers, **03.04**
A1037/A1037M-05(2012) Specification for Steel Line Pipe, Black, Furnace-Butt-Welded, **01.01**
A1038-10a Test Method for Portable Hardness Testing by the Ultrasonic Contact Impedance Method, **01.05**
A1039/A1039M-13 Specification for Steel, Sheet, Hot Rolled, Carbon, Commercial, Structural, and High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, **01.03**
A1040-10 Guide for Specifying Harmonized Standard Grade Compositions for Wrought Carbon, Low-Alloy, and Alloy Steels, **01.05**
A1041/A1041M Withdrawn 2013; Specification for Pressure Vessel Plates, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten
A1042/A1042M-04(2009) Specification for Composite Corrugated Steel Pipe for Sewers and Drains, **01.06**
A1043/A1043M-05(2009) Specification for Structural Steel with Low Yield to Tensile Ratio for Use in Buildings, **01.04**
A1044/A1044M-05(2010) Specification for Steel Stud Assemblies for Shear Reinforcement of Concrete, **01.04**
A1045-10 Specification for Flexible Poly (Vinyl Chloride) (PVC) Gaskets used in Connection of Vitreous China Plumbing Fixtures to Sanitary Drainage Systems, **01.02**
A1046/A1046M-10aε1 Specification for Steel Sheet, Zinc-Aluminum-Magnesium Alloy-Coated by the Hot-Dip Process, **01.06**
A1047/A1047M-05(2009) Test Method for Pneumatic Leak Testing of Tubing, **01.01**
A1048/A1048M-06(2011) Specification for Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, **01.05**
A1049/A1049M-10 Specification for Stainless Steel Forgings, Ferritic/Austenitic (Duplex), for Pressure Vessels and Related Components, **01.05**
A1053/A1053M-12 Specification for Welded Ferritic-Martensitic Stainless Steel Pipe, **01.01**
A1054-07 Specification for Sintered Ceramic Ferrite Permanent Magnets, **03.04**
A1055/A1055M-10ε1 Specification for Zinc and Epoxy Dual-Coated Steel Reinforcing Bars, **01.04**
A1056-12 Specification for Cast Iron Couplings Used for Joining Hubless Cast Iron Soil Pipe and Fittings, **01.02**
A1057/A1057M-08 Specification for Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, **01.06**
A1058-12b Test Methods for Mechanical Testing of Steel Products—Metric, **01.01, 01.02, 01.03, 01.04, 01.05**
A1059/A1059M-08(2013) Specification for Zinc Alloy Thermo-Diffusion Coatings (TDC) on Steel Fasteners, Hardware, and Other Products, **01.06**
A1060/A1060M-11ε1 Specification for Zinc-Coated (Galvanized) Steel Welded Wire Reinforcement, Plain and Deformed, for Concrete, **01.04**
A1061/A1061M-09 Test Methods for Testing Multi-Wire Steel Strand, **01.04**
A1062-10 Specification for Steel Castings Sampling, **01.02**
A1063/A1063M-11a Specification for Steel Sheet, Twin-Roll Cast, Zinc-Coated (Galvanized) by the Hot-Dip Process, **01.06**
A1064/A1064M-13 Specification for Carbon-Steel Wire and Welded Wire Reinforcement, Plain and Deformed, for Concrete, **01.04**
A1065/A1065M-09 Specification for Cold-Formed Electric-Fusion (Arc) Welded High-Strength Low–Alloy Structural Tubing in Shapes, with 50 ksi 345 MPa Minimum Yield Point, **01.01**
A1066/A1066M-11 Specification for High-Strength Low-Alloy Structural Steel Plate Produced by Thermo-Mechanical Controlled Process (TMCP), **01.04**
A1067/A1067M-12a Specification for Test Coupons for Steel Castings, **01.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

A1068-10 Practice for Life-Cycle Cost Analysis of Corrosion Protection Systems on Iron and Steel Products, **01.06**
A1069/A1069M-11 Specification for Laser-Fused Stainless Steel Bars, Plates, and Shapes, **01.03**
A1071/A1071M-11 Test Method for Evaluating Hygrothermal Corrosion Resistance of Permanent Magnet Alloys, **03.04**
A1072/A1072M-11 Specification for Zinc-5 % Aluminum (Hot-Dip) Coatings on Iron and Steel Products, **01.06**
A1073/A1073M-12 Practice for Using Hand Micrometers to Measure the Thickness of Nonmetallic and Metallic-Coated Steel Sheet, **01.06**
A1074-11 Specification for Hot Tin and Hot Tin/Lead Dip on Ferrous and Non-Ferrous Metals, **01.06**
A1075-12 Specification for Flanged Steel U-Channel Posts, **01.05**
A1076/A1076M-13 Specification for Cold Formed Carbon Structural Steel Tubing Made from Metallic Precoated Sheet Steel, **01.01**
A1077/A1077M-12 Specification for Structural Steel with Improved Yield Strength at High Temperature for Use in Buildings, **01.04**
A1078/A1078M-12 Specification for Epoxy-Coated Steel Dowels for Concrete Pavement, **01.04**
A1079-13ε2 Specification for Steel Sheet, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, **01.06**
A1080-12 Practice for Hot Isostatic Pressing of Steel, Stainless Steel, and Related Alloy Castings, **01.02**
A1081/A1081M-12 Test Method for Evaluating Bond of Seven-Wire Steel Prestressing Strand, **01.04**
A1082/A1082M-12 Specification for High Strength Precipitation Hardening and Duplex Stainless Steel Bolting for Special Purpose Applications, **01.01**
A1083/A1083M-12 Specification for Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, **01.03**
A1084-13 Test Method for Detecting Detrimental Phases in Lean Duplex Austenitic/Ferritic Stainless Steels, **01.03**
A1085-13 Specification for Cold-Formed Welded Carbon Steel Hollow Structural Sections (HSS), **01.01**
A1086-13 Specification for Thin-Gauge Nonoriented Electrical Steel Fully Processed Types, **03.04**
A1088-13 Specification for Steel, Sheet, Cold-Rolled, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), **01.03**

--```,,,,``,,,`,,,,``````````,,-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B. NONFERROUS METALS

B1-13 Specification for Hard-Drawn Copper Wire, **02.03**
B2-13 Specification for Medium-Hard-Drawn Copper Wire, **02.03**
B3-13 Specification for Soft or Annealed Copper Wire, **02.03**
B4 Withdrawn 1981; Specification Tough-Pitch Lake Copper-Refinery Shapes
B5-11 Specification for High Conductivity Tough-Pitch Copper Refinery Shapes, **02.01**
B6-13 Specification for Zinc, **02.04**
B7 Withdrawn 1941; Specification for Copper-Base Alloys in Ingot Form for Sand Castings; Replaced by B30
B8-11 Specification for Concentric-Lay-Stranded Copper Conductors, Hard, Medium-Hard, or Soft, **02.03**
B9-90(2012) Specification for Bronze Trolley Wire, **02.03**
B10 Withdrawn 1934; Specification for Tin-Bronze and Leaded Tin-Bronze Sand Castings
B11 Withdrawn 1981; Specification for Copper Plates for Locomotive Fireboxes
B12 Withdrawn 1982; Specification for Copper Rods for Locomotive Staybolts; Replaced by B133
B13 Withdrawn 1961; Specification for Seamless Copper Boiler Tubes
B14 Withdrawn 1955; Specification for Seamless Brass Boiler Tubes
B15 Withdrawn 1939; Specification for Copper and Copper-Base Alloy Forging Rod, Bar, and Shapes; Replaced by B124
B16M Withdrawn 1999; Replaced by B16/B16M
B16/B16M-10 Specification for Free-Cutting Brass Rod, Bar and Shapes for Use in Screw Machines, **02.01**
B17 Withdrawn 1927; Specification for Bronze Castings in the Rough for Locomotive Wearing Parts; Replaced by B66, B67
B18 Withdrawn 1942; Methods of Testing Chemical Analysis of Lead, Tin, and Base Solder Metal; Replaced by E46
B19-10 Specification for Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, **02.01**
B20 Withdrawn 1940; Specification for Cartridge Brass Sheet, Strip, Plate, Bar, and Disks; Combined with B 19
B21M Withdrawn 2001; Replaced by B21/B21M
B21/B21M-12 Specification for Naval Brass Rod, Bar, and Shapes, **02.01**
B22/B22M-13ε1 Specification for Bronze Castings for Bridges and Turntables, **02.01**
B23-00(2010) Specification for White Metal Bearing Alloys, **02.04**
B24 Withdrawn 1956; Specification for Aluminum Ingots for Remelting
B25 Withdrawn 1946; Specification for Aluminum Alloy Sheet and Plate; Replaced by B209
B26/B26M-12 Specification for Aluminum-Alloy Sand Castings, **02.02**
B27 Withdrawn 1943; Methods of Testing Chemical Analysis for Sulfur in Special Brasses and Bronzes; Replaced by E54
B28 Withdrawn 1943; Methods of Testing Chemical Analysis of Special Brasses and Bronzes; Replaced by E54
B29-03(2009) Specification for Refined Lead, **02.04**
B30-12 Specification for Copper Alloys in Ingot Form, **02.01**
B31 Withdrawn 1932; Specification for Copper-Base Alloys in Ingot Form for Sand Casting; Replaced by B30
B32-08 Specification for Solder Metal, **02.04**
B33-10 Specification for Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, **02.03**
B34 Redesignated 1945 - E53; Method of Battery Assay of Copper
B35 Withdrawn 1942; Methods of Testing Chemical Analysis of Pig Lead; Replaced by E37
B36/B36M-13 Specification for Brass Plate, Sheet, Strip, And Rolled Bar, **02.01**
B37-08(2013) Specification for Aluminum for Use in Iron and Steel Manufacture, **02.02**
B38 Withdrawn 1942; Methods of Testing Chemical Analysis of Slab Zinc (Spelter); Replaced by E40
B39-79(2013) Specification for Nickel, **02.04**
B40 Withdrawn 1942; Photometric Methods for Chemical Analysis of Aluminum and Aluminum Base Alloys; Replaced by E34
B41 Withdrawn 1942; Method for Testing Chemical Analysis of Nickel; Replaced by E39
B42-10 Specification for Seamless Copper Pipe, Standard Sizes, **02.01**
B43-09 Specification for Seamless Red Brass Pipe, Standard Sizes, **02.01**
B44 Withdrawn 1937; Specification for Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock; Replaced by B111
B45 Withdrawn 1942; Methods for Testing Chemical Analysis of Brasses
B46 Withdrawn 1943; Methods of Testing Chemical Analysis for Sulfur in Special Brasses and Bronzes; Replaced by E54
B47-95a(2012) Specification for Copper Trolley Wire, **02.03**
B48-00(2011) Specification for Soft Rectangular and Square Bare Copper Wire for Electrical Conductors, **02.03**
B49-10 Specification for Copper Rod Drawing Stock for Electrical Purposes, **02.01**
B50 Withdrawn 1937; Specification for Non-Ferrous Insect Screen Cloth
B51 Withdrawn 1945; Specification for Phospher Tin
B52 Withdrawn 1980; Specification for Phosphor Copper; Replaced by B644
B53 Withdrawn 1980; Specification for Silicon Copper; Replaced by B644
B54 Withdrawn 1941; Specification for High-Strength Yellow Brass (Manganese Bronze) and Leaded High-Strength Yellow Brass (Leaded Manganese Bronze) Sand Castings
B55 Withdrawn 1937; Specification for Seamless 70-30 Brass Condenser Tubes and Ferrule Stock
B56 Withdrawn 1937; Specification for Seamless Muntz Metal Condenser Tubes and Ferrule Stock; Replaced by B111
B57 Withdrawn 1942; Specification for Copper-Alloy Condenser Tube Plates; Replaced by B171
B58 Withdrawn 1946; Specification for Aluminum-Base Alloys in Ingot Form for Sand Castings; Replaced by B179
B59 Withdrawn 1941; Specification for Aluminum-Bronze Sand Castings; Replaced by B148
B60 Withdrawn 1944; Specification for Tin-Bronze and Leaded Tin-bronze Sand Castings; Replaced by B143
B61-08(2013) Specification for Steam or Valve Bronze Castings, **02.01**
B62-09 Specification for Composition Bronze or Ounce Metal Castings, **02.01**
B63-07(2013) Test Method for Resistivity of Metallically Conducting Resistance and, **02.04**
B64 Withdrawn 1952; Specification for Brazing Solder
B65 Withdrawn 1938; Specification for Lead Yellow Brass Sand Castings for General Purposes
B66-06(2013)ε1 Specification for Bronze Castings for Steam Locomotive Wearing Parts, **02.01**
B67-05(2011) Specification for Car and Tender Journal Bearings, Lined, **02.01**
B68M Withdrawn 2011; Specification for Seamless Copper Tube, Bright Annealed [Metric]
B68/B68M-11 Specification for Seamless Copper Tube, Bright Annealed, **02.01**
B69-13 Specification for Rolled Zinc, **02.04**
B70-90(2013) Test Method for Change of Resistance With Temperature of Metallic Materials for Electrical Heating, **02.04**
B71 Withdrawn 1942; Methods of Testing Chemical Analysis of Nickel-Chromium and Nickel-Chromium-Iron Alloys
B72 Withdrawn 1977; Specification for Fire-Refined Casting Copper
B73 Withdrawn 1953; Specification for Silver Solders
B74 Withdrawn 1941; Specification for High-Leaded Tin-Bronze Sand Castings
B75/B75M-11 Specification for Seamless Copper Tube, **02.01**
B76-90(2013) Test Method for Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating, **02.04**
B77-07(2013) Test Method for Thermoelectric Power of Electrical-Resistance Alloys, **02.04**
B78-90(2013) Test Method of Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating, **02.04**
B79 Withdrawn 1946; Specification for Aluminum and Aluminum Alloy Sheet and Plate; Replaced by B209
B80-09 Specification for Magnesium-Alloy Sand Castings, **02.02**
B81 Withdrawn 1944; Methods of Chemical Analysis of Silver Solders; Replaced by E56
B82 Withdrawn 1959; Specification for Drawn or Rolled Alloy 80 Percent Nickel, 20 Percent Chromium, for Electrical-Heating Elements; Replaced by B344
B83 Withdrawn 1959; Specification for Drawn or Rolled Alloy, 60 Percent Nickel, 16 Percent Chromium, and Balance Iron, for Electrical-Heating Elements; Replaced by B344
B84-07(2013) Test Method for Temperature-Resistance Constants of Alloy Wires for Precision Resistors, **02.04**
B85/B85M-13 Specification for Aluminum-Alloy Die Castings, **02.02**
B86-13 Specification for Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, **02.04**
B87 Withdrawn 1938; Specification for Hard-Drawn Copper Transmission Cable; Replaced by B8
B88-09 Specification for Seamless Copper Water Tube, **02.01**
B88M-13 Specification for Seamless Copper Water Tube (Metric), **02.01**
B89 Withdrawn 1946; Specification for Aluminum and Aluminum- Alloy Bars, Rods, and Wire; Replaced by B211
B90M Withdrawn 1993; Replaced by B90/B90M
B90/B90M-13 Specification for Magnesium-Alloy Sheet and Plate, **02.02**
B91-12 Specification for Magnesium-Alloy Forgings, **02.02**
B92M Withdrawn 1990; Replaced by B92/B92M
B92/B92M-11 Specification for Unalloyed Magnesium Ingot and Stick For Remelting, **02.02**
B93M Withdrawn 1990; Replaced by B93/B93M
B93/B93M-09 Specification for Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, **02.02**
B94-13 Specification for Magnesium-Alloy Die Castings, **02.02**
*B95 Withdrawn 1985; Method of Testing Linear Expansion of Metals; Replaced by E228*4
B96M Withdrawn 1999; Replaced by B96/B96M
B96/B96M-11 Specification for Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, **02.01**
B97 Withdrawn 1982; Specification for Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes; Combined with B 96
B98M Withdrawn 1998; Replaced by B98/B98M
B98/B98M-13 Specification for Copper-Silicon Alloy Rod, Bar and Shapes, **02.01**
B99M Withdrawn 1996; Replaced by B99/B99M
B99/B99M-11 Specification for Copper-Silicon Alloy Wire for General Applications, **02.01**
B100-13 Specification for Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, **02.01**
B101-12 Specification for Lead-Coated Copper Sheet and Strip for Building Construction, **02.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B102 Withdrawn 2011; Specification for Lead- and Tin-Alloy Die Castings
B103/B103M-10 Specification for Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, **02.01**
B104 Withdrawn 1937; Specification for Seamless Copper-Nickel Alloy Condenser Tubes and Ferrule Stock; Replaced by B111
B105-05(2012) Specification for Hard-Drawn Copper Alloy Wires for Electric Conductors, **02.03**
B106-08(2013) Test Methods for Flexivity of Thermostat Metals, **02.04**
B107M Withdrawn 1992; Replaced by B107/B107M
B107/B107M-13 Specification for Magnesium-Alloy Extruded Bars, Rods, Profiles, Tubes, and Wire, **02.02**
B108/B108M-12ε1 Specification for Aluminum-Alloy Permanent Mold Castings, **02.02**
B109 Withdrawn 1946; Specification for Aluminum and Aluminum Alloy Sheet and Plate; Replaced by B209
B110 Withdrawn 1982; Method of Testing Dielectric Strength of Anodically Coated Aluminum
B111M Withdrawn 2004; Specification for Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock [Metric]
B111/B111M-11 Specification for Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock, **02.01**
B112 Withdrawn 1946; Specification for Aluminum-Base Alloys in Ingot Form for Sand Die Castings; Replaced by B179
B113 Redesignated 1954 - F113; Method for Bend Testing of Wire (Wire for Radio Tubes and Incandescent Lamps)
B114-07(2013) Test Method for Temperature-Resistance Constants of Sheet Materials for Shunts and Precision Resistors, **02.04**
B115-10 Specification for Electrolytic Copper Cathode, **02.01**
B116-95(2012) Specification for Figure-9 Deep-Grooved and Figure-8 Copper Trolly Wire for Industrial Haulage, **02.03**
B117-11 Practice for Operating Salt Spray (Fog) Apparatus, **03.02**
B118 Withdrawn 1948; Specification for Nickel and Nickel-Alloy Wire and Ribbon for Electronic Tube Filaments
B119 Withdrawn 1976; Classification of Cast Copper-Base Alloys; Replaced by B30, B584
B120 Withdrawn 1940; Specification for Copper-Base Alloys in Ingot Form for Sand Casting; Replaced by B30
B121/B121M-11 Specification for Leaded Brass Plate, Sheet, Strip, and Rolled Bar, **02.01**
B122/B122M-11 Specification for Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, **02.01**
B123 Withdrawn 1939; Specification for Copper-Bse Alloys in Ingot Form for Sand Castings; Replaced by B30
B124M Withdrawn 2000; Replaced by B124/B124M
B124/B124M-13 Specification for Copper and Copper Alloy Forging Rod, Bar, and Shapes, **02.01**
B125 Withdrawn 1946; Specification for Aluminum-Base Alloys in Ingot Form for Sand Castings, Die Castings, and Permanent Mold Castings; Replaced by B179
B126 Withdrawn 1947; Specification for Aluminum-Manganese Alloy Sheet and Plate for Use in Welded Pressure Vessels; Replaced by B209
B127-05(2009) Specification for Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip, **02.04**
B128 Withdrawn 1955; Methods of Testing Sleeves and Tubing for Radio Tube Cathodes
B129-12 Specification for Cartridge Brass Cartridge Case Cups, **02.01**
B130-13 Specification for Commercial Bronze Strip for Bullet Jackets, **02.01**
B131-12 Specification for Copper Alloy Bullet Jacket Cups, **02.01**
B132 Withdrawn 1973; Specification for Leaded High-Strength Yellow Brass (Maganese Bronze) Sand Castings; Replaced by B584
B133 Withdrawn 1994; Specification for Copper Rod, Bar, And Shapes; Replaced by B187
B133M Withdrawn 1994; Specification for Copper Rod, Bar, And Shapes [Metric]; Replaced by B187M
B134/B134M-08 Specification for Brass Wire, **02.01**
B135-10 Specification for Seamless Brass Tube, **02.01**
B135M-10 Specification for Seamless Brass Tube Metric, **02.01**
B136-84(2013) Method for Measurement of Stain Resistance of Anodic Coatings on Aluminum, **02.05**
B137-95(2009) Test Method for Measurement of Coating Mass Per Unit Area on Anodically Coated Aluminum, **02.05**
B138M Withdrawn 2001; Replaced by B138/B138M
B138/B138M-11 Specification for Manganese Bronze Rod, Bar, and Shapes, **02.01**
B139M Withdrawn 2001; Replaced by B139/B139M
B139/B139M-12 Specification for Phosphor Bronze Rod, Bar, and Shapes, **02.01**
B140M Withdrawn 1997; Replaced by B140/B140M
B140/B140M-12 Specification for Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, **02.01**
B141 Withdrawn 1967; Specification for Electrodeposited Coatings of Nickel and Chromium on Copper and Copper-Base Alloys; Replaced by B456
B142 Withdrawn 1967; Specification for Electrodeposited Coatings of Nickel and Chromium on Zinc and Zinc-Base Alloys; Replaced by B456
B143 Withdrawn 1973; Specification for Tin-Bronze and Leaded Tin-Bronze Sand Castings; Replaced by B584
B144 Withdrawn 1973; Specification for High-Leaded Tin-Bronze Sand Castings; Replaced by B584
B145 Withdrawn 1973; Specification for Leaded Red Brass and Leaded Semi-Red Brass Sand Castings; Replaced by B584
B146 Withdrawn 1973; Specification for Leaded Yellow Brass Sand Castings for General Purposes; Replaced by B584
B147 Withdrawn 1973; Specification for High-Strength Yellow Brass (Manganese Bronze) and Leaded High-Strength Yellow Brass (Leaded Manganese Bronze) Sand Castings; Replaced by B584
B148-97(2009) Specification for Aluminum-Bronze Sand Castings, **02.01**
B149 Withdrawn 1973; Specification for Leaded Nickel-Brass (Leaded Nickel-Silver) and Leaded Nickel-Bronze (Leaded Nickel-silver); Replaced by B584
B150M Withdrawn 2002; Replaced by B150/B150M
B150/B150M-12 Specification for Aluminum Bronze Rod, Bar, and Shapes, **02.01**
B151M Withdrawn 2000; Replaced by B151/B151M
B151/B151M-13 Specification for Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, **02.01**
B152M Withdrawn 2000; Replaced by B152/B152M
B152/B152M-13 Specification for Copper Sheet, Strip, Plate, and Rolled Bar, **02.01**
B153-11 Test Method for Expansion (Pin Test) of Copper and Copper-Alloy Pipe and Tubing, **02.01**
B154-12 Test Method for Mercurous Nitrate Test for Copper Alloys, **02.01**
B155 Redesignated 1954 - F155; Method of Test for Temper of Strip and Sheet Metals for Electronic Devices (Spring-Back Method)
B156 Withdrawn 1948; Method of Testing Local Thickness of Electrodeposited Coatings; Replaced by F219
B157 Withdrawn 1955; Methods of Testing Wire for Supports Used in Electronic Devices and Lamps
B158 Withdrawn 1942; Specification for Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members for Electrical Conductors; Replaced by B172, B173, B174
B159M Withdrawn 2001; Replaced by B159/B159M
B159/B159M-11 Specification for Phosphor Bronze Wire, **02.01**
B160-05(2009)ε1 Specification for Nickel Rod and Bar, **02.04**
B161-05(2009) Specification for Nickel Seamless Pipe and Tube, **02.04**
B162-99(2009) Specification for Nickel Plate, Sheet, and Strip, **02.04**
B163-11ε1 Specification for Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, **02.04**
B164-03(2008) Specification for Nickel-Copper Alloy Rod, Bar, and Wire, **02.04**
B165-05(2009) Specification for Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube, **02.04**
B166-11 Specification for Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, **02.04**
B167-11 Specification for Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, **02.04**
B168-11 Specification for Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, **02.04**
B169M Withdrawn 2001; Replaced by B169/B169M
B169/B169M-10 Specification for Aluminum Bronze Sheet, Strip, and Rolled Bar, **02.01**
B170-99(2010)ε1 Specification for Oxygen-Free Electrolytic Copper—Refinery Shapes, **02.01**
B171M Withdrawn 1999; Replaced by B171/B171M
B171/B171M-12 Specification for Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers, and Heat Exchangers, **02.01**
B172-10 Specification for Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members, for Electrical Conductors, **02.03**
B173-10 Specification for Rope-Lay-Stranded Copper Conductors Having Concentric-Stranded Members, for Electrical Conductors, **02.03**
B174-10 Specification for Bunch-Stranded Copper Conductors for Electrical Conductors, **02.03**
B175 Withdrawn 1955; Specification for Round Nickel Wire for Lamps and Electric Devices
B176-08(2013) Specification for Copper-Alloy Die Castings, **02.01**
B177/B177M-11 Guide for Engineering Chromium Electroplating, **02.05**
B178 Withdrawn 1957; Specification for Aluminum-Alloy Sheet and Plate for Pressure Vessel Application; Replaced by B209
B179-11ε1 Specification for Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, **02.02**
B180 Redesignated 1954 - F180; Method of Test for Density of Fine Wire and Ribbon for Electronic Devices
B181 Withdrawn 1970; Method of Testing Effect of Controlled Atmospheres Upon Alloys in Electric Furnaces
B182 Withdrawn 1982; Method for Life Test of Electrical Contact Materials
B183-79(2009) Practice for Preparation of Low-Carbon Steel for Electroplating, **02.05**
B184 Withdrawn 1969; Specification for Aluminum and Aluminum-Alloy Metal Arc-Welding Electrodes
B185 Withdrawn 1964; Method of Total Immersion Corrosion Test of Non-Ferrous Metals
B186 Withdrawn 1946; Specification for Special Quality Zinc-Base Alloy Die Castings
B187M Withdrawn 2002; Replaced by B187/B187M

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B187/B187M-11 Specification for Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, **02.01**
B188-10 Specification for Seamless Copper Bus Pipe and Tube, **02.01**
B189-05(2010) Specification for Lead-Coated and Lead-Alloy-Coated Soft Copper Wire for Electrical Purposes, **02.03**
B190 Withdrawn 1961; Specification for Chromium-Nickel-Iron Alloy Castings (25-12 Class) for High-Temperature Service; Replaced by A447
B191 Withdrawn 1956; Method of Testing Equivalent Yield Stress of Thermostat Metals; Replaced by B305
B192 Withdrawn 1964; Method of Alternate Immersion Corrosion Testing of Non-Ferrous Metals
B193-02(2008) Test Method for Resistivity of Electrical Conductor Materials, **02.03**
B194-08 Specification for Copper-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, **02.01**
B195 Withdrawn 1952; Specification for Copper-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar; Combined with B 194
B196M Withdrawn 2001; Replaced by B196/B196M
B196/B196M-07(2013) Specification for Copper-Beryllium Alloy Rod and Bar, **02.01**
B197M Withdrawn 1998; Replaced by B197/B197M
B197/B197M-07(2013) Specification for Copper-Beryllium Alloy Wire, **02.01**
B198 Withdrawn 1973; Specification for Silicon Bronze and Silicon Brass Sand Castings; Replaced by B584
B199-12 Specification for Magnesium-Alloy Permanent Mold Castings, **02.02**
B200-85(2009) Specification for Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, **02.05**
B201-80(2009)$^{\epsilon 1}$ Practice for Testing Chromate Coatings on Zinc and Cadmium Surfaces, **02.05**
B202 Withdrawn 1973; Specification for Metal Powder Sintered Bearings (Oil Impregnated); Replaced by B438, B439
B203 Withdrawn 1955; Method of Testing Strength of Welded Joints of Lead Wires for Electronic Devices and Lamps
B204 Redesignated 1954 - F204; Method of Test for Surface Flaws in Tungsten Seal Rod and Wire
B205 Redesignated 1954 - F205; Method of Test for Diameter by Weighing of Fine Wire Used in Electronic Devices and Lamps
B206M Withdrawn 1997; Replaced by B206/B206M
B206/B206M-12 Specification for Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, **02.01**
B207 Redesignated A448
B208-06 Practice for Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, **02.01**
B209-10 Specification for Aluminum and Aluminum-Alloy Sheet and Plate, **02.02**
B209M-10 Specification for Aluminum and Aluminum-Alloy Sheet and Plate (Metric), **02.02**
B210-12 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes, **02.02**
B210M-12 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), **02.02**
B211-12$^{\epsilon 1}$ Specification for Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, **02.02**
B211M-12$^{\epsilon 1}$ Specification for Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), **02.02**
B212-13 Test Method for Apparent Density of Free-Flowing Metal Powders Using the Hall Flowmeter Funnel, **02.05**
B213-13 Test Methods for Flow Rate of Metal Powders Using the Hall Flowmeter Funnel, **02.05**
B214-07(2011) Test Method for Sieve Analysis of Metal Powders, **02.05**
B215-10 Practices for Sampling Metal Powders, **02.05**
B216-10 Specification for Tough-Pitch Fire-Refined Copper—Refinery Shapes, **02.01**
B217 Withdrawn 1965; Specification for Magnesium-Base Alloy Extruded Tubes; Combined with B 107
B218 Redesignated 1954 - F218; Method for Measuring Residual Stress In Cylindrical Metal-to-Glass Seals
B219 Redesignated 1954 - F219; Methods of Testing Fine Round and Flat Wire for Electronic Devices
B220 Withdrawn 1955; Methods of Tension Testing Metallic Materials
B221-13 Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, **02.02**
B221M-13 Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), **02.02**
B222 Withdrawn 1989; Specification for Sintered Iron-Copper Structural Parts; Replaced by B783
B223-08(2013) Test Method for Modulus of Elasticity of Thermostat Metals (Cantilever Beam Method), **02.04**
B224-10 Classification of Coppers, **02.01**
B225 Withdrawn 1969; Specification for Copper and Copper-Alloy Arc-Welding Electrodes
B226-11 Specification for Cored, Annular, Concentric-Lay-Stranded Copper Conductors, **02.03**
B227-10 Specification for Hard-Drawn Copper-Clad Steel Wire, **02.03**
B228-11a Specification for Concentric-Lay-Stranded Copper-Clad Steel Conductors, **02.03**
B229-12 Specification for Concentric-Lay-Stranded Copper and Copper-Clad Steel Composite Conductors, **02.03**
B230M Withdrawn 1999; Replaced by B230/B230M
B230/B230M-07(2012) Specification for Aluminum 1350–H19 Wire for Electrical Purposes, **02.03**
B231M Withdrawn 1999; Replaced by B231/B231M
B231/B231M-12 Specification for Concentric-Lay-Stranded Aluminum 1350 Conductors, **02.03**
B232M Withdrawn 1999; Replaced by B232/B232M
B232/B232M-11 Specification for Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR), **02.03**
B233-97(2012) Specification for Aluminum 1350 Drawing Stock for Electrical Purposes, **02.03**
B234-10 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, **02.02**
B234M-10 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), **02.02**
B235 Withdrawn 1963; Specification for Aluminum Alloy Extruded Tubes; Combined with B 221
B236-07 Specification for Aluminum Bars for Electrical Purposes (Bus Bars), **02.02**
B236M-07 Specification for Aluminum Bars for Electrical Purposes (Bus Bars) (Metric), **02.02**
B237-01(2010) Specification for Refined Antimony, **02.04**
B238 Redesignated 1954 - F238; Recommended Practice for Cathode Melt Prove-in Testing
B239 Redesignated 1954 - F239; Specification for Circular Cross-Section Nickel Cathode Sleeves for Electronic Devices
B240-13 Specification for Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, **02.04**
B241M Withdrawn 1987; Replaced by B241/B241M
B241/B241M-12$^{\epsilon 1}$ Specification for Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, **02.02**
B242-99(2009) Guide for Preparation of High-Carbon Steel for Electroplating, **02.05**
B243-13 Terminology of Powder Metallurgy, **02.05**
B244-09 Test Method for Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, **02.05**
B245 Withdrawn 1969; Specification for Standard Weight Zinc-Coated (Galvanized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR); Replaced by B498
B246-05(2010) Specification for Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposes, **02.03**
B247-09 Specification for Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, **02.02**
B247M-09 Specification for Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings (Metric), **02.02**
B248-12 Specification for General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar, **02.01**
B248M-12 Specification for General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar (Metric), **02.01**
B249M Withdrawn 2000; Replaced by B249/B249M
B249/B249M-12 Specification for General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings, **02.01**
B250M Withdrawn 2001; Replaced by B250/B250M
B250/B250M-13 Specification for General Requirements for Wrought Copper Alloy Wire, **02.01**
B251-10 Specification for General Requirements for Wrought Seamless Copper and Copper-Alloy Tube, **02.01**
B251M-10 Specification for General Requirements for Wrought Seamless Copper and Copper-Alloy Tube (Metric), **02.01**
B252-92(2009) Guide for Preparation of Zinc Alloy Die Castings for Electroplating and Conversion Coatings, **02.05**
B253-11 Guide for Preparation of Aluminum Alloys for Electroplating, **02.05**
B254-92(2009) Practice for Preparation of and Electroplating on Stainless Steel, **02.05**
B255 Withdrawn 2000; Specification for Sintered Bronze Structural Parts
B256 Redesignated 1954 - F256; Specification for 17 % Chromium-Iron Alloy for Sealing to Glass
B257 Redesignated 1954 - F257; Specification for 28 % Chromium-Iron Alloy for Sealing to Glass
B258-02(2008) Specification for Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, **02.03**
B259 Withdrawn 1969; Specification for Copper and Copper-Alloy Welding Rods
B260 Withdrawn 1969; Specification for Brazing Filler Metal
B261 Withdrawn 1969; Specification for Zinc-Coated (Galvanized) Steel Core Wire (with Coatings Heavier than Standard Weight) for Aluminum Conductors, Steel Reinforced (ACSR); Replaced by B498
B262 Withdrawn 1978; Specification for Aluminum Wire, EC-H16 or -H26, for Electrical Purposes; Replaced by B609
B263/B263M-04(2010)$^{\epsilon 1}$ Test Method for Determination of Cross-Sectional Area of Stranded Conductors, **02.03**
B264 Withdrawn 1955; Specification for Titanium Ingot
B265-13a$^{\epsilon 1}$ Specification for Titanium and Titanium Alloy Strip, Sheet, and Plate, **02.04**
B266 Withdrawn 1955; Specification for Iodide Titanium
B267-07(2013) Specification for Wire for Use In Wire-Wound Resistors, **02.04**
B268 Redesignated 1954 - F268; Specification for Round Chromium-Copper Wire for Electronic Devices
B269 Redesignated 1954 - F269; Method of Test for Sag of Tungsten Wire

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B270 Redesignated 1954 - F270; Method of Test for Relative Thermionic Emissive Properties of Materials Used in Electron Tubes
B271/B271M-11ε1 Specification for Copper-Base Alloy Centrifugal Castings, **02.01**
B272-12 Specification for Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), **02.01**
B273 Withdrawn 1957; Specification for Aluminum and Aluminum-Alloy Bars, Rods, and Shapes for Pressure Vessel Applications; Replaced by B211, B221, B308/B308M
B274 Withdrawn 1957; Specification for Aluminum and Aluminum-Alloy Pipe and Tube for Pressure Vessel Applications; Replaced by B210
B275-13ε1 Practice for Codification of Certain Nonferrous Metals and Alloys, Cast and Wrought, **02.04**
B276-05(2010) Test Method for Apparent Porosity in Cemented Carbides, **02.05**
B277-95(2012) Test Method for Hardness of Electrical Contact Materials, **02.04**
B278 Redesignated 1954 - F278; Method of Test for Sublimation Characteristics of Metallic Materials by Electrical Resistance
B279-13 Test Method for Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication, **02.03**
B280-13 Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, **02.01**
B281-88(2013) Practice for Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings, **02.05**
B282 Withdrawn 2000; Specification for Sintered Brass Structural Parts
B283/B283M-12 Specification for Copper and Copper-Alloy Die Forgings (Hot-Pressed), **02.01**
B284 Withdrawn 1991; Specification for Rosin Flux-Core Solder
B285 Withdrawn 1969; Specification for Aluminum and Aluminum-Alloy Welding Rods and Bare Electrodes
B286-07(2012) Specification for Copper Conductors for Use in Hookup Wire for Electronic Equipment, **02.03**
B287 Withdrawn 1988; Method of Acetic Acid-Salt Spray (Fog) Testing
B288 Redesignated 1954 - F288; Specification for Tungsten Wire under 20 mils in Diameter
B289 Redesignated 1954 - F289; Specification for Molybdenum Wire under 20 mils in Diameter
B290 Redesignated 1954 - F290; Specification for Round Wire for Use as Electron Tube Grid Laterals and Verticals
B291 Withdrawn 1992; Specification for Copper-Zinc-Manganese Alloy (Manganese Brass) Sheet and Strip
B292 Withdrawn 1973; Specification for Nickel-Tin Bronze Castings; Replaced by B584
B293 Withdrawn 1985; Method of Subsieve Analysis of Granular Metal Powders by Air Classification
B294-10 Test Method for Hardness Testing of Cemented Carbides, **02.05**
B295 Withdrawn 1969; Specification for Nickel and Nickel-Alloy Covered Welding Electrodes
B296-03(2014) Practice for Temper Designations of Magnesium Alloys, Cast and Wrought, **02.02**
B297 Withdrawn 1969; Specification for Tungsten Arc-Welding Electrodes
B298-12 Specification for Silver-Coated Soft or Annealed Copper Wire, **02.03**
B299-13 Specification for Titanium Sponge, **02.04**
B300 Redesignated 1054 - F300; Test Method for Interface Impedance Characteristics of Tube Cathodes
B301M Withdrawn 1999; Replaced by B301/B301M
B301/B301M-13 Specification for Free-Cutting Copper Rod, Bar, Wire, and Shapes, **02.01**
B302-12 Specification for Threadless Copper Pipe, Standard Sizes, **02.01**
B303 Withdrawn 1990; Specification for Copper-Infiltrated Sintered Carbon Steel Structural Parts; Replaced by B783
B304 Withdrawn 1969; Specification for Nickel and Nickel-Alloy Bare Welding Rods and Electrodes
B305 Withdrawn 1986; Test Method for Maximum Loading Stress at Temperature of Thermostat Metals (Cantilever Beam Method)
B306-13 Specification for Copper Drainage Tube (DWV), **02.01**
B307 Withdrawn 1968; Specification for Aluminum-Alloy Drawn Seamless Coiled Tubes for Special Purpose Applications; Replaced by B210
B308M Withdrawn 1991; Replaced by B308/B308M
B308/B308M-10 Specification for Aluminum-Alloy 6061-T6 Standard Structural Profiles, **02.02**
B309 Withdrawn 1964; Specification for High Density Iron, Sintered Metal Powder Structural Parts; Combined with B 310
B310 Withdrawn 1990; Specification for Sintered Carbon Steel Structural Parts; Replaced by B783
B311-13 Test Method for Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, **02.05**
B312-09 Test Method for Green Strength of Specimens Compacted from Metal Powders, **02.05**
B313M Withdrawn 1991; Replaced by B313/B313M
B313/B313M-09 Specification for Aluminum and Aluminum-Alloy Round Welded Tubes, **02.02**
B314 Withdrawn 1994; Specification for Aluminum 1350 Wire for Communication Cable
B315-12 Specification for Seamless Copper Alloy Pipe and Tube, **02.01**
B316M Withdrawn 1993; Replaced by B316/B316M
B316/B316M-10 Specification for Aluminum and Aluminum-Alloy Rivet and Cold-Heading Wire and Rods, **02.02**
B317/B317M-07 Specification for Aluminum-Alloy Extruded Bar, Rod, Tube, Pipe, Structural Profiles, and Profiles for Electrical Purposes (Bus Conductor), **02.02**
B318 Withdrawn 1963; Specification for Type A and Type B Aluminum-Alloy Drawn Annealed Seamless Coiled Tubes; Combined with B 307
B319-91(2009) Guide for Preparation of Lead and Lead Alloys for Electroplating, **02.05**
B320-60(2013) Practice for Preparation of Iron Castings for Electroplating, **02.05**
B321 Withdrawn 1963; Recommended Practice for Dimension Standards for Projection Welding Contacts
B322-99(2009) Guide for Cleaning Metals Prior to Electroplating, **02.05**
B323 Withdrawn 1990; Specification for Aluminum Wire, EC-H14 or -H24, for Electrical Purposes; Replaced by B609
B324-01(2012) Specification for Aluminum Rectangular and Square Wire for Electrical Purposes, **02.03**
B325 Withdrawn 1965; Specification for Refined Secondary Lead
B326 Withdrawn 1991; Test Method for Resistance Characteristics of Microcontacts
B327-13a Specification for Master Alloys Used in Making Zinc Die Casting Alloys, **02.04**
B328 Withdrawn 2009; Test Method for Density, Oil Content, and Interconnected Porosity of Sintered Metal Structural Parts and Oil-Impregnated Bearings; Replaced by B962 and B963
B329-06(2012) Test Method for Apparent Density of Metal Powders and Compounds Using the Scott Volumeter, **02.05**
B330-12 Test Methods for Estimating Average Particle Size of Metal Powders and Related Compounds Using Air Permeability, **02.05**
B331-10 Test Method for Compressibility of Metal Powders in Uniaxial Compaction, **02.05**
B332 Redesignated 1962 - A494; Specification for Nickel-Molybdenum and Nickel-Molybdenum-Chromium Alloy Castings
B333-03(2013) Specification for Nickel-Molybdenum Alloy Plate, Sheet, and Strip, **02.04**
B334 Withdrawn 1980; Specification for Nickel-Molybdenum-Chromium Alloy (UNS N10002) Plate and Sheet
B335-03(2013) Specification for Nickel-Molybdenum Alloy Rod, **02.04**
B336 Withdrawn 1980; Specification for Nickel-Molybdenum-Chromium Alloy (UNS N10002) Rod
B337 Withdrawn 1997; Specification for Seamless and Welded Titanium and Titanium Alloy Pipe; Replaced by B861 and B862
B338-14 Specification for Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, **02.04**
B339-12 Specification for Pig Tin, **02.04**
B340 Withdrawn 1991; Test Method for Surety of Make of Electrical Contact Materials
B341/B341M Withdrawn 2007; Specification for Aluminum-Coated (Aluminized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR/AZ)
B342 Withdrawn 1985; Test Method for Electrical Conductivity by Use of Eddy Currents; Replaced by E1004
B343-92a(2009) Practice for Preparation of Nickel for Electroplating with Nickel, **02.05**
B344-11 Specification for Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements, **02.04**
B345M Withdrawn 1998—Combined with B 345
B345/B345M-11 Specification for Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, **02.02**
B346 Withdrawn 1966; Specification for Machinable High-Density Tungsten-Nickel-Copper Alloys
B347 Withdrawn 1992; Test Method for Hardness of Sintered Metal Friction Materials
B348-13 Specification for Titanium and Titanium Alloy Bars and Billets, **02.04**
B349/B349M-09 Specification for Zirconium Sponge and Other Forms of Virgin Metal for Nuclear Application, **02.04**
B350/B350M-11 Specification for Zirconium and Zirconium Alloy Ingots for Nuclear Application, **02.04**
B351/B351M-13 Specification for Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, **02.04**
B352/B352M-11 Specification for Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application, **02.04**
B353-12 Specification for Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), **02.04**
B354-12 Terminology Relating to Uninsulated Metallic Electrical Conductors, **02.03**
B355-11 Specification for Nickel-Coated Soft or Annealed Copper Wire, **02.03**
B356 Withdrawn 1976; Specification for Zirconium and Zirconium Alloy Forgings and Extrusions for Nuclear Application
B357 Withdrawn 1987; Specification for Remelted Lithium Metal in Ingot Form
B358 Withdrawn 1980; Specification for Copper-Nickel Addition Alloy; Replaced by B644
B359M Withdrawn 2002; Replaced by B359/B359M
B359/B359M-12ε1 Specification for Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, **02.01**
B360-09 Specification for Hard-Drawn Copper Capillary Tube for Restrictor Applications, **02.01**
B361-08 Specification for Factory-Made Wrought Aluminum and Aluminum-Alloy Welding Fittings, **02.02**
B362-91(2008) Test Method for Mechanical Torque Rate of Spiral Coils of Thermostat Metal, **02.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B363-06a Specification for Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings, **02.04**
B364-96(2009) Specification for Tantalum and Tantalum Alloy Ingots, **02.04**
B365-12 Specification for Tantalum and Tantalum Alloy Rod and Wire, **02.04**
B366-10a Specification for Factory-Made Wrought Nickel and Nickel Alloy Fittings, **02.04**
B367-13 Specification for Titanium and Titanium Alloy Castings, **02.04**
B368-09 Test Method for Copper-Accelerated Acetic Acid-Salt Spray (Fog) Testing (CASS Test), **02.05**
B369-09 Specification for Copper-Nickel Alloy Castings, **02.01**
B370-12 Specification for Copper Sheet and Strip for Building Construction, **02.01**
B371/B371M-08(2013) Specification for Copper-Zinc-Silicon Alloy Rod, **02.01**
B372-12a Specification for Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, **02.01**
B373-00(2006) Specification for Aluminum Foil for Capacitors, **02.02**
B374-06(2011) Terminology Relating to Electroplating, **02.05**
B375 Withdrawn 1967; Specification for Electrodeposited Coatings of Multi-Layer Nickel Plus Chromium on Steel; Replaced by B456
B376 Withdrawn 1992; Test Method for Density of Sintered Metal Friction Materials
B377 Withdrawn 1972; Specification for Steel Backed Metal Powder Bearing and Bushing Alloys
B378 Withdrawn 1992; Test Method for Transverse Rupture Strength of Sintered Metal Friction Materials
B379-11 Specification for Phosphorized Coppers—Refinery Shapes, **02.01**
B380-97(2013) Test Method for Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, **02.05**
B381-13 Specification for Titanium and Titanium Alloy Forgings, **02.04**
B382 Withdrawn 1969; Specification for Titanium and Titanium Alloy Bare Welding Rods and Electrodes
B383 Withdrawn 1980; Specification for Primary Niobium
B384 Withdrawn 1986; Specification for Molybdenum and Molybdenum Alloy Forgings
B385 Withdrawn 1986; Specification for Molybdenum and Molybdenum Alloy Billets for Reforging
B386-03(2011) Specification for Molybdenum and Molybdenum Alloy Plate,Sheet, Strip, and Foil, **02.04**
B387-10 Specification for Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, **02.04**
B388-06(2012) Specification for Thermostat Metal Sheet and Strip, **02.04**
B389-81(2008) Test Method for Thermal Deflection Rate of Spiral and Helical Coils of Thermostat Metal, **02.04**
B390 Withdrawn 2010; Practice for Evaluating Apparent Grain Size and Distribution of Cemented Tungsten Carbides
B391-09$^{\epsilon 1}$ Specification for Niobium and Niobium Alloy Ingots, **02.04**
B392-09$^{\epsilon 1}$ Specification for Niobium and Niobium Alloy Bar, Rod, and Wire, **02.04**
B393-09$^{\epsilon 1}$ Specification for Niobium and Niobium Alloy Strip, Sheet, and Plate, **02.04**
B394-09$^{\epsilon 1}$ Specification for Niobium and Niobium Alloy Seamless and Welded Tubes, **02.04**
B395M Withdrawn 2002;Replaced by B395/B395M
B395/B395M-13 Specification for U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, **02.01**
B396 Withdrawn 2003; Specification for Aluminum-Alloy 5005-H19 Wire for Electrical Purposes
B397 Withdrawn 2003; Specification for Concentric-Lay-Stranded Aluminum-Alloy 5005-H19 Conductors
B398M Withdrawn 1999; Replaced by B398/B398M
B398/B398M-02(2013) Specification for Aluminum-Alloy 6201-T81 Wire for Electrical Purposes, **02.03**
B399M Withdrawn 1999; Replaced by B399/B399M
B399/B399M-04(2010) Specification for Concentric-Lay-Stranded Aluminum-Alloy 6201-T81 Conductors, **02.03**
B400/B400M-14 Specification for Compact Round Concentric-Lay-Stranded Aluminum 1350 Conductors, **02.03**
B401-12 Specification for Compact Round Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/COMP), **02.03**
B402 Withdrawn 1987; Specification for Copper-Nickel Alloy Plate and Sheet for Pressure Vessels; Replaced by B171
B402M Withdrawn 1987; Specification for Copper-Nickel Alloy Plate and Sheet for Pressure Vessels [Metric]; Replaced by B171M
B403-12 Specification for Magnesium-Alloy Investment Castings, **02.02**
B404M Withdrawn 1998—Combined with B 404
B404/B404M Withdrawn 2006; Specification for Aluminum and Aluminum-Alloy Seamless Condenser and Heat-Exchanger Tubes with Integral Fins
B405 Withdrawn 1967; Specification for Electrodeposited Coatings of Multi-Layer Nickel Plus Chromium on Zinc and Zinc-Base Alloys; Replaced by B456
B406-96(2010) Test Method for Transverse Rupture Strength of Cemented Carbides, **02.05**
B407-08a Specification for Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, **02.04**
B408-06(2011) Specification for Nickel-Iron-Chromium Alloy Rod and Bar, **02.04**
B409-06(2011) Specification for Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip, **02.04**
B410 Withdrawn 1980; Specification for Unalloyed Sintered Tungsten Billets, Bars, Rods, and Performs for Forging
B411/B411M-08 Specification for Copper-Nickel-Silicon Alloy Rod and Bar, **02.01**
B412 Withdrawn 2000; Specification for Copper-Nickel-Silicon Alloy Wire
B413-97a(2012) Specification for Refined Silver, **02.04**
B414 Withdrawn 1975; Specification for Primary Hafnium Metal Sponge and Other Forms
B415-98(2013) Specification for Hard-Drawn Aluminum-Clad Steel Wire, **02.03**
B416-98(2013) Specification for Concentric-Lay-Stranded Aluminum-Clad Steel Conductors, **02.03**
B417-13 Test Method for Apparent Density of Non-Free-Flowing Metal Powders Using the Carney Funnel, **02.05**
B418-12 Specification for Cast and Wrought Galvanic Zinc Anodes, **02.04**
B419 Withdrawn 1972; Specification for Unalloyed Uranium Castings
B420 Withdrawn 1972; Specification for Unalloyed Uranium Melting Stock
B421 Withdrawn 1989; Test Method for Electrical Resistivity of Cemented Tungsten Carbides
B422/B422M-10$^{\epsilon 1}$ Specification for Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, **02.01**
B423-11 Specification for Nickel-Iron-Chromium-Molybdenum-Copper Alloy, **02.04**
B424-11 Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Plate, Sheet, and Strip, **02.04**
B425-11 Specification for Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Rod and Bar, **02.04**
B426 Withdrawn 1990; Specification for Sintered Copper-Steel Structural Parts; Replaced by B783
B427-09 Specification for Gear Bronze Alloy Castings, **02.01**
B428-09(2013) Test Method for Angle of Twist in Rectangular and Square Copper and Copper Alloy Tube, **02.01**
B429/B429M-10$^{\epsilon 1}$ Specification for Aluminum-Alloy Extruded Structural Pipe and Tube, **02.02**
B430 Withdrawn 2011; Test Method for Particle Size Distribution of Refractory Metal Powders and Related Compounds by Turbidimetry
B431 Withdrawn 1993; Practice for Processing of Mandrels for Electroforming; Replaced by B832
B432-09a Specification for Copper and Copper Alloy Clad Steel Plate, **02.01**
B433 Withdrawn 1976; Specification for Copper-Nickel Alloys in Ingot Form for Castings; Replaced by B30
B434-06(2011) Specification for Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, UNS N10242) Plate, Sheet, and Strip, **02.04**
B435-06(2011)$^{\epsilon 1}$ Specification for UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, **02.04**
B436 Withdrawn 1980; Specification for Nickel-Chromium-Molybdenum-Iron-Columbium Alloy (UNS N06001) Sheet and Plate
B437 Withdrawn 1981; Method for Tension Testing of Cemented Carbides
B438-13 Specification for Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), **02.05**
B438M Withdrawn 1998; Replaced by B438/B438M
B439-12 Specification for Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), **02.05**
B440-12 Specification for Cadmium, **02.04**
B441-04(2010) Specification for Copper-Cobalt-Beryllium, Copper-Nickel-Beryllium, and Copper-Nickel-Lead-Beryllium Rod and Bar (UNS Nos. C17500, C17510, and C17465), **02.01**
B442 Withdrawn 1993; Specification for Tough-Pitch Chemically Refined Copper Refinery Shapes
B443-00(2009) Specification for Nickel-Chromium-Molybdenum-Columbium Alloy, **02.04**
B444-06(2011) Specification for Nickel-Chromium-Molybdenum-Columbium Alloys, **02.04**
B445 Withdrawn 1995; Specification for Nickel-Chromium-Iron-Columbium-Molybdenum-Tungsten Alloy (UNS N06102) Seamless Pipe and Tube
B446-03(2008)$^{\epsilon 1}$ Specification for Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625), Nickel-Chromium-Molybdenum-Silicon Alloy (UNS N06219), and Nickel-Chromium-Molybdenum-Tungsten Alloy (UNS N06650) Rod and Bar, **02.04**
B447-12a Specification for Welded Copper Tube, **02.01**
B448 Withdrawn 1969; Specification for Magnesium-Alloy Welding Rods and Bare Electrodes
B449-93(2010)$^{\epsilon 1}$ Specification for Chromates on Aluminum, **02.05**
B450 Withdrawn 1993; Practice for Engineering Design of Electroformed Articles; Replaced by B832
B451 Withdrawn 1998; Specification for Copper Foil, Strip, and Sheet for Printed Circuits and Carrier Tapes
B452-09 Specification for Copper-Clad Steel Wire for Electronic Application, **02.03**
B453M Withdrawn 2001; Replaced by B453/B453M
B453/B453M-11$^{\epsilon 1}$ Specification for Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, **02.01**
B454 Withdrawn 1982; Specification for Mechanically Deposited Coatings of Cadmium and Zinc on Ferrous Metals; Replaced by B695, B696
B455-10 Specification for Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, **02.01**
B456-11$^{\epsilon 1}$ Specification for Electrodeposited Coatings of Copper Plus Nickel Plus, **02.05**
B457-67(2013) Test Method for Measurement of Impedance of Anodic Coatings on Aluminum, **02.05**
B458 Withdrawn 2000; Specification for Sintered Nickel Silver Structural Parts

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B459 Withdrawn 1992; Test Method for Dynamic Coefficient of Friction and Wear of Sintered Metal Friction Materials Under Dry Conditions
B460 Withdrawn 1992; Test Method for Dynamic Coefficient of Friction and Wear of Sintered Metal Friction Materials Under Dry Conditions
B461 Withdrawn 1992; Test Method for Frictional Characteristics of Sintered Metal Friction Materials Run in Lubricants
B462-10ε2 Specification for Forged or Rolled UNS N06030, UNS N06022, UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08367, UNS N10276, UNS N10665, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, **02.04**
B463-10 Specification for UNS N08020 Alloy Plate, Sheet, and Strip, **02.04**
B464-10 Specification for Welded UNS N08020 Alloy Pipe, **02.04**
B465-11 Specification for Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, **02.01**
B466M Withdrawn 1998; Replaced by B466/B466M
B466/B466M-09 Specification for Seamless Copper-Nickel Pipe and Tube, **02.01**
B467-09 Specification for Welded Copper-Nickel Pipe, **02.01**
B468-10 Specification for Welded UNS N08020 Alloy Tubes, **02.04**
B469 Withdrawn 2000; Specification for Seamless Copper-Alloy Tubes for Pressure Applications
B470-02(2012) Specification for Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, **02.03**
B471 Withdrawn 1999; Specification for UNS N08020, UNS N08026, and UNS N08024 Nickel Alloy Spring Wire
B472-10 Specification for Nickel Alloy Billets and Bars for Reforging, **02.04**
B473-07(2013) Specification for UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, **02.04**
B474-03(2009) Specification for Electric Fusion Welded Nickel and Nickel Alloy Pipe, **02.04**
B475-07(2013) Specification for UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire, **02.04**
B476-01(2012) Specification for General Requirements for Wrought Precious Metal Electrical Contact Materials, **02.04**
B477-97(2012) Specification for Gold-Silver-Nickel Electrical Contact Alloy, **02.04**
B478-85(2008) Test Method for Cross Curvature of Thermostat Metals, **02.04**
B479-06 Specification for Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications, **02.02**
B480-88(2010) Guide for Preparation of Magnesium and Magnesium Alloys for Electroplating, **02.05**
B481-68(2013) Practice for Preparation of Titanium and Titanium Alloys, **02.05**
B482-85(2013) Practice for Preparation of Tungsten and Tungsten Alloys for Electroplating, **02.05**
B483/B483M-13ε1 Specification for Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, **02.02**
B484 Withdrawn 1990; Specification for Sintered Nickel Steel Structural Parts; Replaced by B783
B485 Withdrawn 1984; Method for Diametral Compression Testing of Cemented Carbides
B486 Withdrawn 1991; Specification for Paste Solder
B487-85(2013) Test Method for Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section, **02.05**
B488-11 Specification for Electrodeposited Coatings of Gold for Engineering Uses, **02.05**
B489-85(2013) Practice for Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, **02.05**
B490-09 Practice for Micrometer Bend Test for Ductility of Electrodeposits, **02.05**
B491M Withdrawn 1991; Replaced by B491/B491M
B491/B491M-06 Specification for Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, **02.02**
B492 Withdrawn 1990; Specification for Cast Copper-Nickel Ship Tailshaft Sleeves
B493/B493M-08ε1 Specification for Zirconium and Zirconium Alloy Forgings, **02.04**
B494/B494M-08 Specification for Primary Zirconium, **02.04**
B495-10 Specification for Zirconium and Zirconium Alloy Ingots, **02.04**
B496-13a Specification for Compact Round Concentric-Lay-Stranded Copper Conductors, **02.03**
B497-00(2012) Guide for Measuring Voltage Drop on Closed Arcing Contacts, **02.04**
B498M Withdrawn 1998; Replaced by B498/B498M
B498/B498M-08 Specification for Zinc-Coated (Galvanized) Steel Core Wire for Use in Overhead Electrical Conductors, **02.03**
B499-09 Test Method for Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, **02.05**
B500M Withdrawn 1998; Replaced by B500/B500M
B500/B500M-12 Specification for Metallic Coated or Aluminum Clad Stranded Steel Core for Use in Overhead Electrical Conductors, **02.03**
B501-10 Specification for Silver-Coated, Copper-Clad Steel Wire for Electronic Application, **02.03**
B502/B502M-10ε1 Specification for Aluminum-Clad Steel Core Wire for Use in Overhead Electrical Aluminum Conductors, **02.03**
B503 Withdrawn 1992; Practice for Use of Copper And Nickel Electroplating Solutions for Electroforming; Replaced by B 832
B504-90(2011) Test Method for Measurement of Thickness of Metallic Coatings by the Coulometric Method, **02.05**
B505/B505M-12a Specification for Copper Alloy Continuous Castings, **02.01**
B506-09 Specification for Copper-Clad Stainless Steel Sheet and Strip for Building Construction, **02.01**
B507-86(2008)ε1 Practice for Design of Articles to Be Electroplated on Racks, **02.05**
B508-08 Specification for Copper Alloy Strip for Flexible Metal Hose, **02.01**
B509 Withdrawn 1991; Specification for Supplementary Requirements for Nickel Alloy Plate for Nuclear Applications
B510 Withdrawn 1991; Specification for Supplementary Requirements for Nickel Alloy Rod and Bar for Nuclear Applications
B511-01(2009) Specification for Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes, **02.04**
B512-04(2009) Specification for Nickel-Chromium-Silicon Alloy (UNS N08330) Billets and Bars, **02.04**
B513 Withdrawn 1991; Specification for Supplementary Requirements for Nickel Alloy Seamless Pipe for Nuclear Applications
B514-05(2009) Specification for Welded Nickel-Iron-Chromium Alloy Pipe, **02.04**
B515-95(2009) Specification for Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, **02.04**
B516-03(2009) Specification for Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, **02.04**
B517-05(2009) Specification for Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, **02.04**
B518 Withdrawn 1995; Specification for Nickel-Chromium-Iron-Columbium-Molybdenum-Tungsten Alloy (UNS N06102) Rod and Bar
B519 Withdrawn 1995; Specification for Nickel-Chromium-Iron-Columbium-Molybdenum-Tungsten Alloy (UNS N06102) Seamless Plate, Sheet, and Strip
B520-12 Specification for Tin-Coated, Copper-Clad Steel Wire for Electronic, **02.03**
B521-12 Specification for Tantalum and Tantalum Alloy Seamless and Welded Tubes, **02.04**
B522-01(2012) Specification for Gold-Silver-Platinum Electrical Contact Alloy, **02.04**
B523/B523M-12a Specification for Seamless and Welded Zirconium and Zirconium Alloy Tubes, **02.04**
B524M Withdrawn 1999; Replaced by B524/B524M
B524/B524M-99(2011) Specification for Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Alloy Reinforced (ACAR, 1350/6201), **02.03**
B525 Withdrawn 1990; Specification for Sintered Austenitic Stainless Steel Structural Parts; Replaced by B783
B526 Withdrawn 1992; Test Method for Coefficient of Friction and Wear of Sintered Metal Friction Materials Under Dry-Clutch Conditions
B527-06 Test Method for Determination of Tap Density of Metallic Powders and Compounds, **02.05**
B528-12 Test Method for Transverse Rupture Strength of Powder Metallurgy (PM) Specimens, **02.05**
B529 Withdrawn 1979; Test Method for Measurement of Coating Thickness by the Eddy Current Test Method: Non-Conductive Coating on Nonmagnetic Basis Metals; Replaced by B244
B530-09 Test Method for Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, **02.05**
B531 Withdrawn 2003; Specification for Aluminum-Alloy 5005 Drawing Stock for Electrical Purposes
B532-85(2007) Specification for Appearance of Electroplated Plastic Surfaces, **02.05**
B533-85(2013) Test Method for Peel Strength of Metal Electroplated Plastics, **02.05**
B534-12 Specification for Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, **02.01**
B535-06(2011) Specification for Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Seamless Pipe and Tube, **02.04**
B536-07(2013) Specification for Nickel-Iron-Chromium-Silicon Alloys (UNS N08330 and N08332) Plate, Sheet, and Strip, **02.04**
B537-70(2013) Practice for Rating of Electroplated Panels Subjected to, **02.05**
B538 Withdrawn 1987; Method of FACT (Ford Anodized Aluminum Corrosion) Test)
B539-02(2013) Test Methods for Measuring Resistance of Electrical Connections (Static Contacts), **02.04**
B540-97(2012) Specification for Palladium Electrical Contact Alloy, **02.04**
B541-01(2012) Specification for Gold Electrical Contact Alloy, **02.04**
B542-13 Terminology Relating to Electrical Contacts and Their Use, **02.04**
B543M Withdrawn 2000; Specification for Welded Copper and Copper-Alloy Heat Exchanger Tube [Metric]
B543/B543M-12 Specification for Welded Copper and Copper-Alloy Heat Exchanger Tube, **02.01**
B544 Withdrawn 1978; Specification for Round Solid EC Grade Aluminum Conductor; Replaced by B609
B545-13 Specification for Electrodeposited Coatings of Tin, **02.05**
B546-04(2009) Specification for Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, **02.04**
B547/B547M-10 Specification for Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, **02.02**
B548-03(2009) Test Method for Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels, **02.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B549-13 Specification for Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Clad Steel Reinforced for Use in Overhead Electrical Conductors, **02.03**
B550/B550M-07(2012) Specification for Zirconium and Zirconium Alloy Bar and Wire, **02.04**
B551/B551M-12 Specification for Zirconium and Zirconium Alloy Strip, Sheet, and Plate, **02.04**
B552-12 Specification for Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, **02.01**
B553 Withdrawn 1992; Test Method for Thermal Cycling of Electroplated Plastics
B554 Withdrawn 1987; Recommended Practice for Measurement of Thickness of Metallic Coatings on Nonmetallic Substrates; Replaced by B659
B555-86(2013) Guide for Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, **02.05**
B556-90(2013) Guide for Measurement of Thin Chromium Coatings by Spot Test, **02.05**
B557-14 Test Methods for Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products, **02.02**
B557M-14 Test Methods for Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products (Metric), **02.02**
B558-79(2013) Practice for Preparation of Nickel Alloys for Electroplating, **02.05**
B559-12 Specification for Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, **02.03**
B560-00(2010) Specification for Modern Pewter Alloys, **02.04**
B561-94(2012) Specification for Refined Platinum, **02.04**
B562-95(2012) Specification for Refined Gold, **02.04**
B563-01(2011) Specification for Palladium-Silver-Copper Electrical Contact Alloy, **02.04**
B564-11$^{\epsilon 1}$ Specification for Nickel Alloy Forgings, **02.04**
B565-04(2010) Test Method for Shear Testing of Aluminum and Aluminum-Alloy Rivets and Cold-Heading Wire and Rods, **02.02**
B566-04a(2011) Specification for Copper-Clad Aluminum Wire, **02.03**
B567-98R09A Test Method for Measurement of Coating Thickness by the Beta Backscatter Method, **02.05**
B568-98(2009) Test Method for Measurement of Coating Thickness by X-Ray Spectrometry, **02.05**
B569-09 Specification for Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, **02.01**
B570-06(2010) Specification for Copper-Beryllium Alloy (UNS Nos. C17000 and C17200) Forgings and Extrusions, **02.01**
B571-97(2013) Practice for Qualitative Adhesion Testing of Metallic Coatings, **02.05**
B572-06(2011) Specification for UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod, **02.04**
B573-06(2011) Specification for Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, N10242) Rod, **02.04**
B574-10 Specification for Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, **02.04**
B575-10 Specification for Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, **02.04**
B576-94(2010) Guide for Arc Erosion Testing of Electrical Contact Materials, **02.04**
B577-10 Test Methods for Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper, **02.01**
B578-87(2009) Test Method for Microhardness of Electroplated Coatings, **02.05**
B579-73(2009) Specification for Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), **02.05**
B580-79(2009) Specification for Anodic Oxide Coatings on Aluminum, **02.05**
B581-02(2013)$^{\epsilon 1}$ Specification for Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, **02.04**
B582-07(2013) Specification for Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip, **02.04**
B583 Withdrawn 1986; Test Method for Porosity in Gold Coatings on Metal Substrates; Replaced by B735, B741
B584-13 Specification for Copper Alloy Sand Castings for General Applications, **02.01**
B585 Withdrawn 1989; Specification for Seamless Copper-Alloy Water Tube
B586 Withdrawn 1988; Specification for Welded Copper-Alloy Water Tube
B587-12 Specification for Welded Brass Tube, **02.01**
B588-88(2010) Test Method for Measurement of Thickness of Transparent or Opaque Coatings by Double-Beam Interference Microscope Technique, **02.05**
B589-94(2012) Specification for Refined Palladium, **02.04**
B590 Withdrawn 1981; Specification for Nickel-Iron-Chromium-Manganese-Molybdenum Alloy (UNS N08245) Plate, Sheet, and Strip
B591-09 Specification for Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, **02.01**
B592-11 Specification for Copper-Zinc-Aluminum-Cobalt Alloy, Copper-Zinc-Tin-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, **02.01**
B593-96(2009)$^{\epsilon 1}$ Test Method for Bending Fatigue Testing for Copper-Alloy Spring Materials, **02.01**
B594-13 Practice for Ultrasonic Inspection of Aluminum-Alloy Wrought Products, **02.02**
B595-11 Specification for Sintered Aluminum Structural Parts, **02.05**
B596-89(2012) Specification for Gold-Copper Alloy Electrical Contact Material, **02.04**
B597 Withdrawn 2002; Practice for Heat Treatment of Aluminum Alloys; Replaced by B917, B918
B598-09 Practice for Determining Offset Yield Strength in Tension for Copper Alloys, **02.01**
B599-92(2009)$^{\epsilon 1}$ Specification for Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip, **02.04**
B600-11 Guide for Descaling and Cleaning Titanium and Titanium Alloy Surfaces, **02.04**
B601-12 Classification for Temper Designations for Copper and Copper Alloys—Wrought and Cast, **02.01**
B602-88(2010) Test Method for Attribute Sampling of Metallic and Inorganic Coatings, **02.05**
B603-07(2013) Specification for Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, **02.04**
B604-91(2008) Specification for Decorative Electroplated Coatings of Copper Plus Nickel Plus Chromium on Plastics, **02.05**
B605-95a(2009) Specification for Electrodeposited Coatings of Tin-Nickel Alloy, **02.05**
B606/B606M-08$^{\epsilon 1}$ Specification for High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced, **02.03**
B607-91(2009) Specification for Autocatalytic Nickel Boron Coatings for Engineering Use, **02.05**
B608-11 Specification for Welded Copper-Alloy Pipe, **02.01**
B609M Withdrawn 1999; Replaced by B609/B609M
B609/B609M-12 Specification for Aluminum 1350 Round Wire, Annealed and Intermediate Tempers, for Electrical Purposes, **02.03**
B610-13 Test Method for Measuring Dimensional Changes Associated with Processing Metal Powders, **02.05**
B611-13 Test Method for Determining the High Stress Abrasion Resistance of Hard Materials, **03.02**
B612 Withdrawn 2007; Specification for Iron Bronze Sintered Bearings (Oil-Impregnated); Replaced by B439
B613-76(2012) Guide for Preparing Specifications for Miniature Brushes of Composite Materials for Sliding Electric Contacts, **02.04**
B614-10 Practice for Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces, **02.04**
B615-79(2011) Practice for Measuring Electrical Contact Noise in Sliding Electrical Contacts, **02.04**
B616-96(2012) Specification for Refined Rhodium, **02.04**
B617-98(2010) Specification for Coin Silver Electrical Contact Alloy, **02.04**
B618/B618M-11a Specification for Aluminum-Alloy Investment Castings, **02.02**
B619-10$^{\epsilon 2}$ Specification for Welded Nickel and Nickel-Cobalt Alloy Pipe, **02.04**
B620-03(2013) Specification for Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip, **02.04**
B621-02(2011) Specification for Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod, **02.04**
B622-10$^{\epsilon 1}$ Specification for Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube, **02.04**
B623 Withdrawn 1996; Specification for Tough-Pitch Fire-Refined High-Conductivity Copper—Refinery Shapes
B624-07(2012) Specification for High-Strength, High-Conductivity Copper-Alloy Wire for Electronic Application, **02.03**
B625-05(2011) Specification for UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip, **02.04**
B626-10$^{\epsilon 2}$ Specification for Welded Nickel and Nickel-Cobalt Alloy Tube, **02.04**
B627 Withdrawn 1998; Test Method for Electrolytic Corrosion Testing (EC Test)
B628-98(2010) Specification for Silver-Copper Eutectic Electrical Contact Alloy, **02.04**
B629-77(2013) Practice for Preparation of Molybdenum and Molybdenum Alloys for Electroplating, **02.05**
B630-88(2010) Practice for Preparation of Chromium for Electroplating with Chromium, **02.05**
B631-93(2010) Specification for Silver-Tungsten Electrical Contact Materials, **02.04**
B632M Withdrawn 1993; Replaced by B632/B632M
B632/B632M-08 Specification for Aluminum-Alloy Rolled Tread Plate, **02.02**
B633-13 Specification for Electrodeposited Coatings of Zinc on Iron and Steel, **02.05**
B634-88(2009) Specification for Electrodeposited Coatings of Rhodium for Engineering Use, **02.05**
B635-00(2009) Specification for Coatings of Cadmium-Tin Mechanically Deposited, **02.05**
B636-84(2010) Test Method for Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, **02.05**
B637-12$^{\epsilon 1}$ Specification for Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, **02.04**
B638 Withdrawn 1992; Specification for Copper and Copper-Alloy Solar Heat Absorber Panels
B639-02(2013) Specification for Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, **02.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B640-12a Specification for Welded Copper Tube for Air Conditioning and Refrigeration Service, **02.01**
B641 Withdrawn 1996; Specification for Seamless and Welded Copper Distribution Tube (Type D)
B642 Withdrawn 1994; Specification for Welded Copper Alloy UNS C21000 Water Tube
B643-12 Specification for Copper-Beryllium Alloy Seamless Tube, **02.01**
B644-11 Specification for Copper Alloy Addition Agents, **02.01**
B645-10 Practice for Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, **02.02**
B646-12 Practice for Fracture Toughness Testing of Aluminum Alloys, **02.02**
B647-10 Test Method for Indentation Hardness of Aluminum Alloys by Means of a Webster Hardness Gage, **02.02**
B648-10 Test Method for Indentation Hardness of Aluminum Alloys by Means of a Barcol Impressor, **02.02**
B649-06(2011) Specification for Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, **02.04**
B650-95(2013) Specification for Electrodeposited Engineering Chromium Coatings on Ferrous Substrates, **02.05**
B651-83(2010) Test Method for Measurement of Corrosion Sites in Nickel Plus Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, **02.05**
B652/B652M-10 Specification for Niobium-Hafnium Alloy Ingots, **02.04**
B653/B653M-11 Specification for Seamless and Welded Zirconium and Zirconium Alloy Welding Fittings, **02.04**
B654/B654M-10 Specification for Niobium-Hafnium Alloy Foil, Sheet, Strip, and Plate, **02.04**
B655/B655M-10 Specification for Niobium-Hafnium Alloy Bar and Wire, **02.04**
B656 Withdrawn 2000; Guide for Autocatalytic (Electroless) Nickel-Phosphorus Deposition on Metals for Engineering Use
B657-11 Guide for Metallographic Identification of Microstructure in Cemented Carbides, **02.05**
B658/B658M-11ε1 Specification for Seamless and Welded Zirconium and Zirconium Alloy Pipe, **02.04**
B659-90(2008)ε1 Guide for Measuring Thickness of Metallic and Inorganic Coatings, **02.05**
B660-08 Practices for Packaging/Packing of Aluminum and Magnesium Products, **02.02**
B661-12 Practice for Heat Treatment of Magnesium Alloys, **02.02**
B662-94(2012) Specification for Silver-Molybdenum Electrical Contact Material, **02.04**
B663-94(2012) Specification for Silver-Tungsten Carbide Electrical Contact Material, **02.04**
B664-90(2012) Specification for 80 % Silver-20 % Graphite Sliding Contact Material, **02.04**
B665-08(2012) Guide for Metallographic Sample Preparation of Cemented Tungsten Carbides, **02.05**
B666/B666M-08 Practice for Identification Marking of Aluminum and Magnesium Products, **02.02**
B667-97(2009) Practice for Construction and Use of a Probe for Measuring Electrical Contact Resistance, **02.04**
B668-05(2010) Specification for UNS N08028 Seamless Pipe and Tube, **02.04**
B669 Withdrawn 1999; Specification for Zinc-Aluminum Alloys in Ingot Form for Foundry and Die Castings
B670-07(2013) Specification for Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, **02.04**
B671-81(2010) Specification for Refined Iridium, **02.04**
B672-02(2013) Specification for Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire, **02.04**
B673-05(2011)ε1 Specification for UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, **02.04**
B674-05(2011) Specification for UNS N08925, UNS N08354, and UNS N08926 Welded Tube, **02.04**
B675-02(2013) Specification for UNS N08367 Welded Pipe, **02.04**
B676-03(2009) Specification for UNS N08367 Welded Tube, **02.04**
B677-05(2010)ε1 Specification for UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, **02.04**
B678-86(2011) Test Method for Solderability of Metallic-Coated Products, **02.05**
B679-98(2009) Specification for Electrodeposited Coatings of Palladium for Engineering Use, **02.05**
B680-80(2009) Test Method for Seal Quality of Anodic Coatings on Aluminum by Acid Dissolution, **02.05**
B681 Withdrawn 2001; Test Method for Measurement of Thickness of Anodic Coatings on Aluminum and of Other Transparent Coatings on Opaque Surfaces, Using the Light-Section Microscope
B682-01(2009) Specification for Standard Metric Sizes of Electrical Conductors, **02.03**
B683-01(2012) Specification for Pure Palladium Electrical Contact Material, **02.04**
B684-97(2012) Specification for Platinum-Iridium Electrical Contact Materials, **02.04**
B685-01(2012) Specification for Palladium-Copper Electrical Contact Material, **02.04**
B686/B686M-11 Specification for Aluminum Alloy Castings, High-Strength, **02.02**
B687-99(2011) Specification for Brass, Copper, and Chromium-Plated Pipe Nipples, **02.01**
B688-96(2009) Specification for Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, **02.04**
B689-97(2013) Specification for Electroplated Engineering Nickel Coatings, **02.05**
B690-02(2013) Specification for Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, **02.04**
B691-02(2013) Specification for Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire, **02.04**
B692-90(2012) Specification for 75 % Silver-25 % Graphite Sliding Contact Material, **02.04**
B693-91(2012) Specification for Silver-Nickel Electrical Contact Materials, **02.04**
B694-13 Specification for Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, **02.01**
B695-04(2009) Specification for Coatings of Zinc Mechanically Deposited on Iron and Steel, **02.05**
B696-00(2009) Specification for Coatings of Cadmium Mechanically Deposited, **02.05**
B697-88(2010) Guide for Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, **02.05**
B698-10 Classification for Seamless Copper and Copper Alloy Plumbing Pipe and Tube, **02.01**
B699-86(2008) Specification for Coatings of Cadmium Vacuum-Deposited on Iron and Steel, **02.05**
B700-08 Specification for Electrodeposited Coatings of Silver for Engineering Use, **02.05**
B701/B701M-13 Specification for Concentric-Lay-Stranded Self-Damping Aluminum Conductors, Steel Reinforced (ACSR/SD), **02.03**
B702-93(2010) Specification for Copper-Tungsten Electrical Contact Material, **02.04**
B703-10 Test Method for Apparent Density of Metal Powders and Related Compounds Using the Arnold Meter, **02.05**
B704-03(2009) Specification for Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, **02.04**
B705-05(2009) Specification for Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, **02.04**
B706-00(2011) Specification for Seamless Copper Alloy (UNS No. C69100) Pipe and Tube, **02.01**
B707 Withdrawn 1992; Specification for Seamless Copper Water Tube (Special Use)
B707M Withdrawn 1992; Specification for Seamless Copper Water Tube (Special Use) [Metric]
B708-12 Specification for Tantalum and Tantalum Alloy Plate, Sheet, and Strip, **02.04**
B709-04(2009) Specification for Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip, **02.04**
B710-04(2009) Specification for Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, **02.04**
B711-13 Specification for Concentric-Lay-Stranded Aluminum-Alloy Conductors, Steel Reinforced (AACSR) (6201), **02.03**
B712-93(2012) Guide for Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials, **02.04**
B713 Withdrawn 2001; Terminology Relating to Superconductors
B714 Withdrawn 2001; Test Method for D-C Critical Current of Composite Superconductors
B715 Withdrawn 2010; Specification for Sintered Copper Structural Parts for Electrical Conductivity Applications
B716 Withdrawn 1994; Specification for Welded Copper Water Tube
B716M Withdrawn 1994; Specification for Welded Copper Water Tube [Metric]
B717-96(2012) Specification for Refined Ruthenium, **02.04**
B718-00(2011) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Plate, Sheet, and Strip, **02.04**
B719-00(2009) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-, **02.04**
B720 Withdrawn 1999; Specification for Seamless UNS N08310 Tube
B721 Withdrawn 2004; Test Method for Microhardness and Case Depth of Powder Metallurgy (P/M) Parts; Replaced by B931
B722-06(2011) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Seamless Pipe and Tube, **02.04**
B723-00(2009) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, **02.04**
B724 Withdrawn 2013; Test Method for Indentation Hardness of Aluminum Alloys by Means of a Newage, Portable, Non-Caliper-Type Instrument
B725-05(2009) Specification for Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Pipe, **02.04**
B726-02(2011) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Tube, **02.04**
B727-04(2009) Practice for Preparation of Plastics Materials for Electroplating, **02.05**
B728 Withdrawn 1990; Specification for Concentric-Lay-Stranded Aluminum-Alloy Conductors, Steel Reinforced(AACSR) (5005)
B729-05(2009) Specification for Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, **02.04**
B730-08(2013) Specification for Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Tube, **02.04**
B731-96(2012) Specification for 60 % Palladium-40 % Silver Electrical Contact Material, **02.04**
B732 Withdrawn 1998; Test Method for Evaluating the Corrosivity of Solder

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Fluxes for Copper Tubing Systems; Replaced by B813
B733-04(2009) Specification for Autocatalytic (Electroless) Nickel-Phosphorus Coatings on Metal, **02.05**
B734-97(2013) Specification for Electrodeposited Copper for Engineering Uses, **02.05**
B735-06(2011) Test Method for Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, **02.04**
B736-00(2006) Specification for Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, **02.02**
B737-10 Specification for Hot-Rolled and/or Cold-Finished Hafnium Rod and Wire, **02.04**
B738-13 Specification for Fine-Wire Bunch-Stranded and Rope-Lay Bunch-Stranded Copper Conductors for Use as Electrical Conductors, **02.03**
B739-03(2013) Specification for Nickel-Iron-Chromium-Silicon Alloy Welded Tube, **02.04**
B740-09 Specification for Copper-Nickel-Tin Spinodal Alloy Strip, **02.01**
B741 Withdrawn 2005; Test Method for Porosity In Gold Coatings On Metal Substrates By Paper Electrography
B742-90(2012) Specification for Fine Silver Electrical Contact Fabricated Material, **02.04**
B743-12 Specification for Seamless Copper Tube in Coils, **02.01**
B744/B744M-05(2011) Specification for Aluminum Alloy Sheet for Corrugated Aluminum Pipe, **02.02**
B745/B745M-12 Specification for Corrugated Aluminum Pipe for Sewers and Drains, **02.02**
B746/B746M-02(2012) Specification for Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, **02.02**
B747-11 Specification for Copper-Zirconium Alloy Sheet and Strip, **02.01**
B748-90(2010) Test Method for Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron Microscope, **02.05**
B749-03(2009) Specification for Lead and Lead Alloy Strip, Sheet, and Plate Products, **02.04**
B750-12 Specification for GALFAN, **02.04**
B751-08(2013) Specification for General Requirements for Nickel and Nickel Alloy Welded Tube, **02.04**
B752-06(2011)$^{\varepsilon 2}$ Specification for Castings, Zirconium-Base, Corrosion Resistant, for General Application, **02.04**
B753-07(2013) Specification for Thermostat Component Alloys, **02.04**
B754-10 Test Method for Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, **02.01**
B755-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten Alloys, **02.04**
B756-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten Alloy, **02.04**
B757-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten-Alloys, **02.04**
B758-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten Alloys, **02.04**
B759-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten Alloys, **02.04**
B760-07(2013) Specification for Tungsten Plate, Sheet, and Foil, **02.04**
B761-06(2011) Test Method for Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, **02.05**
B762-90(2010) Test Method of Variables Sampling of Metallic and Inorganic Coatings, **02.05**
B763/B763M-13$^{\varepsilon 1}$ Specification for Copper Alloy Sand Castings for Valve Applications, **02.01**
B764-04(2009) Test Method for Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), **02.05**
B765-03(2013) Guide for Selection of Porosity and Gross Defect Tests for Electrodeposits and Related Metallic Coatings, **02.05**
B766-86(2008) Specification for Electrodeposited Coatings of Cadmium, **02.05**
B767-88(2010) Guide for Determining Mass Per Unit Area of Electrodeposited and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, **02.05**
B768-11 Specification for Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Strip and Sheet, **02.01**
B769-11 Test Method for Shear Testing of Aluminum Alloys, **02.02**
B770-10 Specification for Copper-Beryllium Alloy Sand Castings for General Applications, **02.01**
B771-11$^{\varepsilon 1}$ Test Method for Short Rod Fracture Toughness of Cemented Carbides, **02.05**
B772-97(2012) Guide for Specifying the Chemical Compositions for Electrical Contact Materials (Arcing and Nonarcing), **02.04**
B773 Withdrawn 2013; Guide for Ultrasonic C-Scan Bond Evaluation of Brazed or Welded Electrical Contact Assemblies
B774-00(2010) Specification for Low Melting Point Alloys, **02.04**
B775-13 Specification for General Requirements for Nickel and Nickel Alloy Welded Pipe, **02.04**
B776-12 Specification for Hafnium and Hafnium Alloy Strip, Sheet, and Plate, **02.04**
B777-07(2013) Specification for Tungsten Base, High-Density Metal, **02.04**
B778-02(2012) Specification for Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors (AAC/TW), **02.03**
B779-12 Specification for Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW), **02.03**
B780-98(2010) Specification for 75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, **02.04**
B781-93a(2012) Guide for Silver-Cadmium Oxide Contact Material, **02.04**
B782 Withdrawn 2007; Specification for Iron Graphite Sintered Bearings (Oil-Impregnated); Replaced by B439
B783-13 Specification for Materials for Ferrous Powder Metallurgy (PM) Structural Parts, **02.05**
B784-01(2012) Specification for Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, **02.03**
B785 Withdrawn 1998; Specification for Compact Round Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables
B786/B786M-08(2013)$^{\varepsilon 1}$ Specification for 19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation, **02.03**
B787/B787M-04(2009) Specification for 19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, **02.03**
B788/B788M-09(2014) Practice for Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, **02.02**
B789/B789M-99(2011) Practice for Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, **02.02**
B790/B790M-11 Practice for Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, **02.02**
B791 Withdrawn 1999; Specification for Zinc-Aluminum (ZA) Alloy Foundry and Die Castings
B792-13 Specification for Zinc Alloys in Ingot Form for Slush Casting, **02.04**
B793-13 Specification for Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, **02.04**
B794-97(2009) Test Method for Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, **02.04**
B795-13 Test Method for Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, **02.05**
B796-07 Test Method for Nonmetallic Inclusion Content of Powders Intended for Powder Forging (PF) Applications, **02.05**
B797-93(2007) Test Method for Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, **02.05**
B798-95(2009) Test Method for Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, **02.04**
B799-95(2009) Test Method for Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, **02.04**
B800-05(2011) Specification for 8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers, **02.03**
B801-07(2012) Specification for Concentric-Lay-Stranded Conductors of 8000 Series Aluminum Alloy for Subsequent Covering or Insulation, **02.03**
B802M Withdrawn 1998; Replaced by B802/B802M
B802/B802M-10 Specification for Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), **02.03**
B803/B803M-08$^{\varepsilon 1}$ Specification for High-Strength Zinc–5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, **02.03**
B804-02(2013) Specification for UNS N08367 and UNS N08926 Welded Pipe, **02.04**
B805-06(2011) Specification for Precipitation Hardening Nickel Alloys Bar and Wire, **02.04**
B806-08a Specification for Copper Alloy Permanent Mold Castings for General Applications, **02.01**
B807/B807M-13 Practice for Extrusion Press Solution Heat Treatment for Aluminum Alloys, **02.02**
B808-10 Test Method for Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances, **02.04**
B809-95(2013) Test Method for Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur"), **02.05**
B810-01a(2011) Test Method for Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons, **02.04**
B811-13 Specification for Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding, **02.04**
B812-96(2013) Test Method for Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, **02.04**
B813-10 Specification for Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, **02.01**
B814-06(2011) Specification for Nickel-Chromium-Iron-Molybdenum-Tungsten Alloy, **02.04**
B815-02(2011) Specification for Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, **02.04**
B816-00(2009) Specification for Coatings of Cadmium-Zinc Mechanically Deposited, **02.05**
B817 Withdrawn 2013; Specification for Powder Metallurgy (PM) Titanium Alloy Structural Components; Replaced by B988
B818-03(2013) Specification for Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, **02.04**
B819-00(2011) Specification for Seamless Copper Tube for Medical Gas Systems, **02.01**
B820-09 Test Method for Bend Test for Determining the Formability of Copper and Copper Alloy Strip, **02.01**
B821-10 Guide for Liquid Dispersion of Metal Powders and Related Compounds for Particle Size Analysis, **02.05**
B822-10 Test Method for Particle Size Distribution of Metal Powders and Related Compounds by Light Scattering, **02.05**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B823-09 Specification for Materials for Copper Base Powder Metallurgy (PM) Structural Parts, **02.05**
B824-11 Specification for General Requirements for Copper Alloy Castings, **02.01**
B825-13 Test Method for Coulometric Reduction of Surface Films on Metallic Test Samples, **02.04**
B826-09 Test Method for Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, **02.04**
B827-05(2009)ε2 Practice for Conducting Mixed Flowing Gas (MFG) Environmental Tests, **02.04**
B828-02(2010) Practice for Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, **02.01**
B829-04a(2009)ε1 Specification for General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube, **02.04**
B830-11 Specification for Uniform Test Methods and Frequency, **02.03**
B831-14 Test Method for Shear Testing of Thin Aluminum Alloy Products, **02.02**
B832-93(2013) Guide for Electroforming with Nickel and Copper, **02.05**
B833-13 Specification for Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, **02.04**
B834-13 Specification for Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, **02.04**
B835-04(2009) Specification for Compact Round Stranded Copper Conductors Using Single Input Wire Construction, **02.03**
B836-00(2011) Specification for Compact Round Stranded Aluminum Conductors Using Single Input Wire Construction, **02.03**
B837-10 Specification for Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, **02.01**
B838 Not Assigned
B839-04(2009) Test Method for Residual Embrittlement in Metallic Coated, Externally Threaded Articles, Fasteners, and Rod—Inclined Wedge Method, **02.05**
B840-99(2009) Specification for Electrodeposited Coatings of Zinc Cobalt Alloy Deposits, **02.05**
B841-99(2010) Specification for Electrodeposited Coatings of Zinc Nickel Alloy Deposits, **02.05**
B842-99(2011) Specification for Electrodeposited Coatings of Zinc Iron Alloy Deposits, **02.05**
B843-13 Specification for Magnesium Alloy Anodes for Cathodic Protection, **02.02**
B844-98(2010) Guide for Silver-Tin Oxide Contact Material, **02.04**
B845-97(2013) Guide for Mixed Flowing Gas (MFG) Tests for Electrical Contacts, **02.04**
B846-11a Terminology for Copper and Copper Alloys, **02.01**
B847 Withdrawn 1995; Specification for Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposed; Replaced by B246
B848-10 Specification for Powder Forged (PF) Ferrous Materials, **02.05**
B849-02(2013) Specification for Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, **02.05**
B850-98(2009) Guide for Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, **02.05**
B851-04(2009) Specification for Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, **02.05**
B852-12 Specification for Continuous Galvanizing Grade (CGG) Zinc Alloys for Hot-Dip Galvanizing of Sheet Steel, **02.04**
B853-12 Specification for Powder Metallurgy (PM) Boron Stainless Steel Structural Components, **02.05**
B854-98(2010)ε1 Guide for Measuring Electrical Contact Intermittences, **02.04**
B855-11 Test Method for Volumetric Flow Rate of Metal Powders Using the Arnold Meter and Hall Flowmeter Funnel, **02.05**
B856-13 Specification for Concentric-Lay-Stranded Aluminum Conductors, Coated Steel Supported (ACSS), **02.03**
B857-11ε2 Specification for Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), **02.03**
B858-06(2012) Test Method for Ammonia Vapor Test for Determining Susceptibility to Stress Corrosion Cracking in Copper Alloys, **02.01**
B859-13 Practice for De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, **02.05**
B860-13 Specification for Zinc Master Alloys for Use in Hot Dip Galvanizing, **02.04**
B861-13 Specification for Titanium and Titanium Alloy Seamless Pipe, **02.04**
B862-13a Specification for Titanium and Titanium Alloy Welded Pipe, **02.04**
B863-13a Specification for Titanium and Titanium Alloy Wire, **02.04**
B864/B864M-13 Specification for Corrugated Aluminum Box Culverts, **02.02**
B865-04(2010) Specification for Precipitation Hardening Nickel-Copper-Aluminum Alloy, **02.04**
B866-95(2013) Test Method for Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, **02.05**
B867-95(2013) Specification for Electrodeposited Coatings of Palladium-Nickel for Engineering Use, **02.05**
B868-96(2013) Practice for Contact Performance Classification of Electrical Connection Systems, **02.04**
B869-07(2013) Specification for Copper-Clad Steel Electrical Conductor for CATV Drop Wire, **02.03**
B870-08 Specification for Copper-Beryllium Alloy Forgings and Extrusions Alloys (UNS Nos. C17500 and C17510), **02.01**
B871-01(2013) Test Method for Tear Testing of Aluminum Alloy Products, **02.02**
B872-06(2011) Specification for Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, **02.04**
B873-12 Test Method for Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, **02.05**
B874-96(2013) Specification for Chromium Diffusion Coating Applied by Pack Cementation Process, **02.05**
B875-96(2013) Specification for Aluminum Diffusion Coating Applied by Pack Cementation Process, **02.05**
B876 Withdrawn 2002; Specification for Borated Dispersion Strengthened Copper Plate, Sheet, Strip and Rolled Bar for Nuclear Application
B877-96(2013) Test Method for Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, **02.05**
B878-97(2009) Test Method for Nanosecond Event Detection for Electrical Contacts and Connectors, **02.04**
B879-97(2013) Practice for Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, **02.05**
B880-03(2008) Specification for General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys, **02.04**
B881-09 Terminology Relating to Aluminum- and Magnesium-Alloy Products, **02.02**
B882-10 Specification for Pre-Patinated Copper for Architectural Applications, **02.01**
B883-10ε1 Specification for Metal Injection Molding (MIM) Ferrous Materials, **02.05**
B884-11 Specification for Niobium-Titanium Alloy Billets, Bar, and Rod for Superconducting Applications, **02.04**
B885-09 Test Method for Presence of Foreign Matter on Printed Wiring Board Contacts, **02.04**
B886-12 Test Method for Determination of Magnetic Saturation (Ms) of Cemented Carbides, **02.05**
B887-12 Test Method for Determination of Coercivity (Hcs) of Cemented Carbides, **02.05**
B888/B888M-13 Specification for Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, **02.01**
B889 Withdrawn 2003; Specification for Solid Hard-Drawn Aluminum Wire for Electrical Purposes
B890-07(2012) Test Method for Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, **02.05**
B891-12 Specification for Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer, **02.04**
B892-10 Specification for ACuZinc5, **02.04**
B893-98(2013) Specification for Hard-Coat Anodizing of Magnesium for Engineering Applications, **02.05**
B894-10ε1 Specification for Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, **02.04**
B895-05(2010)ε1 Test Methods for Evaluating the Corrosion Resistance of Stainless Steel Powder Metallurgy (PM) Parts/Specimens by Immersion in a Sodium Chloride Solution, **02.05**
B896-10ε1 Test Methods for Evaluating Connectability Characteristics of Electrical Conductor Materials, **02.04**
B897-13 Specification for Configuration of Zinc and Zinc Alloy Jumbo, Block, Half Block, and Slab Ingot, **02.04**
B898-11 Specification for Reactive and Refractory Metal Clad Plate, **02.04**
B899-13 Terminology Relating to Non-ferrous Metals and Alloys, **02.04**
B900-04(2010) Practice for Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, **02.01**
B901-04(2011) Specification for Compressed Round Stranded Aluminum Conductors Using Single Input Wire Construction, **02.03**
B902/B902M-13ε1 Specification for Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, **02.03**
B903-10 Specification for Seamless Copper Heat Exchanger Tubes With Internal Enhancement, **02.01**
B904-00(2009) Specification for Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, **02.05**
B905-00(2010) Test Methods for Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, **02.05**
B906-02(2012) Specification for General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet, and Strip, **02.04**
B907-13 Specification for Zinc, Tin and Cadmium Base Alloys Used as Solders, **02.04**
B908-09 Practice for the Use of Color Codes for Zinc Casting Alloy Ingot, **02.04**
B909-00(2011) Guide for Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, **02.02**
B910/B910M-07(2013) Specification for Annealed Copper-Clad Steel Wire, **02.03**
B911/B911M-12 Specification for ACSR Twisted Pair Conductor (ACSR/TP), **02.03**
B912-02(2013) Specification for Passivation of Stainless Steels Using Electropolishing, **02.05**
B913-05(2010) Test Method for Evaluation of Crimped Electrical Connections to 16-Gauge and Smaller Diameter Stranded and Solid Conductors, **02.04**
B914-13ε1 Practice for Color Codes on Zinc and Zinc Alloy Ingot for Use in Hot-Dip Galvanizing of Steel, **02.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

B915-01(2013)$^{\epsilon 1}$ Test Method for Measuring Static Heat Resistance of Self-Cleaning Oven Coating, **02.05**
B916-01(2013)$^{\epsilon 1}$ Test Method for Adherence of Porcelain Enamel Coatings to Sheet Metal, **02.05**
B917/B917M-12 Practice for Heat Treatment of Aluminum-Alloy Castings from All Processes, **02.02**
B918/B918M-09 Practice for Heat Treatment of Wrought Aluminum Alloys, **02.02**
B919-12 Specification for Welded Copper Heat Exchanger Tubes With Internal Enhancement, **02.01**
B920-01(2011) Practice for Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, **02.04**
B921-08(2013) Specification for Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, **02.05**
B922-10 Test Method for Metal Powder Specific Surface Area by Physical Adsorption, **02.05**
B923-10 Test Method for Metal Powder Skeletal Density by Helium or Nitrogen Pycnometry, **02.05**
B924-02(2012) Specification for Seamless and Welded Nickel Alloy Condenser and Heat Exchanger Tubes With Integral Fins, **02.04**
B925-08 Practices for Production and Preparation of Powder Metallurgy (PM) Test Specimens, **02.05**
B926-09 Method for Pinhole Determination in Aluminum and Aluminum Alloy Plain Foil by Means of a Light Table, **02.02**
B927/B927M-13 Specification for Brass Rod, Bar, and Shapes, **02.01**
B928/B928M-14 Specification for High Magnesium Aluminum-Alloy Sheet and Plate for Marine Service and Similar Environments, **02.02**
B929-05(2011)$^{\epsilon 1}$ Specification for Copper-Nickel-Tin Spinodal Alloy Rod and Bar, **02.01**
B930-03(2012) Test Method for Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), **02.05**
B931-09 Test Method for Metallographically Estimating the Observed Case Depth of Ferrous Powder Metallurgy (PM) Parts, **02.05**
B932-04(2010) Specification for Low-Carbon Nickel-Chromium-Molybdenum-Gadolinium Alloy Plate, Sheet, and Strip, **02.04**
B933-09 Test Method for Microindentation Hardness of Powder Metallurgy (PM) Materials, **02.05**
B934-10 Test Method for Effective Case Depth of Ferrous Powder Metallurgy (PM) Parts Using Microindentation Hardness Measurements, **02.05**
B935-05(2009)$^{\epsilon 1}$ Guide for Steam Treatment of Ferrous Powder Metallurgy (PM) Materials, **02.05**
B936-13 Specification for Copper-Chromium-Iron-Titanium Alloy Plate, Sheet, Strip and Rolled Bar, **02.01**
B937-04(2010) Specification for Copper-Beryllium Seamless Tube (UNS Nos. C17500 and C17510), **02.01**
B938 Withdrawn 2010; Specification for Copper-Beryllium Alloy Forgings and Extrusions (UNS Nos. C17500 and C17510); Replaced by B870
B939-09 Test Method for Radial Crushing Strength, *K*, of Powder Metallurgy (PM) Bearings and Structural Materials, **02.05**
B940-05(2009)$^{\epsilon 1}$ Practice for Testing Non-Chromate Coatings on Zinc and Cadmium Surfaces, **02.05**
B941-10 Specification for Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, **02.03**
B942-10$^{\epsilon 1}$ Guide for Specification and Quality Assurance for the Electrical Contact Performance of Crimped Wire Terminations, **02.04**
B943-13 Specification for Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications, **02.04**
B944-11 Specification for Copper-Beryllium Welded Heat Exchanger and Condenser Tube (UNS No. C17510), **02.01**
B945-06 Practice for Aluminum Alloy Extrusions Press Cooled from an Elevated Temperature Shaping Process for Production of T1, T2, T5 and T10–Type Tempers, **02.02**
B946-11 Test Method for Surface Finish of Powder Metallurgy (PM) Products, **02.05**
B947-06(2013) Practice for Hot Rolling Mill Solution Heat Treatment for Aluminum Alloy Plate, **02.02**
B949-13 Specification for General Requirements for Zinc and Zinc Alloy Products, **02.04**
B950-13 Guide for Editorial Procedures and Form of Product Specifications for Copper and Copper Alloys, **02.01**
B951-11 Practice for Codification of Unalloyed Magnesium and Magnesium-Alloys, Cast and Wrought, **02.02**
B952/B952M-13 Specification for Zinc Alloys in Ingot Form for Spin Casting, **02.04**
B953-13 Practice for Sampling Magnesium and Magnesium Alloys for Spectrochemical Analysis, **02.02**
B954-07 Test Method for Analysis of Magnesium and Magnesium Alloys by Atomic Emission Spectrometry, **02.02**
B955/B955M-11 Specification for Aluminum-Alloy Centrifugal Castings, **02.02**
B956/B956M-10$^{\epsilon 1}$ Specification for Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, **02.01**
B957/B957M-08$^{\epsilon 1}$ Specification for Extra-High-Strength and Ultra-High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Overhead Electrical Conductors, **02.03**
B958/B958M-08$^{\epsilon 1}$ Specification for Extra-High-Strength and Ultra-High-Strength Class A Zinc–5% Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, **02.03**
B960-13 Specification for Prime Western Grade-Recycled (PWG-R) Zinc, **02.04**
B961-13 Specification for Silver Coated Copper and Copper Alloy Stranded Conductors for Electronic Space Application, **02.03**
B962-13 Test Methods for Density of Compacted or Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, **02.05**
B963-13 Test Methods for Oil Content, Oil-Impregnation Efficiency, and Interconnected Porosity of Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, **02.05**
B964-09 Test Methods for Flow Rate of Metal Powders Using the Carney Funnel, **02.05**
B965-09 Specification for High Performance Tin-Coated Annealed Copper Wire Intended for Electrical and Electronic Application for Solderability, **02.03**
B966-10 Test Method for Permeability of Powder Metallurgy (PM) Bearings Using Nitrogen Gas, **02.05**
B967/B967M-12a Specification for Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, **02.01**
B968/B968M-10 Test Method for Flattening of Copper and Copper-Alloy Pipe and Tube, **02.01**
B969/B969M-11 Specification for Aluminum-Alloy Castings Produced by the Squeeze Casting, Thixocast and Rheocast Semi-Solid Casting Processes, **02.02**
B970-09 Test Method for Cleanliness of Powder Metallurgy (PM) Bearings and Structural Parts, **02.05**
B971-10 Specification for Silver-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, **02.03**
B972-10 Specification for Nickel-Coated Braid and Ribbon Flat Copper Wire Intended for use in Electronic Application, **02.03**
B973-10 Specification for Tin-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, **02.03**
B974/B974M-12a Specification for Free-Cutting Bismuth Brass Rod, Bar and Wire, **02.01**
B976-11 Specification for Fiber Reinforced Aluminum Matrix Composite (AMC) Core Wire for Aluminum Conductors, Composite Reinforced (ACCR), **02.03**
B977-13 Specification for Titanium and Titanium Ingots, **02.04**
B978/B978M-14 Specification for Concentric-Lay-Stranded Aluminum Conductors, Composite Reinforced (ACCR), **02.03**
B979-12 Specification for Non-Specular (NS) Surface Finish on Overhead Aluminum Electrical Conductors, **02.03**
B981/B981M-12 Specification for Low Leaded Brass Rod, Bar and Shapes, **02.01**
B982-12 Specification for Sampling and Sample Preparation of Lead and Lead Alloys for Optical Emission Spectrometric OR ICP Analysis, **02.04**
B983-13a Specification for Precipitation Hardened or Cold Worked, Seamless Nickel Alloy Pipe and Tube, **02.04**
B984-12 Specification for Electrodeposited Coatings of Palladium- Cobalt Alloy for Engineering Use, **02.05**
B985-12 Practice for Sampling Aluminum Ingots, Billets, Castings and Finished or Semi-Finished Wrought Aluminum Products for Compositional Analysis, **02.02**
B986-13$^{\epsilon 1}$ Test Method for Determination of Tensile Strength by Mass Method for Stranded Conductors Intended for use in Electronic Application, **02.03**
B988-13 Specification for Powder Metallurgy (PM) Titanium and Titanium Alloy Structural Components, **02.05**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C. CEMENTITIOUS, CERAMIC, CONCRETE, AND MASONRY MATERIALS

C1 Withdrawn 1916; Method of Test for Cement; Replaced by C150
C2 Withdrawn 1917; Method of Test for Fireproof Floor Construction; Replaced by E119
C3 Withdrawn 1918; Method of Test for Fireproof Partition Construction; Replaced by E119
C4-04(2009) Specification for Clay Drain Tile and Perforated Clay Drain Tile, **04.05**
C5-10 Specification for Quicklime for Structural Purposes, **04.01**
C6 Withdrawn 1981; Specification for Normal Finishing Hydrated Lime; Replaced by C206
C7 Withdrawn 1980; Specification for Paving Brick
C8 Withdrawn 1941; Definition of Terms Relating to Clay Sewer Pipe
C9 Withdrawn 1942; Specification for Portland Cement; Replaced by C150
C10/C10M-14 Specification for Natural Cement, **04.01**
C11-13 Terminology Relating to Gypsum and Related Building Materials and Systems, **04.01**
C12-13a Practice for Installing Vitrified Clay Pipe Lines, **04.05**
C13 Withdrawn 1973; Specification for Standard Strength Clay Sewer Pipe; Replaced by C700
C14-14 Specification for Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe, **04.05**
C14M-14 Specification for Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe (Metric), **04.05**
C15 Withdrawn 1930; Specification for Required Safe Crushing Strengths of Sewer Pipe to Carry Loads from Ditch
C16-03(2012) Test Method for Load Testing Refractory Shapes at High Temperatures, **15.01**
C17 Withdrawn 1926; Method of Test for Slagging Action of Refractory Materials
C18 Withdrawn 1966; Methods of Test for Chemical Analysis of Refractory Materials
C19 Redesignated 1946 - E119; Methods of Fire Tests of Building Construction and Materials
C20-00(2010) Test Methods for Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, **15.01**
C21 Withdrawn 1928; Specification for Building Brick; Replaced by C62, C67, C73
C22/C22M-00(2010) Specification for Gypsum, **04.01**
C23 Withdrawn 1928; Specification for Calcined Gypsum
C24-09(2013) Test Method for Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials, **15.01**
C25-11 Test Methods for Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, **04.01**
C26 Withdrawn 1961; Methods of Testing Gypsum and Gypsum Products; Replaced by C471, C472, C473
C27-98(2013) Classification of Fireclay and High-Alumina Refractory Brick, **15.01**
C28/C28M-10 Specification for Gypsum Plasters, **04.01**
C29/C29M-09 Test Method for Bulk Density ("Unit Weight") and Voids in Aggregate, **04.02**
C30 Withdrawn 1979; Method of Test for Voids in Aggregate for Concrete; Replaced by C929
C31/C31M-12 Practice for Making and Curing Concrete Test Specimens in the Field, **04.02**
C32-13 Specification for Sewer and Manhole Brick (Made From Clay or Shale), **04.05**
C33/C33M-13 Specification for Concrete Aggregates, **04.02**
C34-13 Specification for Structural Clay Load-Bearing Wall Tile, **04.05**
C35-01(2009) Specification for Inorganic Aggregates for Use in Gypsum Plaster, **04.01**
C36/C36M Withdrawn 2005; Specification for Gypsum Wallboard; Replaced by C1396
C37/C37M Withdrawn 2005; Specification for Gypsum Wallboard; Replaced by C1396
C38 Withdrawn 1994; Method for Panel Spalling Testing Refractory Brick
C39/C39M-14a Test Method for Compressive Strength of Cylindrical Concrete Specimens, **04.02**
C40/C40M-11 Test Method for Organic Impurities in Fine Aggregates for Concrete, **04.02**
C41 Withdrawn 1939; Method of Test for Sieve Analysis of Concrete Aggregates and Lime; Replaced by C136
C42/C42M-13 Test Method for Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, **04.02**
C43 Withdrawn 2009; Terminology of Structural Clay Products; Replaced by C1232
C44 Withdrawn 1936; Rules for Inspection of Concrete and Reinforced Concrete Work
C45 Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Cooking of Rags in Paper Manufacture; Replaced by C911
C46 Withdrawn 1982; Specification for Quicklime and Limestone for Sulfite Pulp Manufacture; Replaced by C911
C47 Withdrawn 1958; Specification for Hydrated Lime for Varnish Manufacture
C48 Withdrawn 1954; Specification for Quicklime and Hydrated Lime for Use in the Textile Industry
C49 Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Silica Brick Manufacture; Replaced by C911
C50/C50M-13 Practice for Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products, **04.01**
C51-11 Terminology Relating to Lime and Limestone (as used by the Industry), **04.01**
C52 Withdrawn 1984; Specification for Gypsum Partition Tile or Block
C53 Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Water Treatment; Replaced by C911
C54 Withdrawn 1940; Specification for Quicklime and Lime for Water Treatment
C55-11 Specification for Concrete Building Brick, **04.05**
C56-13 Specification for Structural Clay Nonloadbearing Tile, **04.05**
C57 Withdrawn 1990; Specification for Structural Clay Floor Tile
C58 Withdrawn 1964; Definition of Terms Relating to Sand
C59/C59M-00(2011) Specification for Gypsum Casting Plaster and Gypsum Molding Plaster, **04.01**
C60 Withdrawn 1949; Specification for Gypsum Pottery Plaster
C61/C61M-00(2011) Specification for Gypsum Keene's Cement, **04.01**
C62-13a Specification for Building Brick (Solid Masonry Units Made From Clay or Shale), **04.05**
C63 Withdrawn 1985; Specification for Fireclay Brick Refractories for Malleable Iron Furnaces with Removable Bungs, and for Annealing Ovens
C64 Withdrawn 1984; Specification for Fireclay Brick Refractories for Heavy Duty Stationary Boiler Service
C65 Withdrawn 1940; Specification for Fireclay Brick for Marine Boiler Service
C66 Withdrawn 1937; Specification for Sand for Use in Lime Plaster; Replaced by C35
C67-13a Test Methods for Sampling and Testing Brick and Structural Clay Tile, **04.05**
C68 Withdrawn 1937; Method of Test for Specific Gravity of Fine Aggregate; Replaced by C128
C69 Withdrawn 1943; Method of Test for Voids in Inundated Fine Aggregate
C70-13 Test Method for Surface Moisture in Fine Aggregate, **04.02**
C71-12 Terminology Relating to Refractories, **15.01**
C72 Withdrawn 1949; Specification for Calcined Gypsum for Dental Plasters
C73-10 Specification for Calcium Silicate Brick (Sand-Lime Brick), **04.05**
C74 Withdrawn 1942; Specification for Portland Cement; Replaced by C150
C75 Withdrawn 1957; Specification for Reinforced Concrete Sewer Pipe; Combined with C 76
C76-14 Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, **04.05**
C76M-14 Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric), **04.05**
C77 Withdrawn 1945; Test Method for Specific Gravity of Hydraulic Cement; Replaced by C183, C184, C187, C188, C191
C78/C78M-10$^{\varepsilon 1}$ Test Method for Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading), **04.02**
C79/C79M Withdrawn 2005; Specification for Gypsum Wallboard; Replaced by C1396
C80 Withdrawn 1943; Specification for Curing Portland-Cement Concrete
C81 Withdrawn 1943; Method of Curing Portland-Cement Concrete Slabs with Bituminous Coverings
C82 Withdrawn 1943; Method of Curing Portland-Cement Concrete Slabs with Calcium Chloride Admixture
C83 Withdrawn 1943; Method of Curing Portland-Cement Concrete Slabs by Surface Application of Calcium Chloride
C84 Withdrawn 1943; Method of Curing Portland-Cement Concrete Slabs with Wet Coverings
C85 Withdrawn 1989; Method of Test for Cement Content of Hardened Portland Cement Concrete; Replaced by C1084
C86 Withdrawn 1937; Method of Test for Specific Gravity and Absorption of Coarse Aggregates; Replaced by C127
C87/C87M-10 Test Method for Effect of Organic Impurities in Fine Aggregate on Strength of Mortar, **04.02**
C88-13 Test Method for Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, **04.02**
C89 Withdrawn 1938; Method of Test for Soundness of Coarse Aggregates by Use of Sodium Sulfate, or Magnesium Sulfate; Replaced by C88
C90-14 Specification for Loadbearing Concrete Masonry Units, **04.05**
C91/C91M-12 Specification for Masonry Cement, **04.01**
C92-95(2010) Test Methods for Sieve Analysis and Water Content of Refractory Materials, **15.01**
C93 Withdrawn 1992; Test Methods for Cold Crushing Strength and Modulus of Rupture of Insulating Firebrick
C94/C94M-14a Specification for Ready-Mixed Concrete, **04.02**
C95 Withdrawn 1938; Method of Test for Specific Gravity and Absorption of Course Aggregate; Replaced by C127, C128
C96 Withdrawn 1937; Method of Test for Specific Gravity and Absorption of Fine Aggregate; Replaced by C127, C128
C97/C97M-09 Test Methods for Absorption and Bulk Specific Gravity of Dimension Stone, **04.07**
C98 Withdrawn 1941; Method of Test for Compressive Strength of Natural Building Stone; Replaced by C170
C99/C99M-09 Test Method for Modulus of Rupture of Dimension Stone, **04.07**
C100 Withdrawn 1951; Method of Test for Modulus of Elasticity of Natural Building Stone
C101 Withdrawn 1942; Method of Sampling Natural Building Stone and Preparation of Sample for Testing
C102 Withdrawn 1951; Method of Shear Testing of Natural Building Stone
C103 Withdrawn 1942; Method of Tension Testing of Natural Building Stone

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C104 Withdrawn 1942; Definition of Terms Relating to Natural Building Stone
C105 Withdrawn 1984; Specification for Ground Fire Clay as a Refractory Mortar for Laying-Up Fireclay Brick
C106 Withdrawn 1973; Specification for Refractories for Incinerators
C107 Withdrawn 1994; Method of Panel Spalling Testing High-Duty Fireclay Brick
C108-46(2013) Symbols for Heat Transmission, **15.01**
C109/C109M-13 Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), **04.01**
C110-11 Test Methods for Physical Testing of Quicklime, Hydrated Lime, and Limestone, **04.01**
C111 Withdrawn 1950; Specification for Sodium Silicate for Curing Concrete
C112 Withdrawn 1974; Methods of Sampling and Testing Structural Clay Tile; Combined with C 67
C113-02(2008) Test Method for Reheat Change of Refractory Brick, **15.01**
C114-13 Test Methods for Chemical Analysis of Hydraulic Cement, **04.01**
C115/C115M-10ε1 Test Method for Fineness of Portland Cement by the Turbidimeter, **04.01**
C116 Withdrawn 1999; Test Method for Compressive Strength of Concrete Using Portions of Beams Broken in Flexure
C117-13 Test Method for Materials Finer than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing, **04.02**
C118-11 Specification for Concrete Pipe for Irrigation or Drainage, **04.05**
C118M-11 Specification for Concrete Pipe for Irrigation or Drainage (Metric), **04.05**
C119-11 Terminology Relating to Dimension Stone, **04.07**
C120/C120M-12 Test Methods of Flexure Testing of Slate (Breaking Load, Modulus of Rupture, Modulus of Elasticity), **04.07**
C121/C121M-09ε1 Test Method for Water Absorption of Slate, **04.07**
C122 Withdrawn 1994; Test Method for Panel Spalling Testing Super-Duty Fireclay Brick
C123/C123M-12 Test Method for Lightweight Particles in Aggregate, **04.02**
C124 Withdrawn 1974; Method of Test for Flow of Portland-Cement Concrete by Use of the Flow Table
C125-13b Terminology Relating to Concrete and Concrete Aggregates, **04.02**
C126-14 Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, **04.05**
C127-12 Test Method for Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, **04.02**
C128-12 Test Method for Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate, **04.02**
C129-11 Specification for Nonloadbearing Concrete Masonry Units, **04.05**
C130 Withdrawn 1955; Specification for Lightweight Aggregates for Concrete; Replaced by C330, C331, C332
C131/C131M-14 Test Method for Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, **04.02**
C132 Withdrawn 1944; Specification for Fire-Retardant Properties of Wood for Scaffolding and Shoring
C133-97(2008)ε1 Test Methods for Cold Crushing Strength and Modulus of Rupture of Refractories, **15.01**
C134-95(2010) Test Methods for Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, **15.01**
C135-96(2009)ε1 Test Method for True Specific Gravity of Refractory Materials by Water Immersion, **15.01**
C136-06 Test Method for Sieve Analysis of Fine and Coarse Aggregates, **04.02**
C137 Withdrawn 1991; Specification for Solid Load-Bearing Concrete Masonry Units; Replaced by C90
C138/C138M-14 Test Method for Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, **04.02**
C139-11 Specification for Concrete Masonry Units for Construction of Catch Basins and Manholes, **04.05**
C140/C140M-14 Test Methods for Sampling and Testing Concrete Masonry Units and Related Units, **04.05**
C141/C141M-09 Specification for Hydrated Hydraulic Lime for Structural Purposes, **04.01**
C142/C142M-10 Test Method for Clay Lumps and Friable Particles in Aggregates, **04.02**
C143/C143M-12 Test Method for Slump of Hydraulic-Cement Concrete, **04.02**
C144-11 Specification for Aggregate for Masonry Mortar, **04.05**
C145 Withdrawn 1992; Specification for Load-Bearing Concrete Masonry Units; Replaced by C90
C146-94a(2009) Test Methods for Chemical Analysis of Glass Sand, **15.02**
C147-86(2010) Test Methods for Internal Pressure Strength of Glass Containers, **15.02**
C148-12 Test Methods for Polariscopic Examination of Glass Containers, **15.02**
C149-86(2010) Test Method for Thermal Shock Resistance of Glass Containers, **15.02**
C150/C150M-12 Specification for Portland Cement, **04.01**
C151/C151M-09 Test Method for Autoclave Expansion of Hydraulic Cement, **04.01**
C152 Redesignated 1941 - E152; Methods of Fire Tests of Door Assemblies
C153 Withdrawn 1973; Specification for Refractories for Moderate Duty Stationary Boiler Service; Combined with C 64
C154 Withdrawn 1985; Method of Test for Warpage of Refractory Brick and Tile, or Deviation from Plane Surface
C155-97(2013) Classification of Insulating Firebrick, **15.01**
C156-11 Test Method for Water Loss from a Mortar Specimen Through Liquid Membrane-Forming Curing Compounds for Concrete, **04.02**
C157/C157M-08ε1 Test Method for Length Change of Hardened Hydraulic-Cement Mortar and Concrete, **04.02**
C158-02(2012) Test Methods for Strength of Glass by Flexure (Determination of Modulus of Rupture), **15.02**
C159-06(2011) Specification for Vitrified Clay Filter Blocks, **04.05**
C160 Withdrawn 1960; Specification for Mortar for Unit Masonry
C161 Withdrawn 1959; Specification for Mortar for Unit Masonry
C162-05(2010) Terminology of Glass and Glass Products, **15.02**
C163-05(2010) Practice for Mixing Thermal Insulating Cement Samples, **04.06**
C164 Withdrawn 1962; Method of Test for Storage Density of Thermal Insulating Cement
C165-07(2012) Test Method for Measuring Compressive Properties of Thermal Insulations, **04.06**
C166-05(2010) Test Method for Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement, **04.06**
C167-09 Test Methods for Thickness and Density of Blanket or Batt Thermal Insulations, **04.06**
C168-13 Terminology Relating to Thermal Insulation, **04.06**
C169-92(2011) Test Methods for Chemical Analysis of Soda-Lime and Borosilicate Glass, **15.02**
C170/C170M-14 Test Method for Compressive Strength of Dimension Stone, **04.07**
C171-07 Specification for Sheet Materials for Curing Concrete, **04.02**
C172/C172M-14 Practice for Sampling Freshly Mixed Concrete, **04.02**
C173/C173M-14 Test Method for Air Content of Freshly Mixed Concrete by the Volumetric Method, **04.02**
C174/C174M-13 Test Method for Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, **04.02**
C175 Withdrawn 1971; Specification for Air-Entraining Portland Cement; Replaced by C150
C176 Withdrawn 1973; Specification for Fireday Plastic Refractories for Boiler and Incinerator Services; Replaced by C64
C177-13 Test Method for Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus, **04.06**
C178 Withdrawn 1973; Specification for Air-Setting Refractory Mortar (Wet Type) for Boiler and Incinerator Services
C179-11 Test Method for Drying and Firing Linear Change of Refractory Plastic and Ramming Mix Specimens, **15.01**
C180 Withdrawn 1986; Method of Panel Spalling Testing Fireclay Plastic Refractories
C181-11 Test Method for Workability Index of Fireclay and High-Alumina Refractory Plastics, **15.01**
C182-88(2013) Test Method for Thermal Conductivity of Insulating Firebrick, **15.01**
C183-13 Practice for Sampling and the Amount of Testing of Hydraulic Cement, **04.01**
C184 Withdrawn 2002; Test Method for Fineness of Hydraulic Cement by the 150-µm (No. 100) and 75-µm (No. 200) Sieves
C185-08 Test Method for Air Content of Hydraulic Cement Mortar, **04.01**
C186-13 Test Method for Heat of Hydration of Hydraulic Cement, **04.01**
C187-11ε1 Test Method for Amount of Water Required for Normal Consistency of Hydraulic Cement Paste, **04.01**
C188-14 Test Method for Density of Hydraulic Cement, **04.01**
C189 Withdrawn 1957; Method of Test for Soundness of Hydraulic Cement Over Boiling Water (Pat Test) of Portland Cement
C190 Withdrawn 1991; Test Method for Tensile Strength of Hydraulic Cement Mortars
C191-13 Test Methods for Time of Setting of Hydraulic Cement by Vicat Needle, **04.01**
C192/C192M-14 Practice for Making and Curing Concrete Test Specimens in the Laboratory, **04.02**
C193 Withdrawn 1977; Specification for Magnesia Thermal Insulating Cement
C194 Withdrawn 1977; Specification for Asbestos Thermal Insulating and Finishing Cement
C195-07(2013) Specification for Mineral Fiber Thermal Insulating Cement, **04.06**
C196-00(2010) Specification for Expanded or Exfoliated Vermiculite Thermal Insulating Cement, **04.06**
C197 Withdrawn 1978; Specification for Diatomaceous Silica Thermal Insulating Cement
C198-09(2013) Test Method for Cold Bonding Strength of Refractory Mortar, **15.01**
C199-84(2011) Test Method for Pier Test for Refractory Mortars, **15.01**
C200 Withdrawn 1973; Specification for Extra Strength Clay Pipe; Replaced by C700
C201-93(2013) Test Method for Thermal Conductivity of Refractories, **15.01**
C202-93(2013) Test Method for Thermal Conductivity of Refractory Brick, **15.01**
C203-05a(2012) Test Methods for Breaking Load and Flexural Properties of Block-Type Thermal Insulation, **04.06**
C204-11 Test Methods for Fineness of Hydraulic Cement by Air-Permeability Apparatus, **04.01**
C205 Withdrawn 1968; Specification for Portland Blast-Furnace Cement; Replaced by C595
C206-03(2009) Specification for Finishing Hydrated Lime, **04.01**
C207-06(2011) Specification for Hydrated Lime for Masonry Purposes, **04.01**
C208-12 Specification for Cellulosic Fiber Insulating Board, **04.06**
C209-12 Test Methods for Cellulosic Fiber Insulating Board, **04.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C210-95(2007)ε1 Test Method for Reheat Change of Insulating Firebrick, **15.01**
C211 Withdrawn 1973; Specification for Standard Strength Perforated Clay Pipe; Replaced by C700
C212-14 Specification for Structural Clay Facing Tile, **04.05**
C213 Withdrawn 1973; Specification for Alumina-Silica Castable Refractories for Boiler Furnaces and Incinerators; Combined with C 64
C214 Withdrawn 1955; Method of Test for Measuring Water Vapor of Materials in Sheet Form; Replaced by E96
C215-08 Test Method for Fundamental Transverse, Longitudinal, and, **04.02**
C216-14 Specification for Facing Brick (Solid Masonry Units Made from Clay or Shale), **04.05**
C217/C217M-09 Test Method for Weather Resistance of Slate, **04.07**
C218 Withdrawn 1965; Method of Test for Combined Effect of Temperature Cycles and Weak Salt Solution on Natural Building stone
C219-14 Terminology Relating to Hydraulic Cement, **04.01**
C220-91(2009) Specification for Flat Asbestos-Cement Sheets, **04.05**
C221-98(2008) Specification for Corrugated Asbestos-Cement Sheets, **04.05**
C222-97(2008) Specification for Asbestos-Cement Roofing Shingles, **04.05**
C223-98(2008) Specification for Asbestos-Cement Siding, **04.05**
C224-78(2009) Practice for Sampling Glass Containers, **15.02**
C225-85(2009) Test Methods for Resistance of Glass Containers to Chemical Attack, **15.02**
C226-12 Specification for Air-Entraining Additions for Use in the Manufacture of Air-Entraining Hydraulic Cement, **04.01**
C227-10 Test Method for Potential Alkali Reactivity of Cement-Aggregate, **04.02**
C228 Withdrawn 1956; Method of Test for Sodium Oxide and Potassium Oxide in Portland Cement by Flame Photometry; Replaced by C114
C229 Withdrawn 1955; Method of Test for Setting Time of Hydraulic Cement in Mortar (Replacement Card)
C230/C230M-13 Specification for Flow Table for Use in Tests of Hydraulic Cement, **04.01**
C231/C231M-14 Test Method for Air Content of Freshly Mixed Concrete by the Pressure Method, **04.02**
C232/C232M-14 Test Method for Bleeding of Concrete, **04.02**
C233/C233M-11 Test Method for Air-Entraining Admixtures for Concrete, **04.02**
C234 Withdrawn 2000; Test Method for Comparing Concretes on the Basis of the Bond Developed with Reinforcing Steel
C235 Withdrawn 1978; Method of Test for Scratch Hardness of Coarse Aggregate Particles; Replaced by C851
C236 Withdrawn 2001; Test Method for Steady-State Thermal Performance of Building Assemblies by Means of a Guarded Hot Box; Replaced by C1363
C237 Withdrawn 1974; Method of Sampling Magnesium Oxychloride Compositions and Ingredients
C238 Withdrawn 1974; Method of Test for Sieve Analysis of Magnesium Oxychloride Compositions, Aggregates, and Fillers
C239 Withdrawn 1974; Method of Test for Sieve Analysis of Plastic Calcined Magnesia
C240-08(2012) Test Methods of Testing Cellular Glass Insulation Block, **04.06**
C241/C241M-13 Test Method for Abrasion Resistance of Stone Subjected to Foot Traffic, **04.07**
C242-14 Terminology of Ceramic Whitewares and Related Products, **15.02**
C243 Withdrawn 2001; Test Method for Bleeding of Cement Pastes and Mortars
C244 Withdrawn 1974; Methods for Chemical Analysis of Magnesium Sulfate, Technical Grade
C245 Withdrawn 1974; Methods for Chemical Analysis of Magnesium Chloride
C246 Withdrawn 1974; Methods for Physical Testing of Magnesia for Magnesium Oxychloride Cements
C247 Withdrawn 1974; Methods of Test for Ignition Loss and Active Calcium Oxide in Magnesium Oxide for Use in Magnesium Oxychloride Cements
C248 Withdrawn 1974; Method of Test for Bulk Density of Magnesium Oxychloride Cements
C249 Withdrawn 1974; Method of Slump Test for Field Consistency of Magnesium Oxychloride Cements
C250 Withdrawn 1974; Method for Field Determination of Specific Gravity of Gauging Solutions for Magnesium Oxychloride Cements
C251 Withdrawn 1974; Method for Mixing Magnesium Oxychloride Cement Compositions with Gauging Solution (for Preparation of Specimens for Laboratory Tests)
C252 Withdrawn 1974; Method of Test for Linear Contraction of Magnesium Oxychloride Cements
C253 Withdrawn 1974; Method of Test for Linear Change of Magnesium Oxychloride Cements
C254 Withdrawn 1974; Method of Test for Setting Time of Magnesium Oxychloride Cements
C255 Withdrawn 1974; Method of Test for Consistency of Magnesium Oxychloride Cements by the Flow Table
C256 Withdrawn 1974; Method of Test for Flexural Strength of Magnesium Oxychloride Cements (Using Simple Bar with Two-Point or Single-Point Loading)
C257 Withdrawn 1974; Method of Test for Compressive Strength of Magnesium Oxychloride Cements
C258 Withdrawn 1982; Specification for Quicklime for Calcium Chloride Manufacture; Replaced by C911
C259 Withdrawn 1982; Specification for Hydrated Lime for Grease Manufacture; Replaced by C911
C260/C260M-10a Specification for Air-Entraining Admixtures for Concrete, **04.02**
C261 Withdrawn 1965; Specification for Standard Strength of Unglazed Clay Pipe
C262 Withdrawn 1979; Specification for Mineral Fiber Batt Insulation (Industrial Type)
C263 Withdrawn 1967; Specification for Mineral Fiber Blanket Insulation (Metal-Mesh Covered)(Industrial Type); Replaced by C592
C264 Withdrawn 1966; Specification for Mineral Fiber Felt Insulation (Industrial Type) for low temperatures; Replaced by C553
C265-08 Test Method for Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar, **04.01**
C266-13 Test Method for Time of Setting of Hydraulic-Cement Paste by Gillmore Needles, **04.01**
C267-01(2012) Test Methods for Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, **06.02**
C268 Withdrawn 1979; Method of Test for Modulus of Rupture of Castable Refractories; Replaced by C860, C862, C865
C269 Withdrawn 1979; Method of Test for Permanent Linear Change on Firing of Castable Refractories; Replaced by C860, C862, C865
C270-12a Specification for Mortar for Unit Masonry, **04.05**
C271/C271M-11 Test Method for Density of Sandwich Core Materials, **15.03**
C272/C272M-12 Test Method for Water Absorption of Core Materials for Sandwich Constructions, **15.03**
C273/C273M-11 Test Method for Shear Properties of Sandwich Core Materials, **15.03**
C274-07 Terminology of Structural Sandwich Constructions, **15.03**
C275 Withdrawn 1973; Specification for Oxychloride Magnesia
C276 Withdrawn 1974; Specification for Magnesium Chloride
C277 Withdrawn 1974; Specification for Magnesium Sulfate, Technical Grade
C278 Withdrawn 1965; Specification for Extra Strength Unglazed Clay Pipe; Replaced by C700
C279-13a Specification for Chemical-Resistant Masonry Units, **04.05**
C280 Withdrawn 1967; Specification for Mineral Fiber Blanket-Type Pipe Insulation; Replaced by C592
C281 Withdrawn 1965; Specification for Mineral Fiber Preformed Pipe Insulation for Elevated Temperatures; Replaced by C547
C282-10 Test Method for Acid Resistance of Porcelain Enamels, **02.05**
C283-13 Test Methods for Resistance of Porcelain Enameled Utensils to Boiling Acid, **02.05**
C284 Withdrawn 1963; Method of Test for Impact Resistance of Porcelain Enameled Utensils
C285-10 Test Methods for Sieve Analysis of Wet-Milled and Dry-Milled Porcelain Enamel, **02.05**
C286-99(2009) Terminology Relating to Porcelain Enamel and Ceramic-Metal Systems, **02.05**
C287-98(2012) Specification for Chemical-Resistant Sulfur Mortar, **04.05**
C288-87(2009) Test Method for Disintegration of Refractories in an Atmosphere of Carbon Monoxide, **15.01**
C289-07 Test Method for Potential Alkali-Silica Reactivity of Aggregates (Chemical Method), **04.02**
C290 Withdrawn 1972; Method of Test for Resistance of Concrete Specimens to Rapid Freezing and Thawing in Water; Replaced by C666
C291 Withdrawn 1972; Method of Test for Resistance of Concrete Specimens to Rapid Freezing in Air and Thawing in Water; Replaced by C666
C292 Withdrawn 1966; Method of Test for Resistance of Concrete Specimens to Slow Freezing and Thawing in Water or Brine
C293/C293M-10 Test Method for Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading), **04.02**
C294-12 Descriptive Nomenclature for Constituents of Concrete Aggregates, **04.02**
C295/C295M-12 Guide for Petrographic Examination of Aggregates for Concrete, **04.02**
C296/C296M-00(2009)ε1 Specification for Asbestos-Cement Pressure Pipe, **04.05**
C297/C297M-04(2010) Test Method for Flatwise Tensile Strength of Sandwich Constructions, **15.03**
C298 Withdrawn 1973; Specification for Cellular Asbesstos Paper Thermal Insulation for Pipes
C299 Withdrawn 1973; Specification for Laminated Asbestos Thermal Insulation for Pipes
C300 Withdrawn 1964; Specification for Mineral Fiber Preformed Pipe Insulation for Low Temperatures; Replaced by C547
C301-13 Test Methods for Vitrified Clay Pipe, **04.05**
C302-13 Test Method for Density and Dimensions of Preformed Pipe-Covering-Type Thermal Insulation, **04.06**
C303-10 Test Method for Dimensions and Density of Preformed Block and BoardType Thermal Insulation, **04.06**
C304 Withdrawn 1957; Method of Test for Vibration Resistance of Preformed Thermal Insulation for Pipes
C305-13 Practice for Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency, **04.01**
C306 Withdrawn 1972; Method of Test for Compressive Strength of Chemical-Resistant Resin Mortars
C307-03(2012) Test Method for Tensile Strength of Chemical-Resistant Mortar, Grouts, and Monolithic Surfacings, **06.02**
C308-00(2012)ε1 Test Methods for Working, Initial Setting, and Service Strength Setting Times of Chemical-Resistant Resin Mortars, **06.02**
C309-11 Specification for Liquid Membrane-Forming Compounds for Curing Concrete, **04.02**
C310 Withdrawn 1965; Method of Test for Resistance of Concrete Specimens to Slow Freezing in Air and Thawing in Water

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C311/C311M-13 Test Methods for Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, **04.02**
C312 Withdrawn 1967; Recommended Practice for Clearance of Preformed Thermal Pipe Insulation; Replaced by C585
C313 Withdrawn 1989; Method of Test for Adherence of Porcelain Enamel and Ceramic Coatings to Sheet Metal
C314 Withdrawn 1981; Test Method for Flatness of Porcelain Enameled Panels
C315-07(2011) Specification for Clay Flue Liners and Chimney Pots, **04.05**
C316 Withdrawn 1986; Classification of Single- and Double-Screened Ground Refractory Materials
C317/C317M-00(2010) Specification for Gypsum Concrete, **04.01**
C318/C318M-13 Specification for Gypsum Formboard, **04.01**
C319 Withdrawn 1963; Specification for 85 Percent Magnesia Block-Type Thermal Insulation; Replaced by C489
C320 Withdrawn 1963; Specification for 85 Percent Magnesia Thermal Insulation; Replaced by C489
C321-00(2012) Test Method for Bond Strength of Chemical-Resistant Mortars, **04.05**
C322-09 Practice for Sampling Ceramic Whiteware Clays, **15.02**
C323-56(2011) Test Methods for Chemical Analysis of Ceramic Whiteware Clays, **15.02**
C324-01(2014) Test Method for Free Moisture in Ceramic Whiteware Clays, **15.02**
C325-07(2014) Guide for Wet Sieve Analysis of Ceramic Whiteware Clays, **15.02**
C326-09 Test Method for Drying and Firing Shrinkages of Ceramic Whiteware Clays, **15.02**
C327 Withdrawn 1980; Method of Test for Linear Thermal Expansion of Fired Ceramic Whiteware Materials by the Interferometric Method; Replaced by C539
C328 Withdrawn 1972; Test Methods for Modulus of Rupture of Fired, Dry-Pressed Ceramic Whiteware Specimens at Normal Temperature; Replaced by C674
C329-88(2011) Test Method for Specific Gravity of Fired Ceramic Whiteware Materials, **15.02**
C330/C330M-14 Specification for Lightweight Aggregates for Structural Concrete, **04.02**
C331/C331M-14 Specification for Lightweight Aggregates for Concrete Masonry Units, **04.02**
C332-09 Specification for Lightweight Aggregates for Insulating Concrete, **04.02**
C333 Withdrawn 1963; Specification for Diatomaceous Earth Thermal Block Insulation; Replaced by C517
C334 Withdrawn 1963; Specification for Diatomaceous Earth Thermal Insulation for Pipes; Replaced by C517
C335/C335M-10$^{\epsilon 1}$ Test Method for Steady-State Heat Transfer Properties of Pipe Insulation, **04.06**
C336-71(2010) Test Method for Annealing Point and Strain Point of Glass by Fiber Elongation, **15.02**
C337 Withdrawn 1970; Method of Test for Average Linear Expansion of Glass; Replaced by E228
C338-93(2013) Test Method for Softening Point of Glass, **15.02**
C339 Withdrawn 1970; Specification for Cork Pipe Insulation for Low Temperature; Replaced by C640
C340 Withdrawn 1970; Specification for Corkboard Thermal Insulation
C341/C341M-13 Practice for Preparation and Conditioning of Cast, Drilled, or Sawed Specimens of Hydraulic-Cement Mortar and Concrete Used for Length Change Measurements, **04.02**
C342 Withdrawn 2001; Test Method for Potential Volume Change of Cement-Aggregate Combinations
C343 Withdrawn 1966; Specification for Cellular Glass Insulating Block; Replaced by C552
C344 Withdrawn 1964; Specification for Calcium Silicate Thermal Block Insulation; Replaced by C553
C345 Withdrawn 1964; Specification for Calcium Silicate Thermal Insulation for Pipes; Replaced by C553
C346-87(2009) Test Method for 45-deg Specular Gloss of Ceramic Materials, **02.05**
C347 Withdrawn 1991; Method of Test for Reflectivity and Coefficient of Scatter of White Porcelain Enamels
C348-08 Test Method for Flexural Strength of Hydraulic-Cement Mortars, **04.01**
C349-08 Test Method for Compressive Strength of Hydraulic-Cement Mortars, **04.01**
C350 Withdrawn 1969; Specification for Fly Ash for Use As an Admixture in Portland Cement Concrete; Replaced by C618
C351 Withdrawn 2008; Test Method for Mean Specific Heat of Thermal Insulation
C352 Withdrawn 1969; Specification for Corkboard Thermal Insulation; Replaced by C640
C353 Withdrawn 2002; Test Method for Adhesion of Dried Thermal Insulating or Finishing Cement
C354 Withdrawn 2002; Test Method for Compressive Strength of Thermal Insulating or Finishing Cement
C355 Withdrawn 1983; Test Methods for Water Vapor Transmission of Thick Materials; Replaced by E96
C356-10 Test Method for Linear Shrinkage of Preformed High-Temperature Thermal Insulation Subjected to Soaking Heat, **04.06**
C357-07(2009)$^{\epsilon 1}$ Test Method for Bulk Density of Granular Refractory Materials, **15.01**
C358 Withdrawn 1968; Specification for Slag Cement; Replaced by C595
C359-13 Test Method for Early Stiffening of Hydraulic Cement (Mortar Method), **04.01**
C360 Withdrawn 1999; Test Method for Ball Penetration in Freshly Mixed Hydraulic Cement Concrete
C361-14a Specification for Reinforced Concrete Low-Head Pressure Pipe, **04.05**
C361M-14 Specification for Reinforced Concrete Low-Head Pressure Pipe (Metric), **04.05**
C362 Withdrawn 1960; Specification for Reinforced Concrete Onternal Pressure Sewer Pipe
C363/C363M-09 Test Method for Node Tensile Strength of Honeycomb Core Materials, **15.03**
C364/C364M-07(2012) Test Method for Edgewise Compressive Strength of Sandwich Constructions, **15.03**
C365/C365M-11a Test Method for Flatwise Compressive Properties of Sandwich Cores, **15.03**
C366/C366M-11 Test Methods for Measurement of Thickness of Sandwich Cores, **15.03**
C367/C367M-09 Test Methods for Strength Properties of Prefabricated Architectural Acoustical Tile or Lay-In Ceiling Panels, **04.06**
C368-88(2011) Test Method for Impact Resistance of Ceramic Tableware, **15.02**
C369 Withdrawn 1972; Method of Test for Modulus of Rupture of Fired, Cast or Extruded Whiteware Products; Replaced by C674
C370-12 Test Method for Moisture Expansion of Fired Whiteware Products, **15.02**
C371-09 Test Method for Wire-Cloth Sieve Analysis of Nonplastic Ceramic Powders, **15.02**
C372-94(2012) Test Method for Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method, **15.02**
C373-88(2006) Test Method for Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products, **15.02**
C374-70(2009) Test Methods for Fusion Flow of Porcelain Enamel Frits (Flow-Button Methods), **02.05**
C375-58(2011)$^{\epsilon 1}$ Classification of Water Used in Milling of Porcelain Enamel, **02.05**
C376 Withdrawn 1974; Definition of Terms Relating to Magnesium Oxychloride and Magnesium Oxysulfate Cements
C377 Withdrawn 1983; Specification for Precast Reinforced Gypsum Slabs
C378 Withdrawn 1968; Specification for Mineral Fiber Block or Board Insulation for Low Temperature; Replaced by C612
C379 Withdrawn 1967; Specification for Fly Ash for Use As a Pozzolanic Material With Lime; Replaced by C593
C380 Withdrawn 1965; Specification for Annular Ringed Nails for Gypsum Wallboard; Replaced by C514
C381 Withdrawn 1965; Specification for Cellular Glass Thermal Insulation for Pipes; Replaced by C552
C382 Withdrawn 1965; Specification for Mineral Fiber Blanket and Felt Insulation (Industrial type) for Elevated Temperatures; Replaced by C553
C383 Withdrawn 2002; Test Method for Wet Adhesion of Thermal Insulating Cements to Metal
C384-04(2011) Test Method for Impedance and Absorption of Acoustical Materials by Impedance Tube Method, **04.06**
C385-58(2009) Test Method for Thermal Shock Resistance of Porcelain-Enameled Utensils, **02.05**
C386-93(2012) Practice for Use of Chemical-Resistant Sulfur Mortar, **04.05**
C387/C387M-11b Specification for Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, **04.02**
C388 Withdrawn 1974; Method of Test for Yield of Magnesium Oxychloride Cement (Field Test)
C389 Withdrawn 1974; Method of Test for Yield of Magnesium Oxychloride Cement (Laboratory Test)
C390-08(2013) Practice for Sampling and Acceptance of Thermal Insulation Lots, **04.06**
C391 Withdrawn 1977; Specification for Amosite Asbestos Thermal Insulation for Pipes
C392 Withdrawn 1968; Specification for Mineral Fiber Block or Board Thermal Insulation for Elevated Temperatures; Replaced by C612
C393/C393M-11$^{\epsilon 1}$ Test Method for Core Shear Properties of Sandwich Constructions by Beam Flexure, **15.03**
C394/C394M-13 Test Method for Shear Fatigue of Sandwich Core Materials, **15.03**
C395-01(2012) Specification for Chemical-Resistant Resin Mortars, **04.05**
C396 Withdrawn 1983; Method of Test for Compressive Strength of Chemically Setting Silicate and Silica Chemical-Resistant Mortars; Replaced by C579
C397-00(2012) Practice for Use of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, **04.05**
C398-98(2012) Practice for Use of Hydraulic Cement Mortars in Chemical-Resistant Masonry, **04.05**
C399-98(2012) Practice for Use of Chemical-Resistant Resin Mortars, **04.05**
C400-98(2013) Test Methods for Quicklime and Hydrated Lime for Neutralization of Waste Acid, **04.01**
C401-12 Classification of Alumina and Alumina-Silicate Castable Refractories, **15.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C402 Withdrawn 1968; Specification for Raw or Calcined Natural Pozzolans for Use As Admixtures in Portland Cement Concrete; Replaced by C618
C403/C403M-08 Test Method for Time of Setting of Concrete Mixtures by Penetration Resistance, **04.02**
C404-11 Specification for Aggregates for Masonry Grout, **04.05**
C405 Withdrawn 2006; Practice for Estimating Consistency of Wet-Mixed Thermal Insulating Cement
C406/C406M-10 Specification for Roofing Slate, **04.07**
C407 Withdrawn 1975; Method of Test for Compressive (Crushing) Strength of Fired Whiteware Materials; Replaced by C773
C408-88(2011) Test Method for Thermal Conductivity of Whiteware Ceramics, **15.02**
C409 Withdrawn 1990; Test Method for Torsion Resistance of Laboratory Specimens of Porcelain Enameled Iron and Steel
C410-13 Specification for Industrial Floor Brick, **04.05**
C411-11 Test Method for Hot-Surface Performance of High-Temperature Thermal Insulation, **04.06**
C412-11 Specification for Concrete Drain Tile, **04.05**
C412M-11 Specification for Concrete Drain Tile (Metric), **04.05**
C413-01(2012) Test Method for Absorption of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, **06.02**
C414-03(2012) Test Method for Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, **04.05**
C415 Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Calcium Silicate Products; Replaced by C911
C416-97(2013) Classification of Silica Refractory Brick, **15.01**
C417-05(2010)$^{\epsilon 1}$ Test Method for Thermal Conductivity of Unfired Monolithic Refractories, **15.01**
C418-12 Test Method for Abrasion Resistance of Concrete by Sandblasting, **04.02**
C419-08(2013) Practice for Making and Curing Test Specimens of Mastic Thermal Insulation Coatings, **04.06**
C420 Withdrawn 1970; Method of Test for Thermal Conductivity of Insulating Materials at Low Temperatures by Means of the Wilkes Calorimeter
C421-08(2014) Test Method for Tumbling Friability of Preformed Block-Type and Preformed Pipe-Covering-Type Thermal Insulation, **04.06**
C422 Withdrawn 1964; Specification for Structural Granite
C423-09a Test Method for Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method, **04.06**
C424-93(2012) Test Method for Crazing Resistance of Fired Glazed Whitewares by Autoclave Treatment, **15.02**
C425-04(2013) Specification for Compression Joints for Vitrified Clay Pipe and Fittings, **04.05**
C426-10 Test Method for Linear Drying Shrinkage of Concrete Masonry Units, **04.05**
C427 Withdrawn 1981; Method of Test for Moisture Condition of Hardened Concrete by the Relative Humidity Method
C428/C428M-05(2011)$^{\epsilon 1}$ Specification for Asbestos-Cement Nonpressure Sewer Pipe, **04.05**
C429-01(2011) Test Method for Sieve Analysis of Raw Materials for Glass Manufacture, **15.02**
C430-08 Test Method for Fineness of Hydraulic Cement by the 45-m (No. 325) Sieve, **04.01**
C431 Withdrawn 1975; Methods for Sampling and Evaluation of Sorptive Mineral Products Used As Floor Absorbents
C432 Withdrawn 1967; Specification for Pozzolans for Use with Lime; Replaced by C593
C433 Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Hypochlorite Bleach Manufacture; Replaced by C911
C434 Withdrawn 1984; Specification for Insulating Firebrick for Linings of Industrial Furnaces Operated with a Neutral or Oxidizing Atmosphere
C435 Withdrawn 2001; Classification of Steel Pouring Pit Fireclay Refractories
C436 Withdrawn 1990; Test Method for Reheat Change of Carbon Refractory Brick and Shapes
C437 Withdrawn 1971; Test Method for Size and Bulk Density of Insulating Fire Brick; Replaced by C134
C438 Withdrawn 1973; Method of Test for Thermal Conductivity of Plastic Refractories; Replaced by C417
C439 Withdrawn 1990; Test Method for Resisistance to Thermal Spalling of Silica Brick
C440 Withdrawn 1969; Specification for Cotton Mats for Curing Concrete
C441/C441M-11 Test Method for Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, **04.02**
C442/C442M Withdrawn 2005; Specification for Gypsum Wallboard; Replaced by C1396
C443-12 Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets, **04.05**
C443M-11 Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric), **04.05**
C444-03(2009) Specification for Perforated Concrete Pipe, **04.05**
C444M-03(2009) Specification for Perforated Concrete Pipe (Metric), **04.05**
C445 Withdrawn 1980; Method of Test for Normal Total Emittance of Surfaces of Materials 0.01 in. or Less in Thickness at Approximately Room Temperature
C446 Withdrawn 2002; Test Method for Breaking Load and Calculated Modulus of Rupture of Preformed Insulation for Pipes
C447-03(2010) Practice for Estimating the Maximum Use Temperature of Thermal Insulations, **04.06**
C448-88(2011)$^{\epsilon 1}$ Test Methods for Abrasion Resistance of Porcelain Enamels, **02.05**
C449-07(2013) Specification for Mineral Fiber Hydraulic-Setting Thermal Insulating and Finishing Cement, **04.06**
C450-08(2014) Practice for Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, **04.06**
C451-13 Test Method for Early Stiffening of Hydraulic Cement (Paste Method), **04.01**
C452/C452M-10 Test Method for Potential Expansion of Portland-Cement, **04.01**
C453 Withdrawn 1969; Method of Test for Flexural Strength of Chemically Setting Silicate-Type Chemical-Resistant Mortars; Replaced by C580
C454-10 Test Method for Disintegration of Carbon Refractories by Alkali, **15.01**
C455-07(2013) Classification of Chrome, Chrome-Magnesia, Magnesia-Chrome, and Magnesia Brick, **15.01**
C456-13 Test Method for Hydration Resistance of Basic Bricks and Shapes, **15.01**
C457/C457M-12 Test Method for Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, **04.02**
C458/C458M-98(2011)$^{\epsilon 1}$ Test Method for Organic Fiber Content of Asbestos-Cement Products, **04.05**
C459/C459M-97(2011)$^{\epsilon 1}$ Test Methods for Asbestos-Cement Flat Products, **04.05**
C460 Withdrawn 2001; Terminology for Asbestos-Cement; Replaced by D2946
C461-81(2008) Test Methods for Mastics and Coatings Used With Thermal Insulation, **04.06**
C462 Withdrawn 1965; Specification for Standard Strength Ceramic Glazed Clay Pipe; Replaced by C700
C463 Withdrawn 1965; Specification for Extra Strength Ceramic Glazed Clay Pipe; Replaced by C700
C464 Withdrawn 1990; Test Method for Corrosion Effect of Thermal Insulating Cements on Base Metal
C465-10 Specification for Processing Additions for Use in the Manufacture, **04.01**
C466-03(2012) Specification for Chemically Setting Silicate and Silica Chemical-Resistant Mortars, **04.05**
C467-97(2008) Classification of Mullite Refractories, **15.01**
C468 Withdrawn 1984; Classification of Granular Refractory Dolomite
C469/C469M-14 Test Method for Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression, **04.02**
C470/C470M-09 Specification for Molds for Forming Concrete Test Cylinders Vertically, **04.02**
C471M-13 Test Methods for Chemical Analysis of Gypsum and Gypsum Products (Metric), **04.01**
C472-99(2014) Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete, **04.01**
C473-12 Test Methods for Physical Testing of Gypsum Panel Products, **04.01**
C474-13 Test Methods for Joint Treatment Materials for Gypsum Board Construction, **04.01**
C475/C475M-12 Specification for Joint Compound and Joint Tape for Finishing Gypsum Board, **04.01**
C476-10 Specification for Grout for Masonry, **04.05**
C477 Withdrawn 1970; Specification for Cast-in-Place Nonreinforced Concrete Agricultural Pipeline
C478-13 Specification for Precast Reinforced Concrete Manhole Sections, **04.05**
C478M-13 Specification for Precast Reinforced Concrete Manhole Sections (Metric), **04.05**
C479-04(2013) Specification for Vitrified Clay Liner Plates, **04.05**
C480/C480M-08 Test Method for Flexure Creep of Sandwich Constructions, **15.03**
C481-99(2011) Test Method for Laboratory Aging of Sandwich Constructions, **15.03**
C482-02(2009) Test Method for Bond Strength of Ceramic Tile to Portland Cement Paste, **15.02**
C483 Withdrawn 2004; Test Method for Electrical Resistance of Conductive Ceramic Tile
C484-99(2009) Test Method for Thermal Shock Resistance of Glazed Ceramic Tile, **15.02**
C485-09 Test Method for Measuring Warpage of Ceramic Tile, **15.02**
C486 Withdrawn 1974; Method of Test for Spalling Resistance of Porcelain Enameled Aluminum; Replaced by C703
C487 Withdrawn 1982; Method of Test for Resistance to Dropping of Preformed Block-Type Thermal Insulation
C488-05(2010) Test Method for Conducting Exterior Exposure Tests of Finishes for Thermal Insulation, **04.06**
C489 Withdrawn 1973; Specification for 85 Percent Magnesia Block and Pipe Thermal Insulation; Replaced by C489
C490/C490M-11$^{\epsilon 1}$ Practice for Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete, **04.01, 04.02**
C491 Withdrawn 1992; Test Method for Modulus of Rupture of Air-Setting Plastic Refractories
C492-92(2013) Test Method for Hydration of Granular Dead-Burned Refractory Dolomite, **15.01**
C493 Withdrawn 2002; Test Method for Bulk Density and Porosity of Granular Refractory Materials by Mercury Displacement
C494/C494M-13 Specification for Chemical Admixtures for Concrete, **04.02**
C495/C495M-12 Test Method for Compressive Strength of Lightweight Insulating Concrete, **04.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C496/C496M-11 Test Method for Splitting Tensile Strength of Cylindrical Concrete Specimens, **04.02**
C497-13$^{\epsilon 1}$ Test Methods for Concrete Pipe, Manhole Sections, or Tile, **04.05**
C497M-13a$^{\epsilon 1}$ Test Methods for Concrete Pipe, Manhole Sections, or Tile (Metric), **04.05**
C499-09 Test Method for Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile, **15.02**
C500/C500M-07(2011)$^{\epsilon 1}$ Test Methods for Asbestos-Cement Pipe, **04.05**
C501-84(2009) Test Method for Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser, **15.02**
C502-09 Test Method for Wedging of Flat, Rectangular Ceramic Wall and Floor Tile, **15.02**
C503/C503M-10 Specification for Marble Dimension Stone, **04.07**
C504 Withdrawn 1964; Method of Test for Dry Tensile Bond Strength of Thermal Insulating or Finishing Cements to Thermal Insulations
C505-11 Specification for Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints, **04.05**
C505M-11 Specification for Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric), **04.05**
C506-13a Specification for Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe, **04.05**
C506M-14 Specification for Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe (Metric), **04.05**
C507-14 Specification for Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe, **04.05**
C507M-14 Specification for Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe (Metric), **04.05**
C508/C508M-00(2009)$^{\epsilon 1}$ Specification for Asbestos-Cement Underdrain Pipe, **04.05**
C509-06(2011) Specification for Elastomeric Cellular Preformed Gasket and Sealing, **04.07**
C510-05a(2011) Test Method for Staining and Color Change of Single- or Multicomponent Joint Sealants, **04.07**
C511-13 Specification for Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, **04.01, 04.02**
C512/C512M-10 Test Method for Creep of Concrete in Compression, **04.02**
C513-11 Test Method for Obtaining and Testing Specimens of Hardened Lightweight Insulating Concrete for Compressive Strength, **04.02**
C514-04(2009)$^{\epsilon 1}$ Specification for Nails for the Application of Gypsum Board, **04.01**
C515-95(2007) Specification for Chemical-Resistant Ceramic Tower Packings, **05.05**
C516-08(2013)$^{\epsilon 1}$ Specification for Vermiculite Loose Fill Thermal Insulation, **04.06**
C517 Withdrawn 1989; Specification for Diatomaceous Earth Block and Pipe Thermal Insulation
C518-10 Test Method for Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus, **04.06**
C519 Withdrawn 1995; Test Method for Density of Fibrous Loose Fill Building Insulations
C520-04(2010) Test Methods for Density of Granular Loose Fill Insulations, **04.06**
C521 Withdrawn 1967; Recommended Practice for Outer Diameters of Rigid Thermal Pipe Insulation for Standard Nominal Pipe Sizes (NPS System); Replaced by C585
C522-03(2009)$^{\epsilon 1}$ Test Method for Airflow Resistance of Acoustical Materials, **04.06**
C523 Withdrawn 1991; Test Method for Light Reflectance of Acoustical Materials by the Integrating Sphere Reflectometer
C524 Redesignated F130
C525 Redesignated F131
C526 Redesignated F132
C527 Redesignated F133
C528 Withdrawn 1975; Method of Test for Compressive Strength of High-Strength Ceramic Materials; Replaced by C773
C529 Withdrawn 1975; Definition of Terms Relating to Sorptive Mineral Materials Used As Floor Absorbents
C530-13 Specification for Structural Clay Nonloadbearing Screen Tile, **04.05**
C531-00(2012) Test Method for Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, **06.02**
C532 Withdrawn 1993; Specification for Structural Insulating Formboard (Cellulosic Fiber)
C533-13 Specification for Calcium Silicate Block and Pipe Thermal Insulation, **04.06**
C534/C534M-14 Specification for Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, **04.06**
C535-12 Test Method for Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, **04.02**
C536-83(2009) Test Method for Continuity of Coatings in Glassed Steel Equipment by Electrical Testing, **02.05**
C537-87(2009) Test Method for Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, **02.05**
C538-83(2009) Test Method for Color Retention of Red, Orange, and Yellow Porcelain Enamels, **02.05**
C539-84(2011) Test Method for Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Ceramic Whiteware Materials by Interferometric Method, **02.05**
C540 Withdrawn 1991; Test Method for Image Gloss of Porcelain Enamel Surfaces
C541/C541M-98(2011)$^{\epsilon 1}$ Specification for Linings for Asbestos-Cement Pipe, **04.05**
C542-05(2011) Specification for Lock-Strip Gaskets, **04.07**
C543 Withdrawn 1989; Specification for Slate Blackboards
C544-03(2013) Test Method for Hydration of Dead Burned Magnesite or Periclase Grain, **15.01**
C545-97(2013) Classification of Zircon Refractories, **15.01**
C546 Withdrawn 1985; Method of Test for Load Testing Refractory Brick at High Temperatures, Long Time
C547-12 Specification for Mineral Fiber Pipe Insulation, **04.06**
C548 Withdrawn 1983; Method of Test for Dimensional Stability of Low Temperature Thermal Block and Pipe Insulation
C549-06(2012) Specification for Perlite Loose Fill Insulation, **04.06**
C550-10 Test Method for Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, **04.06**
C551/C551M-07(2011)$^{\epsilon 1}$ Specification for Asbestos-Cement Fiberboard Insulating Panels, **04.05**
C552-13 Specification for Cellular Glass Thermal Insulation, **04.06**
C553-13 Specification for Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications, **04.06**
C554-93(2011) Test Method for Crazing Resistance of Fired Glazed Ceramic Whitewares by a Thermal Shock Method, **15.02**
C555 Withdrawn 1973; Method for Determination of Load Extracted from Glazed Ceramic Surfaces; Replaced by C738
C556 Withdrawn 1994; Test Method for Resistance of Overglaze Decorations to Attack by Detergents
C557-03(2009)$^{\epsilon 1}$ Specification for Adhesives for Fastening Gypsum Wallboard to Wood Framing, **15.06**
C558 Withdrawn 1982; Method for Measurement of Lattice Spacing of Nuclear Graphite
C559-90(2010) Test Method for Bulk Density by Physical Measurements of Manufactured Carbon and Graphite Articles, **05.05**
C560-88(2010)$^{\epsilon 1}$ Test Methods for Chemical Analysis of Graphite, **05.05**
C561-91(2010)$^{\epsilon 1}$ Test Method for Ash in a Graphite Sample, **05.05**
C562-91(2010)$^{\epsilon 1}$ Test Method for Moisture in a Graphite Sample, **05.05**
C563-13 Test Method for Approximation of Optimum SO_3 in Hydraulic Cement Using Compressive Strength, **04.01**
C564-12 Specification for Rubber Gaskets for Cast Iron Soil Pipe and Fittings, **01.02**
C565-93(2010)$^{\epsilon 1}$ Test Methods for Tension Testing of Carbon and Graphite Mechanical Materials, **05.05**
C566-13 Test Method for Total Evaporable Moisture Content of Aggregate by Drying, **04.02**
C567/C567M-14 Test Method for Determining Density of Structural Lightweight Concrete, **04.02**
C568/C568M-10 Specification for Limestone Dimension Stone, **04.07**
C569 Withdrawn 1989; Test Method for Indentation Hardness of Preformed Thermal Insulations
C570 Withdrawn 2002; Specification for Oil- and Resin-Base Caulking Compound for Building Construction
C571 Withdrawn 1995; Methods for Chemical Analysis of Carbon and Carbon-Ceramic Refractories
C572 Withdrawn 1995; Methods for Chemical Analysis of Chrome-Containing Refractories and Chrome Ore
C573 Withdrawn 1995; Methods for Chemical Analysis of Fireclay and High-Alumina Refractories
C574 Withdrawn 1993; Method for Chemical Analysis of Magnesite and Dolomite Refractories
C575 Withdrawn 1995; Methods for Chemical Analysis of Silica Refractories
C576 Withdrawn 1994; Methods for Chemical Analysis of Zircon Refractories
C577-07$^{\epsilon 2}$ Test Method for Permeability of Refractories, **15.01**
C578-14 Specification for Rigid, Cellular Polystyrene Thermal Insulation, **04.06**
C579-01(2012) Test Methods for Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, **06.02**
C580-02(2012) Test Method for Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, **06.02**
C581-03(2008)$^{\epsilon 1}$ Practice for Determining Chemical Resistance of Thermosetting Resins Used in Glass-Fiber-Reinforced Structures Intended for Liquid Service, **08.03**
C582-09 Specification for Contact-Molded Reinforced Thermosetting Plastic (RTP) Laminates for Corrosion-Resistant Equipment, **08.03**
C583-10 Test Method for Modulus of Rupture of Refractory Materials at Elevated Temperatures, **15.01**
C584-81(2011) Test Method for Specular Gloss of Glazed Ceramic Whitewares and Related Products, **15.02**
C585-10 Practice for Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, **04.06**
C586-11 Test Method for Potential Alkali Reactivity of Carbonate Rocks as Concrete Aggregates (Rock-Cylinder Method), **04.02**
C587-04(2014) Specification for Gypsum Veneer Plaster, **04.01**
C588/C588M Withdrawn 2005; Specification for Gypsum Base for Veneer Plasters; Replaced by C1396/C1396M
C589 Withdrawn 1992; Method of Test for Apparent Impact Strength of Preformed Block Type Thermal Insulating Materials
C590 Withdrawn 1986; Method of Test for Action on Substrates by Coatings, Adhesives and Joint Sealents Used on or with Thermal Insulations

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C591-13 Specification for Unfaced Preformed Rigid Cellular Polyisocyanurate, **04.06**
C592-13 Specification for Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type), **04.06**
C593-06(2011) Specification for Fly Ash and Other Pozzolans for Use With Lime for Soil Stabilization, **04.01**
C594 Withdrawn 1977; Specification for Compression Couplings for Vitrified Clay Plain-End Pipe; Replaced by C425
C595/C595M-14 Specification for Blended Hydraulic Cements, **04.01**
C596-09 Test Method for Drying Shrinkage of Mortar Containing Hydraulic Cement, **04.01**
C597-09 Test Method for Pulse Velocity Through Concrete, **04.02**
C598-93(2013) Test Method for Annealing Point and Strain Point of Glass by Beam Bending, **15.02**
C599 Withdrawn 2002; Specification for Conical Process Glass Pipe and Fittings
C600-85(2010) Test Method of Thermal Shock Test on Glass Pipe, **15.02**
C601-85(2010) Test Method for Pressure Test on Glass Pipe, **15.02**
C602-13a Specification for Agricultural Liming Materials, **04.01**
C603-14 Test Method for Extrusion Rate and Application Life of Elastomeric Sealants, **04.07**
C604-02(2012) Test Method for True Specific Gravity of Refractory Materials by Gas-Comparison Pycnometer, **15.01**
C605 Withdrawn 1997; Test Method for Reheat Change of Fireclay Nozzles and Sleeves
C606 Withdrawn 1989; Test Method for Lap-Joint Strength of Refractory Mortar at Elevated Temperatures
C607-88(2010)$^{\epsilon 1}$ Practice for Coking Large Shapes of Carbon-Bearing Materials, **15.01**
C608 Withdrawn 1984; Method of Test for Brittle Ring Tensile Strength of Chemically Setting Silicate and Silica Chemical-Resistant Mortars
C609-07(2014) Test Method for Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, **15.02**
C610-11 Specification for Molded Expanded Perlite Block and Pipe Thermal Insulation, **04.06**
C611-98(2010)$^{\epsilon 1}$ Test Method for Electrical Resistivity of Manufactured Carbon and Graphite Articles at Room Temperature, **05.05**
C612-14 Specification for Mineral Fiber Block and Board Thermal Insulation, **04.06**
C613-97(2008)$^{\epsilon 2}$ Test Method for Constituent Content of Composite Prepreg by Soxhlet Extraction, **15.03**
C614-10(2011)$^{\epsilon 1}$ Test Method for Alkali Resistance of Porcelain Enamels, **02.05**
C615/C615M-11 Specification for Granite Dimension Stone, **04.07**
C616/C616M-10 Specification for Quartz-Based Dimension Stone, **04.07**
C617/C617M-12 Practice for Capping Cylindrical Concrete Specimens, **04.02**
C618-12a Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, **04.02**
C619 Withdrawn 1982; Method of Test for Chemical Resistance of Asbestos Fiber Reinforced thermosetting Resins Used in Self-Supporting Structures
C620 Withdrawn 1996; Test Method for Hydration Resistance of Pitch-Bearing Basic Refractory Brick
C621-09 Test Method for Isothermal Corrosion Resistance of Refractories to Molten Glass, **15.01**
C622 Withdrawn 2000; Test Method for Corrosion Resistance of Refractories to Molten Glass Using the Basin Furnace
C623-92(2010) Test Method for Young's Modulus, Shear Modulus, and Poisson's Ratio for Glass and Glass-Ceramics by Resonance, **15.02**
C624 Withdrawn 1980; Method for Determination of the DIH Purity of Nuclear Graphite
C625-95(2010) Practice for Reporting Irradiation Results on Graphite, **05.05**
C626 Withdrawn 1985; Methods for Estimating the Thermal Neutron Absorption Cross Section ofNuclear Graphite
C627-10 Test Method for Evaluating Ceramic Floor Tile Installation Systems Using the Robinson-Type Floor Tester, **15.02**
C628 Withdrawn 1972; Method for Precision Electroformed Wet Sieve Analysis of Nonplastics Ceramic Powders
C629/C629M-10 Specification for Slate Dimension Stone, **04.07**
C630/C630M Withdrawn 2005; Specification for Water-Resistant Gypsum Backing Board
C631-09 Specification for Bonding Compounds for Interior Gypsum Plastering, **04.01**
C632-88(2011)$^{\epsilon 1}$ Test Method for Reboiling Tendency of Sheet Steel for Porcelain Enameling, **02.05**
C633-13 Test Method for Adhesion or Cohesion Strength of Thermal Spray Coatings, **02.05**
C634-13 Terminology Relating to Building and Environmental Acoustics, **04.06**
C635/C635M-13a Specification for the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, **04.06**
C636/C636M-13 Practice for Installation of Metal Ceiling Suspension Systems for, **04.06**
C637-14 Specification for Aggregates for Radiation-Shielding Concrete, **04.02**
C638-14 Descriptive Nomenclature of Constituents of Aggregates for Radiation-Shielding Concrete, **04.02**
C639-01(2011) Test Method for Rheological (Flow) Properties of Elastomeric Sealants, **04.07**
C640 Withdrawn 1994; Specification for Corkboard and Cork Pipe Thermal Insulation
C641-09 Test Method for Iron Staining Materials in Lightweight Concrete Aggregates, **04.02**
C642-13 Test Method for Density, Absorption, and Voids in Hardened Concrete, **04.02**
C643 Withdrawn 1982; Test Method for Change in Acoustical Absorption of Ceiling Materials Due to Repainting
C644 Withdrawn 1982; Specification for Asbestos-Cement Non-Pressure Small Diameter Sewer Pipe; Replaced by C428
C645-13 Specification for Nonstructural Steel Framing Members, **04.01**
C646 Withdrawn 1984; Specification for Steel Drill Screws for the Application of Gypsum Board to Light-Gage Steel Studs; Replaced by C1002
C647-08(2013) Guide to Properties and Tests of Mastics and Coating Finishes for Thermal Insulation, **04.06**
C648-04(2009) Test Method for Breaking Strength of Ceramic Tile, **15.02**
C649 Withdrawn 1971; Test Method for Hydration of Pitch-Breaking Basic Brick
C650-04(2009) Test Method for Resistance of Ceramic Tile to Chemical Substances, **15.02**
C651-13 Test Method for Flexural Strength of Manufactured Carbon and Graphite Articles Using Four-Point Loading at Room Temperature, **05.05**
C652-14 Specification for Hollow Brick (Hollow Masonry Units Made From Clay or Shale), **04.05**
C653-97(2012) Guide for Determination of the Thermal Resistance of Low-Density Blanket-Type Mineral Fiber Insulation, **04.06**
C654-11 Specification for Porous Concrete Pipe, **04.05**
C654M-11 Specification for Porous Concrete Pipe (Metric), **04.05**
C655-14 Specification for Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe, **04.05**
C655M-14 Specification for Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric), **04.05**
C656-07(2013) Specification for Structural Insulating Board, Calcium Silicate, **04.06**
C657-93(2013) Test Method for D-C Volume Resistivity of Glass, **15.02**
C658-98(2012) Specification for Chemical-Resistant Resin Grouts for Brick or Tile, **04.05**
C659-90(2008) Specification for Asbestos-Cement Organic-Foam Core Insulating Panels, **04.05**
C660-81(2010) Practices for Production and Preparation of Gray Iron Castings for Porcelain Enameling, **02.05**
C661-06(2011) Test Method for Indentation Hardness of Elastomeric-Type Sealants by Means of a Durometer, **04.07**
C662-70(2010) Specification for Impervious Graphite Pipe and Threading, **05.05**
C663-98(2008) Specification for Asbestos-Cement Storm Drain Pipe, **04.05**
C664-10 Test Methods for Thickness of Diffusion Coating, **02.05**
C665-12 Specification for Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing, **04.06**
C666/C666M-03(2008) Test Method for Resistance of Concrete to Rapid Freezing and Thawing, **04.02**
C667-09(2014) Specification for Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, **04.06**
C668-98(2008) Specification for Asbestos-Cement Transmission Pipe, **04.05**
C669 Withdrawn 2002; Specification for Glazing Compounds for Back Bedding and Face Glazing of Metal Sash
C670-13 Practice for Preparing Precision and Bias Statements for Test Methods for Construction Materials, **04.02**
C671 Withdrawn 2003; Test Method for Critical Dilation of Concrete Specimens Subjected to Freezing
C672/C672M-12 Test Method for Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals, **04.02**
C673-97(2013) Classification of Fireclay and High-Alumina Plastic Refractories and Ramming Mixes, **15.01**
C674-13 Test Methods for Flexural Properties of Ceramic Whiteware Materials, **15.02**
C675-91(2011) Test Method for Alkali Resistance of Ceramic Decorations on Returnable Beverage Glass Containers, **15.02**
C676-04(2009) Test Method for Detergent Resistance of Ceramic Decorations on Glass Tableware, **15.02**
C677 Withdrawn 1994; Practice for Use of a Polyethylene Terephthalate Reference Film for the Measurement of the Time-Averaged Vapor Pressure in a Controlled Humidity Space
C678 Withdrawn 1995; Test Method for Determination of Particle Size Distribution of Alumina or Quartz Using Centrifugal Sedimentation
C679-03(2009)$^{\epsilon 1}$ Test Method for Tack-Free Time of Elastomeric Sealants, **04.07**
C680-10 Practice for Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, **04.06**
C681-14 Test Method for Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds, **04.07**
C682 Withdrawn 2003; Practice for Evaluation of Frost Resistance of Coarse Aggregates in Air-Entrained Concrete by Critical Dilation Procedures
C683 Withdrawn 1984; Method of Test for Compressive and Flexural Strength of Concrete Under Field Conditions
C684 *Withdrawn 2012; Test Method for Making, Accelerated Curing, and Testing Concrete Compression Test Specimens*, **04.02**
C685/C685M-11 Specification for Concrete Made by Volumetric Batching and Continuous Mixing, **04.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C686-90(2011)ε1 Test Method for Parting Strength of Mineral Fiber Batt- and Blanket-Type Insulation, **04.06**
C687-12 Practice for Determination of Thermal Resistance of Loose-Fill Building Insulation, **04.06**
C688-14 Specification for Functional Additions for Use in Hydraulic Cements, **04.01**
C689-09 Test Method for Modulus of Rupture of Unfired Clays, **15.02**
C690-09 Test Method for Particle Size Distribution of Alumina or Quartz Powders by Electrical Sensing Zone Technique, **15.02**
C691 Withdrawn 1987; Test Method for Steady-State Thermal Transmission Properties of Nonhomogeneous Pipe Insulation Installed Horizontally; Replaced by C335
C692-13 Test Method for Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, **04.06**
C693-93(2013) Test Method for Density of Glass by Buoyancy, **15.02**
C694-90a(2011)ε1 Test Method for Weight Loss (Mass Loss) of Sheet Steel During Immersion in Sulfuric Acid Solution, **02.05**
C695-91(2010) Test Method for Compressive Strength of Carbon and Graphite, **05.05**
C696-11 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and Pellets, **12.01**
C697-10 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, **12.01**
C698-10 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), **12.01**
C699 Withdrawn 1992; Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of, and Physical Tests on Beryllium Oxide Powder
C700-13 Specification for Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, **04.05**
C701 Withdrawn 1979; Specification for Nuclear Grade Plutonium Metals
C702/C702M-11 Practice for Reducing Samples of Aggregate to Testing Size, **04.02**
C703-72(2011)ε1 Test Methods for Spalling Resistance of Porcelain Enameled Aluminum, **02.05**
C704/C704M-12 Test Method for Abrasion Resistance of Refractory Materials at Room Temperature, **15.01**
C705 Withdrawn 1993; Method for Chemical Analysis of Zirconia Refractories
C706-13 Specification for Limestone for Animal Feed Use, **04.01**
C707 Withdrawn 1982; Specification for Gypsum Board Substrate for Floor or Roof Assemblies
C708-08 Specification for Nuclear-Grade Beryllium Oxide Powder, **12.01**
C709-09 Terminology Relating to Manufactured Carbon and Graphite, **05.05**
C710 Withdrawn 1980; Specification for Plutonium Nitrate Solutions
C711-14 Test Method for Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants, **04.07**
C712-03(2009) Test Method for Bubbling of One-Part, Elastomeric, Solvent-Release Type Sealants, **04.07**
C713 Withdrawn 2002; Test Method for Slump of an Oil-Base Knife-Grade Channel Glazing Compound
C714-05(2010) Test Method for Thermal Diffusivity of Carbon and Graphite by Thermal Pulse Method, **05.05**
C715-90(2011)ε1 Test Method for Nickel on Steel for Porcelain Enameling by Photometric Analysis, **02.05**
C716-06(2011) Specification for Installing Lock-Strip Gaskets and Infill Glazing Materials, **04.07**
C717-14a Terminology of Building Seals and Sealants, **04.07**
C718 Withdrawn 2002; Test Method for Ultraviolet (UV)-Cold Box Exposure of One-Part, Elastomeric, Solvent-Release Type Sealants
C719-14 Test Method for Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle), **04.07**
C720 Withdrawn 1999; Specification for Spray-Applied Fibrous Thermal Insulation for Elevated Temperature
C721 Withdrawn 2002; Test Method for Average Particle Size of Alumina and Silica Powders by Air Permeability
C722-04(2012) Specification for Chemical-Resistant Monolithic Floor Surfacings, **06.02**
C723-98(2012) Practice for Chemical-Resistant Resin Grouts for Brick or Tile, **04.05**
C724-91(2010) Test Method for Acid Resistance of Ceramic Decorations on Architectural-Type Glass, **15.02**
C725-90(2008) Specification for Semidense Mineral Fiber Siding, **04.05**
C726-12 Specification for Mineral Wool Roof Insulation Board, **04.06**
C727-12 Practice for Installation and Use of Reflective Insulation in Building Constructions, **04.06**
C728-13 Specification for Perlite Thermal Insulation Board, **04.06**
C729-11 Test Method for Density of Glass by the Sink-Float Comparator, **15.02**
C730-98(2013) Test Method for Knoop Indentation Hardness of Glass, **15.02**
C731-00(2010) Test Method for Extrudability, After Package Aging, of Latex Sealants, **04.07**
C732-06(2012) Test Method for Aging Effects of Artificial Weathering on Latex Sealants, **04.07**
C733 Withdrawn 2000; Test Method for Volume Shrinkage of Latex Sealants
C734-06(2012) Test Method for Low-Temperature Flexibility of Latex Sealants After Artificial Weathering, **04.07**
C735-04(2009) Test Method for Acid Resistance of Ceramic Decorations on Returnable Beer and Beverage Glass Containers, **15.02**
C736-12 Test Method for Extension-Recovery and Adhesion of Latex Sealants, **04.07**
C737-13 Specification for Limestone for Dusting of Coal Mines, **04.01**
C738-94(2011) Test Method for Lead and Cadmium Extracted from Glazed Ceramic Surfaces, **15.02**
C739-11 Specification for Cellulosic Fiber Loose-Fill Thermal Insulation, **04.06**
C740/C740M-13 Guide for Evacuated Reflective Insulation In Cryogenic Service, **04.06**
C741 Withdrawn 2002; Test Method for Accelerated Aging of Wood Sash Face Glazing Compound
C742 Withdrawn 2002; Test Method for Degree of Set for Wood Sash Glazing Compound
C743-87(2009) Test Method for Continuity of Porcelain Enamel Coatings, **02.05**
C744-11 Specification for Prefaced Concrete and Calcium Silicate Masonry Units, **04.05**
C745 Withdrawn 2008; Test Method for Heat Flux Through Evacuated Insulations Using a Guarded Flat Plate Boiloff Calorimeter
C746-90(2008) Specification for Corrugated Asbestos-Cement Sheets for Bulkheading, **04.05**
C747-93(2010)ε1 Test Method for Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, **05.05**
C748-98(2010)ε1 Test Method for Rockwell Hardness of Graphite Materials, **05.05**
C749-13 Test Method for Tensile Stress-Strain of Carbon and Graphite, **05.05**
C750-09(2014) Specification for Nuclear-Grade Boron Carbide Powder, **12.01**
C751-07(2012) Specification for Nuclear-Grade Boron Carbide Pellets, **12.01**
C752-13 Specification for Nuclear-Grade Silver-Indium-Cadmium Alloy, **12.01**
C753-04(2009) Specification for Nuclear-Grade, Sinterable Uranium Dioxide Powder, **12.01**
C754-11 Specification for Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products, **04.01**
C755-10 Practice for Selection of Water Vapor Retarders for Thermal Insulation, **04.06**
C756-87(2011)ε1 Test Method for Cleanability of Surface Finishes, **02.05**
C757-06(2011)ε1 Specification for Nuclear-Grade Plutonium Dioxide Powder, Sinterable, **12.01**
C758-04(2010) Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal, **12.01**
C759-10 Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate Solutions, **12.01**
C760-90(2007) Test Methods for Chemical and Spectrochemical Analysis of Nuclear-Grade Silver-Indium-Cadmium Alloys, **12.01**
C761-11 Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, **12.01**
C762 Withdrawn 1999; Practice for Application of Spray-Applied Fibrous Thermal Insulation for Elevated Temperatures
C763 Not Assigned
C764-11 Specification for Mineral Fiber Loose-Fill Thermal Insulation, **04.06**
C765-97(2011) Test Method for Low-Temperature Flexibility of Preformed Tape Sealants, **04.07**
C766 Withdrawn 1994; Test Method for Adhesion After Impact of Preformed Tape Sealants
C767-93(2013) Test Method for Thermal Conductivity of Carbon Refractories, **15.01**
C768 Withdrawn 2004; Practice for Drip Slag Testing Refractory Materials at High Temperature
C769-09 Test Method for Sonic Velocity in Manufactured Carbon and Graphite Materials for Use in Obtaining an Approximate Young's Modulus, **05.05**
C770-98(2013) Test Method for Measurement of Glass Stress—Optical Coefficient, **15.02**
C771-14 Test Method for Weight Loss After Heat Aging of Preformed Tape Sealants, **04.07**
C772-03(2014) Test Method for Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants, **04.07**
C773-88(2011) Test Method for Compressive (Crushing) Strength of Fired Whiteware Materials, **15.02**
C774-88(2011)ε1 Test Method for Yield Strength of Enameling Steels After Straining and Firing, **02.05**
C775 Withdrawn 2002; Method for Particle-Size Analysis of Whiteware Clays
C776-06(2011) Specification for Sintered Uranium Dioxide Pellets, **12.01**
C777-04(2009) Test Method for Sulfide Resistance of Ceramic Decorations on Glass, **15.02**
C778-13 Specification for Standard Sand, **04.01**
C779/C779M-12 Test Method for Abrasion Resistance of Horizontal Concrete Surfaces, **04.02**
C780-12a Test Method for Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, **04.05**
C781-08 Practice for Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, **05.05**
C782-13 Test Method for Softness of Preformed Tape Sealants, **04.07**
C783-85(2010)ε1 Practice for Core Sampling of Graphite Electrodes, **05.05**
C784-05(2012) Specification for Nuclear-Grade Aluminum Oxide-Boron Carbide Composite Pellets, **12.01**
C785-08 Specification for Nuclear-Grade Aluminum Oxide Pellets, **12.01**
C786/C786M-10 Test Method for Fineness of Hydraulic Cement and Raw

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Materials by the 300-μm (No. 50), 150-μm (No. 100), and 75-μm (No. 200) Sieves by Wet Methods, **04.01**

C787-11 Specification for Uranium Hexafluoride for Enrichment, **12.01**

C788-03(2009) Specification for Nuclear-Grade Uranyl Nitrate Solution or Crystals, **12.01**

C789 Withdrawn 2000; Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers; Replaced by C1433

C789M Withdrawn 2000; Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers [Metric]; Replaced by C1433M

C790 Withdrawn 1992; Guide for Use of Latex Sealants; Replaced by C1193

C791-12 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, **12.01**

C792-04(2008) Test Method for Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, **04.07**

C793-05(2010) Test Method for Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, **04.07**

C794-10 Test Method for Adhesion-in-Peel of Elastomeric Joint Sealants, **04.07**

C795-08(2013) Specification for Thermal Insulation for Use in Contact with Austenitic Stainless Steel, **04.06**

C796/C796M-12 Test Method for Foaming Agents for Use in Producing Cellular Concrete Using Preformed Foam, **04.02**

C797 Withdrawn 2002; Practices for Use of Oil- and Resin-Based Putty and Glazing Compounds

C798 Withdrawn 1987; Method of Test for Color Permanency of Glazed Ceramic Tile

C799-12 Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, **12.01**

C800-14 Specification for Fibrous Glass Blanket Insulation (Aircraft Type), **04.06**

C801 Withdrawn 2004; Test Method for Determining the Mechanical Properties of Hardened Concrete Under Triaxial Loads

C802-09a Practice for Conducting an Interlaboratory Test Program to Determine the Precision of Test Methods for Construction Materials, **04.02**

C803/C803M-03(2010) Test Method for Penetration Resistance of Hardened Concrete, **04.02**

C804 Withdrawn 1992; Practices for Use of Solvent-Release Type Sealants; Replaced by C1193

C805/C805M-13a Test Method for Rebound Number of Hardened Concrete, **04.02**

C806-12 Test Method for Restrained Expansion of Expansive Cement Mortar, **04.01**

C807-13 Test Method for Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle, **04.01**

C808-75(2010)$^{\epsilon 1}$ Guide for Reporting Friction and Wear Test Results of Manufactured Carbon and Graphite Bearing and Seal Materials, **05.05**

C809-13 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum, **12.01**

C810-90(2011)$^{\epsilon 1}$ Test Method for Nickel on Steel for Porcelain Enameling by X-Ray Emission Spectrometry, **02.05**

C811 Withdrawn 2012; Practice for Surface Preparation of Concrete for Application of Chemical-Resistant Resin Monolithic Surfacings

C812 Withdrawn 1987; Method of Test for Hydrophobic Contamination on Glass by Water Condensation

C813-90(2009) Test Method for Hydrophobic Contamination on Glass by Contact Angle Measurement, **15.02**

C814 Not Assigned

C815 Not Assigned

C816-85(2010)$^{\epsilon 1}$ Test Method for Sulfur in Graphite by Combustion-Iodometric Titration Method, **05.05**

C817 Not Assigned

C818 Not Assigned

C819 Withdrawn 1989; Test Method for Specific Surface Area of Carbon or Graphite

C820 Not Assigned

C821-14 Specification for Lime for Use with Pozzolans, **04.01**

C822-13 Terminology Relating to Concrete Pipe and Related Products, **04.05**

C823/C823M-12 Practice for Examination and Sampling of Hardened, **04.02**

C824-91(2010) Practice for Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, **15.02**

C825-06(2011) Specification for Precast Concrete Barriers, **04.05**

C826 Withdrawn 1982; Specification for Lime and Limestone Products for Industrial Waste Treatment; Replaced by C911

C827/C827M-10 Test Method for Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, **04.02**

C828-11 Test Method for Low-Pressure Air Test of Vitrified Clay Pipe Lines, **04.05**

C829-81(2010) Practices for Measurement of Liquidus Temperature of Glass by the Gradient Furnace Method, **15.02**

C830-00(2011) Test Methods for Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure, **15.01**

C831-98(2013) Test Methods for Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, **15.01**

C832-00(2010) Test Method of Measuring Thermal Expansion and Creep of Refractories Under Load, **15.01**

C833-13 Specification for Sintered (Uranium-Plutonium) Dioxide Pellets, **12.01**

C834-14 Specification for Latex Sealants, **04.07**

C835-06(2013)$^{\epsilon 1}$ Test Method for Total Hemispherical Emittance of Surfaces up to 1400°C, **04.06**

C836/C836M-12 Specification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, **04.04**

C837-09 Test Method for Methylene Blue Index of Clay, **15.02**

C838-96(2010)$^{\epsilon 1}$ Test Method for Bulk Density of As-Manufactured Carbon and Graphite Shapes, **05.05**

C839-82(2010) Test Method for Compressive Stress of Porcelain Enamels by Loaded-Beam Method, **02.05**

C840-13 Specification for Application and Finishing of Gypsum Board, **04.01**

C841-03(2013) Specification for Installation of Interior Lathing and Furring, **04.01**

C842-05(2010)$^{\epsilon 1}$ Specification for Application of Interior Gypsum Plaster, **04.01**

C843-99(2012) Specification for Application of Gypsum Veneer Plaster, **04.01**

C844-04(2010) Specification for Application of Gypsum Base to Receive, **04.01**

C845/C845M-12 Specification for Expansive Hydraulic Cement, **04.01**

C846-94(2009) Practice for Application of Cellulosic Fiber Insulating Board for Wall Sheathing, **04.06**

C847-14 Specification for Metal Lath, **04.01**

C848-88(2011) Test Method for Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance, **15.02**

C849-88(2011) Test Method for Knoop Indentation Hardness of Ceramic Whitewares, **15.02**

C850 Withdrawn 2000; Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less Than 0.6 m of Cover Subjected to Highway Loadings; Replaced by C1433

C850M Withdrawn 2000; Specificationi for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less Than 0.6 m of Cover Subjected to Highway Loadings [Metric]; Replaced by C1433M

C851 Withdrawn 1984; Recommended Practice for Estimating Scratch Hardness of Coarse Aggregate Particles

C852-09 Guide for Design Criteria for Plutonium Gloveboxes, **12.01**

C853 Withdrawn 1992; Test Methods for Nondestructive Assay of Special Nuclear Material Contained in Scrap and Waste

C854 Withdrawn 1997; Test Method for Resistance to External Loads on Metal Reflective Pipe Insulation

C855 Withdrawn 1984; Thermal Resistance Factors for Preformed Above-Deck Roof Insulation

C856-14 Practice for Petrographic Examination of Hardened Concrete, **04.02**

C857-14 Practice for Minimum Structural Design Loading for Underground Precast Concrete Utility Structures, **04.05**

C858-10$^{\epsilon 1}$ Specification for Underground Precast Concrete Utility Structures, **04.05**

C859-14 Terminology Relating to Nuclear Materials, **12.01**

C860-10 Test Method for Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test, **15.01**

C861-93(2010) Practice for Determining Metric Dimensions of Standard Series Refractory Brick and Shapes, **15.01**

C862-02(2008) Practice for Preparing Refractory Concrete Specimens by Casting, **15.01**

C863-00(2010) Test Method for Evaluating Oxidation Resistance of Silicon Carbide Refractories at Elevated Temperatures, **15.01**

C864-05(2011) Specification for Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, **04.07**

C865-13 Practice for Firing Refractory Concrete Specimens, **15.01**

C866-11 Test Method for Filtration Rate of Ceramic Whiteware Clays, **15.02**

C867-94(2014) Test Method for Soluble Sulfate in Ceramic Whiteware Clays (Photometric Method), **15.02**

C868-02(2012) Test Method for Chemical Resistance of Protective Linings, **06.02**

C869/C869M-11 Specification for Foaming Agents Used in Making Preformed Foam for Cellular Concrete, **04.02**

C870-11 Practice for Conditioning of Thermal Insulating Materials, **04.06**

C871-11$^{\epsilon 1}$ Test Methods for Chemical Analysis of Thermal Insulation Materials for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, **04.06**

C872-10 Test Method for Lead and Cadmium Release from Porcelain Enamel, **02.05**

C873/C873M-10a Test Method for Compressive Strength of Concrete Cylinders Cast in Place in Cylindrical Molds, **04.02**

C874-11a Test Method for Rotary Slag Testing of Refractory Materials, **15.01**

C875-98(2008) Specification for Asbestos-Cement Conduit, **04.05**

C876-09 Test Method for Corrosion Potentials of Uncoated Reinforcing Steel in Concrete, **03.02, 04.02**

C877-08 Specification for External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, **04.05**

C877M-02(2009) Specification for External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), **04.05**

C878/C878M-14a Test Method for Restrained Expansion of Shrinkage-Compensating Concrete, **04.02**

C879-03(2014) Test Methods for Release Papers Used with Preformed Tape Sealants, **04.07**

C880/C880M-09 Test Method for Flexural Strength of Dimension Stone, **04.07**

C881/C881M-13 Specification for Epoxy-Resin-Base Bonding Systems for Concrete, **04.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C882/C882M-13a Test Method for Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear, **04.02**
C883 Withdrawn 1996; Test Method for Effective Shrinkage of Epoxy-Resin Systems Used With Concrete
C884/C884M-98(2010) Test Method for Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, **04.02**
C885-87(2012) Test Method for Young's Modulus of Refractory Shapes by Sonic Resonance, **15.01**
C886-98(2010)$^{\varepsilon 1}$ Test Method for Scleroscope Hardness Testing of Carbon and Graphite Materials, **05.05**
C887-13 Specification for Packaged, Dry, Combined Materials for Surface Bonding Mortar, **04.05**
C888-03(2014) Specification for Nuclear-Grade Gadolinium Oxide (Gd, **12.01**
C889-11 Test Methods for Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd_2O_3) Powder, **12.01**
C890-13 Practice for Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures, **04.05**
C891-11 Practice for Installation of Underground Precast Concrete Utility Structures, **04.05**
C892-10 Specification for High-Temperature Fiber Blanket Thermal Insulation, **04.06**
C893 Withdrawn 1984; Specification for Type G Steel Screws for the Application of Gypsum Board to Gypsum Board; Replaced by C1002
C894 Withdrawn 1984; Specification for Type W Drill Screws for the Application of Gypsum Board to Wood Framing; Replaced by C1002
C895-87(2009) Test Method for Lead and Cadmium Extracted from Glazed Ceramic Tile, **15.02**
C896-13 Terminology Relating to Clay Products, **04.05**
C897-05(2009) Specification for Aggregate for Job-Mixed Portland Cement-Based Plasters, **04.01**
C898/C898M-09 Guide for Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course, **04.04**
C899-79(2013) Practice for Use of Metric Units of Measure for Reporting Properties of Refractory Materials (COMMITTEE C-8 SUPPLEMENT TO E 380), **15.01**
C900-13a Test Method for Pullout Strength of Hardened Concrete, **04.02**
C901-10 Specification for Prefabricated Masonry Panels, **04.05**
C902-14 Specification for Pedestrian and Light Traffic Paving Brick, **04.05**
C903-10 Practice for Preparing Refractory Castable Specimens by Cold Gunning, **15.01**
C904-01(2012) Terminology Relating to Chemical-Resistant Nonmetallic Materials, **04.05**
C905-01(2012) Test Methods for Apparent Density of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, **04.05**
C906 Withdrawn 2006; Test Method for T-Peel Strength of Hot Applied Sealants
C907-03(2012) Test Method for Tensile Adhesive Strength of Preformed Tape Sealants by Disk Method, **04.07**
C908-00(2011) Test Method for Yield Strength of Preformed Tape Sealants, **04.07**
C909-93(2010) Practice for Dimensions of a Modular Series of Refractory Brick and Shapes, **15.01**
C910-06(2011) Test Method for Bond and Cohesion of One-Part Elastomeric Solvent Release-Type Sealants, **04.07**
C911-06(2011) Specification for Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses, **04.01**
C912-93(2013) Practice for Designing a Process for Cleaning Technical Glasses, **15.02**
C913-08 Specification for Precast Concrete Water and Wastewater Structures, **04.05**
C914-09 Test Method for Bulk Density and Volume of Solid Refractories by Wax Immersion, **15.01**
C915-79(2010) Specification for Precast Reinforced Concrete Crib Wall Members, **04.05**
C916-85(2007) Specification for Adhesives for Duct Thermal Insulation, **04.06**
C917-05(2011) Test Method for Evaluation of Cement Strength Uniformity From a Single Source, **04.01**
C918/C918M-13 Test Method for Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, **04.02**
C919-12 Practice for Use of Sealants in Acoustical Applications, **04.07**
C920-14a Specification for Elastomeric Joint Sealants, **04.07**
C921-10 Practice for Determining the Properties of Jacketing Materials for Thermal Insulation, **04.06**
C922-14 Specification for Sintered Gadolinium Oxide-Uranium Dioxide Pellets, **12.01**
C923-08(2013) Specification for Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, **04.05**
C923M-08b(2013) Specification for Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), **04.05**
C924 Withdrawn 2013; Practice for Testing Concrete Pipe Sewer Lines by Low-Pressure Air Test Method
C924M Withdrawn 2013; Practice for Testing Concrete Pipe Sewer Lines by Low-Pressure Air Test Method (Metric)
C925-09 Guide for Precision Electroformed Wet Sieve Analysis of Nonplastic Ceramic Powders, **15.02**
C926-14a Specification for Application of Portland Cement-Based Plaster, **04.01**
C927-80(2009) Test Method for Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, **15.02**
C928/C928M-13 Specification for Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs, **04.02**
C929-14 Practice for Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with Austenitic Stainless Steel, **04.06**
C930-12 Classification of Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories, **04.06**
C931/C931M Withdrawn 2005; Specification for Exterior Gypsum Soffit Board
C932-06(2013) Specification for Surface-Applied Bonding Compounds for Exterior Plastering, **04.01**
C933-13 Specification for Welded Wire Lath, **04.01**
C934 Withdrawn 1995; Guide for Design and Quality Assurance Practices for Nuclear Fuel Rods
C935-13 Specification for General Requirements for Prestressed Concrete Poles Statically Cast, **04.05**
C936/C936M-13 Specification for Solid Concrete Interlocking Paving Units, **04.05**
C937-10 Specification for Grout Fluidifier for Preplaced-Aggregate Concrete, **04.02**
C938-10 Practice for Proportioning Grout Mixtures for Preplaced-Aggregate Concrete, **04.02**
C939-10 Test Method for Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), **04.02**
C940-10a Test Method for Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, **04.02**
C941-10 Test Method for Water Retentivity of Grout Mixtures for Preplaced-Aggregate Concrete in the Laboratory, **04.02**
C942-10 Test Method for Compressive Strength of Grouts for Preplaced-Aggregate Concrete in the Laboratory, **04.02**
C943-10 Practice for Making Test Cylinders and Prisms for Determining Strength and Density of Preplaced-Aggregate Concrete in the Laboratory, **04.02**
C944/C944M-12 Test Method for Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method, **04.02**
C945-05(2012) Practice for Design Considerations and Spray Application of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, **04.06**
C946-10 Practice for Construction of Dry-Stacked, Surface-Bonded Walls, **04.05**
C947-03(2009) Test Method for Flexural Properties of Thin-Section Glass-Fiber-Reinforced Concrete (Using Simple Beam With Third-Point Loading), **04.05**
C948-81(2009) Test Method for Dry and Wet Bulk Density, Water Absorption, and Apparent Porosity of Thin Sections of Glass-Fiber Reinforced Concrete, **04.05**
C949-80(2012) Test Method for Porosity in Vitreous Whitewares by Dye Penetration, **15.02**
C950/C950M-08(2012) Practice for Repair of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, **04.06**
C951 Withdrawn 1986; Specification for Urea-Formaldehyde-Based, Foamed-in-Place Insulation
C952-12 Test Method for Bond Strength of Mortar to Masonry Units, **04.05**
C953-10 Test Method for Time of Setting of Grouts for Preplaced-Aggregate Concrete in the Laboratory, **04.02**
C954-11 Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness, **04.01**
C955-11c Specification for Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, **04.01**
C956-04(2010) Specification for Installation of Cast-In-Place Reinforced Gypsum Concrete, **04.01**
C957/C957M-10 Specification for High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane With Integral Wearing Surface, **04.04**
C958-92(2014) Test Method for Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, **15.02**
C959 Withdrawn 1996; Specification for Radiant Heat Fill
C960/C960M Withdrawn 2005; Specification for Predecorated Gypsum Board; Replaced by C1396
C961-06(2011) Test Method for Lap Shear Strength of Sealants, **04.07**
C963-00(2012) Specification for Packaging, Identification, Shipment, and Storage of Lock-Strip Gaskets, **04.07**
C964-07(2012) Guide for Lock-Strip Gasket Glazing, **04.07**
C965-96(2012) Practice for Measuring Viscosity of Glass Above the Softening Point, **15.02**
C966-98(2008) Guide for Installing Asbestos-Cement Nonpressure Pipe, **04.05**
C967-13 Specification for Uranium Ore Concentrate, **12.01**
C968-12 Test Methods for Analysis of Sintered Gadolinium Oxide-Uranium Dioxide Pellets, **12.01**
C969-02(2009) Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, **04.05**
C969M-02(2009) Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), **04.05**
C970 Withdrawn 2012; Practice for Sampling Special Nuclear Materials in Multi-Container Lots
C971 Withdrawn 1997; Guide for Selection and Application of Insulation Systems for Heating, Ventilating, and Air Conditioning Duct Work

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C972-00(2011) Test Method for Compression-Recovery of Tape Sealant, **04.07**
C973-87(2009) Practice for Preparing Test Specimens From Basic Refractory Gunning Products by Pressing, **15.01**
C974-87(2009) Practice for Preparing Test Specimens from Basic Refractory Castable Products by Casting, **15.01**
C975-87(2009) Practice for Preparing Test Specimens from Basic Refractory Ramming Products by Pressing, **15.01**
C976 Withdrawn 2002; Test Method for Thermal Performance of Building Assemblies by Means of a Calibrated Hot Box; Replaced by C1363
C977-10 Specification for Quicklime and Hydrated Lime for Soil Stabilization, **04.01**
C978-04(2009) Test Method for Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, **15.02**
C979/C979M-10 Specification for Pigments for Integrally Colored Concrete, **04.02**
C980-13a Specification for Industrial Chimney Lining Brick, **04.05**
C981-05(2013) Guide for Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks, **04.04**
C982 Withdrawn 2008; Guide for Selecting Components for Energy-Dispersive X-Ray Fluorescence (XRF) Systems
C983 Withdrawn 1996; Test Methods for Chemical and Instrumental Analysis of Metallic Core Components in Liquid Metal Fast-Breeder Reactors (LMFBR)
C984 Withdrawn 1997; Specification for Perlite Board and Rigid Cellular Polyisocyanurate Composite Roof Insulation; Replaced by C1289
C985-13 Specification for Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe, **04.05**
C985M-13 Specification for Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe (Metric), **04.05**
C986 Withdrawn 2001; Guide for Developing Training Programs in the Nuclear Fuel Cycle
C987-10 Test Method for Vapor Attack on Refractories for Furnace Superstructures, **15.01**
C988 Withdrawn 1991; Test Method for Adherence of Porcelain Enamel Cover Coats Direct-to-Steel
C989/C989M-13 Specification for Slag Cement for Use in Concrete and Mortars, **04.02**
C990-09 Specification for Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, **04.05**
C990M-09 Specification for Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants (Metric), **04.05**
C991-08$^{\epsilon 1}$ Specification for Flexible Fibrous Glass Insulation for Metal Buildings, **04.06**
C992-11 Specification for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, **12.01**
C993-97(2012) Guide for In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, **12.01**
C994 Withdrawn 1992; Practice for Ceramographic Preparation of PuO_2-UO_2 Mixed Oxide Fuel Pellets and Uranium Pellets
C995 Withdrawn 2008; Test Method for Time of Flow of Fiber-Reinforced Concrete Through Inverted Slump Cone
C996-10 Specification for Uranium Hexafluoride Enriched to Less Than 5 %, **12.01**
C997 Withdrawn 1998; Test Methods for Chemical and Instrumental Analysis of Nuclear-Grade Sodium and Cover Gas
C998-05(2010)$^{\epsilon 1}$ Practice for Sampling Surface Soil for Radionuclides, **12.01**
C999-05(2010)$^{\epsilon 1}$ Practice for Soil Sample Preparation for the Determination of Radionuclides, **12.01**
C1000-11 Test Method for Radiochemical Determination of Uranium Isotopes in Soil by Alpha Spectrometry, **12.01**
C1001-11 Test Method for Radiochemical Determination of Plutonium in Soil by Alpha Spectroscopy, **12.01**
C1002-07(2013) Specification for Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs, **04.01**
C1003 Withdrawn 1997; Test Method for Thermal Performance of Cooling-Air Duct Sections, Using A Calibrated Hot Box
C1004 Withdrawn 1999; Matrix for LWR Spent Fuel Receiving and Storage
C1005-10 Specification for Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements, **04.01**
C1006-07(2013) Test Method for Splitting Tensile Strength of Masonry Units, **04.05**
C1007-11a Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, **04.01**
C1008 Withdrawn 2014; Specification for Sintered (Uranium-Plutonium) DioxidePellets—Fast Reactor Fuel
C1009-13a Guide for Establishing and Maintaining a Quality Assurance Program for Analytical Laboratories Within the Nuclear Industry, **12.01**
C1010 Withdrawn 2001; Guide for Acceptance, Checkout, and Pre-Operational Testing of a Nuclear Fuels Reprocessing Facility
C1011 Withdrawn 1996; Guide for Selection or Specification of Electrodeless Conductivity Instruments for the Nuclear Fuel Cycle
C1012/C1012M-13 Test Method for Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution, **04.01**
C1013 Withdrawn 1997; Specification for Faced Rigid Cellular Polyisocyanurate Roof Insulation; Replaced by C1289
C1014-08(2013) Specification for Spray-Applied Mineral Fiber Thermal and Sound Absorbing Insulation, **04.06**
C1015-06(2011)$^{\epsilon 1}$ Practice for Installation of Cellulosic and Mineral Fiber Loose-Fill Thermal Insulation, **04.06**
C1016-14 Test Method for Determination of Water Absorption of Sealant Backing, **04.07**
C1017/C1017M-13 Specification for Chemical Admixtures for Use in Producing Flowing Concrete, **04.02**
C1018 Withdrawn 2006; Test Method for Flexural Toughness and First-Crack Strength of Fiber-Reinforced Concrete (Using Beam With Third-Point Loading)
C1019-13 Test Method for Sampling and Testing Grout, **04.05**
C1020 Withdrawn 1999; Matrix for Light Water Reactor Fuel Reprocessing
C1021-08(2014) Practice for Laboratories Engaged in Testing of Building Sealants, **04.07**
C1022-05(2010)$^{\epsilon 1}$ Test Methods for Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, **12.01**
C1023-10 Practice for Labeling Ceramic Art Materials for Chronic Adverse Health Hazards, **15.02**
C1024 Not Assigned
C1025-91(2010)$^{\epsilon 1}$ Test Method for Modulus of Rupture in Bending of Electrode Graphite, **05.05**
C1026-13 Test Method for Measuring the Resistance of Ceramic and Glass Tile to Freeze-Thaw Cycling, **15.02**
C1027-09 Test Method for Determining Visible Abrasion Resistance of Glazed Ceramic Tile, **15.02**
C1028-07$^{\epsilon 1}$ Test Method for Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, **15.02**
C1029-13 Specification for Spray-Applied Rigid Cellular Polyurethane Thermal Insulation, **04.06**
C1030-10 Test Method for Determination of Plutonium Isotopic Composition by Gamma-Ray Spectrometry, **12.01**
C1031-11 Specification for Nuclear-Grade Aluminum Oxide Powder, **12.01**
C1032-14 Specification for Woven Wire Plaster Base, **04.01**
C1033 Withdrawn 2003; Test Method for Steady-State Heat Transfer Properties of Pipe Insulation Installed Vertically
C1034 Withdrawn 2001; Test Method for Lead and Cadmium Extracted from Glazed Ceramic Cookware
C1035 Withdrawn 2001; Specification for Lead and Cadmium Extracted from Glazed Ceramic Cookware
C1036-11$^{\epsilon 1}$ Specification for Flat Glass, **15.02**
C1037-08 Practice for Inspection of Underground Precast Concrete Utility Structures, **04.05**
C1038/C1038M-14a Test Method for Expansion of Hydraulic Cement Mortar Bars Stored in Water, **04.01**
C1039-85(2010)$^{\epsilon 1}$ Test Methods for Apparent Porosity, Apparent Specific Gravity, and Bulk Density of Graphite Electrodes, **05.05**
C1040/C1040M-08(2013) Test Methods for In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, **04.02**
C1041-10 Practice for In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, **04.06**
C1042 Withdrawn 2008; Test Method for Bond Strength of Latex Systems Used With Concrete By Slant Shear
C1043-06(2010) Practice for Guarded-Hot-Plate Design Using Circular Line-Heat Sources, **04.06**
C1044-12 Practice for Using a Guarded-Hot-Plate Apparatus or Thin-Heater Apparatus in the Single-Sided Mode, **04.06**
C1045-07(2013) Practice for Calculating Thermal Transmission Properties Under Steady-State Conditions, **04.06**
C1046-95(2013) Practice for In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, **04.06**
C1047-14a Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base, **04.01**
C1048-12$^{\epsilon 1}$ Specification for Heat-Strengthened and Fully Tempered Flat Glass, **15.02**
C1049 Withdrawn 2001; Practice for Installation of Granular Loose-Fill Thermal Insulation
C1050 Withdrawn 1999; Specification for Rigid Cellular Polystyrene-Cellulosic Fiber Composite Roof Insulation
C1051 Withdrawn 2000; Specification for Sodium (Na) as a Coolant for Liquid Metal-Cooled Reactors; Replaced by A1008
C1052-14 Practice for Bulk Sampling of Liquid Uranium Hexafluoride, **12.01**
C1053-00(2010) Specification for Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications, **15.02**
C1054-13 Practice for Pressing and Drying Refractory Plastic and Ramming Mix Specimens, **15.01**
C1055-03(2014) Guide for Heated System Surface Conditions that Produce Contact Burn Injuries, **04.06**
C1056 Withdrawn 1992; Practice for Preparation of Loose Fill Mineral Fiber Thermal Insulation Samples for Testing
C1057-12 Practice for Determination of Skin Contact Temperature from Heated Surfaces Using a Mathematical Model and Thermesthesiometer, **04.06**
C1058/C1058M-10 Practice for Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, **04.06**
C1059/C1059M-13 Specification for Latex Agents for Bonding Fresh To Hardened Concrete, **04.02**
C1060-11a Practice for Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, **04.06**
C1061 Withdrawn 1995; Test Method for Thermal Transmission Properties of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nonhomogeneous Insulation Panels Installed Vertically
C1062-00(2014) Guide for Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, **12.01**
C1063-14c Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, **04.01**
C1064/C1064M-12 Test Method for Temperature of Freshly Mixed Hydraulic-Cement Concrete, **04.02**
C1065-08 Specification for Nuclear-Grade Zirconium Oxide Powder, **12.01**
C1066-09 Specification for Nuclear Grade Zirconium Oxide Pellets, **12.01**
C1067-12 Practice for Conducting a Ruggedness Evaluation or Screening Program for Test Methods for Construction Materials, **04.02**
C1068-03(2011) Guide for Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, **12.01**
C1069-09 Test Method for Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, **15.02**
C1070-01(2014) Test Method for Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, **15.01**
C1071-12 Specification for Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material), **04.06**
C1072-13$^{\epsilon 1}$ Test Methods for Measurement of Masonry Flexural Bond Strength, **04.05**
C1073-12 Test Method for Hydraulic Activity of Slag Cement by Reaction with Alkali, **04.02**
C1074-11 Practice for Estimating Concrete Strength, **04.02**
C1075-10 Practices for Sampling Uranium-Ore Concentrate, **12.01**
C1076-09 Specification for Nuclear Grade Hafnium Oxide Pellets, **12.01**
C1077-14 Practice for Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, **04.02**
C1078 Withdrawn 1998; Test Methods for Determining the Cement Content of Freshly Mixed Concrete
C1079 Withdrawn 1998; Test Methods for Determining the Water Content of Freshly Mixed Concrete
C1080-98(2008) Specification for Asbestos-Cement Products Other Than Fill For Cooling Towers, **04.05**
C1081-98(2008) Specification for Asbestos-Cement Corrugated Fill For Use in Cooling Towers, **04.05**
C1082-98(2008) Specification for Asbestos-Cement Flat Sheet for Cooling Tower Fill, **04.05**
C1083-06(2011) Test Method for Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials, **04.07**
C1084-10 Test Method for Portland-Cement Content of Hardened Hydraulic-Cement Concrete, **04.02**
C1085 Withdrawn 1998; Specification for Butyl Rubber-Based Solvent-Release Sealants; Replaced by C1311
C1086-09 Specification for Glass Fiber Mechanically Bonded Felt Thermal Insulation, **04.06**
C1087-00(2011) Test Method for Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, **04.07**
C1088-14 Specification for Thin Veneer Brick Units Made From Clay or Shale, **04.05**
C1089-13 Specification for Spun Cast Prestressed Concrete Poles, **04.05**
C1090-10 Test Method for Measuring Changes in Height of Cylindrical Specimens of Hydraulic-Cement Grout, **04.02**
C1091-03a(2013) Test Method for Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, **04.05**
C1092 Withdrawn 1995; Specification for Glass Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe
C1093-13a$^{\epsilon 1}$ Practice for Accreditation of Testing Agencies for Masonry, **04.05**
C1094 Withdrawn 2010; Guide for Flexible Removable Insulation Covers
C1095 Withdrawn 1998; Practice for Calculating Precision Data on Refractories (CO8) from Interlaboratory Test Results; Replaced by E177, E691
C1096/C1096M-07(2011)$^{\epsilon 1}$ Test Method for Determination of Wood Fiber in Asbestos Cement, **04.05**
C1097-13 Specification for Hydrated Lime for Use in Asphalt Cement or Bituminous Paving Mixtures, **04.01**
C1098-08 Specification for Nuclear-Grade Hafnium Oxide Powder, **12.01**
C1099-07(2012) Test Method for Modulus of Rupture of Carbon-Containing Refractory Materials at Elevated Temperatures, **15.01**
C1100 Withdrawn 2005; Test Method for Ribbon Thermal Shock Testing of Refractory Materials
C1101/C1101M-06(2012) Test Methods for Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, **04.06**
C1102 Withdrawn 2002; Test Method for Time of Setting of Portland-Cement Pastes Containing Quick-Setting Accelerating Admixtures for Shotcrete by the Use of Gillmore Needles; Replaced by C1398
C1103-03(2009) Practice for Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, **04.05**
C1103M-03(2009) Practice for Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), **04.05**
C1104/C1104M-13a Test Method for Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, **04.06**
C1105-08a Test Method for Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, **04.02**
C1106-00(2012) Test Methods for Chemical Resistance and Physical Properties of Carbon Brick, **04.05**
C1107/C1107M-14 Specification for Packaged Dry, Hydraulic-Cement Grout (Nonshrink), **04.02**
C1108-12 Test Method for Plutonium by Controlled-Potential Coulometry, **12.01**
C1109-10 Practice for Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, **12.01**
C1110 Withdrawn 2014; Test Method for Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy
C1111-10 Test Method for Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, **12.01**
C1112 Withdrawn 2014; Guide for Application of Radiation Monitors to the Control and Physical Security of Special Nuclear Material
C1113/C1113M-09(2013) Test Method for Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique), **15.01**
C1114-06(2013) Test Method for Steady-State Thermal Transmission Properties by Means of the Thin-Heater Apparatus, **04.06**
C1115-06(2011) Specification for Dense Elastomeric Silicone Rubber Gaskets and Accessories, **04.07**
C1116/C1116M-10a Specification for Fiber-Reinforced Concrete, **04.02**
C1117 Withdrawn 2003; Test Method for Time of Setting of Shotcrete Mixtures by Penetration Resistance
C1118 Withdrawn 2011; Guide for Selecting Components for Wavelength-Dispersive X-Ray Fluorescence (XRF) Systems
C1119/C1119M-90(2009)$^{\epsilon 1}$ Test Method for Vacuum Drainage of Asbestos-Cement Mixes, **04.05**
C1120/C1120M-98(2011)$^{\epsilon 1}$ Test Method for Wash Test of Asbestos, **04.05**
C1121/C1121M-04(2009)$^{\epsilon 1}$ Test Method for Turner and Newall (T and N) Wet-Length Classification of Asbestos, **04.05**
C1122/C1122M-90(2009)$^{\epsilon 1}$ Test Method for Wet Volume of Asbestos, **04.05**
C1123/C1123M-90(2009)$^{\epsilon 1}$ Test Method for Compressibility and Recovery of Asbestos, **04.05**
C1124/C1124M-90(2009)$^{\epsilon 1}$ Test Method for Kerosene Retention of Asbestos, **04.05**
C1125-89(2009) Test Method for Penetration Index of Asbestos, **04.05**
C1126-14 Specification for Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, **04.06**
C1127-01(2009) Guide for Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface, **04.04**
C1128-01(2008) Guide for Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, **12.01**
C1129-12 Practice for Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, **04.06**
C1130-07(2012) Practice for Calibrating Thin Heat Flux Transducers, **04.06**
C1131-10$^{\epsilon 1}$ Practice for Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, **04.05**
C1132 Withdrawn 2002; Practice for Calibration of the Heat Flow Meter Apparatus
C1133/C1133M-10 Test Method for Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, **12.01**
C1134-90(2012)$^{\epsilon 1}$ Test Method for Water Retention of Rigid Thermal Insulations Following Partial Immersion, **04.06**
C1135-00(2011) Test Method for Determining Tensile Adhesion Properties of Structural Sealants, **04.07**
C1136-12 Specification for Flexible, Low Permeance Vapor Retarders for Thermal Insulation, **04.06**
C1137 Withdrawn 2011; Test Method for Degradation of Fine Aggregate Due to Attrition
C1138M-12 Test Method for Abrasion Resistance of Concrete (Underwater Method), **04.02**
C1139-14 Specification for Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, **04.06**
C1140/C1140M-11 Practice for Preparing and Testing Specimens from Shotcrete Test Panels, **04.02**
C1141/C1141M-08 Specification for Admixtures for Shotcrete, **04.02**
C1142-95(2013) Specification for Extended Life Mortar for Unit Masonry, **04.05**
C1143 Withdrawn 2000; Specification for Helium for Use as a Cover Gas for Liquid Sodium
C1144-89(2011) Test Method for Splitting Tensile Strength for Brittle Nuclear Waste Forms, **12.01**
C1145-06(2013) Terminology of Advanced Ceramics, **15.01**
C1146-09(2013) Guide for Prefabricated Panel and H–bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, **04.06**
C1147-01(2012) Practice for Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, **08.01**
C1148-92a(2008) Test Method for Measuring the Drying Shrinkage of Masonry Mortar, **04.05**
C1149-11 Specification for Self-Supported Spray Applied Cellulosic Thermal Insulation, **04.06**
C1150 Withdrawn 2002; Test Method for the Break-Off Number of Concrete
C1151 Withdrawn 2000; Test Method for Evaluating the Effectiveness of Materials for Curing Concrete
C1152/C1152M-04(2012)$^{\epsilon 1}$ Test Method for Acid-Soluble Chloride in Mortar and Concrete, **04.02**
C1153-10 Practice for Location of Wet Insulation in Roofing Systems Using Infrared Imaging, **04.06**
C1154-06(2011) Terminology for Non-Asbestos Fiber-Reinforced Cement Products, **04.05**
C1155-95(2013) Practice for Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, **04.06**
C1156-03(2011) Guide for Establishing Calibration for a Measurement Method

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Used to Analyze Nuclear Fuel Cycle Materials, **12.01**
C1157/C1157M-11 Performance Specification for Hydraulic Cement, **04.01**
C1158 Withdrawn 2011; Practice for Installation and Use of Radiant Barrier Systems (RBS) in Building Construction
C1159-98(2012) Specification for Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, **04.05**
C1160-97(2012) Specification for Chemical-Resistant Carbon Brick, **04.05**
C1161-13 Test Method for Flexural Strength of Advanced Ceramics at Ambient Temperature, **15.01**
C1162/C1162M-90(2009)$^{\epsilon 1}$ Test Method for Loose Density of Asbestos, **04.05**
C1163-14 Practice for Mounting Actinides for Alpha Spectrometry Using Neodymium Fluoride, **12.01**
C1164-92(2009) Practice for Evaluation of Limestone or Lime Uniformity From a Single Source, **04.01**
C1165-12 Test Method for Determining Plutonium by Controlled-Potential Coulometry in H, **12.01**
C1166-06(2011) Test Method for Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, **04.07**
C1167-11 Specification for Clay Roof Tiles, **04.05**
C1168-08 Practice for Preparation and Dissolution of Plutonium Materials for Analysis, **12.01**
C1169-97(2012) Guide for Laboratory Evaluation of Automatic Pedestrian SNM Monitor Performance, **12.01**
C1170/C1170M-14$^{\epsilon 1}$ Test Method for Determining Consistency and Density of Roller-Compacted Concrete Using a Vibrating Table, **04.02**
C1171-05(2011) Test Method for Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, **15.01**
C1172-09$^{\epsilon 1}$ Specification for Laminated Architectural Flat Glass, **15.02**
C1173-10$^{\epsilon 1}$ Specification for Flexible Transition Couplings for Underground Piping Systems, **01.02**
C1174-07(2013) Practice for Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, **12.01**
C1175-99a(2010) Guide to Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, **15.01**
C1176/C1176M-13 Practice for Making Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Table, **04.02**
C1177/C1177M-13 Specification for Glass Mat Gypsum Substrate for Use as Sheathing, **04.01**
C1178/C1178M-13 Specification for Coated Glass Mat Water-Resistant Gypsum Backing Panel, **04.01**
C1179-91(2010)$^{\epsilon 1}$ Test Method for Oxidation Mass Loss of Manufactured Carbon and Graphite Materials in Air, **05.05**
C1180-10 Terminology of Mortar and Grout for Unit Masonry, **04.05**
C1181-00(2012) Test Methods for Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, **04.02**
C1182-09 Test Method for Determining the Particle Size Distribution of Alumina by Centrifugal Photosedimentation, **15.02**
C1183/C1183M-13 Test Method for Extrusion Rate of Elastomeric Sealants, **04.07**
C1184-14 Specification for Structural Silicone Sealants, **04.07**
C1185-08(2012) Test Methods for Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards, **04.05**
C1186-08(2012) Specification for Flat Fiber-Cement Sheets, **04.05**
C1187-07 Guide for Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, **12.01**
C1188-04(2011) Guide for Establishing a Quality Assurance Program for Uranium Conversion Facilities, **12.01**
C1189-11 Guide to Procedures for Calibrating Automatic Pedestrian SNM Monitors, **12.01**
C1190-95(2010) Practice for Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, **15.01**
C1191 Withdrawn 1999; Practice for Safe Use and Handling of Ceramic Clays and Slips
C1192 Withdrawn 1999; Practice for Safe Spraying of Ceramic Glazes
C1193-13 Guide for Use of Joint Sealants, **04.07**
C1194-03(2011) Test Method for Compressive Strength of Architectural Cast Stone, **04.05**
C1195-03(2011) Test Method for Absorption of Architectural Cast Stone, **04.05**
C1196-09 Test Method for In Situ Compressive Stress Within Solid Unit Masonry Estimated Using Flatjack Measurements, **04.05**
C1197-09 Test Method for In Situ Measurement of Masonry Deformability Properties Using the Flatjack Method, **04.05**
C1198-09(2013) Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, **15.01**
C1199-14 Test Method for Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, **04.06**
C1201/C1201M-09 Test Method for Structural Performance of Exterior Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, **04.07**
C1202-12 Test Method for Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration, **04.02**
C1203-04(2009) Test Method for Quantitative Determination of Alkali Resistance of a Ceramic-Glass Enamel, **15.02**
C1204-14 Test Method for Uranium in Presence of Plutonium by Iron(II) Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, **12.01**
C1205-07(2012) Test Method for The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry, **12.01**
C1206-02(2010) Test Method for Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, **12.01**
C1207-10 Test Method for Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, **12.01**
C1208M Withdrawn 1998; Replaced by C1208/C1208M
C1208/C1208M-11 Specification for Vitrified Clay Pipe and Joints for Use in Microtunneling, Sliplining, Pipe Bursting, and Tunnels, **04.05**
C1209 Withdrawn 2009; Terminology of Concrete Masonry Units and Related Units; Replaced by C1232
C1210-12 Guide for Establishing a Measurement System Quality Control Program for Analytical Chemistry Laboratories Within the Nuclear Industry, **12.01**
C1211-13 Test Method for Flexural Strength of Advanced Ceramics at Elevated Temperatures, **15.01**
C1212-98(2010) Practice for Fabricating Ceramic Reference Specimens Containing Seeded Voids, **15.01**
C1213 Withdrawn 2001; Terminology Relating to Precast Concrete Products
C1214-13 Test Method for Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, **04.05**
C1214M-13 Test Method for Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), **04.05**
C1215-92(2012)$^{\epsilon 1}$ Guide for Preparing and Interpreting Precision and Bias Statements in Test Method Standards Used in the Nuclear Industry, **12.01**
C1216/C1216M-13 Test Method for Adhesion and Cohesion of One-Part Elastomeric Solvent Release Sealants, **04.07**
C1217-00(2012) Guide for Design of Equipment for Processing Nuclear and Radioactive Materials, **12.01**
C1218/C1218M-99(2008) Test Method for Water-Soluble Chloride in Mortar and Concrete, **04.02**
C1219-05(2009) Test Methods for Arsenic in Uranium Hexafluoride, **12.01**
C1220-10 Test Method for Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, **12.01**
C1221-10 Test Method for Nondestructive Analysis of Special Nuclear Materials in Homogeneous Solutions by Gamma-Ray Spectrometry, **12.01**
C1222-13 Practice for Evaluation of Laboratories Testing Hydraulic Cement, **04.01**
C1223-09 Test Method for Testing of Glass Exudation from AZS Fusion-Cast Refractories, **15.01**
C1224-11 Specification for Reflective Insulation for Building Applications, **04.06**
C1225-08(2012) Specification for Fiber-Cement Roofing Shingles, Shakes, and Slates, **04.05**
C1226 Withdrawn 2007; Test Method for Soluble Chlorides in Asbestos
C1227-13 Specification for Precast Concrete Septic Tanks, **04.05**
C1228-96(2009) Practice for Preparing Coupons for Flexural and Washout Tests on Glass Fiber Reinforced Concrete, **04.05**
C1229-94(2009) Test Method for Determination of Glass Fiber Content in Glass Fiber Reinforced Concrete (GFRC)(Wash-Out Test), **04.05**
C1230-96(2009) Test Method for Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, **04.05**
C1231/C1231M-14 Practice for Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, **04.02**
C1232-12 Terminology of Masonry, **04.05**
C1233-09 Practice for Determining Equivalent Boron Contents of Nuclear Materials, **12.01**
C1234-11 Practice for Preparation of Oils and Oily Waste Samples by High-Pressure, High-Temperature Digestion for Trace Element Determinations, **05.01**
C1235 Withdrawn 2005; Test Method for Plutonium by Titanium(III)/Cerium(IV) Titration
C1236 Withdrawn 2014; Guide for In-Plant Performance Evaluation of Automatic Vehicle SNM Monitors
C1237 Withdrawn 2014; Guide to In-Plant Performance Evaluation of Hand-Held SNM Monitors
C1238-97(2012) Guide for Installation of Walk-Through Metal Detectors, **12.01**
C1239-13 Practice for Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics, **15.01**
C1240-14 Specification for Silica Fume Used in Cementitious Mixtures, **04.02**
C1241-14 Test Method for Volume Shrinkage of Latex Sealants During Cure, **04.07**
C1242-14 Guide for Selection, Design, and Installation of Dimension Stone Attachment Systems, **04.07**
C1243-93(2009) Test Method for Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, **15.02**
C1244-11 Test Method for Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill, **04.05**
C1244M-11 Test Method for Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), **04.05**
C1245/C1245M-12 Test Method for Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), **04.02**
C1246-00(2012) Test Method for Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, **04.07**
C1247-14 Test Method for Durability of Sealants Exposed to Continuous Immersion in Liquids, **04.07**
C1248-08(2012) Test Method for Staining of Porous Substrate by Joint Sealants, **04.07**
C1249-06a(2010) Guide for Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, **04.07**
C1250-05 Test Method for Nonvolatile Content of Cold Liquid-Applied Elastomeric Waterproofing Membranes, **04.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C1251 Withdrawn 2000; Guide for Determination of Specific Surface Area of Advanced Ceramic Materials by Gas Adsorption
C1252-06 Test Methods for Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), **04.02**
C1253-14 Test Method for Determining the Outgassing Potential of Sealant Backing, **04.07**
C1254-13 Test Method for Determination of Uranium in Mineral Acids by X-Ray Fluorescence, **12.01**
C1255-11 Test Method for Analysis of Uranium and Thorium in Soils by Energy Dispersive X-Ray Fluorescence Spectroscopy, **12.01**
C1256-93(2013) Practice for Interpreting Glass Fracture Surface Features, **15.02**
C1257-06a(2012) Test Method for Accelerated Weathering of Solvent-Release-Type Sealants, **04.07**
C1258-08(2013) Test Method for Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation, **04.06**
C1259-14 Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, **15.01**
C1260-14 Test Method for Potential Alkali Reactivity of Aggregates (Mortar-Bar Method), **04.02**
C1261-13 Specification for Firebox Brick for Residential Fireplaces, **04.05**
C1262-10 Test Method for Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units, **04.05**
C1263-95(2010) Test Method for Thermal Integrity of Flexible Water Vapor Retarders, **04.06**
C1264-14 Specification for Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, **04.01**
C1265-94(2011) Test Method for Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications, **04.07**
C1266-02(2011) Test Method for Flow Characteristics of Preformed Tape Sealants, **04.07**
C1267-11 Test Method for Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, **12.01**
C1268-94(2008) Test Method for Quantitative Determination of Americium 241 in Plutonium by Gamma-Ray Spectrometry, **12.01**
C1269-97(2012) Practice for Adjusting the Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors, **12.01**
C1270-97(2012) Practice for Detection Sensitivity Mapping of In-Plant Walk-Through, **12.01**
C1271-99(2012) Test Method for X-ray Spectrometric Analysis of Lime and Limestone, **04.01**
C1272-14 Specification for Heavy Vehicular Paving Brick, **04.05**
C1273-05(2010) Test Method for Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures, **15.01**
C1274-12 Test Method for Advanced Ceramic Specific Surface Area by Physical Adsorption, **15.01**
C1275-10 Test Method for Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, **15.01**
C1276 Withdrawn 2009; Test Method for Measuring the Viscosity of Mold Powders Above Their Melting Point Using a Rotational Viscometer
C1277-12 Specification for Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, **01.02**
C1278/C1278M-07a(2011) Specification for Fiber-Reinforced Gypsum Panel, **04.01**
C1279-13 Test Method for Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, **15.02**
C1280-13a Specification for Application of Exterior Gypsum Panel Products for Use as Sheathing, **04.01**
C1281-14 Specification for Preformed Tape Sealants for Glazing Applications, **04.07**
C1282 *Withdrawn 2014; Test Method for Determining the Particle Size Distribution of Advanced Ceramics by Centrifugal Photosedimentation*, **15.01**
C1283-11 Practice for Installing Clay Flue Lining, **04.05**
C1284-10 Practice for Electrodeposition of the Actinides for Alpha Spectrometry, **12.01**
C1285-14 Test Methods for Determining Chemical Durability of Nuclear, Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), **12.01**
C1286 Withdrawn 2002; Classification for Advanced Ceramics
C1287-10 Test Method for Determination of Impurities in Nuclear Grade Uranium Compounds by Inductively Coupled Plasma Mass Spectrometry, **12.01**
C1288-99(2010) Specification for Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, **04.05**
C1289-14 Specification for Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board, **04.06**
C1290-11 Specification for Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, **04.06**
C1291-00a(2010) Test Method for Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, **15.01**
C1292-10 Test Method for Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, **15.01**
C1293-08b Test Method for Determination of Length Change of Concrete Due to Alkali-Silica Reaction, **04.02**
C1294-07(2011) Test Method for Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, **04.07**
C1295-14 Test Method for Gamma Energy Emission from Fission and Decay Products in Uranium Hexafluoride and Uranyl Nitrate Solution, **12.01**
C1296 Withdrawn 2007; Test Method for Determination of Sulfur in Uranium Oxides and Uranyl Nitrate Solutions by X-Ray Fluorescence (XRF)
C1297-03(2011) Guide for Qualification of Laboratory Analysts for the Analysis of Nuclear Fuel Cycle Materials, **12.01**
C1298-95(2013) Guide for Design and Construction of Brick Liners for Industrial Chimneys, **04.05**
C1299 Withdrawn 2011; Guide for Use in Selection of Liquid-Applied Sealants
C1300-95(2012) Test Method for Linear Thermal Expansion of Glaze Frits and Ceramic Whiteware Materials by the Interferometric Method, **15.02**
C1301-95(2014) Test Method for Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), **04.01**
C1302-04(2011) Guide for Selection and Use of Keywords for Thermal Insulation Test Methods and Standards, **04.06**
C1303/C1303M-14 Test Method for Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, **04.06**
C1304-08(2013) Test Method for Assessing the Odor Emission of Thermal Insulation Materials, **04.06**
C1305-08 Test Method for Crack Bridging Ability of Liquid-Applied Waterproofing Membrane, **04.04**
C1306-08 Test Method for Hydrostatic Pressure Resistance of a Liquid-Applied Waterproofing Membrane, **04.04**
C1307-14 Test Method for Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, **12.01**
C1308-08 Test Method for Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, **12.01**
C1309-97(2012) Practice for Performance Evaluation of In-Plant Walk-Through Metal Detectors, **12.01**
C1310 Withdrawn 2011; Test Method for Determining Radionuclides in Soils by Inductively Coupled Plasma-Mass Spectrometry Using Flow Injection Preconcentration
C1311-14 Specification for Solvent Release Sealants, **04.07**
C1312-97(2012) Practice for Making and Conditioning Chemical-Resistant Sulfur Polymer Cement Concrete Test Specimens in the Laboratory, **04.05**
C1313/C1313M-13 Specification for Sheet Radiant Barriers for Building Construction Applications, **04.06**
C1314-12 Test Method for Compressive Strength of Masonry Prisms, **04.05**
C1315-11 Specification for Liquid Membrane-Forming Compounds Having Special Properties for Curing and Sealing Concrete, **04.02**
C1316-08 Test Method for Nondestructive Assay of Nuclear Material in Scrap and Waste by Passive-Active Neutron Counting Using, **12.01**
C1317 Withdrawn 2001; Practice for Dissolution of Silicate or Acid-Resistant Matrix Samples; Replaced by C1463
C1318-95(2009)$^{\varepsilon 1}$ Test Method for Determination of Total Neutralizing Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue Gas Desulfurization (FGD), **04.01**
C1319-11 Specification for Concrete Grid Paving Units, **04.05**
C1320-10 Practice for Installation of Mineral Fiber Batt and Blanket Thermal Insulation for Light Frame Construction, **04.06**
C1321-14 Practice for Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, **04.06**
C1322-05b(2010) Practice for Fractography and Characterization of Fracture Origins in Advanced Ceramics, **15.01**
C1323-10 Test Method for Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature, **15.01**
C1324-10 Test Method for Examination and Analysis of Hardened Masonry Mortar, **04.05**
C1325-08b Specification for Non-Asbestos Fiber-Mat Reinforced Cementitious Backer Units, **04.05**
C1326-13 Test Method for Knoop Indentation Hardness of Advanced Ceramics, **15.01**
C1327-08 Test Method for Vickers Indentation Hardness of Advanced Ceramics, **15.01**
C1328/C1328M-12 Specification for Plastic (Stucco) Cement, **04.01**
C1329/C1329M-12 Specification for Mortar Cement, **04.01**
C1330-02(2013) Specification for Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants, **04.07**
C1331-01(2012) Test Method for Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, **15.01**
C1332-01(2013) Test Method for Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique, **15.01**
C1333 Not Assigned
C1334-05(2010) Specification for Uranium Oxides with a 235U Content of Less Than 5 % for Dissolution Prior to Conversion to Nuclear-Grade Uranium Dioxide, **12.01**
C1335-12 Test Method for Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, **04.06**
C1336-96(2014) Practice for Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, **15.01**
C1337-10 Test Method for Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, **15.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C1338-14 Test Method for Determining Fungi Resistance of Insulation Materials and Facings, **04.06**
C1339-02(2012) Test Method for Flowability and Bearing Area of Chemical-Resistant Polymer Machinery Grouts, **04.02**
C1340/C1340M-10 Practice for Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, **04.06**
C1341-13 Test Method for Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites, **15.01**
C1342 Withdrawn 2001; Practice for Flux Fusion Sample Dissolution
C1343-11 Test Method for Determination of Low Concentrations of Uranium in Oils and Organic Liquids by X-ray Fluorescence, **12.01**
C1344-97(2013) Test Method for Isotopic Analysis of Uranium Hexafluoride by Single-Standard Gas Source Mass Spectrometer Method, **12.01**
C1345-08 Test Method for Analysis of Total and Isotopic Uranium and Total Thorium in Soils by Inductively Coupled Plasma-Mass Spectrometry, **12.01**
C1346-08(2014) Practice for Dissolution of UF, **12.01**
C1347-08(2014)$^{\epsilon 1}$ Practice for Preparation and Dissolution of Uranium Materials for Analysis, **12.01**
C1348 Withdrawn 2013; Specification for Blended Uranium Oxides with ^{235}U Content of Less Than 5 % for Direct Hydrogen Reduction to Nuclear Grade Uranium Dioxide
C1349-10 Specification for Architectural Flat Glass Clad Polycarbonate, **15.02**
C1350M-96(2013) Test Method for Measurement of Viscosity of Glass Between Softening Point and Annealing Range (Approximately 10, **15.02**
C1351M-96(2012) Test Method for Measurement of Viscosity of Glass Between 10, **15.02**
C1352/C1352M-09 Test Method for Flexural Modulus of Elasticity of Dimension Stone, **04.07**
C1353/C1353M-09$^{\epsilon 1}$ Test Method for Abrasion Resistance of Dimension Stone Subjected to Foot Traffic Using a Rotary Platform, Double-Head Abraser, **04.07**
C1354/C1354M-09 Test Method for Strength of Individual Stone Anchorages in Dimension Stone, **04.07**
C1355/C1355M-96(2011) Specification for Glass Fiber Reinforced Gypsum Composites, **04.01**
C1356-07(2012) Test Method for Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, **04.01**
C1357-09 Test Methods for Evaluating Masonry Bond Strength, **04.05**
C1358-13 Test Method for Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures, **15.01**
C1359-13 Test Method for Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures, **15.01**
C1360-10 Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, **15.01**
C1361-10 Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures, **15.01**
C1362 Withdrawn 2014; Test Method for Flow of Freshly Mixed Hydraulic-Cement Concrete
C1363-11 Test Method for Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, **04.06**
C1364-10b Specification for Architectural Cast Stone, **04.05**
C1365-06(2011) Test Method for Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, **04.01**
C1366-04(2013) Test Method for Tensile Strength of Monolithic Advanced Ceramics at Elevated Temperatures, **15.01**
C1367-06(2012) Test Method for Dead Load Resistance of a Sealant in Elevated Temperatures, **04.07**
C1368-10 Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, **15.01**
C1369-07(2014) Specification for Secondary Edge Sealants for Structurally Glazed Insulating Glass Units, **04.07**
C1370-00(2012) Test Method for Determining Chemical Resistance of Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement Concrete and Other Chemical-Resistant Polymer Concretes, **04.05**
C1371-04a(2010)$^{\epsilon 1}$ Test Method for Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers, **04.06**
C1372-11 Specification for Dry-Cast Segmental Retaining Wall Units, **04.05**
C1373/C1373M-11 Practice for Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, **04.06**
C1374-14 Test Method for Determination of Installed Thickness of Pneumatically Applied Loose-Fill Building Insulation, **04.06**
C1375-00(2014) Guide for Substrates Used in Testing Building Seals and Sealants, **04.07**
C1376-10 Specification for Pyrolytic and Vacuum Deposition Coatings on Flat Glass, **15.02**
C1377-97(2009) Test Method for Calibration of Surface/Stress Measuring Devices, **15.02**
C1378-04(2009) Test Method for Determination of Resistance to Staining, **15.02**
C1379-10 Test Method for Analysis of Urine for Uranium-235 and Uranium-238 Isotopes by Inductively Coupled Plasma-Mass Spectrometry, **12.01**
C1380-04(2011) Test Method for the Determination of Uranium Content and Isotopic Composition by Isotope Dilution Mass Spectrometry, **12.01**
C1381/C1381M-97(2013) Specification for Molded Glass Fiber Reinforced Gypsum Parts, **04.01**
C1382-11 Test Method for Determining Tensile Adhesion Properties of Sealants When Used in Exterior Insulation and Finish Systems (EIFS) Joints, **04.07**
C1383-04(2010) Test Method for Measuring the P-Wave Speed and the Thickness of Concrete Plates Using the Impact-Echo Method, **04.02**
C1384-12a Specification for Admixtures for Masonry Mortars, **04.05**
C1385/C1385M-10 Practice for Sampling Materials for Shotcrete, **04.02**
C1386 Withdrawn 2013; Specification for Precast Autoclaved Aerated Concrete (AAC) Wall Construction Units
C1387-14 Guide for the Determination of Technetium-99 in Soil, **12.01**
C1388 Withdrawn 1999; Test Method for Compressive Strength of Laboratory Constructed Masonry Prisms
C1389 Redesignated E514
C1390 Redesignated E518
C1391 Redesignated E519
C1392-00(2014) Guide for Evaluating Failure of Structural Sealant Glazing, **04.07**
C1393-14 Specification for Perpendicularly Oriented Mineral Fiber Roll and Sheet Thermal Insulation for Pipes and Tanks, **04.06**
C1394-03(2012) Guide for In-Situ Structural Silicone Glazing Evaluation, **04.07**
C1395/C1395M Withdrawn 2005; Specification for Gypsum Ceiling Board
C1396/C1396M-14 Specification for Gypsum Board, **04.01**
C1397-13 Practice for Application of Class PB Exterior Insulation and Finish Systems (EIFS) and EIFS with Drainage, **04.01**
C1398 Withdrawn 2010; Test Method for the Laboratory Determination of the Time of Setting of Hydraulic-Cement Mortars Containing Additives for Shotcrete by the Use of Gillmore Needles
C1399/C1399M-10 Test Method for Obtaining Average Residual-Strength of Fiber-Reinforced Concrete, **04.02**
C1400-11 Guide for Reduction of Efflorescence Potential in New Masonry Walls, **04.05**
C1401-14 Guide for Structural Sealant Glazing, **04.07**
C1402-04(2009) Guide for High-Resolution Gamma-Ray Spectrometry of Soil Samples, **12.01**
C1403-13 Test Method for Rate of Water Absorption of Masonry Mortars, **04.05**
C1404/C1404M Withdrawn 2011; Test Method for Bond Strength of Adhesive Systems Used With Concrete as Measured by Direct Tension
C1405-14 Specification for Glazed Brick (Single Fired, Brick Units), **04.05**
C1406 Withdrawn 1998; Guide for Minimum Basic Polygraph Training and Education; Redesignated E2000
C1407-98(2011)$^{\epsilon 1}$ Practice for Calculating Areas, Volume, and Linear Change of Refractory Shapes, **15.01**
C1408-09 Test Method for Carbon (Total) in Uranium Oxide Powders and Pellets By Direct Combustion-Infrared Detection Method, **12.01**
C1409-12 Guide for Measuring and Estimating Quantities of Insulated Piping and Components, **04.06**
C1410-13 Specification for Cellular Melamine Thermal and Sound-Absorbing Insulation, **04.06**
C1411-14 Practice for The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, **12.01**
C1412 Withdrawn 2001; Practice for Microwave Oven Dissolution of Glass Containing Radioactive and Mixed Wastes
C1413-05(2011) Test Method for Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry, **12.01**
C1414-01(2014) Practice for The Separation of Americium from Plutonium by Ion Exchange, **12.01**
C1415-14 Test Method for 238Pu Isotopic Abundance By Alpha Spectrometry, **12.01**
C1416 *Withdrawn 2013; Test Method for Uranium Analysis Waste Water by X-ray Fluorescence; Replaced by D5673*, **12.01**
C1417-14 Specification for Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design, **04.05**
C1417M-14 Specification for Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), **04.05**
C1419-99a(2009) Test Method for Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus, **15.01**
C1420 Withdrawn 2006; Practice for Selection, Removal, and Shipment of Manufactured Masonry Units Placed in Usage; Replaced by C1532
C1421-10 Test Methods for Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature, **15.01**
C1422/C1422M-10 Specification for Chemically Strengthened Flat Glass, **15.02**
C1423-98(2011) Guide for Selecting Jacketing Materials for Thermal Insulation, **04.06**
C1424-10 Test Method for Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature, **15.01**
C1425-13 Test Method for Interlaminar Shear Strength of 1–D and 2–D Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures, **15.01**
C1426-09 Practices for Verification and Calibration of Polarimeters, **15.02**
C1427-13 Specification for Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, **04.06**
C1428-11 Test Method for Isotopic Analysis of Uranium Hexafluoride by Single–Standard Gas Source Multiple Collector Mass Spectrometer Method, **12.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C1429-99(2014) Test Method for Isotopic Analysis of Uranium Hexafluoride by Double-Standard Multi-Collector Gas Mass Spectrometer, **12.01**
C1430-07(2011)ε1 Test Method for Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration, **12.01**
C1431-99(2010)ε1 Guide for Corrosion Testing of Aluminum-Based Spent Nuclear Fuel in Support of Repository Disposal, **12.01**
C1432-03(2008) Test Method for Determination of Impurities in Plutonium: Acid Dissolution, Ion Exchange Matrix Separation, and Inductively Coupled Plasma-Atomic Emission Spectroscopic (ICP/AES) Analysis, **12.01**
C1433-14 Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, **04.05**
C1433M-14 Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers (Metric), **04.05**
C1435/C1435M-08 Practice for Molding Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Hammer, **04.02**
C1436-13 Specification for Materials for Shotcrete, **04.02**
C1437-13 Test Method for Flow of Hydraulic Cement Mortar, **04.01**
C1438-13 Specification for Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, **04.02**
C1439-13 Test Methods for Evaluating Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, **04.02**
C1440-08(2013)ε1 Specification for Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, **01.02**
C1441-13 Test Method for The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, **12.01**
C1442-14 Practice for Conducting Tests on Sealants Using Artificial Weathering Apparatus, **04.07**
C1443-99(2010) Specification for Glasses, Portlight, Circular, Fully Tempered, **15.02**
C1444 Withdrawn 2005; Test Method for Measuring the Angle of Repose of Free-Flowing Mold Powders
C1445-13 Test Method for Measuring Consistency of Castable Refractory Using a Flow Table, **15.01**
C1446-11 Test Method for Measuring Consistency of Self-Flowing Castable Refractories, **15.01**
C1447/C1447M-04(2010) Specification for Non-Asbestos Fiber-Cement Underdrain Pipe, **04.05**
C1448/C1448M-05(2010) Specification for Non-Asbestos Fiber-Cement Conduit, **04.05**
C1449/C1449M-05a(2010) Specification for Non-Asbestos Fiber-Cement Nonpressure Sewer Pipe, **04.05**
C1450/C1450M-04(2010) Specification for Non-Asbestos Fiber-Cement Storm Drain Pipe, **04.05**
C1451-11 Practice for Determining Variability of Ingredients of Concrete From a Single Source, **04.02**
C1452 Withdrawn 2013; Specification for Reinforced Autoclaved Aerated Concrete Elements
C1453-00(2011) Test Method for the Determination of Uranium by Ignition and the Oxygen to Uranium (O/U) Atomic Ratio of Nuclear Grade Uranium Dioxide Powders and Pellets, **12.01**
C1454-07 Guide for Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, **12.01**
C1455-14 Test Method for Nondestructive Assay of Special Nuclear Material Holdup Using Gamma-Ray Spectroscopic Methods, **12.01**
C1456-13 Test Method for Determination of Uranium or Gadolinium (or both) in Gadolinium Oxide-Uranium Oxide Pellets or by X-Ray Fluorescence (XRF), **12.01**
C1457-00(2010)ε1 Test Method for Determination of Total Hydrogen Content of Uranium Oxide Powders and Pellets by Carrier Gas Extraction, **12.01**
C1458-09ε1 Test Method for Nondestructive Assay of Plutonium, Tritium and 241Am by Calorimetric Assay, **12.01**
C1459-04(2009) Specification for Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, **04.05**
C1460-12 Specification for Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground, **01.02**
C1461-08(2013) Specification for Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use, **01.02**
C1462-00(2013) Specification for Uranium Metal Enriched to More than 15 % and Less Than 20 %, **12.01**
C1463-13 Practices for Dissolving Glass Containing Radioactive and Mixed Waste for Chemical and Radiochemical Analysis, **12.01**
C1464-06(2011) Specification for Bent Glass, **15.02**
C1465-08(2013) Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures, **15.01**
C1466-00(2012) Test Method for Graphite Furnace Atomic Absorption Spectrometric Determination of Lead and Cadmium Extracted from Ceramic Foodware, **15.02**
C1467/C1467M-00(2012) Specification for the Installation of Molded Glass Fiber Reinforced Gypsum Parts, **04.01**
C1468-13 Test Method for Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature, **15.01**
C1469-10 Test Method for Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, **15.01**
C1470-06(2013) Guide for Testing the Thermal Properties of Advanced Ceramics, **15.01**
C1471-05 Guide for the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces, **04.04**
C1472-10 Guide for Calculating Movement and Other Effects When Establishing Sealant Joint Width, **04.07**
C1473-11 Test Method for Radiochemical Determination of Uranium Isotopes in Urine by Alpha Spectrometry, **12.01**
C1474-00(2011) Test Method for Analysis of Isotopic Composition of Uranium in Nuclear-Grade Fuel Material by Quadrupole Inductively Coupled Plasma-Mass Spectrometry, **12.01**
C1475-05(2010)ε1 Guide for Determination of Neptunium-237 in Soil, **12.01**
C1476 Withdrawn 2011; Test Method for Analysis of Urine for Technetium-99 by Inductively Coupled Plasma-Mass Spectrometry
C1477-08(2014) Test Method for Isotopic Abundance Analysis of Uranium Hexafluoride and Uranyl Nitrate Solutions by Multi-Collector, Inductively Coupled Plasma-Mass Spectrometry, **12.01**
C1478-08(2013) Specification for Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals, **04.05**
C1478M-08a(2013) Specification for Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals (Metric), **04.05**
C1479-13 Practice for Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations, **04.05**
C1479M-13 Practice for Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations (Metric), **04.05**
C1480/C1480M-07(2012) Specification for Packaged, Pre-Blended, Dry, Combined Materials for Use in Wet or Dry Shotcrete Application, **04.02**
C1481-12 Guide for Use of Joint Sealants with Exterior Insulation and Finish Systems (EIFS), **04.07**
C1482-12 Specification for Polyimide Flexible Cellular Thermal and Sound Absorbing Insulation, **04.06**
C1483/C1483M-04(2009) Specification for Exterior Solar Radiation Control Coatings on Buildings, **04.06**
C1484-10 Specification for Vacuum Insulation Panels, **04.06**
C1485-13 Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, **04.06**
C1486-00(2012) Practice for Testing Chemical-Resistant Broadcast and Slurry-Broadcast Resin Monolithic Floor Surfacings, **06.02**
C1487-02(2012) Guide for Remedying Structural Silicone Glazing, **04.07**
C1488 Withdrawn 2013; Practice for Simulated Aging of Cellulosic Loose-Fill Insulation
C1489-01(2008)ε1 Specification for Lime Putty for Structural Purposes, **04.01**
C1490-14 Guide for the Selection, Training and Qualification of Nondestructive Assay (NDA) Personnel, **12.01**
C1491-13 Specification for Concrete Roof Pavers, **04.05**
C1492-03(2009) Specification for Concrete Roof Tile, **04.05**
C1493-09 Test Method for Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System, **12.01**
C1494-13 Test Methods for Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder, **15.01**
C1495-07(2012) Test Method for Effect of Surface Grinding on Flexure Strength of Advanced Ceramics, **15.01**
C1496-11 Guide for Assessment and Maintenance of Exterior Dimension Stone Masonry Walls and Facades, **04.07**
C1497-12 Specification for Cellulosic Fiber Stabilized Thermal Insulation, **04.06**
C1498-04a(2010)ε1 Test Method for Hygroscopic Sorption Isotherms of Building Materials, **04.06**
C1499-09(2013) Test Method for Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature, **15.01**
C1500-08 Test Method for Nondestructive Assay of Plutonium by Passive Neutron Multiplicity Counting, **12.01**
C1501-14 Test Method for Color Stability of Building Construction Sealants as Determined by Laboratory Accelerated Weathering Procedures, **04.07**
C1502-09 Test Method for Determination of Total Chlorine and Fluorine in Uranium Dioxide and Gadolinium Oxide, **12.01**
C1503-08(2013) Specification for Silvered Flat Glass Mirror, **15.02**
C1504-14 Specification for Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains, **04.05**
C1504M-14 Specification for Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric), **04.05**
C1505-01(2007) Test Method for Determination of Breaking Strength of Ceramic Tiles by Three-Point Loading, **15.02**
C1506-09 Test Method for Water Retention of Hydraulic Cement-Based Mortars and Plasters, **04.01**
C1507-12 Test Method for Radiochemical Determination of Strontium-90 in Soil, **12.01**
C1508-01(2011) Test Method for Determination of Bromine and Chlorine in UF, **12.01**
C1509-02(2012) Specification for Beaded Process Glass Pipe and Fittings, **15.02**
C1510-01(2012) Test Method for Color and Color Difference of Whitewares by Abriged Spectrophotometry, **15.02**
C1511-04(2009) Test Method for Determining the Water Retention (Repellency) Characteristics of Fibrous Glass Insulation (Aircraft Type), **04.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C1512-10 Test Method for Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, **04.06**
C1513-13 Specification for Steel Tapping Screws for Cold-Formed Steel Framing Connections, **04.01**
C1514-08 Test Method for Measurement of, **12.01**
C1515-14 Guide for Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, **04.07**
C1516-05(2011) Practice for Application of Direct-Applied Exterior Finish Systems, **04.01**
C1517-09 Test Method for Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, **12.01**
C1518-04(2009) Specification for Precured Elastomeric Silicone Joint Sealants, **04.07**
C1519-10 Test Method for Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, **04.07**
C1520-02(2010) Guide for Paintability of Latex Sealants, **04.07**
C1521-13 Practice for Evaluating Adhesion of Installed Weatherproofing Sealant Joints, **04.07**
C1522-05(2013) Test Method for Extensibility After Heat Aging of Cold Liquid-Applied Elastomeric Waterproofing Membranes, **04.04**
C1523-10 Test Method for Determining Modulus, Tear and Adhesion Properties of Precured Elastomeric Joint Sealants, **04.07**
C1524-02a(2010) Test Method for Water-Extractable Chloride in Aggregate (Soxhlet Method), **04.02**
C1525-04(2013) Test Method for Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, **15.01**
C1526-08(2014) Specification for Serpentine Dimension Stone, **04.07**
C1527/C1527M-11 Specification for Travertine Dimension Stone, **04.07**
C1528-13 Guide for Selection of Dimension Stone, **04.07**
C1529-06a(2011) Specification for Quicklime, Hydrated Lime, and Limestone for Environmental Uses, **04.01**
C1530/C1530M-04(2010)$^{\epsilon 1}$ Specification for Non-Asbestos Fiber-Cement Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, **04.05**
C1531-09 Test Methods for In Situ Measurement Of Masonry Mortar Joint Shear Strength Index, **04.05**
C1532/C1532M-12 Practice for Selection, Removal, and Shipment of Manufactured Masonry Units and Masonry Specimens from Existing Construction, **04.05**
C1533-08 Guide for General Design Considerations for Hot Cell Equipment, **12.01**
C1534-14 Specification for Flexible Polymeric Foam Sheet Insulation Used as a Thermal and Sound Absorbing Liner for Duct Systems, **04.06**
C1535-05(2011) Practice for Application of Exterior Insulation and Finish Systems Class PI, **04.01**
C1536-10 Test Method for Measuring the Yield for Aerosol Foam Sealants, **04.07**
C1539-08(2014) Test Method for Determination of Technetium-99 in Uranium Hexafluoride by Liquid Scintillation Counting, **12.01**
C1540-11 Specification for Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, **01.02**
C1541-12 Specification for Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and Fittings, **01.02**
C1542/C1542M-14 Test Method for Measuring Length of Concrete Cores, **04.02**
C1543-10a Test Method for Determining the Penetration of Chloride Ion into Concrete by Ponding, **04.02**
C1545-02(2012) Practice for Dispersing Pigments and Other Materials into Water-Based Suspensions with a High Intensity Mixer, **15.02**
C1546-02(2014) Guide for Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, **04.01**
C1547-02(2013) Classification for Fusion-Cast Refractory Blocks and Shapes, **15.01**
C1548-02(2012) Test Method for Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, **15.01**
C1549-09 Test Method for Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer, **04.06**
C1550-12a Test Method for Flexural Toughness of Fiber Reinforced Concrete (Using Centrally Loaded Round Panel), **04.02**
C1552-12 Practice for Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing, **04.05**
C1553-08 Guide for Drying Behavior of Spent Nuclear Fuel, **12.01**
C1554-11 Guide for Materials Handling Equipment for Hot Cells, **12.01**
C1555 Withdrawn 2009; Practice for Autoclaved Aerated Concrete Masonry; Replaced by C1692
C1556-11a Test Method for Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, **04.02**
C1557-03(2013) Test Method for Tensile Strength and Young's Modulus of Fibers, **15.01**
C1558-12 Guide for Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, **04.06**
C1559-04(2009) Test Method for Determining Wicking of Fibrous Glass Blanket Insulation (Aircraft Type), **04.06**
C1560-03(2009) Test Method for Hot Water Accelerated Aging of Glass-Fiber Reinforced Cement-Based Composites, **04.05**
C1561-10 Guide for Determination of Plutonium and Neptunium in Uranium Hexafluoride and U-Rich Matrix by Alpha Spectrometry, **12.01**
C1562-10 Guide for Evaluation of Materials Used in Extended Service of Interim Spent Nuclear Fuel Dry Storage Systems, **12.01**
C1563-08(2013) Test Method for Gaskets for Use in Connection with Hub and Spigot Cast Iron Soil Pipe and Fittings for Sanitary Drain, Waste, Vent, and Storm Piping Applications, **01.02**
C1564-04(2009) Guide for Use of Silicone Sealants for Protective Glazing Systems, **04.07**
C1565-09 Test Method for Determination of Pack-Set Index of Portland Cement, **04.01**
C1567-13 Test Method for Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), **04.02**
C1568-08(2013) Test Method for Wind Resistance of Concrete and Clay Roof Tiles (Mechanical Uplift Resistance Method), **04.05**
C1569-03(2009) Test Method for Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), **04.05**
C1570-03(2009) Test Method for Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), **04.05**
C1571-03(2012) Guide for Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, **12.01**
C1572-10 Guide for Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, **12.01**
C1574-04(2013) Guide for Determining Blown Density of Pneumatically Applied Loose-Fill Mineral Fiber Thermal Insulation, **04.06**
C1576-05(2010) Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, **15.01**
C1577-14 Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD, **04.05**
C1579-13 Test Method for Evaluating Plastic Shrinkage Cracking of Restrained Fiber Reinforced Concrete (Using a Steel Form Insert), **04.02**
C1580-09$^{\epsilon 1}$ Test Method for Water-Soluble Sulfate in Soil, **04.02**
C1581/C1581M-09a Test Method for Determining Age at Cracking and Induced Tensile Stress Characteristics of Mortar and Concrete under Restrained Shrinkage, **04.02**
C1582/C1582M-11 Specification for Admixtures to Inhibit Chloride-Induced Corrosion of Reinforcing Steel in Concrete, **04.02**
C1583/C1583M-13 Test Method for Tensile Strength of Concrete Surfaces and the Bond Strength or Tensile Strength of Concrete Repair and Overlay Materials by Direct Tension (Pull-off Method), **04.02**
C1585-13 Test Method for Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, **04.02**
C1586-05(2011) Guide for Quality Assurance of Mortars, **04.05**
C1587-09 Practice for Preparation of Field Removed Manufactured Masonry Units and Masonry Specimens for Testing, **04.05**
C1589/C1589M-14 Practice for Outdoor Weathering of Construction Seals and Sealants, **04.07**
C1590-04(2014) Practice for Alternate Actinide Calibration for Inductively Coupled Plasma-Mass Spectrometry, **12.01**
C1591 Withdrawn 2013; Test Method for Determination of the Modulus of Elasticity of AAC
C1592/C1592M-09 Guide for Making Quality Nondestructive Assay Measurements, **12.01**
C1594-11 Specification for Polyimide Rigid Cellular Thermal Insulation, **04.06**
C1597M Withdrawn 2013; Specification for Gypsum Wallboard (Hard Metric Sizes)
C1600/C1600M-11 Specification for Rapid Hardening Hydraulic Cement, **04.01**
C1601-14 Test Method for Field Determination of Water Penetration of Masonry Wall Surfaces, **04.05**
C1602/C1602M-12 Specification for Mixing Water Used in the Production of Hydraulic Cement Concrete, **04.02**
C1603-10 Test Method for Measurement of Solids in Water, **04.02**
C1604/C1604M-05(2012) Test Method for Obtaining and Testing Drilled Cores of Shotcrete, **04.02**
C1605-04(2009) Test Methods for Chemical Analysis of Ceramic Whiteware Materials Using Wavelength Dispersive X-Ray Fluorescence Spectrometry, **15.02**
C1606-10 Test Method for Sampling Protocol for TCLP Testing of Container Glassware, **15.02**
C1607-12 Test Method for Determination of Microwave Safe for Reheating for Ceramicware, **15.02**
C1608-12 Test Method for Chemical Shrinkage of Hydraulic Cement Paste, **04.01**
C1609/C1609M-12 Test Method for Flexural Performance of Fiber-Reinforced Concrete (Using Beam With Third-Point Loading), **04.02**
C1610/C1610M-14 Test Method for Static Segregation of Self-Consolidating Concrete Using Column Technique, **04.02**
C1611/C1611M-14 Test Method for Slump Flow of Self-Consolidating Concrete, **04.02**
C1613-10 Specification for Precast Concrete Grease Interceptor Tanks, **04.05**
C1614-05(2010) Practice for Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, **12.01**
C1615-10 Guide for Mechanical Drive Systems for Remote Operation in Hot Cell Facilities, **12.01**
C1616-07(2012) Test Method for Determining the Moisture Content of Organic and Inorganic Insulation Materials by Weight, **04.06**
C1617-09 Practice for Quantitative Accelerated Laboratory Evaluation of Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, **04.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C1618-13 Test Method for Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure, **04.05**
C1618M-13 Test Method for Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure (Metric), **04.05**
C1619-11 Specification for Elastomeric Seals for Joining Concrete Structures, **04.05**
C1620-12 Specification for Aerosol Polyurethane and Aerosol Latex Foam Sealants, **04.07**
C1621/C1621M-14 Test Method for Passing Ability of Self-Consolidating Concrete by J-Ring, **04.02**
C1622/C1622M-10 Specification for Cold-Weather Admixture Systems, **04.02**
C1623-11 Specification for Manufactured Concrete Masonry Lintels, **04.05**
C1624-05(2010) Test Method for Adhesion Strength and Mechanical Failure Modes of Ceramic Coatings by Quantitative Single Point Scratch Testing, **15.01**
C1625-12 Test Method for Uranium and Plutonium Concentrations and Isotopic Abundances by Thermal Ionization Mass Spectrometry, **12.01**
C1628-11 Specification for Joints for Concrete Gravity Flow Sewer Pipe, Using Rubber Gaskets, **04.05**
C1629/C1629M-14 Classification for Abuse-Resistant Nondecorated Interior Gypsum Panel Products and Fiber-Reinforced Cement Panels, **04.01**
C1630-11 Guide for Development of Coverage Charts for Loose-Fill Thermal Building Insulations, **04.06**
C1631 Withdrawn 2011; Specification for Cellular Polypropylene Thermal Insulation
C1634-11 Specification for Concrete Facing Brick, **04.05**
C1635-06 Test Method to Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, **04.07**
C1636-13 Guide for the Determination of Uranium-232 in Uranium Hexafluoride, **12.01**
C1637-13 Test Method for the Determination of Impurities in Plutonium Metal: Acid Digestion and Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS) Analysis, **12.01**
C1638-06(2013) Guide for the Determination of Iodine-129 In Uranium Oxide, **12.01**
C1639-10a Specification for Fabrication Of Cellular Glass Pipe And Tubing Insulation, **04.06**
C1642-07 Practice for Determining Air Leakage Rates of Aerosol Foam Sealants and Other Construction Joint Fill and Insulation Materials, **04.07**
C1643-14 Test Method to Measuring the Post Dispensing Volumetric Expansion of Aerosol Foam Sealants, **04.07**
C1644-06(2011) Specification for Resilient Connectors Between Reinforced Concrete On-Site Wastewater Tanks and Pipes, **04.05**
C1645/C1645M-11 Test Method for Freeze-thaw and De-icing Salt Durability of Solid Concrete Interlocking Paving Units, **04.05**
C1646/C1646M-08a Practice for Making and Curing Test Specimens for Evaluating Resistance of Coarse Aggregate to Freezing and Thawing in Air-Entrained Concrete, **04.02**
C1647-13 Practice for Removal of Uranium or Plutonium, or both, for Impurity Assay in Uranium or Plutonium Materials, **12.01**
C1648-12 Guide for Choosing a Method for Determining the Index of Refraction and Dispersion of Glass, **15.02**
C1649-08 Practice for Instrumental Transmittance Measurement of Color for Flat Glass, Coated and Uncoated, **15.02**
C1650-07 Practice for Instrumental Reflectance Measurement of Color for Flat Glass, Coated, and Uncoated, **15.02**
C1651-11 Test Method for Measurement of Roll Wave Optical Distortion in Heat-Treated Flat Glass, **15.02**
C1652/C1652M-06 Test Method for Measuring Optical Distortion in Flat Glass Products Using Digital Photography of Grids, **15.02**
C1655-06(2011) Classification of Fireclay and High-Alumina Mortars, **15.01**
C1656-13 Guide for Measuring the Reactivity of Hydraulic Refractory Castables using Exothermic Profile, **15.01**
C1658/C1658M-13 Specification for Glass Mat Gypsum Panels, **04.01**
C1660-10 Specification for Thin-bed Mortar for Autoclaved Aerated Concrete (AAC) Masonry, **04.05**
C1661-13 Guide for Viewing Systems for Remotely Operated Facilities, **12.01**
C1662-10 Practice for Measurement of the Glass Dissolution Rate Using the Single-Pass Flow-Through Test Method, **12.01**
C1663-09 Test Method for Measuring Waste Glass or Glass Ceramic Durability by Vapor Hydration Test, **12.01**
C1666/C1666M-08 Specification for Alkali Resistant (AR) Glass Fiber for GFRC and Fiber-Reinforced Concrete and Cement, **04.05**
C1667-09 Test Method for Using Heat Flow Meter Apparatus to Measure the Center-of-Panel Thermal Resistivity of Vacuum Panels, **04.06**
C1668-13a Specification for Externally Applied Reflective Insulation Systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems, **04.06**
C1670/C1670M-13a Specification for Adhered Manufactured Stone Masonry Veneer Units, **04.05**
C1671-07 Practice for Qualification and Acceptance of Boron Based Metallic Neutron Absorbers for Nuclear Criticality Control for Dry Cask Storage Systems and Transportation Packaging, **12.01**
C1672-07(2014) Test Method for Determination of Uranium or Plutonium Isotopic Composition or Concentration by the Total Evaporation Method Using a Thermal Ionization Mass Spectrometer, **12.01**
C1673-10a$^{\varepsilon 1}$ Terminology of C26.10 Nondestructive Assay Methods, **12.01**
C1674-11 Test Method for Flexural Strength of Advanced Ceramics with Engineered Porosity (Honeycomb Cellular Channels) at Ambient Temperatures, **15.01**
C1675-11 Practice for Installation of Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, **04.05**
C1676-08 Specification for Microporous Thermal Insulation, **04.06**
C1677-11a Specification for Joints for Concrete Box, Using Rubber Gaskets, **04.05**
C1678-10 Practice for Fractographic Analysis of Fracture Mirror Sizes in Ceramics and Glasses, **15.01**
C1679-14 Practice for Measuring Hydration Kinetics of Hydraulic Cementitious Mixtures Using Isothermal Calorimetry, **04.02**
C1681-14 Test Method for Evaluating the Tear Resistance of a Sealant Under Constant Strain, **04.07**
C1682-09 Guide for Characterization of Spent Nuclear Fuel in Support of Geologic Repository Disposal, **12.01**
C1683-10 Practice for Size Scaling of Tensile Strengths Using Weibull Statistics for Advanced Ceramics, **15.01**
C1684-13 Test Method for Flexural Strength of Advanced Ceramics at Ambient Temperature—Cylindrical Rod Strength, **15.01**
C1685-08 Specification for Pneumatically Applied High-Temperature Fiber Thermal Insulation for Industrial Applications, **04.06**
C1686-09 Practice for Installation and Testing of Reinforced Autoclaved Aerated Concrete (AAC) Units, **04.05**
C1688/C1688M-14 Test Method for Density and Void Content of Freshly Mixed Pervious Concrete, **04.02**
C1689-08a(2014) Practice for Subsampling of Uranium Hexafluoride, **12.01**
C1691-11 Specification for Unreinforced Autoclaved Aerated Concrete (AAC) Masonry Units, **04.05**
C1692-11 Practice for Construction and Testing of Autoclaved Aerated Concrete (AAC) Masonry, **04.05**
C1693-11 Specification for Autoclaved Aerated Concrete (AAC), **04.05**
C1694-09 Specification for Reinforced Autoclaved Aerated Concrete (AAC) Elements, **04.05**
C1695-10 Specification for Fabrication of Flexible Removable and Reusable Blanket Insulation for Hot Service, **04.06**
C1696-14 Guide for Industrial Thermal Insulation Systems, **04.06**
C1697-10 Specification for Blended Supplementary Cementitious Materials, **04.02**
C1698-09 Test Method for Autogenous Strain of Cement Paste and Mortar, **04.02**
C1699-09 Test Method for Moisture Retention Curves of Porous Building Materials Using Pressure Plates, **04.06**
C1701/C1701M-09 Test Method for Infiltration Rate of In Place Pervious Concrete, **04.02**
C1702-13a Test Method for Measurement of Heat of Hydration of Hydraulic Cementitious Materials Using Isothermal Conduction Calorimetry, **04.01**
C1703-08(2013) Practice for Sampling of Gaseous Uranium Hexafluoride, **12.01**
C1704/C1704M-09a Test Method for Sampling and Testing Structural Cementitious Panels, **04.05**
C1705/C1705M-09 Specification for Structural Cementitious Panels, **04.05**
C1707-11 Specification for Pozzolanic Hydraulic Lime for Structural Purposes, **04.01**
C1708/C1708M-13 Test Methods for Self-leveling Mortars Containing Hydraulic Cements, **04.02**
C1709-11 Guide for Evaluation of Alternative Supplementary Cementitious Materials (ASCM) for Use in Concrete, **04.02**
C1710-11 Guide for Installation of Flexible Closed Cell Preformed Insulation in Tube and Sheet Form, **04.06**
C1712-14 Test Method for Rapid Assessment of Static Segregation Resistance of Self-Consolidating Concrete Using Penetration Test, **04.02**
C1713-12 Specification for Mortars for the Repair of Historic Masonry, **04.05**
C1714/C1714M-13a Specification for Preblended Dry Mortar Mix for Unit Masonry, **04.05**
C1715-10 Test Method for Evaluation of Water Leakage Performance of Masonry Wall Drainage Systems, **04.05**
C1716/C1716M-12 Specification for Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, **04.05**
C1717-12 Test Methods for Conducting Strength Tests of Masonry Wall Panels, **04.05**
C1718-10 Test Method for Nondestructive Assay of Radioactive Material by Tomographic Gamma Scanning, **12.01**
C1719-11 Test Method for Installed Precast Concrete Tanks and Accessories by the Negative Air Pressure (Vacuum) Test Prior to Backfill, **04.05**
C1720-11 Test Method for Determining Liquidus Temperature of Immobilized Waste Glasses and Simulated Waste Glasses, **12.01**
C1721-09 Guide for Petrographic Examination of Dimension Stone, **04.07**
C1722-11 Guide for Repair and Restoration of Dimension Stone, **04.07**
C1723-10 Guide for Examination of Hardened Concrete Using Scanning Electron Microscopy, **04.02**
C1725-10 Guide for Hot Cell Specialized Support Equipment and Tools, **12.01**
C1726/C1726M-10 Guide for Use of Modeling for Passive Gamma Measurements, **12.01**
C1728-13 Specification for Flexible Aerogel Insulation, **04.06**
C1729-14 Specification for Aluminum Jacketing for Insulation, **04.06**
C1729M-14 Specification for Aluminum Jacketing for Insulation, **04.06**
C1731-13 Specification for Concrete Floor Tile, **04.05**
C1733-10 Test Method for Distribution Coefficients of Inorganic Species by the Batch Method, **12.01**
C1735-11 Test Method for Measuring the Time Dependent Modulus of Sealants Using Stress Relaxation, **04.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

C1736-11 Practice for Non-Destructive Evaluation of Adhesion of Installed Weatherproofing Sealant Joints Using a Rolling Device, **04.07**
C1737-10 Guide for Evaluating Temperature Effects to Aerosol Foam Sealant During and After Dispensing, **04.07**
C1738/C1738M-14 Practice for High-Shear Mixing of Hydraulic Cement Pastes, **04.01**
C1740-10 Practice for Evaluating the Condition of Concrete Plates Using the Impulse-Response Method, **04.02**
C1741-12 Test Method for Bleed Stability of Cementitious Post-Tensioning Tendon Grout, **04.02**
C1742-10 Test Method for Isotopic Analysis of Uranium Hexafluoride by Double Standard Single-Collector Gas Mass Spectrometer Method, **12.01**
C1743-12 Practice for Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction, **04.06**
C1744-12 Practice for Installation and Use of Radiant Barrier Systems (RBS) in Commercial/Industrial Building Construction, **04.06**
C1745/C1745M-11 Test Method for Measurement of Hydraulic Characteristics of Hydrodynamic Stormwater Separators and Underground Settling Devices, **04.05**
C1746/C1746M-12 Test Method for Measurement of Suspended Sediment Removal Efficiency of Hydrodynamic Stormwater Separators and Underground Settling Devices, **04.05**
C1747/C1747M-13 Test Method for Determining Potential Resistance to Degradation of Pervious Concrete by Impact and Abrasion, **04.02**
C1749-12 Guide for Measurement of the Rheological Properties of Hydraulic Cementious Paste Using a Rotational Rheometer, **04.01**
C1750-11 Guide for Development, Verification, Validation, and Documentation of Simulated High-Level Tank Waste, **12.01**
C1751-11 Guide for Sampling Radioactive Tank Waste, **12.01**
C1752-11 Guide for Measuring Physical and Rheological Properties of Radioactive Solutions, Slurries, and Sludges, **12.01**
C1754/C1754M-12 Test Method for Density and Void Content of Hardened Pervious Concrete, **04.02**
C1756-14 Guide for Comparing Sealant Behavior to Reference Photographs, **04.07**
C1757-13 Test Method for Determination of One-Point, Bulk Water Sorption of Dried Concrete, **04.02**
C1758/C1758M-13 Practice for Fabricating Test Specimens with Self-Consolidating Concrete, **04.02**
C1760-12 Test Method for Bulk Electrical Conductivity of Hardened Concrete, **04.02**
C1761/C1761M-13b Specification for Lightweight Aggregate for Internal Curing of Concrete, **04.02**
C1763-14 Test Method for Water Absorption by Immersion of Thermal Insulation Materials, **04.06**
C1764-12 Test Methods for Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, **04.01**
C1765-13 Specification for Steel Fiber Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, **04.05**
C1766-13 Specification for Factory-Laminated Gypsum Panel Products, **04.01**
C1767-14 Specification for Stainless Steel Jacketing for Insulation, **04.06**
C1768/C1768M-12 Practice for Accelerated Curing of Concrete Cylinders, **04.02**
C1770-13 Test Method for Determination of Loose and Tapped Bulk Density of Plutonium Oxide, **12.01**
C1771-13 Test Method for Determination of Boron, Silicon, and Technetium in Hydrolyzed Uranium Hexafluoride by Inductively Coupled Plasma—Mass Spectrometer After Removal of Uranium by Solid Phase Extraction, **12.01**
C1773-13 Test Method for Monotonic Axial Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramic Tubular Test Specimens at Ambient Temperature, **15.01**
C1774-13 Guide for Thermal Performance Testing of Cryogenic Insulation Systems, **04.06**
C1775-13 Specification for Laminate Protective Jacket and Tape for Use over Thermal Insulation for Outdoor Applications, **04.06**
C1777-13 Test Method for Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, **04.02**
C1780-13 Practice for Installation Methods for Adhered Manufactured Stone Masonry Veneer, **04.05**
C1781/C1781M-13 Test Method for Surface Infiltration Rate of Permeable Unit Pavement Systems, **04.05**
C1784-13 Test Method for Using a Heat Flow Meter Apparatus for Measuring Thermal Storage Properties of Phase Change Materials and Products, **04.06**
C1785-13 Test Method for Concentration of Pinhole Detections in Moisture Barriers on Metal Jacketing, **04.06**
C1787-14 Specification for Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, **04.01**
C1788-14 Specification for Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, **04.01**
C1789-14 Test Method for Calibration of Hand-Held Moisture Meters on Gypsum Panels, **04.01**
C1791-14 Guide for Reduction of Efflorescence Potential in New Unit Pavement Systems, **04.05**
C1792-14 Test Method for Measurement of Mass Loss versus Time for One-Dimensional Drying of Saturated Concretes, **04.02**
C1799/C1799M-14 Guide to Dimension Stone Test Specimen Sampling and Preparation, **04.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D. MISCELLANEOUS MATERIALS

D1 Withdrawn 1928; Specification for Raw Linseed Oil; Replaced by D234
D2 Withdrawn 1972; Method of Test for Abrasion of Rock by Use of the Deval Machine
D3 Withdrawn 1965; Method of Test for Toughness of Rock
D4-86(2010) Test Method for Bitumen Content, **04.04**
D5/D5M-13 Test Method for Penetration of Bituminous Materials, **04.03**
D6/D6M-95(2011)ε1 Test Method for Loss on Heating of Oil and Asphaltic Compounds, **04.04**
D7 Withdrawn 1965; Test Method for Sieve Analysis of Fine and Aggregates; Replaced by C136
D8-13b Terminology Relating to Materials for Roads and Pavements, **04.03**
D9-12 Terminology Relating to Wood and Wood-Based Products, **04.10**
D10 Withdrawn 1928; Method of Test for Establishing Structural Grades of Timbers; Replaced by D245
D11 Withdrawn 1928; Specification for Boiled Linseed Oil; Replaced by D260
D12 Withdrawn 2007; Specification for Raw Tung Oil
D13 Withdrawn 2008; Specification for Spirits of Turpentine
D14 Withdrawn 1929; Specification for Jacketed Rubber-Lined Fire Hose for Public and Private Fire Department Use; Replaced by D296
D15 Withdrawn 1976; Method of Compound and Sample Preparation for Physical Testing of Rubber Products; Replaced by D3182, D3190, D3192
D16-12 Terminology for Paint, Related Coatings, Materials, and Applications, **06.01**
D17 Withdrawn 1942; Specification for Foundry Coke
D18 Withdrawn 1939; Test Method for Sieve Analysis of Fine and Coarse Aggregates; Replaced by C136
D19 Withdrawn 1939; Test Method for Sieve Analysis of Fine and Coarse Aggregate; Replaced by C136
D20-03(2009) Test Method for Distillation of Road Tars, **04.03**
D21 Withdrawn 1948; Method of Sampling Coal for Analysis; Replaced by D492
D22 Withdrawn 1928; Method of Laboratory Sampling and Analysis of Coal and Coke; Replaced by D3176, D3180
D23 Withdrawn 1927; Methods for Establishing Structural Grades of Lumber; Replaced by D245
D24 Withdrawn 1927; Methods for Establishing Structural Grades of Lumber; Replaced by D245
D25-12 Specification for Round Timber Piles, **04.10**
D26 Withdrawn 1929; Specification for Woven Jacketed Rubber-Lined Fire Hose for Public and Private Fire Department Use; Replaced by D296
D27 Withdrawn 1961; Specification for Natural Rubber AO Insulation for Wire and Cable, 60°C Operation
D28 Withdrawn 1921; Specification for Paint Thinners Other Than Turpentine; Replaced by D86
D29 Withdrawn 2005; Test Methods for Sampling and Testing Lac Resins
D30 Withdrawn 1936; Test Method for Specific Gravity and Absorption of Coarse Aggregates; Replaced by C127
D31 Withdrawn 1918; Methods of Testing Woven Textiles Fabrics
D32 Withdrawn 1918; Methods of Testing Woven Textiles Fabrics
D33 Withdrawn 1918; Methods of Testing Woven Textiles Fabrics
D34-08 Guide for Chemical Analysis of White Pigments, **06.03**
D35 Withdrawn 1938; Specification for Certain Commercial Grades of Broken Stone
D36/D36M-12 Test Method for Softening Point of Bitumen (Ring-and-Ball Apparatus), **04.04**
D37 Withdrawn 1927; Methods of Laboratory Sampling and Analysis of Coal and Coke; Replaced by D271
D38 Withdrawn 2006; Test Methods for Sampling Wood Preservatives Prior to Testing
D39 Withdrawn 1962; Method of Test for Construction Characteristics of Woven Fabrics; Replaced by D1422, D1423, D1425, D1777, D2261, D2262
D40 Withdrawn 1938; Specification for Asphalt for Dampproofing and Waterproofing; Replaced by D449
D41/D41M-11 Specification for Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, **04.04**
D42 Withdrawn 1938; Specification for Coal-Tar Pitch for Foofing, Dampproofing and Waterproofing Level; Replaced by D450
D43/D43M-00(2012)ε1 Specification for Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, **04.04**
D44 Withdrawn 1936; Specification for Wooden, Nailed and Lock-Corner Construction, for the Shipment of Canned Foods
D45 Withdrawn 1936; Specification for Canned Foods Boxes, Wirebound Construction
D46 Withdrawn 1934; Methods of Testing Rubber Hose; Replaced by D380
D47 Withdrawn 1928; Methods for Specific Gravity of Lubricants; Replaced by D88, D97, D189, D287
D48 Withdrawn 1943; Methods of Testing Molded Materials Used for Electrical Insulation
D49-83(2008)ε1 Test Methods of Chemical Analysis of Red Lead, **06.03**
D50-90(2011) Test Methods for Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese, **06.03**
D51 Withdrawn 1927; Specification for raw linseed oil; Replaced by D234
D52 Withdrawn 1995; Specification for Wood Paving Blocks for Exposed Platforms, Pavements, Driveways, and Interior Floors Exposed to Wet and Dry Conditions
D53 Withdrawn 1929; Specification for Rubber Belting for Power Transmission
D54 Withdrawn 1934; Methods of Testing Rubber; Replaced by D380
D55 Withdrawn 1937; Test Method for Specific Gravity and Absorption of Fine Aggregate; Replaced by C128
D56-05(2010) Test Method for Flash Point by Tag Closed Cup Tester, **05.01**
D57 Withdrawn 1963; Specification for Materials for Cement Grout Filler for Brick and Stone Block Pavements
D58 Withdrawn 1963; Specification for Materials for Sand-Cement and for Brick and Block Pavements
D59 Withdrawn 1963; Specification for Granite Block for Pavements
D60 Withdrawn 1934; Methods of Testing Rubber Hose; Replaced by D380
D61-75(2010) Test Method for Softening Point of Pitches (Cube-in-Water Method), **05.01**
D62 Withdrawn 1923; Specification for Workability of Concrete for Concrete Pavements; Replaced by C143
D63 Withdrawn 1938; Specification for Standard Sizes of Coarse Aggregate for Highway Construction; Replaced by D448
D64 Withdrawn 1938; Specification for Crushed Stone, Crushed Slag and Gravel for Water-Bound Macadam Base and Surface Coarse of Pavements; Replaced by D448
D65 Withdrawn 1938; Specification for Crushed Stone, Crushed Slag and Gravel for Water-Bound Macadam Base and Surface Coarse of Pavements; Replaced by D694
D66 Withdrawn 1939; Specification for Water-Bound Base, Shorel-Run or Crusher Run; Replaced by D694
D67 Withdrawn 1993; Specification for Pumice Pigment
D68 Withdrawn 1936; Specification for Wooden Boxes, Nailed and Lock-Corner Construction
D69-12 Test Methods for Friction Tapes, **10.01**
D70-09ε1 Test Method for Density of Semi-Solid Bituminous Materials (Pycnometer Method), **04.03**
D71-94(2009) Test Method for Relative Density of Solid Pitch and Asphalt (Displacement Method), **05.01**
D72 Withdrawn 1938; Method of Test for Amount of Material Finer than 200 Sieve in Aggregate; Replaced by C117
D73 Withdrawn 1930; Method of Test for Quantity of Clay in Sand-Clay, Topsoil and Semi-Gravel for Highway Construction
D74 Withdrawn 1923; Method of Test for Amount of Material Finer than 200 Sieve in Aggregate; Replaced by C117
D75/D75M-13 Practice for Sampling Aggregates, **04.03**
D76/D76M-11 Specification for Tensile Testing Machines for Textiles, **07.01**
D77 Withdrawn 1927; Specification for Raw linseed oil; Replaced by D234
D78 Withdrawn 1928; Specification for Boiled linseed oil; Replaced by D260
D79-86(2009) Specification for Zinc Oxide Pigments, **06.03**
D80 Withdrawn 1982; Specification for Leaded Zinc Oxide
D81-87(2008)ε1 Specification for Basic Carbonate White Lead Pigment, **06.03**
D82 Withdrawn 1982; Specification for Basic Sulfate White Lead
D83-84(2008)ε1 Specification for Red Lead Pigment, **06.03**
D84 Withdrawn 1979; Specification for Red and Brown Iron Oxide Pigments; Replaced by D3721, D3722, D3724
D85-05(2011) Specification for Ochre Pigment, **06.03**
D86-12 Test Method for Distillation of Petroleum Products at Atmospheric Pressure, **05.01**
D87-09 Test Method for Melting Point of Petroleum Wax (Cooling Curve), **05.01**
D88-07(2013) Test Method for Saybolt Viscosity, **04.04**
D89 Withdrawn 1923; Method of Test for Copper Corrosion by Copper Strip Test; Replaced by C130
D90 Withdrawn 1958; Method of Test for Sulfur in Petroleum Produced by the Gravmetric Method; Replaced by C1266
D91-02(2012) Test Method for Precipitation Number of Lubricating Oils, **05.01**
D92-12b Test Method for Flash and Fire Points by Cleveland Open Cup Tester, **05.01**
D93-13 Test Methods for Flash Point by Pensky-Martens Closed Cup Tester, **05.01**
D94-07(2012) Test Methods for Saponification Number of Petroleum Products, **05.01**
D95-13ε1 Test Method for Water in Petroleum Products and Bituminous Materials by Distillation, **05.01**
D96 Withdrawn 2000; Test Method for Water and Sediment in Crude Oil by Centrifuge Method (Field Procedure)
D97-12 Test Method for Pour Point of Petroleum Products, **05.01**
D98-05(2013) Specification for Calcium Chloride, **04.03**
D99 Withdrawn 1940; Specification for Asphalt Cement, 40 to 50 Penetration, for Use in Sheet Asphalt and Asphaltic-Concrete Pavements and As Filler for Brick and Block Pavements
D100 Withdrawn 1940; Specification for Asphalt Cement, 50 to 60 Penetration, for Use in Sheet Asphalt and Asphaltic-Concrete Pavements and As Filler for Block Pavements
D101 Withdrawn 1940; Specification for Asphalt Cement, 60 to 70 Penetration, for Use in Sheet Asphalt, Asphaltic-Concrete, and Asphalt-Macadam Pavements and As Filler for Block Pavements
D102 Withdrawn 1940; Specification for Asphalt Cement, 85 to 100 Penetration, for Use in Asphalt-Macadam Pavements
D103 Withdrawn 1940; Specification for Asphalt Cement, 100 to 120 Penetration, for Use in Asphalt-Macadam Pavements
D104 Withdrawn 1939; Specification for High Carbon Tar for Surface Treatment, Cold Application; Replaced by D490
D105 Withdrawn 1939; Specification for Low-Carbon Tar for Surface Treatment, Cold Application; Replaced by D490

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D106 Withdrawn 1939; Specification for High Carbon Tar Cement for Use Cold in Repair Work (Cut-Back Product); Replaced by D490
D107 Withdrawn 1939; Specification for Low Carbon Tar Cement, for Use Cold in Repair Work (Cut-Back Product); Replaced by D490
D108 Withdrawn 1939; Specification for High Carbon Tar for Surface Treatment, Hot Application; Replaced by D490
D109 Withdrawn 1939; Specification for Low Carbon Tar for Surface Treatment, Hot Application; Replaced by D490
D110 Withdrawn 1939; Specification for High Carbon Tar Cement; Replaced by D490
D111 Withdrawn 1939; Specification for Low Carbon Tar Cement; Replaced by D490
D112 Withdrawn 1963; Specification for Coal-Tar Pitch for Stone Block Filler
D113-07 Test Method for Ductility of Bituminous Materials, **04.03**
D114 Withdrawn 1924; Method of Test for Water in Petroleum Products and Other Bituminous Materials; Replaced by D95
D115-07(2012) Test Methods for Testing Solvent Containing Varnishes Used for Electrical Insulation, **10.01**
D116-86(2011) Test Methods for Vitrified Ceramic Materials for Electrical Applications, **15.02**
D117-10 Guide for Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, **10.03**
D118 Withdrawn 1963; Specification for 4-One, and Similar Type Boxes
D119 Withdrawn 1986; Specification for Low-Voltage Rubber Insulating Tape
D120-09 Specification for Rubber Insulating Gloves, **10.03**
D121-09a Terminology of Coal and Coke, **05.06**
D122 Withdrawn 1993; Tolerances for Tire Fabrics Other Than Tire Cord Fabrics
D123-13a$^{\epsilon 1}$ Terminology Relating to Textiles, **07.01**
D124 Withdrawn 2007; Specification for Degummed Soybean Oil
D125 Withdrawn 1955; Specification for Perilla Oil, Raw or Refined
D126-87(2012) Test Methods for Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, **06.03**
D127-08 Test Method for Drop Melting Point of Petroleum Wax, Including Petrolatum, **05.01**
D128-98(2008) Test Methods for Analysis of Lubricating Grease, **05.01**
D129-13 Test Method for Sulfur in Petroleum Products (General High Pressure Decomposition Device Method), **05.01**
D130-12 Test Method for Corrosiveness to Copper from Petroleum Products by Copper Strip Test, **05.01**
D131 Withdrawn 1963; Specification for Recent Granite Block for Pavements
D132 Withdrawn 1963; Specification for Granite Block for Purax Pavements
D133 Withdrawn 1940; Specification for Asphalt Cement, 10 to 15 Penetration, for the Manufacture of Asphalt Block
D134 Withdrawn 1940; Specification for Asphalt Cement, 15 to 25 Penetration, for the Manufacture of Asphalt Block
D135 Withdrawn 1940; Specification for Asphalt Cement, 120 to 150 Penetration, for Use in Asphalt-Macadam Pavements
D136 Withdrawn 1938; Method of Test for Amount of Material Finer than 200 Sieve in Aggregates; Replaced by C117
D137 Withdrawn 1927; Method of Mechanical Analysis of Subgrade Soils
D138 Redesignated C143
D139-12 Test Method for Float Test for Bituminous Materials, **04.03**
D140/D140M-09 Practice for Sampling Bituminous Materials, **04.03**
D141 Withdrawn 1973; Method of Drop Shatter Test for Coke; Replaced by D3038
D142 Withdrawn 1941; Definition of Terms Relating to Coal and Coke; Replaced by D1212
D143-14 Test Methods for Small Clear Specimens of Timber, **04.10**
D144 Withdrawn 1938; Specification for Asphalt for Dampproofing and Waterproofing; Replaced by D449
D145 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing, Damp-proofing and Waterproofing; Replaced by D449
D146/D146M-04(2012)$^{\epsilon 1}$ Test Methods for Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing, **04.04**
D147 Withdrawn 1985; Methods of Testing Bituminous Mastics
D148 Withdrawn 1924; Methods of Sampling Bituminous Materials Shipped in Barrels or Drums; Combined with D 449
D149-09(2013) Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies, **10.01**
D150-11 Test Methods for AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, **10.01**
D151 Withdrawn 1940; Specification for Rubber Pump Valves
D152 Withdrawn 1931; Methods of Testing Cotton Fibers
D153-84(2008) Test Methods for Specific Gravity of Pigments, **06.03**
D154-85(2009) Guide for Testing Varnishes, **06.03**
D155 Withdrawn 1960; Method of Test for Color of Lubricating Oil and Petrolatum by Means of ASTM Union Colorimeter; Replaced by D1500
D156-12 Test Method for Saybolt Color of Petroleum Products (Saybolt Chromometer Method), **05.01**
D157 Withdrawn 1957; Method of Test for Steam Emulsion of Lubricating Oils; Replaced by D1401
D158 Withdrawn 1963; Method of Test for Distillation of Gas Oil and Similar Distillate Fuel Oils; Replaced by D86
D159 Withdrawn 1939; Specification for Crushed Stone and Crushed Slag for Bituminous Macadam Base and Surface Courses of Pavements; Repiaced by D693
D160 Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
D161 Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
D162 Withdrawn 1950; Specification for Fine Aggregate for Sheet Asphalt and Bituminous Concrete Pavements; Replaced by D1073
D163 Withdrawn 1940; Specification for Asphalt Cement, 25 to 30 Penetration, for Use in Sheet Asphalt and Asphaltic-Concrete Pavements
D164 Withdrawn 1940; Specification for Asphalt Cement, 30 to 40 Penetration, for Use in Sheet Asphalt and Asphaltic-Concrete Pavements
D165 Withdrawn 1967; Method of Test for Proportion of Bitumen Soluble in Carbon Tetrachloride; Replaced by D2042
D166 Withdrawn 1963; Specification for Gas and Coking Coals
D167-12a Test Method for Apparent and True Specific Gravity and Porosity of Lump Coke, **05.06**
D168 Withdrawn 2006; Test Method for Coke Residue of Creosote
D169 Withdrawn 1963; Specification for Asphalt Mastic for Use in Waterproofing (Asphalt Cement, Mineral Filler, Mineral Aggregate); Replaced by D491
D170 Withdrawn 1977; Specification for Bituminous Grout for Use in Waterproofing Above Ground Level
D171 Withdrawn 1977; Specification for Bituminous Grout for Use in Waterproofing Below Ground Level
D172 Withdrawn 1926; Specification for Coal-Tar Saturated Roofing Melt for Use in Waterproofing and in Constructing Built Up Roofs; Replaced by D226, D227
D173/D173M-03(2011)$^{\epsilon 1}$ Specification for Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing, **04.04**
D174 Withdrawn 1939; Specification for Burlap Saturated with Bituminous Substances for Use in Waterproofing
D175 Withdrawn 1929; Methods of Testing Electrical Insulating Materials for Voltage Effects at Radio Frequencies
D176 Withdrawn 2013; Test Methods for Solid Filling and Treating Compounds Used for Electrical Insulation
D177 Withdrawn 1934; Methods of Testing Rubber Hose; Replaced by D380
D178-01(2010) Specification for Rubber Insulating Matting, **10.03**
D179 Withdrawn 1975; Methods of Testing Cotton Tire Cords and Cord Fabrics Made from Cotton
D180 Withdrawn 1968; Methods of Testing Tolerances for Cotton Yarns; Replaced by D2645
D181 Withdrawn 1976; Specification for Tolerances for Cotton Fabrics for Manufacture of Hose and Belts
D182 Withdrawn 1940; Specification for ASTM Thermometer; Replaced by E1
D183 Withdrawn 1940; Specification for ASTM Thermometer; Replaced by E1
D184 Withdrawn 1940; Specification for ASTM Thermometer; Replaced by E1
D185-07(2012) Test Methods for Coarse Particles in Pigments, **06.03**
D186 Withdrawn 1940; Methods of Chemical Analysis of White Pigments; Combined with D 34
D187-08(2013) Test Method for Burning Quality of Kerosine, **05.01**
D188 Withdrawn 1943; Methods of Test for Neutralization of Acid And Base Members by Potentiometric Titration; Replaced by D664, D974
D189-06(2010)$^{\epsilon 1}$ Test Method for Conradson Carbon Residue of Petroleum Products, **05.01**
D190 Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Water-Bound Macadam Base and Surface Courses of Pavements; Replaced by D693
D191 Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Waterbound Macadam Base and Surface Courses of Pavements; Replaced by D693
D192 Withdrawn 1943; Specification for Crushed Stone and Crushed Slag for Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693
D193 Withdrawn 1939; Specification for Broken and Crushed Slag Stone for Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693
D194 Withdrawn 1939; Specification for Crushed Stone and Crushed Slag for Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693
D195 Withdrawn 1939; Specification for Crushed Stone and Crushed Slag for Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693
D196 Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
D197-87(2012) Test Method for Sampling and Fineness Test of Pulverized Coal, **05.06**
D198-14 Test Methods of Static Tests of Lumber in Structural Sizes, **04.10**
D199 Withdrawn 1962; Methods for Chemical Analysis of Zinc Chloride
D200 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing Damp-proofing and Waterproofing; Replaced by D450
D201 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing Damp-proofing and Waterproofing; Replaced by D450
D202-08 Test Methods for Sampling and Testing Untreated Paper Used for Electrical Insulation, **10.01**
D203 Withdrawn 1937; Methods of Testing Tolerances for Cotton Yarns
D204-02(2010)$^{\epsilon 1}$ Test Methods for Sewing Threads, **07.01**
D205 Withdrawn 1955; Specification for Osnaburg Cement Sacks
D206 Withdrawn 1953; Abridged Volume Correction Table for Petroleum Oils; Replaced by D1250

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D207 Withdrawn 2000; Specification for Dry Bleached Lac
D208 Withdrawn 1940; Specification for Zinc Sulfide Pigments
D209-81(2012) Specification for Lampblack Pigment, **06.03**
D210-05(2011) Specification for Bone Black Pigment, **06.03**
D211-67(2012) Specification for Chrome Yellow and Chrome Orange Pigments, **06.03**
D212 Withdrawn 1994; Specification for Chrome Green Pigment
D213 Withdrawn 1940; Specification for Reduced Chrome Green
D214 Withdrawn 1929; Methods of Testing Shellac; Replaced by D29
D215 Withdrawn 2005; Practice for the Chemical Analysis of White Linseed Oil Paints
D216 Withdrawn 1988; Method for Distillation of Natural Gasoline; Replaced by D86
D217-10 Test Methods for Cone Penetration of Lubricating Grease, **05.01**
D218 Withdrawn 1940; Methods of Test for Color of Lubricating Oil and Petroleum by Means of ASTM Union Colorimeter
D219 Withdrawn 1979; Method of Test for Burning Quality of Long-Time Burning Oil for Railway Use
D220 Withdrawn 1940; Method of Test for Moisture Equivalent of Soils
D221 Redesignated C121
D222 Redesignated C120
D223 Withdrawn 1940; Specification for Asphalt Mastic for Use in Waterproofing (Asphalt Cement, Mineral Filler, Mineral Aggregate)
D224 Withdrawn 2002; Specification for Smooth-Surfaced Asphalt Roll Roofing (Organic Felt); Replaced by D6380
D225 *Withdrawn 2012; Specification for Asphalt Shingles (Organic Felt) Surfaced With Mineral Granules*, **04.04**
D226/D226M-09 Specification for Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing, **04.04**
D227/D227M-03(2011)ε1 Specification for Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing, **04.04**
D228/D228M-09ε2 Test Methods for Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing, **04.04**
D229-13 Test Methods for Rigid Sheet and Plate Materials Used for Electrical Insulation, **10.01**
D230 Withdrawn 1976; Specification for Numbered Cotton Duck and Army Duck
D231 Withdrawn 1981; Methods of Testing Tolerances for Knit Goods; Replaced by D3887
D232 Withdrawn 1943; Method of Test for Estimating Hard Scoured Wool in Wool in the Grease (Mill Scale Operations)
D233-12 Test Methods of Sampling and Testing Turpentine, **06.03**
D234 Withdrawn 2007; Specification for Raw Linseed Oil
D235-02(2012) Specification for Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), **06.04**
D236 Withdrawn 1934; Specification for Spirits of Distilled Wood Turpentine; Replaced by D13
D237 Withdrawn 2006; Specification for Orange Shellac and Other Lacs
D238 Withdrawn 1928; Method of Test for Specific Gravity of Pigments; Combined with D 153
D239 Withdrawn 1963; Method of Test for Burning Quality of Mineral Seal Oil
D240-09 Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, **05.01**
D241 Withdrawn 1977; Specification for Asphalt Filler for Brick Pavements
D242/D242M-09 Specification for Mineral Filler For Bituminous Paving Mixtures, **04.03**
D243-08 Test Method for Residue of Specified Penetration, **04.03**
D244-09 Test Methods and Practices for Emulsified Asphalts, **04.03**
D245-06(2011) Practice for Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, **04.10**
D246 Withdrawn 2006; Test Method for Distillation of Creosote and Creosote-Coal Tar Solutions
D247 Redesignated C119
D248 Withdrawn 1943; Specification for Asphalt Roofing Surfaced with Fine Mineral Granules
D249 Withdrawn 2002; Specification for Asphalt Roll Roofing (Organic Felt) Surfaced with Mineral Granules; Replaced by D6380
D250 Withdrawn 1991; Specification for Asphalt-Saturated Asbestos Felt Used in Roofing and Waterproofing
D251 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing, Dampproofing, and Waterproofing; Replaced by D450
D252 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing, Dampproofing, and Waterproofing; Replaced by D450
D253 Withdrawn 1928; Specification for Light-Body Coal-Tar or Water-Gas-Tar Protective Coating with Solvent Vehicle, for Cold Application, for Damp-proofing Masonry Structures
D254 Withdrawn 1928; Specification for Heavy-Body Coal-Tar or Water-Gas-Tar Protective Coating with Solvent Vehicle, for Cold Application, for Dampproofing Masonry Structures
D255 Withdrawn 2000; Method for Steam Distillation of Bituminous Protective Coatings
D256-10 Test Methods for Determining the Izod Pendulum Impact Resistance of Plastics, **08.01**
D257-07 Test Methods for DC Resistance or Conductance of Insulating Materials, **10.01**
D258 Withdrawn 1956; Methods of Testing Spun and Filament Yarns Made Wholly or in Part of Man-Made Organic Base Fiber
D259 Withdrawn 1989; Specification for Woven Tapes
D260 Withdrawn 2007; Specification for Linseed Oil
D261 Withdrawn 2006; Specification for Iron Blue Pigment
D262 Withdrawn 2006; Specification for Ultramarine Blue Pigment
D263-05(2011) Specification for Chrome Oxide Green Pigment, **06.03**
D264 Withdrawn 1949; Specification for Pure Para Red Toner; Replaced by D475
D265 Withdrawn 1935; Specification for Titanium Barium Pigment; Replaced by D476
D266 Withdrawn 1949; Specification for Aluminum Pigments Powder and Paste for Paints; Replaced by D962
D267-82(2008)ε1 Specification for Gold Bronze Powder, **06.03**
D268-01(2012) Guide for Sampling and Testing Volatile Solvents and Chemical Intermediates for Use in Paint and Related Coatings and Material, **06.04**
D269-97(2011) Test Method for Insoluble Matter in Rosin and Rosin Derivatives, **06.03**
D270 Withdrawn 1984; Methods of Sampling Petroleum and Petroleum Products; Replaced by D4057, D4177
D271 Withdrawn 1974; Methods of Laboratory Sampling and Analysis of Coal and Coke; Replaced by D3176, D3180
D272 Withdrawn 1941; Methods of Analysis of Roofing Felt for Fiber Composition
D273 Withdrawn 1973; Methods of Test for Conducting Paths in Electrical Slate
D274 Withdrawn 1967; Tolerances for Certain Light and Medium Weight Cotton Fabrics
D275 Withdrawn 1942; Methods of Test for Cuban (Jute) Raw Sugar Bags
D276-12 Test Methods for Identification of Fibers in Textiles, **07.01**
D277 Withdrawn 1948; Specification for Mercuric Oxide for Use in Anti-Fouling [aints (Dry Cuprous Oxide, Dry Mercuric Oxide); Replaced by D911, D912
D278 Withdrawn 1953; Method of Test for Common Properties of Certain Pigments; Replaced by D1208
D279-02(2012) Test Methods for Bleeding of Pigments, **06.03**
D280-01(2012) Test Methods for Hygroscopic Moisture (and Other Matter Volatile Under the Test Conditions) in Pigments, **06.03**
D281-12 Test Method for Oil Absorption of Pigments by Spatula Rub-out, **06.01**
D282 Withdrawn 1930; Methods of Test for Mass Color and Tinting Strength of Pigments
D283 Withdrawn 2008; Test Methods for Chemical Analysis of Cuprous Oxide and Copper Pigments
D284 Withdrawn 2003; Test Methods for Chemical Analysis of Mercuric Oxide Pigment
D285 Withdrawn 1986; Method of Test for Distillation of Crude Petroleum
D286 Withdrawn 1967; Method of Test for Autogenous Ignition Temperatures of Petroleum Products
D287-12b Test Method for API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method), **05.01**
D288 Withdrawn 1981; Definition of Terms Relating to Petroleum
D289 Withdrawn 1972; Method of Test for Abrasion of Graded Coarse Aggregates by Use of the Deval Machine; Replaced by C131, C535
D290 Withdrawn 2000; Practice for Bituminous Mixing Plant Inspection
D291-07(2012) Test Method for Cubic Foot Weight of Crushed Bituminous Coal, **05.06**
D292 Withdrawn 1986; Method of Test for Cubic Foot Weight of Coke
D293-93(2010) Test Method for the Sieve Analysis of Coke, **05.06**
D294 Withdrawn 1976; Method of Test for Tumbler Test for Coke; Replaced by D3402
D295-12 Test Methods for Varnished Cotton Fabrics Used for Electrical Insulation, **10.01**
D296 Withdrawn 1984; Specification for Rubber-Lined Fire Hose with Woven Jacket
D297-13 Test Methods for Rubber Products—Chemical Analysis, **09.01**
D298 Withdrawn 1938; Specification for 23/5/3 Carded American Tire Cord
D299/D299M-04(2009)ε1 Specification for Asbestos Yarns, **04.05**
D300 Withdrawn 1940; Specification for ASTM Thermometers; Replaced by E1
D301 Withdrawn 2011; Test Methods for Soluble Cellulose Nitrate
D302 Withdrawn 1987; Specification for Ethyl Acetate (85 to 88% Grade); Replaced by D4614
D303 Withdrawn 1987; Specification for n-Butyl Acetate (90 to 92% Grade); Replaced by D4615
D304-11 Specification for n-Butyl Alcohol (Butanol), **06.04**
D305-84(2008) Test Method for Solvent-Extractable Material in Black Pigments, **06.03**
D306 Withdrawn 1939; Method of Sampling and Testing Aluminum Powder and Paste; Replaced by D480
D307 Withdrawn 1968; Method of Test for Spectral Characteristics and Color of Objects and Materials; Replaced by E308
D308 Withdrawn 1940; Method of Test for Oil Content of Petroleum Waxes; Replaced by D721
D309 Withdrawn 1943; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
D310 Withdrawn 1988; Test Method for Size of Anthracite; Replaced by D4749
D311 Withdrawn 1988; Method for Sieve Analysis of Crushed Bituminous Coal; Replaced by D4749
D312-00(2006) Specification for Asphalt Used in Roofing, **04.04**
D313 Withdrawn 1982; Method of Test for Coarse Particles in Mixtures of Asphalt and Mineral Matter

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D314 Withdrawn 1970; Method of Test for Hardness of Rubber; Replaced by D1415
D315/D315M-95(2009)ε1 Specification for Woven Asbestos Tape, **04.05**
D316 Withdrawn 1938; Methods of Test for Chafer Tire Fabrics Other Than Cord Fabrics
D317 Withdrawn 1956; Specification for Oil Putty for Glazing
D318 Withdrawn 1976; Specification for Amyl Acetate (Synthetic) (85 to 88% grade)
D319 Withdrawn 2010; Specification for Amyl Alcohol (Synthetic)
D320 Withdrawn 1953; Specification for Butyl Propionate (90 to 93% grade)
D321 Withdrawn 1953; Specification for Ethyl Lactate (Synthetic)
D322-97(2012) Test Method for Gasoline Diluent in Used Gasoline Engine Oils by Distillation, **05.01**
D323-08 Test Method for Vapor Pressure of Petroleum Products (Reid Method), **05.01**
D324 Withdrawn 1964; Definitions of Terms Relating to Timber Preservatives
D325 Withdrawn 1945; Method of Test for Comparing Thermal Conductivities of Solid Electrical Insulating Materials
D326 Withdrawn 1935; Method of Compression Testing of Natural Building Stone
D327 Redesignated C99
D328 Redesignated C97
D329-07(2013) Specification for Acetone, **06.04**
D330-07(2013) Specification for 2-Butoxyethanol, **06.04**
D331-11 Specification for 2-Ethoxyethanol, **06.04**
D332-87(2011) Test Method for Relative Tinting Strength of White Pigments by Visual Observation, **06.01**
D333-01(2013) Guide for Clear and Pigmented Lacquers, **06.02**
D334 Withdrawn 1967; Methods of Test for Cotton Goods for Rubber and Pyroxylin Coating
D335 Withdrawn 1989; Specification for Cotton Tapes Woven for Electrical Purposes
D336 Withdrawn 1938; Methods of Test for Tire Fabrics Other Than Cord Fabrics
D337 Redesignated E337
D338 Withdrawn 1935; Method of Test for Modulus of Elasticity of Natural Building Stone
D339 Withdrawn 1935; Method of Shear Testing of Natural Building Stone
D340 Withdrawn 1935; Definitions of Terms Relating to Natural Building Stone
D341-09 Practice for Viscosity-Temperature Charts for Liquid Petroleum Products, **05.01**
D342 Withdrawn 1936; Specification for Acetate Ester of Ethylene Glycol Monoethyl Ether (90 to 91% Grade)
D343 Withdrawn 1982; Specification for 2-Ethoxyethyl Acetate (95% Grade)
D344-11 Test Method for Relative Hiding Power of Paints by the Visual Evaluation of Brushouts, **06.01**
D345-02(2010) Test Method for Sampling and Testing Calcium Chloride for Roads and Structural Applications, **04.03**
D346/D346M-11 Practice for Collection and Preparation of Coke Samples for Laboratory Analysis, **05.06**
D347 Withdrawn 2006; Tables for Volume and Specific Gravity Correction for Creosote, Creosote-Coal Tar Solutions, and Coal Tar
D348-13 Test Methods for Rigid Tubes Used for Electrical Insulation, **10.01**
D349-13 Test Methods for Laminated Round Rods Used for Electrical Insulation, **10.01**
D350-13 Test Methods for Flexible Treated Sleeving Used for Electrical Insulation, **10.01**
D351-14 Classification for Natural Muscovite Block Mica and Thins Based on Visual Quality, **10.01**
D352-97(2008)ε1 Test Methods for Pasted Mica Used in Electrical Insulation, **10.01**
D353 Withdrawn 1995; Specification for Natural Rubber Insulation for Wire and Cable, 60°C Operation
D354 Withdrawn 1967; Methods of Testing Tolerances for Tubular Sleeving and Braids
D355 Withdrawn 1936; Method of Sampling Natural Building Stone and Sample for Testing
D356 Withdrawn 1935; Method of Tension Testing of Natural Building Stone and Sample for Testing
D357 Withdrawn 1970; Method of Test for Knock Characteristics of Motor Fuels Below 100 Octane Number by the Motor Method; Replaced by D2700
D358-98(2012)ε1 Specification for Wood to Be Used as Panels in Weathering Tests of Coatings, **06.02**
D359 Withdrawn 1940; Specification for Shellac Varnish; Replaced by D360
D360-12 Specification for Shellac Varnishes, **06.03**
D361 Withdrawn 1968; Specification for Industrial 90 Benzene
D362 Withdrawn 1991; Specification for Industrial Grade Toluene
D363 Withdrawn 2005; Specification for Tricresyl Phosphate
D364 Withdrawn 1982; Specification for Industrial Grade Xylene
D365-01(2011) Guide for Soluble Nitrocellulose Base Solutions, **06.02**
D366 Withdrawn 1938; Specification for Concrete for Pavements
D367 Withdrawn 2006; Test Method for Xylene-Insoluble Matter in Creosote
D368 Withdrawn 2006; Test Method for Specific Gravity of Creosote and Oil-Type Preservatives
D369 Withdrawn 2006; Test Method for Specific Gravity of Creosote Fractions and Residues
D370 Withdrawn 2006; Practice for Dehydration of Oil-Type Preservatives
D371 Withdrawn 2002; Specification for Asphalt Roll Roofing (Organic Felt) Surfaced with Mineral Granules; Wide Selvage; Replaced by D6380
D372 Withdrawn 2012; Specification for Flexible Treated Sleeving Used for Electrical Insulation
D373 Withdrawn 1994; Specification for Black and Yellow Straight-Cut and Bias-Cut Varnished Cotton Cloth and Tape for Electrical Insulation
D374 Withdrawn 2013; Test Methods for Thickness of Solid Electrical Insulation
D374M-13 Test Methods for Thickness of Solid Electrical Insulation (Metric), **10.01**
D375/D375M-95(2009)ε1 Specification for Asbestos Roving, **04.05**
D376 Withdrawn 1976; Methods of Test for Holland Cloth
D377 Withdrawn 1976; Methods of Test for Small Amounts of Copper and Manganese in Textiles
D378-10 Test Methods for Rubber (Elastomeric) Conveyor Belting, Flat Type, **09.02**
D379 Withdrawn 1938; Methods of Test for Rubber Hose; Replaced by D380
D380-94(2012) Test Methods for Rubber Hose, **09.02**
D381-12 Test Method for Gum Content in Fuels by Jet Evaporation, **05.01**
D382 Withdrawn 1940; Specification for Titanium Barium Pigment; Replaced by D476
D383 Withdrawn 1940; Specification for Titanium Calcium Pigment; Replaced by D476
D384 Withdrawn 1939; Specification for Titanium Dioxide; Replaced by D476
D385 Withdrawn 1940; Specification for Zinc Sulfate Pigment; Replaced by D477
D386 Withdrawn 1940; Specification for Zinc Oxide; Replaced by D477
D387-00(2008) Test Method for Color and Strength of Chromatic Pigments with a Mechanical Muller, **06.01**
D388-12 Classification of Coals by Rank, **05.06**
D389 Withdrawn 1963; Specification for Classification of Coals by Grade
D390 Withdrawn 2006; Specification for Coal-Tar Creosote for the Preservative Treatment of Piles, Poles, and Timbers of Marine, Land, and Fresh Water Use
D391 Withdrawn 2006; Specification for Creosote-Coal Tar Solution
D392 Withdrawn 1963; Methods of Testing Molding Powders Used in Manufacturing Molded Electrical Insulators
D393 Withdrawn 1938; Specification for Insulated Wire and Cable: Class A, 30% Heavy Rubber Compound
D394 Withdrawn 1970; Method of Test for Abrasion Resistance of Rubber Compounds
D395-03(2008) Test Methods for Rubber PropertyCompression Set, **09.01**
D396-13b Specification for Fuel Oils, **05.01**
D397 Withdrawn 1951; Specification for Emulsified Asphalt; Replaced by D977
D398 Withdrawn 1950; Specification for Emulsified Asphalt; Replaced by D977
D399 Withdrawn 1950; Specification for Emulsified Asphalt; Replaced by D977
D400 Withdrawn 1937; Specification for Emulsified Asphalt (Heavy Premix-Winter Grade)
D401 Withdrawn 1949; Specification for Emulsified Asphalt; Replaced by D977
D402-08 Test Method for Distillation of Cutback Asphaltic (Bituminous) Products, **04.03**
D403 Withdrawn 1953; Methods of Testing and Tolerances for Yarns Containing Wool; Replaced by D1285
D404 Withdrawn 1953; Methods of Testing and Tolerances for Yarns Containing Wool; Replaced by D1285
D405 Withdrawn 1982; Specification for Blue Lead; Basic Sulfate
D406 Withdrawn 1961; Method of Test for Relative Dry Hiding Power of White Pigments in Linseed Oil Vehicle
D407 Withdrawn 1977; Definitions of Terms Relating to Gross Calorific Value and Net Calorific Value of Solid and Liquid Fuels; Replaced by D121
D408 Withdrawn 1951; Method of Test for Grindability of Coal by the Ball-Mill Method
D409/D409M-12 Test Method for Grindability of Coal by the Hardgrove-Machine Method, **05.06**
D410 Withdrawn 1988; Method for Sieve Analysis of Coal
D411 Withdrawn 2013; Test Methods for Shellac Used for Electrical Insulation
D412-06a(2013) Test Methods for Vulcanized Rubber and Thermoplastic Elastomers—Tension, **09.01**
D413-98(2013) Test Methods for Rubber Property—Adhesion to Flexible Substrate, **09.01**
D414 Withdrawn 1955; Methods of Testing Cotton Fibers; Replaced by D1440, D1441, D1285, D1442, D1445, D1447, D1448
D415 Withdrawn 1949; Methods of Testing Woven Textiles Fabrics
D416 Withdrawn 1962; Methods of Test for Dimensional Changes in Laundering of Fabrics Woven or Partially of Man-Made Organic Base Fibers
D417 Withdrawn 1937; Method of Test for Vapor Pressure of Petroleum Products; Replaced by D323
D418 Withdrawn 1998; Test Methods for Testing Pile Yarn Floor Covering Construction
D419 Withdrawn 1981; Specification for Test for Fineness of Wool; Replaced by D3991
D420 Withdrawn 2011; Guide to Site Characterization for Engineering Design and Construction Purposes
D421-85(2007) Practice for Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, **04.08**
D422-63(2007)ε1 Test Method for Particle-Size Analysis of Soils, **04.08**
D423 Withdrawn 1983; Method of Test for Liquid Limit of Soils; Replaced by D4318
D424 Withdrawn 1983; Method of Test for Plastic Limit and Plasticity Index of Soils; Replaced by D4318
D425-88(2008) Test Method for Centrifuge Moisture Equivalent of Soils, **04.08**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D426 Withdrawn 1959; Method of Test for Field Moisture Equivalent of Soils
D427 Withdrawn 2008; Test Method for Shrinkage Factors of Soils by the Mercury Method
D428 Withdrawn 1940; Methods of Test for Accelerated Aging of Vulcanized Rubber by the Oven Method; Replaced by D572, D573
D429-14 Test Methods for Rubber Property—Adhesion to Rigid Substrates, **09.01**
D430-06(2012) Test Methods for Rubber Deterioration—Dynamic Fatigue, **09.01**
D431 Withdrawn 1988; Method for Designating the Size of Coal from Its Sieve Analysis; Replaced by D4749
D432 Withdrawn 1961; Specification for Zinc Chloride
D433 Withdrawn 1966; Methods of Testing and Tolerances for Certain Carded Gray Goods
D434 Withdrawn 2003; Test Method for Resistance to Slippage of Yarns in Woven Fabrics Using a Standard Seam
D435 Withdrawn 1958; Method of Test for Color Fastness to Commercial Laundering and to Domestic Washing of Cotton and Textiles
D436 Withdrawn 1958; Method of Test for Color Fastness of Dyed or Printed Wool, Silk, Rayon, or Acetate Fabric to Laundering or Domestic Washing
D437 Withdrawn 1962; Method of Test for Shrinkage in Laundering of Woven Cotton Cloth
D438 Withdrawn 1938; Method of Test for Saponification Number of Petroleum Products by Color-Indicator Titration; Replaced by D94
D439 Withdrawn 1991; Specification for Automotive Gasoline
D440-07(2012) Test Method of Drop Shatter Test for Coal, **05.06**
D441-07(2012) Test Method of Tumbler Test for Coal, **05.06**
D442 Withdrawn 1939; Specification for Titanium-Magnesium Pigment; Replaced by D476
D443 Withdrawn 1939; Specification for Zinc Sulfate Pigment
D444-88(2008) Test Methods for Chemical Analysis of Zinc Yellow Pigment (Zinc Chromate Yellow), **06.03**
D445-12 Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity), **05.01**
D446-12 Specifications and Operating Instructions for Glass Capillary Kinematic Viscometers, **05.01**
D447 Withdrawn 1998; Test Method for Distillation of Plant Spray Oils
D448-12 Classification for Sizes of Aggregate for Road and Bridge Construction, **04.03**
D449/D449M-03(2014)$^{\epsilon 1}$ Specification for Asphalt Used in Dampproofing and Waterproofing, **04.04**
D450/D450M-07(2013)$^{\epsilon 1}$ Specification for Coal-Tar Pitch Used in Roofing, Dampproofing, and Waterproofing, **04.04**
D451/D451M-91(2013)$^{\epsilon 1}$ Test Method for Sieve Analysis of Granular Mineral Surfacing For Asphalt Roofing Products, **04.04**
D452/D452M-91(2013)$^{\epsilon 1}$ Test Method for Sieve Analysis of Surfacing for Asphalt Roofing Products, **04.04**
D453 Withdrawn 2006; Test Method for Tar Acids in Creosote-Coal Tar Solutions
D454-04(2010) Test Method for Rubber Deterioration by Heat and Air Pressure, **09.01**
D455 Withdrawn 2000; Specification for Milled Toilet Soap
D456 Withdrawn 2001; Specification for Caustic Soda (Anhydrous)
D457 Withdrawn 2001; Specification for Modified Soda (Sesquicarbonate Type)
D458 Withdrawn 2001; Specification for Soda Ash
D459-09 Terminology Relating to Soaps and Other Detergents, **15.04**
D460-91(2014) Test Methods for Sampling and Chemical Analysis of Soaps and Soap Products, **15.04**
D461 Withdrawn 2003; Test Methods for Felt
D462 Withdrawn 1977; Methods of Testing and Tolerances for Certain Wool and Part Wool Fabrics
D463 Withdrawn 1947; Method of Test for Volumetric Determination of Small Amounts of Copper in Textiles
D464-05(2010) Test Methods for Saponification Number of Naval Store Products Including Tall Oil and Other Related Products, **06.03**
D465-05(2010) Test Methods for Acid Number of Naval Stores Products Including Tall Oil and Other Related Products, **06.03**
D466 Withdrawn 1999; Test Methods for Films Deposited From Bituminous Emulsions
D467 Withdrawn 1951; Specification for Laminated Thermosetting Materials; Replaced by D709
D468 Withdrawn 1962; Methods of Testing Pin-Type, Lime-Glass Insulators; Combined with D 116
D469 Withdrawn 1995; Specification for Natural Rubber Heat-Resisting Insulation for Wire And Cable, 75°C Operation
D470-13 Test Methods for Crosslinked Insulations and Jackets for Wire and Cable, **10.01**
D471-12a Test Method for Rubber Property—Effect of Liquids, **09.01**
D472 Withdrawn 1981; Specification for Fineness of Wool Top and Assignment of Grade; Replaced by D3992
D473-07(2012) Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method, **05.01**
D474 Withdrawn 1948; Specification for Aluminum Powder and Paste for Paints; Replaced by D962
D475 Withdrawn 2003; Specification for Pure Para Red Toner Pigment
D476-13 Classification for Dry Pigmentary Titanium Dioxide Products, **06.03**
D477 Withdrawn 1987; Specification for Zinc Sulfide Pigments
D478-02(2012) Specification for Zinc Yellow (Zinc Chromate) Pigments, **06.03**
D479 Withdrawn 1984; Method of Test for Reactivity of Paint Liquids
D480-88(2008) Test Methods for Sampling and Testing of Flaked Aluminum Powders and Pastes, **06.03**
D481 Withdrawn 1949; Method of Test for Acid Heat of Gasoline
D482-13 Test Method for Ash from Petroleum Products, **05.01**
D483-04(2009)$^{\epsilon 1}$ Test Method for Unsulfonated Residue of Petroleum Plant Spray Oils, **05.01**
D484 Withdrawn 1983; Specification for Hydrocarbon Dry Cleaning Solvents; Replaced by D235
D485 Withdrawn 1942; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
D486 Withdrawn 1942; Specification for Crushed Stone, Crushed Slag and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
D487 Withdrawn 1942; Specification for Crushed Stone and Crushed Slag and Gravel for Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693
D488 Withdrawn 1942; Specification for Crushed Stone, Crushed Slag and Gravel for Waterbound Base and Surface Courses of Pavements
D489 Withdrawn 1942; Specification for Crushed Stone, Crushed Slag and Gravel for Waterbound Base and Surface Courses
D490-92(2011) Specification for Road Tar, **04.03**
D491 Withdrawn 1990; Specification for Asphalt Mastic Used in Waterproofing
D492 Withdrawn 1971; Method of Sampling Coals Classified According to Ash Content
D493 Withdrawn 1969; Definitions of Terms Relating to Commercial Varities of Bituminous and Subbituminous Coals; Replaced by D2796
D494-11 Test Method for Acetone Extraction of Phenolic Molded or Laminated Products, **08.01**
D495 Withdrawn 2013; Test Method for High-Voltage, Low-Current, Dry Arc Resistance of Solid Electrical Insulation
D496 Withdrawn 2000; Specification for Chip Soap
D497 Withdrawn 2000; Specification for Ordinary Laundry Bar Soap
D498 Withdrawn 2000; Specification for Powdered Soap (Nonalkaline Soap Powder)
D499 Withdrawn 2000; Specification for White Floating Toilet Soap
D500-95(2009) Test Methods of Chemical Analysis of Sulfonated and Sulfated Oils, **15.04**
D501-03(2009) Test Methods of Sampling and Chemical Analysis of Alkaline Detergents, **15.04**
D502-89(2009) Test Method for Particle Size of Soaps and Other Detergents, **15.04**
D503 Withdrawn 1950; Specification for Bleached Wide Cotton Sheeting
D504 Withdrawn 1951; Specification for Single-Ply Bleached Cotton Broadcloth
D505 Withdrawn 1951; Specification for Terry (Turkish) Toweling
D506 Withdrawn 1958; Method of Test for Colorfastness to Light Textiles
D507 Withdrawn 1955; General Methods of Testing and Tolerances for Spun Rayon Yarns and Threads
D508 Withdrawn 1955; Methods of Testing and Tolerances for Yarns Spun from Wool Mixed with Fibers Other Than Wool
D509-05(2011)$^{\epsilon 1}$ Test Methods of Sampling and Grading Rosin, **06.03**
D510 Withdrawn 1975; Methods for Sampling Industrial Water; Replaced by D3370
D511-09 Test Methods for Calcium and Magnesium In Water, **11.01**
D512-12 Test Methods for Chloride Ion In Water, **11.01**
D513-11$^{\epsilon 1}$ Test Methods for Total and Dissolved Carbon Dioxide in Water, **11.01**
D514 Withdrawn 1996; Test Method for Hydroxide Ion in Water
D515 Withdrawn 1998; Test Methods for Phosphorus in Water
D516-11 Test Method for Sulfate Ion in Water, **11.01**
D517-98(2008) Specification for Asphalt Plank, **04.03**
D518 Withdrawn 2008; Test Method for Rubber Deterioration—Surface Cracking; Replaced by D1149
D519-04(2013) Test Method for Length of Fiber in Wool Top, **07.01**
D520-00(2011) Specification for Zinc Dust Pigment, **06.03**
D521-02(2012) Test Methods for Chemical Analysis of Zinc Dust (Metallic Zinc Powder), **06.03**
D522-93a(2008) Test Methods for Mandrel Bend Test of Attached Organic Coatings, **06.01**
D523-08 Test Method for Specular Gloss, **06.01**
D524-10 Test Method for Ramsbottom Carbon Residue of Petroleum Products, **05.01**
D525-12a Test Method for Oxidation Stability of Gasoline (Induction Period Method), **05.01**
D526 Withdrawn 1976; Method of Test for Tetraethyl-Lead in Gasoline
D527 Withdrawn 1974; Method of Test for Bulking Thickness of Paper
D528 Withdrawn 2010; Test Method for Machine Direction of Paper and Paperboard
D529 Withdrawn 2013; Practice for Enclosed Carbon-Arc Exposures of Bituminous Materials
D530 Withdrawn 1989; Methods of Testing Hard Rubber Products
D531-00(2010) Test Method for Rubber Property—Pusey and Jones Indentation, **09.01**
D532 Withdrawn 1996; Specification for Natural Rubber Jacket for Wire and Cable
D533 Withdrawn 2000; Specification for Built Soap, Powdered
D534 Withdrawn 2000; Specification for Alkaline Soap Powder
D535 Withdrawn 1959; Specification for Palm Oil Solid Soap (Type A, Straight; Type B, Blended)

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D536 Withdrawn 1959; Specification for Palm Oil Chip Soap (Type A, Straight; Type B, Blended)
D537 Withdrawn 2001; Specification for Sodium Metasilicate
D538 Withdrawn 2001; Specification for Trisodium Phosphate
D539 Withdrawn 1970; Methods of Test for Apparent Fluidity of Dispersions of Cellulose Fibers
D540 Withdrawn 1974; Methods of Testing Man-Made Staple Fibers; Replaced by D3660
D541 Withdrawn 1996; Specification for Single Jute Yarn
D542-14 Test Method for Index of Refraction of Transparent Organic Plastics, **08.01**
D543-06 Practices for Evaluating the Resistance of Plastics to Chemical Reagents, **08.01**
D544 Withdrawn 1961; Specification for Preformed Expansion Joint Fillers for Concrete (Nonextruding and Resilient Types); Replaced by D1751, D1752
D545-08 Test Methods for Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), **04.03**
D546-10 Test Method for Sieve Analysis of Mineral Filler for Bituminous Paving Mixtures, **04.03**
D547 Withdrawn 1987; Test Method for Index of Dustiness of Coal and Coke
D548 Withdrawn 2009; Test Method for Water-Soluble Acidity or Alkalinity of Paper
D549 Withdrawn 1993; Test Methods for Rosin in Paper and Paperboard
D550 Withdrawn 1958; Methods of Testing Glass Spool Insulators
D551 Withdrawn 1966; Method of Measuring Shrinkage from Mold Dimensions of Molded Materials Used for Electrical Insulation
D552 Withdrawn 1950; Method of Test for Cellular Rubber Products; Replaced by D1055, D1056
D553 Withdrawn 1966; Methods of Test for Viscosity and Total Solids Content of Rubber Cements; Replaced by D1084
D554 Withdrawn 1982; Specification for Amyl Acetate Made from Fusel Oil (85 to 88% Grade)
D555 Withdrawn 2007; Guide for Testing Drying Oils
D556 Withdrawn 1953; Specification for Materials for Soil-Aggregate Subbase, Base and Surface Courses; Replaced by D1241
D557 Withdrawn 1953; Specification for Materials for Soil-Aggregate Subbase, Base and Surface Courses; Replaced by D1241
D558-11 Test Methods for Moisture-Density (Unit Weight) Relations of Soil-Cement Mixtures, **04.08**
D561-82(2008) Specification for Carbon Black Pigment for Paint, **06.03**
D562-10 Test Method for Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer, **06.01**
D563 Withdrawn 2004; Test Method for Phthalic Anhydride Content of Alkyd Resins and Resin Solutions
D564-87(2008) Test Methods for Liquid Paint Driers, **06.01**
D565-99(2013) Test Method for Carbonizable Substances in White Mineral Oil, **05.01**
D566-02(2009) Test Method for Dropping Point of Lubricating Grease, **05.01**
D567 Withdrawn 1967; Method for Calculating Viscosity Index; Replaced by D2270
D568 Withdrawn 1991; Test Method for Rate of Burning and/or Extent and Time of Burning of Flexible Plastics in a Vertical Position
D569 Withdrawn 1995; Method for Measuring the Flow Properties of Thermoplastic Molding Materials
D570-98(2010)$^{\epsilon 1}$ Test Method for Water Absorption of Plastics, **08.01**
D571 Withdrawn 1982; Methods of Testing Rubber Hose for Automotive Hydraulic Brake System
D572-04(2010) Test Method for RubberDeterioration by Heat and Oxygen, **09.01**
D573-04(2010) Test Method for Rubber—Deterioration in an Air Oven, **09.01**
D574 Withdrawn 1984; Specification for Ozone-Resisting Insulation for Wire and Cable
D575-91(2012) Test Methods for Rubber Properties in Compression, **09.01**
D576 Withdrawn 1949; Specification for All Wool, All Cotton, and Wool and Cotton Blanketing (Household)
D577 Withdrawn 1958; Methods of Testing Woven Asbestos Cloth
D578/D578M-05(2011)$^{\epsilon 1}$ Specification for Glass Fiber Strands, **07.01**
D579/D579M-10 Specification for Greige Woven Glass Fabrics, **07.01**
D580/D580M-10 Specification for Greige Woven Glass Tapes and Webbings, **07.01**
D581/D581M-12 Specification for Glass Fiber Greige Braided Tubular Sleeving, **07.01**
D582 Withdrawn 1958; Methods of Test for Resistance of Textile Fabrics and Yarns to Insect Pests
D583 Withdrawn 1972; Methods of Test for Water Resistance of Textile Fabrics
D584-10 Test Method for Wool Content of Raw Wool—Laboratory Scale, **07.01**
D585 Withdrawn 2010; Practice for Sampling and Accepting a Single Lot of Paper, Paperboard, Fiberboard, and Related Product
D586 Withdrawn 2009; Test Method for Ash in Pulp, Paper, and Paper Products
D587 Withdrawn 1982; Method of Test for Casein in Paper (Qualitative)
D588 Withdrawn 1980; Method of Test for Alpha, Beta, and Gamma-Cellulose in Paper
D589 Withdrawn 2010; Test Method for Opacity of Paper (15° Diffuse Illuminant A, 89 % Reflectance Backing and Paper Backing)
D590 Withdrawn 2009; Test Method for Petroleum Wax in Paper
D591 Withdrawn 1982; Method of Test for Starch in Paper
D592 Withdrawn 1959; Specification for Olive Oil Solid Soap (Type A, Straight; Type B, Blended)
D593 Withdrawn 1975; Specification for Salt-Water Soap (Coconut Oil Type)
D594 Withdrawn 2001; Specification for Sodium Sesquisilicate
D595 Withdrawn 2001; Specification for Tetrasodium Pyrophosphate (Anhydrous)
D596-01(2011) Guide for Reporting Results of Analysis of Water, **11.01**
D597 Withdrawn 1965; Specification for Cut-Back Asphalt (Rapid Curing Type); Replaced by D2028
D598 Withdrawn 1965; Specification for Cut-Back Asphalt (Medium Curing Type); Replaced by D2027
D599 Withdrawn 1967; Method of Test for Physical State of Cure of Vulcanized Rubber (T-50 Test)
D600-07(2012) Specification for Liquid Paint Driers, **06.04**
D601 Withdrawn 2007; Specification for Oiticica Oil (Permanently Liquid)
D602-81(2012) Specification for Barium Sulfate Pigments, **06.03**
D603 Withdrawn 2004; Specification for Aluminum Silicate Pigments (Hydrous)
D604 Withdrawn 2003; Specification for Diatomaceous Silica Pigment
D605-82(2012) Specification for Magnesium Silicate Pigment (Talc), **06.03**
D606 Withdrawn 1952; Specification for Lead Titanate
D607-82(2012) Specification for Wet Ground Mica Pigments, **06.03**
D608-05(2011) Specification for Dibutyl Phthalate, **06.04**
D609-00(2012) Practice for Preparation of Cold-Rolled Steel Panels for Testing Paint, Varnish, Conversion Coatings, and Related Coating Products, **06.01**
D610-08(2012) Practice for Evaluating Degree of Rusting on Painted Steel Surfaces, **06.01**
D611-12 Test Methods for Aniline Point and Mixed Aniline Point of Petroleum Products and Hydrocarbon Solvents, **05.01**
D612-88(2012) Test Method for Carbonizable Substances in Paraffin Wax, **05.01**
D613-10a$^{\epsilon 1}$ Test Method for Cetane Number of Diesel Fuel Oil, **05.05**
D614 Withdrawn 1971; Method of Test for Knock Characteristics of Aviation Fuels by the Aviation Method; Replaced by D2700
D615 Withdrawn 1944; Specification for Aviation Gasolines
D616 Withdrawn 1951; Specification for Laminated Thermosettings Materials; Replaced by D709
D617 Withdrawn 2003; Test Method for Punching Quality of Phenolic Laminated Sheets
D618-13 Practice for Conditioning Plastics for Testing, **08.01**
D619 Withdrawn 2013; Test Methods for Vulcanized Fibre Used for Electrical Insulation
D620 Withdrawn 1965; Method of Test for Colorfastness of Plastics to Light
D621 Withdrawn 1994; Test Methods for Deformation of Plastics Under Load
D622-99(2012) Test Methods for Rubber Hose for Automotive Air and Vacuum Brake System, **09.02**
D623-07(2014) Test Methods for Rubber Property—Heat Generation and Flexing Fatigue In Compression, **09.01**
D624-00(2012) Test Method for Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers, **09.01**
D625 Withdrawn 1949; Specification for Medium-Weight Cotton Corduroy Fabrics
D626 Withdrawn 1969; Specification for Fire-Retardant Properties of Treated Textile Fabrics
D627 Withdrawn 1958; Methods of Test for Evaluating Compounds Designed to Increase Resistance of Fabrics and Yarns to Insect Pests
D628/D628M-95(2009)$^{\epsilon 1}$ Specification for Asbestos Tubular Sleeving, **04.05**
D629-08 Test Methods for Quantitative Analysis of Textiles, **07.01**
D630 Withdrawn 1981; Specification for Olive Oil Chip Soap (Type A, Straight; Type B, Blended)
D631 Withdrawn 1950; Specification for Emulsified Asphalt; Replaced by D977
D632-12 Specification for Sodium Chloride, **04.03**
D633-11 Volume Correction Table for Road Tar, **04.03**
D634 Withdrawn 1963; Methods of Test for Product Uniformity of Phenolic Laminated Sheets
D635-10 Test Method for Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, **08.01**
D636 Withdrawn 1960; Method of Test for Diffusion of Light by Plastics
D637 Withdrawn 1995; Test Method for Surface Irregularities of Flat Transparent Plastic Sheets
D638-10 Test Method for Tensile Properties of Plastics, **08.01**
D638M Withdrawn 1996; Test Method for Tensile Properties of Plastics [Metric]
D639 Withdrawn 1989; Methods of Testing Battery Containers Made from Hard Rubber or Equivalent Materials
D640 Withdrawn 1952; Specification and Methods of Test for Concentrated Ammonia Preserved Creamed and Centrifuged Natural Rubber Latex; Replaced by D1076
D641 Withdrawn 1978; Method of Test for Conditioning Paperboard, Fiberboard, and Paperboard Containers for Testing; Replaced by D685
D642-00(2010) Test Method for Determining Compressive Resistance of Shipping Containers, Components, and Unit Loads, **15.10**
D643 Withdrawn 2010; Test Method for Folding Endurance of Paper by the Schopper Tester
D644 Withdrawn 2010; Test Method for Moisture Content of Paper and Paperboard by Oven Drying
D645/D645M Withdrawn 2010; Test Method for Thickness of Paper and Paperboard
D646-13 Test Method for Mass Per Unit Area of Paper and Paperboard of Aramid Papers (Basis Weight), **07.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D647 Withdrawn 1994; Practice for Design of Molds for Test Specimens of Plastic Molding Materials; Replaced by D1896, D3419, D3641, D4703, D5227
D648-07 Test Method for Deflection Temperature of Plastics Under Flexural Load in the Edgewise Position, **08.01**
D649 Withdrawn 1947; Method of Test for Compressive Strength of Electrical Insulating Materials; Replaced by D695
D650 Withdrawn 1948; Tentative Method of Test for Flexural Strength of Electrical Insulating Materials; Replaced by D790
D651 Withdrawn 1991; Test Method for Tensile Strength of Molded Electrical Insulating Materials
D652 Withdrawn 1957; Method of Test for Measuring Mica Stampings Used in Electronic Devices and Incandescent Lamps
D653-11 Terminology Relating to Soil, Rock, and Contained Fluids, **04.08**
D654 Withdrawn 1958; Specification for Coal-Tar Pitch for Steep Built-Up Roofs
D655 Withdrawn 1971; Specification for Asphalt-Saturated and Coated Asbestos Felts for Use in Constructing Built-Up Roofs
D656 Withdrawn 2003; Specification for Pure Toluidine Red Toner
D657 Withdrawn 1979; Specification for Isopropyl Acetate
D659 Withdrawn 1990; Method of Evaluating Degree of Chalking of Exterior Paints; Replaced by D4214
D660-93(2011) Test Method for Evaluating Degree of Checking of Exterior Paints, **06.01**
D661-93(2011) Test Method for Evaluating Degree of Cracking of Exterior Paints, **06.01**
D662-93(2011) Test Method for Evaluating Degree of Erosion of Exterior Paints, **06.01**
D663 Withdrawn 1948; Tentative Method of Test for Acid and Base Value Numbers of Petroleum Oils by Color-Indictor Titration; Replaced by D974
D664-11a Test Method for Acid Number of Petroleum Products by Potentiometric Titration, **05.01**
D665-12 Test Method for Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water, **05.01**
D666 Withdrawn 1964; Method for Conversion of Kinematic Viscosity to Saybolt Furol Viscosity; Replaced by D2161
D667 Withdrawn 1963; Methods of Testing Steatite Used as Electrical Insulation; Combined with D 116
D668-12 Test Methods of Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, **10.01**
D669 Withdrawn 2011; Test Method for Dissipation Factor and Permittivity Parallel with Laminations of Laminated Sheet and Plate Materials
D670 Withdrawn 1954; Methods of Test for Sludge Formatting in Mineral Transformer Oil
D671 Withdrawn 2002; Test Method for Flexural Fatigue of Plastics by Constant-Amplitude-of-Force
D672 Withdrawn 1951; Method of Test for Luminuous Reflectance, Transmittance, and Color of Materials
D673 Withdrawn 1998; Test Method for Mar Resistance of Plastics
D674 Withdrawn 1976; Recommended Practices for Long-Time Creep or Stress Relaxation of Plastics Under Tension or Compression at Different Temperatures; Replaced by D2990
D675 Withdrawn 1961; Nomenclature of Descriptive Terms Pertaining to Plastics; Combined with D 883
D676 Withdrawn 1965; Method of Test for Indentation of Rubber by Means of a Durometer; Replaced by D2240
D677 Withdrawn 1958; Specification for Woven Asbestos Cloth; Replaced by D1571
D678 Withdrawn 1947; Tentative Specifications for Finished, All-Cotton, Upholstery Tapestries
D679 Withdrawn 1966; Methods of Testing and Tolerances for Certain Fine Staple Cotton Gray Goods
D680 Withdrawn 1966; Methods of Testing and Tolerances for Certain All-Cotton and Rayon Fine Fancy Goods
D681 Withdrawn 2000; Specification for Jute Rove and Plied Yarn for Electrical and Packing Purposes
D682 Withdrawn 1958; Method of Test for Colorfastness of Dyed Acetate to Atmospheric Fumes
D683 Withdrawn 1961; Methods of Test for Identification of Finishes on Textiles
D684 Withdrawn 1958; Methods of Test for Resistance of Textile Materials to Microorganisms
D685-12 Practice for Conditioning Paper and Paper Products for Testing, **15.10**
D686 Withdrawn 2011; Test Methods of Qualitative Examination of Mineral Filler and Mineral Coating of Paper
D687 Withdrawn 1973; Method for Quantitative Determination of Coating on Mineral-Coated Paper
D688 Withdrawn 1967; Method of Test for Pentosans in Paper
D689 Withdrawn 2009; Test Method for Internal Tearing Resistance of Paper
D690 Withdrawn 1981; Specification for Compound Chip Soap (with Rosin)
D691 Withdrawn 1981; Specification for Compound Powdered Soap (Granulated, with Rosin)
D692/D692M-09 Specification for Coarse Aggregate for Bituminous Paving Mixtures, **04.03**
D693 Withdrawn 2008; Specification for Crushed Aggregate for Macadam Pavements
D694 Withdrawn 1977; Specification for Crushed Stone, Crushed Slag, and Crushed Gravel for Water-Bound Macadam Base Courses; Replaced by D693
D695-10 Test Method for Compressive Properties of Rigid Plastics, **08.01**
D696-08ε1 Test Method for Coefficient of Linear Thermal Expansion of Plastics Between –30°C and 30°C with a Vitreous Silica Dilatometer, **08.01**
D697 Withdrawn 1954; Method of Test for Water Vapor Permeability of Plastic Sheets; Replaced by E96
D698-12ε1 Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), **04.08**
D699 Withdrawn 1978; Specification for Asphalt Sliding Organic Felt Surfaced with Mineral Granules
D700 Withdrawn 1991; Specification for Phenolic Molding Compounds
D701 Withdrawn 1982; Specification for Cellulose Nitrate (Pyroxylin) Plastic Sheets, Rods, and Tubes
D702 Withdrawn 1990; Specification for Cast Methacrylate Plastic Sheets
D703 Withdrawn 1987; Specification for Polystyrene Molding Compounds; Replaced by D4549
D704-99(2012) Specification for Melamine-Formaldehyde Molding Compounds, **08.01**
D705-99(2012) Specification for Urea-Formaldehyde Molding Compounds, **08.01**
D706-09 Classification System and Basis for Specifications for Cellulose Acetate Molding and Extrusion Compounds, **08.01**
D707-09 Classification System and Basis for Specification for Cellulose Acetate Butyrate Molding and Extrusion Compounds, **08.01**
D708 Withdrawn 1963; Specification for Vinyl Chloride Polymer and Copolymer Rigid Sheets
D709-13 Specification for Laminated Thermosetting Materials, **10.01**
D710-13 Specification for Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, **10.01**
D711-10 Test Method for No-Pick-Up Time of Traffic Paint, **06.02**
D712 Withdrawn 1958; Method of Test for Light Sensitivity of Traffic Paint
D713-12 Practice for Conducting Road Service Tests on Fluid Traffic Marking Materials, **06.02**
D714-02(2009) Test Method for Evaluating Degree of Blistering of Paints, **06.01**
D715-86(2008) Test Methods for Analysis of Barium Sulfate Pigment, **06.03**
D716-86(2012) Test Methods for Evaluating Mica Pigment, **06.03**
D717-86(2008) Test Methods for Analysis of Magnesium Silicate Pigment, **06.03**
D718-86(2008) Test Methods for Analysis of Aluminum Silicate Pigment, **06.03**
D719 Withdrawn 2003; Test Methods for Analysis of Diatomaceous Silica Pigment
D720-91(2010) Test Method for Free-Swelling Index of Coal, **05.06**
D721-06(2011) Test Method for Oil Content of Petroleum Waxes, **05.01**
D722 Withdrawn 2010; Test Method for Grease Resistance of Paper
D723 Withdrawn 1985; Method of Test for Degree of Staining of Paper by Alkali
D724 Withdrawn 2009; Test Method for Surface Wettability of Paper (Angle-of-Contact Method)
D725 Withdrawn 1980; Method for Identification of Wire Side of Paper; Reinstated 1990 as D 5039
D726 Withdrawn 2009; Test Method for Resistance of Nonporous Paper to Passage of Air
D727 Withdrawn2011; Test Method for Kerosine Number of Roofing and Flooring Felt by the Vacuum Method
D728 Withdrawn 1963; Specification for Vinyl Chloride-Acetate, Molding Compound Resin
D729 Withdrawn 2000; Specification for Vinylidene Chloride Molding Compounds
D730 Withdrawn 1961; Specification for Low and Medium Voltage Pin-type Lime-Glass Insulators
D731-10 Test Method for Molding Index of Thermosetting Molding Powder, **08.01**
D732-10 Test Method for Shear Strength of Plastics by Punch Tool, **08.01**
D733 Redesignated F39
D734 Withdrawn 1963; Specification for Insulated Wire and Cable: Vinly Chloride Plastic Insulating Compound; Replaced by D2219, D2220
D735 Withdrawn 1968; Specification for Elastomer Compounds for Automotive Applications; Replaced by D2000
D736 Withdrawn 1966; Method of Test for Low-Temperature Brittleness of Rubber and Rubber-Like Materials
D737-04(2012) Test Method for Air Permeability of Textile Fabrics, **07.01**
D738 Withdrawn 1972; Methods of Testing and Tolerances for Rope Made from Bast and Leaf Fibers
D739 Withdrawn 1972; Methods of Testing and Tolerances for Spun, Twisted, or Braided Products Made from Flax, Hemp, Ramie or Mixtures Thereof
D740-11 Specification for Methyl Ethyl Ketone, **06.04**
D741 Withdrawn 1972; Methods of Measuring Dimensions of Rigid Rods Used in Electrical Insulation; Replaced by D668
D742 Withdrawn 1956; Specification for Nonrigid Vinyl Chloride-Acetate Resin Plastics
D743 Withdrawn 1948; Specification for Nonrigid Ethyl Cellulose Plastics
D744 Withdrawn 1956; Specification for Nonrigid Vinyl Chloride Plastics
D745 Withdrawn 1950; Specification for Nonrigid Vinyl Butyral Plastics
D746-13 Test Method for Brittleness Temperature of Plastics and Elastomers by Impact, **08.01**
D747-10 Test Method for Apparent Bending Modulus of Plastics by Means of a Cantilever Beam, **08.01**
D748-00(2011) Specification for Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors, **10.01**
D749 Withdrawn 1976; Method of Calibrating a Light Source Used for

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Accelerating the Deterioration of Rubber
D750-12 Practice for Rubber Deterioration Using Artificial Weathering Apparatus, **09.01**
D751-06(2011) Test Methods for Coated Fabrics, **09.02**
D752 Withdrawn 1984; Specification for Heavy-Duty Block Polychloroprene Jacket for Wire and Cable; Replaced by D4247
D753 Withdrawn 1984; Specification for General Purpose Polychloroprene Jacket for Wire and Cable; Replaced by D4247
D754 Withdrawn 1984; Specification for Synthetic Rubber Insulation for Wire and Cable, 75°C Operation
D755 Withdrawn 1984; Specification for Synthetic Rubber Insulation for Wire and Cable, 60°C Operation
D756 Withdrawn 1998; Practice for Determination of Weight and Shape Changes of Plastics Under Accelerated Service Conditions
D757 Withdrawn 1966; Method of Test for Incandescence Resistance of Rigid Plastics in a Horizontal Position
D758 Withdrawn 1969; Method of Test for Impact Resistance of Plastics at Subnormal and Supernormal Temperatures
D759 Withdrawn 1982; Practice for Conducting Physical Property Tests of Plastics at Subnormal and Supernormal Temperatures
D760 Withdrawn 1952; Specification for Enclosures and Servicing Units for Tests Above and Below Room Temperatures
D761 Withdrawn 1952; Specification for Enclosures and Servicing Units for Tests Above and Below Room Temperatures
D762 Withdrawn 1965; Method of Test for Hot Extraction of Asphaltic Materials and Recovery of Bitumen by the Modified Abson Procedure; Replaced by D1856
D763-06(2012) Specification for Raw and Burnt Umber Pigments, **06.03**
D764 Withdrawn 1948; Specification for Raw Burnt Umber; Combined with D 763
D765-87(2009) Specification for Raw and Burnt Sienna Pigments, **06.03**
D766 Withdrawn 1948; Specification for Raw Burnt Sienna; Combined with D 765
D767 Withdrawn 1976; Specification for Venetion Red
D768-01(2012) Specification for Yellow Iron Oxide Hydrated, **06.03**
D769-01(2012) Specification for Black Synthetic Iron Oxide, **06.03**
D770-11 Specification for Isopropyl Alcohol, **06.04**
D771 Withdrawn 1955; Method of Test for Daylight 45 degree, 0 degree Luminus Directional Reflectance of Paint Finishes
D772-86(2011) Test Method for Evaluating Degree of Flaking (Scaling) of Exterior Paints, **06.01**
D773 Withdrawn 1982; Method of Test for Adhesiveness of Gummed Tape
D774/D774M Withdrawn 2010; Test Method for Bursting Strength of Paper
D775 Withdrawn 1993; Method of Drop Test for Loaded Boxes; Replaced by D5276
D776 Withdrawn 2009; Test Method for Determination of Effect of Dry Heat on Properties of Paper and Board
D777 Withdrawn 2009; Test Method for Flammability of Treated Paper and Paperboard
D778 Withdrawn 2010; Test Methods for Hydrogen Ion Concentration (pH) of Paper Extracts (Hot-Extraction and Cold-Extraction Procedures)
D779 Withdrawn 2011; Test Method for Water Resistance of Paper, Paperboard, and Other Sheet Materials by the Dry Indicator Method
D780 Withdrawn 2009; Test Method for Printing Ink Permeation of Paper (Castor Oil Test)
D781 Withdrawn 1984; Test Methods for Puncture and Stiffness of Paperboard and Corrugated and Solid Fiberboard; Replaced by TAPPI T 803
D782 Withdrawn 1999; Test Method for Shipping Containers in Revolving Hexagonal Drum
D783 Withdrawn 1948; Tentative Method of Test for Water-Vapor Permeability of Paper and Paperboard; Replaced by E96
D784 Withdrawn 2013; Specification for Orange Shellac and Other Indian Lacs for Electrical Insulation
D785-08 Test Method for Rockwell Hardness of Plastics and Electrical Insulating Materials, **08.01**
D786 Withdrawn 1982; Specification for Cellulose Acetate Plastic Sheets
D787-12 Specification for Ethyl Cellulose Molding and Extrusion Compounds, **08.01**
D788-12 Classification System for Poly(Methyl Methacrylate) (PMMA) Molding and Extrusion Compounds, **08.01**
D789-07$^{\epsilon 1}$ Test Methods for Determination of Solution Viscosities of Polyamide (PA), **08.01**
D790-10 Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials, **08.01**
D790M Withdrawn 1996; Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials [Metric]
D791 Withdrawn 1967; Method of Test for Luminous Reflectance, Transmittance, and Color of Materials; Replaced by E308
D792-13 Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement, **08.01**
D793 Withdrawn 1982; Method of Test for Short-Time Stability at Elevated Temperatures of Plastics conCaining Chlorine
D794 Withdrawn 1998; Practice for Determining Permanent Effect of Heat on Plastics
D795 Withdrawn 1971; Recommended Practice for Accelerated Weathering of Plastics Using S-1 Mercury Arc Lamp
D796 Withdrawn 1992; Practice for Compression Molding Test Specimens of Phenolic Molding Compounds; Replaced by D5224
D797 Withdrawn 1994; Test Methods for Rubber Property—Young's Modulus at Normal and Subnormal Temperatures
D798 Withdrawn 1949; Specification and Methods of Test for Sponge and Expanded Cellular Rubber Products; Replaced by D1055, D1056
D799 Withdrawn 2000; Specification for Liquid Toilet Soap
D800-05(2014) Test Methods of Chemical Analysis of Industrial Metal Cleaning Compositions, **15.04**
D801-02(2013) Test Methods for Sampling and Testing Dipentene, **06.03**
D802-02(2013) Test Methods for Sampling and Testing Pine Oils, **06.03**
D803-12 Test Methods for Testing Tall Oil, **06.03**
D804-12 Terminology Relating to Pine Chemicals, Including Tall Oil and Related Products, **06.03**
D805 Withdrawn 1976; Methods of Testing Veneer, Plywood, and Other Glued Veneer Constructions; Replaced by D3499, D3500, D3501
D806-11 Test Method for Cement Content of Hardened Soil-Cement Mixtures, **04.08**
D807-14 Practice for Assessing the Tendency of Industrial Boiler Waters to Cause Embrittlement (USBM Embrittlement Detector Method), **11.01**
D808-11 Test Method for Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method), **05.01**
D809 Withdrawn 1952; Method of Test for Phosphorous in Lubricating Oils, Lubricating Oil Additives and Their Concentrates; Replaced by D1091
D810 Withdrawn 1963; Methods of Test for Sulfated Residue, Lead, Iron and Copper in Lubricating Oils
D811 Withdrawn 1989; Method for Chemical Analysis for Metals in New and Used Lubricating Oils
D812 Withdrawn 1948; Specification for GR-S (Synthetic Rubber) Sheath Compound for Electrical Insulated Cords and Cables Where Extreme Abrasion Resistance Is Not Required
D813-07(2014) Test Method for Rubber Deterioration—Crack Growth, **09.01**
D814-95(2010) Test Method for Rubber PropertyVapor Transmission of Volatile Liquids, **09.01**
D815 Withdrawn 1989; Method of Testing Coated Fabrics—Hydrogen Permeanance
D816-06(2011) Test Methods for Rubber Cements, **09.01**
D817-12 Test Methods of Testing Cellulose Acetate Propionate and Cellulose Acetate Butyrate, **06.03**
D818 Withdrawn 1953; Specification for Natural Rubber Cups for Use in Hydraulic Actuating Cylinders
D819 Withdrawn 1959; Specification for Cast Allyl Plastic Sheets, Rods, Tubes, and Shapes
D820-93(2009) Test Methods for Chemical Analysis of Soaps Containing Synthetic Detergents, **15.04**
D821 Withdrawn 1984; Method of Evaluating Degree of Abrasion, Erosion, or a Combination of Both in Road Service Test of Traffic Paints
D822/D822M-13 Practice for Filtered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, **06.01**
D823-95(2012)$^{\epsilon 1}$ Practices for Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, **06.01**
D824 Withdrawn 2010; Test Method for Rate of Absorption of Water by Bibulous Papers
D825 Withdrawn 1973; Methods of Test for Ply Adhesion of Paper
D826 Withdrawn 1985; Methods of Test for Degree of Wet Curl of Paper
D827 Withdrawn 1981; Method of Test for Edge Tearing Strength of Paper
D828 Withdrawn 2009; Test Method for Tensile Properties of Paper and Paperboard Using Constant-Rate-of-Elongation Apparatus
D829 Withdrawn 2009; Test Method for Wet Tensile Breaking Strength of Paper and Paper Products
D830 Withdrawn 1948; Method of Test for Water Vapor Permeability of Paper and Paperboard; Replaced by E96
D831/D831M-12 Test Method for Gas Content of Cable and Capacitor Oils, **10.03**
D832-07(2012) Practice for Rubber Conditioning For Low Temperature Testing, **09.01**
D833 Withdrawn 1960; Methods of Identification and Quantitative Analysis of Synthetic Elastomers; Combined with D 297
D834 Withdrawn 1984; Methods of Test for Free Ammonia in Phenol-Formaldehyde Molded Materials; Combined with D 297
D835 Withdrawn 1997; Specification for Refined Benzene–485
D836 Withdrawn 1991; Specification for Industrial Grade Benzene
D837 Withdrawn 1963; Specification for Industrial 90 Benzene
D838 Withdrawn 1978; Specification for Refined Solvent Naphtha
D839 Withdrawn 1975; Specification for Crude Light Solvent Naphtha
D840 Withdrawn 1975; Specification for Crude Heavy Solvent Naphtha
D841-13 Specification for Nitration Grade Toluene, **06.04**
D842 Withdrawn 1963; Specification for Industrial Grade Toluene
D843-06(2011)$^{\epsilon 1}$ Specification for Nitration Grade Xylene, **06.04**
D844 Withdrawn 1963; Specification for Industrial Grade Xylene
D845 Withdrawn 1982; Specification for Five-Degree Xylene
D846 Withdrawn 1991; Specification for Ten-Degree Xylene
D847-08 Test Method for Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, **06.04**
D848-09 Test Method for Acid Wash Color of Industrial Aromatic Hydrocarbons, **06.04**
D849-11 Test Method for Copper Strip Corrosion by Industrial Aromatic Hydrocarbons, **06.04**
D850-11 Test Method for Distillation of Industrial Aromatic Hydrocarbons and Related Materials, **06.04**
D851 Withdrawn 1975; Method of Test for Paraffins in Industrial Aromatic Hydrocarbons
D852-13 Test Method for Solidification Point of Benzene, **06.04**
D853 Withdrawn 2013; Test Method for Hydrogen Sulfide and Sulfur Dioxide

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Content (Qualitative) of Industrial Aromatic Hydrocarbons
D854-10 Test Methods for Specific Gravity of Soil Solids by Water Pycnometer, **04.08**
D855 Withdrawn 1977; Method of Analysis of Oil-Soluble Sodium Petroleum Sulfonates
D856 Withdrawn 1991; Test Methods for Sampling and Testing Pine Tars and Pine-Tar Oils
D857-12 Test Method for Aluminum in Water, **11.01**
D858-12 Test Methods for Manganese in Water, **11.01**
D859-10 Test Method for Silica in Water, **11.01**
D860 Withdrawn 1975; Method of Sampling Water from Boilers; Replaced by D3370
D861-07(2013) Practice for Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, **07.01**
D862 Withdrawn 1972; Methods of Test for Evaluating Treated Textiles for Pemanence of Resistance to Microorganisms
D863 Withdrawn 1948; Method of Measuring the Flow of Properties of Thermoplastic Molding Materials; Combined with D 569
D864 Withdrawn 1989; Test Method for Coefficient of Cubical Thermal Expansion of Plastics
D865-11 Test Method for Rubber—Deterioration by Heating in Air (Test Tube Enclosure), **09.01**
D866 Withdrawn 2009; Specification for Crosslinked Styrene-Butadiene (SBR) Synthetic Rubber Jacket for Wire and Cable
D867 Withdrawn 1995; Specification for Pumice Pigment
D868-10 Practice for Determination of Degree of Bleeding of Traffic Paint, **06.02**
D869-85(2011) Test Method for Evaluating Degree of Settling of Paint, **06.01**
D870-09 Practice for Testing Water Resistance of Coatings Using Water Immersion, **06.01**
D871-96(2010) Test Methods of Testing Cellulose Acetate, **06.03**
D872 Withdrawn 1991; Test Method for Sulfonation Index of Road Tars
D873-12 Test Method for Oxidation Stability of Aviation Fuels (Potential Residue Method), **05.01**
D874-13a Test Method for Sulfated Ash from Lubricating Oils and Additives, **05.01**
D875 Withdrawn 1984; Method for Calculating of Olefins and Aromatics in Petroleum Distillates from Bromine Number and Acid Absorption
D876-13 Test Methods for Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, **10.01**
D877/D877M-13 Test Method for Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes, **10.03**
D878-01(2006) Test Method for Inorganic Chlorides and Sulfates in Insulating Oils, **10.03**
D879 Withdrawn 1982; Specification for Communication and Signal Pin-Type Lime-Glass Insulators
D880-92(2008) Test Method for Impact Testing for Shipping Containers and Systems, **15.10**
D881 Withdrawn 1995; Test Method for Deviation of Line of Sight Through Transparent Plastics
D882-12 Test Method for Tensile Properties of Thin Plastic Sheeting, **08.01**
D883-12 Terminology Relating to Plastics, **08.01**
D884 Withdrawn 1962; Methods of Estimating Blocking of Plastic Sheets
D885M Withdrawn 1998; Replaced by D885
D885/D885M-10a(2014)$^{\epsilon 1}$ Test Methods for Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, **07.01**
D886 Withdrawn 1973; Methods of Impregnation & Penetration of Glass Yarn with Insulating Varnish
D887-13 Practices for Sampling Water-Formed Deposits, **11.02**
D888-12$^{\epsilon 1}$ Test Methods for Dissolved Oxygen in Water, **11.01**
D889-13 Test Method for Volatile Oil in Rosin, **06.03**
D890-12 Test Method for Water in Liquid Pine Chemicals, **06.03**
D891-09 Test Methods for Specific Gravity, Apparent, of Liquid Industrial Chemicals, **15.05**
D892-13 Test Method for Foaming Characteristics of Lubricating Oils, **05.01**
D893-12 Test Method for Insolubles in Used Lubricating Oils, **05.01**
D894 Withdrawn 1950; Method of Test for Sulfur in Petroleum Products and Lubricating Oils by Bomb Method; Combined with D 129
D895 Withdrawn 1999; Test Method for Water Vapor Permeability of Packages
D896-04(2010)$^{\epsilon 1}$ Practice for Resistance of Adhesive Bonds to Chemical Reagents, **15.06**
D897-08 Test Method for Tensile Properties of Adhesive Bonds, **15.06**
D898 Withdrawn 2006; Test Method for Applied Weight Per Unit Area of Dried Adhesive Solids
D899-00(2013) Practice for Applied Weight Per Unit Area of Liquid Adhesive, **15.06**
D900 Withdrawn 1975; Methods of Test for Calorific Value of Gaseous Fuels by the Water-Flow Calorimeter
D901 Withdrawn 2004; Test Methods for Askarels
D902-12 Test Methods for Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, **10.01**
D903-98(2010) Test Method for Peel or Stripping Strength of Adhesive Bonds, **15.06**
D904-99(2013) Practice for Exposure of Adhesive Specimens to Artificial Light, **15.06**
D905-08(2013) Test Method for Strength Properties of Adhesive Bonds in Shear by Compression Loading, **15.06**
D906-98(2011) Test Method for Strength Properties of Adhesives in Plywood Type Construction in Shear by Tension Loading, **15.06**
D907-12a Terminology of Adhesives, **15.06**
D908 Withdrawn 1969; Method of Test for Knock Characteristics of Motor Fuels of 100 Octane Number and Below by the Research Method; Replaced by D2699
D909-07(2012)$^{\epsilon 1}$ Test Method for Supercharge Rating of Spark-Ignition Aviation Gasoline, **05.05**
D910-13 Specification for Aviation Gasolines, **05.01**
D911 Withdrawn 1994; Specification for Mercuric Oxide for Use in Antifouling Paints
D912 Withdrawn 2004; Specification for Cuprous Oxide for Use in Antifouling Paints
D913-10 Practice for Evaluating Degree of Traffic Paint Line Wear, **06.02**
D914-12 Test Methods for Ethylcellulose, **06.03**
D915 Withdrawn 1987; Method of Testing Soil-Bituminous Mixtures
D916 Withdrawn 1964; Method of Test for Shear Strength of Flexible Road Surfaces, Subgrades, and Fills by the Burggraf Shear Apparatus
D917 Withdrawn 1981; Method of Test for Bleeding Resistance of Asphalted Paper at 65°C
D918 Withdrawn 2011; Test Method for Blocking Resistance of Paper and Paperboard
D919 Withdrawn 2009; Test Method for Copper Number of Paper and Paperboard
D920 Withdrawn 1989; Method of Test for Blocking Resistance of Paper and Paperboard
D921 Withdrawn 1980; Method of Test for Titanium Dioxide in Paper
D922-11 Specification for Nonrigid Vinyl Chloride Polymer Tubing, **10.01**
D923-07 Practices for Sampling Electrical Insulating Liquids, **10.03**
D924-08 Test Method for Dissipation Factor (or Power Factor) and Relative Permittivity (Dielectric Constant) of Electrical Insulating Liquids, **10.03**
D925-14 Test Methods for Rubber Property—Staining of Surfaces (Contact, Migration, and Diffusion), **09.01**
D926-08(2013) Test Method for Rubber Property—Plasticity and Recovery (Parallel Plate Method), **09.01**
D927 Withdrawn 1959; Method of Test for Viscosity of Rubber and Rubber-Like Materials by the Shearing Disc Viscometer; Replaced by D1646
D928-03(2009) Specification for Sodium Bicarbonate, **15.04**
D929 Withdrawn 2001; Specification for Borax
D930 Withdrawn 2001; Test Method of Total Immersion Corrosion Test of Water-Soluble Aluminum Cleaners
D931 Withdrawn 1956; Method of Test for Thiophene in Benzene; Replaced by D1685
D932-85(2009) Test Method for Iron Bacteria in Water and Water-Formed Deposits, **11.02**
D933-84(2012) Practice for Reporting Results of Examination and Analysis of Water-Formed Deposits, **11.02**
D934-13 Practices for Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, **11.02**
D935 Withdrawn 1968; Method of Corrosivity Test of Industrial Water; Replaced by D2688
D936 Withdrawn 1991; Test Method for Aromatic Hydrocarbons in Olefin-Free Gasolines by Silica Gel Absorption
D937-07(2012) Test Method for Cone Penetration of Petrolatum, **05.01**
D938-12 Test Method for Congealing Point of Petroleum Waxes, Including Petrolatum, **05.01**
D939 Withdrawn 1963; Method of Test for Saponification Number by Potentiometric Titration
D940 Withdrawn 1949; Method of Test for Determination of Purity by Measurement of Freezing Points; Replaced by D1015, D1016
D941 Withdrawn 1993; Test Method for Density and Relative Density (Specific Gravity) of Liquids by Lipkin Bicapillary Pycnometer
D942-02(2007) Test Method for Oxidation Stability of Lubricating Greases by the Oxygen Pressure Vessel Method, **05.01**
D943-04a(2010)$^{\epsilon 1}$ Test Method for Oxidation Characteristics of Inhibited Mineral Oils, **05.01**
D944 Withdrawn 1966; Specification for Mechanical Roll Felt; Replaced by D2475
D945-06(2012) Test Methods for Rubber Properties in Compression or Shear (Mechanical Oscillograph), **09.01**
D946/D946M-09a Specification for Penetration-Graded Asphalt Cement for Use in Pavement Construction, **04.03**
D947 Withdrawn 1963; Specification for Hot-Mixed, Hot-Laid Asphaltic Concrete for Base and Surface Courses
D948 Withdrawn 1954; Method of Test for Weight Loss of Plastics on Heating; Replaced by E95
D949 Withdrawn 1949; Recommended Practice for Molding Test Specimens of Phenolic Materials
D950-03(2011) Test Method for Impact Strength of Adhesive Bonds, **15.06**
D951-99(2010) Test Method for Water Resistance of Shipping Containers by Spray Method, **15.10**
D952-10 Test Method for Bond or Cohesive Strength of Sheet Plastics and Electrical Insulating Materials, **08.01**
D953-10 Test Method for Bearing Strength of Plastics, **08.01**
D954 Withdrawn 1962; Methods of Test for Apparent Density and Bulk Factor of Nonpouring Molding Powders
D955-08 Test Method of Measuring Shrinkage from Mold Dimensions of Thermoplastics, **08.01**
D956 Withdrawn 1992; Practice for Compression Molding Specimens of Amino Molding Compounds; Replaced by D5224

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D957-12 Practice for Determining Surface Temperature of Molds for Plastics, **08.01**
D958 Withdrawn 1995; Practice for Determining Temperatures of Standard ASTM Molds for Test Specimens of Plastics; Replaced by D957
D959 Withdrawn 1993; Method of Drop Test for Filled Bags; Replaced by D5276
D960 Withdrawn 2007; Specification for Raw Castor Oil
D961 Withdrawn 2007; Specification for Dehydrated Castor Oil
D962-81(2008)ε1 Specification for Aluminum Powder and Paste Pigments for Paints, **06.03**
D963 Withdrawn 1993; Specification for Copper Phthalocyanine Blue Pigment
D964-03(2008)ε1 Specification for Metallic Copper Powder for Use in Antifouling Paints, **06.03**
D965 Withdrawn 1961; Specification for Heavy Petroleum Spirits (Heavy Mineral Spirits)
D966 Withdrawn 1982; Specification for Secondary Butyl Acetate (85 to 88% grade)
D967 Withdrawn 1951; Tentative Method of Testing Drying Oils; Replaced by D555
D968-05(2010) Test Methods for Abrasion Resistance of Organic Coatings by Falling Abrasive, **06.01**
D969 Withdrawn 2010; Test Method for Laboratory Determination of Degree of Bleeding of Traffic Paint; Replaced by D868
D970 Withdrawn 2003; Test Methods for Para Red and Toluidine Red Pigments
D971-12 Test Method for Interfacial Tension of Oil Against Water by the Ring Method, **10.03**
D972-02(2008) Test Method for Evaporation Loss of Lubricating Greases and Oils, **05.01**
D973 Withdrawn 1969; Test for Butadiene Content of Polymerization Grade Butadiene and Butadiene Concentrate
D974-12 Test Method for Acid and Base Number by Color-Indicator Titration, **05.01**
D975-13 Specification for Diesel Fuel Oils, **05.01**
D976-06(2011) Test Method for Calculated Cetane Index of Distillate Fuels, **05.01**
D977-13ε1 Specification for Emulsified Asphalt, **04.03**
D978 Withdrawn 1963; Specification for Asphaltic Mixtures for Sheet Asphalt Pavements
D979/D979M-12 Practice for Sampling Bituminous Paving Mixtures, **04.03**
D980 Withdrawn 1965; Method of Sampling and Analysis of Coal for Volatile Matter Determination in Connection with Smoke Ordinance
D981 Withdrawn 1974; Methods of Testing Analytical Filter Papers
D982-05(2009) Test Method for Organic Nitrogen in Paper and Paperboard, **10.01**
D983 Withdrawn 1981; Method of Test for Paraffin Wax Absorptiveness of Paper
D984 Withdrawn 2010; Test Methods for Reducible Sulfur in Paper
D985 Withdrawn 2010; Test Method for Brightness of Pulp, Paper, and Paperboard (Directional Reflectance at 457 nm)
D986 Withdrawn 1966; Method of Preparation of Magnesium Oxide Standard for Spectral Reflectivity; Replaced by E259
D987 Withdrawn 1969; Method of Test for Stretch of Paper and Paper Products Under Tension
D988 Withdrawn 1958; Methods of Test for Water Vapor Permeability of Paper and Paperboard; Replaced by E96
D989 Withdrawn 1967; Method of Test for Detection of Free Sulfur in Electrical Insulating Oils; Replaced by D1275
D990 Withdrawn 1974; Recommended Practice for Interlaboratory Testing of Textile Materials; Replaced by D2904
D991-89(2010) Test Method for Rubber Property—Volume Resistivity Of Electrically Conductive and Antistatic Products, **09.01**
D992 Withdrawn 1984; Method of Test for Nitrate Ion in Water
D993 Withdrawn 1987; Method of Test for Sulfate-Reducing Bacteria in Water and Water-Formed Deposits; Replaced by D4412
D994/D994M-11 Specification for Preformed Expansion Joint Filler for Concrete (Bituminous Type), **04.03**
D995 Withdrawn 2009; Specification for Mixing Plants for Hot-Mixed, Hot-Laid Bituminous Paving Mixtures
D996-10a Terminology of Packaging and Distribution Environments, **15.10**
D997 Withdrawn 1993; Method for Drop Test for Loaded Cylindrical Containers; Replaced by D5276
D998 Withdrawn 1999; Test Method for Penetration of Liquids into Submerged Loaded Shipping Containers
D999-08 Test Methods for Vibration Testing of Shipping Containers, **15.10**
D1000-10 Test Methods for Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, **10.01**
D1001 Withdrawn 1961; Specification for Sieve Analysis of Granular Mineral Surfacing for Asphalt Roofing and Shingles
D1002-10 Test Method for Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), **15.06**
D1003-13 Test Method for Haze and Luminous Transmittance of Transparent Plastics, **08.01**
D1004-13 Test Method for Tear Resistance (Graves Tear) of Plastic Film and Sheeting, **08.01**
D1005-95(2013) Test Method for Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, **06.01**
D1006/D1006M-13 Practice for Conducting Exterior Exposure Tests of Paints on Wood, **06.01**
D1007-11 Specification for sec-Butyl Alcohol, **06.04**
D1008 Withdrawn 1985; Methods of Test for Water Vapor Transmission of Shipping Containers
D1009 Withdrawn 1972; Recommended Code for Designating Form of Material and Direction of Testing Plastics
D1010 Withdrawn 1981; Methods of Testing Asphalt Emulsions for Use As Protective Coatings for Metal; Replaced by D2939
D1011 Withdrawn 1977; Method of Test for Night Visibility of Traffic Paints
D1012 Withdrawn 1975; Method of Test for Analine Point and Mixed Aniline Point of Hydrocarbon Solvents; Replaced by D611
D1013 Withdrawn 2007; Test Method for Determining Total Nitrogen in Resins and Plastics
D1014-09 Practice for Conducting Exterior Exposure Tests of Paints and Coatings on Metal Substrates, **06.01**
D1015-05(2010) Test Method for Freezing Points of High-Purity Hydrocarbons, **05.01**
D1016-05(2010) Test Method for Purity of Hydrocarbons from Freezing Points, **05.01**
D1017 Withdrawn 1981; Test Method for Benzene and Toluene in 250°F and Lighter Petroleum Products by Ultraviolet Spectrophotometry
D1018-11 Test Method for Hydrogen In Petroleum Fractions, **05.01**
D1019 Withdrawn 1986; Method of Test for Olefinic Plus Aromatic Hydrocarbons in Petroleum Distillates
D1020 Withdrawn 1984; Method of Test for Alpha Acetylenes in Butadiene, Butadiene Concentrates, and Butane-Butene Mixtures (Silver Nitrate Method)
D1021 Withdrawn 1983; Method of Test for Oxygen in Light Hydrocarbon Vapors
D1022 Withdrawn 1984; Method of Test for Peroxide Content of Light Hydrocarbons
D1023 Withdrawn 1984; Method of Test for Separation of Residue from Butadiene
D1024 Withdrawn 1970; Method of Test for Butadiene Dimer and Styrene in Butadiene Concentrates
D1025-10 Test Method for Nonvolatile Residue of Polymerization-Grade Butadiene, **05.01**
D1026 Withdrawn 1991; Test Method for Sodium in Lubricating Oils and Additives (Gravimetric Method)
D1027 Withdrawn 1980; Methods for Creasing Paper for Permeability Tests
D1028 Withdrawn 1982; Test Method for Ply Separation (Wet) of Solid and Corrugated Fiberboard; Replaced by TAPPI T 812
D1029 Withdrawn 2001; Test Method for Peeling Resistance of Paper and Paperboard
D1030 *Withdrawn 2011; Test Method for Fiber Analysis of Paper and Paperboard*, **15.09**
D1031 Withdrawn 1992; Specification for Creosoted End-Grain Wood Block Flooring for Interior Use
D1032 Withdrawn 1993; Specification for Chromated Zinc Chloride
D1033 Withdrawn 1933; Methods of Chemical Analysis of Chromated Zinc Chloride
D1034 Withdrawn 2000; Specification for Fluor-Chrome-Arsenate-Phenol
D1035 Withdrawn 2000; Test Methods for Chemical Analysis of Fluor-Chrome-Arsenate-Phenol
D1036-99(2012) Test Methods of Static Tests of Wood Poles, **04.10**
D1037-12 Test Methods for Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, **04.10**
D1038-11 Terminology Relating to Veneer and Plywood, **04.10**
D1039-94(2010) Test Methods for Glass-Bonded Mica Used as Electrical Insulation, **10.01**
D1040 Withdrawn 1981; Specification for Uninhibited Mineral Insulating Oil for Use in Transformers and in Oil Circuit Breakers
D1041 Redesignated E104
D1042-12 Test Method for Linear Dimensional Changes of Plastics Caused by Exposure to Heat and Moisture, **08.01**
D1043-10 Test Method for Stiffness Properties of Plastics as a Function of Temperature by Means of a Torsion Test, **08.01**
D1044-13 Test Method for Resistance of Transparent Plastics to Surface Abrasion, **08.01**
D1045-14 Test Methods for Sampling and Testing Plasticizers Used in Plastics, **08.01**
D1046 Withdrawn 1955; Recommended Practice for Transfer Molding of Specimens of Phenolic Materials
D1047-11 Specification for Poly(Vinyl Chloride) Jacket for Wire and Cable, **10.01**
D1048-12 Specification for Rubber Insulating Blankets, **10.03**
D1049-98(2010) Specification for Rubber Insulating Covers, **10.03**
D1050-05(2011) Specification for Rubber Insulating Line Hose, **10.03**
D1051-08 Specification for Rubber Insulating Sleeves, **10.03**
D1052-09(2014) Test Method for Measuring Rubber Deterioration—Cut Growth Using Ross Flexing Apparatus, **09.01**
D1053-92a(2012) Test Methods for Rubber Property—Stiffening at Low Temperatures: Flexible Polymers and Coated Fabrics, **09.01**
D1054 Withdrawn 2010; Test Method for Rubber Property—Resilience Using a Goodyear-Healey Rebound Pendulum
D1055 Withdrawn 2014; Specifications for Flexible Cellular Materials—Latex Foam
D1056-14 Specification for Flexible Cellular Materials—Sponge or Expanded Rubber, **08.01**
D1057 Withdrawn 1973; Methods of Testing Single Kraft Yarn
D1058 Withdrawn 1963; Method of Test for Stretch of Hosiery

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1059 Withdrawn 2010; Test Method for Yarn Number Based on Short-Length Specimens
D1060-10 Practice for Core Sampling of Raw Wool in Packages for Determination of Percentage of Clean Wool Fiber Present, **07.01**
D1061/D1061M-95(2009)ε1 Specification for Asbestos Lap, **04.05**
D1062-08 Test Method for Cleavage Strength of Metal-to-Metal Adhesive Bonds, **15.06**
D1063 Withdrawn 1991; Test Method for Ash in Rosin
D1064 Withdrawn 2002; Test Methods for Iron in Rosin Tall Oil Fatty Acids And Other Related Products
D1065-96(2010) Test Method for Unsaponifiable Matter in Naval Stores, Including Rosin, Tall Oil, and Related Products, **06.03**
D1066-11 Practice for Sampling Steam, **11.01**
D1067-11 Test Methods for Acidity or Alkalinity of Water, **11.01**
D1068-10 Test Methods for Iron in Water, **11.01**
D1069 Withdrawn 1974; Methods of Test for Particulate and Dissolved Matter in Waste Water
D1070-03(2010) Test Methods for Relative Density of Gaseous Fuels, **05.06**
D1071-83(2008) Test Methods for Volumetric Measurement of Gaseous Fuel Samples, **05.06**
D1072-06(2012) Test Method for Total Sulfur in Fuel Gases by Combustion and Barium Chloride Titration, **05.06**
D1073-11 Specification for Fine Aggregate for Bituminous Paving Mixtures, **04.03**
D1074-09 Test Method for Compressive Strength of Bituminous Mixtures, **04.03**
D1075-11 Test Method for Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, **04.03**
D1076-10 Specification for Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, **09.01**
D1077 Withdrawn 1959; Method of Test for Curing Characteristics of Vulcanizable Rubber Nixture During Heating by the Shearing Disk Viscometer; Replaced by D1646
D1078-11 Test Method for Distillation Range of Volatile Organic Liquids, **06.04**
D1079-13ε1 Terminology Relating to Roofing and Waterproofing, **04.04**
D1080 Withdrawn 1978; Specification for Saturable Papers for Laminated Electrical Insulation
D1081 Withdrawn 1984; Method of Test for Evaluating Rubber Property Sealing Pressure
D1082-00(2011) Test Method for Dissipation Factor and Permittivity (Dielectric Constant) of Mica, **10.01**
D1083 Withdrawn 2001; Test Methods for Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates
D1084-08 Test Methods for Viscosity of Adhesives, **15.06**
D1085 Withdrawn 1996; Practice for Gaging Petroleum and Petroleum Products (Available as Separate Reprint Only)
D1086 Withdrawn 1995; Method for Measuring the Temperature of Petroleum and Petroleum Products
D1087 Withdrawn 1965; Recommended Practice for Volume Calculations and Corrections in the Measurement of Petroleum and Petroleum Products
D1088 Withdrawn 1984; Method of Test for Boiling Point Range of Polymerization-Grade Butadiene
D1089 Withdrawn 1984; Method of Test for Carbonyl Content of Butadiene; Replaced by D4423
D1090 Withdrawn 1952; Factors and Tables for Volume Correction and Specific Gravity Conversion of Liquefied Petroleum Gases; Replaced by D1250
D1091-11 Test Methods for Phosphorus in Lubricating Oils and Additives, **05.01**
D1092-12 Test Method for Measuring Apparent Viscosity of Lubricating Greases, **05.01**
D1093-11 Test Method for Acidity of Hydrocarbon Liquids and Their Distillation Residues, **05.01**
D1094-07(2013) Test Method for Water Reaction of Aviation Fuels, **05.01**
D1095 Withdrawn 1961; Method of Test for Analysis of 60 Octane Number Isooctane-Normal Heptane ASTM Knock Test Reference Fuel Blends by Infrared Spectrophotometry
D1096 Withdrawn 1984; Method of Test for 1,3-Butadiene in C-4 and Lighter Hydrocarbon Mixtures by Ultraviolet Spectrophotometry
D1097 Withdrawn 1965; Method of Test for Bitumen Content of Paving Mixtures by Centrifuge; Replaced by D2172
D1098 Withdrawn 1986; Method of Static Bending Test for Corrugated Paperboard
D1099 Withdrawn 1981; Method of Test for Water-Soluble Sulfates in Paper and Paperboard
D1100 Redesignated E832
D1101-97a(2013) Test Methods for Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, **15.06**
D1102-84(2013) Test Method for Ash in Wood, **04.10**
D1103 Withdrawn 1986; Method of Test for Alpha-Cellulose in Wood
D1104 Withdrawn 1986; Method of Test for Holocellulose in Wood
D1105-96(2013) Test Method for Preparation of Extractive-Free Wood, **04.10**
D1106-96(2013) Test Method for Acid-Insoluble Lignin in Wood, **04.10**
D1107-96(2013) Test Method for Ethanol-Toluene Solubility of Wood, **04.10**
D1108-96(2013) Test Method for Dichloromethane Solubles in Wood, **04.10**
D1109-84(2013) Test Method for 1 % Sodium Hydroxide Solubility of Wood, **04.10**
D1110-84(2013) Test Methods for Water Solubility of Wood, **04.10**
D1111 Withdrawn 1976; Specification for Chip or Granular Soap for Low-Temperature Washing (Low and Medium Titer)
D1112 Withdrawn 1976; Specification for Solid Soap for Low-Temperature Washing (Low and Medium Titer)
D1113-13 Test Method for Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, **07.01**
D1114 Withdrawn 1966; Specification for Mechanical Sheet Felt; Replaced by D2475
D1115 Withdrawn 1963; Method of Test for Snag Resistance of Hosiery
D1116 Withdrawn 1981; Method of Test for Resistance of Pile Floor Coverings to Attack by Black Carpet Beetle Larvae
D1117 Withdrawn 2009; Guide for Evaluating Nonwoven Fabrics
D1118/D1118M-95(2009)ε1 Test Method for Magnetic Rating of Asbestos Fiber and Asbestos Textiles, **04.05**
D1119-05(2009) Test Method for Percent Ash Content of Engine Coolants, **15.05**
D1120-11ε1 Test Method for Boiling Point of Engine Coolants, **15.05**
D1121-11 Test Method for Reserve Alkalinity of Engine Coolants and Antirusts, **15.05**
D1122-13 Test Method for Density or Relative Density of Engine Coolant Concentrates and Engine Coolants By The Hydrometer, **15.05**
D1123-99(2009) Test Methods for Water in Engine Coolant Concentrate by the Karl Fischer Reagent Method, **15.05**
D1124 Withdrawn 1993; Specification for Hydrometer-Thermometer Field Tester For Engine Coolants
D1125-14 Test Methods for Electrical Conductivity and Resistivity of Water, **11.01**
D1126-12 Test Method for Hardness in Water, **11.01**
D1127 Withdrawn 1962; Methods of Test for Sodium and Potassium in Industrial Water
D1128 Withdrawn 1982; Method for Identification of Types of Microorganisms and Microscopic Matter in Water and Waste Water
D1129-13 Terminology Relating to Water, **11.01**
D1130 Withdrawn 1977; Recommended Practice for Injection Molding of Specimens of Thermoplastic Materials
D1131 Withdrawn 2003; Test Methods of Testing Rosin Oils
D1132 Withdrawn 1967; Method of Test for Heptane Number of Hydrocarbon Solvents
D1133-13 Test Method for Kauri-Butanol Value of Hydrocarbon Solvents, **06.04**
D1134 Withdrawn 1961; Method of Test for Nitrocellulose Diluting Power of Hydrocarbon Solvents; Combined with D 1720
D1135-86(2009) Test Methods for Chemical Analysis of Blue Pigments, **06.03**
D1136 Withdrawn 1980; Method for Analysis of Natural Gases by the Volumetric-Chemical Method
D1137 Withdrawn 1982; Method for Analysis of Natural Gases and Related Types of Gaseous Mixtures by the Mass Spectrometer
D1138 Withdrawn 1981; Method of Test for Resistance to Plastic Flow of Fine-Aggregate Bituminous Mixtures by Means of the Hubbard-Field Apparatus
D1139/D1139M-09 Specification for Aggregate for Single or Multiple Bituminous Surface Treatments, **04.03**
D1140-00(2006) Test Methods for Amount of Material in Soils Finer than No. 200 (75-μm) Sieve, **04.08**
D1141-98(2013) Practice for the Preparation of Substitute Ocean Water, **11.02**
D1142-95(2012) Test Method for Water Vapor Content of Gaseous Fuels by, **05.06**
D1143 Withdrawn 2006; Test Method for Piles Under Static Axial Compressive Load
D1143/D1143M-07(2013) Test Methods for Deep Foundations Under Static Axial Compressive Load, **04.08**
D1144-99(2011) Practice for Determining Strength Development of Adhesive Bonds, **15.06**
D1145 Withdrawn 1987; Test Method for Sampling Natural Gas
D1146-00(2013) Test Method for Blocking Point of Potentially Adhesive Layers, **15.06**
D1147 Redesignated F36
D1148-13 Test Method for Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, **09.01**
D1149-07(2012) Test Methods for Rubber Deterioration—Cracking in an Ozone Controlled Environment, **09.01**
D1150 Withdrawn 1992; Single and Multi-Panel Forms for Recording Results of Exposure Tests of Paints
D1151-00(2013) Practice for Effect of Moisture and Temperature on Adhesive Bonds, **15.06**
D1152-06(2012) Specification for Methanol (Methyl Alcohol), **06.04**
D1153-12 Specification for Methyl Isobutyl Ketone, **06.04**
D1154 Withdrawn 1957; Method of Test for Purity of Acetone and Methyl Ethyl Ketone
D1155-10 Test Method for Roundness of Glass Spheres, **06.02**
D1156 Withdrawn 1984; Method of Test for Total Chlorine in Poly(Vinyl Chloride) Polymers and Copolymers Used for Surface Coatings
D1157-91(2009) Test Method for Total Inhibitor Content (TBC) of Light Hydrocarbons, **05.01**
D1158 Withdrawn 1984; Method of Test for Bromine Number of Petroleum Distillates by Color-Indicator Titration; Replaced by D1159
D1159-07(2012) Test Method for Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration, **05.01**
D1160-13 Test Method for Distillation of Petroleum Products at Reduced Pressure, **05.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1161 Withdrawn 1981; Method of Test for Total Chloride Content of Paper and Paper Products
D1162 Withdrawn 1974; Method of Test for Water-Soluble Matter in Paper
D1163 Withdrawn 1986; Method of Test for Lint of Paper Towels
D1164 Withdrawn 1985; Test Method for Ring Crush of Paperboard; Replaced by TAPPI T 818
D1165-13 Nomenclature of Commercial Hardwoods and Softwoods, **04.10**
D1166-84(2013) Test Method for Methoxyl Groups in Wood and Related Materials, **04.10**
D1167 Withdrawn 1972; Methods of Testing Asphalt-Base Emulsions for Use As Protective Coatings for Built-Up Roofs; Replaced by D2939
D1168 Withdrawn 2014; Test Methods for Hydrocarbon Waxes Used for Electrical Insulation
D1169-11 Test Method for Specific Resistance (Resistivity) of Electrical Insulating Liquids, **10.03**
D1170 Withdrawn 1968; Specification for Nonmetallic Gasket Materials for General Automotive and Aeronautical Purposes; Combined with F 104
D1171-99(2007) Test Method for Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), **09.01**
D1172-95(2007) Guide for pH of Aqueous Solutions of Soaps and Detergents, **15.04**
D1173-07 Test Method for Foaming Properties of Surface-Active Agents, **15.04**
D1174 Withdrawn 1983; Method of Test for Effect of Bacterial Contamination on Permanence of Adhesive Preparations and Adhesives Bonds
D1175 Withdrawn 1982; Method of Test for Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder and Uniform Abrasion); Replaced by D4157, D4158
D1176-14 Practice for Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, **15.05**
D1177-12 Test Method for Freezing Point of Aqueous Engine Coolants, **15.05**
D1178 Withdrawn 1971; Method of Test for Chloroform-Extractable Matter in Industrial Water and Industrial Waste Water
D1179-10 Test Methods for Fluoride Ion in Water, **11.01**
D1180 Withdrawn 1980; Method of Test for Warpage of Sheet Plastics
D1181 Withdrawn 1979; Method of Test for Warpage of Sheet Plastics
D1182 Withdrawn 1962; Method of Test for Apparent Density and Bulk Factor of Granular Thermoplastic Molding Powder
D1183-03(2011) Practices for Resistance of Adhesives to Cyclic Laboratory Aging Conditions, **15.06**
D1184-98(2012) Test Method for Flexural Strength of Adhesive Bonded Laminated Assemblies, **15.06**
D1185-98a(2009) Test Methods for Pallets and Related Structures Employed in Materials Handling and Shipping, **15.10**
D1186 Withdrawn 2006; Test Methods for Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to a Ferrous Base; Replaced by D7091
D1187/D1187M-97(2011)ε1 Specification for Asphalt-Base Emulsions for Use as Protective Coatings for Metal, **04.04**
D1188-07ε1 Test Method for Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples, **04.03**
D1189 Withdrawn 1980; Method of Test for Vacuum Distillation of Liquid and Semi-Solid Asphaltic Materials to Obtain a Residue of Specified Penetration
D1190 Withdrawn 2002; Specification for Concrete Joint Sealer, Hot-Poured Elastic Type
D1191 Withdrawn 1996; Test Methods for Concrete Joint Sealers; Replaced by D5329
D1192 Withdrawn 2003; Guide for Equipment for Sampling Water and Steam in Closed Conduits; Replaced by D1066, D3370
D1193-06(2011) Specification for Reagent Water, **11.01**
D1194 Withdrawn 2002; Test Method for Bearing Capacity of Soil for Static Loads at Shallow Depths
D1195/D1195M-09 Test Method for Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, **04.03**
D1196/D1196M-12 Test Method for Nonrepetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, **04.03**
D1197 Redesignated E197
D1198 Withdrawn 2007; Test Method for Solvent Tolerance of Amine Resins
D1199-86(2008) Specification for Calcium Carbonate Pigments, **06.03**
D1200-10 Test Method for Viscosity by Ford Viscosity Cup, **06.01**
D1201-13 Specification for Thermosetting Polyester Molding Compounds, **08.01**
D1202 Withdrawn 1991; Specification for Plasticized Cellulose Acetate Sheet and Film for Primary Insulation
D1203-10 Test Methods for Volatile Loss From Plastics Using Activated Carbon Methods, **08.01**
D1204-14 Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature, **08.01**
D1205 Withdrawn 1974; Methods of Testing Adhesives for Brake Lining and Other Friction Materials
D1206 Withdrawn 1981; Method of Test for Resistance to Aging of Vulcanized Rubber by Measurement of Creep
D1207 Withdrawn 1972; Recommended Practice for Classifying Elastomeric Compounds for Resilient Automotive Mountings
D1208-96(2012) Test Methods for Common Properties of Certain Pigments, **06.03**
D1209-05(2011) Test Method for Color of Clear Liquids (Platinum-Cobalt Scale), **06.04**
D1210-05(2010) Test Method for Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage, **06.01**
D1211 Withdrawn 2006; Test Method for Temperature-Change Resistance of Clear Nitrocellulose Lacquer Films Applied to Wood
D1212-91(2013) Test Methods for Measurement of Wet Film Thickness of Organic Coatings, **06.01**
D1213 Withdrawn 1985; Method of Test for Crushing Resistance of Glass Spheres
D1214-10 Test Method for Sieve Analysis of Glass Spheres, **06.02**
D1215 Withdrawn 1980; Specification for Farm Tractor Fuels
D1216 Withdrawn 1976; Method of Analysis of Calcium and Barium Petroleum Sulfonates
D1217-12 Test Method for Density and Relative Density (Specific Gravity) of Liquids by Bingham Pycnometer, **05.01**
D1218-12 Test Method for Refractive Index and Refractive Dispersion of Hydrocarbon Liquids, **05.01**
D1219 Withdrawn 1976; Method of Test for Mercaptan Sulfur in Aviation Turbine Fuels (Color-Indicator Method); Replaced by D3227
D1220 Withdrawn 1996; Practice for Measurement and Calibration of Upright Cylindrical Tanks
D1221 Withdrawn 1975; Method of Test for Pinholes in Glassine and Other Greaseproof Papers
D1222 Withdrawn 1962; Method of Test for Contrast Glass of Paper at 57.5 Deg
D1223 Withdrawn 2010; Test Method for Specular Gloss of Paper and Paperboard at 75°
D1224 Withdrawn 2010; Test Methods for Zinc and Cadmium in Paper
D1225 Withdrawn 1985; Test Method for Flat Crush of Corrugated Paperboard; Replaced by TAPPI T 808
D1226 Withdrawn 1983; Specification for Asphalt Insulating Siding Surfaced with Mineral Granules
D1227-13 Specification for Emulsified Asphalt Used as a Protective Coating for Roofing, **04.04**
D1228 Withdrawn 1983; Methods of Testing Asphalt Insulating Siding Surfaced with Mineral Granules
D1229-03(2008) Test Method for Rubber Property—Compression Set at Low Temperatures, **09.01**
D1230-10 Test Method for Flammability of Apparel Textiles, **07.01**
D1231 Withdrawn 1962; Method of Test for Dimensional Change of Knit Cotton Fabrics
D1232 Withdrawn 1962; Method of Test for Dimensional Change of Knit Rayon Fabrics
D1233 Withdrawn 2000; Specification for Twine Made for Bast and Leaf Fibers
D1234-13 Test Method of Sampling and Testing Staple Length of Grease Wool, **07.01**
D1235 Withdrawn 1963; Tolerances for Filament Acetate Yarns; Replaced by D2497
D1236 Withdrawn 1963; Tolerances for Filament Nylon Yarns; Replaced by D2497
D1237 Withdrawn 1963; Tolerances for Filament Rayon Yarns; Replaced by D2497
D1238-13 Test Method for Melt Flow Rates of Thermoplastics by Extrusion Plastometer, **08.01**
D1239-07 Test Method for Resistance of Plastic Films to Extraction by Chemicals, **08.01**
D1240-12 Test Methods for Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, **06.03**
D1241-07 Specification for Materials for Soil-Aggregate Subbase, Base, and Surface Courses, **04.08**
D1242 Withdrawn 2003; Test Methods for Resistance of Plastic Materials to Abrasion
D1243-95(2008) Test Method for Dilute Solution Viscosity of Vinyl Chloride Polymers, **08.01**
D1244-98(2011) Practice for Designation of Yarn Construction, **07.01**
D1245-11 Practice for Examination of Water-Formed Deposits by Chemical Microscopy, **11.02**
D1246-10 Test Method for Bromide Ion in Water, **11.01**
D1247 Withdrawn 1987; Method of Sampling Manufactured Gas
D1248-12 Specification for Polyethylene Plastics Extrusion Materials for Wire and Cable, **08.01**
D1249 Withdrawn 2007; Specification for Octyl Ortho-Phthalate Ester Plasticizers
D1250-08(2013) Guide for Use of the Petroleum Measurement Tables, **05.01**
D1251 Withdrawn 1999; Test Method for Water Vapor Permeability of Packages by Cycle Method
D1252-06(2012)ε1 Test Methods for Chemical Oxygen Demand (Dichromate Oxygen Demand) of Water, **11.02**
D1253-14 Test Method for Residual Chlorine in Water, **11.01**
D1254 Withdrawn 1981; Method of Test for Nitrite Ion in Water
D1255 Withdrawn 1968; Methods of Test for Sulfides in Industrial Water and Industrial Waste Water
D1256 Withdrawn 1967; Scheme for Analysis of Industrial Water and Industrial Waste Water
D1257-07(2012) Specification for High-Gravity Glycerin, **06.04**
D1258 Withdrawn 2011; Test Methods for High-Gravity Glycerin
D1259-06(2012) Test Methods for Nonvolatile Content of Resin Solutions, **06.01**
D1260 Withdrawn 1966; Method of Test for Color Difference Using the Hunter Multipurpose Reflectometer; Combined with D 2244
D1261 Withdrawn 1984; Method of Test for Effect of Grease on Copper

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1262 Withdrawn 1991; Test Method for Lead in New and Used Greases
D1263 Withdrawn 2010; Test Method for Leakage Tendencies of Automotive Wheel Bearing Greases
D1264-12 Test Method for Determining the Water Washout Characteristics of Lubricating Greases, **05.01**
D1265-11 Practice for Sampling Liquefied Petroleum (LP) Gases, Manual Method, **05.01**
D1266-13 Test Method for Sulfur in Petroleum Products (Lamp Method), **05.01**
D1267-12 Test Method for Gage Vapor Pressure of Liquefied Petroleum (LP) Gases (LP-Gas Method), **05.01**
D1268 Withdrawn 1975; Method of Test for Unsaturated Light Hydrocarbons (Silver-Mercuric Nitrate Method)
D1269 Withdrawn 1975; Method of Test for Lead Antiknock Compounds in Gasoline (Polarographic Method)
D1270 Withdrawn 1959; Method of Test for Dimensional Changes of Paper with Changes in Moisture Conditions
D1271 Withdrawn 1970; Specification for Copperized Chromated Zinc Chloride
D1272 Withdrawn 2006; Specification for Pentachlorophenol
D1273 Withdrawn 1970; Methods for Chemical Analysis of Copperized Chromated Zinc Chloride
D1274 Withdrawn 2006; Test Methods for Chemical Analysis of Pentachlorophenol
D1275-06 Test Method for Corrosive Sulfur in Electrical Insulating Oils, **10.03**
D1276 Withdrawn 1985; Method of Test for Water Vapor Transmission of Shipping Containers by Cycle Method
D1277 Withdrawn 1972; Specification for Nonrigid Thermoplastic Compounds for Automotive and Aeronautical Applications
D1278-91a(2011) Test Methods for Rubber from Natural Sources - Chemical Analysis, **09.01**
D1279 Withdrawn 1999; Test Method for Buffering Action of Metal Cleaners
D1280-00(2007) Guide for Total Immersion Corrosion Test for Soak Tank Metal Cleaners, **15.04**
D1281 Withdrawn 1989; Test Method for Rinsing Properties of Metal Cleaners
D1282-05(2009) Test Method for Resistance to Airflow as an Indication of Average Fiber Diameter of Wool Top, Card Sliver, and Scoured Wool, **07.01**
D1283-05(2013) Test Method for Alkali-Solubility of Wools, **07.01**
D1284 Withdrawn 1991; Test Methods for Relaxation and Consolidation Dimensional Changes of Stabilized Knit Wool Fabrics
D1285 Withdrawn 1967; Tolerances for Yarns Containing Wool; Replaced by D2644, D2645
D1286 Withdrawn 1983; Method of Test for Effect of Mold Contamination on Permanence of Adhesives Preparations and Adhesives Bonds; Replaced by D4300
D1287-11 Test Method for pH of Engine Coolants and Antirusts, **15.05**
D1288 Withdrawn 1985; Method of Test for Total Ash and Silica in Water-Emulsion Polishes
D1289 Withdrawn 1969; Method of Test for Nonvolatile Matter (Total Solids) in Water-Emulsion Waxes; Replaced by D2834
D1290-95(2008) Test Method for Sediment in Water-Emulsion Polishes by Centrifuge, **15.04**
D1291-06(2011) Practice for Estimation of Chlorine Demand of Water, **11.02**
D1292-10 Test Method for Odor in Water, **11.01**
D1293-12 Test Methods for pH of Water, **11.01**
D1294-05(2013) Test Method for Tensile Strength and Breaking Tenacity of Wool Fiber Bundles 1-in. (25.4-mm) Gage Length, **07.01**
D1295 Withdrawn 1978; Method of Test for Wrinkle Recovery of Textile Fabrics Using the Vertical Strip Apparatus
D1296-01(2012) Test Method for Odor of Volatile Solvents and Diluents, **06.04**
D1297 Withdrawn 1967; Method of Test for No-Dirt-Retention Time of Traffic Paint
D1298-12b Test Method for Density, Relative Density, or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method, **05.01**
D1299 Withdrawn 1992; Test Method for Shrinkage of Molded and Laminated Thermosetting Plastics at Elevated Temperature
D1300 Withdrawn 1963; Specification and Methods of Test for Laminated Thermosetting Decorative Sheets
D1301-91(2008) Test Methods for Chemical Analysis of White Lead Pigments, **06.03**
D1302 Withdrawn 1968; Method for Analysis of Carbureted Water Gas by the Mass Spectrometer
D1303 Withdrawn 1986; Method of Test for Total Chlorine in Vinyl Chloride Polymers and Copolymers
D1304-99(2012) Test Methods for Adhesives Relative to Their Use as Electrical Insulation, **15.06**
D1305-99(2009) Specification for Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, **10.01**
D1306 Withdrawn 2004; Test Method for Phthalic Anhydride Content of Alkyd Resins and Esters Containing Other Dibasic Acids (Gravimetric)
D1307 Withdrawn 1982; Method of Test for Phthalic Anhydride Content of Alkyd Resins and Esters Containing Other Dibasic Acids (Spectrophotometric)
D1308-02(2013) Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes, **06.02**
D1309-93(2010) Test Method for Settling Properties of Traffic Paints During Storage, **06.02**
D1310-01(2007) Test Method for Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, **06.01**
D1311 Withdrawn 1968; Method of Test for Viscosity Reduction Power of Hydrocarbon Solvents
D1312 Withdrawn 2007; Test Methods for Apparent Free Phenols in Synthetic Phenolic Resins or Solutions Used for Coating Purposes
D1313 Withdrawn 1988; Method of Test for Sludge Formation in Mineral Transformer Oil by High-Pressure Oxidation Bomb
D1314 Withdrawn 1965; Method of Test for Sludge Formation in Mineral Transformer Oil by Sludge Accumulation; Replaced by D2440
D1315 Withdrawn 1981; Method of Test for Water in Insulating Oils by Extraction
D1316-06(2011) Test Method for Fineness of Grind of Printing Inks By the NPIRI Grindometer, **06.02**
D1317 Withdrawn 1994; Test Method for Chlorine in New and Used Lubricants (Sodium Alcoholate Method)
D1318-00(2011) Test Method for Sodium in Residual Fuel Oil (Flame Photometric Method), **05.01**
D1319-13 Test Method for Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, **05.01**
D1320 Withdrawn 1991; Test Method for Tensile Strength of Paraffin Wax
D1321-10 Test Method for Needle Penetration of Petroleum Waxes, **05.01**
D1322-12$^{\epsilon 1}$ Test Method for Smoke Point of Kerosine and Aviation Turbine Fuel, **05.01**
D1323 Withdrawn 1980; Methods of Test for Mercaptan Sulfur in Aviation Turbine Fuels; Replaced by D3227
D1324 Withdrawn 2000; Specification for Modified Wood
D1325 Withdrawn 2006; Specification for Ammoniacal Copper Arsenate and Ammoniacal Copper Zinc Arsenate
D1326 Withdrawn 2006; Test Method for Chemical Analysis of Ammoniacal Copper Arsenate and Ammoniacal Copper Zinc Arsenate
D1327/D1327M-04(2012)$^{\epsilon 1}$ Specification for Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing, **04.04**
D1328 Withdrawn 1992; Test Method for Staining Properties of Asphalt; Replaced by D2746
D1329-08 Test Method for Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), **09.01**
D1330-04(2010) Specification for Rubber Sheet Gaskets, **09.02**
D1331-11 Test Methods for Surface and Interfacial Tension of Solutions of Surface-Active Agents, **06.01**
D1332 Withdrawn 1972; Methods of Test for Build-Up and Spread of Glass Yarn As Wrap (Serving) or Braid Over Electrical Conductors; Replaced by D668
D1333 Withdrawn 1960; Methods of Testing Elastic Fabrics; Replaced by D1775
D1334-05(2009) Test Method for Wool Content of Raw Wool—Commercial Scale, **07.01**
D1335-12 Test Method for Tuft Bind of Pile Yarn Floor Coverings, **07.01**
D1336-07(2011) Test Method for Distortion of Yarn in Woven Fabrics, **07.01**
D1337-10 Practice for Storage Life of Adhesives by Viscosity and Bond Strength, **15.06**
D1338-99(2011) Practice for Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, **15.06**
D1339 Withdrawn 1990; Test Methods for Sulfite Ion in Water
D1340 Withdrawn 1971; Method of Test for Oily Matter in Industrial Waste Water
D1341 Withdrawn 1974; Method for Determination of Thickness of Internal Deposits on Tubular Heat Exchange Surfaces
D1342 Withdrawn 2007; Test Method for Paraffin-Type Hydrocarbons in Carnauba Wax
D1343-95(2011) Test Method for Viscosity of Cellulose Derivatives by Ball-Drop Method, **06.03**
D1344 Withdrawn 1987; Methods of Testing Cross-Lap Specimens for Tensile Properties of Adhesives
D1345 Withdrawn 1985; Method of Test for Evaluating Acute Toxicity of Water to Fresh-Water Fishes
D1346 Withdrawn 1986; Methods of Testing Electrical Insulating Varnishes for 180°C and Above; Replaced by D115
D1347 Withdrawn 2003; Test Methods for Methylcellulose
D1348-94(2008) Test Methods for Moisture in Cellulose, **06.03**
D1349-09 Practice for Rubber—Standard Temperatures for Testing, **09.01**
D1350 Withdrawn 1965; Specification for Construction of Rubber Insulated Wire and Cable
D1351-08 Specification for Thermoplastic Polyethylene Insulation for Electrical Wire and Cable, **10.01**
D1352 Withdrawn 2006; Specification for Ozone-Resisting Butyl Rubber Insulation for Wire and Cable
D1353-13 Test Method for Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products, **06.04**
D1354 Withdrawn 1979; Method of Test for Concentration of Odorous Vapors (Adsorption Method)
D1355 Withdrawn 1980; Method of Continous Analysis and Automatic Recording of the Sulfur Dioxide Content of the Atmosphere
D1356-14a Terminology Relating to Sampling and Analysis of Atmospheres, **11.07**
D1357-95(2011) Practice for Planning the Sampling of the Ambient Atmosphere, **11.07**
D1358 Withdrawn 2003; Test Method for Spectrophotometric Diene Value of Dehydrated Castor Oil and Its Derivatives
D1359 Withdrawn 1967; Method of Test for No-Smear Time of Traffic Paint
D1360-98(2011) Test Method for Fire Retardancy of Paints (Cabinet Method), **06.01**
D1361 Withdrawn 1977; Method of Test for Wire Retardancy of Points (Stick and Wick Method)

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1362 Withdrawn 1974; Method of Test for Alcohol Content of Ketones; Replaced by D2804
D1363-06(2011) Test Method for Permanganate Time of Acetone and Methanol, **06.04**
D1364-02(2012) Test Method for Water in Volatile Solvents (Karl Fischer Reagent Titration Method), **06.04**
D1365 Withdrawn 1966; Method of Test for Color Difference Using Color Difference Meters of the Hunterlab or Gardner Types; Combined with D 2244
D1366-86(2012) Practice for Reporting Particle Size Characteristics of Pigments, **06.03**
D1367 Withdrawn 2006; Test Method for Lubricating Qualities of Graphites
D1368 Withdrawn 1994; Test Method for Trace Concentrations of Lead in Primary Reference Fuels
D1369-84(2012) Practice for Quantities of Materials for Bituminous Surface Treatments, **04.03**
D1370/D1370M-12 Test Method for Contact Compatibility Between Asphaltic Materials (Oliensis Test), **04.04**
D1371 Withdrawn 1983; Recommended Practice for Cleaning Plastic Specimens for Industrial Resistance, Surface Resistance, and Volume Resistivity Testing
D1372 Withdrawn 1980; Methods of Testing Package Cushioning Materials
D1373 Withdrawn 1987; Specification for Medium-Voltage Rubber Insulating Tape
D1374 Withdrawn 2000; Test Method of Aerated Total Immersion Corrosion Test for Metal Cleaners
D1375 Withdrawn 1977; Tests for Pilling Resistance and Other Related Surface Changes of Textile Fabrics; Replaced by D3511, D3512
D1376 Withdrawn 1980; Methods of Testing Warp Knit Fabrics; Replaced by D3887
D1377 Withdrawn 1960; Methods of Testing Wide Elastic Fabrics; Replaced by D1775
D1378 Withdrawn 1957; Methods of Test for Absorbency Time and Absorptive Capacity of Nonwoven Fabrics; Combined with D 1117
D1379 Withdrawn 1976; Abrasion Resistance of Textile Yarns
D1380 Withdrawn 1967; Methods of Testing Spun and Filament Yarns Made Wholly or in Part of Man-Made Organic Base Fibers; Replaced by D1422, D1423, D1907, D2256, D2257, D2494
D1381 Withdrawn 1981; Specification for Fineness of Mohair Top and Assignment of Grade; Replaced by D3992
D1382 Withdrawn 1991; Test Method for Susceptibility of Dry Adhesive Films to Attack by Roaches
D1383 Withdrawn 1991; Test Method for Susceptibility of Dry Adhesive Films to Attack by Laboratory Rats
D1384-05(2012) Test Method for Corrosion Test for Engine Coolants in Glassware, **15.05**
D1385-07(2013)ε1 Test Method for Hydrazine in Water, **11.01**
D1386-10 Test Method for Acid Number (Empirical) of Synthetic and Natural Waxes, **15.04**
D1387-89(2012) Test Method for Saponification Number (Empirical) of Synthetic and Natural Waxes, **15.04**
D1388-14 Test Method for Stiffness of Fabrics, **07.01**
D1389 Withdrawn 2013; Test Method for Proof-Voltage Testing of Thin Solid Electrical Insulating Materials
D1390 Withdrawn 1989; Test Method for Rubber Property—Stress Relaxation in Compression
D1391 Withdrawn 1987; Method for Measurement of Odor in Atmospheres (Dilution Method)
D1392 Withdrawn 2007; Specification for Safflower Oil
D1393 Withdrawn 1977; Method of Test for Flash Point of Drying Oils
D1394-76(2009) Test Methods for Chemical Analysis of White Titanium Pigments, **06.03**
D1395 Withdrawn 1989; Test Method for Abrasion Resistance of Clear Floor Coatings
D1396 Withdrawn 2007; Test Methods for Chemical Analysis of Poly(Vinyl Butyral)
D1397 Withdrawn 2007; Test Method for Unsaponifiable Matter in Alkyd Resins and Resin Solutions
D1398 Withdrawn 2007; Test Method for Fatty Acid Content of Alkyd Resins and Alkyd Resin Solutions
D1399 Withdrawn 2005; Test Method for Unsaponifiable Contents of Tricresyl Phosphate
D1400 Withdrawn 2006; Test Method for Nondestructive Measurement of Dry Film Thickness of Nonconductive Coatings Applied to a Nonferrous Metal Base; Replaced by D7091
D1401-12 Test Method for Water Separability of Petroleum Oils and Synthetic Fluids, **05.01**
D1402 Withdrawn 1985; Method of Test for Effect of Copper on Oxidation Stability of Lubricating Greases by the Oxygen Bomb Method
D1403-10 Test Methods for Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment, **05.01**
D1404/D1404M-99(2008) Test Method for Estimation of Deleterious Particles in Lubricating Grease, **05.01**
D1405/D1405M-08(2013) Test Method for Estimation of Net Heat of Combustion of Aviation Fuels, **05.01**
D1406 Withdrawn 1996; Practice for Liquid Calibration of Tanks
D1407 Withdrawn 1996; Practice for Measurement and Calibration of Barge Tanks
D1408 Withdrawn 1996; Practice for Measurement and Calibration of Spherical and Spheroidal Tanks (Available as Separate Reprint Only)
D1409 Withdrawn 1996; Practice for Measurement and Calibration of Tank Car Tanks
D1410 Withdrawn 1996; Practice for Measurement and Calibration of Stationary Horizontal Tanks
D1411-09 Test Methods for Water-Soluble Chlorides Present as Admixtures in Graded Aggregate Road Mixes, **04.08**
D1412-07 Test Method for Equilibrium Moisture of Coal at 96 to 97 Percent Relative Humidity and 30°C, **05.06**
D1413-07ε1 Test Method for Wood Preservatives by Laboratory Soil-Block Cultures, **04.10**
D1414-94(2013) Test Methods for Rubber O-Rings, **09.02**
D1415-06(2012) Test Method for Rubber Property—International Hardness, **09.01**
D1416 Withdrawn 1996; Test Methods for Rubber from Synthetic Sources—Chemical Analysis; Replaced by D5667
D1417-10 Test Methods for Rubber Latices—Synthetic, **09.01**
D1418-10a Practice for Rubber and Rubber Latices—Nomenclature, **09.01**
D1419 Withdrawn 1964; Recommended Practice for Description of Types of Styrene Butadiene Rubbers (SBR) and Butadiene Rubbers (BR)
D1420 Withdrawn 1964; Recommended Practice for Description of Types of Styrene Butadiene Rubber (SBR) and Butadiene Rubbers (BR) Latices
D1421 Withdrawn 1977; Recommended Practice for Interlaboratory Testing of Rubber and Rubber-Like Materials
D1422/D1422M-13 Test Method for Twist in Single Spun Yarns by the Untwist-Retwist Method, **07.01**
D1423-02(2008) Test Method for Twist in Yarns by Direct-Counting, **07.01**
D1424-09(2013) Test Method for Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus, **07.01**
D1425 Withdrawn 2005; Test Method for Unevenness of Textile Strands Using Capacitance Testing Equipment
D1425/D1425M-14 Test Method for Evenness of Textile Strands Using Capacitance Testing Equipment, **07.01**
D1426-08 Test Methods for Ammonia Nitrogen In Water, **11.01**
D1427 Withdrawn 1982; Methods of Test for Residual Chlorine in Waste Water
D1428 Withdrawn 1990; Test Methods for Sodium and Potassium in Water and Water-Formed Deposits by Flame Photometry
D1429-13 Test Methods for Specific Gravity of Water and Brine, **11.01**
D1430-11 Classification System for Polychlorotrifluoroethylene (PCTFE) Plastics, **08.01**
D1431 Withdrawn 1985; Specification for Styrene-Acrylonitrile Copolymer Molding and Extrusion Materials; Replaced by D4203
D1432 Withdrawn 1964; Specification for Nonrigid Vinyl Chloride Polymer and Copolymer Extrusion Compounds; Replaced by D2287
D1433 Withdrawn 1987; Method of Test for Rate of Burning and or Extent and Time of Burning of Flexible Thin Plastic Sheeting Supported on a 45° Incline
D1434-82(2009)ε1 Test Method for Determining Gas Permeability Characteristics of Plastic Film and Sheeting, **15.10**
D1435-13 Practice for Outdoor Weathering of Plastics, **08.01**
D1436-97(2008) Test Methods for Application of Emulsion Floor Polishes to Substrates for Testing Purposes, **15.04**
D1437 Withdrawn 1985; Method of Test for Flash Point of Solvent-Type Liquid Waxes
D1438 Withdrawn 1960; Method of Test for Pentosans in Cellulose (Aniline Acetate Colorimetric Method); Replaced by D1787
D1439-03(2008)ε1 Test Methods for Sodium Carboxymethylcellulose, **06.03**
D1440-07(2012) Test Method for Length and Length Distribution of Cotton Fibers (Array Method), **07.01**
D1441-12 Practice for Sampling Cotton Fibers for Testing, **07.01**
D1442-06(2012) Test Method for Maturity of Cotton Fibers (Sodium Hydroxide Swelling and Polarized Light Procedures), **07.01**
D1443 Withdrawn 1964; Method of Test for Maturity of Cotton Fibers (Random Sample-Sodium Hydroxide Swelling Method); Replaced by D1442
D1444 Withdrawn 1979; Method of Test for Cross-Sectional Characteristics of Cotton Fibers
D1445/D1445M-12 Test Method for Breaking Strength and Elongation of Cotton Fibers (Flat Bundle Method), **07.01**
D1446 Withdrawn 1978; Method of Test for Number of Neps in Cotton Samples
D1447-07(2012)ε1 Test Method for Length and Length Uniformity of Cotton Fibers by Photoelectric Measurement, **07.01**
D1448-11 Test Method for Micronaire Reading of Cotton Fibers, **07.01**
D1449 Withdrawn 1978; Method of Test for Specific Area and Immaturity Ratio of Cotton Fibers (Arealometer Method)
D1450 Withdrawn 1968; Method of Test for Maturity of Cotton Fibers (Polarized-Light Method); Replaced by D1442
D1451 Withdrawn 1969; Method of Test for Non-Lint Content of Cotton (Shirley Analyzer Method); Replaced by D2812
D1452-09 Practice for Soil Exploration and Sampling by Auger Borings, **04.08**
D1453 Withdrawn 1967; Tolerances for Spun Rayon and Acetate Yarns; Replaced by D4645
D1454 Withdrawn 1967; Tolerances for Yarns Spun from Mixed Fibers; Replaced by D4644, D4645
D1455-87(2008) Test Method for 60° Specular Gloss of Emulsion Floor Polish, **15.04**
D1456-86(2010) Test Method for Rubber Property—Elongation at Specific Stress, **09.01**
D1457 Withdrawn 1996; Specification for Polytetrafluoroethylene (PTFE) Molding and Extrusion Materials; Replaced by D4894, D4895

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1458-13 Test Methods for Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, **10.01**
D1459 Withdrawn 2009; Specification for Silicone Varnished Glass Cloth and Tape for Electrical Insulation
D1460-86(2010) Test Method for Rubber Property—Change in Length During Liquid Immersion, **09.01**
D1461-11 Test Method for Moisture or Volatile Distillates in Bituminous Paving Mixtures, **04.03**
D1462 Withdrawn 2007; Specification for Refined Soybean Oil
D1463 Withdrawn 1989; Specification for Biaxially Oriented Styrene Plastics Sheet
D1464-12 Practice for Differential Dyeing Behavior of Cotton, **07.01**
D1465-10 Test Method for Blocking and Picking Points of Petroleum Wax, **05.01**
D1466 Withdrawn 2003; Test Method for Sampling Liquid Oils and Fatty Acids Commonly Used in Paints, Varnishes, and Related Materials
D1467 Withdrawn 2003; Guide for Testing Fatty Acids Used in Protective Coatings
D1468 Withdrawn 2005; Test Method for Volatile Matter in Tricresyl Phosphate
D1469 Withdrawn 2003; Test Method for Total Rosin Acids Content of Coating Vehicles
D1470 Withdrawn 1962; Method of Test for Dimensional Change of Knit Fabrics
D1471 Withdrawn 1976; Method of Test for Two-Parameter, 60° Specular Gloss
D1472 Withdrawn 1972; Method of Test for Set Time for Thermosetting Phenol-Formaldehyde Varnishes
*D1473 Withdrawn 1988; Method of Test for 2,6-ditertiary-*Butyl *para-*Cresol in Electrical Insulating Oils
D1474-98(2008) Test Methods for Indentation Hardness of Organic Coatings, **06.01**
D1475-98(2012) Test Method For Density of Liquid Coatings, Inks, and Related Products, **06.01**
D1476-02(2012) Test Method for Heptane Miscibility of Lacquer Solvents, **06.04**
D1477 Withdrawn 1967; Method of Test for Freezing Point of Aviation Fuels; Replaced by D2386
D1478-11 Test Method for Low-Temperature Torque of Ball Bearing Grease, **05.01**
D1479 Withdrawn 1988; Method of Test for Emulsion Stability of Soluble Cutting Oils
D1480-12 Test Method for Density and Relative Density (Specific Gravity) of Viscous Materials by Bingham Pycnometer, **05.01**
D1481-12 Test Method for Density and Relative Density (Specific Gravity) of Viscous Materials by Lipkin Bicapillary Pycnometer, **05.01**
D1482 Withdrawn 1966; Method of Test for Color Difference Using the General Electric Spectrophotometer; Combined with D 2244
D1483-12 Test Method for Oil Absorption of Pigments by Gardner-Coleman Method, **06.01**
D1484 Withdrawn 1965; Method of Test for Penetration of Hard Rubber by Type D Durometer; Replaced by D2240
D1485-07(2011) Practice for Rubber from Natural Sources—Sampling and Sample Preparation, **09.01**
D1486 Withdrawn 1968; Methods of Testing Tufted Pile Floor Coverings
D1487 Withdrawn 1962; Method of Test for Shrinkage in Laundering and Dimensional Restorability of Warp Knit Fabrics
D1488-00(2013) Test Method for Amylaceous Matter in Adhesives, **15.06**
D1489-09 Test Method for Nonvolatile Content of Aqueous Adhesives, **15.06**
D1490-01(2013) Test Method for Nonvolatile Content of Urea-Formaldehyde Resin Solutions, **15.06**
D1491 Withdrawn 1986; Method of Test for Bromine Index of Aromatic Hydrocarbons by Potentiometric Titration
D1492-13 Test Method for Bromine Index of Aromatic Hydrocarbons by Coulometric Titration, **06.04**
D1493 Withdrawn 2004; Test Method for Solidification Point of Industrial Organic Chemicals
D1494-12 Test Method for Diffuse Light Transmission Factor of Reinforced Plastics Panels, **08.03**
D1495 Withdrawn 1966; Method of Test for Color Difference Using the Color Eye; Combined with D 2244
D1496 Withdrawn 1975; Methods of Sampling Homogenous Waste Water; Replaced by D3370
D1497 Withdrawn 1962; Method of Test for Iron in High-Purity Industrial Water; Replaced by D1068
D1498-14 Test Method for Oxidation-Reduction Potential of Water, **11.01**
D1499-13 Practice for Filtered Open-Flame Carbon-Arc Exposures of Plastics, **08.01**
D1500-12 Test Method for ASTM Color of Petroleum Products (ASTM Color Scale), **05.01**
D1501 Withdrawn 1981; Recommended Practice for Exposure of Plastics to Fluorescent Sunlamp
D1502 Withdrawn 1984; Method of Test for Transverse Load of Corrugated Reinforced Plastic Panels
D1503 Withdrawn 1964; Specification for Cellulose Acetate Butyrate (CAB) Plastic Pipe, Schedule 40
D1504 Withdrawn 1989; Recommended Practice for Determining Orientation Release Stress of Plastic Sheeting
D1505-10 Test Method for Density of Plastics by the Density-Gradient Technique, **08.01**
D1506-99(2013) Test Methods for Carbon Black—Ash Content, **09.01**
D1507 Withdrawn 1960; Method of Test for Attrition of Pelleted Carbon Black
D1508-12 Test Method for Carbon Black, Pelleted Fines and Attrition, **09.01**
D1509-95(2012) Test Methods for Carbon Black—Heating Loss, **09.01**
D1510-13 Test Method for Carbon Black—Iodine Adsorption Number, **09.01**
D1511-12 Test Method for Carbon Black—Pellet Size Distribution, **09.01**
D1512-05(2012) Test Methods for Carbon Black—pH Value, **09.01**
D1513-05(2012) Test Method for Carbon Black, Pelleted—Pour Density, **09.01**
D1514-04(2011) Test Method for Carbon Black—Sieve Residue, **09.01**
D1515 Withdrawn 1970; Method of Test for Area of Leather
D1516-05(2010) Test Method for Width of Leather, **15.04**
D1517-10 Terminology Relating to Leather, **15.04**
D1518-14 Test Method for Thermal Resistance of Batting Systems Using a Hot Plate, **07.01**
D1519-95(2009)ε1 Test Methods for Rubber Chemicals—Determination of Melting Range, **09.01**
D1520 Withdrawn 1984; Specification for Synthetic Rubber Heat- or Moisture-Resisting Insulation for Wire and Cable; Replaced by D1679
D1521 Withdrawn 1976; Specification for Synthetic Rubber Performance, Moisture-Resisting Insulation for Wire and Cable
D1522 Withdrawn 1963; Methods for Testing Carbon Blacks in Natural Rubber
D1523 Withdrawn 2011; Specification for Synthetic Rubber Insulation for Wire and Cable, 90°C Operation
D1524-94(2010) Test Method for Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field, **10.03**
D1525-09 Test Method for Vicat Softening Temperature of Plastics, **08.01**
D1526 Withdrawn 1964; Method of Test for Determination of Bierbaum Scratch Hardness of Plastic Materials
D1527-99(2005) Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe, Schedules 40 and 80, **08.04**
D1528 Withdrawn 1964; Specification for Dimensions of Solvent Welded (SWP Size) Extruded Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe
D1529 Withdrawn 1966; Specification and Methods of Test for Random Chopped-Glass Fiber Mats for Reinforced Plastics
D1530 Withdrawn 1962; Method of Test for Tensile Modulus of Elasticity of Thin Plastic Sheeting; Combined with D 882
D1531 Withdrawn 2012; Test Methods for Relative Permittivity (Dielectric Constant) and Dissipation Factor by Fluid Displacement Procedures
D1532 Withdrawn 1992; Specification for Polyester Glass-Mat Sheet Laminate; Replaced by D709
D1533-12 Test Method for Water in Insulating Liquids by Coulometric Karl Fischer Titration, **10.03**
D1534-95(2008) Test Method for Approximate Acidity in Electrical Insulating Liquids by Color-Indicator Titration, **10.03**
D1535-13 Practice for Specifying Color by the Munsell System, **06.01**
D1536 Withdrawn 1966; Method of Test for Color Difference Using the Colormaster Differential Calorimeter; Combined with D 2244
D1537 Withdrawn 2007; Specification for Distilled Soybean Fatty Acids
D1538 Withdrawn 2007; Specification for Distilled Linseed Fatty Acids
D1539 Withdrawn 2007; Specification for Dehydrated Castor Acids
D1540 Withdrawn 1992; Practice for Effect of Chemical Agents on Organic Finishes Used in the Transportation Industry
D1541 Withdrawn 2006; Test Method for Total Iodine Value of Drying Oils and Their Derivatives
D1542 Withdrawn 1997; Test Method for Qualitative Detection of Rosin in Varnishes
D1543 Withdrawn 1992; Test Method for Color Permeance of White Architectural Enamels
D1544-04(2010) Test Method for Color of Transparent Liquids (Gardner Color Scale), **06.01**
D1545-13 Test Method for Viscosity of Transparent Liquids by Bubble Time Method, **06.01**
D1546 Withdrawn; Practice for Testing the Performance of Clear Floor Sealers
D1547 Withdrawn 1990; Specification for Extruded Acrylic Plastic Sheet
D1548 Withdrawn 1997; Test Method for Vanadium in Navy Special Fuel Oil
D1549 Withdrawn 1985; Method of Test for Zinc in Lubricating Oils and Additives (Polarographic Method)
D1550-94(2009) Standard ASTM Butadiene Measurement Tables, **05.01**
D1551 Withdrawn 1977; Method of Test for Sulfur in Petroleum Oils (Quartz-Tube Method)
D1552-08 Test Method for Sulfur in Petroleum Products (High-Temperature Method), **05.01**
D1553 Withdrawn 1991; Method for Analysis of Graphites Used as Lubricants
D1554-10 Terminology Relating to Wood-Base Fiber and Particle Panel Materials, **04.10**
D1555-09 Test Method for Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, **06.04**
D1555M-08ε1 Test Method for Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, **06.04**
D1556-07 Test Method for Density and Unit Weight of Soil in Place by Sand-Cone Method, **04.08**
D1557-12 Test Methods for Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3) (2,700 kN-m/m^3), **04.08**
D1558-10 Test Method for Moisture Content Penetration Resistance Relationships of Fine-Grained Soils, **04.08**
D1559 Withdrawn 1998; Test Method for Resistance to Plastic Flow of Bituminous Mixtures Using Marshall Apparatus
D1560-09a Test Methods for Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, **04.03**
D1561/D1561M-13 Practice for Preparation of Bituminous Mixture Test Specimens by Means of California Kneading Compactor, **04.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1562-09 Classification System and Basis for Specification for Cellulose Acetate Propionate Molding and Extrusion Compounds, **08.01**
D1563 Withdrawn 1985; Method of Test for Peroxide Number of Mineral Insulating Oils
D1564 Withdrawn 1979; Testing Flexible Cellular Materials—Slab Urethane Foam; Replaced by D3574
D1565 Withdrawn 1998; Specification for Flexible Cellular Materials—Vinyl Chloride Polymers and Copolymers (Open-Cell Foam)
D1567 Withdrawn 2000; Test Method for Detergent Cleaners for Evaluation of Corrosive Effects on Certain Porcelain Enamels
D1568-05(2014) Test Methods for Sampling and Chemical Analysis of Alkylbenzene Sulfonates, **15.04**
D1569-05(2014) Test Methods for Detergent Alkylate, **15.04**
D1570-95(2009) Test Methods for Sampling and Chemical Analysis of Fatty Alkyl Sulfates, **15.04**
D1571/D1571M-95(2009)$^{\epsilon 1}$ Specification for Woven Asbestos Cloth, **04.05**
D1572 Withdrawn 1962; Specification and Methods of Test for Industrial Asbestos Tapes
D1573/D1573M-95(2009)$^{\epsilon 1}$ Test Method for Heat Aging of Asbestos Textiles, **04.05**
D1574-04(2013) Test Method for Extractable Matter in Wool and Other Animal Fibers, **07.01**
D1575-13 Test Method for Fiber Length of Wool in Scoured Wool and in Card Sliver, **07.01**
D1576-13 Test Method for Moisture in Wool by Oven-Drying, **07.01**
D1577-07(2012) Test Methods for Linear Density of Textile Fibers, **07.01**
D1578-93(2011) Test Method for Breaking Strength of Yarn in Skein Form, **07.01**
D1579-01(2013) Test Method for Filler Content of Phenol, Resorcinol, and Melamine Adhesives, **15.06**
D1580 Withdrawn 1992; Specification for Liquid Adhesives for Automatic Machine Labeling of Glass Bottles
D1581 Withdrawn 1992; Test Method for Bonding Permanency of Water- or Solvent-Soluble Liquid Adhesives for Labeling Glass Bottles
D1582-98(2011) Test Method for Nonvolatile Content of Liquid Phenol, Resorcinol, and Melamine Adhesives, **15.06**
D1583-01(2013) Test Method for Hydrogen Ion Concentration of Dry Adhesive Films, **15.06**
D1584 Withdrawn 1992; Test Method for Water Absorptiveness of Paper Labels
D1585-96(2011) Test Methods for Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, **06.03**
D1586-11 Test Method for Standard Penetration Test (SPT) and Split-Barrel Sampling of Soils, **04.08**
D1587-08(2012)$^{\epsilon 1}$ Practice for Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, **04.08**
D1588 Withdrawn 1984; Methods of Test for Dissolved and Gaseous Hydrogen in Water
D1589 Withdrawn 1981; Methods of Test for Dissolved Oxygen in Waste Water
D1590 Withdrawn 1995; Test Method for Surface Tension of Water
D1591 Withdrawn 1967; Method of Test for Effect of Water in Tubular Heat Exchangers
D1592 Withdrawn 1962; Specification for Glass Fabric Reinforced Epoxy Resin Laminates; Combined with D 709
D1593-13 Specification for Nonrigid Vinyl Chloride Plastic Film and Sheeting, **08.01**
D1594 Withdrawn 1961; Specification for Methylstyrene-Acrylonitrile Copolymer Molding and Extrusion Material
D1595 Withdrawn 1960; Specification for Polymethylstyrene Molding and Extrusion Material
D1596-97(2011) Test Method for Dynamic Shock Cushioning Characteristics of Packaging Material, **15.10**
D1597 Withdrawn 1984; Method of Test for Melamine Content of Nitrogen Resins
D1598-02(2009) Test Method for Time-to-Failure of Plastic Pipe Under Constant Internal Pressure, **08.04**
D1599-99(2011) Test Method for Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, **08.04**
D1600-14 Terminology for Abbreviated Terms Relating to Plastics, **08.01**
D1601-12 Test Method for Dilute Solution Viscosity of Ethylene Polymers, **08.01**
D1602 Withdrawn 1989; Test Method for Bearing Load of Corrugated Reinforced Plastics Panels
D1603-12 Test Method for Carbon Black Content in Olefin Plastics, **08.01**
D1604 Withdrawn 1982; Method for Measurement of Flatness of Plasitcs Sheet or Tubing
D1605 Withdrawn 1992; Practices for Sampling Atmospheres for Analysis of Gases and Vapors
D1606 Withdrawn 1977; Method of Test for Inorganic Fluoride in the Atmosphere; Replaced by D32666, D3267, D3268, D3269, D3270
D1607-91(2011) Test Method for Nitrogen Dioxide Content of the Atmosphere (Griess-Saltzman Reaction), **11.07**
D1608-98(2009) Test Method for Oxides of Nitrogen in Gaseous Combustion Products (Phenol-Disulfonic Acid Procedures), **11.07**
D1609 Withdrawn 1982; Method of Test for Oxidant Ozone Content of the Atmosphere
D1610-01(2013) Practice for Conditioning Leather and Leather Products for Testing, **15.04**
D1611-12 Test Method for Corrosion Produced by Leather in Contact with Metal, **15.04**
D1612 Withdrawn 2011; Test Method for Acetone in Methanol
D1613-06(2012) Test Method for Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products, **06.04**
D1614-09 Test Method for Alkalinity in Acetone, **06.04**
D1615 Withdrawn 2004; Test Methods for Glycerol, Ethylene Glycol, and Pentaerythritol in Alkyd Resins
D1616 Withdrawn 1982; Method of Test for Copper Corrosion by Mineral Spirits (Copper Strip Test); Replaced by D130
D1617-07(2012) Test Method for Ester Value of Solvents and Thinners, **06.04**
D1618-99(2011) Test Method for Carbon Black Extractables—Transmittance of Toluene Extract, **09.01**
D1619-11 Test Methods for Carbon Black—Sulfur Content, **09.01**
D1620 Withdrawn 1973; Method of Test for Volatile Content of Carbon Black
D1621-10 Test Method for Compressive Properties of Rigid Cellular Plastics, **08.01**
D1622-08 Test Method for Apparent Density of Rigid Cellular Plastics, **08.01**
D1623-09 Test Method for Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics, **08.01**
D1624 Withdrawn 2006; Specification for Acid Copper Chromate
D1625 Withdrawn 2006; Specification for Chromated Copper Arsenate
D1626 Withdrawn 1970; Specification for Chromated Zinc Arsenate
D1627 Withdrawn 2006; Test Methods for Chemical Analysis of Acid Copper Chromate
D1628 Withdrawn 2006; Test Methods for Chemical Analysis of Chromated Copper Arsenate
D1629 Withdrawn 1970; Method for Chemical Analysis of Chromated Zinc Arsenate
D1630-06(2012) Test Method for Rubber Property—Abrasion Resistance (Footwear Abrader), **09.01**
D1631-10 Test Method for Water in Phenol and Related Materials by the Iodine Reagent Method, **06.04**
D1632-07 Practice for Making and Curing Soil-Cement Compression and Flexure Test Specimens in the Laboratory, **04.08**
D1633-00(2007) Test Methods for Compressive Strength of Molded Soil-Cement Cylinders, **04.08**
D1634-00(2006) Test Method for Compressive Strength of Soil-Cement Using Portions of Beams Broken in Flexure (Modified Cube Method), **04.08**
D1635/D1635M-12 Test Method for Flexural Strength of Soil-Cement Using Simple Beam with Third-Point Loading, **04.08**
D1636-13 Specification for Allyl Molding Compounds, **08.01**
D1637 Withdrawn 1990; Test Method for Tensile Heat Distortion Temperature of Plastic Sheeting
D1638 Withdrawn 1991; Methods of Testing Urethane Foam Isocyanate Raw Materials
D1639 Withdrawn 2005; Test Method for Acid Value of Organic Coating Materials
D1640-03(2009) Test Methods for Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, **06.01**
D1641 Withdrawn 2013; Practice for Conducting Outdoor Exposure Tests of Varnishes
D1642 Withdrawn 1999; Test Methods for Elasticity or Toughness of Varnishes
D1643 Withdrawn 1993; Test Methods for Gas Checking and Draft Test of Varnish Films
D1644-01(2012) Test Methods for Nonvolatile Content of Varnishes, **06.01**
D1645 Withdrawn 1970; Method of Test for Print Resistance of Varnishes; Replaced by D1640
D1646-07(2012) Test Methods for Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), **09.01**
D1647 Withdrawn 2004; Test Methods for Resistance of Dried Films of Varnishes to Water and Alkali
D1648-86(2008) Specification for Basic Lead Silicochromate Pigment, **06.03**
D1649-01(2012) Specification for Strontium Chromate Pigment, **06.03**
D1650 Withdrawn 1997; Test Methods of Sampling and Testing Shellac Varnish
D1651 Withdrawn 1982; Method of Test for Phthalic Acid Isomers and Benzoic Acid in Alkyd Resins and Esters
D1652-11$^{\epsilon 1}$ Test Method for Epoxy Content of Epoxy Resins, **06.03**
D1653-13 Test Methods for Water Vapor Transmission of Organic Coating Films, **06.01**
D1654-08 Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, **06.01**
D1655-13 Specification for Aviation Turbine Fuels, **05.01**
D1656 Withdrawn 1969; Method of Test for Knock Characteristics of Motor Fuels Above 100 Octane Number by the Research Method; Replaced by D2699
D1657-12$^{\epsilon 1}$ Test Method for Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, **05.01**
D1658 Withdrawn 1984; Method of Test for Carbon Number Distribution of Aromatic Compounds in Naphthas by Mass Spectrometry
D1659 Withdrawn 1984; Method of Test for Maximum Fluidity Temperature of Residual Fuel Oil
D1660 Withdrawn 1992; Test Method for Thermal Stability of Aviation Turbine Fuels; Replaced by D3241
D1661 Withdrawn 1990; Test Method for Thermal Stability of U. S. Navy Special Fuel Oil
D1662-08 Test Method for Active Sulfur in Cutting Oils, **05.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1663 Withdrawn 1976; Specification for Hot-Mixed, Hot-Laid Asphalt Paving Mixtures; Replaced by D3515
D1664 Withdrawn 1992; Test Method for Coating and Stripping of Bitumen-Aggregate Mixtures
D1665-98(2009) Test Method for Engler Specific Viscosity of Tar Products, **04.03**
D1666-11 Test Methods for Conducting Machining Tests of Wood and Wood-Base Panel Materials, **04.10**
D1667-05(2011) Specification for Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), **08.01**
D1668-97a(2006) Specification for Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, **04.04**
D1669/D1669M-07(2013)$^{\varepsilon 1}$ Practice for Preparation of Test Panels for Accelerated and Outdoor Weathering of Bituminous Coatings, **04.04**
D1670/D1670M-11 Test Method for Failure End Point in Accelerated and Outdoor Weathering of Bituminous Materials, **04.04**
D1671 Withdrawn 1984; Method of Test for Absorbed Gamma Radiation Dose in the Fricke Dosimeter; Replaced by E1026
D1672 Withdrawn 1984; Recommended Practices for Exposure of Polymeric Materials to High-Energy Radiation; Replaced by E1027
D1673 Withdrawn 2006; Test Methods for Relative Permittivity And Dissipation Factor of Expanded Cellular Polymers Used For Electrical Insulation
D1674 Withdrawn 1992; Methods of Testing Polymerizable Embedding Compounds Used for Electrical Insulation
D1675-03(2011) Test Methods for Polytetrafluoroethylene Tubing, **10.01**
D1676-03(2011) Test Methods for Film-Insulated Magnet Wire, **10.02**
D1677-02(2011) Methods for Sampling and Testing Untreated Mica Paper Used for Electrical Insulation, **10.01**
D1678 Withdrawn 1962; Methods of Testing Flexible Vinyl Plastic Coated Sleeving Used for Electrical Insulation
D1679 Withdrawn 2006; Specification for Synthetic Rubber Heat-and Moisture-Resisting Insulation for Wire and Cable, 75 °C Operation
D1680 Withdrawn 1989; Methods of Testing Rubber Hose for Automotive Air Conditioning Systems
D1681-05(2014) Test Method for Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure, **15.04**
D1682 Withdrawn 1992; Test Methods for Breaking Load and Elongation of Textile Fabric; Replaced by D5034 and D5035
D1683/D1683M-11a Test Method for Failure in Sewn Seams of Woven Apparel Fabrics, **07.01**
D1684-07(2012) Practice for Lighting Cotton Classing Rooms for Color Grading, **07.01**
D1685 Withdrawn 2009; Test Method for Traces of Thiophene in Benzene by Spectrophotometry
D1686-10 Test Method for Color of Solid Aromatic Hydrocarbons and Related Materials in the Molten State (Platinum-Cobalt Scale), **06.04**
D1687-12 Test Methods for Chromium in Water, **11.01**
D1688-12 Test Methods for Copper in Water, **11.01**
D1689 Withdrawn 1964; Method of Test for Silica in High-Purity Water; Combined with D 859
D1690 Withdrawn 1981; Test for Gamma Radioactivity of Water
D1691-12 Test Methods for Zinc in Water, **11.01**
D1692 Withdrawn 1978; Method of Test for Rate of Burning or Extent and Time of Burning of Cellular Plastics Using a Specimen Supported by a Horizontal Screen
D1693-13 Test Method for Environmental Stress-Cracking of Ethylene Plastics, **08.01**
D1694 Withdrawn 2005; Specification for Threads 60° (Stub) for Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
D1695-07(2012) Terminology of Cellulose and Cellulose Derivatives, **06.03**
D1696-95(2011) Test Method for Solubility of Cellulose in Sodium Hydroxide, **06.03**
D1697 Withdrawn 1974; Method of Sampling Casein and Similar Protein Materials
D1698-03(2008) Test Method for Sediments and Soluble Sludge in Service-Aged Insulating Oils, **10.03**
D1699 Withdrawn 1967; Method of Test for Bond Strength of Leather Belting
D1700 Withdrawn 1963; Specification for Low Voltage Rubber Insulating Gloves; Combined with D 120
D1701 Withdrawn 2000; Test Methods for Scavenger Content of Askarels
D1702 Withdrawn 1991; Method for Visual Examination of Used Chlorinated Aromatic Hydrocarbons (Askarels) in the Field
D1703 Withdrawn 1982; Recommended Practice for Presentation of Capillary Flow Data on Molten Thermoplastics; Replaced by D3805
D1704/D1704M Withdrawn 2000; Test Method for Determining the Amount of Particulate Matter in the Atmosphere by Measurement of the Light Absorbance of a Filtered Sample
D1705 Withdrawn 1998; Test Method for Particle Size Analysis of Powdered Polymers and Copolymers of Vinyl Chloride
D1706 Withdrawn 1967; Method of Test for Indentation Hardness of Plastics by Means of a Durometer
D1707 Withdrawn 1967; Definition of Terms Relating to Soil Dynamics; Combined with D 653
D1708-13 Test Method for Tensile Properties of Plastics by Use of Microtensile Specimens, **08.01**
D1709-09 Test Methods for Impact Resistance of Plastic Film by the Free-Falling Dart Method, **08.01**
D1710-08 Specification for Extruded Polytetrafluoroethylene (PTFE) Rod, Heavy Walled Tubing and Basic Shapes, **08.01**
D1711-13 Terminology Relating to Electrical Insulation, **10.01**
D1712-09 Practice for Resistance of Plastics to Sulfide Staining, **08.01**
D1713 Withdrawn 1992; Test Method for Bonding Permanency of Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing Top Flaps of Fiberboard Specimens
D1714 Withdrawn 1992; Test Method for Water Absorptiveness of Fiberboard Specimens for Adhesives
D1715 Withdrawn 1968; Method of Test for Gas Evolved from Chemical Blowing Agents for Cellular Plastics
D1716 Withdrawn 1993; Test Method for Cellulose Chain Length Uniformity by Fractional Precipitation of Cellulose Nitrate
D1717 Withdrawn 1984; Method of Test for Analysis of Commerical Butane-Butene Mixtures and Isolutylene by Gas Chromatography
D1718-09 Specification for Isobutyl Acetate (95 % Grade), **06.04**
D1719-11 Specification for Isobutyl Alcohol, **06.04**
D1720-03(2012) Test Method for Dilution Ratio of Active Solvents in Cellulose Nitrate Solutions, **06.04**
D1721 Withdrawn 2012; Test Method for Permanganate Time of Tricresyl Phosphate
D1722-09 Test Method for Water Miscibility of Water-Soluble Solvents, **06.04**
D1723 Withdrawn 1966; Method of Test for Water Solubility of Acetone; Combined with D 1722
D1724 Withdrawn 1978; Method for Qualitative Determination of Fish Oil in Drying Oils and Drying Oil Fatty Acids; Replaced by D555, D3725
D1725-12 Practice for Preparing Resin Solutions for Viscosity Measurement by Bubble Time Method, **06.03**
D1726-11 Test Methods for Hydrolyzable Chloride Content of Liquid Epoxy Resins, **06.03**
D1727 Withdrawn 1984; Method of Test for Urea Content of Nitrogen Resins
D1728 Withdrawn 1991; Test Method for Phthalate Ester Color of High-Gravity Glycerin
D1729-96(2009) Practice for Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, **06.01**
D1730-09 Practices for Preparation of Aluminum and Aluminum-Alloy Surfaces for Painting, **02.05**
D1731-09 Practices for Preparation of Hot-Dip Aluminum Surfaces for Painting, **02.05**
D1732-03(2013) Practices for Preparation of Magnesium Alloy Surfaces for Painting, **02.05**
D1733 Withdrawn 1980; Method for Preparation of Aluminum Alloy Panels for Testing Paint, Varnish, Lacquer, and Related Products; Replaced by D1730
D1734-93(2013) Practice for Making Cementitious Panels for Testing Coatings, **06.02**
D1735-08 Practice for Testing Water Resistance of Coatings Using Water Fog Apparatus, **06.01**
D1736 Withdrawn 1997; Test Method for Efflorescence of Interior Wall Paints
D1737 Withdrawn 1988; Method of Test for Elongation of Attached Organic Coatings with Cylindrical Mandrel Apparatus; Replaced by D522
D1738 Withdrawn 1970; Method of Test for Hiding Power of Nonchromatic Paints; Replaced by D2805
D1739-98(2010) Test Method for Collection and Measurement of Dustfall (Settleable Particulate Matter), **11.07**
D1740 Withdrawn 2006; Test Method for Luminometer Numbers of Aviation Turbine Fuels
D1741 Withdrawn 1991; Test Method for Functional Life of Ball Bearing Greases
D1742-06 Test Method for Oil Separation from Lubricating Grease During Storage, **05.01**
D1743-13 Test Method for Determining Corrosion Preventive Properties of Lubricating Greases, **05.01**
D1744-13 Test Method for Determination of Water in Liquid Petroleum Products by Karl Fischer Reagent, **05.01**
D1745 Withdrawn 1966; Method for Calculation of Absolute Viscosity; Combined with D 445
D1746-09 Test Method for Transparency of Plastic Sheeting, **08.01**
D1747-09 Test Method for Refractive Index of Viscous Materials, **05.01**
D1748-10 Test Method for Rust Protection by Metal Preservatives in the Humidity Cabinet, **05.01**
D1749 Withdrawn 2010; Practice for Interlaboratory Evaluation of Test Methods Used with Paper and Paper Products
D1750 Withdrawn 1986; Tables for Positive Displacement Meter Prover Tanks
D1751-04(2013)$^{\varepsilon 1}$ Specification for Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types), **04.03**
D1752-04a(2013) Specification for Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction, **04.03**
D1753 Withdrawn 1977; Specification for Hot-Mixed, Hot-Laid Tar Paving Mixtures; Replaced by D3515
D1754/D1754M-09 Test Method for Effects of Heat and Air on Asphaltic Materials (Thin-Film Oven Test), **04.03**
D1755-09 Specification for Poly(Vinyl Chloride) Resins, **08.01**
D1756 Withdrawn 2013; Test Method for Determination as Carbon Dioxide of Carbonate Carbon in Coal; Replaced by D6316
D1757 Withdrawn 2009; Test Method for Sulfate Sulfur in Ash from Coal and Coke
D1758-06 Test Method of Evaluating Wood Preservatives by Field Tests with Stakes, **04.10**
D1759 Withdrawn 1978; Method of Conducting Shear-Block Test for Quality Control of Glue Bonds in Scarf Joints

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1760 Withdrawn 2006; Specification for Pressure Treatment of Timber Products
D1761-12 Test Methods for Mechanical Fasteners in Wood, **04.10**
D1762-84(2013) Test Method for Chemical Analysis of Wood Charcoal, **04.10**
D1763-00(2013) Specification for Epoxy Resins, **08.01**
D1764 Withdrawn 2003; Specification for Rubber Latex Products for Automotive Applications
D1765-13 Classification System for Carbon Blacks Used in Rubber Products, **09.01**
D1766-05(2011) Test Method for Rubber Chemicals—Solubility, **09.01**
D1767-89(2009) Test Method for Ethylene Diamine Tetraacetate (EDTA) in Soaps or Synthetic Detergents, **15.04**
D1768-89(2009) Test Method for Sodium Alkylbenzene Sulfonate in Synthetic Detergents by Ultraviolet Absorption, **15.04**
D1769 Withdrawn 1989; Test Method for Linear Density of Cotton Fibers (Array Sample)
D1770-94(2012)ε1 Test Method for Neps, Vegetable Matter, and Colored Fiber in Wool Top, **07.01**
D1771 Withdrawn 1981; Method of Sample Reweighing of Lots of Packaged Raw Wool
D1772 Withdrawn 1966; Method of Test for Imperfection Count of Textile Yarns
D1773 Withdrawn 1962; Method of Test for Dimensional Change of Knitted Fabrics in Laundering and Dimensional Restorability of the Laundered Fabric
D1774 Withdrawn 2000; Test Methods for Elastic Properties of Textile Fibers
D1775 Withdrawn 2000; Test Method for Tension and Elongation of Wide Elastic Fabrics (Constant-Rate-of-Load Type Tensile Testing Machine)
D1776-08ε1 Practice for Conditioning and Testing Textiles, **07.01**
D1777-96(2011)ε1 Test Method for Thickness of Textile Materials, **07.01**
D1778 Withdrawn 1966; Method of Test for Colorfastness to Commercial Laundering and to Domestic Washing of Tufted Rugs and Carpets
D1779-98(2011) Specification for Adhesive for Acoustical Materials, **15.06**
D1780-05(2012) Practice for Conducting Creep Tests of Metal-to-Metal Adhesives, **15.06**
D1781-98(2012) Test Method for Climbing Drum Peel for Adhesives, **15.06**
D1782-95(2009) Test Methods for Operating Performance of Particulate Cation-Exchange Materials, **11.02**
D1783-01(2012) Test Methods for Phenolic Compounds in Water, **11.02**
D1784-11 Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, **08.01**
D1785-12 Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120, **08.04**
D1786-10 Specification for Toluene Diisocyanate, **08.01**
D1787 Withdrawn 1995; Test Method for Pentosans in Cellulose
D1788 Withdrawn 1989; Specification for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Plastics
D1789 Withdrawn 1984; Test Method for Welding Performance of Poly(Vinyl Chloride) Structures
D1790-08 Test Method for Brittleness Temperature of Plastic Sheeting by Impact, **08.01**
D1791-93(2008) Test Method for Accelerated Aging of Liquid Water-Emulsion Floor Polishes, **15.04**
D1792-06(2012)ε1 Test Method for Long-Term Removability Properties of Emulsion Floor Polishes, **15.04**
D1793-92(2008) Test Method for Water Spotting of Emulsion Floor Polishes, **15.04**
D1794 Withdrawn 1993; Test Method for Alcohol-Benzene Soluble Matter in Cellulose
D1795-13 Test Method for Intrinsic Viscosity of Cellulose, **06.03**
D1796-11ε1 Test Method for Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure), **05.01**
D1797 Withdrawn 1974; Method of Test for Ash in Casein and Isolated Soy Protein
D1798 Withdrawn 1974; Method of Test for Fixed Ash in Casein and Isolated Soy Protein
D1799-03a(2008) Practice for Carbon Black—Sampling Packaged Shipments, **09.01**
D1800 Withdrawn 1974; Method of Test for Alkali Requirement of Casein and Isolated Soy Protein
D1801 Withdrawn 1974; Method of Test for Free Acidity in Casein and Isolated Soy Protein
D1802 Withdrawn 1974; Method of Test for Moisture in Casein and Isolated Soy Protein
D1803 Withdrawn 1974; Method of Test for Nitrogen in Casein and Isolated Soy Protein
D1804 Withdrawn 1974; Method of Test for Oil in Casein and Isolated Soy Protein
D1805 Withdrawn 1972; Recommended Practice for Estimating Relative Temperature Limits of Dielectric Liquids
D1806 Withdrawn 1962; Method of Test for Refractive Index of Askarels; Combined with D 1807
D1807 Withdrawn 2014; Test Methods for Refractive Index and Specific Optical Dispersion of Electrical Insulating Liquids
D1808 Withdrawn 1980; Method of Test for Volume of Oil in Oil-Contaminated Askarels
D1809 Withdrawn 1967; Method for Sampling Askarels; Combined with D 923
D1810 Withdrawn 2000; Test Method for Specific Gravity of Askarels/i
D1811 Withdrawn 1961; Method of Test for Free Chlorides in Askarels; Replaced by D1821
D1812 Withdrawn 1981; Method of Test for Plasitc Properties of Coal by Gieseler Plastometer
D1813-13 Test Method for Measuring Thickness of Leather Test Specimens, **15.04**
D1814-70(2010) Test Method for Measuring Thickness of Leather Units, **15.04**
D1815-00(2010) Test Method for Water Absorption (Static) of Vegetable Tanned Leather, **15.04**
D1816-12 Test Method for Dielectric Breakdown Voltage of Insulating Liquids Using VDE Electrodes, **10.03**
D1817-05(2011) Test Method for Rubber Chemicals—Density, **09.01**
D1818 Withdrawn 1990; Specification for Continuity of Quality of Electrical Insulating Oil for Low-Pressure Cable Systems
D1819 Withdrawn 1990; Specification for Continuity of Quality of Electrical Insulating Oil for High-Pressure Cable Systems
D1820 Withdrawn 2000; Test Method for Hydrolyzable Chlorine Compounds in Chlorinated Aromatic Hydrocarbons (Askarels)
D1821 Withdrawn 2000; Test Method for Inorganic Chlorides in Askarels
D1822-13 Test Method for Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials, **08.01**
D1822M Withdrawn 1996; Test Method for Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials
D1823-95(2009) Test Method for Apparent Viscosity of Plastisols and Organosols at High Shear Rates by Extrusion Viscometer, **08.01**
D1824-95(2010) Test Method for Apparent Viscosity of Plastisols and Organosols at Low Shear Rates, **08.01**
D1825 Withdrawn 2011; Practice for Etching and Cleaning Copper-Clad Electrical Insulating Materials and Thermosetting Laminates for Electrical Testing
D1826-94(2010) Test Method for Calorific (Heating) Value of Gases in Natural Gas Range by Continuous Recording Calorimeter, **05.06**
D1827 Withdrawn 2009; Test Method for Gas Content (Nonacidic) of Insulating Liquids by Displacement with Carbon Dioxide
D1828-01(2013) Practice for Atmospheric Exposure of Adhesive-Bonded Joints and Structures, **15.06**
D1829 Withdrawn 2001; Test Method for Electrical Resistance of Ceramic Materials at Elevated Temperatures
D1830-99(2012) Test Method for Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, **10.01**
D1831-11 Test Method for Roll Stability of Lubricating Grease, **05.01**
D1832-04(2009) Test Method for Peroxide Number of Petroleum Wax, **05.01**
D1833-87(2012) Test Method for Odor of Petroleum Wax, **05.01**
D1834 Withdrawn 2004; Test Method for 20° Specular Gloss of Waxed Paper
D1835-13 Specification for Liquefied Petroleum (LP) Gases, **05.01**
D1836-07(2013) Specification for Commercial Hexanes, **06.04**
D1837-11 Test Method for Volatility of Liquefied Petroleum (LP) Gases, **05.01**
D1838-12a Test Method for Copper Strip Corrosion by Liquefied Petroleum (LP) Gases, **05.01**
D1839-11 Test Method for Amyl Nitrate in Diesel Fuels, **05.01**
D1840-07(2013) Test Method for Naphthalene Hydrocarbons in Aviation Turbine Fuels by Ultraviolet Spectrophotometry, **05.01**
D1841 Withdrawn 2007; Specification for Distilled Coconut Fatty Acids
D1842 Withdrawn 2007; Specification for Distilled Corn Fatty Acids
D1843 Withdrawn 2007; Specification for Fractionated and Distilled Cottonseed Fatty Acids
D1844-86(2008) Test Methods for Chemical Analysis of Basic Lead Silicochromate, **06.03**
D1845-86(2008) Test Methods for Chemical Analysis of Strontium Chromate Pigment, **06.03**
D1846 Withdrawn 1966; Method of Test for Water-Soluble Matter in Iron Oxide Pigments by Specific Resistance Method; Combined with D 2448
D1847 Withdrawn 2007; Test Methods for Total Chlorine Content of Epoxy Resins
D1848 Withdrawn 2003; Classification for Reporting Paint Film Failures Characteristic of Exterior Latex Paints
D1849-95(2008) Test Method for Package Stability of Paint, **06.02**
D1850 Withdrawn 1991; Specification for Concrete Joint Sealer
D1851 Withdrawn 1991; Methods of Testing Concrete Joint Sealer
D1852 Withdrawn 1991; Specification for Jet-Fuel-Resistant Concrete Joint Sealer, Cold-Application Elastic Type
D1853 Withdrawn 1991; Methods of Testing Jet-Fuel-Resistant Concrete Joint Sealer for Concrete, Cold-Application Elastic Type
D1854 Withdrawn 2006; Specification for Jet-Fuel-Resistant Concrete Joint Sealer, Hot-Applied Elastic Type; Replaced by D 7116
D1855 Withdrawn 1996; Test Methods for Jet-Fuel-Resistant Concrete Joint Sealer, Hot-Poured Elastic Type
D1856-09 Test Method for Recovery of Asphalt From Solution by Abson Method, **04.03**
D1857/D1857M-04(2010) Test Method for Fusibility of Coal and Coke Ash, **05.06**
D1858 Withdrawn 2006; Specification for Creosote-Petroleum Solution
D1859 Withdrawn 2006; Specification for Petroleum for Blending with Creosote
D1860 Withdrawn 2006; Test Method for Moisture and Creosote-Type Preservative in Wood
D1861 Withdrawn 1992; Specification for Homogeneous Bituminized Fiber Drain and Sewer Pipe
D1862 Withdrawn 1992; Specification for Laminated-Wall Bituminized Fiber Drain and Sewer Pipe

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1863/D1863M-05(2011)ε1 Specification for Mineral Aggregate Used on Built-Up Roofs, **04.04**
D1864/D1864M-89(2009)ε1 Test Method for Moisture in Mineral Aggregate Used on Built-Up Roofs, **04.04**
D1865/D1865M-09 Test Method for Hardness of Mineral Aggregate Used on Built-Up Roofs, **04.04**
D1866 Withdrawn 1991; Test Method for Translucency of Mineral Aggregate Used on Built-Up Roofs
D1867-13 Specification for Copper-Clad Thermosetting Laminates for Printed Wiring, **10.01**
D1868-13 Test Method for Detection and Measurement of Partial Discharge (Corona) Pulses in Evaluation of Insulation Systems, **10.01**
D1869-95(2010) Specification for Rubber Rings for Asbestos-Cement Pipe, **09.02**
D1870 Withdrawn 1998; Practice for Elevated Temperature Aging Using a Tubular Oven
D1871-04(2014) Test Method for Adhesion Between Tire Bead Wire and Rubber, **07.01**
D1872 Withdrawn 1991; Method of Testing Rubber Chemical—Free 2-Mercaptobenzothiazole in Benzothiazyl Disulfide; Replaced by D5044
D1873 Withdrawn 1991; Method of Testing Rubber Chemical—Total 2-Mercaptobenzothiazole in Benzothiazyl Disulfide; Replaced by D1051
D1874-62(2010) Specification for Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, **15.10**
D1875-03(2013) Test Method for Density of Adhesives in Fluid Form, **15.06**
D1876-08 Test Method for Peel Resistance of Adhesives (T-Peel Test), **15.06**
D1877 Withdrawn 1985; Method of Test for Permanence of Adhesive-Bonded Joints in Plywood Under Mold Conditions
D1878 Withdrawn 1970; Method of Test for Pressure-Sensitive Tack of Adhesives
D1879-06(2014) Practice for Exposure of Adhesive Specimens to Ionizing Radiation, **15.06**
D1880 Withdrawn 1975; Recommended Practice for Selection of Engine Antifreezers for Use in Automotive Cooling Systems, Ethylene Glycol and Methanol Types; Replaced by D3306
D1881-97(2009) Test Method for Foaming Tendencies of Engine Coolants in Glassware, **15.05**
D1882-96(2012) Test Method for Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, **15.05**
D1883-07ε2 Test Method for CBR (California Bearing Ratio) of Laboratory-Compacted Soils, **04.08**
D1884 Withdrawn 1968; Methods of Test for Acidity and Alkalinity of Industrial Water; Replaced by D1067
D1885 Withdrawn 1962; Method of Test for Chloride Ion in High-Purity Industrial Water; Combined with D 512
D1886-08 Test Methods for Nickel in Water, **11.01**
D1887 Withdrawn 1962; Method of Test for Sodium in High-Purity Industrial Water by Flame Photometry
D1888 Withdrawn 1991; Test Methods for Particulate and Dissolved Matter, Solids, or Residue in Water
D1889 Withdrawn 2007; Test Method for Turbidity of Water; Replaced by D6698 and D6855
D1890-05(2012) Test Method for Beta Particle Radioactivity of Water, **11.02**
D1891 Withdrawn 1971; Method of Test for Hexane-Extractable Matter in Industrial Waste Water
D1892 Withdrawn 1987; Specification for Styrene-Butadiene Molding and Extrusion Materials; Replaced by D4549
D1893 Withdrawn 1991; Test Method for Blocking of Plastic Film
D1894-14 Test Method for Static and Kinetic Coefficients of Friction of Plastic Film and Sheeting, **08.01**
D1895-96(2010)ε1 Test Methods for Apparent Density, Bulk Factor, and Pourability of Plastic Materials, **08.01**
D1896/D1896M-10 Practice for Transfer Molding Test Specimens of Thermosetting Compounds, **08.01**
D1897 Withdrawn 1992; Practice for Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials; Replaced by D3641
D1898 Withdrawn 1998; Practice for Sampling of Plastics
D1899 Withdrawn 1977; Method of Test for Mass Concentration of Particulate Matter in the Atmosphere (Continuous-Measurement Light-Scattering Method)
D1900-06(2011) Practice for Carbon Black—Sampling Bulk Shipments, **09.01**
D1901-10 Test Method for Relative Evaporation Time of Halogenated, **15.05**
D1902 Withdrawn 1987; Method of Test for Approximate Acidity and Polar Contamination in Used Mineral Transformer Oil by Spot Tests
D1903-08 Practice for Determining the Coefficient of Thermal Expansion of Electrical Insulating Liquids of Petroleum Origin, and Askarels, **10.03**
D1904 Withdrawn 1969; Method of Test for Oxidation Characteristics of Mineral Transformer Oil
D1905 Withdrawn 1978; Method of Test for Dimensional Changes in Laundering of Woven or Knitted Textiles
D1906 Withdrawn 1968; Method of Test for Estimation of Effective Gage Length by Evaluation of Clamp Error in Single Fiber Testing
D1907/D1907M-12 Test Method for Linear Density of Yarn (Yarn Number) by the Skein Method, **07.01**
D1908 Withdrawn 1998; Test Method for Needle-Related Damage Due to Sewing in Woven Fabric
D1909-13 Standard Tables of Commercial Moisture Regains and Commercial Allowances for Textile Fibers, **07.01**
D1910 Withdrawn 1982; Methods of Test for Construction Characteristics of Woven Fabrics; Replaced by D3773, D3774, D3775, D3776, D3882, D3883
D1911 Withdrawn 1980; Specification for Asbestos-Cement Shingle Blanks to be Used as Panels in Weathering Tests of Exterior Architectural Paints
D1912-00(2010) Test Method for Cold-Crack Resistance of Upholstery Leather, **15.04**
D1913-00(2010) Test Method for Resistance to Wetting of Garment-Type Leathers, **15.04**
D1914-95(2010) Practice for Conversion Units and Factors Relating to Sampling and Analysis of Atmospheres, **11.07**
D1915 Withdrawn 1996; Test Method for Chromatographic Analysis of Chemically Refined Cellulose; Replaced by D5896
D1916 Withdrawn 2005; Test Method for Penetration of Adhesives
D1917-03(2012) Test Methods for Rubber Property—Shrinkage of Raw and Compounded Hot-Polymerized Styrene-Butadiene Rubber (SBR), **09.01**
D1918/D1918M-95(2009)ε1 Test Method for Asbestos Content of Asbestos Textiles, **04.05**
D1919 Withdrawn 1968; Specification for Glass-Fiber Reinforced Thermoset Corrugated Structural Plastics Panel
D1920 Withdrawn 1982; Recommended Practice for Determining Light Dosage in Carbon-Arc Light Aging Apparatus
D1921-12 Test Methods for Particle Size (Sieve Analysis) of Plastic Materials, **08.01**
D1922-09 Test Method for Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, **08.01**
D1923 Withdrawn 1973; Method of Test for Tensile Properties of Thin Plastic Sheeting Using the Inclined Plane Testing Machine
D1924 Redesignated G21 - 1969; Recommended Practice for Determining Resistance of Synthetic Polymeric Materials to Fungi
D1925 Withdrawn 1995; Test Method for Yellowness Index of Plastics
D1926-00(2011) Test Methods for Carboxyl Content of Cellulose, **06.03**
D1927 Withdrawn 1994; Specification for Rigid Poly(Vinyl Chloride) Plastic Sheet
D1928 Withdrawn 2001; Practice for Preparation of Compression-Molded Polyethylene Test Sheets and Test Specimens; Replaced by D4703
D1929-13a Test Method for Determining Ignition Temperature of Plastics, **08.01**
D1930 Withdrawn 1986; Specification for Kraft Dielectric Tissue, Capacitor Grade
D1931 Withdrawn 2013; Specification for Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation
D1932-13 Test Method for Thermal Endurance of Flexible Electrical Insulating Varnishes, **10.01**
D1933-03(2008) Specification for Nitrogen Gas as an Electrical Insulating Material, **10.03**
D1934-95(2012) Test Method for Oxidative Aging of Electrical Insulating Petroleum Oils by Open-Beaker Method, **10.03**
D1935 Withdrawn 1985; Method of Test for Steam Emulsion of Electrical Insulating Oils of Petroleum Origin
D1936 Withdrawn 1987; Method of Test for Thermal Stability of Chlorinated Aromatic Hydrocarbons (Askarels)
D1937-13 Test Method for Carbon Black, Pelleted—Mass Strength, **09.01**
D1938-08 Test Method for Tear-Propagation Resistance (Trouser Tear) of Plastic Film and Thin Sheeting by a Single-Tear Method, **08.01**
D1939 Withdrawn 1999; Practice for Determining Residual Stresses in Extruded or Molded Acrylonitrile-Butadiene-Styrene (ABS) Parts by Immersion in Glacial Acetic Acid
D1940 Withdrawn 1970; Method of Test for Porosity of Rigid Cellular Plastics
D1941-91(2013) Test Method for Open Channel Flow Measurement of Water with the Parshall Flume, **11.01**
D1942 Withdrawn 1990; Test Method for Morpholine in Water; Replaced by D4983
D1943-05(2012) Test Method for Alpha Particle Radioactivity of Water, **11.02**
D1944 Withdrawn 1970; Method of Test for Porosity of Rigid Cellular Plastics
D1945-03(2010) Test Method for Analysis of Natural Gas by Gas Chromatography, **05.06**
D1946-90(2011) Practice for Analysis of Reformed Gas by Gas Chromatography, **05.06**
D1947 Withdrawn 1996; Test Method for Load-Carrying Capacity of Petroleum Oil and Synthetic Fluid Gear Lubricants
D1948 Withdrawn 1969; Method of Test for Knock Characteristics of Motor Fuels Above 100 Octane Number by the Motor Method; Replaced by D2700
D1949 Withdrawn 1991; Test Method for Separation of Tetraethyllead and Tetramethyllead in Gasoline
D1950 Withdrawn 2003; Test Method for Acetone Tolerance of Heat-Bodied Drying Oils
D1951 Withdrawn 2003; Test Method for Ash in Drying Oils and Fatty Acids
D1952 Withdrawn 2003; Test Method for Quantitative Determination of Break in Drying Oils
D1953 Withdrawn 1980; Method of Test for Drying Properties of Drying Oils; Replaced by D1640
D1954 Withdrawn 2003; Test Method for Foots in Raw Linseed Oil (Volumetric Method)
D1955 Withdrawn 2003; Test Method for Gel Time of Drying Oils
D1956 Withdrawn 1975; Method of Test for Heat Bodying Rate of Drying Oils; Replaced by D555
D1957 Withdrawn 2007; Test Method for Hydroxyl Value of Fatty Oils and Acids

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D1958 Withdrawn 2003; Test Method for Chloroform Insoluble Matter in Oiticica Oil
D1959 Withdrawn 2006; Test Method for Iodine Value of Drying Oils and Fatty Acids
D1960 Withdrawn 2003; Test Method for Loss on Heating of Drying Oils
D1961 Withdrawn 1975; Method of Test for Maleic Diene Value of Drying Oils; Replaced by D1358
D1962 Withdrawn 2004; Test Method for Saponification Value of Drying Oils, Fatty Acids, and Polymerized Fatty Acids
D1963 Withdrawn 2004; Test Method for Specific Gravity of Drying Oils, Varnishes, Resins, and Related Materials at 25/25°C
D1964 Withdrawn 2003; Test Method for Tung Oil Quality
D1965 Withdrawn 2007; Test Method for Unsaponifiable Matter in Drying Oils, Fatty Acids, and Polymerized Fatty Acids
D1966 Withdrawn 2007; Test Method for Foots in Raw Linseed Oil (Gravimetric Method)
D1967 Withdrawn 2003; Test Method for Measuring Color After Heating of Drying Oils
D1968 Withdrawn 2010; Terminology Relating to Paper and Paper Products
D1969-07(2012) Specification for 2-Ethylhexanol, **06.04**
D1970/D1970M-13a Specification for Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, **04.04**
D1971-11 Practices for Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, **11.01**
D1972 Withdrawn 2014; Practice for Generic Marking of Plastic Products
D1973 Withdrawn 2000; Guide for Design of a Liner System for Containment of Wastes
D1974/D1974M-10 Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, **15.10**
D1975-95(2010) Test Method for Environmental Stress Crack Resistance of Plastic Injection Molded Open Head Pails, **15.10**
D1976-12 Test Method for Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, **11.01**
D1977-03(2008) Test Method for Nickel and Vanadium in FCC Equilibrium Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, **05.05**
D1978-91(2008) Guide for Analysis of Electrocoat Bath Samples, **06.01**
D1979 Withdrawn 2006; Test Method for Free Formaldehyde Content of Amino Resins
D1980 Withdrawn 2007; Test Method for Acid Value of Fatty Acids and Polymerized Fatty Acids
D1981-11 Test Method for Measuring Color After Heating of Tall Oil Fatty Acids, **06.03**
D1982-85(2009) Test Method for Titer of Fatty Acids, **06.03**
D1983 Withdrawn 2003; Test Method for Fatty Acid Composition by Gas-Liquid Chromatography of Methyl Esters
D1984 Withdrawn 1999; Specification for Tall Oil Fatty Acids
D1985-13 Practice for Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, **04.03**
D1986-13 Test Method for Determining the Apparent Viscosity of Polyethylene Wax, **15.04**
D1987-07(2012) Test Method for Biological Clogging of Geotextile or Soil/Geotextile Filters, **04.13**
D1988-06(2011) Test Method for Mercaptans in Natural Gas Using Length-of-Stain Detector Tubes, **05.06**
D1989 Withdrawn 2000; Test Method for Gross Calorific Value of Coal and Coke by Microprocessor Controlled Isoperibol Calorimeters; Replaced by D5865
D1990-14 Practice for Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, **04.10**
D1991-05(2010) Test Method for Rubber Chemicals—2-Mercaptobenzothiazole (MBT)—Assay, **09.01**
D1992-91(2013) Guide for Testing Synthetic Plasticizers Used in Rubber, **09.01**
D1993-03(2013) Test Method for Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, **09.01**
D1995-92(2011) Test Methods for Multi-Modal Strength Testing of Autohesives (Contact Adhesives), **15.06**
D1996 Withdrawn 2009; Test Method for Determination of Phenolic Antioxidants and Erucamide Slip Additives in Low Density Polyethylene Using Liquid Chromatography (LC); Replaced by D6953
D1997-13 Test Method for Laboratory Determination of the Fiber Content of Peat Samples by Dry Mass, **04.08**
D1998-13 Specification for Polyethylene Upright Storage Tanks, **08.01**
D1999 Withdrawn 2000; Guide for Selection of Specimens and Test Parameters from ISO/IEC Standards
D2000-12 Classification System for Rubber Products in Automotive Applications, **09.02**
D2001-07(2012) Test Method for Dependanization of Gasoline and Naphthas, **05.01**
D2002 Withdrawn 1998; Practice for Isolation of Representative Saturates Fraction from Low-Olefinic Petroleum Naphthas
D2003 Withdrawn 1998; Test Method for Isolation of Representative Saturates Fraction from High-Olefinic Petroleum Naphthas
D2004 Withdrawn 1984; Method of Test for Modulus of Rupture of Petroleum Wax
D2005 Withdrawn 1986; Method of Test for Sealing Strength of Petroleum Wax
D2006 Withdrawn 1976; Method of Test for Characteristic Groups in Rubber Extender and Processing Oils by the Precipitation Method
D2007-11 Test Method for Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, **05.01**
D2008-12 Test Method for Ultraviolet Absorbance and Absorptivity of Petroleum Products, **05.01**
D2009 Withdrawn 1995; Test Method for Evaluation of Engine Oils in Two-Stroke Cycle Turbo-Supercharged 6V92TA Diesel Engine
D2010/D2010M-98(2010) Test Methods for Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, **11.07**
D2011 Withdrawn 1982; Method for Continous Analysis and Automatic Recording of the Oxidant Content of the Atmosphere
D2012 Withdrawn 1979; Method for Continous Measurement of Nitric Oxide, Nitrogen Dioxide, and Ozone in the Atmosphere
D2013/D2013M-12 Practice for Preparing Coal Samples for Analysis, **05.06**
D2014-97(2010) Test Method for Expansion or Contraction of Coal by the Sole-Heated Oven, **05.06**
D2015 Withdrawn 2000; Test Method for Gross Calorific Value of Coal and Coke by the Adiabatic Bomb Calorimeter
D2016 Withdrawn 1989; Methods of Test for Moisture Content of Wood; Replaced by D4442, D4444
D2017 Withdrawn 2014; Test Method of Accelerated Laboratory Test of Natural Decay Resistance of Woods
D2018 Withdrawn 1969; Recommended Practice for Determining Design Stresses for Load-Sharing Lumber Members
D2019 Withdrawn 2010; Test Method for Dirt in Paper and Paperboard
D2020 Withdrawn 2009; Test Methods for Mildew (Fungus) Resistance of Paper and Paperboard
D2021 Withdrawn 2000; Specification for Neutral Detergent, 40 Percent Alkylbenzene Sulfonate Type
D2022-89(2008) Test Methods of Sampling and Chemical Analysis of Chlorine-Containing Bleaches, **15.04**
D2023-89(2009) Test Method of Analysis for Sodium Toluene Sulfonate in Detergents, **15.04**
D2024-09 Test Method for Cloud Point of Nonionic Surfactants, **15.04**
D2025 Redesignated F37 - 1962; Method of Test for Sealability of Gasket Materials
D2026/D2026M-97(2010)ε1 Specification for Cutback Asphalt (Slow-Curing Type), **04.03**
D2027/D2027M-13 Specification for Cutback Asphalt (Medium-Curing Type), **04.03**
D2028/D2028M-10 Specification for Cutback Asphalt (Rapid-Curing Type), **04.03**
D2029-97(2008) Test Methods for Water Vapor Content of Electrical Insulating Gases by Measurement of Dew Point, **10.03**
D2030 Withdrawn 2003; Test Method for Water Solubility of Refined Pyridine
D2031 Withdrawn 2003; Test Method for Reducing Substances in Refined Pyridine
D2032 Withdrawn 1987; Specification for Deuterium Oxide
D2033 Withdrawn 1987; Method of Test for Consumption of Potassium Permanganate by Impurities in Deuterium Oxide
D2034 Withdrawn 1983; Methods of Open Channel Flow Measurement of Water and Waste Water by Weirs
D2035-13 Practice for Coagulation-Flocculation Jar Test of Water, **11.02**
D2036-09 Test Methods for Cyanides in Water, **11.02**
D2037 Withdrawn 1981; Method of Test for Evaluating Inhibitory Toxicity of Water to Diatoms
D2038 Withdrawn 1989; Method for Radioactive Barium in Water
D2039 Withdrawn 1988; Method of Test for Radioactive Manganese in Industrial Water and Industrial Waste Water
D2040 Withdrawn 1970; Method of Test for Strontium 90 in Industrial Water and Industrial Waste Water
D2041/D2041M-11 Test Method for Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures, **04.03**
D2042-09 Test Method for Solubility of Asphalt Materials in Trichloroethylene, **04.03**
D2043 Withdrawn 2010; Test Method for Silver Tarnishing by Paper
D2044 Withdrawn 1980; Method of Test for Moisture in Paper and Paperboard by Toluene Distillation
D2045 Withdrawn 1971; Method of Test for Water Absorptiveness of Nonbibulous Paper and Paperboard (COBB Test)
D2046 Withdrawn 1969; Method of Test for Nonvolatile Matter (Total Solids) in Solvent-Board Waxes; Replaced by D2834
D2047-11 Test Method for Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine, **15.04**
D2048-10 Test Method for Powdering of Floor Polish Films, **15.04**
D2049 Withdrawn 1984; Test Method for Relative Density of Cohesionless Soils; Replaced by D4253, D4254
D2050-11 Terminology Relating to Fasteners and Closures Used with Textiles, **07.01**
D2051-14 Test Method for Durability of Finish of Zippers to Laundering, **07.01**
D2052-05(2010) Test Method for Colorfastness of Zippers to Drycleaning, **07.01**
D2053-99(2010) Test Method for Colorfastness of Zippers to Light, **07.01**
D2054-99(2010) Test Method for Colorfastness of Zipper Tapes to Crocking, **07.01**
D2055 Withdrawn 1976; Method of Test for Colorfastness of Zipper Tapes to Perspiration

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D2056 Withdrawn 1970; Method of Test for Resistance of Finish of Zippers to Dry Abrasion
D2057-05(2010) Test Method for Colorfastness of Zippers to Laundering, **07.01**
D2058-03(2014) Test Method for Durability of Finish of Zippers to Drycleaning, **07.01**
D2059/D2059M-03(2014) Test Method for Resistance of Zippers to Salt Spray (Fog), **07.01**
D2060-14 Test Methods for Measuring Zipper Dimensions, **07.01**
D2061-07(2013) Test Methods for Strength Tests for Zippers, **07.01**
D2062-03(2014) Test Methods for Operability of Zippers, **07.01**
D2063/D2063M-10(2012) Test Methods for Measurement of Torque Retention for Packages with Continuous Thread Closures Using Non-Automated (Manual) Torque Testing Equipment, **15.10**
D2064-91(2012) Test Method for Print Resistance of Architectural Paints, **06.02**
D2065-03(2011) Test Method for Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, **06.02**
D2066-07(2012) Test Methods for Relative Tinting Strength of Paste-Type Printing Ink Dispersions, **06.02**
D2067-97(2013) Test Method for Coarse Particles in Printing Ink Dispersions, **06.02**
D2068-13 Test Method for Determining Filter Blocking Tendency, **05.01**
D2069 Withdrawn 2003; Specification for Marine Fuels
D2070-91(2010) Test Method for Thermal Stability of Hydraulic Oils, **05.01**
D2071 Withdrawn 2007; Test Methods for Fatty Nitrogen Products
D2072 Withdrawn 2007; Test Method for Water in Fatty Nitrogen Compounds
D2073 Withdrawn 2007; Test Methods for Total, Primary, Secondary, and Tertiary Amine Values of Fatty Amines, Amidoamines, and Diamines by Referee Potentiometric Method
D2074-07(2013) Test Methods for Total, Primary, Secondary, and Tertiary Amine Values of Fatty Amines by Alternative Indicator Method, **06.03**
D2075 Withdrawn 2007; Test Method for Iodine Value of Fatty Amines, Amidoamines, and Diamines
D2076 Withdrawn 2007; Test Methods for Acid Value and Amine Value of Fatty Quaternary Ammonium Chlorides
D2077 Withdrawn 2007; Test Method for Ash in Fatty Quaternary Ammonium Chlorides
D2078 Withdrawn 2003; Test Method for Iodine Value of Fatty Quaternary Ammonium Chlorides
D2079 Withdrawn 2007; Test Method for Nonvolatile Matter (Solids) in Fatty Quaternary Ammonium Chlorides
D2080 Withdrawn 2007; Test Method for Average Molecular Weight of Fatty Quaternary Ammonium Chlorides
D2081 Withdrawn 2007; Test Method for pH of Fatty Quaternary Ammonium Chlorides
D2082 Withdrawn 2007; Test Method for Percent of Non-Amines in Fatty Nitrogen Compounds
D2083 Withdrawn 2007; Test Method for Calculation of Percent of Primary, Secondary, and Tertiary Amines in Fatty Amines
D2084-11 Test Method for Rubber Property—Vulcanization Using Oscillating Disk Cure Meter, **09.01**
D2085 Withdrawn 2006; Test Method for Determining Chloride Used in Calculating Pentachlorophenol in Solutions or Wood (Lime Ignition Method)
D2086-08(2012) Test Method for Acidity in Vinyl Acetate and Acetaldehyde, **06.04**
D2087-06(2012) Test Method for Iron in Formaldehyde Solutions, **06.04**
D2088 Withdrawn 1979; Method for Determination of Low Concentrations of Lead in Paint; Replaced by D3335
D2089 Withdrawn 1984; Method of Test for Water-Soluble Matter in White Pigments by Specific Resistance Method; Combined with D 2448
D2090 Withdrawn 2007; Test Method for Clarity and Cleanness of Paint and Ink Liquids
D2091-96(2011) Test Method for Print Resistance of Lacquers, **06.02**
D2092 Withdrawn 2008; Guide for Preparation of Zinc-Coated (Galvanized) Steel Surfaces for Painting; Replaced by D6386 and D7396
D2093-03(2011) Practice for Preparation of Surfaces of Plastics Prior to Adhesive Bonding, **15.06**
D2094-00(2014) Practice for Preparation of Bar and Rod Specimens for Adhesion Tests, **15.06**
D2095-96(2008) Test Method for Tensile Strength of Adhesives by Means of Bar and Rod Specimens, **15.06**
D2096-11 Test Method for Colorfastness and Transfer of Color in the Washing of Leather, **15.04**
D2097-03(2010) Test Method for Flex Testing of Finish on Upholstery Leather, **15.04**
D2098-13 Test Method for Dynamic Water Resistance of Shoe Upper Leather by the Dow Corning Leather Tester, **15.04**
D2099-14 Test Method for Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, **15.04**
D2100/D2100M-95(2009)ε1 Specification for Asbestos Textiles Used for Electrical Insulating Purposes, **04.05**
D2101 Withdrawn 1995; Test Method for Tensile Properties of Single Man-Made Textile Fibers Taken from Yarns and Tows
D2102-02(2012)ε1 Test Method for Shrinkage of Textile Fibers (Bundle Test), **07.01**
D2103-10 Specification for Polyethylene Film and Sheeting, **08.01**
D2104 Withdrawn 2010; Specification for Polyethylene (PE) Plastic Pipe, Schedule 40
D2105-01(2014) Test Method for Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, **08.03**
D2106-07(2012) Test Methods for Determination of Amine Acid Acceptance (Alkalinity) of Halogenated Organic Solvents, **15.05**
D2107 Withdrawn 1975; Method of Test for Nonamine Acid Acceptance of Halogenated Organic Solvent, Decreasing Grade (Reflux Method)
D2108-10 Test Method for Color of Halogenated Organic Solvents and, **15.05**
D2109-01(2011) Test Methods for Nonvolatile Matter in Halogenated Organic, **15.05**
D2110-00(2012) Test Method for pH of Water Extractions of Halogenated Organic Solvents and Their Admixtures, **15.05**
D2111-10 Test Methods for Specific Gravity and Density of Halogenated Organic, **15.05**
D2112-01a(2007) Test Method for Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, **10.03**
D2113-08 Practice for Rock Core Drilling and Sampling of Rock for Site Investigation, **04.08**
D2114 Withdrawn 1970; Specification for Rigid Poly(Vinyl Chloride-Vinyl Acetate) Compounds; Replaced by D1784
D2115-10 Practice for Oven Heat Stability of Poly(Vinyl Chloride) Compositions, **08.01**
D2116-07(2012) Specification for FEP-Fluorocarbon Molding and Extrusion Materials, **08.01**
D2117 Withdrawn 1994; Test Method for Melting Point of Semicrystalline Polymers by the Hot Stage Microscopy Method
D2118-05(2009) Practice for Assigning a Standard Commercial Moisture Content for Wool and Its Products, **07.01**
D2119-09 Test Method for Aldehydes in Styrene Monomer, **06.04**
D2120 Withdrawn 1992; Test Method for Inhibitor, p-tert-Butylcatechol, in Styrene Monomer
D2121-07 Test Methods for Polymer Content of Styrene Monomer and AMS (α–Methylstyrene), **06.04**
D2122-98(2010) Test Method for Determining Dimensions of Thermoplastic Pipe and Fittings, **08.04**
D2123 Withdrawn 1989; Specification for Rigid Poly(Vinyl Chloride-Vinyl Acetate) Plastic Sheet
D2124-99(2011) Test Method for Analysis of Components in Poly(Vinyl Chloride) Compounds Using an Infrared Spectrophotometric Technique, **08.01**
D2125 Withdrawn 1971; Specification for Cellular Polystyrene
D2126-09 Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging, **08.01**
D2127 Withdrawn 1970; Method of Test for Water Absorption of Rigid Cellular Plastics; Replaced by D2842
D2128 Withdrawn 1986; Specification for Rubberized Curled Hair
D2129-05(2010) Test Method for Color of Clear Electrical, **10.03**
D2130-13 Test Method for Diameter of Wool and Other Animal Fibers by Microprojection, **07.01**
D2131-97(2008)ε1 Classification for Natural Muscovite Mica Splittings, **10.01**
D2132-12 Test Method for Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, **10.01**
D2133 Withdrawn 1986; Specification for Acetal Resin Injection Molding and Extrusion Materials
D2134-93(2012) Test Method for Determining the Hardness of Organic Coatings with a Sward-Type Hardness Rocker, **06.01**
D2135 Withdrawn 1989; Classification of Hard Rubbers
D2136-02(2012) Test Method for Coated Fabrics—Low-Temperature Bend Test, **09.01**
D2137-11 Test Methods for Rubber Property—Brittleness Point of Flexible Polymers and Coated Fabrics, **09.01**
D2138 Withdrawn 1990; Test Method for Rubber Property—Adhesion to Textile Cord; Replaced by D4776, D4777
D2139 Redesignated F38
D2140-08 Practice for Calculating Carbon-Type Composition of Insulating Oils of Petroleum Origin, **10.03**
D2141 Withdrawn 1982; Method of Test for Adhesion Ratio of Polyethylene Film
D2142 Withdrawn 1967; Method of Test for Rapid Estimation of Staple Length of Wool Tops
D2143-00(2010) Test Method for Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, **08.03**
D2144-07(2013) Practices for Examination of Electrical Insulating Oils by Infrared Absorption, **10.03**
D2145 Withdrawn 1979; Method of Test for Phenol Content of Phenol-Water Mixtures
D2146 Withdrawn 1986; Specification for Propylene Plastic Molding and Extrusion Materials; Replaced by D4101
D2147 Withdrawn 1979; Method of Test for Detection and Estimation of Water-Insoluble Impurities in Refined Phenol by Cloud Point Depression
D2148-13 Test Methods for Bondable Silicone Rubber Tapes Used for Electrical Insulation, **10.01**
D2149-13 Test Method for Permittivity (Dielectric Constant) And Dissipation Factor Of Solid Dielectrics At Frequencies To 10 MHz And Temperatures To 500°C, **10.01**
D2150 Withdrawn 1987; Specification for Woven Roving Glass Fabric for Polyester-Glass Laminates; Replaced by D4357
D2151 Withdrawn 2003; Practice for Staining of Poly(Vinyl Chloride)

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Compositions by Rubber Compounding Ingredients
D2152-13 Test Method for Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, **08.04**
D2153 Withdrawn 1976; Recommended Practice for Calculating Stress in Plastic Pipe Under Internal Pressure
D2154 Withdrawn 1975; Specification for Special Duty Propane; Replaced by D1835
D2155-12 Test Method for Determination of Fire Resistance of Aircraft Hydraulic Fluids by Autoignition Temperature, **05.01**
D2156-09(2013) Test Method for Smoke Density in Flue Gases from Burning Distillate Fuels, **05.01**
D2157-94(2013) Test Method for Effect of Air Supply on Smoke Density in Flue Gases from Burning Distillate Fuels, **05.01**
D2158-11 Test Method for Residues in Liquefied Petroleum (LP) Gases, **05.01**
D2159 Withdrawn 1998; Test Method for Naphthenes in Saturates Fractions by Refractivity Intercept
D2160 Withdrawn 1997; Test Method for Thermal Stability of Hydraulic Fluids
D2161-10 Practice for Conversion of Kinematic Viscosity to Saybolt Universal Viscosity or to Saybolt Furol Viscosity, **05.01**
D2162-13 Practice for Basic Calibration of Master Viscometers and Viscosity Oil Standards, **05.01**
D2163-07 Test Method for Determination of Hydrocarbons in Liquefied Petroleum (LP) Gases and Propane/Propene Mixtures by Gas Chromatography, **05.01**
D2164 Withdrawn 2005; Methods of Testing Structural Insulating Roof Deck
D2165-94(2012)ε1 Test Method for pH of Aqueous Extracts of Wool and Similar Animal Fibers, **07.01**
D2166/D2166M-13 Test Method for Unconfined Compressive Strength of Cohesive Soil, **04.08**
D2167-08 Test Method for Density and Unit Weight of Soil in Place by the Rubber Balloon Method, **04.08**
D2168-10 Practices for Calibration of Laboratory Mechanical-Rammer Soil Compactors, **04.08**
D2169 Withdrawn 1975; Method of Test for Odor in Casein
D2170/D2170M-10 Test Method for Kinematic Viscosity of Asphalts (Bitumens), **04.03**
D2171/D2171M-10 Test Method for Viscosity of Asphalts by Vacuum Capillary Viscometer, **04.03**
D2172/D2172M-11 Test Methods for Quantitative Extraction of Bitumen From Bituminous Paving Mixtures, **04.03**
D2173 Withdrawn 1984; Method of Test for Arsenic in Paper and Paperboard
D2174 Withdrawn 1972; Method of Test for Tensile Energy Absorption of Paper
D2175 Withdrawn 2010; Test Method Book Bulk and Book Bulking Number of Paper
D2176 Withdrawn 2010; Test Method for Folding Endurance of Paper by the M.I.T. Tester
D2177 Withdrawn 2009; Test Method for Ink Absorption of Blotting Paper
D2178 Withdrawn 2013; Specification for Asphalt Glass Felt Used in Roofing and Waterproofing
D2178/D2178M-13a Specification for Asphalt Glass Felt Used in Roofing and Waterproofing, **04.04**
D2179 Withdrawn 2000; Specification for Combination Bar Soap
D2180-89(2008) Test Method for Active Oxygen in Bleaching Compounds, **15.04**
D2181 Withdrawn 1969; Specification for Vinyl Acetate Resin Emulsion Adhesive
D2182 Withdrawn 1984; Method of Test for Strength Properties of Metal-to-Metal Adhesives by Compression Loading (Disk Shear)
D2183 Withdrawn 1991; Test Method for Flow Properties of Adhesives
D2184 Withdrawn 1987; Method of Testing Deuterium Oxide
D2185 Withdrawn 1970; Method of Test for Radioactive Cobalt in Industrial Water and Industrial Waste Water
D2186-05(2009) Test Methods for Deposit-Forming Impurities in Steam, **11.02**
D2187-94(2009)ε1 Test Methods for Physical and Chemical Properties of Particulate Ion-Exchange Resins, **11.02**
D2188 Withdrawn 1984; Recommended Practice for Statistical Design in Interlaboratory Testing of Plastics; Replaced by E691
D2189 Withdrawn 1975; Specification for Acetaldehyde
D2190-07(2013) Specification for Vinyl Acetate, **06.04**
D2191-06(2012) Test Method for Acetaldehyde Content of Vinyl Acetate, **06.04**
D2192-06(2012) Test Method for Purity of Aldehydes and Ketones, **06.04**
D2193-06(2012) Test Method for Hydroquinone in Vinyl Acetate, **06.04**
D2194-02(2012) Test Method for Concentration of Formaldehyde Solutions, **06.04**
D2195 Withdrawn 2011; Test Methods for Pentaerythritol
D2196-10 Test Methods for Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, **06.01**
D2197-13 Test Method for Adhesion of Organic Coatings by Scrape Adhesion, **06.01**
D2198 Withdrawn 2003; Test Method for Stain Removal From Multicolor Lacquers
D2199-03(2013) Test Method for Measurement of Plasticizer Migration From Vinyl Fabrics to Lacquers, **06.02**
D2200-13 Practice for Use of Pictorial Surface Preparation Standards and Guides for Painting Steel Surfaces, **06.02**
D2201-99(2011) Practice for Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, **06.01**
D2202-00(2010) Test Method for Slump of Sealants, **04.07**
D2203-01(2011) Test Method for Staining from Sealants, **04.07**
D2204 Withdrawn 1976; Method of Test for Perspiration Resistance of Organic Coatings
D2205-85(2010) Guide for Selection of Tests for Traffic Paints, **06.02**
D2206 Withdrawn 1980; Test Method for Low Quantities of Mercury in Paint; Replaced by D3624
D2207-00(2010) Test Method for Bursting Strength of Leather by the Ball Method, **15.04**
D2208-00(2010) Test Method for Breaking Strength of Leather by the Grab Method, **15.04**
D2209-00(2010) Test Method for Tensile Strength of Leather, **15.04**
D2210-13 Test Method for Grain Crack and Extension of Leather by the Mullen Test, **15.04**
D2211-00(2010) Test Method for Elongation of Leather, **15.04**
D2212-00(2010) Test Method for Slit Tear Resistance of Leather, **15.04**
D2213-00(2010) Test Method for Compressibility of Leather, **15.04**
D2214 Withdrawn 2008; Test Method for Estimating the Thermal Conductivity of Leather with the Cenco-Fitch Apparatus; Replaced by D7340
D2215 Withdrawn 1975; Method of Test for Total Fat in Casein and Isolated Soy Protein
D2216-10 Test Methods for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, **04.08**
D2217 Withdrawn 2007; Practice for Wet Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants
D2218-67(2012) Specification for Molybdate Orange Pigments, **06.03**
D2219-11 Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable, 60C Operation, **10.01**
D2220-11 Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, **10.01**
D2221-01(2010) Test Method for Creep Properties of Package Cushioning Materials, **15.10**
D2222-13 Test Method for Methanol Extract of Vinyl Chloride Resins, **08.01**
D2223 Withdrawn 1993; Test Method for Oxygen Impurity in Nitrogen (Electrochemical Method)
D2224 Withdrawn 1989; Test Method for Mean Molecular Weight of Mineral Insulating Oils by the Cryoscopic Method
D2225-04(2012) Test Methods for Silicone Fluids Used for Electrical Insulation, **10.03**
D2226-93(2012) Classification for Various Types of Petroleum Oils for Rubber Compounding Use, **09.01**
D2227-96(2011) Specification for Natural Rubber (NR) Technical Grades, **09.01**
D2228-04(2009) Test Method for Rubber Property—Relative Abrasion Resistance by Pico Abrader Method, **09.01**
D2229-10(2014) Test Method for Adhesion Between Steel Tire Cords and Rubber, **07.01**
D2230-96(2012) Test Method for Rubber PropertyExtrudability of Unvulcanized Compounds, **09.01**
D2231 Withdrawn 1998; Practice for Rubber Properties in Forced Vibration; Replaced by D5992
D2232 Withdrawn 1995; Test Method for Evaporation Residue of Naphthalene
D2233 Withdrawn 2003; Specification for Chlorinated Aromatic Hydrocarbons (Askarels) for Capacitors
D2234/D2234M-10 Practice for Collection of a Gross Sample of Coal, **05.06**
D2235-04(2011) Specification for Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings, **08.04**
D2236 Withdrawn 1985; Method of Test for Dynamic Mechanical Properties of Plastics by Means of a Torsional Pendulum; Replaced by D4065
D2237 Withdrawn 1989; Method of Test for Rate-of-Rise (Volume Increase) Properties of Urethane Foaming Systems
D2238-92(2012)ε1 Test Methods for Absorbance of Polyethylene Due to Methyl Groups, **08.01**
D2239-12a Specification for Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter, **08.04**
D2240-05(2010) Test Method for Rubber Property—Durometer Hardness, **09.01**
D2241-09 Specification for Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series), **08.04**
D2242 Withdrawn 1971; Specification for Weathered Heavily Chalked Paint Panels for Use in Weathering Tests of Latex Paints
D2243-95(2008) Test Method for Freeze-Thaw Resistance of Water-Borne Coatings, **06.02**
D2244-11 Practice for Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates, **06.01**
D2245-90(2011) Test Method for Identification of Oils and Oil Acids in Solvent-Reducible Paints, **06.01**
D2246 Withdrawn 1992; Test Method for Finishes on Primed Metallic Substates for Humidity-Thermal Cycle Cracking
D2247-11 Practice for Testing Water Resistance of Coatings in 100% Relative Humidity, **06.01**
D2248-01a(2013) Practice for Detergent Resistance of Organic Finishes, **06.01**
D2249 Withdrawn 2002; Test Method for Predicting the Effect of Weathering on Face Glazing and Bedding Compounds on Metal Sash
D2250 Withdrawn 1986; Method of Test for Physical and Electrical Breakdown of Insulating Materials by Halogenated Organic Solvents and Their Admixtures
D2251-10 Test Method for Metal Corrosion by Halogenated Organic, **15.05**
D2252-05(2009) Specification for Fineness of Types of Alpaca, **07.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D2253 Withdrawn 1995; Test Method for Color of Raw Cotton Using the Nickerson-Hunter Cotton Colorimeter
D2254 Withdrawn 1970; Method of Test for Non-Lint Content of Cotton (SRRL Non-Lint Tester Method); Replaced by D2812
D2255/D2255M-09(2013) Test Method for Grading Spun Yarns for Appearance, **07.01**
D2256/D2256M-10ε1 Test Method for Tensile Properties of Yarns by the Single-Strand Method, **07.01**
D2257-98(2012) Test Method for Extractable Matter in Textiles, **07.01**
D2258-99(2012) Practice for Sampling Yarn for Testing, **07.01**
D2259-02(2011) Test Method for Shrinkage of Yarns, **07.01**
D2260-03(2013) Tables of Conversion Factors and Equivalent Yarn Numbers Measured in Various Numbering Systems, **07.01**
D2261-13 Test Method for Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine), **07.01**
D2262 Withdrawn 1995; Test Method for Tearing Strength of Woven Fabrics by the Tongue (Single Rip) Method (Constant-Rate-of-Traverse Tensile Testing Machine)
D2263 Withdrawn 1976; Methods of Testing Automotive Fabrics
D2264 Withdrawn 1971; Recommended Practice for Calculating Number of Tests to be Specified in Determining Average Quality of a Textile Material; Replaced by D2905
D2265-06 Test Method for Dropping Point of Lubricating Grease Over Wide Temperature Range, **05.01**
D2266-01(2008) Test Method for Wear Preventive Characteristics of Lubricating Grease (Four-Ball Method), **05.01**
D2267 Withdrawn 1992; Test Methods for Aromatics in Light Naphthas, and Aviation Gasolines by Gas Chromatography; Replaced by D4420
D2268-93(2013) Test Method for Analysis of High-Purity n-Heptane and Isooctane by Capillary Gas Chromatography, **05.01**
D2269-10 Test Method for Evaluation of White Mineral Oils by Ultraviolet Absorption, **05.01**
D2270-10ε1 Practice for Calculating Viscosity Index from Kinematic Viscosity at 40 and 100°C, **05.01**
D2271 Withdrawn 2004; Test Method for Preliminary Examination of Hydraulic Fluids (Wear Test)
D2272-11 Test Method for Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel, **05.01**
D2273-08(2012) Test Method for Trace Sediment in Lubricating Oils, **05.01**
D2274-10 Test Method for Oxidation Stability of Distillate Fuel Oil (Accelerated Method), **05.01**
D2275-01(2008)ε1 Test Method for Voltage Endurance of Solid Electrical Insulating Materials Subjected to Partial Discharges (Corona) on the Surface, **10.01**
D2276-06 Test Method for Particulate Contaminant in Aviation Fuel by Line Sampling, **05.01**
D2277 Withdrawn 1992; Specification for Fiberboard Nail-Base Sheathing
D2278-06 Test Method for Field Evaluation of Wood Preservatives in Round Post-Size Specimens, **04.10**
D2279 Withdrawn 1982; Method of Test for Acid Wash Color of Refined Naphthalene
D2280 Withdrawn 1977; Method of Test for Color of Phthalic Anhydride in the Molten State and After Heating; Replaced by D3366
D2281-10 Test Method for Evaluation of Wetting Agents by the Skein Test, **15.04**
D2282 Withdrawn 2006; Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe
D2283 Withdrawn 2004; Specification for Chlorinated Aromatic Hydrocarbons (Askarels) for Transformers
D2284-11 Test Method for Acidity of Sulfur Hexafluoride, **10.03**
D2285 Withdrawn 2008; Test Method for Interfacial Tension of Electrical Insulating Oils of Petroleum Origin Against Water by the Drop-Weight Method
D2286 Withdrawn 1981; Recommended Practices for Sampling and Handling Phenol; Replaced by D3852
D2287-12 Specification for Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds, **08.01**
D2288 Withdrawn 2010; Test Method for Weight Loss of Plasticizers on Heating
D2289 Withdrawn 1992; Test Method for Tensile Properties of Plastics at High Speeds
D2290-12 Test Method for Apparent Hoop Tensile Strength of Plastic or Reinforced Plastic Pipe, **08.04**
D2291-09 Practice for Fabrication of Ring Test Specimens for Glass-Resin Composites, **08.01**
D2292 Withdrawn 1993; Recommended Practice for Compression Molding Test Specimens of Styrene-Butadiene Molding and Extrusion Materials; Replaced by D4703
D2293-96(2008) Test Method for Creep Properties of Adhesives in Shear by Compression Loading (Metal-to-Metal), **15.06**
D2294-96(2008) Test Method for Creep Properties of Adhesives in Shear by Tension Loading (Metal-to-Metal), **15.06**
D2295-96(2008) Test Method for Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), **15.06**
D2296-01(2006) Specification for Continuity of Quality of Electrical Insulating Polybutene Oil for Capacitors, **10.03**
D2297 Withdrawn 1990; Specification for Continuity of Quality of Electrical Insulating Mineral Oil for Capacitors and Cable Accessories
D2298 Withdrawn 1987; Method of Test for Stability of Insulating Oils Under Electrical Stress (Merrell Test)
D2299 Withdrawn 1992; Recommended Practice for Determining Relative Stain Resistance of Plastics
D2300-08 Test Method for Gassing of Electrical Insulating Liquids Under Electrical Stress and Ionization (Modified Pirelli Method), **10.03**
D2301-10 Specification for Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, **10.01**
D2302 Withdrawn 1982; Method of Test for Differential Wet Tracking Resistance of Electrical Insulating Materials with Controlled Water-to-Metal Discharges
D2303-13 Test Methods for Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, **10.01**
D2304-10 Test Method for Thermal Endurance of Rigid Electrical Insulating Materials, **10.01**
D2305-10 Test Methods for Polymeric Films Used for Electrical Insulation, **10.01**
D2306 Withdrawn 2006; Test Method for C_8 Aromatic Hydrocarbon Analysis by Gas Chromatography
D2307-07a(2013) Test Method for Thermal Endurance of Film-Insulated Round Magnet Wire, **10.02**
D2308-07(2013) Specification for Thermoplastic Polyethylene Jacket for Electrical Wire and Cable, **10.01**
D2309 Withdrawn 1982; Tests for Rubber Property—Compression Set Induced by Nuclear Radiation
D2310-06(2012) Classification for Machine-Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, **08.03**
D2311 Withdrawn 1992; Specification for Perforated, Homogeneous Bituminized Fiber Drain and Sewer Pipe
D2312 Withdrawn 1992; Specification for Perforated, Homogeneous Bituminized Fiber Drain and Sewer Pipe for Septic Tank Disposal Fields
D2313 Withdrawn 1992; Specification for Perforated, Laminated-Wall Bituminized Fiber Drain and Sewer Pipe for Septic Tank Disposal Fields
D2314 Withdrawn 1992; Methods of Testing Homogeneous Bituminized Fiber Pipe
D2315 Withdrawn 1992; Methods of Testing Laminated-Wall Bituminized Fiber Pipe
D2316 Withdrawn 1992; Recommended Practice for Installing Bituminized Fiber Drain and Sewer Pipe
D2317 Withdrawn 1982; Method of Test for Benzene Insoluble (BI) Content of Tar and Pitch
D2318-98(2013) Test Method for Quinoline-Insoluble (QI) Content of Tar and Pitch, **05.01**
D2319/D2319M-98(2013) Test Method for Softening Point of Pitch (Cube-in-Air Method), **05.01**
D2320-98(2012) Test Method for Density (Relative Density) of Solid Pitch (Pycnometer Method), **05.01**
D2321-11 Practice for Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, **08.04**
D2322-14 Test Method for Resistance of Shoe Upper Leather to Artificial Perspiration, **15.04**
D2323 Withdrawn 2003; Specification for Refined Pyridine (1 Degree)
D2324 Withdrawn 1993; Test Method for Carbon Disulfide In Benzene
D2325 Withdrawn 2007; Test Method for Capillary-Moisture Relationships for Coarse- and Medium-Textured Soils by Porous-Plate Apparatus; Replaced by D6386
D2326 Withdrawn 1976; Method of Test for Thermal Conductivity of Cellular Plastics by Means of a Probe
D2327 Withdrawn 1990; Test Method for Mono- and Dioctadecylamines in Water; Replaced by D4983
D2328 Withdrawn 1969; Method for Corrosivity Testing of Industrial Cooling Water (Coupon Test Method); Replaced by D2688
D2329 Withdrawn 1972; Method of Test for Biochemical Oxygen Demand of Industrial Water and Industrial Waste Water
D2330 Withdrawn 2011; Test Method for Methylene Blue Active Substances
D2331-08(2013) Practices for Preparation and Preliminary Testing of Water-Formed Deposits, **11.02**
D2332-13 Practice for Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, **11.02**
D2333 Withdrawn 1987; Method of Test for Thorium in Water
D2334 Withdrawn 1992; Test Methods for Radioactive Iodine in Water
D2335 Withdrawn 1971; Method of Test for Radium-226 in Industrial Water and Industrial Waste Water
D2336 Withdrawn 2008; Guide for Specifying Factory Applied Wood Coatings
D2337-01(2010) Test Method for Freeze-Thaw Stability of Multicolor Lacquers, **06.01**
D2338-02(2013) Test Method for Determining Particle Size of Multicolor Lacquers, **06.02**
D2339-98(2011) Test Method for Strength Properties of Adhesives in Two-Ply Wood Construction in Shear by Tension Loading, **15.06**
D2340-13 Test Method for Peroxides in Styrene Monomer, **06.04**
D2341 Withdrawn 1990; Specification for Rigid Urethane Foam
D2342 Withdrawn 1980; Method of Test for Determination of Lot-to-Lot Stabilization Uniformity of Propylene Plastics
D2343-09 Test Method for Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics, **08.01**
D2344/D2344M-13 Test Method for Short-Beam Strength of Polymer Matrix Composite Materials and Their Laminates, **15.03**
D2345 Withdrawn 1968; Methods of Test for Interlaminar Sheer Strength of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Reinforced Plastic Structures at Subnormal and Supernormal Temperature; Replaced by D3846

D2346-13 Test Method for Apparent Density of Leather, **15.04**

D2347-00(2010) Test Method for Measuring Area of Leather Test Specimens, **15.04**

D2348 Withdrawn 2009; Test Method for Arsenic in Paint

D2349-90(2009) Test Method for Qualitative Determination of Nature of Solvent Composition in Solvent-Reducible Paints, **06.01**

D2350-90(2010) Test Method for Antimony Oxide in White Pigment Separated From Solvent-Reducible Paints, **06.01**

D2351-90(2010) Test Method for Sulfide in White Pigment Separated from Solvent-Reducible Paints, **06.01**

D2352-85(2010) Test Method for Sulfur Dioxide in White Pigment Separated from Solvent-Reducible Paints, **06.01**

D2353 Withdrawn 1991; Test Method for Flow Ratings of Organic Coatings Using the Shell Flow Comparator

D2354-10ε1 Test Method for Minimum Film Formation Temperature (MFFT) of Emulsion Vehicles, **06.03**

D2355 Withdrawn 1987; Recommended Practice for liquid phase evaluation of activated carbon; Replaced by D3860

D2356 Withdrawn 2000; Specification for Phosphate and Silica Containing Scouring Powder Compounds

D2357-11 for Qualitative Classification of Surfactants by Infrared Absorption, **15.04**

D2358-89(2009) Test Method for Separation of Active Ingredient from Surfactant and Syndet Compositions, **15.04**

D2359-12 Specification for Refined Benzene-535, **06.04**

D2360-11 Test Method for Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, **06.04**

D2361 Withdrawn 2008; Test Method for Chlorine in Coal

D2362 Withdrawn 1971; Method of Test for Total Volatile Content of Expandable Polystyrene Materials

D2363-79(2011) Test Methods for Hydroxypropyl Methylcellulose, **06.03**

D2364-01(2007)ε1 Test Methods for Hydroxyethylcellulose, **06.03**

D2365 Withdrawn 1982; Method of Test for Calculation of Neutron Dose to Polymeric Materials and Application of Threshold-Foil Measurements; Replaced by E763

D2366 Withdrawn 1989; Method of Accelerated Testing of Moisture Blister Resistance of Exterior House Paints on Wood

D2367 Withdrawn 1978; Definitions of Terms Relating to Fabric Defects (Including Illustrations and Related Material); Replaced by D3990

D2368 Withdrawn 1978; Classification of Man-Made and Natural Fibers; Combined with D 123

D2369-10ε1 Test Method for Volatile Content of Coatings, **06.01**

D2370-98(2010) Test Method for Tensile Properties of Organic Coatings, **06.01**

D2371-85(2010) Test Method for Pigment Content of Solvent-Reducible Paints, **06.01**

D2372-85(2010) Practice for Separation of Vehicle From Solvent-Reducible Paints, **06.01**

D2373-05(2011) Test Method for Determination of Cobalt in Paint Driers by EDTA Method, **06.01**

D2374-05(2011) Test Method for Lead in Paint Driers by EDTA Method, **06.01**

D2375-05(2011) Test Method for Manganese in Paint Driers by EDTA Method, **06.01**

D2376 Withdrawn 2002; Test Method for Slump of Face Glazing and Bedding Compounds on Metal Sash

D2377-14 Test Method for Tack-Free Time of Caulking Compounds and Sealants, **04.07**

D2378-07(2012) Specification for Formaldehyde 50 % Grade Uninhibited and 37 % Grade Inhibited and Uninhibited, **06.04**

D2379-09 Test Method for Acidity of Formaldehyde Solutions, **06.04**

D2380-04(2011) Test Method for Methanol Content of Formaldehyde Solutions, **06.04**

D2381 Withdrawn 2005; Test Methods for Flexible Composite Materials Used for Electrical Insulation

D2382 Withdrawn 1994; Test Method for Heat of Combustion of Hydrocarbon Fuels by Bomb Calorimeter (High-Precision Method); Replaced by D4809

D2383-14 Practice for Testing Plasticizer Compatibility in Poly(Vinyl Chloride) (PVC) Compounds Under Humid Conditions, **08.01**

D2384-83(2009) Test Methods for Traces of Volatile Chlorides in Butane-Butene Mixtures, **05.01**

D2385 Withdrawn 1995; Test Method for Hydrogen Sulfide and Mercaptan Sulfur in Natural Gas (Cadmium Sulfate-Iodometric Titration Method)

D2386-06(2012) Test Method for Freezing Point of Aviation Fuels, **05.01**

D2387 Redesignated 1970- F313; Method of Test for Insoluble Contamination of Hydraulic Fluids

D2388 Redesignated 1970- F302; Method for Field Sampling of Aerospace Fluids

D2389 Withdrawn 2003; Test Method for Minimum Pressure for Vapor Phase Ignition of Monopropellents

D2390 Redesignated 1970- F312; Method of Test for Microscopic Sizing and Counting Particles from Aerospace Fluids on Membrane Filters

D2391 Redesignated 1970- F311; Method of Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters

D2392-96(2011) Test Method for Color of Dyed Aviation Gasolines, **05.01**

D2393 Withdrawn 1995; Test Method for Viscosity of Epoxy Resins and Related Components

D2394-05(2011) Test Methods for Simulated Service Testing of Wood and Wood-Base Finish Flooring, **04.10**

D2395-07aε1 Test Methods for Specific Gravity of Wood and Wood-Based Materials, **04.10**

D2396-94(2012) Test Methods for Powder-Mix Time of Poly(Vinyl Chloride) (PVC) Resins Using a Torque Rheometer, **08.01**

D2397/D2397M-13 Specification for Cationic Emulsified Asphalt, **04.03**

D2398 Withdrawn 1985; Test Method for Softening Point of Bitumen in Ethylene Glycol (Ring-and-Ball); Replaced by D36

D2399-12 Practice for Selection of Cutback Asphalts, **04.03**

D2400 Withdrawn 2013; Specification for Varnished Glass-Polyester Cloth Used for Electrical Insulation

D2401 Withdrawn 1992; Test Method for Service Change of Appearance of Pile Floor Coverings

D2402-07(2012) Test Method for Water Retention of Textile Fibers (Centrifuge Procedure), **07.01**

D2403 Withdrawn 2008; Specification for Refined Phthalic Anhydride-1308

D2404 Withdrawn 1971; Methods of Testing Jute Backing Fabrics

D2405 Withdrawn 1985; Specification for General-Purpose Acrylonitrile-Butadiene/Poly(Vinyl Chloride)(NBR/PVC) Jacket for Wire and Cable; Replaced by D4244

D2406 Withdrawn 1980; Methods of Testing Flexible Cellular Materials-Molded Urethane Foam; Replaced by D3574

D2407 Withdrawn 1970; Method for Sampling Airborne Particulate Contamination in Clean Rooms for Handling Aerospace Fluids; Redesignated F318

D2408 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Amino-Silane Type Finishes for Plastic Laminates

D2409 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Vinyl-Silane Type Finishes for Plastic Laminates

D2410 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Chrome Complexes, for Plastic Laminates

D2411 Withdrawn 1995; Specification for Cellulose Acetate Butyrate Film and Sheeting for Fabricating and Forming

D2412-11 Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading, **08.04**

D2413-99(2009) Practice for Preparation of Insulating Paper and Board Impregnated with a Liquid Dielectric, **10.01**

D2414-13a Test Method for Carbon Black—Oil Absorption Number (OAN), **09.01**

D2415-98(2012) Test Method for Ash in Coal Tar and Pitch, **05.01**

D2416-84(2009) Test Method for Coking Value of Tar and Pitch (Modified Conradson), **05.01**

D2417 Withdrawn 1992; Specification for Perforated, Laminated-Wall Bituminized Fiber Pipe for General Drainage

D2418 Withdrawn 1992; Specification for Perforated, Laminated-Wall Bituminized Fiber Pipe for Airport and Highway Drainage

D2419-09 Test Method for Sand Equivalent Value of Soils and Fine Aggregate, **04.03**

D2420-13 Test Method for Hydrogen Sulfide in Liquefied Petroleum (LP) Gases (Lead Acetate Method), **05.01**

D2421-13 Practice for Interconversion of Analysis of C5 and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Mass Basis, **05.01**

D2422-97(2013) Classification of Industrial Fluid Lubricants by Viscosity System, **05.01**

D2423-90(2012)ε1 Test Method for Surface Wax on Waxed Paper or Paperboard, **05.01**

D2424 Withdrawn 1985; Method of Test for Hydrocarbon Types in Propylene Polymer by Mass Spectrometry

D2425-04(2009) Test Method for Hydrocarbon Types in Middle Distillates by Mass Spectrometry, **05.01**

D2426-93(2009) Test Method for Butadiene Dimer and Styrene in Butadiene Concentrates by Gas Chromatography, **05.01**

D2427-06(2011) Test Method for Determination of C, **05.01**

D2428 Withdrawn 1997; Test Method for Simulative Recirculating System Testing of Aerospace Hydraulic Fluids

D2429 Withdrawn 1970; Methods of Sampling Aerospace Fluids from Components; Redesignated F303

D2430 Withdrawn 1970; Test Methods for Identification of Metallic and Fibrous Contaminants in Aerospace Fluids; Redesignated F314

D2431 Withdrawn 1979; Specification for Refined Naphthalene-798

D2432 Withdrawn 1985; Specification for Heavy-Duty Acrylonitrile-Butadiene Poly(Vinyl Chloride)(NBR/PVC) Jacket for Wire and Cable; Replaced by D4244

D2433 Withdrawn 2012; Test Methods for Rubber Thread

D2434-68(2006) Test Method for Permeability of Granular Soils (Constant Head), **04.08**

D2435/D2435M-11 Test Methods for One-Dimensional Consolidation Properties of Soils Using Incremental Loading, **04.08**

D2436 Withdrawn 1994; Specification for Forced-Convection Laboratory Ovens for Electrical Insulation; Replaced by D5374, D5423

D2437 Redesignated 1970- F301; Method for Open-Bottle Tap Sampling of Noncryogenic Fluid Systems

D2438 Withdrawn 1995; Test Method for Silica in Cellulose

D2439-12 Specification for Refined Phenol, **06.04**

D2440-13 Test Method for Oxidation Stability of Mineral Insulating Oil, **10.03**

D2441 Withdrawn 2000; Test Method for Hydrolyzable Chlorine Compounds in Chlorinated Aromatic Hydrocarbons (Askarels) by Refluxing

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D2442-75(2012) Specification for Alumina Ceramics for Electrical and Electronic Applications, **15.02**
D2443 Withdrawn 2000; Test Methods for Lacing Twines and Tapes Used as Harnesses in Electrical Equipment
D2444-99(2010) Test Method for Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight), **08.04**
D2445 Withdrawn 1987; Test Method for Thermal Oxidative Stability of Propylene Plastics; Replaced by D3012
D2446 Withdrawn 1986; Specification for Cellulose Acetate Butyrate (CAB) Plastic Pipe (SDR-PR) and Tubing
D2447 Withdrawn 2010; Specification for Polyethylene (PE) Plastic Pipe, Schedules 40 and 80, Based on Outside Diameter
D2448-85(2012) Test Method for Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, **06.03**
D2449-88(2011) Specification for Rubber Bales From Natural SourcesLimit on Coating, **09.01**
D2450 Withdrawn 2002; Test Method for Bond of Oil- and Resin-Base Caulking Compounds
D2451 Withdrawn 2002; Test Method for Degree of Set for Glazing Compounds on Metal Sash
D2452-03(2009) Test Method for Extrudability of Oil- and Resin-Base Caulking Compounds, **04.07**
D2453-03(2009) Test Method for Shrinkage and Tenacity of Oil- and Resin-Base Caulking Compounds, **04.07**
D2454-08 Practice for Determining the Effect of Overbaking on Organic Coatings, **06.01**
D2455 Withdrawn 2005; Test Method for Identification of Carboxylic Acids in Alkyd Resins
D2456 Withdrawn 2006; Test Method for Identification of Polyhydric Alcohols in Alkyd Resins
D2457-13 Test Method for Specular Gloss of Plastic Films and Solid Plastics, **08.01**
D2458 Withdrawn 1982; Method for Flow Measurement of Industrial Water and Industrial Waste Water by the Venturi Meter Tube
D2459 Withdrawn 1987; Test Method for Gamma Spectrometry of Industrial Water and Industrial Waste Water
D2460-07(2013) Test Method for Alpha-Particle-Emitting Isotopes of Radium in Water, **11.02**
D2461 Withdrawn 1988; Test Method for Iron-59 in Water
D2462-13 Test Method for Moisture in Wool by Distillation With Toluene, **07.01**
D2463-10b Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers, **08.01**
D2464-13 Specification for Threaded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, **08.04**
D2465 Withdrawn 1986; Specification for Threaded Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe Fittings, Schedule 80
D2466-13 Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40, **08.04**
D2467-13a Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, **08.04**
D2468 Withdrawn 2003; Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe Fittings, Schedule 40
D2469 Withdrawn 1986; Specification for Socket-Type Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe Fittings, Schedule 80
D2470 Withdrawn 1989; Method of Measurement of Delayed Neutron-Emitting Fission Products in Nuclear Reactor Coolant Water During Reactor Operation
D2471 Withdrawn 2008; Practice for Gel Time and Peak Exothermic Temperature of Reacting Thermosetting Resins
D2472-00(2006) Specification for Sulfur Hexafluoride, **10.03**
D2473 Withdrawn 1983; Specification for Polycarbonate Molding, Extrusion, and Casting Materials; Replaced by D3935
D2474 Withdrawn 1999; Specification for Vinyl Chloride Copolymer Resins
D2475-01(2013) Specification for Felt, **07.01**
D2476 Withdrawn 1992; Test Method for Tritium in Water; Replaced by D4107
D2477-07(2012) Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, **10.03**
D2478 Withdrawn 1978; Definitions of Terms Relating to Nails for Use with Wood and Wood-Base Materials; Replaced by F547
D2479 Withdrawn 1969; Test Method for Length Distribution of Cotton Fibers by the Short Method Array
D2480 Withdrawn 1992; Test Method for Maturity Index and Linear Density of Cotton Fibers by the Causticaire Method
D2481 Withdrawn 2014; Test Method for Accelerated Evaluation of Wood Preservatives for Marine Services by Means of Small Size Specimens
D2482 Withdrawn 2010; Test Method for Surface Strength of Paper (Wax Pick Method)
D2483 Withdrawn 1972; Test Method for Silicone Grit Content of Paper and Paper Products
D2484-06(2012)ε1 Specification for Polyester Film Pressure-Sensitive Electrical Insulating Tape, **10.01**
D2485-91(2013) Test Methods for Evaluating Coatings For High Temperature Service, **06.01**
D2486-06(2012)ε1 Test Methods for Scrub Resistance of Wall Paints, **06.02**
D2487-11 Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System), **04.08**
D2488-09a Practice for Description and Identification of Soils (Visual-Manual Procedure), **04.08**
D2489/D2489M-08 Practice for Estimating Degree of Particle Coating of Bituminous-Aggregate Mixtures, **04.03**
D2490 Withdrawn 1976; Method of Test for Tumbler Test for Small Coke; Replaced by D3402
D2491 Withdrawn 1981; Test Method for Staple Crimp in Grease Wool Locks
D2492-02(2012) Test Method for Forms of Sulfur in Coal, **05.06**
D2493/D2493M-09 Standard Viscosity-Temperature Chart for Asphalts, **04.03**
D2494-13 Test Method for Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, **07.01**
D2495-07(2012) Test Method for Moisture in Cotton by Oven-Drying, **07.01**
D2496 Withdrawn 1987; Test Method for Seed Coat Fragments and Funiculi in Cotton Fiber Samples
D2497-07(2012) Tolerances for Manufactured Organic-Base Filament Single Yarns, **07.01**
D2498 Withdrawn 1984; Test Method for Isomer Distribution of Straight-Chain Detergent Alkylate by Mass Spectrometry
D2499 Redesignated 1970- F316; Test Method for Pore Size Characteristics of Membrane Filters for Use with Aerospace Fluids
D2500-11 Test Method for Cloud Point of Petroleum Products, **05.01**
D2501-11 Test Method for Calculation of Viscosity-Gravity Constant (VGC) of Petroleum Oils, **05.01**
D2502-04(2009) Test Method for Estimation of Mean Relative Molecular Mass of Petroleum Oils from Viscosity Measurements, **05.01**
D2503-92(2012) Test Method for Relative Molecular Mass (Molecular Weight) of Hydrocarbons by Thermoelectric Measurement of Vapor Pressure, **05.01**
D2504-88(2010) Test Method for Noncondensable Gases in C_2 and Lighter Hydrocarbon Products by Gas Chromatography, **05.01**
D2505-88(2010) Test Method for Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, **05.01**
D2506 Withdrawn 1998; Terminology Relating to Solid Rocket Propulsion
D2507 Withdrawn 2003; Terminology of Rheological Properties of Gelled Rocket Propellants
D2508 Withdrawn 2003; Test Method for Solid Rocket Propellant Specific Impulse Measurements
D2509-03(2008) Test Method for Measurement of Load-Carrying Capacity of Lubricating Grease (Timken Method), **05.01**
D2510-94(2012) Test Method for Adhesion of Solid Film Lubricants, **05.01**
D2511-93(2009) Test Method for Thermal Shock Sensitivity of Solid Film Lubricants, **05.01**
D2512-95(2008) Test Method for Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), **14.04**
D2513-13 Specification for Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, **08.04**
D2514 Withdrawn 1977; Tolerances for Fabrics Woven from All-Cotton or from Cotton Man-Made Fiber Blends
D2515 Redesignated 1977- D446; Specification for Kinematic Glass Capillary Viscometers
D2516 Withdrawn 1979; Recommended Practice for Nomenclature for Rubber-Grade Carbon Blacks; Replaced by D1765
D2517-06(2011) Specification for Reinforced Epoxy Resin Gas Pressure Pipe and Fittings, **08.03**
D2518 Withdrawn 2013; Specification for Woven Glass Fabrics for Electrical Insulation
D2519-07(2012) Test Method for Bond Strength of Electrical Insulating Varnishes by the Helical Coil Test, **10.02**
D2520-13 Test Methods for Complex Permittivity (Dielectric Constant) of Solid Electrical Insulating Materials at Microwave Frequencies and Temperatures to 1650°C, **10.02**
D2521/D2521M-76(2014)ε1 Specification for Asphalt Used in Canal, Ditch, and Pond Lining, **04.04**
D2522-03(2008)ε2 Test Method for Chlorine Content of Polybutenes Used for Electrical Insulation, **10.03**
D2523-13 Practice for Testing Load-Strain Properties of Roofing Membranes, **04.04**
D2524-13 Test Method for Breaking Tenacity of Wool Fibers, Flat Bundle Method - 18-in. (3.2-mm) Gage Length, **07.01**
D2525-13 Practice for Sampling Wool for Moisture, **07.01**
D2526 Withdrawn 2006; Specification for Ozone-Resisting Silicone Rubber Insulation for Wire and Cable
D2527-83(2011) Specification for Rubber Seals—Splice Strength, **09.02**
D2528 Withdrawn 1975; Method of Test for Dirt in Casein and Isolated Soy Protein
D2529 Withdrawn 1985; Method of Test for Bursting Strength of Paperboard and Linerboard
D2530 Withdrawn 1989; Specification for Nonoriented Propylene Plastic Film
D2531 Withdrawn 1980; Specification for Phenoxy Plastics Molding and Extrusion Materials
D2532-10 Test Method for Viscosity and Viscosity Change After Standing at Low Temperature of Aircraft Turbine Lubricants, **05.01**
D2533 Withdrawn 2008; Test Method for Vapor-Liquid Ratio of Spark-Ignition Engine Fuels
D2534-88(2012) Test Method for Coefficient of Kinetic Friction for Wax Coatings, **05.01**
D2535 Redesignated 1970- F304; Method of Sampling for Particulates from Aerospace Components with Convolutes
D2536 Redesignated F305
D2537 Redesignated F306
D2538-02(2010) Practice for Fusion of Poly(Vinyl Chloride) (PVC) Compounds Using a Torque Rheometer, **08.01**
D2539 Withdrawn 2003; Test Method for Shock Sensitivity of Liquid Monopropellants by the Card-Gap Test

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D2540 Withdrawn 2003; Test Method for Drop-Weight Sensitivity of Liquid Monopropellants
D2541 Withdrawn 2003; Test Method for Critical Diameter and Detonation Velocity of Liquid Monopropellants
D2542 Redesignated F309
D2543 Redesignated F310
D2544 Redesignated F307
D2545 Withdrawn; Method of Sampling for Particulates From Aerospace Components or System (Gas Blow-Down Method)
D2546 Redesignated F315
D2547 Withdrawn 1991; Test Method for Lead in Gasoline
D2548 Withdrawn 1979; Method of Test for Analysis of Oil Soluble Petroleum Sulfonates by Liquid Chromatography; Replaced by D3712
D2549-02(2012) Test Method for Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography, **05.01**
D2550 Withdrawn 1991; Test Method for Water Separation Characteristics of Aviation Turbine Fuels
D2551 Withdrawn 1989; Test Method for Vapor Pressure of Petroleum Products
D2552 Withdrawn 1987; Method of Test for Environmental Stress Rupture of Type III Polyethylenes Under Constant Tensile Load
D2553 Withdrawn 1992; Test Method for Detecting Odor of Drycleaning Detergent on a Drycleaned Garment
D2554 Withdrawn 1992; Test Method for Flash Point of Drycleaning Detergents in the Drycleaning Bath
D2555-06(2011) Practice for Establishing Clear Wood Strength Values, **04.10**
D2556-14 Test Method for Apparent Viscosity of Adhesives Having Shear-Rate-Dependent Flow Properties Using Rotational Viscometry, **15.06**
D2557-98(2010)ε1 Test Method for Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from –267.8 to –55°C (–450 to –67°F), **15.06**
D2558 Withdrawn 1992; Test Method for Evaluating Peel Strength of Shoe Sole-Attaching Adhesives
D2559-12a Specification for Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, **15.06**
D2560 Withdrawn 1987; Specification for Solvent Cements for Cellulose Acetate Butyrate (CAB) Plastic Pipe, Tubing, and Fittings
D2562-94(2008) Practice for Classifying Visual Defects in Parts Molded from Reinforced Thermosetting Plastics, **08.01**
D2563-08 Practice for Classifying Visual Defects in Glass-Reinforced Plastic Laminate Parts, **08.01**
D2564-12 Specification for Solvent Cements for Poly(Vinyl Chloride) (PVC) Plastic Piping Systems, **08.04**
D2565-99(2008) Practice for Xenon-Arc Exposure of Plastics Intended for Outdoor Applications, **08.01**
D2566 Withdrawn 1993; Test Method for Linear Shrinkage of Cured Thermosetting Casting Resins During Cure
D2567 Withdrawn 1984; Molecular Distribution Analysis for Monoalkylbenzenes by Mass Spectrometry
D2568 Withdrawn 1980; Recommended Practice for Calculation of Absorbed Dose from Gamma Radiation; Replaced by E665
D2569 Withdrawn 2006; Test Method for Distillation of Pitch
D2570-10 Test Method for Simulated Service Corrosion Testing of Engine Coolants, **15.05**
D2571 Withdrawn 2003; Guide forTesting Wood Furniture Lacquers
D2572-97(2010) Test Method for Isocyanate Groups in Urethane Materials or Prepolymers, **06.03**
D2573-08 Test Method for Field Vane Shear Test in Cohesive Soil, **04.08**
D2574-06(2012) Test Method for Resistance of Emulsion Paints in the Container to Attack by Microorganisms, **06.01**
D2575 Withdrawn 2007; Methods of Testing Polymerized Fatty Acids
D2576 Withdrawn 1981; Method of Test for Metals in Water and Waste Water by Atomic Absorption Spectrophotometry
D2577 Withdrawn 1989; Test Method for Radioactive Cesium in Water
D2578-09 Test Method for Wetting Tension of Polyethylene and Polypropylene Films, **08.01**
D2579 Withdrawn 2002; Test Method for Total Organic Carbon in Water
D2580-06(2012) Test Method for Phenols in Water by Gas-Liquid Chromatography, **11.02**
D2581-09 Classification System for Polybutylene (PB) Plastics Molding and Extrusion Materials, **08.01**
D2582-09 Test Method for Puncture-Propagation Tear Resistance of Plastic Film and Thin Sheeting, **08.01**
D2583-13a Test Method for Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor, **08.01**
D2584-11 Test Method for Ignition Loss of Cured Reinforced Resins, **08.01**
D2585 Withdrawn 1996; Test Method for Preparation and Tension Testing of Filament-Wound Pressure Vessels
D2586 Withdrawn 1996; Test Method for Hydrostatic Compressive Strength of Glass-Reinforced Plastic Cylinders
D2587 Withdrawn 1990; Test Method for Acetone Extraction and Ignition of Glass Fiber Strands
D2588 Withdrawn 1972; Method of Test for Standard Plate Count of Casein and Isolated Soy Protein
D2589/D2589M-88(2011)ε1 Test Method for McNett Wet Classification of Dual Asbestos Fiber, **04.05**
D2590/D2590M-98(2011)ε1 Test Method for Sampling Chrysotile Asbestos, **04.05**
D2591-07(2013) Test Method for Linear Density of Elastomeric Yarns (Short Length Specimens), **07.01**
D2592 Withdrawn 1972; Method of Test for Sieve Analysis of Casein and Isolated Soy Protein
D2593-93(2009) Test Method for Butadiene Purity and Hydrocarbon Impurities by Gas Chromatography, **05.01**
D2594-04(2012) Test Method for Stretch Properties of Knitted Fabrics Having Low Power, **07.01**
D2595-96(2008)ε1 Test Method for Evaporation Loss of Lubricating Greases Over Wide-Temperature Range, **05.01**
D2596-10 Test Method for Measurement of Extreme-Pressure Properties of Lubricating Grease (Four-Ball Method), **05.01**
D2597-10 Test Method for Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, **05.01**
D2598-12 Practice for Calculation of Certain Physical Properties of Liquefied Petroleum (LP) Gases from Compositional Analysis, **05.01**
D2599 Withdrawn 1993; Methods of Test for Lead in Gasoline by X-ray Spectrometry
D2600 Withdrawn 1992; Test Method for Aromatic Traces in Light Saturated Hydrocarbons by Gas Chromatography; Replaced by D4420
D2601 Withdrawn 1985; Test Method for Hydrocarbon Types in Propylene Tetramer by Low Ionizing Voltage Mass Spectrometry
D2602 Withdrawn 1993; Apparent Viscosity of Engine Oils at Low Temperature Using the Cold-Cranking Simulator; Replaced by D5293
D2603-01(2013) Test Method for Sonic Shear Stability of Polymer-Containing Oils, **05.01**
D2604 Withdrawn 2006; Specification for High-Boiling Hydrocarbon Solvent for Preparing Oil-Borne Preservative Solutions
D2605 Withdrawn 1993; Specification for Volatile Petroleum Solvent (LPG) for Preparing Pentachlorophenol Solutions
D2606 Withdrawn 2006; Test Method for Solubility of Pentachlorophenol in Heavy Hydrocarbon Solvents
D2607 Withdrawn 1992; Classification of Peats, Mosses, Humus, and Related Products
D2608 Withdrawn 1990; Test Method for Copper in Electrical Insulating Oils by Photometric Analysis
D2609-02(2008) Specification for Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe, **08.04**
D2610 Withdrawn 1979; Specification for Butt Fusion Polyethylene (PE) Plastic Pipe Fittings, Schedule 40; Replaced by D3261
D2611 Withdrawn 1979; Specification for Butt Fusion Polyethylene (PE) Plastic Pipe Fittings, Schedule 80; Replaced by D3261
D2612-99(2011) Test Method for Fiber Cohesion in Sliver and Top (Static Tests), **07.01**
D2613-01(2012) Test Method for Calcium or Zinc in Paint Driers by EDTA Method, **06.01**
D2614 Withdrawn 1971; Method of Test for Giding Poer of Chromatic Paints; Replaced by D2805
D2615 Withdrawn 1981; Method of Test for Free Yoluene Diisocyanate in Urethane Polymers by Distillation; Replaced by D3432
D2616-12 Test Method for Evaluation of Visual Color Difference With a Gray Scale, **06.01**
D2617-12 Test Method for Total Ash in Leather, **15.04**
D2618 Withdrawn 1984; Method of Test for Pressure Blocking and Picking Points of Petroleum Wax
D2619-09 Test Method for Hydrolytic Stability of Hydraulic Fluids (Beverage Bottle Method), **05.01**
D2620 Withdrawn 2001; Test Method for Light Stability of Clear Coatings
D2621-87(2011) Test Method for Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, **06.01**
D2622-10 Test Method for Sulfur in Petroleum Products by Wavelength Dispersive X-ray Fluorescence Spectrometry, **05.01**
D2623 Withdrawn 1991; Test Method for Knock Characteristics of Liquified Petroleum (LP) Gases by the Motor (LP) Method
D2624-09 Test Methods for Electrical Conductivity of Aviation and Distillate Fuels, **05.01**
D2625-94(2010) Test Method for Endurance (Wear) Life and Load-Carrying Capacity of Solid Film Lubricants (Falex Pin and Vee Method), **05.01**
D2626/D2626M-04(2012)ε1 Specification for Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing, **04.04**
D2627-08(2012) Specification for Diacetone Alcohol, **06.04**
D2628-91(2011) Specification for Preformed Polychloroprene Elastomeric Joint Seals for Concrete Pavements, **04.03**
D2629 Withdrawn 1977; Specification for Hot Mixed, Hot Laid Emulsified Asphalt Paving Mixtures; Replaced by D3515
D2630 Withdrawn 1990; Test Method for Rubber Property—Adhesion to Fabrics (Strap Peel Test); Replaced by D4393, D4776, D4777
D2631 Withdrawn 1985; Methods for Testing Paper by Direct-Voltage Life Testing of Capacitors
D2632-01(2014) Test Method for Rubber Property—Resilience by Vertical Rebound, **09.01**
D2633-13a Test Methods for Thermoplastic Insulations and Jackets for Wire and Cable, **10.02**
D2634-07(2013) Specification for Methyl Amyl Acetate (95 % Grade), **06.04**
D2635-07(2012) Specification for Methyl Isobutyl Carbinol, **06.04**
D2636-07(2012) Specification for Hexylene Glycol, **06.04**
D2637 Withdrawn 1972; Specification for Hexyl Acetate
D2638-10 Test Method for Real Density of Calcined Petroleum Coke by Helium Pycnometer, **05.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D2639/D2639M-13 Test Method for Plastic Properties of Coal by the Constant-Torque Gieseler Plastometer, **05.06**
D2640 Withdrawn 1973; Method of Test for Drop Shatter Test for Large Coke; Replaced by D3038
D2641 Withdrawn 1995; Test Methof for Chlorine in Cellulose
D2642 Withdrawn 1972; Method of Test for Viscosity of Casein and Isolated Soy Protein
D2643/D2643M-08(2013)ε1 Specification for Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), **04.13**
D2644-12 Tolerances for Yarns Spun on the Woolen System, **07.01**
D2645-07(2012) Tolerances for Yarns Spun on the Cotton or Worsted Systems, **07.01**
D2646-11 Test Methods for Backing Fabric Characteristics of Pile Yarn Floor Coverings, **07.01**
D2647-10 Specification for Crosslinkable Ethylene Plastics, **08.01**
D2648 Withdrawn 1977; Recommended Practice for Measuring Time to Failure by Rupture of Plastics Under Tension in Various Environments; Replaced by D2990
D2649-04(2009) Test Method for Corrosion Characteristics of Solid Film Lubricants, **05.01**
D2650-10 Test Method for Chemical Composition of Gases by Mass Spectrometry, **05.01**
D2651-01(2008) Guide for Preparation of Metal Surfaces for Adhesive Bonding, **15.06**
D2652-11 Terminology Relating to Activated Carbon, **15.01**
D2653-07(2012) Test Method for Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), **07.01**
D2654 Withdrawn 1998; Test Methods for Moisture in Textiles
D2655-12 Specification for Crosslinked Polyethylene Insulation for Wire and Cable Rated 0 to 2000 V, **10.02**
D2656-13 Specification for Crosslinked Polyethylene Insulation for Wire and, **10.02**
D2657-07 Practice for Heat Fusion Joining of Polyolefin Pipe and Fittings, **08.04**
D2658-04(2013) Test Method for Determining Interior Dimensions of Fiberboard Boxes (Box Gage Method), **15.10**
D2659-11 Test Method for Column Crush Properties of Blown Thermoplastic Containers, **08.01**
D2660 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Acrylic-Silane Type Finishes, for Plastic Laminates
D2661-11 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings, **08.04**
D2662 Withdrawn 2003; Specification for Polybutylene (PB) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter
D2663-14 Test Methods for Carbon Black—Dispersion in Rubber, **09.01**
D2664 Withdrawn 2005; Test Method for Triaxial Compressive Strength of Undrained Rock Core Specimens Without Pore Pressure Measurements; Replaced by D7012
D2665-12 Specification for Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, **08.04**
D2666 Withdrawn 2005; Specification for Polybutylene (PB) Plastic Tubing
D2667 Withdrawn 2013; Test Method for Biodegradability of Alkylbenzene Sulfonates
D2668-07(2013) Test Method for 2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, **10.03**
D2669-06(2012)ε1 Test Method for Apparent Viscosity of Petroleum Waxes Compounded with Additives (Hot Melts), **05.01**
D2670-95(2010) Test Method for Measuring Wear Properties of Fluid Lubricants (Falex Pin and Vee Block Method), **05.01**
D2671-13 Test Methods for Heat-Shrinkable Tubing for Electrical Use, **10.02**
D2672-96a(2009) Specification for Joints for IPS PVC Pipe Using Solvent Cement, **08.04**
D2673-09 Specification for Oriented Polypropylene Film, **08.01**
D2674-72(2012) Methods of Analysis of Sulfochromate Etch Solution Used in Surface Preparation of Aluminum, **15.06**
D2675 Withdrawn 1985; Method of Test for Copper in Insulating Oils Spectrochemically by the Solution-Rotating Disk Method
D2676 Redesignated G22
D2677 Withdrawn 1986; Method of Test for Lightability of Barbecue Briquets
D2678 Withdrawn 1991; Practice for Spinning Tests on the Cotton System for Measurement of Yarn Properties
D2679 Withdrawn 1980; Method of Test for Electrostatic Charge; Replaced by D4470
D2680-01(2009) Specification for Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping, **08.04**
D2681 Withdrawn 1972; Method of Test for Lead in the Atmosphere
D2682 Withdrawn 1979; Method of Test for Polynuclear Aromatic Hydrocarbons in Air Particulate Matter
D2683-10ε3 Specification for Socket-Type Polyethylene Fittings for Outside Diameter-Controlled Polyethylene Pipe and Tubing, **08.04**
D2684-10 Test Method for Permeability of Thermoplastic Containers to Packaged Reagents or Proprietary Products, **08.01**
D2685-11 Test Method for Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, **10.03**
D2686-06(2012) Specification for Polytetrafluoroethylene-Backed Pressure-Sensitive Electrical Insulating Tape, **10.02**
D2687-95(2007)ε1 Practices for Sampling Particulate Ion-Exchange Materials, **11.02**
D2688-11 Test Method for Corrosivity of Water in the Absence of Heat Transfer (Weight Loss Method), **11.01**
D2689 Withdrawn 2008; Practices for Testing Alkyd Resins
D2690 Withdrawn 2007; Test Method for Isophthalic Acid in Alkyd and Polyester Resins
D2691 Withdrawn 1993; Test Method for Microscopical Measurement of Dry Film Thickness of Coatings on Wood Products; Replaced by D5235
D2692/D2692M-10(2014) Test Method for Air Wicking of Tire Fabrics, Tire Cord Fabrics, Tire Cord, and Yarns, **07.01**
D2693-07(2012) Specification for Ethylene Glycol, **06.04**
D2694-05(2011) Specification for Diethylene Glycol, **06.04**
D2695 Withdrawn 1991; Specification for Propylene Glycol
D2696 Withdrawn 1991; Specification for Dipropylene Glycol
D2697-03(2008) Test Method for Volume Nonvolatile Matter in Clear or Pigmented Coatings, **06.01**
D2698-05(2010) Test Method for Determination of the Pigment Content of Solvent-Reducible Paints by High-Speed Centrifuging, **06.01**
D2699-13b Test Method for Research Octane Number of Spark-Ignition Engine Fuel, **05.05**
D2700-13b Test Method for Motor Octane Number of Spark-Ignition Engine Fuel, **05.05**
D2701 Withdrawn 1977; Method for Chemical Analysis for Aluminum Oxide Content of Titanium Dioxide Pigments; Replaced by D1394
D2702-05(2011) Practice for Rubber Chemicals—Determination of Infrared Absorption Characteristics, **09.01**
D2703 Withdrawn 2000; Practice for Rubber Chemicals—Determination of Ultraviolet Absorbance Characteristics
D2704 Withdrawn 1973; Method of Test for Measurement of Curing Characteristics with the Cepar Cure Meter
D2705 Withdrawn 1973; Method of Test for Measurement of Curing Characteristics with the Oscillating Disc Rheometer Cure Meter
D2706 Withdrawn 1973; Method of Test for Measurement of Curing Characteristics with the Viscometer Cure Meter
D2707 Withdrawn 1989; Test Method for Hard Rubber in Tension
D2708 Withdrawn 1985; Specification for Extra-Heavy-Duty Acrylonitrile-Butadiene/Poly(Vinyl Chloride)(NBR/PVC) Jacket for Wire and Cable; Replaced by D4244
D2709-96(2011)ε1 Test Method for Water and Sediment in Middle Distillate Fuels by Centrifuge, **05.01**
D2710-09(2013) Test Method for Bromine Index of Petroleum Hydrocarbons by Electrometric Titration, **05.01**
D2711-11 Test Method for Demulsibility Characteristics of Lubricating Oils, **05.01**
D2712-91(2010) Test Method for Hydrocarbon Traces in Propylene Concentrates by Gas Chromatography, **05.01**
D2713-13 Test Method for Dryness of Propane (Valve Freeze Method), **05.01**
D2714-94(2009) Test Method for Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine, **05.01**
D2715-92(2012) Test Method for Volatilization Rates of Lubricants in Vacuum, **05.01**
D2716 Withdrawn 1982; Method of Test for Coefficient of Friction and Wear Characteristics of Solid Film Lubricants in Vacuum and Other Controlled Atmospheres
D2717-95(2009) Test Method for Thermal Conductivity of Liquids, **05.01**
D2718-00(2011) Test Methods for Structural Panels in Planar Shear (Rolling Shear), **04.10**
D2719-13 Test Methods for Structural Panels in Shear Through-the-Thickness, **04.10**
D2720-94(2012)ε1 Practice for Calculation of Commercial Weight and Yield of Scoured Wool, Top, and Noil for Various Commercial Compositions, **07.01**
D2721 Withdrawn 1989; Method of Test for Effects of Drycleaning on Permanence of Durable Water-Repellent Finish
D2722 Withdrawn 1976; Method of Test for Knock Characteristics of Motor Fuels Using the Compression Ratio (CR) Technique for Research Ratings; Replaced by D2699
D2723 Withdrawn 1976; Method of Test for Characteristics of Motor Fuels Using the Compression Ratio (CR) Technique for Motor Ratings; Replaced by D2700
D2724-07(2011)ε1 Test Methods for Bonded, Fused, and Laminated Apparel Fabrics, **07.01**
D2725 Withdrawn 1996; Test Method for Hydrogen Sulfide in Natural Gas (Methylene Blue Method)
D2726/D2726M-13 Test Method for Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, **04.03**
D2727 Withdrawn 1979; Test for Coating and Resistance to Stripping of Bituminous-Aggregate Mixtures Containing Adhesion Promoting Agents
D2728-98(2009) Practice for Paving Uses and Application Temperatures for Road Tars, **04.03**
D2729-11 Specification for Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, **08.04**
D2730 Withdrawn 1987; Method for Sag Flow of Highly Viscous Materials
D2731-07(2012) Test Method for Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), **07.01**
D2732-08 Test Method for Unrestrained Linear Thermal Shrinkage of Plastic Film, **08.01**
D2733 Withdrawn 1981; Method of Test for Interlaminar Shear Strength of Structural reiRforced Plastics at Elevated Temperatures; Replaced by D3846
D2734-09 Test Methods for Void Content of Reinforced Plastics, **08.01**
D2735 Withdrawn 1985; Practice for Determination of Effect of Cyclic Immerson of Syntactic Foam at Pressure

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D2736 Withdrawn 1985; Practice for Determination of Hydrostatic CompreSsive strength of Syntactic Foam
D2737-12a Specification for Polyethylene (PE) Plastic Tubing, **08.04**
D2738 Withdrawn 1982; Test Method for Bursting Strength of Corrugated and Solid Fiberboard; Replaced by TAPPI T 810
D2739-97(2010) Test Method for Volume Resistivity of Conductive Adhesives, **15.06**
D2741 Withdrawn 2011; Test Method for Susceptibility of Polyethylene Bottles to Soot Accumulation
D2742 Withdrawn 1990; Methods for Chemical Analysis of Tribasis Lead Phosphosilicate
D2743-68(2010) Practices for Uniformity of Traffic Paint Vehicle Solids by Spectroscopy and Gas Chromatography, **06.02**
D2744 Withdrawn 1987; Specification for Tribasic Lead Phosphosilicate
D2745-00(2008) Test Method for Relative Tinting Strength of White Pigments by Reflectance Measurements, **06.01**
D2746-07(2013) Test Method for Staining Tendency of Asphalt (Stain Index), **04.04**
D2747 Withdrawn 1986; Method of Test for Trace Quantities of Total Sulfur in Volatile Organic Liquids (Oxy-Hydrogen Combustion Method)
D2748 Withdrawn 1987; Method of Test for Pyridine Bases in Tar Acids; Replaced by D4471
D2749-13 Symbols for Dimensions of Plastic Pipe Fittings, **08.04**
D2751-05 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings, **08.04**
D2752/D2752M-88(2011)$^{\epsilon 1}$ Test Methods for Air Permeability of Asbestos Fibers, **04.05**
D2753 Withdrawn 1993; Specification for Electrolytic Capacitor Paper
D2754-10 Specification for High-Temperature Glass Cloth Pressure-Sensitive Electrical Insulating Tape, **10.02**
D2755 Withdrawn 2003; Test Method of Sampling and Reduction to Test Weight of Electrical Grade Magnesium Oxide
D2756-07(2012) Test Method for Weight Loss of Electrical Insulating Varnishes, **10.02**
D2757 Withdrawn 2001; Specification for Impervious Steatite Ceramics for Electrical and Electronic Applications
D2758-94(2009) Test Method for Engine Coolants by Engine Dynamometer, **15.05**
D2759-00(2010) Practice for Sampling Gas from a Transformer Under Positive Pressure, **10.03**
D2760 Withdrawn 2000; Test Method for Analysis of Sodium Triphosphate by the Simplified Paper Chromatographic Method
D2761 Withdrawn 2001; Test Method for Analysis of Sodium Triphosphate by the Simplified Ion Exchange Method
D2762 Withdrawn 1992; Specification for Drycleaning Detergent, Non-Charge Type
D2763 Withdrawn 1993; Specification for Drycleaning Detergent, Liquid Charge Type
D2764-99(2009) Test Method for Dimethylformamide-Insoluble (DMF-I) Content of Tar and Pitch, **05.01**
D2765-11 Test Methods for Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, **08.01**
D2766-95(2009) Test Method for Specific Heat of Liquids and Solids, **05.01**
D2767 Redesignated F317
D2768 Withdrawn 2007; Specification for General-Purpose Ethylene-Propylene Rubber Jacket for Wire and Cable
D2769 Withdrawn 1987; Method of Testing Rubber Hose Used for Liquefied Petroleum Gas Extractable Material
D2770 Withdrawn 2007; Specification for Ozone-Resisting Ethylene-Propylene Rubber Integral Insulation and Jacket for Wire and Cable
D2771 Withdrawn 2003; Test Methods for Compaction Density of Electrical Grade Magnesium Oxide
D2772 Withdrawn 2003; Test Method for Sieve Analysis of Electrical Grade Magnesium Oxide
D2773 Withdrawn 2003; Test Method for Loss on Ignition of Electrical Grade Magnesium Oxide
D2774-12 Practice for Underground Installation of Thermoplastic Pressure Piping, **08.04**
D2775 Withdrawn 1975; Method of Test for Insolubles in Casein
D2776 Withdrawn 1991; Test Methods for Corrosivity of Water in the Absence of Heat Transfer (Electrical Methods); Replaced by G96
D2777-13 Practice for Determination of Precision and Bias of Applicable Test Methods of Committee D19 on Water, **11.01**
D2778 Withdrawn 1982; Method of Test for Solvent Extraction of Organic Matter from Water
D2779-92(2012) Test Method for Estimation of Solubility of Gases in Petroleum Liquids, **05.01**
D2780 Withdrawn 2010; Test Method for Solubility of Fixed Gases in Liquids
D2781 Withdrawn 1992; Test Method for Compatibility of Fuel Oil Blends by Spot Test; Replaced by D4740
D2782-02(2008) Test Method for Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), **05.01**
D2783-03(2009) Test Method for Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), **05.01**
D2784-11 Test Method for Sulfur in Liquefied Petroleum Gases (Oxy-Hydrogen Burner or Lamp), **05.01**
D2785 Withdrawn 1989; Test Method for Trace Quantities of Total Sulfur (Wickbold and Beckman Combustion Apparatus)
D2786-91(2011) Test Method for Hydrocarbon Types Analysis of Gas-Oil Saturates Fractions by High Ionizing Voltage Mass Spectrometry, **05.01**
D2787 Withdrawn 1985; Method of Test for Lead and Vanadium in Gas Turbine Fuels
D2788 Withdrawn 1994; Method of Test for Trace Metals in Gas Turbine Fuels (Atomic Absorption Method)
D2789-95(2011) Test Method for Hydrocarbon Types in Low Olefinic Gasoline by Mass Spectrometry, **05.01**
D2790 Withdrawn 1993; Methods of Analysis of Solvent Systems Used for Removal of Water-Formed Deposits
D2791-13 Test Method for On-line Determination of Sodium in Water, **11.01**
D2792-69(2010) Test Method for Solvent and Fuel Resistance of Traffic Paint, **06.02**
D2793-99(2011) Test Method for Block Resistance of Organic Coatings on Wood Panel Substrates, **06.02**
D2794-93(2010) Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact), **06.01**
D2795 Withdrawn 2001; Test Method for Analysis of Coal and Coke Ash
D2796 Withdrawn 1995; Terminology Relating to Megascopic Description of Coal and Coal Seams and Microscopical Description and Analysis of Coal
D2797/D2797M-11a Practice for Preparing Coal Samples for Microscopical Analysis by Reflected Light, **05.06**
D2798-11a Test Method for Microscopical Determination of the Vitrinite Reflectance of Coal, **05.06**
D2799-13 Test Method for Microscopical Determination of the Maceral Composition of Coal, **05.06**
D2800 Withdrawn 2007; Test Method for Preparation of Methyl Esters From Oils for Determination of Fatty Acid Composition by Gas-Liquid Chromatography
D2801 Withdrawn 1990; Test Method for Leveling Characteristics of Paints by Draw-Down Method
D2802-03(2010) Specification for Ozone-Resistant Ethylene-Alkene Polymer Insulation, **10.02**
D2803-09 Guide for Testing Filiform Corrosion Resistance of Organic Coatings on Metal, **06.01**
D2804-02(2012) Test Method for Purity of Methyl Ethyl Ketone By Gas Chromatography, **06.04**
D2805-11 Test Method for Hiding Power of Paints by Reflectometry, **06.01**
D2806 Withdrawn 1982; Test Method for Flat Crush of Corrugating Medium; Replaced by TAPPI T 809
D2807-93(2009)$^{\epsilon 1}$ Test Method for Chromic Oxide in Leather (Perchloric Acid Oxidation), **15.04**
D2808 Withdrawn 1991; Test Method for Compressive Strength of Corrugated Fiberboard (Short Column Test)
D2809-09 Test Method for Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, **15.05**
D2810-13 Test Method for pH of Leather, **15.04**
D2811 Withdrawn 1991; Methods for Spinning Tests on the Cotton System for Measurement of Spinning Performance
D2812-07(2012) Test Method for Non-Lint Content of Cotton, **07.01**
D2813-03(2013) Practice for Sampling Leather for Physical and Chemical Tests, **15.04**
D2814 Withdrawn 1978; Method of Test for Color Change Due to Flat Abrasion (Frosting)
D2815 Withdrawn 1976; Specification for Cleaning Compound, General Purpose
D2816-05(2009) Test Method for Cashmere Coarse-Hair Content in Cashmere, **07.01**
D2817-05(2009) Specification for Maximum Cashmere Coarse-Hair Content in Cashmere, **07.01**
D2818 Withdrawn 1992; Specification for Homogeneous Bituminized Fiber Pipe for Airport and Highway Drainage
D2819 Withdrawn 1984; Specification for Extra-Heavy-Duty Black Polychloroprene Jacket for Wire and Cable; Replaced by D4247
D2820 Withdrawn 1993; Test Method for C_1 through C_5 Hydrocarbons in the Atmosphere By Gas Chromatography
D2821-14 Test Method for Measuring the Relative Stiffness of Leather by Means of a Torsional Wire Apparatus, **15.04**
D2822/D2822M-05(2011)$^{\epsilon 1}$ Specification for Asphalt Roof Cement, Asbestos-Containing, **04.04**
D2823/D2823M-05(2011)$^{\epsilon 1}$ Specification for Asphalt Roof Coatings, Asbestos-Containing, **04.04**
D2824/D2824M-13 Specification for Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, **04.04**
D2825-13 Terminology Relating to Polishes and Related Materials, **15.04**
D2826 Withdrawn 1979; Specification for Styrene Monomer 993
D2827-13 Specification for Styrene Monomer, **06.04**
D2828 Withdrawn 2004; Specification for Nonbituminous Inserts for Contraction Joints in Portland Cement Concrete Airfield Pavements, Sawable Type
D2829-07(2013) Practice for Sampling and Analysis of Existing Built-Up Roof Systems, **04.04**
D2830 Withdrawn 2004; Test Method for Exterior Durability of Factory-Primed Field Finished Wood Products
D2831 Withdrawn 1981; Method of Test for Evaluating the Ability of a Latex Paint to Resist Efflorescence from the Substrate
D2832-92(2011) Guide for Determining Volatile and Nonvolatile Content of Paint and Related Coatings, **06.01**
D2833 Withdrawn 1994; Index of Methods for Testing Architectural Paints and Coatings; Replaced by D5324
D2834-95(2008) Test Method for Nonvolatile Matter (Total Solids) in Water-Emulsion Floor Polishes, Solvent-Based Floor Polishes, and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Polymer-Emulsion Floor Polishes, **15.04**
D2835-89(2012) Specification for Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, **04.03**
D2836 Withdrawn 1977; Specification for Filled Poly(Vinyl Chloride)(PVC) Sewer Pipe
D2837-11 Test Method for Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, **08.04**
D2838-09 Test Method for Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, **08.01**
D2839-10 Practice for Use of a Melt Index Strand for Determining Density of Polyethylene, **08.01**
D2840 Withdrawn 1984; Method of Test for Average True Particle Density of Hollow Microspheres
D2841 Withdrawn 1999; Practice for Sampling Hollow Microspheres
D2842-12 Test Method for Water Absorption of Rigid Cellular Plastics, **08.01**
D2843-10 Test Method for Density of Smoke from the Burning or Decomposition of Plastics, **08.01**
D2844/D2844M-13 Test Method for Resistance, **04.08**
D2845-08 Test Method for Laboratory Determination of Pulse Velocities and Ultrasonic Elastic Constants of Rock, **04.08**
D2846/D2846M-09b$^{\epsilon 1}$ Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems, **08.04**
D2847-07(2012) Practice for Testing Engine Coolants in Car and Light Truck Service, **15.05**
D2848 Withdrawn 1983; Specification for Reinforced Polycarbonate InjectIon Molding and Extrusion Materials; Replaced by D3935
D2849 Withdrawn 1989; Method of Testing Urethane Foam Polyol Raw Materials
D2850-03a(2007) Test Method for Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils, **04.08**
D2851-98(2009) Specification for Liquid Optical Adhesive, **15.06**
D2852-95(2008) Specification for Styrene-Rubber (SR) Plastic Drain Pipe and Fittings, **08.04**
D2853 Withdrawn 1989; Specification for Reinforced Olefin Injection Molding and Extrusion Materials
D2854-09 Test Method for Apparent Density of Activated Carbon, **15.01**
D2855-96(2010) Practice for Making Solvent-Cemented Joints with Poly(Vinyl Chloride) (PVC) Pipe and Fittings, **08.04**
D2856 Withdrawn 2006; Test Method for Open-Cell Content of Rigid Cellular Plastics by the Air Pycnometer; Replaced by D6226
D2857-95(2007) Practice for Dilute Solution Viscosity of Polymers, **08.01**
D2858 Withdrawn 2003; Test Method for Thermal Conductivity of Electrical Grade Magnesium Oxide
D2859-06(2011) Test Method for Ignition Characteristics of Finished Textile Floor Covering Materials, **04.07**
D2860M Withdrawn 1998; Replaced by D2860/D2860M
D2860/D2860M-04(2010) Test Method for Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle and Constant Stress, **15.10**
D2861-87(2009) Test Methods for Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, **10.02**
D2862-10 Test Method for Particle Size Distribution of Granular Activated Carbon, **15.01**
D2863-13 Test Method for Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), **08.01**
D2864-10$^{\epsilon 1}$ Terminology Relating to Electrical Insulating Liquids and Gases, **10.03**
D2865M-06 Practice for Calibration of Standards and Equipment for Electrical Insulating Materials Testing, **10.02**
D2866-11 Test Method for Total Ash Content of Activated Carbon, **15.01**
D2867-09 Test Methods for Moisture in Activated Carbon, **15.01**
D2868-10 Test Method for Nitrogen Content (Kjeldahl) and Hide Substance Content of Leather, Wet Blue and Wet White, **15.04**
D2869 Withdrawn 1974; Method of Test for Black Heel Marking Tendencies of Waxes and Polymer Floor Finishes
D2870 Withdrawn 1996; Test method for Gel Time of Tar Acids
*D2871 Withdrawn 1984; Specification for p-tert-*butylphenol 98
D2872-12$^{\epsilon 1}$ Test Method for Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), **04.03**
D2873 Withdrawn 2003; Test Method for Interior Porosity of Poly(Vinyl Chloride) (PVC) Resins by Mercury Intrusion Porosimetry
D2874 Withdrawn 1982; Specification for Polyphenylene Oxide Molding and Extrusion Materials
D2875-00(2010) Test Method for Insoluble Ash of Vegetable-Tanned Leather, **15.04**
D2876-00(2010) Test Method for Water-Soluble Matter of Vegetable-Tanned Leather, **15.04**
D2877 Withdrawn 1975; Methods of Test for Measuring Frictional Properties of Slideway Lubricants
D2878-10 Test Method for Estimating Apparent Vapor Pressures and Molecular Weights of Lubricating Oils, **05.01**
D2879-10 Test Method for Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope, **05.01**
D2880-13b Specification for Gas Turbine Fuel Oils, **05.01**
D2881-12 Classification for Metalworking Fluids and Related Materials, **05.01**
D2882 Withdrawn 2003; Test Method for Indicating Wear Characteristics of Petroleum and Non-Petroleum Hydraulic Fluids in Constant Volume Vane Pump
D2883-95(2009) Test Method for Reaction Threshold Temperature of Liquid and Solid Materials, **05.01**
D2884-93(2012) Test Method for Yield Stress of Heterogeneous Propellants by Cone Penetration Method, **05.01**
D2885-13 Test Method for Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, **05.05**
D2886 Withdrawn 1991; Test Method for Knock Characteristics of Motor Fuels by the Distribution Octane Number (DON) Method
D2887-13 Test Method for Boiling Range Distribution of Petroleum Fractions by Gas Chromatography, **05.01**
D2888 Withdrawn 1982; Method for Analysis of Liquified Petroleum Gases (LPG) by Process Gas Chromatography
D2889-95(2010) Test Method for Calculation of True Vapor Pressures of Petroleum Distillate Fuels, **05.01**
D2890-92(2013) Test Method for Calculation of Liquid Heat Capacity of Petroleum Distillate Fuels, **05.01**
D2891 Withdrawn 1981; Methods for Validation of Results of Process Distillation Analyzers; Replaced by D3764
D2892-13 Test Method for Distillation of Crude Petroleum (15-Theoretical Plate Column), **05.01**
D2893-04(2009) Test Methods for Oxidation Characteristics of Extreme-Pressure Lubrication Oils, **05.01**
D2894 Withdrawn 1979; Methods for Analysis of Calcium and Barium Petroleum Sulfonates by Liquid Chromatography; Replaced by D3712
D2895 Withdrawn 2004; Test Method for Gloss Retention of Waxed Paper and Paperboard After Storage at 40°C (104°F)
D2896-11 Test Method for Base Number of Petroleum Products by Potentiometric Perchloric Acid Titration, **05.01**
D2897 Withdrawn 1984; Specification for Reinforced and Filled Nylon Injection Molding and Extrusion Materials; Replaced by D4066
D2898-10 Practice for Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing, **04.10**
D2899-12 Practice for Establishing Allowable Stresses for Round Timber Piles, **04.10**
D2900 Withdrawn 2003; Test Method for Accelerated Life Test of Electrical Grade Magnesium Oxide as Used in Sheathed-Type Electric Heating Elements
D2901 Withdrawn 2006; Test Method for Cement Content of Freshly Mixed Soil-Cement
D2902-00(2013)$^{\epsilon 1}$ Specification for Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, **10.02**
D2903-11 Specification for Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, **10.02**
D2904 Withdrawn 2008; Practice for Interlaboratory Testing of a Textile Test Method that Produces Normally Distributed Data
D2905 Withdrawn 2008; Practice for Statements on Number of Specimens for Textiles
D2906 Withdrawn 2008; Practice for Statements on Precision and Bias for Textiles
D2907 Withdrawn 2003; Test Methods for Microquantities of Uranium in Water by Fluorometry
D2908-91(2011) Practice for Measuring Volatile Organic Matter in Water by Aqueous-Injection Gas Chromatography, **11.02**
D2909 Withdrawn 1990; Test Method for Cyclohexylamine in Water; Replaced by D4983
D2910 Withdrawn 1992; Practice for Concentration and Recovery of Organic Matter from Water by Activated Carbon
D2911-10 Specification for Dimensions and Tolerances for Plastic Bottles, **08.01**
D2912 Withdrawn 1991; Test Method for Oxidant Content of the Atmosphere (Neutral KI)
D2913-96(2007) Test Method for Mercaptan Content of the Atmosphere, **11.07**
D2914-01(2007) Test Methods for Sulfur Dioxide Content of the Atmosphere (West-Gaeke Method), **11.07**
D2915-10 Practice for Sampling and Data-Analysis for Structural Wood and Wood-Based Products, **04.10**
D2916-09 Specification for Isophorone, **06.04**
D2917-07(2013) Specification for Methyl Isoamyl Ketone, **06.04**
D2918-99(2012) Test Method for Durability Assessment of Adhesive Joints Stressed in Peel, **15.06**
D2919-01(2014) Test Method for Determining Durability of Adhesive Joints Stressed in Shear by Tension Loading, **15.06**
D2920 Withdrawn 1977; Method for Determination of Silica in Titanium Dioxide Pigments; Replaced by D1394
D2921-98(2011) Test Method for Qualitative Tests for the Presence of Water Repellents and Preservatives in Wood Products, **06.02**
D2922 Withdrawn 2007; Test Methods for Density of Soil and Soil-Aggregate in Place by Nuclear Methods (Shallow Depth); Replaced by D6938
D2923-13 Test Method for Rigidity of Polyolefin Film and Sheeting, **08.01**
D2924-12 Test Method for External Pressure Resistance of "Fiberglass", **08.03**
D2925-01(2007)$^{\epsilon 1}$ Test Method for Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, **08.03**
D2926 Withdrawn 1989; Test Method for Bulk Modulus of Elasticity of Syntactic Foam (Piston-Cylinder Method)
D2927 Withdrawn 1974; Method of Test for Measurement of Tensile Creep and Creep Rupture of Reinforced Thermoplastics; Replaced by D2990
D2928 Withdrawn 1981; Method for Sampling Stacks for Particulate Matter; Replaced by D3685
D2929-89(2011) Test Method for Sulfur Content of Cellulosic Materials by X-Ray Fluorescence, **06.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D2930 Withdrawn 2012; Test Method for Maleic Acid in Maleic Anhydride by Potentiometric Titration
D2931 Withdrawn 1994; Guide for Testing Latex Flat Wall Paints; Replaced by D5324
D2932 Withdrawn 1993; Guide for Testing Exterior Solvent-Based House and Trim Coatings; Replaced by D5416
D2933 Withdrawn 1992; Test Method for Corrosion Resistance of Coated Steel Specimens (Cyclic Method)
D2934 Withdrawn 1994; Practice for Rubber Seals—Compatibility With Service Fluids
D2935 Withdrawn 2005; Test Method for Apparent Density of Industrial Aromatic Hydrocarbons
D2936-08 Test Method for Direct Tensile Strength of Intact Rock Core Specimens, **04.08**
D2937-10 Test Method for Density of Soil in Place by the Drive-Cylinder Method, **04.08**
D2938 Withdrawn 2005; Test Method for Unconfined Compressive Strength of Intact Rock Core Specimens; Replaced by D7012
D2939 Withdrawn 2012; Test Methods for Emulsified Bitumens Used as Protective Coatings
D2940/D2940M-09 Specification for Graded Aggregate Material For Bases or Subbases for Highways or Airports, **04.03**
D2941-13 Test Method for Measuring Break Pattern of Leather (Break Scale), **15.04**
D2942-02(2013) Test Method for Total Acid Acceptance of Halogenated Organic Solvents (Nonreflux Methods), **15.05**
D2943-02(2012) Test Method for Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, **15.05**
D2944-13 Practice of Sampling Processed Peat Materials, **04.08**
D2945 Withdrawn 2011; Test Method for Gas Content of Insulating Oils
D2946-01(2010) Terminology for Asbestos and Asbestos–Cement Products, **04.05**
D2947/D2947M-88(2011)$^{\epsilon 1}$ Test Method for Screen Analysis of Asbestos Fibers, **04.05**
D2948 Withdrawn 1986; Specification for Glass-Reinforced and Glass-Filled Acetal Resin Molding and Extrusion Materials; Replaced by D4181
D2949-10 Specification for 3.25-in. Outside Diameter Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, **08.04**
D2950/D2950M-11 Test Method for Density of Bituminous Concrete in Place by Nuclear Methods, **04.03**
D2951 Withdrawn 2006; Test Method for Resistance of Types III and IV Polyethylene Plastics to Thermal Stress-Cracking
D2952 Withdrawn 1999; Specification for Ethylene Plastics
D2953 Withdrawn 1986; Classification System for Polymeric Materials for Service in Ionizing Radiation
D2954 Withdrawn 1985; Method of Test for Absorbed Gamma and Electron Radiation Dose with the Ferrous Sulfate-Cupric Sulfate Dosimeter
D2955 Withdrawn 2000; Specification for Hand Scrubbing Soap (Grit Soap) Paste and Bar
D2956 Withdrawn 1985; Practice for Conducting Controlled Shock Input Tests for Shipping Containers; Replaced by D4003
D2957 Withdrawn 2000; Specification for Hand Scrubbing Soap (Grit Soap) Powder
D2958 Withdrawn 2000; Specification for Powdered Toilet Soap
D2959-95(2009) Test Method for Ethylene Oxide Content of Polyethoxylated Nonionic Surfactants, **15.04**
D2960 Withdrawn 2013; Guide for Controlled Laundering Test Using Naturally Soiled Fabrics and Household Appliances
D2961-11 Test Method for Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36-mm (No. 8 Sieve) Topsize, **05.06**
D2962-10 Practice for Calculating Volume-Temperature Correction For Coal-Tar Pitches, **05.01**
D2963 Withdrawn 1997; Test Method for Testing Flow Table Consistency of Clay-Stabilized Asphalt Emulsions
D2964 Withdrawn 1979; Specification for Natural Mica Films Used in Fixed Capacitors Based on Visual Quality
D2965 Withdrawn 1979; Specification for Mechanical Characteristics of Die Cut Mica Films for Use as Dielectrics in Fixed Mica Capacitors
D2966 Withdrawn 1983; Method of Test for Cavitation Erosion-Corrosion Characteristics of Aluminum in Engine Coolants Using Ultrasonic Energy
D2967-07(2013) Test Method for Corner Coverage of Powder Coatings, **06.02**
D2968-13 Test Method for Med and Kemp Fibers in Wool and Other Animal Fibers by Microprojection, **07.01**
D2969-04(2014) Test Methods for Steel Tire Cords, **07.01**
D2970/D2970M-04(2014) Test Methods for Testing Tire Cords, Tire Cord Fabrics, and Industrial Yarns Made From Glass Filaments, **07.01**
D2971 Withdrawn 1978; Methods of Testing for Stitch-Quilted Products
D2972-08 Test Methods for Arsenic in Water, **11.01**
D2973-10$^{\epsilon 1}$ Test Method for Total Nitrogen in Peat Materials, **04.08**
D2974-13 Test Methods for Moisture, Ash, and Organic Matter of Peat and Other Organic Soils, **04.08**
D2975 Withdrawn 1984; Method of Test for Sand Content of Peat Materials
D2976 Withdrawn 2013; Test Method for pH of Peat Materials
D2977 Withdrawn 2012; Test Method for Particle Size Range of Peat Materials for Horticultural Purposes
D2978-03(2010) Test Method for Volume of Processed Peat Materials, **04.08**
D2979-01(2009) Test Method for Pressure-Sensitive Tack of Adhesives Using an Inverted Probe Machine, **15.10**
D2980-04(2010) Test Method for Volume Mass, Moisture-Holding Capacity, and Porocity of Saturated Peat Materials, **04.08**
D2981-94(2009) Test Method for Wear Life of Solid Film Lubricants in Oscillating Motion, **05.01**
D2982-07(2013) Test Methods for Detecting Glycol-Base Antifreeze in Used Lubricating Oils, **05.01**
D2983-09 Test Method for Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer, **05.01**
D2984 Withdrawn 1981; Practice for Validation of Results of Process Vapor Pressure Analyzer; Replaced by D3764
D2985/D2985M-92(2011)$^{\epsilon 1}$ Test Method for Color of Asbestos, **04.05**
D2986 Withdrawn 2004 Practice for Evaluation of Air Assay Media by the Monodisperse DOP (Dioctyl Phthalate) Smoke Test
D2987/D2987M-88(2011)$^{\epsilon 1}$ Test Method for Moisture Content of Asbestos Fiber, **04.05**
D2988-96(2010) Test Methods for Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, **15.05**
D2989-01(2011) Test Method for Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, **15.05**
D2990-09 Test Methods for Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics, **08.01**
D2991 Withdrawn 1992; Practice for Testing Stress-Relaxation of Plastics
D2992-12 Practice for Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Fittings, **08.03**
D2993 Withdrawn 2003; Specification for Acrylonitrile-Butadiene Rubberized Tar
D2994 Withdrawn 2000; Test Methods for Rubberized Tar
D2995-99(2009) Practice for Estimating Application Rate of Bituminous Distributors, **04.03**
D2996-01(2007)$^{\epsilon 1}$ Specification for Filament-Wound "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, **08.03**
D2997-01(2007)$^{\epsilon 1}$ Specification for Centrifugally Cast "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, **08.03**
D2998 Withdrawn 2004; Test Method for Polyhydric Alcohols in Alkyd Resins
D2999 Withdrawn 1990; Test Method for Monopentaerythritol in Commercial Pentaerythritol; Replaced by D2195
D3000 Withdrawn 2003; Specification for Polybutylene (PB) Plastic Pipe (SDR-PR) Based on Outside Diameter
D3001 Withdrawn 1985; Method of Test for Absorbed Gamma And Electron Radiation Dose with the Ceric Sulfate Dosimeter
D3002-07 Guide for Evaluation of Coatings Applied to Plastics, **06.02**
D3003-01(2012) Test Method for Pressure Mottling and Blocking Resistance of Organic Coatings on Metal Substrates, **06.02**
D3004-08(2013) Specification for Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, **10.02**
D3005-10 Specification for Low-Temperature Resistant Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, **10.02**
D3006-10 Specification for Polyethylene Plastic Pressure-Sensitive Electrical Insulating Tape, **10.02**
D3007 Withdrawn 1975; Definition of Terms Relating to Mica, Mica Processing, and Processed Mica Forms; Combined with D 1711
D3008 Withdrawn 1997; Test Method for Resin Acids in Rosin by Gas Chromatography
D3009 Withdrawn 1999; Test Method for Composition of Turpentine by Gas Chromatography; Replaced by D6387
D3010 Withdrawn 1992; Practice for Preparing Compression-Molded Test Sample Plaques of Rigid Poly(Vinyl Chloride) Compounds; Replaced by D4703
D3011 Withdrawn 1988; Specification for Reinforced and Filled Polystyrene, Styrene-Acrylonitrile, and ABS for Molding and Extrusion; Replaced by D4203, D4549, D4673
D3012-13 Test Method for Thermal-Oxidative Stability of Polypropylene Using a Specimen Rotator Within an Oven, **08.01**
D3013-13 Specification for Epoxy Molding Compounds, **08.01**
D3014-11 Test Method for Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, **08.01**
D3015 Withdrawn 2001; Practice for Microscopical Examination of Pigment Dispersion in Plastic Compounds; Replaced by ISO 13949
D3016-97(2010) Practice for Use of Liquid Exclusion Chromatography Terms and Relationships, **08.01**
D3017 Withdrawn 2007; Test Method for Water Content of Soil and Rock in Place by Nuclear Methods (Shallow Depth); Replaced by D6938
D3018/D3018M-11 Specification for Class A Asphalt Shingles Surfaced with Mineral Granules, **04.04**
D3019-08 Specification for Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, **04.04**
D3020 Withdrawn 1996; Specification for Polyethylene and Ethylene Copolymer Plastic Sheeting for Pond, Canal, and Reservoir Lining
D3021-01(2012) Specification for Phthalocyanine Green Pigments, **06.03**
D3022-84(2011) Test Method for Color and Strength of Color Pigments by Use of a Miniature Sandmill, **06.01**
D3023-98(2011) Practice for Determination of Resistance of Factory-Applied Coatings on Wood Products to Stains and Reagents, **06.02**
D3024 Withdrawn 1991; Specification for Protein-Base Adhesives for Structural Laminated Wood Products for Use Under Interior (Dry Use) Exposure Conditions
D3025-07(2012) Practice for Standardizing Cotton Fiber Test Results by Use of Calibration Cotton Standards, **07.01**
D3026 Withdrawn 2003; Test Method for Sinter Index of Electrical Grade Magnesium Oxide for Use in Sheathed Heating Elements
D3027 Withdrawn 1992; Practice for Compression Molding Specimens of Allyl

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Molding Compounds; Replaced by D5224
D3028 Withdrawn 2000; Test Method for Kinetic Coefficient of Friction of Plastic Solids
D3029 Withdrawn 1995; Test Methods for Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Tup (Falling Weight); Replaced by D5420, D5628
D3030-11 Test Method for Volatile Matter (Including Water) of Vinyl Chloride Resins, **08.01**
D3031 Withdrawn 1992; Test Method for Total Sulfur in Natural Gas by Hydrogenation
D3032-10 Test Methods for Hookup Wire Insulation, **10.02**
D3033 Withdrawn 1989; Specification for Type PSP Poly(Vinyl Chloride)(PVC) Sewer Pipe and Fittings
D3034-08 Specification for Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, **08.04**
D3035-12ε1 Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter, **08.04**
D3036 Withdrawn 1986; Specification for Poly(Vinyl Chloride)(PVC) Plastic Line Couplings
D3037 Withdrawn 1999; Test Methods for Carbon Black—Surface Area by Nitrogen Adsorption
D3038-93(2010) Test Method for Drop Shatter Test for Coke, **05.06**
D3039/D3039M-14 Test Method for Tensile Properties of Polymer Matrix Composite Materials, **15.03**
D3040 Withdrawn 1988; Practice for Preparing Precision Statements for Standards Related to Rubber and Rubber Testing; Replaced by D4483
D3041 Withdrawn 1988; Method of Testing Coated Fabrics--Ozone Cracking in a Chamber; Replaced by D1149
D3042-09 Test Method for Insoluble Residue in Carbonate Aggregates, **04.03**
D3043-00(2011) Test Methods for Structural Panels in Flexure, **04.10**
D3044-94(2011) Test Method for Shear Modulus of Wood-Based Structural Panels, **04.10**
D3045-92(2010) Practice for Heat Aging of Plastics Without Load, **08.01**
D3046 Withdrawn 2001; Specification for Powdered Hand Cleaner (Soap with Borax)
D3047 Withdrawn 2000; Specification for Powdered Hand Cleaner (Soap with Vegetable Scrubber)
D3048-89(2009) Test Method of Assay for Alkaline Protease, **15.04**
D3049-89(2009) Test Method for Synthetic Anionic Ingredient by Cationic Titration, **15.04**
D3050-07 Guide for Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking), **15.04**
D3051 Withdrawn 1990; Practice for Carbon Black—Stating the Precision of ASTM Test Methods; Replaced by D4483
D3052-87(2010) Practice for Rating Water-Emulsion Floor Polishes, **15.04**
D3053-13a Terminology Relating to Carbon Black, **09.01**
D3054 Withdrawn 2007; Test Method for Purity and Benzene Content of Cyclohexane by Gas Chromatography
D3055 Withdrawn 1995; Specification for Cyclohexane 995; Replaced by D5309
D3056-05(2010) Test Method for Gel Time of Solventless Varnishes, **10.02**
D3057 Withdrawn 2000; Test Method for Moisture in Aerosol Products
D3058 Withdrawn 1992; Specification for Simple Can-Puncturing Device for Aerosol Laboratory Use
D3059 Withdrawn 1992; Method of Test for Percent Product Retention in Pressurized Food Containers
D3060-94(2013) Test Method for Pressure Drop Rate of Compressed Gas-Propelled Products, **15.10**
D3061-97(2013) Guide for Three-Piece Steel and Tinplate Straight-Wall and Necked-In Aerosol Cans, **15.10**
D3062 Withdrawn 1994; Test Method for Solids Content of Aerosol Coatings
D3063 Withdrawn 2000; Test Method for Pressure in Glass Aerosol Bottles
D3064-97(2013) Terminology Relating To Aerosol Products, **15.10**
D3065-01(2013) Test Methods for Flammability of Aerosol Products, **15.10**
D3066 Withdrawn 1997; Practice for Labeling Aerosol Packages
D3067 Withdrawn 1997; Practice for Reporting Laboratory Results When Checking Aerosol Containers
D3068 Withdrawn 1997; Specification for Safe Fill of Aerosol Containers
D3069-94(2013) Test Method for Delivery Rate of Aerosol Products, **15.10**
D3070-00(2010) Test Method of Rapid Pressure Determination of Pressurized Products, **15.10**
D3071 Withdrawn 2000; Test Method for Drop Testing of Glass Aerosol Bottles
D3072 Withdrawn 1992; Test Methods for Volatile Content of Aerosol Products
D3073 Withdrawn 1997; Practice for Filling and Inspection of Glass Aerosol Containers
D3074 Withdrawn 2000; Test Methods for Pressure in Metal Aerosol Containers
D3075 Withdrawn 2001; Test Method for Overrun of Food Aerosol Products
D3076-00(2010) Test Methods for Effective Crimping on Outside Crimped Valves of Aerosol Containers, **15.10**
D3077 Withdrawn 1997; Practice for Comparison of Spray Patterns of Aerosol Products
D3078-02(2013) Test Method for Determination of Leaks in Flexible Packaging by Bubble Emission, **15.10**
D3079-94(2009)ε1 Test Method for Water Vapor Transmission of Flexible Heat-Sealed Packages for Dry Products, **15.10**
D3080/D3080M-11 Test Method for Direct Shear Test of Soils Under Consolidated Drained Conditions, **04.08**
D3081 Withdrawn 1979; Method of Test for Selenium in Water
D3082-09 Test Method for Boron in Water, **11.01**
D3084-05(2012) Practice for Alpha-Particle Spectrometry of Water, **11.02**
D3085 Withdrawn 1989; Practice for Measurement of Low-Level Activity in Water
D3086 Withdrawn 1996; Test Method for Organochlorine Pesticides in Water
D3087-91(2009) Test Method for Operating Performance of Anion-Exchange Materials for Strong Acid Removal, **11.02**
D3088 Withdrawn 1981; Method of Test for Effectiveness of Aerosol and Pressurized Space Spray Insecticides Against Flying Insects; Replaced by E653
D3089-97(2008) Practice for Determining the A-D Dimension of Aerosol Valve Dip Tubes, **15.10**
D3090-72(2008) Practice for Storage Testing of Aerosol Products, **15.10**
D3091-72(2008) Practice for Safe Filling of Low-Pressure Pressurized Products, **15.10**
D3092 Withdrawn 2002; Test Method for Particle-Size Distribution of Space-Insecticide Aerosol
D3093 Withdrawn 1999; Test Method for Pickup Efficiency of Residual Aerosol Insecticides
D3094-00(2010) Test Method for Seepage Rate of Aerosol Products, **15.10**
D3095 Withdrawn 1981; Method of Test for Effectiveness of Aerosol Insecticides Against Cockroaches; Replaced by E654
D3096 Withdrawn 1992; Methods of Test for Liquid Densities of Pressurized Products
D3097 Withdrawn 2003; Test Method for Aerosol Products for Delivered Mass
D3098 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Epoxy-Functional Silane Type Finishes for Plastic Finishes
D3099 Withdrawn 1982; Method of Test for Pneumatic Ball Impact Resistance of Plastic Film and Sheeting
D3100 Withdrawn 1985; Practice for Determination of Alkalinity of Hollow Glass Microspheres
D3101 Withdrawn 1985; Practice for Determination of Bulk Density and Packing Factor of Hollow Glass Microspheres
D3102 Withdrawn 1985; Practice for Determination of Isostatic Collapse Strength of Hollow Glass Microspheres
D3103-07ε1 Test Method for Thermal Insulation Performance of Distribution Packages, **15.10**
D3104-99(2010) Test Method for Softening Point of Pitches (Mettler Softening Point Method), **05.01**
D3105-08 Index of Methods for Testing Elastomeric and Plastomeric Roofing and Waterproofing Materials, **04.04**
D3106-07(2012) Test Method for Permanent Deformation of Elastomeric Yarns, **07.01**
D3107-07(2011) Test Methods for Stretch Properties of Fabrics Woven from Stretch Yarns, **07.01**
D3108/D3108M-13 Test Method for Coefficient of Friction, Yarn to Solid Material, **07.01**
D3109 Withdrawn 1982; Specification for Fineness of Mohair and Assignment of Grade; Replaced by D3991
D3110 Withdrawn 1997; Specification for Adhesives Used in Laminate Joints for Nonstructural Glued Lumber Products
D3111-10 Test Method for Flexibility Determination of Hot-Melt Adhesives by Mandrel Bend Test Method, **15.10**
D3112 Withdrawn 1990; Test Method for Lead in the Atmosphere by Colorimetric Dithizone Procedure
D3113 Withdrawn 2005; Test Methods for Sodium Salts of EDTA in Water
D3114 Withdrawn 1986; Method of Test for D-C Electrical Conductivity of Hydrocarbon Fuels; Replaced by D4308
D3115-95(2009) Test Method for Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, **05.01**
D3116 Withdrawn 1994; Test Method for Trace Amounts of Lead in Gasoline
D3117 Withdrawn 2010; Test Method for Wax Appearance Point of Distillate Fuels
D3118 Not Assigned
D3119 Withdrawn 1990; Test Method for Mist Spray Flammability of Hydraulic Fluids
D3120-08 Test Method for Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry, **05.01**
D3121-06 Test Method for Tack of Pressure-Sensitive Adhesives by Rolling Ball, **15.10**
D3122-95(2009) Specification for Solvent Cements for Styrene-Rubber (SR) Plastic Pipe and Fittings, **08.04**
D3123-09 Test Method for Spiral Flow of Low-Pressure Thermosetting Molding Compounds, **08.01**
D3124-98(2011) Test Method for Vinylidene Unsaturation in Polyethylene by Infrared Spectrophotometry, **08.01**
D3125-06(2012) Test Method for Monomethyl Ether of Hydroquinone in Colorless Monomeric Acrylate Esters and Acrylic Acid, **06.04**
*D3126 Withdrawn 1987; Specification for n-*Butyl Acetate (98 Percent Grade); Replaced by D4615
D3127 Withdrawn 1987; Specification for Ethyl Acetate (99 Percent Grade); Replaced by D4614
D3128-07(2013) Specification for 2-Methoxyethanol, **06.04**
D3129 Withdrawn 1997; Guide for Testing Exterior Latex House Paints; Replaced by D5324
D3130-11 Specification for n-Propyl Acetate (96 % Grade), **06.04**
D3131-07(2013) Specification for Isopropyl Acetate (99 % Grade), **06.04**
D3132 Withdrawn 2005; Test Method for Solubility Range of Resins and Polymers
D3133 Withdrawn; Test Method for Quantitative Determination of Cellulose

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Nitrate in Alkyd Modified Lacquers by Infrared Spectrophotometry
D3134-97(2008)ε1 Practice for Establishing Color and Gloss Tolerances, **06.01**
D3135-12 Specification for Performance of Bonded, Fused, and Laminated Apparel Fabrics, **07.01**
D3136-14 Terminology Relating to Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, **07.01**
D3137-81(2013) Test Method for Rubber Property—Hydrolytic Stability, **09.01**
D3138-04(2011) Specification for Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, **08.04**
D3139-98(2011) Specification for Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals, **08.04**
D3141/D3141M-09 Specification for Asphalt for Undersealing Portland-Cement Concrete Pavements, **04.03**
D3142/D3142M-11 Test Method for Specific Gravity, API Gravity, or Density of Cutback Asphalts by Hydrometer Method, **04.03**
D3143/D3143M-13 Test Method for Flash Point of Cutback Asphalt with Tag Open-Cup Apparatus, **04.03**
D3144-00(2013)ε1 Specification for Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation, **10.02**
D3145-13 Test Method for Thermal Endurance of Electrical Insulating Varnishes by the Helical Coil Method, **10.02**
D3146 Withdrawn 1978; Specification for Oxidation-Inhibited Nineral Insulating Oil; Replaced by D3487
D3147-06(2013) Test Method for Testing Stop-Leak Additives for Engine Coolants, **15.05**
D3148 Withdrawn 2005; Test Method for Elastic Moduli of Intact Rock Core Specimens in Uniaxial Compression; Replaced by D7102
D3149-06(2013) Specification for Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, **10.02**
D3150-11 Specification for Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation, **10.02**
D3151 Withdrawn 2007; Test Method for Thermal Failure of Solid Electrical Insulating Materials Under Electric Stress
D3152 Withdrawn 2007; Test Method for Capillary-Moisture Relationships for Fine-Textured Soils by Pressure-Membrane Apparatus; Replaced by D6836
D3153-87(2008) Test Method for Recoatability of Water-Emulsion Floor Polishes, **15.04**
D3154-14 Test Method for Average Velocity in a Duct (Pitot Tube Method), **11.07**
D3155-11 Test Method for Lime Content of Uncured Soil-Lime Mixtures, **04.08**
D3156-96(2011) Practice for Rubber—Chromatographic Analysis of Antidegradants (Antioxidants, Antiozonants and Stabilizers), **09.01**
D3157-05(2010)ε1 Test Method for Rubber from Natural Sources—Color, **09.01**
D3158 Withdrawn 1984; Specification for Asphalt Saturated and Coated Organic Felt Used in Roofing
D3159-10 Specification for Modified ETFE-Fluoropolymer Molding and Extrusion Materials, **08.01**
D3160-12 Test Method for Phenol Content of Cumene (Isopropylbenzene) or AMS (α–Methylstyrene), **06.04**
D3161/D3161M-13 Test Method for Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), **04.04**
D3162-12 Test Method for Carbon Monoxide in the Atmosphere (Continuous Measurement by Nondispersive Infrared Spectrometry), **11.07**
D3163-01(2014) Test Method for Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, **15.06**
D3164-03(2011) Test Method for Strength Properties of Adhesively Bonded Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading, **15.06**
D3164M Withdrawn 2012; Test Method for Strength Properties of Adhesively Bonded Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading
D3165-07(2014) Test Method for Strength Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies, **15.06**
D3166-99(2012) Test Method for Fatigue Properties of Adhesives in Shear by Tension Loading (Metal/Metal), **15.06**
D3167-10 Test Method for Floating Roller Peel Resistance of Adhesives, **15.06**
D3168-85(2011) Practice for Qualitative Identification of Polymers in Emulsion Paints, **06.01**
D3169 Withdrawn 2007; Specification for Refined Sunflower Oil
D3170-12 Test Method for Chipping Resistance of Coatings, **06.02**
D3171-11 Test Methods for Constituent Content of Composite Materials, **15.03**
D3172-13 Practice for Proximate Analysis of Coal and Coke, **05.06**
D3173-11 Test Method for Moisture in the Analysis Sample of Coal and Coke, **05.06**
D3174-12 Test Method for Ash in the Analysis Sample of Coal and Coke from Coal, **05.06**
D3175-11 Test Method for Volatile Matter in the Analysis Sample of Coal and Coke, **05.06**
D3176-09 Practice for Ultimate Analysis of Coal and Coke, **05.06**
D3177 Withdrawn 2012; Test Methods for Total Sulfur in the Analysis Sample of Coal and Coke
D3178 Withdrawn 2007; Test Methods for Carbon and Hydrogen in the Analysis Sample of Coal and Coke; Replaced by D5373
D3179 Withdrawn 2008; Test Methods for Nitrogen in the Analysis Sample of Coal and Coke
D3180-12 Practice for Calculating Coal and Coke Analyses from As-Determined to Different Bases, **05.06**
D3181-10 Guide for Conducting Wear Tests on Textiles, **07.01**
D3182-07(2012) Practice for Rubber—Materials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, **09.01**
D3183-10 Practice for Rubber—Preparation of Pieces for Test Purposes from Products, **09.01**
D3184-11 Practice for Rubber—Evaluation of NR (Natural Rubber), **09.01**
D3185-06(2010) Test Methods for Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Including Mixtures With Oil, **09.01**
D3186-07(2011) Test Methods for Rubber—Evaluation of SBR (Styrene-Butadiene Rubber) Mixed With Carbon Black or Carbon Black and Oil, **09.01**
D3187-06(2011) Test Methods for Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Rubber), **09.01**
D3188-06(2010) Test Methods for Rubber—Evaluation of IIR (Isobutene-Isoprene Rubber), **09.01**
D3189-06(2011) Test Methods for Rubber—Evaluation of Solution BR (Polybutadiene Rubber), **09.01**
D3190-06(2010) Test Method for Rubber—Evaluation of Chloroprene Rubber (CR), **09.01**
D3191-10 Test Methods for Carbon Black in SBR (Styrene-Butadiene Rubber)—Recipe and Evaluation Procedures, **09.01**
D3192-09 Test Methods for Carbon Black Evaluation in NR (Natural Rubber), **09.01**
D3193-09 Specification for Ethylbenzene, **06.04**
D3194-04(2009) Test Method for Rubber From Natural Sources—Plasticity Retention Index (PRI), **09.01**
D3195/D3195M-10 Practice for Rotameter Calibration, **11.07**
D3196 Withdrawn 1985; Method of Test for Rubber Properties in Tension Solid Urethanes; Replaced by D412
D3197 Withdrawn 1986; Specification for Insert-Type Polyethylene Fusion Fittings for SDR 11.0 Polyethylene Pipe
D3198-97(2007) Test Method for Application and Removal Torque of Threaded or Lug-Style Closures, **15.10**
D3199 Withdrawn 2001; Test Method for Water Vapor Transmission Through Screw-Cap Closure Liners
D3200-74(2012) Specification and Test Method for Establishing Recommended Design Stresses for Round Timber Construction Poles, **04.10**
D3201/D3201M-13 Test Method for Hygroscopic Properties of Fire-Retardant Wood and Wood-Based Products, **04.10**
D3202 Withdrawn 2007; Practice for Preparation of Bituminous Mixture Beam Specimens by Means of the California Kneading Compactor
D3203/D3203M-11 Test Method for Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures, **04.03**
D3204 Withdrawn 2004; Specification for Preformed Cellular Plastic Joint Fillers for Relieving Pressure
D3205 Withdrawn 2000; Test Method for Viscosity of Asphalt with Cone and Plate Viscometer
D3206-08 Test Method for Soil Resistance of Floor Polishes, **15.04**
D3207-92(2008) Test Method for Detergent Resistance of Floor Polish Films, **15.04**
D3208 Withdrawn 2010; Specification for Manifold Papers for Permanent Records
D3209-93(2008) Test Method for Freeze/Thaw Resistance of Polymer Floor Polishes, **15.04**
D3210-95(2008) Test Method for Comparing Colors of Films from Water-Emulsion Floor Polishes, **15.04**
D3211 Withdrawn 1991; Test Method for Relative Density of Black Smoke (Ringelmann Method)
D3212-07(2013) Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals, **08.04**
D3213-13 Practices for Handling, Storing, and Preparing Soft Intact Marine Soil, **04.08**
D3214 Withdrawn 2002; Test Methods for Coating Powders and Their Coatings Used for Electrical Insulation
D3215 Withdrawn 2003; Test Method for Measurement of the Specific Electrical Impedance of Electrical-Grade Magnesium Oxide for Use in Sheathed-Type Heating Elements
D3216 Withdrawn 1985; Method of Test for Grading Cotton Card Webs for Appearance
D3217/D3217M-13 Test Methods for Breaking Tenacity of Manufactured Textile Fibers in Loop or Knot Configurations, **07.01**
D3218-07(2012) Specification for Polyolefin Monofilaments, **07.01**
D3219 Withdrawn 1992; Specification for Industrial Filament Yarns, Tire Cords, and Tire Cord Fabrics Made from Man-Made Organic-Base Fibers
D3220 Withdrawn 1989; Specification for Reinforced Polyterephthalate Thermoplastic Molding and Extrusion Materials; Replaced by D4507
D3221 Withdrawn 1989; Specification for Thermoplastic Polyterephthalate Molding and Extrusion Materials; Replaced by D4507
D3222-05(2010) Specification for Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials, **08.02**
D3223-12 Test Method for Total Mercury in Water, **11.01**
D3224 Withdrawn 2006; Test Method for Water Solubility of Auxiliary Solvent for Wood Preserving Solutions
D3225 Withdrawn 2006; Specification for Low-Boiling Hydrocarbon Solvent for Oil-Borne Preservatives
D3226 Withdrawn 1979; Method of Test for Sulfur Oxides in Flue Gases (Barium Chloranilate Controlled Condensation Method)
D3227-13 Test Method for (Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), **05.01**
D3228-08 Test Method for Total Nitrogen in Lubricating Oils and Fuel Oils by Modified Kjeldahl Method, **05.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D3229 Withdrawn 1993; Method of Test for Low Levels of Lead in Gasoline by X-ray Spectrometry; Replaced by D5059
D3230-13 Test Method for Salts in Crude Oil (Electrometric Method), **05.01**
D3231-13 Test Method for Phosphorus in Gasoline, **05.01**
D3232 Withdrawn 1994; Test Method for Measurement of Consistency of Lubricating Greases at High Temperatures
D3233-93(2009)ε1 Test Methods for Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), **05.01**
D3234 Withdrawn 2004; Test Method for Abrasion Resistance of Petroleum Wax Coatings
D3235-06(2011) Test Method for Solvent Extractables in Petroleum Waxes, **05.01**
D3236-88(2009) Test Method for Apparent Viscosity of Hot Melt Adhesives and Coating Materials, **05.01**
D3237-12 Test Method for Lead in Gasoline by Atomic Absorption Spectroscopy, **05.01**
D3238-95(2010) Test Method for Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, **05.01**
D3239-91(2011) Test Method for Aromatic Types Analysis of Gas-Oil Aromatic Fractions by High Ionizing Voltage Mass Spectrometry, **05.01**
D3240-11 Test Method for Undissolved Water In Aviation Turbine Fuels, **05.01**
D3241-13 Test Method for Thermal Oxidation Stability of Aviation Turbine Fuels, **05.01**
D3242-11 Test Method for Acidity in Aviation Turbine Fuel, **05.01**
D3243 Withdrawn 1983; Method of Test for Flash-Point of Aviation Turbine Fuels by Setaflash Closed Tester; Replaced by D3828
D3244-12 Practice for Utilization of Test Data to Determine Conformance with Specifications, **05.01**
D3245 Withdrawn 2010; Test Method for Pumpability of Industrial Fuel Oils
D3246-11 Test Method for Sulfur in Petroleum Gas by Oxidative Microcoulometry, **05.01**
*D3247 Withdrawn 1988; Test Method for Coefficient of Static Friction of Corrugated and Solid Fiberboard (Horizontal Plane Method); Replaced by D4521*0
D3248 Withdrawn 1988; Test Method for Coefficient of Static Friction of Corrugated and Solid Fiberboard (Inclined Plane Method); Replaced by D4521
D3249-95(2011) Practice for General Ambient Air Analyzer Procedures, **11.07**
D3250 Withdrawn 1991; Test Method for Total Oxygen Demand in Water
D3251-04(2013) Test Method for Thermal Endurance Characteristics of Electrical Insulating Varnishes Applied Over Film-Insulated Magnet Wire, **10.02**
D3252 Withdrawn 1986; Method of Test for Undersized Loose Muscovite Mica Splittings
D3253 Withdrawn 1991; Specification for Vulcanized Rubber Sheeting for Pond
D3254 Withdrawn 1991; Specification for Fabric—Reinforced, Vulcanized Rubber Sheeting for Pond, Canal, and Reservoir Lining
D3255 Withdrawn 1981; Method for Investigating the Compatibility of Transformer Insulation and Construction Materials in Askarels
D3256-86(2009) Test Methods for Chemical Analysis of Phthalocyanine Blue and Green Pigments, **06.03**
D3257-06(2012) Test Methods for Aromatics in Mineral Spirits by Gas Chromatography, **06.04**
D3258-04(2010)ε1 Test Method for Porosity of White or Near White Paint Films by Staining, **06.02**
D3259 Withdrawn 2009; Practice for Infrared Determination of the Temperature of Applied Coatings on Wood Products During the Curing Cycle
D3260-01(2011) Test Method for Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, **06.02**
D3261-12 Specification for Butt Heat Fusion Polyethylene (PE) Plastic Fittings for Polyethylene (PE) Plastic Pipe and Tubing, **08.04**
D3262-11 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe, **08.03**
D3263 Withdrawn 2008; Test Methods for Corrosivity of Solvent Systems for Removing Water-Formed Deposits
D3264 Withdrawn 2003; Specification for Industrial Grade Aniline
D3265-13a Test Method for Carbon Black—Tint Strength, **09.01**
D3266-91(2011) Test Method for Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), **11.07**
D3267-12 Test Method for Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), **11.07**
D3268-91(2011) Test Method for Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), **11.07**
D3269 Withdrawn 2010; Test Methods for Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Manual Procedures)
D3270-13 Test Methods for Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Semiautomated Method), **11.07**
D3271-87(2012) Practice for Direct Injection of Solvent-Reducible Paints Into a Gas Chromatograph for Solvent Analysis, **06.01**
D3272 Withdrawn 2008; Practice for Vacuum Distillation of Solvents From Solvent-Reducible Paints For Analysis
D3273-12 Test Method for Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, **06.01**
D3274-09(2013) Test Method for Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, **06.01**
D3275-08(2013) Classification System for E-CTFE-Fluoroplastic Molding, Extrusion, and Coating Materials, **08.02**
D3276-07 Guide for Painting Inspectors (Metal Substrates), **06.02**
D3277 Withdrawn 2010; Test Methods for Moisture Content of Oil-Impregnated Cellulosic Insulation
D3278-96(2011) Test Methods for Flash Point of Liquids by Small Scale Closed-Cup Apparatus, **06.01**
D3279-12 Test Method for n-Heptane Insolubles, **04.03**
D3280-85(2009) Test Methods for Analysis of White Zinc Pigments, **06.03**
D3281 Withdrawn 1995; Test Method for Formability of Attached Organic Coatings with Impact-Wedge Bend Apparatus
D3282-09 Practice for Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes, **04.08**
D3283-98(2012) Specification for Air as an Electrical Insulating Material, **10.03**
D3284-05(2011) Practice for Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, **10.03**
D3285 Withdrawn 2010; Test Method for Water Absorptiveness of Nonbibulous Paper and Paperboard (Cobb Test)
D3286 Withdrawn 2000; Test Method for Gross Calorific Value of Coal and Coke by the Isoperibol Bomb Calorimeter; Replaced by D5865
D3287 Withdrawn 1991; Specification for Biaxially Oriented Polyethylene (PEO) Plastic Pipe (SDR-PR) Based on Controlled Outside Diameter
D3288/D3288M-08 Test Methods for Magnet-Wire Enamels, **10.02**
D3289-08 Test Method for Density of Semi-Solid and Solid Bituminous Materials (Nickel Crucible Method), **04.03**
D3290 Withdrawn 2010; Specification for Bond and Ledger Papers for Permanent Records
D3291-11 Practice for Compatibility of Plasticizers in Poly(Vinyl Chloride) Plastics Under Compression, **08.02**
D3292 Withdrawn 1982; Recommended Practice for Powder Flow Measurement of TFE-Fluorocarbon Molding and Extrusion Materials
D3293 Withdrawn 1997; Specification for PTFE Resin Molded Sheet; Replaced by D3294
D3294-09 Specification for Polytetrafluoroethylene (PTFE) Resin Molded Sheet and Molded Basic Shapes, **08.02**
D3295-06(2011) Specification for PTFE Tubing, Miniature Beading and Spiral Cut Tubing, **08.02**
D3296-14 Specification for FEP-Fluorocarbon Tube, **08.02**
D3297 Withdrawn 1997; Practice for Molding and Machining Tolerances for PTFE Resin Parts
D3298 Withdrawn 1989; Specification for Perforated Styrene-Rubber (SR) Plastic Drain Pipe
D3299-10 Specification for Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, **08.03**
D3300-12 Test Method for Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions, **10.03**
D3301 Withdrawn 2010; Specification for File Folders for Storage of Permanent Records
D3302/D3302M-12 Test Method for Total Moisture in Coal, **05.06**
D3303 Withdrawn 1984; Method for Rapid Gas Chromatographic Estimation of Higher Boiling Homologues of Chlorinated Biphenyls for Capacitor Askarels
D3304 Withdrawn 1993; Method for Analysis of Environmental Materials for Polychlorinated Biphenyls
D3305 Withdrawn 2014; Practice for Sampling Small Gas Volume in a Transformer
D3306-14 Specification for Glycol Base Engine Coolant for Automobile and Light-Duty Service, **15.05**
D3307-10 Specification for Perfluoroalkoxy (PFA)-Fluorocarbon Resin Molding and Extrusion Materials, **08.02**
D3308-12 Specification for PTFE Resin Skived Tape, **08.02**
D3309 Withdrawn 2010; Specification for Polybutylene (PB) Plastic Hot- and Cold-Water Distribution Systems
D3310-00(2014) Test Method for Determining Corrosivity of Adhesive Materials, **15.06**
D3311-11 Specification for Drain, Waste, and Vent (DWV) Plastic Fittings Patterns, **08.04**
D3312-04(2013) Test Method for Percent Reactive Monomer in Solventless Varnishes, **10.02**
D3313-12 Test Method for Carbon Black—Individual Pellet Hardness, **09.01**
D3314-02(2012) Test Method for Rubber—Chemical Analysis for Polystyrene Blocks In SBR (Styrene-Butadiene Rubber) and Styrene-Reinforced Latices, **09.01**
D3315 Withdrawn 1989; Test Method for Radioactive Zirconium in Water
D3316-06(2011) Test Method for Stability of Perchloroethylene with Copper, **15.05**
D3317 Withdrawn 1986; Specification for High Modulus, Organic Yarn and Roving
D3318 Withdrawn 1984; Specification for Woven Cloth from High Modulus Organic Fiber
D3319-11 Practice for the Accelerated Polishing of Aggregates Using the British Wheel, **04.03**
D3320 Withdrawn 2013; Specification for Emulsified Coal-Tar Pitch (Mineral Colloid Type)
D3321-13 Test Method for Use of the Refractometer for Field Test Determination of the Freezing Point of Aqueous Engine Coolants, **15.05**
D3322-82(2011) Practice for Testing Primers and Primer Surfacers Over Preformed Metal, **06.02**
D3323 Withdrawn 1993; Guide for Testing Interior Solvent-Thinned Flat Wall Paints; Replaced by D5146

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D3324 Withdrawn 2003; Practice for Carbon Black—Improving Test Reproducibility Using ASTM Standard Reference Blacks; Replaced by D4821
D3325-90(2013) Practice for Preservation of Waterborne Oil Samples, **11.02**
D3326-07(2011) Practice for Preparation of Samples for Identification of Waterborne Oils, **11.02**
D3327 Withdrawn 1994;Test Methods for Analysis of Selected Elements in Waterborne Oils
D3328-06(2013) Test Methods for Comparison of Waterborne Petroleum Oils by Gas Chromatography, **11.02**
D3329-03(2009) Test Method for Purity of Methyl Isobutyl Ketone by Gas Chromatography, **06.04**
D3330/D3330M-04(2010) Test Method for Peel Adhesion of Pressure-Sensitive Tape, **15.10**
D3331 Withdrawn 1985; Method of Test for Assessment of Mechanical-Shock Fragility Using Package Cushioning Materials
D3332-99(2010) Test Methods for Mechanical-Shock Fragility of Products, Using Shock Machines, **15.10**
D3333-07(2012) Practice for Sampling Manufactured Staple Fibers, Sliver, or Tow for Testing, **07.01**
D3334 Withdrawn 1990; Method of Testing Fabrics Woven From Polyolefin Monofilaments
D3335-85a(2009) Test Method for Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, **06.01**
D3336-05(2010) Test Method for Life of Lubricating Greases in Ball Bearings at Elevated Temperatures, **05.01**
D3337 Withdrawn 2009; Test Method for Determining Life and Torque of Lubricating Greases in Small Ball Bearings
D3338/D3338M-09 Test Method for Estimation of Net Heat of Combustion of Aviation Fuels, **05.01**
D3339-12 Test Method for Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, **05.01**
D3340 Withdrawn 2013; Test Method for Lithium and Sodium in Lubricating Greases by Flame Photometer
D3341-05(2011) Test Method for Lead in Gasoline—Iodine Monochloride Method, **05.01**
D3342-90(2012) Test Method for Dispersion Stability of New (Unused) Rolling Oil Dispersions in Water, **05.01**
D3343-05(2010) Test Method for Estimation of Hydrogen Content of Aviation Fuels, **05.01**
D3344-90(2010) Test Method for Total Wax Content of Corrugated Paperboard, **05.01**
D3345-08 Test Method for Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, **04.10**
D3346-12 Test Methods for Rubber Property—Processability of Emulsion SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer (Delta Mooney), **09.01**
D3347 Withdrawn 2003; Test Method for Flow Rate and Tap Density of Electrical Grade Magnesium Oxide For Use in Sheathed Heating Elements
D3348-12 Test Method for Rapid Field Test for Trace Lead in Unleaded Gasoline (Colorimetric Method), **05.01**
D3349-12 Test Method for Absorption Coefficient of Ethylene Polymer Material Pigmented with Carbon Black, **10.02**
D3350-12ε1 Specification for Polyethylene Plastics Pipe and Fittings Materials, **08.02**
D3351 Withdrawn 2000; Test Method for Gel Count of Plastic Film
D3352-08a Test Method for Strontium Ion in Brackish Water, Seawater, and Brines, **11.02**
D3353-10 Test Methods for Fibrous-Insulated Magnet Wire, **10.02**
D3354-11 Test Method for Blocking Load of Plastic Film by the Parallel Plate Method, **08.02**
D3355 Withdrawn 1988; Method of Test for Fiber Content of Unidirectional Fiber-Resin Composites by Electrical Resistivity
D3356 Withdrawn 1992; Specification for Fittings for Bituminized Fiber Drain and Sewer Pipe
D3357 Withdrawn 1991; Test Method for Radioactive Nickel in Water
D3358 Withdrawn 1994; Guide for Testing Water-Borne Floor Paints; Replaced by D5324
D3359-09ε2 Test Methods for Measuring Adhesion by Tape Test, **06.01**
D3360 Withdrawn 2003; Test Method for Particle Size Distribution by Hydrometer of the Common White Extender Pigments
D3361/D3361M-13 Practice for Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, **06.01**
D3362 Withdrawn 2011; Test Method for Purity of Acrylate Esters by Gas Chromatography
D3363-05(2011)ε2 Test Method for Film Hardness by Pencil Test, **06.01**
D3364-99(2011) Test Method for Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications, **08.02**
D3365 Withdrawn 1987; Method of Test for Concentration and Particle Size Distribution of Airborne Particulates Collected in Liquid Media Using an Electronic Counter
D3366 Withdrawn 2012; Test Method for Color of Maleic Anhydride and Phthalic Anhydride in the Molten State and After Heating (Platinum-Cobalt Scale)
D3367-13 Test Method for Plasticizer Sorption of Poly(Vinyl Chloride) Resins Under Applied Centrifugal Force, **08.02**
D3368-14 Specification for FEP-Fluorocarbon Sheet and Film, **08.02**
D3369 Withdrawn 2006; Specification for Polytetrafluoroethylene (PTFE) Resin Cast Film
D3370-10 Practices for Sampling Water from Closed Conduits, **11.01**
D3371 Withdrawn 2002; Test Method for Nitriles in Aqueous Solution by Gas-Liquid Chromatography
D3372-12 Test Method for Molybdenum in Water, **11.01**
D3373-12 Test Method for Vanadium in Water, **11.01**
D3374/D3374M-14 Specification for Vinyl-Coated Glass Yarns, **07.01**
D3375-95a(2007) Test Method for Column Capacity of Particulate Mixed Bed IonExchange Materials, **11.02**
D3376-88(2009) Test Methods of Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, **10.02**
D3377-04(2013) Test Method for Weight Loss of Solventless Varnishes, **10.02**
D3378 Withdrawn 1985; Specification for Asphalt-Saturated and Coated Asbestos Felt Base Sheet Used in Roofing
D3380-10 Test Method for Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, **10.02**
D3381/D3381M-13 Specification for Viscosity-Graded Asphalt Cement for Use in Pavement Construction, **04.03**
D3382-13 Test Methods for Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, **10.02**
D3383 Withdrawn 1993; Guide for Testing Solvent-Thinned Floor Paints; Replaced by D5146
D3384 Withdrawn 1977; Method of Test for Powder Resistance of Floor Polish Films; Replaced by D2048
D3385-09 Test Method for Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, **04.08**
D3386 Withdrawn 2005; Test Method for Coefficient of Linear Thermal Expansion of Electrical Insulating Materials; Replaced by E381
D3387-11 Test Method for Compaction and Shear Properties of Bituminous Mixtures by Means of the U.S. Corps of Engineers Gyratory Testing Machine (GTM), **04.03**
D3388 Withdrawn 1984; Method of Testing Coated Fabrics—Stiffening at Low Temperatures (Torsional Wire Apparatus); Combined with D 1053
D3389-10 Test Method for Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), **09.02**
D3390 Withdrawn 1986; Specification for Rubber Semiconducting Tape
D3391 Withdrawn 1986; Specification for High Voltage Rubber Insulating Tape
D3392 Withdrawn 1984; Recommended Practice for Carbon Black Extractables—Light-Absorption Characteristics
D3393-91(2014) Specification for Coated Fabrics—Waterproofness, **09.02**
D3394-94(2009) Test Methods for Sampling and Testing Electrical Insulating Board, **10.02**
D3395 Withdrawn 2008; Test Methods for Rubber Deterioration—Dynamic Ozone Cracking in a Chamber; Replaced by D1149
D3396 Withdrawn 1990; Recommended Practice for Carbon Black—Measuring the Precision of ASTM Test Methods; Replaced by D4483
D3397 Withdrawn 1989; Method for Triaxial Classification of Base Materials
D3398 Withdrawn 2013; Test Method for Index of Aggregate Particle Shape and Texture
D3399 Withdrawn 2000; Specification for General-Purpose Synthetic Detergent Liquid
D3400 Withdrawn 2001; Specification for Liquid Sodium Silicates
D3401-97(2012) Test Methods for Water in Halogenated Organic Solvents and Their Admixtures, **15.05**
D3402/D3402M-93(2008) Test Method for Tumbler Test for Coke, **05.06**
D3403-07(2011) Test Methods for Rubber—Evaluation of IR (Isoprene Rubber), **09.01**
D3404-91(2013) Guide for Measuring Matric Potential in Vadose Zone Using Tensiometers, **04.08**
D3405 Withdrawn 2002; Specification for Joint Sealants, Hot-Applied, for Concrete and Asphalt Pavements
D3406 Withdrawn 2012; Specification for Joint Sealant, Hot-Applied, Elastomeric-Type, for Portland Cement Concrete Pavements
D3408 Withdrawn 1988; Methods of Testing Joint Sealants, Hot-Poured, Elastomeric-Type, for Portland Cement Concrete Pavements; Replaced by D3583
D3409-93(2008) Test Method for Adhesion of Asphalt-Roof Cement to Damp, Wet, or Underwater Surfaces, **04.04**
D3410/D3410M-03(2008) Test Method for Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading, **15.03**
D3411 Withdrawn 1982; Method of Test for Flammability of Textile Materials
D3412/D3412M-13 Test Method for Coefficient of Friction, Yarn to Yarn, **07.01**
D3413 Withdrawn 1991; Test Method for Lead (Inorganic) in Workplace Atmospheres by Atomic Absorption Spectrometry
D3414-98(2011)ε1 Test Method for Comparison of Waterborne Petroleum Oils by Infrared Spectroscopy, **11.02**
D3415-98(2011) Practice for Identification of Waterborne Oils, **11.02**
D3416 Withdrawn 1993; Test Method for Total Hydrocarbons, Methane, and Carbon Monoxide (Gas Chromatographic Method)
D3417 Withdrawn 2004; Test Method for Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry (DSC); Replaced by D3418
D3418-12ε1 Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry, **08.02**
D3419-12 Practice for In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds, **08.02**
D3420-08a Test Method for Pendulum Impact Resistance of Plastic Film, **08.02**
D3421 Withdrawn 1987; Recommended Practice for Extraction and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Determination of Plasticizer Mixtures from Vinyl Chloride Plastics
D3422 Withdrawn 1985; Method of Test for Toluene Diisocyanate Concentrations in Workplace Atmospheres
D3423/D3423M-84(2011)$^{\epsilon 1}$ Practice for Application of Emulsified Coal-Tar Pitch (Mineral Colloid Type), **04.04**
D3424-11 Practice for Evaluating the Relative Lightfastness and Weatherability of Printed Matter, **06.02**
D3425 Withdrawn 1993; Guide for Testing Solvent-Based Interior Semigloss Wall and Trim Enamels; Replaced by D5146
D3426-97(2012) Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials Using Impulse Waves, **10.02**
D3427-12 Test Method for Air Release Properties of Petroleum Oils, **05.01**
D3428 Withdrawn 1990; Test Method for Torque Stability Wear and Brine Sensitivity Evaluation of Ball Joint Greases
D3429-93(2012) Test Method for Solubility of Fixed Gases in Low-Boiling Liquids, **05.01**
D3430-95(2008) Test Method for Clarity and Yellowness of Liquid Water-Based Clear Floor Polishes, **15.04**
D3431 Withdrawn 1993; Test Method for Trace Nitrogen in Liquid Petroleum Hydrocarbons (Microcoulometric Method)
D3432 Withdrawn 2004; Test Method for Unreacted Toluene Diisocyanates in Urethane Prepolymers and Coating Solutions by Gas Chromatography
D3433-99(2012) Test Method for Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, **15.06**
D3434-00(2013) Test Method for Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, **15.06**
D3435 Withdrawn 1989; Specification for Plastic Containers (Jerry Cans) for Petroleum Products
D3436 Withdrawn 2005; Practice for Sampling and Handling Aniline
D3437-11 Practice for Sampling and Handling Liquid Cyclic Products, **06.04**
D3438-10 Practice for Sampling and Handling Naphthalene, Maleic Anhydride, and Phthalic Anhydride, **06.04**
D3439 Withdrawn 1995; Test Methods for Assay of Alkaline Cresylate Solutions from Petroleum Sources
D3440-13 Guide for Preparing Specifications for Water-Emulsion Floor Polishes, **15.04**
D3441 Withdrawn 2014; Test Method for Mechanical Cone Penetration Tests of Soil
D3442 Withdrawn 2000; Test Method for Gaseous Tritium Content of the Atmosphere
D3443-00(2010)$^{\epsilon 1}$ Test Method for Chloride in Trichlorotrifluoroethane, **15.05**
D3444-00(2010)$^{\epsilon 1}$ Test Method for Total Acid Number of Trichlorotrifluoroethane, **15.05**
D3445 Withdrawn 1991; Test Method for Nonvolatile Matter in Trichlorotrifluoroethane; Replaced by D2109
D3446 Withdrawn 1993; Test Method for Water Content of Trichlorotrifluoroethane with Karl Fischer Reagent
D3447 Withdrawn 2004; Test Method for Purity of Halogenated Organic Solvents; Replaced by D6806
D3448-10 Test Method for Specific Aqueous Conductance of Trichlorotrifluoroethane, **15.05**
D3449 Withdrawn 1990; Test Method for Sulfur Dioxide in Workplace Atmospheres (Barium Perchlorate Method)
D3450-00(2010)$^{\epsilon 1}$ Test Method for Washability Properties of Interior Architectural Coatings, **06.02**
D3451-06(2012) Guide for Testing Coating Powders and Powder Coatings, **06.02**
D3452-06(2012) Practice for Rubber—Identification by Pyrolysis-Gas Chromatography, **09.01**
D3453-12 Specification for Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications, **08.02**
D3454-11 Test Method for Radium-226 in Water, **11.02**
D3455-11 Test Methods for Compatibility of Construction Material with Electrical Insulating Oil of Petroleum Origin, **10.03**
D3456-86(2012) Practice for Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, **06.01**
D3457 Withdrawn2000; Test Method for Preparation of Methyl Esters from Fatty Acids for Determination of Fatty Acid Composition by Gas-Liquid Chromatography
D3458 Withdrawn 2010; Specification for Copies from Office Copying Machines for Permanent Records
D3459 Withdrawn 2007; Test Method for Humid-Dry Cycling for Coatings on Wood and Wood Products
D3460-07 Specification for White Watermarked and Unwatermarked Bond, Reprographic, and Laser Printer Cut-Sized Office Papers, **15.09**
D3461-97(2012) Test Method for Softening Point of Asphalt and Pitch (Mettler Cup-and-Ball Method), **05.01**
D3462/D3462M-10a Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules, **04.04**
D3463 Withdrawn 1993; Practice for Compression Molding of Specimens of Rigid Acrylonitrile-Butadiene-Styrene (ABS) plastics; Replaced by D4703
D3464-96(2014) Test Method for Average Velocity in a Duct Using a Thermal Anemometer, **11.07**
D3465-14 Test Method for Purity of Monomeric Plasticizers by Gas Chromatography, **08.02**
D3466-06(2011) Test Method for Ignition Temperature of Granular Activated Carbon, **15.01**
D3467-04(2009) Test Method for Carbon Tetrachloride Activity of Activated Carbon, **15.01**
D3468/D3468M-99(2013)$^{\epsilon 1}$ Specification for Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, **04.04**
D3469-97(2007) Test Methods for Measurement of Vertical Downward Forces to Disengage Type IIA Lug-Style Child-Resistant Closures, **15.10**
D3470-97(2007) Test Method for Measurement of Removal Lug Strippage of Type IIA Child-Resistant Closures, **15.10**
D3471 Withdrawn 1994; Test Method for Top-Load-to-Engage Removal Lugs on Type IA Child-Resistant Closures
D3472-97(2007) Test Method for Reverse-Ratchet Torque of Type IA Child-Resistant Closures, **15.10**
D3473 Withdrawn 2001; Test Methods for Lifting Force Required to Remove Certain Child-Resistant Snap Caps
D3474-90(2012) Practice for Calibration and Use of Torque Meters Used in Packaging Applications, **15.10**
D3475-13 Classification of Child-Resistant Packages, **15.10**
D3476 Withdrawn 1991; Test Method for bis (Chloromethyl) Ether (*bis* CME) in Workplace Atmospheres (Gas Chromatography–Mass Spectrometry)
D3477 Withdrawn 2005; Performance Specification for Men's and Boys' Woven Dress Shirt Fabrics; Replaced by D7020
D3478 Withdrawn 1992; Test Method for Chlorinated Phenoxy Acid Herbicides in Water; Replaced by D5317
D3479/D3479M-12 Test Method for Tension-Tension Fatigue of Polymer Matrix Composite Materials, **15.03**
D3480 Withdrawn 1999; Test Methods for Downward Force Required to Open or Activate Child-Resistant Snap-Engagement Packages
D3481-06(2011) Test Method for Manual Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, **15.10**
D3482-07a(2014) Practice for Determining Electrolytic Corrosion of Copper by Adhesives, **15.06**
D3483-14 Test Methods for Accumulated Deposition in a Steam Generator Tube, **11.02**
D3484-06(2010) Test Methods for Rubber—Evaluation of Oil-Extended Solution BR (Polybutadiene Rubber), **09.01**
D3485 Specification for Withdrawn 2011; Smooth-Wall Coilable Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable
D3486 Withdrawn 1995; Practice for Installation of Vulcanizable Rubber Tank Linings and Pipe Linings
D3487-09 Specification for Mineral Insulating Oil Used in Electrical Apparatus, **10.03**
D3488 Withdrawn 1983; Recommended Practice for Rubber—Measuring the Precision of ASTM Test Methods
D3489-11 Test Methods for Microcellular Urethane Materials, **08.02**
D3490 Withdrawn 1997; Specification for Flexible Cellular Materials—Bonded Urethane Foam
D3491 Withdrawn 1997; Test Methods for Vulcanizable Rubber Tank and Pipe Lining
D3492-08 Specification for Rubber Contraceptives (Male Condoms), **09.02**
D3493-13 Test Method for Carbon Black—Oil Absorption Number of Compressed Sample (COAN), **09.01**
D3494 Withdrawn 2000; Specification for Water-Emulsion Floor Polish Remover
D3495-10 Test Method for Hexane Extraction of Leather, **15.04**
D3496 Withdrawn 2010; Practice for Preparation of Bituminous Mixture Specimens for Dynamic Modulus Testing
D3497 Withdrawn 2009; Test Method for Dynamic Modulus of Asphalt Mixtures
D3498-03(2011) Specification for Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, **15.06**
D3499-11 Test Method for Toughness of Wood-Based Structural Panels, **04.10**
D3500-90(2009) Test Methods for Structural Panels in Tension, **04.10**
D3501-05a(2011) Test Methods for Wood-Based Structural Panels in Compression, **04.10**
D3502 Withdrawn 1984; Test Method for Moisture Absorption of Compressed Wood Products
D3503 Withdrawn 1984; Test Method for Swelling and Recovery of Compressed Wood Products Due to Moisture Absorption
D3504 Withdrawn 2012; Specification for Maleic Anhydride
D3505-12$^{\epsilon 1}$ Test Method for Density or Relative Density of Pure Liquid Chemicals, **06.04**
D3506 Withdrawn 1993; Specification for Inhibited Grade Methylene Chloride for Preparing Pentachlorophenol Solutions
D3507 Withdrawn 2008; Test Methods for Penetration of Preservatives in Wood and for Differentiating Between Heartwood and Sapwood
D3508 Withdrawn 1995; Method for Evaluating Water Testing Membrane Filters for Fecal Coliform Recovery
D3509 Withdrawn 1987; Test Method for Electrostatic Field Strength Due to Surface Charges; Replaced by D4470
D3510 Withdrawn 1987; Test Method for Swelling and Recovery of Compressed Wood Products Due to Moisture Absorption
D3511/D3511M-13 Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Brush Pilling Tester, **07.01**
D3512/D3512M-10(2014) Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling Tester, **07.01**
D3513-02(2012) Test Method for Overlength Fiber Content of Manufactured Staple Fiber, **07.01**
D3514/D3514M-10(2014) Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Elastomeric Pad, **07.01**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D3515 Withdrawn 2009; Specification for Hot-Mixed, Hot-Laid Bituminous Paving Mixtures
D3516-89(2011) Test Methods for Ashing Cellulose, **06.03**
D3517-14 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe, **08.03**
D3518/D3518M-13 Test Method for In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate, **15.03**
D3519 Withdrawn 2013; Test Method for Foam in Aqueous Media (Blender Test)
D3520 Withdrawn 2008; Test Method for Quenching Time of Heat-Treating Fluids (Magnetic Quenchometer Method)
D3521-86(2012) Test Method for Surface Wax Coating On Corrugated Board, **05.01**
D3522 Withdrawn 2012; Test Method for Applied Coating Wax and Impregnating (Saturating) Wax in Corrugated Board Facing
D3523-92(2012) Test Method for Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), **05.01**
D3524 Withdrawn 2013; Test Method for Diesel Fuel Diluent in Used Diesel Engine Oils by Gas Chromatography
D3525-04(2010) Test Method for Gasoline Diluent in Used Gasoline Engine Oils by Gas Chromatography, **05.01**
D3526 Not Assigned
D3527-11 Test Method for Life Performance of Automotive Wheel Bearing Grease, **05.01**
D3528-96(2008) Test Method for Strength Properties of Double Lap Shear Adhesive Joints by Tension Loading, **15.06**
D3529M-10 Test Methods for Constituent Content of Composite Prepreg, **15.03**
D3530-97(2008)ε2 Test Method for Volatiles Content of Composite Material Prepreg, **15.03**
D3531/D3531M-11 Test Method for Resin Flow of Carbon Fiber-Epoxy Prepreg, **15.03**
D3532/D3532M-12 Test Method for Gel Time of Carbon Fiber-Epoxy Prepreg, **15.03**
D3533 Withdrawn 2006; Test Method for Rubber—Nitrogen Content
D3534 Withdrawn 2003; Test Method for Polychlorinated Biphenyls (PCBs) in Water
D3535-07a(2013) Test Method for Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, **15.06**
D3536 Withdrawn 1996; Test Method for Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by Liquid Exclusion Chromatography (Gel Permeation Chromatography—GPC); Replaced by D5296
D3537 Withdrawn 1985; Test Method for Tensile Adhesion of Spray-Applied Rigid Urethane Foam in the Field
D3538 Withdrawn 1981; Recommended Practices for Sampling and Handling Cresylic Acid; Replaced by D3852
D3539-11 Test Methods for Evaporation Rates of Volatile Liquids by Shell Thin-Film Evaporometer, **06.01**
D3540-12 Specification for Primary Amyl Acetate, Synthetic (98 % Grade), **06.04**
D3541 Specification for Withdrawn 2011; Specification for 2-Ethylhexyl Acrylate
D3542-08(2013) Specification for Preformed Polychloroprene Elastomeric Joint Seals for Bridges, **04.03**
D3543-93(2008) Test Method for Metal Glide Adhesion, **15.04**
D3544 Withdrawn 2003; Guide for Reporting Test Methods and Results on High Modulus Fibers
D3545-06(2012) Test Method for Alcohol Content and Purity of Acetate Esters by Gas Chromatography, **06.04**
D3546-05(2011) Test Method for Formic Acid in Glacial Acetic Acid, **06.04**
D3547 Withdrawn 2011; Specification for n-Butyl Acrylate
D3548-09 Specification for Ethyl Acrylate, **06.04**
D3549/D3549M-11 Test Method for Thickness or Height of Compacted Bituminous Paving Mixture Specimens, **04.03**
D3550-01(2007) Practice for Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils, **04.08**
D3551-08 Practice for Laboratory Preparation of Soil-Lime Mixtures Using Mechanical Mixer, **04.08**
D3552-12 Test Method for Tensile Properties of Fiber Reinforced Metal Matrix Composites, **15.03**
D3553 Withdrawn 2000; Test Method for Fiber Content by Digestion of Reinforced Metal Matrix Composites
D3554-07(2013) Specification for Track-Resistant Black Thermoplastic High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, **10.02**
D3555-07(2013) Specification for Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, **10.02**
D3556-85(2009) Test Method for Deposition on Glassware During Mechanical Dishwashing, **15.04**
D3557-12 Test Methods for Cadmium in Water, **11.01**
D3558-08 Test Methods for Cobalt in Water, **11.01**
D3559-08 Test Methods for Lead in Water, **11.01**
D3560 Withdrawn 1991; Test Method for Oxygen Demand in Water by Combustion-Infrared Analysis
D3561-11 Test Method for Lithium, Potassium, and Sodium Ions in Brackish Water, Seawater, and Brines by Atomic Absorption Spectrophotometry, **11.02**
D3562-14 Performance Specification for Woven Drycleanable Coat Fabrics, **07.01**
D3563 Withdrawn 1986; Test Method for Concentration and Particle Size Distribution of Particulate Collected in the Alundum Thimble Using a Liquid Media Electronic Counter
D3564-95(2008) Practice for Application of Floor Polishes to Maintain Vinyl Composition Tile or Flooring, **15.04**
D3565 Withdrawn 2007; Test Method for Tableware Pattern Removal by Mechanical Dishwasher Detergents
D3566-03(2009) Practice for Rubber—Determination of Bromine in the Presence of Chlorine by Oxygen Combustion, **09.01**
D3567-97(2011) Practice for Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, **08.03**
D3568-03(2013) Test Methods for Rubber—Evaluation of EPDM (Ethylene Propylene Diene Terpolymers) Including Mixtures With Oil, **09.01**
D3569 Withdrawn 2006; Specification for Joint Sealant, Hot-Applied, Elastomeric, Jet-Fuel-Resistant-Type for Portland Cement Concrete Pavements; Replaced by D7116
D3570 Withdrawn 1986; Test Method for Viscosity of Bituminous Materials With a Sliding Plate Microviscometer
D3571 Withdrawn 2000; Consumer Product Specification for Household Laundry and Dishwasher Water Inlet Hose
D3572 Withdrawn 1997; Consumer Product Specification for Household Laundry and Dishwasher Drain Hose
D3573 Withdrawn 1997; Consumer Product Specification for Sink Spray Hose
D3574-11 Test Methods for Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, **08.02**
D3575-14 Test Methods for Flexible Cellular Materials Made From Olefin Polymers, **08.02**
D3576-04(2010) Test Method for Cell Size of Rigid Cellular Plastics, **08.02**
D3577-09ε1 Specification for Rubber Surgical Gloves, **09.02**
D3578-05(2010) Specification for Rubber Examination Gloves, **09.02**
D3579-77(2010) Specification for Rubber Surgical Drainage Tubes, Penrose-Type, **09.02**
D3580-95(2010) Test Methods for Vibration (Vertical Linear Motion) Test of Products, **15.10**
D3581 Withdrawn 2006; Specification for Joint Sealant, Hot-Applied, Jet-Fuel-Resistant Type, for Portland Cement Concrete and Tar-Concrete Pavements; Replaced by D7116
D3582 Withdrawn 1996; Test Methods for Joint Sealant, Hot-Poured, Jet-Fuel-Resistant Type, for Portland Cement Concrete and Tar-Concrete Pavements; Replaced by D5329
D3583 Withdrawn 1995; Methods of Testing Joint Sealant, Hot-Applied, Elastomeric-Type, for Portland Cement Concrete Pavements, or Joint Sealant, Hot-Applied, Elastomeric, Jet-Fuel-Resistant-Type, for Portland Cement Concrete Pavements; Replaced by D3569, D5329
D3584 Withdrawn 1996; Practice for Indexing Papers and Reports on Soil and Rock for Engineering Purposes
D3585-08(2013) Specification for ASTM Reference Fluid for Coolant Tests, **15.05**
D3586 Withdrawn 1991; Test Method for Chromium in Workplace Atmospheres (Colorimetric Method)
D3587 Withdrawn 1981; Test Method for Tin (Inorganic) in Workplace Atmospheres (Colorimetric Method)
D3588-98(2011) Practice for Calculating Heat Value, Compressibility Factor, and Relative Density of Gaseous Fuels, **05.06**
D3589 Withdrawn 1991; Test Method for Total Nitrogen in Water by Microcoulometry
D3590-11 Test Methods for Total Kjeldahl Nitrogen in Water, **11.02**
D3591-97(2011) Test Method for Determining Logarithmic Viscosity Number of Poly(Vinyl Chloride) (PVC) in Formulated Compounds, **08.02**
D3592 Withdrawn 1989; Recommended Practice for Determining Molecular Weight by Vapor Pressure Osmometry
D3593 Withdrawn 1993; Test Method for Molecular Weight Averages/ Distribution of Certain Polymers by Liquid Size-Exclusion Chromatography (Gel Permeation Chromatography GPC) Using Universal Calibration; Replaced by D5296
D3594-93(2013) Test Method for Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, **08.02**
D3595-14 Specification for Polychlorotrifluoroethylene (PCTFE) Extruded Plastic Sheet and Film, **08.02**
D3596-13 Practice for Determination of Gels (Fisheyes) In General-Purpose Poly(Vinyl Chloride) (PVC) Resins, **08.02**
D3597-02(2013) Performance Specification for Woven Upholstery Fabrics—Plain, Tufted, or Flocked, **07.01**
D3598-89(2009) Test Method for Citrate in Synthetic Detergents, **15.04**
D3599 Withdrawn 1989; Test Method for Feltability of Wool
D3600 Withdrawn 1989; Performance Specification for Men's and Boy's Woven Rainwear and All-Purpose, Water-Repellent Coat Fabrics; Replaced by D3779
D3601 Withdrawn 2013; Test Method for Foam In Aqueous Media (Bottle Test)
D3602 Withdrawn 1994; Test Method for Water Separation Characteristics of Aviation Turbine Fuels; Replaced by D3948
D3603-07 Test Method for Rust-Preventing Characteristics of Steam Turbine Oil in the Presence of Water (Horizontal Disk Method), **05.01**
D3604 Withdrawn 1989; Test Method for Volume Change of Elastomeric Materials in Hydraulic Fluids Under Static Conditions
D3605-00(2011) Test Method for Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, **05.01**
D3606-10 Test Method for Determination of Benzene and Toluene in Finished

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Motor and Aviation Gasoline by Gas Chromatography, **05.01**
D3607-08(2012) Test Method for Removing Volatile Contaminants from Used Engine Oils by Stripping, **05.01**
D3608-95(2011) Test Method for Nitrogen Oxides (Combined) Content in the Atmosphere by the Griess-Saltzman Reaction, **11.07**
D3609-00(2010) Practice for Calibration Techniques Using Permeation Tubes, **11.07**
D3610-00(2010) Test Method for Total Cobalt in Alumina-Base Cobalt-Molybdenum Catalyst by Potentiometric Titration Method, **05.05**
D3611-06(2011) Practice for Accelerated Aging of Pressure-Sensitive Tapes, **15.10**
D3612-02(2009) Test Method for Analysis of Gases Dissolved in Electrical Insulating Oil by Gas Chromatography, **10.03**
D3613 Withdrawn 2007; Practice for Sampling Insulating Liquids for Gas Analysis and Determination of Water Content
D3614-07(2013) Guide for Laboratories Engaged in Sampling and Analysis of Atmospheres and Emissions, **11.07**
D3615 Withdrawn 1993; Test Method for Chemical Resistance of Thermoset Molding Compounds Used in the Manufacture of Molded Fittings
D3616-95(2009) Test Method for Rubber—Determination of Gel, Swelling Index, and Dilute Solution Viscosity, **09.01**
D3617-07 Practice for Sampling and Analysis of Built-Up Roof Systems During Application, **04.04**
D3618-05(2010) Test Method for Detection of Lead in Paint and Dried Paint Films, **06.01**
D3619 Withdrawn 2004; Specification for Aluminum Silicate Pigments (Anhydrous)
D3620-04(2009) Specification for Glacial Acetic Acid, **06.04**
D3621 Withdrawn 1988; Practice for the Determination of Water in Acetate Esters; Replaced by D1364
D3622-11 Specification for 1-Propanol (n-Propyl Alcohol), **06.04**
D3623-78a(2012) Test Method for Testing Antifouling Panels in Shallow Submergence, **06.02**
D3624-85a(2010) Test Method for Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, **06.01**
D3625/D3625M-12 Practice for Effect of Water on Bituminous-Coated Aggregate Using Boiling Water, **04.03**
D3626 Withdrawn 1996; Test Method for Tar Acid Composition by Gas Liquid Chromatography; Replaced by D5310
D3627 Withdrawn 2005; Test Method for Color of Cresylic Acids ("C" Series Standards)
D3628-08 Practice for Selection and Use of Emulsified Asphalts, **04.03**
D3629 Withdrawn 2005; Test Method for Rubber Property—Cut Growth Resistance
D3630 Withdrawn 2001; Guide for Determining Constituents Classified as Hazardous Contained in Protective Coatings
D3631-99(2011) Test Methods for Measuring Surface Atmospheric Pressure, **11.07**
D3632-98(2011) Test Method for Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method, **15.06**
D3633/D3633M-12 Test Method for Electrical Resistivity of Membrane-Pavement Systems, **04.03**
D3634-99(2009) Test Method for Trace Chloride Ion in Engine Coolants, **15.05**
D3635-13 Test Method for Dissolved Copper In Electrical Insulating Oil By Atomic Absorption Spectrophotometry, **10.03**
D3636-13a$^{\epsilon 1}$ Practice for Sampling and Judging Quality of Solid Electrical Insulating Materials, **10.02**
D3637 Withdrawn 1998; Test Methods for Permeability of Bituminous Mixtures
D3638-12 Test Method for Comparative Tracking Index of Electrical Insulating Materials, **10.02**
D3639/D3639M-92(2011)$^{\epsilon 1}$ Test Method for Classification of Asbestos by Quebec Standard Test, **04.05**
D3640 Withdrawn 1995; Guidelines for Emission Control in Solvent Metal-Cleaning Systems
D3641-14 Practice for Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, **08.02**
D3642-13 Test Method for Softening Point of Certain Alkali-Soluble Resins, **15.04**
D3643-10 Test Method for Acid Number of Certain Alkali-Soluble Resins, **15.04**
D3644-06(2012) Test Method for Acid Number of Styrene-Maleic Anhydride Resins, **15.04**
D3645-08 Test Methods for Beryllium in Water, **11.01**
D3646 Withdrawn 1985; Specification for Reinforced and Filled Polyphenylene Sulfide Injection Molding and Extrusion Materials; Replaced by D4067
D3647-09 Practice for Classifying Reinforced Plastic Pultruded Shapes According to Composition, **08.02**
D3648-14 Practices for the Measurement of Radioactivity, **11.02**
D3649-06 Practice for High-Resolution Gamma-Ray Spectrometry of Water, **11.02**
D3650-93(2011) Test Method for Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, **11.02**
D3651-11 Test Method for Barium in Brackish Water, Seawater, and Brines, **11.02**
D3652M Withdrawn 1998; Replaced by D3652/D3652M
D3652/D3652M-01(2012) Test Method for Thickness of Pressure-Sensitive Tapes, **15.10**
D3653 Withdrawn 1984; Test Method for Holding Power of Lineal and Multidirection Filament-Reinforced Pressure-Sensitive Tapes
D3654/D3654M-06(2011) Test Methods for Shear Adhesion of Pressure-Sensitive Tapes, **15.10**
D3655-14 Performance Specification for Men's and Women's Sliver Knitted Overcoat and Jacket Fabrics, **07.01**
D3656/D3656M-13 Specification for Insect Screening and Louver Cloth Woven from, **07.01**
D3657-03(2014) Specification for Zipper Dimensions, **07.01**
D3658-01(2008) Test Method for Determining the Torque Strength of Ultraviolet (UV) Light-Cured Glass/Metal Adhesive Joints, **15.06**
D3659 Withdrawn 2001; Test Method for Flammability of Apparel Fabrics by Semi-Restraint Method
D3660 Withdrawn 1995; Test Method for Staple Length of Man-Made Fibers, Average and Distribution (Fiber Array Method)
D3661 Withdrawn 1994; Test Method for Staple Length of Man-Made Fibers Average and Distribution (Single-Fiber Length Machine Method)
D3662/D3662M Withdrawn 1999; Test Method for Bursting Strength of Pressure-Sensitive Tapes
D3663-03(2008) Test Method for Surface Area of Catalysts and Catalyst Carriers, **05.05**
D3664-04(2009) Specification for Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, **10.02**
D3665-12 Practice for Random Sampling of Construction Materials, **04.03**
D3666-13 Specification for Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials, **04.03**
D3667-05(2010) Specification for Rubber Seals Used in Flat-Plate Solar Collectors, **09.02**
D3668 Withdrawn; Test Method for Bearing Ratio of Laboratory Compacted Soil-Lime Mixtures
D3669 Withdrawn 1985; Test Method for Analysis for Carbon Monoxide Content of the Atmosphere (Manual-Turbidimetric Method)
D3670-91(2014) Guide for Determination of Precision and Bias of Methods of Committee D22, **11.07**
D3671 Withdrawn 1984; Test Method for Xylene Insoluble (XI) Content of Tar and Pitch; Replaced by D4072
D3672 Withdrawn 1991; Specification for Venting Asphalt-Saturated and Coated Inorganic Felt Base Sheet Used in Roofing; Replaced by D4897
D3673-89(2009) Test Methods for Chemical Analysis of Alpha Olefin Sulfonates, **15.04**
D3674 Withdrawn 1999; Test Method for Carbon Black—Relative Extrusion Mass
D3675-14 Test Method for Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, **08.02**
D3676-13 Specification for Rubber Cellular Cushion Used for Carpet or Rug Underlay, **08.02**
D3677-10$^{\epsilon 1}$ Test Methods for Rubber—Identification by Infrared Spectrophotometry, **09.01**
D3678-97(2008)$^{\epsilon 1}$ Specification for Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions, **08.03**
D3679-13 Specification for Rigid Poly(Vinyl Chloride) (PVC) Siding, **08.03**
D3680 Withdrawn 2005; Test MEthod for Residual Vinyl Chloride Monomer Content of Poly(Vinyl Chloride) Resins, Compounds, and Copolymers by Solution Injection Technique
D3681-12$^{\epsilon 1}$ Test Method for Chemical Resistance of "Fiberglass" (Glass–Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, **08.03**
D3682-13 Test Method for Major and Minor Elements in Combustion Residues from Coal Utilization Processes, **05.06**
D3683-11 Test Method for Trace Elements in Coal and Coke Ash by Atomic Absorption, **05.06**
D3684-01(2006) Test Method for Total Mercury in Coal by the Oxygen Bomb, **05.06**
D3685/D3685M-13 Test Methods for Sampling and Determination of Particulate Matter in Stack Gases, **11.07**
D3686-13 Practice for Sampling Atmospheres to Collect Organic Compound Vapors (Activated Charcoal Tube Adsorption Method), **11.07**
D3687-07(2012) Practice for Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, **11.07**
D3688 Withdrawn 1992; Guide for Reporting the Characterization of Smoking Product Atmospheres Used to Expose Biological Systems
D3689/D3689M-07(2013)$^{\epsilon 1}$ Test Methods for Deep Foundations Under Static Axial Tensile Load, **04.08**
D3690-02(2009) Performance Specification for Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, **07.01**
D3691/D3691M-09 Performance Specification for Woven, Lace, and Knit Household Curtain and Drapery Fabrics, **07.01**
D3692-89(2012) Practice for Selection of Zippers for Care-Labeled Apparel and Household Furnishings, **07.01**
D3693-02(2010) Specification for Labeled Length per Holder of Sewing Thread, **07.01**
D3694-96(2011) Practices for Preparation of Sample Containers and for Preservation of Organic Constituents, **11.02**
D3695-95(2013) Test Method for Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, **11.02**
D3696 Withdrawn 2006; Practice for Evaluating an Effluent for Flavor Impairment to Fish Flesh:/i
D3697-12 Test Method for Antimony in Water, **11.01**
D3698-04(2010) Practice for Solvent Vapor Degreasing Operations, **15.05**
D3699-13b Specification for Kerosine, **05.01**
D3700-12 Practice for Obtaining LPG Samples Using a Floating Piston Cylinder, **05.01**
D3701-01(2012) Test Method for Hydrogen Content of Aviation Turbine Fuels

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

by Low Resolution Nuclear Magnetic Resonance Spectrometry, **05.01**
D3702-94(2009) Test Method for Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, **05.01**
D3703-13 Test Method for Hydroperoxide Number of Aviation Turbine Fuels, Gasoline and Diesel Fuels, **05.01**
D3704-96(2012) Test Method for Wear Preventive Properties of Lubricating Greases Using the (Falex) Block on Ring Test Machine in Oscillating Motion, **05.01**
D3705-86(2009) Test Method for Misting Properties of Lubricating Fluids, **05.01**
D3706 Withdrawn 2004; Test Method for Hot Tack of Wax-Polymer Blends by the Flat Spring Test
D3707-89(2010) Test Method for Storage Stability of Water-in-Oil Emulsions by the Oven Test Method, **05.01**
D3708-88(2010) Test Method for Weight of Wax Applied During Curtain Coating Operation, **05.01**
D3709-89(2010) Test Method for Stability of Water-in-Oil Emulsions Under Low to Ambient Temperature Cycling Conditions, **05.01**
D3710-95(2009) Test Method for Boiling Range Distribution of Gasoline and Gasoline Fractions by Gas Chromatography, **05.01**
D3711-95(2009) Test Method for Deposition Tendencies of Liquids in Thin Films and Vapors, **05.02**
D3712-05(2011) Test Method of Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, **05.02**
D3713 Withdrawn 2000; Test Method for Measuring Response of Solid Plastics to Ignition by a Small Flame
D3714 Withdrawn 1994; Test Method for Black Marking Resistance of Floor Polishes as Measured by the Ladder and Pendulum Apparatus
D3715 Withdrawn 1998; Replaced by D3715/D3715M
D3715/D3715M-98(2011) Practice for Quality Assurance of Pressure-Sensitive Tapes, **15.10**
D3716-99(2008) Test Methods for Use of Emulsion Polymers in Floor Polishes, **15.04**
D3717-85a(2010) Test Method for Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, **06.01**
D3718-85a(2010) Test Method for Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, **06.01**
D3719 Withdrawn 2009; Test Method for Quantifying Dirt Collection on Coated Exterior Panels
D3720-90(2011) Test Method for Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, **06.03**
D3721-05(2011) Specification for Synthetic Red Iron Oxide Pigment, **06.03**
D3722-05(2011) Specification for Natural Red and Brown Iron Oxide Pigments, **06.03**
D3723-05(2011) Test Method for Pigment Content of Water-Emulsion Paints by Low-Temperature Ashing, **06.01**
D3724-01(2012) Specification for Synthetic Brown Iron Oxide Pigment, **06.03**
D3725 Withdrawn 2007; Test Method for Semiquantitative Determination of Fish Oil in Drying Oils and Drying Oil Fatty Acids by Gas-Liquid Chromatography
*D3726 Withdrawn 1987; Specification for n–*Butyl Acetate (99.5 % grade); Replaced by D4615
D3727 Withdrawn 1987; Specification for Ethyl Acetate (99.5 % grade); Replaced by D4614
D3728-08(2012) Specification for 2-Ethoxyethyl Acetate (99 % Grade), **06.04**
D3729 Withdrawn 1990; Specification for Methyl Ethyl Ketone (99.5 % grade) for Urethane Coatings; Replaced by D740
D3730-10 Guide for Testing High-Performance Interior Architectural Wall Coatings, **06.02**
D3731-87(2012) Practices for Measurement of Chlorophyll Content of Algae in Surface Waters, **11.02**
D3732-82(2011) Practice for Reporting Cure Times of Ultraviolet-Cured Coatings, **06.02**
D3733 Withdrawn 2007; Test Method for Silicon Content of Silicone Polymers and Silicone-Modified Alkyds by Atomic Absorption
D3734-05(2010) Specification for High-Flash Aromatic Naphthas, **06.04**
D3735-07(2012) Specification for VM&P Naphthas, **06.04**
D3736 Withdrawn 1985; Test Method for Operating Characteristics of Reverse-Osmosis Devices; Replaced by D4194
D3737-12 Practice for Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), **04.10**
D3738-84(2010) Specification for Rubber-Coated Cloth Hospital Sheeting, **09.02**
D3739-06(2010) Practice for Calculation and Adjustment of the Langelier Saturation Index for Reverse Osmosis, **11.02**
D3740-12a Practice for Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction, **04.08**
D3741-00(2010) Test Methods for Appearance of Admixtures Containing Halogenated Organic Solvents, **15.05**
D3742 Withdrawn 2003; Test Method for 1,1,1-Trichloroethane Content; Replaced by D6806
D3743 Withdrawn 2004; Terminology Relating to Bridge Deck and Substructure Protection
D3744/D3744M-11a Test Method for Aggregate Durability Index, **04.03**
D3745-95(2006) Practice for Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), **04.04**
D3746-85(2008) Test Method for Impact Resistance of Bituminous Roofing Systems, **04.04**
D3747-79(2007) Specification for Emulsified Asphalt Adhesive for Adhering Roof Insulation, **04.04**
D3748-14 Practice for Evaluating High-Density Rigid Cellular Plastics, **08.02**
D3749-13 Test Method for Residual Vinyl Chloride Monomer in Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique, **08.02**
D3750 Withdrawn 1992; Practice for Determination of Number-Average Molecular Weight of Polymers by Membrane Osmometry
D3751/D3751M-10 Practice for Evaluation of Furniture Polish, **15.04**
D3752-98(2011) Test Method for Strength Imparted by Asbestos to a Cementitious Matrix, **04.05**
D3753-12$^{\epsilon 1}$ Specification for Glass-Fiber-Reinforced Polyester Manholes and Wetwells, **08.03**
D3754-14 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe, **08.03**
D3755 Withdrawn 2013; Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials Under Direct-Voltage Stress
D3756-97(2010) Test Method for Evaluation of Resistance to Electrical Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, **10.02**
D3757-89(2010) Guide for Preparing Specifications for Solvent-based Floor Polishes, **15.04**
D3758-95(2010) Practice for Evaluation of Spray-Buff Products on Test Floors, **15.04**
D3759M Withdrawn 1998; Replaced by D3759/D3759M
D3759/D3759M-05(2011) Test Method for Breaking Strength and Elongation of Pressure-Sensitive Tape, **15.10**
D3760-13 Test Method for Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, **06.04**
D3761-10 Test Method for Total Fluorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, **05.06**
D3762-03(2010) Test Method for Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), **15.06**
D3763-10$^{\epsilon 1}$ Test Method for High Speed Puncture Properties of Plastics Using Load and Displacement Sensors, **08.02**
D3764-13 Practice for Validation of the Performance of Process Stream Analyzer Systems, **05.02**
D3765 Withdrawn 2007; Test Method for Carbon Black—CTAB (Cetyltrimethylammonium Bromide) Surface Area
D3766-08(2013) Terminology Relating to Catalysts and Catalysis, **05.05**
D3767-03(2008) Practice for Rubber—Measurement of Dimensions, **09.01**
D3768-11 Test Method for Microcellular Urethanes—Flexural Recovery, **08.02**
D3769-10 Test Method for Microcellular Urethanes—High-Temperature Sag, **08.02**
D3770 Withdrawn 1998; Specification for Flexible Cellular Materials—High Resilience Polyurethane Foam (HR) and Combustion Modified High Resilience (CMHR) Polyurethane Foam
D3771-03(2007) Specification for Rubber Seals Used in Concentrating Solar Collectors, **09.02**
D3772-01(2010) Specification for Natural Rubber Finger Cots, **09.02**
D3773/D3773M-10(2014) Test Methods for Length of Woven Fabric, **07.01**
D3774-96(2012) Test Method for Width of Textile Fabric, **07.01**
D3775-12 Test Method for Warp (End) and Filling (Pick) Count of Woven Fabrics, **07.01**
D3776/D3776M-09a(2013) Test Methods for Mass Per Unit Area (Weight) of Fabric, **07.01**
D3777 Withdrawn 2008; Practice for Writing Specifications for Textiles
D3778 Withdrawn 1999; Performance Specification for Women's and Girls' Drycleanable Woven Dress Coat Fabrics; Replaced by D3562
D3779 Withdrawn 2005; Performance Specification for Women's and Girls' Woven Rainwear and All-Purpose, Water-Repellant Coat Fabric; Replaced by D7017
D3780-14 Performance Specification for Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, **07.01**
D3781 Withdrawn 2005; Performance Specification for Men's and Boys' Knitted Rainwear and All-Purpose, Water-Repellent Coat Fabrics; Replaced by D7017
D3782-14 Performance Specification for Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, **07.01**
D3783 Withdrawn 2011; Performance Specification for Woven Flat Lining Fabrics for Men's and Boys' Apparel
D3784 Withdrawn 2005; Performance Specification for Men's and Boys' Woven Bathrobe and Dressing Gown Fabrics; Replaced by D7021
D3785-14 Performance Specification for Woven Necktie and Scarf Fabrics, **07.01**
D3786/D3786M-13 Test Method for Bursting Strength of Textile Fabrics—Diaphragm Bursting Strength Tester Method, **07.01**
D3787-07(2011) Test Method for Bursting Strength of Textiles—Constant-Rate-of-Traverse (CRT) Ball Burst Test, **07.01**
D3788 Withdrawn 1997; Practice to Indicate Direction of Spray From a Can of Consumer Spray Paint
D3789 Withdrawn 1997; Practice for Labeling Cans of Consumer Spray Paint
D3790-79(2012) Test Method for Volatile Matter (Moisture) of Leather by Oven Drying, **15.04**
D3791/D3791M-11 Practice for Evaluating the Effects of Heat on Asphalts, **04.04**
D3792-05(2009) Test Method for Water Content of Coatings by Direct Injection Into a Gas Chromatograph, **06.01**
D3793 Withdrawn 2012; Test Method for Low-Temperature Coalescence of Latex Paint Films by Porosity Measurement

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D3794-13 Guide for Testing Coil Coatings, **06.02**
D3795-00a(2012) Test Method for Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, **08.02**
D3796-09 Practice for Calibration of Type S Pitot Tubes, **11.07**
D3797-05 Test Method for Analysis of, **06.04**
D3798 Withdrawn 2009; Test Method for Analysis of p-Xylene by Gas Chromatography; Replaced by D7504
D3799 Withdrawn 2000; Test Method for Purity of Styrene by Freezing Point Method
D3800M-11 Test Method for Density of High-Modulus Fibers, **15.03**
D3801-10 Test Method for Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, **08.02**
D3802-10 Test Method for Ball-Pan Hardness of Activated Carbon, **15.01**
D3803-91(2009) Test Method for Nuclear-Grade Activated Carbon, **15.01**
D3804-02(2008) Test Method for Iron in Paint Driers by EDTA Method, **06.01**
D3805/D3805M-97(2009) Guide for Application of Aluminum-Pigmented Asphalt Roof Coatings, **04.04**
D3806-98(2011) Test Method of Small-Scale Evaluation of Fire-Retardant Paints (2-Foot Tunnel Method), **06.01**
D3807-98(2012) Test Method for Strength Properties of Adhesives in Cleavage Peel by Tension Loading (Engineering Plastics-to-Engineering Plastics), **15.06**
D3808-01(2013) Test Method for Qualitative Determination of Adhesion of Adhesives to Substrates by Spot Adhesion, **15.06**
D3809-01(2006) Test Methods for Synthetic Dielectric Fluids For Capacitors, **10.03**
D3810-97(2007) Test Method for Minimum Application Torque of Type IA Child-Resistant Closures, **15.10**
D3811/D3811M-96(2011) Test Method for Unwind Force of Pressure-Sensitive Tapes, **15.10**
D3812 Withdrawn 1984; Test Method for Impact Resistance of Pressure-Sensitive Tapes
D3813 Withdrawn 1998; Replaced by D3813/D3813M
D3813/D3813M-98(2012)$^{\epsilon 1}$ Test Method for Curling, Twisting, and Tubing on Unwind of Pressure-Sensitive Tapes, **15.10**
D3815/D3815M-05(2011) Practice for Accelerated Weathering of Pressure-Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus, **15.10**
D3816/D3816M-96(2012) Test Method for Water Penetration Rate of Pressure-Sensitive Tapes, **15.10**
D3817 Withdrawn 1995; Test Method for Maturity Index of Cotton Fibers by the Fibrograph Method
D3818 Withdrawn 1999; Test Method for Linear Density and Maturity Index of Cotton Fibers (IIC-Shirley Fineness/Maturity Tester)
D3819 Withdrawn 2005; Performance Specification for Men's and Boys' Woven Pajama Fabrics; Replaced by D7021
D3820 Withdrawn 2005; Performance Specification for Men's and Boys' Woven Underwear Fabrics; Replaced by D7019
D3821 Withdrawn 1994; Performance Specification for Woven Terry Household Kitchen And Bath Towel Fabrics; Replaced by D5433
D3822/D3822M-14 Test Method for Tensile Properties of Single Textile Fibers, **07.01**
D3823-07(2012) Practice for Determining Ticket Numbers for Sewing Threads, **07.01**
D3824-12 Test Methods for Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, **11.07**
D3825-09 Test Method for Dynamic Surface Tension by the Fast-Bubble Technique, **05.02**
D3826-98(2013) Practice for Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test, **08.02**
D3827-92(2012) Test Method for Estimation of Solubility of Gases in Petroleum and Other Organic Liquids, **05.02**
D3828-12a Test Methods for Flash Point by Small Scale Closed Cup Tester, **05.02**
D3829-12 Test Method for Predicting the Borderline Pumping Temperature of Engine Oil, **05.02**
D3830 Withdrawn 1994; Practice for Filter Membrane Color Ratings of Aviation Turbine Fuels; Replaced by D2276
D3831-12 Test Method for Manganese in Gasoline By Atomic Absorption Spectroscopy, **05.02**
D3832-79(2011) Specification for Rubber Seals Contacting Liquids in Solar Energy Systems, **09.02**
D3833/D3833M-96(2011) Test Method for Water Vapor Transmission of Pressure-Sensitive Tapes, **15.10**
D3834 Withdrawn 1998; Test Method for Purity of Vinyl Chloride Monomer by Gas Chromatography
D3835-08 Test Method for Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, **08.02**
D3836-13 Practice for Evaluation of Automotive Polish, **15.04**
D3837-95(2012) Practice for Preparing a Solution of Alkali–Soluble Resins, **15.04**
D3838-05(2011) Test Method for pH of Activated Carbon, **15.01**
D3839-08 Guide for Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, **08.03**
D3840-14 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, **08.03**
D3841-97(2008)$^{\epsilon 1}$ Specification for Glass-Fiber-Reinforced Polyester Plastic Panels, **08.03**
D3842 Withdrawn 1995; Guide for Selection of Test Methods for Coatings for Use in Light-Water Nuclear Power Plants; Replaced by D5144
D3843-00(2008) Practice for Quality Assurance for Protective Coatings Applied to Nuclear Facilities, **06.02**
D3844 Withdrawn 2013; Guide for Labeling Chlorinated Hydrocarbon Solvent Containers
D3845 Withdrawn 2011; Specification for Glacial Methacrylic Acid
D3846-08 Test Method for In-Plane Shear Strength of Reinforced Plastics, **08.02**
D3847-01(2012) Practice for Rubber—Directions for Achieving Subnormal Test Temperatures, **09.01**
D3848-03(2013) Test Methods for Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Copolymers) Mixed With Carbon Black, **09.01**
D3849-14 Test Method for Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy, **09.01**
D3850-12 Test Method for Rapid Thermal Degradation of Solid Electrical Insulating Materials By Thermogravimetric Method (TGA), **10.02**
D3851-07(2012) Specification for Urethane Microcellular Shoe Soling Materials, **08.02**
D3852-07(2012) Practice for Sampling and Handling Phenol, Cresols, and Cresylic Acid, **06.04**
D3853-12 Terminology Relating to Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, **09.01**
D3854-90(2010) Test Method for Rubber Thread—Resistance to Dry Heat, **09.02**
D3855-84(2010) Test Method for Rubber Thread—Deterioration Due to Standard Washing Solution Treatment, **09.02**
D3856-11 Guide for Management Systems in Laboratories Engaged in Analysis of Water, **11.01**
D3857 Withdrawn 1994; Practice for Measurement of Water Velocity in Open Channels by Acoustic Means; Replaced by D5389
D3858-95(2014) Test Method for Open-Channel Flow Measurement of Water by Velocity-Area Method, **11.01**
D3859-08 Test Methods for Selenium in Water, **11.01**
D3860-98(2008) Practice for Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique, **15.01**
D3861-91(2011) Test Method for Quantity of Water-Extractable Matter in Membrane Filters, **11.02**
D3862-13 Test Method for Retention Characteristics of 0.2-µm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, **11.01**
D3863-87(2011) Test Method for Retention Characteristics of 0.40 to 0.45-µm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, **11.02**
D3864-12 Guide for On-Line Monitoring Systems for Water Analysis, **11.01**
D3865-09 Test Method for Plutonium in Water, **11.02**
D3866-12 Test Methods for Silver in Water, **11.01**
D3867-09 Test Methods for Nitrite-Nitrate in Water, **11.01**
D3868-09 Test Method for Fluoride Ions in Brackish Water, Seawater, and Brines, **11.02**
D3869-09 Test Methods for Iodide and Bromide Ions in Brackish Water, Seawater, and Brines, **11.02**
D3870 Withdrawn 2000; Practice for EstablishingPerformance Characteristics for Colony Counting Methods in Microbiology
D3871-84(2011) Test Method for Purgeable Organic Compounds in Water Using Headspace Sampling, **11.02**
D3872-05(2011) Test Method for Ferrous Iron in Iron Oxides, **06.03**
D3873 Withdrawn 2006; Test Method for Valency State of the Arsenic Component of Ammoniacal Copper Arsenate Solutions
D3874-13 Test Method for Ignition of Materials by Hot Wire Sources, **10.02**
D3875-08 Test Method for Alkalinity in Brackish Water, Seawater, and Brines, **11.02**
D3876-96(2013) Test Method for Methoxyl and Hydroxypropyl Substitution in Cellulose Ether Products by Gas Chromatography, **06.03**
D3877-08 Test Methods for One-Dimensional Expansion, Shrinkage, and Uplift Pressure of Soil-Lime Mixtures, **04.08**
D3878-07(2013) Terminology for Composite Materials, **15.03**
D3879 Withdrawn 2009; Test Method for Sampling Amphibole Asbestos
D3880/D3880M-90(2009)$^{\epsilon 1}$ Test Method for Asbestos Strength Units, **04.05**
D3881 Withdrawn 1987; Specification for Phenolic Transfer- and Injection-Molding Compounds
D3882-08(2012)$^{\epsilon 1}$ Test Method for Bow and Skew in Woven and Knitted Fabrics, **07.01**
D3883-04(2012) Test Method for Yarn Crimp and Yarn Take-up in Woven Fabrics, **07.01**
D3884-09(2013)$^{\epsilon 1}$ Guide for Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method), **07.01**
D3885-07a(2011) Test Method for Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method), **07.01**
D3886-99(2011)$^{\epsilon 1}$ Test Method for Abrasion Resistance of Textile Fabrics (Inflated Diaphragm Apparatus), **07.01**
D3887-96(2008) Specification for Tolerances for Knitted Fabrics, **07.01**
D3888-12 Terminology for Yarn Spinning Systems, **07.01**
D3889/D3889M-96(2012) Test Method for Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, **15.10**
D3890-05(2010) Test Method for Number of Strokes to Prime a Mechanical Pump Dispenser, **15.10**
D3891-08 Practice for Preparation of Glass Panels for Testing Paint, Varnish, Lacquer, and Related Products, **06.01**
D3892-93(2009) Practice for Packaging/Packing of Plastics, **08.02**
D3893-03(2009) Test Method for Purity of Methyl Amyl Ketone and Methyl

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Isoamyl Ketone by Gas Chromatography, **06.04**
D3894 Withdrawn 1994; Test Method for Evaluation of Fire Response of Rigid Cellular Plastics Using a Small Corner Configuration
D3895-07 Test Method for Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, **08.02**
D3896-07(2011) Practice for Rubber From Synthetic Sources—Sampling, **09.01**
D3897-91(2012) Practice for Calculation of Basicity of Chrome Tanning Liquors, **15.04**
D3898-93(2009) Test Method for Chromic Oxide in Basic Chromium Tanning Liquors, **15.04**
D3899 Withdrawn 2002; Specification for Rubber Contraceptives—Vaginal Diaphragms
D3900-05a(2010) Test Methods for Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, **09.01**
D3901 Withdrawn 1997; Specification for Garden Hose, Consumer Product
D3902-90(2012) Test Method for Rubber Hose for Gas Diffusion of Liquefied Petroleum Gas, **09.02**
D3903-03(2007) Specification for Rubber Seals Used in Air-Heat Transport of Solar Energy Systems, **09.02**
D3904 Withdrawn 1996; Test Method for Oil from Oil Shale (Resource Evaluation by the Fischer Assay Procedure)
D3905 Withdrawn 2000; Specification for Toilet Tissue for Industrial and Institutional Use
D3906-03(2008) Test Method for Determination of Relative X-ray Diffraction Intensities of Faujasite-Type Zeolite-Containing Materials, **05.05**
D3907/D3907M-13 Test Method for Testing Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, **05.05**
D3908-03(2008) Test Method for Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, **05.05**
D3909/D3909M-97b(2012)$^{\epsilon 1}$ Specification for Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules, **04.04**
D3910-11 Practices for Design, Testing, and Construction of Slurry Seal, **04.03**
D3911-08 Test Method for Evaluating Coatings Used in Light-Water Nuclear Power Plants at Simulated Design Basis Accident (DBA) Conditions, **06.02**
D3912-10 Test Method for Chemical Resistance of Coatings and Linings for Use in Nuclear Power Plants, **06.02**
D3913-03(2009) Test Method for Acidity in Basic Chromium Tanning Liquors, **15.04**
D3914-02(2008) Test Method for In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod, **08.02**
D3915-06 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications, **08.02**
D3916-08 Test Method for Tensile Properties of Pultruded Glass-Fiber-Reinforced, **08.02**
D3917-12 Specification for Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes, **08.02**
D3918-11 Terminology Relating to Reinforced Plastic Pultruded Products, **08.02**
D3919-08 Practice for Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, **11.01**
D3920-12 Test Method for Strontium in Water, **11.01**
D3921 Withdrawn 2013; Test Method for Oil and Grease and Petroleum Hydrocarbons in Water
D3922 Withdrawn 1998; Practice for Estimating the Operating Performance of Granular Activated Carbon for Removal of Soluble Pollutants from Water
D3923-08(2014) Practices for Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, **11.02**
D3924-80(2011) Specification for Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, **06.01**
D3925-02(2010) Practice for Sampling Liquid Paints and Related Pigmented Coatings, **06.01**
D3926-05(2011) Test Methods for Percent Solids in Titanium Dioxide Slurries, **06.03**
D3927 Withdrawn 1992; Guide for State and Institutional Purchasing of Paint
D3928-00a(2010) Test Method for Evaluation of Gloss or Sheen Uniformity, **06.02**
D3929-03(2010)$^{\epsilon 1}$ Test Method for Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, **15.06**
D3930-08 Specification for Adhesives for Wood-Based Materials for Construction of Manufactured Homes, **15.06**
D3931-08 Test Method for Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, **15.06**
D3932 Withdrawn 1991; Practice for Control of the Application of Structural Fasteners When Attached by Hot Melt Adhesive
D3933-98(2010) Guide for Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), **15.06**
D3934-90(2007) Test Method for Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus, **06.01**
D3935-09 Specification for Polycarbonate (PC) Unfilled and Reinforced Material, **08.02**
D3936-12 Test Method for Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, **07.01**
D3937-12 Test Method for Crimp Frequency of Manufactured Staple Fibers, **07.01**
D3938-13 Guide for Determining or Confirming Care Instructions for Apparel and Other Textile Products, **07.01**
D3939/D3939M-13 Test Method for Snagging Resistance of Fabrics (Mace), **07.01**
D3940 Withdrawn 1995; Test Method for Bursting Strength (Load) and Elongation of Sewn Seams of Knit or Woven Stretch Textile Fabrics
D3941-90(2007) Test Method for Flash Point by the Equilibrium Method With a Closed-Cup Apparatus, **06.01**
D3942-03(2008) Test Method for Determination of the Unit Cell Dimension of a Faujasite-Type Zeolite, **05.05**
D3943-10 Test Method for Total Molybdenum in Fresh Alumina-Base Catalysts, **05.05**
D3944-12 Test Method for Solidification Point of Petroleum Wax, **05.02**
D3945 Withdrawn 1998; Test Methods for Shear Stability of Polymer-Containing Fluids Using a Diesel Injector Nozzle; Replaced by D6278
D3946 Withdrawn 2004; Test Method for Evaluating the Bacteria Resistance of Water-Dilutable Metalworking Fluids; Replaced by E2275
D3947 Withdrawn 1997; Test Method for Specific Heat of Aircraft Turbine Lubricants by Thermal Analysis; Replaced by E1269
D3948-13 Test Method for Determining Water Separation Characteristics of Aviation Turbine Fuels by Portable Separometer, **05.02**
D3949 Withdrawn 2013; Specification for Coated Glass Fabrics Used for Electrical Insulation
D3950-12a Specification for Strapping, Nonmetallic (and Joining Methods), **15.10**
D3951-10 Practice for Commercial Packaging, **15.10**
D3952 Withdrawn 1997; Specification for Rubber Hose Used in Solar Energy Systems
D3953-13 Specification for Strapping, Flat Steel and Seals, **15.10**
D3954-94(2010) Test Method for Dropping Point of Waxes, **15.04**
D3955-13 Specification for Electrical Insulating Varnishes, **10.02**
D3956-12 Specification for Methane Thermophysical Property Tables, **05.06**
D3957-09 Practices for Establishing Stress Grades for Structural Members Used in Log Buildings, **04.10**
D3958-06(2011) Test Methods for Rubber—Evaluation of BIIR and CIIR (Halogenated Isobutene—Isoprene Rubber), **09.01**
D3959 Withdrawn 2006; Test Method for Rubber- and Plastic-Coated Fabrics—Discoloration Sensitivity to Tobacco Smoke
D3960-05(2013) Practice for Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings, **06.01**
D3961 Withdrawn 2004; Test Method for Trace Quantities of Sulfur in Liquid Aromatic Hydrocarbons by Oxidative Microcoulometry
D3962 Withdrawn 1993; Test Method for Analysis of Styrene by Gas Chromatography; Replaced by D5135
D3963/D3963M-01(2007) Specification for Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, **04.03**
D3964-10 Practice for Selection of Coating Specimens for Appearance Measurements, **06.01**
D3965-11 Classification System and Basis for Specifications for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, **08.02**
D3966/D3966M-07(2013)$^{\epsilon 1}$ Test Methods for Deep Foundations Under Lateral Load, **04.08**
D3967-08 Test Method for Splitting Tensile Strength of Intact Rock Core Specimens, **04.08**
D3968-97(2007) Test Method for Monitoring of Rotational Torque of Type IIIA Child-Resistant Closures, **15.10**
D3969-01(2012) Test Method for Zirconium in Paint Driers by EDTA Method, **06.01**
D3970-05(2011) Test Method for Cerium in Paint Driers by Oxidimetric Determination, **06.01**
D3971-89(2010) Test Method for Dichloromethane-Soluble Matter in Cellulose, **06.03**
D3972-09 Test Method for Isotopic Uranium in Water by Radiochemistry, **11.02**
D3973-85(2011) Test Method for Low-Molecular Weight Halogenated Hydrocarbons in Water, **11.02**
D3974-09 Practices for Extraction of Trace Elements from Sediments, **11.02**
D3975-93(2014) Practice for Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, **11.02**
D3976-92(2010) Practice for Preparation of Sediment Samples for Chemical Analysis, **11.02**
D3977-97(2013)$^{\epsilon 1}$ Test Methods for Determining Sediment Concentration in Water Samples, **11.02**
D3978-04(2012) Practice for Algal Growth Potential Testing with Pseudokirchneriella subcapitata, **11.06**
D3979 Withdrawn 1993; Test Method for Particulate Matter in Trichlorotrifluoroethane
D3980 Withdrawn 1998; Practice for Interlaboratory Testing of Paint and Related Materials
D3981-09a Specification for Polyethylene Films Made from Medium-Density Polyethylene for General Use and Packaging Applications, **08.02**
D3982-08(2014) Specification for Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, **08.03**
D3983-98(2011) Test Method for Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen, **15.06**
D3984-13 Specification for Ethane Thermophysical Property Tables, **05.06**
D3985-05(2010)$^{\epsilon 1}$ Test Method for Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, **15.10**
D3986-11 Test Method for Barium in Brines, Seawater, and Brackish Water by Direct-Current Argon Plasma Atomic Emission Spectroscopy, **11.02**
D3987-12 Practice for Shake Extraction of Solid Waste with Water, **11.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D3988-05(2011) Test Method for Vanadium in Paint Driers by EDTA Method, **06.01**
D3989-01(2012) Test Method for Total Rare Earth Metals in Paint Driers by EDTA Method, **06.01**
D3990-12ε1 Terminology Relating to Fabric Defects, **07.01**
D3991-94(2012)ε1 Specifications for Fineness of Wool or Mohair and Assignment of Grade, **07.01**
D3992-94(2012)ε1 Specifications for Fineness of Wool Top or Mohair Top and Assignment of Grade, **07.01**
D3993 Withdrawn 1994; Performance Specification for Woven, Thermal, Flocked, Nonwoven, and Knitted Household Blanket Fabrics; Replaced by D5432
D3994-14 Performance Specification for Woven Swimwear Fabrics, **07.01**
D3995-14 Performance Specification for Men's and Women's Knitted Career Apparel Fabrics: Dress and Vocational, **07.01**
D3996-14 Performance Specification for Knit Swimwear Fabrics, **07.01**
D3997 Withdrawn 2003; Practice for Preparing Coke Samples for Microscopical Analysis by Reflected Light
D3997/D3997M-97(2009) Practice for Preparing Coke Samples for Microscopical Analysis by Reflected Light, **05.06**
D3998 Withdrawn 1990; Test Method for Pendulum-Impact Resistance of Extrusion Plastometer Extrudates
D3999/D3999M-11ε1 Test Methods for the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus, **04.08**
D4000-13 Classification System for Specifying Plastic Materials, **08.02**
D4001-13 Test Method for Determination of Weight-Average Molecular Weight of Polymers By Light Scattering, **08.02**
D4002-81(2008) Practice for Evaluation of Buffable Shoe Polish, **15.04**
D4003-98(2009) Test Methods for Programmable Horizontal Impact Test for Shipping Containers and Systems, **15.10**
D4004-06(2012) Test Methods for Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, **09.01**
D4005-92(2010) Test Method for Plastic-Coated Fabrics—Completeness of Fusion of PVC Dispersion Coatings, **09.02**
D4006-11(2012)ε1 Test Method for Water in Crude Oil by Distillation, **05.02**
D4007-11ε1 Test Method for Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), **05.02**
D4008-95(2009) Test Method for Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), **15.04**
D4009-92(2011) Guide for Foam Stability of Hand Dishwashing Detergents, **15.04**
D4010 Withdrawn 2000; Specification for Waterless Hand Cleaner
D4011 Withdrawn 2000; Specification for Lotion Soap
D4012-81(2009) Test Method for Adenosine Triphosphate (ATP) Content of Microorganisms in Water, **11.02**
D4013 Withdrawn 2013; Practice for Preparation of Test Specimens of Bituminous Mixtures by Means of Gyratory Shear Compactor
D4014-03(2012) Specification for Plain and Steel-Laminated Elastomeric Bearings for Bridges, **04.03**
D4015-07 Test Methods for Modulus and Damping of Soils by Resonant-Column Method, **04.08**
D4016-08 Test Method for Viscosity of Chemical Grouts by Brookfield Viscometer (Laboratory Method), **04.08**
D4017-02(2008)ε1 Test Method for Water in Paints and Paint Materials by Karl Fischer Method, **06.01**
D4018-11 Test Methods for Properties of Continuous Filament Carbon and Graphite Fiber Tows, **15.03**
D4019 Withdrawn 2002; Test Method for Moisture in Plastics by Coulometric Regeneration of Phosphorus Pentoxide
D4020-11 Specification for Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials, **08.02**
D4021 Withdrawn 1998; Specification for Glass-Fiber-Reinforced Polyester Underground Petroleum Storage Tanks
D4022/D4022M-07(2012)ε1 Specification for Coal Tar Roof Cement, Asbestos Containing, **04.04**
D4023 Withdrawn 2002; Terminology Relating to Humidity Measurements; Replaced by D1356
D4024-12 Specification for Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, **08.03**
D4025-08a(2013) Practice for Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, **11.02**
D4026-06(2012) Test Method for Rubber Latex—Styrene-Butadiene Copolymer—Determination of Residual Styrene, **09.01**
D4027-98(2011) Test Method for Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, **15.06**
D4028/D4028M-13 Specification for Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, **07.01**
D4029/D4029M-10 Specification for Finished Woven Glass Fabrics, **07.01**
D4030/D4030M-09ε1 Specification for Glass Fiber Cord and Sewing Thread, **07.01**
D4031-07(2012) Test Method for Bulk Properties of Textured Yarns, **07.01**
D4032-08(2012) Test Method for Stiffness of Fabric by the Circular Bend Procedure, **07.01**
D4033 Withdrawn 2001; Test Method for Resistance to Yarn Slippage at the Sewn Seam in Upholstery Fabrics (Dynamic Fatigue Method)
D4034 Withdrawn 2001; Test Method for Resistance to Yarn Slippage at the Sewn Seam in Woven Upholstery Fabrics
D4035-14 Performance Specification for Knitted Necktie and Scarf Fabrics, **07.01**
D4036 Withdrawn 1994; Performance Specification for Woven and Knit Household Pillowcase, Bed Sheet, and Crib Sheet Fabrics; Replaced by D5431
D4037-02(2013) Performance Specification for Woven, Knitted, or Flocked Bedspread Fabrics, **07.01**
D4038 Withdrawn 2004; Performance Specification for Women's and Girls' Woven Dress and Blouse Fabrics
D4039-09 Test Method for Reflection Haze of High-Gloss Surfaces, **06.01**
D4040-10 Test Method for Rheological Properties of Paste Printing and Vehicles by the Falling-Rod Viscometer, **06.02**
D4041/D4041M-05(2010)ε1 Practice for Determining Spray Patterns of Mechanical Pump Dispensers, **15.10**
D4042-93(2009) Test Method for Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, **05.02**
D4043-96(2010)ε1 Guide for Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, **04.08**
D4044-96(2008) Test Method for (Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, **04.08**
D4045-04(2010) Test Method for Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, **05.02**
D4046-11 Test Method for Alkyl Nitrate in Diesel Fuels by Spectrophotometry, **05.02**
D4047-13 Test Method for Phosphorus in Lubricating Oils and Additives by Quinoline Phosphomolybdate Method, **05.02**
D4048-10 Test Method for Detection of Copper Corrosion from Lubricating Grease, **05.02**
D4049-06(2011) Test Method for Determining the Resistance of Lubricating Grease to Water Spray, **05.02**
D4050-96(2008) Test Method for (Field Procedure) for Withdrawal and Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, **04.08**
D4051-10 Practice for Preparation of Low-Pressure Gas Blends, **05.02**
D4052-11 Test Method for Density, Relative Density, and API Gravity of Liquids by Digital Density Meter, **05.02**
D4053 Withdrawn 2013; Test Method for Benzene in Motor and Aviation Gasoline by Infrared Spectroscopy; Replaced by D6277
D4054-09 Practice for Qualification and Approval of New Aviation Turbine Fuels and Fuel Additives, **05.02**
D4055-04(2013) Test Method for Pentane Insolubles by Membrane Filtration, **05.02**
D4056-01(2010) Test Method for Estimation of Solubility of Water in Hydrocarbon and Aliphatic Ester Lubricants, **05.02**
D4057-12 Practice for Manual Sampling of Petroleum and Petroleum Products, **05.02**
D4058-96(2011)ε1 Test Method for Attrition and Abrasion of Catalysts and Catalyst Carriers, **05.05**
D4059-00(2010) Test Method for Analysis of Polychlorinated Biphenyls in Insulating Liquids by Gas Chromatography, **10.03**
D4060-10 Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser, **06.01**
D4061-13 Test Method for Retroreflectance of Horizontal Coatings, **06.01**
D4062-11 Test Method for Leveling of Paints by Draw-Down Method, **06.02**
D4063-99(2009) Specification for Pressboard for Electrical Insulating Purposes, **10.02**
D4064 Withdrawn 2007; Practice for Preservative Treatment of Utility Poles by the Thermal Process
D4065-12 Practice for Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, **08.02**
D4066-13 Classification System for Nylon Injection and Extrusion Materials (PA), **08.02**
D4067-11 Classification System for and Basis for Specification for Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods, **08.02**
D4068-09 Specification for Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane, **08.03**
D4069-95(2008) Specification for Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams, **15.01**
D4070-08 Specification for Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, **04.03**
D4071-84(2011) Practice for Use of Portland Cement Concrete Bridge Deck Water Barrier Membrane Systems, **04.03**
D4072-98(2013) Test Method for Toluene-Insoluble (TI) Content of Tar and Pitch, **05.02**
D4073-06(2013) Test Method for Tensile-Tear Strength of Bituminous Roofing Membranes, **04.04**
D4074/D4074M-11 Test Method for Bitumen and Aggregate Content of Bitumen-Aggregate Mixtures From Roofing Samples, **04.04**
D4075-06(2012) Test Methods for Rubber Compounding Materials—Flame Atomic Absorption Analysis—Determination of Metals, **09.01**
D4076 Withdrawn 1995; Specification for O-Xylene 950; Replaced by D5471
D4077-11 Specification for Cumene (Isopropylbenzene), **06.04**
D4078-02(2008) Specification for Water Emulsion Floor Polish, **15.04**
D4079-00(2011) Specification for Vapor-Degreasing Grade Methylene Chloride, **15.05**
D4080-00(2011) Specification for Trichloroethylene, Technical and Vapor-Degreasing Grade, **15.05**
D4081-00(2011) Specification for Drycleaning-Grade Perchloroethylene, **15.05**
D4082-10 Test Method for Effects of Gamma Radiation on Coatings for Use in Nuclear Power Plants, **06.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D4083-89(2007) Practice for Description of Frozen Soils (Visual-Manual Procedure), **04.08**
D4084-07(2012) Test Method for Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), **05.06**
D4085-93(2013) Test Method for Metals in Cellulose by Atomic Absorption Spectrophotometry, **06.03**
D4086-92a(2012) Practice for Visual Evaluation of Metamerism, **06.01**
D4087 Withdrawn 1984; Method of Sampling Petroleum Products
D4088 Withdrawn 2003; Practice for Preparation for Shipment of Solid Electrical Insulating Materials
D4089 Withdrawn 1986; Specification for Heavy Duty Chlorinated Polyethylene (CPE) Jacket for Wire and Cable
D4090 Withdrawn 1986; Specification for General-Purpose Chlorinated Polyethylene (CPE) Jacket for Wire and Cable
D4091 Withdrawn 1986; Specification for Extra-Heavy-Duty Black Chlorinated Polyethylene (CPE) Jacket for Wire and Cable
D4092-07(2013) Terminology for Plastics: Dynamic Mechanical Properties, **08.02**
D4093-95(2010) Test Method for Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, **08.02**
D4094-07 Test Method for Acid Content of Ethylene-Acrylic Acid Copolymers, **08.02**
D4095-97(2008) Practice for Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes, **15.04**
D4096-91(2009) Test Method for Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), **11.07**
D4097-01(2010) Specification for Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, **08.03**
D4098 Withdrawn 1994; Practice for Evaluating High-Density Rigid Cellular Thermosets
D4099 Withdrawn 1999; Specification for Poly(Vinyl Chloride)(PVC) Prime Windows/Sliding Glass Doors
D4100 Withdrawn 1997; Test Method for Gravimetric Determination of Smoke Particulates from Combustion of Plastic Materials
D4101-14 Specification for Polypropylene Injection and Extrusion Materials, **08.02**
D4102-82(2008) Test Method for Thermal Oxidative Resistance of Carbon Fibers, **15.03**
D4103-90(2009) Practice for Preparation of Substrate Surfaces for Coefficient of Friction Testing, **15.04**
D4104-96(2010)ε1 Test Method (Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), **04.08**
D4105-96(2008) Test Method for (Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, **04.08**
D4106-96(2008) Test Method for (Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, **04.08**
D4107-08(2013) Test Method for Tritium in Drinking Water, **11.02**
D4108 Withdrawn 1996; Test Method for Thermal Protective Performance of Materials for Clothing by Open-Flame Method
D4109 Withdrawn 2011; Performance Specification for Mens' and Boys' Woven Coverall, Dungaree, Overall, and Shop-Coat Fabrics
D4110 Withdrawn 2005; Performance Specification for Men's and Boys' Knitted Bathrobe, Dressing Gown, and Pajama Fabrics; Replaced by D7021
D4111-12 Performance Specification for Woven Napery and Tablecloth Fabrics: Household and Institutional, **07.01**
D4112-02(2008) Performance Specification for Woven Umbrella Fabrics, **07.01**
D4113-02(2013) Performance Specification for Woven Slipcover Fabrics, **07.01**
D4114-14 Performance Specification for Woven Flat Lining Fabrics for Women's and Girls' Apparel, **07.01**
D4115-14 Performance Specification for Women's and Girls' Knitted and Woven Dress Glove Fabrics, **07.01**
D4116-14 Performance Specification for Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, **07.01**
D4117 Withdrawn 2005; Performance Specification for Women's and Girls' Woven Robe, Negligee, Nightgown, Pajama, Slip, and Lingerie Fabrics; Replaced by D7021
D4118-01(2008) Performance Specification for Women's Woven Coverall, Dungaree, Overall, and Shop Coat Fabrics, **07.01**
D4119-14 Performance Specification for Men's and Boys' Knitted Dress Shirt Fabrics, **07.01**
D4120-07(2012) Test Method for Fiber Cohesion in Roving, Sliver, and Top in Dynamic Tests, **07.01**
D4121 Withdrawn 1992; Practice for Photographic Documentation of Coating and Lining Failures and Defects
D4122-10a Practice for Carbon Black—Evaluation of an Industry Reference Black, **09.01**
D4123 Withdrawn 2003; Test Method for Indirect Tension Test for Resilient Modulus of Bituminous Mixtures
D4124-09 Test Method for Separation of Asphalt into Four Fractions, **04.03**
D4125/D4125M-10 Test Methods for Asphalt Content of Bituminous Mixtures by the Nuclear Method, **04.03**
D4126-02(2012) Specification for Vapor-Degreasing Grade and General Solvent Grade, **15.05**
D4127-12 Terminology Used with Ion-Selective Electrodes, **11.01**
D4128-06(2012) Guide for Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, **11.02**
D4129-05(2013) Test Method for Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, **11.02**
D4130-08 Test Method for Sulfate Ion in Brackish Water, Seawater, and Brines, **11.02**
D4131-84(2014) Practice for Sampling Fish with Rotenone, **11.02**
D4132-82(2012) Practice for Sampling Phytoplankton with Conical Tow Nets, **11.02**
D4133-82(2012) Practice for Sampling Phytoplankton with Pumps, **11.02**
D4134-82(2012) Practice for Sampling Phytoplankton with a Clarke-Bumpus Plankton Sampler, **11.02**
D4135-82(2012) Practice for Sampling Phytoplankton With Depth-Integrating Samplers, **11.02**
D4136-82(2012) Practice for Sampling Phytoplankton with Water-Sampling Bottles, **11.02**
D4137-82(2012) Practice for Preserving Phytoplankton Samples, **11.02**
D4138-07a(2013) Practices for Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, **06.01**
D4139-04(2009) Guide for Determining Volatile and Nonvolatile Content of Pigments, **06.03**
D4140-07(2013) Guide for Determining Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, **06.01**
D4141-07 Practice for Conducting Black Box and Solar Concentrating Exposures of Coatings, **06.01**
D4142-89(2009) Guide for Testing Epoxy Resins, **06.03**
D4143-89(2009) Guide for Testing Latex Vehicles, **06.03**
D4144-94(2010) Test Method for Estimating Package Stability of Coatings for Ultraviolet Curing, **06.01**
D4145-10 Test Method for Coating Flexibility of Prepainted Sheet, **06.02**
D4146-10 Test Method for Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel, **06.02**
D4147-99(2013) Practice for Applying Coil Coatings Using The Wire-Wound Drawdown Bar, **06.02**
D4148-82(2012) Test Method for Analysis of Phytoplankton in Surface Water by the Sedgwick-Rafter Method, **11.02**
D4149-82(2012) Classification for Sampling Phytoplankton in Surface Waters, **11.02**
D4150-08 Terminology Relating to Gaseous Fuels, **05.06**
D4151-10 Test Method for Flammability of Blankets, **07.01**
D4152 Withdrawn 1994; Performance Specification for Woven Institutional Dish, Huck, and Terry Bath Towel Fabrics; Replaced by D5433
D4153-14 Performance Specification for Men's, Women's, and Children's Woven Handkerchief Fabrics, **07.01**
D4154-14 Performance Specification for Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, **07.01**
D4155-14 Performance Specification for Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, **07.01**
D4156-14 Performance Specification for Women's and Girls' Knitted Sportswear Fabrics, **07.01**
D4157-13 Test Method for Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder Method), **07.01**
D4158-08(2012) Guide for Abrasion Resistance of Textile Fabrics (Uniform Abrasion), **07.01**
D4159 Withdrawn 1992; Test Method for Resistance to Yarn Slippage in Woven Upholstery Fabrics—Plain, Tufted, or Flocked (Using a Simulated Seam)
D4160 Withdrawn 1991; Specification for Reinforced Thermosetting Resin Pipe (RTRP) Fittings for Nonpressure Applications; Replaced by D3840
D4161-14 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals, **08.03**
D4162 Withdrawn 1987; Specification for Reinforced Thermosetting Resin Sewer and Industrial Pressure Pipe (RTRP)
D4163 Withdrawn 1987; Specification for Reinforced Thermosetting Resin Pressure Pipe (RTRP)
D4164-03(2008) Test Method for Mechanically Tapped Packing Density of Formed Catalyst and Catalyst Carriers, **05.05**
D4165-06(2012) Test Method for Cyanogen Chloride in Water, **11.02**
D4166 Withdrawn 2008; Test Method for Measurement of Thickness of Nonmagnetic Materials by Means of a Digital Magnetic Intensity Instrument
D4167-97(2007) Specification for Fiber-Reinforced Plastic Fans and Blowers, **08.03**
D4168-95(2008)ε1 Test Methods for Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, **15.10**
D4169-09 Practice for Performance Testing of Shipping Containers and Systems, **15.10**
D4170-10 Test Method for Fretting Wear Protection by Lubricating Greases, **05.02**
D4171-11 Specification for Fuel System Icing Inhibitors, **05.02**
D4172-94(2010) Test Method for Wear Preventive Characteristics of Lubricating Fluid (Four-Ball Method), **05.02**
D4173 Withdrawn 1991; Practice for Evaluating Sheet Metal Forming Lubricant
D4174-89(2010) Practice for Cleaning, Flushing, and Purification of Petroleum Fluid Hydraulic Systems, **05.02**
D4175-09aε4 Terminology Relating to Petroleum, Petroleum Products, and Lubricants, **05.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D4176-04(2009) Test Method for Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), **05.02**
D4177-95(2010) Practice for Automatic Sampling of Petroleum and Petroleum Products, **05.02**
D4178-82(2012) Practice for Calibrating Moisture Analyzers, **05.02**
D4179-11 Test Method for Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, **05.05**
D4180-03(2008) Test Method for Vibratory Packing Density of Formed Catalyst Particles and Catalyst Carriers, **05.05**
D4181 Withdrawn 2005; Classification for Acetal (POM) Molding and Extrusion Materials; Replaced by D6778
D4182 Withdrawn 2010; Practice for Evaluation of Laboratories Using ASTM Procedures in the Sampling and Analysis of Coal and Coke; Replaced by D7448
D4183 Withdrawn 1994; Test Methods for Total Recoverable Phosphorus and Organic Phosphorus in Sediments
D4184 Withdrawn 1987; Specification for Reinforced Thermosetting Resin (RTRP) Sewer Pipe; Replaced by D3262
D4185-06(2011) Practice for Measurement of Metals in Workplace Atmospheres by Flame Atomic Absorption Spectrophotometry, **11.07**
D4186/D4186M-12 Test Method for One-Dimensional Consolidation Properties of Saturated Cohesive Soils Using Controlled-Strain Loading, **04.08**
D4187 Withdrawn 1992; Test Methods for Zeta Potential of Colloids in Water and Waste Water
D4188-13 Practice for Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, **11.01**
D4189-07(2014) Test Method for Silt Density Index (SDI) of Water, **11.01**
D4190-08 Test Method for Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, **11.01**
D4191-08 Test Method for Sodium in Water by Atomic Absorption Spectrophotometry, **11.01**
D4192-08 Test Method for Potassium in Water by Atomic Absorption Spectrophotometry, **11.01**
D4193-08(2013)ε1 Test Method for Thiocyanate in Water, **11.02**
D4194-03(2014) Test Methods for Operating Characteristics of Reverse Osmosis and Nanofiltration Devices, **11.02**
D4195-08(2014) Guide for Water Analysis for Reverse Osmosis and Nanofiltration Application, **11.02**
D4196-05(2011) Test Method for Confirming the Sterility of Membrane Filters, **11.02**
D4197 Withdrawn 1994; Test Methods for Percent Porosity of Membrane Filters
D4198-82(2011) Test Methods for Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, **11.02**
D4199-82(2011) Test Methods for Autoclavability of Membrane Filters, **11.02**
D4200-82(2011) Test Method for Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, **11.02**
D4201 Withdrawn 2005; Test Method for Coliphages in Water
D4202 Withdrawn 1998; Test Method for Thermal Stability of Poly(Vinyl Chloride) (PVC) Resin
D4203-12 Specification for and Basis for Specifications for Styrene-Acrylonitrile (SAN) Injection and Extrusion Materials, **08.02**
D4204-12 Practice for Preparing Plastic Film Specimens for a Round-Robin Study, **08.02**
D4205 Withdrawn 1997; Guide for Flammability and Combustion Testing of Rubber and Rubber-Like Materials; Replaced by D3814
D4206-96(2013) Test Method for Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus, **06.01**
D4207 Withdrawn 1998; Test Method for Sustained Burning of Low-Viscosity Mixtures by the Wick Test
D4208-13 Test Method for Total Chlorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, **05.06**
D4209-07(2013) Practice for Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, **06.01**
D4210 Withdrawn 2002; Practice for Interlaboratory Quality Control Procedures and a Discussion on Reporting Low-Level Data
D4211-82(2012) Classification for Fish Sampling, **11.02**
D4212-10 Test Method for Viscosity by Dip-Type Viscosity Cups, **06.01**
D4213-08(2012) Test Method for Scrub Resistance of Paints by Abrasion Weight Loss, **06.02**
D4214-07 Test Methods for Evaluating the Degree of Chalking of Exterior Paint Films, **06.01**
D4215-07(2013) Specification for Cold-Mixed, Cold-Laid Bituminous Paving Mixtures, **04.03**
D4216-13 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds, **08.02**
D4217-07(2013) Test Method for Gel Time of Thermosetting Coating Powder, **06.02**
D4218-96(2008) Test Method for Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique, **08.02**
D4219-08 Test Method for Unconfined Compressive Strength Index of Chemical-, **04.08**
D4220-95(2007) Practices for Preserving and Transporting Soil Samples, **04.08**
D4221-11 Test Method for Dispersive Characteristics of Clay Soil by Double Hydrometer, **04.08**
D4222-03(2008) Test Method for Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, **05.05**
D4223/D4223M-12 Practice for Preparation of Test Specimens of Asphalt-Stabilized Soils, **04.08**
D4224 Withdrawn 1995; Test Method for Anionic Detergent by Para-Toluidine Hydrochloride; Replaced by D4251
D4225 Withdrawn 2009; Specification for Styrene-Butadiene Sheeting
D4226-11 Test Methods for Impact Resistance of Rigid Poly(Vinyl Chloride) (PVC) Building Products, **08.03**
D4227-05(2012) Practice for Qualification of Coating Applicators for Application of Coatings to Concrete Surfaces, **06.02**
D4228-05(2012) Practice for Qualification of Coating Applicators for Application of Coatings to Steel Surfaces, **06.02**
D4229 Withdrawn 1988; Method for Conducting Static Acute Toxicity Tests on Waste-Waters with Daphnia
D4230-02(2012) Test Method of Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, **11.07**
D4231-14 Practice for Evaluation of Launderable Woven Dress Shirts and Sports Shirts, **07.01**
D4232-14 Performance Specification for Men's and Women's Dress and Vocational Career Apparel Fabrics, **07.01**
D4233 Withdrawn 2005; Performance Specification for Women's and Girls' Knitted and Woven Brassiere Fabrics; Replaced by D7019
D4234 Withdrawn 2005; Performance Specification for Women's and Girls' Knitted Robe, Negligee, Nightgown, Pajama, Slip, and Lingerie Fabrics; Replaced by D7021
D4235-01(2008) Performance Specification for Women's and Girls' Knitted Blouse and Dress Fabrics, **07.01**
D4236-94(2011) Practice for Labeling Art Materials for Chronic Health Hazards, **06.02**
D4237 Withdrawn 1997; Test Methods for Rubber Hose Used for Steam Applications
D4238 Withdrawn 1996; Test Method for Electrostatic Propensity of Textiles
D4239-14 Test Method for Sulfur in the Analysis Sample of Coal and Coke Using High-Temperature Tube Furnace Combustion, **05.06**
D4240 Withdrawn 1995; Test Method for Airborne Asbestos Concentration in Workplace Atmosphere
D4241 Withdrawn 2008; Practice for Design of Gas Turbine Generator Lubricating Oil Systems
D4242-07(2013) Test Method for Inclined Plate Flow for Thermosetting Coating Powders, **06.02**
D4243-99(2009) Test Method for Measurement of Average Viscometric Degree of Polymerization of New and Aged Electrical Papers and Boards, **10.02**
D4244 Withdrawn 2007; Specification for General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Acrylonitrile-Butadiene/Poly(Vinyl Chloride) (NBR/PVC) Jackets for Wire and Cable
D4245-08(2013) Specification for Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, **10.02**
D4246-02(2010) Specification for Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 C Operation, **10.02**
D4247 Withdrawn 2006; Specification for General-Purpose, Black Heavy-Duty, and Black Extra-Heavy-Duty Crosslinked Polychloroprene Jackets for Wire and Cable
D4248 Withdrawn 2008; Practice for Design of Steam Turbine Generator Oil Systems
D4249 Withdrawn 2013; Test Method for Enumeration of Candida albicans in Water
D4250 Withdrawn 2009; Test Method for Water-Holding Capacity of Bibulous Fibrous Products
D4251-89(2009) Test Method for Active Matter in Anionic Surfactants by Potentiometric Titration, **15.04**
D4252-89(2009) Test Methods for Chemical Analysis of Alcohol Ethoxylates and Alkylphenol Ethoxylates, **15.04**
D4253-00(2006) Test Methods for Maximum Index Density and Unit Weight of Soils Using a Vibratory Table, **04.08**
D4254-00(2006)ε1 Test Methods for Minimum Index Density and Unit Weight of Soils and Calculation of Relative Density, **04.08**
D4255/D4255M-01(2007) Test Method for In-Plane Shear Properties of Polymer Matrix Composite Materials by the Rail Shear Method, **15.03**
D4256 Withdrawn 1995;Test Method for Determination of the Decontaminability of Coatings Used in Light-Water Nuclear Power Plants
D4257 Withdrawn 1990; Practice for Design and Use of Safety Alert System for Hazardous Work Locations in the Coatings and Lining Industry
D4258-05(2012) Practice for Surface Cleaning Concrete for Coating, **06.02**
D4259-88(2012) Practice for Abrading Concrete, **06.02**
D4260-05(2012) Practice for Liquid and Gelled Acid Etching of Concrete, **06.02**
D4261-05(2012) Practice for Surface Cleaning Concrete Masonry Units for Coating, **06.02**
D4262-05(2012) Test Method for pH of Chemically Cleaned or Etched Concrete Surfaces, **06.02**
D4263-83(2012) Test Method for Indicating Moisture in Concrete by the Plastic Sheet Method, **06.02**
D4264 Withdrawn 1997; Test Method for Pressure Testing of Assemblies of Rubber-Lined Fire Hose and Rubber Booster Hose in Service on Interior Standpipes
D4265-14 Guide for Evaluating Stain Removal Performance in Home Laundering, **15.04**
D4266-96(2009)ε1 Test Methods for Precoat Capacity of Powdered Ion-Exchange Resins, **11.02**
D4267-07 Specification for Labels for Small-Volume (100 mL or Less) Parenteral Drug Containers, **15.10**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D4268 Withdrawn 2002; Test Methods for Testing Fiber Ropes
D4269 Withdrawn 1992; Test Method for Shorn Pile Mass of Finished Tufted Pile Yarn Floor Covering
D4270 Withdrawn 2009; Guide for Using Existing Practices in Developing and Writing Test Methods
D4271 Withdrawn 2009; Practice for Writing Statements on Sampling in Test Methods for Textiles
D4272-14 Test Method for Total Energy Impact of Plastic Films By Dart Drop, **08.02**
D4273-11 Test Method for Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols, **08.02**
D4274-11 Test Methods for Testing Polyurethane Raw Materials: Determination of Hydroxyl Numbers of Polyols, **08.02**
D4275-09 Test Method for Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene–Vinyl Acetate (EVA) Copolymers By Gas Chromatography, **08.02**
D4276-02(2012) Practice for Confined Area Entry, **15.05**
D4277 Withdrawn 2007; Guide for Testing Amino Resins
D4278 Withdrawn 2006; Practice for Wet Ashing Procedure for Preparing Wood Samples for Inorganic Chemical Analysis
D4279-95(2009) Test Methods for Water Vapor Transmission of Shipping Containers—Constant and Cycle Methods, **15.10**
D4280-12 Specification for Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, **04.03**
D4281 Withdrawn 2012; Test Method for Oil and Grease (Fluorocarbon Extractable Substances) by Gravimetric Determination
D4282-02(2010) Test Method for Determination of Free Cyanide in Water and Wastewater by Microdiffusion, **11.02**
D4283-98(2010) Test Method for Viscosity of Silicone Fluids, **15.04**
D4284-12 Test Method for Determining Pore Volume Distribution of Catalysts and Catalyst Carriers by Mercury Intrusion Porosimetry, **05.05**
D4285-83(2012) Test Method for Indicating Oil or Water in Compressed Air, **06.02**
D4286-08 Practice for Determining Coating Contractor Qualifications for Nuclear Powered Electric Generation Facilities, **06.02**
D4287-00(2010) Test Method for High-Shear Viscosity Using a Cone/Plate Viscometer, **06.01**
D4288-02(2012) Specification for Calcium Borosilicate Pigments, **06.03**
D4289-03(2008) Test Method for Elastomer Compatibility of Lubricating Greases and Fluids, **05.02**
D4290-07(2012) Test Method for Determining the Leakage Tendencies of Automotive Wheel Bearing Grease Under Accelerated Conditions, **05.02**
D4291-04(2013) Test Method for Trace Ethylene Glycol in Used Engine Oil, **05.02**
D4292-10 Test Method for Determination of Vibrated Bulk Density of Calcined Petroleum Coke, **05.02**
D4293-83(2008) Specification for Phosphate Ester Based Fluids for Turbine Lubrication, **05.02**
D4294-10 Test Method for Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, **05.02**
D4295-89(2012) Classification for Rubber Compounding Materials—Zinc Oxide, **09.01**
D4296-83(2009) Practice for Sampling Pitch, **05.02**
D4297-10 Practice for Sampling and Handling Bisphenol A, **06.04**
D4298-04(2010) Guide for Intercomparing Permeation Tubes to Establish Traceability, **11.07**
D4299 Withdrawn 1990; Test Methods for Effect of Bacterial Contamination on Permeance of Adhesive Preparations and Adhesives Films; Replaced by D4300, D4783
D4300-01(2013) Test Methods for Ability of Adhesive Films to Support or Resist the Growth of Fungi, **15.06**
D4301-05(2013) Test Method for Total Chlorine in Epoxy Resins and Compounds, **06.03**
D4302-05(2010) Specification for Artists' Oil, Resin-Oil, and Alkyd Paints, **06.02**
D4303-10 Test Methods for Lightfastness of Pigments Used in Artists' Paints, **06.02**
D4304-13 Specification for Mineral and Synthetic Lubricating Oil Used in Steam or Gas Turbines, **05.02**
D4305 Withdrawn 2010; Test Method for Filter Flow of Aviation Fuels at Low Temperatures
D4306-13 Practice for Aviation Fuel Sample Containers for Tests Affected by Trace Contamination, **05.02**
D4307-99(2010) Practice for Preparation of Liquid Blends for Use as Analytical Standards, **05.02**
D4308-13 Test Method for Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, **05.02**
D4309-12 Practice for Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, **11.01**
D4310-10 Test Method for Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, **05.02**
D4311/D4311M-09 Practice for Determining Asphalt Volume Correction to a Base Temperature, **04.03**
D4312-95a(2010) Test Method for Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), **05.02**
D4313-12 Specification for General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorinated Polyethylene (CM) Jackets For Wire and Cable, **10.02**
D4314-12 Specification for General-Purpose, Heavy-Duty, and Extra-Heavy-Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, **10.02**
D4315-94(2012) Test Methods for Rubber Compounding Material—Zinc Oxide, **09.01**
D4316-95(2010) Specification for Elastomeric Water Bottles, **09.02**
D4317-98(2011) Specification for Polyvinyl Acetate-Based Emulsion Adhesives, **15.06**
D4318-10$^{\epsilon 1}$ Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils, **04.08**
D4319 Withdrawn 2007; Test Method for Distribution Ratios by the Short-Term Batch Method
D4320/D4320M-09 Practice for Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, **04.08**
D4321-09 Test Method for Package Yield of Plastic Film, **08.02**
D4322 Withdrawn 2010; Test Method for Residual Acrylonitrile Monomer Styrene-Acrylonitrile Copolymers and Nitrile Rubber by Headspace Gas Chromatography
D4323-84(2009) Test Method for Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, **11.07**
D4324 Withdrawn 1998; Test Method for Carbon Black, Pelleted-Pellet Attrition; Replaced by D1508
D4325-13 Test Methods for Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, **10.02**
D4326-13 Test Method for Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, **05.06**
D4327-11 Test Method for Anions in Water by Suppressed Ion Chromatography, **11.01**
D4328-08(2013) Practice for Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, **11.02**
D4329-13 Practice for Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, **08.02**
D4330-94(2008) Practice for Evaluation of Fiberglass Boat Polish and Wax, **15.04**
D4331 Withdrawn 1989; Practice for Measuring Effectiveness of Dedusting Agents for Powdered Chemicals
D4332-13 Practice for Conditioning Containers, Packages, or Packaging Components for Testing, **15.10**
D4333/D4333M-05(2010)$^{\epsilon 1}$ Test Method for the Compatibility of Mechanical Pump Dispenser Components, **15.10**
D4334-05(2010) Test Method for the Determination of the Dip Tube Retention of a Mechanical Pump Dispenser, **15.10**
D4335-99(2010) Test Method for Determination of Component Retention of a Mechanical Pump Dispenser, **15.10**
D4336-05(2010) Test Methods for Determination of the Output Per Stroke of a Mechanical Pump Dispenser, **15.10**
D4337-89(2009) Test Methods for Analysis of Linear Detergent Alkylates, **15.04**
D4338-97(2011)$^{\epsilon 1}$ Test Method for Flexibility Determination of Supported Adhesive Films by Mandrel Bend, **15.06**
D4339-01(2013) Test Method for Determination of the Odor of Adhesives, **15.06**
D4340-10 Test Method for Corrosion of Cast Aluminum Alloys in Engine Coolants Under Heat-Rejecting Conditions, **15.05**
D4341 Withdrawn 2005; Test Method for Creep of Hard Rock Core Specimens in Uniaxial Compression at Ambient or Elevated Temperature; Replaced by D7070
D4342 Withdrawn 2003; Practice for Collecting of Benthic Macroinvertebrates with Ponar Grab Sampler
D4343 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Ekman Grab Sampler
D4344 Withdrawn 2003; Practice for Collecting Benthic-Macroinvertebrates with Smith-McIntyre Grab Sampler
D4345 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Van Veen Grab Sampler
D4346 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Okean 50 Grab Sampler
D4347 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Shipek (Scoop) Grab Sampler
D4348 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Holme (Scoop) Grab Sampler
D4349-10 Classification System and Basis for Specification for Polyphenylene Ether (PPE) Materials, **08.02**
D4350-13 Test Method for Corrosivity Index of Plastics and Fillers, **08.02**
D4351 Withdrawn 1992; Test Method for Measuring the Thermal Conductivity of Plastics by the Evaporation-Calorimetric Method
D4352 Withdrawn 2003; Test Method for Determination of Magnetic Material Impurities in Electrical Grade Magnesium Oxide
D4353 Withdrawn 1995; Test Method for Basic Stability of a Mechanical Pump Dispenser and Product
D4354-12 Practice for Sampling of Geosynthetics and Rolled Erosion Control Products(RECPs) for Testing, **04.13**
D4355-07 Test Method for Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, **04.13**
D4356 Withdrawn 2007; Practice for Establishing Consistent Test Method Tolerances
D4357 Withdrawn 2003; Specification for Plastic Laminates Made from Woven-Roving and Woven-Yarn Glass Fabrics
D4358 Withdrawn 2006; Test Method for Lead and Chromium in Air

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Particulate Filter Samples of Lead Chromate Type Pigment Dusts by Atomic Absorption Spectroscopy
D4359-90(2012) Test Method for Determining Whether a Material Is a Liquid or a Solid, **06.01**
D4360-11 Specification for Specification for Methyl n-Amyl Ketone, **06.04**
D4361-10 Test Method for Apparent Tack of Printing Inks and Vehicles by a Three-Roller Tackmeter, **06.02**
D4362-13 Specification for Propane Thermophysical Property Tables, **05.06**
D4363-12 Specification for Thermoplastic Chlorinated Polyethylene (CM) Jacket for Wire and Cable, **10.02**
D4364-13 Practice for Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, **08.02**
D4365-13 Test Method for Determining Micropore Volume and Zeolite Area of a Catalyst, **05.05**
D4366 Withdrawn 2003; Test Methods for Hardness of Organic Coatings by Pendulum Damping Tests; Replaced by ISO 1522
D4367-02(2012) Test Method for Benzene in Hydrocarbon Solvents by Gas Chromatography, **06.04**
D4368 Withdrawn 2005; Guide for Testing Poly(Vinyl Chloride) Resins
D4369 Withdrawn 1999; Specification for Boxed Facial Tissue for Industrial and Institutional Use
D4370-01(2012) Test Methods for Acid and Base Milliequivalent Content of Electrocoat Bath, **06.01**
D4371-06(2012) Test Method for Determining the Washability Characteristics of Coal, **05.06**
D4372 Withdrawn 2002; Specification for Flame-Resistant Materials Used in Camping Tentage
D4373-02(2007) Test Method for Rapid Determination of Carbonate Content of Soils, **04.08**
D4374 *Withdrawn 2013; Test Methods for Cyanides in Water--Automated Methods for Total Cyanide, Weak Acid Dissociable Cyanide, and Thiocyanate*, **11.02**
D4375-96(2011) Practice for Basic Statistics in Committee D19 on Water, **11.01**
D4376-02(2012) Specification for Vapor-Degreasing Grade Perchloroethylene, **15.05**
D4377-00(2011) Test Method for Water in Crude Oils by Potentiometric Karl Fischer Titration, **05.02**
D4378-13 Practice for In-Service Monitoring of Mineral Turbine Oils for Steam, Gas, and Combined Cycle Turbines, **05.02**
D4379 Withdrawn 1987; Test Method for Emulsified Asphalt/Job Aggregate Cold Mix Test; Combined with D 244
D4380-12 Test Method for Density of Bentonitic Slurries, **04.08**
D4381/D4381M-12 Test Method for Sand Content by Volume of Bentonitic Slurries, **04.08**
D4382-12 Test Method for Barium in Water, Atomic Absorption Spectrophotometry, Graphite Furnace, **11.01**
D4383-12 Specification for Plowable, Raised Retroreflective Pavement Markers, **04.03**
D4384 Withdrawn 1995; Test Method for Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymers and Nitrile Rubber by Solution Injection Gas Chromatography
D4385-13 Practice for Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, **08.02**
D4386-95(2008) Practice for Application of Floor Polishes to Maintain Multilayer Composite Tile or Flooring, **15.04**
D4387 Withdrawn 2003; Guide for Selecting Grab Sampling Devices for Collecting Benthic Macroinvertebrates
D4388-13 Specification for Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, **10.02**
D4389/D4389M-04(2010)$^{\epsilon 1}$ Specification for Finished Glass Fabrics Woven From Rovings, **07.01**
D4390 Withdrawn 1994; Practice for the Evaluation of the Performance of Terry Bathroom Products for Household Use; Replaced by D5433
D4391-93a(2013)$^{\epsilon 2}$ Terminology Relating to The Burning Behavior of Textiles, **07.01**
D4392 Withdrawn 1993; Terminology for Statistically Related Terms
D4393/D4393M Withdrawn 2014; Test Method for Strap Peel Adhesion of Reinforcing Cords or Fabrics to Rubber Compounds
D4394-08 Test Method for Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, **04.08**
D4395-08 Test Method for Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, **04.08**
D4396-06 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications, **08.02**
D4397-10 Specification for Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications, **08.02**
D4398-07 Test Method for Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, **08.03**
D4399-05(2011) Test Method for Measuring Electrical Conductivity of Electrocoat Baths, **06.01**
D4400-99(2012)$^{\epsilon 1}$ Test Method for Sag Resistance of Paints Using a Multinotch Applicator, **06.02**
D4401 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates With Petersen Grab Sampler
D4402/D4402M-13 Test Method for Viscosity Determination of Asphalt at Elevated Temperatures Using a Rotational Viscometer, **04.04**
D4403-12 Practice for Extensometers Used in Rock, **04.08**
D4404-10 Test Method for Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, **04.08**
D4405 Withdrawn 2005; Test Method for Creep of Soft Rock Core Specimens in Uniaxial Compression at Ambient or Elevated Temperature; Replaced by D7070
D4406 Withdrawn 2005; Test Method for Creep of Rock Core Specimens in Triaxial Compression at Ambient or Elevated Temperatures; Replaced by D7070
D4407 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates With Orange Peel Grab Sampler
D4408 Withdrawn 1994; Practice for Open Channel Flow Measurement by Acoustic Means; Replaced by D5389
D4409-95(2014) Test Method for Velocity Measurements of Water in Open Channels with Rotating Element Current Meters, **11.01**
D4410-10 Terminology for Fluvial Sediment, **11.01**
D4411-03(2014) Guide for Sampling Fluvial Sediment in Motion, **11.02**
D4412-84(2009) Test Methods for Sulfate-Reducing Bacteria in Water and Water-Formed Deposits, **11.02**
D4413-98(2009)$^{\epsilon 1}$ Test Method for Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), **11.07**
D4414-95(2013) Practice for Measurement of Wet Film Thickness by Notch Gages, **06.01**
D4415 Withdrawn 2011; Test Methods for Determination of Dimer in Acrylic Acid
D4416-09 Specification for Acrylic Acid, **06.04**
D4417-11 Test Methods for Field Measurement of Surface Profile of Blast Cleaned Steel, **06.02**
D4418-00(2011) Practice for Receipt, Storage, and Handling of Fuels for Gas Turbines, **05.02**
D4419-90(2010) Test Method for Measurement of Transition Temperatures of Petroleum Waxes by Differential Scanning Calorimetry (DSC), **05.02**
D4420 Withdrawn 2004; Test Method for Determination of Aromatics in Finished Gasoline by Gas Chromatography; Replaced by D5580
D4421 Withdrawn 2004; Test Method for Volatile Matter in Petroleum Coke
D4422-03(2008) Test Method for Ash in Analysis of Petroleum Coke, **05.02**
D4423-10 Test Method for Determination of Carbonyls in C4 Hydrocarbons, **05.02**
D4424-09 Test Method for Butylene Analysis by Gas Chromatography, **05.02**
D4425-09 Test Method for Oil Separation from Lubricating Grease by Centrifuging (Koppers Method), **05.02**
D4426-01(2013) Test Method for Determination of Percent Nonvolatile Content of Liquid Phenolic Resins Used for Wood Laminating, **15.06**
D4427-13 Classification of Peat Samples by Laboratory Testing, **04.08**
D4428/D4428M-07 Test Methods for Crosshole Seismic Testing, **04.08**
D4429-09a Test Method for CBR (California Bearing Ratio) of Soils in Place, **04.08**
D4430-00(2010) Practice for Determining the Operational Comparability of Meteorological Measurements, **11.07**
D4431 Withdrawn 2000; Specification for Paper Towels for Industrial and Institutional Use
D4432 Withdrawn 2003; Guide for Purchasing Papers Used in Continuous Computer Forms
D4433 Withdrawn 1997; Specification for Flame Resistant Treated Paper and Paperboard
D4434/D4434M-12 Specification for Poly(Vinyl Chloride) Sheet Roofing, **04.04**
D4435-13$^{\epsilon 1}$ Test Method for Rock Bolt Anchor Pull Test, **04.08**
D4436-13$^{\epsilon 1}$ Test Method for Rock Bolt Long-Term Load Retention Test, **04.08**
D4437-08(2013) Practice for Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, **04.13**
D4438-85(2007) Test Method for Particle Size Distribution of Catalytic Material by Electronic Counting, **05.05**
D4439-11 Terminology for Geosynthetics, **04.13**
D4440-08 Test Method for Plastics: Dynamic Mechanical Properties Melt Rheology, **08.02**
D4441-04(2010) Specification for Aqueous Dispersions of Polytetrafluoroethylene, **08.02**
D4442-07 Test Methods for Direct Moisture Content Measurement of Wood and Wood-Base Materials, **04.10**
D4443-13 Test Method for Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography, **08.02**
D4444-13 Test Method for Laboratory Standardization and Calibration of Hand-Held Moisture Meters, **04.10**
D4445-10 Test Method for Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), **04.10**
D4446-08(2012) Test Method for Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, **06.02**
D4447-10 Guide for Disposal of Laboratory Chemicals and Samples, **11.04**
D4448-01(2013) Guide for Sampling Ground-Water Monitoring Wells, **11.04**
D4449-08 Test Method for Visual Evaluation of Gloss Differences Between Surfaces of Similar Appearance, **06.01**
D4450-85(2012) Test Method for Analysis of Zinc Hydroxy Phosphite Pigment, **06.03**
D4451-02(2008) Test Method for Pigment Content of Paints by Low-Temperature Ashing, **06.01**
D4452-06 Practice for X-Ray Radiography of Soil Samples, **04.08**
D4453-11 Practice for Handling of High Purity Water Samples, **11.01**
D4454-85(2009) Test Method for Simultaneous Enumeration of Total and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Respiring Bacteria in Aquatic Systems by Microscopy, **11.02**
D4455-85(2014) Test Method for Enumeration of Aquatic Bacteria by Epifluorescence Microscopy Counting Procedure, **11.02**
D4456-99(2009)$^{\epsilon 1}$ Test Methods for Physical and Chemical Properties of Powdered Ion Exchange Resins, **11.02**
D4457-02(2008) Test Method for Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, **06.01**
D4458-09 Test Method for Chloride Ions in Brackish Water, Seawater, and Brines, **11.02**
D4459-12 Practice for Xenon-Arc Exposure of Plastics Intended for Indoor Applications, **08.02**
D4460-97(2009) Practice for Calculating Precision Limits Where Values are Calculated from Other Test Methods, **04.03**
D4461 Not Assigned
D4462-02(2012) Specification for Zinc Hydroxy Phosphite Pigment, **06.03**
D4463/D4463M-96(2013)$^{\epsilon 1}$ Guide for Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, **05.05**
D4464-10 Test Method for Particle Size Distribution of Catalytic Material by Laser Light Scattering, **05.05**
D4465-05(2010) Performance Specification for Zippers for Dungarees, Jeans and Work Trousers, **07.02**
D4466-02(2012) Terminology Related to Multicomponent Textile Fibers, **07.02**
D4467 Withdrawn 2010; Practice for Interlaboratory Testing of a Textile Test Method That Produces Non-Normally Distributed Data
D4468-85(2011) Test Method for Total Sulfur in Gaseous Fuels by Hydrogenolysis and, **05.06**
D4469-11 Practice for Calculating Percent Asphalt Absorption by the Aggregate in an Asphalt Pavement Mixture, **04.03**
D4470-97(2010) Test Method for Static Electrification, **10.02**
D4471-10 Test Method for Pyridine Bases in Cresylic Acid by Direct Titration, **06.04**
D4472-08(2014) Guide for Recordkeeping for Reverse Osmosis and Nanofiltration Systems, **11.02**
D4473-08 Test Method for Plastics: Dynamic Mechanical Properties: Cure Behavior, **08.02**
D4474 Withdrawn 2008; Classification System for Styrenic Thermoplastic Elastomer Injection Molding and Extrusion Materials (TES)
D4475-02(2008) Test Method for Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, **08.02**
D4476-09 Test Method for Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, **08.02**
D4477-09 Specification for Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, **08.03**
D4478 Withdrawn 1994; Test Methods for Oxygen Uptake
D4479/D4479M-07(2012)$^{\epsilon 1}$ Specification for Asphalt Roof Coatings—Asbestos-Free, **04.04**
D4480 Withdrawn 1999; Test Method for Measuring Surface Wind by Means of Wind Vanes and Rotating Anemometers; Replaced by D5741
D4481-10 Test Method for Total Nickel in Fresh Alumina-Base Catalysts, **05.05**
D4482-11 Test Method for Rubber Property—Extension Cycling Fatigue, **09.01**
D4483-14a Practice for Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries, **09.01**
D4484 Withdrawn 1993; Test Method for Inorganic Particles in Marine Residual Fuel Oils by Selective Centrifugal Separation; Replaced by D5184
D4485-11c Specification for Performance of Active API Service Category Engine Oils, **05.02**
D4486-10 Test Method for Kinematic Viscosity of Volatile and Reactive Liquids, **05.02**
D4487-90(2008) Test Methods for Analysis of Calcium Borosilicate, **06.03**
D4488 Withdrawn 2009; Guide for Testing Cleaning Performance of Products Intended for Use on Resilient Flooring and Washable Walls
D4489-95(2011) Practices for Sampling of Waterborne Oils, **11.02**
D4490-96(2011) Practice for Measuring the Concentration of Toxic Gases or Vapors Using Detector Tubes, **11.07**
D4491-99a(2014)$^{\epsilon 1}$ Test Methods for Water Permeability of Geotextiles by Permittivity, **04.13**
D4492-10 Test Method for Analysis of Benzene by Gas Chromatography, **06.04**
D4493-12 Test Method for Solidification Point of Bisphenol A, **06.04**
D4494-95(2010)$^{\epsilon 1}$ Test Method for Detecting Residual Odor of Drycleaning Grade, **15.05**
D4495-12 Test Method for Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, **08.03**
D4496-13 Test Method for D-C Resistance or Conductance of Moderately Conductive Materials, **10.02**
D4497-10 Test Method for Determining the Open Time of Hot Melt Adhesives (Manual Method), **15.10**
D4498-07 Test Method for Heat-Fail Temperature in Shear of Hot Melt Adhesives, **15.10**
D4499-07 Test Method for Heat Stability of Hot-Melt Adhesives, **15.10**
D4500 Withdrawn 2001; Test Method for Determining Grit, Lumps, or Undissolved Matter in Water-Borne Adhesives
D4501-01(2014) Test Method for Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, **15.06**
D4502-92(2011) Test Method for Heat and Moisture Resistance of Wood-Adhesive Joints, **15.06**
D4503 Withdrawn 2012; Practice for Dissolution of Solid Waste by Lithium Metaborate Fusion
D4504-94(2011) Specification for Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, **15.10**
D4505-12 Specification for Preformed Retroreflective Pavement Marking Tape for Extended Service Life, **04.03**
D4506-13$^{\epsilon 1}$ Test Method for Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, **04.08**
D4507 Withdrawn 1999; Specification for Thermoplastic Polyester (TPES) Materials; Replaced by D5927
D4508-10 Test Method for Chip Impact Strength of Plastics, **08.02**
D4509 Withdrawn 2004; Test Methods fir Determining the 24-Hour Gas (AIR) Space Acetaldehyde Content of Freshly Blown PET Bottles
D4510-05(2009) Test Method for Counting Partial Cleavages in Wool and Other Animal Fibers, **07.02**
D4511-11 Test Method for Hydraulic Conductivity of Essentially Saturated Peat, **04.08**
D4512-03(2013)$^{\epsilon 1}$ Test Method for Vibrated Apparent Packing Density of Fine Catalyst and Catalyst Carrier Particles and Powder, **05.05**
D4513-11 Test Method for Particle Size Distribution of Catalytic Materials by Sieving, **05.05**
D4514-12 Specification for Friction Tape, **10.02**
D4515 Withdrawn 2006; Practice for Estimation of Holding Time for Water Samples Containing Organic Constituents; Replaced by D4841
D4516-00(2010) Practice for Standardizing Reverse Osmosis Performance Data, **11.02**
D4517-04(2009) Test Method for Low-Level Total Silica in High-Purity Water by Flameless Atomic Absorption Spectroscopy, **11.02**
D4518 Withdrawn 2000; Test Methods for Measuring Static Friction of Coating Surfaces
D4519-10 Test Method for On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, **11.01**
D4520-13 Practice for Determining Water Injectivity Through the Use of On-Site Floods, **11.02**
D4521 Withdrawn 2001; Test Method for Coefficient of Static Friction of Corrugated and Solid Fiberboard
D4522-14 Performance Specification for Feather and Down Fillings for Textile Products, **07.02**
D4523 Withdrawn 2003; Terminology Relation to Feather-Filled and Down-Filled Products
D4524-86(2012) Test Method for Composition of Plumage, **07.02**
D4525-13$^{\epsilon 1}$ Test Method for Permeability of Rocks by Flowing Air, **04.08**
D4526-12 Practice for Determination of Volatiles in Polymers by Static Headspace Gas Chromatography, **08.02**
D4527-99(2011) Test Method for Carbon Black—Solvent Extractables, **09.01**
D4528-88(2012) Classification for Rubber Compounding Materials—Sulfur, **09.01**
D4529-01(2011) Test Method for Estimation of Net Heat of Combustion of Aviation Fuels, **05.02**
D4530-11 Test Method for Determination of Carbon Residue (Micro Method), **05.02**
D4531-86(2008) Test Methods for Bulk Density of Peat and Peat Products, **04.08**
D4532-10 Test Method for Respirable Dust in Workplace Atmospheres Using Cyclone Samplers, **11.07**
D4533-11 Test Method for Trapezoid Tearing Strength of Geotextiles, **04.13**
D4534 Withdrawn 2006; Test Method for Benzene Content of Cyclic Products By Gas Chromatography
D4535-13$^{\epsilon 1}$ Test Methods for Measurement of Thermal Expansion of Rock Using Dilatometer, **04.08**
D4536 Withdrawn 2000; Test Method for High-Volume Sampling for Solid Particulate Matter and Determination of Particulate Emissions; Replaced by D6331
D4537-12 Guide for Establishing Procedures to Qualify and Certify Personnel Performing Coating and Lining Work Inspection in Nuclear Facilities, **06.02**
D4538-05$^{\epsilon 1}$ Terminology Relating to Protective Coating and Lining Work for Power Generation Facilities, **06.02**
D4539-10 Test Method for Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), **05.02**
D4540 Withdrawn 1996; Guide for Testing Interior Latex Semigloss and Gloss Paints; Replaced by D5324
D4541-09$^{\epsilon 1}$ Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers, **06.02**
D4542-07 Test Method for Pore Water Extraction and Determination of the Soluble Salt Content of Soils by Refractometer, **04.08**
D4543-08 Practices for Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, **04.08**
D4544-12 Practice for Estimating Peat Deposit Thickness, **04.08**
D4545 Withdrawn 2008; Practice for Determining the Integrity of Factory Seams Used in Joining Manufactured Flexible Sheet Geomembranes
D4546-08 Test Methods for One-Dimensional Swell or Collapse of Cohesive Soils, **04.08**
D4547-09 Guide for Sampling Waste and Soils for Volatile Organic Compounds, **11.04**
D4548-11 Test Method for Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, **11.02**
D4549-11 Classification System and Basis for Specification for Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), **08.02**
D4550 Withdrawn 2004; Classification for Thermoplastic Elastomer-Ether-Ester (TEEE); Replaced by D6835

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D4551-12 Specification for Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, **08.03**
D4552/D4552M-10 Practice for Classifying Hot-Mix Recycling Agents, **04.03**
D4553-08 Test Method for Determining In Situ Creep Characteristics of Rock, **04.08**
D4554-12 Test Method for In Situ Determination of Direct Shear Strength of Rock Discontinuities, **04.08**
D4555-10 Test Method for Determining Deformability and Strength of Weak Rock by an In Situ Uniaxial Compressive Test, **04.08**
D4556 Withdrawn 2003; Guide for Selecting Stream-Net Sampling Devices for Collecting Benthic Macroinvertebrates
D4557 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Surber and Related Type Samplers
D4558 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates With Drift Nets
D4559-99(2010) Test Method for Volatile Matter in Silicone Fluid, **10.03**
D4560 Withdrawn 1999; Specification for Paper Napkins for Industrial and Institutional Use
D4561-11 Practice for Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, **04.03**
D4562-01(2013) Test Method for Shear Strength of Adhesives Using Pin-and-Collar Specimen, **15.06**
D4563-02(2008) Test Method for Determination by Atomic Absorption Spectroscopy of Titanium Dioxide Content of Pigments Recovered From Whole Paint, **06.01**
D4564 Withdrawn 2013; Test Method for Density and Unit Weight of Soil in Place by the Sleeve Method
D4565-10 Test Methods for Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, **10.02**
D4566-08ε1 Test Methods for Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, **10.02**
D4567-03(2013) Test Method for Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, **05.05**
D4568-13 Test Methods for Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, **10.02**
D4569-06(2012) Test Method for Rubber Compounding Materials—Determination of Acidity in Sulfur, **09.01**
D4570-02(2012) Test Method for Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), **09.01**
D4571-06(2012) Test Methods for Rubber Compounding Materials—Determination of Volatile Material, **09.01**
D4572-89(2012) Test Method for Rubber Chemicals—Wet Sieve Analysis of Sulfur, **09.01**
D4573-03(2009) Test Method for Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, **09.01**
D4574-06(2012) Test Methods for Rubber Compounding Materials—Determination of Ash Content, **09.01**
D4575-09 Test Methods for Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers, **09.01**
D4576-08(2013) Test Method for Mold Growth Resistance of Wet Blue, **15.04**
D4577-05(2010) Test Method for Compression Resistance of a Container Under Constant Load, **15.10**
D4578-06(2012) Test Methods for Rubber Chemicals—Determination of Percent Sulfur by Extraction, **09.01**
D4579-00(2012) Practice for Handling an Acid Degreaser or Still, **15.05**
D4580/D4580M-12 Practice for Measuring Delaminations in Concrete Bridge Decks by Sounding, **04.03**
D4581 Withdrawn 2013; Guide for Measurement of Morphologic Characteristics of Surface Water Bodies
D4582-10 Practice for Calculation and Adjustment of the Stiff and Davis Stability Index for Reverse Osmosis, **11.02**
D4583-95(2009) Practice for Carbon Black—Calculation of Process Indexes From an Analysis of Process Control Data, **09.01**
D4584-05(2010) Test Method for Measuring Apparent pH of Electrocoat Baths, **06.01**
D4585/D4585M-13 Practice for Testing Water Resistance of Coatings Using Controlled Condensation, **06.01**
D4586/D4586M-07(2012)ε1 Specification for Asphalt Roof Cement, Asbestos-Free, **04.04**
D4587-11 Practice for Fluorescent UV-Condensation Exposures of Paint and Related Coatings, **06.01**
*D4588 Withdrawn 1991; Guide for Analysis of p–*Xylene; Replaced by D5136
D4589 Withdrawn 2002; Test Method for Nitrobenzene in Aniline
D4590-13 Test Method for Colorimetric Determination of, **06.04**
D4591-07(2012) Test Method for Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry, **08.02**
D4592-12 Specification for Preformed Retroreflective Pavement Marking Tape for Limited Service Life, **04.03**
D4593 Not Assigned
D4594-96(2009) Test Method for Effects of Temperature on Stability of Geotextiles, **04.13**
D4595-11 Test Method for Tensile Properties of Geotextiles by the Wide-Width Strip Method, **04.13**
D4596-09 Practice for Collection of Channel Samples of Coal in a Mine, **05.06**
D4597-10 Practice for Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, **11.07**
D4598 Withdrawn 1995; Practice for Sampling Workplace Atmospheres to Collect Gases or Vapors with Liquid Sorbent Diffusional Samplers
D4599-03(2009)ε1 Practice for Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, **11.07**
D4600-95(2010) Test Method for Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, **11.07**
D4601/D4601M-04(2012)ε1 Specification for Asphalt-Coated Glass Fiber Base Sheet Used in Roofing, **04.04**
D4602-93(2008) Guide for Nondestructive Testing of Pavements Using Cyclic-Loading Dynamic Deflection Equipment, **04.03**
D4603-03(2011)ε1 Test Method for Determining Inherent Viscosity of Poly(Ethylene Terephthalate) (PET) by Glass Capillary Viscometer, **08.02**
D4604 Withdrawn 2001; Test Methods for Measurement of Cotton Fibers by High Volume Instruments (HVI) (Motion Control Fiber Information System)
D4605 Withdrawn 1995; Test Methods for Measurement of Cotton Fibers by High Volume Instruments (HVI) (Spinlab System of Zellweger Uster, Inc.)
D4606-03(2007) Test Method for Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, **05.06**
D4607-94(2011) Test Method for Determination of Iodine Number of Activated Carbon, **15.01**
D4608-89(2009) Test Method for Citrate in Detergents, **15.04**
D4609-08 Guide for Evaluating Effectiveness of Admixtures for Soil Stabilization, **04.08**
D4610-98(2013) Guide for Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, **06.01**
D4611-08 Test Method for Specific Heat of Rock and Soil, **04.08**
D4612-08 Practice for Calculating Thermal Diffusivity of Rocks, **04.08**
D4613 Withdrawn 2005; Test Method for Measuring Apparent pH of Water Insoluble Phenol-Formaldehyde Resins
D4614-11 Specification for Ethyl Acetate (All Grades), **06.04**
D4615-12 Specification for n-Butyl Acetate (All Grades), **06.04**
D4616-95(2013) Test Method for Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, **05.02**
D4617 Withdrawn 2011; Classification System for Phenolic Compounds (PF)
D4618-92(2010)ε1 Specification for Design and Fabrication of Flue Gas Desulfurization System Components for Protective Lining Application, **06.02**
D4619-12 Practice for Inspection of Linings in Operating Flue Gas Desulfurization Systems, **06.02**
D4620-02(2012) Test Method for Evaluating the Effective Surface Area of Zinc Oxide in Rubber, **09.01**
D4621 Withdrawn 2010; Guide for Quality Management in an Organization That Samples or Tests Coal and Coke; Replaced by D7448
D4622 Withdrawn 2000; Test Method for Rock Mass Monitoring Using Inclinometers
D4623-08 Test Method for Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, **04.08**
D4624 Withdrawn 2004; Test Method for Measuring Apparent Viscosity by Capillary Viscometer at High-Temperature and High-Shear Rates
D4625-04(2009) Test Method for Middle Distillate Fuel Storage Stability at 43°C (110°F), **05.02**
D4626-95(2010) Practice for Calculation of Gas Chromatographic Response Factors, **05.02**
D4627-12 Test Method for Iron Chip Corrosion for Water–Miscible Metal-working Fluids, **05.02**
D4628-05(2011)ε1 Test Method for Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, **05.02**
D4629-12 Test Method for Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection, **05.02**
D4630-96(2008) Test Method for Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the Constant Head Injection Test, **04.08**
D4631-95(2008) Test Method for Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, **04.08**
D4632/D4632M-08(2013)ε1 Test Method for Grab Breaking Load and Elongation of Geotextiles, **04.13**
D4633-10 Test Method for Energy Measurement for Dynamic Penetrometers, **04.08**
D4634-11a Classification System and Basis for Specification for Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), **08.02**
D4635-08a Specification for Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, **08.02**
D4636-09 Test Method for Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, **05.02**
D4637/D4637M-13 Specification for EPDM Sheet Used In Single-Ply Roof Membrane, **04.04**
D4638-11 Guide for Preparation of Biological Samples for Inorganic Chemical Analysis, **11.01**
D4639 Withdrawn 2004; Test Method for Volatile Content in Phenolic Resins
D4640-86(2009) Test Method for Determining Stroke Cure Time of Thermosetting Phenol-Formaldehyde Resins, **06.03**
D4641-12 Practice for Calculation of Pore Size Distributions of Catalysts and Catalyst Carriers from Nitrogen Desorption Isotherms, **05.05**
D4642-04(2010) Test Method for Platinum in Reforming Catalysts by Wet Chemistry, **05.05**
D4643-08 Test Method for Determination of Water (Moisture) Content of Soil by Microwave Oven Heating, **04.08**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D4644-08 Test Method for Slake Durability of Shales and Similar Weak Rocks, **04.08**
D4645-08 Test Method for Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, **04.08**
D4646-03(2008) Test Method for 24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments, **11.04**
D4647/D4647M-13 Test Methods for Identification and Classification of Dispersive Clay Soils by the Pinhole Test, **04.08**
D4648/D4648M-13 Test Method for Laboratory Miniature Vane Shear Test for Saturated, **04.08**
D4649-03(2009) Guide for Selection and Use of Stretch Wrap Films, **15.10**
D4650-08 Specification for Normal Butane Thermophysical Property Tables, **05.06**
D4651-08 Specification for Isobutane Thermophysical Property Tables, **05.06**
D4652-05(2012) Specification for Silicone Fluid Used for Electrical Insulation, **10.03**
D4653-87(2009) Test Method for Total Chlorides in Leather, **15.04**
D4654-87(2009) Test Method for Sulfate Basicity in Leather, **15.04**
D4655-95(2012) Test Methods for Sulfates in Leather (Total, Neutral, and Combined Acid), **15.04**
D4656 Withdrawn 2000; Specification for Prediluted Aqueous Ethylene Glycol Base Engine Coolant (50 Volume % Minimum) for Automobiles and Light-Duty Service; Consolidated into D 3306
D4657 Withdrawn 2005; Test Method for Polynuclear Aromatic Hydrocarbons in Water
D4658-09 Test Method for Sulfide Ion in Water, **11.01**
D4659-14 Test Methods for Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, **08.02**
D4660-12 Test Methods for Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, **08.02**
D4661-13 Test Methods for Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates, **08.02**
D4662-08(2011)ε1 Test Methods for Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols, **08.02**
D4663-10 Test Method for Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates, **08.02**
D4664 Withdrawn 1998; Test Method for Polyurethane Raw Materials: Determination of Freezing Point of Toluene Diisocyanate Mixtures
D4665 Withdrawn 1992; Test Method for Polyurethane Raw Materials: Determination of Assay of Isocyanates; Replaced by D5155
D4666 Withdrawn 1992; Test Method for Polyurethane Raw Materials: Determination of Amine Equivalent of Crude or Modified Isocyanates; Replaced by D5155
D4667 Withdrawn 1998; Test Method for Polyurethane Raw Materials: Determination of Acidity in Toluene Diisocyanate; Replaced by D5629
D4668 Withdrawn 1992; Test Method for Polyurethane Raw Materials; Determination of Sodium and Potassium in Polyols
D4669-07(2013)ε1 Test Method for Polyurethane Raw Materials: Determination of Specific Gravity of Polyols, **08.02**
D4670-07(2012)ε1 Test Method for Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, **08.02**
D4671-05(2010)ε1 Test Methods for Polyurethane Raw Materials: Determination of Unsaturation of Polyols, **08.02**
D4672-12 Test Method for Polyurethane Raw Materials: Determination of Water Content of Polyols, **08.02**
D4673-02(2008) Classification System for Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, **08.02**
D4674-02a(2010) Practice for Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments, **08.02**
D4675-09ε1 Guide for Selection and Use of Flat Strapping Materials, **15.10**
D4676-94(2012) Classification for Rubber Compounding Materials—Antidegradants, **09.01**
D4677-87(2013) Classification for Rubber Compounding Materials—Titanium Dioxide, **09.01**
D4678-11 Practice for Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, **09.01**
D4679-02(2007) Specification for Rubber General Purpose, Household or Beautician Gloves, **09.02**
D4680-98(2011) Test Method for Creep and Time to Failure of Adhesives in Static Shear by Compression Loading (Wood-to-Wood), **15.06**
D4681 Withdrawn 1995; Specification for Lubricants for Two-Stroke-Cycle Gasoline Engines (TSC-4)
D4682-13 Specification for Miscibility with Gasoline and Fluidity of Two-Stroke-Cycle Gasoline Engine Lubricants, **05.02**
D4683-13 Test Method for Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, **05.02**
D4684-12 Test Method for Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, **05.02**
D4685-07(2011)ε1 Test Method for Pile Fabric Abrasion, **07.02**
D4686 Withdrawn 2009; Guide for Identification and Transformation of Frequency Distributions
D4687-14 Guide for General Planning of Waste Sampling, **11.04**
D4688-99(2013) Test Method for Evaluating Structural Adhesives for Finger Jointing Lumber, **15.06**
D4689-12 Specification for Adhesive, Casein-Type, **15.06**
D4690-12 Specification for Urea-Formaldehyde Resin Adhesives, **15.06**
D4691-11 Practice for Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, **11.01**
D4692-01(2010) Practice for Calculation and Adjustment of Sulfate Scaling Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, **11.02**
D4693-07(2012) Test Method for Low-Temperature Torque of Grease-Lubricated Wheel Bearings, **05.02**
D4694-09 Test Method for Deflections with a Falling-Weight-Type Impulse Load Device, **04.03**
D4695-03(2008) Guide for General Pavement Deflection Measurements, **04.03**
D4696-92(2008) Guide for Pore-Liquid Sampling from the Vadose Zone, **04.08**
D4697 Withdrawn 2009; Guide for Maintaining Test Methods in the User's Laboratory
D4698-92(2013) Practice for Total Digestion of Sediment Samples for Chemical Analysis of Various Metals, **11.02**
D4699-03(2013) Test Method for Vibratory Packing Density of Large Formed Catalyst and Catalyst Carrier Particles, **05.05**
D4700-91(2006) Guide for Soil Sampling from the Vadose Zone, **04.08**
D4701-00(2011) Specification for Technical Grade Methylene Chloride, **15.05**
D4702 Withdrawn 2008; Practice for Quality Management of Mechanical Coal Sampling Systems; Replaced by D7430
D4703-10a Practice for Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets, **08.02**
D4704-13 Test Method for Tearing Strength, Tongue Tear of Leather, **15.04**
D4705-13 Test Method for Stitch Tear Strength of Leather, Double Hole, **15.04**
D4706 Withdrawn 2007; Test Method for Qualitative Determination of Methylol Group in Phenolic Resins
D4707-09(2013) Test Method for Measuring Paint Spatter Resistance During Roller Application, **06.02**
D4708-12 Practice for Preparation of Uniform Free Films of Organic Coatings, **06.01**
D4709-07(2012) Specification for Methyl Acrylate, **06.04**
D4710-07(2012) Specification for Acetaldehyde, **06.04**
D4711-89(2009) Test Method for Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, **15.04**
D4712-87a(2005) Guide for Testing Industrial Water-Reducible Coatings, **06.02**
D4713-12 Test Methods for Nonvolatile Content of Heatset and Liquid Printing Ink Systems, **06.02**
D4714 Withdrawn 2010; Test Method for Determination of Effect of Moist Heat (50 % Relative Humidity and 90°C) on Properties of Paper and Board
D4715-98(2012) Test Method for Coking Value of Tar and Pitch (Alcan), **05.02**
D4716/D4716M-14 Test Method for Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, **04.13**
D4717 Not Assigned
D4718-87(2007) Practice for Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, **04.08**
D4719-07 Test Methods for Prebored Pressuremeter Testing in Soils, **04.08**
D4720-08(2013) Performance Specification for Soft Window Covering Fabrics for Household Use, **07.02**
D4721-12 Practice for Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, **07.02**
D4722 Withdrawn 1994; Practice for the Evaluation of the Performance of Machine Washable Woven and Knit Household Bed Sheets and Pillowcases
D4723-07ε2 Classification Index of and Descriptions of Textile Flammability Test Methods, **07.02**
D4724-11 Test Method for Entanglements in Untwisted Filament Yarns by Needle Insertion, **07.02**
D4725-13 Terminology for Engine Coolants and Related Fluids, **15.05**
D4726-09 Specification for Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, **08.03**
D4727/D4727M-12 Specification for Corrugated and Solid Fiberboard Sheet Stock (Container Grade) and Cut Shapes, **15.10**
D4728-06(2012) Test Method for Random Vibration Testing of Shipping Containers, **15.10**
D4729-08 Test Method for In Situ Stress and Modulus of Deformation Using Flatjack Method, **04.08**
D4730-13 Specification for Flooding Compounds for Telecommunications Wire and Cable, **10.02**
D4731-13 Specification for Hot-Application Filling Compounds for Telecommunications Wire and Cable, **10.02**
D4732-13 Specification for Cool-Application Filling Compounds for Telecommunications Wire and Cable, **10.02**
D4733-13 Test Methods for Solventless Electrical Insulating Varnishes, **10.02**
D4734-12 Specification for Refined Benzene-545, **06.04**
D4735-09 Test Method for Determination of Trace Thiophene in Refined Benzene by Gas Chromatography, **06.04**
D4736 Withdrawn 1995; Test Method for Evaluating Friction Retention Characteristics of Oils Used in Oil Cooled Bronze Faced Friction Clutches
D4737-10 Test Method for Calculated Cetane Index by Four Variable Equation, **05.02**
D4738 Withdrawn 1995; Practice for Calibration of Upright Cylindrical Tanks Using Optical Reference Line Method
D4739-11 Test Method for Base Number Determination by Potentiometric Hydrochloric Acid Titration, **05.02**
D4740-04(2009) Test Method for Cleanliness and Compatibility of Residual Fuels by Spot Test, **05.02**
D4741-13 Test Method for Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, **05.02**
D4742-08ε1 Test Method for Oxidation Stability of Gasoline Automotive Engine Oils by Thin-Film Oxygen Uptake (TFOUT), **05.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D4743 Withdrawn 2003; Test Method for Efficacy of Solvent Systems for Dissolving Water-Formed Deposits
D4744 Withdrawn 2002; Test Method for Organic Halides in Water by Carbon Adsorption-Microcoulometric Detection
D4745-11a$^{\epsilon 1}$ Specification for Filled Compounds of Polytetrafluoroethylene (PTFE) Molding and Extrusion Materials, **08.02**
D4746-98(2013) Test Method for Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, **05.02**
D4747-02(2008) Test Method for Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, **06.01**
D4748-10 Test Method for Determining the Thickness of Bound Pavement Layers Using Short-Pulse Radar, **04.03**
D4749-87(2012) Test Method for Performing the Sieve Analysis of Coal and Designating Coal Size, **05.06**
D4750 Withdrawn 2010; Test Method for Determining Subsurface Liquid Levels in a Borehole or Monitoring Well (Observation Well)
D4751-12 Test Method for Determining Apparent Opening Size of a Geotextile, **04.13**
D4752-10 Practice for Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, **06.02**
D4753-07 Guide for Evaluating, Selecting, and Specifying Balances and Standard Masses for Use in Soil, Rock, and Construction Materials Testing, **04.09**
D4754-11 Test Method for Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell, **08.02**
D4755-95(2010) Test Method for Free Halogens in Halogenated Organic Solvents and Their Admixtures, **15.05**
D4756-13 Practice for Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, **08.03**
D4757 Withdrawn 2004; Practice for Placarding Solvent Vapor Degreasers
D4758 Withdrawn 2007; Test Method for Nonvolatile Content of Latexes
D4759-11 Practice for Determining the Specification Conformance of Geosynthetics, **04.13**
D4760 Withdrawn 1997; Test Method for Proper Resecuring of Type 1 (Continuous Thread) Child-Resistant Closures
D4761-13 Test Methods for Mechanical Properties of Lumber and Wood-Base Structural Material, **04.10**
D4762-11a Guide for Testing Polymer Matrix Composite Materials, **15.03**
D4763-06(2012) Practice for Identification of Chemicals in Water by Fluorescence Spectroscopy, **11.02**
D4764-01(2012) Test Method for Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, **06.01**
D4765-13 Test Method for Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, **11.07**
D4766-98(2009)$^{\epsilon 1}$ Test Method for Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), **11.07**
D4767-11 Test Method for Consolidated Undrained Triaxial Compression Test for Cohesive Soils, **04.08**
D4768-11 Test Method for Analysis of 2,6-Ditertiary-Butyl Para-Cresol and 2,6-Ditertiary-Butyl Phenol in Insulating Liquids by Gas Chromatography, **10.03**
D4769-12 Specification for Woven and Warp Knitted Comforter Fabrics, **07.02**
D4770/D4770M Withdrawn 2008; Test Method for Appearance and Integrity of Highloft Batting After Refurbishing
D4771/D4771M-09 Performance Specification for Knitted Upholstery Fabrics for Indoor Furniture, **07.02**
D4772-14 Test Method for Surface Water Absorption of Terry Fabrics (Water Flow), **07.02**
D4773-02(2012) Test Method for Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate, **06.04**
D4774-11$^{\epsilon 1}$ Specification for User Applied Drug Labels in Anesthesiology, **15.10**
D4775/D4775M-09 Specification for Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), **15.10**
D4776/D4776M-10 Test Method for Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, **07.02**
D4777 Withdrawn 1994; Test Method for Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by Hot U-Test Procedure
D4778-10 Test Method for Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, **11.01**
D4779 Withdrawn 2002; Test Method for Total, Organic, and Inorganic Carbon in High Purity Water by Ultraviolet (UV) or Persulfate Oxidation, or Both, and Infrared Detection
D4780-12 Test Method for Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, **05.05**
D4781-03(2013) Test Method for Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, **05.05**
D4782-10 Test Method for Palladium in Molecular Sieve Catalyst by Wet Chemistry, **05.05**
D4783-01(2013) Test Methods for Resistance of Adhesive Preparations in Container to Attack by Bacteria, Yeast, and Fungi, **15.06**
D4784-93(2010) Specification for LNG Density Calculation Models, **05.06**
D4785-08(2013)$^{\epsilon 1}$ Test Method for Low-Level Analysis of Iodine Radioisotopes in Water, **11.02**
D4786-00(2010) Test Method for Stitch Tear Strength, Single Hole, **15.04**
D4787-13 Practice for Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, **06.02**
D4788-03(2013) Test Method for Detecting Delaminations in Bridge Decks Using Infrared Thermography, **04.03**
D4789-12 Test Method for Solution Color of Bisphenol A (4,4′-Isopropylidenediphenol), **06.04**
D4790-11 Terminology of Aromatic Hydrocarbons and Related Chemicals, **06.04**
D4791-10 Test Method for Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate, **04.03**
D4792/D4792M-13 Test Method for Potential Expansion of Aggregates from Hydration Reactions, **04.03**
D4793-09 Test Method for Sequential Batch Extraction of Waste with Water, **11.04**
D4794-94(2009) Test Method for Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, **06.03**
D4795-94(2008) Test Method for Nitrogen Content of Soluble Nitrocellulose—Alternative Method, **06.03**
D4796-10 Test Method for Bond Strength of Thermoplastic Traffic Marking Materials, **06.02**
D4797-12a Test Methods for Gravimetric Analysis of White and Yellow Thermoplastic Traffic Marking, **06.02**
D4798/D4798M-11 Practice for Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method), **04.04**
D4799/D4799M-08(2013)$^{\epsilon 1}$ Practice for Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), **04.04**
D4800-94(2011) Guide for Classifying and Specifying Adhesives, **15.06**
D4801-08 Specification for Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, **08.02**
D4802-10 Specification for Poly(Methyl Methacrylate) Acrylic Plastic Sheet, **08.02**
D4803-10 Test Method for Predicting Heat Buildup in PVC Building Products, **08.03**
D4804-09 Test Method for Determining the Flammability Characteristics of Nonrigid Solid Plastics, **08.02**
D4805 Withdrawn 2002; Terminology for Plastics Standards
D4806-13a Specification for Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, **05.02**
D4807-05(2010) Test Method for Sediment in Crude Oil by Membrane Filtration, **05.02**
D4808-01(2012) Test Methods for Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, **05.02**
D4809-13 Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), **05.02**
D4810-06(2011) Test Method for Hydrogen Sulfide in Natural Gas Using Length-of-Stain Detector Tubes, **05.06**
D4811/D4811M-06(2013)$^{\epsilon 1}$ Specification for Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, **04.04**
D4812-11 Test Method for Unnotched Cantilever Beam Impact Resistance of Plastics, **08.02**
D4813 Not Assigned
D4814-13a Specification for Automotive Spark-Ignition Engine Fuel, **05.02**
D4815-13 Test Method for Determination of MTBE, ETBE, TAME, DIPE, tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas Chromatography, **05.02**
D4816 Withdrawn 1999; Test Method for Specific Heat of Aircraft Turbine Fuels by Thermal Analysis; Replaced by E1269
D4817-88(2012) Classification for Rubber Compounding Materials—Stearic Acid, **09.01**
D4818-89(2012) Classification for Rubber Compounding Materials—Vulcanization Accelerators, **09.01**
D4819-13 Specification for Flexible Cellular Materials Made From Polyolefin Plastics, **08.02**
D4820 Withdrawn 2000; Test Methods for Carbon Black—Surface Area by Multipoint B. E. T. Nitrogen Adsorption; Replaced by D6556
D4821-07$^{\epsilon 1}$ Guide for Carbon Black—Validation of Test Method Precision and Bias, **09.01**
D4822-88(2014) Guide for Selection of Methods of Particle Size Analysis of Fluvial Sediments (Manual Methods), **11.02**
D4823-95(2014) Guide for Core Sampling Submerged, Unconsolidated Sediments, **11.02**
D4824-13 Test Method for Determination of Catalyst Acidity by Ammonia Chemisorption, **05.05**
D4825 Withdrawn 2010; Test Method for Measurement of Curl in Cut-Sized Office Paper
D4826 Withdrawn 2010; Practice for Units of Measurement and Conversion Factors for Pulp, Paper, and Paperboard
D4827-03(2009) Test Method for Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, **06.01**
D4828-94(2012)$^{\epsilon 1}$ Test Methods for Practical Washability of Organic Coatings, **06.02**
D4829-11 Test Method for Expansion Index of Soils, **04.08**
D4830-98(2006) Test Methods for Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, **04.04**
D4831-00(2010) Test Method for Buckle Tear Strength of Leather, **15.04**
D4832-10 Test Method for Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders, **04.08**
D4833/D4833M-07(2013)$^{\epsilon 1}$ Test Method for Index Puncture Resistance of Geomembranes and Related Products, **04.13**
D4834-03(2008) Test Method for Detection of Lead in Paint by Direct

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Aspiration Atomic Absorption Spectroscopy, **06.01**
D4835-08(2012) Specification for Propylene Glycol Monomethyl Ether Acetate, **06.04**
D4836-09 Specification for Dipropylene Glycol Monomethyl Ether, **06.04**
D4837-07(2012) Specification for Propylene Glycol Monomethyl Ether, **06.04**
D4838-88(2010) Test Method for Determining the Relative Tinting Strength of Chromatic Paints, **06.02**
D4839-03(2011) Test Method for Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, **11.02**
D4840-99(2010) Guide for Sample Chain-of-Custody Procedures, **11.01**
D4841-88(2013)ε1 Practice for Estimation of Holding Time for Water Samples Containing Organic and Inorganic Constituents, **11.01**
D4842 Withdrawn 2006; Test Method for Determining the Resistance of Solid Wastes to Freezing and Thawing
D4843-88(2009) Test Method for Wetting and Drying Test of Solid Wastes, **11.04**
D4844-03(2009) Guide for Air Monitoring at Waste Management Facilities for Worker Protection, **11.04**
D4845-10ε2 Terminology Relating to Wool, **07.02**
D4846-96(2011) Test Method for Resistance to Unsnapping of Snap Fasteners, **07.02**
D4847-02(2008) Performance Specification for Woven Awning and Canopy Fabrics, **07.02**
D4848-98(2012) Terminology Related to Force, Deformation and Related Properties of Textiles, **07.02**
D4849-13ε1 Terminology Related to Yarns and Fibers, **07.02**
D4850-13 Terminology Relating to Fabrics and Fabric Test Methods, **07.02**
D4851-07(2011) Test Methods for Coated and Laminated Fabrics for Architectural Use, **07.02**
D4852-88(2009)ε1 Practice for Evaluation of Attached Upholstery Fabrics, **07.02**
D4853 Withdrawn 2008; Guide for Reducing Test Variability
D4854 Withdrawn 2009; Guide for Estimating the Magnitude of Variability from Expected Sources in Sampling Plans
D4855 Withdrawn 2008; Practice for Comparing Test Methods
D4856-11 Test Method for Determination of Sulfuric Acid Mist in Workplace Atmospheres Collected on Mixed Cellulose Ester Filters (Ion Chromatographic Analysis), **11.07**
D4857-12 Test Method for Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, **05.02**
D4858-13 Test Method for Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, **05.02**
D4859-13 Specification for Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines-TC, **05.02**
D4860-13 Test Method for Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), **05.02**
D4861-11 Practice for Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, **11.07**
D4862 Withdrawn 1995; Test Method for Evaluating Hydraulic Transmission Fluid Antiwear Properties
D4863-13 Test Method for Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, **05.02**
D4864-90(2013) Test Method for Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, **05.02**
D4865-09 Guide for Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, **05.02**
D4866/D4866M-88(2011)ε1 Performance Specification for Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, **04.04**
D4867/D4867M-09 Test Method for Effect of Moisture on Asphalt Concrete Paving Mixtures, **04.03**
D4868-00(2010) Test Method for Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels, **05.02**
D4869/D4869M-05(2011)ε1 Specification for Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing, **04.04**
D4870-09 Test Method for Determination of Total Sediment in Residual Fuels, **05.02**
D4871-11 Guide for Universal Oxidation/Thermal Stability Test Apparatus, **05.02**
D4872-99(2010) Test Method for Dielectric Testing of Wire and Cable Filling Compounds, **10.02**
D4873-02(2009) Guide for Identification, Storage, and Handling of Geosynthetic Rolls and Samples, **04.13**
D4874-95(2014) Test Method for Leaching Solid Material in a Column Apparatus, **11.04**
D4875-11 Test Methods of Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, **08.02**
D4876 Withdrawn 2003; Test Method for Polyurethane Raw Materials: Determination of Acidity of Crude or Modified Isocyanates; replaced by D5523
D4877-10 Test Method for Polyurethane Raw Materials: Determination of APHA Color in Isocyanates, **08.02**
D4878-08 Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Polyols, **08.02**
D4879-08 Guide for Geotechnical Mapping of Large Underground Openings in Rock, **04.08**
D4880-08 Test Method for Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, **10.02**
D4881-05(2012) Test Method for Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, **10.02**
D4882-05(2012) Test Method for Bond Strength of Electrical Insulating Varnishes by the Twisted-Coil Test, **10.02**
D4883-08 Test Method for Density of Polyethylene by the Ultrasound Technique, **08.02**
D4884/D4884M-14a Test Method for Strength of Sewn or Bonded Seams of Geotextiles, **04.13**
D4885-01(2011) Test Method for Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, **04.13**
D4886-10 Test Method for Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), **04.13**
D4887/D4887M-11 Practice for Preparation of Viscosity Blends for Hot Recycled Asphalt Materials, **04.03**
D4888-06(2011) Test Method for Water Vapor in Natural Gas Using Length-of-Stain Detector Tubes, **05.06**
D4889-04(2011) Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, **08.02**
D4890-13 Test Methods for Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, **08.02**
D4891-13 Test Method for Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, **05.06**
D4892-89(2009) Test Method for Density of Solid Pitch (Helium Pycnometer Method), **05.02**
D4893-94(2009) Test Method for Determination of Pitch Volatility, **05.02**
D4894-07(2012) Specification for Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, **08.02**
D4895-10 Specification for Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion, **08.02**
D4896-01(2008)ε1 Guide for Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, **15.06**
D4897/D4897M-01(2009) Specification for Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, **04.04**
D4898-90(2010)ε1 Test Method for Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, **05.02**
D4899-99(2009) Practice for Analysis of Vegetable Tanning Materials—General, **15.04**
D4900-99(2009) Test Method for Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, **15.04**
D4901-99(2009) Practice for Preparation of Solution of Liquid Vegetable Tannin Extracts, **15.04**
D4902-99(2009) Test Method for Evaporation and Drying of Analytical Solutions, **15.04**
D4903-99(2009) Test Method for Total Solids and Water in Vegetable Tanning Material Extracts, **15.04**
D4904-99(2009) Practice for Cooling of Analytical Solutions, **15.04**
D4905-99(2009) Practice for Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, **15.04**
D4906-95(2012) Test Method for Total Solids and Ash Content in Leather Finishing Materials, **15.04**
D4907-10 Test Method for Nitrocellulose in Finish on Leather, **15.04**
D4908 Withdrawn 1997; Test Method for Tackiness of Finish on Leather; Replaced by D6183
D4909 Withdrawn 1996; Test Method for Color Stability of Vinyl-Coated Glass Textiles to Accelerated Weathering
D4910/D4910M-08(2013) Tables of Body Measurements for Children, Infant Sizes—Preemie to 24 Months, **07.02**
D4911 Withdrawn 2000; Tolerances for Yarns Made of Man-Made Fibers and Spun on the Parallel Worsted or Modified Worsted System
D4912/D4912M-14 Test Method for Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, **07.02**
D4913-00(2011) Practice for Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, **11.07**
D4914-08 Test Methods for Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, **04.08**
D4915 Withdrawn 2003; Guide for Manual Sampling of Coal from Tops of Railroad Cars; Replaced by D6883
D4916 Withdrawn 2008; Guide for Mechanical Auger Sampling; Replaced by D7430
D4917 Withdrawn 2010; Test Method for Coefficient of Static and Kinetic Friction of Uncoated Writing and Printing Paper by Use of the Horizontal Plane Method
D4918 Withdrawn 2010; Test Method for Coefficient of Static Friction of Uncoated Writing and Printing Paper by Use of the Inclined Plane Method
D4919-03(2008) Guide for Testing of Hazardous Materials Packagings, **15.10**
D4920-13 Terminology Relating to Conditioning, Chemical, and Thermal Properties, **07.02**
D4921-95(2012) Test Method for Foaming Tendencies of Engine Coolants at Room Temperature, **15.05**
D4922-09 Test Method for Determination of Radioactive Iron in Water, **11.02**
D4923 Withdrawn 2010; Specification for Reinforced Thermosetting Plastic Poles
D4924-89(2012) Classification for Petroleum Waxes for Use in Rubber Compounding, **09.01**
D4925 Withdrawn 1997; Test Method for Flexibility and Adhesion of Finish on Leather; Replaced by D6182
D4926-06(2011) Test Method for Gamma Alumina Content in Catalysts Containing Silica and Alumina by X-ray Powder Diffraction, **05.05**
D4927-10 Test Methods for Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, **05.02**
D4928-12 Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration, **05.02**
D4929-07 Test Methods for Determination of Organic Chloride Content in Crude Oil, **05.02**
D4930-06(2011) Test Method for Dust Control Material on Calcined Petroleum Coke, **05.02**
D4931-06(2011) Test Method for Gross Moisture in Green Petroleum Coke, **05.02**
D4932/D4932M-89(2014)$^{\epsilon 1}$ Test Method for Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, **04.04**
D4933-99(2010) Guide for Moisture Conditioning of Wood and Wood-Based Materials, **04.10**
D4934-02(2012) Test Method for Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles, **09.01**
D4935-10 Test Method for Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, **10.02**
D4936-10 Test Method for Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, **09.01**
D4937-96(2012) Test Method for p-Phenylenediamine Antidegradants Purity by Gas Chromatography, **09.01**
D4938-89(2013) Test Method for Erosion Testing of Antifouling Paints Using High Velocity Water, **06.02**
D4939-89(2013) Test Method for Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, **06.02**
D4940-10 Test Method for Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, **06.02**
D4941-06(2010) Practice for Preparing Drawdowns of Artists' Paste Paints, **06.02**
D4942-11 Test Methods for Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, **06.02**
D4943-08 Test Method for Shrinkage Factors of Soils by the Wax Method, **04.08**
D4944-11 Test Method for Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, **04.08**
D4945-12 Test Method for High-Strain Dynamic Testing of Deep Foundations, **04.08**
D4946-89(2012) Test Method for Blocking Resistance of Architectural Paints, **06.02**
D4947 Withdrawn 2011; Test Method for Chlordane and Heptachlor Residues in Indoor Air
D4948-89(2012) Test Method for Determination of the Upper Layer Separated from a Viscous Liquid, **06.01**
D4949 Withdrawn 2011; Test Method for Determination of D-C Resistivity of Written Paper (Keithley Method)
D4950-13 Classification and Specification for Automotive Service Greases, **05.02**
D4951-09 Test Method for Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, **05.02**
D4952-12 Test Method for Qualitative Analysis for Active Sulfur Species in Fuels and Solvents (Doctor Test), **05.02**
D4953-06(2012) Test Method for Vapor Pressure of Gasoline and Gasoline-Oxygenate Blends (Dry Method), **05.02**
D4954-89(2009) Test Method for Determination of Nitrilotriacetates in Detergents, **15.04**
D4955-89(2008) Practice for Field Evaluation of Automotive Polish, **15.04**
D4956-13 Specification for Retroreflective Sheeting for Traffic Control, **04.03**
D4957-08 Test Method for Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, **04.03**
D4958-10 Test Method for Comparison of the Brush Drag of Latex Paints, **06.02**
D4959-07 Test Method for Determination of Water (Moisture) Content of Soil By Direct Heating, **04.08**
D4960-08(2013) Test Method for Evaluation of Color for Thermoplastic Traffic Marking Materials, **06.02**
D4961 Withdrawn 2004; Test Methods forGas Chromatographic Analysis of Major Organic Impurities in Phenol Produced by the Cumene Process
D4962-02(2009) Practice for NaI(Tl) Gamma-Ray Spectrometry of Water, **11.02**
D4963/D4963M-11 Test Method for Ignition Loss of Glass Fiber Strands and Fabrics, **07.02**
D4964-96(2012)$^{\epsilon 1}$ Test Method for Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine), **07.02**
D4965 Withdrawn 2011; Terminology of Seams and Seam Finishes Used in Home Sewing; Replaced by D5646
D4966-12$^{\epsilon 1}$ Test Method for Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method), **07.02**
D4967-99(2013) Guide for Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, **10.02**
D4968-09 Guide for Annual Review of Test Methods and Specifications for Plastics, **08.02**
D4969-07(2012) Specification for Polytetrafluoroethylene–(PTFE) Coated Glass Fabric, **08.02**
D4970/D4970M-10$^{\epsilon 1}$ Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester, **07.02**
D4971-08 Test Method for Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, **04.08**
D4972-13 Test Method for pH of Soils, **04.08**
D4973 Withdrawn 1998; Specification for White Riigid Poly(Vinyl Chloride)(PVC) Insulating Storm Windows
D4974-04(2011) Test Method for Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, **07.02**
D4975-14 Test Methods for Single-Filament Tire Bead Wire Made from Steel, **07.02**
D4976-12a Specification for Polyethylene Plastics Molding and Extrusion Materials, **08.02**
D4977/D4977M-03(2013)$^{\epsilon 1}$ Test Method for Granule Adhesion to Mineral Surfaced Roofing by Abrasion, **04.04**
D4978-95(2007) Test Methods for Screening of Reactive Sulfides in Waste, **11.04**
D4979-12 Test Method for Physical Description Screening Analysis in Waste, **11.04**
D4980 Withdrawn 2009; Test Methods for Screening of pH in Waste
D4981-12 Test Method for Screening of Oxidizers in Waste, **11.04**
D4982-12 Test Methods for Flammability Potential Screening Analysis of Waste, **11.04**
D4983 Withdrawn 2002; Test Method for Cyclohexylamine, Morpholine, and Diethylaminoethanol in Water and Condensed Steam by Direct Aqueous Injection Gas Chromatography
D4984-06(2011) Test Method for Carbon Dioxide in Natural Gas Using Length-of-Stain Detector Tubes, **05.06**
D4985-10 Specification for Low Silicate Ethylene Glycol Base Engine Coolant for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), **15.05**
D4986-10 Test Method for Horizontal Burning Characteristics of Cellular Polymeric Materials, **08.02**
D4987 Withdrawn 2010; Test Method for Tensile Breaking Strength of Perforations in One-Part Continuous Forms Paper
D4988 Withdrawn 2010; Test Method for Determination of Alkalinity of Paper as Calcium Carbonate (Alkaline Reserve of Paper)
D4989/D4989M-90a(2014)$^{\epsilon 1}$ Test Method for Apparent Viscosity (Flow) of Roofing Bitumens Using the Parallel Plate Plastometer, **04.04**
D4990-97a(2013) Specification for Coal Tar Glass Felt Used in Roofing and Waterproofing, **04.04**
D4991-07 Test Method for Leakage Testing of Empty Rigid Containers by Vacuum Method, **15.10**
D4992-07 Practice for Evaluation of Rock to be Used for Erosion Control, **04.08**
D4993-08(2014) Practice for Calculation and Adjustment of Silica (SiO, **11.02**
D4994-89(2014) Practice for Recovery of Viruses from Wastewater Sludges, **11.02**
D4995-10 Specification for Electronic and Degreasing Grades of, **15.05**
D4996 Withdrawn 1995; Test Method for Evaluation of Fluids for Effects on Wear of Tractor Final Drives
D4997 Withdrawn 1995; Test Method for Evaluation of Water Sensitivity of Multi-Purpose Power Transmission Fluids
D4998-13 Test Method for Evaluating Wear Characteristics of Tractor Hydraulic Fluids, **05.02**
D4999 Withdrawn 1995; Test Method for Evaluation of Fluids for Effects on Friction of Wet, Bronze-Faced, Friction Brakes
D5000-05 Practice for Evaluating Activity of Clay Elements Using a Side-Stream Sensor, **05.02**
D5001-10 Test Method for Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), **05.02**
D5002-13 Test Method for Density and Relative Density of Crude Oils by Digital Density Analyzer, **05.02**
D5003-06a(2011) Test Method for Hardgrove Grindability Index (HGI) of Petroleum Coke, **05.02**
D5004-11 Test Method for Real Density of Calcined Petroleum Coke by Xylene Displacement, **05.02**
D5005 Withdrawn 1995; Test Method for Evaluation of Fluids for Effects on Friction and Wear of Wet Clutches
D5006-11 Test Method for Measurement of Fuel System Icing Inhibitors (Ether Type) in Aviation Fuels, **05.02**
D5007-99(2013) Test Method for Wet-to-Dry Hiding Change, **06.02**
D5008-07(2012) Test Method for Ethyl Methyl Pentanol Content and Purity Value of 2-Ethylhexanol By Gas Chromatography, **06.04**
D5009-02(2011) Test Method for Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under Laboratory Conditions, **06.02**
D5010-08a$^{\epsilon 1}$ Guide for Testing Printing Inks and Related Materials, **06.02**
D5011-92(2009) Practices for Calibration of Ozone Monitors Using Transfer Standards, **11.07**
D5012-01(2013) Guide for Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, **11.07**
D5013-89(2009) Practices for Sampling Wastes from Pipes and Other Point Discharges, **11.04**
D5014 Withdrawn 2006; Test Method for Measurement of Formaldehyde in Indoor Air (Passive Sampler Methodology)
D5015-02(2008) Test Method for pH of Atmospheric Wet Deposition Samples by Electrometric Determination, **11.07**
D5016-08$^{\epsilon 1}$ Test Method for Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, **05.06**
D5017-96(2009)$^{\epsilon 1}$ Test Method for Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance, **08.02**
D5018-89(2009) Test Method for Shear Viscosity of Coal-Tar and Petroleum Pitches, **05.02**
D5019 Withdrawn 2011; Specification for Reinforced CSM (Chlorosulfonated

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Polyethylene) Sheet Used in Single-Ply Roof Membrane
D5020 Withdrawn 1994; Test Method for Chlorofluorocarbon Activity of Activated Carbon
D5021 Withdrawn 2007; Specification for Thermoplastic Elastomer–Chlorinated Ethylene Alloy (TECEA)
D5022-07 Specification for Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, **15.10**
D5023-07 Test Method for Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), **08.02**
D5024-07 Test Method for Plastics: Dynamic Mechanical Properties: In Compression, **08.02**
D5025-12 Specification for Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, **08.02**
D5026-06 Test Method for Plastics: Dynamic Mechanical Properties: In Tension, **08.02**
D5027 Not Assigned
D5028-09 Test Method for Curing Properties of Pultrusion Resins by Thermal Analysis, **08.02**
D5029-98(2009) Test Method for Water Solubles in Activated Carbon, **15.01**
D5030/D5030M-13a Test Methods for Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, **04.08**
D5031/D5031M-13 Practice for Enclosed Carbon-Arc Exposure Tests of Paint and Related Coatings, **06.01**
D5032-11 Practice for Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, **10.02**
D5033 Withdrawn 2007; Guide for Development of ASTM Standards Relating to Recycling and Use of Recycled Plastics; Replaced by D7209
D5034-09(2013) Test Method for Breaking Strength and Elongation of Textile Fabrics (Grab Test), **07.02**
D5035-11 Test Method for Breaking Force and Elongation of Textile Fabrics (Strip Method), **07.02**
D5036 *WIthdrawn 2012; Practice for Application of Adhered Poly(Vinyl Chloride) Sheet Roofing*, **04.04**
D5037 Withdrawn 2002; Test Method for Comparison of Waterborne Petroleum Oils by High Performance Liquid Chromatography
D5038 Withdrawn 2009; Terminology of Textile Conservation
D5039 Withdrawn 2009; Test Methods for Identification of Wire Side of Paper
D5040-90(2011) Test Methods for Ash Content of Adhesives, **15.06**
D5041-98(2012) Test Method for Fracture Strength in Cleavage of Adhesives in Bonded Joints, **15.06**
D5042-90(2009) Test Method for Estimating the Organic Fouling of Particulate Anion Exchange Resins, **11.02**
D5043-04(2009) Practice for Field Identification of Coatings, **06.02**
D5044-06(2012) Test Method for Rubber Compounding Materials—Free 2-Mercaptobenzothiazole (MBT) in Benzothiazyl Disulfide (MBTS), **09.01**
D5045-99(2007)$^{\epsilon 1}$ Test Methods for Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials, **08.02**
D5046 Withdrawn 2000; Classification for Fully Crosslinked Elastomeric Alloys (FCEAs); Replaced by D6338
D5047-09 Specification for Polyethylene Terephthalate Film and Sheeting, **08.02**
D5048-09 Test Method for Measuring the Comparative Burning Characteristics and Resistance to Burn-Through of Solid Plastics Using a 125-mm Flame, **08.02**
D5049 Withdrawn 1999; Test Method for Screening of Cyanides in Waste
D5050-08 Guide for Commercial Use of Lime Kiln Dusts and Portland Cement Kiln Dusts, **11.04**
D5051-06(2012) Test Method for Rubber Compounding Materials—Benzothiazyl Disulfide (MBTS)—Assay, **09.01**
D5052-00(2010) Test Method for Permeability of Leather to Water Vapor, **15.04**
D5053-03(2009) Test Method for Colorfastness of Crocking of Leather, **15.04**
D5054-90(2009) Test Method for Rubber Chemicals—Diphenyl Guanidine (DPG) and Di-o-tolyl-guanidine (DOTG) Assay, **09.01**
D5055-13$^{\epsilon 1}$ Specification for Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists, **04.10**
D5056-04(2010) Test Method for Trace Metals in Petroleum Coke by Atomic Absorption, **05.02**
D5057-10 Test Method for Screening Apparent Specific Gravity and Bulk Density of Waste, **11.04**
D5058-12 Practices for Compatibility of Screening Analysis of Waste, **11.04**
D5059-13 Test Methods for Lead in Gasoline by X-Ray Spectroscopy, **05.02**
D5060-12 Test Method for Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography, **06.04**
D5061-07 Test Method for Microscopical Determination of the Textural Components of Metallurgical Coke, **05.06**
D5062-09 Test Method for Resin Solution Dilutability by Volumetric/Gravimetric Determination, **06.03**
D5063-90(2012) Guide for Use of Certification of Coating Conformance Form, **06.02**
D5064-07(2012) Practice for Conducting a Patch Test to Assess Coating Compatibility, **06.02**
D5065-13 Guide for Assessing the Condition of Aged Coatings on Steel Surfaces, **06.02**
D5066-91(2011)$^{\epsilon 1}$ Test Method for Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, **06.02**
D5067-05(2010) Specification for Artists' Watercolor Paints, **06.02**
D5068-04(2013) Practice for Preparation of Paint Brushes for Evaluation, **06.02**
D5069-07 Practice for Preparation of Paint-Roller Covers for Evaluation of Architectural Coatings, **06.02**
D5070-90(2014) Test Method for Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, **15.04**
D5071-06(2013) Practice for Exposure of Photodegradable Plastics in a Xenon Arc Apparatus, **08.02**
D5072-09 Test Method for Radon in Drinking Water, **11.02**
D5073-02(2013) Practice for Depth Measurement of Surface Water, **11.02**
D5074-90(2014) Practice for Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, **11.02**
D5075-01(2012)$^{\epsilon 1}$ Test Method for Nicotine and 3-Ethenylpyridine in Indoor Air, **11.07**
D5076/D5076M-13 Test Method for Measuring Voids in Roofing and Waterproofing Membranes, **04.04**
D5077-90(2009) Terminology Relating to Electrostatic Discharge (ESD) Packaging Materials, **15.10**
D5078/D5078M-11 Specification for Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, **04.03**
D5079-08 Practices for Preserving and Transporting Rock Core Samples, **04.08**
D5080-08 Test Method for Rapid Determination of Percent Compaction, **04.08**
D5081/D5081M-90(2011)$^{\epsilon 1}$ Test Method for Aggregate Layer Hiding Power, **04.04**
D5082 Withdrawn 2012; Practice for Application of Mechanically Attached Poly(Vinyl Chloride) Sheet Roofing
D5083-10 Test Method for Tensile Properties of Reinforced Thermosetting Plastics Using Straight-Sided Specimens, **08.02**
D5084-10 Test Methods for Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, **04.08**
D5085-02(2013) Test Method for Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, **11.07**
D5086-01(2013) Test Method for Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, **11.07**
D5087-02(2008) Test Method for Determining Amount of Volatile Organic Compound (VOC) Released from Solventborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), **06.01**
D5088-02(2008) Practice for Decontamination of Field Equipment Used at Waste Sites, **04.08**
D5089-95(2014) Test Method for Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, **11.01**
D5090-07 Practice for Standardizing Ultrafiltration Permeate Flow Performance Data, **11.02**
D5091-95(2007) Guide for Water Analysis for Electrodialysis/Electrodialysis Reversal Applications, **11.02**
D5092-04(2010)$^{\epsilon 1}$ Practice for Design and Installation of Groundwater Monitoring Wells, **04.08**
D5093-02(2008) Test Method for Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring, **04.08**
D5094/D5094M-09 Test Methods for Gross Leakage of Liquids from Containers with Threaded or Lug-Style Closures, **15.10**
D5095-91(2013) Test Method for Determination of the Nonvolatile Content in Silanes, Siloxanes and Silane-Siloxane Blends Used in Masonry Water Repellent Treatments, **06.02**
D5096-02(2011) Test Method for Determining the Performance of a Cup Anemometer or Propeller Anemometer, **11.07**
D5097 Withdrawn 2005; Test Method for Filter-Retained Solids Content of Polymer Latexes
D5098-05a(2010) Specification for Artists' Acrylic Dispersion Paints, **06.02**
D5099-08(2013) Test Methods for Rubber—Measurement of Processing Properties Using Capillary Rheometry, **09.01**
D5100/D5100M-95a(2010)$^{\epsilon 1}$ Test Method for Adhesion of Mineral Aggregate to Hot Bitumen, **04.04**
D5101-12 Test Method for Measuring the Filtration Compatibility of Soil-Geotextile Systems, **04.13**
D5102-09 Test Methods for Unconfined Compressive Strength of Compacted Soil-Lime Mixtures, **04.08**
D5103-07(2012) Test Method for Length and Length Distribution of Manufactured Staple Fibers (Single-Fiber Test), **07.02**
D5104 Withdrawn 2009; Test Method for Shrinkage of Textile Fibers (Single-Fiber Test)
D5105-05(2011) Practice for Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight, **15.10**
D5106-13 Specification for Steel Slag Aggregates for Bituminous Paving Mixtures, **04.03**
D5107-03(2013) Practice for Preparatory Surface Cleaning of Architectural Sandstone, **06.02**
D5108-90(2007) Test Method for Organotin Release Rates of Antifouling Coating Systems in Sea Water, **06.02**
D5109-12 Test Methods for Copper-Clad Thermosetting Laminates for Printed Wiring Boards, **10.02**
D5110-98(2010) Practice for Calibration of Ozone Monitors and Certification of Ozone Transfer Standards Using Ultraviolet Photometry, **11.07**
D5111-12 Guide for Choosing Locations and Sampling Methods to Monitor Atmospheric Deposition at Non-Urban Locations, **11.07**
D5112-98(2009) Test Method for Vibration (Horizontal Linear Motion) Test of Products, **15.10**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D5113-97(2011)ε1 Test Method for Determining Adhesive Attack on Rigid Cellular Foam, **15.06**
D5114-90(2010) Test Method for Laboratory Froth Flotation of Coal in a Mechanical Cell, **05.06**
D5115 Withdrawn 2011; Test Method for Collecting Gross Samples and Determining the Fuel Quality of RDF
D5116-10 Guide for Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, **11.07**
D5117-09 Test Method for Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, **08.03**
D5118/D5118M-12 Practice for Fabrication of Fiberboard Shipping Boxes, **15.10**
D5119 Withdrawn 2003; Test Method for Evaluation of Automotive Engine Oils in the CRC L-38 Spark-Ignition Engine
D5120 Withdrawn 2014; Test Method for Inhibition of Respiration in Microbial Cultures in the Activated Sludge Process
D5121-10 Practice for Preparation of Rock Slabs for Durability Testing, **04.08**
D5122 Not Assigned
D5123 Not Assigned
D5124-96(2013) Practice for Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, **04.10**
D5125-10 Test Method for Viscosity of Paints and Related Materials by ISO Flow Cups, **06.01**
D5126/D5126M-90(2010)ε1 Guide for Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, **04.08**
D5127-13 Guide for Ultra-Pure Water Used in the Electronics and Semiconductor Industries, **11.01**
D5128-14 Test Method for On-Line pH Measurement of Water of Low Conductivity, **11.01**
D5129-95(2014) Test Method for Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, **11.01**
D5130-95(2014) Test Method for Open-Channel Flow Measurement of Water Indirectly by Slope-Area Method, **11.01**
D5131-90(2007) Guide for Record Keeping for Electrodialysis/Electrodialysis Reversal Systems, **11.02**
D5132-11 Test Method for Horizontal Burning Rate of Polymeric Materials Used in Occupant Compartments of Motor Vehicles, **08.03**
D5133-13 Test Method for Low Temperature, Low Shear Rate, Viscosity/Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, **05.02**
D5134-98(2008)ε1 Test Method for Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, **05.02**
D5135-07 Test Method for Analysis of Styrene by Capillary Gas Chromatography, **06.04**
D5136-09(2013) Specification for High Purity, **06.04**
D5137-07(2013) Specification for Hexyl Acetate, **06.04**
D5138-11 Classification System and Basis for Specification for Liquid Crystal Polymers Molding and Extrusion Materials (LCP), **08.03**
D5139-12 Specification for Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, **06.02**
D5140 Withdrawn 2004: Guide for Testing Polyurethane "Poured in Place" Thermal Break Materials
D5141-11 Test Method for Determining Filtering Efficiency and Flow Rate of the Filtration Component of a Sediment Retention Device, **04.13**
D5142 Withdrawn 2010; Test Methods for Proximate Analysis of the Analysis Sample of Coal and Coke by Instrumental Procedures; Replaced by D7582
D5143-06(2010)ε1 Test Method for Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, **04.08**
D5144-08ε1 Guide for Use of Protective Coating Standards in Nuclear Power Plants, **06.02**
D5145-09 Test Methods for Nonvolatile and Pigment Content of Electrocoat Baths, **06.01**
D5146-10 Guide to Testing Solvent-Borne Architectural Coatings, **06.02**
D5147/D5147M-14 Test Methods for Sampling and Testing Modified Bituminous Sheet Material, **04.04**
D5148-10 Test Method for Centrifuge Kerosine Equivalent, **04.03**
D5149-02(2008) Test Method for Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, **11.07**
D5150-92(2013) Test Method for Hiding Power of Architectural Paints Applied by Roller, **06.02**
D5151-06(2011) Test Method for Detection of Holes in Medical Gloves, **09.02**
D5152 Withdrawn 1998; Practice for Water Extraction of Residual Solids from Degraded Plastics for Toxicity Testing
D5153-10 Test Method for Palladium in Molecular Sieve Catalyst by Atomic Absorption, **05.05**
D5154-10 Test Method for Determining Activity and Selectivity of Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, **05.05**
D5155-10 Test Methods for Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, **08.03**
D5156-02(2008) Test Methods for Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), **11.07**
D5157-97(2008) Guide for Statistical Evaluation of Indoor Air Quality Models, **11.07**
D5158-98(2013) Test Method for Determination of Particle Size of Powdered Activated Carbon by Air Jet Sieving, **15.01**
D5159-04(2009) Guide for Dusting Attrition of Granular Activated Carbon, **15.01**
D5160-95(2008) Guide for Gas-Phase Adsorption Testing of Activated Carbon, **15.01**
D5161 Withdrawn 2013; Guide for Specifying Inspection Requirements for Coating and Lining Work (Metal Substrates)
D5162-08 Practice for Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, **06.02**
D5163-08 Guide for Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, **06.02**
D5164-05(2011) Specification for Propylene Glycol and Dipropylene Glycol, **06.04**
D5165-12 Practice for Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, **06.03**
D5166-97(2008)ε1 Practice for Laboratory Preparation of Gelled Vehicle Samples Using a Microwave Oven, **06.03**
D5167-13 Practice for Melting of Hot-Applied Joint and Crack Sealant and Filler for Evaluation, **04.03**
D5168-12 Practice for Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, **15.10**
D5169-98(2010) Test Method for Shear Strength (Dynamic Method) of Hook and Loop Touch Fasteners, **07.02**
D5170-98(2010) Test Method for Peel Strength (T Method) of Hook and Loop Touch Fasteners, **07.02**
D5171-09a Test Method for Impact Resistance of Plastic Sew-Through Buttons, **07.02**
D5172-91(2010)ε1 Guide for Documenting the Standard Operating Procedures Used for the Analysis of Water, **11.01**
D5173-97(2007) Test Method for On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic Conductivity, **11.01**
D5174-07(2013) Test Method for Trace Uranium in Water by Pulsed-Laser Phosphorimetry, **11.02**
D5175-91(2011) Test Method for Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, **11.02**
D5176-08 Test Method for Total Chemically Bound Nitrogen in Water by Pyrolysis and Chemiluminescence Detection, **11.02**
D5177 Withdrawn 2005; Guide for Waste Acceptance at Hazardous Waste Incinerators
D5178-13 Test Method for Mar Resistance of Organic Coatings, **06.01**
D5179-02(2008) Test Method for Measuring Adhesion of Organic Coatings to Plastic Substrates by Direct Tensile Testing, **06.01**
D5180 Withdrawn 2007; Test Method for Quantitative Test for Turbidity in Clear Liquids
D5181-09 Test Method for Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, **06.02**
D5182-97(2008) Test Method for Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), **05.02**
D5183-05(2011) Test Method for Determination of the Coefficient of Friction of Lubricants Using the Four-Ball Wear Test Machine, **05.02**
D5184-12 Test Methods for Determination of Aluminum and Silicon in Fuel Oils by Ashing, Fusion, Inductively Coupled Plasma Atomic Emission Spectrometry, and Atomic Absorption Spectrometry, **05.02**
D5185-13 Test Method for Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), **05.02**
D5186-03(2009) Test Method for Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels By Supercritical Fluid Chromatography, **05.02**
D5187-10 Test Method for Determination of Crystallite Size (Lc of Calcined Petroleum Coke by X-Ray Diffraction, **05.02**
D5188-10a Test Method for Vapor-Liquid Ratio Temperature Determination of Fuels (Evacuated Chamber Method), **05.02**
D5189 Withdrawn 1993; Test Method for Temperature Corresponding to Vapor-Liquid Ratio of 20 for Gasoline and Gasoline-Oxygenate Blends (Bomb Method); Replaced by D5188
D5190 Withdrawn 2012; Test Method for Vapor Pressure of Petroleum Products (Automatic Method)
D5191-12 Test Method for Vapor Pressure of Petroleum Products (Mini Method), **05.02**
D5192-09 Practice for Collection of Coal Samples from Core, **05.06**
D5193/D5193M-93(2012) Test Method for Coated Fabrics—Air Retention, **09.02**
D5194-13 Test Method for Trace Chloride in Liquid Aromatic Hydrocarbons, **06.04**
D5195-08 Test Method for Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, **04.08**
D5196-06(2013) Guide for Bio-Applications Grade Water, **11.01**
D5197-09ε1 Test Method for Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), **11.07**
D5198-09 Practice for Nitric Acid Digestion of Solid Waste, **11.04**
D5199-12 Test Method for Measuring the Nominal Thickness of Geosynthetics, **04.13**
D5200-03(2008)ε1 Test Method for Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans, **06.01**
D5201-05a(2010) Practice for Calculating Formulation Physical Constants of Paints and Coatings, **06.01**
D5202-08 Test Method for Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, **04.08**
D5203-07 Specification for Polyethylene Plastics Molding and Extrusion Materials from Recycled Post-Consumer (HDPE) Sources, **08.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D5204-13 Classification System for Polyamide-Imide (PAI) Molding and Extrusion Materials, **08.03**
D5205-10 Classification System and Basis for Specification for Polyetherimide (PEI) Materials, **08.03**
D5206-13 Test Method for Windload Resistance of Rigid Plastic Siding, **08.03**
D5207-09 Practice for Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, **08.03**
D5208-14 Practice for Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics, **08.03**
D5209 Withdrawn 2004; Measurement of Thickness of Nonmagnetic Materials by Means of a Digital Magnetic Intensity Instrument
D5210-92(2007) Test Method for Determining the Anaerobic Biodegradation of Plastic Materials in the Presence of Municipal Sewage Sludge, **08.03**
D5211-12 Specification for Xylenes for, **06.04**
D5212 Withdrawn 2004; Specification for High Load Rotational Confined Elastomeric Bearings for Bridges and Structures
D5213-12 Specification for Polymeric Resin Film for Electrical Insulation and Dielectric Applications, **10.02**
D5214 Withdrawn 1995; Test Method for Polyimide Resin Film for Electrical Insulation and Dielectric Application; Replaced by D2305
D5215-93(2012) Test Method for Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, **15.06**
D5216 Withdrawn 2000; Specification for Propylene Glycol Base Engine Coolant for Automobile and Light-Duty Service; Consolidated into D 3306
D5217-91(2009) Guide for Detection of Fouling and Degradation of Particulate Ion Exchange Materials, **11.02**
D5218 Not Assigned
D5219-09$^{\epsilon 1}$ Terminology Relating to Body Dimensions for Apparel Sizing, **07.02**
D5220-08 Test Method for Water Mass per Unit Volume of Soil and Rock In-Place by the Neutron Depth Probe Method, **04.08**
D5221 Withdrawn 1997; Test Method for Continuous Measurement of Formaldehyde in Air
D5222-08 Specification for High Fire-Point Mineral Electrical Insulating Oils, **10.03**
D5223 Withdrawn 2003; Specification for Engine Coolant Grade Propylene Glycol; Replaced by E1177
D5224-12 Practice for Compression Molding Test Specimens of Thermosetting Molding Compounds, **08.03**
D5225-09 Test Method for Measuring Solution Viscosity of Polymers with a Differential Viscometer, **08.03**
D5226-98(2010)$^{\epsilon 1}$ Practice for Dissolving Polymer Materials, **08.03**
D5227-13 Test Method for Measurement of Hexane Extractable Content of Polyolefins, **08.03**
D5228-92(2010) Test Method for Determination of Butane Working Capacity of Activated Carbon, **15.01**
D5229/D5229M-14 Test Method for Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, **15.03**
D5230-13 Test Method for Carbon Black—Automated Individual Pellet Hardness, **09.01**
D5231-92(2008) Test Method for Determination of the Composition of Unprocessed Municipal Solid Waste, **11.04**
D5232-13 Test Method for Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, **11.04**
D5233-92(2009) Test Method for Single Batch Extraction Method for Wastes, **11.04**
D5234-92(2012) Guide for Analysis of Ethylene Product, **05.02**
D5235 Withdrawn 2006; Test Method for Microscopical Measurement of Dry Film Thickness of Coatings on Wood Products
D5236-13 Test Method for Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), **05.02**
D5237-05(2013) Guide for Evaluating Fabric Softeners, **15.04**
D5238-10 Test Method for Smoldering Combustion Potential of Cotton-Based Batting, **07.02**
D5239-12 Practice for Characterizing Fly Ash for Use in Soil Stabilization, **04.08**
D5240/D5240M-12(2013) Test Method for Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate, **04.08**
D5241-92(2011) Practice for Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, **11.02**
D5242-92(2013) Test Method for Open-Channel Flow Measurement of Water with Thin-Plate Weirs, **11.01**
D5243-92(2013) Test Method for Open-Channel Flow Measurement of Water Indirectly at Culverts, **11.01**
D5244 Withdrawn 2013; Practice for Recovery of Enteroviruses from Waters
D5245-92(2012) Practice for Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, **11.02**
D5246-13 Test Method for Isolation and Enumeration of, **11.02**
D5247 Withdrawn 2001; Measurement of Thickness of Nonmagnetic Materials by Means of a Digital Magnetic Intensity Instrument
D5248-04(2010) Specification for Reclaimed 1,1,2-Trichloro 1,2,2-Trifluoroethane, **15.05**
D5249-10 Specification for Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, **04.03**
D5250-06(2011) Specification for Poly(vinyl chloride) Gloves for Medical Application, **09.02**
D5251 Withdrawn 2014; Practice for the Operation of the Tetrapod Walker Drum Tester
D5252-11 Practice for the Operation of the Hexapod Tumble Drum Tester, **07.02**
D5253-04(2010)$^{\epsilon 1}$ Terminology Relating to Floor Coverings and Textile Upholstered Furniture, **07.02**
D5254/D5254M-92(2010)$^{\epsilon 1}$ Practice for Minimum Set of Data Elements to Identify a Groundwater Site, **04.08**
D5255-01(2008) Practice for Certification of Personnel Engaged in the Testing of Soil and Rock, **04.08**
D5256-05(2009) Test Method for Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, **11.02**
D5257-11 Test Method for Dissolved Hexavalent Chromium in Water by Ion Chromatography, **11.01**
D5258-02(2013) Practice for Acid-Extraction of Elements from Sediments Using Closed Vessel Microwave Heating, **11.02**
D5259-92(2012) Test Method for Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure, **11.02**
D5260-04(2010) Classification for Chemical Resistance of Poly(Vinyl Chloride) (PVC) Homopolymer and Copolymer Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, **08.03**
D5261-10 Test Method for Measuring Mass per Unit Area of Geotextiles, **04.13**
D5262-07(2012) Test Method for Evaluating the Unconfined Tension Creep and Creep Rupture Behavior of Geosynthetics, **04.13**
D5263-93(2008)$^{\epsilon 1}$ Test Method for Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, **05.06**
D5264-98(2011) Practice for Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, **15.10**
D5265-09 Test Method for Bridge Impact Testing, **15.10**
D5266-13 Practice for Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, **15.06**
D5267-97(2012) Test Method for Determination of Extrudability of Cartridge Adhesives, **15.06**
D5268-13 Specification for Topsoil Used for Landscaping Purposes, **04.08**
D5269-96(2008) Test Method for Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, **04.08**
D5270-96(2014) Test Method for Determining Transmissivity and Storage Coefficient of Bounded, Nonleaky, Confined Aquifers, **04.08**
D5271 Withdrawn 2011; Test Method for Determining the Aerobic Biodegradation of Plastic Materials in an Activated-Sludge-Wastewater-Treatment System
D5272-08(2013) Practice for Outdoor Exposure Testing of Photodegradable Plastics, **08.03**
D5273-92(2012) Guide for Analysis of Propylene Concentrates, **05.02**
D5274-00(2009) Guide for Analysis of 1,3Butadiene Product, **05.02**
D5275-11 Test Method for Fuel Injector Shear Stability Test (FISST) for Polymer Containing Fluids, **05.02**
D5276-98(2009) Test Method for Drop Test of Loaded Containers by Free Fall, **15.10**
D5277-92(2008) Test Method for Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, **15.10**
D5278/D5278M-09(2013) Test Method for Elongation of Narrow Elastic Fabrics (Static-Load Testing), **07.02**
D5279-13 Test Method for Plastics: Dynamic Mechanical Properties: In Torsion, **08.03**
D5280-96(2013) Practice for Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, **11.07**
D5281 Withdrawn 2014; Test Method for Collection and Analysis of Hexavalent Chromium in Ambient Atmospheres; Replaced by D7614
D5282-05(2012) Test Methods for Compatibility of Construction Material with Silicone Fluid Used for Electrical Insulation, **10.03**
D5283-92(2009) Practice for Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, **11.04**
D5284-09 Test Method for Sequential Batch Extraction of Waste with Acidic Extraction Fluid, **11.04**
D5285 Withdrawn 2008; Test Method for 24-Hour Batch-Type Measurement of Volatile Organic Sorption by Soils and Sediments
D5286-01(2011) Test Methods for Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, **06.02**
D5287-08 Practice for Automatic Sampling of Gaseous Fuels, **05.06**
D5288-10 Test Method for Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum), **10.02**
D5289-12 Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters, **09.01**
D5290 Withdrawn 1997; Test Method for Measurement of Oil Consumption, Piston Deposits, and Wear in a Heavy-Duty High-Speed Diesel Engine—NTC-400 Procedure
D5291-10 Test Methods for Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, **05.02**
D5292-99(2009) Test Method for Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, **05.02**
D5293-10$^{\epsilon 1}$ Test Method for Apparent Viscosity of Engine Oils and Base Stocks Between –5 and –35°C Using Cold-Cranking Simulator, **05.02**
D5294 Withdrawn 1997; Test Method for Determination of Beta Resins (BR) in Pitch
D5295-00(2006) Guide for Preparation of Concrete Surfaces for Adhered (Bonded) Membrane Waterproofing Systems, **04.04**
D5296-11 Test Method for Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by High Performance Size-Exclusion Chromatography, **08.03**
D5297-95(2009) Test Methods for Rubber Chemical Accelerator—Purity by

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

High Performance Liquid Chromatography, **09.01**

D5298-10 Test Method for Measurement of Soil Potential (Suction) Using Filter Paper, **04.08**

D5299-99(2012)ε1 Guide for Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, **04.08**

D5300 Withdrawn 2000; Test Method for Measurement of Resin Content and Other Related Properties of Polymer Matrix Thermoset Prepreg By Combined Mechanical And Ultrasonic Methods

D5301-92(2012) Practice for Physical Characterization of Paint Brushes, **06.02**

D5302 Withdrawn 2003; Test Method for Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation and Wear in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions

D5303-92(2012) Test Method for Trace Carbonyl Sulfide in Propylene by Gas Chromatography, **05.02**

D5304-11 Test Method for Assessing Middle Distillate Fuel Storage Stability by Oxygen Overpressure, **05.02**

D5305-12 Test Method for Determination of Ethyl Mercaptan in LP-Gas Vapor, **05.02**

D5306-92(2013) Test Method for Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids, **05.02**

D5307 Withdrawn 2011; Test Method for Determination of Boiling Range Distribution of Crude Petroleum by Gas Chromatography

D5308 Withdrawn 1998; Methods of Testing Semi-Flexible Cellular Urethanes for Automotive and Similar Energy Absorption Applications

D5309-08(2013)ε1 Specification for Cyclohexane 999, **06.04**

D5310-10ε1 Test Method for Tar Acid Composition by Capillary Gas Chromatography, **06.04**

D5311/D5311M-13 Test Method for Load Controlled Cyclic Triaxial Strength of Soil, **04.08**

D5312/D5312M-12(2013) Test Method for Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, **04.08**

D5313/D5313M-12(2013) Test Method for Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions, **04.08**

D5314-92(2006) Guide for Soil Gas Monitoring in the Vadose Zone, **04.08**

D5315-04(2011) Test Method for Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, **11.02**

D5316-98(2011) Test Method for 1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, **11.02**

D5317-98(2011) Test Method for Determination of Chlorinated Organic Acid Compounds in Water by Gas Chromatography with an Electron Capture Detector, **11.02**

D5318 Withdrawn 2004; Test Method for Hydrolyzable Chloride in Peroxy Esters and Peroxy Dicarbonates

D5319-12 Specification for Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, **08.03**

D5320 Withdrawn 2004; Test Methods for Determination of 1,1,1-Trichloroethane and Methylene Chloride Content in Stabilized Trichloroethylene and Tetrachloroethylene; Replaced by D6806

D5321/D5321M-14 Test Method for Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear, **04.13**

D5322-98(2009) Practice for Laboratory Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids, **04.13**

D5323-92(2011) Practice for Determination of 2 % Secant Modulus for Polyethylene Geomembranes, **04.13**

D5324-10 Guide for Testing Water-Borne Architectural Coatings, **06.02**

D5325-03(2008)ε1 Test Method for Determination of Weight Percent Volatile Content of Water-Borne Aerosol Paints, **06.01**

D5326-94a(2013) Test Method for Color Development in Tinted Latex Paints, **06.02**

D5327-97(2013) Practice for Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, **06.02**

D5328 Withdrawn 2001; Test Method for Volatile Organic Compound (VOC40) Content of Non-Heatset Paste Printing Ink Systems at 40°C

D5329-09 Test Methods for Sealants and Fillers, Hot-Applied, for Joints and Cracks in Asphaltic and Portland Cement Concrete Pavements, **04.03**

D5330/D5330M-06(2012) Specification for Pressure-Sensitive Tape for Packaging, Filament-Reinforced, **15.10**

D5331-03(2009)ε1 Test Method for Evaluation of Mechanical Handling of Unitized Loads Secured with Stretch Wrap Films, **15.10**

D5332 Withdrawn 2006; Test Method for Fiber Length and Length Distribution of Cotton Fibers

D5334-08 Test Method for Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, **04.08**

D5335-08 Test Method for Linear Coefficient of Thermal Expansion of Rock Using Bonded Electric Resistance Strain Gauges, **04.08**

D5336-09 Specification for Polyphthalamide (PPA) Injection Molding Materials, **08.03**

D5337-11 Practice for Flow Rate Adjustment of Personal Sampling Pumps, **11.07**

D5338-11 Test Method for Determining Aerobic Biodegradation of Plastic Materials Under Controlled Composting Conditions, Incorporating Thermophilic Temperatures, **08.03**

D5339 Withdrawn 2005; Practice for Quality Assurance Plan for Structural Steel Fabrication for Highway Structures

D5340-12 Test Method for Airport Pavement Condition Index Surveys, **04.03**

D5341-99(2010)ε1 Test Method for Measuring Coke Reactivity Index (CRI) and Coke Strength After Reaction (CSR), **05.06**

D5342 Withdrawn 2010; Test Method for Resistance to Bending of Paper and Paperboard (Taber-Type Tester in Basic Configuration)

D5343-06(2012)ε1 Guide for Evaluating Cleaning Performance of Ceramic Tile Cleaners, **15.04**

D5344-99(2011) Test Method for Extension Force of Partially Oriented Yarn, **07.02**

D5345 Withdrawn 2000; Specification for Prediluted Aqueous Ethylene Glycol Base Low-Silicate Engine Coolant (50 Volume Percent Minimum) for Heavy-Duty Engines Requiring an Initial Charge of Supplemental Coolant Additive (SCA); Consolidated into D 4985

D5346-93(2009) Test Method for Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds, **15.04**

D5347-95(2012) Test Method for Determination of the Ash Content of Fats and Oils, **15.04**

D5348-95(2012) Test Method for Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene, **15.04**

D5349-95(2012) Test Method for Determination of the Moisture and Volatile Content of Sulfonated and Sulfated Oils by Hot-Plate Method, **15.04**

D5350-95(2012) Test Method for Determination of Organically Combined Sulfuric Anhydride by Titration, Test Method A, **15.04**

D5351-93(2009) Test Method for Determination of Organically Combined Sulfuric Anhydride by Extraction Titration, Test Method B, **15.04**

D5352-95(2012) Test Method for Determination of Organically Combined Sulfuric Anhydride Ash-Gravimetric, Test Method C, **15.04**

D5353-95(2012) Test Method for Determination of Total Desulfated Fatty Matter, **15.04**

D5354-95(2012) Test Method for Determination of Total Active Ingredients in Sulfonated and Sulfated Oils, **15.04**

D5355-95(2012) Test Method for Specific Gravity of Oils and Liquid Fats, **15.04**

D5356-10 Test Method for pH of Chrome Tanning Solutions, **15.04**

D5357-03(2008)ε1 Test Method for Determination of Relative Crystallinity of Zeolite Sodium A by X-ray Diffraction, **05.05**

D5358-93(2014) Practice for Sampling with a Dipper or Pond Sampler, **11.04**

D5359-98(2010) Specification for Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, **11.04**

D5360-09 Practice for Design and Construction of Bituminous Surface Treatments, **04.03**

D5361/D5361M-14 Practice for Sampling Compacted Bituminous Mixtures for Laboratory Testing, **04.03**

D5362-13 Test Method for Snagging Resistance of Fabrics (Bean Bag), **07.02**

D5363-03(2008) Specification for Anaerobic Single-Component Adhesives (AN), **15.06**

D5364-08ε1 Guide for Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, **08.03**

D5365-12 Test Method for Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, **08.03**

D5366-96(2011) Test Method for Determining the Dynamic Performance of a Wind Vane, **11.07**

D5367-08 Practice for Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted, **06.02**

D5368 Withdrawn 2014; Test Methods for Gravimetric Determination of Total Solvent Extractable Content (TSEC) of Solid Waste Samples

D5369-93(2008)ε1 Practice for Extraction of Solid Waste Samples for Chemical Analysis Using Soxhlet Extraction, **11.04**

D5370-14 Specification for Pozzolanic Blended Materials in Construction Applications, **11.04**

D5371 Not Assigned

D5372-04(2009) Guide for Evaluation of Hydrocarbon Heat Transfer Fluids, **05.02**

D5373-14 Test Methods for Determination of Carbon, Hydrogen and Nitrogen in Analysis Samples of Coal and Carbon in Analysis Samples of Coal and Coke, **05.06**

D5374-13 Test Methods for Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation, **10.02**

D5375/D5375M-98(2011) Test Methods for Liner Removal at High Speeds from Pressure-Sensitive Label Stock, **15.10**

D5376-06(2012) Test Method for Rubber Compounding Materials—Determination of the Basic Nitrogen Content in Rubber Antioxidant: Polymerized TMQ, **09.01**

D5377-93(2012) Classification for Rubber Compounding MaterialsGround Coal, **09.01**

D5378-12 Performance Specification for Woven and Knitted Shower Curtains for Institutional and Household Use, **07.02**

D5379/D5379M-12 Test Method for Shear Properties of Composite Materials by the V-Notched Beam Method, **15.03**

D5380-93(2009) Test Method for Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, **06.01**

D5381-93(2009) Guide for X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, **06.01**

D5382-02(2013) Guide to Evaluation of Optical Properties of Powder Coatings, **06.02**

D5383-02(2010) Practice for Visual Determination of the Lightfastness of Art Materials by Art Technologists, **06.02**

D5384-11 Test Methods for Chlorine in Used Petroleum Products (Field Test Kit Method), **05.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D5385-93(2006) Test Method for Hydrostatic Pressure Resistance of Waterproofing Membranes, **04.04**
D5386-10 Test Method for Color of Liquids Using Tristimulus Colorimetry, **06.04**
D5387-93(2013) Guide for Elements of a Complete Data Set for Non-Cohesive Sediments, **11.01**
D5388-93(2013) Test Method for Indirect Measurements of Discharge by Step-Backwater Method, **11.01**
D5389-93(2013) Test Method for Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, **11.01**
D5390-93(2013) Test Method for Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, **11.01**
D5391-14 Test Method for Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, **11.01**
D5392-93(2006) Test Method for Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, **11.02**
D5393 Withdrawn 1998; Test Method for Determination of Fogging Characteristics of Vehicle Interior Trim Materials
D5394-02(2012) Specification for Reclaimed 1,1,1-Trichloroethane, **15.05**
D5395-03(2013) Specification for Reclaimed Methylene Chloride, **15.05**
D5396-04(2010) Specification for Reclaimed Perchloroethylene, **15.05**
D5397-07(2012) Test Method for Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test, **04.13**
D5398-97(2010) Practice for Visual Evaluation of the Lightfastness of Art Materials by the User, **06.02**
D5399-09 Test Method for Boiling Point Distribution of Hydrocarbon Solvents by Gas Chromatography, **06.04**
D5400-03(2013) Test Methods for Hydroxypropylcellulose, **06.03**
D5401-03(2009) Test Method for Evaluating Clear Water Repellent Coatings on Wood, **06.02**
D5402-06(2011) Practice for Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, **06.02**
D5403-93(2013) Test Methods for Volatile Content of Radiation Curable Materials, **06.02**
D5404/D5404M-12 Practice for Recovery of Asphalt from Solution Using the Rotary Evaporator, **04.03**
D5405/D5405M-98(2011)$^{\epsilon 1}$ Test Method for Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, **04.04**
D5406-93(2011) Practice for Rubber—Calculation of Producer's Process Performance Indexes, **09.01**
D5407 Withdrawn 2005; Test Method for Elastic Moduli of Undrained Intact Rock Core Specimens in Triaxial Compression Without Pore Pressure Measurement; Replaced by D7012
D5408-93(2010)$^{\epsilon 1}$ Guide for Set of Data Elements to Describe a Groundwater Site, **04.08**
D5409/D5409M-93(2010)$^{\epsilon 1}$ Guide for Set of Data Elements to Describe a Ground-Water Site; Part Two—Physical Descriptors, **04.08**
D5410-93(2007) Guide for Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, **04.08**
D5411-10 Practice for Calculation of Average Energy Per Disintegration ($\bar{E}$) for a Mixture of Radionuclides in Reactor Coolant, **11.02**
D5412-93(2011)$^{\epsilon 1}$ Test Method for Quantification of Complex Polycyclic Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, **11.02**
D5413-93(2013) Test Methods for Measurement of Water Levels in Open-Water Bodies, **11.02**
D5414-95(2012) Test Method for Evaluation of Horizontal Impact Performance of Load Unitizing Stretch Wrap Films, **15.10**
D5415-95(2012) Test Method for Evaluating Load Containment Performance of Stretch Wrap Films by Vibration Testing, **15.10**
D5416-95(2012) Test Method for Evaluating Abrasion Resistance of Stretch Wrap Films by Vibration Testing, **15.10**
D5417-11 Practice for Operation of the Vettermann Drum Tester, **07.02**
D5418-07 Test Method for Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), **08.03**
D5419-09 Test Method for Environmental Stress Crack Resistance (ESCR) of Threaded Plastic Closures, **08.03**
D5420-10 Test Method for Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact), **08.03**
D5421-05(2010) Specification for Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, **08.03**
D5422-09 Test Method for Measurement of Properties of Thermoplastic Materials by Screw-Extrusion Capillary Rheometer, **08.03**
D5423 Withdrawn 2014; Specification for Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation
D5424-10 Test Method for Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, **10.02**
D5425-13 Guide for Development of Fire Hazard Assessment Standards of Electrotechnical Products, **10.02**
D5426-12 Practices for Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, **07.02**
D5427-09(2014) Practice for Accelerated Aging of Inflatable Restraint Fabrics, **07.02**
D5428-08(2013) Practice for Evaluating the Performance of Inflatable Restraint Modules, **07.02**
D5429 Withdrawn 2009; Practice for Pretreatment of Backing Fabrics Used in Textile Conservation Research
D5430-13 Test Methods for Visually Inspecting and Grading Fabrics, **07.02**
D5431-08(2013) Performance Specification for Woven and Knitted Sheeting Products for Institutional and Household Use, **07.02**
D5432-12 Performance Specification for Blanket Products for Institutional and Household Use, **07.02**
D5433-12 Performance Specification for Towel Products for Institutional and Household Use, **07.02**
D5434-12 Guide for Field Logging of Subsurface Explorations of Soil and Rock, **04.08**
D5435-13 Test Method for Diagnostic Soil Test for Plant Growth and Food Chain Protection, **04.08**
D5436-13 Specification for Cast Poly(Methyl Methacrylate) Plastic Rods, Tubes, and Shapes, **08.03**
D5437 Withdrawn 1999; Practice for Weathering of Plastics under Marine Floating Exposure
D5438-11 Practice for Collection of Floor Dust for Chemical Analysis, **11.07**
D5439-95(2012) Test Method for Determination of Sediment in Moellon, **15.04**
D5440-93(2009) Test Method for Determining the Melting Point of Fats and Oils, **15.04**
D5441-98(2013) Test Method for Analysis of Methyl Tert-Butyl Ether (MTBE) by Gas Chromatography, **05.02**
D5442-93(2013) Test Method for Analysis of Petroleum Waxes by Gas Chromatography, **05.02**
D5443-04(2009)$^{\epsilon 1}$ Test Method for Paraffin, Naphthene, and Aromatic Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional Gas Chromatography, **05.02**
D5444-08 Test Method for Mechanical Size Analysis of Extracted Aggregate, **04.03**
D5445-11a Practice for Pictorial Markings for Handling of Goods, **15.10**
D5446-08(2013) Practice for Determining Physical Properties of Fabrics, Yarns, and Sewing Thread Used in Inflatable Restraints, **07.02**
D5447-04(2010) Guide for Application of a Ground-Water Flow Model to a Site-Specific Problem, **04.08**
D5448/D5448M-11 Test Method for Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, **15.03**
D5449/D5449M-11 Test Method for Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, **15.03**
D5450/D5450M-12 Test Method for Transverse Tensile Properties of Hoop Wound Polymer Matrix Composite Cylinders, **15.03**
D5451-93(2012) Practice for Sampling Using a Trier Sampler, **11.04**
D5452-12 Test Method for Particulate Contamination in Aviation Fuels by Laboratory Filtration, **05.02**
D5453-12 Test Method for Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, **05.02**
D5454-11$^{\epsilon 1}$ Test Method for Water Vapor Content of Gaseous Fuels Using Electronic Moisture Analyzers, **05.06**
D5455 Withdrawn 2011; Test Method for Short-Term Liquid Sorption Into Paper (Bristow Test)
D5457-12 Specification for Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design, **04.10**
D5458-95(2012) Test Method for Peel Cling of Stretch Wrap Film, **15.10**
D5459-95(2012) Test Method for Machine Direction Elastic Recovery and Permanent Deformation and Stress Retention of Stretch Wrap Film, **15.10**
D5460-02(2012) Test Method for Rubber Compounding Materials—Water in Rubber Additives, **09.01**
D5461-06(2012) Test Method for Rubber Compounding Materials—Wet Sieve Analysis of Powdered Rubber Compounding Materials, **09.01**
D5462-13 Test Method for On-Line Measurement of Low-Level Dissolved Oxygen in Water, **11.02**
D5463-13 Guide for Use of Test Kits to Measure Inorganic Constituents in Water, **11.01**
D5464-11 Test Method for pH Measurement of Water of Low Conductivity, **11.01**
D5465-93(2012) Practice for Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, **11.02**
D5466-01(2007) Test Method for Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), **11.07**
D5467/D5467M-97(2010) Test Method for Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich Beam, **15.03**
D5468-02(2007) Test Method for Gross Calorific and Ash Value of Waste Materials, **11.04**
D5469/D5469M-12 Guide for Application of New Spray Applied Polyurethane Foam and Coated Roofing Systems, **04.04**
D5470-12 Test Method for Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, **10.02**
D5471-10 Specification for O-Xylene 980, **06.04**
D5472 Withdrawn 2014; Test Method for Determining Specific Capacity and Estimating Transmissivity at the Control Well
D5473-93(2006) Test Method for (Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, **04.08**
D5474-93(2012) Guide for Selection of Data Elements for Groundwater Investigations, **04.08**
D5475 Withdrawn 2011; Test Method for Nitrogen- and Phosphorus-Containing Pesticides in Water by Gas Chromatography with a Nitrogen-Phosphorus Detector

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D5476 Withdrawn 2005; Classification System for Thermoplastic Polyurethane Materials (TPU)
D5477-11 Practice for Identification of Polymer Layers or Inclusions by Fourier Transform Infrared Microspectroscopy (FT-IR), **08.03**
D5478-13 Test Methods for Viscosity of Materials by a Falling Needle Viscometer, **06.01**
D5479-94(2013) Practice for Testing Biofouling Resistance of Marine Coatings Partially Immersed, **06.02**
D5480 Withdrawn 2003; Test Method for Engine Oil Volatility by Gas Chromatography
D5481-13 Test Method for Measuring Apparent Viscosity at High-Temperature and High-Shear Rate by Multicell Capillary Viscometer, **05.02**
D5482-07(2013) Test Method for Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), **05.02**
D5483-05(2010) Test Method for Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, **05.02**
D5484 Withdrawn 2004; Specification for Steel Grid Bridge Flooring
D5485-11 Test Method for Determining the Corrosive Effect of Combustion Products Using the Cone Corrosimeter, **10.02**
D5486/D5486M-06(2012) Specification for Pressure-Sensitive Tape for Packaging, Box Closure, and Sealing, **15.10**
D5487-98(2008) Test Method for Simulated Drop of Loaded Containers by Shock Machines, **15.10**
D5488 Withdrawn 2002; Terminology of Environmental Labeling of Packaging Materials and Packages; Replaced by D996
D5489-14 Guide for Care Symbols for Care Instructions on Textile Products, **07.02**
D5490-93(2008) Guide for Comparing Groundwater Flow Model Simulations to Site-Specific Information, **04.08**
D5491-08 Classification for Recycled Post-Consumer Polyethylene Film Sources for Molding and Extrusion Materials, **08.03**
D5492-10 Test Method for Determination of Xylene Solubles in Propylene Plastics, **08.03**
D5493-06(2011) Test Method for Permittivity of Geotextiles Under Load, **04.13**
D5494-93(2011) Test Method for the Determination of Pyramid Puncture Resistance of Unprotected and Protected Geomembranes, **04.13**
D5495-03(2011) Practice for Sampling With a Composite Liquid Waste Sampler (COLIWASA), **11.04**
D5496-98(2009) Practice for In Field Immersion Testing of Geosynthetics, **04.13**
D5497 Withdrawn 2011; Terminology Relating to Buttons; Replaced by D2050
D5498-12a Guide for Developing a Training Program for Personnel Performing Coating and Lining Work Inspection for Nuclear Facilities, **06.02**
D5499-94(2013) Test Methods for Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems, **06.02**
D5500-98(2008) Test Method for Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, **05.02**
D5501-12ε1 Test Method for Determination of Ethanol and Methanol Content in Fuels Containing Greater than 20% Ethanol by Gas Chromatography, **05.02**
D5502-00(2010) Test Method for Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, **05.02**
D5503-94(2008) Practice for Natural Gas Sample-Handling and Conditioning Systems for Pipeline Instrumentation, **05.06**
D5504-12 Test Method for Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Chemiluminescence, **05.06**
D5505-06 Practice for Classifying Emulsified Recycling Agents, **04.03**
D5506-08 Practice for Organizations Engaged in the Certification of Personnel Testing and Inspecting Bituminous Paving Materials, **04.03**
D5507-99(2012) Test Method for Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, **08.03**
D5508-94a(2009)ε1 Test Method for Determination of Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), **08.03**
D5509 Withdrawn 2002; Practice for Exposing Plastics to a Simulated Compost Environment
D5510 Withdrawn 2010; Practice for Heat Aging of Oxidatively Degradable Plastics
D5511-12 Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under High-Solids Anaerobic-Digestion Conditions, **08.03**
D5512 Withdrawn 2002; Practice for Exposing Plastics to a Simulated Compost Environment Using an Externally Heated Reactor
D5513-99(2009) Practice for Microwave Digestion of Industrial Furnace Feedstreams and Waste for Trace Element Analysis, **11.04**
D5514/D5514M-14 Test Method for Large Scale Hydrostatic Puncture Testing of Geosynthetics, **04.13**
D5515-97(2010)ε1 Test Method for Determination of the Swelling Properties of Bituminous Coal Using a Dilatometer, **05.06**
D5516-09 Test Method for Evaluating the Flexural Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures, **04.10**
D5517-07 Test Method for Determining Extractability of Metals from Art Materials, **06.02**
D5518 Withdrawn 2002; Guide for Acquisition of File Aerial Photography and Imagery for Establishing Historic Site-Use and Surficial Conditions
D5519-07 Test Methods for Particle Size Analysis of Natural and Man-Made Riprap Materials, **04.08**
D5520-11 Test Method for Laboratory Determination of Creep Properties of Frozen Soil Samples by Uniaxial Compression, **04.08**
D5521/D5521M-13 Guide for Development of Groundwater Monitoring Wells in Granular Aquifers, **04.08**
D5522 Withdrawn 2002;Specification for Minimum Requirements for Laboratories Engaged in Chemical Analysis of Soil, Rock, and Contained Fluid
D5523-10 Test Method for Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, **08.03**
D5524 Withdrawn 2009; Test Method for Determination of Phenolic Antioxidants in High Density Polyethylene Using Liquid Chromatography; Replaced by D6953
D5525 Withdrawn 2002; Practice for Exposing Plastics to a Simulated Landfill Environment
D5526-12 Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, **08.03**
D5527-00(2011) Practices for Measuring Surface Wind and Temperature by Acoustic Means, **11.07**
D5528-13 Test Method for Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, **15.03**
D5529 Not Assigned
D5530-94(2009) Test Method for Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, **11.04**
D5531-05(2011) Guide for Preparation, Maintenance, and Distribution of Physical Product Standards for Color and Geometric Appearance of Coatings, **06.01**
D5532 Withdrawn 2004; Specification for Micaceous Iron Oxide Pigments for Paint
D5533 Withdrawn 2003; Test Method for Evaluation of Automotive Engine Oils in the Sequence IIIE, Spark-Ignition Engine
D5534-94(2011)ε1 Test Method for Vapor-Phase Rust-Preventing Characteristics of Hydraulic Fluids, **05.02**
D5535 Withdrawn 2009; Terminology Relating to Formed-in-Place Sealants for Joints and Cracks in Pavements
D5536-94(2010) Practice for Sampling Forest Trees for Determination of Clear Wood Properties, **04.10**
D5537-10 Test Method for Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, **10.02**
D5538-13 Practice for Thermoplastic Elastomers—Terminology and Abbreviations, **09.01**
D5539-13 Specification for Seed Starter Mix, **04.08**
D5540-13 Practice for Flow Control and Temperature Control for On-Line Water Sampling and Analysis, **11.01**
D5541-94(2014) Practice for Developing a Stage-Discharge Relation for Open Channel Flow, **11.01**
D5542-04(2009) Test Methods for Trace Anions in High Purity Water by Ion Chromatography, **11.01**
D5543-09 Test Method for Low-Level Dissolved Oxygen in Water, **11.01**
D5544-11 Test Method for On-Line Measurement of Residue After Evaporation of High-Purity Water, **11.01**
D5545 Withdrawn 1998; Test Method for Identification of Cationic Slow-Set Emulsified Asphalts
D5546-09 Test Method for Solubility of Asphalt Binders in Toluene by Centrifuge, **04.03**
D5547-95(2009) Test Method for Clay and Zeolite in Powdered Laundry Detergents by Atomic Absorption, **15.04**
D5548-13 Guide for Evaluating Color Transfer or Color Loss of Dyed Fabrics in Laundering (Not Suitable for Detergent or Washing Machine Rankings), **15.04**
D5549 Withdrawn 2002; Guide for the Contents of Geostatistical Site Investigation Report
D5550-06 Test Method for Specific Gravity of Soil Solids by Gas Pycnometer, **04.08**
D5551-95(2012) Test Method for Determination of the Cloud Point of Oil, **15.04**
D5552-10 Test Method for Resistance of Colored Leather to Bleeding, **15.04**
D5553-95(2012) Test Method for Determination of the Unsaponifiable Nonvolatile Matter in Sulfated Oils, **15.04**
D5554-95(2011) Test Method for Determination of the Iodine Value of Fats and Oils, **15.04**
D5555-95(2011) Test Method for Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds, **15.04**
D5556-95(2011) Test Method for Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds, **15.04**
D5557-95(2011) Test Method for Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, **15.04**
D5558-95(2011) Test Method for Determination of the Saponification Value of Fats and Oils, **15.04**
D5559-95(2011) Test Method for Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, **15.04**
D5560-95(2011) Test Method for Determination of Neutral Fatty Matter Contained in Fats and Oils, **15.04**
D5561 Not Assigned
D5562-95(2011) Test Method for Determination of the Acidity as Free Fatty

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, **15.04**

D5563 Withdrawn 1995; Test Method for Determination of the Total Alkalinity of Sulfonated or Sulfated Oils; Replaced by D5350

D5564-95(2011) Test Method for Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils, **15.04**

D5565-95(2011) Test Method for Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, **15.04**

D5566-95(2011) Test Method for Determination of Inorganic Salt Content of Sulfated and Sulfonated Oils, **15.04**

D5567-94(2011) Test Method for Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, **04.13**

D5568-08 Test Method for Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, **10.02**

D5569 Withdrawn 2003; Test Method for the Determination of Static Flow of Electrical Grade Magnesium Oxide for Use in Sheathed Heating Elements

D5570/D5570M-10 Test Method for Water Resistance of Tape and Adhesives Used as Box Closure, **15.10**

D5571-94(2010) Test Method for Environmental Stress Crack Resistance (ESCR) of Plastic Tighthead Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, **15.10**

D5572-95(2012) Specification for Adhesives Used for Finger Joints in Nonstructural Lumber Products, **15.06**

D5573-99(2012) Practice for Classifying Failure Modes in Fiber-Reinforced-Plastic (FRP) Joints, **15.06**

D5574-94(2012) Test Methods for Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints, **15.06**

D5575-07(2013) Classification System for Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, **08.03**

D5576-00(2013) Practice for Determination of Structural Features in Polyolefins and Polyolefin Copolymers by Infrared Spectrophotometry (FT-IR), **08.03**

D5577-94(2010)ε1 Guide for Techniques to Separate and Identify Contaminants in Recycled Plastics, **08.03**

D5578-04(2010) Test Method for Determination of Ethylene Oxide in Workplace Atmospheres (HBr Derivatization Method), **11.07**

D5579-13 Test Method for Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, **05.02**

D5580-13 Test Method for Determination of Benzene, Toluene, Ethylbenzene, p/m-Xylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, **05.02**

D5581-07a(2013) Test Method for Resistance to Plastic Flow of Bituminous Mixtures Using Marshall Apparatus (6 inch-Diameter Specimen), **04.03**

D5582-00(2006) Test Method for Determining Formaldehyde Levels from Wood Products Using a Desiccator, **04.10**

D5583 Withdrawn 2010; Test Method for Detection and Estimation of Retention of Wood Preservatives by Aspergillus Bioassaying

D5584 Withdrawn 2006; Test Methods for Chemical Analysis of Ammoniacal Copper Quat Type B (ACQ-B)

D5585-11ε1 Tables of Body Measurements for Adult Female Misses Figure Type, Size Range 00 - 20, **07.02**

D5586 Withdrawn 2010; Tables of Body Measurements for Women Aged 55 and Older (All Figure Types)

D5586/D5586M-10 Tables of Body Measurements for Women Aged 55 and Older, **07.02**

D5587-14 Test Method for Tearing Strength of Fabrics by Trapezoid Procedure, **07.02**

D5588-97(2012) Test Method for Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, **06.01**

D5589-09(2013) Test Method for Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, **06.01**

D5590-00(2010)ε1 Test Method for Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, **06.01**

D5591-04(2011) Test Method for Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, **07.02**

D5592-94(2010) Guide for Material Properties Needed in Engineering Design Using Plastics, **08.03**

D5593 Withdrawn 2005; Classification for Thermoplastic Elastomers—Olefinic (TEO)

D5594-98(2012) Test Method for Determination of the Vinyl Acetate Content of Ethylene-Vinyl Acetate (EVA) Copolymers by Fourier Transform Infrared Spectroscopy (FT-IR), **08.03**

D5595 Withdrawn 1997; Practice for Determining Buoyancy Corrections During Precision Weighing of Low-Density Samples

D5596-03(2009) Test Method For Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics, **04.13**

D5597 Withdrawn 1999; Practice for Preparation of Oil-Based Ink Resin Solutions Using a Hot Oil Bath; Replaced by D5958

D5598-01(2012) Test Method for Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, **05.02**

D5599-00(2010) Test Method for Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, **05.02**

D5600-09 Test Method for Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), **05.02**

D5601 Withdrawn 2002; Test Method for Tearing Resistance of Roofing and Waterproofing Materials and Membranes

D5602/D5602M-11 Test Method for Static Puncture Resistance of Roofing Membrane Specimens, **04.04**

D5603-01(2008) Classification for Rubber Compounding Materials—Recycled Vulcanizate Particulate Rubber, **09.01**

D5604-96(2012) Test Methods for Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, **09.01**

D5605-94(2011) Practice for Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney Viscosity Target Values, **09.01**

D5606-09(2013) Specification for Toluene for Toluene Diisocyanate (TDI) Feedstock, **06.04**

D5607-08 Test Method for Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, **04.08**

D5608-10 Practices for Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, **04.08**

D5609-94(2008) Guide for Defining Boundary Conditions in Groundwater Flow Modeling, **04.08**

D5610-94(2008) Guide for Defining Initial Conditions in Groundwater Flow Modeling, **04.08**

D5611-94(2008) Guide for Conducting a Sensitivity Analysis for a Groundwater Flow Model Application, **04.08**

D5612-94(2013) Guide for Quality Planning and Field Implementation of a Water Quality Measurement Program, **11.01**

D5613-94(2014) Test Method for Open-Channel Measurement of Time of Travel Using Dye Tracers, **11.02**

D5614-94(2014) Test Method for Open Channel Flow Measurement of Water with Broad-Crested Weirs, **11.02**

D5615-07ε1 Test Method for Operating Characteristics of Home Reverse Osmosis Devices, **11.02**

D5616-04(2010) Specification for Reclaimed Trichloroethylene, **15.05**

D5617-04(2010) Test Method for Multi-Axial Tension Test for Geosynthetics, **04.13**

D5618-94(2011) Test Method for Measurement of Barnacle Adhesion Strength in Shear, **06.02**

D5619-00(2011) Test Method for Comparing Metal Removal Fluids Using the Tapping Torque Test Machine, **05.02**

D5620 Withdrawn 2010; Test Method for Evaluating Thin Film Fluid Lubricants in a Drain and Dry Mode Using a Pin and Vee Block Test Machine

D5621-07(2013) Test Method for Sonic Shear Stability of Hydraulic Fluids, **05.02**

D5622-95(2011) Test Methods for Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, **05.02**

D5623-94(2009) Test Method for Sulfur Compounds in Light Petroleum Liquids by Gas Chromatography and Sulfur Selective Detection, **05.02**

D5624-13 Practice for Determining the Transverse-Aggregate Spread Rate for Surface Treatment Applications, **04.03**

D5625 Withdrawn 2009; Test Method for Measuring Length, Width, and Squareness of Sheeted Paper and Paper Products

D5626 Withdrawn 2011; Test Methods for U.S. Postal Service Optical Measurements for Small Areas

D5627-94(2009)ε1 Test Method for Water Extractable Residue from Particulate Ion-Exchange Resins, **11.02**

D5628-10 Test Method for Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Falling Dart (Tup or Falling Mass), **08.03**

D5629-11 Test Method for Polyurethane Raw Materials: Determination of Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, **08.03**

D5630-13 Test Method for Ash Content in Plastics, **08.03**

D5631-11 Practice for Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), **15.05**

D5632/D5632M-12ε1 Specification for Halon 1301, Bromotrifluoromethane (CF3Br), **15.05**

D5633-04(2012) Practice for Sampling with a Scoop, **11.04**

D5634 Withdrawn 2010; Guide for Selection of Permanent and Durable Offset and Book Papers

D5635/D5635M-11 Test Method for Dynamic Puncture Resistance of Roofing Membrane Specimens, **04.04**

D5636/D5636M-94(2011)ε1 Test Method for Low Temperature Unrolling of Felt or Sheet Roofing and Waterproofing Materials, **04.04**

D5637-05(2012) Test Method for Moisture Resistance of Electrical Insulating Varnishes, **10.02**

D5638-05(2010) Test Method for Chemical Resistance of Electrical Insulating Varnishes, **10.02**

D5639/D5639M-11 Practice for Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, **15.10**

D5640-95(2014) Guide for Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, **11.02**

D5641-94(2011) Practice for Geomembrane Seam Evaluation by Vacuum Chamber, **04.13**

D5642-09 Test Method for Sealed Tube Chemical Compatibility Test, **10.02**

D5643/D5643M-06(2012)ε1 Specification for Coal Tar Roof Cement, Asbestos Free, **04.04**

D5644-01(2013) Test Methods for Rubber Compounding Materials—Determination of Particle Size Distribution of Recycled Vulcanizate Particulate Rubber, **09.01**

D5645 Withdrawn 1999; Test Method for Determining Physical Properties of Inflatable Restraint Cushions; Replaced by D5807,D5822

D5646-13 Terminology Relating to Seams and Stitches Used in Home Sewing, **07.02**

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D5647-07(2012) Guide for Measuring Hairiness of Yarns by the Photo-Electric Apparatus, **07.02**
D5648-01(2014) Test Method for Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), **15.06**
D5649-01(2008) Test Method for Torque Strength of Adhesives Used on Threaded Fasteners, **15.06**
D5650 Withdrawn 2010; Test Method for Resistance to Bending of Paper of Low Bending Stiffness (Taber-Type Tester in 0 to 10 Taber Stiffness Unit Configuration)
D5651-13 Test Method for Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, **04.10**
D5652-95(2013) Test Methods for Bolted Connections in Wood and Wood-Based Products, **04.10**
D5653 Withdrawn 2006; Specification for Copper Dimethyldithiocarbamate
D5654 Withdrawn 2006; Specification for Ammoniacal Copper Quat Type B (ACQ-B)
D5655 Withdrawn 2006; Test Method of Analysis of Copper Dimethyldithiocarbamate (CDDC) Treated Wood by Colorimetry
D5656-10 Test Method for Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by Tension Loading, **15.06**
D5657-07(2014) Test Method for Fluid Tightness Ability of Adhesives Used on Threaded Fasteners, **15.06**
D5658-13 Practice for Sampling Unconsolidated Waste From Trucks, **11.04**
D5659-95(2006) Test Method for Chlorophenoxy Acid Herbicides in Waste Using HPLC, **11.04**
D5660 Withdrawn 2014; Test Method for Assessing the Microbial Detoxification of Chemically Contaminated Water and Soil Using a Toxicity Test with a Luminescent Marine Bacterium
D5661 Withdrawn 2010; Test Method for Relative Solvency of Petroleum Oils by the PKP Method
D5662-13 Test Method for Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, **05.02**
D5663-97(2011) Guide for Validating Recycled Content in Packaging Paper and Paperboard, **15.10**
D5664-10 Test Method for Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber, **04.10**
D5665-99a(2006) Specification for Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, **04.04**
D5666-95(2009) Test Method for Rubber Chemical Antidegradants—Purity of, **09.01**
D5667-95(2010) Test Method for Rubber From Synthetic Sources—Total and Water Soluble Ash, **09.01**
D5668-09 Test Methods for Rubber From Synthetic Sources—Volatile Matter, **09.01**
D5669 Withdrawn 2000; Test Method for Rubber—Evaluation of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Curemeter Testing
D5670-95(2009) Test Method for Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, **09.01**
D5671-95(2011) Practice for Polishing and Etching Coal Samples for Microscopical Analysis by Reflected Light, **05.06**
D5672-09 Test Method for Testing Flexible Cellular Materials Measurement of Indentation Force Deflection Using a 25-mm (1-in.) Deflection Technique, **08.03**
D5673-10 Test Method for Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, **11.02**
D5674-95(2014) Guide for Operation of a Gaging Station, **11.02**
D5675-13 Classification for Low Molecular Weight PTFE and FEP Micronized Powders, **08.03**
D5676 Withdrawn 2004 Specification for Recycled Polystyrene Molding and Extrusion Materials
D5677-05(2010) Specification for Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, **08.03**
D5678-95(2008) Test Method for Freeze/Thaw Resistance of Wax Emulsion Floor Polish, **15.04**
D5679-95a(2012) Practice for Sampling Consolidated Solids in Drums or Similar Containers, **11.04**
D5680-14 Practice for Sampling Unconsolidated Solids in Drums or Similar Containers, **11.04**
D5681-13 Terminology for Waste and Waste Management, **11.04**
D5682-08(2012) Test Methods for Electrical Resistivity of Liquid Paint and Related Materials, **06.01**
D5683/D5683M-95(2011)$^{\epsilon 1}$ Test Method for Flexibility of Roofing and Waterproofing Materials and Membranes, **04.04**
D5684-12 Terminology Relating to Pile Floor Coverings, **07.02**
D5685-11 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings, **08.03**
D5686 Withdrawn 2002; Specification for "Fiberglass"(Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type Epoxy Resin, for Condensate Return Lines
D5687/D5687M-95(2007) Guide for Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation, **15.03**
D5688 Not Assigned
D5689 Not Assigned
D5690 Not Assigned
D5691 Not Assigned
D5692 Not Assigned
D5693 Not Assigned
D5694 Not Assigned
D5695 Not Assigned
D5696 Not Assigned
D5697 Not Assigned
D5698 Not Assigned
D5699 Not Assigned
D5700 Not Assigned
D5701 Not Assigned
D5702-07(2012) Practice for Field Sampling of Coating Films for Analysis for Heavy Metals, **06.02**
D5703-95(2013) Practice for Preparatory Surface Cleaning for Clay Brick Masonry, **06.02**
D5704-13a Test Method for Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, **05.02**
D5705-14 Test Method for Measurement of Hydrogen Sulfide in the Vapor Phase Above Residual Fuel Oils, **05.02**
D5706-11 Test Method for Determining Extreme Pressure Properties of Lubricating Greases Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.02**
D5707-11 Test Method for Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.02**
D5708-12 Test Methods for Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, **05.02**
D5709-09 Test Method for Sieve Analysis of Petroleum Coke, **05.02**
D5710/D5710M-13 Specification for Trinidad Lake Modified Asphalt, **04.03**
D5711 Withdrawn 2011; Test Method for Determining the Adherent Coating on Coarse Aggregates
D5712-10 Test Method for Analysis of Aqueous Extractable Protein in Natural Rubber and Its Products Using the Modified Lowry Method, **09.02**
D5713-09 Test Method for Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, **06.04**
D5714 Withdrawn 2011; Specification for Content of Digital Geospatial Metadata
D5715-00(2006) Test Method for Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), **04.08**
D5716-95(2006) Test Method for Measuring the Rate of Well Discharge by Circular Orifice Weir, **04.08**
D5717 Withdrawn 2005; Guide for Design of Ground-Water Monitoring Systems in Karst and Fractured-Rock Aquifers
D5718-13 Guide for Documenting a Groundwater Flow Model Application, **04.08**
D5719-13 Guide for Simulation of Subsurface Airflow Using Groundwater Flow Modeling Codes, **04.08**
D5720-95(2009) Practice for Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, **04.08**
D5721-08(2013) Practice for Air-Oven Aging of Polyolefin Geomembranes, **04.13**
D5722-08 Practice for Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, **06.01**
D5723-95(2010) Practice for Determination of Chromium Treatment Weight on Metal Substrates by X-Ray Fluorescence, **06.02**
D5724-06(2010) Specification for Gouache Paints, **06.02**
D5725 Withdrawn 2010; Test Method for Surface Wettability and Absorbency of Sheeted Materials Using an Automated Contact Angle Tester
D5726-98(2013) Specification for Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing, **04.04**
D5727/D5727M-00(2011)$^{\epsilon 1}$ Specification for Emulsified Refined Coal Tar (Mineral Colloid Type), **04.04**
D5728-12 Practices for Securement of Cargo in Intermodal and Unimodal Surface Transport, **15.10**
D5729 Withdrawn 2008; Test Method for Thickness of Nonwoven Fabrics
D5730 Withdrawn 2013; Guide for Site Characterization for Environmental Purposes With Emphasis on Soil, Rock, the Vadose Zone and Groundwater
D5731-08 Test Method for Determination of the Point Load Strength Index of Rock and Application to Rock Strength Classifications, **04.08**
D5732 Withdrawn 2008; Test Method for Stiffness of Nonwoven Fabrics Using the Cantilever Test
D5733 Withdrawn 2008; Test Method for Tearing Strength of Nonwoven Fabrics by the Trapezoid Procedure
D5734 Withdrawn 2008; Tearing Strength of Nonwoven Fabrics by Falling-Pendulum (Elmendorf) Apparatus
D5735 Withdrawn 2009; Test Method for Tearing Strength on Nonwoven Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine)
D5736 Withdrawn 2008; Test Method for Thickness of Highloft Nonwoven Fabrics
D5737-95(2006) Guide for Methods for Measuring Well Discharge, **04.08**
D5738-95(2006) Guide for Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Diagrams for Single Analyses, **04.08**
D5739-06(2013) Practice for Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, **11.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D5740-11 Guide for Writing Material Standards in the Classification, **08.03**
D5741-96(2011) Practice for Characterizing Surface Wind Using a Wind Vane and Rotating Anemometer, **11.07**
D5742-95(2010) Test Method for Determination of Butane Activity of Activated Carbon, **15.01**
D5743-97(2013) Practice for Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, **11.04**
D5744-13ε1 Test Method for Laboratory Weathering of Solid Materials Using a Humidity Cell, **11.04**
D5745-09 Guide for Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, **11.04**
D5746-98(2010) Classification of Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities, **11.05**
D5747/D5747M-08(2013)ε1 Practice for Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, **04.13**
D5748-95(2012) Test Method for Protrusion Puncture Resistance of Stretch Wrap Film, **15.10**
D5749-01(2012) Specification for Reinforced and Plain Gummed Tape for Sealing and Securing, **15.10**
D5750/D5750M-95(2012) Guide for Width and Length of Pressure-Sensitive Tape, **15.10**
D5751-99(2012) Specification for Adhesives Used for Laminate Joints in Nonstructural Lumber Products, **15.06**
D5752-10 Specification for Supplemental Coolant Additives (SCAs) for Use in Precharging Coolants for Heavy-Duty Engines, **15.05**
D5753-05(2010) Guide for Planning and Conducting Borehole Geophysical Logging, **04.08**
D5754-95(2006) Guide for Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Trilinear Diagrams for Two or More Analyses, **04.08**
D5755-09(2014)ε1 Test Method for Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, **11.07**
D5756-02(2008) Test Method for Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, **11.07**
D5757-11 Test Method for Determination of Attrition of FCC Catalysts by Air Jets, **05.05**
D5758-01(2011)ε1 Test Method for Determination of Relative Crystallinity of Zeolite ZSM-5 by X-Ray Diffraction, **05.05**
D5759-12 Guide for Characterization of Coal Fly Ash and Clean Coal Combustion Fly Ash for Potential Uses, **11.04**
D5760-13 Specification for Performance of Manual Transmission Gear Lubricants, **05.02**
D5761-96(2012) Practice for Emulsification/Suspension of Multiphase Fluid Waste Materials, **05.02**
D5762-12 Test Method for Nitrogen in Petroleum and Petroleum Products by Boat-Inlet Chemiluminescence, **05.02**
D5763-11 Test Method for Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, **05.02**
D5764-97a(2013) Test Method for Evaluating Dowel-Bearing Strength of Wood and Wood-Based Products, **04.10**
D5765-05(2010) Practice for Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave Heating, **11.02**
D5766/D5766M-11 Test Method for Open-Hole Tensile Strength of Polymer Matrix Composite Laminates, **15.03**
D5767-95(2012) Test Methods for Instrumental Measurement of Distinctness-of-Image Gloss of Coating Surfaces, **06.01**
D5768-02(2010) Test Method for Determination of Iodine Value of Tall Oil Fatty Acids, **06.03**
D5769-10 Test Method for Determination of Benzene, Toluene, and Total Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, **05.02**
D5770-11 Test Method for Semiquantitative Micro Determination of Acid Number of Lubricating Oils During Oxidation Testing, **05.02**
D5771-12 Test Method for Cloud Point of Petroleum Products (Optical Detection Stepped Cooling Method), **05.02**
D5772-10 Test Method for Cloud Point of Petroleum Products (Linear Cooling Rate Method), **05.02**
D5773-10 Test Method for Cloud Point of Petroleum Products (Constant Cooling Rate Method), **05.02**
D5774-95(2009) Test Methods for Rubber—Chemical Analysis of Extractables, **09.01**
D5775-95(2009)ε1 Test Method for Rubber—Determination of Bound Styrene in Styrene Butadiene Rubber by Refractive Index, **09.01**
D5776-13 Test Method for Bromine Index of Aromatic Hydrocarbons by Electrometric Titration, **06.04**
D5777-00(2011)ε1 Guide for Using the Seismic Refraction Method for Subsurface Investigation, **04.08**
D5778-12 Test Method for Electronic Friction Cone and Piezocone Penetration Testing of Soils, **04.08**
D5779/D5779M-14 Test Method for Field Determination of Rapid Specific Gravity of Rock and Manmade Materials for Erosion Control, **04.08**
D5780-10 Test Methods for Individual Piles in Permafrost Under Static Axial Compressive Load, **04.08**
D5781/D5781M-13 Guide for Use of Dual-Wall Reverse-Circulation Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, **04.08**
D5782-95(2012) Guide for Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, **04.08**
D5783-95(2012) Guide for Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, **04.08**
D5784/D5784M-13 Guide for Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, **04.08**
D5785-95(2013) Test Method for (Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), **04.08**
D5786-95(2012) Practice for (Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, **04.08**
D5787-95(2009) Practice for Monitoring Well Protection, **04.08**
D5788-95(2011) Guide for Spiking Organics into Aqueous Samples, **11.02**
D5789 Withdrawn 2002; Practice for Writing Quality Control Specifications for Standard Test Methods for Organic Constituents; Replaced by D5847
D5790-95(2012) Test Method for Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, **11.02**
D5791-95(2012)ε1 Guide for Using Probability Sampling Methods in Studies of Indoor Air Quality in Buildings, **11.07**
D5792-10 Practice for Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, **11.04**
D5793-13 Test Method for Binding Sites per Unit Length or Width of Pile Yarn Floor Coverings, **07.02**
D5794-95(2008) Guide for Determination of Anions in Cathodic Electrocoat Permeates by Ion Chromatography, **06.01**
D5795-95(2008) Test Method for Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Apparatus, **06.02**
D5796-10 Test Method for Measurement of Dry Film Thickness of Thin-Film Coil-Coated Systems by Destructive Means Using a Boring Device, **06.02**
D5797-13 Specification for Fuel Methanol (M70-M85) for Automotive Spark-Ignition Engines, **05.02**
D5798-13a Specification for Ethanol Fuel Blends for Flexible-Fuel Automotive Spark-Ignition Engines, **05.02**
D5799-95(2009) Test Method for Determination of Peroxides in Butadiene, **05.02**
D5800-10 Test Method for Evaporation Loss of Lubricating Oils by the Noack Method, **05.02**
D5801-12 Test Method for Toughness and Tenacity of Bituminous Materials, **04.03**
D5802 Withdrawn 2009; Test Method for Sorption of Bibulous Paper Products (Sorptive Rate and Capacity Using Gravimetric Principles)
D5803 Withdrawn 2009; Test Method for Tensile Strength at Zero-Span ("Wet Zero-Span Tensile")
D5804 Withdrawn 2009; Test Methods for Zero-Span Tensile Strength ("Dry Zero-Span Tensile")
D5805-00(2009) Test Methods for Rubber—Determination of Carbon Black in Masterbatches, **09.01**
D5806-95(2009) Test Method for Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, **15.04**
D5807-08(2013) Practice for Evaluating the Overpressurization Characteristics of Inflatable Restraint Cushions, **07.02**
D5808-09a Test Method for Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, **06.04**
D5810-96(2011) Guide for Spiking into Aqueous Samples, **11.01**
D5811-08(2013) Test Method for Strontium-90 in Water, **11.02**
D5812 Withdrawn 2011; Test Method for Determination of Organochlorine Pesticides in Water by Capillary Column Gas Chromatography
D5813-04(2012) Specification for Cured-In-Place Thermosetting Resin Sewer Piping Systems, **08.03**
D5814-10 Practice for Determination of Contamination in Recycled Poly(Ethylene Terephthalate) (PET) Flakes and Chips Using a Plaque Test, **08.03**
D5815 Withdrawn 2009; Test Method for Determination of Phenolic Antioxidants and Erucamide Slip Additives in Linear Low-Density Polyethylene Using Liquid Chromatography (LC); Replaced by D6953
D5816 Withdrawn 2000; Test Methods for Carbon Black—External Surface Area by Multipoint Nitrogen Adsorption; Replaced by D6556
D5817-03a(2008) Practice for Carbon Black, Pelleted—Reduction, Blending, and Drying of Gross Samples for Testing, **09.01**
D5818-11 Practice for Exposure and Retrieval of Samples to Evaluate Installation Damage of Geosynthetics, **04.13**
D5819-05(2012) Guide for Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, **04.13**
D5820-95(2011) Practice for Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, **04.13**
D5821-13 Test Method for Determining the Percentage of Fractured Particles in Coarse Aggregate, **04.03**
D5822-13 Test Method for Determining Seam Strength in Inflatable Restraint Cushions, **07.02**
D5823-13 Test Method for Tuft Height of Pile Floor Coverings, **07.02**
D5824-98(2011) Test Method for Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, **15.06**
D5825 Not Assigned

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D5826 Withdrawn 2009; Tables of Body Measurements for Children, Sizes 2 to 6x/7
D5827-09$^{\epsilon 1}$ Test Method for Analysis of Engine Coolant for Chloride and Other Anions by Ion Chromatography, **15.05**
D5828-97(2011)$^{\epsilon 1}$ Test Method for Compatibility of Supplemental Coolant Additives (SCAs) and Engine Coolant Concentrates, **15.05**
D5829-96(2007) Guide for Preparing a Training Program for Environmental Analytical Laboratories, **11.04**
D5830-14 Test Method for Solvents Analysis in Hazardous Waste Using Gas Chromatography, **11.04**
D5831-09 Test Method for Screening Fuels in Soils, **11.04**
D5832-98(2008) Test Method for Volatile Matter Content of Activated Carbon Samples, **15.01**
D5833-12 Guide for Source Reduction Reuse, Recycling, or Disposal of Steel Cans, **15.10**
D5834 Withdrawn 2003; Guide for Source Reduction Reuse, Recycling, and Disposal of Solid and Corrugated Fiberboard (Cardboard)
D5835-95(2013) Practice for Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, **11.07**
D5836-08(2013) Test Method for Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Workplace Atmospheres (1-2 PP Method), **11.07**
D5837-12 Test Method for Furanic Compounds in Electrical Insulating Liquids by High-Performance Liquid Chromatography (HPLC), **10.03**
D5838 Not Assigned
D5839-96(2006) Test Method for Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, **11.04**
D5840 Withdrawn 2005; Specification for Type II Polymer Modified Asphalt Cement for Use in Pavement Construction
D5841 Withdrawn 2005; Specification for Type III Polymer Modified Asphalt Cement for Use in Pavement Construction
D5842-04(2009) Practice for Sampling and Handling of Fuels for Volatility Measurement, **05.02**
D5843-95(2006) Guide for Application of Fully Adhered Vulcanized Rubber Sheets Used in Waterproofing, **04.04**
D5844 Withdrawn 2003; Test method for Evaluation of Automotive Engine Oils for Inhibition of Rusting (Sequence IID)
D5845-01(2011) Test Method for Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, **05.02**
D5846-07(2012) Test Method for Universal Oxidation Test for Hydraulic and Turbine Oils Using the Universal Oxidation Test Apparatus, **05.02**
D5847-02(2012) Practice for Writing Quality Control Specifications for Standard Test Methods for Water Analysis, **11.02**
D5848-10$^{\epsilon 1}$ Test Method for Mass Per Unit Area of Pile Yarn Floor Coverings, **07.02**
D5849/D5849M-07(2013)$^{\epsilon 1}$ Test Method for Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), **04.04**
D5850-95(2012) Test Method for (Analytical Procedure) Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network of Partially Penetrating Wells, **04.08**
D5851-95(2011) Guide for Planning and Implementing a Water Monitoring Program, **11.01**
D5852-00(2007) Test Method for Erodibility Determination of Soil in the Field or in the Laboratory by the Jet Index Method, **04.08**
D5853-11 Test Method for Pour Point of Crude Oils, **05.02**
D5854-96(2010) Practice for Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products, **05.02**
D5855-95(2013) Test Method for (Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, **04.08**
D5856-95(2007) Test Method for Measurement of Hydraulic Conductivity of Porous Material Using a Rigid-Wall, Compaction-Mold Permeameter, **04.08**
D5857-14 Specification for Polypropylene Injection and Extrusion Materials Using ISO Protocol and Methodology, **08.03**
D5858-96(2008) Guide for Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, **04.03**
D5859 Withdrawn 2005; Test Method for Determining the Slip Index of Painted Surfaces Using the Variable Incidence Tester
D5860-95(2013) Test Method for Evaluation of the Effect of Water Repellent Treatments on Freeze-Thaw Resistance of Hydraulic Cement Mortar Specimens, **06.02**
D5861-07(2013) Guide for Significance of Particle Size Measurements of Coating Powders, **06.02**
D5862 Withdrawn 2009; Test Method for Evaluation of Engine Oils in Two-Stroke Cycle Turbo-Supercharged 6V92TA Diesel Engine
D5863-00a(2011) Test Methods for Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, **05.02**
D5864-11 Test Method for Determining Aerobic Aquatic Biodegradation of Lubricants or Their Components, **05.02**
D5865-13 Test Method for Gross Calorific Value of Coal and Coke, **05.06**
D5866-12 Test Method for Neps in Cotton Fibers, **07.02**
D5867-12$^{\epsilon 1}$ Test Methods for Measurement of Physical Properties of Raw Cotton by Cotton Classification Instruments, **07.02**
D5868-01(2014) Test Method for Lap Shear Adhesion for Fiber Reinforced Plastic (FRP) Bonding, **15.06**
D5869-07a(2013) Practice for Dark Oven Heat Exposure of Roofing and Waterproofing Materials, **04.04**
D5870-11 Practice for Calculating Property Retention Index of Plastics, **08.03**
D5871-12 Specification for Benzene for Cyclohexane Feedstock, **06.04**
D5872/D5872M-13 Guide for Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, **04.08**
D5873-14 Test Method for Determination of Rock Hardness by Rebound Hammer Method, **04.08**
D5874-02(2007) Test Method for Determination of the Impact Value (IV) of a Soil, **04.08**
D5875/D5875M-13 Guide for Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, **04.08**
D5876-95(2012)$^{\epsilon 1}$ Guide for Use of Direct Rotary Wireline Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, **04.08**
D5877 Withdrawn 2014; Guide for Displaying Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Diagrams Based on Data Analytical Calculations
D5878-08 Guides for Using Rock-Mass Classification Systems for Engineering Purposes, **04.09**
D5879-95(2010) Practice for Surface Site Characterization for On-Site Septic Systems, **04.09**
D5880-95(2006) Guide for Subsurface Flow and Transport Modeling, **04.09**
D5881-13 Test Method for (Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), **04.09**
D5882-07(2013) Test Method for Low Strain Impact Integrity Testing of Deep Foundations, **04.09**
D5883-12 Guide for Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes, **04.09**
D5884-04a(2010) Test Method for Determining Tearing Strength of Internally Reinforced Geomembranes, **04.13**
D5885-06(2012) Test Method for Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, **04.13**
D5886-95(2011) Guide for Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, **04.13**
D5887-09 Test Method for Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter, **04.13**
D5888-06(2011) Guide for Storage and Handling of Geosynthetic Clay Liners, **04.13**
D5889-11 Practice for Quality Control of Geosynthetic Clay Liners, **04.13**
D5890-11 Test Method for Swell Index of Clay Mineral Component of Geosynthetic Clay Liners, **04.13**
D5891-02(2009) Test Method for Fluid Loss of Clay Component of Geosynthetic Clay Liners, **04.13**
D5892 Withdrawn 2005; Specification for Type IV Polymer-Modified Asphalt Cement for Use in Pavement Construction
D5893/D5893M-10 Specification for Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements, **04.03**
D5894-10 Practice for Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), **06.01**
D5895-13 Test Methods for Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, **06.01**
D5896-96(2012) Test Method for Carbohydrate Distribution of Cellulosic Materials, **06.03**
D5897-13 Test Method for Determination of Percent Hydroxyl on Cellulose Esters by Potentiometric Titration—Alternative Method, **06.03**
D5898/D5898M-96(2013) Guide for Standard Details for Adhered Sheet Waterproofing, **04.04**
D5899-98(2013) Classification System for Rubber Compounding Materials for Use in Computer Material Management Systems, **09.01**
D5900-13 Specification for Physical and Chemical Properties of Industry Reference Materials (IRM), **09.01**
D5901 Withdrawn 2010; Test Method for Freezing Point of Aviation Fuels (Automated Optical Method)
D5902-05(2010) Test Method for Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value, **09.01**
D5903-96(2012) Guide for Planning and Preparing for a Groundwater Sampling Event, **04.09**
D5904-02(2009) Test Method for Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, **11.02**
D5905-98(2013) Practice for the Preparation of Substitute Wastewater, **11.01**
D5906-02(2013) Guide for Measuring Horizontal Positioning During Measurements of Surface Water Depths, **11.01**
D5907-13 Test Methods for Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, **11.01**
D5908 Withdrawn 2008; Test Method for Resin Binder Distribution and Binder Penetration Analysis of Polyester Nonwoven Fabrics
D5909-96a(2011) Test Method for Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance, **06.02**
D5910-05(2012) Test Method for Determination of Free Formaldehyde in Emulsion Polymers by Liquid Chromatography, **06.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D5911/D5911M-96(2010)ε1 Practice for Minimum Set of Data Elements to Identify a Soil Sampling Site, **04.09**
D5912 Withdrawn 2013; Test Method for Analytical Procedure) Determining Hydraulic Conductivity of an Unconfined Aquifer by Overdamped Well Response to Instantaneous Change in Head (Slug)
D5913-96(2013) Test Method for Evaluation of Cleanability of Paint Brushes, **06.02**
D5914 Not Assigned
D5915 Not Assigned
D5916 Withdrawn 2011; Test Method for Detection and Enumeration of Clostridium perfringens from Water and Extracted Sediments by Membrane Filtration (MF)
D5917-12 Test Method for Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, **06.04**
D5918-13 Test Methods for Frost Heave and Thaw Weakening Susceptibility of Soils, **04.09**
D5919-96(2011) Practice for Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations, **15.01**
D5920 Withdrawn 2014; Test Method (Analytical Procedure) for Tests of Anisotropic Unconfined Aquifers by Neuman Method
D5921-96(2010) Practice for Subsurface Site Characterization of Test Pits for On-Site Septic Systems, **04.09**
D5922-96(2010) Guide for Analysis of Spatial Variation in Geostatistical Site Investigations, **04.09**
D5923-96(2010) Guide for Selection of Kriging Methods in Geostatistical Site Investigations, **04.09**
D5924-96(2010) Guide for Selection of Simulation Approaches in Geostatistical Site Investigations, **04.09**
D5925 Withdrawn 2005; Practice for Preliminary Sizing and Delineation of Soil Absorption Field Areas for On-Site Septic Systems
D5926-11 Specification for Poly (Vinyl Chloride) (PVC) Gaskets for Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems, **08.03**
D5927-09 Classification System for Thermoplastic Polyester (TPES) Injection and Extrusion Materials Based on ISO Test Methods, **08.03**
D5928-96(2010)ε1 Test Method for Screening of Waste for Radioactivity, **11.04**
D5929-96(2009) Test Method for Determining Biodegradability of Materials Exposed to Municipal Solid Waste Composting Conditions by Compost Respirometry, **11.04**
D5930-09 Test Method for Thermal Conductivity of Plastics by Means of a Transient Line-Source Technique, **08.03**
D5931-13 Test Method for Density and Relative Density of Engine Coolant Concentrates and Aqueous Engine Coolants by Digital Density Meter, **15.05**
D5932-08(2013) Test Method for Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, **11.07**
D5933-96(2013) Specification for 258-in. and 4-in. Diameter Metal Shear Plates for Use in Wood Constructions, **04.10**
D5934 Withdrawn 2009; Test Method for Determination of Modulus of Elasticity for Rigid and Semi-Rigid Plastic Specimens by Controlled Rate of Loading Using Three-Point Bending
D5935 Withdrawn 1998; Practice for Plastics—Acquisition and Presentation of Comparable Single-Point Data
D5936 Withdrawn 1998; Specification for Multipurpose Test Specimens Used for Testing Plastics
D5937 Withdrawn 1998; Test Method for Determination of Tensile Properties and Test Conditions for Moulding and Extrusion Plastics
D5938 Withdrawn 1998; Guide for Describing the General Principles for Determination of Tensile Properties of Plastics
D5939 Withdrawn 1998; Practice for Preparing Multipurpose Test Specimens and Bars of Thermoplastics by Injection Moulding
D5940 Withdrawn 1998; Practice for Preparing Small Plate Test Specimens of Thermoplastics by Injection Moulding
D5941 Withdrawn 1998; Test Method for Determining the Izod Impact Strength of Plastics
D5942 Withdrawn 1998; Test Method for Determining Charpy Impact Strength of Plastics
D5943 Withdrawn 1998; Test Method for Determining Flexural Properties of Plastics
D5944 Withdrawn 1998; Guide for Describing the General Principles for Determining the Temperature of Deflection of Plastics Under Load
D5945 Withdrawn 1998 Test Method for Determining Temperature of Deflection of Plastics and Ebonite Under Load
D5946-09 Test Method for Corona-Treated Polymer Films Using Water Contact Angle Measurements, **08.03**
D5947-11 Test Methods for Physical Dimensions of Solid Plastics Specimens, **08.03**
D5948-05(2012) Specification for Molding Compounds, Thermosetting, **08.03**
D5949-10 Test Method for Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), **05.02**
D5950-12a Test Method for Pour Point of Petroleum Products (Automatic Tilt Method), **05.02**
D5951 Withdrawn 2011; Practice for Preparing Residual Solids Obtained After Biodegradability Standard Methods for Plastics in Solid Waste for Toxicity and Compost Quality Testing
D5952-08 Guide for the Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), **11.07**
D5953M-96(2009) Test Method for Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, **11.07**
D5954-98(2014)ε1 Test Method for Mercury Sampling and Measurement in Natural Gas by Atomic Absorption Spectroscopy, **05.06**
D5955-02(2012)ε1 Test Methods for Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on UVPM and FPM, **11.07**
D5956-96(2006) Guide for Sampling Strategies for Heterogeneous Wastes, **11.04**
D5957-98(2013) Guide for Flood Testing Horizontal Waterproofing Installations, **04.04**
D5958-99(2012)ε1 Practices for Preparation of Oil-Based Ink Resin Solutions, **06.03**
D5959-12 Test Method for Bulk Density of Level Paintbrush Filaments, **06.02**
D5960-03(2013) Specification for Technical Grade Ethylene Dichloride, **15.05**
D5961/D5961M-13 Test Method for Bearing Response of Polymer Matrix Composite Laminates, **15.03**
D5962 Withdrawn 2008; Guide for Maintaining Unqualified Coatings (Paints) Within Level I Areas of a Nuclear Power Facility
D5963-04(2010)ε1 Test Method for Rubber Property—Abrasion Resistance (Rotary Drum Abrader), **09.01**
D5964-07(2014) Practice for Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for, **09.01**
D5965-02(2013) Test Methods for Specific Gravity of Coating Powders, **06.02**
D5966-13 Test Method for Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, **05.02**
D5967-13 Test Method for Evaluation of Diesel Engine Oils in T-8 Diesel Engine, **05.02**
D5968-06(2013) Test Method for Evaluation of Corrosiveness of Diesel Engine Oil at 121 °C, **05.02**
D5969-11ε1 Test Method for Corrosion-Preventive Properties of Lubricating Greases in Presence of Dilute Synthetic Sea Water Environments, **05.02**
D5970-09 Test Method for Deterioration of Geotextiles from Outdoor Exposure, **04.13**
D5971/D5971M-13 Practice for Sampling Freshly Mixed Controlled Low-Strength Material, **04.09**
D5972-05(2010) Test Method for Freezing Point of Aviation Fuels (Automatic Phase Transition Method), **05.02**
D5973-97(2012) Specification for Elastomeric Strip Seals with Steel Locking Edge Rails Used in Expansion Joint Sealing, **04.03**
D5974-00(2010) Test Methods for Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, **06.03**
D5975-96(2010) Test Method for Determining the Stability of Compost by Measuring Oxygen Consumption, **11.04**
D5976 Withdrawn 2005; Specification for Type I Polymer Modified Asphalt Cement for Use in Pavement Construction
D5977-03(2012) Specification for High Load Rotational Spherical Bearings for Bridges and Structures, **04.03**
D5978-96(2011)ε1 Guide for Maintenance and Rehabilitation of Groundwater Monitoring Wells, **04.09**
D5979-96(2008) Guide for Conceptualization and Characterization of Ground-Water Systems, **04.09**
D5980-96(2010)ε1 Guide for Selection and Documentation of Existing Wells for Use in Environmental Site Characterization and Monitoring, **04.09**
D5981-96(2008) Guide for Calibrating a Ground-Water Flow Model Application, **04.09**
D5982-07 Test Method for Determining Cement Content of Fresh Soil-Cement (Heat of Neutralization Method), **04.09**
D5983-13 Specification for Methyl Tertiary-Butyl Ether (MTBE) for Downstream Blending for Use in Automotive Spark-Ignition Engine Fuel, **05.02**
D5984-11 Test Method for Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, **05.02**
D5985-02(2008) Test Method for Pour Point of Petroleum Products (Rotational Method), **05.02**
D5986-96(2011) Test Method for Determination of Oxygenates, Benzene, Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, **05.02**
D5987-96(2007) Test Method for Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromatograph Methods, **05.06**
D5988-12 Test Method for Determining Aerobic Biodegradation of Plastic Materials in Soil, **08.03**
D5989-11 Specification for Extruded and Monomer Cast Shapes Made from Nylon (PA), **08.03**
D5990 Withdrawn 2007; Classification System for Polyketone Injection Molding and Extrusion Materials (PK)
D5991-09 Practice for Separation and Identification of Poly(Vinyl Chloride) (PVC) Contamination in Poly(Ethylene Terephthalate) (PET) Flake, **08.03**
D5992-96(2011) Guide for Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods, **09.01**
D5993-99(2009) Test Method for Measuring Mass Per Unit of Geosynthetic Clay Liners, **04.13**
D5994-10 Test Method for Measuring Core Thickness of Textured Geomembranes, **04.13**
D5995-98(2010) Guide for Environmental Site Characterization in Cold Regions, **04.09**
D5996-05(2009) Test Method for Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, **11.01**
D5997-96(2009) Test Method for On-Line Monitoring of Total Carbon,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, **11.01**

D5998-10 Specification for Molded Polyethylene Shipping and Storage Drums, **08.03**

D5999 Withdrawn 2003; Test Method for Noninterference of Adhesives in Repulping

D6000-96(2008) Guide for Presentation of Water-Level Information from Ground-Water Sites, **04.09**

D6001-05(2012) Guide for Direct-Push Groundwater Sampling for Environmental Site Characterization, **04.09**

D6002 Withdrawn 2011; Guide for Assessing the Compostability of Environmentally Degradable Plastics

D6003 Withdrawn 2004; Test Method for Determining Weight Loss From Plastic Materials Exposed to Simulated Municipal Solid-Waste (MSW) Aerobic Compost Environment

D6004-04(2011) Test Method for Determining Adhesive Shear Strength of Carpet Adhesives, **15.06**

D6005-03(2009) Test Method for Determining Slump Resistance of Carpet Adhesives, **15.06**

D6006-11 Guide for Assessing Biodegradability of Hydraulic Fluids, **05.02**

D6007-02(2008) Test Method for Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber, **04.10**

D6008-96(2014) Practice for Conducting Environmental Baseline Surveys, **11.05**

D6009-12 Guide for Sampling Waste Piles, **11.04**

D6010-12 Practice for Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, **11.04**

D6011-96(2008) Test Method for Determining the Performance of a Sonic Anemometer/Thermometer, **11.07**

D6012-03(2013) Test Method for Determination of Resistance of Leather to (Bleeding) Color Stain Transfer, **15.04**

D6013-00(2010) Test Method for Determination of Area Stability of Leather to Laundering, **15.04**

D6014-00(2010) Test Method for Determination of Dynamic Water Absorption of Leather Surfaces, **15.04**

D6015-14 Test Method for Static Water Absorption of Leather, **15.04**

D6016-06(2012) Test Method for Determination of Nitrogen, Water Extractable in Leather, **15.04**

D6017-97(2009) Test Method for Determination of Magnesium Sulfate (Epsom Salt) in Leather, **15.04**

D6018-96(2012) Test Method for Determining the Presence of Lead Salts in Leather, **15.04**

D6019-10 Test Method for Determination of Chromic Oxide in Basic Chromium Tanning Liquors (Ammonium Persulfate Oxidation), **15.04**

D6020-00(2010) Practice for Calculation of (Non-Mineral) Combined Tanning Agents and Degree of Tannage, **15.04**

D6021-12 Test Method for Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, **05.02**

D6022-06(2012) Practice for Calculation of Permanent Shear Stability Index, **05.02**

D6023-07 Test Method for Density (Unit Weight), Yield, Cement Content, and Air Content (Gravimetric) of Controlled Low-Strength Material (CLSM), **04.09**

D6024-07 Test Method for Ball Drop on Controlled Low Strength Material (CLSM) to Determine Suitability for Load Application, **04.09**

D6025-96(2008) Guide for Developing and Evaluating Ground-Water Modeling Codes, **04.09**

D6026-13 Practice for Using Significant Digits in Geotechnical Data, **04.09**

D6027 Withdrawn 2013; Practice for Calibrating Linear Displacement Transducers for Geotechnical Purposes

D6028-96(2010)ε1 Test Method (Analytical Procedure) for Determining Hydraulic Properties of a Confined Aquifer Taking into Consideration Storage of Water in Leaky Confining Beds by Modified Hantush Method, **04.09**

D6029-96(2010)ε1 Test Method (Analytical Procedure) for Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, **04.09**

D6030-96(2008) Guide for Selection of Methods for Assessing Ground Water or Aquifer Sensitivity and Vulnerability, **04.09**

D6031/D6031M-96(2010)ε1 Test Method for Logging In Situ Moisture Content and Density of Soil and Rock by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, **04.09**

D6032-08 Test Method for Determining Rock Quality Designation (RQD) of Rock Core, **04.09**

D6033-96(2008) Guide for Describing the Functionality of a Ground-Water Modeling Code, **04.09**

D6034-96(2010)ε1 Test Method (Analytical Procedure) for Determining the Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, **04.09**

D6035/D6035M-13 Test Method for Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, **04.09**

D6036-96(2008) Guide for Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Use of Maps, **04.09**

D6037-13ε1 Test Methods for Dry Abrasion Mar Resistance of High Gloss Coatings, **06.01**

D6038-05ε1 Test Methods for Determining the Compatibility of Resin/Solvent Mixtures by Precipitation Temperature (Cloud Point), **06.03**

D6039/D6039M-11 Specification for Open and Covered Wood Crates, **15.10**

D6040-12 Guide to Standard Test Methods for Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, **08.03**

D6041-11 Specification for Contact-Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Corrosion Resistant Pipe and Fittings, **08.03**

D6042-09 Test Method for Determination of Phenolic Antioxidants and Erucamide Slip Additives in Polypropylene Homopolymer Formulations Using Liquid Chromatography (LC), **08.03**

D6043 Withdrawn 2010; Guide for Selection of Permanent and Durable Artist Paper

D6044-96(2009) Guide for Representative Sampling for Management of Waste and Contaminated Media, **11.04**

D6045-12 Test Method for Color of Petroleum Products by the Automatic Tristimulus Method, **05.02**

D6046-02(2012) Classification of Hydraulic Fluids for Environmental Impact, **05.02**

D6047-99(2009) Test Methods for Rubber, Raw—Determination of 5-Ethylidenenorbornene (ENB) or Dicyclopentadiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers, **09.01**

D6048-07(2012) Practice for Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, **09.01**

D6049-03(2013) Test Method for Rubber Property—Measurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, **09.01**

D6050-09 Test Method for Determination of Insoluble Solids in Organic Liquid Hazardous Waste, **11.04**

D6051-96(2006) Guide for Composite Sampling and Field Subsampling for Environmental Waste Management Activities, **11.04**

D6052-97(2008) Test Method for Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, **11.04**

D6053-08 Test Method for Determination of Volatile Organic Compound (VOC) Content of Electrical Insulating Varnishes, **10.02**

D6054 Withdrawn 2012; Practice for Conditioning Electrical Insulating Materials for Testing

D6055-96(2014) Test Methods for Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates, **15.10**

D6056-96(2011) Test Method for Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, **11.07**

D6057-96(2011) Test Method for Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, **11.07**

D6058-96(2011) Practice for Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, **11.07**

D6059-96(2011) Test Method for Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, **11.07**

D6060-96(2009) Practice for Sampling of Process Vents with a Portable Gas Chromatograph, **11.07**

D6061-01(2012)ε1 Practice for Evaluating the Performance of Respirable Aerosol Samplers, **11.07**

D6062-07(2012) Guide for Personal Samplers of Health-Related Aerosol Fractions, **11.07**

D6063-11 Guide for Sampling of Drums and Similar Containers by Field Personnel, **11.04**

D6064-11 Specification for HFC-227ea, 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), **15.05**

D6065-11 Practice for Handling, Transportation, and Storage of HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane (CF_3CHFCF_3), **15.05**

D6066-11 Practice for Determining the Normalized Penetration Resistance of Sands for Evaluation of Liquefaction Potential, **04.09**

D6067-10 Practice for Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, **04.09**

D6068-10 Test Method for Determining J-R Curves of Plastic Materials, **08.03**

D6069-01(2006) Test Method for Trace Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, **06.04**

D6070-02(2010) Test Methods for Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, **08.04**

D6071-13 Test Method for Low Level Sodium in High Purity Water by Graphite Furnace Atomic Absorption Spectroscopy, **11.01**

D6072/D6072M-09 Practice for Obtaining Samples of Geosynthetic Clay Liners, **04.13**

D6073-08a(2013) Test Method for Relative Setting of Heatset Printing Inks, **06.02**

D6074-08 Guide for Characterizing Hydrocarbon Lubricant Base Oils, **05.02**

D6075-13 Test Method for Cracking Resistance of Leather, **15.04**

D6076-08(2013) Test Method for Shrinkage Temperature of Leather, **15.04**

D6077-10 Test Method for Trapezoid Tearing Strength of Leather, **15.04**

D6078-04(2010) Test Method for Evaluating Lubricity of Diesel Fuels by the Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), **05.02**

D6079-11 Test Method for Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), **05.02**

D6080-12a Practice for Defining the Viscosity Characteristics of Hydraulic Fluids, **05.02**

D6081-98(2009) Practice for Aquatic Toxicity Testing of Lubricants: Sample Preparation and Results Interpretation, **05.02**

D6082-12 Test Method for High Temperature Foaming Characteristics of Lubricating Oils, **05.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D6083-05ε1 Specification for Liquid Applied Acrylic Coating Used in Roofing, **04.04**
D6084/D6084M-13 Test Method for Elastic Recovery of Asphalt Materials by Ductilometer, **04.03**
D6085-97(2011) Practice for Sampling in Rubber Testing—Terminology and Basic Concepts, **09.01**
D6086-09a Test Method for Carbon Black—Void Volume (VV), **09.01**
D6087-08 Test Method for Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, **04.03**
D6088-06(2011) Practice for Installation of Geocomposite Pavement Drains, **04.13**
D6089-97(2010) Guide for Documenting a Ground-Water Sampling Event, **04.09**
D6090-12 Test Method for Softening Point Resins (Mettler Cup and Ball Method), **06.03**
D6091-07(2014) Practice for 99 %/95 % Interlaboratory Detection Estimate (IDE) for Analytical Methods with Negligible Calibration Error, **11.01**
D6092-97(2008) Practice for Specifying Standard Sizes of Stone for Erosion Control, **04.09**
D6093-97(2011) Test Method for Percent Volume Nonvolatile Matter in Clear or Pigmented Coatings Using a Helium Gas Pycnometer, **06.01**
D6094 Withdrawn 2008; Guide to Assess the Compostability of Environmentally Degradable Nonwoven Fabrics
D6095-12 Test Method for Longitudinal Measurement of Volume Resistivity for Extruded Crosslinked and Thermoplastic Semiconducting Conductor and Insulation Shielding Materials, **10.02**
D6096-11 Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable, 90°C Operation, **10.02**
D6097-01a(2008)ε1 Test Method for Relative Resistance to Vented Water-Tree Growth in Solid Dielectric Insulating Materials, **10.02**
D6098-10 Specification for Extruded and Compression Molded Shapes Made from Polycarbonate (PC), **08.03**
D6099-13 Test Method for Polyurethane Raw Materials: Determination of Acidity in Moderate to High Acidity Aromatic Isocyanates, **08.03**
D6100-11 Specification for Extruded, Compression Molded and Injection Molded Polyoxymethylene Shapes (POM), **08.03**
D6101 Withdrawn 2010; Test Method for Equivalent Black Area (EBA) of Dirt in Pulp, Paper and Paperboard by Image Analysis
D6102-12 Guide for Installation of Geosynthetic Clay Liners, **04.13**
D6103 Withdrawn 2013; Test Method for Flow Consistency of Controlled Low Strength Material (CLSM)
D6104-97(2011) Practice for Determining the Performance of Oil/Water Separators Subjected to Surface Run-Off, **11.02**
D6105-04(2012) Practice for Application of Electrical Discharge Surface Treatment (Activation) of Plastics for Adhesive Bonding, **15.06**
D6106-97(2010) Guide for Establishing Nomenclature of Ground-Water Aquifers, **04.09**
D6107-97(2012) Specification for Stop-Leak Additive for Engine Coolants Used in Light Duty Service, **15.05**
D6108-13 Test Method for Compressive Properties of Plastic Lumber and Shapes, **08.03**
D6109-13 Test Methods for Flexural Properties of Unreinforced and Reinforced Plastic Lumber and Related Products, **08.03**
D6110-10 Test Method for Determining the Charpy Impact Resistance of Notched Specimens of Plastics, **08.03**
D6111-13a Test Method for Bulk Density And Specific Gravity of Plastic Lumber and Shapes by Displacement, **08.03**
D6112-13 Test Methods for Compressive and Flexural Creep and Creep-Rupture of Plastic Lumber and Shapes, **08.03**
D6113-11 Test Method for Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in Electrical or Optical Fiber Cables, **10.02**
D6114/D6114M-09 Specification for Asphalt-Rubber Binder, **04.03**
D6115-97(2011) Test Method for Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, **15.03**
D6116-00(2010) Test Method for Blocking, **15.04**
D6117-13 Test Methods for Mechanical Fasteners in Plastic Lumber and Shapes, **08.03**
D6118 Not Assigned
D6119-12 Practice for Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, **07.02**
D6120-97(2012) Test Method for Electrical Resistivity of Anode and Cathode Carbon Material at Room Temperature, **05.02**
D6121-13 Test Method for Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, **05.02**
D6122-13 Practice for Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems, **05.02**
D6123/D6123M-97(2012) Specification for Pressure-Sensitive Tape for Light-Duty Packaging and General Purpose Masking, **15.10**
D6124-06(2011) Test Method for Residual Powder on Medical Gloves, **09.02**
D6125 Withdrawn 2010; Test Method for Bending Resistance of Paper and Paperboard (Gurley Type Tester)
D6126/D6126M-11ε1 Specification for HFC-23 (Trifluoromethane, CHF, **15.05**
D6127-11 Practice for Handling, Transportation, and Storage of HFC-23 (Trifluoromethane, CHF3), **15.05**
D6128-06 Test Method for Shear Testing of Bulk Solids Using the Jenike Shear Cell, **04.09**
D6129-97(2007) Test Method for Silicon in Engine Coolant Concentrates by Atomic Absorption Spectroscopy, **15.05**
D6130-11 Test Method for Determination of Silicon and Other Elements in Engine Coolant by Inductively Coupled Plasma-Atomic Emission Spectroscopy, **15.05**
D6131-97(2012) Test Method for Evaluating the Relative Tint Undertone of Titanium Dioxide Pigments, **06.01**
D6132-08 Test Method for Nondestructive Measurement of Dry Film Thickness of Applied Organic Coatings Using an Ultrasonic Gage, **06.01**
D6133-02(2008) Test Method for Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, **06.01**
D6134-07(2013) Specification for Vulcanized Rubber Sheets Used in Waterproofing Systems, **04.04**
D6135-05 Practice for Application of Self-Adhering Modified Bituminous Waterproofing, **04.04**
D6136/D6136M-97(2013)ε1 Test Method for Kerosine Number of Unsaturated (Dry) Felt by Vacuum Method, **04.04**
D6137-97(2012) Test Method for Sulfuric Acid Resistance of Polymer Linings for Flue Gas Desulfurization Systems, **06.02**
D6138-13 Test Method for Determination of Corrosion-Preventive Properties of Lubricating Greases Under Dynamic Wet Conditions (Emcor Test), **05.03**
D6139-11 Test Method for Determining the Aerobic Aquatic Biodegradation of Lubricants or Their Components Using the Gledhill Shake Flask, **05.03**
D6140-00(2014) Test Method to Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full-Width Applications, **04.13**
D6141-09 Guide for Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, **04.13**
D6142-12 Test Method for Analysis of Phenol by Capillary Gas Chromatography, **06.04**
D6143-13 Test Method for Iron Content of Bisphenol A (4,4 - Isopropylidenediphenol), **06.04**
D6144-13 Test Method for Analysis of AMS (α-Methylstyrene) by Capillary Gas Chromatography, **06.04**
D6145-97(2012) Guide for Monitoring Sediment in Watersheds, **11.01**
D6146-97(2012) Guide for Monitoring Aqueous Nutrients in Watersheds, **11.01**
D6147-97(2008)ε1 Test Method for Vulcanized Rubber and Thermoplastic Elastomer—Determination of Force Decay (Stress Relaxation) in Compression, **09.01**
D6148 Withdrawn 2010; Practice for Separation and Examination of Stickies
D6149 Withdrawn 2003; Specification for Newsprint Including Newsprint Manufactured from Recycled Fiber
D6150-09 Test Method for Estimating Processing Losses of Plastisols and Organosols Due to Volatility, **08.03**
D6151-08 Practice for Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling, **04.09**
D6152/D6152M-12 Specification for SEBS-Modified Mopping Asphalt Used in Roofing, **04.04**
D6153-97(2007) Specification for Materials for Bridge Deck Waterproofing Membrane Systems, **04.03**
D6154-09 Specification for Chemically Modified Asphalt Cement for Use in Pavement Construction, **04.03**
D6155-13 Specification for Nontraditional Coarse Aggregates for Bituminous Paving Mixtures, **04.03**
D6156 Withdrawn 2006; Practice for Use of Reversed-Phase High Performance Liquid Chromatographic Systems
D6157-97(2011) Practice for Determining the Performance of Oil/Water Separators Subjected to a Sudden Release, **11.02**
D6158-10 Specification for Mineral Hydraulic Oils, **05.03**
D6159-97(2012) Test Method for Determination of Hydrocarbon Impurities in Ethylene by Gas Chromatography, **05.03**
D6160-98(2013) Test Method for Determination of Polychlorinated Biphenyls (PCBs) in Waste Materials by Gas Chromatography, **05.03**
D6161-10 Terminology Used for Microfiltration, Ultrafiltration, Nanofiltration and Reverse Osmosis Membrane Processes, **11.02**
D6162-00a(2008) Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, **04.04**
D6163-00(2008) Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements, **04.04**
D6164/D6164M-11 Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Polyester Reinforcements, **04.04**
D6165-97(2012) Guide for the Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, **06.01**
D6166-12 Test Method for Color of Pine Chemicals and Related Products (Instrumental Determination of Gardner Color), **06.03**
D6167-11 Guide for Conducting Borehole Geophysical Logging: Mechanical Caliper, **04.09**
D6168-97(2010) Guide for Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, **04.09**
D6169/D6169M-13 Guide for Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, **04.09**
D6170-97(2010) Guide for Selecting a Ground-Water Modeling Code, **04.09**
D6171-97(2010) Guide for Documenting a Ground-Water Modeling Code, **04.09**
D6172-98(2010) Test Method for Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, **05.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D6173-97(2014) Test Method for Determination of Various Anionic Surfactant Actives by Potentiometric Titration, **15.04**
D6174-01(2006) Test Method for Inorganic Sulfate in Surfactants by Potentiometric Lead Titration, **15.04**
D6175-03(2013) Test Method for Radial Crush Strength of Extruded Catalyst and Catalyst Carrier Particles, **05.05**
D6176-97(2008) Practice for Measuring Surface Atmospheric Temperature with Electrical Resistance Temperature Sensors, **11.07**
D6177-97(2008)$^{\epsilon 1}$ Practice for Determining Emission Profiles of Volatile Organic Chemicals Emitted from Bedding Sets, **11.07**
D6178-97(2008) Practice for Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, **11.07**
D6179-07(2014) Test Methods for Rough Handling of Unitized Loads and Large Shipping Cases and Crates, **15.10**
D6180 Withdrawn 2014; Test Method for Stability of Insulating Oils of Petroleum Origin Under Electrical Discharge
D6181 Withdrawn 2011; Test Method for Measurement of Turbidity in Mineral Insulating Oil of Petroleum Origin
D6182-00(2010) Test Method for Flexibility and Adhesion of Finish on Leather, **15.04**
D6183-00(2010) Test Method for Tackiness of Finish on Leather, **15.04**
D6184-98(2005) Test Method for Oil Separation from Lubricating Grease (Conical Sieve Method), **05.03**
D6185-11 Practice for Evaluating Compatibility of Binary Mixtures of Lubricating Greases, **05.03**
D6186-08 Test Method for Oxidation Induction Time of Lubricating Oils by Pressure Differential Scanning Calorimetry (PDSC), **05.03**
D6187-97(2010) Practice for Cone Penetrometer Technology Characterization of Petroleum Contaminated Sites with Nitrogen Laser-Induced Fluorescence, **04.09**
D6188-97(2008) Test Method for Viscosity of Cellulose by Cuprammonium Ball Fall, **06.03**
D6189-97(2008) Practice for Evaluating the Efficiency of Chemical Removers for Organic Coatings, **06.02**
D6190 Withdrawn 2001; Test Method for Cathodic Disbonding of Pipeline Coatings by Laboratory Simulation of Soil Burial
D6191-97(2008)$^{\epsilon 1}$ Test Method for Measurement of Evolved Formaldehyde from Water Reducible Air-Dry Coatings, **06.01**
D6192-11 Tables of Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, **07.02**
D6193-11 Practice for Stitches and Seams, **07.02**
D6194-10 Test Method for Glow-Wire Ignition of Materials, **10.02**
D6195-03(2011) Test Methods for Loop Tack, **15.10**
D6196-03(2009) Practice for Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, **11.07**
D6197-99(2011) Test Method for Classifying and Counting Faults in Spun Yarns in Electronic Tests, **07.02**
D6198-12 Guide for Transport Packaging Design, **15.10**
D6199-07(2012) Practice for Quality of Wood Members of Containers and Pallets, **15.10**
D6200-01(2012) Test Method for Determination of Cooling Characteristics of Quench Oils by Cooling Curve Analysis, **05.03**
D6201-04(2009) Test Method for Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, **05.03**
D6202 Withdrawn 2009; Test Method for Automotive Engine Oils on the Fuel Economy of Passenger Cars and Light-Duty Trucks in the Sequence VIA Spark Ignition Engine
D6203-06(2012) Test Method for Thermal Stability of Way Lubricants, **05.03**
D6204-12 Test Method for Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, **09.01**
D6205-12 Practice for Calibration of the James Static Coefficient of Friction Machine, **15.04**
D6206-09 Practice for Sampling of Coating Films, **06.02**
D6207-03(2011) Test Method for Dimensional Stability of Fabrics to Changes in Humidity and Temperature, **07.02**
D6208-07(2014) Test Method for Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, **15.05**
D6209-13 Test Method for Determination of Gaseous and Particulate Polycyclic Aromatic Hydrocarbons in Ambient Air (Collection on Sorbent-Backed Filters with Gas Chromatographic/Mass Spectrometric Analysis), **11.07**
D6210-10 Specification for Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, **15.05**
D6211 Withdrawn 2003; Specification for Fully-Formulated Propylene Glycol-Base Engine Coolant for Heavy-Duty Engines; Replaced by D6210
D6212 Withdrawn 2008; Test Method for Total Sulfur in Aromatic Compounds by Hydrogenolysis and Rateometric Colorimetry
D6213-97(2009) Practice for Tests to Evaluate the Chemical Resistance of Geogrids to Liquids, **04.13**
D6214/D6214M-98(2013)$^{\epsilon 1}$ Test Method for Determining the Integrity of Field Seams Used in Joining Geomembranes by Chemical Fusion Methods, **04.13**
D6215 Withdrawn 2004; Guide for Removal of Oily Soils from Metal Surfaces
D6216-12 Practice for Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, **11.07**
D6217-11 Test Method for Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, **05.03**
D6218 Not Assigned
D6220 Not Assigned
D6221-00(2006) Specification for Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing, **04.04**
D6222/D6222M-11 Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements, **04.04**
D6223/D6223M-02(2009)$^{\epsilon 1}$ Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, **04.04**
D6224-09 Practice for In-Service Monitoring of Lubricating Oil for Auxiliary Power Plant Equipment, **05.03**
D6225/D6225M-98(2012)$^{\epsilon 1}$ Test Method for Granule Cover of Mineral Surfaced Roofing, **04.04**
D6226-10 Test Method for Open Cell Content of Rigid Cellular Plastics, **08.03**
D6227-12 Specification for Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, **05.03**
D6228-10 Test Method for Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection, **05.06**
D6229-06(2010) Test Method for Trace Benzene in Hydrocarbon Solvents by Capillary Gas Chromatography, **06.04**
D6230-13 Test Method for Monitoring Ground Movement Using Probe-Type Inclinometers, **04.09**
D6231-11 Specification for HFC-125 (Pentafluoroethane, C_2HF_5), **15.05**
D6232-08 Guide for Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, **11.04**
D6233-98(2009) Guide for Data Assessment for Environmental Waste Management Activities, **11.04**
D6234-13 Test Method for Shake Extraction of Mining Waste by the Synthetic Precipitation Leaching Procedure, **11.04**
D6235-04(2010) Practice for Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, **04.09**
D6236-11 Guide for Coring and Logging Soil-Cement or Lime-Stabilized Soil, **04.09**
D6237-09 Guide for Painting Inspectors (Concrete and Masonry Substrates), **06.02**
D6238-98(2011) Test Method for Total Oxygen Demand in Water, **11.02**
D6239-09 Test Method for Uranium in Drinking Water by High-Resolution Alpha-Liquid-Scintillation Spectrometry, **11.02**
D6240/D6240M-12$^{\epsilon 1}$ Tables of Body Measurements for Mature Men, ages 35 and older, Sizes Thirty-Four to Fifty-Two (34 to 52) Short, Regular, and Tall, **07.02**
D6241-04(2009)$^{\epsilon 1}$ Test Method for the Static Puncture Strength of Geotextiles and Geotextile-Related Products Using a 50-mm Probe, **04.13**
D6242 Withdrawn 2008; Test Method for Mass Unit Area of Nonwoven Fabrics
D6243/D6243M-13a Test Method for Determining the Internal and Interface Shear Strength of Geosynthetic Clay Liner by the Direct Shear Method, **04.13**
D6244-06(2011) Test Method for Vertical Compression of Geocomposite Pavement Panel Drains, **04.13**
D6245-12 Guide for Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality and Ventilation, **11.07**
D6246-08(2013) Practice for Evaluating the Performance of Diffusive Samplers, **11.07**
D6247-10 Test Method for Determination of Elemental Content of Polyolefins by Wavelength Dispersive X-ray Fluorescence Spectrometry, **08.03**
D6248-98(2012)$^{\epsilon 1}$ Test Method for Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, **08.03**
D6249-06(2011) Guide for Alkaline Stabilization of Wastewater Treatment Plant Residuals, **04.01**
D6250-98(2009) Practice for Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, **11.04**
D6251/D6251M-11 Specification for Wood-Cleated Panelboard Shipping Boxes, **15.10**
D6252/D6252M-98(2011) Test Method for Peel Adhesion of Pressure-Sensitive Label Stocks at a 90 Angle, **15.10**
D6253-10 Practice for Treatment and/or Marking of Wood Packaging Materials, **15.10**
D6254/D6254M-13 Specification for Wirebound Pallet-Type Wood Boxes, **15.10**
D6255/D6255M-05(2011) Specification for Steel or Aluminum Slotted Angle Crates, **15.10**
D6256/D6256M-10 Specification for Wood-Cleated Shipping Boxes with Skidded, Load-Bearing Bases, **15.10**
D6257 Withdrawn 2000; Specification for Prediluted Aqueous Propylene Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service; Consolidated into D 3306
D6258-09 Test Method for Determination of Solvent Red 164 Dye Concentration in Diesel Fuels, **05.03**
D6259-98(2010) Practice for Determination of a Pooled Limit of Quantitation, **05.03**
D6260 Withdrawn 2004; Test Method for Gravimetric Determination of Carbon Black in Nylon Materials (PA)
D6261-14 Specification for Extruded and Compression Molded Basic Shapes Made from Thermoplastic Polyester (TPES), **08.03**
D6262-12 Specification for Extruded, Compression Molded, and Injection Molded Basic Shapes of Poly(aryl ether ketone) (PAEK), **08.03**
D6263-11 Specification for Extruded Rods and Bars Made From Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC), **08.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D6264/D6264M-12 Test Method for Measuring the Damage Resistance of a Fiber-Reinforced Polymer-Matrix Composite to a Concentrated Quasi-Static Indentation Force, **15.03**
D6265-09 Practice for Separation of Contaminants in Polymers Using an Extruder Filter Test, **08.03**
D6266-00a(2011) Test Method for Determining the Amount of Volatile Organic Compound (VOC) Released From Waterborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), **06.01**
D6267-08 Test Method for Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, **06.03**
D6268-09 Practice for Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C_2HF_5), **15.05**
D6269 Withdrawn 2004; Test Method for Solidification Point of p-Xylene
D6270-08(2012) Practice for Use of Scrap Tires in Civil Engineering Applications, **11.04**
D6271-10 Test Method for Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on Solanesol, **11.07**
D6272-10 Test Method for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, **08.03**
D6273-14 Test Methods for Natural Gas Odor Intensity, **05.06**
D6274-10 Guide for Conducting Borehole Geophysical Logging - Gamma, **04.09**
D6275 Withdrawn 2004; Practice for Laboratory Testing of Bridge Decks
D6276-99a(2006)$^{\epsilon 1}$ Test Method for Using pH to Estimate the Soil-Lime Proportion Requirement for Soil Stabilization, **04.09**
D6277-07(2012) Test Method for Determination of Benzene in Spark-Ignition Engine Fuels Using Mid Infrared Spectroscopy, **05.03**
D6278-12$^{\epsilon 1}$ Test Method for Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus, **05.03**
D6279-03(2013) Test Method for Rub Abrasion Mar Resistance of High Gloss Coatings, **06.02**
D6280-98(2008) Specification for Zinc Phosphate Pigments, **06.03**
D6281-09 Test Method for Airborne Asbestos Concentration in Ambient and Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), **11.07**
D6282 Withdrawn 2014; Guide for Direct Push Soil Sampling for Environmental Site Characterizations
D6283-12 Test Method for Tuft Element Length of Uncoated Pile Yarn Floor Coverings, **07.02**
D6284-09 Test Method for Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, **09.02**
D6285-99(2012)$^{\epsilon 1}$ Guide for Locating Abandoned Wells, **04.09**
D6286-12 Guide for Selection of Drilling Methods for Environmental Site Characterization, **04.09**
D6287-09 Practice for Cutting Film and Sheeting Test Specimens, **08.03**
D6288-09 Practice for Separation and Washing of Recycled Plastics Prior to Testing, **08.03**
D6289-13 Test Method for Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, **08.03**
D6290-13 Test Method for Color Determination of Plastic Pellets, **08.03**
D6291 Not Assigned
D6292 Not Assigned
D6293 Withdrawn 2009; Test Method for Oxygenates and Paraffin, Olefin, Naphthene, Aromatic(O-PONA) Hydrocarbon Types in Low-Olefin Spark Ignition Engine Fuels by Gas Chromatography; Replaced by D6839
D6294/D6294M-13 Test Method for Corrosion Resistance of Ferrous Metal Fastener Assemblies Used in Roofing and Waterproofing, **04.04**
D6295/D6295M-98(2011) Test Method for Dispensability of Light–Duty Pressure–Sensitive Film Tape, **15.10**
D6296-98(2013) Test Method for Total Olefins in Spark-ignition Engine Fuels by Multidimensional Gas Chromatography, **05.03**
D6297-13 Specification for Asphaltic Plug Joints for Bridges, **04.03**
D6298-13 Specification for Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, **04.04**
D6299-13 Practice for Applying Statistical Quality Assurance and Control Charting Techniques to Evaluate Analytical Measurement System Performance, **05.03**
D6300-13 Practice for Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, **05.03**
D6301-13 Practice for Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, **11.01**
D6302-98(2009) Practice for Evaluating the Kinetic Behavior of Ion Exchange Resins, **11.02**
D6303 Withdrawn 2007; Test Method for Formaldehyde in Water
D6304-07 Test Method for Determination of Water in Petroleum Products, Lubricating Oils, and Additives by Coulometric Karl Fischer Titration, **05.04**
D6305-08 Practice for Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing, **04.10**
D6306-10 Guide for Placement and Use of Diffusion Controlled Passive Monitors for Gaseous Pollutants in Indoor Air, **11.07**
D6307-10 Test Method for Asphalt Content of Hot-Mix Asphalt by Ignition Method, **04.03**
D6308 Withdrawn 1999; Guide for Identification of Composite Materials in Computerized Material Property Databases; Redesignated E1309
D6309 Withdrawn 1999; Guide for Development of Standards for Data Records for Computerization of Mechanical Test Data for High-Modulus Fiber-Reinforced Composite Materials; Redesignated E1434
D6311-98(2014) Guide for Generation of Environmental Data Related to Waste Management Activities: Selection and Optimization of Sampling Design, **11.04**
D6312-98(2012)$^{\epsilon 1}$ Guide for Developing Appropriate Statistical Approaches for Groundwater Detection Monitoring Programs, **04.09**
D6313 Withdrawn 2008; Test Method for Total Sulfur in Aromatic Compounds by Hydrogenolysis and Sulfur Specific Difference Photometry
D6314 Withdrawn 2002; Specification for Fluorocarbon Perfluoromethoxy (MFA) Resin Molding and Extrusion Materials; Combined with D 3307
D6315 Withdrawn 2003; Practice for Manual Sampling of Coal from Tops of Barges; Replaced by D6883
D6316-09b$^{\epsilon 1}$ Test Method for Determination of Total, Combustible and Carbonate Carbon in Solid Residues from Coal and Coke, **05.06**
D6317-98(2009) Test Method for Low Level Determination of Total Carbon, Inorganic Carbon and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, **11.01**
D6318-03(2014) Practice for Calibrating a Fathometer Using a Bar Check Method, **11.01**
D6319-10 Specification for Nitrile Examination Gloves for Medical Application, **09.02**
D6320/D6320M-10(2014) Test Methods for Single Filament Hose Reinforcing Wire Made from Steel, **07.02**
D6321/D6321M-14 Practice for the Evaluation of Machine Washable T-Shirts, **07.02**
D6322-07 Guide to International Test Methods Associated with Textile Care Procedures, **07.02**
D6323-12$^{\epsilon 1}$ Guide for Laboratory Subsampling of Media Related to Waste Management Activities, **11.04**
D6324-11 Specification for Male Condoms Made from Polyurethane, **09.02**
D6325-98(2011) Test Method for Determining Open Assembly Time of Carpet Mastic Adhesives, **15.06**
D6326-08(2014) Practice for The Selection of Maximum Transit-Rate Ratios and Depths for the U.S. Series of Isokinetic Suspended-Sediment Samplers, **11.01**
D6327-10 Test Method for Determination of Radon Decay Product Concentration and Working Level in Indoor Atmospheres by Active Sampling on a Filter, **11.07**
D6328-12 Guide for Quality Assurance Protocols for Chemical Analysis of Atmospheric Wet Deposition, **11.07**
D6329-98(2008) Guide for Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environmental Chambers, **11.07**
D6330-98(2008) Practice for Determination of Volatile Organic Compounds (Excluding Formaldehyde) Emissions from Wood-Based Panels Using Small Environmental Chambers Under Defined Test Conditions, **11.07**
D6331-13 Test Method for Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), **11.07**
D6332-12 Guide for Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, **11.07**
D6333-10 Practice for Collection of Dislodgeable Pesticide Residues from Floors, **11.07**
D6334-12 Test Method for Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence, **05.03**
D6335-09 Test Method for Determination of High Temperature Deposits by Thermo-Oxidation Engine Oil Simulation Test, **05.03**
D6336-11 Practice for Evaluation of Flushing Vehicles for Pigment Wetting Using a Vacuum Modified Sigma Blade Mixer, **06.03**
D6337-98(2013) Practice for Physical Characterization of Woven Paint Applicator Fabrics, **06.02**
D6338-10 Classification System for Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, **08.03**
D6339-11 Classification System for and Basis for Specifications for Syndiotactic Polystyrene Molding and Extrusion (SPS), **08.03**
D6340-98(2007) Test Methods for Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment, **08.03**
D6341-13 Test Method for Determination of the Linear Coefficient of Thermal Expansion of Plastic Lumber and Plastic Lumber Shapes Between –30 and 140°F (–34.4 and 60°C), **08.03**
D6342-12 Practice for Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, **08.03**
D6343-10 Test Methods for Thin Thermally Conductive Solid Materials for Electrical Insulation and Dielectric Applications, **10.02**
D6344-04(2009) Test Method for Concentrated Impacts to Transport Packages, **15.10**
D6345-10 Guide for Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air, **11.07**
D6346-98(2009) Guide for Accepting, Segregating and Packaging Materials Collected Through Household Hazardous Waste Programs, **11.04**
D6347/D6347M-05(2010) Test Method for Determination of Bulk Density of Coal Using Nuclear Backscatter Depth Density Methods, **05.06**
D6348-12$^{\epsilon 1}$ Test Method for Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectroscopy, **11.07**
D6349-13 Test Method for Determination of Major and Minor Elements in Coal, Coke, and Solid Residues from Combustion of Coal and Coke by Inductively Coupled Plasma—Atomic Emission Spectrometry, **05.06**
D6350-14 Test Method for Mercury Sampling and Analysis in Natural Gas by Atomic Fluorescence Spectroscopy, **05.06**
D6351-10 Test Method for Determination of Low Temperature Fluidity and

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Appearance of Hydraulic Fluids, **05.03**
D6352-12 Test Method for Boiling Range Distribution of Petroleum Distillates in Boiling Range from 174 to 700°C by Gas Chromatography, **05.03**
D6353-06(2011) Guide for Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, **05.03**
D6354-12 Guide for Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, **05.03**
D6355-07(2012) Test Method for Human Repeat Insult Patch Testing of Medical Gloves, **09.02**
D6356/D6356M-98(2011)ε1 Test Method for Hydrogen Gas Generation of Aluminum Emulsified Asphalt Used as a Protective Coating for Roofing, **04.04**
D6357-11 Test Methods for Determination of Trace Elements in Coal, Coke, and Combustion Residues from Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry, **05.06**
D6358-11 Classification System and Basis for Specification for Poly (Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ISO Methods, **08.03**
D6359 Withdrawn 2006; Specification for Minimum Retroreflectance of Newly Applied Pavement Marking Using Portable Hand-Operated Instruments
D6360-07 Practice for Enclosed Carbon-Arc Exposures of Plastics, **08.03**
D6361/D6361M-98(2010)ε1 Guide for Selecting Cleaning Agents and Processes, **15.05**
D6362-98(2013) Practice for Certificates of Reference Materials for Water Analysis, **11.01**
D6363-98(2013) Test Method for Determination of Hydrogen Peroxide and Combined Organic Peroxides in Atmospheric Water Samples by Peroxidase Enzyme Fluorescence Method, **11.07**
D6364-06(2011) Test Method for Determining Short-Term Compression Behavior of Geosynthetics, **04.13**
D6365-99(2011) Practice for the Nondestructive Testing of Geomembrane Seams using the Spark Test, **04.13**
D6366 Withdrawn 2006; Test Method for Total Trace Nitrogen and Its Derivatives in Liquid Aromatic Hydrocarbons by Oxidative Combustion and Electrochemical Detection
D6367-12 Specification for AMS (α-Methylstyrene), **06.04**
D6368-06(2012) Specification for Vapor-Degreasing Solvents Based on, **15.05**
D6369-99(2006) Guide for Design of Standard Flashing Details for EPDM Roof Membranes, **04.04**
D6370-99(2009) Test Method for Rubber—Compositional Analysis by Thermogravimetry (TGA), **09.01**
D6371-05(2010) Test Method for Cold Filter Plugging Point of Diesel and Heating Fuels, **05.03**
D6372-05(2010) Practice for Design, Testing, and Construction of Micro-Surfacing, **04.03**
D6373-13 Specification for Performance Graded Asphalt Binder, **04.03**
D6374-12 Test Method for Volatile Matter in Green Petroleum Coke Quartz Crucible Procedure, **05.03**
D6375-09 Test Method for Evaporation Loss of Lubricating Oils by Thermogravimetric Analyzer (TGA) Noack Method, **05.03**
D6376-10 Test Method for Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, **05.03**
D6377-10 Test Method for Determination of Vapor Pressure of Crude Oil: VPCR, **05.03**
D6378-10 Test Method for Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), **05.03**
D6379-11 Test Method for Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid Chromatography Method with Refractive Index Detection, **05.03**
D6380/D6380M-03(2013)ε1 Specification for Asphalt Roll Roofing (Organic Felt), **04.04**
D6381/D6381M-08(2013)ε1 Test Method for Measurement of Asphalt Shingle Mechanical Uplift Resistance, **04.04**
D6382/D6382M-99(2011)ε1 Practice for Dynamic Mechanical Analysis and Thermogravimetry of Roofing and Waterproofing Membrane Material, **04.04**
D6383/D6383M-99(2011)ε1 Practice for Time-to-Failure (Creep-Rupture) of Adhesive Joints Fabricated from EPDM Roof Membrane Material, **04.04**
D6384-11 Terminology Relating to Biodegradability and Ecotoxicity of Lubricants, **05.03**
D6385-99(2011) Test Method for Determining Acid Extractable Content in Activated Carbon by Ashing, **15.01**
D6386-10 Practice for Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Painting, **06.02**
D6387-99(2010)ε1 Test Methods for Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, **06.03**
D6388-99(2012) Practice for Tests to Evaluate the Chemical Resistance of Geonets to Liquids, **04.13**
D6389-99(2012) Practice for Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, **04.13**
D6390-11 Test Method for Determination of Draindown Characteristics in Uncompacted Asphalt Mixtures, **04.03**
D6391-11 Test Method for Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, **04.09**
D6392-12 Test Method for Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, **04.13**
D6393-08 Test Method for Bulk Solids Characterization by Carr Indices, **04.09**
D6394-14 Specification for Sulfone Plastics (SP), **08.03**
D6395-11 Test Method for Flatwise Flexural Impact Resistance of Rigid Plastics, **08.03**
D6396-99(2012) Test Method for Testing of Pipe Thread Sealants on Pipe Tees, **15.06**
D6397 Not Assigned
D6398-08(2014) Practice to Enhance Identification of Drug Names on Labels, **15.10**
D6399-10 Guide for Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, **11.07**
D6400-12 Specification for Labeling of Plastics Designed to be Aerobically Composted in Municipal or Industrial Facilities, **08.03**
D6401-99(2009) Test Method for Determining Non-Tannins and Tannin in Extracts of Vegetable Tanning Materials, **15.04**
D6402-99(2009) Test Method for Determining Soluble Solids and Insolubles in Extracts of Vegetable Tanning Materials, **15.04**
D6403-99(2009) Test Method for Determining Moisture in Raw and Spent Materials, **15.04**
D6404-99(2009) Practice for Sampling Vegetable Materials Containing Tannin, **15.04**
D6405-99(2009) Practice for Extraction of Tannins from Raw and Spent Materials, **15.04**
D6406-99(2009) Test Method for Analysis of Sugar in Vegetable Tanning Materials, **15.04**
D6407-99(2009) Test Method for Analysis of Iron and Copper in Vegetable Tanning Materials, **15.04**
D6408-99(2009) Test Method for Analysis of Tannery Liquors, **15.04**
D6409-99(2009) Practice for Color Tests with Sheepskin Skiver, **15.04**
D6410-99(2009) Test Method for Determining Acidity of Vegetable Tanning Liquors, **15.04**
D6411/D6411M-99(2012) Specification For Silicone Rubber Room Temperature Vulcanizing Low Outgassing Materials, **15.06**
D6412/D6412M-99(2012) Specification For Epoxy (Flexible) Adhesive For Bonding Metallic And Nonmetallic Materials, **15.06**
D6413/D6413M-13b Test Method for Flame Resistance of Textiles (Vertical Test), **07.02**
D6414-14 Test Methods for Total Mercury in Coal and Coal Combustion Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, **05.06**
D6415/D6415M-06a(2013) Test Method for Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, **15.03**
D6416/D6416M-01(2012) Test Method for Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, **15.03**
D6417-09 Test Method for Estimation of Engine Oil Volatility by Capillary Gas Chromatography, **05.03**
D6418-09 Practice for Using the Disposable En Core Sampler for Sampling and Storing Soil for Volatile Organic Analysis, **11.04**
D6419-00(2009) Test Method for Volatile Content of Sheet-Fed and Coldset Web Offset Printing Inks, **06.02**
D6420-99(2010) Test Method for Determination of Gaseous Organic Compounds by Direct Interface Gas Chromatography-Mass Spectrometry, **11.07**
D6421-99a(2009) Test Method for Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, **05.03**
D6422 Withdrawn 2007; Test Method for Water Tolerance (Phase Separation) of Gasoline-Alcohol Blends
D6423-08 Test Method for Determination of pHe of Ethanol, Denatured Fuel Ethanol, and Fuel Ethanol (Ed75-Ed85), **05.03**
D6424-04a(2010) Practice for Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines, **05.03**
D6425-11 Test Method for Measuring Friction and Wear Properties of Extreme Pressure (EP) Lubricating Oils Using SRV Test Machine, **05.03**
D6426-13 Test Method for Determining Filterability of Middle Distillate Fuel Oils, **05.03**
D6427/D6427M-10 Practice for Handling, Transportation, and Storage of HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane ($CF_3CH_2CF_3$), **15.05**
D6428 Withdrawn 2006; Test Method for Total Sulfur in Liquid Aromatic Hydrocarbons and Their Derivatives by Oxidative Combustion and Electrochemical Detection
D6429-99(2011)ε1 Guide for Selecting Surface Geophysical Methods, **04.09**
D6430-99(2010) Guide for Using the Gravity Method for Subsurface Investigation, **04.09**
D6431-99(2010) Guide for Using the Direct Current Resistivity Method for Subsurface Investigation, **04.09**
D6432-11 Guide for Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, **04.09**
D6433-11 Practice for Roads and Parking Lots Pavement Condition Index Surveys, **04.03**
D6434-12 Guide for the Selection of Test Methods for Flexible Polypropylene Geomembranes, **04.13**
D6435 Withdrawn 2007; Test Method for Shear Properties of Plastic Lumber and Plastic Lumber Shapes; Replaced by D2344
D6436-14 Guide for Reporting Properties for Plastics and Thermoplastic Elastomers, **08.03**
D6437-05(2010)ε1 Test Method for Polyurethane Raw Materials: Alkalinity in Low-Alkalinity Polyols (Determination of CPR Values of Polyols), **08.03**
D6438-05(2010) Test Method for Acetone, Methyl Acetate, and Parachloroben-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

zotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, **06.01**

D6439-11 Guide for Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, **05.03**

D6440-10 Terminology Relating to Hydrocarbon Resins, **06.01**

D6441-05(2010) Test Methods for Measuring the Hiding Power of Powder Coatings, **06.02**

D6442-06(2012) Test Method for Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, **06.02**

D6443-04(2010) Test Method for Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), **05.03**

D6444 Withdrawn 1999; Test Method for Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence

D6445 Withdrawn 2009; Test Method for Sulfur in Gasoline by Energy-Dispersive X-ray Fluorescence Spectrometry

D6446 Withdrawn 2012; Test Method for Estimation of Net Heat of Combustion (Specific Energy) of Aviation Fuels

D6447-09 Test Method for Hydroperoxide Number of Aviation Turbine Fuels by Voltammetric Analysis, **05.03**

D6448-09 Specification for Industrial Burner Fuels from Used Lubricating Oils, **05.03**

D6449-99(2008) Test Method for Flow of Fine Aggregate Concrete for Fabric Formed Concrete (Flow Cone Method), **04.09**

D6450-12 Test Method for Flash Point by Continuously Closed Cup (CCCFP) Tester, **05.03**

D6451-99(2006) Guide for Application of Asphalt Based Protection Board, **04.04**

D6452-99(2012)ε1 Guide for Purging Methods for Wells Used for Groundwater Quality Investigations, **04.09**

D6453 Withdrawn 2008; Guide for Format of Computerized Exchange of Soil and Rock Test Data

D6454-99(2011) Test Method for Determining the Short-Term Compression Behavior of Turf Reinforcement Mats (TRMs), **04.13**

D6455-11 Guide for the Selection of Test Methods for Prefabricated Bituminous Geomembranes (PBGM), **04.13**

D6456-10 Specification for Finished Parts Made from Polyimide Resin, **08.03**

D6457-08(2013) Specification for Extruded and Compression Molded Rod and Heavy-Walled Tubing Made from Polytetrafluoroethylene (PTFE), **08.03**

D6458-12 Tables of Body Measurements for Boys, Sizes 8 to 14 Slim and 8 to 20 Regular, **07.02**

D6459-11 Test Method for Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion, **04.09**

D6460-12 Test Method for Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, **04.09**

D6461-99(2007)ε2 Specification for Silt Fence Materials, **04.09**

D6462-03(2008) Practice for Silt Fence Installation, **04.09**

D6463/D6463M-06(2012) Test Method for Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, **15.10**

D6464-03a(2009)ε1 Specification for Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, **15.06**

D6465-99(2012) Guide for Selecting Aerospace and General Purpose Adhesives and Sealants, **15.06**

D6466-10 Test Method for Diameter of Wool and Other Animal Fibers By Sirolan-Laserscan Fiber Diameter Analyser, **07.02**

D6467-13 Test Method for Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils, **04.09**

D6468-08(2013) Test Method for High Temperature Stability of Middle Distillate Fuels, **05.03**

D6469-12 Guide for Microbial Contamination in Fuels and Fuel Systems, **05.03**

D6470-99(2010) Test Method for Salt in Crude Oils (Potentiometric Method), **05.03**

D6471-10 Specification for Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, **15.05**

D6472-10 Specification for Recycled Glycol Base Engine Coolant Concentrate for Automobile and Light-Duty Service, **15.05**

D6473-10 Test Method For Specific Gravity And Absorption of Rock For Erosion Control, **04.09**

D6474-12 Test Method for Determining Molecular Weight Distribution and Molecular Weight Averages of Polyolefins by High Temperature Gel Permeation Chromatography, **08.03**

D6475-06 Test Method for Measuring Mass Per Unit Area of Erosion Control Blankets, **04.09**

D6476-12 Test Method for Determining Dynamic Air Permeability of Inflatable Restraint Fabrics, **07.02**

D6477-13 Terminology Relating to Tire Cord, Bead Wire, Hose Reinforcing Wire, and Fabrics, **07.02**

D6478-10(2014) Test Method for Determining Specific Packability of Fabrics Used in Inflatable Restraints, **07.02**

D6479-12 Test Method for Determining the Edgecomb Resistance of Woven Fabrics Used in Inflatable Restraints, **07.02**

D6480-05(2010) Test Method for Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy, **11.07**

D6481-99(2010) Test Method for Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, **05.03**

D6482-06(2011) Test Method for Determination of Cooling Characteristics of Aqueous Polymer Quenchants by Cooling Curve Analysis with Agitation (Tensi Method), **05.03**

D6483 Withdrawn 2009; Test Method for Evaluation of Diesel Engine Oils in T-9 Diesel Engine

D6484/D6484M-14 Test Method for Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, **15.03**

D6485-11 Guide for Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, **11.07**

D6486-01(2011) Practice for Short Term Vehicle Service Exposure of Automotive Coatings, **06.02**

D6487-10 Practice for Preparing Prints of Paste Printing Inks Using a Hand Operated Laboratory Flat-Bed Press, **06.02**

D6488-08(2013) Terminology Relating to Print Problems, **06.02**

D6489-99(2012) Test Method for Determining the Water Absorption of Hardened Concrete Treated With a Water Repellent Coating, **06.02**

D6490-99(2006) Test Method for Water Vapor Transmission of NonFilm Forming Treatments Used on Cementitious Panels, **06.02**

D6491-09 Practice for Evaluation of Aging Resistance of Prestressed Prepainted Metal In a Dry Heat Test, **06.02**

D6492-99(2011) Practice for Detection of Hexavalent Chromium On Zinc and Zinc/Aluminum Alloy Coated Steel, **06.02**

D6493-11 Test Methods for Softening Point of Hydrocarbon Resins and Rosin Based Resins by Automated Ring-and-Ball Apparatus, **06.03**

D6494-99(2010) Test Method for Determination of Asphalt Fume Particulate Matter in Workplace Atmospheres as Benzene Soluble Fraction, **11.07**

D6495-09 Guide for Acceptance Testing Requirements for Geosynthetic Clay Liners, **04.13**

D6496-04a(2009) Test Method for Determining Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners, **04.13**

D6497-02(2010) Guide for Mechanical Attachment of Geomembrane to Penetrations or Structures, **04.13**

D6498-99(2007) Guide for Household Hazardous Waste Training Outline for Household Hazardous Waste Collection Operations, **11.04**

D6499-12 Test Method for The Immunological Measurement of Antigenic Protein in Natural Rubber and its Products, **09.02**

D6500-00(2012)ε1 Test Method for Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, **07.02**

D6501-09 Test Method for Phosphonate in Brines, **11.01**

D6502-10 Test Method for Measurement of On-line Integrated Samples of Low Level Suspended Solids and Ionic Solids in Process Water by X-Ray Fluorescence (XRF), **11.01**

D6503-99(2009) Test Method for Enterococci in Water Using Enterolert, **11.02**

D6504-11 Practice for On-Line Determination of Cation Conductivity in High Purity Water, **11.01**

D6505-00(2012) Test Method for Assay of, **15.05**

D6506-01(2009) Specification for Asphalt Based Protection Board for Below-Grade Waterproofing, **04.04**

D6507-11 Practice for Fiber Reinforcement Orientation Codes for Composite Materials, **15.03**

D6508-10 Test Method for Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, **11.02**

D6509/D6509M-09 Specification for Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, **04.04**

D6510-00(2006) Guide for Selection of Asphalt Used in Built-Up Roofing Systems, **04.04**

D6511/D6511M-06(2011)ε1 Test Methods for Solvent Bearing Bituminous Compounds, **04.04**

D6512-07(2014) Practice for Interlaboratory Quantitation Estimate, **11.01**

D6513-08 Practice for Calculating the Superimposed Load on Wood-frame Walls for Standard Fire-Resistance Tests, **04.10**

D6514-03(2008) Test Method for High Temperature Universal Oxidation Test for Turbine Oils, **05.03**

D6515-00(2010) Test Method for Rubber Shaft Seals Determination of Recovery From Bending, **09.02**

D6516 Not Assigned

D6517-00(2012)ε1 Guide for Field Preservation of Groundwater Samples, **04.09**

D6518 Withdrawn 2008; Practice for Bias Testing a Mechanical Coal Sampling System; Replaced by D7430

D6519-08 Practice for Sampling of Soil Using the Hydraulically Operated Stationary Piston Sampler, **04.09**

D6520-06(2012) Practice for the Solid Phase Micro Extraction (SPME) of Water and its Headspace for the Analysis of Volatile and Semi-Volatile Organic Compounds, **11.02**

D6521-13 Practice for Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV), **04.03**

D6522-11 Test Method for Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, **11.07**

D6523-00(2014)ε1 Guide for Evaluation and Selection of Alternative Daily Covers (ADCs) for Sanitary Landfills, **04.13**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D6524-00(2011) Test Method for Measuring the Resiliency of Turf Reinforcement Mats (TRMs), **04.13**
D6525-12 Test Method for Measuring Nominal Thickness of Rolled Erosion Control Products, **04.13**
D6526-12 Test Method for Analysis of Toluene by Capillary Column Gas Chromatography, **06.04**
D6527-00(2008) Test Method for Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, **04.09**
D6528-07 Test Method for Consolidated Undrained Direct Simple Shear Testing of Cohesive Soils, **04.09**
D6529-11 Test Method for Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, **11.02**
D6530-00(2013) Test Method for Total Active Biomass in Cooling Tower Waters (Kool Kount Assay; KKA), **11.02**
D6531-00(2010) Test Method for Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, **06.02**
D6532-00(2006) Test Method for Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar Specimens, **06.02**
D6533 Not Assigned
D6534-05(2010) Test Method for Determining the Peak Force-to-Actuate of a Mechanical Pump Dispenser, **15.10**
D6535/D6535M-05(2010)$^{\epsilon 1}$ Test Method for Determining the Dip Tube Length of a Mechanical Pump Dispenser, **15.10**
D6536/D6536M-00(2010)$^{\epsilon 1}$ Test Method for Measuring the Dip Tube Length of a Mechanical Pump Dispenser, **15.10**
D6537-00(2014) Practice for Instrumented Package Shock Testing For Determination of Package Performance, **15.10**
D6538-12 Guide for Sampling Wastewater With Automatic Samplers, **11.04**
D6539-13 Test Method for Measurement of the Permeability of Unsaturated Porous Materials by Flowing Air, **04.09**
D6540-12 Test Method for Accelerated Soiling of Pile Yarn Floor Covering, **07.02**
D6541-11 Specification for HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane, (CF3CH 2CF3), **15.05**
D6542-05(2010) Practice for Tonnage Calculation of Coal in a Stockpile, **05.06**
D6543-14a Guide to the Evaluation of Measurements Made by Online Coal Analyzers, **05.06**
D6544-12 Practice for Preparation of Textiles Prior to Ultraviolet (UV) Transmission Testing, **07.02**
D6545-10 Test Method for Flammability of Textiles Used In Children's Sleepwear, **07.02**
D6546-00(2010) Test Methods for and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, **05.03**
D6547-00(2010) Test Method for Corrosiveness of Lubricating Fluid to Bimetallic Couple, **05.03**
D6548 Withdrawn 2011; Test Method for Resistance to Mechanical Penetration of Sanitary Tissue Papers (Ball Burst Procedure)
D6549-06(2011) Test Method for Determination of Cooling Characteristics of Quenchants by Cooling Curve Analysis with Agitation (Drayton Unit), **05.03**
D6550-10 Test Method for Determination of Olefin Content of Gasolines by Supercritical-Fluid Chromatography, **05.03**
D6551/D6551M-05(2011) Practice for Accelerated Weathering of Pressure-Sensitive Tapes by Xenon-Arc Exposure Apparatus, **15.10**
D6552-06(2011) Practice for Controlling and Characterizing Errors in Weighing Collected Aerosols, **11.07**
D6553-00(2010) Test Method for Coolant Compatibility of Way Lubricants, **05.03**
D6554/D6554M-14 Specification for 100 % Cotton Denim Fabrics, **07.02**
D6555-03(2008) Guide for Evaluating System Effects in Repetitive-Member Wood Assemblies, **04.10**
D6556-10 Test Method for Carbon Black—Total and External Surface Area by Nitrogen Adsorption, **09.01**
D6557-13 Test Method for Evaluation of Rust Preventive Characteristics of Automotive Engine Oils, **05.03**
D6558-00a(2010) Test Method for Determination of TGA CO, **05.03**
D6559-00a(2010) Test Method for Determination of Thermogravimetric (TGA) Air Reactivity of Baked Carbon Anodes and Cathode Blocks, **05.03**
D6560-12 Test Method for Determination of Asphaltenes (Heptane Insolubles) in Crude Petroleum and Petroleum Products, **05.03**
D6561-06(2011) Test Method for Determination of Aerosol Monomeric and Oligomeric Hexamethylene Diisocyanate (HDI) in Air with (Methoxy-2–phenyl-1) Piperazine (MOPIP) in the Workplace, **11.07**
D6562-12 Test Method for Determination of Gaseous Hexamethylene Diisocyanate (HDI) in Air with 9-(N-methylaminomethyl) Anthracene Method (MAMA) in the Workplace, **11.07**
D6563-12 Test Method for Benzene, Toluene, Xylene (BTX) Concentrates Analysis by Gas Chromatography, **06.04**
D6564-00(2012)$^{\epsilon 1}$ Guide for Field Filtration of Groundwater Samples, **04.09**
D6565-00(2005) Test Method for Determination of Water (Moisture) Content of Soil by the Time-Domain Reflectometry (TDR) Method, **04.09**
D6566-12 Test Method for Measuring Mass per Unit Area of Turf Reinforcement Mats, **04.13**
D6567-00(2006) Test Method for Measuring the Light Penetration of a Turf Reinforcement Mat (TRM), **04.13**
D6568-00(2011) Guide for Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Water Samples, **11.01**
D6569-14 Test Method for On-Line Measurement of pH, **11.01**
D6570-04(2010) Practice for Assigning Allowable Properties for Mechanically Graded Lumber, **04.10**
D6571 Withdrawn 2008; Test Method for Determination of Compression Resistance and Recovery Properties of Highloft Nonwoven Fabric Using Static Force Loading
D6572-13$^{\epsilon 1}$ Test Methods for Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, **04.09**
D6573/D6573M-13 Specification for General Purpose Wirebound Shipping Boxes, **15.10**
D6574/D6574M-13 Test Method for Determining the (In-Plane) Hydraulic Transmissivity of a Geosynthetic by Radial Flow, **04.13**
D6575-00(2006) Test Method for Determining Stiffness of Geosynthetics Used as Turf Reinforcement Mats (TRMs), **04.13**
D6576-13 Specification for Flexible Cellular Rubber Chemically Blown, **08.03**
D6577-06(2011)$^{\epsilon 1}$ Guide for Testing Industrial Protective Coatings, **06.02**
D6578-08 Practice for Determination of Graffiti Resistance, **06.02**
D6579-11 Practice for Molecular Weight Averages and Molecular Weight Distribution of Hydrocarbon, Rosin and Terpene Resins by Size-Exclusion Chromatography, **06.03**
D6580-00(2009) Test Method for The Determination of Metallic Zinc Content in Both Zinc Dust Pigment and in Cured Films of Zinc-Rich Coatings, **06.01**
D6581-12 Test Methods for Bromate, Bromide, Chlorate, and Chlorite in Drinking Water by Suppressed Ion Chromatography, **11.01**
D6582 Withdrawn 2012; Guide for Ranked Set Sampling: Efficient Estimation of a Mean Concentration in Environmental Sampling
D6583-04(2010) Test Method for Porosity of Paint Film by Mineral Oil Absorption, **06.02**
D6584-13 Test Method for Determination of Total Monoglycerides, Total Diglycerides, Total Triglycerides, and Free and Total Glycerin in B-100 Biodiesel Methyl Esters by Gas Chromatography, **05.03**
D6585-11 Specification for Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, **08.03**
D6586-03(2008) Practice for the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests, **15.01**
D6587-12$^{\epsilon 1}$ Test Method for Yarn Number Using Automatic Tester, **07.02**
D6588/D6588M-11 Test Method for Fatigue of Tire Cords (Disc Fatigue Test), **07.02**
D6589-05(2010)$^{\epsilon 1}$ Guide for Statistical Evaluation of Atmospheric Dispersion Model Performance, **11.07**
D6590/D6590M-00(2012) Specification for Pressure-Sensitive Tape for Sealing Fiber Containers and Cans, **15.10**
D6591-11 Test Method for Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, **05.03**
D6592 Withdrawn 2010; Test Method for Portable Chemiluminescent Water Quality Determination
D6593-13b Test Method for Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, **05.03**
D6594-13 Test Method for Evaluation of Corrosiveness of Diesel Engine Oil at 135 °C, **05.03**
D6595-00(2011) Test Method for Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, **05.03**
D6596-00(2011) Practice for Ampulization and Storage of Gasoline and Related Hydrocarbon Materials, **05.03**
D6597-10 Practice for Assessment of Attaining Clean Up Level for Site Closure, **11.04**
D6598-11 Guide for Installing and Operating Settlement Platforms for Monitoring Vertical Deformations, **04.09**
D6599-00(2008) Practice for Construction of Live Fascines on Slopes, **04.09**
D6600-00(2013) Practice for Evaluating Test Sensitivity for Rubber Test Methods, **09.01**
D6601-12 Test Method for Rubber Properties—Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer, **09.01**
D6602-13 Practice for Sampling and Testing of Possible Carbon Black Fugitive Emissions or Other Environmental Particulate, or Both, **09.01**
D6603-12 Specification for Labeling of UV-Protective Textiles, **07.02**
D6604-00(2013) Practice for Glass Transition Temperatures of Hydrocarbon Resins by Differential Scanning Calorimetry, **06.03**
D6605-06(2011) Practice for Determining the Color Stability of Hydrocarbon Resins After Heating, **06.03**
D6606-00(2010) Test Method for Viscosity and Yield of Vehicles and Varnishes by the Duke Viscometer, **06.03**
D6607-00(2009) Practice for Inclusion of Precision Statement Variation in Specification Limits, **04.03**
D6608-12 Practice for the Identification of Trinidad Lake Asphalt in Asphalt Mixes, **04.03**
D6609-08 Guide for Part-Stream Sampling of Coal, **05.06**
D6610 Withdrawn 2003; Practice for Manually Sampling Coal from Surfaces of a Stockpile; Replaced by D6883
D6611-00(2007) Test Method for Wet and Dry Yarn-on-Yarn Abrasion Resistance, **07.02**
D6612-00(2011) Test Method for Yarn Number and Yarn Number Variability Using Automated Tester, **07.02**
D6613-08(2013) Practice for Determining the Presence of Sizing in Nylon or Polyester Fabric, **07.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D6614-07(2011) Test Method for Stretch Properties of Textile Fabrics – CRE Method, **07.02**
D6615-11a Specification for Jet B Wide-Cut Aviation Turbine Fuel, **05.03**
D6616-07(2012) Test Method for Measuring Viscosity at High Shear Rate by Tapered Bearing Simulator Viscometer at 100°C, **05.03**
D6617-13 Practice for Laboratory Bias Detection Using Single Test Result from Standard Material, **05.03**
D6618-10a Test Method for Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, **05.03**
D6619-00(2012) Practice for Incorporating Pigments by High Speed Dispersion, **06.01**
D6620-06(2010) Practice for Asbestos Detection Limit Based on Counts, **11.07**
D6621-00(2012) Practice for Performance Testing of Process Analyzers for Aromatic Hydrocarbon Materials, **06.04**
D6622-01(2009) Guide for Application of Fully Adhered Hot-Applied Reinforced Waterproofing Systems, **04.04**
D6623 Withdrawn 2002; Test Method for Determination of Individual Components in Spark Ignition Engine Fuels by High Resolution Gas Chromatography; Replaced by D6729, D6730, D6733
D6624-12 Practice for Determining a Flow-Proportioned Average Property Value (FPAPV) for a Collected Batch of Process Stream Material Using Stream Analyzer Data, **05.03**
D6625-13 Practice for Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus, **15.04**
D6626-09 Specification for Performance Graded Trinidad Lake Modified Asphalt Binder, **04.03**
D6627/D6627M-11 Test Method for Determination of a Volatile Distillate Fraction of Cold Asphalt Mixtures, **04.03**
D6628-03(2010)$^{\varepsilon 1}$ Specification for Color of Pavement Marking Materials, **04.03**
D6629-01(2012)$^{\varepsilon 1}$ Guide for Selection of Methods for Estimating Soil Loss by Erosion, **04.09**
D6630-08 Guide for Low Slope Insulated Roof Membrane Assembly Performance, **04.04**
D6631-05(2011) Guide for Committee D01 for Conducting an Interlaboratory Study for the Purpose of Determining the Precision of a Test Method, **06.01**
D6632 Withdrawn 2010; Test Method for Total Copper in Antifouling Paints
D6633-05(2010) Test Method for Basic Functional Stability of a Mechanical Pump Dispenser, **15.10**
D6634/D6634M-14 Guide for Selection of Purging and Sampling Devices for Groundwater Monitoring Wells, **04.09**
D6635-01(2007) Test Method for Performing the Flat Plate Dilatometer, **04.09**
D6636-01(2011) Test Method for Determination of Ply Adhesion Strength of Reinforced Geomembranes, **04.13**
D6637-11 Test Method for Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method, **04.13**
D6638-11 Test Method for Determining Connection Strength Between Geosynthetic Reinforcement and Segmental Concrete Units (Modular Concrete Blocks), **04.13**
D6639-01(2008) Guide for Using the Frequency Domain Electromagnetic Method for Subsurface Investigations, **04.09**
D6640-01(2010) Practice for Collection and Handling of Soils Obtained in Core Barrel Samplers for Environmental Investigations, **11.04**
D6641/D6641M-09 Test Method for Compressive Properties of Polymer Matrix Composite Materials Using a Combined Loading Compression (CLC) Test Fixture, **15.03**
D6642-01(2006) Guide for Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, **04.09**
D6643-01(2011) Test Method for Testing Wood-Base Panel Corner Impact Resistance, **04.10**
D6644-01(2013) Test Method for Tension Strength of Sew-Through Flange Buttons, **07.02**
D6645-01(2010) Test Method for Methyl (Comonomer) Content in Polyethylene by Infrared Spectrophotometry, **08.03**
D6646-03(2008) Test Method for Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, **15.01**
D6647-01(2011) Test Method for Determination of Acid Soluble Iron Via Atomic Absorption, **15.01**
D6648-08 Test Method for Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR), **04.03**
D6649 Not Assigned
D6650 Withdrawn 2008; Test Method for Determining the Dynamic Wiping Efficiency, Wet Particle Removal Ability, and Fabric Particle Contribution of Nonwoven Fabrics Used in Cleanrooms
D6651 Withdrawn 2008; Test Method for Determining the Rate of Sorption and Sorptive Capacity of Nonwoven Fabrics
D6652 Withdrawn 2008; Test Method for Determining Fibrous Debris From Nonwoven Fabrics
D6653/D6653M-13 Test Methods for Determining the Effects of High Altitude on Packaging Systems by Vacuum Method, **15.10**
D6654-05(2010) Test Method for Basic Storage Stability of a Mechanical Pump Dispenser, **15.10**
D6655-01(2007) Terminology Relating to Mechanical Pump Dispensers, **15.10**
D6656-14a Test Method for Determination of Chromic Oxide in Wet Blue (Perchloric Acid Oxidation), **15.04**
D6657-14a Test Method for pH of Wet Blue, **15.04**
D6658-08(2013) Test Method for Volatile Matter (Moisture) of Wet Blue by Oven Drying, **15.04**
D6659-10 Practice for Sampling and Preparation of Wet Blue for Physical and Chemical Tests, **15.04**
D6660-01(2007) Test Method for Freezing Point of Aqueous Ethylene Glycol Base Engine Coolants by Automatic Phase Transition Method, **15.05**
D6661-10 Practice for Field Collection of Organic Compounds from Surfaces Using Wipe Sampling, **11.04**
D6662-13 Specification for Polyolefin-Based Plastic Lumber Decking Boards, **08.03**
D6663-08(2013) Specification for Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, **07.02**
D6664 Withdrawn 2010; Specification for Woven, Knitted and Flocked Bedspread Products for Institutional and Household Use
D6665-09 Practice for Evaluation of Aging Resistance of Pre-stressed Prepainted Metal in a Boiling Water Test, **06.02**
D6666-04(2009) Guide for Evaluation of Aqueous Polymer Quenchants, **05.03**
D6667-10 Test Method for Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases by Ultraviolet Fluorescence, **05.03**
D6668-01(2010) Test Method for Discrimination Between Flammability Ratings of F = 0 and F = 1, **05.03**
D6669-12 Practice for Selecting and Constructing Exposure Scenarios for Assessment of Exposures to Alkyd and Latex Interior Paints, **11.07**
D6670-13 Practice for Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, **11.07**
D6671/D6671M-13 Test Method for Mixed Mode I-Mode II Interlaminar Fracture Toughness of Unidirectional Fiber Reinforced Polymer Matrix Composites, **15.03**
D6672-08 Practice for Formatting Cutting Data to Drive Numerically Controlled Fabric Cutting Machines, **07.02**
D6673-10 Practice for Sewn Products Pattern Data Interchange—Data Format, **07.02**
D6674-01(2013) Guide for Proficiency Test Program for Fabrics, **07.02**
D6675-01(2011) Practice for Salt-Accelerated Outdoor Cosmetic Corrosion Testing of Organic Coatings on Automotive Sheet Steel, **06.01**
D6676 Withdrawn 2010; Test Method for Cathodic Disbonding of Exterior Pipeline Coatings at Elevated Temperatures Using Interior Heating
D6676/D6676M-13 Test Method for Cathodic Disbonding of Exterior Pipeline Coatings at Elevated Temperatures Using Interior Heating, **06.02**
D6677-07(2012) Test Method for Evaluating Adhesion by Knife, **06.02**
D6678 Not Assigned
D6679 Not Assigned
D6680 Not Assigned
D6681-13 Test Method for Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, **05.03**
D6682-08 Test Method for Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, **04.09**
D6683-08 Test Method for Measuring Bulk Density Values of Powders and Other Bulk Solids as Function of Compressive Stress, **04.09**
D6684-04(2010) Specification for Materials and Manufacture of Articulating Concrete Block (ACB) Revetment Systems, **04.09**
D6685-01(2008) Guide for the Selection of Test Methods for Fabrics Used for Fabric Formed Concrete (FFC), **04.09**
D6686-01(2013) Test Method for Evaluation of Tannin Stain Resistance of Coatings, **06.02**
D6687-07(2013) Guide for Testing Printing Ink Vehicles and Components Thereof, **06.03**
D6688-11 Practice for Relative Resistance of Printed Matter to Liquid Chemicals by a Sandwich Technique, **06.02**
D6689-01(2011) Guide for Optimizing, Controlling and Reporting Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, **11.01**
D6690-12 Specification for Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements, **04.03**
D6691-09 Test Method for Determining Aerobic Biodegradation of Plastic Materials in the Marine Environment by a Defined Microbial Consortium or Natural Sea Water Inoculum, **08.03**
D6692 Withdrawn 2010; Test Method for Determining the Biodegradability of Radiolabeled Polymeric Plastic Materials in Seawater
D6693-04(2010) Test Method for Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes, **04.13**
D6694/D6694M-08(2013)$^{\varepsilon 1}$ Specification for Liquid-Applied Silicone Coating Used in Spray Polyurethane Foam Roofing Systems, **04.04**
D6695-08 Practice for Xenon-Arc Exposures of Paint and Related Coatings, **06.01**
D6696-14 Guide for Understanding Cyanide Species, **11.02**
D6697 Withdrawn 2010; Test Method for Determination for Chemical Oxygen Demand (Manganese III Oxygen Demand) of Water
D6698-12 Test Method for On-Line Measurement of Turbidity Below 5 NTU in Water, **11.01**
D6699-01(2010) Practice for Sampling Liquids Using Bailers, **11.04**
D6700-01(2013) Practice for Use of Scrap Tire-Derived Fuel, **11.04**
D6701 Withdrawn 2008; Test Method for Determining Water Vapor Transmission Rates Through Nonwoven and Plastic Barriers
D6702 Withdrawn 2008; Test Method for Determining the Dynamic Wiping Efficiency of Nonwoven Fabrics Not Used in Cleanrooms
D6703-13 Test Method for Automated Heithaus Titrimetry, **04.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D6704-08 Test Method for Determining the Workability of Asphalt Cold Mix Patching Material, **04.03**
D6705/D6705M-04(2011)ε1 Guide for Repair and Recoat of Spray Polyurethane Foam Roofing Systems, **04.04**
D6706-01(2013) Test Method for Measuring Geosynthetic Pullout Resistance in Soil, **04.13**
D6707-06(2011) Specification for Circular-Knit Geotextile for Use in Subsurface Drainage Applications, **04.13**
D6708-13 Practice for Statistical Assessment and Improvement of Expected Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, **05.03**
D6709-13 Test Method for Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), **05.03**
D6710-02(2012) Guide for Evaluation of Hydrocarbon-Based Quench Oil, **05.03**
D6711-01(2008) Practice for Specifying Rock to Fill Gabions, Revet Mattresses, and Gabion Mattresses, **04.09**
D6712-01(2009) Specification for Ultra-High-Molecular-Weight Polyethylene (UHMW-PE) Solid Plastic Shapes, **08.03**
D6713-01(2009) Specification for Extruded and Compression Molded Shapes Made from Poly(Vinylidene Fluoride) (PVDF), **08.03**
D6714-01(2010)ε1 Test Method for Chromic Oxide in Ashed Wet Blue (Perchloric Acid Oxidation), **15.04**
D6715-13 Practice for Sampling and Preparation of Fresh or Salt-Preserved (Cured) Hides and Skins for Chemical and Physical Tests, **15.04**
D6716-08(2013) Test Method for Total Ash in Wet Blue or Wet White, **15.04**
D6717-07(2012) Test Method for Linear Density of Elastomeric Yarns (Skein Specimens), **07.02**
D6718 Withdrawn 2011; Practice for Writing Committee D13 Standards
D6719-12 Guide for Standard Test Methods and Practices for Evaluating Pile Yarn Floor Covering, **07.02**
D6720-07(2012) Test Method for Evaluation of Recoverable Stretch of Stretch Yarns (Skein Method), **07.02**
D6721-01(2006) Test Method for Determination of Chlorine in Coal by Oxidative Hydrolysis Microcoulometry, **05.06**
D6722-11 Test Method for Total Mercury in Coal and Coal Combustion Residues by Direct Combustion Analysis, **05.06**
D6723-12 Test Method for Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT), **04.03**
D6724-04(2010) Guide for Installation of Direct Push Groundwater Monitoring Wells, **04.09**
D6725-04(2010) Practice for Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, **04.09**
D6726-01(2007) Guide for Conducting Borehole Geophysical Logging—Electromagnetic Induction, **04.09**
D6727-01(2007) Guide for Conducting Borehole Geophysical Logging—Neutron, **04.09**
D6728-11 Test Method for Determination of Contaminants in Gas Turbine and Diesel Engine Fuel by Rotating Disc Electrode Atomic Emission Spectrometry, **05.03**
D6729-04(2009) Test Method for Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, **05.03**
D6730-01(2011) Test Method for Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn) High-Resolution Gas Chromatography, **05.03**
D6731-01(2011) Test Method for Determining the Aerobic, Aquatic Biodegradability of Lubricants or Lubricant Components in a Closed Respirometer, **05.03**
D6732-04(2010) Test Method for Determination of Copper in Jet Fuels by Graphite Furnace Atomic Absorption Spectrometry, **05.03**
D6733-01(2011) Test Method for Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, **05.03**
D6734-01(2009) Test Method for Low Levels of Coliphages in Water, **11.02**
D6735-01(2009) Test Method for Measurement of Gaseous Chlorides and Fluorides from Mineral Calcining Exhaust Sources—Impinger Method, **11.07**
D6736-08(2013) Test Method for Burnish Resistance of Latex Paints, **06.02**
D6737-12 Test Method for Bulk Density of Tapered Paintbrush Filaments, **06.02**
D6738-11 Test Method for Precipitated Silica—Volatile Content, **09.01**
D6739-11 Test Method for Silica—pH Value, **09.01**
D6740-10 Test Method for Silanes Used in Rubber Formulations, **09.01**
D6741-10 Test Methods for Silanes Used in Rubber Formulations, **09.01**
D6742/D6742M-12 Practice for Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, **15.03**
D6743-11 Test Method for Thermal Stability of Organic Heat Transfer Fluids, **05.03**
D6744-06(2011)ε1 Test Method for Determination of the Thermal Conductivity of Anode Carbons by the Guarded Heat Flow Meter Technique, **05.03**
D6745-11 Test Method for Linear Thermal Expansion of Electrode Carbons, **05.03**
D6746-10 Test Method for Determination of Green Strength and Stress Relaxation of Raw Rubber or Unvulcanized Compounds, **09.01**
D6747-12 Guide for Selection of Techniques for Electrical Detection of Leaks in Geomembranes, **04.13**
D6748-02a(2012) Test Method for Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), **05.03**
D6749-02(2012) Test Method for Pour Point of Petroleum Products (Automatic Air Pressure Method), **05.03**
D6750-13 Test Methods for Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine—1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), **05.03**
D6751-12 Specification for Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, **05.03**
D6752/D6752M-11 Test Method for Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method, **04.03**
D6753/D6753M-02(2009) Specification for Coal Tar Adhesive, **04.04**
D6754/D6754M-10 Specification for Ketone Ethylene Ester Based Sheet Roofing, **04.04**
D6756-10 Test Method for Determination of the Red Dye Concentration and Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, **05.03**
D6757-07(2013) Specification for Underlayment Felt Containing Inorganic Fibers Used in Steep-Slope Roofing, **04.04**
D6758-08 Test Method for Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, **04.09**
D6759-09 Practice for Sampling Liquids Using Grab and Discrete Depth Samplers, **11.04**
D6760-08 Test Method for Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, **04.09**
D6761-07(2012) Test Method for Determination of the Total Pore Volume of Catalysts and Catalyst Carriers, **05.05**
D6762-02a(2009)ε1 Test Method for Determining the Hiding Power of Paint by Visual Evaluation of Spray Applied Coatings, **06.01**
D6763-08 Guide for Testing Exterior Wood Stains and Clear Water Repellents, **06.02**
D6764-02(2013) Guide for Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, **11.01**
D6765-13 Practice for Live Staking, **04.09**
D6766-12 Test Method for Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions, **04.13**
D6767-11 Test Method for Pore Size Characteristics of Geotextiles by Capillary Flow Test, **04.13**
D6768-04(2009) Test Method for Tensile Strength of Geosynthetic Clay Liners, **04.13**
D6769/D6769M-02(2010)ε1 Guide for Application of Fully Adhered, Cold-Applied, Prefabricated Reinforced Modified Bituminous Membrane Waterproofing Systems, **04.04**
D6770-07(2011) Test Method for Abrasion Resistance of Textile Webbing (Hex Bar Method), **07.02**
D6771 Withdrawn 2011; Practice for Low-Flow Purging and Sampling for Wells and Devices Used for Ground-Water Quality Investigations
D6772-02(2007) Test Method for Dimensional Stability of Sandwich Core Materials, **15.03**
D6773-08 Test Method for Bulk Solids Using Schulze Ring Shear Tester, **04.09**
D6774-02(2010) Test Method for Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, **07.02**
D6775-13 Test Method for Breaking Strength and Elongation of Textile Webbing, Tape and Braided Material, **07.02**
D6776 Withdrawn 2012; Test Method for Determining Anaerobic Biodegradability of Radiolabeled Plastic Materials in a Laboratory-Scale Simulated Landfill Environment
D6777-02(2010)ε1 Test Method for Relative Rigidity of Poly(Vinyl Chloride)(PVC) Siding, **08.03**
D6778-12 Classification System and Basis for Specification for Polyoxymethylene Molding and Extrusion Materials (POM), **08.03**
D6779-12a Classification System for and Basis of Specification for Polyamide Molding and Extrusion Materials (PA), **08.03**
D6780/D6780M-12 Test Method for Water Content and Density of Soil In situ by Time Domain Reflectometry (TDR), **04.09**
D6781-02(2007) Guide for Carbon Reactivation, **15.01**
D6782-13 Test Methods for Standardization and Calibration of In-Line Dry Lumber Moisture Meters, **04.10**
D6783-05(2011) Specification for Polymer Concrete Pipe, **08.03**
D6784-02(2008) Test Method for Elemental, Oxidized, Particle-Bound and Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), **11.07**
D6785-13 Test Method for Determination of Lead in Workplace Air Using Flame or Graphite Furnace Atomic Absorption Spectrometry, **11.07**
D6786-08 Test Method for Particle Count in Mineral Insulating Oil Using Automatic Optical Particle Counters, **10.03**
D6787/D6787M-02(2012)ε1 Specification for Repositionable Note Pad, **15.10**
D6788-02(2012) Specification for Repositionable Pressure-Sensitive Flags, **15.10**
D6789 Withdrawn 2011; Test Method for Accelerated Light Aging of Printing and Writing Paper by Xenon-Arc Exposure Apparatus
D6790/D6790M-14 Test Method for Determining Poisson's Ratio of Honeycomb Cores, **15.03**
D6791-11 Test Method for Determination of Grain Stability of Calcined Petroleum Coke, **05.03**
D6792-13 Practice for Quality System in Petroleum Products and Lubricants Testing Laboratories, **05.03**
D6793-02(2012) Test Method for Determination of Isothermal Secant and Tangent Bulk Modulus, **05.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D6794-13 Test Method for Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, **05.03**
D6795-13 Test Method for Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time, **05.03**
D6796-02(2008) Practice for Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, **05.06**
D6797-07(2011) Test Method for Bursting Strength of Fabrics Constant-Rate-of-Extension (CRE) Ball Burst Test, **07.02**
D6798-02(2013)ε1 Terminology Relating to Flax and Linen, **07.02**
D6799-13 Terminology Relating to Inflatable Restraints, **07.02**
D6800-12 Practice for Preparation of Water Samples Using Reductive Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, **11.02**
D6801-07 Test Method for Measuring Maximum Spontaneous Heating Temperature of Art and Other Materials, **06.02**
D6802-02(2010) Test Method for Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, **10.03**
D6803-13 Practice for Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, **11.07**
D6804-02(2011) Guide for Hand Hole Design in Corrugated Boxes, **15.10**
D6805-02(2008) Practice for Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, **04.04**
D6806-02(2012) Practice for Analysis of Halogenated Organic Solvents and Their Admixtures by Gas Chromatography, **15.05**
D6807-02(2009) Test Method for Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, **11.02**
D6808-02(2012) Practice for Competency Requirements of Reference Material Producers for Water Analysis, **11.01**
D6809-02(2012) Guide for Quality Control and Quality Assurance Procedures for Aromatic Hydrocarbons and Related Materials, **06.04**
D6810-13 Test Method for Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, **05.03**
D6811 Withdrawn 2013; Test Method for Measurement of Thermal Stability of Aviation Turbine Fuels under Turbulent Flow Conditions (HiReTS Method)
D6812-04a(2010) Practice for Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, **05.03**
D6813-02a(2013) Guide for Performance Evaluation of Hydraulic Fluids for Piston Pumps, **05.03**
D6814-02(2013) Test Method for Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density, **09.01**
D6815-09 Specification for Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, **04.10**
D6816-11 Practice for Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, **04.03**
D6817/D6817M-13a Specification for Rigid Cellular Polystyrene Geofoam, **04.13**
D6818-02(2009) Test Method for Ultimate Tensile Properties of Turf Reinforcement Mats, **04.13**
D6819 Withdrawn 2011; Test Method for Accelerated Temperature Aging of Printing and Writing Paper by Dry Oven Exposure Apparatus
D6820-02(2007) Guide for Use of the Time Domain Electromagnetic Method for Subsurface Investigation, **04.09**
D6821-12 Test Method for Low Temperature Viscosity of Drive Line Lubricants in a Constant Shear Stress Viscometer, **05.03**
D6822-12b Test Method for Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, **05.03**
D6823-08(2013) Specification for Commercial Boiler Fuels With Used Lubricating Oils, **05.03**
D6824-13ε1 Test Method for Determining Filterability of Aviation Turbine Fuel, **05.03**
D6825-02(2008)ε1 Guide for Placement of Riprap Revetments, **04.09**
D6826-05(2014)ε1 Specification for Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, **04.13**
D6827-02(2008) Test Method for Zinc Analysis of Floor Polishes and Floor Polish Polymers By Flame Atomic Absorption (A.A.), **15.04**
D6828-02(2011) Test Method for Stiffness of Fabric by Blade/Slot Procedure, **07.02**
D6829-02(2008) Tables of Body Measurements for Juniors, Sizes 0 to 19, **07.02**
D6830-02(2008) Test Method for Characterizing the Pressure Drop and Filtration Performance of Cleanable Filter Media, **11.07**
D6831-11 Test Method for Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, **11.07**
D6832-13ε1 Test Method for the Determination of Hexavalent Chromium in Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide, **11.07**
D6833 Withdrawn 2011; Test Method for Accelerated Pollutant Aging of Printing and Writing Paper by Pollution Chamber Exposure Apparatus
D6834-02(2008) Test Method for Determining Product Leakage from a Package with a Mechanical Pump Dispenser, **15.10**
D6835-08(2014) Classification System for Thermoplastic Elastomer-Ether-Ester Molding and Extrusion Materials (TEEE), **08.03**
D6836-02(2008)ε2 Test Methods for Determination of the Soil Water Characteristic Curve for Desorption Using Hanging Column, Pressure Extractor, Chilled Mirror Hygrometer, or Centrifuge, **04.09**
D6837-13 Test Method for Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIB Spark Ignition Engine, **05.03**
D6838-04(2010) Test Method for Cummins M11 High Soot Test, **05.03**
D6839-13 Test Method for Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, **05.03**
D6840-02(2013) Test Method for Effect of Drycleaning on Buttons, **07.02**
D6841-08 Practice for Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, **04.10**
D6842-02(2007) Guide for Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components in Waste Management Decision-Making, **11.04**
D6843-10 Test Method for Silanes Used in Rubber Formulations, **09.01**
D6844-10 Test Method for Silanes Used in Rubber Formulations, **09.01**
D6845-12 Test Method for Silica, Precipitated, Hydrated—CTAB (Cetyltrimethylammonium Bromide) Surface Area, **09.01**
D6846-02(2012) Practice for Preparing Prints of Paste Printing Inks with a Printing Gage, **06.02**
D6847 Withdrawn 2010; Test Method for Quantitative Extraction and Recovery of Asphalt Binder from Asphalt Mixtures
D6848 Withdrawn 2011; Specification for Aluminum Pigmented Emulsified Asphalt Used as a Protective Coating for Roofing
D6849-13 Practice for Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, **05.03**
D6850-13 Guide for QC of Screening Methods in Water, **11.02**
D6851-02(2011) Test Method for Determination of Contact pH with Activated Carbon, **15.01**
D6852 Withdrawn 2011; Guide for Determination of Biobased Content, Resources Consumption, and Environmental Profile of Materials and Products
D6854-12a Test Method for Silica-Oil Absorption Number, **09.01**
D6855-12 Test Method for Determination of Turbidity Below 5 NTU in Static Mode, **11.01**
D6856/D6856M-03(2008)ε1 Guide for Testing Fabric-Reinforced Textile Composite Materials, **15.03**
D6857/D6857M-11 Test Method for Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method, **04.03**
D6859-11 Test Method for Pile Thickness of Finished Level Pile Yarn Floor Coverings, **07.02**
D6860/D6860M-13 Tables of Body Measurements for Boys, Sizes 4H to 20H Husky, **07.02**
D6862-11 Test Method for 90 Degree Peel Resistance of Adhesives, **15.06**
D6864-11 Specification for Color and Appearance Retention of Solid Colored Plastic Siding Products, **08.03**
D6865-11 Classification System and Basis for Specifications for Acrylonitrile–Styrene–Acrylate (ASA) and Acrylonitrile–EPDM–Styrene (AES) Plastics and Alloys Molding and Extrusion Materials, **08.03**
D6866-12 Test Methods for Determining the Biobased Content of Solid, Liquid, and Gaseous Samples Using Radiocarbon Analysis, **08.03**
D6867-03(2009) Specification for Perfluoroalkoxy (PFA)-Fluoropolymer Tubing, **08.03**
D6868-11 Specification for Labeling of End Items that Incorporate Plastics and Polymers as Coatings or Additives with Paper and Other Substrates Designed to be Aerobically Composted in Municipal or Industrial Facilities, **08.03**
D6869-03(2011) Test Method for Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of Iodine with Water), **08.03**
D6871-03(2008) Specification for Natural (Vegetable Oil) Ester Fluids Used in Electrical Apparatus, **10.03**
D6873/D6873M-08 Practice for Bearing Fatigue Response of Polymer Matrix Composite Laminates, **15.03**
D6874-12 Test Methods for Nondestructive Evaluation of Wood-Based Flexural Members Using Transverse Vibration, **04.10**
D6875-12 Test Method for Solidification Point of Industrial Organic Chemicals by Thermistor, **06.04**
D6877-13ε1 Test Method for Monitoring Diesel Particulate Exhaust in the Workplace, **11.07**
D6878/D6878M-13 Specification for Thermoplastic Polyolefin Based Sheet Roofing, **04.04**
D6880/D6880M-11 Specification for Wood Boxes, **15.10**
D6881/D6881M-03(2013) Classification for Standard Plastics Industry Bulk Box/Pallet Unit Size Classified By Bulk Density, **15.10**
D6883-04(2012) Practice for Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, **05.06**
D6884-03(2010) Practice for Installation of Articulating Concrete Block (ACB) Revetment Systems, **04.09**
D6886-12 Test Method for Determination of the Individual Volatile Organic Compounds (VOCs) in Air-Dry Coatings by Gas Chromatography, **06.01**
D6887-03(2013) Test Method for Testing Alkyd Compatibility with Resin or Resin Solutions, **06.03**
D6888-09 Test Method for Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, **11.02**
D6889-03(2011) Practice for Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), **11.02**
D6890-13b Test Method for Determination of Ignition Delay and Derived

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, **05.05**
D6891-13a Test Method for Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, **05.03**
D6892-03(2008) Test Method for Pour Point of Petroleum Products (Robotic Tilt Method), **05.03**
D6894-13 Test Method for Evaluation of Aeration Resistance of Engine Oils in Direct-Injected Turbocharged Automotive Diesel Engine, **05.03**
D6895-06(2012) Test Method for Rotational Viscosity of Heavy Duty Diesel Drain Oils at 100°C, **05.03**
D6896-12 Test Method for Determination of Yield Stress and Apparent Viscosity of Used Engine Oils at Low Temperature, **05.03**
D6897-09 Test Method for Vapor Pressure of Liquefied Petroleum Gases (LPG) (Expansion Method), **05.03**
D6898-03(2010) Test Method for Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, **05.03**
D6899 Withdrawn 2010; Guide for Laboratory Cyclic Corrosion Testing of Automotive Painted Steel
D6900-10 Test Method for Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, **06.02**
D6901-06 Specification for Artists' Colored Pencils, **06.02**
D6902-04(2011) Test Method for Laboratory Measurement of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings, **06.01**
D6903-07(2013) Test Method for Determination of Organic Biocide Release Rate From Antifouling Coatings in Substitute Ocean Water, **06.02**
D6904-03(2013) Practice for Resistance to Wind-Driven Rain for Exterior Coatings Applied on Masonry, **06.02**
D6905-03(2012) Test Method for Impact Flexibility of Organic Coatings, **06.01**
D6906-12a Test Method for Determination of Titanium Treatment Weight on Metal Substrates by Wavelength Dispersive X-Ray Fluorescence, **06.02**
D6907-05(2010) Practice for Sampling Soils and Contaminated Media with Hand-Operated Bucket Augers, **11.04**
D6908-06(2010) Practice for Integrity Testing of Water Filtration Membrane Systems, **11.02**
D6909-10 Specification for High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, **09.02**
D6910/D6910M-09 Test Method for Marsh Funnel Viscosity of Clay Construction Slurries, **04.09**
D6911-03(2010) Guide for Packaging and Shipping Environmental Samples for Laboratory Analysis, **04.09**
D6913-04(2009) Test Methods for Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis, **04.09**
D6914-04(2010) Practice for Sonic Drilling for Site Characterization and the Installation of Subsurface Monitoring Devices, **04.09**
D6915-12 Practice for Carbon Black—Evaluation of Standard Reference Blacks, **09.01**
D6916-06c(2011) Test Method for Determining the Shear Strength Between Segmental Concrete Units (Modular Concrete Blocks), **04.13**
D6917-03(2011) Guide for Selection of Test Methods for Prefabricated Vertical Drains (PVD), **04.13**
D6918-09(2014)$^{\epsilon 1}$ Test Method for Testing Vertical Strip Drains in the Crimped Condition, **04.13**
D6919-09 Test Method for Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, **11.02**
D6920-13 Test Method for Total Sulfur in Naphthas, Distillates, Reformulated Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, **05.03**
D6922-13 Test Method for Determination of Homogeneity and Miscibility in Automotive Engine Oils, **05.03**
D6923-13 Test Method for Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, **05.03**
D6924-03(2012) Specification for Preformed Thermoplastic Vulcanizate Elastomeric Joint Seals for Bridges, **04.03**
D6925-09 Test Method for Preparation and Determination of the Relative Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor, **04.03**
D6926-10 Practice for Preparation of Bituminous Specimens Using Marshall Apparatus, **04.03**
D6927-06 Test Method for Marshall Stability and Flow of Bituminous Mixtures, **04.03**
D6928-10 Test Method for Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, **04.03**
D6929-10 Practice for Freezing of Emulsified Asphalts, **04.03**
D6930-10 Test Method for Settlement and Storage Stability of Emulsified Asphalts, **04.03**
D6931-12 Test Method for Indirect Tensile (IDT) Strength of Bituminous Mixtures, **04.03**
D6932/D6932M-08(2013) Guide for Materials and Construction of Open-Graded Friction Course Plant Mixtures, **04.03**
D6933-13 Test Method for Oversized Particles in Emulsified Asphalts (Sieve Test), **04.03**
D6934-08 Test Method for Residue by Evaporation of Emulsified Asphalt, **04.03**
D6935-11 Test Method for Determining Cement Mixing of Emulsified Asphalt, **04.03**
D6936-09 Test Method for Determining Demulsibility of Emulsified Asphalt, **04.03**
D6937-08 Test Method for Determining Density of Emulsified Asphalt, **04.03**
D6938-10 Test Method for In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth), **04.09**
D6940-10 Practice for Measuring Sifting Segregation Tendencies of Bulk Solids, **04.09**
D6941-12 Practice for Measuring Fluidization Segregation Tendencies of Powders, **04.09**
D6942-03(2012) Test Method for Stability of Cellulose Fibers in Alkaline Environments, **06.03**
D6943-10 Practice for Immersion Testing of Industrial Protective Coatings, **06.02**
D6944-09 Practice for Resistance of Cured Coatings to Thermal Cycling, **06.02**
D6945/D6945M-03(2011)$^{\epsilon 1}$ Specification for Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade), **04.04**
D6946 Withdrawn 2012; Specification for Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade)
D6946/D6946M-13$^{\epsilon 1}$ Specification for Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade), **04.04**
D6947/D6947M-07(2013)$^{\epsilon 1}$ Specification for Liquid Applied Moisture Cured Polyurethane Coating Used in Spray Polyurethane Foam Roofing System, **04.04**
D6948/D6948M-03(2011)$^{\epsilon 1}$ Practice for Application of Refined Coal Tar (Ready to Use, Commercial Grade), **04.04**
D6950/D6950M-04(2012)$^{\epsilon 1}$ Practice for Application of Heat Weldable Atactic Polypropylene (APP) Modified Bituminous Waterproofing Membranes Systems for New Building Decks, **04.04**
D6951/D6951M-09 Test Method for Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, **04.03**
D6953-11 Test Method for Determination of Antioxidants and Erucamide Slip Additives in Polyethylene Using Liquid Chromatography (LC), **08.03**
D6954-04(2013) Guide for Exposing and Testing Plastics that Degrade in the Environment by a Combination of Oxidation and Biodegradation, **08.03**
D6956-11 Guide for Demonstrating and Assessing Whether a Chemical Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, **11.04**
D6957-12 Practice for Measuring Curl in Paint Brush Filling Material, **06.02**
D6958-03(2009) Test Methods for Evaluating Side-Bonding Potential of Wood Coatings, **04.10**
D6959-08 Practice for Data Exchange Format for Sewn Product Plotting Devices, **07.02**
D6960 Withdrawn 2013; Table of Body Measurments Relating to Women's Plus Size Figure Type, Sizes 14W–32W
D6961/D6961M-09 Test Method for Color Measurement of Flax Fiber, **07.02**
D6962-12 Practice for Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, **07.02**
D6963-13 Terminology Relating to Sewn Products Automation, **07.02**
D6966-13 Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, **11.07**
D6968-03(2009) Test Method for Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, **05.06**
D6969-03(2008) Practice for Preparation of Calcined Petroleum Coke Samples for Analysis, **05.03**
D6970-03(2013)$^{\epsilon 1}$ Practice for Collection of Calcined Petroleum Coke Samples for Analysis, **05.03**
D6971-09 Test Method for Measurement of Hindered Phenolic and Aromatic Amine Antioxidant Content in Non-zinc Turbine Oils by Linear Sweep Voltammetry, **05.03**
D6973-08$^{\epsilon 1}$ Test Method for Indicating Wear Characteristics of Petroleum Hydraulic Fluids in a High Pressure Constant Volume Vane Pump, **05.04**
D6974-09(2013) Practice for Enumeration of Viable Bacteria and Fungi in Liquid Fuels—Filtration and Culture Procedures, **05.04**
D6975-04(2010) Test Method for Cummins M11 EGR Test, **05.04**
D6976-13 Specification for Rubber Contraceptives—Vaginal Diaphragms, **09.02**
D6977-04(2010) Specification for Polychloroprene Examination Gloves for Medical Application, **09.02**
D6978-05(2013) Practice for Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs, **09.02**
D6979-13 Test Method for Polyurethane Raw Materials: Determination of Basicity in Polyols, Expressed as Percent Nitrogen, **08.03**
D6980-12 Test Method for Determination of Moisture in Plastics by Loss in Weight, **08.03**
D6982-09 Practice for Detecting Hot Spots Using Point-Net (Grid) Search Patterns, **11.04**
D6984-13 Test Method for Evaluation of Automotive Engine Oils in the Sequence IIIF, Spark-Ignition Engine, **05.04**
D6985 Withdrawn 2010; Specification for Middle Distillate Fuel Oil—Military Marine Applications
D6986-03(2010) Test Method for Free Water, Particulate and Other Contamination in Aviation Fuels (Visual Inspection Procedures), **05.04**
D6987/D6987M-13a Test Method for Evaluation of Diesel Engine Oils in T-10 Exhaust Gas Recirculation Diesel Engine, **05.04**
D6988-13 Guide for Determination of Thickness of Plastic Film Test Specimens, **08.03**
D6989-03(2013) Practices for Preparation of Solvent and Water Based Ink Resin Solutions, **06.03**
D6990-05(2011) Practice for Evaluating Biofouling Resistance and Physical Performance of Marine Coating Systems, **06.02**
D6991-05(2010) Test Method for Measurements of Internal Stresses in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Organic Coatings by Cantilever (Beam) Method, **06.01**
D6992-03(2009) Test Method for Accelerated Tensile Creep and Creep-Rupture of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, **04.13**
D6994-10 Test Method for Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, **11.02**
D6995-05(2013) Test Method for Determining Field VMA based on the Maximum Specific Gravity of the Mix (Gmm), **04.03**
D6997-12 Test Method for Distillation of Emulsified Asphalt, **04.03**
D6998-11 Practice for Evaluating Aggregate Coating using Emulsified Asphalts, **04.03**
D6999-12 Practice for Miscibility of Emulsified Asphalts, **04.03**
D7000-11 Test Method for Sweep Test of Bituminous Emulsion Surface Treatment Samples, **04.03**
D7001-06(2011) Specification for Geocomposites for Pavement Edge Drains and Other High-Flow Applications, **04.13**
D7002-10 Practice for Leak Location on Exposed Geomembranes Using the Water Puddle System, **04.13**
D7003/D7003M-03(2013)$^{\epsilon 1}$ Test Method for Strip Tensile Properties of Reinforced Geomembranes, **04.13**
D7004/D7004M-03(2013)$^{\epsilon 1}$ Test Method for Grab Tensile Properties of Reinforced Geomembranes, **04.13**
D7005-03(2008) Test Method for Determining the Bond Strength (Ply Adhesion) of Geocomposites, **04.13**
D7006-03(2013) Practice for Ultrasonic Testing of Geomembranes, **04.13**
D7007-09 Practices for Electrical Methods for Locating Leaks in Geomembranes Covered with Water or Earth Materials, **04.13**
D7008-08(2013) Specification for Geosynthetic Alternate Daily Covers, **04.13**
D7011-10a Test Method for Determination of Trace Thiophene in Refined Benzene by Gas Chromatography and Sulfur Selective Detection, **06.04**
D7012-13 Test Methods for Compressive Strength and Elastic Moduli of Intact Rock Core Specimens under Varying States of Stress and Temperatures, **04.09**
D7013/D7013M-11 Guide for Calibration Facility Setup for Nuclear Surface Gauges, **04.09**
D7014-10 Practice for Assembly and Placement of Double-Twisted Wire Mesh Gabions and Revet Mattresses, **04.09**
D7015-13 Practices for Obtaining Intact Block (Cubical and Cylindrical) Samples of Soils, **04.09**
D7016/D7016M-09$^{\epsilon 1}$ Test Method to Evaluate Edge Binding Components Used in Mattresses After Exposure to An Open Flame, **07.02**
D7017-14 Performance Specification for Rainwear and All-Purpose, Water-Repellent Coat Fabrics, **07.02**
D7018/D7018M-12 Terminology Relating to Glass Fiber and Its Products, **07.02**
D7019-14 Performance Specification for Brassiere, Slip, Lingerie and Underwear Fabrics, **07.02**
D7020-14 Performance Specification for Woven Blouse, Dress, Dress Shirt & Sport Shirt Fabrics, **07.02**
D7021-14 Performance Specification for Bathrobe, Dressing Gown, Negligee, Nightgown, and Pajama Fabrics, **07.02**
D7022-13$^{\epsilon 1}$ Terminology Relating to Apparel, **07.02**
D7023-06(2012) Terminology Relating to Home Furnishings, **07.02**
D7024 Withdrawn 2013; Test Method for Steady State and Dynamic Thermal Performance of Textile Materials
D7025-09 Test Method for Assessing Clean Flax Fiber Fineness, **07.02**
D7026-13 Guide for Sampling and Reporting of Results for Determination of Percent Biobased Content of Materials via Carbon Isotope Analysis, **08.03**
D7027-13 Test Method for Evaluation of Scratch Resistance of Polymeric Coatings and Plastics Using an Instrumented Scratch Machine, **08.03**
D7028-07$^{\epsilon 1}$ Test Method for Glass Transition Temperature (DMA Tg) of Polymer Matrix Composites by Dynamic Mechanical Analysis (DMA), **15.03**
D7029-09 Test Method for Determination of Reactivity of Unsaturated Polyesters and Vinyl Esters at 180.0°F (82.2°C), **08.03**
D7030-04(2009) Test Method for Short Term Creep Performance of Corrugated Fiberboard Containers Under Constant Load Using a Compression Test Machine, **15.10**
D7031-11 Guide for Evaluating Mechanical and Physical Properties of Wood-Plastic Composite Products, **04.10**
D7032-10a Specification for Establishing Performance Ratings for Wood-Plastic Composite Deck Boards and Guardrail Systems (Guards or Handrails), **04.10**
D7033-14 Practice for Establishing Design Capacities for Oriented Strand Board (OSB) Wood-Based Structural-Use Panels, **04.10**
D7034-11 Guide for Deriving Acceptable Levels of Airborne Chemical Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, **11.07**
D7035-10 Test Method for Determination of Metals and Metalloids in Airborne Particulate Matter by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), **11.07**
D7036-12 Practice for Competence of Air Emission Testing Bodies, **11.07**
D7038-13 Test Method for Evaluation of Moisture Corrosion Resistance of Automotive Gear Lubricants, **05.04**
D7039-13 Test Method for Sulfur in Gasoline, Diesel Fuel, Jet Fuel, Kerosine, Biodiesel, Biodiesel Blends, and Gasoline-Ethanol Blends by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, **05.04**
D7040-04(2010) Test Method for Determination of Low Levels of Phosphorus in ILSAC GF-4 and Similar Grade Engine Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, **05.04**
D7041-04(2010)$^{\epsilon 1}$ Test Method for Determination of Total Sulfur in Light Hydrocarbons, Motor Fuels, and Oils by Online Gas Chromatography with Flame Photometric Detection, **05.04**
D7042-12a Test Method for Dynamic Viscosity and Density of Liquids by Stabinger Viscometer (and the Calculation of Kinematic Viscosity), **05.04**
D7043-12 Test Method for Indicating Wear Characteristics of Non-Petroleum and Petroleum Hydraulic Fluids in a Constant Volume Vane Pump, **05.04**
D7044-04a(2010) Specification for Biodegradable Fire Resistant Hydraulic Fluids, **05.04**
D7045-04(2010) Guide for Optimization of Ground Water Monitoring Constituents for Detection Monitoring Programs for RCRA Waste Disposal Facilities, **04.09**
D7046-11 Guide for Use of the Metal Detection Method for Subsurface Exploration, **04.09**
D7047-12 Test Method for Mucilloid Content of Plantago Insularis (Ovata, Psyllium), **04.09**
D7048-04(2010) Guide for Applying Statistical Methods for Assessment and Corrective Action Environmental Monitoring Programs, **04.09**
D7049-04(2010) Test Method for Metal Removal Fluid Aerosol in Workplace Atmospheres, **11.07**
D7050-04(2014) Practice for Rubber from Natural Sources—Sampling and Sorting Bales Based on Predicted Processing Properties, **09.01**
D7051-05(2013) Test Method for Cyclic Thermal Shock of SBS-Modified Bituminous Roofing Sheets with Factory-Applied Metal Surface, **04.04**
D7053/D7053M-11 Guide for Determining and Evaluating Causes of Water Leakage of Low-Sloped Roofs, **04.04**
D7054-04(2013) Specification for Cautionary Labeling of Extension Poles For Use With Paint Applicators Distributed In North America, **06.02**
D7055-09 Practice for Preparation (by Abrasive Blast Cleaning) of Hot-Rolled Carbon Steel Panels for Testing of Coatings, **06.02**
D7056-07(2012) Test Method for Determining the Tensile Shear Strength of Pre-Fabricated Bituminous Geomembrane Seams, **04.13**
D7057-13 Test Method for Analysis of Isopropylbenzene (Cumene) by Gas Chromatography (External Standard), **06.04**
D7058-04(2009) Test Method for Determination of the Red Dye Concentration and Estimation of Saybolt Color of Aviation Turbine Fuels and Kerosine Using a Portable Visible Spectrophotometer, **05.04**
D7059-09(2013) Test Method for Determination of Methanol in Crude Oils by Multidimensional Gas Chromatography, **05.04**
D7060-12 Test Method for Determination of the Maximum Flocculation Ratio and Peptizing Power in Residual and Heavy Fuel Oils (Optical Detection Method), **05.04**
D7061-12 Test Method for Measuring n-Heptane Induced Phase Separation of Asphaltene-Containing Heavy Fuel Oils as Separability Number by an Optical Scanning Device, **05.04**
D7063/D7063M-11 Test Method for Effective Porosity and Effective Air Voids of Compacted Bituminous Paving Mixture Samples, **04.03**
D7064/D7064M-08(2013) Practice for Open-Graded Friction Course (OGFC) Mix Design, **04.03**
D7065-11 Test Method for Determination of Nonylphenol, Bisphenol A, p-tert -Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Gas Chromatography Mass Spectrometry, **11.02**
D7066-04(2011) Test Method for dimer/trimer of chlorotrifluoroethylene (S-316) Recoverable Oil and Grease and Nonpolar Material by Infrared Determination, **11.02**
D7067-05 Specification for Reinforced White PIB Sheet Used in Roofing Membrane, **04.04**
D7069-04(2010) Guide for Field Quality Assurance in a Ground-water Sampling Event, **04.09**
D7070-08 Test Methods for Creep of Rock Core Under Constant Stress and Temperature, **04.09**
D7072-04(2013) Practice for Evaluating Accelerated Efflorescence of Latex Coatings, **06.02**
D7073-05(2012) Guide for Application and Evaluation of Brush and Roller Applied Paint Films, **06.02**
D7075 Withdrawn 2013; Practice for Evaluating and Reporting Environmental Performance of Biobased Products
D7076-10 Test Method for Measurement of Shives in Retted Flax, **07.02**
D7077 Withdrawn 2010; Test Method for Evaluation of Drop Size by weight of Solutions and Suspensions
D7078/D7078M-12 Test Method for Shear Properties of Composite Materials by V-Notched Rail Shear Method, **15.03**
D7081-05 Specification for Non-Floating Biodegradable Plastics in the Marine Environment, **08.03**
D7082-04(2010) Specification for Polyethylene Stay In Place Form System for End Walls for Drainage Pipe, **08.03**
D7083-04(2010)$^{\epsilon 1}$ Practice for Determination of Monomeric Plasticizers in Poly (Vinyl Chloride) (PVC) by Gas Chromatography, **08.03**
D7084-04(2009) Test Method for Determination of Bulk Crush Strength of Catalysts and Catalyst Carriers, **05.05**
D7085-04(2010)$^{\epsilon 1}$ Guide for Determination of Chemical Elements in Fluid Catalytic Cracking Catalysts by X-ray Fluorescence Spectrometry (XRF), **05.05**
D7087-05a(2010) Test Method for An Imaging Technique to Measure Rust Creepage at Scribe on Coated Test Panels Subjected to Corrosive Environments, **06.01**
D7088-08 Practice for Resistance to Hydrostatic Pressure for Coatings Used in Below Grade Applications Applied to Masonry, **06.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D7089-06 Practice for Determination of the Effectiveness of Anti-Graffiti Coating for Use on Concrete, Masonry and Natural Stone Surfaces by Pressure Washing, **06.02**
D7090-04(2010) Test Method for Purity of Isophorone by Capillary Gas Chromatography, **06.04**
D7091-12 Practice for Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic, Nonconductive Coatings Applied to Non-Ferrous Metals, **06.01**
D7093-13 Test Method for Formability of Thin Film Organic Coatings on Steel Over a Biaxially Stretched Dome, **06.02**
D7094-12 Test Method for Flash Point by Modified Continuously Closed Cup (MCCCFP) Tester, **05.04**
D7095-04(2009) Test Method for Rapid Determination of Corrosiveness to Copper from Petroleum Products Using a Disposable Copper Foil Strip, **05.04**
D7096-10 Test Method for Determination of the Boiling Range Distribution of Gasoline by Wide-Bore Capillary Gas Chromatography, **05.04**
D7097-09 Test Method for Determination of Moderately High Temperature Piston Deposits by Thermo-Oxidation Engine Oil Simulation Test—TEOST MHT, **05.04**
D7098-08ε1 Test Method for Oxidation Stability of Lubricants by Thin-Film Oxygen Uptake (TFOUT) Catalyst B, **05.04**
D7099-04(2010) Terminology Relating to Frozen Soil and Rock, **04.09**
D7100-11 Test Method for Hydraulic Conductivity Compatibility Testing of Soils with Aqueous Solutions, **04.09**
D7101-13 Index Test Method for Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Soil from Rain Splash and Associated Runoff Under Bench-Scale Conditions, **04.09**
D7102-10 Guide for Determination of Endotoxin on Sterile Medical Gloves, **09.02**
D7103-06(2013) Guide for Assessment of Medical Gloves, **09.02**
D7105-06(2013) Test Method for Determining the Adhesive and Cohesive Strength Between Materials in Roofing or Waterproofing Membranes and Systems, **04.04**
D7106-05(2010) Guide for Selection of Test Methods for Ethylene Propylene Diene Terpolymer (EPDM) Geomembranes, **04.13**
D7107-04(2010) Test Method for Creep Measurement of Self-Lubricating Bushings, **08.03**
D7108-12 Guide for Establishing Qualifications for a Nuclear Coatings Specialist, **06.02**
D7109-12 Test Method for Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus at 30 and 90 Cycles, **05.04**
D7110-05a(2011) Test Method for Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, **05.04**
D7111-11 Test Method for Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), **05.04**
D7112-12 Test Method for Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection), **05.04**
D7113/D7113M-10 Test Method for Density of Bituminous Paving Mixtures in Place by the Electromagnetic Surface Contact Methods, **04.03**
D7115-10 Test Method for Measurement of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading, **04.03**
D7116 Withdrawn 2012; Specification for Joint Sealants, Hot Applied, Jet Fuel Resistant Types, for Portland Cement Concrete Pavements
D7119/D7119M-13a Guide for Sampling Spray Polyurethane Foam and Coating in Roofing, **04.04**
D7120/D7120M-10 Guide for Evaluation and Preparation of Roof Membranes for Coating Application, **04.04**
D7121-05(2012) Test Method for Rubber Property—Resilience Using Schob Type Rebound Pendulum, **09.01**
D7122-11 Specification for HCFC Blend B (CF3CCl2H, Ar, and CF4), **15.05**
D7123-11 Practice for Handling, Transportation, and Storage of HCFC Blend B (CF3CCl 2H, Ar, and CF4), **15.05**
D7124-12 Specification for Benzene for Use with Zeolite Based Catalysts, **06.04**
D7125-11 Specification for Cumene (Isopropylbenzene) Manufactured Via a Zeolite Process, **06.04**
D7126-10 Test Method for On-Line Colorimetric Measurement of Silica, **11.01**
D7127-13 Test Method for Measurement of Surface Roughness of Abrasive Blast Cleaned Metal Surfaces Using a Portable Stylus Instrument, **06.02**
D7128-05(2010) Guide for Using the Seismic-Reflection Method for Shallow Subsurface Investigation, **04.09**
D7129-09 Test Method for Determination of Ammonia Trapping in a Grafted Battery Separator, **10.02**
D7131-09 Test Method for Determination of Ion Exchange Capacity (IEC) in Grafted Battery Separator, **10.02**
D7132-14 Test Method for Determination of Retained Blowing Agent in Extruded Polystyrene Foam, **08.03**
D7133-11 Test Method for Polyurethane Raw Materials: Instrumental Measurement of Tristimulus CIELAB Color and Yellowness Index of Liquids, **08.03**
D7134-05(2012) Test Method for Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), **08.03**
D7136/D7136M-12 Test Method for Measuring the Damage Resistance of a Fiber-Reinforced Polymer Matrix Composite to a Drop-Weight Impact Event, **15.03**
D7137/D7137M-12 Test Method for Compressive Residual Strength Properties of Damaged Polymer Matrix Composite Plates, **15.03**
D7138-08 Test Method to Determine Melting Temperature of Synthetic Fibers, **07.02**
D7139-09(2013)ε1 Terminology for Cotton Fibers, **07.02**
D7140/D7140M-13 Test Method to Measure Heat Transfer Through Textile Thermal Barrier Materials, **07.02**
D7142-05(2011) Test Method for Holding Strength of Prong-Ring Attached Snap Fasteners, **07.02**
D7143-11 Practice for Emission Cells for the Determination of Volatile Organic Emissions from Indoor Materials/Products, **11.07**
D7144-05a(2011) Practice for Collection of Surface Dust by Micro-vacuum Sampling for Subsequent Metals Determination, **11.07**
D7145-05(2010)ε1 Guide for Measurement of Atmospheric Wind and Turbulence Profiles by Acoustic Means, **11.07**
D7147-11 Specification for Testing and Establishing Allowable Loads of Joist Hangers, **04.10**
D7148-13 Test Method for Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System, **10.02**
D7149-05(2011)ε1 Practice for Determining the Freeze Thaw Stability of Adhesives, **15.06**
D7150-13 Test Method for the Determination of Gassing Characteristics of Insulating Liquids Under Thermal Stress, **10.03**
D7151-13 Test Method for Determination of Elements in Insulating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), **10.03**
D7152-11 Practice for Calculating Viscosity of a Blend of Petroleum Products, **05.04**
D7153-05(2010) Test Method for Freezing Point of Aviation Fuels (Automatic Laser Method), **05.04**
D7154-05(2010) Test Method for Freezing Point of Aviation Fuels (Automatic Fiber Optical Method), **05.04**
D7155-11 Practice for Evaluating Compatibility of Mixtures of Turbine Lubricating Oils, **05.04**
D7156-13 Test Method for Evaluation of Diesel Engine Oils in the T-11 Exhaust Gas Recirculation Diesel Engine, **05.04**
D7157-12 Test Method for Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase Separation; Optical Detection), **05.04**
D7158/D7158M-11 Test Method for Wind Resistance of Asphalt Shingles (Uplift Force/Uplift Resistance Method), **04.04**
D7160-05(2010) Practice for Determination of Expiration Dating for Medical Gloves, **09.02**
D7161-05(2010) Practice for Determination of Real Time Expiration Dating of Mature Medical Gloves Stored Under Typical Warehouse Conditions, **09.02**
D7163-11 Test Method for Specular Gloss of Printed Matter, **06.02**
D7164-10 Practice for On-line/At-line Heating Value Determination of Gaseous Fuels by Gas Chromatography, **05.06**
D7165-10 Practice for Gas Chromatograph Based On-line/At-line Analysis for Sulfur Content of Gaseous Fuels, **05.06**
D7166-10 Practice for Total Sulfur Analyzer Based On-line/At-line for Sulfur Content of Gaseous Fuels, **05.06**
D7167-12 Guide for Establishing Procedures to Monitor the Performance of Safety-Related Coating Service Level III Lining Systems in an Operating Nuclear Power Plant, **06.02**
D7168-11ε1 Test Method for 99Tc in Water by Solid Phase Extraction Disk, **11.02**
D7169-11 Test Method for Boiling Point Distribution of Samples with Residues Such as Crude Oils and Atmospheric and Vacuum Residues by High Temperature Gas Chromatography, **05.04**
D7170-12a Test Method for Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Fixed Range Injection Period, Constant Volume Combustion Chamber Method, **05.05**
D7171-05(2011) Test Method for Hydrogen Content of Middle Distillate Petroleum Products by Low-Resolution Pulsed Nuclear Magnetic Resonance Spectroscopy, **05.04**
D7172-06ε1 Test Method for Determining The Relative Density (Specific Gravity) And Absorption Of Fine Aggregates Using Infrared, **04.03**
D7173-11 Practice for Determining the Separation Tendency of Polymer from Polymer Modified Asphalt, **04.03**
D7174-05(2011) Specification for Preformed Closed-Cell Polyolefin Expansion Joint Fillers for Concrete Paving and Structural Construction, **04.03**
D7175-08 Test Method for Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer, **04.03**
D7176-06(2011) Specification for Non-Reinforced Polyvinyl Chloride (PVC) Geomembranes Used in Buried Applications, **04.13**
D7177-05(2010) Specification for Air Channel Evaluation of Polyvinyl Chloride (PVC) Dual Track Seamed Geomembranes, **04.13**
D7178-06(2011) Practice for Determining the Number of Constrictions "m" of Non-Woven Geotextiles as a Complementary Filtration Property, **04.13**
D7179-07(2013) Test Method for Determining Geonet Breaking Force, **04.13**
D7180/D7180M-05(2013)ε1 Guide for Use of Expanded Polystyrene (EPS) Geofoam in Geotechnical Projects, **04.13**
D7181-11 Test Method for Consolidated Drained Triaxial Compression Test for Soils, **04.09**
D7183-12 Test Method for Determination of Total Sulfur in Aromatic

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hydrocarbons and Related Chemicals by Ultraviolet Fluorescence, **06.04**

D7184-13 Test Method for Ultra Low Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, **06.04**

D7185-12 Specification for Low Toluene Low Dioxane (LTLD) Benzene, **06.04**

D7186-12 Practice for Quality Assurance Observation of Roof Construction and Repair, **04.04**

D7187-10 Test Method for Measuring Mechanistic Aspects of Scratch/Mar Behavior of Paint Coatings by Nanoscratching, **06.01**

D7188-05(2010) Terminology for Printing Inks, Materials, and Processes, **06.02**

D7189-12 Test Method for Relative Mileage of News Ink on Newsprint, **06.02**

D7190-10(2011) Practice to Evaluate Leaching of Water-Soluble Materials from Latex Paint Films, **06.02**

D7191-10 Test Method for Determination of Moisture in Plastics by Relative Humidity Sensor, **08.03**

D7192-10 Test Method for High Speed Puncture Properties of Plastic Films Using Load and Displacement Sensors, **08.03**

D7193-11 Specification for Unsintered Pigmented Polytetrafluoroethylene (PTFE) Extruded Film or Tape, **08.03**

D7194-12 Specification for Aerospace Parts Machined from Polychlorotrifluoroethylene (PCTFE), **08.03**

D7195-06(2012) Guide for Protocol for Setting Color Specifications for a Material, **06.01**

D7196-12 Test Method for Raveling Test of Cold Mixed Emulsified Asphalt Samples, **04.03**

D7197-13 Table of Body Measurements for Misses Maternity Sizes Two to Twenty-Two (2-22), **07.02**

D7198-05(2012) Specification for Disposable Embalming Gloves for Single-Use Applications, **09.02**

D7199-07(2012) Practice for Establishing Characteristic Values for Reinforced Glued Laminated Timber (Glulam) Beams Using Mechanics-Based Models, **04.10**

D7200-12 Practice for Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, **11.07**

D7201-06(2011) Practice for Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with an Option of Transmission Electron Microscopy), **11.07**

D7202-14$^{\epsilon1}$ Test Method for Determination of Beryllium in the Workplace by Extraction and Optical Fluorescence Detection, **11.07**

D7203-11 Practice for Screening Trichloroethylene (TCE)-Contaminated Media Using a Heated Diode Sensor, **11.04**

D7204-07 Practice for Sampling Waste Streams on Conveyors, **11.04**

D7205/D7205M-06(2011) Test Method for Tensile Properties of Fiber Reinforced Polymer Matrix Composite Bars, **15.03**

D7206/D7206M-06(2013)$^{\epsilon1}$ Guide for Cyclic Deactivation of Fluid Catalytic Cracking (FCC) Catalysts with Metals, **05.05**

D7207 Withdrawn 2014; Test Method for Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Sand from Hydraulically-Induced Shear Stresses under Bench-Scale Conditions

D7208-14 Test Method for Determination of Temporary Ditch Check Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, **04.09**

D7209-06 Guide for Waste Reduction, Resource Recovery, and Use of Recycled Polymeric Materials and Products, **08.03**

D7210-13 Practice for Extraction of Additives in Polyolefin Plastics, **08.03**

D7211-13 Specification for Parts Machined from Polychlorotrifluoroethylene (PCTFE) and Intended for General Use, **08.03**

D7212-13 Test Method for Low Sulfur in Automotive Fuels by Energy-Dispersive X-ray Fluorescence Spectrometry Using a Low-Background Proportional Counter, **05.04**

D7213-12$^{\epsilon1}$ Test Method for Boiling Range Distribution of Petroleum Distillates in the Boiling Range from 100 to 615°C by Gas Chromatography, **05.04**

D7214-07a(2012) Test Method for Determination of the Oxidation of Used Lubricants by FT-IR Using Peak Area Increase Calculation, **05.04**

D7215-08(2013) Test Method for Calculated Flash Point from Simulated Distillation Analysis of Distillate Fuels, **05.04**

D7216-13 Test Method for Determining Automotive Engine Oil Compatibility with Typical Seal Elastomers, **05.04**

D7217-11 Test Method for Determining Extreme Pressure Properties of Solid Bonded Films Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.04**

D7219-08 Specification for Isotropic and Near-isotropic Nuclear Graphites, **05.05**

D7220-12 Test Method for Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, **05.04**

D7223-11 Specification for Aviation Certification Turbine Fuel, **05.04**

D7224-13 Test Method for Determining Water Separation Characteristics of Kerosine-Type Aviation Turbine Fuels Containing Additives by Portable Separometer, **05.04**

D7225-13 Guide for Blood Cleaning Efficiency of Detergents and Washer-Disinfectors, **15.04**

D7226-13 Test Method for Determining the Viscosity of Emulsified Asphalts Using a Rotational Paddle Viscometer, **04.03**

D7227/D7227M-11$^{\epsilon1}$ Practice for Rapid Drying of Compacted Asphalt Specimens Using Vacuum Drying Apparatus, **04.03**

D7228-06a(2011) Test Method for Prediction of Asphalt-Bound Pavement Layer Temperatures, **04.03**

D7229-08(2013)$^{\epsilon1}$ Test Method for Preparation and Determination of Bulk Specific Gravity of Dense-Graded Cold Mix Asphalt (CMA) Specimens by Means of Superpave Gyratory Compactor, **04.03**

D7230-06(2013) Guide for Evaluating Polymeric Lining Systems for Water Immersion in Coating Service Level III Safety-Related Applications on Metal Substrates, **06.02**

D7232-06(2012) Test Method for Rapid Determination of the Nonvolatile Content of Coatings by Loss in Weight, **06.01**

D7233-08(2012) Test Method for Testing Fracture of Level Paintbrush Filaments, **06.02**

D7234-12 Test Method for Pull-Off Adhesion Strength of Coatings on Concrete Using Portable Pull-Off Adhesion Testers, **06.02**

D7235-10 Guide for Establishing a Linear Correlation Relationship Between Analyzer and Primary Test Method Results Using Relevant ASTM Standard Practices, **05.04**

D7236-07(2013) Test Method for Flash Point by Small Scale Closed Cup Tester (Ramp Method), **05.04**

D7237-10 Test Method for Free Cyanide with Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, **11.02**

D7238-06(2012) Test Method for Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus, **04.13**

D7239-13 Specification for Hybrid Geosynthetic Paving Mat for Highway Applications, **04.13**

D7240-06(2011) Practice for Leak Location using Geomembranes with an Insulating Layer in Intimate Contact with a Conductive Layer via Electrical Capacitance Technique (Conductive Geomembrane Spark Test), **04.13**

D7241-13 Test Method for Pile Thickness of Finished Multilevel Pile Yarn Floor Covering, **07.02**

D7242/D7242M-06(2013)$^{\epsilon1}$ Practice for Field Pneumatic Slug (Instantaneous Change in Head) Tests to Determine Hydraulic Properties of Aquifers with Direct Push Groundwater Samplers, **04.09**

D7243-11 Guide for Measuring the Saturated Hydraulic Conductivity of Paper Industry Sludges, **04.09**

D7244-06a(2011) Test Method for Relative Cure of Energy-Cured Inks and Coatings, **06.02**

D7245-09 Test Method for Measuring Total Water and Volatiles in Liquid Coatings Which Produce Cure Water Upon Heating, **06.01**

D7246-06(2011)$^{\epsilon1}$ Test Method for Detection of Holes in Polyethylene Food Service Gloves, **09.02**

D7247-07a$^{\epsilon1}$ Test Method for Evaluating the Shear Strength of Adhesive Bonds in Laminated Wood Products at Elevated Temperatures, **15.06**

D7248/D7248M-12 Test Method for Bearing/Bypass Interaction Response of Polymer Matrix Composite Laminates Using 2-Fastener Specimens, **15.03**

D7249/D7249M-12$^{\epsilon1}$ Test Method for Facing Properties of Sandwich Constructions by Long Beam Flexure, **15.03**

D7250/D7250M-06(2012) Practice for Determining Sandwich Beam Flexural and Shear Stiffness, **15.03**

D7251-11 Specification for Color and Appearance Retention of Variegated Color Plastic Siding Products, **08.03**

D7252-06(2011)$^{\epsilon1}$ Test Method for Polyurethane Raw Materials: Determination of Monomer and Isomers in Isocyanates, **08.03**

D7253-06(2011)$^{\epsilon1}$ Test Method for Polyurethane Raw Materials: Determination of Acidity as Acid Number for Polyether Polyols, **08.03**

D7254-07 Specification for Polypropylene (PP) Siding, **08.03**

D7255-14 Test Method for Abrasion Resistance of Leather (Rotary Platform, Abraser Method), **15.04**

D7256/D7256M Withdrawn 2008; Practice for Mechanical Collection and Within-System Preparation of a Gross Sample of Coal from Moving Streams; Replaced by D7430

D7257-06(2011) Test Method for Automated Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, **15.10**

D7258-14 Specification for Polymeric Piles, **08.03**

D7260-12 Practice for Optimization, Calibration, and Validation of Inductively Coupled Plasma-Atomic Emission Spectrometry (ICP-AES) for Elemental Analysis of Petroleum Products and Lubricants, **05.04**

D7261-13 Test Method for Determining Water Separation Characteristics of Diesel Fuels by Portable Separometer, **05.04**

D7262-10 Test Method for Estimating the Permanganate Natural Oxidant Demand of Soil and Aquifer Solids, **04.09**

D7263-09 Test Methods for Laboratory Determination of Density (Unit Weight) of Soil Specimens, **04.09**

D7264/D7264M-07 Test Method for Flexural Properties of Polymer Matrix Composite Materials, **15.03**

D7265-12 Specification for Hydrogen Thermophysical Property Tables, **05.06**

D7266-13$^{\epsilon1}$ Test Method for Analysis of Cyclohexane by Gas Chromatography (External Standard), **06.04**

D7267-13 Test Method for Edge Ravel Resistance of Finished Loop Pile, Pile Yarn Floor Covering, **07.02**

D7268-14 Performance Specification for Seamless Knit Garments Including Intimates and Swimwear, **07.02**

D7269/D7269M-11 Test Methods for Tensile Testing of Aramid Yarns, **07.02**

D7270-07(2013) Guide for Environmental and Performance Verification of Factory-Applied Liquid Coatings, **06.02**

D7271-06(2012) Test Method for Viscoelastic Properties of Paste Ink Vehicle Using an Oscillatory Rheometer, **06.03**

D7272-06(2011) Test Method for Determining the Integrity of Seams Used in Joining Geomembranes by Pre-manufactured Taped Methods, **04.13**

D7273/D7273M-08(2013)$^{\epsilon1}$ Guide for for Acceptance Testing Requirements for Geonets and Geonet Drainage Geocomposites, **04.13**

--```,``,,,``,``,,,,``````````,,-`-`,,`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D7274-06a(2011) Test Method for Mineral Stabilizer Content of Prefabricated Bituminous Geomembranes (BGM), **04.13**
D7275-07(2012) Test Method for Tensile Properties of Bituminous Geomembranes (BGM), **04.13**
D7276-08 Guide for Analysis and Interpretation of Test Data for Articulating Concrete Block (ACB) Revetment Systems in Open Channel Flow, **04.09**
D7277-08 Test Method for Performance Testing of Articulating Concrete Block (ACB) Revetment Systems for Hydraulic Stability in Open Channel Flow, **04.09**
D7278-11 Guide for Prediction of Analyzer Sample System Lag Times, **05.04**
D7279-08 Test Method for Kinematic Viscosity of Transparent and Opaque Liquids by Automated Houillon Viscometer, **05.04**
D7280-06(2011) Test Method for Quinoline-Insoluble (QI) Content of Tar and Pitch by Stainless Steel Crucible Filtration, **05.04**
D7281-07(2013) Test Method for Determining Water Migration Resistance Through Roof Membranes, **04.04**
D7282-06 Practice for Set-up, Calibration, and Quality Control of Instruments Used for Radioactivity Measurements, **11.02**
D7283-13 Test Method for Alpha and Beta Activity in Water By Liquid Scintillation Counting, **11.02**
D7284-13 Test Method for Total Cyanide in Water by Micro Distillation followed by Flow Injection Analysis with Gas Diffusion Separation and Amperometric Detection, **11.02**
D7285-06(2010) Guide for Recordkeeping Microfiltration and Ultrafiltration Systems, **11.02**
D7290-06(2011) Practice for Evaluating Material Property Characteristic Values for Polymeric Composites for Civil Engineering Structural Applications, **15.03**
D7291/D7291M-07 Test Method for Through-Thickness "Flatwise" Tensile Strength and Elastic Modulus of a Fiber-Reinforced Polymer Matrix Composite Material, **15.03**
D7292-12 Specification for Extruded, Compression-Molded, and Injection-Molded Basic Shapes of Polyamide-Imide (PAI), **08.03**
D7293-12 Specification for Extruded and Compression-Molded Shapes Made from Polyetherimide (PEI), **08.03**
D7294-13 Guide for Collecting Treatment Process Design Data at a Contaminated Site—A Site Contaminated With Chemicals of Interest, **11.04**
D7295-11 Practice for Sampling and Determination of Hydrogen Cyanide (HCN) in Combustion Effluents and Other Stationary Sources, **11.07**
D7296-12 Practice for Collection of Settled Dust Samples Using Dry Wipe Sampling Methods for Subsequent Determination of Beryllium and Compounds, **11.07**
D7297-14 Practice for Evaluating Residential Indoor Air Quality Concerns, **11.07**
D7298-06(2011)$^{\epsilon 1}$ Test Method for Measurement of Comparative Legibility by Means of Polarizing Filter Instrumentation, **15.10**
D7299-12 Practice for Verifying Performance of a Vertical Inclinometer Probe, **04.09**
D7300-11 Test Method for Laboratory Determination of Strength Properties of Frozen Soil at a Constant Rate of Strain, **04.09**
D7301-11 Specification for Nuclear Graphite Suitable for Components Subjected to Low Neutron Irradiation Dose, **05.05**
D7303-12 Test Method for Determination of Metals in Lubricating Greases by Inductively Coupled Plasma Atomic Emission Spectrometry, **05.04**
D7304-14 Test Method for Determination of Denatonium Ion in Engine Coolant by HPLC, **15.05**
D7305-08a(2013) Test Method for Reflection Density of Printed Matter, **06.02**
D7306-07(2013) Practice for Testing Low Temperature Film-Formation of Latex Paints by Visual Observation, **06.02**
D7307-06(2011) Practice for Sampling of Thermoplastic Traffic Marking Materials, **06.02**
D7308-07(2012) Practice for Sample Preparation of Thermoplastic Traffic Marking Materials, **06.02**
D7309-13 Test Method for Determining Flammability Characteristics of Plastics and Other Solid Materials Using Microscale Combustion Calorimetry, **08.03**
D7310-11 Guide for Defect Detection and Rating of Plastic Films Using Optical Sensors, **08.03**
D7311/D7311M Withdrawn 2013; Specification for Liquid-Applied, Single-Pack, Moisture-Triggered, Aliphatic Polyurethane Roofing Membrane
D7312-10 Test Method for Determining the Permanent Shear Strain and Complex Shear Modulus of Asphalt Mixtures Using the Superpave Shear Tester (SST), **04.03**
D7313-13 Test Method for Determining Fracture Energy of Asphalt-Aggregate Mixtures Using the Disk-Shaped Compact Tension Geometry, **04.03**
D7314-10 Practice for Determination of the Heating Value of Gaseous Fuels using Calorimetry and On-line/At-line Sampling, **05.06**
D7315-12 Test Method for Determination of Turbidity Above 1 Turbidity Unit (TU) in Static Mode, **11.01**
D7316-06 Guide for Interpretation of Existing Field Instrumentation to Influence Emergency Response Decisions, **11.02**
D7317-07(2013) Test Method for Coagulated Pentane Insolubles in Used Lubricating Oils by Paper Filtration (LMOA Method), **05.04**
D7318-13 Test Method for Existent Inorganic Sulfate in Ethanol by Potentiometric Titration, **05.04**
D7319-13 Test Method for Determination of Existent and Potential Sulfate and Inorganic Chloride in Fuel Ethanol and Butanol by Direct Injection Suppressed Ion Chromatography, **05.04**
D7320-13 Test Method for Evaluation of Automotive Engine Oils in the Sequence IIIG, Spark-Ignition Engine, **05.04**
D7321-11$^{\epsilon 1}$ Test Method for Test Method for Particulate Contamination of Biodiesel B100 Blend Stock Biodiesel Esters and Biodiesel Blends by Laboratory Filtration, **05.04**
D7322-13a Test Method for Determination of Rolled Erosion Control Product (RECP) Ability to Encourage Seed Germination and Plant Growth Under Bench-Scale Conditions, **04.09**
D7323-13 Practice for Handling, Transportation, and Storage of IG-100 (Nitrogen), **15.05**
D7324-13 Practice for Handling, Transportation, and Storage of IG-55 Ar N2, **15.05**
D7325-13 Practice for Handling, Transportation, and Storage of IG-541 N2, Ar , CO2, **15.05**
D7326-12 Practice for Handling, Transportation, and Storage of HFC Blend B (CH2FCF 3, CHF2 CF3, and CO2), **15.05**
D7327-12 Specification for HFC Blend B (CH_2FCF_3, CHF_2CF_3, and CO_2), **15.05**
D7328-13 Test Method for Determination of Existent and Potential Inorganic Sulfate and Total Inorganic Chloride in Fuel Ethanol by Ion Chromatography Using Aqueous Sample Injection, **05.04**
D7329-07(2012) Specification for Food Preparation and Food Handling (Food Service) Gloves, **09.02**
D7330-11$^{\epsilon 1}$ Test Method for Assessment of Surface Appearance Change in Pile Floor Coverings Using Standard Reference Scales, **07.02**
D7331-11 Practice for Sewn Products Marker Data Interchange, **07.02**
D7332/D7332M-09 Test Method for Measuring the Fastener Pull-Through Resistance of a, **15.03**
D7334-08(2013) Practice for Surface Wettability of Coatings, Substrates and Pigments by Advancing Contact Angle Measurement, **06.01**
D7336/D7336M-12 Test Method for Static Energy Absorption Properties of Honeycomb Sandwich Core Materials, **15.03**
D7337/D7337M-12 Test Method for Tensile Creep Rupture of Fiber Reinforced Polymer Matrix Composite Bars, **15.03**
D7338-10 Guide for Assessment Of Fungal Growth in Buildings, **11.07**
D7339-12 Test Method for Determination of Volatile Organic Compounds Emitted from Carpet using a Specific Sorbent Tube and Thermal Desorption / Gas Chromatography, **11.07**
D7340-07(2012)$^{\epsilon 1}$ Practice for Thermal Conductivity of Leather, **15.04**
D7341-14 Practice for Establishing Characteristic Values for Flexural Properties of Structural Glued Laminated Timber by Full-Scale Testing, **04.10**
D7342-07 Test Method for Shear Stability of Lubricating Grease in Presence of Water (Water Stability Test), **05.04**
D7343-12 Practice for Optimization, Sample Handling, Calibration, and Validation of X-ray Fluorescence Spectrometry Methods for Elemental Analysis of Petroleum Products and Lubricants, **05.04**
D7344-11a Test Method for Distillation of Petroleum Products at Atmospheric Pressure (Mini Method), **05.04**
D7345-08 Test Method for Distillation of Petroleum Products at Atmospheric Pressure (Micro Distillation Method), **05.04**
D7346-12 Test Method for No Flow Point and Pour Point of Petroleum Products, **05.04**
D7347-07$^{\epsilon 1}$ Test Method for Determination of Olefin Content in Denatured Ethanol by Supercritical Fluid Chromatography, **05.04**
D7348-13 Test Methods for Loss on Ignition (LOI) of Solid Combustion Residues, **05.06**
D7349/D7349M-11 Test Method for Determining the Capability of Roofing and Waterproofing Materials to Seal around Fasteners, **04.04**
D7351-13 Test Method for Determination of Sediment Retention Device Effectiveness in Sheet Flow Applications, **04.09**
D7352-07(2012) Practice for Direct Push Technology for Volatile Contaminant Logging with the Membrane Interface Probe (MIP), **04.09**
D7353-07(2013) Practice for Sampling of Liquids in Waste Management Activities Using a Peristaltic Pump, **11.04**
D7354-11 Guide for Artists Paint Waste Disposal in Private, Non-Commercial Settings, **06.02**
D7355-10 Guide for Artists' Paint Waste Disposal in Smaller Commercial or Educational Settings, **06.02**
D7356/D7356M-13 Test Method for Accelerated Acid Etch Weathering of Automotive Clearcoats Using a Xenon-Arc Exposure Device, **06.01**
D7357-07(2012) Specification for Cellulose Fibers for Fiber-Reinforced Concrete, **06.03**
D7358-07(2013) Test Method for Water Content of Paints by Quantitative Calcium Hydride Reaction Test Kit, **06.01**
D7359-13 Test Method for Total Fluorine, Chlorine and Sulfur in Aromatic Hydrocarbons and Their Mixtures by Oxidative Pyrohydrolytic Combustion followed by Ion Chromatography Detection (Combustion Ion Chromatography-CIC), **06.04**
D7360-11 Test Method for Analysis of Benzene by Gas Chromatography with External Calibration, **06.04**
D7361-07(2012) Test Method for Accelerated Compressive Creep of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, **04.13**
D7362-07 Guide for Rapid Screening of Vegetation for Radioactive Strontium Aerial Deposition, **11.02**
D7363-13a Test Method for Determination of Parent and Alkyl Polycyclic Aromatics in Sediment Pore Water Using Solid-Phase Microextraction and Gas Chromatography/Mass Spectrometry in Selected Ion Monitoring Mode, **11.02**
D7365-09a Practice for Sampling, Preservation and Mitigating Interferences in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Water Samples for Analysis of Cyanide, **11.02**
D7366-08(2013) Practice for Estimation of Measurement Uncertainty for Data from Regression-based Methods, **11.01**
D7367-07 Test Method for Determining Water Holding Capacity of Fiber Mulches for Hydraulic Planting, **04.09**
D7369-11 Test Method for Determining the Resilient Modulus of Bituminous Mixtures by Indirect Tension Test, **04.03**
D7370-09 Test Method for Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, **04.03**
D7371-12 Test Method for Determination of Biodiesel (Fatty Acid Methyl Esters) Content in Diesel Fuel Oil Using Mid Infrared Spectroscopy (FTIR-ATR-PLS Method), **05.04**
D7372-12 Guide for Analysis and Interpretation of Proficiency Test Program Results, **05.04**
D7373-12 Test Method for Predicting Biodegradability of Lubricants Using a Bio-kinetic Model, **05.04**
D7374-08 Practice for Evaluating Elevated Temperature Performance of Adhesives Used in End-Jointed Lumber, **04.10**
D7375-08 Test Method for Trace Quantities of Water in Aromatic Hydrocarbons and Their Mixtures by Coulometric Karl Fischer Titration, **06.04**
D7376-10a Practice for Outdoor Evaluation of Wet Stack Storage Conditions on Coil-Coated Metals, **06.02**
D7377-09(2013) Practice for Evaluating the Water Wash-Off Resistance of Traffic Paints using a Water Faucet, **06.02**
D7378-10 Practice for Measurement of Thickness of Applied Coating Powders to Predict Cured Thickness, **06.02**
D7379-08 Test Methods for Strength of Modified Bitumen Sheet Material Laps Using Cold Process Adhesive, **04.04**
D7380-08 Test Method for Soil Compaction Determination at Shallow Depths Using 5-lb (2.3 kg) Dynamic Cone Penetrometer, **04.09**
D7381-07(2013) Practice for Establishing Allowable Stresses for Round Timbers for Piles from Tests of Full-Size Material, **04.10**
D7382-08 Test Methods for Determination of Maximum Dry Unit Weight and Water Content Range for Effective Compaction of Granular Soils Using a Vibrating Hammer, **04.09**
D7383-10 Test Methods for Axial Compressive Force Pulse (Rapid) Testing of Deep Foundations, **04.09**
D7384 Withdrawn 2013; Practice for Minimum Geospatial Data for a Surface Coal Mining Boundary
D7385-13 Guide for Estimating Carbon Saturation by Temperature Rise upon Immersion, **15.01**
D7386-12 Practice for Performance Testing of Packages for Single Parcel Delivery Systems, **15.10**
D7387-13 Test Method for Vibration Testing of Intermediate Bulk Containers (IBCs) Used for Shipping Liquid Hazardous Materials (Dangerous Goods), **15.10**
D7388-08(2013) Specification for Engine Coolant Grade 1,3-Propanediol (PDO), **15.05**
D7389-07(2012) Test Method for Acid Number (Empirical) of Maleic Anhydride (MAH) Grafted Waxes, **15.04**
D7390-07(2012) Guide for Evaluating Asbestos in Dust on Surfaces by Comparison Between Two Environments, **11.07**
D7391-09 Test Method for Categorization and Quantification of Airborne Fungal Structures in an Inertial Impaction Sample by Optical Microscopy, **11.07**
D7392-07 Practice for PM Detector and Bag Leak Detector Manufacturers to Certify Conformance with Design and Performance Specifications for Cement Plants, **11.07**
D7393-07(2012) Practice for Indicating Oil in Abrasives, **06.02**
D7394-13 Practice for Rheological Characterization of Architectural Coatings using Three Rotational Bench Viscometers, **06.01**
D7395-07(2012) Test Method for Cone/Plate Viscosity at a 500 s-1 Shear Rate, **06.01**
D7396-08 Guide for Preparation of New, Continuous Zinc-Coated (Galvanized) Steel Surfaces for Painting, **06.02**
D7397-10 Test Method for Cloud Point of Petroleum Products (Miniaturized Optical Method), **05.04**
D7398-11 Test Method for Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, **05.04**
D7399-08 Test Method for Determination of the Amount of Polypropylene (PP) in Polypropylene/LDPE Mixtures Using Infrared Spectrophotometer (FTIR), **08.03**
D7400-08 Test Methods for Downhole Seismic Testing, **04.09**
D7401-08 Test Methods for Laboratory Determination of Rock Anchor Capacities by Pull and Drop Tests, **04.09**
D7402-09 Practice for Identifying Cationic Emulsified Asphalts, **04.03**
D7403-09 Test Method for Determination of Residue of Emulsified Asphalt by Low Temperature Vacuum Distillation, **04.03**
D7404-07(2012) Test Method for Determination of Emulsified Asphalt Residue by Moisture Analyzer, **04.03**
D7405-10a Test Method for Multiple Stress Creep and Recovery (MSCR) of Asphalt Binder Using a Dynamic Shear Rheometer, **04.03**
D7406-07(2012) Test Method for Time-Dependent (Creep) Deformation Under Constant Pressure for Geosynthetic Drainage Products, **04.13**
D7407-07(2012) Guide for Determining The Transmission of Gases Through Geomembranes, **04.13**
D7408-12 Specification for Non Reinforced PVC (Polyvinyl Chloride) Geomembrane Seams, **04.13**
D7409-07ϵ^1 Test Method for Carboxyl End Group Content of Polyethylene Terephthalate (PET) Yarns, **04.13**
D7410-07(2012) Practice for Qualification of Cotton Classification Instruments for Cotton Marketing, **07.02**
D7412-09 Test Method for Condition Monitoring of Phosphate Antiwear Additives in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, **05.04**
D7414-09 Test Method for Condition Monitoring of Oxidation in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, **05.04**
D7415-09 Test Method for Condition Monitoring of Sulfate By-Products in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, **05.04**
D7416-09 Practice for Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, **05.04**
D7417-10 Test Method for Analysis of In-Service Lubricants Using Particular Four-Part Integrated Tester (Atomic Emission Spectroscopy, Infrared Spectroscopy, Viscosity, and Laser Particle Counter), **05.04**
D7418-12 Practice for Set-Up and Operation of Fourier Transform Infrared (FT-IR) Spectrometers for In-Service Oil Condition Monitoring, **05.04**
D7419-13 Test Method for Determination of Total Aromatics and Total Saturates in Lube Basestocks by High Performance Liquid Chromatography (HPLC) with Refractive Index Detection, **05.04**
D7420-11 Test Method for Determining Tribomechanical Properties of Grease Lubricated Plastic Socket Suspension Joints Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.04**
D7421-11 Test Method for Determining Extreme Pressure Properties of Lubricating Oils Using High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.04**
D7422-13 Test Method for Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine, **05.04**
D7423-09 Test Method for Determination of Oxygenates in C2, C3, C4, and C5 Hydrocarbon Matrices by Gas Chromatography and Flame Ionization Detection, **05.04**
D7425/D7425M-13 Specification for Spray Polyurethane Foam Used for Roofing Applications, **04.04**
D7426-08(2013) Test Method for Assignment of the DSC Procedure for Determining Tg of a Polymer or an Elastomeric Compound, **09.01**
D7427-08ϵ^2 Test Method for Immunological Measurement of Four Principal Allergenic Proteins (Hev b 1, 3, 5 and 6.02) in Natural Rubber and Its Products Derived from Latex, **09.02**
D7428-08ϵ^1 Test Method for Resistance of Fine Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, **04.03**
D7430-14 Practice for Mechanical Sampling of Coal, **05.06**
D7433-13 Test Method for Measuring Surface Water Absorption of Overlaid Wood-Based Panels, **04.10**
D7434-08 Test Method for Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Palletized or Unitized Loads, **15.10**
D7435-08 Test Method for Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Loaded Containers, **15.10**
D7436-12 Classification System for Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Methodology, **08.03**
D7437-08(2013) Test Method for Temperature and Hard Water Stability of Engine Coolants, **15.05**
D7438-13 Practice for Field Calibration and Application of Hand-Held Moisture Meters, **04.10**
D7439-14 Test Method for Determination of Elements in Airborne Particulate Matter by Inductively Coupled Plasma–Mass Spectrometry, **11.07**
D7440-08 Practice for Characterizing Uncertainty in Air Quality Measurements, **11.07**
D7441-08(2013) Practice for Separation of Beryllium from Other Metals in Digestion and Extraction Solutions from Workplace Dust Samples, **11.07**
D7442-08a Practice for Sample Preparation of Fluid Catalytic Cracking Catalysts and Zeolites for Elemental Analysis by Inductively Coupled Plasma Atomic Emission Spectroscopy, **05.05**
D7443 Withdrawn 2013; Practice for Minimum Geospatial Data for Underground Coal Mining Extents
D7444-11 Practice for Heat and Humidity Aging of Oxidatively Degradable Plastics, **08.03**
D7445-09 Specification for Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), **08.03**
D7446-09 Specification for Structural Insulated Panel (SIP) Adhesives for Laminating Oriented Strand Board (OSB) to Rigid Cellular Polystryene Thermal Insulation Core Materials, **15.06**
D7447-08(2014) Practice for Symbolizing Adhesive Applications, **15.06**
D7448-09 Practice for Establishing the Competence of Laboratories Using ASTM Procedures in the Sampling and Analysis of Coal and Coke, **05.06**
D7449/D7449M-08ϵ^1 Test Method for Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Coaxial Air Line, **10.02**
D7450-13 Specification for Performance of Rear Axle Gear Lubricants Intended for API Category GL-5 Service, **05.04**
D7451-08a(2013) Test Method for Water Separation Properties of Light and Middle Distillate, and Compression and Spark Ignition Fuels, **05.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D7452-12 Test Method for Evaluation of the Load Carrying Properties of Lubricants Used for Final Drive Axles, Under Conditions of High Speed and Shock Loading, **05.04**
D7453-09 Practice for Sampling of Petroleum Products for Analysis by Process Stream Analyzers and for Process Stream Analyzer System Validation, **05.04**
D7454-08 Test Method for Determination of Vibrated Bulk Density of Calcined Petroleum Coke using a Semi-Automated Apparatus, **05.04**
D7455-08 Practice for Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, **05.04**
D7457-12 Test Method for Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, **06.04**
D7458-08 Test Method for Determination of Beryllium in Soil, Rock, Sediment, and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, **04.09**
D7459-08 Practice for Collection of Integrated Samples for the Speciation of Biomass (Biogenic) and Fossil-Derived Carbon Dioxide Emitted from Stationary Emissions Sources, **11.07**
D7460-10 Test Method for Determining Fatigue Failure of Compacted Asphalt Concrete Subjected to Repeated Flexural Bending, **04.03**
D7462-11 Test Method for Oxidation Stability of Biodiesel (B100) and Blends of Biodiesel with Middle Distillate Petroleum Fuel (Accelerated Method), **05.04**
D7463-08 Test Method for Adenosine Triphosphate (ATP) Content of Microorganisms in Fuel, Fuel/Water Mixtures and Fuel Associated Water, **05.04**
D7464-08(2013) Practice for Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, **05.04**
D7465-08 Specification for Ethylene Propylene Diene Terpolymer (EPDM) Sheet Used In Geomembrane Applications, **04.13**
D7466-10 Test Method for Measuring Asperity Height of Textured Geomembranes, **04.13**
D7467-13 Specification for Diesel Fuel Oil, Biodiesel Blend (B6 to B20), **05.04**
D7468-13 Test Method for Cummins ISM Test, **05.04**
D7469-12 Test Methods for End-Joints in Structural Wood Products, **04.10**
D7470-08 Practice for Evaluating Elevated Temperature Performance of End-Jointed Lumber Studs, **04.10**
D7471-09(2014) Specification for CPT-Fluoropolymer Molding and Extrusion Materials, **08.03**
D7472-09(2014) Specification for EFEP-Fluoropolymer Molding and Extrusion Materials, **08.03**
D7473-12 Test Method for Weight Attrition of Plastic Materials in the Marine Environment by Open System Aquarium Incubations, **08.03**
D7474-12 Practice for Determining Residual Stresses in Extruded or Molded Sulfone Plastic (SP) Parts by Immersion in Various Chemical Reagents, **08.03**
D7475-11 Test Method for Determining the Aerobic Degradation and Anaerobic Biodegradation of Plastic Materials under Accelerated Bioreactor Landfill Conditions, **08.03**
D7476-08(2013) Test Method for Brine Saturation Value of Cured (Salt-Preserved) Hides and Skins, **15.04**
D7477-08(2013) Test Method for Determining the Area Stability of Wet Blue Submersed in Boiling Water, **15.04**
D7478/D7478M-11 Specification for Heavy Duty Sheathed Wood Crates, **15.10**
D7480-08(2014) Guide for Evaluating the Attributes of a Forest Management Plan, **04.10**
D7481-09 Test Methods for Determining Loose and Tapped Bulk Densities of Powders using a Graduated Cylinder, **04.09**
D7482-08 Practice for Sampling, Storage, and Handling of Hydrocarbons for Mercury Analysis, **05.04**
D7483-13a Test Method for Determination of Dynamic Viscosity and Derived Kinematic Viscosity of Liquids by Oscillating Piston Viscometer, **05.04**
D7484-13a Test Method for Evaluation of Automotive Engine Oils for Valve-Train Wear Performance in Cummins ISB Medium-Duty Diesel Engine, **05.04**
D7485-09 Test Method for Determination of Nonylphenol, p-*tert*-Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, **11.02**
D7486-08(2013)$^{\epsilon 1}$ Test Method for Measurement of Fines and Dust Particles on Plastic Pellets by Wet Analysis, **08.03**
D7487-13 Practice for Polyurethane Raw Materials: Polyurethane Foam Cup Test, **08.03**
D7488-11 Test Method for Open Time of Latex Paints, **06.02**
D7489-09(2013) Practice for Evaluating Touch-Up Properties of Architectural Coatings under Various Environmental Conditions, **06.02**
D7490-13 Test Method for Measurement of the Surface Tension of Solid Coatings, Substrates and Pigments using Contact Angle Measurements, **06.01**
D7491-08 Guide for Management of Non-Conforming Coatings in Coating Service Level I Areas of Nuclear Power Plants, **06.02**
D7492/D7492M-11 Guide for Use of Drainage System Media with Waterproofing Systems, **04.04**
D7493-08 Test Method for Online Measurement of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatograph and Electrochemical Detection, **05.06**
D7495-12 Specification for Minimum Requirements for Accreditation Bodies that Accredit Agencies Testing and Inspecting Road and Paving Materials, **04.03**
D7496-11 Test Method for Viscosity of Emulsified Asphalt by Saybolt Furol Viscometer, **04.03**
D7497-09 Practice for Recovering Residue from Emulsified Asphalt Using Low Temperature Evaporative Technique, **04.03**
D7498/D7498M-09(2014)$^{\epsilon 1}$ Test Method for Vertical Strip Drains Using a Large Scale Consolidation Test, **04.13**
D7499/D7499M-09 Test Method for Measuring Geosynthetic-Soil Resilient Interface Shear Stiffness, **04.13**
D7500-12 Test Method for Determination of Boiling Range Distribution of Distillates and Lubricating Base Oils—in Boiling Range from 100 to 735°C by Gas Chromatography, **05.04**
D7501-12a Test Method for Determination of Fuel Filter Blocking Potential of Biodiesel (B100) Blend Stock by Cold Soak Filtration Test (CSFT), **05.04**
D7503-10 Test Method for Measuring the Exchange Complex and Cation Exchange Capacity of Inorganic Fine-Grained Soils, **04.09**
D7504-12 Test Method for Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and Effective Carbon Number, **06.04**
D7505/D7505M-10 Specification for Self-Adhesive Polyester Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, **04.04**
D7506/D7506M-12 Test Method for Pocket Reinforcement, **07.02**
D7507-14 Specification for Woven High Stretch Fabrics Used in Apparel, **07.02**
D7508/D7508M-10 Specification for Polyolefin Chopped Strands for Use in Concrete, **07.02**
D7509-09 Specification for Fluorocarbon Feedstock Grade Chloroform, **15.05**
D7510-10 Practice for Performing Detection and Quantitation Estimation and Data Assessment Utilizing DQCALC Software, based on ASTM Practices D6091 and D6512 of Committee D19 on Water, **11.01**
D7511-12 Test Method for Total Cyanide by Segmented Flow Injection Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, **11.02**
D7512-09 Guide for Monitoring of Suspended-Sediment Concentration in Open Channel Flow Using Optical Instrumentation, **11.01**
D7513-09 Test Method for Capacity of Mixed Bed Ion Exchange Cartridges, **11.02**
D7514-09 Test Method for Evaluating Ink Stainblocking of Architectural Paint Systems by Visual Assessment, **06.02**
D7515-09(2014) Test Method for Purity of 1,3-Propanediol (Gas Chromatographic Method), **15.05**
D7517-09(2014) Specification for Fully-Formulated 1,3 Propanediol (PDO) Base Engine Coolant for Heavy-Duty Engines, **15.05**
D7518-10 Specification for 1,3 Propanediol (PDO) Base Engine Coolant for Automobile and Light-Duty Service, **15.05**
D7519-11 Test Method for Internal Bond Strength and Thickness Swell of Cellulosic-Based Fiber and Particle Panels After Repeated Wetting, **04.10**
D7520-13 Test Method for Determining the Opacity of a Plume in the Outdoor Ambient Atmosphere, **11.07**
D7521-13 Test Method for Determination of Asbestos in Soil, **11.07**
D7522/D7522M-09 Test Method for Pull-Off Strength for FRP Bonded to Concrete Substrate, **15.03**
D7524-10 Test Method for Determination of Static Dissipater Additives (SDA) in Aviation Turbine Fuel and Middle Distillate Fuels—High Performance Liquid Chromatograph (HPLC) Method, **05.04**
D7525-09 Test Method for Oxidation Stability of Spark Ignition Fuel—Rapid Small Scale Oxidation Test (RSSOT), **05.04**
D7527-10 Test Method for Measurement of Antioxidant Content in Lubricating Greases by Linear Sweep Voltammetry, **05.04**
D7528-13 Test Method for Bench Oxidation of Engine Oils by ROBO Apparatus, **05.04**
D7530/D7530M-10 Specification for Self-Adhesive Glass Fiber Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, **04.04**
D7532-09 Practice for Determination of Re-tack Ability of Carpet Adhesives, **15.06**
D7533/D7533M Withdrawn 2013; Practice for Minimum Geospatial Data for Abandoned Mine Land Problem Area
D7534/D7534M Withdrawn 2013; Practice for Minimum Geospatial Data for Abandoned Mine Land Planning Unit
D7535-09$^{\epsilon 1}$ Test Method for Lead-210 in Water, **11.02**
D7536-09 Test Method for Chlorine in Aromatics by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, **06.04**
D7538-09(2013) Practice for Evaluating the Water Wash-Off Resistance of Traffic Paints Using an Atomizing Spray Device, **06.02**
D7539-10 Practice for Using a Test Chamber for Humidity Conditioning of Test Panels of Pavement Marking Paints, **06.02**
D7540-09(2013) Practice for Dispersion of Chromatic Pigments with a Mechanical Muller, **06.01**
D7541-11 Practice for Estimating Critical Surface Tensions, **06.01**
D7542-09 Test Method for Air Oxidation of Carbon and Graphite in the Kinetic Regime, **05.05**
D7544-12 Specification for Pyrolysis Liquid Biofuel, **05.04**
D7545-13 Test Method for Oxidation Stability of Middle Distillate Fuels—Rapid Small Scale Oxidation Test (RSSOT), **05.04**
D7546-09 Test Method for Determination of Moisture in New and In-Service Lubricating Oils and Additives by Relative Humidity Sensor, **05.04**
D7547-13 Specification for Hydrocarbon Unleaded Aviation Gasoline, **05.04**
D7548-09 Test Method for Determination of Accelerated Iron Corrosion in Petroleum Products, **05.04**
D7549-13 Test Method for Evaluation of Heavy-Duty Engine Oils under High

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Output Conditions—Caterpillar C13 Test Procedure, **05.04**

D7550-09 Test Method for Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, **05.06**

D7551-10 Test Method for Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, **05.06**

D7552-09 Test Method for Determining the Complex Shear Modulus (G*) Of Bituminous Mixtures Using Dynamic Shear Rheometer, **04.03**

D7553-10 Test Method for Solubility of Asphalt Materials in N-Propyl Bromide, **04.03**

D7556-10 Test Methods for Determining Small-Strain Tensile Properties of Geogrids and Geotextiles by In-Air Cyclic Tension Tests, **04.13**

D7557/D7557M-09(2013)ε1 Practice for Sampling of Expanded Polystyrene Geofoam Specimens, **04.13**

D7558-09 Test Method for Colorimetric/Spectrophotometric Procedure to Quantify Extractable Chemical Dialkyldithiocarbamate, Thiuram, and Mercaptobenzothiazole Accelerators in Natural Rubber Latex and Nitrile Gloves, **09.02**

D7559/D7559M-09(2014) Test Method for Determining Pressure Decay of Inflatable Restraint Cushions, **07.02**

D7563-10 Test Method for Evaluation of the Ability of Engine Oil to Emulsify Water and Simulated Ed85 Fuel, **05.04**

D7564/D7564M-09 Practice for Construction of Asphalt-Rubber Cape Seal, **04.03**

D7565/D7565M-10 Test Method for Determining Tensile Properties of Fiber Reinforced Polymer Matrix Composites Used for Strengthening of Civil Structures, **15.03**

D7566-13 Specification for Aviation Turbine Fuel Containing Synthesized Hydrocarbons, **05.04**

D7567-09 Test Method for Determining Gel Content in Crosslinked Ethylene Plastics Using Pressurized Liquid Extraction, **08.03**

D7568-13 Specification for Polyethylene-Based Structural-Grade Plastic Lumber for Outdoor Applications, **08.03**

D7569-10 Practice for Determination of Gas Content of Coal—Direct Desorption Method, **05.06**

D7570-09 Test Method for Evaluation of Dimensional Stability of Pile Yarn Floor Covering, **07.02**

D7571-10(2014)ε1 Specification for Retained Sewn Seam Strength After Exposures to Hot Air and Open Flame, **07.02**

D7572-13 Guide for Recovery of Aqueous Cyanides by Extraction from Mine Rock and Soil, **11.02**

D7573-09 Test Method for Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection, **11.02**

D7574-09 Test Method for Determination of Bisphenol A in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry, **11.02**

D7575-11 Test Method for Solvent-Free Membrane Recoverable Oil and Grease by Infrared Determination, **11.02**

D7576-10 Test Method for Determination of Benzene and Total Aromatics in Denatured Fuel Ethanol by Gas Chromatography, **05.04**

D7577-12 Test Method for Determining the Accelerated Iron Corrosion Rating of Denatured Fuel Ethanol and Ethanol Fuel Blends, **05.04**

D7578-10ε1 Guide for Calibration Requirements for Elemental Analysis of Petroleum Products and Lubricants, **05.04**

D7579-09(2013) Test Method for Pyrolysis Solids Content in Pyrolysis Liquids by Filtration of Solids in Methanol, **05.04**

D7580/D7580M-09 Test Method for Rotary Stretch Wrapper Method for Determining the Readability of Passive RFID Transponders on Homogenous Palletized or Unitized Loads, **15.10**

D7582-12 Test Methods for Proximate Analysis of Coal and Coke by Macro Thermogravimetric Analysis, **05.06**

D7583-09 Test Method for John Deere Coolant Cavitation Test, **15.05**

D7584-10 Test Method for Evaluating the Resistance of the Surface of Wet Blue to the Growth of Fungi in an Environmental Chamber, **15.04**

D7585/D7585M-10 Practice for Evaluating Retroreflective Pavement Markings Using Portable Hand-Operated Instruments, **04.03**

D7586/D7586M-11 Test Method for Quantification of Air Intrusion in Low-Sloped Mechanically Attached Membrane Roof Assemblies, **04.04**

D7588-11 Guide for FT-IR Fingerprinting of a Non-Aqueous Liquid Paint as Supplied in the Manufacturers Container, **06.01**

D7589-13 Test Method for Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, **05.04**

D7590-09ε1 Guide for Measurement of Remaining Primary Antioxidant Content In In-Service Industrial Lubricating Oils by Linear Sweep Voltammetry, **05.04**

D7591-12 Test Method for Determination of Free and Total Glycerin in Biodiesel Blends by Anion Exchange Chromatography, **05.04**

D7592-10 Specification for Specification for Grade 94 Unleaded Aviation Gasoline Certification and Test Fuel, **05.04**

D7593-13 Test Method for Determination of Fuel Dilution for In-Service Engine Oils by Gas Chromatography, **05.04**

D7594-11 Test Method for Determining Fretting Wear Resistance of Lubricating Greases Under High Hertzian Contact Pressures Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.04**

D7596-10 Test Method for Automatic Particle Counting and Particle Shape Classification of Oils Using a Direct Imaging Integrated Tester, **05.04**

D7597-09ε2 Test Method for Determination of Diisopropyl Methylphosphonate, Ethyl Hydrogen Dimethylamidophosphate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Water by Liquid Chromatography/Tandem Mass Spectrometry, **11.02**

D7598-09ε2 Test Method for Determination of Thiodiglycol in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry, **11.02**

D7599-09ε2 Test Method for Determination of Diethanolamine, Triethanolamine, N-Methyldiethanolamine and N-Ethyldiethanolamine in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), **11.02**

D7600-09ε3 Test Method for Determination of Aldicarb, Carbofuran, Oxamyl and Methomyl by Liquid Chromatography/Tandem Mass Spectrometry, **11.02**

D7601-10 Practice for Pressure Driven Membrane Separation Element/Bundle Evaluation, **11.02**

D7602-11 Practice for Installation of Vulcanized Rubber Linings, **06.02**

D7603-13 Test Method for Determination of Storage Stability and Compatibility in Automotive Gear Oils, **05.04**

D7605-11 Test Method for Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using Rotorless Shear Rheometers, **09.01**

D7606-11 Practice for Sampling of High Pressure Hydrogen and Related Fuel Cell Feed Gases, **05.06**

D7607/D7607M-11ε1 Test Method for Analysis of Oxygen in Gaseous Fuels (Electrochemical Sensor Method), **05.06**

D7608-10 Test Method for Torsional Ring Shear Test to Determine Drained Fully Softened Shear Strength and Nonlinear Strength Envelope of Cohesive Soils (Using Normally Consolidated Specimen) for Slopes with No Preexisting Shear Surfaces, **04.09**

D7609/D7609M Withdrawn 2013; Practice for Minimum Geospatial Data for an Abandoned Mine Land Project Site

D7610/D7610M Withdrawn 2013; Practice for Minimum Geospatial Data for Abandoned Mine Land Keyword Feature

D7611/D7611M-13 Practice for Coding Plastic Manufactured Articles for Resin Identification, **08.03**

D7612-10 Practice for Categorizing Wood and Wood-Based Products According to Their Fiber Sources, **04.10**

D7613-10 Specification for Flexible Polypropylene Reinforced (fPP-R) and Nonreinforced (fPP) Geomembranes, **04.13**

D7614-12 Test Method for Determination of Total Suspended Particulate (TSP) Hexavalent Chromium in Ambient Air Analyzed by Ion Chromatography (IC) and Spectrophotometric Measurements, **11.07**

D7615/D7615M-11 Practice for Open-Hole Fatigue Response of Polymer Matrix Composite Laminates, **15.03**

D7616/D7616M-11 Test Method for Determining Apparent Overlap Splice Shear Strength Properties of Wet Lay-Up Fiber-Reinforced Polymer Matrix Composites Used for Strengthening Civil Structures, **15.03**

D7617/D7617M-11 Test Method for Transverse Shear Strength of Fiber-reinforced Polymer Matrix Composite Bars, **15.03**

D7618-13 Specification for Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, **05.04**

D7619-12b Test Method for Sizing and Counting Particles in Light and Middle Distillate Fuels, by Automatic Particle Counter, **05.04**

D7620-10 Test Method for Determination of Total Sulfur in Liquid Hydrocarbon Based Fuels by Continuous Injection, Air Oxidation and Ultraviolet Fluorescence Detection, **05.04**

D7621-13 Test Method for Determination of Hydrogen Sulfide in Fuel Oils by Rapid Liquid Phase Extraction, **05.04**

D7622-10ε1 Test Method for Total Mercury in Crude Oil Using Combustion and Direct Cold Vapor Atomic Absorption Method with Zeeman Background Correction, **05.04**

D7623-10 Test Method for Total Mercury in Crude Oil Using Combustion-Gold Amalgamation and Cold Vapor Atomic Absorption Method, **05.04**

D7624-10 Test Method for Condition Monitoring of Nitration in In-Service Petroleum and Hydrocarbon-Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, **05.04**

D7625-10 Test Method for Laboratory Determination of Abrasiveness of Rock Using the CERCHAR Method, **04.09**

D7626-10 Test Methods for Determining the Organic Treat Loading of Organophilic Clay, **04.09**

D7627 Withdrawn 2013; Practice for Minimum Geospatial Data for Land Reclamation and Performance Bond Status of a Permitted Coal Mine

D7628 Withdrawn 2013; Practice for Minimum Geospatial Data for Lands Unsuitable for Mining Petitions and Designated Areas

D7629/D7629M Withdrawn 2013; Practice for Minimum Geospatial Data for Representing Coal Spoil and Refuse Features

D7630/D7630M Withdrawn 2013; Practice for Minimum Geospatial Data for Postmining Land Uses

D7631 Withdrawn 2013; Practice for Minimum Geospatial Data for a Coal Mining Environmental Resource Monitoring Location

D7633-13 Test Method for Carbon Black—Carbon Content, **09.01**

D7634-10 Test Method for Visualizing Particulate Sizes and Morphology of Particles Contained in Hydrogen Fuel by Microscopy, **05.06**

D7635/D7635M-10 Test Method for Measurement of Thickness of Coatings Over Fabric Reinforcement, **04.04**

D7636/D7636M-11 Practice for Sampling and Analysis of Modified Bitumen Roof Systems, **04.04**

D7637-10 Test Method for Determination of Glycerin Assay by Titration (Sodium Meta Periodate), **15.05**

D7638-10 Test Method for Determination of Fatty Acids and Esters in Glycerin, **15.05**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D7639-10 Test Method for Determination of Zirconium Treatment Weight or Thickness on Metal Substrates by X-Ray Fluorescence, **06.02**
D7640-11 Specification for Engine Coolant Grade Glycerin, **15.05**
D7641-10(2014)ε1 Guide for Textile Fibers, **07.02**
D7642-12 Practice for Establishment of Calibration Cottons for Cotton Classification Instruments, **07.02**
D7643-10 Practice for Determining the Continuous Grading Temperatures and Continuous Grades for PG Graded Asphalt Binders, **04.03**
D7644-10ε2 Test Method for Determination of Bromadiolone, Brodifacoum, Diphacinone and Warfarin in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), **11.02**
D7645-14 Test Method for Determination of Aldicarb, Aldicarb Sulfone, Aldicarb Sulfoxide, Carbofuran, Methomyl, Oxamyl, and Thiofanox in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), **11.02**
D7646-10 Test Method for Determination of Cooling Characteristics of Aqueous Polymer Quenchants for Aluminum Alloys by Cooling Curve Analysis, **05.04**
D7647-10 Test Method for Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, **05.04**
D7648-12 Practice for Active Soil Gas Sampling for Direct Push or Manual-Driven Hand-Sampling Equipment, **04.09**
D7649-10 Test Method for Determination of Trace Carbon Dioxide, Argon, Nitrogen, Oxygen and Water in Hydrogen Fuel by Jet Pulse Injection and Gas Chromatography/Mass Spectrometer Analysis, **05.06**
D7650-13 Test Method for Sampling of Particulate Matter in High Pressure Hydrogen used as a Gaseous Fuel with an In-Stream Filter, **05.06**
D7651-10 Test Method for Gravimetric Measurement of Particulate Concentration of Hydrogen Fuel, **05.06**
D7652-11 Test Method for Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, **05.06**
D7653-10 Test Method for Determination of Trace Gaseous Contaminants in Hydrogen Fuel by Fourier Transform Infrared (FTIR) Spectroscopy, **05.06**
D7654/D7654M-10 Specification for Asphalt Used in Roofing Measured by Dynamic Shear Rheometer, **04.04**
D7655/D7655M-12 Classification for Size of Aggregate Used as Ballast for Membrane Roof Systems, **04.04**
D7659-10 Guide for Strategies for Surface Sampling of Metals and Metalloids for Worker Protection, **11.07**
D7660-10 Guide for Conducting Internal Pressure Tests on United Nations (UN) Packagings, **15.10**
D7661-10 Test Method for Determining Compatibility of Personal Lubricants with Natural Rubber Latex Condoms, **09.02**
D7662-13 Test Method for Carbon Content in Carbon Black Feedstock Oils, **09.01**
D7663-12 Practice for Active Soil Gas Sampling in the Vadose Zone for Vapor Intrusion Evaluations, **04.09**
D7664-10 Test Methods for Measurement of Hydraulic Conductivity of Unsaturated Soils, **04.09**
D7665-10 Guide for Evaluation of Biodegradable Heat Transfer Fluids, **05.04**
D7666-12 Specification for Triglyceride Burner Fuel, **05.04**
D7667-10ε1 Test Method for Determination of Corrosiveness to Silver by Automotive Spark-Ignition Engine Fuel—Thin Silver Strip Method, **05.04**
D7668-12a Test Method for Determination of Derived Cetane Number (DCN) of Diesel Fuel Oils—Ignition Delay and Combustion Delay Using a Constant Volume Combustion Chamber Method, **05.05**
D7669-11 Guide for Practical Lubricant Condition Data Trend Analysis, **05.04**
D7670-10 Practice for Processing In-service Fluid Samples for Particulate Contamination Analysis Using Membrane Filters, **05.04**
D7671-10ε1 Test Method for Corrosiveness to Silver by Automotive Spark–Ignition Engine Fuel–Silver Strip Method, **05.04**
D7672-13 Specification for Evaluating Structural Capacities of Rim Board Products and Assemblies, **04.10**
D7673/D7673M-10ε2 Specification for Halon 1211, Bromochlorodifluoromethane (CF2BrCl), **15.05**
D7674-14a Test Method for Hexane/Petroleum Ether Extract in Wet Blue and Wet White, **15.04**
D7675-11 Test Method for Determination of Total Hydrocarbons in Hydrogen by FID Based Total Hydrocarbon (THC) Analyzer, **05.06**
D7677-11 Test Method for the Continuous Measurement of Dissolved Ozone in Low Conductivity Water, **11.01**
D7678-11 Test Method for Total Petroleum Hydrocarbons (TPH) in Water and Wastewater with Solvent Extraction using Mid-IR Laser Spectroscopy, **11.02**
D7679-13 Test Method for Sulfur Content in Carbon Black Feedstock Oils, **09.01**
D7680-10 Practice for Preparing Prints of Paste Printing Inks by a Motor-Driven Printability Tester, **06.02**
D7681-11 Test Method for Measuring Gradation of Glass Spheres Using a Flowing Stream Digital Image Analyzer, **06.02**
D7682-12 Test Method for Replication and Measurement of Concrete Surface Profiles Using Replica Putty, **06.02**
D7683-11 Test Method for Cloud Point of Petroleum Products (Small Test Jar Method), **05.04**
D7684-11 Guide for Microscopic Characterization of Particles from In-Service Lubricants, **05.04**
D7685-11 Practice for In-Line, Full Flow, Inductive Sensor for Ferromagnetic and Non-ferromagnetic Wear Debris Determination and Diagnostics for Aero-Derivative and Aircraft Gas Turbine Engine Bearings, **05.04**
D7686-11 Test Method for Field-Based Condition Monitoring of Soot in In-Service Lubricants Using a Fixed-Filter Infrared (IR) Instrument, **05.04**
D7687-11 Test Method for Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, **05.04**
D7688-11 Test Method for Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, **05.04**
D7689-11 Test Method for Cloud Point of Petroleum Products (Mini Method), **05.04**
D7690-11 Practice for Microscopic Characterization of Particles from In-Service Lubricants by Analytical Ferrography, **05.04**
D7691-11 Test Method for Multielement Analysis of Crude Oils Using Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), **05.04**
D7698-11a Test Method for In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, **04.09**
D7699/D7699M-11 Practice for Minimum Geospatial Data for Abandoned Mine Land Problem Areas, Planning Units, Keyword Features, and Project Sites, **04.09**
D7700-12 Guide for Selecting Test Methods for Geomembrane Seams, **04.13**
D7701-11 Test Method for Determining the Flow Rate of Water and Suspended Solids from a Geotextile Bag, **04.13**
D7702/D7702M-13a Guide for Considerations When Evaluating Direct Shear Results Involving Geosynthetics, **04.13**
D7703-11 Practice for Electrical Leak Location on Exposed Geomembranes Using the Water Lance System, **04.13**
D7704-12 Test Method for Total Aldehydes in Styrene Monomer by Potentiometric Titration, **06.04**
D7705/D7705M-12 Test Method for Alkali Resistance of Fiber Reinforced Polymer (FRP) Matrix Composite Bars used in Concrete Construction, **15.03**
D7706-11 Practice for Rapid Screening of VOC Emissions from Products Using Micro-Scale Chambers, **11.07**
D7707-11 Specification for Wipe Sampling Materials for Beryllium in Surface Dust, **11.07**
D7708-14 Test Method for Microscopical Determination of the Reflectance of Vitrinite Dispersed in Sedimentary Rocks, **05.06**
D7709-12 Test Methods for Measuring Water Vapor Transmission Rate (WVTR) of Pharmaceutical Bottles and Blisters, **15.10**
D7710-14 Test Method for Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, **08.03**
D7711-11ε1 Guide for Description of Polymer Pellet Defects, **08.03**
D7712-11 Terminology for Sampling and Analysis of Asbestos, **11.07**
D7713-12 Specification for Aqueous Engine Coolant Grade Glycol (53% Nominal), **15.05**
D7714-11 Specification for Glycerin Base Engine Coolant for Automobile and Light-Duty Service, **15.05**
D7715-12 Specification for Fully-Formulated Glycerin Base Engine Coolant for Heavy-Duty Engines, **15.05**
D7716-11a Test Method for Determination of Residual Methanol in Glycerin by Gas Chromatography, **15.05**
D7717-11 Practice for Preparing Volumetric Blends of Denatured Fuel Ethanol and Gasoline Blendstocks for Laboratory Analysis, **05.04**
D7718-11 Practice for Obtaining In-Service Samples of Lubricating Grease, **05.04**
D7719-12 Specification for High Octane Unleaded Test Fuel, **05.04**
D7720-11 Guide for Statistically Evaluating Measurand Alarm Limits when Using Oil Analysis to Monitor Equipment and Oil for Fitness and Contamination, **05.04**
D7721-11 Practice for Determining the Effect of Fluid Selection on Hydraulic System or Component Efficiency, **05.04**
D7722-13 Terminology Relating to Industrial Textile Stitches and Seams, **07.02**
D7723-11 Test Method for Rubber Property—Macro-Dispersion of Fillers in Compounds, **09.01**
D7724-11 Test Method for Carbon Black—Non-Dispersible Matter by Mechanical Flushing (NDM), **09.01**
D7725-12 Test Method for the Continuous Measurement of Turbidity Above 1 Turbidity Unit (TU), **11.01**
D7726-11 Guide for The Use of Various Turbidimeter Technologies for Measurement of Turbidity in Water, **11.01**
D7727-11ε1 Practice for Calculation of Dose Equivalent Xenon (DEX) for Radioactive Xenon Fission Products in Reactor Coolant, **11.02**
D7728-11 Guide for Selection of ASTM Analytical Methods for Implementation of International Cyanide Management Code Guidance, **11.02**
D7729-12 Practice for Determining and Expressing Precision of Measurement Results, in the Analysis of Water, as Relative Standard Deviation, Utilizing DQCALC Software, **11.01**
D7730-11 Test Method for Determination of Dioctyl Sulfosuccinate in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), **11.02**
D7731-11ε1 Test Method for Determination of Dipropylene Glycol Monobutyl Ether and Ethylene Glycol Monobutyl Ether in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), **11.02**
D7733-12 Specification for Acrylic Dispersion Ground, **06.02**
D7734/D7734M-13 Test Method for Determination of Open Time of Oxidative Printing Inks and Overprint Varnishes by a Manual Method, **06.02**
D7735-11 Test Method for Type A Durometer Hardness Testing of Road

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Marking Thermoplastic at Elevated Temperatures, **06.02**
D7736-12 Test Method for Determination of Acids and Glycol Esters in Ethylene Glycol, **15.05**
D7737-11 Test Method for Individual Geogrid Junction Strength, **04.13**
D7739-11 Practice for Thermal Oxidative Stability Measurement via Quartz Crystal Microbalance, **05.04**
D7740-11 Practice for Optimization, Calibration, and Validation of Atomic Absorption Spectrometry for Metal Analysis of Petroleum Products and Lubricants, **05.04**
D7741/D7741M-11ε1 Test Method for Measurement of Apparent Viscosity of Asphalt-Rubber or Other Asphalt Binders by Using a Rotational Hand Held Viscometer, **04.03**
D7742-11 Practice for Determination of Nonylphenol Polyethoxylates (NPnEO, $3 \leq n \leq 18$) and Octylphenol Polyethoxylates (OPnEO, $2 \leq n \leq 12$) in Water by Single Reaction Monitoring (SRM) Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), **11.02**
D7743-12 Test Method for Measuring the Minimum Fluidization Velocities of Free Flowing Powders, **04.09**
D7744/D7744M-11 Test Methods for Tensile Testing of High Performance Polyethylene Tapes, **07.02**
D7745-11 Practice for Testing Pultruded Composites, **08.03**
D7746-11 Practice for Calculating the Superimposed Load on Wood-frame Floor-Ceiling Assemblies for Standard Fire-Resistance Tests, **04.10**
D7747/D7747M-11ε1 Test Method for Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Strip Tensile Method, **04.13**
D7748/D7748M-14 Test Method for Flexural Rigidity of Geogrids, Geotextiles and Related Products, **04.13**
D7749-11 Test Method for Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Grab Method, **04.13**
D7750-12 Test Method for Cure Behavior of Thermosetting Resins by Dynamic Mechanical Procedures using an Encapsulated Specimen Rheometer, **15.03**
D7751-12 Test Method for Determination of Additive Elements in Lubricating Oils by EDXRF Analysis, **05.04**
D7752-11 Practice for Evaluating Compatibility of Mixtures of Hydraulic Fluids, **05.04**
D7753-12 Test Method for Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, **05.04**
D7754-11 Test Method for Determination of Trace Oxygenates in Automotive Spark-Ignition Engine Fuel by Multidimensional Gas Chromatography, **05.04**
D7755-11 Practice for Determining the Wear Volume on Standard Test Pieces Used by High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.04**
D7756-13 Test Method for Residues in Liquefied Petroleum (LP) Gases by Gas Chromatography with Liquid, On-Column Injection, **05.04**
D7757-12 Test Method for Silicon in Gasoline and Related Products by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, **05.04**
D7758-11 Practice for Passive Soil Gas Sampling in the Vadose Zone for Source Identification, Spatial Variability Assessment, Monitoring, and Vapor Intrusion Evaluations, **04.09**
D7759-12a Guide for Nuclear Surface Moisture and Density Gauge Calibration, **04.09**
D7760-12 Test Method for Measurement of Hydraulic Conductivity of Tire Derived Aggregates Using a Rigid Wall Permeameter, **04.09**
D7762-11 Practice for Design of Stabilization of Soil and Soil-Like Materials with Self-Cementing Fly Ash, **04.09**
D7764-12 Practice for Pre-Installation Acceptance Testing of Vibrating Wire Piezometers, **04.09**
D7765-12 Practice for Use of Foundry Sand in Structural Fill and Embankments, **04.09**
D7766/D7766M-11 Practice for Damage Resistance Testing of Sandwich Constructions, **15.03**
D7767-11 Test Method to Measure Volatiles from Radiation Curable Acrylate Monomers, Oligomers, and Blends and Thin Coatings Made from Them, **06.01**
D7768-12 Test Method for Speciated Organic Volatile Content of Waterborne Multi-Component Coatings by Gas Chromatography, **06.01**
D7770-12 Test Method for Standard Test Method for Collection of Volatile Organic Compounds Emitted During Simulated Manufacturing of Engineered Wood Products Via a Sealed Caul Plate Method, **04.10**
D7771-13 Test Method for Determination of Benzo-α-Pyrene (BaP) Content in Carbon Black, **09.01**
D7772-11 Test Method for Carbon Black Extractables – Absorbance of Cyclohexane Extract, **09.01**
D7773-12 Test Method for Determination of Volatile Inorganic Acids (HCl, HBr, and HNO, **11.07**
D7774-12 Test Method for Flexural Fatigue Properties of Plastics, **08.03**
D7775-11ε1 Guide for Measurements on Small Graphite Specimens, **05.05**
D7776-12 Guide for Self-Assessment of Quality System Practices in Petroleum Products and Lubricant Testing Laboratories, **05.04**
D7777-13 Test Method for Density, Relative Density, or API Gravity of Liquid Petroleum by Portable Digital Density Meter, **05.04**
D7778-12 Guide for Conducting an Interlaboratory Study to Determine the Precision of a Test Method, **05.04**
D7779-11 Test Method for Determination of Fracture Toughness of Graphite at Ambient Temperature, **05.05**
D7780-12 Practice for Geospatial Data for Representing Coal Mining Features, **04.09**
D7781-14 Test Method for Nitrite-Nitrate in Water by Nitrate Reductase, **11.02**
D7782-13 Practice for Determination of the 99 %/95 % Critical Level (WCL) and a Reliable Detection Estimate (WDE) Based on Within-laboratory Data, **11.01**
D7783-13 Practice for Within-laboratory Quantitation Estimation (WQE), **11.01**
D7784-12 Practice for the Rapid Assessment of Gamma-ray Emitting Radionuclides in Environmental Media by Gamma Spectrometry, **11.02**
D7785-12 Test Method for Water in Lint Cotton by Oven Evaporation Combined with Volumetric Karl Fischer Titration, **07.02**
D7786-12 Test Method for Determining Enamel Holdout, **06.02**
D7787/D7787M-13 Practice for Selecting Wood Substrates for Weathering Evaluations of Architectural Coatings, **06.02**
D7788-14 Practice for Collection of Total Airborne Fungal Structures via Inertial Impaction Methodology, **11.07**
D7789-12 Practice for Collection of Fungal Material from Surfaces by Swab, **11.07**
D7790-12 Guide for Preparation of Plastic Packagings Containing Liquids for United Nations (UN) Drop Testing, **15.10**
D7791-12 Test Method for Uniaxial Fatigue Properties of Plastics, **08.03**
D7793-13 Specification for Insulated Vinyl Siding, **08.03**
D7794-12 Practice for Blending Mid-Level Ethanol Fuel Blends for Flexible-Fuel Vehicles with Automotive Spark-Ignition Engines, **05.04**
D7795-12 Test Method for Acidity in Ethanol and Ethanol Blends by Titration, **05.04**
D7796-12 Test Method for Analysis of Ethyl tert-Butyl Ether (ETBE) by Gas Chromatography, **05.04**
D7797-12 Test Method for Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier Transform Infrared Spectroscopy – Rapid Screening Method, **05.04**
D7798-13 Test Method for Boiling Range Distribution of Petroleum Distillates with Final Boiling Points up to 538°C by Ultra Fast Gas Chromatography (UF GC), **05.04**
D7799-12a Specification for Tufted and Woven Broadloom Carpet Adhesives Without Homogenous PVC or Non-PVC Backings, **15.06**
D7801-12 Terminology for Paint Brush Application Tools, **06.02**
D7802-12 Terminology for Paint Roller Application Tools, **06.02**
D7803-12 Practice for Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, **06.02**
D7804-12 Test Method for Fiber Shedding of Paint Roller Covers, **06.02**
D7805-13 Terminology for Printing Ink Vehicles and Related Materials, **06.03**
D7806-12 Test Method for Determination of the Fatty Acid Methyl Ester (FAME) Content of a Blend of Biodiesel and Petroleum-Based Diesel Fuel Oil Using Mid-Infrared Spectroscopy, **05.04**
D7807-12 Test Method for Determination of Boiling Range Distribution of Hydrocarbon and Sulfur Components of Petroleum Distillates by Gas Chromatography and Chemiluminescence Detection, **05.04**
D7808-12 Practice for Determining the Site Precision of a Process Stream Analyzer on Process Stream Material, **05.04**
D7811-13 Test Method for Bow and Skew Using a Measuring Tool, **07.02**
D7815-12 Practice for Handling, Transportation, and Storage of Halon 1211, Bromochlorodifluoromethane (CF2BrCl), **15.05**
D7816-12 Test Method for Enumeration of Halophilic and Proteolytic Bacteria in Raceway Brine, Brine-Cured Hides and Skins, **15.04**
D7817-12 Test Method for Enumeration of Yeast and Mold in Raceway Brine, Brine-Cured Hides and Skins, **15.04**
D7818-12 Test Method for Enumeration of Proteolytic Bacteria in Fresh (Uncured) Hides and Skins, **15.04**
D7819-12 Test Method for Enumeration of Yeast and Mold on Fresh (Uncured) Hides and Skins, **15.04**
D7820-12 Test Method for Engine Coolant Corrosion Protection Under Accelerated Thermal and Oxidizing Conditions Using a Rotating Pressure Vessel, **15.05**
D7821-12 Test Method for Field Test Determination of Urea Concentration in Diesel Exhaust Fluid (DEF), **15.05**
D7822-13 Practice for Dermal Wipe Sampling for the Subsequent Determination of Metals and Metalloids, **11.07**
D7823-13 Test Method for Determination of Low Level, Regulated Phthalates in Poly (Vinyl Chloride) Plastics by Thermal Desorption—Gas Chromatography/Mass Chromatography, **08.03**
D7825-12 Guide for Generating a Process Stream Property Value through the Application of a Process Stream Analyzer, **05.04**
D7826-13 Guide for Evaluation of New Aviation Gasolines and New Aviation Gasoline Additives, **05.04**
D7827-12 Test Method for Measuring n-Heptane Induced Phase Separation of Asphaltene from Heavy Fuel Oils as Separability Number by an Optical Device, **05.04**
D7828-12 Test Method for Determination of Residue Composition in Liquefied Petroleum Gas (LPG) Using Automated Thermal Desorption/Gas Chromatography (ATD/GC), **05.04**
D7829-13ε1 Guide for Sediment and Water Determination in Crude Oil, **05.04**
D7830/D7830M-13 Test Method for In-Place Density (Unit Weight) and Water Content of Soil Using an Electromagnetic Soil Density Gauge, **04.09**
D7831-13 Practice for Sampling of Tanks by Field Personnel, **11.04**
D7832/D7832M-14 Guide for Performance Attributes of Waterproofing Membranes Applied to Below-Grade Walls / Vertical Surfaces (Enclosing Interior Spaces), **04.04**
D7833-14 Test Method for Determination of Hydrocarbons and Non-Hydrocarbon Gases in Gaseous Mixtures by Gas Chromatography, **05.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

D7834-13 Test Method for Filling Material Shedding of Paint Brushes, **06.02**
D7835/D7835M-13 Test Method for Determining the Solvent Resistance of an Organic Coating using a Mechanical Rubbing Machine, **06.02**
D7836-13 Test Methods for Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, **06.01**
D7840-12 Test Method for Foaming Tendencies of Non-Aqueous Engine Coolants in Glassware, **15.05**
D7841-13 Practice for Sustainable Laundry Best Management Practices, **07.02**
D7842/D7842M-12 Test Method for Holding Strength of Tack and Prong Fastener Attached Buttons, **07.02**
D7843-12 Test Method for Measurement of Lubricant Generated Insoluble Color Bodies in In-Service Turbine Oils using Membrane Patch Colorimetry, **05.04**
D7844-12 Test Method for Condition Monitoring of Soot in In-Service Lubricants by Trend Analysis using Fourier Transform Infrared (FT-IR) Spectrometry, **05.04**
D7845-13 Test Method for Determination of Chemical Species in Marine Fuel Oil by Multidimensional Gas Chromatography – Mass Spectrometry, **05.04**
D7846-12 Practice for Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Graphites, **05.04**
D7847-12 Guide for Interlaboratory Studies for Microbiological Test Methods, **05.04**
D7849-14 Classification for Nomenclature of Reference Materials of Committee D24, **09.01**
D7850-13 Specification for Biological Properties of Industry Reference Materials (IRM), **09.02**
D7852-13 Practice for Use of an Electrically Conductive Geotextile for Leak Location Surveys, **04.13**
D7853-13 Test Method for Hydraulic Pullout Resistance of a Geomembrane with Locking Extensions Embedded in Concrete, **04.13**
D7854-13 Test Method for Carbon Black-Void Volume at Mean Pressure, **09.01**
D7855/D7855M-13 Test Method for Determination of Mold Growth on Coated Building Products Designed for Interior Applications Using an Environmental Chamber and Indirect Inoculation, **06.01**
D7856-14 Specification for Color and Appearance Retention of Solid and Variegated Color Plastic Siding Products using CIELab Color Space, **08.03**
D7858-13 Test Method for Determination of Bisphenol A in Soil, Sludge and Biosolids by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, **11.04**
D7859-13ε1 Practice for Spraying, Sampling, Packaging, and Test Specimen Preparation of Spray Polyurethane Foam (SPF) Insulation for Testing of Emissions Using Environmental Chambers, **11.07**
D7862-13 Specification for Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, **05.04**
D7863-13 Guide for Evaluation of Convective Heat Transfer Coefficient of Liquids, **05.04**
D7865-13 Guide for Identification, Packaging, Handling, Storage and Deployment of Fabricated Geomembrane Panels, **04.13**
D7866-14 Specification for Radiation Attenuating Protective Gloves, **09.02**
D7867-13 Test Methods for Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, **06.01**
D7868-13 Practice for Determining the Dry Fall (Fog) Properties of Protective Coatings, **06.02**
D7869-13 Practice for Xenon Arc Exposure Test with Enhanced Light and Water Exposure for Transportation Coatings, **06.01**
D7870/D7870M-13 Practice for Moisture Conditioning Compacted Asphalt Mixture Specimens by Using Hydrostatic Pore Pressure, **04.03**
D7871-13 Test Method for Analysis of Cyclohexane by Gas Chromatography (Effective Carbon Number), **06.04**
D7872-13 Test Method for Determining the Concentration of Pipeline Drag Reducer Additive in Aviation Turbine Fuels, **05.04**
D7873-13ε1 Test Method for Determination of Oxidation Stability and Insolubles Formation of Inhibited Turbine Oils at 120 °C Without the Inclusion of Water (Dry TOST Method), **05.04**
D7874-13 Guide for Applying Failure Mode and Effect Analysis (FMEA) to In-Service Lubricant Testing, **05.04**
D7875-14 Test Method for Determination of Butanol and Acetone Content of Butanol for Blending with Gasoline by Gas Chromatography, **05.04**
D7876-13 Practice for Sample Decomposition Using Microwave Heating (With or Without Prior Ashing) for Atomic Spectroscopic Elemental Determination in Petroleum Products and Lubricants, **05.04**
D7877-14 Guide for Electronic Methods for Detecting and Locating Leaks in Waterproof Membranes, **04.04**
D7878/D7878M-13ε1 Tables for Body Measurements for Adult Female Misses Petite Figure Type, Size Range 00P – 20P, **07.02**
D7879-13 Test Method for Determining Flax Fiber Widths Using Image Analysis, **07.02**
D7880/D7880M-13 Test Method for Determining Flow Rate of Water and Suspended Solids Retention from a Closed Geosynthetic Bag, **04.13**
D7881-13 Test Method for Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Capillary Electrophoresis with Reverse Voltage Mode, **06.04**
D7882-13 Test Method for Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Capillary Electrophoresis with Normal Voltage Mode, **06.04**
D7883-13 Test Method for Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Weak Anion Exchange High Performance Liquid Chromatography, **06.04**
D7884-13 Test Method for Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Reverse Phase High Performance Liquid Chromatography, **06.04**
D7886-14 Practice for Asbestos Exposure Assessments for Repetitive Maintenance and Installation Tasks, **11.07**
D7887-13 Guide for Selection of Substitute, Non-hazardous, Liquid Filling Substances for Packagings Subjected to the United Nations Performance Tests, **15.10**
D7888-13 Practice for Evaluating Adhesive and the Effects of Plasticizer Found Within Polyvinyl Chloride-Backed Floor Coverings, **15.06**
D7889-13 Test Method for Field Determination of In-Service Fluid Properties Using IR Spectroscopy, **05.04**
D7893-13 Guide for Corrosion Test Panel Preparation, Testing, and Rating of Coil-Coated Building Products, **06.02**
D7896-14 Test Method for Thermal Conductivity, Thermal Diffusivity and Volumetric Heat Capacity of Engine Coolants and Related Fluids by Transient Hot Wire Liquid Thermal Conductivity Method, **15.05**
D7898-14 Practice for Lubrication and Hydraulic Filter Debris Analysis (FDA) for Condition Monitoring of Machinery, **05.04**
D7899-13 Test Method for Measuring the Merit of Dispersancy of In-Service Engine Oils with Blotter Spot Method, **05.04**
D7900-13ε1 Test Method for Determination of Light Hydrocarbons in Stabilized Crude Oils by Gas Chromatography, **05.04**
D7901-14 Specification for Dimethyl Ether for Fuel Purposes, **05.04**
D7902-14 Terminology for Radiochemical Analyses, **11.02**
D7903-14 Practice for Determining the Capacity of Oxygen Removal Ion Exchange Cartridges, **11.02**
D7906-14 Practice for Recovery of Asphalt from Solution Using Toluene and the Rotary Evaporator, **04.03**
D7907-14 Test Methods for Determination of Bactericidal Efficacy on the Surface of Medical Examination Gloves, **09.02**
D7909-14 Guide for Placement of Blind Actual Leaks during Electrical Leak Location Surveys of Geomembranes, **04.13**
D7910-14 Practice for Collection of Fungal Material From Surfaces by Tape Lift, **11.07**
D7912-14 Test Method for Resistance of Finish to Heat Aging (Finish Stability), **15.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E. MISCELLANEOUS SUBJECTS

E1-13 Specification for ASTM Liquid-in-Glass Thermometers, **14.03**
E2 Withdrawn 1983; Methods of Preparation of Micrographs of Metals and Alloys (Including Recommended Practice for Photography As Applied to Metallography); Replaced by E883
E3-11 Guide for Preparation of Metallographic Specimens, **03.01**
E4-13 Practices for Force Verification of Testing Machines, **03.01**
E5 Withdrawn 1937; Methods of Preparation of Metallographic Specimens; Replaced by E3
E6-09bε1 Terminology Relating to Methods of Mechanical Testing, **03.01**
E7-03(2009) Terminology Relating to Metallography, **03.01**
E8M Withdrawn 2008; Test Methods for Tension Testing of Metallic Materials [Metric]
E8/E8M-13a Test Methods for Tension Testing of Metallic Materials, **03.01**
E9-09 Test Methods of Compression Testing of Metallic Materials at Room Temperature, **03.01**
E10-12 Test Method for Brinell Hardness of Metallic Materials, **03.01**
E11-13 Specification for Woven Wire Test Sieve Cloth and Test Sieves, **14.02**
E12 Withdrawn 1996; Terminology Relating to Density and Specific Gravity of Solids, Liquids, and Gases; Replaced by E1547
E13 Withdrawn 1967; Definitions of Terms Relating to Screen (Sieve)
E14 Withdrawn 1983; Recommended Practice for Thermal Analysis of Metals and Alloys
E15 Withdrawn 1949; Methods of Radiographic Testing of Metal Castings
E16 Withdrawn 1978; Method of Free Bend Test for Ductility of Welds
E17 Withdrawn 1939; Specification for Sieves for Testing Purposes (Wire Cloth Sieves, Bound - Hole and Square - Hole Screens or Sieves)—Replaced by E11
E18-14 Test Methods for Rockwell Hardness of Metallic Materials, **03.01**
E19 Withdrawn 1962; Classification of Austenite Grain Size in Steels; Replaced by E112
E20 Withdrawn 1994; Practice for Particle Size Analysis of Particulate Substances in the Range of 0.2 to 75 Micrometres by Optical Microscopy
E21-09 Test Methods for Elevated Temperature Tension Tests of Metallic Materials, **03.01**
E22 Withdrawn 1959; Recommended Practice for Conducting Long-Time High-Temperature Tension Test of Metallic Materials; Replaced by E139
E23-12c Test Methods for Notched Bar Impact Testing of Metallic Materials, **03.01**
E24 Withdrawn 1968; Definitions of Terms Relating to Rheological Properties of Matter
E25 Withdrawn 1950; Method of Quantitative Spectrochemical Analysis of High Grade Pig Lead
E26 Withdrawn 1954; Method of Quantitative Spectrochemical Analysis of Zinc Base Alloy and High Grade Zinc by the Solution-d-c Arc Technique
E27 Withdrawn 1986; Method for Spectrographic Analysis of Zinc and Zinc Alloys by the Solution-Residue Technique
E28-99(2009) Test Methods for Softening Point of Resins Derived from Naval Stores by Ring-and-Ball Apparatus, **06.03**
E29-13 Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications, **14.02**
E30 Withdrawn 1995; Test Methods for Chemical Analysis of Steel, Cast Iron, Open-Hearth Iron, and Wrought Iron
E31 Withdrawn 1995; Methods for Chemical Analysis of Ferroalloys
E32-86(2006)ε1 Practices for Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, **03.05**
E33 Withdrawn 1959; Hardness Conversion Table for Cartridge Brass (Relationship Between Diamond Pyramid Hardness, Rockwell Hardness, and Brinell Hardness); Replaced by E140
E34-11ε1 Test Methods for Chemical Analysis of Aluminum and Aluminum-Base Alloys, **03.05**
E35 Withdrawn 2008; Test Methods for Chemical Analysis of Magnesium and Magnesium Alloys
E36 Withdrawn 1980; Methods for Chemical Analysis of Brasses; Replaced by E478
E37-05(2011) Test Methods for Chemical Analysis of Pig Lead, **03.05**
E38 Withdrawn 1989; Methods for Chemical Analysis of Nickel-Chromium and Nickel-Chromium-Iron Alloys; Replaced by E353
E39 Withdrawn 1995; Methods for Chemical Analysis of Nickel
E40 Withdrawn 1993; Test Method for Chemical Analysis of Slab Zinc (Spelter); Replaced by E536
E41-92(2010) Terminology Relating To Conditioning, **14.04**
E42 Redesignated G23
E43 Withdrawn 1962; Recommended Practice for Identification of Crystalline Materials by the Hanawalt X-Ray Diffraction Method
E44 Withdrawn 1993; Definitions of Terms Relating to Heat Treatment of Metals; Redesignated A919
E45-13 Test Methods for Determining the Inclusion Content of Steel, **03.01**
E46 Withdrawn 1994; Test Methods for Chemical Analysis of Lead- and Tin-Base Solder
E47 Withdrawn 1997; Test Methods for Chemical Analysis of Zinc Die-Casting Alloys
E48 Withdrawn 1959; Hardness Conversion Table for Steel (Relationship Between Diamond Pyramid Hardness, Rockwell Hardness, and Brinell Hardness); Replaced by E140
E49 Withdrawn 1950; Method of Spectrochemical Analysis of Lead Alloys for Minor Constituents and Impurities
E50-11 Practices for Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, **03.05**
E51 Withdrawn 1984; Method for Spectrographic Analysis of Tin Alloys by the Powder Technique
E52 Withdrawn 1969; Industrial Radiographic Terminology for Use in Radiographic Inspection of Castings and Weldments
E53-07(2013) Test Method for Determination of Copper in Unalloyed Copper by Gravimetry, **03.05**
E54 Withdrawn 2002; Test Methods for Chemical Analysis of Special Brasses and Bronzes
E55-11 Practice for Sampling Wrought Nonferrous Metals and Alloys for Determination of Chemical Composition, **03.05**
E56 Withdrawn 1994; Test Method for Chemical Analysis of Silver Brazing Alloys
E57 Withdrawn 1987; Methods for Chemical Analysis of White Metal Bearing Alloys
E58 Withdrawn 1951; Tentative Photometric Method for Determination of Bismuth in Pig Lead; Combined with E 37
E59 Withdrawn 1996; Practice for Sampling Steel and Iron for Determination of Chemical Composition
E60-11 Practice for Analysis of Metals, Ores, and Related Materials by Spectrophotometry, **03.05**
E61 Withdrawn 1950; Methods for Photometry for Chemical Analysis of Magnesium and Magnesium-Base Alloys; Redesignated E35
E62 Withdrawn 2010; Test Methods for Chemical Analysis of Copper and Copper Alloys (Photometric Methods)
E63 Withdrawn 1951; Tentative Photometric Method for Chemical Analysis of Copper-Nickel and Copper-Nickel-Zinc Alloys; Combined with E 75
E64 Withdrawn 1957; Photometric Methods for Determination of Iron in Slab Zinc (Spelter); Combined with E 40
E65 Withdrawn 1951; Method of Sampling Slab Zinc (Spelter)
E66 Withdrawn 1948; Method for Sampling Molybdenum Salts and Compounds for Metallurgical Use; Combined with A 146
E67 Withdrawn 1951; Tentative Photometric Method for Chemical Analysis of Lead, Tin, Antimony and Their Alloys
E68 Withdrawn 1980; Method for Polarographic Determination of Lead and Cadmium in Zinc
E69-02(2007) Test Method for Combustible Properties of Treated Wood by the Fire-Tube Apparatus, **04.10**
E70-07 Test Method for pH of Aqueous Solutions With the Glass Electrode, **15.05**
E71 Withdrawn 1974; Reference Radiographs for Steel Castings up to 2 in. in Thickness; Replaced by E446
E72-14a Test Methods of Conducting Strength Tests of Panels for Building Construction, **04.11**
E73-13 Practice for Static Load Testing of Truss Assemblies, **04.11**
E74-13a Practice of Calibration of Force-Measuring Instruments for Verifying the Force Indication of Testing Machines, **03.01**
E75 Withdrawn 2010; Test Methods for Chemical Analysis of Copper-Nickel and Copper-Nickel-Zinc Alloys
E76 Withdrawn 2003; Test Methods for Chemical Analysis of Nickel-Copper Alloys
E77-07 Test Method for Inspection and Verification of Thermometers, **14.03**
E78 Withdrawn 1953; Method of Compression Testing of Metallic Materials; Combined with E 9
E79 Withdrawn 1964; Methods for Estimating the Average Grain Size of Wrought Copper and Copper-Base Alloys; Replaced by E112
E80 Withdrawn 1986; Recommended Practice for Dilatometric Analysis of Metallic Materials; Replaced by E228
E81-96(2011) Test Method for Preparing Quantitative Pole Figures, **03.01**
E82-09 Test Method for Determining the Orientation of a Metal Crystal, **03.01**
E83-10a Practice for Verification and Classification of Extensometer Systems, **03.01**
E84-14 Test Method for Surface Burning Characteristics of Building Materials, **04.07**
E85 Withdrawn 1959; Recommended Practice for Conducting Time-for-Rupture-Tension Tests of Metallic Materials; Replaced by E139
E86 Withdrawn 1983; Methods for Chemical Analysis of Antimony
E87 Withdrawn 1984; Methods for Chemical Analysis of Lead, Tin, Antimony and Their Alloys (Photometric Method)
E88-11 Practice for Sampling Nonferrous Metals and Alloys in Cast Form for Determination of Chemical Composition, **03.05**
E89 Withdrawn 1962; Methods for Estimating the Average Ferrite Grain Size of Low-Carbon Steels; Replaced by E112
E90-09 Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, **04.06**
E91 Withdrawn 1962; Method for Estimating the Average Grain Size of Non-Ferrous Metals, Other Than Copper, and Their Alloys; Replaced by E112
E92 Withdrawn 2010; Test Method for Vickers Hardness of Metallic Materials; Replaced by E384
E93 Withdrawn 1959; Hardness Conversion Table for Nickel and High Nickel Alloys (Relationship Between Diamond Pyramid Hardness, Brinell Hardness, and Rockwell Hardness; Replaced by E140
E94-04(2010) Guide for Radiographic Examination, **03.03**
E95-68(2011) Specification for Cell-Type Oven with Controlled Rates of Ventilation, **14.04**
E96/E96M-13 Test Methods for Water Vapor Transmission of Materials, **04.06**
E97 Withdrawn 1992; Test Method for Directional Reflectance Factor, 45-° 0-°,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

of Opaque Specimens by Broad-Band Filter Reflectometry; Replaced by E1347
E98 Withdrawn 1965; Reference Radiographs for Inspection of Aluminum and Magnesium Castings; Replaced by E155
E99 Withdrawn 1973; Reference Radiographs for Steel Welds; Replaced by E390
E100-10 Specification for ASTM Hydrometers, **14.03**
E101 Withdrawn 1996; Test Method for Spectrographic Analysis of Aluminum and Aluminum Alloys by the Point-to-Plane Technique
E102/E102M-93(2009) Test Method for Saybolt Furol Viscosity of Bituminous Materials at High Temperatures, **04.04**
E103-12 Practice for Rapid Indentation Hardness Testing of Metallic Materials, **03.01**
E104-02(2012) Practice for Maintaining Constant Relative Humidity by Means of Aqueous Solutions, **11.07**
E105-10 Practice for Probability Sampling of Materials, **14.02**
E106 Withdrawn 2011; Test Methods for Chemical Analysis of Copper-Beryllium Alloys
E107 Withdrawn 2003; Test Methods for Chemical Analysis of Electronic Nickel
E108-11 Test Methods for Fire Tests of Roof Coverings, **04.07**
E109 Withdrawn 1981; Method for Dry Powder Magnetic Particle Inspection; Replaced by E709
E110-10 Test Method for Indentation Hardness of Metallic Materials by Portable Hardness Testers, **03.01**
E111-04(2010) Test Method for Young's Modulus, Tangent Modulus, and Chord Modulus, **03.01**
E112-13 Test Methods for Determining Average Grain Size, **03.01**
E113 Withdrawn 1981; Recommended Practice for Ultrasonic Testing by the Resonance Method
E114-10 Practice for Ultrasonic Pulse-Echo Straight-Beam Contact Testing, **03.03**
E115 Withdrawn 2003; Practice for Photographic Processing in Optical Emission Spectrographic Analysis
E116 Withdrawn 2002; Practice for Photographic Photometry in Spectrochemical Analysis
E117 Withdrawn 1995; Method for Spectrographic Analysis of Pig Lead by the Point-To-Plane Technique
E118 Withdrawn 2010; Test Methods for Chemical Analysis of Copper-Chromium Alloys
E119-12a Test Methods for Fire Tests of Building Construction and Materials, **04.07**
E120 Withdrawn 2003; Test Methods for Chemical Analysis of Titanium and Titanium Alloys
E121 Withdrawn 2010; Test Methods for Chemical Analysis of Copper-Tellurium Alloys
E122-09ε1 Practice for Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, **14.02**
E123-02(2012) Specification for Apparatus for Determination of Water by Distillation, **14.04**
E124-94(2010) Specification for Weighing and Drying Apparatus for Microchemical Analysis, **14.04**
E125-63(2013) Reference Photographs for Magnetic Particle Indications on Ferrous Castings, **03.03**
E126-13a Test Method for Inspection, Calibration, and Verification of ASTM Hydrometers, **14.03**
E127-10 Practice for Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, **03.03**
E128-99(2011) Test Method for Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, **14.04**
E129 Withdrawn 1999; Test Method for Spectrographic Analysis of Thermionic Nickel Alloys by the Powder Technique
E130 Withdrawn 2013; Practice for Designation of Shapes and Sizes of Graphite Electrodes
E131-10 Terminology Relating to Molecular Spectroscopy, **03.06**
E132-04(2010) Test Method for Poisson's Ratio at Room Temperature, **03.01**
E133-92(2010) Specification for Distillation Equipment, **14.04**
E134 Withdrawn 1987; Specification for Pensky-Martens Closed Flash Tester
E135-14a Terminology Relating to Analytical Chemistry for Metals, Ores, and Related Materials, **03.05**
E136-12 Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C, **04.07**
E137 Withdrawn 1992; Practice for Evaluation of Mass Spectrometers for Quantitative Analysis from a Batch Inlet
E138 Withdrawn 1981; Method for Wet Magnetic Particle Inspection; Replaced by E709
E139-11 Test Methods for Conducting Creep, Creep-Rupture, and Stress-Rupture Tests of Metallic Materials, **03.01**
E140-12bε1 Hardness Conversion Tables for Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness, **03.01**
E141-10 Practice for Acceptance of Evidence Based on the Results of Probability Sampling, **14.02**
E142 Withdrawn 2000; Method for Controlling Quality of Radiographic Testing; Replaced by E94
E143-13 Test Method for Shear Modulus at Room Temperature, **03.01**
E144-94(2011) Practice for Safe Use of Oxygen Combustion Bombs, **14.04**
E145-94(2011) Specification for Gravity-Convection and Forced-Ventilation Ovens, **14.04**
E146 Withdrawn 1991; Methods for Chemical Analysis of Zirconium and Zirconium Alloys
E147-61(2011) Specification for Apparatus for Microdetermination of Nitrogen by Kjeldahl Method, **14.04**
E148 Withdrawn 1987; Specification for Apparatus for Microdetermination of Nitrogen by the Dumas Method
E149 Withdrawn 1980; Method of Test for Bond Strength of Mortar to Masonry Units; Redesignated C952
E150 Withdrawn 1984; Recommended Practice for Conducting Creep and Creep-Rupture Tension Tests of Metallic Materials Under Conditions of Rapid Heating and Short Times
E151 Withdrawn 1984; Recommended Practice for Tension Tests of Metallic Materials at Elevated Temperatures with Rapid Heating and Conventional or Rapid Strain Rates
E152 Withdrawn 1995; Methods of Fire Tests of Door Assemblies
E153 Withdrawn 1967; Method of Test for Bulk Density of Abrasive Grains
E154/E154M-08a(2013)ε1 Test Methods for Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, **04.11**
E155-10 Reference Radiographs for Inspection of Aluminum and Magnesium Castings, **03.03**
E156 Withdrawn 1993; Test Method for Determination of Phosphorus In High-Phosphorus Brazing Alloys (Photometric Method)
E157 Withdrawn 1999; Practice for Assigning Crystallographic Phase Designations in Metallic Systems
E158 Withdrawn 2004; Practice for Fundamental Calculations to Convert Intensities into Concentrations in Optical Emission Spectrochemical Analysis
E159-10 Test Method for Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), **02.05**
E160 Withdrawn 1993; Test Method for Combustible Properties of Treated Wood by the Crib Test
E161-12 Specification for Precision Electroformed Sieves, **14.02**
E162-13 Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source, **04.07**
E163 Withdrawn 1995; Methods of Fire Tests of Window Assemblies
E164-13 Practice for Contact Ultrasonic Testing of Weldments, **03.03**
E165/E165M-12 Practice for Liquid Penetrant Examination for General Industry, **03.03**
E166 Withdrawn 1978; Recommended Practice for Goniophotometry of Transmitting Objects and Materials; Replaced by E167
E167 Withdrawn 2005; Practice for Goniophotometry of Objects and Materials
E168-06 Practices for General Techniques of Infrared Quantitative Analysis, **03.06**
E169-04(2014) Practices for General Techniques of Ultraviolet-Visible Quantitative Analysis, **03.06**
E170-10 Terminology Relating to Radiation Measurements and Dosimetry, **12.02**
E171/E171M-11 Practice for Conditioning and Testing Flexible Barrier Packaging, **15.10**
E172 Withdrawn 2001; Practice for Describing and Specifying the Excitation Source in Emission Spectrochemical Analysis
E173 Withdrawn 1997; Practice for Conducting Interlaboratory Studies of Methods for Chemical Analysis of Metals
E174 Withdrawn 1968; Method of Test for Oxygen in Molybdenum
E175-82(2010) Terminology of Microscopy, **03.01**
E176-14b Terminology of Fire Standards, **04.07**
E177-14 Practice for Use of the Terms Precision and Bias in ASTM Test Methods, **14.02**
E178-08 Practice for Dealing With Outlying Observations, **14.02**
E179-12 Guide for Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, **06.01**
E180 Withdrawn 2009; Practice for Determining the Precision of ASTM Methods for Analysis and Testing of Industrial and Specialty Chemicals
E181-10 Test Methods for Detector Calibration and Analysis of Radionuclides, **12.02**
E182 Withdrawn 1981; Methods for Analysis of Phosphorus-32
E183 Withdrawn 1975; Recommended Practice for Determining Changes in Chemical Reactivity of Inorganic Materials Exposed to High-Energy Radiation
E184 Withdrawn 2002; Practice for Effects of High-Energy Neutron Radiation on the Mechanical Properties of Metallic Materials, E706 (IB)
E185-10 Practice for Design of Surveillance Programs for Light-Water Moderated Nuclear Power Reactor Vessels, **12.02**
E186-10 Reference Radiographs for Heavy-Walled (2 to 4 1/2-in. (50.8 to 114-mm)) Steel Castings, **03.03**
E187 Withdrawn 1970; Recommended Practice for Conducting Natural Light (Sunlight and Daylight) Exposures Under Glass; Redesignated G24
E188 Withdrawn 1971; Recommended Practice for Operating Enclosed Carbon-Arc Type Apparatus for Light Exposure of Nonmetallic Materials; Replaced by G23
E189 Withdrawn 1988; Recommended Practice for Determining Temperature-Electrical Resistance Characteristics (EMF) of Metallic Materials
E190-92(2008) Test Method for Guided Bend Test for Ductility of Welds, **03.01**
E191-64(2011) Specification for Apparatus For Microdetermination of Carbon and, **14.04**
E192-13 Reference Radiographs of Investment Steel Castings for Aerospace Applications, **03.03**
E193-94(2010) Specification for Laboratory Glass Micropipets, **14.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E194-10 Test Method for Acid-Insoluble Content of Copper and Iron Powders, **02.05**
E195 Withdrawn 1984; Methods for Chemical Analysis of Reactor and Commercial Columbium
E196-06(2012) Practice for Gravity Load Testing of Floors and Low Slope Roofs, **04.11**
E197 Withdrawn 1981; Specification for Enclosures and Servicing Units for Tests Above and Below Room Temperature
E198 Withdrawn 1968; Method for Radiochemical Determination of Casium-137 in Aqueous Solutions
E199 Withdrawn 1966; Recommended Practice for Measuring Neutron Flux Environment for Reactor Irradiated Specimens; Replaced by E261 to E266
E200-08 Practice for Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, **15.05**
E201 Withdrawn 2001; Test Method for Calculation of Volume and Weight of Industrial Chemical Liquids
E202-12 Test Methods for Analysis of Ethylene Glycols and Propylene Glycols, **15.05**
E203-08 Test Method for Water Using Volumetric Karl Fischer Titration, **15.05**
E204 Withdrawn 2014; Practices for Identification of Material by Infrared Absorption Spectroscopy, Using the ASTM Coded Band and Chemical Classification Index
E205-96(2010) Specification for Glass and Oxygen Combustion Flask, **14.04**
E206 Withdrawn 1988; Definitions of Terms Relating to Fatigue Testing and the Statistical Analysis of Fatigue Data; Replaced by E1150
E207-08 Test Method for Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, **14.03**
E208-06(2012) Test Method for Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, **03.01**
E209-00(2010) Practice for Compression Tests of Metallic Materials at Elevated Temperatures with Conventional or Rapid Heating Rates and Strain Rates, **03.01**
E210-63(2010) Specification for Microscope Objective Thread, **14.04**
E211-82(2010) Specification for Cover Glasses and Glass Slides for Use in Microscopy, **14.04**
E212 Withdrawn 1997; Test Method for Spectrographic Analysis of Carbon and Low-Alloy Steel by the Rod-to-Rod Technique
E213-14 Practice for Ultrasonic Testing of Metal Pipe and Tubing, **03.03**
E214 Withdrawn 2007; Practice for Immersed Ultrasonic Testing by the Reflection Method Using Pulsed Longitudinal Waves
E215-11 Practice for Standardizing Equipment for Electromagnetic Testing of Seamless Aluminum-Alloy Tube, **03.03**
E216 Withdrawn 1969; Recommended Practice for Measuring Coating Thickness by Magnetic or Electromagnetic Methods; Replaced by E376
E217 Withdrawn 1992; Test Method for Uranium by Controlled-Potential Coulometry
E218 Withdrawn 1968; Method for Radiochemical Determination of Cesium-137 in Aqueous Solutions (Chloroplatinate Method)
E219 Withdrawn 2001; Test Method for Atom Percent Fission in Uranium Fuel (Radiochemical Method)
E220-13 Test Method for Calibration of Thermocouples By Comparison Techniques, **14.03**
E221 Withdrawn 1968; Definitions of Terms Relating to Carbon Paper and Luked Ribbon Products and Images Made Therefrom; Redesignated F221
E222-10 Test Methods for Hydroxyl Groups Using Acetic Anhydride Acetylation, **15.05**
E223-08 Test Methods for Analysis of Sulfuric Acid, **15.05**
E224-08 Test Methods for Analysis of Hydrochloric Acid, **15.05**
E225 Withdrawn 1983; Method for Spectrographic Determination of Magnesium in Cast Iron by the Solution-Rotating Disk Technique
E226 Withdrawn 1987; Method for Spectrochemical Analysis of Magnesium Alloys for Calcium by Flame Photometry
E227 Withdrawn 2002; Test Method for Optical Emission Spectrometric Analysis of Aluminum and Aluminum Alloys by the Point-to-Plane Technique
E228-11 Test Method for Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, **14.02**
E229 Withdrawn 2003; Test Method for Shear Strength and Shear Modulus of Structural Adhesives
E230/E230M-12 Specification and Temperature-Electromotive Force (emf) Tables for Standardized Thermocouples, **14.03**
E231 Withdrawn 1985; Method for Static Determination of Young's Modulus of Metals at Low and Elevated Temperatures
E232 Redesignated F232
E233 Withdrawn 1996; Test Method for Assay of n-Butyllithium Solutions
E234 Withdrawn 2009; Test Method for Total Bromine Number of Unsaturated Aliphatic Chemicals
E235/E235M-12 Specification for Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, **14.03**
E236-66(2011) Specification for Apparatus for Microdetermination of Alkoxyl Groups, **14.04**
E237-02(2012) Specification for Laboratory Glass Microvolumetric Vessels (Volumetric Flasks and Centrifuge Tubes), **14.04**
E238-12 Test Method for Pin-Type Bearing Test of Metallic Materials, **03.01**
E239 Redesignated G26
E240 Redesignated G27
E241-09(2014)$^{\epsilon 1}$ Guide for Limiting Water-Induced Damage to Buildings, **04.11**
E242-01(2010) Reference Radiographs for Appearances of Radiographic Images as Certain Parameters are Changed, **03.03**
E243-13 Practice for Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes, **03.03**
E244 Withdrawn 2001; Test Method for Atom Percent Fission in Uranium and Plutonium Fuel (Mass Spectrometric Method)
E245 Withdrawn 1968; Method for Colorimetric Determination of Uranium in Aqueous Solutions; Replaced by E318
E246-10 Test Methods for Determination of Iron in Iron Ores and Related Materials by Dichromate Titrimetry, **03.05**
E247-01(2010) Test Method for Determination of Silica in Manganese Ores, Iron Ores, and Related Materials by Gravimetry, **03.05**
E248-12 Test Method for Determination of Manganese in Manganese Ores by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, **03.05**
E249 Withdrawn 1974; Specification for Standard Tire for Pavement Skid Resistance Tests; Replaced by E112
E250 Withdrawn 2014; Practice for Use of CODEN
E251-92(2009) Test Methods for Performance Characteristics of Metallic Bonded Resistance Strain Gauges, **03.01**
E252-06(2013) Test Method for Thickness of Foil, Thin Sheet, and Film by Mass Measurement, **02.02**
E253-13a Terminology Relating to Sensory Evaluation of Materials and Products, **15.08**
E254 Redesignated F254
E255-07 Practice for Sampling Copper and Copper Alloys for the Determination of Chemical Composition, **03.05**
E256-09 Test Method for Chlorine in Organic Compounds by Sodium Peroxide Bomb Ignition, **15.05**
E257 Withdrawn 2009; Test Method for Sulfur in Organic Compounds by Sodium Peroxide Bomb Ignition
E258-07 Test Method for Total Nitrogen in Organic Materials by Modified Kjeldahl Method, **15.05**
E259-06(2011) Practice for Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, **06.01**
E260-96(2011) Practice for Packed Column Gas Chromatography, **03.06**
E261-10 Practice for Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, **12.02**
E262-13 Test Method for Determining Thermal Neutron Reaction Rates and Thermal Neutron Fluence Rates by Radioactivation Techniques, **12.02**
E263-13 Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Iron, **12.02**
E264-08(2013) Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel, **12.02**
E265-07(2013) Test Method for Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, **12.02**
E266-11 Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Aluminum, **12.02**
E267 Withdrawn 2006; Test Method for Uranium and Plutonium Concentrations and Isotopic Abundances
E268 Withdrawn 1991; Terminology Relating to Electromagnetic Testing; Replaced by E1316
E269 Withdrawn 1991; Definitions of Terms Relating to Magnetic Particle Examination; Replaced by E1316
E270 Withdrawn 1991; Terminology Relating to Liquid Penetrant Examination; Replaced by E1316
E271 Withdrawn 2003; Test Methods for Analysis of Aqueous Hydrofluoric Acid
E272-10 Reference Radiographs for High-Strength Copper-Base and Nickel-Copper Alloy Castings, **03.03**
E273-10 Practice for Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing, **03.03**
E274/E274M-11 Test Method for Skid Resistance of Paved Surfaces Using a Full-Scale Tire, **04.03**
E275-08(2013) Practice for Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, **03.06**
E276-13 Test Method for Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Finer for Metal-Bearing Ores and Related Materials, **03.05**
E277 Withdrawn 1990; Test Method for Total Iron in Iron Ores by Stannous Chloride Reduction and Dichromate Titration
E278-01(2010)$^{\epsilon 1}$ Test Method for Determination of Phosphorus in Iron Ores by Phosphomolybdate Coprecipitation and Nitric Acid Titrimetry, **03.05**
E279-97(2010) Test Method for Determination of Abrasion Resistance of Iron Ore Pellets and Sinter by the Tumbler Test, **03.05**
E280-10 Reference Radiographs for Heavy-Walled (4 1/2 to 12-in. (114 to 305-mm)) Steel Castings, **03.03**
E281 Withdrawn 1983; Method for Spectrographic Analysis of Carbon and Low-Alloy Steel by the Pellet Technique
E282 Withdrawn 1983; Method for Spectrographic Analysis of Carbon and Low-Alloy Steel by the Point-to-Plane Technique
E283-04(2012) Test Method for Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, **04.11**
E284-13a Terminology of Appearance, **06.01**
E285-08 Test Method for Oxyacetylene Ablation Testing of Thermal Insulation Materials, **15.03**
E286 Withdrawn 1991; Test Method for Surface Flammability of Building Materials Using an 8-ft (2.44-m) Tunnel Furnace
E287-02(2012) Specification for Laboratory Glass Graduated Burets, **14.04**
E288-10 Specification for Laboratory Glass Volumetric Flasks, **14.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E289-04(2010) Test Method for Linear Thermal Expansion of Rigid Solids with Interferometry, **14.02**
E290-13 Test Methods for Bend Testing of Material for Ductility, **03.01**
E291-09 Test Methods for Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), **15.05**
E292-09$^{\epsilon 1}$ Test Methods for Conducting Time-for-Rupture Notch Tension Tests of Materials, **03.01**
E293 Withdrawn 1997; Test Method for Spectographic Determination of Acid-Soluble Aluminum in Low-Alloy Steel by the Solution Technique
E294 Withdrawn 2000; Test Method for Effective Pumping Speed of Vacuum Chamber Systems
E295-82(2014) Test Method for Measured Speed of Oil Diffusion Pumps, **15.03**
E296-70(2010) Practice for Ionization Gage Application to Space Simulators, **15.03**
E297 Withdrawn 1984; Methods for Calibrating Ionization Vacuum Gage Tubes
E298-08 Test Methods for Assay of Organic Peroxides, **15.05**
E299-08 Test Method for Trace Amounts of Peroxides In Organic Solvents, **15.05**
E300-03(2009) Practice for Sampling Industrial Chemicals, **15.05**
E301 Withdrawn 2001; Test Method for Total Acidity of Organic Acids
E302 Withdrawn 2001; Test Methods for Monobasic Organic Acids
E303-93(2013) Test Method for Measuring Surface Frictional Properties Using the British Pendulum Tester, **04.03**
E304 Withdrawn 1992; Practice for Use and Evaluation of Spark Source Mass Spectrometers for Analysis of Solids
E305-13 Practice for Establishing and Controlling Atomic Emission Spectrochemical Analytical Curves, **03.05**
E306 Withdrawn 1989; Method for Absolute Calibration of Reflectance Standards
E307-72(2014) Test Method for Normal Spectral Emittance at Elevated Temperatures, **15.03**
E308-13 Practice for Computing the Colors of Objects by Using the CIE System, **06.01**
E309-11 Practice for Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation, **03.03**
E310-10 Reference Radiographs for Tin Bronze Castings, **03.03**
E311 Withdrawn 1982; Recommended Practice for Sampling and Sample Preparation Techniques in Spectrochemical Analysis
E312-06(2011) Practice for Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), **06.01**
E313-10 Practice for Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, **06.01**
E314-10 Test Methods for Determination of Manganese in Iron Ores by Pyrophosphate (Potentiometric) and Periodate (Photometric) Techniques, **03.05**
E315 Withdrawn 2010; Test Methods for Chemical Analysis of Molybdenum
E316-11 Test Method for Determination of Iron in Manganese Ores by Hydrogen Sulfide Reduction-Dichromate Titrimetry, **03.05**
E317-11 Practice for Evaluating Performance Characteristics of Ultrasonic Pulse-Echo Testing Instruments and Systems without the Use of Electronic Measurement Instruments, **03.03**
E318 Withdrawn 1996; Test Method for Uranium in Aqueous Solutions by Colorimetry
E319-85(2008) Practice for the Evaluation of Single-Pan Mechanical Balances, **14.04**
E320 Withdrawn 1993; Test Method for Cesium-137 in Nuclear Fuel Solutions by Radiochemical Analysis
E321-96(2012) Test Method for Atom Percent Fission in Uranium and Plutonium Fuel (Neodymium-148 Method), **12.01**
E322-12 Test Method for Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, **03.05**
E323-11 Specification for Perforated-Plate Sieves for Testing Purposes, **14.02**
E324 Withdrawn 2001; Test Method for Relative Initial and Final Melting Points and the Melting Range of Organic Chemicals
E325 Withdrawn 1996; Test Method for Silicon in Organic Compounds byPeroxide Bomb Ignition
E326 Withdrawn 2001; Test Method for Hydroxyl Groups by Phthalic Anhydride Esterification
E327 Withdrawn 1999; Test Method for Optical Emission Spectrometric Analysis of Stainless Type 18-8 Steels by the Point-to-Plane Technique
E328-13 Test Methods for Stress Relaxation for Materials and Structures, **03.01**
E329-14a Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection, **04.02**
E330/E330M-14 Test Method for Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, **04.11**
E331-00(2009) Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, **04.11**
E332 Withdrawn 1977; Recommended Practice for Combined Simulated Space-Environment Testing of Thermal Control Materials; Replaced by E512
E333 Withdrawn 1977; Recommended Practice for Testing Thermal Control Coatings with Simulated 2000 to 4000 A Solar Ultraviolet Radiation; Replaced by E512
E334-01(2013) Practice for General Techniques of Infrared Microanalysis, **03.06**
E335 Withdrawn 2002; Test Method for Hydroxyl Groups by Pyromellitic Dianhydride Esterification
E336-14 Test Method for Measurement of Airborne Sound Attenuation between Rooms in Buildings, **04.06**
E337-02(2007) Test Method for Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), **11.07**
E338 Withdrawn 2010; Test Method of Sharp-Notch Tension Testing of High-Strength Sheet Materials
E339 Withdrawn 1993; Test Method for Discrimination of Differences in the Production of Alcoholic Beverages by the Duo-Trio Method
E340-13 Test Method for Macroetching Metals and Alloys, **03.01**
E341-08 Practice for Measuring Plasma Arc Gas Enthalpy by Energy Balance, **15.03**
E342-11 Test Method for Determination of Chromium Oxide in Chrome Ores by Permanganate Titrimetry, **03.05**
E343 Withdrawn 2002; Test Method for Measuring Reaction Rates by Analysis of Molybdenum-99 Radioactivity From Fission Docimeters
E344-13 Terminology Relating to Thermometry and Hydrometry, **14.03**
E345-93(2013)$^{\epsilon 1}$ Test Methods of Tension Testing of Metallic Foil, **03.01**
E346-08$^{\epsilon 1}$ Test Methods for Analysis of Methanol, **15.05**
E347 Withdrawn 2003; Test Method for Ash in Polybasic Acids
E348 Withdrawn 2000; Practices for Man-Rated Space Facilities
E349-06(2014) Terminology Relating to Space Simulation, **15.03**
E350-12 Test Methods for Chemical Analysis of Carbon Steel, Low-Alloy Steel, Silicon Electrical Steel, Ingot Iron, and Wrought Iron, **03.05**
E351-13 Test Methods for Chemical Analysis of Cast Iron—All Types, **03.05**
E352-13 Test Methods for Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, **03.05**
E353-93(2006) Test Methods for Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, **03.05**
E354-93(2006) Test Methods for Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, **03.05**
E355-96(2014) Practice for Gas Chromatography Terms and Relationships, **03.06**
E356 Withdrawn 2001; Practices for Describing and Specifying the Spectrograph
E357 Withdrawn 2009; Test Method for Phosphorus in Organic Compounds by Sodium Peroxide Bomb Ignition
E358 Withdrawn 2000; Test Methods for Analysis of Phosphoric Acid
E359-10 Test Methods for Analysis of Soda Ash (Sodium Carbonate), **15.05**
E360 Withdrawn 2006; Test Methods for Chemical Analysis of Silicon and Ferrosilicon
E361 Withdrawn 2005; Test Methods for the Determination of Arsenic and Lead in Ferromanganese
E362 Withdrawn 2005; Test Methods for the Determination of Arsenic and Lead in Silicomanganese and Ferrosilicon Manganese
E363-09 Test Methods for Chemical Analysis of Chromium and Ferrochromium, **03.05**
E364 Withdrawn 2006; Test Methods for Chemical Analysis of Ferrochrome-Silicon
E365 Withdrawn 2005; Test Method for the Determination of Vanadium in Ferrovanadium and Vanadium Alloying Additives
E366 Not Assigned
E367-09 Test Methods for Chemical Analysis of Ferroniobium, **03.05**
E368 Withdrawn 1998; Method for Chemical Analysis of Ferromolybdenum
E369 Not Assigned
E370 Not Assigned
E371 Withdrawn 2006; Test Method for The Determination of Boron in Ferroboron
E372-13 Test Method for Determination of Calcium and Magnesium in Magnesium Ferrosilicon by EDTA Titration, **03.05**
E373 Not Assigned
E374 Not Assigned
E375 Withdrawn 1992; Definitions of Terms Relating To Resinography
E376-11 Practice for Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, **03.03**
E377-08 Practice for Internal Temperature Measurements in Low-Conductivity Materials, **15.03**
E378 Withdrawn 2004; Test Method for Spectrographic Analysis of Silver by the Powder Technique
E379 Withdrawn 1987; Specification for Apparatus for Direct Microdetermination of Oxygen in Organic Compounds
E380 Withdrawn 1997; Practice for Use of the International System of Units (SI) (the Modernized Metric System); Replaced by IEEE/ASTM SI-10
E381-01(2012) Method of Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, **03.01**
E382-12 Test Method for Determination of Crushing Strength of Iron Ore Pellets, **03.05**
E383 Withdrawn 1993; Method for X-Ray Emission Spectrometric Determination of Tungsten in Nickel-Tungsten Alloys
E384-11$^{\epsilon 1}$ Test Method for Knoop and Vickers Hardness of Materials, **03.01**
E385-11 Test Method for Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, **12.02**
E386-90(2011) Practice for Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (NMR) Spectroscopy, **03.06**
E387-04(2014) Test Method for Estimating Stray Radiant Power Ratio of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Dispersive Spectrophotometers by the Opaque Filter Method, **03.06**
E388-04(2009) Test Method for Wavelength Accuracy and Spectral Bandwidth of Fluorescence Spectrometers, **03.06**
E389-13 Test Method for Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Coarser for Metal-Bearing Ores and Related Materials, **03.05**
E390-11 Reference Radiographs for Steel Fusion Welds, **03.03**
E391 Withdrawn 1999; Practice for Presentation of Phase Diagrams
E392 Withdrawn 1980; Recommended Practice for Equipment for Conditioned Atmospheres: Temperatures and Relative Humidity
E393-13 Test Method for Measuring Reaction Rates by Analysis of Barium-140 From Fission Dosimeters, **12.02**
E394-09 Test Method for Iron in Trace Quantities Using the 1,10-Phenanthroline Method, **15.05**
E395 Withdrawn 2007; Test Method for Determination of Total Sulfur in Iron Ores and Related Materials by Combustion-Iodate Titration; Replaced by E1915
E396-12$^{\epsilon 1}$ Test Methods for Chemical Analysis of Cadmium, **03.05**
E397 Withdrawn 1984; Methods for Chemical Analysis of Tungsten
E398-13 Test Method for Water Vapor Transmission Rate of Sheet Materials Using Dynamic Relative Humidity Measurement, **15.10**
E399-12$^{\epsilon 3}$ Test Method for Linear-Elastic Plane-Strain Fracture Toughness K, **03.01**
E400 Withdrawn 2007; Test Method for Analysis of Ores, Minerals, and Rocks by Fire Assay Preconcentration Atomic Emission Spectrometry
E401 Withdrawn 1996; Practice for Bonding Thin Spectrochemical Samples and Standards to a Greater Mass of Material
E402 Withdrawn 2007; Test Method for Spectrographic Analysis of Uranium Oxide (U_3O_8) by Gallium Oxide-Carrier Technique
E403 Withdrawn 1995; Test Method for Optical Emission Spectrometric Analysis of Carbon and Low-Alloy Steel by the Point-To-Plane Technique; Replaced by E415
E404 Withdrawn 2006; Test Method for Spectrographic Determination of Boron In Carbon and Low Alloy Steel by the Point-To-Plane Technique
E405-04(2012) Test Methods for Wear Testing Rotary Operators for Windows, **04.11**
E406-81(2012) Practice for Using Controlled Atmospheres in Spectrochemical Analysis, **03.05**
E407-07$^{\epsilon 1}$ Practice for Microetching Metals and Alloys, **03.01**
E408-13 Test Methods for Total Normal Emittance of Surfaces Using Inspection-Meter Techniques, **15.03**
E409 Withdrawn 2002; Practice for Description and Performance of the Microphotometer
E410-08 Test Method for Moisture and Residue in Liquid Chlorine, **15.05**
E411-12 Test Method for Trace Quantities of Carbonyl Compounds with 2,4-Dinitrophenylhydrazine, **15.05**
E412 Withdrawn 1996; Test Method for Assay of Liquid Chlorine (Zinc Amalgam Method); Replaced by E1746
E413-10 Classification for Rating Sound Insulation, **04.06**
E414 Withdrawn 1994; Test Method for Spectrographic Analysis of Copper by the Briquet Technique
E415-14 Test Method for Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, **03.05**
E416 Withdrawn 2005; Practice for Planning and Safe Operation of a Spectrochemical Laboratory
E417 Withdrawn 1977; Method for Colorimetric Determination of Technetium in Aqueous Solutions; Replaced by E321
E418 Withdrawn 1984; Method for Fast-Neutron Flux Measurements by Track-Etch Techniques; Replaced by E854
E419 Withdrawn 1983; Guide for Selection of Neutron Activation Detector Materials; Replaced by E844
E420 Withdrawn 1982; Specification for Sheathed Electrical Resistance Heater
E421 Withdrawn 1997; Test Method for Spectrographic Determination of Silicon and Aluminum in High-Purity Iron
E422-05(2011) Test Method for Measuring Heat Flux Using a Water-Cooled Calorimeter, **15.03**
E423-71(2014) Test Method for Normal Spectral Emittance at Elevated Temperatures of Nonconducting Specimens, **15.03**
E424-71(2007) Test Methods for Solar Energy Transmittance and Reflectance (Terrestrial) of Sheet Materials, **12.02**
E425 Withdrawn 1991; Terminology Relating to Leak Testing; Replaced by E1316
E426-12 Practice for Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, **03.03**
E427 Withdrawn 2013; Practice for Testing for Leaks Using the Halogen Leak Detector Alkali-Ion Diode
E428-08(2013) Practice for Fabrication and Control of Metal, Other than Aluminum, Reference Blocks Used in Ultrasonic Testing, **03.03**
E430-11 Test Methods for Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, **06.01**
E431-96(2011) Guide to Interpretation of Radiographs of Semiconductors and Related Devices, **03.03**
E432-91(2011) Guide for Selection of a Leak Testing Method, **03.03**
E433-71(2013) Reference Photographs for Liquid Penetrant Inspection, **03.03**
E434-10 Test Method for Calorimetric Determination of Hemispherical Emittance and the Ratio of Solar Absorptance to Hemispherical Emittance Using Solar Simulation, **15.03**
E435 Withdrawn 1995; Test Method for Acetic Anhydride Content (Assay) of Acetic Anhydride
E436-03(2008) Test Method for Drop-Weight Tear Tests of Ferritic Steels, **03.01**
E437 Withdrawn 2000; Specification for Industrial Wire Cloth and Screens (Square Opening Series); Replaced by E2016
E438-92(2011) Specification for Glasses in Laboratory Apparatus, **14.04**
E439-10 Test Methods for Chemical Analysis of Beryllium, **03.05**
E440 Withdrawn 1994; Test Method for Traces of Peroxides in Organic Solvents with N′N′-Diphenyl-p-Phenylenediamine
E441 Withdrawn 1996; Test Method for Vinyl Unsaturation in Organic Compounds With Mercuric Acetate
E442 Withdrawn 1996; Test Method for Chlorine, Bromine, or Iodine in Organic Compounds by Oxygen Flask Combustion
E443 Withdrawn 1996; Test Method for Sulfur in Organic Compounds by Oxygen Flask Combustion
E444-09 Guide for Scope of Work of Forensic Document Examiners, **14.02**
E445/E445M-88(2013) Test Method for Stopping Distance on Paved Surfaces Using a Passenger Vehicle Equipped With Full-Scale Tires, **04.03**
E446-10 Reference Radiographs for Steel Castings Up to 2 in. (50.8 mm) in Thickness, **03.03**
E448-82(2008) Practice for Scleroscope Hardness Testing of Metallic Materials, **03.01**
E449-08(2013) Test Methods for Analysis of Calcium Chloride, **15.05**
E450 Withdrawn 1993; Method for Measurement of Color of Low-Colored Clear Liquids Using the Hunterlab Color Difference Meter
E451 Withdrawn 1988; Practice for Testing Pavement Polishing in the Laboratory (Full-Scale Wheel Method)
E452-02(2013) Test Method for Calibration of Refractory Metal Thermocouples Using a Radiation Thermometer, **14.03**
E453 Withdrawn 2008; Practice for Examination of Fuel Element Cladding Including the Determination of the Mechanical Properties
E454-12 Specification for Industrial Perforated Plate and Screens (Square Opening Series), **14.02**
E455-11 Test Method for Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings, **04.11**
E456-13a$^{\epsilon 1}$ Terminology Relating to Quality and Statistics, **14.02**
E457-08 Test Method for Measuring Heat-Transfer Rate Using a Thermal Capacitance (Slug) Calorimeter, **15.03**
E458-08 Test Method for Heat of Ablation, **15.03**
E459-05(2011) Test Method for Measuring Heat Transfer Rate Using a Thin-Skin Calorimeter, **15.03**
E460-12 Practice for Determining Effect of Packaging on Food and Beverage Products During Storage, **15.08**
E461 Withdrawn 1992; Practice for Sensory Evaluation of Industrial and Institutional Food Purchase
E462 Withdrawn 1998; Test Method for Odor and Taste Transfer from Packaging Film; Replaced by E1870
E463-09 Test Method for Determination of Silica in Fluorspar by Silico-Molybdate Visible Spectrometry, **03.05**
E464 Withdrawn 1986; Method of Test for Aluminum Oxide in Iron Ores
E465-11 Test Methods for Determination of Manganese (IV) in Manganese Ores by Redox Titrimetry, **03.05**
E466-07 Practice for Conducting Force Controlled Constant Amplitude Axial Fatigue Tests of Metallic Materials, **03.01**
E467-08$^{\epsilon 1}$ Practice for Verification of Constant Amplitude Dynamic Forces in an Axial Fatigue Testing System, **03.01**
E468-11 Practice for Presentation of Constant Amplitude Fatigue Test Results for Metallic Materials, **03.01**
E469 Withdrawn 1982; Measuring Heat Flux Using a Multiple-Wafer Calorimeter
E470 Withdrawn 1982; Measuring Gas Enthalpy Using Calorimeter Probes
E471-96(2011) Test Method for Obtaining Char Density Profile of Ablative Materials by Machining and Weighing, **15.03**
E472 Withdrawn 1995; Practice for Reporting Thermoanalytical Data
E473-11a Terminology Relating to Thermal Analysis and Rheology, **14.02**
E474 Withdrawn 1986; Method for Evaluation of Temperature Scale for Differential Thermal Analysis
E475-10 Test Method for Assay of Di-*tert*-Butyl Peroxide Using Gas Chromatography, **15.05**
E476 Withdrawn 2008; Test Method for Thermal Instability of Confined Condensed Phase Systems (Confinement Test)
E477-13 Test Method for Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, **04.06**
E478-08 Test Methods for Chemical Analysis of Copper Alloys, **03.05**
E479 Withdrawn 2014; Guide for Preparation of a Leak Testing Specification
E480 Withdrawn 1993; Practice for Establishing Conditions for Laboratory Sensory Evaluation of Foods And Beverages
E481-10 Test Method for Measuring Neutron Fluence Rates by Radioactivation of Cobalt and Silver, **12.02**
E482-11$^{\epsilon 1}$ Guide for Application of Neutron Transport Methods for Reactor Vessel Surveillance, E706 (IID), **12.02**
E483 Withdrawn 1989; Method for Spectrographic Analysis of Nickel Alloys by the Silver Chloride-Lithium Fluoride Carrier Technique
E484 Withdrawn 1983; Method for Optical Emission Spectrometric Analysis of Steel by the Solution-Reservoir Cup Technique
E485 Withdrawn 2011; Test Method for Optical Emission Vacuum Spectrometric Analysis of Blast Furnace Iron by the Point-to-Plane Technique
E486 Withdrawn 1991; Method for Spectrographic Analysis of Admiralty Metal by the Cast Pin and Point-to-Plane Technique
E487-14 Test Method for Constant-Temperature Stability of Chemical Materials, **14.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E488/E488M-10 Test Methods for Strength of Anchors in Concrete Elements, **04.11**
E489 Withdrawn 2005; Test Method for Tensile Strength Properties of Metal Connector Plates
E490-00a(2014) Standard Solar Constant and Zero Air Mass Solar Spectral Irradiance Tables, **15.03**
E491-73(2010) Practice for Solar Simulation for Thermal Balance Testing of Spacecraft, **15.03**
E492-09 Test Method for Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine, **04.06**
E493/E493M-11 Practice for Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, **03.03**
E494-10 Practice for Measuring Ultrasonic Velocity in Materials, **03.03**
E495 Withdrawn 1991; Test Method for Fission Zirconium in Irradiated Nuclear Fuels by Spectrophotometry
E496-14$^{\epsilon 1}$ Test Method for Measuring Neutron Fluence and Average Energy from, **12.02**
E497 Withdrawn 2008; Practice for Installing Sound-Isolating Lightweight Partitions
E498/E498M-11 Practice for Leaks Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Tracer Probe Mode, **03.03**
E499/E499M-11 Practice for Leaks Using the Mass Spectrometer Leak Detector in the Detector Probe Mode, **03.03**
E500 Withdrawn 1991; Terminology Relating to Ultrasonic Examination; Replaced by E1316
E501-08 Specification for Standard Rib Tire for Pavement Skid-Resistance Tests, **04.03**
E502-07(2013) Test Method for Selection and Use of ASTM Standards for the Determination of Flash Point of Chemicals by Closed Cup Methods, **14.02**
E503/E503M Withdrawn 2010; Test Methods for Measurement of Skid Resistance on Paved Surfaces Using a Passenger Vehicle Diagonal Braking Technique
E504 Withdrawn 1998; Practice for Selection of Electrode Material Used in Optical Emission Spectroscopy Based on Physical Properties
E505-01(2011) Reference Radiographs for Inspection of Aluminum and Magnesium Die Castings, **03.03**
E506-08 Test Method for Mercury in Liquid Chlorine, **15.05**
E507-13 Test Method for Determination of Aluminum in Iron Ores by Flame Atomic Absorption Spectrometry, **03.05**
E508-13 Test Method for Determination of Calcium and Magnesium in Iron Ores by Flame Atomic Absorption Spectrometry, **03.05**
E509/E509M-14 Guide for In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels, **12.02**
E510 Withdrawn 1985; Recommended Practice for Determining Pavement Surface Frictional and Polishing Characteristics Using a Small Torque Device
E511-07 Test Method for Measuring Heat Flux Using a Copper-Constantan Circular Foil, Heat-Flux Transducer, **15.03**
E512-94(2010) Practice for Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, **15.03**
E513 Withdrawn 1988; Definitions of Terms Relating to Constant-Amplitude, Low-Cycle Fatigue Testing; Replaced by E1150
E514/E514M-14 Test Method for Water Penetration and Leakage Through Masonry, **04.05**
E515-11 Practice for Leaks Using Bubble Emission Techniques, **03.03**
E516-95a(2013) Practice for Testing Thermal Conductivity Detectors Used in Gas Chromatography, **03.06**
E517-00(2010) Test Method for Plastic Strain Ratio, **03.01**
E518/E518M-10 Test Methods for Flexural Bond Strength of Masonry, **04.05**
E519/E519M-10 Test Method for Diagonal Tension (Shear) in Masonry Assemblages, **04.05**
E520-08 Practice for Describing Photomultiplier Detectors in Emission and Absorption Spectrometry, **03.05**
E521-96(2009)$^{\epsilon 1}$ Practice for Neutron Radiation Damage Simulation by Charged-Particle Irradiation, **12.02**
E522 Withdrawn 1984; Method for Calibration of Germanium Detectors for Measurement of Gamma-Ray Emission Rates of Radionuclides; Replaced by E181
E523-11 Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Copper, **12.02**
E524-08 Specification for Standard Smooth Tire for Pavement Skid-Resistance Tests, **04.03**
E525 Withdrawn 2001; Practice for Reporting Dosimetry Results on Nuclear Graphite
E526-08(2013) Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Titanium, **12.02**
E527-12 Practice for Numbering Metals and Alloys in the Unified Numbering System (UNS), **01.01**
E528 Withdrawn 1998; Practices for Grounding Basic Optical Emission Spectrochemical Equipment
E529-04(2011) Guide for Conducting Flexural Tests on Beams and Girders for Building Construction, **04.11**
E530 Not Assigned
E531-13 Practice for Surveillance Testing of High-Temperature Nuclear Component Materials, **12.02**
E532 Not Assigned
E533 Withdrawn 2003; Test Method for Trace Amounts of Arsenic in Inorganic Industrial Chemicals
E534-13 Test Methods for Chemical Analysis of Sodium Chloride, **15.05**
E535-14 Practice for Preparation of Fire-Test-Response Standards, **04.07**
E536-08 Test Methods for Chemical Analysis of Zinc and Zinc Alloys, **03.05**
E537-12 Test Method for The Thermal Stability of Chemicals by Differential Scanning Calorimetry, **14.02**
E538-98(2008) Test Methods for Mercury in Caustic Soda (Sodium Hydroxide) and Caustic Potash (Potassium Hydroxide), **15.05**
E539-11 Test Method for Analysis of Titanium Alloys by X-Ray Fluorescence Spectrometry, **03.05**
E540 Withdrawn 1980; Definitions of Terms Relating to Building Construction; Combined with E 631
E541-10 Specification for Agencies Engaged in System Analysis and Compliance Assurance for Manufactured Building, **14.02**
E542-01(2012) Practice for Calibration of Laboratory Volumetric Apparatus, **14.04**
E543-13 Specification for Agencies Performing Nondestructive Testing, **03.03**
E544-10 Practices for Referencing Suprathreshold Odor Intensity, **15.08**
E545-14 Test Method for Determining Image Quality in Direct Thermal Neutron Radiographic Examination, **03.03**
E546-08 Test Method for Frost/Dew Point of Sealed Insulating Glass Units, **04.11**
E547-00(2009) Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, **04.11**
E548 Withdrawn 2003; Guide for General Criteria Used for Evaluating Laboratory Competence
E549-87(2008) Guide for Preparing Field Sprayer Calibration Procedures, **11.05**
E550-87(2008) Guide for Preparing Granular Pesticide Ground Applicator Calibration Procedures, **11.05**
E551 Withdrawn 2000; Test Methods for Developing Effective Bird Control Chemicals
E552 Withdrawn 2000; Test Method for Efficacy of Acute Mammalian Predacides
E553 Not Assigned
E554 Withdrawn 2000; Guide for Use and Development of Strychnine as an Avicide
E555 Withdrawn 2000; Practice for Determining Acute Oral LD50 for Testing Vertebrate Control Agents
E556/E556M-11 Test Method for Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), **04.03**
E557-12 Guide for Architectural Design and Installation Practices for Sound Isolation between Spaces Separated by Operable Partitions, **04.06**
E558 Redesignated A938
E559 Withdrawn 1978; Recommended Practice for Classifying Pavement Surface Textures, Suitable for Skid-Resistance Photo-Interpretation
E560 Withdrawn 2009; Practice for Extrapolating Reactor Vessel Surveillance Dosimetry Results, E 706(IC)
E561-10$^{\epsilon 2}$ Test Method for K-R Curve Determination, **03.01**
E562-11 Test Method for Determining Volume Fraction by Systematic Manual Point Count, **03.01**
E563-11 Practice for Preparation and Use of an Ice-Point Bath as a Reference Temperature, **14.03**
E564-06(2012) Practice for Static Load Test for Shear Resistance of Framed Walls for Buildings, **04.11**
E565 Withdrawn 2000; Test Method for Efficacy of a Single-Dose Acute Rodenticide Under Laboratory Conditions for Commensal Rodents
E566-14 Practice for Electromagnetic (Eddy Current) Sorting of Ferrous Metals, **03.03**
E567 Withdrawn 1996; Test Method for Tertiary Hydroxyl Groups With Hydrogen Bromide
E568 Withdrawn 1981; Methods for Chemical Analysis of Magnesium Ferrosilicon; Replaced by E372
E569/E569M-13 Practice for Acoustic Emission Monitoring of Structures During Controlled Stimulation, **03.03**
E570-09 Practice for Flux Leakage Examination of Ferromagnetic Steel Tubular Products, **03.03**
E571-12 Practice for Electromagnetic (Eddy-Current) Examination of Nickel and Nickel Alloy Tubular Products, **03.03**
E572-13 Test Method for Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, **03.05**
E573-01(2013) Practices for Internal Reflection Spectroscopy, **03.06**
E574-13 Specification for Duplex, Base Metal Thermocouple Wire With Glass Fiber or Silica Fiber Insulation, **14.03**
E575-05(2011) Practice for Reporting Data from Structural Tests of Building Constructions, Elements, Connections, and Assemblies, **04.11**
E576-08 Test Method for Frost/Dew Point of Sealed Insulating Glass Units in the Vertical Position, **04.11**
E577 Withdrawn 2011; Guide for Dimensional Coordination of Rectilinear Building Parts and Systems
E578-07(2013) Test Method for Linearity of Fluorescence Measuring Systems, **03.06**
E579-04(2009) Test Method for Limit of Detection of Fluorescence of Quinine Sulfate in Solution, **03.06**
E580/E580M-14 Practice for Installation of Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels in Areas Subject to Earthquake Ground Motions, **04.06**
E581-10 Test Methods for Chemical Analysis of Manganese-Copper Alloys, **03.05**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E582-07(2013)ε1 Test Method for Minimum Ignition Energy and Quenching Distance in Gaseous Mixtures, **14.02**
E583 Withdrawn 1996; Practice for Systematizing the Development of (ASTM) Voluntary Consensus Standards for the Solution of Nuclear and Other Complex Problems
E584 Withdrawn 1992; Recommended Guide for Developing the (ASTM) Voluntary Consensus Standards Required to Help Implement the National Energy Plan
E585/E585M-12 Specification for Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, **14.03**
E586 Withdrawn 1991; Terminology Relating to Industrial Radiology; Replaced by E1316
E587-10 Practice for Ultrasonic Angle-Beam Contact Testing, **03.03**
E588-03(2009) Practice for Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, **01.05**
E589 Withdrawn 2000; Guide for Use and Development of PA-14 Avian Stressing Agent
E590 Withdrawn 2000; Guide for Use and Development of Sodium Monofluoroacetate (Compound 1080) as a Predacide
E591 Withdrawn 1991; Practice for Safety and Health Requirements Relating to Occupational Exposure to Ozone
E592-99(2009)ε1 Guide to Obtainable ASTM Equivalent Penetrameter Sensitivity for Radiography of Steel Plates, **03.03**
E593 Withdrawn 2000; Test Method for Efficacy of a Multiple-Dose Rodenticide Under Laboratory Conditions
E594-96(2011) Practice for Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, **03.06**
E595-07 Test Method for Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment, **15.03**
E596-96(2009) Test Method for Laboratory Measurement of Noise Reduction of Sound-Isolating Enclosures, **04.06**
E597 Withdrawn 1999; Practice for Determining A Single-Number Rating of Airborne Sound Isolation for Use in Multiunit Building Specifications
E598-08 Test Method for Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, **15.03**
E599 Withdrawn 1997; Test Method for Efficacy of Slimicides for the Paper Industry—Fungal Slime; Replaced by E1839
E600 Withdrawn 1997; Test Method for Efficacy of Slimicides for the Paper Industry—Bacterial Slime; Replaced by E1839
E601-07a(2013) Test Method for Measuring Electromotive Force (emf) Stability of Base-Metal Thermoelement Materials with Time in Air, **14.03**
E602 Withdrawn 2010; Test Method for Sharp-Notch Tension Testing with Cylindrical Specimens
E603-13 Guide for Room Fire Experiments, **04.07**
E604-83(2008) Test Method for Dynamic Tear Testing of Metallic Materials, **03.01**
E605-93(2011) Test Methods for Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, **04.11**
E606/E606M-12 Test Method for Strain-Controlled Fatigue Testing, **03.01**
E607 Withdrawn 2011; Test Method for Atomic Emission Spectrometric Analysis Aluminum Alloys by the Point to Plane Technique Nitrogen Atmosphere
E608/E608M-13 Specification for Mineral-Insulated, Metal-Sheathed Base Metal Thermocouples, **14.03**
E609-10 Terminology Relating to Pesticides, **11.05**
E610 Withdrawn 1991; Terminology Relating to Acoustic Emission; Replaced by E1316
E611-08 Test Methods for Low Concentrations of Diethlyene Glycol in Ethylene Glycol by Gas Chromatography, **15.05**
E612 Withdrawn 1997; Guide for Field Evaluation of Nematode Control Agents—Site Selection Procedures
E613 Withdrawn 1997; Guide for Evaluation of Nematode Control Agents—Side Effects of Nematicide Application on Other Organisms
E614 Withdrawn 1997; Guide for Greenhouse or Growth Chamber Evaluation of Nematicides Against Root-Knot Nematode
E615 Withdrawn 2000; Guide for Use and Development of Sodium Cyanide as a Predacide
E616 Withdrawn 1996; Terminology Relating to Fracture Testing; Replaced by E1823
E617-13 Specification for Laboratory Weights and Precision Mass Standards, **14.04**
E618-07(2013) Test Method for Evaluating Machining Performance of Ferrous Metals Using an Automatic Screw/Bar Machine, **01.05**
E619-09 Practice for Evaluating Foreign Odors in Paper Packaging, **15.08**
E620-11 Practice for Reporting Opinions of Scientific or Technical Experts, **14.02**
E621 Withdrawn 2008; Practice for Use of Metric (SI) Units in Building Design and Construction(Committee E06 Supplement to E380)
E622 Withdrawn 2000; Guide for Developing Computerized Systems
E623 Withdrawn 1994; Guide for Developing Functional Requirements for Computerized Systems; Replaced by E622
E624 Withdrawn 1994; Guide for Developing Implemention Designs for Computerized Systems; Replaced by E622
E625 Withdrawn 2000; Guide for Training Users of Computerized Systems
E626 Withdrawn 1994; Guide for Evaluating Computerized Systems; Replaced by E622
E627 Withdrawn 2000; Guide for Documenting Computerized Systems
E628 Withdrawn 1997; Guide for Field Evaluation of Nematode Control Agents—Test Materials and Environmental Conditions
E629 Withdrawn 1997; Guide for Field Evaluation of Nematode Control Agents—Determination of Nematode Population Responses to Control Agents
E630 Withdrawn 1997; Guide for Evaluation of Nematode Control Agents—Plant Responses
E631-06 Terminology of Building Constructions, **04.11**
E632 Withdrawn 2005; Practice for Developing Accelerated Tests to Aid Prediction of the Service Life of Building Components and Materials
E633-13 Guide for Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, **03.01**
E634-12 Practice for Sampling of Zinc and Zinc Alloys by Spark Atomic Emission Spectrometry, **03.05**
E635 Not Assigned
E636-14 Guide for Conducting Supplemental Surveillance Tests for Nuclear Power Reactor Vessels, E 706 (IH), **12.02**
E637-05(2011) Test Method for Calculation of Stagnation Enthalpy from Heat Transfer Theory and Experimental Measurements of Stagnation-Point Heat Transfer and Pressure, **15.03**
E638 Withdrawn 2001; Test Method for Calibration of Heat Transfer Rate Calorimeters Using a Narrow-Angle Blackbody Radiation Facility
E639 Withdrawn 2011; Test Method for Measuring Total-Radiance Temperature of Heated Surfaces Using a Radiation Pyrometer
E640-06(2012) Test Method for Preservatives in Water-Containing Cosmetics, **11.05**
E641-01(2012)ε1 Methods for Testing Hydraulic Spray Nozzles Used in Agriculture, **11.05**
E642-91(2008) Practice for Determining Application Rates and Distribution Patterns from Aerial Application Equipment, **11.05**
E643-09 Test Method for Ball Punch Deformation of Metallic Sheet Material, **03.01**
E644-11 Test Methods for Testing Industrial Resistance Thermometers, **14.03**
E645-13 Practice for Evaluation of Microbicides Used in Cooling Water Systems, **11.05**
E646-07ε1 Test Method for Tensile Strain-Hardening Exponents (n -Values) of Metallic Sheet Materials, **03.01**
E647-13a Test Method for Measurement of Fatigue Crack Growth Rates, **03.01**
E648-14c Test Method for Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source, **04.07**
E649-00(2011) Test Method for Bromine in Chlorine, **15.05**
E650/E650M-12 Guide for Mounting Piezoelectric Acoustic Emission Sensors, **03.03**
E651/E651M-01(2008) Practice for Evaluating Capabilities of Agencies Involved in System Analysis and Compliance Assurance for Manufactured Building, **14.02**
E652-91(2009) Test Method for Nonresidual Liquid Household Insecticides Against Flying Insects, **11.05**
E653-91(2009) Test Method for Effectiveness of Aerosol and Pressurized Space Spray Insecticides Against Flying Insects, **11.05**
E654-96(2009) Test Method for Effectiveness of Aerosol and Pressurized Spray Insecticides Against Cockroaches, **11.05**
E655 Withdrawn 1997; Guide for Evaluation of Nematicides Against Root-Knot Nematode—Population Eradication Test
E656 Withdrawn 1997; Guide for Evaluation of Hatching Heterodera Schachtii Juveniles
E657 Withdrawn 2000; Test Method for Comparative Acute and Long-Term Oral or Gustatory Avian Repellency
E658 Withdrawn 2000; Test Method for Efficacy of Dog Repellents Designed for Direct Application to Garbage Bags
E659-14 Test Method for Autoignition Temperature of Liquid Chemicals, **14.02**
E660-90(2011) Practice for Accelerated Polishing of Aggregates or Pavement Surfaces Using a Small-Wheel, Circular Track Polishing Machine, **04.03**
E661-03(2009) Test Method for Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads, **04.11**
E662-14 Test Method for Specific Optical Density of Smoke Generated by Solid Materials, **04.07**
E663 Withdrawn 1997; Practice for Flame Atomic Absorption Analysis
E664/E664M-10 Practice for the Measurement of the Apparent Attenuation of Longitudinal Ultrasonic Waves by Immersion Method, **03.03**
E665 Withdrawn 2000; Practice for Determining Absorbed Dose Versus Depth in Materials to Exposed to the X-Ray Output of Flash X-Ray Machines
E666-14 Practice for Calculating Absorbed Dose From Gamma or X Radiation, **12.02**
E667-98(2009) Specification for Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, **13.01**
E668-13 Practice for Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of Electronic Devices, **12.02**
E669 Withdrawn 2000; Master Matrix for Nuclear Fuel Cycle Standards
E670-09 Test Method for Testing Side Force Friction on Paved Surfaces Using the Mu-Meter, **04.03**
E671-98(2010) Specification for Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, **14.04**
E672-87(2011) Specification for Disposable Glass Micropipets, **14.04**
E673 Withdrawn 2011; Terminology Relating to Surface Analysis
E674-12 Specification for Industrial Perforated Plate and Screens (Round Opening Series), **14.02**
E675-02(2012) Specification for Interchangeable Taper-Ground Stopcocks And Stoppers, **14.04**
E676-02(2012) Specification for Interchangeable Taper-Ground Joints, **14.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E677-94(2010) Specification for Interchangeable Spherical Ground Joints, **14.04**
E678-07(2013) Practice for Evaluation of Scientific or Technical Data, **14.02**
E679-04(2011) Practice for Determination of Odor and Taste Thresholds By a Forced-Choice Ascending Concentration Series Method of Limits, **15.08**
E680-79(2011)ε1 Test Method for Drop Weight Impact Sensitivity of Solid-Phase Hazardous Materials, **14.02**
E681-09 Test Method for Concentration Limits of Flammability of Chemicals (Vapors and Gases), **14.02**
E682-92(2011) Practice for Liquid Chromatography Terms and Relationships, **03.06**
E683-91(2013) Practice for Installation and Service of Solar Space Heating Systems for One- and Two-Family Dwellings, **12.02**
E684 Withdrawn 2012; Practice for Approximate Determination of Current Density of Large-Diameter Ion Beams for Sputter Depth Profiling of Solid Surfaces; Replaced by E1577
E685-93(2013) Practice for Testing Fixed-Wavelength Photometric Detectors Used in Liquid Chromatography, **03.06**
E686 Withdrawn 2004; Method for Evaluation of Antimicrobial Agents in Aqueous Metal Working Fluids; Replaced by E2275
E687 Withdrawn 1989; Practice for Sensory Evaluation Procedure to Establish Guidelines for Open Dating Food and Beverage Products
E688-94(2011) Test Methods for Waste Glass as a Raw Material for Glass Manufacturing, **11.04**
E689-10 Reference Radiographs for Ductile Iron Castings, **03.03**
E690-10 Practice for In Situ Electromagnetic (Eddy-Current) Examination of Nonmagnetic Heat Exchanger Tubes, **03.03**
E691-14 Practice for Conducting an Interlaboratory Study to Determine the Precision of a Test Method, **14.02**
E692 Withdrawn 2013; Test Method for Determining the Content of Cesium-137 in Irradiated Nuclear Fuels by High-Resolution Gamma-Ray Spectral Analysis
E693-12 Practice for Characterizing Neutron Exposures in Iron and Low Alloy Steels in Terms of Displacements Per Atom (DPA), E 706(ID), **12.02**
E694-99(2010) Specification for Laboratory Glass Volumetric Apparatus, **14.04**
E695-03(2009) Test Method of Measuring Relative Resistance of Wall, Floor, and Roof Construction to Impact Loading, **04.11**
E696-07(2013) Specification for Tungsten-Rhenium Alloy Thermocouple Wire, **14.03**
E697-96(2011) Practice for Use of Electron-Capture Detectors in Gas Chromatography, **03.06**
E698-11 Test Method for Arrhenius Kinetic Constants for Thermally Unstable Materials Using Differential Scanning Calorimetry and the Flynn/Wall/Ozawa Method, **14.02**
E699-09 Practice for Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components, **14.02**
E700 Withdrawn 1995; Test Method for Water in Gases Using Karl Fischer Reagent
E701-80(2010) Test Methods for Municipal Ferrous Scrap, **11.04**
E702-85(2010) Specification for Municipal Ferrous Scrap, **11.04**
E703-14 Practice for Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, **03.03**
E704-13 Test Method for Measuring Reaction Rates by Radioactivation of Uranium-238, **12.02**
E705-13a Test Method for Measuring Reaction Rates by Radioactivation of Neptunium-237, **12.02**
E706 Withdrawn 2011; Master Matrix for Light-Water Reactor Pressure Vessel Surveillance Standards, E 706(0)
E707 Withdrawn 2006; Test Method for Skid Resistance Measurements Using the North Carolina State University Variable-Speed Friction Tester
E708-79(2011) Specification for Waste Glass as a Raw Material for the Manufacture of Glass Containers, **11.04**
E709-14 Guide for Magnetic Particle Testing, **03.03**
E710 Withdrawn 2006; Test Method for Comparing EMF Stabilities of Base-Metal Thermoelements in Air Using Dual, Simultaneous, Thermal-EMF Indicators
E711 Withdrawn 2011; Test Method for Gross Calorific Value of Refuse-Derived Fuel by the Bomb Calorimeter
E712-80(2009) Practice for Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, **12.02**
E713 Withdrawn 2010; Guide for Selection of Scales for Metric Building Drawings
E714-94(2009) Specification for Disposable Glass Serological Pipets, **14.04**
E715-80(2011) Specification for Gravity-Convection and Forced-Circulation Water Baths, **14.04**
E716-10 Practices for Sampling and Sample Preparation of Aluminum and Aluminum Alloys for Determination of Chemical Composition by Spectrochemical Analysis, **03.05**
E717 Withdrawn 2008; Guide for Preparation of the Accreditation Annex of Acoustical Test Standards
E718 Withdrawn 1991; Method for Spectrographic Analysis of Cartridge Brass
E719 Withdrawn 1987; Test Method for Indentation of Building Materials Surfaces Under Concentrated Loads as a Measure of Serviceability
E720-11 Guide for Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, **12.02**
E721-11 Guide for Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, **12.02**
E722-09ε1 Practice for Characterizing Neutron Fluence Spectra in Terms of an Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, **12.02**
E723-13 Practice for Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), **11.05**
E724-98(2012) Guide for Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, **11.06**
E725-96(2012) Test Method for Sampling Granular Carriers and Granular Pesticides, **11.05**
E726-01(2011)ε1 Test Method for Particle Size Distribution of Granular Carriers and Granular Pesticides, **11.05**
E727/E727M-08(2013) Test Methods for Determining Bulk Density of Granular Carriers and Granular Pesticides, **11.05**
E728-91(2009) Test Method for Resistance to Attrition of Granular Carriers and Granular Pesticides, **11.05**
E729-96(2007) Guide for Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, **11.06**
E730 Withdrawn 1994; Guide for Developing Functional Designs for Computerized Systems; Replaced by E622
E731 Withdrawn 2000; Guide for Selection and Acquisition of Commercially Available Computerized Systems
E732-80(2011) Specification for Disposable Pasteur-Type Pipet, **14.04**
E733 Withdrawn 2005; Specification for 44.7-µL Disposable Glass Micropipets
E734-80(2010) Specification for Disposable Glass Blood Sample Capillary Tube (Microhematocrit), **14.04**
E735 Withdrawn 1987; Specification for Minimum Performance Standards for Hand-Held Pipettors with Pipet Tips
E736-00(2011) Test Method for Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members, **04.11**
E737 Withdrawn 1993; Practice for Installation of Storm Windows, Replacement Windows, Multi-Glazing, Storm Doors, and Replacement Doors
E738-11 Test Method for Determination of Aluminum in Iron Ores and Related Materials by EDTA Complexometric Titrimetry, **03.05**
E739-10 Practice for Statistical Analysis of Linear or Linearized Stress-Life *(S-N)* and Strain-Life *(ε)* Fatigue Data, **03.01**
E740/E740M-03(2010)ε2 Practice for Fracture Testing with Surface-Crack Tension Specimens, **03.01**
E741-11 Test Method for Determining Air Change in a Single Zone by Means of a Tracer Gas Dilution, **04.11**
E742 Withdrawn 1988; Definitions of Terms Relating to Fluid Aqueous and Chemical Environmentally Affected Fatigue Testing; Replaced by E1150
E743 Withdrawn 1998; Guide for Spectrochemical Laboratory Quality Assurance
E744-07 Practice for Evaluating Solar Absorptive Materials for Thermal Applications, **12.02**
E745-80(2009) Practices for Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, **12.02**
E746-07(2014) Practice for Determining Relative Image Quality Response of Industrial Radiographic Imaging Systems, **03.03**
E747-04(2010) Practice for Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, **03.03**
E748-02(2008) Practices for Thermal Neutron Radiography of Materials, **03.03**
E749/E749M-12 Practice for Acoustic Emission Monitoring During Continuous Welding, **03.03**
E750-10 Practice for Characterizing Acoustic Emission Instrumentation, **03.03**
E751/E751M-12 Practice for Acoustic Emission Monitoring During Resistance Spot-Welding, **03.03**
E752 Withdrawn 1995; Practice for Safety and Health Requirements Relating to Occupational Exposure to Carbon Disulfide
E753 Withdrawn 2001; Specification for Municipal Aluminum Scrap (MAS)
E754-80(2006) Test Method for Pullout Resistance of Ties and Anchors Embedded in Masonry Mortar Joints, **04.11**
E755-08 Test Method for Dicumyl Peroxide, Assay (Liquid Chromatography), **15.05**
E756-05(2010) Test Method for Measuring Vibration-Damping Properties of Materials, **04.06**
E757 Withdrawn 2000; Test Method for Efficacy of Canine Reproduction Inhibitors
E758 Withdrawn 2010; Test Method for Mammalian Acute Percutaneous Toxicity
E759-92(2011) Test Method for Effect of Deflection on Sprayed Fire-Resistive Material Applied to Structural Members, **04.11**
E760-92(2011) Test Method for Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, **04.11**
E761-92(2011) Test Method for Compressive Strength of Sprayed Fire-Resistive Material Applied to Structural Members, **04.11**
E762 Not Assigned
E763 Withdrawn 1997; Practice for Calculation of Absorbed Dose From Neutron Irradiation by Application of Threshold-Foil Measurement Data
E764 Withdrawn 1998; Practice for Identifying Test Methods for Breeder Reactor Core Materials
E765 Withdrawn 1991; Practice for Evaluation of Cover Materials for Flat Plate Solar Collectors
E766-14 Practice for Calibrating the Magnification of a Scanning Electron Microscope, **03.01**
E767 Withdrawn 2005; Test Method for Shear Strength Properties of Metal Connector Plates

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E768-99(2010) Guide for Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, **03.01**
E769 Withdrawn 2011; Test Methods for Odor of Methanol, Ethanol, n-Propanol, and Isopropanol
E770 Withdrawn 1992; Method for Classifying Pavement Surface Textures
E771 Withdrawn 2001; Test Method for Spontaneous Heating Tendency of Materials
E772-13 Terminology of Solar Energy Conversion, **12.02**
E773 Withdrawn 2010; Test Method for Accelerated Weathering of Sealed Insulating Glass Units
E774 Withdrawn 2006; Specification for Classification of the Durability of Sealed Insulating Glass Units
E775-87(2008)$^{\epsilon 1}$ Test Methods for Total Sulfur in the Analysis Sample of Refuse-Derived Fuel, **11.04**
E776-87(2009) Test Method for Forms of Chlorine in Refuse-Derived Fuel, **11.04**
E777-08 Test Method for Carbon and Hydrogen in the Analysis Sample of Refuse-Derived Fuel, **11.04**
E778-08 Test Methods for Nitrogen in the Analysis Sample of Refuse-Derived Fuel, **11.04**
E779-10 Test Method for Determining Air Leakage Rate by Fan Pressurization, **04.11**
E780-06(2011) Test Method for Measuring the Insulation Resistance of Mineral-Insulated, Metal-Sheathed Thermocouples and Thermocouple Cable at Room Temperature, **14.03**
E781-86(2009) Practice for Evaluating Absorptive Solar Receiver Materials When, **12.02**
E782-95(2007) Practice for Exposure of Cover Materials for Solar Collectors to Natural Weathering Under Conditions Simulating Operational Mode, **12.02**
E783-02(2010) Test Method for Field Measurement of Air Leakage Through Installed Exterior Windows and Doors, **04.11**
E784-89(2011) Specification for Clamps, Utility, Laboratory, and Holders, Buret and Clamp, **14.04**
E785-81(2011) Specification for Crucibles, Ignition, Laboratory, Metal, **14.04**
E786-81(2011) Specification for Dishes, Evaporating, Platinum, **14.04**
E787-81(2011) Specification for Disposable Glass Micro Blood Collection Pipets, **14.04**
E788-97(2013) Specification for Pipet, Blood Diluting, **14.04**
E789 Withdrawn 2007; Test Method for Dust Explosions in a 1.2-Litre Closed Cylindrical Vessel
E790-08 Test Method for Residual Moisture in a Refuse-Derived Fuel Analysis Sample, **11.04**
E791-08 Test Method for Calculating Refuse-Derived Fuel Analysis Data from As-Determined to Different Bases, **11.04**
E792 Withdrawn 2003; Guide for Selection of a Clinical Laboratory Information Management System
E793-06(2012) Test Method for Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry, **14.02**
E794-06(2012) Test Method for Melting And Crystallization Temperatures By Thermal Analysis, **14.02**
E795-05(2012) Practices for Mounting Test Specimens During Sound Absorption Tests, **04.06**
E796 Withdrawn 2009; Test Method for Ductility Testing of Metallic Foil
E797/E797M-10 Practice for Measuring Thickness by Manual Ultrasonic Pulse-Echo Contact Method, **03.03**
E798-96(2009) Practice for Conducting Irradiations at Accelerator-Based Neutron Sources, **12.02**
E799-03(2009) Practice for Determining Data Criteria and Processing for Liquid Drop Size Analysis, **14.02**
E800-07 Guide for Measurement of Gases Present or Generated During Fires, **04.07**
E801-06(2011) Practice for Controlling Quality of Radiological Examination of Electronic Devices, **03.03**
E802-95(2010) Reference Radiographs for Gray Iron Castings Up to 4, **03.03**
E803-91(2013) Test Method for Determining the, **03.03**
E804 Withdrawn 1994; Practice for Calibration of the Ultrasonic Test System by Extrapolation Between Flat Bottom Hole Sizes
E805-12a Practice for Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, **06.01**
E806-08 Test Method for Carbon Tetrachloride and Chloroform in Liquid Chlorine by Direct Injection (Gas Chromatographic Procedure), **15.05**
E807 Withdrawn 2001; Practice for Metallographic Laboratory Evaluation
E808-01(2009) Practice for Describing Retroreflection, **06.01**
E809-08(2013) Practice for Measuring Photometric Characteristics of Retroreflectors, **06.01**
E810-03(2013) Test Method for Coefficient of Retroreflection of Retroreflective Sheeting Utilizing the Coplanar Geometry, **06.01**
E811-09 Practice for Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, **06.01**
E812 Withdrawn 2005; Test Method for Crack Strength of Slow-Bend Precracked Charpy Specimens of High-Strength Metallic Materials
E813 Withdrawn 1997; Test Method for J_{IC}, a Measure of Fracture Toughness; Replaced by E1737
E814-13a Test Method for Fire Tests of Penetration Firestop Systems, **04.07**
E815-11 Test Method for Determination of Calcium Fluoride in Fluorspar by Complexometric Titrimetry, **03.05**
E816-05(2010) Test Method for Calibration of Pyrheliometers by Comparison to Reference Pyrheliometers, **14.04**
E817 Not Assigned
E818 Not Assigned
E819 Withdrawn 2003; Test Method for Trace Amounts of Arsenic in Organic Industrial Chemicals
E820 Withdrawn 1988; Practice for Determining Absolute Absorbed Dose Rates for Electron Beams
E821-96(2009) Practice for Measurement of Mechanical Properties During Charged-Particle Irradiation, **12.02**
E822-92(2009) Practice for Determining Resistance of Solar Collector Covers to Hail by Impact With Propelled Ice Balls, **12.02**
E823 Withdrawn 2010; Practice for Nonoperational Exposure and Inspection of a Solar Collector
E824-10 Test Method for Transfer of Calibration From Reference to Field Radiometers, **14.04**
E825-98(2009) Specification for Phase Change-Type Disposable Fever Thermometer for Intermittent Determination of Human Temperature, **13.01**
E826-14 Practice for Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, **03.05**
E827-08 Practice for Identifying Elements by the Peaks in Auger Electron Spectroscopy, **03.06**
E828 Withdrawn 2009; Test Method for Designating the Size of RDF-3 From its Sieve Analysis
E829 Withdrawn 2003; Practice for Preparing Refuse-Derived Fuel (RDF) Laboratory Samples for Analysis
E830 Withdrawn 2011; Test Method for Ash in the Analysis Sample of Refuse-Derived Fuel
E831-13 Test Method for Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, **14.02**
E832-81(2013) Specification for Laboratory Filter Papers, **14.04**
E833-14 Terminology of Building Economics, **04.11**
E834-09 Practice for Determining Vacuum Chamber Gaseous Environment Using a Cold Finger, **15.03**
E835M Withdrawn 1990; Replaced by E835/E835M
E835/E835M Withdrawn 2011; Guide for Modular Coordination of Clay and Concrete Masonry Units
E836 Not Assigned
E837-13a Test Method for Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, **03.01**
E838 Withdrawn 1992; Practice for Performing Accelerated Outdoor Weathering Using Concentrated Natural Sunlight
E839-11 Test Methods for Sheathed Thermocouples and Sheathed Thermocouple Cable, **14.03**
E840-95(2013) Practice for Using Flame Photometric Detectors in Gas Chromatography, **03.06**
E841-12a Test Method for Determination of Copper in Iron Ores and Related Materials by Flame Atomic Absorption Spectrometry, **03.05**
E842 Withdrawn 1991; Specification for Lawn Buildings
E843 Withdrawn 1991; Specification for Patio Covers, Carports, and Canopies
E844-09 Guide for Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), **12.02**
E845 Withdrawn 1988; Method for Calibration of Dosimeters Against an Adiabatic Calorimeter for Use in Flash X-Ray Fields
E846 Withdrawn 1991; Matrix for Light-Water Reactor Spent-Fuel Transportation
E847 Not Assigned
E848-94(2012) Guide for Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, **06.01**
E849 Withdrawn 1995; Practice for Safety and Health Requirements Relating to Occupational Exposure to Asbestos
E850-10 Guide for Characterization of Inorganic Process Wastes for Use as Structural Fill, **11.04**
E851 Withdrawn 1998; Practice for Evaluation of Spectrochemical Laboratories
E852 Withdrawn 2000; Test Methods for C_4-C_{13} Plasticizer Grade Alcohols
E853-13 Practice for Analysis and Interpretation of Light-Water Reactor Surveillance Results, **12.02**
E854-03(2009) Test Method for Application and Analysis of Solid State Track Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), **12.02**
E855-08(2013) Test Methods for Bend Testing of Metallic Flat Materials for Spring Applications Involving Static Loading, **03.01**
E856 Withdrawn 2011; Definitions of Terms and Abbreviations Relating to Physical and Chemical Characteristics of Refuse Derived Fuel
E857-05(2012) Practice for Conducting Subacute Dietary Toxicity Tests with Avian Species, **11.06**
E858 Withdrawn 1991; Test Method for Birefringence in Fibers of Circular Cross Section by a Variable Compensator
E859-93(2011) Test Method for Air Erosion of Sprayed Fire-Resistive Materials (SFRMs) Applied to Structural Members, **04.11**
E860-07(2013)$^{\epsilon 1}$ Practice for Examining And Preparing Items That Are Or May Become Involved In Criminal or Civil Litigation, **14.02**
E861-13 Practice for Evaluating Thermal Insulation Materials for Use in Solar Collectors, **12.02**
E862 Not Assigned
E863 Withdrawn 2004; Practice for Describing Atomic Absorption Spectrometric Equipment
E864-12 Practice for Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, **04.11**
E865-12 Specification for Structural Film Adhesives for Honeycomb Sandwich Panels, **04.11**
E866-11 Specification for Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, **04.11**
E867-06(2012) Terminology Relating to Vehicle-Pavement Systems, **04.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E868 Withdrawn 2013; Test Methods for Conducting Performance Tests on Mechanical Conveying Equipment Used in Resource Recovery Systems
E869 Withdrawn 2009; Test Method for Performance Evaluation of Fuel Ethanol Manufacturing Facilities
E870-82(2013) Test Methods for Analysis of Wood Fuels, **05.06**
E871-82(2013) Test Method for Moisture Analysis of Particulate Wood Fuels, **05.06**
E872-82(2013) Test Method for Volatile Matter in the Analysis of Particulate Wood Fuels, **05.06**
E873-82(2013) Test Method for Bulk Density of Densified Particulate Biomass Fuels, **05.06**
E874-11 Practice for Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, **04.11**
E875-10 Test Method for Efficacy of Fungal Control Agents as Preservatives for Aqueous-Based Products Used in the Paper Industry, **11.05**
E876 Withdrawn 2003; Practice for Use of Statistics in the Evaluation of Spectrometric Data
E877-13 Practice for Sampling and Sample Preparation of Iron Ores and Related Materials for Determination of Chemical Composition and Physical Properties, **03.05**
E878-12 Test Method for Determination of Titanium in Iron Ores and Related Materials by Diantipyrylmethane Ultraviolet Spectrophotometry, **03.05**
E879-12 Specification for Thermistor Sensors for General Purpose and Laboratory Temperature Measurements, **14.03**
E880 Withdrawn 1997; Guide for Evaluating the Usefulness of Herbicides on Corn (All Types)
E881-92(2009) Practice for Exposure of Solar Collector Cover Materials to Natural Weathering Under Conditions Simulating Stagnation Mode, **12.02**
E882-10 Guide for Accountability and Quality Control in the Chemical Analysis Laboratory, **03.05**
E883-11 Guide for Reflected-Light Photomicrography, **03.01**
E884-82(2012) Practice for Sampling Airborne Microorganisms at Municipal Solid-Waste Processing Facilities, **11.04**
E885 Withdrawn 2009; Test Methods for Analyses of Metals in Refuse-Derived Fuel by Atomic Absorption Spectroscopy
E886 Withdrawn 2003; Practices for Dissolution of Refuse-Derived Fuel (RDF) Ash Samples for Analyses of Metals
E887-88(2009) Test Method for Silica in Refuse-Derived Fuel (RDF) and RDF Ash, **11.04**
E888 Not Assigned
E889-82(2014) Test Method for Composition or Purity of a Solid Waste Materials Stream, **11.04**
E890-94(2009) Specification for Disposable Glass Culture Tubes, **14.04**
E891 Withdrawn 1999; Tables for Terrestrial Direct Normal Solar Spectral Irradiance for Air Mass 1.5; Replaced by G159
E892 Withdrawn 1999; Tables for Terrestrial Solar Spectral Irradiance at Air Mass 1.5 for a 37° Tilted Surface; Replaced by G159
E893 Redesignated C989
E894-88(2010) Test Method for Anchorage of Permanent Metal Railing Systems and Rails for Buildings, **04.11**
E895 Withdrawn 2013; Practice for Determination of Hydrolysis Rate Constants of Organic Chemicals in Aqueous Solutions
E896 Withdrawn 2013; Test Method for Conducting Aqueous Direct Photolysis Tests
E897 Withdrawn 2011; Test Method for Volatile Matter in the Analysis Sample of Refuse-Derived Fuel
E898-88(2013) Test Method of Testing Top-Loading, Direct-Reading Laboratory Scales and Balances, **14.04**
E899 Withdrawn 1992; Guide for Records Management in Mass Spectrometry Laboratories Performing Analysis in Support of Nonclinical Laboratory Studies
E900-02(2007) Guide for Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), **12.02**
E901 Withdrawn 2001; Classification System for Uranium Resources
E902 Withdrawn 2011; Practice for Checking the Operating Characteristics of X-Ray Photoelectron Spectrometers
E903-12 Test Method for Solar Absorptance, Reflectance, and Transmittance of Materials Using Integrating Spheres, **12.02**
E904 Withdrawn 2013; Practice for Generating All-Day Thermal Performance Data for Solar Collectors
E905-87(2013) Test Method for Determining Thermal Performance of Tracking Concentrating Solar Collectors, **12.02**
E906/E906M-14 Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using a Thermopile Method, **04.07**
E907 Withdrawn 2013; Test Method for Field Testing Uplift Resistance of Adhered Membrane Roofing Systems
E908-98(2012) Practice for Calibrating Gaseous Reference Leaks, **03.03**
E909 Withdrawn 1990; Master Matrix for Development of Standards to Assist in Safeguarding of Nuclear Materials
E910-07(2013) Test Method for Application and Analysis of Helium Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), **12.02**
E911-98(2009) Specification for Glass Stopcocks with Polytetrafluoroethylene (PTFE) Plugs, **14.04**
E912 Withdrawn 1988; Definitions of Terms Relating to Fatigue Loading; Replaced by E1150
E913 Withdrawn 2005; Method for Calibration of Reference Pyranometers with Axis Vertical by the Shading Method; Replaced by G167
E914 Withdrawn 1994; Practice for Evaluating Temperature Scale for Thermogravimetry; Replaced by E1582
E915-10 Test Method for Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, **03.01**
E916 Withdrawn 2000; Guide for Reporting Employee Health History Information and Core Physical Examination Results
E917-13 Practice for Measuring Life-Cycle Costs of Buildings and Building Systems, **04.11**
E918-83(2011) Practice for Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, **14.02**
E919 Withdrawn 2000; Specification for Software Documentation for a Computerized System
E920-97(2013) Specification for Commercially Packaged Laboratory Apparatus, **14.04**
E921-97(2010) Specification for Export Packaged Laboratory Apparatus, **14.04**
E922 Not Assigned
E923-97(2013) Specification for Glass Westergren Tube, Reusable, **14.04**
E924 Withdrawn 2003; Guide for Quality Assurance of Laboratories Using Molecular Spectroscopy
E925-09(2014) Practice for Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, **03.06**
E926 Withdrawn 2003; Practice for Preparing Refuse-Derived Fuel (RDF) Samples for Analyses of Metals
E927-10 Specification for Solar Simulation for Photovoltaic Testing, **12.02**
E928-08 Test Method for Purity by Differential Scanning Calorimetry, **14.02**
E929 Withdrawn 2014; Test Method for Measuring Electrical Energy Requirements of Processing Equipment
E930-99(2007) Test Methods for Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), **03.01**
E931 Withdrawn 1996; Practice for Classification of Occupancies for Their Relative Fire Hazard
E932-89(2013) Practice for Describing and Measuring Performance of Dispersive Infrared Spectrometers, **03.06**
E933 Not Assigned
E934-94(2009) Specification for Serological Pipet, Disposable Plastic, **14.04**
E935-13$^{\epsilon 1}$ Test Methods for Performance of Permanent Metal Railing Systems and Rails for Buildings, **04.11**
E936 Withdrawn 2012; Practice for Roof System Assemblies Employing Steel Deck, Preformed Roof Insulation, and Bituminous Built-Up Roofing
E937-93(2011) Test Method for Corrosion of Steel by Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, **04.11**
E938/E938M-12 Test Method for Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Adult Human Lice, **11.05**
E939-94(2012) Test Method of Field Testing Topical Applications of Compounds as Repellents for Medically Important and Pest Arthropods (Including Insects, Ticks, and Mites):I Mosquitoes, **11.05**
E940 Withdrawn 1997; Guide for Evaluating the Usefulness of Herbicides on Soybeans
E941 Withdrawn 2005; Test Method for Calibration of Reference Pyranometers With Axis Tilted by the Shading Method; Replaced by G167
E942-96(2011) Guide for Simulation of Helium Effects in Irradiated Metals, **12.02**
E943-08 Terminology Relating to Biological Effects and Environmental Fate, **11.06**
E944-13 Guide for Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), **12.02**
E945-12 Test Method for Determination of Zinc in Zinc Ores and Concentrates by EDTA Complexometric Titrimetry, **03.05**
E946 Withdrawn 1996; Test Method for Water Absorption of Bentonite by the Porous Plate Method
E947-83(2007) Specification for Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, **12.02**
E948-09 Test Method for Electrical Performance of Photovoltaic Cells Using Reference Cells Under Simulated Sunlight, **12.02**
E949 Withdrawn 2011; Test Method for Total Moisture in a Refuse-Derived Fuel Laboratory Sample
E950/E950M-09 Test Method for Measuring the Longitudinal Profile of Traveled Surfaces with an Accelerometer Established Inertial Profiling Reference, **04.03**
E951-94(2006) Test Methods for Laboratory Testing of Non-Commercial Mosquito Repellent Formulations On the Skin, **11.05**
E952 Withdrawn 1997; Guide for Evaluating the Usefulness of Herbicides on Cotton
E953/E953M-08 Test Method for Fusibility of Refuse-Derived Fuel (RDF) Ash, **11.04**
E954 Withdrawn 2003; Practice for Packaging and Shipping of Laboratory Samples of Refuse-Derived Fuel
E955-88(2009)$^{\epsilon 1}$ Test Method for Thermal Characteristics of Refuse-Derived Fuel Macrosamples, **11.04**
E956-83(2010) Classification for Municipal-Mixed Nonferrous Metals (MNM), **11.04**
E957-03(2011)$^{\epsilon 1}$ Terminology Relating to Geothermal Energy, **12.02**
E958-13 Practice for Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, **03.06**
E959-83(2010) Test Method for Characterizing the Performance of Refuse Size-Reduction Equipment, **11.04**
E960-93(2013) Specification for Laboratory Glass Beakers, **14.04**
E961-97(2013) Specification for Blood Sedimentation Tube, Wintrobe, Glass, Reusable, **14.04**
E962 Not Assigned
E963-95(2010) Practice for Electrolytic Extraction of Phases from Ni and Ni-Fe

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Base Superalloys Using a Hydrochloric-Methanol Electrolyte, **03.01**
E964-06(2010) Practice for Measuring Benefit-to-Cost and Savings-to-Investment Ratios for Buildings and Building Systems, **04.11**
E965-96(2006) Test Method for Measuring Pavement Macrotexture Depth Using a Volumetric Technique, **04.03**
E966-10$^{\epsilon 1}$ Guide for Field Measurements of Airborne Sound Attenuation of Building Facades and Facade Elements, **04.06**
E967-08(2014) Test Method for Temperature Calibration of Differential Scanning Calorimeters and Differential Thermal Analyzers, **14.02**
E968-02(2014) Practice for Heat Flow Calibration of Differential Scanning Calorimeters, **14.02**
E969-02(2012) Specification for Glass Volumetric (Transfer) Pipets, **14.04**
E970-14 Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source, **04.07**
E971-11 Practice for Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, **12.02**
E972-96(2013) Test Method for Solar Photometric Transmittance of Sheet Materials Using Sunlight, **12.02**
E973-10 Test Method for Determination of the Spectral Mismatch Parameter Between a Photovoltaic Device and a Photovoltaic Reference Cell, **12.02**
E974-00(2006) Guide for Specifying Thermal Performance of Geothermal Power Systems, **12.02**
E975-13 Practice for X-Ray Determination of Retained Austenite in Steel with Near Random Crystallographic Orientation, **03.01**
E976-10 Guide for Determining the Reproducibility of Acoustic Emission Sensor Response, **03.03**
E977-05(2014) Practice for Thermoelectric Sorting of Electrically Conductive Materials, **03.03**
E978 Withdrawn 2003; Practice for Evaluating Mathematical Models for the Environmental Fate of Chemicals
E979-09 Practice for Evaluation of Antimicrobial Agents as Preservatives for Invert Emulsion and Other Water Containing Hydraulic Fluids, **11.05**
E980 Not Assigned
E981-04(2012) Test Method for Estimating Sensory Irritancy of Airborne Chemicals, **11.06**
E982-94(2009) Specification for Laboratory Glass Test Tubes, **14.04**
E983-10 Guide for Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy, **03.06**
E984-12 Guide for Identifying Chemical Effects and Matrix Effects in Auger Electron Spectroscopy, **03.06**
E985-00(2006) Specification for Permanent Metal Railing Systems and Rails for Buildings, **04.11**
E986-04(2010) Practice for Scanning Electron Microscope Beam Size Characterization, **03.01**
E987-88(2009) Test Methods for Deglazing Force of Fenestration Products, **04.11**
E988 Withdrawn 2011; Temperature-Electromotive Force (EMF) Tables for Tungsten-Rhenium Thermocouples
E989-06(2012) Classification for Determination of Impact Insulation Class (IIC), **04.06**
E990-13 Specification for Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, **04.11**
E991-11 Practice for Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, **06.01**
E992 Withdrawn 1997; Practice for Determination of Fracture Toughness of Steels Using Equivalent Energy Methodology
E993 Withdrawn 2010; Test Method for Evaluation of Delayed Contact Hypersensitivity
E994 Withdrawn 2004; Guide for Calibration and Testing Laboratory Accreditation Systems General Requirements for Operation and Recognition
E995-11 Guide for Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, **03.06**
E996-10 Practice for Reporting Data in Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy, **03.06**
E997-14 Test Method for Evaluating Glass Breakage Probability Under the Influence of Uniform Static Loads by Proof Load Testing, **04.11**
E998-12 Test Method for Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, **04.11**
E999-10 Guide for Controlling the Quality of Industrial Radiographic Film Processing, **03.03**
E1000-98(2009) Guide for Radioscopy, **03.03**
E1001-11 Practice for Detection and Evaluation of Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves, **03.03**
E1002-11 Practice for Leaks Using Ultrasonics, **03.03**
E1003-13 Practice for Hydrostatic Leak Testing, **03.03**
E1004-09 Test Method for Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, **03.03**
E1005-10 Test Method for Application and Analysis of Radiometric Monitors for Reactor Vessel Surveillance, E706 (IIIA), **12.02**
E1006-13 Practice for Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments, **12.02**
E1007-13b Test Method for Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures, **04.06**
E1008-03(2009) Practice for Installation, Inspection, and Maintenance of Valve-body Pressure-relief Methods for Geothermal and Other High-Temperature Liquid Applications, **12.02**
E1009-95(2006) Practice for Evaluating an Optical Emission Vacuum Spectrometer to Analyze Carbon and Low-Alloy Steel, **03.05**
E1010-09 Practice for Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, **03.05**
E1011 Withdrawn 2001; Specification for Sulfuric Acid
E1012-12$^{\epsilon 1}$ Practice for Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, **03.01**
E1013 Withdrawn 2000; Terminology Relating to Computerized Systems
E1014-12 Guide for Measurement of Outdoor A-Weighted Sound Levels, **04.06**
E1015 Withdrawn 1994; Practice for Reporting Spectra in X-Ray Photoelectron Spectroscopy
E1016-07(2012)$^{\epsilon 1}$ Guide for Literature Describing Properties of Electrostatic Electron Spectrometers, **03.06**
E1017 Withdrawn 2003; Specification for Generic Performance Requirements for Exterior Residential Window Assemblies
E1018-09(2013) Guide for Application of ASTM Evaluated Cross Section Data File, Matrix E706 (IIB), **12.02**
E1019-11 Test Methods for Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, **03.05**
E1020-13$^{\epsilon 1}$ Practice for Reporting Incidents that May Involve Criminal or Civil Litigation, **14.02**
E1021-12 Test Method for Spectral Responsivity Measurements of Photovoltaic Devices, **12.02**
E1022-94(2013) Guide for Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, **11.06**
E1023-84(2007) Guide for Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, **11.06**
E1024 Withdrawn 2004; Guide for Chemical Analysis of Metals and Metal Bearing Ores by Flame Atomic Absorption Spectrophotometry
E1025-11 Practice for Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, **03.03**
E1026-13 Practice for Using the Fricke Dosimetry System, **12.02**
E1027 Withdrawn 1996; Practice for Exposure of Polymeric Materials to Ionizing Radiation
E1028 Withdrawn 2003; Test Method for Total Iron in Iron Ores and Related Materials by Dichromate Titrimetry
E1029 Withdrawn 2003; Guide for Documentation of Clinical Laboratory Computer Systems
E1030-05(2011) Test Method for Radiographic Examination of Metallic Castings, **03.03**
E1031 Withdrawn 2002; Test Method for X-Ray Emission Spectrometric Analysis of Slag
E1032-12 Test Method for Radiographic Examination of Weldments, **03.03**
E1033-13 Practice for Electromagnetic (Eddy Current) Examination of Type, **03.03**
E1034-95(2013) Specification for Nuclear Facility Transient Worker Records, **12.02**
E1035-13 Practice for Determining Neutron Exposures for Nuclear Reactor, **12.02**
E1036-12 Test Methods for Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, **12.02**
E1037-84(2009) Test Method for Measuring Particle Size Distribution of RDF-5, **11.04**
E1038-10 Test Method for Determining Resistance of Photovoltaic Modules to Hail by Impact with Propelled Ice Balls, **12.02**
E1039 Withdrawn 2004; Test Method for Calibration of Silicon Non-Concentrator Photovoltaic Primary Reference Cells Under Global Irradiation
E1040-10 Specification for Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, **12.02**
E1041 Withdrawn 2002; Guide for Measurement of Masking Sound in Open Offices
E1042-02(2014) Classification for Acoustically Absorptive Materials Applied by Trowel or Spray, **04.06**
E1043-00(2010) Specification for Pipets, Milk and Cream Examination, **14.04**
E1044-96(2011) Specification for Glass Serological Pipets (General Purpose and Kahn), **14.04**
E1045-00(2010) Specification for Pipet, Sahli Hemoglobin, **14.04**
E1046-85(2010) Specification for Glass Westergren Tube, Disposable, **14.04**
E1047-85(2010) Specification for Blood Sedimentation Tube, Wintrobe, Glass, Disposable, **14.04**
E1048-88(2010) Specification for Color-Coding Pipets or Containers Coated With Anticoagulants, **14.04**
E1049-85(2011)$^{\epsilon 1}$ Practices for Cycle Counting in Fatigue Analysis, **03.01**
E1050-12 Test Method for Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis System, **04.06**
E1051 Withdrawn 1997; Guidelines for Evaluating the Usefulness of Herbicides on Potato
E1052-11 Test Method to Assess the Activity of Microbicides against Viruses in Suspension, **11.05**
E1053-11 Test Method to Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, **11.05**
E1054-08(2013) Test Methods for Evaluation of Inactivators of Antimicrobial Agents, **11.05**
E1055 Withdrawn 2010; Test Method for Evaluation of Eye Irritation in Albino Rabbits
E1056-13 Practice for Installation and Service of Solar Domestic Water

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Heating Systems for One- and Two-Family Dwellings, **12.02**
E1057-06(2010) Practice for Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, **04.11**
E1058 Withdrawn 2010; Practice for Toxic Contamination of the Environment in the Operator Enclosure of Self-Propelled Agriculture Vehicles
E1059 Withdrawn 2013; Practice for Designating Shapes and Sizes of Nongraphite Counter Electrodes
E1060 Withdrawn 1997; Practice for Interlaboratory Testing of Spectrochemical Methods of Analysis; Replaced by E1601
E1061-01(2007) Specification for Direct-Reading Liquid Crystal Forehead Thermometers, **13.01**
E1062 Withdrawn 2000; Practice for Conducting Reproductive Studies with Avian Species
E1063 Withdrawn 1998; Test Method for X-Ray Emission Spectrometric Determination of Cerium and Lanthanum in Carbon and Low-Alloy Steels
E1064-12 Test Method for Water in Organic Liquids by Coulometric Karl Fischer Titration, **15.05**
E1065/E1065M-14 Practice for Evaluating Characteristics of Ultrasonic Search Units, **03.03**
E1066/E1066M-12 Practice for Ammonia Colorimetric Leak Testing, **03.03**
E1067/E1067M-11 Practice for Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, **03.03**
E1068-85(2009) Test Method for Testing Nonmetallic Seal Materials by Immersion in a Simulated Geothermal Test Fluid, **12.02**
E1069-85(2009) Test Method for Testing Polymeric Seal Materials for Geothermal or High Temperature Service, or both, Under Sealing Stress, **12.02**
E1070-11 Test Method for Determination of Phosphorus in Iron Ores by Phospho-Molybdenum-Blue Spectrophotometry, **03.05**
E1071 Withdrawn 1996; Test Method for Determination of Reducibility of Iron Ores
E1072 Withdrawn 1996; Test Method for Low Temperature Breakdown of Iron Ores
E1073 Withdrawn 2010; Test Method for Obtaining a Pharmacological Profile with Mice
E1074-09 Practice for Measuring Net Benefits and Net Savings for Investments in Buildings and Building Systems, **04.11**
E1075 Withdrawn 2011; Test Methods for Odor of Ethylene Glycol, Diethylene Glycol, Triethylene Glycol, Propylene Glycol, and Dipropylene Glycol and Taste of Propylene Glycol
E1076 Withdrawn 2010; Practice for Maintaining Health and Safety Records at Solid Waste Processing Facilities
E1077-14 Test Methods for Estimating the Depth of Decarburization of Steel Specimens, **03.01**
E1078-09 Guide for Specimen Preparation and Mounting in Surface Analysis, **03.06**
E1079-10 Practice for Calibration of Transmission Densitometers, **03.03**
E1080 Withdrawn 1995; Practice for Static Load Testing of Wood-Framed Truss Assemblies
E1081 Withdrawn 2002; Test Method for Determination of Total Iron in Iron Ores and Related Materials by Silver Reduction-Dichromate Titration; Replaced by E246
E1082-90(2012) Test Method for Measurement of Vehicular Response to Traveled Surface Roughness, **04.03**
E1083-00(2011) Test Method for Sensory Evaluation of Red Pepper Heat, **15.08**
E1084-86(2009) Test Method for Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, **12.02**
E1085-09 Test Method for Analysis of Low-Alloy Steels by X-Ray Fluorescence Spectrometry, **03.05**
E1086-14 Test Method for Analysis of Austenitic Stainless Steel by Spark Atomic Emission Spectrometry, **03.05**
E1087 Withdrawn 1996; Practice for Sampling Molten Steel from a Ladle Using an Immersion Sampler to Produce a Specimen for Emission Spectrochemical analysis; Replaced by E59
E1088 Withdrawn 1997; Definitions of Terms Relating to Atomizing Devices; Replaced by E1620
E1089 Withdrawn 2013; Test Method for Water Penetration of Flat Plate Solar Collectors by Uniform Static Air Pressure Difference
E1090-08 Test Method for Dicumyl Peroxide and Dicumyl Peroxide Decomposition Products in Resins, **15.05**
E1091-13 Specification for Nonmetallic Honeycomb Core for Use in Shelter Panels, **04.11**
E1092-91(2010) Specification for Glass Micro Folin Pipet, Disposable, **14.04**
E1093-91(2012) Specification for Glass Prothrombin Pipet, Disposable, **14.04**
E1094-04(2009) Specification for Pharmaceutical Glass Graduates, **14.04**
E1095-99(2010) Specification for Common Laboratory Glass Funnels, **14.04**
E1096-86(2011) Specification for Laboratory Glass Separatory Funnels, **14.04**
E1097-12 Guide for Determination of Various Elements by Direct Current Plasma Atomic Emission Spectrometry, **03.05**
E1098 Withdrawn 2001; Specification for Liquid Caustic Soda (Sodium Hydroxide Solution)
E1099 Withdrawn 2001; Specification for Soda Ash, Anhydrous (Sodium Carbonate, Anhydrous)
E1100 Withdrawn 1998; Test Method for Gas Chromatographic Analysis of Specially Denatured Ethanol, Formula SD-3A
E1101 Not Assigned
E1102-91(2009) Terminology Relating to Agricultural Chemical Application, **11.05**
E1103 Withdrawn 2010; Test Method for Determining Subchronic Dermal Toxicity
E1104-98(2009) Specification for Clinical Thermometer Probe Covers and Sheaths, **13.01**
E1105-00(2008) Test Method for Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, **04.11**
E1106-12 Test Method for Primary Calibration of Acoustic Emission Sensors, **03.03**
E1107-10 Test Method for Measuring the Throughput of Resource-Recovery Unit Operations, **11.04**
E1108-86(2009) Test Method for Determination of the Recovery of a Product in a Materials Separation Device, **11.04**
E1109-86(2009) Test Method for Determining the Bulk Density of Solid Waste Fractions, **11.04**
E1110-06(2011) Classification for Determination of Articulation Class, **04.06**
E1111-07 Test Method for Measuring the Interzone Attenuation of Open Office Components, **04.06**
E1112-00(2011) Specification for Electronic Thermometer for Intermittent Determination of Patient Temperature, **13.01**
E1113 Withdrawn 1994; Guide for Project Definition for Computerized Systems; Replaced by E622
E1114-09$^{\epsilon 1}$ Test Method for Determining the Size of Iridium-192 Industrial Radiographic Sources, **03.03**
E1115-11 Test Method for Evaluation of Surgical Hand Scrub Formulations, **11.05**
E1116-98(2008) Test Method for Emulsification Characteristics of Pesticide Emulsifiable Concentrates, **11.05**
E1117 Withdrawn 2009; Practice for Design of Fuel-Alcohol Manufacturing Facilities
E1118/E1118M-11 Practice for Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP), **03.03**
E1119-09 Specification for Industrial Grade Ethylene Glycol, **15.05**
E1120-08 Specification for Liquid Chlorine, **15.05**
E1121-12 Practice for Measuring Payback for Investments in Buildings and Building Systems, **04.11**
E1122 Withdrawn 2006; Practice for Obtaining JK Inclusion Ratings Using Automatic Image Analysis; Replaced by E45
E1123-86(2009) Practices for Mounting Test Specimens for Sound Transmission Loss Testing of Naval and Marine Ship Bulkhead Treatment Materials, **04.06**
E1124-10 Test Method for Field Measurement of Sound Power Level by the Two-Surface Method, **04.06**
E1125-10 Test Method for Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, **12.02**
E1126 Withdrawn 2003; Terminology Relating to Biomass Fuels
E1127-08 Guide for Depth Profiling in Auger Electron Spectroscopy, **03.06**
E1128 Withdrawn 1993; Practice for Establishing Parameters for Testing Dynamic Seals for Geothermal Use
E1129/E1129M-08$^{\epsilon 1}$ Specification for Thermocouple Connectors, **14.03**
E1130-08 Test Method for Objective Measurement of Speech Privacy in Open Plan Spaces Using Articulation Index, **04.06**
E1131-08(2014) Test Method for Compositional Analysis by Thermogravimetry, **14.02**
E1132-13$^{\epsilon 1}$ Practice for Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, **11.03**
E1133-86(2010) Practice for Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, **14.04**
E1134 Withdrawn 2001; Specification for Source-Separated Steel Can
E1135-12 Test Method for Comparing the Brightness of Fluorescent Penetrants, **03.03**
E1136-10 Specification for P195/75R14 Radial Standard Reference Test Tire, **09.02**
E1137/E1137M-08 Specification for Industrial Platinum Resistance Thermometers, **14.03**
E1138 Withdrawn 1995; Terminology of Technical Aspects of Products Liability Litigation
E1139/E1139M-12 Practice for Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, **03.03**
E1140-95(2010)$^{\epsilon 1}$ Practice for Testing Nitrogen/Phosphorus Thermionic Ionization Detectors for Use In Gas Chromatography, **03.06**
E1141 Not Assigned
E1142-14a Terminology Relating to Thermophysical Properties, **14.02**
E1143-05(2010) Test Method for Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, **12.02**
E1144 Withdrawn 1993; Test Method for Calibration of Non-Concentrator Terrestrial Photovoltaic Primary Reference Cells Under Direct Irradiance
E1145 Withdrawn 1993; Specification for Denatured Ethyl Alcohol, Formula 3a
E1146-08 Specification for Muriatic Acid (Technical Grade Hydrochloric Acid), **15.05**
E1147 Withdrawn 2013; Test Method for Partition Coefficient (N-Octanol/Water) Estimation by Liquid Chromatography
E1148 Withdrawn 2013; Test Method for Measurements of Aqueous Solubility
E1149 Withdrawn 1991; Terminology Relating to NDT by Infrared Thermography; Replaced by E1316
E1150 Withdrawn 1996; Definitions of Terms Relating to Fatigue; Replaced by E1823
E1151-93(2011) Practice for Ion Chromatography Terms and Relationships, **03.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E1152 Withdrawn 1996; Test Method for Determining J–R Curves; Replaced by E1737
E1153-14 Test Method for Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, **11.05**
E1154-90(2008) Specification for Piston or Plunger Operated Volumetric Apparatus, **14.04**
E1155-14 Test Method for Determining FF Floor Flatness and FL Floor Levelness Numbers, **04.11**
E1155M-14 Test Method for Determining FF Floor Flatness and FL Floor Levelness Numbers (Metric), **04.11**
E1156 Withdrawn 1999; Practice for Health Requirements for Occupational Exposure to Synthetic Amorphous Silica
E1157-87(2011) Specification for Sampling and Testing of Reusable Laboratory Glassware, **14.04**
E1158-14 Guide for Material Selection and Fabrication of Reference Blocks for the Pulsed Longitudinal Wave Ultrasonic Testing of Metal and Metal Alloy Production Material, **03.03**
E1159-98(2009) Specification for Thermocouple Materials, Platinum-Rhodium Alloys, and Platinum, **14.03**
E1160-13 Guide for On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, **12.02**
E1161-09(2014) Practice for Radiologic Examination of Semiconductors and Electronic Components, **03.03**
E1162-11 Practice for Reporting Sputter Depth Profile Data in Secondary Ion Mass Spectrometry (SIMS), **03.06**
E1163-10 Test Method for Estimating Acute Oral Toxicity in Rats, **11.06**
E1164-12 Practice for Obtaining Spectrometric Data for Object-Color Evaluation, **06.01**
E1165-12 Test Method for Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, **03.03**
E1166-00(2009) Guide for Network Level Pavement Management, **04.03**
E1167-87(2008) Guide for Radiation Protection Program for Decommissioning Operations, **12.02**
E1168-95(2013) Guide for Radiological Protection Training for Nuclear Facility Workers, **12.02**
E1169-14 Practice for Conducting Ruggedness Tests, **14.02**
E1170-97(2012) Practices for Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, **04.03**
E1171-09 Test Methods for Photovoltaic Modules in Cyclic Temperature and Humidity Environments, **12.02**
E1172-87(2011) Practice for Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, **03.05**
E1173-01(2009) Test Method for Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, **11.05**
E1174-13 Test Method for Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, **11.05**
E1175-87(2009) Test Method for Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter Integrating Sphere, **12.02**
E1176 Withdrawn 1994; Specification for Polyester Grade Ethylene Glycol
E1177-09(2014) Specification for Engine Coolant Grade Glycol, **15.05**
E1178-08 Test Methods for Analysis of Acrylonitrile, **15.05**
E1179-13 Specification for Sound Sources Used for Testing Open Office Components and Systems, **04.06**
E1180-08 Practice for Preparing Sulfur Prints for Macrostructural Evaluation, **03.01**
E1181-02(2008) Test Methods for Characterizing Duplex Grain Sizes, **03.01**
E1182 Withdrawn 2002; Test Method for Measurement of Surface Layer Thickness by Radial Sectioning
E1183 Withdrawn 2009; Test Method for Air Drying RDF-5 for Further Analysis
E1184-10 Practice for Determination of Elements by Graphite Furnace Atomic Absorption Spectrometry, **03.05**
E1185-12 Guide for Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, **04.11**
E1186-03(2009) Practices for Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, **04.11**
E1187 Withdrawn 2006; Terminology Relating to Conformity Assessment
E1188-11 Practice for Collection and Preservation of Information and Physical Items by a Technical Investigator, **14.02**
E1189-00(2010) Specification for Micro-Burets (Koch Style), **14.04**
E1190-11 Test Methods for Strength of Power-Actuated Fasteners Installed in Structural Members, **04.11**
E1191-03a(2008) Guide for Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, **11.06**
E1192-97(2008) Guide for Conducting Acute Toxicity Tests on Aqueous Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, **11.06**
E1193-97(2012) Guide for Conducting Daphnia magna Life-Cycle Toxicity Tests, **11.06**
E1194 Withdrawn 2013; Test Method for Vapor Pressure
E1195 Withdrawn 2013; Test Method for Determining a Sorption Constant (K_{oc}) for an Organic Chemical in Soil and Sediments
E1196 Withdrawn 1998; Test Method for Determining the Anaerobic Biodegradation Potential of Organic Chemicals
E1197-12 Guide for Conducting a Terrestrial Soil-Core Microcosm Test, **11.06**
E1198-87(2012) Practice for Sampling Zooplankton with Pumps, **11.02**
E1199-87(2012) Practice for Sampling Zooplankton with a Clarke-Bumpus Plankton Sampler, **11.02**
E1200-87(2012) Practice for Preserving Zooplankton Samples, **11.02**
E1201-87(2012) Practice for Sampling Zooplankton with Conical Tow Nets, **11.02**
E1202 Withdrawn 2013; Guide for Development of Micronucleus Assay Standards
E1203 Withdrawn 2013; Practice for Using Brine Shrimp Nauplii as Food for Test Animals in Aquatic Toxicology
E1206 Withdrawn 2000; Guide for Computerization of Existing Equipment
E1207-14 Guide for Sensory Evaluation of Axillary Deodorancy, **15.08**
E1208-10 Practice for Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, **03.03**
E1209-10 Practice for Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, **03.03**
E1210-10 Practice for Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, **03.03**
E1211/E1211M-12 Practice for Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, **03.03**
E1212-12 Practice for Quality Management Systems for Nondestructive Testing Agencies, **03.03**
E1213-97(2009) Test Method for Minimum Resolvable Temperature Difference for Thermal Imaging Systems, **03.03**
E1214-11 Guide for Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), **12.02**
E1215-93(2012) Specification for Trailers Used for Measuring Vehicular Response to Road Roughness, **04.03**
E1216-11 Practice for Sampling for Particulate Contamination by Tape Lift, **15.03**
E1217-11 Practice for Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, **03.06**
E1218-04(2012) Guide for Conducting Static Toxicity Tests with Microalgae, **11.06**
E1219-10 Practice for Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, **03.03**
E1220-10 Practice for Visible Penetrant Testing Using Solvent-Removable Process, **03.03**
E1221-12a Test Method for Determining Plane-Strain Crack-Arrest Fracture Toughness, KIa, of Ferritic Steels, **03.01**
E1222-90(2009) Test Method for Laboratory Measurement of the Insertion Loss of Pipe Lagging Systems, **04.06**
E1223 Withdrawn 2000; Specification for Type N Thermocouple Wire
E1224 Withdrawn 2003; Guide for Categorizing Fields of Capability for Laboratory Accreditation Purposes
E1225-13 Test Method for Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, **14.02**
E1226-12a Test Method for Explosibility of Dust Clouds, **14.02**
E1227 Withdrawn 1991; Terminology Relating to Chemical Analysis of Metals; Combined with E 135
E1228-09 Test Method for Assay of Peroxy Esters--Catalyzed Iodometric Procedure, **15.05**
E1229-08 Specification for Calcium Hypochlorite, **15.05**
E1230 Withdrawn 2001; Test Method for Approximate Determination of Low Molecular Weight Hydrocarbons in Anhydrous Hydrogen Fluoride
E1231-10 Practice for Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, **14.02**
E1232-07(2013) Test Method for Temperature Limit of Flammability of Chemicals, **14.02**
E1233/E1233M-14 Test Method for Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, **04.11**
E1234-12 Practice for Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas for Spacecraft, **15.03**
E1235-12 Test Method for Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, **15.03**
E1236 Withdrawn 2006; Practice for Qualifying Charpy Impact Machines as Reference Machines
E1237-93(2009) Guide for Installing Bonded Resistance Strain Gages, **03.01**
E1238 Withdrawn 2003; Specification for Transferring Clinical Observations Between Independent Computer Systems
E1239-04(2010) Practice for Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health Record (EHR) Systems, **14.01**
E1240 Withdrawn 2001; Test Method for Performance Testing of Wind Energy Conversion Systems
E1241-05(2013) Guide for Conducting Early Life-Stage Toxicity Tests with Fishes, **11.06**
E1242-97(2008) Practice for Using Octanol-Water Partition Coefficient to Estimate Median Lethal Concentrations for Fish Due to Narcosis, **11.06**
E1243 Withdrawn 1993; Test Method for Columbium and Tantalum in Ores and Concentrates Involving Ion Exchange
E1244 Withdrawn 1993; Test Method for X-Ray Fluorescence Analysis of Tantalite and Columbite Ores and Slags by a Lithium Tetraborate Fusion Technique Utilizing Internal Standards
E1245-03(2008) Practice for Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, **03.01**
E1246 Withdrawn 2003; Practice for Reporting Reliability of Clinical Laboratory Computer Systems
E1247-12 Practice for Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, **06.01**
E1248-90(2009) Practice for Shredder Explosion Protection, **11.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E1249-10 Practice for Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, **12.02**
E1250-10 Test Method for Application of Ionization Chambers to Assess the Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, **12.02**
E1251-11 Test Method for Analysis of Aluminum and Aluminum Alloys by Spark Atomic Emission Spectrometry, **03.05**
E1252-98(2013)ε1 Practice for General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, **03.06**
E1253-13 Guide for Reconstitution of Irradiated Charpy-Sized Specimens, **12.02**
E1254-13 Guide for Storage of Radiographs and Unexposed Industrial Radiographic Films, **03.03**
E1255-09 Practice for Radioscopy, **03.03**
E1256-11a Test Methods for Radiation Thermometers (Single Waveband Type), **14.03**
E1257-93(2008) Guide for Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, **03.05**
E1258-88(2012) Test Method for Airflow Calibration of Fan Pressurization Devices, **04.11**
E1259-10 Practice for Evaluation of Antimicrobials in Liquid Fuels Boiling Below 390°C, **11.05**
E1260-03(2009) Test Method for Determining Liquid Drop Size Characteristics in a Spray Using Optical Nonimaging Light-Scattering Instruments, **14.02**
E1262-88(2013) Guide for Performance of Chinese Hamster Ovary Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation Assay, **13.01**
E1263-97(2008) Guide for Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, **13.01**
E1264-08ε1 Classification for Acoustical Ceiling Products, **04.06**
E1265-04(2013) Test Method for Measuring Insertion Loss of Pneumatic Exhaust Silencers, **04.06**
E1266-12 Practice for Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, **11.04**
E1267 Withdrawn 1996; Guide for ASTM Standard Specification Quality Statements
E1268-01(2007) Practice for Assessing the Degree of Banding or Orientation of Microstructures, **03.01**
E1269-11 Test Method for Determining Specific Heat Capacity by Differential Scanning Calorimetry, **14.02**
E1270-88(2008) Test Method for Equal Arm Balances, **14.04**
E1271 Withdrawn 2004; Practice for Qualifying Charpy Verification Specimens of Heat-Treated Steel
E1272-02(2012) Specification for Laboratory Glass Graduated Cylinders, **14.04**
E1273-88(2013) Specification for Color Coding of Reusable Laboratory Pipets, **14.04**
E1274-03(2012) Test Method for Measuring Pavement Roughness Using a Profilograph, **04.03**
E1277-08 Test Method for Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, **03.05**
E1278 Withdrawn 2005; Guide for Radioactive Pathway Methodology for Release of Sites Following Decommissioning
E1279 Withdrawn 2013; Test Method for Biodegradation By a Shake-Flask Die-Away Method
E1280-97(2008) Guide for Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, **13.01**
E1281-10 Guide for Nuclear Facility Decommissioning Plans, **12.02**
E1282-11 Guide for Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, **03.05**
E1283 Withdrawn 2000; Guide for Procurement of Computer-Integrated Manufacturing Systems
E1284 Withdrawn 2007; Practices for Dissolution of Refuse-Derived Fuel (RDF) Ash Samples for Analyses of Metals
E1285-06 Guide for Identification of Bacteriophage Lambda (λ) or Its DNA, **14.02**
E1286-00(2006) Guide for Identification of Herpes Simplex Virus or Its DNA, **14.02**
E1287 Withdrawn 2008; Practice for Aseptic Sampling of Biological Materials
E1288 Withdrawn 2003; Test Method for Durability of Biomass Pellets
E1289-08 Specification for Reference Specimen for Sound Transmission Loss, **04.06**
E1290 Withdrawn 2013; Test Method for Crack-Tip Opening Displacement (CTOD) Fracture Toughness Measurement
E1291 Withdrawn 2009; Test Method for Conducting a Saturated Vapor Inhalation Study with Rats
E1292-94(2011) Specification for Gravity Convection and Forced Ventilation Incubators, **14.04**
E1293-02(2012) Specification for Glass Measuring Pipets, **14.04**
E1294 Withdrawn 2008; Test Method for Pore Size Characteristics of Membrane Filters Using Automated Liquid Porosimeter
E1295-01(2013) Guide for Conducting Three-Brood, Renewal Toxicity Tests with, **11.06**
E1296 Withdrawn 1997; Terminology Relating to Liquid Particle Statistics; Replaced by E1620
E1297-08(2013) Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, **12.02**
E1298-06 Guide for Determination of Purity, Impurities, and Contaminants in Biological Drug Products, **14.02**
E1299-96(2010) Specification for Reusable Phase-Change-Type Fever Thermometer for Intermittent Determination of Human Temperature, **13.01**
E1300-12aε1 Practice for Determining Load Resistance of Glass in Buildings, **04.11**
E1301 Withdrawn 2012; Guide for Proficiency Testing by Interlaboratory Comparisons
E1302-13 Guide for Acute Animal Toxicity Testing of Water-Miscible Metalworking Fluids, **11.03**
E1303-95(2010) Practice for Refractive Index Detectors Used in Liquid Chromatography, **03.06**
E1304-97(2008)ε1 Test Method for Plane-Strain (Chevron-Notch) Fracture Toughness of Metallic Materials, **03.01**
E1305 Withdrawn 1993; Practice for Preparation of Single Element Reference Solutions for Analytical Atomic Spectroscopy; Replaced by E1452
E1306-11 Practice for Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, **03.05**
E1307-10 Practice for Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, **04.11**
E1308 Withdrawn 2000; Guide for Identification of Polymers (Excludes Thermoset Elastomers) in Computerized Material Property Databases
E1309-00(2011) Guide for Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases, **15.03**
E1311-89(2010) Test Method for Minimum Detectable Temperature Difference for Thermal Imaging Systems, **03.03**
E1312-09(2013)ε1 Practice for Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, **03.03**
E1313 Withdrawn 2000; Guide for Recommended Formats for Data Records Used in Computerization of Mechanical Test Data for Metals
E1314 Withdrawn 2000; Practice for Structuring Terminological Records Relating to Computerized Test Reporting and Materials Designation Formats
E1315 Withdrawn 2006; Practice for Ultrasonic Examination of Steel with Convex Cylindrically Curved Entry Surfaces
E1316-14 Terminology for Nondestructive Examinations, **03.03**
E1317-12 Test Method for Flammability of Marine Surface Finishes, **04.07**
E1318-09 Specification for Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, **04.03**
E1319-98(2009) Guide for High-Temperature Static Strain Measurement, **03.01**
E1320-10 Reference Radiographs for Titanium Castings, **03.03**
E1321-13 Test Method for Determining Material Ignition and Flame Spread Properties, **04.07**
E1322 Withdrawn 1999; Guide for Selection, Training and Evaluation of Assessors for Laboratory Accreditation Systems
E1323-09 Guide for Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, **14.02**
E1324-11 Guide for Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, **03.03**
E1325-02(2008) Terminology Relating to Design of Experiments, **14.02**
E1326-13 Guide for Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, **11.05**
E1327-07(2012)ε1 Test Method for Evaluation of Antimicrobial Handwash Formulations by Utilizing Fingernail Regions, **11.05**
E1328 Withdrawn 2012; Terminology Relating to Photovoltaic Solar Energy Conversion
E1329-10 Practice for Verification and Use of Control Charts in Spectrochemical Analysis, **03.05**
E1330 Withdrawn 1993; Practice for Preparation of Calibration Solutions for Spectrophotometric and for Spectroscopic Atomic Analyses; Replaced by E1452
E1331-09 Test Method for Reflectance Factor and Color by Spectrophotometry Using Hemispherical Geometry, **06.01**
E1332-10a Classification for Rating Outdoor-Indoor Sound Attenuation, **04.06**
E1333-10 Test Method for Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber, **04.10**
E1334 Withdrawn 2013; Practice for Rating the Serviceability of a Building or Building-Related Facility; Replaced by E1679
E1335-08 Test Methods for Determination of Gold in Bullion by Fire Assay Cupellation Analysis, **03.05**
E1336-11 Test Method for Obtaining Colorimetric Data From a Visual Display Unit by Spectroradiometry, **06.01**
E1337-90(2012) Test Method for Determining Longitudinal Peak Braking Coefficient of Paved Surfaces Using Standard Reference Test Tire, **04.03**
E1338-09 Guide for Identification of Metals and Alloys in Computerized Material Property Databases, **02.05**
E1339 Withdrawn 1997; Guide for Identification of Aluminum Alloys and Parts in Computerized Material Property Databases; Replaced by E1338
E1340-05(2010) Guide for Rapid Prototyping of Information Systems, **14.01**
E1341-06(2011)ε1 Practice for Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, **06.01**
E1343 Withdrawn 2010; Test Method for Molecular Weight Cutoff Evaluation of Flat Sheet Ultrafiltration Membranes
E1344 Withdrawn 2009; Guide for Evaluation of Fuel Ethanol Manufacturing Facilities
E1345-98(2008)ε1 Practice for Reducing the Effect of Variability of Color Measurement by Use of Multiple Measurements, **06.01**
E1346-90(2010) Practice for Bulk Sampling, Handling, and Preparing Edible Vegetable Oils for Sensory Evaluation, **15.08**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E1347-06(2011) Test Method for Color and Color-Difference Measurement by Tristimulus Colorimetry, **06.01**
E1348-11 Test Method for Transmittance and Color by Spectrophotometry Using Hemispherical Geometry, **06.01**
E1349-06(2013) Test Method for Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, **06.01**
E1350-13 Guide for Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, **14.03**
E1351-01(2012) Practice for Production and Evaluation of Field Metallographic Replicas, **03.01**
E1352-08a Test Method for Cigarette Ignition Resistance of Mock-Up Upholstered Furniture Assemblies, **04.07**
E1353-08a$^{\epsilon 1}$ Test Methods for Cigarette Ignition Resistance of Components of Upholstered Furniture, **04.07**
E1354-14 Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, **04.07**
E1355-12 Guide for Evaluating the Predictive Capability of Deterministic Fire Models, **04.07**
E1356-08(2014) Test Method for Assignment of the Glass Transition Temperatures by Differential Scanning Calorimetry, **14.02**
E1357 Withdrawn 2010; Test Method for Determining the Rate of Bioleaching of Iron From Pyrite by Thiobacillus Ferrooxidans
E1358-97(2013) Test Method for Determination of Moisture Content of Particulate Wood Fuels Using a Microwave Oven, **05.06**
E1359-12 Guide for Evaluating Capabilities of Nondestructive Testing Agencies, **03.03**
E1360-05(2010) Practice for Specifying Color by Using the Optical Society of America Uniform Color Scales System, **06.01**
E1361-02(2007) Guide for Correction of Interelement Effects in X-Ray Spectrometric Analysis, **03.05**
E1362-10 Test Method for Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, **12.02**
E1363-13 Test Method for Temperature Calibration of Thermomechanical Analyzers, **14.02**
E1364-95(2012) Test Method for Measuring Road Roughness by Static Level Method, **04.03**
E1365 Withdrawn 1994; Practice for Conducting Static Acute Aquatic Toxicity Screening Tests with the Mosquito, Wyeomyia Smithii (Coquillett)
E1366-11 Practice for Standardized Aquatic Microcosms: Fresh Water, **11.06**
E1367-03(2008) Test Method for Measuring the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Invertebrates, **11.06**
E1368-14 Practice for Visual Inspection of Asbestos Abatement Projects, **11.07**
E1369-11 Guide for Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, **04.11**
E1370-14 Guide for Air Sampling Strategies for Worker and Workplace Protection, **11.07**
E1371 Withdrawn 2006; Test Method for Gravimetric Determination of Phosphorus in Phosphorus-Copper Alloys or Phosphorus-Copper-Silver Alloys
E1372 Withdrawn 2010; Test Method for Conducting a 90-Day Oral Toxicity Study in Rats
E1373 Withdrawn 2009; Test Method for Conducting a Subchronic Inhalation Toxicity Study in Rats
E1374-06(2011) Guide for Open Office Acoustics and Applicable ASTM Standards, **04.06**
E1375 Withdrawn 2005; Measuring the Interzone Attenuation of Furniture Panels Used as Acoustical Barriers; Replaced by E1111
E1376 Withdrawn 2005; Test Method for Measuring the Interzone Attenuation of Sound Reflected by Wall Finishes and Furniture Panels; Replaced by E1111
E1377-99(2010) Specification for Laboratory Glass Kjeldahl Flasks, **14.04**
E1378-99(2010) Specification for Laboratory Glass Multiple Neck Distilling/Boiling Flasks, **14.04**
E1379-90(2010) Specification for Laboratory Glass Dewar Flask, **14.04**
E1380-90(2010) Specification for Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, **14.04**
E1381 Withdrawn 2003; Specification for Low-Level Protocol to Transfer Messages Between Clinical Laboratory Instruments and Computer Systems
E1382-97(2010) Test Methods for Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, **03.01**
E1383 Withdrawn 1995; Guide for Conducting Sediment Toxicity Tests with Freshwater Invertebrates; Replaced by E1706
E1384-07(2013) Practice for Content and Structure of the Electronic Health Record (EHR), **14.01**
E1385 Withdrawn 2009; Practice for Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Steam Distillation
E1386-10 Practice for Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, **14.02**
E1387 Withdrawn 2010; Test Method for Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography
E1388-12 Practice for Sampling of Headspace Vapors from Fire Debris Samples, **14.02**
E1389 Withdrawn 2003; Practice for Cleanup of Fire Debris Sample Extracts by Acid Stripping
E1390-12 Specification for Illuminators Used for Viewing Industrial Radiographs, **03.03**
E1391-03(2008) Guide for Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, **11.06**
E1392 Withdrawn 2003; Practoce for Angle Resolved Optical Scatter Measurements on Specular or Diffuse Surfaces
E1394 Withdrawn 2003; Specification for Transferring Information Between Clinical Instruments and Computer Systems
E1395-90(2011) Test Method for Sensory Evaluation of Low Heat Chilies, **15.08**
E1396-90(2011) Test Method for Sensory Evaluation of Oleoresin Capsicum, **15.08**
E1397 Withdrawn 2013; Practice for In Vitro Rat Hepatocyte DNA Repair Assay
E1398 Withdrawn 2013; Practice for In Vivo Rat Hepatocyte DNA Repair Assay
E1399/E1399M-97(2013)$^{\epsilon 1}$ Test Method for Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, **04.11**
E1402-13 Guide for Sampling Design, **14.02**
E1403-97(2013) Specification for Laboratory Glass Boiling Flasks, **14.04**
E1404-94(2013) Specification for Laboratory Glass Conical Flasks, **14.04**
E1405-98(2010) Specification for Laboratory Glass Distillation Flasks, **14.04**
E1406-95(2010) Specification for Laboratory Glass Filter Flasks, **14.04**
E1407 Withdrawn 2000; Guide for Materials Database Management
E1408 Withdrawn 2009; Test Method for Laboratory Measurement of the Sound Transmission Loss of Door Panels and Door Systems
E1409-13 Test Method for Determination of Oxygen and Nitrogen in Titanium and Titanium Alloys by Inert Gas Fusion, **03.05**
E1410 Withdrawn 2014; Practice for Specifying Data for Evaluation of Energy Used in Residential Buildings
E1411-09 Practice for Qualification of Radioscopic Systems, **03.03**
E1412-12 Practice for Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, **14.02**
E1413-13 Practice for Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, **14.02**
E1414/E1414M-11a Test Method for Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, **04.06**
E1415-91(2012) Guide for Conducting Static Toxicity Tests With, **11.06**
E1416-09 Test Method for Radioscopic Examination of Weldments, **03.03**
E1417/E1417M-13 Practice for Liquid Penetrant Testing, **03.03**
E1418-10 Practice for Visible Penetrant Testing Using the Water-Washable Process, **03.03**
E1419-09 Practice for Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission, **03.03**
E1420 Withdrawn 1996; Practice for Specifying Polymeric Materials for Service in Ionizing Radiation Environments
E1421-99(2009) Practice for Describing and Measuring Performance of Fourier Transform Mid-Infrared (FT-MIR) Spectrometers: Level Zero and Level One Tests, **03.06**
E1422 Withdrawn 2014; Guide for Test Methods for Forensic Writing Ink Comparison
E1423-14 Practice for Determining Steady State Thermal Transmittance of Fenestration Systems, **04.11**
E1424-91(2008) Test Method for Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, **04.11**
E1425-14 Practice for Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems, **04.11**
E1426-98(2009)$^{\epsilon 1}$ Test Method for Determining the Effective Elastic Parameter for X-Ray Diffraction Measurements of Residual Stress, **03.01**
E1427 Withdrawn 2009; Guide for Selecting Test Methods to Determine the Effectiveness of Antimicrobial Agents and Other Chemicals for the Prevention, Inactivation and Removal of Biofilm
E1428-99(2009) Test Method for Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, **11.05**
E1429 Withdrawn 2010; Guide for Assessing the Health Hazard of Pesticides to Applicators and Others with Potential Exposure
E1430 Withdrawn 2000; Guide for Using Release Detection Devices with Underground Storage Tanks
E1432-04(2011) Practice for Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, **15.08**
E1433 Withdrawn 2010; Guide for Selection of Standards on Environmental Acoustics
E1434-00(2013) Guide for Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, **15.03**
E1435 Withdrawn 2007; Practice for Handling Densified Articles of Aluminum Oxide Reinforced with Silicon Carbide Whiskers
E1436 Withdrawn 1997; Practice for Handling Densified Articles of Silicon Nitride Reinforced with Silicon Carbide Whiskers
E1437 Withdrawn 2007; Practice for Handling Silicon Carbide Whiskers
E1438-11 Guide for Measuring Widths of Interfaces in Sputter Depth Profiling Using SIMS, **03.06**
E1439-12 Guide for Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), **11.06**
E1440-91(2012) Guide for Acute Toxicity Test with the Rotifer Brachionus, **11.06**
E1441-11 Guide for Computed Tomography (CT) Imaging, **03.03**
E1442 Withdrawn 2001; Practice for Highway-Traffic Monitoring

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E1443 Withdrawn 2000; Terminology Relating to Building and Accessing Material and Chemical Databases
E1444/E1444M-12 Practice for Magnetic Particle Testing, **03.03**
E1445-08 Terminology Relating to Hazard Potential of Chemicals, **14.02**
E1446-13 Test Method for Chemical Analysis of Refined Gold by Direct Current Plasma Atomic Emission Spectrometry, **03.05**
E1447-09 Test Method for Determination of Hydrogen in Titanium and Titanium Alloys by Inert Gas Fusion Thermal Conductivity/Infrared Detection Method, **03.05**
E1448/E1448M-09 Practice for Calibration of Systems Used for Measuring Vehicular Response to Pavement Roughness, **04.03**
E1449-92(2011) Guide for Supercritical Fluid Chromatography Terms and Relationships, **03.06**
E1450-09 Test Method for Tension Testing of Structural Alloys in Liquid Helium, **03.01**
E1451 Withdrawn 2007; Guide for Disposal of Wastes Containing Silicon Carbide Whiskers and Fibers
E1452 Withdrawn 2005; Practice for Preparation of Calibration Solutions for Spectrophotometric and for Spectroscopic Atomic Analysis
E1453-09 Guide for Storage of Magnetic Tape Media that Contains Analog or Digital Radioscopic Data, **03.03**
E1454 Withdrawn 2013; Guide for Data Fields for Computerized Transfer of Digital Ultrasonic Testing Data
E1455-03(2010) Practice for Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, **06.01**
E1456-08 Specification for Caustic Potash; Solid (Potassium Hydroxide; Solid), **15.05**
E1457-13 Test Method for Measurement of Creep Crack Growth Times and Rates in Metals, **03.01**
E1458-12 Test Method for Calibration Verification of Laser Diffraction Particle Sizing Instruments Using Photomask Reticles, **14.02**
E1459-13 Guide for Physical Evidence Labeling and Related Documentation, **14.02**
E1460 Withdrawn 1999; Specification for Defining and Sharing Modular Health Knowledge Bases (Arden Syntax for Medical Logic Modules)
E1461-13 Test Method for Thermal Diffusivity by the Flash Method, **14.02**
E1462-12 Test Methods for Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, **12.02**
E1463-92(2012) Guide for Conducting Static and Flow-Through Acute Toxicity Tests With Mysids From the West Coast of the United States, **11.06**
E1464 Withdrawn 2014; Guide for Developing Energy Monitoring Protocols for Commercial and Institutional Buildings or Facilities
E1465-08a Practice for Radon Control Options for the Design and Construction of New Low-Rise Residential Buildings, **04.11**
E1466 Withdrawn 2003; Specification for Use of Bar Codes on Specimen Tubes in the Clinical Laboratory
E1467 Withdrawn 2004; Specification for Transferring Digital Neurophysiological Data Between Independent Computer Systems
E1468 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with the Basket Sampler
E1469 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Multiple-Plate Samplers
E1470-92(2006) Test Method for Characterization of Proteins by Electrophoretic Mobility, **14.02**
E1471-92(2014) Guide for Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, **15.03**
E1472 Withdrawn 2011; Guide for Documenting Computer Software for Fire Models
E1473-09 Test Methods for Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, **03.05**
E1474-14 Test Method for Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, **04.07**
E1475-13 Guide for Data Fields for Computerized Transfer of Digital Radiological Examination Data, **03.03**
E1476-04(2014) Guide for Metals Identification, Grade Verification, and Sorting, **03.03**
E1477-98a(2013) Test Method for Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, **06.01**
E1478-97(2009) Practice for Visual Color Evaluation of Transparent Sheet Materials, **06.01**
E1479-99(2011) Practice for Describing and Specifying Inductively-Coupled Plasma Atomic Emission Spectrometers, **03.05**
E1480-92(2013) Terminology of Facility Management (Building-Related), **04.11**
E1481-00a(2014)$^{\epsilon 1}$ Terminology of Railing Systems and Rails for Buildings, **04.11**
E1482-12 Practice for Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, **11.05**
E1483 Withdrawn 2010; Test Method for Assessing Developmental Toxicity in Rats and Rabbits
E1484 Withdrawn 2000; Guide for Formatting and Use of Material and Chemical Property Data and Database Quality Indicators
E1485 Withdrawn 2000; Guide for Development of Material and Chemical Property Database Descriptions
E1486-14 Test Method for Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, **04.11**
E1486M-14 Test Method for Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), **04.11**
E1487 Not Assigned
E1488-12$^{\epsilon 1}$ Guide for Statistical Procedures to Use in Developing and Applying Test Methods, **14.02**
E1489-08(2013) Practice for Computing Ride Number of Roads from Longitudinal Profile Measurements Made by an Inertial Profile Measuring Device, **04.03**
E1490-11 Guide for Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, **15.08**
E1491-06(2012) Test Method for Minimum Autoignition Temperature of Dust Clouds, **14.02**
E1492-11 Practice for Receiving, Documenting, Storing, and Retrieving Evidence in a Forensic Science Laboratory, **14.02**
E1493-06 Guide for Identification of Bacteriophage M13 or Its DNA, **14.02**
E1494-12 Practice for Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, **11.07**
E1495/E1495M-12 Guide for Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, **03.03**
E1496 Withdrawn 2012; Test Method for Neutron Radiographic Dimensional Measurements
E1497-05(2011) Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, **11.03**
E1498-92(2012) Guide for Conducting Sexual Reproduction Tests with Seaweeds, **11.06**
E1499-97(2009) Guide for Selection, Evaluation, and Training of Observers, **06.01**
E1500 Withdrawn 1998; Practice for Computing Mean Square Numerics from Road Surface Elevation Profile Records
E1501 Withdrawn 2013, Specification for Nighttime Photometric Performance of Retroreflective Pedestrian Markings for Visibility Enhancement
E1502-10 Guide for Use of Fixed-Point Cells for Reference Temperatures, **14.03**
E1503-14 Test Method for Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, **04.06**
E1504-11 Practice for Reporting Mass Spectral Data in Secondary Ion Mass Spectrometry (SIMS), **03.06**
E1505 Withdrawn 2010; Guide for Determining SIMS Relative Sensitivity Factors from Ion Implanted External Standards
E1506-08 Test Methods for Analysis of Acid-Grade Calcium Fluoride (Fluorspar), **15.05**
E1507 Withdrawn 2012; Guide for Describing and Specifying the Spectrometer of an Optical Emission Direct-Reading Instrument
E1508-12a Guide for Quantitative Analysis by Energy-Dispersive Spectroscopy, **03.01**
E1509-12 Specification for Room Heaters, Pellet Fuel-Burning Type, **04.11**
E1510-95(2013)$^{\epsilon 1}$ Practice for Installing Fused Silica Open Tubular Capillary Columns in Gas Chromatographs, **03.06**
E1511-93(2010) Practice for Testing Conductivity Detectors Used in Liquid and Ion Chromatography, **03.06**
E1512-01(2007) Test Methods for Testing Bond Performance of Bonded Anchors, **04.11**
E1513-93(2011) Practice for Application of Sprayed Fire-Resistive Materials (SFRMs), **04.11**
E1514-98(2011) Specification for Structural Standing Seam Steel Roof Panel Systems, **04.11**
E1515-07 Test Method for Minimum Explosible Concentration of Combustible Dusts, **14.02**
E1516 Withdrawn 2007; Guide for Packaging of Silicon Carbide Whiskers and Fibers
E1517-13 Test Method for Determining the Effectiveness of Liquid, Gel, Cream, or Shampoo Insecticides Against Human Louse Ova, **11.05**
E1518-05(2012) Practice for Evaluation of Physical Compatibility of Pesticides in Aqueous Tank Mixtures by the Dynamic Shaker Method, **11.05**
E1519-13 Terminology Relating to Agricultural Tank Mix Adjuvants, **11.05**
E1520-99(2009) Test Method for Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, **11.05**
E1521-01(2006) Test Method for Liquid Holding Capacity of Granular Carriers, **11.05**
E1522-93(2013) Specification for Autoclavable Protective Coatings on Laboratory Glassware, **14.04**
E1523-09 Guide to Charge Control and Charge Referencing Techniques in X-Ray Photoelectron Spectroscopy, **03.06**
E1524 Withdrawn 2004; Test Method for Saltwater Immersion and Corrosion Testing of Photovoltaic Modules for Marine Environments; Replaced by E1597
E1525-02(2008) Guide for Designing Biological Tests with Sediments, **11.06**
E1526 Withdrawn 2002; Practice for Evaluating the Performance of Release Detection Systems for Underground Storage Tank Systems
E1527-13 Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, **11.05**
E1528-14 Practice for Limited Environmental Due Diligence: Transaction Screen Process, **11.05**
E1529-13 Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, **04.07**
E1530-11 Test Method for Evaluating the Resistance to Thermal Transmission of Materials by the Guarded Heat Flow Meter Technique, **14.02**
E1531-00(2006) Practice for Detection of Mycoplasma Contamination of Cell Cultures by Growth on Agarose Medium, **14.02**
E1532-00(2006) Practice for Detection of Mycoplasma Contamination of Cell Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, **14.02**
E1533-00(2006) Practice for Indirect Detection of Mycoplasma in Cell Culture by 4′-6-Diamidino-2-2 Phenylindole (DAPI) Staining, **14.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E1534-93(2013) Test Method for Determination of Ash Content of Particulate Wood Fuels, **05.06**
E1535 Withdrawn 2011; Test Method for Performance Evaluation of Anaerobic Digestion Systems
E1536-00(2006) Practice for Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, **14.02**
E1537-13 Test Method for Fire Testing of Upholstered Furniture, **04.07**
E1541 Withdrawn 2007; Practice for Specifying and Matching Color Using the Colorcurve System
E1542-10 Terminology Relating to Occupational Health and Safety, **11.03**
E1543-00(2011) Test Method for Noise Equivalent Temperature Difference of Thermal Imaging Systems, **03.03**
E1544 Withdrawn 2012; Practice for Construction of a Stepped Block and Its Use to Estimate Errors Produced by Speed-of-Sound Measurement Systems for Use on Solids
E1545-11 Test Method for Assignment of the Glass Transition Temperature by Thermomechanical Analysis, **14.02**
E1546-09a Guide for Development of Fire-Hazard-Assessment Standards, **04.07**
E1547-09 Terminology Relating to Industrial and Specialty Chemicals, **15.05**
E1548-09 Practice for Preparation of Aerospace Contamination Control Plans, **15.03**
E1549/E1549M-13 Specification for ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, **15.03**
E1550 Withdrawn 1998; Test Method for A Reproduction and Fertility Study in Rats
E1551-08 Specification for Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, **04.03**
E1552-08 Test Method for Determining Hafnium in Zirconium and Zirconium Alloys By Direct Current Plasma-Atomic Emission Spectrometry, **03.05**
E1553 Withdrawn 2002; Practiice for Collection of Airborne Particulate Lead During Abatement and Construction Activities; Replaced by D 6785
E1554/E1554M-13 Test Methods for Determining Air Leakage of Air Distribution Systems by Fan Pressurization, **04.11**
E1555-12 Specification for Structural Paste Adhesive for Sandwich Panel Repair, **04.11**
E1556-12 Specification for Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, **04.11**
E1557-09 Classification for Building Elements and Related Sitework—UNIFORMAT II, **04.11**
E1558-09 Guide for Electrolytic Polishing of Metallographic Specimens, **03.01**
E1559-09 Test Method for Contamination Outgassing Characteristics of Spacecraft Materials, **15.03**
E1560-11$^{\epsilon 1}$ Test Method for Gravimetric Determination of Nonvolatile Residue From Cleanroom Wipers, **15.03**
E1561-93(2009) Practice for Analysis of Strain Gage Rosette Data, **03.01**
E1562-00(2013) Guide for Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, **11.06**
E1563-98(2012) Guide for Conducting Static Acute Toxicity Tests with Echinoid Embryos, **11.06**
E1564-00(2006) Guide for Design and Maintenance of Low-Temperature Storage Facilities for Maintaining Cryopreserved Biological Materials, **14.02**
E1565-00(2006) Guide for Inventory Control and Handling of Biological Material Maintained at Low Temperatures, **14.02**
E1566-00(2006) Guide for Handling Hazardous Biological Materials in Liquid Nitrogen, **14.02**
E1567 Withdrawn 2010; Guide for Biopharmaceutical Facilities Architectural Design Considerations
E1568-13 Test Method for Determination of Gold in Activated Carbon by Fire Assay Gravimetry, **03.05**
E1569-09 Test Method for Determination of Oxygen in Tantalum Powder by Inert Gas Fusion Technique, **03.05**
E1570-11 Practice for Computed Tomographic (CT) Examination, **03.03**
E1571-11 Practice for Electromagnetic Examination of Ferromagnetic Steel Wire Rope, **03.03**
E1572 Withdrawn 2002; Practice for Classifying Highway Vehicles from Known Axle Count and Spacing
E1573-09 Test Method for Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, **04.06**
E1574-98(2014) Test Method for Measurement of Sound in Residential Spaces, **04.06**
E1575-12 Practice for Pressure Water Cleaning and Cutting, **11.03**
E1576 Withdrawn 2007; Guide for Medical Surveillance Program for Workers with Occupational Exposure to Airborne Silicon Carbide Whiskers and Fibers
E1577-11 Guide for Reporting of Ion Beam Parameters Used in Surface Analysis, **03.06**
E1578-13 Guide for Laboratory Informatics, **03.06**
E1579 Withdrawn 2002; Guide for Ensuring Data Integrity in Highly Computerized Laboratory Operations
E1580 Withdrawn 2008; Guide for Surveillance of Accredited Laboratories
E1581 Withdrawn 1998; Practice for Using Pre-Control in the Instrumental Analytical Laboratory
E1582-10 Practice for Calibration of Temperature Scale for Thermogravimetry, **14.02**
E1583 Withdrawn 1998; Practice for Evaluating Laboratories Engaged in the Determination of Lead in Paint, Dust, Airborne Particulates, and Soil in and Around Buildings and Related Structures
E1584-11 Test Method for Assay of Nitric Acid, **15.05**
E1585 Withdrawn 2003; Test Method for Measuring and Calculating Emittance of Architectural Flat Glass Products Using Spectrometric Measurements
E1586 Withdrawn 1999; Specification for Content of Computerized Chemical Structural Information Files or Data Sets
E1587-10 Test Methods for Chemical Analysis of Refined Nickel, **03.05**
E1588-10$^{\epsilon 1}$ Guide for Gunshot Residue Analysis by Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry, **14.02**
E1589-05(2010) Test Method for Evaluation of First Aid Antiseptic Drug Products, **11.05**
E1590-13 Test Method for Fire Testing of Mattresses, **04.07**
E1591-13 Guide for Obtaining Data for Fire Growth Models, **04.07**
E1592-05(2012) Test Method for Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, **04.11**
E1593-13 Guide for Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, **15.08**
E1594-11 Guide for Expression of Temperature, **14.03**
E1595 Withdrawn 2002; Practice for Evaluating the Performance of Mechanical Testing Laboratories
E1596 Withdrawn 2008; Test Methods for Solar Radiation Weathering of Photovoltaic Modules
E1597-10 Test Method for Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, **12.02**
E1598 Withdrawn 2003; Practice for Conducting Early Seedling Growth Tests
E1599 Withdrawn 2003; Guide for Corrective Action for Petroleum Releases
E1600-13 Test Method for Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, **03.05**
E1601-12 Practice for Conducting an Interlaboratory Study to Evaluate the Performance of an Analytical Method, **03.05**
E1602-03(2010)$^{\epsilon 1}$ Guide for Construction of Solid Fuel Burning Masonry Heaters, **04.11**
E1603/E1603M-11 Practice for Leakage Measurement Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Hood Mode, **03.03**
E1604-12 Guide for Behavioral Testing in Aquatic Toxicology, **11.06**
E1605-04(2012) Terminology Relating to Lead in Buildings, **04.11**
E1606-09 Practice for Electromagnetic (Eddy-Current) Examination of Copper Redraw Rod for Electrical Purposes, **03.03**
E1609 Withdrawn 2010; Guide for Development and Implementation of a Pollution Prevention Program
E1610-14 Guide for Forensic Paint Analysis and Comparison, **14.02**
E1611-00(2013) Guide for Conducting Sediment Toxicity Tests with Polychaetous Annelids, **11.06**
E1612/E1612M-94(2013)$^{\epsilon 1}$ Specification for Preformed Architectural Compression Seals for Buildings and Parking Structures, **04.11**
E1613-12 Test Method for Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, **04.11**
E1614-94(2013) Guide for Procedure for Measuring Ionizing Radiation-Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, **03.06**
E1615-08 Test Method for Iron in Trace Quantities Using the FerroZine Method, **15.05**
E1616-08 Test Method for Analysis of Acetic Anhydride Using Gas Chromatography, **15.05**
E1617-09(2014)$^{\epsilon 1}$ Practice for Reporting Particle Size Characterization Data, **14.02**
E1618-11 Test Method for Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, **14.02**
E1619-11 Test Method for Chronic Oral Toxicity Study in Rats, **11.06**
E1620-97(2012) Terminology Relating to Liquid Particles and Atomization, **14.02**
E1621-13 Guide for Elemental Analysis by Wavelength Dispersive X-Ray Fluorescence Spectrometry, **03.05**
E1622 Withdrawn 2006; Practice for Correction of Spectral Line Overlap in Wavelength-Dispersive X-Ray Spectrometry
E1623-11 Test Method for Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale Calorimeter (ICAL), **04.07**
E1624 Withdrawn 2013; Guide for Chemical Fate in Site-Specific Sediment/Water Microcosms
E1625 Withdrawn 2013; Test Method for Determining Biodegradability of Organic Chemicals in Semi-Continuous Activated Sludge (SCAS)
E1626 Withdrawn 2007; Guide for Including Government Procurement Requirements in ASTM Documents
E1627-11 Practice for Sensory Evaluation of Edible Oils and Fats, **15.08**
E1628-94(2008) Practice for Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration, **11.03**
E1629-12 Practice for Determining the Impedance of Absolute Eddy-Current Probes, **03.03**
E1633-08a(2013) Specification for Coded Values Used in the Electronic Health Record, **14.01**
E1634-11 Guide for Performing Sputter Crater Depth Measurements, **03.06**
E1635-06(2011) Practice for Reporting Imaging Data in Secondary Ion Mass Spectrometry (SIMS), **03.06**
E1636-10 Practice for Analytically Describing Depth-Profile and Linescan-Profile Data by an Extended Logistic Function, **03.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E1637-98(2011) Specification for Structural Standing Seam Aluminum Roof Panel Systems, **04.11**
E1638-13 Terminology Relating to Sieves, Sieving Methods, and Screening Media, **14.02**
E1639 Withdrawn 2003; Guide for Functional Requirements of Clinical Laboratory Information Management Systems
E1640-13 Test Method for Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, **14.02**
E1641-13 Test Method for Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, **14.02**
E1642-00(2010) Practice for General Techniques of Gas Chromatography Infrared (GC/IR) Analysis, **03.06**
E1643-11 Practice for Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, **04.11**
E1644-04(2012)ε1 Practice for Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, **04.11**
E1645-01(2007) Practice for Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis, **04.11**
E1646-95(2011) Test Method for Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, **04.11**
E1647-09 Practice for Determining Contrast Sensitivity in Radiology, **03.03**
E1648-95(2011) Reference Radiographs for Examination of Aluminum Fusion Welds, **03.03**
E1651 Withdrawn 2004; Test Method for Total Luminous Reflectance Factor by Use of 30/t Integrating-Sphere Geometry
E1652-14a Specification for Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and Noble Metal Thermocouples, **14.03**
E1653-94(2013) Guide for Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, **03.06**
E1654-94(2013) Guide for Measuring Ionizing Radiation-Induced Spectral Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, **03.06**
E1655-05(2012) Practices for Infrared Multivariate Quantitative Analysis, **03.06**
E1656/E1656M-11 Guide for Classification of Automated Pavement Condition Survey Equipment, **04.03**
E1657-98(2011) Practice for Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, **03.06**
E1658-08 Terminology for Expressing Conclusions of Forensic Document Examiners, **14.02**
E1659-12 Test Methods for Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, **03.05**
E1660-95a(2012) Classification for Serviceability of an Office Facility for Support for Office Work, **04.11**
E1661-95a(2012) Classification for Serviceability of an Office Facility for Meetings and Group Effectiveness, **04.11**
E1662-95a(2012) Classification for Serviceability of an Office Facility for Sound and Visual Environment, **04.11**
E1663-03(2010) Classification for Serviceability of an Office Facility for Typical Office Information Technology, **04.11**
E1664-95a(2012) Classification for Serviceability of an Office Facility for Layout and Building Factors, **04.11**
E1665-95a(2012) Classification for Serviceability of an Office Facility for Facility Protection, **04.11**
E1666-95a(2012) Classification for Serviceability of an Office Facility for Work Outside Normal Hours or Conditions, **04.11**
E1667-95a(2012) Classification for Serviceability of an Office Facility for Image to the Public and Occupants, **04.11**
E1668-95a(2012) Classification for Serviceability of an Office Facility for Amenities to Attract and Retain Staff, **04.11**
E1669-95a(2012) Classification for Serviceability of an Office Facility for Location, Access and Wayfinding, **04.11**
E1670-95a(2012) Classification for Serviceability of an Office Facility for Management of Operations and Maintenance, **04.11**
E1671-95a(2012) Classification for Serviceability of an Office Facility for Cleanliness, **04.11**
E1672-12 Guide for Computed Tomography (CT) System Selection, **03.03**
E1673-96(2012) Test Method for Percent Suspensibility, **11.05**
E1674 Withdrawn 2010; Test Method for Cardiac Sensitization Study on Dogs
E1675-04(2012) Practice for Sampling Two-Phase Geothermal Fluid for Purposes of Chemical Analysis, **12.02**
E1676-12 Guide for Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, **11.06**
E1677-11 Specification for Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, **04.11**
E1678-10 Test Method for Measuring Smoke Toxicity for Use in Fire Hazard Analysis, **04.07**
E1679-13 Practice for Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, **04.11**
E1680-11 Test Method for Rate of Air Leakage Through Exterior Metal Roof Panel Systems, **04.11**
E1681-03(2013) Test Method for Determining Threshold Stress Intensity Factor for Environment-Assisted Cracking of Metallic Materials, **03.01**
E1682-08(2013) Guide for Modeling the Colorimetric Properties of a CRT-Type Visual Display Unit, **06.01**
E1683-02(2014)ε1 Practice for Testing the Performance of Scanning Raman Spectrometers, **03.06**
E1684-10 Specification for Miniature Thermocouple Connectors, **14.03**
E1685-13 Practice for Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, **03.01**
E1686-10 Guide for Applying Environmental Noise Measurement Methods and Criteria, **04.06**
E1687-10 Test Method for Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, **11.03**
E1688-10 Guide for Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, **11.06**
E1689-95(2014) Guide for Developing Conceptual Site Models for Contaminated Sites, **11.05**
E1690-08 Test Method for Determination of Ethanol Extractives in Biomass, **05.06**
E1691 Withdrawn 2007; Guide for Evaluation and Assessment of Analytical Chemistry Laboratories
E1692-95a(2012) Classification for Serviceability of an Office Facility for Change and Churn by Occupants, **04.11**
E1693-95(2012) Classification for Serviceability of an Office Facility for Protection of Occupant Assets, **04.11**
E1694-95a(2012) Classification for Serviceability of an Office Facility for Special Facilities and Technologies, **04.11**
E1695-95(2013) Test Method for Measurement of Computed Tomography (CT) System Performance, **03.03**
E1696 Withdrawn 2013; Test Method for Field Measurement of Raised Retroreflective Pavement Markers Using a Portable Retroreflectometer
E1697-05(2012)ε1 Test Method for Unipolar Magnitude Estimation of Sensory Attributes, **15.08**
E1698-95(2010) Practice for Testing Electrolytic Conductivity Detectors (ELCD) Used in Gas Chromatography, **03.06**
E1699-14 Practice for Performing Value Engineering (VE)/Value Analysis (VA) of Projects, Products and Processes, **04.11**
E1700-13 Classification for Serviceability of an Office Facility for Structure and Building Envelope, **04.11**
E1701-95(2012) Classification for Serviceability of an Office Facility for Manageability, **04.11**
E1703/E1703M-10 Test Method for Measuring Rut-Depth of Pavement Surfaces Using a Straightedge, **04.03**
E1704-95(2010) Guide for Specifying Acoustical Performance of Sound-Isolating Enclosures, **04.06**
E1705-13 Terminology Relating to Biotechnology, **05.06**
E1706-05(2010) Test Method for Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates, **11.06**
E1708-95(2007) Practice for Electronic Interchange of Color and Appearance Data, **06.01**
E1709-09 Test Method for Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.2 Degree Observation Angle, **06.01**
E1710-11 Test Method for Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, **06.01**
E1711-12 Guide for Measurement of Behavior During Fish Toxicity Tests, **11.06**
E1712 Withdrawn 2003; Specification for Representing Clinical Laboratory Procedure and Analyte Names
E1713 Withdrawn 2004; Specification for Transferring Digital Waveform Data Between Independent Computer Systems
E1714-07(2013) Guide for Properties of a Universal Healthcare Identifier (UHID), **14.01**
E1715-01(2013) Practice for An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems, **14.01**
E1716 Withdrawn 2003; Guide for Selection and Use of Personal Protective Equipment for Humans Working With Respirable Silicon Carbide Whiskers
E1717 Withdrawn 2003; Guide for Personnel Training for Health and Safety Aspects of Working in Environments Containing Respirable Silicon Carbide Whiskers
E1718 Withdrawn 2010; Guide for Administrative and Engineering Controls for Silicon Carbide Whisker Work Areas
E1719-12 Test Method for Vapor Pressure of Liquids by Ebulliometry, **14.02**
E1720 Withdrawn 2013; Test Method for Determining Ready, Ultimate, Biodegradability of Organic Chemicals in a Sealed Vessel CO_2 Production Test
E1721-01(2009) Test Method for Determination of Acid-Insoluble Residue in Biomass, **05.06**
E1722 Withdrawn 2000; Practice for Registering and Maintaining Materials and Chemical Property Data Code Lists
E1723 Withdrawn 2000; Guide for Recommended Formats for Data Records Used in the Computerization of Test Data for Plastics
E1724 Withdrawn 2010; Guide for Testing and Certification of Metal, Ore, and Metal-Related Reference Materials
E1725-14 Test Methods for Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components, **04.07**
E1726-01(2009) Practice for Preparation of Soil Samples by Hotplate Digestion for Subsequent Lead Analysis, **04.11**
E1727 Withdrawn 2014; Practice for Field Collection of Soil Samples for Subsequent Lead Determination
E1728-10 Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination, **04.11**
E1729 Withdrawn 2014; Practice for Field Collection of Dried Paint Samples for Subsequent Lead Determination

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E1730-09 Specification for Rigid Foam for Use in Structural Sandwich Panel Cores, **04.11**
E1731-11 Test Method for Gravimetric Determination of Nonvolatile Residue from Cleanroom Gloves, **15.03**
E1732-12 Terminology Relating to Forensic Science, **14.02**
E1733-95(2008) Guide for Use of Lighting in Laboratory Testing, **11.06**
E1734-09 Practice for Radioscopic Examination of Castings, **03.03**
E1735-07(2014) Test Method for Determining Relative Image Quality of Industrial Radiographic Film Exposed to X-Radiation from 4 to 25 MeV, **03.03**
E1736-10 Practice for Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, **03.03**
E1737 Withdrawn 1998; Test Method for J-Integral Characterization of Fracture Toughness
E1738 Withdrawn 2004; Guide for Development of a Directory of Accredited Laboratories by an Accrediting Body
E1739-95(2010)ε1 Guide for Risk-Based Corrective Action Applied at Petroleum Release Sites, **11.05**
E1740-10 Test Method for Determining the Heat Release Rate and Other, **04.07**
E1741 Withdrawn 2009; Practice for Preparation of Airborne Particulate Lead Samples Collected During Abatement and Construction Activities for Subsequent Analysis by Atomic Spectrometry
E1742/E1742M-12 Practice for Radiographic Examination, **03.03**
E1743 Withdrawn 2003; Practice for Selection and Use of Portable Retroreflectometers for the Measurement of Pavement Marking Materials
E1744-04(2010) Practice for View of Emergency Medical Care in the Electronic Health Record, **14.01**
E1745-11 Specification for Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, **04.11**
E1746-08 Test Method for Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, **15.05**
E1747-95(2011) Guide for Purity of Carbon Dioxide Used in Supercritical Fluid Applications, **03.06**
E1748-95(2009) Test Method for Evaluating the Engagement Between Windows and Insect Screens as an Integral System, **04.11**
E1749-10 Terminology Relating to Rigid Wall Relocatable Shelters, **04.11**
E1750-10 Guide for Use of Water Triple Point Cells, **14.03**
E1751 Withdrawn 2009; Guide for Temperature Electromotive Force (EMF) Tables for Non-Letter Designated Thermocouple Combinations
E1751/E1751M-09ε1 Guide for Temperature Electromotive Force (emf) Tables for Non-Letter Designated Thermocouple Combinations, **14.03**
E1752 Withdrawn 2009; Guide for Collection of Multi-Media Field Emission and Discharge Data Associated with Glycol Dehydration Units
E1753-13 Practice for Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, **04.11**
E1754-08 Test Method for Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, **15.05**
E1755-01(2007) Test Method for Ash in Biomass, **05.06**
E1756-08 Test Method for Determination of Total Solids in Biomass, **05.06**
E1757-01(2007) Practice for Preparation of Biomass for Compositional Analysis, **05.06**
E1758-01(2007) Test Method for Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, **05.06**
E1759 Withdrawn 2012; Test Method for Isoaspartic Acid in Proteins: Method for the Determination of Asparagine Deamidation Products
E1760-09 Guide for Unrestricted Disposition of Bulk Materials Containing Residual Amounts of Radioactivity, **12.02**
E1761 Withdrawn 2008; Guide for Recommended Formats for Data Records Used in the Computerization of Fatigue and Fracture Data of Metals
E1762-95(2013) Guide for Electronic Authentication of Health Care Information, **14.01**
E1763-06 Guide for Interpretation and Use of Results from Interlaboratory Testing of Chemical Analysis Methods, **03.05**
E1765-11 Practice for Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, **04.11**
E1766-95(2007) Test Method for Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, **11.05**
E1767-11 Practice for Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, **06.01**
E1768-95(2013) Guide for Ventilatory Behavioral Toxicology Testing of Freshwater Fish, **11.06**
E1769 Withdrawn 2004; Guide for Properties of Electronic Health Records and Record Systems
E1770-95(2006) Practice for Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, **03.05**
E1771-07 Test Method for Determination of Copper in Anode and Blister Copper, **03.05**
E1772 Withdrawn 2010; Test Method for Particle Size Distribution of Chromatography Media by Electric Sensing Zone Technique
E1773-10 Practice for Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, **04.11**
E1774-12 Guide for Electromagnetic Acoustic Transducers (EMATs), **03.03**
E1775-07 Guide for Evaluating Performance of On-Site Extraction and Field-Portable Electrochemical or Spectrophotometric Analysis for Lead, **04.11**
E1776-13 Guide for Development of Fire-Risk-Assessment Standards, **04.07**
E1777-09 Guide for Prioritization of Data Needs for Pavement Management, **04.03**
E1778-98a(2008) Terminology Relating to Pavement Distress, **04.03**
E1779 Withdrawn 2012; Guide for Preparing a Measurement Plan for Conducting Outdoor Sound Measurements
E1780-12 Guide for Measuring Outdoor Sound Received from a Nearby Fixed Source, **04.06**
E1781/E1781M-13 Practice for Secondary Calibration of Acoustic Emission Sensors, **03.03**
E1782-14 Test Method for Determining Vapor Pressure by Thermal Analysis, **14.02**
E1783/E1783M-96(2013)ε1 Specification for Preformed Architectural Strip Seals for Buildings and Parking Structures, **04.11**
E1784-08 Test Method for Total Peroxides in Acrylonitrile, **15.05**
E1785 Withdrawn 2001; Specification for Acrylonitrile
E1786-08 Test Method for Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, **15.05**
E1787-08 Test Method for Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, **15.05**
E1788-08 Test Method for Acidity in Acrylonitrile, **15.05**
E1789 *Withdrawn 2012; Guide for Writing Ink Identification*, **14.02**
E1790-04(2010) Practice for Near Infrared Qualitative Analysis, **03.06**
E1791-96(2014) Practice for Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, **03.06**
E1792-03(2011) Specification for Wipe Sampling Materials for Lead in Surface Dust, **04.11**
E1793-11 Practice for Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, **04.11**
E1794-13 Specification for Adhesive for Bonding Foam Cored Sandwich Panels (200°F Elevated Humidity Service), Type II Panels, **04.11**
E1795-12 Specification for Non-Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, **04.11**
E1796-03(2011)ε1 Guide for Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings, **04.11**
E1797-12 Specification for Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, **04.11**
E1798 Withdrawn 2013; Test Method for Assessing Treatability or Biodegradability, or Both, of Organic Chemicals in Porous Pots
E1799-12 Practice for Visual Inspections of Photovoltaic Modules, **12.02**
E1800-13 Specification for Adhesive for Bonding Foam Cored Sandwich Panels (160°F Elevated Humidity Service), Type I Panels, **04.11**
E1801-09 Practice for Adhesive Bonding of Aluminum Facings in Foam and Beam Type Shelters, **04.11**
E1802-12 Test Methods for Wet Insulation Integrity Testing of Photovoltaic Modules, **12.02**
E1803-14 Test Methods for Determining Strength Capacities of Structural Insulated Panels, **04.11**
E1804-12 Practice for Performing and Reporting Cost Analysis During the Design Phase of a Project, **04.11**
E1805-13 Test Method for Determination of Gold in Copper Concentrates by Fire Assay Gravimetry, **03.05**
E1806-09 Practice for Sampling Steel and Iron for Determination of Chemical Composition, **03.05**
E1807 Withdrawn 2005; Terminology Pertaining to Metal Connector Plates
E1808-96(2009) Guide for Designing and Conducting Visual Experiments, **06.01**
E1809 Withdrawn 2010; Test Method for Measurement of High-Visibility Retroreflective-Clothing Marking Material Using a Portable Retroreflectometer
E1810-12 Practice for Evaluating Effects of Contaminants on Odor and Taste of Exposed Fish, **15.08**
E1811 Withdrawn 2010; Test Method for Oncogenicity Study in Rats and Mice
E1812 Withdrawn 2004; Practice for Optimization of Flame Atomic Absorption Spectrometric Equipment
E1813-96(2007) Practice for Measuring and Reporting Probe Tip Shape in Scanning Probe Microscopy, **03.06**
E1814-14 Practice for Computed Tomographic (CT) Examination of Castings, **03.03**
E1815-08(2013)ε1 Test Method for Classification of Film Systems for Industrial Radiography, **03.03**
E1816-12 Practice for Ultrasonic Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, **03.03**
E1817-08(2014) Practice for Controlling Quality of Radiological Examination by Using Representative Quality Indicators (RQIs), **03.03**
E1819-10 Guide for Environmental Monitoring Plans for Decommissioning of Nuclear Facilities, **12.02**
E1820-13 Test Method for Measurement of Fracture Toughness, **03.01**
E1821-08 Test Method for Determination of Carbohydrates in Biomass by Gas Chromatography, **05.06**
E1822-13 Test Method for Fire Testing of Stacked Chairs, **04.07**
E1823-13 Terminology Relating to Fatigue and Fracture Testing, **03.01**
E1824-13 Test Method for Assignment of a Glass Transition Temperature Using Thermomechanical Analysis: Tension Method, **14.02**
E1825-06(2012) Guide for Evaluation of Exterior Building Wall Materials, Products, and Systems, **04.11**
E1826-12 Specification for Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded, **04.11**
E1827-11 Test Methods for Determining Airtightness of Buildings Using an Orifice Blower Door, **04.11**
E1828 Withdrawn 2010; Practice for Evaluating the Performance Characteris-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

tics of Qualitative Chemical Spot Test Kits for Lead in Paint
E1829-09 Guide for Handling Specimens Prior to Surface Analysis, **03.06**
E1830-09 Test Methods for Determining Mechanical Integrity of Photovoltaic Modules, **12.02**
E1830M Not Assigned
E1831 Withdrawn 2005; Guide for Preparing Certificates for Reference Materials Relating to Chemical Composition of Metals, Ores, and Related Materials
E1832-08(2012) Practice for Describing and Specifying a Direct Current Plasma Atomic Emission Spectrometer, **03.05**
E1833-07a(2013)ε1 Practice for Sampling of Blister Copper in Cast Form for Determination of Chemical Composition, **03.05**
E1834-11 Test Method for Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, **03.05**
E1835-09 Test Method for Analysis of Nickel Alloys by Flame Atomic Absorption Spectrometry, **03.05**
E1836/E1836M-09ε1 Practice for Building Floor Area Measurements for Facility Management, **04.11**
E1837-96(2007) Test Method to Determine Efficacy of Disinfection Processes for Reusable Medical Devices (Simulated Use Test), **11.05**
E1838-10 Test Method for Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, **11.05**
E1839-13 Test Method for Efficacy of Slimicides for the Paper Industry—Bacterial and Fungal Slime, **11.05**
E1840-96(2014) Guide for Raman Shift Standards for Spectrometer Calibration, **03.06**
E1841-04(2012) Guide for Conducting Renewal Phytotoxicity Tests With Freshwater Emergent Macrophytes, **11.06**
E1842 Withdrawn 2002; Test Method forMacro-Rockwell Hardness Testing of Metallic Materials
E1843-96(2010) Guide for Sexual Assault Investigation, Examination, and Evidence Collection, **14.02**
E1844-08 Specification for A Size 10 × 4–5 Smooth-Tread Friction Test Tire, **04.03**
E1845-09 Practice for Calculating Pavement Macrotexture Mean Profile Depth, **04.03**
E1846 Withdrawn; Standard for Use of The International System of Units (SI): The Modern Metric System
E1847-96(2013) Practice for Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, **11.06**
E1848-96(2014) Guide for Selecting and Using Ecological Endpoints for Contaminated Sites, **11.05**
E1849-96(2013) Guide for Fish and Wildlife Incident Monitoring and Reporting, **11.06**
E1850-04(2012) Guide for Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, **11.06**
E1851-09 Test Method for Electromagnetic Shielding Effectiveness of Durable Rigid Wall Relocatable Structures, **04.11**
E1852-13 Test Method for Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, **03.05**
E1853M Withdrawn 2012; Guide for Measuring the Presence of Planar Organic Compounds Which Induce CYP1A, Using Reporter Gene Test Systems (Metric)
E1854-13 Practice for Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, **12.02**
E1855-10 Test Method for Use of 2N2222A Silicon Bipolar Transistors as Neutron Spectrum Sensors and Displacement Damage Monitors, **12.02**
E1856-13 Guide for Evaluating Computerized Data Acquisition Systems Used to Acquire Data from Universal Testing Machines, **03.01**
E1857-97(2013)ε1 Guide for Selection of Cleaning Techniques for Masonry, Concrete, and Stucco Surfaces, **04.11**
E1858-08 Test Method for Determining Oxidation Induction Time of Hydrocarbons by Differential Scanning Calorimetry, **14.02**
E1859/E1859M-11ε1 Test Method for Friction Coefficient Measurements Between Tire and Pavement Using a Variable Slip Technique, **04.03**
E1860-13 Test Method for Elapsed Time Calibration of Thermal Analyzers, **14.02**
E1861 Withdrawn 2003; Guide for Use of Coal Combustion By-Products in Structural Fills
E1862-97(2010) Test Methods for Measuring and Compensating for Reflected Temperature Using Infrared Imaging Radiometers, **03.03**
E1863-07 Test Method for Analysis of Acrylonitrile by Gas Chromatography, **15.05**
E1864 Withdrawn 2011; Practice for Evaluating Quality Systems of Organizations Conducting Facility and Hazard Assessments for Lead in Paint, Dust, Airborne Particulate, and Soil in and around Buildings and Related Structures
E1865-97(2013) Guide for Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, **03.06**
E1866-97(2013) Guide for Establishing Spectrophotometer Performance Tests, **03.06**
E1867-13 Test Method for Temperature Calibration of Dynamic Mechanical Analyzers, **14.02**
E1868-10 Test Method for Loss-On-Drying by Thermogravimetry, **14.02**
E1869-04(2010) Guide for Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, **14.01**
E1870-11 Test Method for Odor and Taste Transfer from Polymeric Packaging Film, **15.08**
E1871-10 Guide for Serving Protocol for Sensory Evaluation of Foods and Beverages, **15.08**
E1873-06 Guide for Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, **14.02**
E1874-14 Test Method for Recovery of Microorganisms From Skin using the Cup Scrub Technique, **11.05**
E1875-13 Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Sonic Resonance, **03.01**
E1876-09 Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Impulse Excitation of Vibration, **03.01**
E1877-13 Practice for Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, **14.02**
E1878-97(2013) Specification for Laboratory Glass Volumetric Flasks, Special Use, **14.04**
E1879-00(2010) Guide for Sensory Evaluation of Beverages Containing Alcohol, **15.08**
E1880-12 Practice for Tissue Cryosection Analysis with SIMS, **03.06**
E1881-12 Guide for Cell Culture Analysis with SIMS, **03.06**
E1882-10 Test Method for Evaluation of Antimicrobial Formulations by the Agar Patch Technique, **11.05**
E1883-02(2007) Test Method for Assessment of an Antibacterial Handwash Product by Multiple Basin Wash Technique, **11.05**
E1884 Withdrawn 2004; Guide for General Requirements for Bodies Operating Assessment and Certification/Registration of Quality Systems
E1885-04(2011) Test Method for Sensory Analysis—Triangle Test, **15.08**
E1886-13a Test Method for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials, **04.11**
E1887 Withdrawn 2006; Test Method for Fog Determination
E1888/E1888M-12 Practice for Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, **03.03**
E1889-97(2009) Guide for Pavement Management Implementation, **04.03**
E1890-11 Guide for Validating New Area Reference Skid Measurement Systems and Equipment, **04.03**
E1891-10a Guide for Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, **11.05**
E1892-09 Guide for Preparing Characterization Plans for Decommissioning Nuclear Facilities, **12.02**
E1893-08a Guide for Selection and Use of Portable Radiological Survey Instruments for Performing In Situ Radiological Assessments to Support Unrestricted Release from Further Regulatory Controls, **12.02**
E1894-13a Guide for Selecting Dosimetry Systems for Application in Pulsed X-Ray Sources, **12.02**
E1895 Withdrawn 2011; Guide for Determining Uses and Limitations of Deterministic Fire Models
E1896 Withdrawn 2002; Specification for Daytime Pedestrian Visibility Enhancement
E1897-97(2010) Test Methods for Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, **03.03**
E1898-13 Test Method for Determination of Silver in Copper Concentrates by Flame Atomic Absorption Spectrometry, **03.05**
E1899-08 Test Method for Hydroxyl Groups Using Reaction with, **15.05**
E1901-13 Guide for Detection and Evaluation of Discontinuities by Contact Pulse-Echo Straight-Beam Ultrasonic Methods, **03.03**
E1902 Withdrawn 2011; Specification for Management of the Confidentiality and Security of Dictation, Transcription, and Transcribed Health Records
E1903-11 Practice for Environmental Site Assessments: Phase II Environmental Site Assessment Process, **11.05**
E1904 Withdrawn 2004; Guide for General Criteria for Supplier's Declaration of Conformity
E1905 Withdrawn 2004; Guide for General Requirements for Assessment and Accreditation of Certification/Registration Bodies
E1906 Withdrawn 2004; Guide for General Requirements for Bodies Operating Product Certification Systems
E1907 Withdrawn 2008; Guide to Methods of Evaluating Moisture Conditions of Concrete Floors to Receive Resilient Floor Coverings; Replaced by F710
E1908-10 Guide for Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), **04.11**
E1909-13 Guide for Time-Intensity Evaluation of Sensory Attributes, **15.08**
E1910/E1910M-04(2009) Test Method for Agricultural pH Control Agents, **11.05**
E1911-09aε1 Test Method for Measuring Paved Surface Frictional Properties Using the Dynamic Friction Tester, **04.03**
E1912 Withdrawn 2013; Guide for Accelerated Site Characterization for Confirmed or Suspected Petroleum Releases
E1913 Withdrawn 2012; Guide for Conducting Static, Axenic, 14-Day Phytotoxicity Tests in Test Tubes with the Submersed Aquatic Macrophyte, Myriophyllum sibiricum Komarov
E1914-07 Practice for Use of Terms Relating to the Development and Evaluation of Methods for Chemical Analysis, **03.05**
E1915-13 Test Methods for Analysis of Metal Bearing Ores and Related Materials for Carbon, Sulfur, and Acid-Base Characteristics, **03.05**
E1916-11 Guide for Identification of Mixed Lots of Metals, **03.05**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E1917-13 Test Method for Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, **03.05**
E1918-06 Test Method for Measuring Solar Reflectance of Horizontal and Low-Sloped Surfaces in the Field, **04.04**
E1919-09 Guide for Worldwide Published Standards Relating to Particle and Spray Characterization, **14.02**
E1920-03(2008) Guide for Metallographic Preparation of Thermal Sprayed Coatings, **03.01**
E1921-13a Test Method for Determination of Reference Temperature, T_o, for Ferritic Steels in the Transition Range, **03.01**
E1922-04(2010)ε1 Test Method for Translaminar Fracture Toughness of Laminated and Pultruded Polymer Matrix Composite Materials, **03.01**
E1923 Withdrawn 2013; Guide for Sampling Terrestrial and Wetlands Vegetation
E1924 Withdrawn 2013; Guide for Conducting Toxicity Tests with Bioluminescent Dinoflagellates
E1925-10 Specification for Engineering and Design Criteria for Rigid Wall Relocatable Structures, **04.11**
E1926-08 Practice for Computing International Roughness Index of Roads from Longitudinal Profile Measurements, **04.03**
E1927-98(2012) Guide for Conducting Subjective Pavement Ride Quality Ratings, **04.03**
E1928-13 Practice for Estimating the Approximate Residual Circumferential Stress in Straight Thin-walled Tubing, **03.01**
E1929 Withdrawn 2007; Practice for Assessment of Certification Programs for Environmental Professionals: Accreditation Criteria
E1930/E1930M-12 Practice for Examination of Liquid-Filled Atmospheric and Low-Pressure Metal Storage Tanks Using Acoustic Emission, **03.03**
E1931-09 Guide for X-Ray Compton Scatter Tomography, **03.03**
E1932-12 Guide for Acoustic Emission Examination of Small Parts, **03.03**
E1933-99a(2010) Test Methods for Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, **03.03**
E1934-99a(2014) Guide for Examining Electrical and Mechanical Equipment with Infrared Thermography, **03.03**
E1935-97(2013) Test Method for Calibrating and Measuring CT Density, **03.03**
E1936-03(2011) Reference Radiograph for Evaluating the Performance of Radiographic Digitization Systems, **03.03**
E1937 Withdrawn 2005; Test Method for Determination of Nitrogen in Titanium and Titanium Alloys by the Inert Gas Fusion Technique; Replaced by E1409
E1938-13 Test Method for Determination of Titanium in Nickel Alloys by Diantipyrylmethane Spectrophotometry, **03.05**
E1941-10 Test Method for Determination of Carbon in Refractory and Reactive Metals and Their Alloys by Combustion Analysis, **03.05**
E1942-98(2010)ε1 Guide for Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, **03.01**
E1943-98(2010) Guide for Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, **11.05**
E1944-98(2013) Practice for Describing and Measuring Performance of Laboratory Fourier Transform Near-Infrared (FT-NIR) Spectrometers: Level Zero and Level One Tests, **03.06**
E1945-02(2008) Test Method for Percent Dispersibility, **11.05**
E1946-12 Practice for Measuring Cost Risk of Buildings and Building Systems and Other Constructed Projects, **04.11**
E1947-98(2014) Specification for Analytical Data Interchange Protocol for Chromatographic Data, **03.06**
E1948-98(2014) Guide for Analytical Data Interchange Protocol for Chromatographic Data, **03.06**
E1949-03(2009) Test Method for Ambient Temperature Fatigue Life of Metallic Bonded Resistance Strain Gages, **03.01**
E1950-10 Practice for Reporting Results from Methods of Chemical Analysis, **03.05**
E1951-02(2007) Guide for Calibrating Reticles and Light Microscope Magnifications, **03.01**
E1952-11 Test Method for Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, **14.02**
E1953-14 Practice for Description of Thermal Analysis and Rheology Apparatus, **14.02**
E1954-05(2011) Practice for Conduct of Research in Psychophysiological Detection of Deception (Polygraph), **14.02**
E1955-04(2009) Radiographic Examination for Soundness of Welds in Steel by Comparison to Graded ASTM, **03.03**
E1957-04(2010) Practice for Installing and Using Pneumatic Tubes with Roadway Traffic Counters and Classifiers, **04.03**
E1958-12 Guide for Sensory Claim Substantiation, **15.08**
E1959-05(2011) Guide for Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, **14.01**
E1960-07(2011) Practice for Calculating International Friction Index of a Pavement Surface, **04.03**
E1961-11 Practice for Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, **03.03**
E1962-09 Practice for Ultrasonic Surface Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, **03.03**
E1963-09 Guide for Conducting Terrestrial Plant Toxicity Tests, **11.06**
E1964 Withdrawn 2007; Practice for Compiling and Writing & Terminology
E1965-98(2009) Specification for Infrared Thermometers for Intermittent Determination of Patient Temperature, **13.01**
E1966-07(2011) Test Method for Fire-Resistive Joint Systems, **04.07**
E1967-11a Test Method for the Automated Determination of Refractive Index of Glass Samples Using the Oil Immersion Method and a Phase Contrast Microscope, **14.02**
E1968-11 Guide for Microcrystal Testing in Forensic Analysis of Cocaine, **14.02**
E1969-11 Guide for Microcrystal Testing in Forensic Analysis of Methamphetamine and Amphetamine, **14.02**
E1970-11 Practice for Statistical Treatment of Thermoanalytical Data, **14.02**
E1971-05(2011) Guide for Stewardship for the Cleaning of Commercial and Institutional Buildings, **04.12**
E1972-04(2011) Practice for Minimizing Effects of Aerosols in the Wet Metal Removal Environment, **11.03**
E1973 Withdrawn 2004; Practice for Collection of Surface Dust by Air Sampling Pump Vacuum Technique for Subsequent Lead Determination
E1974-11 Specification for Shelter, Electrical Equipment S-250/G, **04.11**
E1975-09 Specification for Shelter, Electrical, Equipment S-280/G, **04.11**
E1976-11 Specification for Shelter, Tactical, Nonexpandable, **04.11**
E1977-11 Specification for Shelter, Tactical, Expandable, One-Side, **04.11**
E1978-11 Specification for Shelter, Tactical, Expandable, Two-Side, **04.11**
E1979-12 Practice for Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, **04.11**
E1980-11 Practice for Calculating Solar Reflectance Index of Horizontal and Low-Sloped Opaque Surfaces, **04.04**
E1981-98(2012)ε2 Guide for Assessing Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry, **14.02**
E1982-98(2013) Practice for Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, **03.06**
E1983 Withdrawn 2007; Guide for Assessment of Wetland Functions
E1984 Withdrawn 2012; Guide for Brownfields Redevelopment
E1985-98(2013) Guide for User Authentication and Authorization, **14.01**
E1986-09(2013) Guide for Information Access Privileges to Health Information, **14.01**
E1987 Withdrawn 2007; Guide for Individual Rights Regarding Health Information
E1988 Withdrawn 2007; Guide for Training of Persons who have Access to Health Information
E1989 Withdrawn 2009; Specification for Laboratory Equipment Control Interface (LECIS)
E1990-14 Guide for Performing Evaluations of Underground Storage Tank Systems for Operational Conformance with 40 CFR, Part 280 Regulations, **11.05**
E1991 Withdrawn 2014; Guide for Environmental Life Cycle Assessment (LCA) of Building Materials/Products
E1992 Withdrawn 2007; Terminology Relating to Terminology Management
E1993/E1993M-98(2013)ε1 Specification for Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, **04.11**
E1994-09(2013) Practice for Use of Process Oriented AOQL and LTPD Sampling Plans, **14.02**
E1995-12 Test Method for Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, **04.07**
E1996-14 Specification for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, **04.11**
E1997-12 Practice for the Selection of Spacecraft Materials, **15.03**
E1998-11 Guide for Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, **04.11**
E1999-11 Test Method for Analysis of Cast Iron by Spark Atomic Emission Spectrometry, **03.05**
E2000 Withdrawn 2014; Guide for Minimum Basic Education and Training of Individuals Involved in the Detection of Deception (PDD)
E2001-13 Guide for Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, **03.03**
E2002-98(2009) Practice for Determining Total Image Unsharpness in Radiology, **03.03**
E2003-10 Practice for Fabrication of the Neutron Radiographic Beam Purity Indicators, **03.03**
E2004-10 Test Method for Facing Cleavage of Sandwich Panels, **04.11**
E2005-10 Guide for Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields, **12.02**
E2006-10 Guide for Benchmark Testing of Light Water Reactor Calculations, **12.02**
E2007-10 Guide for Computed Radiography, **03.03**
E2008-08(2014)ε1 Test Methods for Volatility Rate by Thermogravimetry, **14.02**
E2009-08(2014)ε1 Test Methods for Oxidation Onset Temperature of Hydrocarbons by Differential Scanning Calorimetry, **14.02**
E2010 Withdrawn 2007; Test Method for Positive Pressure Fire Tests of Window Assemblies
E2011-13 Test Method for Evaluation of Hygienic Handwash and Handrub Formulations for Virus-Eliminating Activity Using the Entire Hand, **11.05**
E2012-06(2012) Guide for the Preparation of a Binary Chemical Compatibility Chart, **14.02**
E2013-12 Practice for Constructing FAST Diagrams and Performing Function Analysis During Value Analysis Study, **04.11**
E2014-11 Guide on Metallographic Laboratory Safety, **03.01**
E2015-04(2009) Guide for Preparation of Plastics and Polymeric Specimens for Microstructural Examination, **03.01**
E2016-11 Specification for Industrial Woven Wire Cloth, **14.02**
E2017-99(2010) Guide for Amendments to Health Information, **14.01**
E2018-08 Guide for Property Condition Assessments: Baseline Property

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Condition Assessment Process, **11.05**
E2019-03(2013) Test Method for Minimum Ignition Energy of a Dust Cloud in Air, **14.02**
E2020-99a(2010) Guide for Data and Information Options for Conducting an Ecological Risk Assessment at Contaminated Sites, **11.05**
E2021-09(2013) Test Method for Hot-Surface Ignition Temperature of Dust Layers, **14.02**
E2022-11 Practice for Calculation of Weighting Factors for Tristimulus Integration, **06.01**
E2023-10 Practice for Fabrication of Neutron Radiographic Sensitivity Indicators, **03.03**
E2024/E2024M-11 Practice for Atmospheric Leaks Using a Thermal Conductivity Leak Detector, **03.03**
E2025-99(2006) Test Method for Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies, **04.11**
E2026-07 Guide for Seismic Risk Assessment of Buildings, **04.11**
E2027-09 Practice for Conducting Proficiency Tests in the Chemical Analysis of Metals, Ores, and Related Materials, **03.05**
E2028 Withdrawn 2014; Practice for Receiving, Testing and Reporting Results of Investigation of Metal, Ore, or Metal Related Samples that Are or May Be Involved in Litigation
E2029-11 Test Method for Volumetric and Mass Flow Rate Measurement in a Duct Using Tracer Gas Dilution, **04.11**
E2030-09a Guide for Recommended Uses of Photoluminescent (Phosphorescent) Safety Markings, **06.01**
E2031-99(2010) Practice for Quality Control of Psychophysiological Detection of Deception (Polygraph) Examinations, **14.02**
E2032-09(2013) Guide for Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, **04.07**
E2033-99(2013) Practice for Computed Radiology (Photostimulable Luminescence Method), **03.03**
E2034-99(2012) Practices for Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, **04.03**
E2035-12 Terminology Relating to Forensic Psychophysiology, **14.02**
E2036-07 Test Method for Nitrogen Trichloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), **15.05**
E2037-07 Test Method for Bromine Chloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), **15.05**
E2038 Withdrawn 2009; Test Method for Temperature Calibration of Dielectric Analyzers
E2039 Withdrawn 2009; Test Method for Determining and Reporting Dynamic Dielectric Properties
E2040-08(2014) Test Method for Mass Scale Calibration of Thermogravimetric Analyzers, **14.02**
E2041-13ε1 Test Method for Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, **14.02**
E2042/E2042M-09 Practice for Cleaning and Maintaining Controlled Areas and Clean Rooms, **15.03**
E2043-99(2012) Test Method for Nonvolatile Matter of Agricultural Adjuvant Solutions by Thermogravimetry, **11.05**
E2044-99(2012) Test Method for Spreading of Liquid Agricultural Spray Mixtures, **11.05**
E2045-99(2009) Practice for Detailed Clinical Observations of Test Animals, **11.06**
E2046-14 Test Method for Reaction Induction Time by Thermal Analysis, **14.02**
E2047-10 Test Method for Wet Insulation Integrity Testing of Photovoltaic Arrays, **12.02**
E2048-99(2006) Guide for Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, **14.02**
E2049-12 Guide for Quantitative Attribute Evaluation of Fragrance/Odors for Shampoos and Hair Conditioners by Trained Assessors, **15.08**
E2050-12a Test Method for Determination of Total Carbon in Mold Powders by Combustion, **03.05**
E2051 Withdrawn 2010; Practice for the Determination of Lead in Paint, Settled Dust, Soil and Air Particulate by Field-Portable Electroanalysis
E2052 Withdrawn 2008; Guide for Evaluation, Management, and Control of Lead Hazards in Facilities
E2053 Withdrawn 2006; Guide for Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Metals, Ores, and Related Materials
E2054 Withdrawn 2005; Practice for Performance–Based Description of Instruments in Chemical Analysis Methods
E2055 Withdrawn 2006; Practice for Referencing Test Methods for Chemical Analysis of Metals and Related Materials
E2056-04(2010) Practice for Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, **03.06**
E2057-10 Specifications for Preparation of Laboratory Analysis Requests in Sexual Assault Investigations, **14.02**
E2058-13a Test Methods for Measurement of Material Flammability Using a Fire Propagation Apparatus (FPA), **04.07**
E2059-06(2010) Practice for Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, **12.02**
E2060-06 Guide for Use of Coal Combustion Products for Solidification/Stabilization of Inorganic Wastes, **11.05**
E2061-12 Guide for Fire Hazard Assessment of Rail Transportation Vehicles, **04.07**
E2062-11 Guide for PDD Examination Standards of Practice, **14.02**
E2063-12 Practice for Calibration and Functionality Checks Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, **14.02**
E2064-00(2014) Guide for Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD), **14.02**
E2065-11 Guide for Requirements for Psychophysiological Detection of Deception (PDD) Examiners, **14.02**
E2066-00(2007) Guide for Validation of Laboratory Information Management Systems, **03.06**
E2067-12 Practice for Full-Scale Oxygen Consumption Calorimetry Fire Tests, **04.07**
E2068-00(2008) Test Method for Determination of Operating Force of Sliding Windows and Doors, **04.11**
E2069-06(2012) Test Method for Temperature Calibration on Cooling of Differential Scanning Calorimeters, **14.02**
E2070-13 Test Method for Kinetic Parameters by Differential Scanning Calorimetry Using Isothermal Methods, **14.02**
E2071-00(2010) Practice for Calculating Heat of Vaporization or Sublimation from Vapor Pressure Data, **14.02**
E2072-10 Specification for Photoluminescent (Phosphorescent) Safety Markings, **06.01**
E2073-10 Test Method for Photopic Luminance of Photoluminescent (Phosphorescent) Markings, **06.01**
E2074 Withdrawn 2007; Test Method for Fire Tests of Door Assemblies, Including Positive Pressure Testing of Side-Hinged and Pivoted Swinging Door Assemblies
E2075/E2075M-10 Practice for Verifying the Consistency of AE-Sensor Response Using an Acrylic Rod, **03.03**
E2076/E2076M-10 Practice for Examination of Fiberglass Reinforced Plastic Fan Blades Using Acoustic Emission, **03.03**
E2077-00(2010) Specification for Analytical Data Interchange Protocol for Mass Spectrometric Data, **03.06**
E2078-00(2010) Guide for Analytical Data Interchange Protocol for Mass Spectrometric Data, **03.06**
E2079-07(2013) Test Methods for Limiting Oxygen (Oxidant) Concentration in Gases and Vapors, **14.02**
E2080-06 Guide for Clinical Psychophysiological Detection of Deception (PDD) Examinations for Sex Offenders, **14.02**
E2081-00(2010)ε1 Guide for Risk-Based Corrective Action, **11.05**
E2082-12 Guide for Descriptive Analysis of Shampoo Performance, **15.08**
E2083-05(2010) Classification for Building Construction Field Requirements, and Office Overhead & Profit, **04.11**
E2084 Withdrawn 2009; Specification for Authentication of Healthcare Information Using Digital Signatures
E2085 Withdrawn 2009; Guide on Security Framework for Healthcare Information
E2086 Withdrawn 2009; Guide for Internet and Intranet Healthcare Security
E2087 Withdrawn 2009; Specification for Quality Indicators for Controlled Health Vocabularies
E2088-06(2011) Practice for Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, **15.03**
E2089-00(2014) Practices for Ground Laboratory Atomic Oxygen Interaction Evaluation of Materials for Space Applications, **15.03**
E2090-12 Test Method for Size-Differentiated Counting of Particles and Fibers Released from Cleanroom Wipers Using Optical and Scanning Electron Microscopy, **15.03**
E2091-11 Guide for Use of Activity and Use Limitations, Including Institutional and Engineering Controls, **11.05**
E2092-13 Test Method for Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, **14.02**
E2093-12 Guide for Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, **03.05**
E2094 Withdrawn 2011; Practice for Evaluating the Service Life of Chromogenic Glazings
E2095 Not Assigned
E2096/E2096M-10 Practice for In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, **03.03**
E2097-00(2006) Guide for Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, **14.02**
E2098/E2098M-13 Test Method for Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution, **04.11**
E2099-00(2014)ε1 Practice for the Specification and Evaluation of Pre-Construction Laboratory Mockups of Exterior Wall Systems, **04.11**
E2100-04(2010) Practice for Calculating the International Runway Friction Index, **04.03**
E2101 Withdrawn 2014; Test Method for Measuring the Frictional Properties of Winter Contaminated Pavement Surfaces Using an Averaging-Type Spot Measuring Decelerometer
E2102-14 Test Method for Measurement of Mass Loss and Ignitability for Screening Purposes Using a Conical Radiant Heater, **04.07**
E2103/E2103M-13 Classification for Bridge Elements—UNIFORMAT II, **04.11**
E2104-09 Practice for Radiographic Examination of Advanced Aero and Turbine Materials and Components, **03.03**
E2105-00(2010) Practice for General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), **03.06**
E2106-00(2011) Practice for General Techniques of Liquid Chromatography-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, **03.06**

E2107-06(2014) Practice for Environmental Regulatory Compliance Audits, **11.05**

E2108-10 Practice for Calibration of the Electron Binding-Energy Scale of an X-Ray Photoelectron Spectrometer, **03.06**

E2109-01(2007) Test Methods for Determining Area Percentage Porosity in Thermal Sprayed Coatings, **03.01**

E2110-11 Terminology for Exterior Insulation and Finish Systems (EIFS), **04.11**

E2111-12 Quantitative Carrier Test Method to Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, **11.05**

E2112-07 Practice for Installation of Exterior Windows, Doors and Skylights, **04.12**

E2113-13 Test Method for Length Change Calibration of Thermomechanical Analyzers, **14.02**

E2114-08 Terminology for Sustainability Relative to the Performance of Buildings, **04.12**

E2115-06 Guide for Conducting Lead Hazard Assessments of Dwellings and of Other Child-Occupied Facilities, **04.12**

E2117-06(2011) Guide for Identification and Establishment of a Quality Assurance Program for Medical Transcription, **14.01**

E2118 Withdrawn 2003; Guide for Coordination of Clinical Laboratory Services Within the Electronic Health Record Environment and Networked Architectures

E2119 Withdrawn 2009; Practice for Quality Systems for Conducting In Situ Measurements of Lead Content in Paint or Other Coatings Using Field-Portable X-Ray Fluorescence (XRF) Devices

E2120-10 Practice for Performance Evaluation of the Portable X-Ray Fluorescence Spectrometer for the Measurement of Lead in Paint Films, **04.12**

E2121-13 Practice for Installing Radon Mitigation Systems in Existing Low-Rise Residential Buildings, **04.12**

E2122-02(2013) Guide for Conducting In-situ Field Bioassays With Caged Bivalves, **11.06**

E2123-10 Practice for Transmittal of Evidence in Sexual Assault Investigation, **14.02**

E2124-10 Practice for Specification for Equipment and Supplies in Sexual Assault Investigations, **14.02**

E2125-11 Guide for Microcrystal Testing in Forensic Analysis of Phencyclidine and Its Analogues, **14.02**

E2126-11 Test Methods for Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings, **04.12**

E2127-01a(2007) Methods of Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, **04.12**

E2128-12 Guide for Evaluating Water Leakage of Building Walls, **04.12**

E2129-10 Practice for Data Collection for Sustainability Assessment of Building Products, **04.12**

E2130 Not Assigned

E2131-09 Practice for Addressing and Reporting Loss, Damage, or Destruction of Tangible Property, **04.12**

E2132-11 Practice for Inventory Verification: Electronic and Physical Inventory of Assets, **04.12**

E2133-03(2013) Test Method for Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, **04.03**

E2134/E2134M-14 Test Method for Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS), **04.12**

E2135-10a$^{\epsilon 1}$ Terminology for Property and Asset Management, **04.12**

E2136-04(2013) Guide for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Durability, **04.12**

E2137-06(2011) Guide for Estimating Monetary Costs and Liabilities for Environmental Matters, **11.05**

E2138 Not Assigned

E2139-05(2011) Test Method for Same-Different Test, **15.08**

E2140-01(2009) Test Method for Water Penetration of Metal Roof Panel Systems by Static Water Pressure Head, **04.12**

E2141-12 Test Methods for Assessing the Durability of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, **04.12**

E2142-08 Test Methods for Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, **03.01**

E2143-01(2013) Test Method for Using Field-Portable Fiber Optics Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, **03.06**

E2144-11 Practice for Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, **11.03**

E2145-07(2013) Practice for Information Modeling, **14.01**

E2146 Withdrawn 2010; Guide for Detection of Nucleic Acid Sequences of the Human Immunodeficiency Virus HIV-1 by the Polymerase Chain Reaction Technique

E2147-01(2013) Specification for Audit and Disclosure Logs for Use in Health Information Systems, **14.01**

E2148-11b Guide for Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, **11.03**

E2149-13a Test Method for Determining the Antimicrobial Activity of Antimicrobial Agents Under Dynamic Contact Conditions, **11.05**

E2150-13 Classification for Life-Cycle Environmental Work Elements—Environmental Cost Element Structure, **04.12**

E2151-02(2010) Terminology of Guides for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings, **04.12**

E2152-12 Practice for Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, **06.01**

E2153-01(2011) Practice for Obtaining Bispectral Photometric Data for Evaluation of Fluorescent Color, **06.01**

E2154-01(2008) Practice for Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), **14.02**

E2156-04(2013) Guide for Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, **04.12**

E2157-09 Test Method for Measuring Pavement Macrotexture Properties Using the Circular Track Meter, **04.03**

E2158 Withdrawn 2010; Specification for Dedicated Short Range Communication (DSRC) Physical Layer Using Microwave in the 902 to 928 MHz Band

E2159-01(2008) Guide for Selection, Assignment, and Monitoring of Persons To Be Utilized as Assessors/Auditors or Technical Experts, **14.02**

E2160-04(2012) Test Method for Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, **14.02**

E2161-13 Terminology Relating to Performance Validation in Thermal Analysis, **14.02**

E2162-07 Guide for Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders, **14.02**

E2163-06(2014) Guide for Minimum Training Requirements for Examiners Conducting Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders in Treatment, Probation or Other Similar Programs, **14.02**

E2164-08 Test Method for Directional Difference Test, **15.08**

E2165 Withdrawn 2007; Practice for Establishing an Uncertainty Budget for the Chemical Analysis of Metals, Ores, and Related Materials

E2166-12 Practice for Organizing and Managing Building Data, **04.12**

E2167-01(2008) Guide for Selection and Use of Stone Consolidants, **04.12**

E2168-10 Classification for Allowance, Contingency, and Reserve Sums in Building Construction Estimating, **04.12**

E2169-12 Practice for Selecting Antimicrobial Pesticides for Use in Water-Miscible Metalworking Fluids, **11.03**

E2170 Withdrawn 2013; Test Method for Determining Anaerobic Biodegradation Potential of Organic Chemicals Under Methanogenic Conditions

E2171-02(2013) Practice for Rating-Scale Measures Relevant to the Electronic Health Record, **14.01**

E2172-01(2008) Guide for Conducting Laboratory Soil Toxicity Tests with the Nematode, **11.06**

E2173-07(2011) Guide for Disclosure of Environmental Liabilities, **11.05**

E2174-14 Practice for On-Site Inspection of Installed Firestops, **04.12**

E2175-01(2013) Practice for Specifying the Geometry of Multiangle Spectrophotometers, **06.01**

E2176 Withdrawn 2013; Test Method for Measuring the Coefficient of Retroreflected Luminance of Pavement Markings in a Standard Condition of Continuous Wetting ($R_{L\text{-}Rain}$); Replaced by E2832

E2177-11 Test Method for Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness, **06.01**

E2178-13 Test Method for Air Permeance of Building Materials, **04.12**

E2179-03(2009) Test Method for Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through Concrete Floors, **04.06**

E2180-07(2012) Test Method for Determining the Activity of Incorporated Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, **11.05**

E2181/E2181M-11 Specification for Compacted Mineral-Insulated, Metal-Sheathed, Noble Metal Thermocouples and Thermocouple Cable, **14.03**

E2182 Withdrawn 2011; Specification for Clinical XML DTDs in Healthcare

E2183 Withdrawn 2011; Guide for XML DTD Design, Architecture and Implementation

E2184 Withdrawn 2011; Specification for Healthcare Document Formats

E2185 Withdrawn 2010; Specification for Transferring Digital Voice Data Between Independent Digital Dictation Systems and Workstations

E2186-02a(2010) Guide for Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, **11.06**

E2187-09 Test Method for Measuring the Ignition Strength of Cigarettes, **04.07**

E2188-10 Test Method for Insulating Glass Unit Performance, **04.12**

E2189-10$^{\epsilon 1}$ Test Method for Testing Resistance to Fogging in Insulating Glass Units, **04.12**

E2190-10 Specification for Insulating Glass Unit Performance and Evaluation, **04.12**

E2191/E2191M-10 Practice for Examination of Gas-Filled Filament-Wound Composite Pressure Vessels Using Acoustic Emission, **03.03**

E2192-13 Guide for Planar Flaw Height Sizing by Ultrasonics, **03.03**

E2193-08 Test Method for Ultraviolet Transmittance of Monoethylene Glycol (Ultraviolet Spectrophotometric Method), **15.05**

E2194-12 Practice for Multiangle Color Measurement of Metal Flake Pigmented Materials, **06.01**

E2195-09 Terminology Relating to Examination of Questioned Documents, **14.02**

E2196-12 Test Method for Quantification of a Pseudomonas aeruginosa Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, **11.05**

E2197-11 Quantitative Disk Carrier Test Method for Determining Bactericidal,

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, **11.05**

E2198-10 Specification for *Phytoseiulus persimilis* Athias-Henriot (*Acarina:Phytoseiidae*), **11.05**

E2199-08ε1 Specification for *Encarsia formosa* Gahan (*Hymenoptera:Aphelinidae*), **11.05**

E2200 Withdrawn 2010; Specification for Information Included with Packaging of Multi-Cellular Biological Control Organisms

E2201-13 Terminology for Coal Combustion Products, **11.05**

E2202-02(2009) Practice for Measurement of Equipment-Generated Continuous Noise for Assessment of Health Hazards, **04.06**

E2203-14 Specification for Dense Thermoplastic Elastomers Used for Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories, **04.07**

E2204-11a Guide for Summarizing the Economic Impacts of Building-Related Projects, **04.12**

E2205/E2205M-02(2009)ε1 Guide for Risk-Based Corrective Action for Protection of Ecological Resources, **11.05**

E2206-11 Test Method for Force Calibration of Thermomechanical Analyzers, **14.02**

E2207-08(2013)ε1 Practice for Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, **03.01**

E2208-02(2010)ε1 Guide for Evaluating Non-Contacting Optical Strain Measurement Systems, **03.01**

E2209-13 Test Method for Analysis of High Manganese Steel by Spark Atomic Emission Spectrometry, **03.05**

E2210-12 Specification for Guideline Elements Model version 3 (GEM III)—Document Model for Clinical Practice Guidelines, **14.01**

E2211-02(2010) Specification for Relationship Between a Person (Consumer) and a Supplier of an Electronic Personal (Consumer) Health Record, **14.01**

E2212-02a(2010) Practice for Healthcare Certificate Policy, **14.01**

E2213-03(2010) Specification for Telecommunications and Information Exchange Between Roadside and Vehicle Systems — 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, **04.03**

E2214-12ε1 Practice for Specifying and Verifying the Performance of Color-Measuring Instruments, **06.01**

E2215-10 Practice for Evaluation of Surveillance Capsules from Light-Water Moderated Nuclear Power Reactor Vessels, **12.02**

E2216-02(2013) Guide for Evaluating Disposal Options for Concrete from Nuclear Facility Decommissioning, **12.02**

E2217-12 Practice for Design and Construction of Aerospace Cleanrooms and Contamination Controlled Areas, **15.03**

E2218-02(2008) Test Method for Determining Forming Limit Curves, **03.01**

E2219 Withdrawn 2009; Practice for Valuation and Management of Moveable, Durable Property

E2220 Withdrawn 2009; Practice for Establishing the Full Valuation of the Loss/Overage Population Identified During the Inventory of Moveable, Durable Property

E2221 Withdrawn 2011; Practice for Administrative Control of Property

E2222 Withdrawn 2012; Practice for Host Computer Communication with Spectrometers for Color Measurements

E2223-13 Practice for Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, **03.03**

E2224-10 Guide for Forensic Analysis of Fibers by Infrared Spectroscopy, **14.02**

E2225-10 Guide for Forensic Examination of Fabrics and Cordage, **14.02**

E2226-12 Practice for Application of Hose Stream, **04.07**

E2227-13 Guide for Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, **14.02**

E2228-10 Guide for Microscopical Examination of Textile Fibers, **14.02**

E2229-09 Practices for Interpretation of Psychophysiological Detection of Deception (Polygraph) Data, **14.02**

E2230-13 Practice for Thermal Qualification of Type B Packages for Radioactive Material, **04.07**

E2231-14 Practice for Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics, **04.07**

E2232-10 Guide for Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, **12.02**

E2234-09(2013) Practice for Sampling a Stream of Product by Attributes Indexed by AQL, **14.02**

E2235-04(2012) Test Method for Determination of Decay Rates for Use in Sound Insulation Test Methods, **04.06**

E2236-10 Test Methods for Measurement of Electrical Performance and Spectral Response of Nonconcentrator Multijunction Photovoltaic Cells and Modules, **12.02**

E2238-12 Guide for Evacuation Route Diagrams, **11.03**

E2239-12 Practice for Record Keeping and Record Preservation for Lead Hazard Activities, **04.12**

E2240-06 Test Method for Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, **04.12**

E2241-06 Test Method for Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, **04.12**

E2242-13 Test Method for Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, **03.05**

E2243-13 Guide for Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Re-contouring and Highwall Reclamation, **11.05**

E2244-11ε1 Test Method for In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, **03.01**

E2245-11ε1 Test Method for Residual Strain Measurements of Thin, Reflecting Films Using an Optical Interferometer, **03.01**

E2246-11ε1 Test Method for Strain Gradient Measurements of Thin, Reflecting Films Using an Optical Interferometer, **03.01**

E2247-08 Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process for Forestland or Rural Property, **11.05**

E2248-13 Test Method for Impact Testing of Miniaturized Charpy V-Notch Specimens, **03.01**

E2249-02(2008) Test Method for Laboratory Measurement of Airborne Transmission Loss of Building Partitions and Elements Using Sound Intensity, **04.06**

E2250 Withdrawn 2008; Method for Determination of Endotoxin Concentration in Water Miscible Metal Working Fluids

E2251-11 Specification for Liquid-in-Glass ASTM Thermometers with Low-Hazard Precision Liquids, **14.03**

E2252-12 Practice for Selection of Lead Hazard Reduction Methods for Identified Risks in Residential Housing or Child Occupied Facilities, **04.12**

E2253-11 Test Method for Temperature and Enthalpy Measurement Validation of Differential Scanning Calorimeters, **14.02**

E2254-13 Test Method for Storage Modulus Calibration of Dynamic Mechanical Analyzers, **14.02**

E2255/E2255M-13 Practice for Conducting Visual Assessments for Lead Hazards in Buildings, **04.12**

E2256-13 Guide for Hydraulic Integrity of New, Repaired, or Reconstructed Aboveground Storage Tank Bottoms for Petroleum Service, **11.05**

E2257-13a Test Method for Room Fire Test of Wall and Ceiling Materials and Assemblies, **04.07**

E2259-03a(2011) Guide for Archiving and Retrieving Intelligent Transportation Systems-Generated Data, **04.03**

E2260-03(2012)ε1 Guide for Repointing (Tuckpointing) Historic Masonry, **04.12**

E2261/E2261M-12 Practice for Examination of Welds Using the Alternating Current Field Measurement Technique, **03.03**

E2262-03(2014) Practice for Estimating Thurstonian Discriminal Distances, **15.08**

E2263-12 Test Method for Paired Preference Test, **15.08**

E2264-05(2013) Practice for Determining the Effects of Temperature Cycling on Fenestration Products, **04.12**

E2265-09 Terminology for Anchors and Fasteners in Concrete and Masonry, **04.12**

E2266-11 Guide for Design and Construction of Low-Rise Frame Building Wall Systems to Resist Water Intrusion, **04.12**

E2267-04(2013) Guide for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Indoor Air Quality, **04.12**

E2268-04(2011) Test Method for Water Penetration of Exterior Windows, Skylights, and Doors by Rapid Pulsed Air Pressure Difference, **04.12**

E2269-14 Test Method for Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, **04.12**

E2270-13 Practice for Periodic Inspection of Building Facades for Unsafe Conditions, **04.12**

E2271-05a(2012)ε1 Practice for Clearance Examinations Following Lead Hazard Reduction Activities in Dwellings, and in Other Child-Occupied Facilities, **04.12**

E2273-03(2011) Test Method for Determining the Drainage Efficiency of Exterior Insulation and Finish Systems (EIFS) Clad Wall Assemblies, **04.12**

E2274-09 Test Method for Evaluation of Laundry Sanitizers and Disinfectants, **11.05**

E2275-13 Practice for Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, **11.05**

E2276-10 Test Method for Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, **11.05**

E2277-14 Guide for Design and Construction of Coal Ash Structural Fills, **11.05**

E2278-13 Guide for Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, **11.05**

E2279-09 Practice for Establishing the Guiding Principles of Property Management, **04.12**

E2280-13 Guide for Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, **04.07**

E2281-08a(2012)ε1 Practice for Process and Measurement Capability Indices, **14.02**

E2282-13 Guide for Defining the Test Result of a Test Method, **14.02**

E2283-08 Practice for Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, **03.01**

E2285-08 Guide for Examination of Mechanical Checkwriter Impressions, **14.02**

E2286-08a Guide for Examination of Dry Seal Impressions, **14.02**

E2287-09 Guide for Examination of Fracture Patterns and Paper Fiber Impressions on Single-Strike Film Ribbons and Typed Text, **14.02**

E2288-09 Guide for Physical Match of Paper Cuts, Tears, and Perforations in Forensic Document Examinations, **14.02**

E2289-08 Guide for Examination of Rubber Stamp Impressions, **14.02**

E2290-07a Guide for Examination of Handwritten Items, **14.02**

E2291 Withdrawn 2012; Guide for Indentation Examinations

E2292-04(2012) Practice for Investigation of Investigating Carbon Monoxide Poisoning Incidents, **14.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E2293-03(2013) Practice for Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, **03.05**
E2294-03(2013) Practice for Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, **03.05**
E2295-13 Practice for Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, **03.05**
E2296-03(2013) Practice for Silver Corrections in Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Fire Assay Slag Recycling and Cupel Proof Gravimetry, **03.05**
E2297-04(2010) Guide for Use of UV-A and Visible Light Sources and Meters used in the Liquid Penetrant and Magnetic Particle Methods, **03.03**
E2298-13a Test Method for Instrumented Impact Testing of Metallic Materials, **03.01**
E2299-13 Guide for Sensory Evaluation of Products by Children and Minors, **15.08**
E2300-09 Specification for Highway Traffic Monitoring Devices, **04.03**
E2301-12 Test Method for Daytime Colorimetric Properties of Fluorescent Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, **06.01**
E2302-03a(2009) Test Method for Measurement of the Luminance Coefficient Under Diffuse Illumination of Pavement Marking Materials Using a Portable Reflectometer, **06.01**
E2303-11ε1 Guide for Absorbed-Dose Mapping in Radiation Processing Facilities, **12.02**
E2304-03(2011) Practice for Use of a LiF Photo-Fluorescent Film Dosimetry System, **12.02**
E2306-13 Practice for Disposal of Personal Property, **04.12**
E2307-10 Test Method for Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus, **04.07**
E2308 Withdrawn 2014: Guide for Limited Asbestos Screens of Buildings
E2309/E2309M-05(2011)ε1 Practices for Verification of Displacement Measuring Systems and Devices Used in Material Testing Machines, **03.01**
E2310-04(2009) Guide for Use of Spectral Searching by Curve Matching Algorithms with Data Recorded Using Mid-Infrared Spectroscopy, **03.06**
E2311-04(2009) Practice for QCM Measurement of Spacecraft Molecular Contamination in Space, **15.03**
E2312-11 Practice for Tests of Cleanroom Materials, **15.03**
E2313-08 Test Method for Aldehydes in Mono-, Di-, and Triethylene Glycol (Spectrophotometric Method), **15.05**
E2314-03(2008) Test Method for Determination of Effectiveness of Cleaning Processes for Reusable Medical Instruments Using a Microbiologic Method (Simulated Use Test), **11.05**
E2315-03(2008) Guide for Assessment of Antimicrobial Activity Using a Time-Kill Procedure, **11.05**
E2316-03(2009) Test Method for Determination of Particles Resulting from the Attrition of Granular Pesticides, **11.05**
E2317-04(2012) Guide for Conducting Renewal Microplate-Based Life-Cycle Toxicity Tests with a Marine Meiobenthic Copepod, **11.06**
E2318 Withdrawn 2012; Guide for Environmental Health Site Assessment Process for Military Deployments
E2319-04(2011) Test Method for Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, **04.12**
E2320-04(2012) Classification for Serviceability of an Office Facility for Thermal Environment and Indoor Air Conditions, **04.12**
E2321-03(2011) Practice for Use of Test Methods, **04.12**
E2322-03(2009) Test Method for Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, **04.12**
E2323 Withdrawn 2012; Test Method for Calculating the Concentration of Fill Gas in a Sealed Insulating Glass Unit Using Measurements From an Oxygen Analyzer
E2324-04(2011) Guide for PDD Paired Testing, **14.02**
E2325 Withdrawn 2014; Guide for Non-destructive Examination of Paper
E2326-14 Practice for Education and Training of Seized-Drug Analysts, **14.02**
E2327-10 Practice for Quality Assurance of Laboratories Performing Seized-Drug Analysis, **14.02**
E2328 Withdrawn 2005; Terminology Relating to Seized-Drug Analysis
E2329-10 Practice for Identification of Seized Drugs, **14.02**
E2330-12 Test Method for Determination of Concentrations of Elements in Glass Samples Using Inductively Coupled Plasma Mass Spectrometry (ICP-MS) for Forensic Comparisons, **14.02**
E2331 Withdrawn 2013; Guide for Examination of Altered Documents
E2332 *Withdrawn 2013; Practice for Investigation and Analysis of Physical Component Failures*, **14.02**
E2334-09(2013)ε1 Practice for Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming items, or a Rate of Occurrence for Non-conformities, Using Attribute Data, When There is a Zero Response in the Sample, **14.02**
E2335-12 Guide for Laboratory Monitors, **04.07**
E2336-14 Test Methods for Fire Resistive Grease Duct Enclosure Systems, **04.07**
E2337/E2337M-10 Guide for Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, **03.03**
E2338-11 Practice for Characterization of Coatings Using Conformable Eddy-Current Sensors without Coating Reference Standards, **03.03**
E2339-11 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE), **03.03**
E2340/E2340M-11ε1 Test Method for Measuring the Skid Resistance of Pavements and Other Trafficked Surfaces Using a Continuous Reading, Fixed-Slip Technique, **04.03**
E2341/E2341M-05(2009) Test Method for Determining the Stopping Distance Number by Initial Speed and Stopping Distance at Traffic Incident Sites, **04.03**
E2342-10 Test Method for Durability Testing of Duct Sealants, **04.12**
E2344-04(2011) Guide for Data Capture through the Dictation Process, **14.01**
E2345 Withdrawn 2012; Practice for Investigating Electrical Incidents
E2346/E2346M-14 Guide for Sensory Evaluation of Household Hard Surface-Cleaning Products with Emphasis on Spray Triggers, **15.08**
E2347-11 Test Method for Indentation Softening Temperature by Thermomechanical Analysis, **14.02**
E2348-06(2010) Guide for Framework for a Consensus-based Environmental Decision-making Process, **11.05**
E2349-12 Practice for Safety Requirements in Metal Casting Operations: Sand Preparation, Molding, and Core Making; Melting and Pouring; and Cleaning and Finishing, **11.03**
E2350-07(2013) Guide for Integration of Ergonomics/Human Factors into New Occupational Systems, **11.03**
E2351-04a(2013) Guide for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Functionality, **04.12**
E2352-04(2010) Practice for Aerospace Cleanrooms and Associated Controlled Environments—Cleanroom Operations, **15.03**
E2353-14 Test Methods for Performance of Glazing in Permanent Railing Systems, Guards, and Balustrades, **04.12**
E2354-10 Guide for Assessing the Durability of Absorptive Electrochromic Coatings within Sealed Insulating Glass Units, **04.12**
E2355-10 Test Method for Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, **04.12**
E2356-14 Practice for Comprehensive Building Asbestos Surveys, **11.07**
E2357-11 Test Method for Determining Air Leakage of Air Barrier Assemblies, **04.12**
E2358-04(2010) Specification for the Performance of Glass in Permanent Glass Railing Systems, Guards, and Balustrades, **04.12**
E2359/E2359M-13 Test Method for Field Pull Testing of an In-Place Exterior Insulation and Finish System Clad Wall Assembly, **04.12**
E2360-04(2010) Specification for ***Cryptolaemus montrouzieri*** Mulsant (Coleoptera: Coccinellidae), **11.05**
E2361-13 Guide for Testing Leave-On Products Using In-Situ Methods, **11.05**
E2362-09 Practice for Evaluation of Pre-saturated or Impregnated Towelettes for Hard Surface Disinfection, **11.05**
E2363-06a Terminology Relating to Process Analytical Technology in the Pharmaceutical Industry, **14.02**
E2364-04(2010) Guide to Speech Recognition Technology Products in Health Care, **14.01**
E2365-14 Guide for Environmental Compliance Performance Assessment, **11.05**
E2366-05 Test Method for Measurement of Daytime Chromaticity of Pavement Marking Materials Using a Portable Reflection Colorimeter, **06.01**
E2367-05 Test Method for Measurement of Nighttime Chromaticity of Pavement Marking Materials Using a Portable Retroreflection Colorimeter, **06.01**
E2368-10 Practice for Strain Controlled Thermomechanical Fatigue Testing, **03.01**
E2369-12 Specification for Continuity of Care Record (CCR), **14.01**
E2371-13 Test Method for Analysis of Titanium and Titanium Alloys by Direct Current Plasma and Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Test Methodology), **03.05**
E2373/E2373M-14 Practice for Use of the Ultrasonic Time of Flight Diffraction (TOFD) Technique, **03.03**
E2374-10 Guide for Acoustic Emission System Performance Verification, **03.03**
E2375-08(2013) Practice for Ultrasonic Testing of Wrought Products, **03.03**
E2377-10 Specification for Shelter, Electrical Equipment, Lightweight, **04.12**
E2378-13 Practice for the Recognition of Impaired or Retired Personal Property, **04.12**
E2379 Withdrawn 2012; Practice for Property Management for Career Development and Training
E2380/E2380M-09 Test Method for Measuring Pavement Texture Drainage Using an Outflow Meter, **04.03**
E2381-04(2010) Guide for Dosimetry In Radiation Processing of Fluidized Beds and Fluid Streams, **12.02**
E2382-04(2012) Guide to Scanner and Tip Related Artifacts in Scanning Tunneling Microscopy and Atomic Force Microscopy, **03.06**
E2385-11 Guide for Estimating Wildlife Exposure Using Measures of Habitat Quality, **11.06**
E2386-04(2011) Guide for Conduct of PDD Screening Examinations, **14.02**
E2387-05(2011) Practice for Goniometric Optical Scatter Measurements, **06.01**
E2388-11 Guide for Minimum Training Requirements for Forensic Document Examiners, **14.02**
E2389 Withdrawn 2014; Guide for Examination of Documents Produced with Liquid Ink Jet Technology
E2390-06 Guide for Examination of Documents Produced with Toner Technology, **14.02**
E2392/E2392M-10ε1 Guide for Design of Earthen Wall Building Systems, **04.12**
E2393-10a Practice for On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barriers, **04.12**
E2394-11 Practice for Maintenance, Renovation, and Repair of Installed Asbestos Cement Products, **11.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E2395-06(2013) Specification for Voluntary Security Performance of Window and Door Assemblies with and without Glazing Impact, **04.12**
E2396-11 Test Method for Saturated Water Permeability of Granular Drainage Media Falling-Head Method for Vegetative (Green) Roof Systems, **04.04**
E2397-11 Practice for Determination of Dead Loads and Live Loads Associated with Vegetative (Green) Roof Systems, **04.04**
E2398-11 Test Method for Water Capture and Media Retention of Geocomposite Drain Layers for Vegetative (Green) Roof Systems, **04.04**
E2399-11 Test Method for Maximum Media Density for Dead Load Analysis of Vegetative (Green) Roof Systems, **04.04**
E2400-06 Guide for Selection, Installation, and Maintenance of Plants for Green Roof Systems, **04.04**
E2402-11 Test Method for Mass Loss and Residue Measurement Validation of Thermogravimetric Analyzers, **14.02**
E2403-06(2012) Test Method for Sulfated Ash of Organic Materials by Thermogravimetry, **14.02**
E2404-13$^{\epsilon 1}$ Practice for Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) Wall or Ceiling Coverings, and of Facings and Wood Veneers Intended to be Applied on Site Over a Wood Substrate, to Assess Surface Burning Characteristics, **04.07**
E2405 Withdrawn 2011; Test Method for Determination of Fire and Thermal Parameters of Materials Using an Intermediate Scale Test with Vertically Oriented Specimen
E2406-09 Test Method for Evaluation of Laundry Sanitizers and Disinfectants for Use in High Efficiency Washing Operations, **11.05**
E2407-04(2009) Test Method for Effectiveness of Defoaming Agents, **11.05**
E2408-04(2009) Test Method for Relative Extensional Viscosity of Agricultural Spray Tank Mixes, **11.05**
E2409-13 Test Method for Glycol Impurities in Mono-, Di-, Tri- and Tetraethylene Glycol and in Mono- and Dipropylene Glycol, **15.05**
E2410 Withdrawn 2006; Practice for Designing and Validating Performance Based Test Methods for the Analysis of Metals, Ores, and Related Materials
E2411 Withdrawn 2014; Replaced by Specification E2885
E2412-10 Practice for Condition Monitoring of In-Service Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, **05.04**
E2413-04(2009) Guide for Hospital Preparedness and Response, **15.08**
E2414 Withdrawn 2014; Test Method for Quantitative Sporicidal Three-Step Method (TSM) to Determine Sporicidal Efficacy of Liquids, Liquid Sprays, and Vapor or Gases on Contaminated Carrier Surface
E2415-05(2012) Practice for Installing Piezoelectric Highway Traffic Sensors, **04.03**
E2418-06 Guide for Readily Observable Mold and Conditions Conducive to Mold in Commercial Buildings: Baseline Survey Process, **11.05**
E2420-10 Guide for Post-Deactivation Surveillance and Maintenance of Radiologically Contaminated Facilities, **12.02**
E2421-10 Guide for Preparing Waste Management Plans for Decommissioning Nuclear Facilities, **12.02**
E2422-11 Digital Reference Images for Inspection of Aluminum Castings, **03.03**
E2425-11 Test Method for Loss Modulus Conformance of Dynamic Mechanical Analyzers, **14.02**
E2426-10 Practice for Pulse Counting System Dead Time Determination by Measuring Isotopic Ratios with SIMS, **03.06**
E2427-13 Test Method for Acceptance by Performance Testing for Sieves, **14.02**
E2428-08 Practice for Calibration of Torque-Measuring Instruments for Verifying the Torque Indication of Torque Testing Machines, **03.01**
E2430/E2430M-13 Specification For Expanded Polystyrene ("EPS") Thermal Insulation Boards for Use in Exterior Insulation and Finish Systems ("EIFS"), **04.12**
E2431-12 Practice for Determining the Resistance of Single Glazed Annealed Architectural Flat Glass to Thermal Loadings, **04.12**
E2432-11 Guide for General Principles of Sustainability Relative to Buildings, **04.12**
E2435-05(2010)$^{\epsilon 1}$ Guide for Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, **11.05**
E2436-05(2010) Specification for the Representation of Human Characteristics Data in Healthcare Information Systems, **14.01**
E2437 Withdrawn 2014; Practice for Designing and Validating Performance-Based Test Methods for the Analysis of Metals, Ores, and Related Materials
E2438 Withdrawn 2014; Practice for Implementing Standard Performance Based Test Methods for the Analysis of Metals, Ores, and Related Materials
E2439-09 Guide for Instrumentation, Sensors and Operating Software Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, **14.02**
E2443-05(2010)$^{\epsilon 1}$ Guide for Verifying Computer-Generated Test Results Through The Use Of Standard Data Sets, **03.01**
E2444-11$^{\epsilon 1}$ Terminology Relating to Measurements Taken on Thin, Reflecting Films, **03.01**
E2445-05(2010) Practice for Qualification and Long-Term Stability of Computed Radiology Systems, **03.03**
E2446-05(2010) Practice for Classification of Computed Radiology Systems, **03.03**
E2448-11 Test Method for Determining the Superplastic Properties of Metallic Sheet Materials, **03.01**
E2449-05(2013) Guide for Irradiation of Pre-packaged Processed Meat and Poultry Products to Control Pathogens and Other Microorganisms, **12.02**
E2450-11 Practice for Application of CaF, **12.02**
E2451-13 Practice for Preserving Ignitable Liquids and Ignitable Liquid Residue Extracts from Fire Debris Samples, **14.02**
E2452-12 Practice for Equipment Management Process Maturity (EMPM) Model, **04.12**
E2453-13 Practice for Determining the Life-Cycle Cost of Ownership of Personal Property, **04.12**
E2454-05(2011) Guide for Sensory Evaluation Methods to Determine the Sensory Shelf Life of Consumer Products, **15.08**
E2455-06(2013) Guide for Conducting Laboratory Toxicity Tests with Freshwater Mussels, **11.06**
E2456-06(2012) Terminology Relating to Nanotechnology,
E2457-07(2013) Terminology for Healthcare Informatics, **14.01**
E2458-10 Practices for Bulk Sample Collection and Swab Sample Collection of Visible Powders Suspected of Being Biothreat Agents from Nonporous Surfaces, **15.08**
E2459-05(2011) Guide for Measurement of In-Duct Sound Pressure Levels from Large Industrial Gas Turbines and Fans, **04.06**
E2461-12 Practice for Determining the Thickness of Glass in Airport Traffic Control Tower Cabs, **04.12**
E2462-10 Performance Specification for Cargo Bed Cover (CBC) HMMWV, Type I, **04.12**
E2463-11 Performance Specification for Cargo Bed Cover (CBC) M105A2 Trailer, Type II, **04.12**
E2465-13 Test Method for Analysis of Ni-Base Alloys by Wavelength Dispersive X-Ray Fluorescence Spectrometry, **03.05**
E2466-13 Test Method for Colorimetry of Teeth Using Digital Still Camera Technology, **06.01**
E2467-05(2012) Practice for Developing Axle Count Adjustment Factors, **04.03**
E2468-05(2012) Practice for Metadata to Support Archived Data Management Systems, **04.03**
E2469-08a Test Method for Chloride in Mono-, Di- and Tri-ethylene Glycol by Ion Chromatography, **15.05**
E2470-09 Specification for Polyester Grade Ethylene Glycol, **15.05**
E2471-05(2011)$^{\epsilon 1}$ Test Method for Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity In Carpets, **11.05**
E2472-12$^{\epsilon 1}$ Test Method for Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions, **03.01**
E2473-05(2011) Practice for the Occupational/Environmental Health View of the Electronic Health Record, **14.01**
E2474-14 Practice for Pharmaceutical Process Design Utilizing Process Analytical Technology, **14.02**
E2475-10 Guide for Process Understanding Related to Pharmaceutical Manufacture and Control, **14.02**
E2476-09 Guide for Risk Assessment and Risk Control as it Impacts the Design, Development, and Operation of PAT Processes for Pharmaceutical Manufacture, **14.02**
E2478-11 Practice for Determining Damage-Based Design Stress for Glass Fiber Reinforced Plastic (GFRP) Materials Using Acoustic Emission, **03.03**
E2479-11 Practice for Measuring the Ultrasonic Velocity in Polyethylene Tank Walls Using Lateral Longitudinal (LCR) Waves, **03.03**
E2480-12 Practice for Conducting an Interlaboratory Study to Determine the Precision of a Test Method with Multi-Valued Measurands, **06.01**
E2481-12 Test Method for Hot Spot Protection Testing of Photovoltaic Modules, **12.02**
E2484-08 Specification for Multi-Story Building External Evacuation Controlled Descent Devices, **04.12**
E2485/E2485M-13 Test Method for Freeze/Thaw Resistance of Exterior Insulation and Finish Systems (EIFS) and Water Resistive Barrier Coatings, **04.12**
E2486/E2486M-13 Test Method for Impact Resistance of Class PB and PI Exterior Insulation and Finish Systems (EIFS), **04.12**
E2488-09 Guide for the Preparation and Evaluation of Liquid Baths Used for Temperature Calibration by Comparison, **14.03**
E2489-11 Practice for Statistical Analysis of One-Sample and Two-Sample Interlaboratory Proficiency Testing Programs, **14.02**
E2490-09 Guide for Measurement of Particle Size Distribution of Nanomaterials in Suspension by Photon Correlation Spectroscopy (PCS), **14.02**
E2491-13 Guide for Evaluating Performance Characteristics of Phased-Array Ultrasonic Testing Instruments and Systems, **03.03**
E2492-07(2012) Test Method for Evaluating Springback of Sheet Metal Using the Demeri Split Ring Test, **03.01**
E2493-07 Guide for the Collection of Non-Volatile Memory Data in Evidentiary Vehicle Electronic Control Units, **14.02**
E2494-08 Guide for Examination of Typewritten Items, **14.02**
E2495-13 Practice for Prioritizing Asset Resources in Acquisition, Utilization, and Disposition, **04.12**
E2497-11 Practice for Calculation of Asset Movement Velocity (AMV), **04.12**
E2499-11 Practice for Classification of Asset Physical Location Information, **04.12**
E2500-13 Guide for Specification, Design, and Verification of Pharmaceutical and Biopharmaceutical Manufacturing Systems and Equipment, **14.02**
E2501-11 Specification for Light Source Products for Inspection of Fluorescent Coatings, **06.01**
E2502-06(2011) Guide for Medical Transcription Workstations, **14.01**
E2503-13 Practice for Qualification of Basket and Paddle Dissolution Apparatus, **14.02**
E2505-07(2014) Practice for Industrial Rope Access, **04.12**
E2506-11 Guide for Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, **04.12**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E2509-08 Test Method for Temperature Calibration of Rheometers in Isothermal Mode, **14.02**
E2510-07(2013) Test Method for Torque Calibration or Conformance of Rheometers, **14.02**
E2511-09 Guide for Detailing of EIFS-Clad Wall Assemblies, **04.12**
E2513-07(2012) Specification for Multi-Story Building External Evacuation Platform Rescue Systems, **04.12**
E2514-08 Practice for Presentation Format of Elemental Cost Estimates, Summaries, and Analyses, **04.12**
E2515-11 Test Method for Determination of Particulate Matter Emissions Collected by a Dilution Tunnel, **04.12**
E2516-11 Classification for Cost Estimate Classification System, **04.12**
E2517-13 Specification for Cargo Bed Cover, Type III (M35A2, 2, **04.12**
E2518-11 Specification for Cargo Bed Cover, Type IV (M923, 5 Ton Cargo Truck/M1083, 5 Ton Medium Tactical Vehicle (MTV)/ M1082, 5 Ton MTV Trailer), **04.12**
E2520-07 Practice for Verifying Minimum Acceptable Performance of Trace Explosive Detectors, **15.08**
E2521-07a Terminology for Urban Search and Rescue Robotic Operations, **15.08**
E2522-07(2013) Guide for Quality Indicators for Health Classifications, **14.01**
E2523-13 Terminology for Metalworking Fluids and Operations, **11.03**
E2524-08(2013) Test Method for Analysis of Hemolytic Properties of Nanoparticles, **14.02**
E2525-08(2013) Test Method for Evaluation of the Effect of Nanoparticulate Materials on the Formation of Mouse Granulocyte-Macrophage Colonies, **14.02**
E2526-08(2013) Test Method for Evaluation of Cytotoxicity of Nanoparticulate Materials in Porcine Kidney Cells and Human Hepatocarcinoma Cells, **14.02**
E2527-09 Test Method for Electrical Performance of Concentrator Terrestrial Photovoltaic Modules and Systems Under Natural Sunlight, **12.02**
E2529-06(2014) Guide for Testing the Resolution of a Raman Spectrometer, **03.06**
E2530-06 Practice for Calibrating the, **03.06**
E2531-06$^{\epsilon 1}$ Guide for Development of Conceptual Site Models and Remediation Strategies for Light Nonaqueous-Phase Liquids Released to the Subsurface, **11.05**
E2532-09 Test Methods for Evaluating Performance of Highway Traffic Monitoring Devices, **04.03**
E2533-09 Guide for Nondestructive Testing of Polymer Matrix Composites Used in Aerospace Applications, **03.03**
E2534-10 Practice for Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts, **03.03**
E2535-07(2013) Guide for Handling Unbound Engineered Nanoscale Particles in Occupational Settings, **14.02**
E2536-14 Guide for Assessment of Measurement Uncertainty in Fire Tests, **04.07**
E2537-08 Guide for Application of Continuous Quality Verification to Pharmaceutical and Biopharmaceutical Manufacturing, **14.02**
E2538-06(2011) Practice for Defining and Implementing Pharmacotherapy Information Services within the Electronic Health Record (EHR) Environment and Networked Architectures, **14.01**
E2539-12 Practice for Multiangle Color Measurement of Interference Pigments, **06.01**
E2540-08 Test Method for Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.5 Degree Observation Angle, **06.01**
E2541-10 Guide for Stakeholder-Focused, Consensus-Based Disaster Restoration Process for Contaminated Assets, **15.08**
E2542-08(2014) Specification for Portable Water Heaters Used at Personnel Decontamination Stations, **15.08**
E2543-08(2014) Specification for Portable Air Heaters Used at Personnel Decontamination Stations and Shelters, **15.08**
E2544-11a Terminology for Three-Dimensional (3D) Imaging Systems, **10.04**
E2545-07(2012) Test Method for Objective Measurement of Gingival Color Using Digital Still Cameras, **06.01**
E2546-07 Practice for Instrumented Indentation Testing, **03.01**
E2548-11$^{\epsilon 1}$ Guide for Sampling Seized Drugs for Qualitative and Quantitative Analysis, **14.02**
E2549-14 Practice for Validation of Seized-Drug Analytical Methods, **14.02**
E2550-11 Test Method for Thermal Stability by Thermogravimetry, **14.02**
E2551-13 Test Method for Humidity Calibration (or Conformation) of Humidity Generators for Use with Thermogravimetric Analyzers, **14.02**
E2552-08 Guide for Assessing the Environmental and Human Health Impacts of New Energetic Compounds, **11.06**
E2553-07(2013) Guide for Implementation of a Voluntary Universal Healthcare Identification System, **14.01**
E2554-13 Practice for Estimating and Monitoring the Uncertainty of Test Results of a Test Method Using Control Chart Techniques, **14.02**
E2555-07(2012) Practice for Factors and Procedures for Applying the MIL-STD-105 Plans in Life and Reliability Inspection, **14.02**
E2556/E2556M-10 Specification for Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, **04.12**
E2557-07 Practice for Probable Maximum Loss (PML) Evaluations for Earthquake Due-Diligence Assessments, **04.12**
E2558-13 Test Method for Determining Particulate Matter Emissions from Fires in Wood-Burning Fireplaces, **04.12**
E2559-08(2014) Standard for Portable Document Format in Healthcare, a Best Practice Guide, **14.01**
E2560-13 Specification for Data Format for Pavement Profile, **04.03**
E2561-07a(2012) Practice for the Installation of Inductive Loop Detectors, **04.03**
E2562-12 Test Method for Quantification of Pseudomonas aeruginosa Biofilm Grown with High Shear and Continuous Flow using CDC Biofilm Reactor, **11.05**
E2563-13 Practice for Enumeration of Non-Tuberculosis, **11.03**
E2564-13 Practice for Enumeration of, **11.03**
E2565-09 Guide for Consensus-based Process for an Occupational Safety and Health Standard that Includes an Occupational Exposure Guideline, **11.03**
E2566-08 Test Method for Determining Visual Acuity and Field of View of On-Board Video Systems for Teleoperation of Robots for Urban Search and Rescue Applications, **15.08**
E2567-13a Test Method for Determining Nodularity And Nodule Count In Ductile Iron Using Image Analysis, **03.01**
E2568-09$^{\epsilon 1}$ Specification for PB Exterior Insulation and Finish Systems, **04.12**
E2570/E2570M-07(2014)$^{\epsilon 1}$ Test Methods for Evaluating Water-Resistive Barrier (WRB) Coatings Used under Exterior Insulation and Finish Systems (EIFS) or EIFS with Drainage, **04.12**
E2573-12 Practice for Specimen Preparation and Mounting of Site-Fabricated Stretch Systems to Assess Surface Burning Characteristics, **04.07**
E2574/E2574M-12a Test Method for Fire Testing of School Bus Seat Assemblies, **04.07**
E2575-08 Test Method for Determination of Oxygen in Copper and Copper Alloys, **03.05**
E2578-07(2012) Practice for Calculation of Mean Sizes/Diameters and Standard Deviations of Particle Size Distributions, **14.02**
E2579-13 Practice for Specimen Preparation and Mounting of Wood Products to Assess Surface Burning Characteristics, **04.07**
E2580-12 Practice for Ultrasonic Testing of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, **03.03**
E2581-07 Practice for Shearography of Polymer Matrix Composites, Sandwich Core Materials and Filament-Wound Pressure Vessels in Aerospace Applications, **03.03**
E2582-07 Practice for Infrared Flash Thermography of Composite Panels and Repair Patches Used in Aerospace Applications, **03.03**
E2583-07(2011) Test Method for Measuring Deflections with a Light Weight Deflectometer (LWD), **04.03**
E2584-14 Practice for Thermal Conductivity of Materials Using a Thermal Capacitance (Slug) Calorimeter, **14.02**
E2585-09 Practice for Thermal Diffusivity by the Flash Method, **14.02**
E2586-13 Practice for Calculating and Using Basic Statistics, **14.02**
E2587-12 Practice for Use of Control Charts in Statistical Process Control, **14.02**
E2589-11 Terminology Relating to Nonsieving Methods of Powder Characterization, **14.02**
E2590-09 Guide for Conducting Hazard Analysis-Critical Control Point (HACCP) Evaluations, **11.06**
E2591-07(2013) Guide for Conducting Whole Sediment Toxicity Tests with Amphibians, **11.06**
E2592-07 Practice for Evaluating Cache Packaged Weight and Volume of Robots for Urban Search and Rescue, **15.08**
E2593-12 Guide for Accuracy Verification of Industrial Platinum Resistance Thermometers, **14.03**
E2594-09(2014) Test Method for Analysis of Nickel Alloys by Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Method), **03.05**
E2595-07(2013) Guide for Privilege Management Infrastructure, **14.01**
E2597/E2597M-14 Practice for Manufacturing Characterization of Digital Detector Arrays, **03.03**
E2598/E2598M-13 Practice for Acoustic Emission Examination of Cast Iron Yankee and Steam Heated Paper Dryers, **03.03**
E2599-11 Practice for Specimen Preparation and Mounting of Reflective Insulation, Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics, **04.07**
E2600-10 Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions, **11.05**
E2601-08 Practice for Radiological Emergency Response, **15.08**
E2602-09 Test Method for the Assignment of the Glass Transition Temperature by Modulated Temperature Differential Scanning Calorimetry, **14.02**
E2603-08 Practice for Calibration of Fixed-Cell Differential Scanning Calorimeters, **14.02**
E2604-09 Practice for Data Characteristics of Equipment Records, **04.12**
E2605-13 Practice for Receiving Assets, **04.12**
E2606-13 Practice for Receipt Notification as a Result of Tangible Asset Movement, **04.12**
E2607-08(2013) Practice for Cannibalization/Reclamation of Serviceable Equipment Components to Support Demand Requirements, **04.12**
E2608-08(2014) Practice for Equipment Control Matrix (ECM), **04.12**
E2609-08 Test Method for Odor or Flavor Transfer or Both from Rigid Polymeric Packaging, **15.08**
E2610-08(2011) Test Method for Sensory Analysis—Duo-Trio Test, **15.08**
E2611-09 Test Method for Measurement of Normal Incidence Sound Transmission of Acoustical Materials Based on the Transfer Matrix Method, **04.06**
E2613-14 Test Method for Determining Fungus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using Fingerpads of Adults, **11.05**
E2614-08 Guide for Evaluation of Cleanroom Disinfectants, **11.05**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E2615-08 Specification for *Aphidoletes aphidimyza* (Rondani) (*Diptera: Cecidomyiidae*), **11.05**
E2616-09 Guide for Remedy Selection Integrating Risk-Based Corrective Action and Non-Risk Considerations, **11.05**
E2617-10 Practice for Validation of Empirically Derived Multivariate Calibrations, **03.06**
E2618-13 Test Method for Measurement of Particulate Emissions and Heating Efficiency of Solid Fuel-Fired Hydronic Heating Appliances, **04.12**
E2619/E2619M-09ε1 Practice for Measuring and Calculating Building Loss Features That Take Up Floor Area in Buildings, **04.12**
E2620-08 Classification for Program and Project Estimate Summaries, **04.12**
E2623-08ε1 Practice for Reporting Thermometer Calibrations, **14.03**
E2624-09 Practice for Torque Calibration of Testing Machines and Devices, **03.01**
E2625-09 Practice for Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, **11.03**
E2626-08ε1 Guide for Spectrometric Analysis of Reactive and Refractory Metals, **03.05**
E2627-13 Practice for Determining Average Grain Size Using Electron Backscatter Diffraction (EBSD) in Fully Recrystallized Polycrystalline Materials, **03.01**
E2629-11 Guide for Verification of Process Analytical Technology (PAT) Enabled Control Systems, **14.02**
E2630-08(2013) Test Method for Luminance Ratio of a Fluorescent Specimen using a Narrow Band Source, **06.01**
E2631-09 Practice for Physical Placement of an Entity-Controlled Supplemental Identification Label, **04.12**
E2632/E2632M-13ε1 Test Method for Evaluating the Under-Deck Fire Test Response of Deck Materials, **04.07**
E2634-11 Specification for Flat Wall Insulating Concrete Form (ICF) Systems, **04.12**
E2635-14 Practice for Water Conservation in Buildings Through In-Situ Water Reclamation, **04.12**
E2637-13 Guide for Utilizing the Environmental Cost Element Structure Presented by Classification E2150, **04.12**
E2638-10 Test Method for Objective Measurement of the Speech Privacy Provided by a Closed Room, **04.06**
E2639-12 Test Method for Blast Resistance of Trash Receptacles, **15.08**
E2640-10 Guide for Resource Management in Emergency Management and Homeland Security, **15.08**
E2641-09 Practice for Best Practices for Safe Application of 3D Imaging Technology, **10.04**
E2642-09 Terminology for Scientific Charge-Coupled Device (CCD) Detectors, **03.06**
E2643-09 Terminology Relating to Natural Multi-Cellular Biological Control Organisms, **11.05**
E2644-08 Specification for *Podisus maculiventris* (Say) (Hemiptera: Pentatomidae), **11.05**
E2645-08 Specification for *Feltiella acarisuga* (Vallot) (Diptera: Cecidomyiidae), **11.05**
E2646-08 Specification for *Amblyseius cucumeris (=Neoseiulus) Oudemans* (Acarina: Phytoseiidae), **11.05**
E2647-13 Test Method for Quantification of Pseudomonas aeruginosa Biofilm Grown Using Drip Flow Biofilm Reactor with Low Shear and Continuous Flow, **11.05**
E2649-12 Test Method for Determining Argon Concentration in Sealed Insulating Glass Units Using Spark Emission Spectroscopy, **04.12**
E2651-13 Guide for Powder Particle Size Analysis, **14.02**
E2652-12 Test Method for Behavior of Materials in a Tube Furnace with a Cone-shaped Airflow Stabilizer, at 750°C, **04.07**
E2653-09 Practice for Conducting an Interlaboratory Study to Determine Precision Estimates for a Fire Test Method with Fewer Than Six Participating Laboratories, **04.07**
E2655-08 Guide for Reporting Uncertainty of Test Results and Use of the Term Measurement Uncertainty in ASTM Test Methods, **14.02**
E2656-10 Practice for Real-time Release Testing of Pharmaceutical Water for the Total Organic Carbon Attribute, **14.02**
E2657-11 Test Method for Determination of Endotoxin Concentrations in Water-Miscible Metalworking Fluids, **11.03**
E2658-11 Practices for Verification of Speed for Material Testing Machines, **03.01**
E2659-09ε1 Practice for Certificate Programs, **14.02**
E2660-11 Digital Reference Images for Investment Steel Castings for Aerospace Applications, **03.03**
E2661/E2661M-10 Practice for Acoustic Emission Examination of Plate-like and Flat Panel Composite Structures Used in Aerospace Applications, **03.03**
E2662-09 Practice for Radiologic Examination of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, **03.03**
E2663-11 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Ultrasonic Test Methods, **03.03**
E2664-09a Test Method for Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, **15.05**
E2665-08 Specification for Archiving ITS-Generated Traffic Monitoring Data, **04.03**
E2666-09 Practice for Correlations of Mu Values of Continuous Friction Measurement Equipment to Determine Maintenance Levels for Use at Airports, **04.03**
E2667-09 Practice for Acquiring Intersection Turning Movement Traffic Data, **04.03**
E2668-10 Guide for Emergency Operations Center (EOC) Development, **15.08**
E2669-11 Digital Reference Images for Titanium Castings, **03.03**
E2670-09 Test Method for Objective Quantification of Dental Plaque Using Digital Still Cameras, **06.01**
E2671-10 Practice for Defining Movements, Shipments, and Transfers of Tangible Property, **04.12**
E2672-09 Practice for Identification and Categorization of Tooling, **04.12**
E2674-09 Practice for Assessment of Impact of Mobile Data Storage Device (MDSD) Loss, **04.12**
E2675-09(2014) Practice for Property Management System Outcomes, **04.12**
E2676-09(2014) Practice for Tangible Property Mobility Index (MI), **04.12**
E2677-14 Test Method for Determining Limits of Detection in Explosive Trace Detectors, **15.08**
E2678-09 Guide for Education and Training in Computer Forensics, **14.02**
E2679-09 Test Method for Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, **15.05**
E2680-09ε1 Test Method for Appearance of Clear, Transparent Liquids (Visual Inspection Procedure), **15.05**
E2681-13 Guide for Environmental Management of Underground Storage Tank Systems Storing Hazardous Substances or Petroleum, **11.05**
E2682-09 Guide for Developing a Disaster Recovery Plan for Medical Transcription Departments and Businesses, **14.01**
E2683-09 Test Method for Measuring Heat Flux Using Flush-Mounted Insert Temperature-Gradient Gages, **15.03**
E2684-09 Test Method for Measuring Heat Flux Using Surface-Mounted One-Dimensional Flat Gages, **15.03**
E2685-09 Specification for Steel Blades Used with the Photovoltaic Module Surface Cut Test, **12.02**
E2686-09 Test Method for Volatile Organic Compound (VOC) Solvents Absorbed/Adsorbed By Simulated Soil Impacted by Pesticide Emulsifiable Concentrate (EC) Applications, **11.05**
E2688-10 Practice for Specimen Preparation and Mounting of Tapes to Assess Surface Burning Characteristics, **04.07**
E2690-10ε2 Practice for Specimen Preparation and Mounting of Caulks and Sealants to Assess Surface Burning Characteristics, **04.07**
E2691-11 Practice for Job Productivity Measurement, **04.12**
E2692-10 Test Method for Structural Performance of Thermal Barriers in Fenestration Products, **04.12**
E2693-09 Practice for Prevention of Dermatitis in the Wet Metal Removal Fluid Environment, **11.03**
E2694-11 Test Method for Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids, **11.03**
E2695-09 Guide for Interpretation of Mass Spectral Data Acquired with Time-of-Flight Secondary Ion Mass Spectroscopy, **03.06**
E2696-09(2013) Practice for Life and Reliability Testing Based on the Exponential Distribution, **14.02**
E2698-10 Practice for Radiological Examination Using Digital Detector Arrays, **03.03**
E2699-13 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Digital Radiographic (DR) Test Methods, **03.03**
E2700-09 Practice for Contact Ultrasonic Testing of Welds Using Phased Arrays, **03.03**
E2707-14 Test Method for Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure, **04.07**
E2708-10 Terminology for Personnel Credentialing, **14.02**
E2709-12 Practice for Demonstrating Capability to Comply with an Acceptance Procedure, **14.02**
E2710-11ε1 Guide for Preservation of Charred Documents, **14.02**
E2711-11 Guide for Preservation of Liquid Soaked Documents, **14.02**
E2712-09ε1 Test Methods for Bulge-Forming Superplastic Metallic Sheet, **03.01**
E2713-11 Guide to Forensic Engineering, **14.02**
E2714-13 Test Method for Creep-Fatigue Testing, **03.01**
E2715-09 Practice for Moveable Property Storage, **04.12**
E2716-09(2014) Test Method for Determining Specific Heat Capacity by Sinusoidal Modulated Temperature Differential Scanning Calorimetry, **14.02**
E2717-11 Practice for Estimating the Environmental Load of Residential Wastewater, **04.12**
E2718-10 Guide for Financial Disclosures Attributed to Climate Change, **11.05**
E2719-09(2014) Guide for Fluorescence—Instrument Calibration and Qualification, **03.06**
E2720-10 Test Method for Evaluation of Effectiveness of Decontamination Procedures for Air-Permeable Materials when Challenged with Biological Aerosols Containing Human Pathogenic Viruses, **11.05**
E2721-10 Test Method for Evaluation of Effectiveness of Decontamination Procedures for Surfaces When Challenged with Droplets Containing Human Pathogenic Viruses, **11.05**
E2722-09 Test Method for Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity in Fabric and Air Filter Media, **11.05**
E2725-10 Guide for Basic Assessment and Management of Greenhouse Gases, **11.05**
E2726/E2726M-12a Test Method for Evaluating the Fire-Test-Response of Deck Structures to Burning Brands, **04.07**
E2727-10 Practice for Assessment of Rainwater Quality, **04.12**
E2728-11 Guide for Water Stewardship in the Design, Construction, and Operation of Buildings, **04.12**
E2729-09 Practice for Rectification of Spectrophotometric Bandpass Differences, **06.01**
E2730-10 Practice for Calibration and Use of Thermocouple Reference

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Junction Probes in Evaluation of Electronic Reference Junction Compensation Circuits, **14.03**
E2731-09 Specification for Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, **15.08**
E2732-11 Practice for Responder Family Support Service, **15.08**
E2733-10 Guide for Investigation of Equipment Problems and Releases for Petroleum Underground Storage Tank Systems, **11.05**
E2734/E2734M-10 Specification for Dimensions of Knife-Edge Flanges, **03.06**
E2735-14 Guide for Selection of Calibrations Needed for X-ray Photoelectron Spectroscopy (XPS) Experiments, **03.06**
E2736-10 Guide for Digital Detector Array Radiology, **03.03**
E2737-10 Practice for Digital Detector Array Performance Evaluation and Long-Term Stability, **03.03**
E2738-13$^{\epsilon 1}$ Practice for Digital Imaging and Communication Nondestructive Evaluation (DICONDE) for Computed Radiography (CR) Test Methods, **03.03**
E2739-10 Specification for Personnel Decontamination System to be Used During a Chemical Event, **15.08**
E2740-12$^{\epsilon 1}$ Specification for Trash Receptacles Subjected to Blast Resistance Testing, **15.08**
E2741-11 Specification for Evaluation and Selection of Destinations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2742-11 Specification for Evaluation and Selection of Exhibits for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2743-11 Specification for Evaluation and Selection of Transportation for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2744-10 Test Method for Pressure Calibration of Thermal Analyzers, **14.02**
E2745-11 Specification for Evaluation and Selection of Audio Visual (AV) and Production for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2746-11 Specification for Evaluation and Selection of Communication and Marketing Materials for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2747-11 Specification for Evaluation and Selection of Onsite Offices for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2748-12a Guide for Fire-Resistance Experiments, **04.07**
E2749-10(2014) Practice for Measuring the Uniformity of Furnace Exposure on Test Specimens, **04.07**
E2750-13$^{\epsilon 1}$ Guide for Extension of Data from Penetration Firestop System Tests Conducted in Accordance with ASTM, **04.07**
E2751/E2751M-13 Practice for Design and Performance of Supported Laminated Glass Walkways, **04.12**
E2752-10 Guide for Evaluation of Residual Effectiveness of Antibacterial Personal Cleansing Products, **11.05**
E2753-10 Specification for *Eretmocerus eremicus* Rose and Zolnerowich (*Hymenoptera: Aphelinidae*), **11.05**
E2754-10 Specification for *Delphastus catalinae* (Horn) (*Coleoptera:Coccinellidae*), **11.05**
E2755-10 Test Method for Determining the Bacteria-Eliminating Effectiveness of Hand Sanitizer Formulations Using Hands of Adults, **11.05**
E2756-10 Terminology Relating to Antimicrobial and Antiviral Agents, **11.05**
E2758-10 Guide for Selection and Use of Wideband, Low Temperature Infrared Thermometers, **14.03**
E2759-10 Practice for Highway Traffic Monitoring Truth-in-Data, **04.03**
E2760-10$^{\epsilon 2}$ Test Method for Creep-Fatigue Crack Growth Testing, **03.01**
E2762-10(2014) Practice for Sampling a Stream of Product by Variables Indexed by AQL, **14.02**
E2763-10 Practice for Computer Forensics, **14.02**
E2764-11 Practice for Uncertainty Assessment in the Context of Seized-Drug Analysis, **14.02**
E2765-11 Practice for Use of Image Capture and Storage Technology in Forensic Document Examination, **14.02**
E2766-13 Practice for Installation of Roof Mounted Photovoltaic Arrays on Steep-Slope Roofs, **12.02**
E2767-13 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for X-ray Computed Tomography (CT) Test Methods, **03.03**
E2768-11 Test Method for Extended Duration Surface Burning Characteristics of Building Materials (30 min Tunnel Test), **04.07**
E2769-13 Test Method for Elastic Modulus by Thermomechanical Analysis Using Three-Point Bending and Controlled Rate of Loading, **14.02**
E2770-10 Guide for Operational Guidelines for Initial Response to a Suspected Biothreat Agent, **15.08**
E2771-11$^{\epsilon 1}$ Terminology for Homeland Security Applications, **15.08**
E2772-13$^{\epsilon 1}$ Specification for Evaluation and Selection of Accommodations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2773-11 Specification for Evaluation and Selection of Food and Beverage for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2774-11 Specification for Evaluation and Selection of Venues for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, **04.12**
E2775-11 Practice for Guided Wave Testing of Above Ground Steel Pipework Using Piezoelectric Effect Transduction, **03.03**
E2777-14 Guide for Vegetative (Green) Roof Systems, **04.04**
E2779-10 Test Method for Determining Particulate Matter Emissions from Pellet Heaters, **04.12**
E2780-10 Test Method for Determining Particulate Matter Emissions from Wood Heaters, **04.12**
E2781-11 Practice for Evaluation of Methods for Determination of Kinetic Parameters by Thermal Analysis, **14.02**
E2782-11$^{\epsilon 1}$ Guide for Measurement Systems Analysis (MSA), **14.02**
E2783-11 Test Method for Assessment of Antimicrobial Activity for Water Miscible Compounds Using a Time-Kill Procedure, **11.05**
E2784-10 Test Method for Evaluation of the Effectiveness of Handwash Formulations Using the Paper Towel (Palmar) Method of Hand Contamination, **11.05**
E2785-14 Test Method for Exposure of Firestop Materials to Severe Environmental Conditions, **04.12**
E2786-10 Test Methods for Measuring Expansion of Intumescent Materials Used in Firestop and Joint Systems, **04.12**
E2787-11 Test Method for Determination of Thiodiglycol in Soil Using Pressurized Fluid Extraction Followed by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), **15.08**
E2788-11 Specification for Use of Expanded Shale, Clay and Slate (ESCS) as a Mineral Component in the Growing Media and the Drainage Layer for Vegetative (Green) Roof Systems, **04.04**
E2789-10 Guide for Fretting Fatigue Testing, **03.01**
E2790-11 Guide for Identifying and Complying With Continuing Obligations, **11.05**
E2792-13 Test Method for Determination of Hydrogen in Aluminum and Aluminum Alloys by Inert Gas Fusion, **03.05**
E2793-10$^{\epsilon 1}$ Guide for the Evaluation, Calibration, and Correlation of E274 Friction Measurement Systems and Equipment, **04.03**
E2797-11 Practice for Building Energy Performance Assessment for a Building Involved in a Real Estate Transaction, **11.05**
E2798-11 Test Method for Characterization of Performance of Pesticide Spray Drift Reduction Adjuvants for Ground Application, **11.05**
E2799-12 Test Method for Testing Disinfectant Efficacy against, **11.05**
E2800-11 Practice for Characterization of, **15.08**
E2801-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Gaps, **15.08**
E2802-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Hurdles, **15.08**
E2803-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Inclined Planes, **15.08**
E2804-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Stairs/Landings, **15.08**
E2805-11 Practice for Measurement of the Biological Activity of Ricin, **15.08**
E2807-11 Specification for 3D Imaging Data Exchange, Version 1.0, **10.04**
E2808-11 Guide for Microspectrophotometry and Color Measurement in Forensic Paint Analysis, **14.02**
E2809-13 Guide for Using Scanning Electron Microscopy/X-Ray Spectrometry in Forensic Paint Examinations, **14.02**
E2810-11$^{\epsilon 2}$ Practice for Demonstrating Capability to Comply with the Test for Uniformity of Dosage Units, **14.02**
E2811-11 Practice for Management of Low Risk Property (LRP), **04.12**
E2812-11 Practice for Uniform Data Management in Asset Management Records Systems, **04.12**
E2813-12 Practice for Building Enclosure Commissioning, **04.12**
E2814-11 Guide for Industrial Woven Wire Filter Cloth, **14.02**
E2816-13a Test Methods for Fire Resistive Metallic HVAC Duct Systems, **04.07**
E2817-11 Test Method for Test Fueling Masonry Heaters, **04.12**
E2818-11 Practice for Determination of Quasistatic Fracture Toughness of Welds, **03.01**
E2819-11 Practice for Single- and Multi-Level Continuous Sampling of a Stream of Product by Attributes Indexed by AQL, **14.02**
E2820-13 Test Method for Evaluating Thermal EMF Properties of Base-Metal Thermocouple Connectors, **14.03**
E2821-13 Specification for Compacted Mineral-Insulated, Metal-Sheathed Cable Used in Industrial Resistance Thermometers, **14.03**
E2823-11 Test Method for Analysis of Nickel Alloys by Inductively Coupled Plasma Mass Spectrometry (Performance-Based Method), **03.05**
E2824-11 Test Method for Determination of Beryllium in Copper-Beryllium Alloys by Phosphate Gravimetric Method, **03.05**
E2825-12 Guide for Forensic Digital Image Processing, **14.02**
E2826-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Continuous Pitch/Roll Ramps, **15.08**
E2827-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Crossing Pitch/Roll Ramps, **15.08**
E2828-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Symmetric Stepfields, **15.08**
E2829-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Maneuvering Tasks: Sustained Speed, **15.08**
E2830-11 Test Method for Evaluating the Mobility Capabilities of Emergency Response Robots Using Towing Tasks: Grasped Sleds, **15.08**
E2831/E2831M-11 Guide for Deployment of Blast Resistant Trash Receptacles in Crowded Places, **15.08**
E2832-12 Test Method for Measuring the Coefficient of Retroreflected Luminance of Pavement Markings in a Standard Condition of Continuous Wetting (RL-2), **06.01**
E2833-12 Practice for Certification Bodies that Certify Personnel Engaged in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Inspection and Testing of Construction Activities and Materials Used in Construction, Including Special Inspection, **14.02**
E2834-12 Guide for Measurement of Particle Size Distribution of Nanomaterials in Suspension by Nanoparticle Tracking Analysis (NTA), **14.02**
E2835-11 Test Method for Measuring Deflections using a Portable Impulse Plate Load Test Device, **04.03**
E2837-13 Test Method for Determining the Fire Resistance of Continuity Head-of-Wall Joint Systems Installed Between Rated Wall Assemblies and Nonrated Horizontal Assemblies, **04.07**
E2838-11 Test Method for Determination of Thiodiglycol on Wipes by Solvent Extraction Followed by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), **15.08**
E2839-11 Test Method for Production of, **11.05**
E2840-11 Practice for Pavement Condition Index Surveys for Interlocking Concrete Roads and Parking Lots, **04.03**
E2841-11 Guide for Conducting Inspections of Building Facades for Unsafe Conditions, **04.12**
E2842-14 Guide for Credentialing for Access to an Incident or Event Site, **15.08**
E2846-11 Guide for Thermocouple Verification, **14.03**
E2847-14 Test Method for Calibration and Accuracy Verification of Wideband Infrared Thermometers, **14.03**
E2848-13 Test Method for Reporting Photovoltaic Non-Concentrator System Performance, **12.02**
E2849-13 Practice for Professional Certification Performance Testing, **14.02**
E2851/E2851M-13 Specification for Ruggedness Requirements for HAZMAT Instrumentation, **15.08**
E2852-13 Guide for Acquisition, Maintenance, Storage, and Use of Hazardous Material Detection Instrumentation, **15.08**
E2853-12 Test Method for Evaluating Emergency Response Robot Capabilities: Human-System Interaction (HSI): Search Tasks: Random Mazes with Complex Terrain, **15.08**
E2854-12 Test Method for Evaluating Emergency Response Robot Capabilities: Radio Communication: Line-of-Sight Range, **15.08**
E2855-12 Test Method for Evaluating Emergency Response Robot Capabilities: Radio Communication: Non-Line-of-Sight Range, **15.08**
E2856-13 Guide for Estimation of LNAPL Transmissivity, **11.05**
E2857-11 Guide for Validating Analytical Methods, **03.05**
E2858-12 Practice for Sales of Personal Property, **04.12**
E2859-11 Guide for Size Measurement of Nanoparticles Using Atomic Force Microscopy, **14.02**
E2860-12 Test Method for Residual Stress Measurement by X-Ray Diffraction for Bearing Steels, **03.01**
E2861-11 Test Method for Measurement of Beam Divergence and Alignment in Neutron Radiologic Beams, **03.03**
E2862-12 Practice for Probability of Detection Analysis for Hit/Miss Data, **03.03**
E2863-12 Practice for Acoustic Emission Examination of Welded Steel Sphere Pressure Vessels Using Thermal Pressurization, **03.03**
E2864-13 Test Method for Measurement of Airborne Metal and Metal Oxide Nanoparticle Surface Area Concentration in Inhalation Exposure Chambers using Krypton Gas Adsorption, **14.02**
E2865-12 Guide for Measurement of Electrophoretic Mobility and Zeta Potential of Nanosized Biological Materials, **14.02**
E2866-12 Test Method for Determination of Diisopropyl Methylphosphonate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Soil by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, **15.08**
E2867-13 Practice for Estimating Uncertainty of Test Results Derived from Spectrophotometry, **06.01**
E2868-13 Digital Reference Images for Steel Castings up to 2 in. (50.8 mm) in Thickness, **03.03**
E2869-13 Digital Reference Images for Magnesium Castings, **03.03**
E2870-13 Test Method for Evaluating Relative Effectiveness of Antimicrobial Handwashing Formulations using the Palmar Surface and Mechanical Hand Sampling, **11.05**
E2871-13 Test Method for Evaluating Disinfectant Efficacy Against, **11.05**
E2872-14 Guide for Determining Cross-Section Averaged Characteristics of a Spray Using Laser-Diffraction Instruments in a Wind Tunnel Apparatus, **14.02**
E2875/E2875M-12 Guide for Personal Protective Equipment for the Handling of Flat Glass, **11.03**
E2876-13 Guide for Integrating Sustainable Objectives into Cleanup, **11.05**
E2877-12ε1 Guide for Digital Contact Thermometers, **14.03**
E2880-14 Terminology Related to Biorationals, **11.05**
E2881-13 Test Method for Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, **14.02**
E2882-12 Guide for Analysis of Clandestine Drug Laboratory Evidence, **14.02**
E2883-13 Guide for Standard Guide for the Evaluation, and Calibration, Continuous Friction Measurement Equipment (CFME), **04.03**
E2884-13ε1 Guide for Eddy Current Testing of Electrically Conducting Materials Using Conformable Sensor Arrays, **03.03**
E2885-13 Specification for Handheld Point Chemical Vapor Detectors (HPCVD) for Homeland Security Applications, **15.08**
E2886/E2886M-14 Test Method for Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement, **04.07**
E2888-12 Practice for Process for Inactivation of Rodent Retrovirus by pH, **14.02**
E2889-12 Practice for Control of Respiratory Hazards in the Metal Removal Fluid Environment, **11.03**
E2890-12 Test Method for Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, **14.02**
E2891-13 Guide for Multivariate Data Analysis in Pharmaceutical Development and Manufacturing Applications, **14.02**
E2893-13ε1 Guide for Greener Cleanups, **11.05**
E2894-13 Test Method for Applying Aerosolized, **11.05**
E2895-13 Test Method for Producing High Titers of Viable and Semi-Purified Spores of Clostridium difficile using a Liquid Medium, **11.05**
E2896-12 Test Method for Quantitative Petri Plate Method (QPM) for Determining the Effectiveness of Antimicrobial Towelettes, **11.05**
E2897-12 Guide for Evaluation of the Effectiveness of Hand Hygiene Topical Antimicrobial Products using, **11.05**
E2898-13 Guide for Risk-Based Validation of Analytical Methods for PAT Applications, **14.02**
E2899-13 Test Method for Measurement of Initiation Toughness in Surface Cracks Under Tension and Bending, **03.01**
E2900-12 Practice for Spacecraft Hardware Thermal Vacuum Bakeout, **15.03**
E2902-12 Practice for Measurement of Body Armor Wearers, **15.08**
E2903-13 Test Method for Measurement of the Effective Focal Spot Size of Mini and Micro Focus X-ray Tubes, **03.03**
E2904-12 Practice for Characterization and Verification of Phased Array Probes, **03.03**
E2905/E2905M-13 Practice for Examination of Mill and Kiln Girth Gear Teeth—Electromagnetic Methods, **03.03**
E2906/E2906M-13 Practice for Acoustic Pulse Reflectometry Examination of Tube Bundles, **03.03**
E2907/E2907M-13 Practice for Examination of Paper Machine Rolls Using Acoustic Emission from Crack Face Rubbing, **03.03**
E2908-12 Guide for Fire Prevention for Photovoltaic Panels, Modules, and Systems, **12.02**
E2909-13 Guide for Investigation/Study/Assay Tab-Delimited Format for Nanotechnologies (ISA-TAB-Nano): Standard File Format for the Submission and Exchange of Data on Nanomaterials and Characterizations, **14.02**
E2910-12 Guide for Preferred Methods for Acceptance of Product, **14.02**
E2911-13 Guide for the Relative Intensity Correction of Raman Spectrometers, **03.06**
E2912-13 Test Method for Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction, **04.07**
E2913-14 Practice for Hotplate Digestion of Lead from Composited Wipe Samples, **04.12**
E2914-14 Practice for Ultrasonic Extraction of Lead from Composited Wipe Samples, **04.12**
E2915-13 Specification for Additive Manufacturing File Format (AMF) Version 1.1, **15.08**
E2916-13 Terminology for Digital and Multimedia Evidence Examination, **14.02**
E2918-13 Test Method for Performance Validation of Thermomechanical Analyzers, **14.02**
E2919-13 Test Method for Evaluating the Performance of Systems that Measure Static, Six Degrees of Freedom (6DOF), Pose, **10.04**
E2920-14 Guide for Recording Occupational Injuries and Illnesses, **11.03**
E2921-13 Terminology for Additive Manufacturing—Coordinate Systems and Test Methodologies, **04.12**
E2923-14 Practice for Longevity Assessment of Firestop Materials Using Differential Scanning Calorimetry, **04.12**
E2924-14 Practice for Intumescent Coatings, **04.12**
E2925-14 Specification for Manufactured Polymeric Drainage and Ventilation Materials Used to Provide a Rainscreen Function, **04.12**
E2926-13 Test Method for Forensic Comparison of Glass Using Micro X-ray Fluorescence (μ-XRF) Spectrometry, **14.02**
E2927-13 Test Method for Determination of Trace Elements in Soda-Lime Glass Samples Using Laser Ablation Inductively Coupled Plasma Mass Spectrometry for Forensic Comparisons, **14.02**
E2928/E2928M-13 Practice for Examination of Drillstring Threads Using the Alternating Current Field Measurement Technique, **03.03**
E2929-13 Practice for Guided Wave Testing of Above Ground Steel Piping with Magnetostrictive Transduction, **03.03**
E2930-13 Practice for Pressure Decay Leak Test Method, **03.03**
E2931-13 Test Method for Limiting Oxygen (Oxidant) Concentration of Combustible Dust Clouds, **14.02**
E2933-13 Specification for Stationary Point Chemical Vapor Detectors (SPCVD) for Homeland Security Applications, **15.08**
E2934-13 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Eddy Current (EC) Test Methods, **03.03**
E2935-13 Practice for Conducting Equivalence Testing in Laboratory Applications, **14.02**
E2936-13 Guide for Contractor Self Assessment for U.S. Government Property Management Systems, **04.12**
E2937-13 Guide for Using Infrared Spectroscopy in Forensic Paint Examinations, **14.02**
E2939-13 Practice for Determining Reporting Conditions and Expected Capacity for Photovoltaic Non-Concentrator Systems, **12.02**
E2941-13 Practice for Nitric Acid-Extraction of Elements from Ores and Related Metallurgical Materials by Closed Vessel Microwave Heating, **03.05**
E2943-14 Guide for Two-Sample Acceptance and Preference Testing with Consumers, **15.08**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

E2945-14 Test Method for Film Permeability Determination Using Static Permeability Cells, **11.05**
E2946-13 Test Method for Determining the Bacteria-Reducing Effectiveness of Food-Handler Handwash Formulations Using Hands of Adults, **11.05**
E2948-14 Test Method for Conducting Rotating Bending Fatigue Tests of Solid Round Fine Wire, **03.01**
E2950-14 Specification for Metal Canopy Systems, **15.08**
E2951-13 Guide for Community Emergency Preparedness for Persons with Disabilities, **15.08**
E2952-14 Specification for Air-Purifying Respiratory Protective Smoke Escape Devices (RPED), **15.08**
E2955-13 Practice for Simulating Profilograph Response to Longitudinal Profiles of Traveled Surfaces, **04.03**
E2956-14 Guide for Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, **12.02**
E2958-14 Test Methods for Kinetic Parameters by Factor Jump/Modulated Thermogravimetry, **14.02**
E2962-14 Guide for Fleet Management, **04.12**
E2964-14 Test Method for Measurement of the Normalized Insertion Loss of Doors, **04.06**
E2966-14 Test Method for Quantitative Assessment of Sanitizing Solutions for Carpet, **11.05**
E2971-14 Test Method for Determination of Effective Boron-10 Areal Density in Aluminum Neutron Absorbers using Neutron Attenuation Measurements, **03.03**
E2977-14 Practice for Measuring and Reporting Performance of Fourier-Transform Nuclear Magnetic Resonance (FT-NMR) Spectrometers for Liquid Samples, **03.06**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

ES. EMERGENCY STANDARDS

ES1 Withdrawn 1977; Emergency Standard Specification for Automotive Gasoline

ES2 Withdrawn 1977; Emergency Standard Specification for Aviation Turbine Fuels; Replaced by D1655

ES3 Withdrawn 1977; Emergency Standard Specification for Roof and Rock Bolts and Accessories; Replaced by F432

ES4 Withdrawn 1979; Emergency Standard Specification for Steel Castings, Ferritic and Martensitic, for Pressure-Containing and Other Applications for Low-Temperature Service; Replaced by A757/A757M

ES5 Withdrawn 1982; Emergency Standard Specification for Automotive Gasoline

ES6 Withdrawn 1988; Emergency Standard Practice for Labeling Ceramic Art Materials for Chronic Adverse Health Hazards; Replaced by C1023

ES7 Withdrawn 1988; Emergency Standard Test Method for Electromagnetic Shielding Effectiveness of Planar Materials; Replaced by D4935

ES8 Withdrawn 1988; Emergency Standard Specification for Portable Kerosine Containers for Consumer Use; Replaced by F976

ES9 Withdrawn 1988; Emergency Standard Practice for Cautionary Labeling of Portable Kerosine Containers for Consumer Use; Replaced by F926

ES10 Withdrawn 1988; Emergency Standard Method for 24-h Batch-Type Distribution Ration (RD) for Contaminant Sorption by Soils and Sediments; Replaced by D4646

ES11 Withdrawn 1987; Emergency Standard Specification Expanded or Exfoliated Vermiculite Thermal Insulating Cement; Replaced by C196

ES12 Withdrawn 1990; Emergency Standard Practice for Production and Evaluation of Field Metallographic Replicas

ES13 Withdrawn 1990; Emergency Standard Performance Specification for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas, and Hot Tubs; Replaced by F1346

ES14 Withdrawn 1992; Emergency Standard Test Method for Vapor Pressure of Petroleum Products (Automatic Method); Replaced by D5190

ES15 Withdrawn 1992; Emergency Standard Test Method for Vapor Pressure of Petroleum Products (Mini Method); Replaced by D5191

ES16 Withdrawn 1992; Emergency Standard Practice for Generation of Environmental Data Related to Waste Management Activities

ES17 Withdrawn 1993; Emergency Standard Specification for Special Purpose, Smooth-Tread Tire; Replaced by E1551

ES18 Withdrawn 1992; Emergency Standard Guide for Radon Control Options for the Design and Construction of New Low Rise Residential Buildings; Replaced by E1465

ES19 Withdrawn 1994; Emergency Standard Test Method for Particulate Contamination in Aviation Fuels by Laboratory Filtration; Replaced by D5452

ES20 Withdrawn 1994; Emergency Standard Test Method for Evaluating the Mechanical Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures; Replaced by D5516

ES21 Withdrawn 1995; Emergency Standard Test Method for Resistance of Protective Clothing Materials to Synthetic Blood; Replaced by F1670

ES22 Withdrawn 1995; Emergency Standard Test Method for Resistance of Protective Clothing Materials to Penetration by Blood-Borne Pathogens Using Viral Penetration as a Test System; Replaced by F1671

ES24 Withdrawn 1995; Emergency Standard Specification for Halon 1301 Bromotrifluoromethane (Cf3Br); Replaced by D5632

ES26 Withdrawn 1996; Emergency Standard Specification for Cautionary Labeling for Five Gallon Open-Head Containers (Buckets)

ES27 Withdrawn 1996; Emergency Standard Practice for Rubber—Establishing Replacement Immersion Reference Oils for ASTM No.2 and No.3 Immersion Oils as Used in Test Method D471; Replaced by D5964

ES28 Withdrawn 1995; Emergency Standard Practice for Field Collection of Dried Paint Samples for Lead Determination by Atomic Spectrometry Techniques; Replaced by E1729

ES29 Withdrawn 1995; Emergency Standard Practice for Field Collection of Soil Samples for Lead Determination by Atomic Spectrometry Techniques; Replaced by E1727

ES30 Withdrawn 1995; Emergency Standard Practice for Field Collection of Settled Dust Samples Using Wipe Sampling Methods for Lead Determination by Atomic Spectrometry Techniques; Replaced by E1728

ES33 Withdrawn 1995; Practice for Preparation of Airborne Particulate Lead Samples Collected During Abatement and Construction Activities for Subsequent Analysis by Atomic Spectrometry; Replaced by E1741

ES35 Withdrawn 1994; Emergency Test Methods for Analysis of Digested Samples for Lead by Inductively Coupled Plasma (ICP-AES) Flame Atomic Absorption (FAAS), or Graphite Furnace Atomic Absorption (GFAAS) Techniques; Replaced by E1613

ES36 Withdrawn 1995; Emergency Standard Practice for Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead by Atomic Spectrometry; Replaced by E1644

ES37 Withdrawn 1995; Emergency Standard Practice for Practice for Preparation of Dried Paint Samples for Subsequent Lead Analysis by Atomic Spectrometry; Replaced by E1645

ES38 Withdrawn 1995; Guide for Risk-Based Corrective Action Applied at Petroleum Release Sites; Replaced by E1739

ES40 Withdrawn 1997; Emergency Standard Practice for Alternative Procedures for the Assessment of Buried Steel Tanks Prior to the Addition of Cathodic Protection

--`,,`,,`,`,,`,,,,``````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F. MATERIALS FOR SPECIFIC APPLICATIONS

F1 Withdrawn 2009; Specification for Nickel-Clad and Nickel-Plated Steel Strip for Electron Tubes
F2 Withdrawn 1992; Specification for Aluminum-Clad Steel Strip and Nickel-Steel-Aluminum Composite Strip for Electron Tubes
F3 Withdrawn 2008; Specification for Nickel Strip for Electron Tubes
F4 Withdrawn 2010; Specification for Carbonized Nickel Strip and Carbonized Nickel-Plated and Nickel-Clad Steel Strip for Electron Tubes
F5 Withdrawn 1994; Test Method for Volatile Content of Germanium Dioxide
F6 Withdrawn 1994; Test Method for Bulk Density of Germanium Dioxide
F7-95(2011) Specification for Aluminum Oxide Powder, **10.04**
F8 Withdrawn 1973; Recommended Practice for Testing Electron Tube Materials Using Reference Triodes
F9 Withdrawn 1992; Specification for Round Wire for Use as Grid Siderods in Electron Tubes
F10 Withdrawn 1992; Specification for Miniature Electron Tube Leads
F11 Withdrawn 1973; Recommended Practice for Testing Electron Tube Parts by Means of a Reference Planar Diode
F12 Withdrawn 1984; Specification for Mica Bridges for Electron Tubes
F13 Withdrawn 1979; Specification for Disk Cathode Assemblies
F14-80(2010) Practice for Making and Testing Reference Glass-Metal Bead-Seal, **15.02**
F15-04(2013) Specification for Iron-Nickel-Cobalt Sealing Alloy, **10.04**
F16-12 Test Methods for Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, **10.04**
F17-13a Terminology Relating to Flexible Barrier Packaging, **15.10**
F18-12 Specification and Test Method for Evaluation of Glass-to-Metal Headers Used in Electron Devices, **10.04**
F19-11 Test Method for Tension and Vacuum Testing Metallized Ceramic Seals, **10.04**
F20 Withdrawn 1992; Specification for High-Conductivity Composite Aluminum-Steel-Copper Strip for Electron Tubes
F21-65(2007) Test Method for Hydrophobic Surface Films by the Atomizer Test, **15.03**
F22-13 Test Method for Hydrophobic Surface Films by the Water-Break Test, **15.03**
F23 Withdrawn 2000; Guide for Selecting Methods of Temperature Measurement of Thermionic Emitters
F24-09 Test Method for Measuring and Counting Particulate Contamination on Surfaces, **15.03**
F25/F25M-09 Test Method for Sizing and Counting Airborne Particulate Contamination in Cleanrooms and Other Dust-Controlled Areas, **15.03**
F26 Withdrawn 2003; Test Methods for Determining the Orientation of a Semiconductive Single Crystal
F27 Withdrawn 1995; Practice for Preparing a Test Ingot of Germanium by Hydrogen Reduction of Germanium Dioxide
F28 Withdrawn 20032; Test Methods for Minority-Carrier Lifetime in Bulk Germanium and Silicon by Measurement of Photoconductivity Decay
F29-97(2012) Specification for Dumet Wire for Glass-to-Metal Seal Applications, **10.04**
F30-96(2012) Specification for Iron-Nickel Sealing Alloys, **10.04**
F31-12 Specification for Nickel-Chromium-Iron Sealing Alloys, **10.04**
F32 Withdrawn 1973; Recommended Practice for Scratch-Adhesion Testing of Cathode Coatings
F33 Withdrawn 1971; Recommended Practice for Determination of Gas Content of Strip Materials
F34-13 Practice for Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials, **15.10**
F35 Withdrawn 1994; Practice for Identification of Minute Crystalline Particle Contaminants by X-Ray Diffraction
F36-99(2009) Test Method for Compressibility and Recovery of Gasket Materials, **09.02**
F37-06(2013) Test Methods for Sealability of Gasket Materials, **09.02**
F38-00(2014) Test Methods for Creep Relaxation of a Gasket Material, **09.02**
F39 Withdrawn 1978; Methods of Testing Compressed Asbestos Sheet Packing
F40 Withdrawn 1989; Method for Preparing Monocrystalline Test Ingots of Silicon by the Vertical-Pulling (Czochralski) Technique
F41 Withdrawn 1995; Practice for Preparing Silicon Single Crystals by the Floating-Zone Technique for Evaluation of Polysilicon Ingot; Replaced by F1723
F42 Withdrawn 2003; Test Methods for Conductivity Type of Extrinsic Semiconducting Materials
F43 Withdrawn 2003; Test Methods for Resistivity of Semiconductor Materials
F44-95(2011) Specification for Metallized Surfaces on Ceramic, **10.04**
F45 Withdrawn 1971; Method of Test for Oxygen Content of Silicon
F46 Withdrawn 1993; Practice for Room Temperature Resistivity Measurements on Thermoelectric Materials
F47 Withdrawn 1998; Test Method for Crystallographic Perfection of Silicon by Preferential Etch Techniques; Replaced by F1725
F48 Withdrawn 1984; Recommended Practices for Dimensioning Mica Bridges
F49 Withdrawn 1978; Specification for Molybdenum Strip for Electron Tubes
F50-12 Practice for Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, **15.03**
F51/F51M-00(2014)ε1 Test Method for Sizing and Counting Particulate Contaminant In and On Clean Room Garments, **15.03**
F52 Withdrawn 1979; Method of Test for Silting Index of Fluids for Processing Electron and Microelectronic Devices
F53 Withdrawn 1984; Recommended Practice for Measurement of Sublimation from Thermionic Emitters
F54 Withdrawn 1981; Recommended Practice for Determining Multiple Photomask Registration
F55 Withdrawn 1991; Specification for Stainless Steel Bar and Wire for Surgical Implants
F56 Withdrawn 1991; Specification for Stainless Steel Sheet and Strip for Surgical Implants
F57 Withdrawn 1990; Test Method for Concentrating and Measuring Trace Quantities of Copper in High-Purity Water Used in the Electronics Industry
F58 Withdrawn 1998; Test Method of Measuring Specific Resistivity of Electronic Grade Solvents
F59 Withdrawn 1994; Practice for Identification of Metal Particulate Contamination Found in Electronic and Microelectronic Components and Systems Using the Ring Oven Technique, with Spot Tests
F60 Withdrawn 1993; Test Methods for Detection and Estimation of Microbiological Contaminants in Water Used for Processing Electron and Microelectronic Devices
F61 Withdrawn 1993; Test Method for Phosphate in Electronic Grade Hydrogen Peroxide Solutions
F62 Withdrawn 1990; Test Method for Tin in Electronic Grade Hydrogen Peroxide Solutions
F63 Withdrawn 1984; Specification for Electronic Grade Soluble Cellulose Nitrate
F64 Withdrawn 1981; Method of Test for Corrosive and Adhesive Effects of Gasket Materials on Metal Surfaces; Replaced by F607
F65 Withdrawn 1990; Specification for Primary Amyl Acetate (Mixed Isomers) for Use in Fabricating Electron Devices
F66 Withdrawn 1996; Test Methods for Testing Photoresists Used in Microelectronic Fabrication
F67-13 Specification for Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), **13.01**
F68-10 Specification for Oxygen-Free Copper in Wrought Forms for Electron Devices, **02.01**
F69 Withdrawn 1984; Specification for Diethyl Oxalate for Use in Fabricating Electron Devices
F70 Withdrawn 1990; Specification for Cathode Carbonates
F71 Withdrawn 2005; Practice for Using the Morphological Key for the Rapid Identification of Fibers for Contamination Control in Electron Devices and Microelectronics; Replaced by D276
F72-06 Specification for Gold Wire for Semiconductor Lead Bonding, **10.04**
F73-96(2013) Specification for Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, **10.04**
F74 Withdrawn 1994; Practice for Determining Hydrolytic Stability of Plastic Encapsulants for Electronic Devices
F75-12 Specification for Cobalt-28 Chromium-6 Molybdenum Alloy Castings and Casting Alloy for Surgical Implants (UNS R30075), **13.01**
F76-08 Test Methods for Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, **10.04**
F77 Withdrawn 2001; Test Method for Apparent Density of Ceramics for Electron Device and Semiconductor Application
F78 Withdrawn 2008; Test Method for Calibration of Helium Leak Detectors by Use of Secondary Standards
F79-69(2010) Specification for Type 101 Sealing Glass, **15.02**
F80 Withdrawn 1998; Test Method for Crystallographic Perfection of Epitaxial Deposits of Silicon by Etching Techniques; Replaced by F1726
F81 Withdrawn 2003; Test Method for Measuring Radial Resistivity Variation on Silicon Wafers
F82 Withdrawn 1976; Recommended Practice for Fast Quality Check on Immersion for Nonmetallic Gasket Materials
F83-71(2013) Practice for Definition and Determination of Thermionic Constants of Electron Emitters, **10.04**
F84 Withdrawn 2003; Test Method for Measuring Resistivity of Silicon Wafers With an In-Line Four-Point Probe
F85-76(2013) Practice for Nomenclature for Wire Leads Used as Conductors in Electron Tubes, **10.04**
F86-13 Practice for Surface Preparation and Marking of Metallic Surgical Implants, **13.01**
F87 Withdrawn 1980; Method of Test for Rate of Grease Penetration of Flexible Barrier Materials
F88/F88M-09 Test Method for Seal Strength of Flexible Barrier Materials, **15.10**
F89 Withdrawn 1980; Method for Determination of the Modulus of a Flexible Barrier Material by Sonic Method
F90-09 Specification for Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy for Surgical Implant Applications (UNS R30605), **13.01**
F91-06(2011) Practice for Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, **15.03**
F92-93(2008) Practice for Determination of Character Yield of Inked Fabric Typewriter and Printer Ribbons, **15.09**
F93 Withdrawn 1979; Recommended Practice for Preparation of Specifications for the Procurement of Photomasks
F94 Withdrawn 1992; Test Method for Aluminum in Electronic Grade Hydrogen Peroxide
F95 Withdrawn 2003; Test Method for Thickness of Lightly Doped Silicon Epitaxial Layers on Heavily Doped Silicon Substrates Using an Infrared Dispersive Spectrophotometer

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F96-77(2010) Specification for Electronic Grade Alloys of Copper and Nickel in Wrought Forms, **10.04**
F97 Withdrawn 2008; Practices for Determining Hermeticity of Electron Devices by Dye Penetration
F98 Withdrawn 1992; Practices for Determining Hermeticity of Electron Devices by a Bubble Test
F99-07(2011) Guide for Writing a Specification for Flexible Barrier Rollstock Materials, **15.10**
F100 Withdrawn 1996; Test Method for Shrinkage Stresses in Plastic Embedment Materials Using a Photoelastic Technique for Electronic and Similar Applications
F101 Withdrawn 1973; Specification for Composite Strip of Iron-Nickel-Cobalt Alloy and Copper for Use in Electron Devices
F102 Withdrawn 1990; Method for Spectrochemical Analysis of Emissive Carbonates by the Powder D-C Arc Technique
F103 Withdrawn 1972; Specification for Alumina; Replaced by D2442
F104-11 Classification System for Nonmetallic Gasket Materials, **09.02**
F105-72(2010) Specification for Type 58 Borosilicate Sealing Glass, **15.02**
F106-12 Specification for Brazing Filler Metals for Electron Devices, **10.04**
F107 Withdrawn 1976; Recommended Practice for Boron-Deoxidized Copper in Wrought Forms for Electron Devices
F108 Withdrawn 1993; Test Method for Resistivity of Silicon Epitaxial Layers by the Three-Probe Voltage Breakdown Method
F109-12 Terminology Relating to Surface Imperfections on Ceramics, **15.02**
F110 Withdrawn 2003; Test Method for Thickness of Epitaxial or Diffused Layers in Silicon by the Angle Lapping and Staining Technique
F111 Withdrawn 2008; Practice for Determining Barium Yield, Getter Gas Content, and Getter Sorption Capacity for Barium Flash Getters
F112-00(2013) Test Method for Sealability of Enveloped Gaskets, **09.02**
F113 Withdrawn 1995; Method for Stiffness Testing of Wire for Electron Devices and Lamps
F114 Withdrawn 1980; Specification for Bone Screw Threads; Replaced by F543
F115 Withdrawn 1980; Specification for Bone Screw Heads; Replaced by F543
F116-12 Specification for Medical Screwdriver Bits, **13.01**
F117 Withdrawn 2001; Test Method for Driving Torque of Medical Bone Screws; Replaced by F543, F1622
F118-13 Definitions of Terms Relating to Gaskets, **09.02**
F119-82(2008) Test Method for Rate of Grease Penetration of Flexible Barrier Materials (Rapid Method), **15.10**
F120 Withdrawn 1993; Practices for Determination of the Concentration of Impurities in Single Crystal Semiconductor Materials by Infrared Absorption Spectroscopy
F121 Withdrawn 1990; Test Method for Interstitial Atomic Oxygen Content of Silicon by Infrared Absorption
F122 Withdrawn 1990; Test Method for Interstitial Atomic Oxygen Content of Germanium by Infrared Absorption
F123 Withdrawn 1992; Test Method for Substitutional Atomic Carbon Content of Silicon by Infrared Absorption; Replaced by F1391
F124 Withdrawn 1976; Method of Test for Coincident Current Memory Core Stacks
F125 Withdrawn 1976; Method of Test for Non-Metallic Magnetic Cores to be Used in a Linear Select Memory With a Non-Symmetrical Ratio Operation Under Full Switching Conditions
F126 Withdrawn 1976; Terms and Definitions Which Relate to the Use and Testing of Ferrite Memory Cores and Memory Core Arrays
F127 Withdrawn 1993; Definitions of Terms Relating to Photomasking Technology for Microelectronics
F128 Withdrawn 1992; Methods of Testing Sleeves and Tubing for Electron Tube Cathodes
F129-97(2008) Practice for Amount of Ink Deposit on Carbon Paper and Inked Ribbons, Other Than Fabric Type, **15.09**
F130 Redesignated A883
F131 Redesignated A893
F132 Withdrawn 1987; Methods of Testing Nonmetallic Magnetic Cores to be Used in a Coincident Current Memory With a Two-to-One Selection Ratio Operating Under Full Switching Conditions
F133 Redesignated A894
F134 Withdrawn 1996; Test Methods for Determining Hermeticity of Electron Devices with a Helium Mass Spectrometer Detector
F135 Withdrawn 1998; Test Method for Embedment Stress Caused by Casting Compounds on Glass-Encased Electronic Components
F136-13 Specification for Wrought Titanium-6Aluminum-4Vanadium ELI (Extra Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), **13.01**
F137-08(2013) Test Method for Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus, **15.04**
F138-13a Specification for Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), **13.01**
F139-12 Specification for Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Sheet and Strip for Surgical Implants (UNS S31673), **13.01**
F140-98(2013) Practice for Making Reference Glass-Metal Butt Seals and Testing for Expansion Characteristics by Polarimetric Methods, **15.02**
F141-12 Terminology Relating to Resilient Floor Coverings, **15.04**
F142 Withdrawn 2007; Test Method for Indentation of Resilient Floor Tiles (McBurney Test); Replaced by F1914
F143 Withdrawn 1985; Method of Test for Thickness of Epitaxial Layers of Silicon by Measurement of Stacking Fault Dimension
F144-80(2010) Practice for Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, **15.02**
F145-72(2009) Practice for Evaluating Flat-Faced Gasketed Joint Assemblies, **09.02**
F146-12 Test Methods for Fluid Resistance of Gasket Materials, **09.02**
F147-87(2009) Test Method for Flexibility of Non-Metallic Gasket Materials, **09.02**
F148-13 Test Method for Binder Durability of Cork Composition Gasket Materials, **09.02**
F149-92b(2009) Terminology Relating to Optical Character Recognition, **15.09**
F150-06(2013) Test Method for Electrical Resistance of Conductive and Static Dissipative Resilient Flooring, **15.04**
F151 Withdrawn 2004; Test Method for Residual Solvents in Flexible Barrier Materials
F152-95(2009) Test Methods for Tension Testing of Nonmetallic Gasket Materials, **09.02**
F153-95(2008) Test Method for Determining the Yield of Wide Inked Computer Ribbons, **15.09**
F154 Withdrawn 2003; Guide for Identification of Structures and Contaminants Seen on Specular Silicon Surfaces
F155 Withdrawn 1983; Method of Test for Temper of Strip and Sheet Metals for Electronic Devices (Spring-Back Method)
F156 Not Assigned
F157 Withdrawn 1959; Methods of Testing Wire for Supports Used in Electronic Devices and Lamps
F158 Not Assigned
F159 Not Assigned
F160 Not Assigned
F161 Not Assigned
F162 Not Assigned
F163 Not Assigned
F164 Not Assigned
F165 Not Assigned
F166 Not Assigned
F167 Not Assigned
F168 Not Assigned
F169 Not Assigned
F170 Not Assigned
F171 Not Assigned
F172 Not Assigned
F173 Not Assigned
F174 Not Assigned
F175 Withdrawn 1963; Specification for Round Nickel Wire for Lamps and Electronic Devices
F176 Not Assigned
F177 Not Assigned
F178 Not Assigned
F179 Not Assigned
F180-94(2010)$^{\epsilon 1}$ Test Method for Density of Fine Wire and Ribbon Wire for Electronic Devices, **10.04**
F181 Not Assigned
F182 Not Assigned
F183 Not Assigned
F184 Not Assigned
F185 Not Assigned
F186 Not Assigned
F187 Not Assigned
F188 Not Assigned
F189 Not Assigned
F190 Not Assigned
F191 Not Assigned
F192 Not Assigned
F193 Not Assigned
F194 Not Assigned
F195 Not Assigned
F196 Not Assigned
F197 Not Assigned
F198 Not Assigned
F199 Not Assigned
F200 Not Assigned
F201 Not Assigned
F202 Not Assigned
F203 Withdrawn 1965; Method of Test for Strength of Welded Joints of Lead Wires for Electronic Devices and Lamps
F204-76(2013) Test Method for Surface Flaws in Tungsten Seal Rod and Wire, **10.04**
F205-94(2010)$^{\epsilon 1}$ Test Method for Measuring Diameter of Fine Wire by Weighing, **10.04**
F206 Not Assigned
F207 Not Assigned
F208 Not Assigned
F209 Not Assigned
F210 Not Assigned
F211 Not Assigned
F212 Not Assigned
F213 Not Assigned
F214 Not Assigned
F215 Not Assigned
F216 Not Assigned
F217 Not Assigned

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F218-13 Test Method for Measuring Optical Retardation and Analyzing Stress in Glass, **15.02**
F219-96(2013) Test Methods of Testing Fine Round and Flat Wire for Electron Devices and Lamps, **10.04**
F220 Not Assigned
F221-98(2009) Terminology Relating to Carbon Paper and Inked Ribbon Products and Images Made Therefrom, **15.09**
F222 Not Assigned
F223 Not Assigned
F224 Not Assigned
F225 Not Assigned
F226 Not Assigned
F227 Not Assigned
F228 Not Assigned
F229 Not Assigned
F230 Not Assigned
F231 Not Assigned
F232 Withdrawn 1984; Method of Test for Curl Resistance of Carbon Paper
F233 Not Assigned
F234 Not Assigned
F235 Not Assigned
F236 Not Assigned
F237 Not Assigned
F238 Withdrawn 1978; Recommended Practice for Cathode Melt Prove-in Testing
F239 Withdrawn 1992; Specification for Nickel-Alloy Cathode Sleeves for Electron Devices
F240 Not Assigned
F241 Not Assigned
F242 Not Assigned
F243 Not Assigned
F244 Not Assigned
F245 Not Assigned
F246 Not Assigned
F247 Not Assigned
F248 Not Assigned
F249 Not Assigned
F250 Not Assigned
F251 Not Assigned
F252 Not Assigned
F253 Not Assigned
F254 Withdrawn 1998; Test Method for Slip Resistance of Carbon Paper
F255 Not Assigned
F256-05(2010) Specification for Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, **10.04**
F257 Withdrawn 1973; Specification for 28% Chromium-Iron Alloy for Sealing to Glass; Combined with F 256
F258 Not Assigned
F259 Not Assigned
F260 Not Assigned
F261 Not Assigned
F262 Not Assigned
F263 Not Assigned
F264 Not Assigned
F265 Not Assigned
F266 Not Assigned
F267 Not Assigned
F268 Withdrawn 1959; Specification for Round Chromium-Copper Wire for Electronic Devices
F269-60(2009) Test Method for Sag of Tungsten Wire, **10.04**
F270 Withdrawn 1972; Recommended Practice for Testing Relative Thermionic Emissive Properties of Electron Tube Materials Using a Reference Cylindrical Diode
F271 Not Assigned
F272 Not Assigned
F273 Not Assigned
F274 Not Assigned
F275 Not Assigned
F276 Not Assigned
F277 Not Assigned
F278 Withdrawn 1972; Method of Test for Sublimination Characteristics of Metallic Materials in Cathode Sleeve Form by Electrical Resistance
F279 Not Assigned
F280 Not Assigned
F281 Not Assigned
F282 Not Assigned
F283 Not Assigned
F284 Not Assigned
F285 Not Assigned
F286 Not Assigned
F287 Not Assigned
F288-96(2009) Specification for Tungsten Wire for Electron Devices and Lamps, **10.04**
F289-96(2009) Specification for Molybdenum Wire and Rod for Electronic Applications, **10.04**
F290-94(2010) Specification for Round Wire for Winding Electron Tube Grid Laterals, **10.04**
F291 Not Assigned
F292 Not Assigned
F293 Not Assigned
F294 Not Assigned
F295 Not Assigned
F296 Not Assigned
F297 Not Assigned
F298 Not Assigned
F299 Not Assigned
F300 Withdrawn 1992; Test Methods for Measuring Interface Impedance Characteristics of Electron Tube Cathodes
F301 Withdrawn 2000; Practice for Open Bottle Tap Sampling of Liquid Streams
F302-09 Practice for Field Sampling of Aerospace Fluids in Containers, **15.03**
F303-08 Practices for Sampling for Particles in Aerospace Fluids and Components, **15.03**
F304 Withdrawn 1988; Method of Sampling for Particulates from Aerospace Components With Convolutes
F305 Withdrawn 1988; Method of Sampling Particulates from Reservoir-Type Pressure-Sensing Instruments by Fluid Flushing
F306 Withdrawn 2000; Practice for Sampling Particulates from Man-Accessible Storage Vessels for Aerospace Fluids by Vacuum Entrainment Technique (General Method)
F307-13 Practice for Sampling Pressurized Gas for Gas Analysis, **15.03**
F308 Withdrawn 1988; Method of Sampling Gas Blow-Down Systems and Components for Particulate Contamination by Manual Method
F309-04(2010) Practice for Liquid Sampling of Noncryogenic Aerospace Propellants, **15.03**
F310-07(2012) Practice for Sampling Cryogenic Aerospace Fluids, **15.03**
F311-08(2013) Practice for Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters, **15.03**
F312-08 Test Methods for Microscopical Sizing and Counting Particles from Aerospace Fluids on Membrane Filters, **15.03**
F313 Redesignated D4898
F314 Withdrawn 1991; Test Methods for Identification of Metallic and Fibrous Contaminants in Aerospace Fluids
F315 Withdrawn 1998; Test Methods of Identification of Solder and Solder Flux Contaminants in Aerospace Fluids
F316-03(2011) Test Methods for Pore Size Characteristics of Membrane Filters by Bubble Point and Mean Flow Pore Test, **11.02**
F317 Withdrawn 1995; Test Method for Liquid Flow Rate of Membrane Filters
F318 Withdrawn 2013; Practice for Sampling Airborne Particulate Contamination in Cleanrooms for Handling Aerospace Fluids; Replaced by F25/F25M
F319-09 Practice for Polarized Light Detection of Flaws in Aerospace Transparency Heating Elements, **15.03**
F320-10 Test Method for Hail Impact Resistance of Aerospace Transparent Enclosures, **15.03**
F321 Withdrawn 1983; Automatic Particle Counter Size Setting Method
F322 Withdrawn 1992; Method for Determining the Quality of Calibration Particles for Automatic Particle Counters
F323 Withdrawn 1989; Practice for Precision Classification of Particles
F324 Withdrawn 1987; Test Method for Nonvolatile Residue of Volatile Cleaning Solvents Using the Solvent Purity Meter
F325 Not Assigned
F326-96(2012) Test Method for Electronic Measurement for Hydrogen Embrittlement From Cadmium-Electroplating Processes, **15.03**
F327-08 Practice for Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, **15.03**
F328 Withdrawn 2007; Practice for Calibration of an Airborne Particle Counter Using Monodisperse Spherical Particles
F329 Withdrawn 1993; Practice for Sampling and Measurement of Particulate Contamination in Liquids Using an In-Line Automatic Monitor
F330-10 Test Method for Bird Impact Testing of Aerospace Transparent Enclosures, **15.03**
F331-13 Test Method for Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), **15.03**
F332 Withdrawn 1982; Method of Test for Amount of Nonvolatile Residue (NVR) in Trichlorotrifluouroethane (Meseran Procedure)
F333 Withdrawn 1982; Method of Test for Amount of Lubricant on the Surface of Aluminum Foils (Meseran Procedure)
F334 Withdrawn 1990; Method for Measuring Lithium-Ion Drift Mobility in Germanium Single Crystals
F335-03(2009) Terminology Relating to Electrostatic Imaging, **15.09**
F336-02(2009) Practice for Design and Construction of Nonmetallic Enveloped Gaskets for Corrosive Service, **09.02**
F337 Withdrawn 1982; Recommended Practice for Dimensions and Tolerances for Bone Plates; Replaced by F786
F338 Withdrawn 1982; Specification for Tipial-Type Bone Plate; Replaced by F786
F339 Withdrawn 1998; Specification for Cloverleaf Intramedullary Pins
F340 Withdrawn 1997; Specification for Pilot-Type Medical Countersinks
F341 Withdrawn 1982; Specification for Slotted Bone Plates; Replaced by F786
F342 Withdrawn 1993; Specification for Counterlocking Screws (Thornton Type)
F343 Withdrawn 1993; Specification for Counterlocking Screws (Mclaughlin Type)
F344 Withdrawn 1993; Specification for Counterbored Hex-Head Bolts (Thornton Type) Made from Stainless Steel
F345 Withdrawn 1993; Specification for Counterbored Hex-Head Bolts (Mclaughlin Type) Made from Stainless Steel
F346 Withdrawn 1993; Specification for Cannulated Hex-Head Bolts (Thornton Type) Made from Cobalt-Chromium Alloy

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F347 Withdrawn 1993; Specification for Cannulated Hex-Head Bolts (Mclaughlin Type) Made from Cobalt-Chromium Alloy
F348 Withdrawn 1993; Specification for Hex-Head Bolts (Thornton Type) Made from Cobalt-Chromium Alloy
F349 Withdrawn 1993; Specification for Hex-Head Bolts (Mclaughlin Type) Made from Cobalt-Chromium Alloy
F350 Withdrawn 1993; Specification for Hex-Head Bolts (Thornton Type) and Lock Washers Made from Stainless Steel
F351 Withdrawn 1993; Specification for Hex-Head Bolts (Mclaughlin Type) and Lock Washers Made from Stainless Steel
F352 Withdrawn 1993; Specification for Lock Washers Made from Stainless Steel
F353 Withdrawn 1991; Specification for Tri-Fin Nails Made from Cobalt-Chromium Alloy; Replaced by F1028
F354 Withdrawn 1991; Specification for Tri-Fin Nails Made from Stainless Steel; Replaced by F1028
F355-10a Test Method for Impact Attenuation of Playing Surface Systems and Materials, **15.07**
F356 Withdrawn 2001; Specification for Beryllia Ceramics for Electronic and Electrical Applications
F357 Withdrawn 2008; Practice for Determining Solderability of Thick Film Conductors
F358 Withdrawn 2008; Test Method for Wavelength of Peak Photoluminescence and the Corresponding Composition of Gallium Arsenide Phosphide Wafers
F359 Withdrawn 2003; Practice for Static Immersion Testing of Unstressed Materials in Nitrogen Tetroxide (N_2O_4)
F360-82(2011) Practice for Image Evaluation of Electrostatic Business Copies, **15.09**
F361 Withdrawn 1987; Practice for Assessment of Compatibility of Metallic Materials for Surgical Implants With Respect to Effect of Materials on Tissue; Replaced by F981
F362/F362M-91(2010)$^{\epsilon 1}$ Test Method for Determining the Erasability of Inked Ribbons, **15.09**
F363-99(2011) Test Method for Corrosion Testing of Gaskets, **09.02**
F364-96(2009) Specification for Molybdenum Flattened Wire for Electron Tubes, **10.04**
F365 Withdrawn 1977; Recommended Practice for Electrostatic Charge Mobility on Flexible Barrier Materials
F366-10 Specification for Fixation Pins and Wires, **13.01**
F367 Withdrawn 1997; Specification for Holes and Slots for Inch Cortical Bone Screws
F367M Withdrawn 1997; Specification for Holes and Slots with Spherical Contour for Metgric Cortical Bone Screws [Metric]
F368 Withdrawn 1982; Specification for Fixation Pins–Knowles and Hagie Types; Replaced by F366
F369 Withdrawn 1982; Specification for Hip Nail–Jewett Type; Replaced by F787
F370 Withdrawn 2005; Specification for Proximal Femoral Endoprosthesis
F371 Withdrawn 2003; Test Methods for Compatibility of Materials with Liquid Oxygen (Reaction Intensity Method)
F372 Withdrawn 2009; Test Method for Water Vapor Transmission Rate of Flexible Barrier Materials Using an Infrared Detection Technique
F373-13 Test Method for Embossed Depth of Resilient Floor Coverings, **15.04**
F374 Withdrawn 2003; Test Method for Sheet Resistance of Silicon Epitaxial, Diffused, Polysilicon, and Ion-implanted Layers Using an In-Line Four-Point Probe with the Single-Configuration Procedure
F375-89(2010) Specification for Integrated Circuit Lead Frame Material, **10.04**
F376/F376M Withdrawn 1994; Test Methods for Tires for Wet Traction Performance in Cornering
F377-03(2009) Practice for Calibration of Braking/Tractive Measuring Devices for Testing Tires, **09.02**
F378 Withdrawn 1978; Method of Test for Electrical Ignition Characteristics of Gas-Filled Flash Lamps
F379 Withdrawn 1994; Test Method for Measuring Slope Efficiency and Lasing Threshold of Ruby Laser Rods
F380 Withdrawn 1994; Test Method for Effective Fluorescent Lifetime of Neodymium-Doped Laser Materials
F381-14 Safety Specification for Components, Assembly, Use, and Labeling of Consumer Trampolines, **15.07**
F382-99(2008)$^{\epsilon 1}$ Specification and Test Method for Metallic Bone Plates, **13.01**
F383 Withdrawn 1996; Practice for Static Bend and Torsion Testing of Intramedullary Rods
F384-12 Specifications and Test Methods for Metallic Angled Orthopedic Fracture Fixation Devices, **13.01**
F385 Not Assigned
F386-11 Test Method for Thickness of Resilient Flooring Materials Having Flat Surfaces, **15.04**
F387-11 Test Method for Measuring Thickness of Resilient Floor Covering With Foam Layer, **15.04**
F388 Withdrawn 1993; Method for Measurement of Oxide Thickness on Silicon Wafers and Metallization Thickness by Multiple-Beam Interference (Tolanksy Method)
F389 Withdrawn 1993; Test Method for Crystallographic Perfection of Germanium by Preferential Etch Techniques
F390-11 Test Method for Sheet Resistance of Thin Metallic Films With a Collinear Four-Probe Array, **10.04**
F391 Withdrawn 2003; Test Methods for Minority Carrier Diffusion Length in Extrinsic Semiconductors by Measurement of Steady-State Surface Photovoltage
F392/F392M-11 Practice for Conditioning Flexible Barrier Materials for Flex Durability, **15.10**
F393 Withdrawn 1982; Recommended Practice for Inspection of Pneumatic Tires Prior to Retreading
F394 Withdrawn 2001; Test Method for Biaxial Flexure Strength (Modulus of Rupture) of Ceramic Substrates
F395-10 Terminology Relating to Vacuum Cleaners, **15.08**
F396-00(2009) Practice for Comparing One-Time Noncorrectable Typewriter Ribbons, **15.09**
F397 Withdrawn 2003; Test Method for Resistivity of Silicon Bars Using a Two-Point Probe
F398 Withdrawn 2003; Test Method for Majority Carrier Concentration in Semiconductors by Measurement of Wavenumber or Wavelength of the Plasma Resonance Minimum
F399 Withdrawn 2003; Test Method for Thickness of Heteroepitaxial or Polysilicon Layers
F400-10 Consumer Safety Specification for Lighters, **15.11**
F401 Withdrawn 1980; Method of Test for Yield and Maintainence Factors for Gaskets
F402-05(2012) Practice for Safe Handling of Solvent Cements, Primers, and Cleaners Used for Joining Thermoplastic Pipe and Fittings, **08.04**
F403 Withdrawn 2007; Test Method for Tires for Wet Traction in Straight-Ahead Braking, Using Highway Vehicles
F404-14 Consumer Safety Specification for High Chairs, **15.11**
F405-13 Specification for Corrugated Polyethylene (PE) Pipe and Fittings, **08.04**
F406-13 Consumer Safety Specification for Non-Full-Size Baby Cribs/Play Yards, **15.11**
F407 Not Assigned
F408-99(2008) Test Method for Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, **09.02**
F409-12 Specification for Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings, **08.04**
F410-08(2013) Test Method for Wear Layer Thickness of Resilient Floor Coverings by Optical Measurement, **15.04**
F411 Withdrawn 1988; Method for Service-Free Life Evaluation of Air Handling System of Household Canister, Stick, Hand-Held, and Utility Vacuum Cleaners; Replaced by F1038
F412-13 Terminology Relating to Plastic Piping Systems, **08.04**
F413 Withdrawn 2002; Practice for Preparation of an Offset Duplicator for Use in Functional Testing of Lithographic Copy Products
F414-09 Test Method for Energy Absorbed by a Tire When Deformed by Slow-Moving Plunger, **09.02**
F415-87(2010) Test Method for Curl in Carbon Paper, **15.09**
F416 Withdrawn 1998; Test Method for Detection of Oxidation Induced Defects in Polished Silicon Wafers; Replaced by F1727
F417 Withdrawn 2001; Test Method for Flexural Strength (Modulus of Rupture) of Electronic-Grade Ceramics
F418 Withdrawn 2008; Practice for Preparation of Samples of the Constant Composition Region of Epitaxial Gallium Arsenide Phosphide for Hall Effect Measurements
F419 Withdrawn 2001; Test Method for Determining Carrier Density in Silicon Epitaxial Layers by Capacitance-Voltage Measurements on Fabricated Junction or Schottky Diodes
F420-04(2009) Test Method for Access Depth Under Furniture of Vacuum Cleaners, **15.08**
F421-07(2013)$^{\epsilon 1}$ Test Method for Measuring Groove and Void Depth in Passenger Car Tires, **09.02**
F422 Not Assigned
F423 Withdrawn 2002; Specification forPolytetrafluoroethylene (PTFE) Plastic-Lined Ferrous Metal Pipe, Fittings, and Flanges
F424 Withdrawn 2006; Test Method for Tires for Wet Driving Traction in Straight-Ahead Motion Using Highway Vehicles
F425 Withdrawn 2003; Terminology Relating to Lithographic Copy Products
F426 Withdrawn 1995; Practice for Evaluating and Classifying Methods for the Analysis of Fat in Meat and Meat Products
F427 Withdrawn 1995; Practice for Sampling Meat to Determine Percent Composition in a Lot
F428-09 Test Method for Intensity of Scratches on Aerospace Glass Enclosures, **15.03**
F429-10 Test Method for Shock-Attenuation Characteristics of Protective Headgear for Football, **15.07**
F430-13 Specification for Paper Used for Vacuum Cleaner Filter Bags, **15.08**
F431-04(2013) Specification for Air Performance Measurement Plenum Chamber for Vacuum Cleaners, **15.08**
F432-13 Specification for Roof and Rock Bolts and Accessories, **01.08**
F433-02(2009) Practice for Evaluating Thermal Conductivity of Gasket Materials, **09.02**
F434-93(2009) Test Method for Blow-Out Testing of Preformed Gaskets, **09.02**
F435 Withdrawn 1988; Method of Test for Peak Wet Traction of Tires in Cornering With Driving Torque Application, Using Highway Vehicles
F436-11 Specification for Hardened Steel Washers, **01.08**
F436M-11 Specification for Hardened Steel Washers (Metric), **01.08**
F437-09 Specification for Threaded Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, **08.04**
F438-09 Specification for Socket-Type Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40, **08.04**
F439-13 Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, **08.04**
F440 Not Assigned

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F441/F441M-13ε1 Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80, **08.04**
F442/F442M-13ε1 Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe (SDR–PR), **08.04**
F443 Withdrawn 1987; Specification for Bell-End Chlorinated Poly(Vinyl Chloride)(CPVC) Pipe, Schedule 40
F444-88(2009) Consumer Safety Specification for Scald-Preventing Devices and Systems in Bathing Areas, **15.11**
F445-88(2009) Consumer Safety Specification for Thermal-Shock-Preventing Devices and Systems in Showering Areas, **15.11**
F446-85(2009) Consumer Safety Specification for Grab Bars and Accessories Installed in the Bathing Area, **15.11**
F447 Withdrawn 1982; Specification for V-Style Blade Plate; Replaced by F787
F448-11 Test Method for Measuring Steady-State Primary Photocurrent, **10.04**
F449-02(2008) Practice for Subsurface Installation of Corrugated Polyethylene Pipe for Agricultural Drainage or Water Table Control, **08.04**
F450-13 Test Methods for Vacuum Cleaner Hose—Durability and Reliability (Plastic), **15.08**
F451-08 Specification for Acrylic Bone Cement, **13.01**
F452-76(2008) Specification for Preformed Cranioplasty Plates, **13.01**
F453 Withdrawn 1994; Specification for Hooked Intramedullary Pins; Replaced by F1264
F454 Withdrawn 1994; Specification for Intramedullary Pins; Replaced by F1264
F455 Withdrawn 1994; Specification for Solid Cross-Section Intramedullary Nails; Replaced by F1264
F456 Withdrawn 1988; Test Method for Pinhole Flex Life of Films by Axial Vibration of a Tubular Sample
F457-04(2010) Test Method for Speed and Distance Calibration of Fifth Wheel Equipped With Either Analog or Digital Instrumentation, **09.02**
F458-13 Practice for Nondestructive Pull Testing of Wire Bonds, **10.04**
F459-13 Test Methods for Measuring Pull Strength of Microelectronic Wire Bonds, **10.04**
F460 Withdrawn 1985; Method for Laboratory Test for Relative Cornering and Aligning Stiffnesses of Passenger Car Tires
F461 Not Assigned
F462-79(2007) Consumer Safety Specification for Slip-Resistant Bathing Facilities, **15.11**
F463 Withdrawn 1995; Test Method for Fat in Meat and Meat Products by Ether Extraction
F464 Withdrawn 1995; Test Methods for Fat in Meat and Meat Products by the Foss-Let Fat Analyzer Techniques
F465 Withdrawn 1993; Practice for Developing Precision and Accuracy Data on ASTM Method for the Analysis of Meat And Meat Products; Replaced by F691
F466 Withdrawn 1997; Test Method for Small-Signal Scattering Parameters of Low-Power Transistors in the 0.2 to 2.0-GHz Frequency Range
F467-13 Specification for Nonferrous Nuts for General Use, **01.08**
F467M-06a(2012) Specification for Nonferrous Nuts for General Use (Metric), **01.08**
F468-12 Specification for Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, **01.08**
F468M-06(2012) Specification for Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), **01.08**
F469 Withdrawn 1987; Practice for Assessment of Compatibility of Nonporous Polymeric Materials for Surgical Implants with Regard to Effect of Materials on Tissue
F470-89(2009) Practice for Caking Temperature of Dry Electrostatic Toner, **15.09**
F471 Withdrawn 2011; Terminology Relating to Combination Locks
F472-11 Terminology for Geometry of Alpine Skis, **15.07**
F473-09 Specification for Binding Mounting Area Dimensions on Alpine Skis and Bindings, **15.07**
F474 Withdrawn 2004 Specification forStatic Screw-Retention Strength of Binding Mounting Area on Alpine Skis
F475 Withdrawn 2004; Specifications forTest Screw Used in Screw-Retention Test of Binding Mounting Area on Alpine Skis
F476-14 Test Methods for Security of Swinging Door Assemblies, **15.08**
F477-10 Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe, **08.04**
F478-09 Specification for In-Service Care of Insulating Line Hose and Covers, **10.03**
F479-06(2011) Specification for In-Service Care of Insulating Blankets, **10.03**
F480-12 Specification for Thermoplastic Well Casing Pipe and Couplings Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, **08.04**
F481-97(2008) Practice for Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields, **08.04**
F482-09 Practice for Corrosion of Aircraft Metals by Total Immersion in Maintenance Chemicals, **15.03**
F483-09 Practice for Total Immersion Corrosion Test for Aircraft Maintenance Chemicals, **15.03**
F484-08(2013) Test Method for Stress Crazing of Acrylic Plastics in Contact with Liquid or Semi-Liquid Compounds, **15.03**
F485-08(2013) Practice for Effects of Cleaners on Unpainted Aircraft Surfaces, **15.03**
F486-01(2011) Practice for Preparation of Use and Care Booklets for Vacuum Cleaners, **15.08**
F487-13 Specification for Fine Aluminum–1 % Silicon Wire for Semiconductor Lead-Bonding, **10.04**
F488 Withdrawn 2004; Test Method for On-Site Screening of Heterotrophic Bacteria in Water
F489 Withdrawn 2005; Test Method for Using a James Machine
F490 Withdrawn 1992; Method for Microscopical Sizing and Counting Particles on Membrane Filters Using Image Shear
F491 Withdrawn 2002; Specification for Poly(Vinylidene Fluoride) (PVDF) Plastic-Lined Ferrous Metal Pipe and Fittings
F492 Withdrawn 2004: Specification for Propylene and Polypropylene (PP) Plastic-Lined Ferrous Metal Pipe and Fittings
F493-10 Specification for Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fittings, **08.04**
F494-05(2011) Test Methods for Evaluating Primary Disposable Bag Integrity for Vacuum Cleaners, **15.08**
F495-99a(2011) Test Method for Weight Loss of Gasket Materials Upon Exposure to Elevated Temperatures, **09.02**
F496-08 Specification for In-Service Care of Insulating Gloves and Sleeves, **10.03**
F497-00(2009) Practice for Use of the Electric and Electronic Typewriter as a Test Instrument, **15.09**
F498-12 Test Method for Center Spring Constant and Spring Constant Balance of Alpine Skis, **15.07**
F499 Withdrawn 1992; Practice for Installation of Wood Underlayment and Preparation of the Surface to Receive Resilient Flooring
F500 Withdrawn 1993; Specification for Self-Curing Acrylic Resins Used in Neurosurgery
F501 Withdrawn 1998; Test Method for Aerospace Materials Response to Flame, With Vertical Test Specimen (for Aerospace Vehicles Standard Conditions)
F502-08(2013) Test Method for Effects of Cleaning and Chemical Maintenance Materials on Painted Aircraft Surfaces, **15.03**
F503 Withdrawn 1988; Recommended Practice for Preparing Aircraft Cleaning Compounds, Liquid-Pipe, for Storage Stability Testing; Replaced by F1104, F1105
F504-05(2012) Test Method for Measuring the Quasi-Static Release Moments of Alpine Ski Bindings, **15.07**
F505-87(2011) Practice for Comparative Evaluation of Imaging Properties of Liquid Electrostatic Toners, **15.09**
F506 Withdrawn 2002; Practice for Assessing the Quality of Direct-Image Paper Offset Masters
F507 Withdrawn 1994; Practice for Mounting Wedged Beamsplitters to Maintain a Laser Beam Parallel to a Reference Surface
F508 Withdrawn 2008; Practice for Specifying Thick-Film Pastes
F509-86(2009) Practice for Testing One-Time Carbonizing Tissue for Pinholes, **15.09**
F510/F510M-14 Test Method for Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method, **15.04**
F511-11 Test Method for Quality of Cut (Joint Tightness) of Resilient Floor Tile, **15.04**
F512-12 Specification for Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, **08.04**
F513-12 Specification for Eye and Face Protective Equipment for Hockey Players, **15.07**
F514 Not Assigned
F515 Withdrawn 1984; Specification for Polished Monocrystalline Silicon Slices
F516 Withdrawn 1988; Method for Laboratory Test for Force and Moment Properties of Passenger Car Tires
F517 Withdrawn 1994; Practice for Aligning a Visible Beam from a Continuous-Wave Laser at a Desired Distance from a Reference Surface
F518 Withdrawn 1996; Practice for Determining Effective Adhesion of Photoresist to Hard-Surface Photomask Blanks and Semiconductor Wafers During Etching
F519-13 Test Method for Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, **15.03**
F520-10 Test Method for Environmental Resistance of Aerospace Transparencies to Artificially Induced Exposures, **15.03**
F521-83(2010) Test Methods for Bond Integrity of Transparent Laminates, **15.03**
F522 Withdrawn 1998; Test Method for Stacking Fault Density of Epitaxial Layers of Silicon by Interference-Contrast Microscopy; Replaced by F1810
F523 Withdrawn 2003; Practice for Unaided Visual Inspection of Polished Silicon Wafer Surfaces
F524 Withdrawn 2001; Tentative Test Methods for Measuring Beam Divergence of Pulsed Lasers by the Apertured-Detector Technique
F525 Withdrawn 2003; Test Method for Measuring Resistivity of Silicon Wafers Using a Spreading Resistance Probe
F526-11 Test Method for Using Calorimeters for Total Dose Measurements in Pulsed Linear Accelerator or Flash X-ray Machines, **12.02**
F527 Withdrawn 1996; Practice for Adjusting Photoresist Exposure Time
F528 Withdrawn 2011; Test Method of Measurement of Common-Emitter DC Current Gain of Junction Transistors
F529 Withdrawn 1994; Test Method for Interpretation of Interferograms of Nominally Plane Wavefronts
F530 Withdrawn 1994; Test Method for Wavefront Distortion of Laser Rods
F531 Withdrawn 1994; Test Methods for Wavefront Distortion and Face Parallelism of Laser Disks
F532 Withdrawn 1994; Test Methods for Measuring Width of Defects in Optical Surfaces, Using Nomarski Differential Microscopy
F533 Withdrawn 2003; Test Method for Thickness and Thickness Variation of Silicon Wafers

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F534 Withdrawn 2003; Test Method for Bow of Silicon Slices
F535 Withdrawn 1985; Specification for Electrical Performance Characteristics of Vacuum Cleaners
F536 Withdrawn 2004; Test Method for Size of Resilient Floor Tile by Dial Gage Method
F537-01(2007) Specification for Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials, **01.06**
F538-13 Terminology Relating to the Characteristics and Performance of Tires, **09.02**
F539-01(2011) Practice for Fitting Athletic Footwear, **15.07**
F540 Withdrawn 2004; Test Method for Squareness of Resilient Floor Tile by Gage Method
F541-12 Specification for Alloy Steel Eyebolts, **01.08**
F542 Withdrawn 2013; Test Method for Exothermic Temperature of Encapsulating Compounds for Electronic and Microelectronic Encapsulation
F543-13ε1 Specification and Test Methods for Metallic Medical Bone Screws, **13.01**
F544 Withdrawn 1998; Reference Chart for Pictorial Cortical Bone Screw Classification
F545 Withdrawn 2001; Specification for PVC and ABS Injected Solvent Cemented Plastic Pipe Joints
F546 Withdrawn 2002; Specification forPerfluoro (Ethylene-Propylene) Copolymer (FEP) Plastic-Lined Ferrous Metal Pipe and Fittings
F547-06(2012) Terminology of Nails for Use with Wood and Wood-Base Materials, **01.08**
F548-09 Test Method for Intensity of Scratches on Aerospace Transparent Plastics, **15.03**
F549-85(2011) Terminology Relating to Carbonless Copy Products, **15.09**
F550 Withdrawn 2002; Test Method for Lithographic Properties of Imaging Materials
F551 Withdrawn 2009; Practice for Using a 67.23-in. (1.707-m) Diameter Laboratory Test Roadwheel in Testing Tires
F551/F551M-09a Practice for Using a 1.707-m 67.23-in. Diameter Laboratory Test Roadwheel in Testing Tires, **09.02**
F552-02(2013) Terminology Relating to Chain Link Fencing, **01.06**
F553 Withdrawn 1998; Test Method for Carbon Paper and Carbon Film Durability
F554 Withdrawn 1988; Test Method for Wet Cornering Traction of Tires Using Over-the-Road Tire Tester
F555-01(2011) Test Method for Motor Life Evaluation of an Upright Vacuum Cleaner, **15.08**
F556-88(2011) Test Method for Curl of Carbonless Copy Papers, **15.09**
F557 Withdrawn 1986; Test Method for Relative Work for Straight-Line Movement of Cleaners While Cleaning Carpets
F558-13 Test Method for Measuring Air Performance Characteristics of Vacuum Cleaners, **15.08**
F559-05(2010) Test Method for Measuring Length of Road Test Courses Using a Fifth Wheel, **09.02**
F560-13ε1 Specification for Unalloyed Tantalum for Surgical Implant Applications (UNS R05200, UNS R05400), **13.01**
F561-13 Practice for Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, **13.01**
F562-13 Specification for Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications (UNS R30035), **13.01**
F563 Withdrawn 2005; Specification for Wrought Cobalt -20Nickel-3.5 Molybdenum-3.5Tungsten-5Iron Alloy for Surgical Implant Applications (UNS R30563)
F564-10 Specification and Test Methods for Metallic Bone Staples, **13.01**
F565-04(2013) Practice for Care and Handling of Orthopedic Implants and Instruments, **13.01**
F566 Not Assigned
F567-11a Practice for Installation of Chain-Link Fence, **01.06**
F568M Withdrawn 2012; Specification for Carbon and Alloy Steel Externally Threaded Metric Fasteners
F569 Withdrawn 1989; Test Method for Filterability Index of Reagent-Grade Water and High-Purity Waters for Microelectronic Device Processing
F570 Withdrawn 1995; Test Methods for Transistor Collector-Emitter Saturation Voltage
F571-87(2008) Practice for Installation of Exit Devices in Security Areas, **15.08**
F572 Withdrawn 2001; Practice for Application of Film Security Cameras in Financial Institutions
F573 Withdrawn 1993; Specification for Residential Zinc-Coated Steel Chain-Link Fence Fabric
F574 Withdrawn 1996; Test Method for Evaluation of Polysilicon; Replaced by F1723
F575 Withdrawn 1982; Classification for Particle Concentration in Liquids
F576 Withdrawn 2003; Test Method for Measurement of Insulator Thickness and Refractive Index on Silicon Substrates by Ellipsometry
F577-03(2009) Test Method for Particle Size Measurement of Dry Toners, **15.09**
F578 Withdrawn 1994; Test Method for Lasing Threshold and Slope Efficiency of Neodymium-Doped Laser Rods
F579 Withdrawn 1994; Test Method for Face Flatness By Optical Non-Contact Technique
F580 Withdrawn 1996; Test Method for Adhesion Strength of Bondable Films to Substrates in Ribbon-Wire Bonds
F581 Withdrawn 1996; Practice for Accelerated Agiing of Photoresist
F582 Withdrawn 1996; Practice for Preparation of Photoresist for Analysis of Inorganic Contaminants
F583 Withdrawn 1996; Test Method for Photoresist Cleanness—Filterability
F584-06ε1 Practice for Visual Inspection of Semiconductor Lead-Bonding Wire, **10.04**
F585-13 Guide for Insertion of Flexible Polyethylene Pipe Into Existing Sewers, **08.04**
F586 Withdrawn 1998; Test Method for Leak Rates Versus y Stresses and m Factors for Gaskets
F587 Withdrawn 1995; Practice for Sampling Ground Meat in Blenders
F588-14 Test Methods for Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact, **04.12**
F589-12 Consumer Safety Specification for Non-Powder Guns, **15.11**
F590-12 Consumer Safety Specification for Non-Powder Gun Projectiles and Propellants, **15.11**
F591 Withdrawn 1989; Practice for Using the Computer Impact Print-Out Unit as a Test Instrument
F592-84(2012) Terminology of Collated and Cohered Fasteners and Their Application Tools, **01.08**
F593-13 Specification for Stainless Steel Bolts, Hex Cap Screws, and Studs, **01.08**
F594-09ε1 Specification for Stainless Steel Nuts, **01.08**
F595 Withdrawn 2011; Test Methods for Vacuum Cleaner Hose—Durability and Reliability (All-Plastic Hose)
F596-09 Practice for Comparative Evaluation of the Imaging Properties of Dry Electrostatic Toners, **15.09**
F597-83(2008) Practice for Evaluation of One-Time Carbon Paper in Carbon-Interleaved Business Forms by Use of an Electric Typewriter, **15.09**
F598-00(2009) Practice for Determining the Resistance of Carbonless Papers to Capsular Damage, **15.09**
F599 Specification for Withdrawn 2004: Specification for Poly(Vinylidene Chloride) (PVDC) Plastic-Lined Ferrous Metal Pipe and Fittings
F600 Withdrawn 1991; Practice for Nondestructive Testing Ultrasonic Evaluation of Socket and Butt Joints of Thermoplastic Piping
F601-13 Practice for Fluorescent Penetrant Inspection of Metallic Surgical Implants, **13.01**
F602-09 Criteria for Implantable Thermoset Epoxy Plastics, **13.01**
F603-12 Specification for High-Purity Dense Aluminum Oxide for Medical Application, **13.01**
F604 Withdrawn 2001; Specification for Silicone Elastomers Used in Medical Applications
F605-88(2011) Practice for Determining Compatibility of One-Time Carbon Paper with Carbonless Copy Papers When Interleaved into the Same Manifold Set, **15.09**
F606-11a Test Methods for Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, **01.08**
F606M-13 Test Methods for Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), **01.08**
F607-03(2008) Test Method for Adhesion of Gasket Materials to Metal Surfaces, **09.02**
F608-13 Test Method for Evaluation of Carpet Embedded Dirt Removal Effectiveness of Household/Commercial Vacuum Cleaners, **15.08**
F609-05(2013) Test Method for Using a Horizontal Pull Slipmeter (HPS), **15.07**
F610/F610M-10 Test Method for Evaluating the Quality of Molded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings by the Heat Reversion Technique, **08.04**
F611 Withdrawn 1994; Test Method for Wavefront Distortion of Nominally Plane Optical Elements Due to Refractive Index Inhomogeneity
F612 Withdrawn 1993; Practice for Cleaning Surfaces of Polished Silicon Slices
F613 Withdrawn 2001; Test Method for Measuring Diameter of Semiconductor Wafers
F614 Withdrawn 1996; Test Method for Distortion of Optical Lenses Used in Photomask Fabrication
F615 Withdrawn 1995; Replaced by F615M
F615M-95(2013) Practice for Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), **10.04**
F616M Withdrawn 2009; Test Method for Measuring MOSFET Drain Leakage Current [Metric]
F617 Withdrawn 2006; Test Method for Measuring MOSFET Linear Threshold Voltage
F618 Withdrawn 1985; Method for Measuring MOSFET Saturated Threshold Voltage
F619-14 Practice for Extraction of Medical Plastics, **13.01**
F620-11 Specification for Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, **13.01**
F621-12 Specification for Stainless Steel Forgings for Surgical Implants, **13.01**
F622 Withdrawn 2011; Specification for Preformed Cranioplasty Plates That Can Be Altered
F623-99(2013) Performance Specification for Foley Catheter, **13.01**
F624-09 Guide for Evaluation of Thermoplastic Polyurethane Solids and Solutions for Biomedical Applications, **13.01**
F625/F625M-94(2011)ε2 Practice for Classifying Water Bodies for Spill Control Systems, **11.05**
F626-08(2013) Specification for Fence Fittings, **01.06**
F627-99(2008) Practice for Testing Flake of Single-Strike Film Typewriter Ribbons, **15.09**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F628-12ε1 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core, **08.04**
F629-11 Practice for Radiography of Cast Metallic Surgical Implants, **13.01**
F630 Withdrawn 1988; Specification for Safety Consideration for Household Vacuum Cleaners
F631-99(2008) Guide for Collecting Skimmer Performance Data in Controlled Environments, **11.05**
F632 Withdrawn 1995; Test Method for Measuring Small-Signal Common Emitter Current Gain of Transistors at High Frequencies
F633 Withdrawn 1988; Practice for Use of the High-Speed Printer as a Test Instrument for Carbon Paper; Replaced by F1175
F634 Withdrawn 1986; Practice for Measurement of the Coating Transfer Resistance of Mechanical Carbonless CB Paper
F635 Withdrawn 1996; Guide for Selection of Tests for Material Properties of Liquid Thermoset Encapsulating Compounds for Electronic and Microelectronic Encapsulation
F636 Withdrawn 1996; Guide for Selection of Tests for Material Properties of Transfer Molding Compounds for Electronic and Microelectronic Encapsulation
F637 Withdrawn 2006; Specification for Format, Physical Properties, and Test Methods for 19 and 35 mm Testable Tape Carrier for Perimeter Tape Carrier-Bonded Semiconductor Devices
F638 Withdrawn 2006; Specification for Fine Aluminum—1 % Magnesium Wire for Semiconductor Lead-Bonding
F639-09 Specification for Polyethylene Plastics for Medical Applications, **13.01**
F640-12 Test Methods for Determining Radiopacity for Medical Use, **13.01**
F641-09 Specification for Implantable Epoxy Electronic Encapsulants, **13.01**
F642 Withdrawn 1995; Specification for Stainless Steel Flexible Wire for Surgical Fixations for Soft Tissue
F643 Withdrawn 1993; Specification for Wrought Cobalt-Chromium Alloy Flexible Wire for Surgical Fixations for Soft Tissue; Replaced by F1091
F644 Withdrawn 1993; Specification for Wrought Cobalt-Chromium Alloy Flexible Wire for Surgical Fixations for Bone; Replaced by F1091
F645-13 Guide for Selection, Design, and Installation of Thermoplastic Water-Pressure Piping Systems, **08.04**
F646 Not Assigned
F647-94(2006) Practice for Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, **13.01**
F648-14 Specification for Ultra-High-Molecular-Weight Polyethylene Powder and Fabricated Form for Surgical Implants, **13.01**
F649 Withdrawn 2007; Practice for Secondary Calibration of Airborne Particle Counter Using Comparison Procedures
F650 Withdrawn 1990; Practice for Determining Relative Bias of Two Particle Counters Using Comparison Procedures
F651 Withdrawn 1988; Method for Particle Counter Single-Point Calibration by the Median Method
F652 Withdrawn 1992; Methods for Measuring Mica Stampings or Substitutes Used in Electron Devices and Lamps
F653 Withdrawn 2002; Test Method for Evaluation of Electrostatic Masters
F654-07(2012) Specification for Residential Chain Link Fence Gates, **01.06**
F655-13 Specification for Test Carpets and Pads for Vacuum Cleaner Testing, **15.08**
F656-10 Specification for Primers for Use in Solvent Cement Joints of Poly(Vinyl Chloride) (PVC) Plastic Pipe and Fittings, **08.04**
F657 Withdrawn 2003; Test Method for Measuring Warp and Total Thickness Variation on Silicon Wafers by Noncontact Scanning
F658 Withdrawn 2007; Practice for Calibration of a Liquid-Borne Particle Counter Using an Optical System Based Upon Light Extinction
F659-10 Specification for Ski and Snowboard Goggles, **15.07**
F660-83(2013) Practice for Comparing Particle Size in the Use of Alternative Types of Particle Counters, **11.01**
F661 Withdrawn 2000; Practice for Particle Count and Size Distribution Measurement in Batch Samples for Filter Evaluation Using an Optical Particle Counter
F662 Withdrawn 2002; Test Method for Measurement of Particle Count and Size Distribution in Batch Samples for Filter Evaluation Using an Electrical Resistance Particle Counter
F663 Withdrawn 1994; Practice for Manual Analysis of Interferometric Data by Least-Squares Fitting to a Plane Reference Surface
F664 Withdrawn 1994; Practice for Manual Analysis of Interferometric Data by Least-Squares Fitting Spherical Reference Surface & Computer-Aided Analysis by Least-Squares Fitting to Both Plane/Spherical Reference Surfaces
F665-09 Classification for Vinyl Chloride Plastics Used in Biomedical Application, **13.01**
F666 Withdrawn 1993; Specification for Stainless Steel Flexible Wire for Surgical Fixation for Bone; Replaced by F1350
F667-12 Specification for 3 through 24 in. Corrugated Polyethylene Pipe and Fittings, **08.04**
F668-11 Specification for Polyvinyl Chloride (PVC), Polyolefin and Other Polymer-Coated Steel Chain Link Fence Fabric, **01.06**
F669 Withdrawn 1995; Specification for Strength Requirements of Metal Posts and Rails for Industrial Chain Link Fence; Replaced by F1043
F670-02(2012) Specification for Tanks, 5 and 10-Gal (20 and 40-L) Lube Oil Dispensing, **01.07**
F671 Withdrawn 2003; Test Method for Measuring Flat Length on Wafers of Silicon and Other Electronic Materials
F672 Withdrawn 2003; Test Method for Measuring Resistivity Profiles Perpendicular to the Surface of a Silicon Wafer Using a Spreading Resistance Probe
F673 Withdrawn 2003; Test Methods for Measuring Resistivity of Semiconductor Slices or Sheet Resistance of Semiconductor Films with a Noncontact Eddy-Current Gage
F674 Withdrawn 2003; Practice for Preparing Silicon for Spreading Resistance Measurements
F675 Withdrawn 1995; Test Method for Measuring Nonequilibrium Transient Photocurrents in p-n Junctions
F676 Withdrawn 2009; Test Method for Measuring Unsaturated TTL Sink Current
F677 Withdrawn 2013; Test Method for Fluid and Grease Resistance of Thermoset Encapsulating Compounds Used in Electronic and Microelectronic Applications
F678 Withdrawn 1989; Specification for Polyethylene Gas Pressure Pipe Tubing and Fittings; Replaced by D2513
F679-13 Specification for Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings, **08.04**
F680-80(2012) Test Methods for Nails, **01.08**
F681-82(2008) Practice for Use of Branch Connections, **01.07**
F682-82a(2008) Specification for Wrought Carbon Steel Sleeve-Type Pipe Couplings, **01.07**
F683-10 Practice for Selection and Application of Thermal Insulation for Piping and Machinery, **01.07**
F684 Not Assigned
F685-96(2011) Practice for Determining Toner Usage, Efficiency, and Dusting Nonheat Fixing Copiers Using Single-Component Toner Systems, **15.09**
F686-94(2011) Practice for Evaluation of Image Quality Produced by Carbonless Copy Paper with an Electric or Electronic Typewriter, **15.09**
F687 Withdrawn 1988; Practice for On-Site Calibration of Liquid-Borne Automatic Particle Counters With Adjustable Individual Size Thresholds
F688-10 Specification for Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), **13.01**
F689-97(2011) Practice for Determination of the Temperature of Above-Ground Plastic Gas Pressure Pipe Within Metallic Casings, **08.04**
F690 Withdrawn 2012; Practice for Underground Installation of Thermoplastic Pressure Piping Irrigation Systems
F691 Withdrawn 1996; Practice for Preparing Photoplates for Measuring Flatness Deviation
F692 Withdrawn 2008; Test Method for Measuring Adhesion Strength of Solderable Films to Substrates
F693-01(2012) Practice for Sealing Seams of Resilient Sheet Flooring Products by Use of Liquid Seam Sealers, **15.04**
F694 Withdrawn 2008; Test Method for Heel-Attaching Strength of Women's Shoes; Replaced by F2232
F695-01(2009) Practice for Ranking of Test Data Obtained for Measurement of Slip Resistance of Footwear Sole, Heel, and Related Materials, **15.07**
F696-06(2011) Specification for Leather Protectors for Rubber Insulating Gloves and Mittens, **10.03**
F697-00(2006) Practice for Care and Use of Athletic Mouth Protectors, **15.07**
F698 Withdrawn 2009; Specification for Physical Information to be Provided for Amusement Rides and Devices
F699 Withdrawn 2005; Practice for Accelerated Conditioning of Polybutylene Pipe and Tubing for Subsequent Quality Control Testing
F700-93(2008) Practice for Care and Handling of Intracranial Aneurysm Clips and Instruments, **13.01**
F701-81(2008) Practice for Care and Handling of Neurosurgical Implants and Instruments, **13.01**
F702-10 Specification for Polysulfone Resin for Medical Applications, **13.01**
F703-07 Specification for Implantable Breast Prostheses, **13.01**
F704-81(2009) Practice for Selecting Bolting Lengths for Piping System Flanged Joints, **01.07**
F705 Not Assigned
F706-96(2011) Practice for Determination of Fusion Temperature of Dry Electrostatic Heat-Fixing Toners, **15.09**
F707/F707M-94(2011) Specification for Modular Gauge Boards, **01.07**
F708-92(2008) Practice for Design and Installation of Rigid Pipe Hangers, **01.07**
F709 Withdrawn 1993; Specification for Gasket—Asbestos Metallic Cloth Material
F710-11 Practice for Preparing Concrete Floors to Receive Resilient Flooring, **15.04**
F711-02(2013) Specification for Fiberglass-Reinforced Plastic (FRP) Rod and Tube Used in Live Line Tools, **10.03**
F712-06(2011) Test Methods and Specifications for Electrically Insulating Plastic Guard Equipment for Protection of Workers, **10.03**
F713 Not Assigned
F714-13 Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Outside Diameter, **08.04**
F715-07(2012) Test Methods for Coated Fabrics Used for Oil Spill Control and Storage, **11.05**
F716-09 Test Methods for Sorbent Performance of Absorbents, **11.05**
F717-10 Specification for Football Helmets, **15.07**
F718-07(2011)ε1 Specification for Shipbuilders and Marine Paints and Coatings Product/Procedure Data Sheet, **01.07**
F719-81(2012) Practice for Testing Biomaterials in Rabbits for Primary Skin Irritation, **13.01**
F720-13 Practice for Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, **13.01**
F721-81(2008) Specification for Gage Piping Assemblies, **01.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F722-82(2008) Specification for Welded Joints for Shipboard Piping Systems, **01.07**
F723 Withdrawn 2003; Practice for Conversion Between Resistivity and Dopant Density for Boron-Doped, Phosphorus-Doped, and Arsenic-Doped Silicon
F724-94a(2010)ε1 Test Method for Outdoor Evaluation of Tire Sidewall Component Cracking Resistance, **09.02**
F725-03(2013) Practice for Drafting Impact Test Requirements In Thermoplastic Pipe And Fittings Standards, **08.04**
F726-12 Test Method for Sorbent Performance of Adsorbents, **11.05**
F727 Withdrawn 1996; Test Method for Measuring Transmittance of See-Through Photoplate
F728 Withdrawn 2003; Practice for Preparing an Optical Microscope for Dimensional Measurements
F729 Withdrawn 1992; Test Methods for Temperature Coefficient of Resistance of Film Resistors
F730 Withdrawn 1993; Test Methods for Hermeticity of Electron Devices by a Weight-Gain Test
F731 Not Assigned
F732-00(2011) Test Method for Wear Testing of Polymeric Materials Used in Total Joint Prostheses, **13.01**
F733-09 Practice for Optical Distortion and Deviation of Transparent Parts Using the Double-Exposure Method, **15.03**
F734-95(2011) Test Method for Shear Strength of Fusion Bonded Polycarbonate Aerospace Glazing Material, **15.03**
F735-11 Test Method for Abrasion Resistance of Transparent Plastics and Coatings Using the Oscillating Sand Method, **15.03**
F736-95(2011) Test Method for Impact Resistance of Monolithic Polycarbonate Sheet by Means of a Falling Weight, **15.03**
F737 Withdrawn 2002; Performance Specification for Ice Hockey Skate Blades
F738M-02(2008) Specification for Stainless Steel Metric Bolts, Screws, and Studs, **01.08**
F739-12 Test Method for Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, **11.03**
F740 Withdrawn 2002; Definition of Terms Relating to Filtration
F741 Withdrawn 1994; Test Method for Determining the Crystallographic Axes and Contrast Ratio of a Pockels Cell Electro-Optic Crystal Operating in the Longitudinal Mode
F742 Withdrawn 1994; Practice for Evaluating an Interferometer
F743 Withdrawn 1995; Test Method for Measuring Contrast Ratio of a Pair of Linear Polarizers for Visible Radiation
F744M-10 Test Method for Measuring Dose Rate Threshold for Upset of Digital Integrated Circuits (Metric), **10.04**
F745 Withdrawn 2012; Specification for 18Chromium-12.5Nickel-2.5Molybdenum Stainless Steel for Cast and Solution-Annealed Surgical Implant Applications
F746-04(2009)ε1 Test Method for Pitting or Crevice Corrosion of Metallic Surgical Implant Materials, **13.01**
F747-06 Terminology Relating to Amusement Rides and Devices, **15.07**
F748-06(2010) Practice for Selecting Generic Biological Test Methods for Materials and Devices, **13.01**
F749-13 Practice for Evaluating Material Extracts by Intracutaneous Injection in the Rabbit, **13.01**
F750-87(2012) Practice for Evaluating Material Extracts by Systemic Injection in the Mouse, **13.01**
F751 Withdrawn 2003; Test Method for Measuring Particle Size of Wide-Size Range Dry Toners
F752 Withdrawn 1994; Test Method for Effective Series Resistance (ESR) and Capacitance of Multilayer Ceramic Capacitors at High Frequencies
F753 Withdrawn 1998; Classification of Brassieres
F754-08 Specification for Implantable Polytetrafluoroethylene (PTFE) Sheet, Tube, and Rod Shapes Fabricated from Granular Molding Powders, **13.01**
F755-99(2011) Specification for Selection of Porous Polyethylene for Use in Surgical Implants, **13.01**
F756-13 Practice for Assessment of Hemolytic Properties of Materials, **13.01**
F757 Withdrawn 2006; Test Method for Determining Energy Consumption of Copier and Copier-Duplicating Equipment; Replaced by F2495
F758-95(2007)ε1 Specification for Smooth-Wall Poly(Vinyl Chloride) (PVC) Plastic Underdrain Systems for Highway, Airport, and Similar Drainage, **08.04**
F759 Withdrawn 1995; Specification for Hot Chocolate Beverage Dispensers
F760-93(2012) Specification for Food Service Equipment Manuals, **15.12**
F761 Withdrawn 2003; Specification for Strength Requirements of Tubular Steel Posts and Rails for Residential Chain-Link Fence
F762/F762M-08 Test Method for Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, **09.02**
F763-04(2010) Practice for Short-Term Screening of Implant Materials, **13.01**
F764 Withdrawn 2003; Practice for Compatibility of Materials with High-Energy Propellants (Impact Sensitivity Threshold Technique)
F765-93(2012)ε1 Specification for Wildcats, Ship Anchor Chain, **01.07**
F766/F766M-82(2010)ε1 Test Method for Melting Point of Waxes, **15.09**
F767-98(2013) Test Method for Image Stability of Chemical Carbonless Paper to Light, **15.09**
F768 Withdrawn 1994; Test Method for Specular Reflectance and Transmittance Measurements of Optically Flat-Coated and Non-Coated Specimens
F769 Withdrawn 2006; Test Method for Measuring Transistor and Diode Leakage Currents
F770-14 Practice for Ownership, Operation, Maintenance, and Inspection of Amusement Rides and Devices, **15.07**
F771-99(2005) Specification for Polyethylene (PE) Thermoplastic High-Pressure Irrigation Pipeline Systems, **08.04**
F772 Withdrawn 1996; Test Method for Noise Quality of Film-Type Resistors
F773M-10 Practice for Measuring Dose Rate Response of Linear Integrated Circuits (Metric), **10.04**
F774 Withdrawn 1989; Guide for Analysis of Latchup Susceptibility in Bipolar Integrated Circuits
F775 Withdrawn 1991; Test Method for Wafer and Slice Flatness by Interferometric, Noncontact Technique
F776 Withdrawn 1996; Test Method for Resistance of Materials to Horizontal Flame Propagation (for Aerospace Vehicles, Standard Conditions)
F777 Withdrawn 1997; Test Method for Resistance of Electrical Wire Insulation Materials to Flame at 60°; Replaced by D3032
F778-88(2014) Methods for Gas Flow Resistance Testing of Filtration Media, **11.07**
F779-12 Test Method for Torsion Characteristic of Alpine Skis, **15.07**
F780-93a(2012) Test Method for Linear Deformation and Breaking Strength of Alpine Skis, **15.07**
F781 Withdrawn 2004: Specification for Perfluoro (Alkoxyalkane) Copolymer (PFA) Plastic-Lined Ferrous Metal Pipe and Fittings
F782-01(2012) Specification for Doors, Furniture, Marine, **01.07**
F783-88(2013) Specification for Staple, Handgrab, Handle, and Stirrup Rung, **01.07**
F784 Withdrawn 1996; Test Method for Calibrating Radioisotope Hermetic Test Apparatus
F785 Withdrawn 1996; Test Method for Hermeticity of Sealed Devices by a Radioisotope Test
F786 Withdrawn 1998; Specification for Metallic Bone Plates; Replaced by F382
F787 Withdrawn 1998; Specification for Metallic Nail-Plate Appliances
F788-13 Specification for Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, **01.08**
F789 Withdrawn 2004: Specification for Type PS-46 and Type PS-115 Poly(Vinyl Chloride) (PVC) Plastic Gravity Flow Sewer Pipe and Fittings
F790-08(2013) Guide for Testing Materials for Aerospace Plastic Transparent Enclosures, **15.03**
F791-96(2013) Test Method for Stress Crazing of Transparent Plastics, **15.03**
F792-08 Practice for Evaluating the Imaging Performance of Security X-Ray Systems, **15.08**
F793-10a Classification of Wall Covering by Use Characteristics, **15.11**
F794-03(2009) Specification for Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter, **08.04**
F795 Withdrawn 2002; Practice for Determining the Performance of a Filter Medium Employing a Single-Pass, Constant-Rate, Liquid Test
F796 Withdrawn 2002; Practice for Determining the Performance of a Filter Medium Employing a Single-Pass, Constant-Pressure, Liquid Test
F797 Withdrawn 2002; Practice for Determining the Performance of a Filter Medium Employing a Multipass, Constant-Rate, Liquid Test
F798 Withdrawn 2008; Practice for Determining Gettering Rate, Sorption Capacity, and Gas Content of Nonevaporable Getters in the Molecular Flow Region
F799-11 Specification for Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), **13.01**
F800 Withdrawn 1992; Specification for Corrugated Poly(Vinyl Chloride) Tubing and Compatible Fittings
F801-96(2008) Test Method for Measuring Optical Angular Deviation of Transparent Parts, **15.03**
F802 *Withdrawn 2012; Guide for Selection of Certain Walkway Surfaces When Considering Footwear Traction*, **15.07**
F803-14 Specification for Eye Protectors for Selected Sports, **15.07**
F804 Withdrawn 1997; Practice for Producing Spin Coating Resist Thickness Curves
F805 Withdrawn 1996; Test Method for Photoplate Surface Flatness by Interferometric Non-Contact Technique
F806-99a(2009) Test Method for Compressibility and Recovery of Laminated Composite Gasket Materials, **09.02**
F807-83(2009) Practice for Determining Resolution Capability of Office Copiers, **15.09**
F808 Withdrawn 1998; Guide for Collecting Skimmer Performance Data in Uncontrolled Environments
F809/F809M Withdrawn 2000; Specification for Large Diameter Polybutylene Plastic Pipe
F810-12 Specification for Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields, **08.04**
F811-02(2010) Practice for Accelerometer Use in Vehicles for Tire Testing, **09.02**
F812-12 Specification for Surface Discontinuities of Nuts, Inch and Metric Series, **01.08**
F813-07(2012) Practice for Direct Contact Cell Culture Evaluation of Materials for Medical Devices, **13.01**
F814 Withdrawn 1995; Test Method for Specific Optical Density of Smoke Generated by Solid Materials for Aerospace Applications
F815 Withdrawn 1998; Test Method for Detection of Epitaxial Spikes
F816 Withdrawn 2009; Test Method for Combined Fine and Gross Leaks for Large Hybrid Microcircuit Packages
F817 Withdrawn 1996; Test Method for Characterization of Film Resistor Materials and Processes
F818-93(2009) Terminology Relating to Spill Response Barriers, **11.05**
F819-10 Terminology Relating to Electrical Protective Equipment for Workers, **10.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F820-11 Test Method for Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems, **15.08**
F821/F821M-01(2012) Specification for Domestic Use Doors and Frames, Steel, Interior, Marine, **01.07**
F822-93(2010) Specification for Chest of Drawers (Chiffonier), Steel, Marine, **01.07**
F823-93(2010) Specification for Desk, Log, Marine, Steel, with Cabinet, **01.07**
F824-93(2010) Specification for Tables, Mess, Marine, Steel, **01.07**
F825-93(2010) Specification for Drawers, Furniture, Marine, Steel, **01.07**
F826-94(2010) Specification for Tops, Furniture, Marine, Steel, **01.07**
F827 Not Assigned
F828 Withdrawn 1995; Test Method for Radiant Heat Resistance of Aircraft Inflatable Evacuation Slide/Slide Raft Materials
F829 Withdrawn 1991; Test Method for Determining Protein Efficiency Ratio for Meat and Meat Products
F830 Withdrawn 1991; Practice for Preparation of Meat, Variety Meats, Meat Byproducts and Meat Food Products for Determination of Either Protein Efficiency Ratio or Net Protein Ratio (Rat Feeding Tests)
F831 Withdrawn 1991; Test Method for Determining Net Protein Ratio for Meat and Meat Products
F832-90(2008) Classification for Security Seals, **15.08**
F833-13b Consumer Safety Performance Specification for Carriages and Strollers, **15.11**
F834-84(2008) Consumer Safety Specification for Toy Chests, **15.11**
F835-12 Specification for Alloy Steel Socket Button and Flat Countersunk Head Cap Screws, **01.08**
F835M-11 Specification for Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), **01.08**
F836M-02(2010) Specification for Style 1 Stainless Steel Metric Nuts (Metric), **01.08**
F837-08 Specification for Stainless Steel Socket Head Cap Screws, **01.08**
F837M-02a(2010) Specification for Stainless Steel Socket Head Cap Screws Metric, **01.08**
F838-05(2013) Test Method for Determining Bacterial Retention of Membrane Filters Utilized for Liquid Filtration, **14.02**
F839-83(2006) Specification for Cautionary Labeling of Portable Gasoline Containers for Consumer Use, **15.11**
F840 Withdrawn 2008; Specification for Ladders, Fixed, Vertical, Steel, Ship's; Replaced by F1166
F841-84(2011) Specification for Thrusters, Tunnel, Permanently Installed in Marine Vessels, **01.07**
F842-14 Test Methods for Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact, **04.12**
F843-98(2008) Test Method for Assessing the Color Strength and Dispersibility of Alkali Blue Pigment in Hot Melt Carbon Copy Paper Ink, **15.09**
F844-07a Specification for Washers, Steel, Plain (Flat), Unhardened for General Use, **01.08**
F845 Withdrawn 2003; Specification for Plastic Insert Fittings for Polybutylene (PB) Tubing
F846 *Withdrawn 2013; Guide for Testing Performance of Amusement Rides and Devices*, **15.07**
F847 Withdrawn 2003; Test Methods for Measuring Crystallographic Orientation of Flats on Single Crystal Silicon Wafers by X-Ray Techniques
F848 Withdrawn 1992; Test Method for Determining the Lattice Constant of Single Crystal Gadolinium Gallium Garnet
F849 Withdrawn 1992; Test Method for Identification and Test of Structures and Contaminants Seen on Polished Gadolinium Gallium Garnet Surfaces
F850 Withdrawn 1992; Test Method for Crystallographic Perfection of Gadolinium Gallium Garnet by Preferential Etch Techniques
F851-87(2013) Test Method for Self-Rising Seat Mechanisms, **15.11**
F852-08 Specification for Portable Gasoline Containers for Consumer Use, **15.11**
F853 *Withdrawn 2014; Practice for Maintenance Procedures for Amusement Rides and Devices*, **15.07**
F854-83(2008) Test Method for Cleanliness of Carbon Paper, **15.09**
F855-09 Specifications for Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, **10.03**
F856-97(2008) Practice for Mechanical Symbols, Shipboard—Heating, Ventilation, and Air Conditioning (HVAC), **01.07**
F857-12 Specification for Hot Water and Chemical Sanitizing Commercial Dishwashing Machines, Stationary Rack Type, **15.12**
F858-07(2013)$^{\varepsilon 1}$ Specification for Hot Water Sanitizing Commercial Dishwashing Machines, Single Tank, Conveyor Rack Type, **15.12**
F859-09 Specification for Heat-Sanitizing Commercial Dishwashing Machines, Multiple Tank, Conveyor Rack Type, **15.12**
F860-07(2013) Specification for Hot Water Sanitizing Commercial Dishwashing Machines, Multiple Tank, Rackless Conveyor Type, **15.12**
F861-14 Specification for Commercial Dishwashing Racks, **15.12**
F862-11 Practice for pH and Chloride-ion Concentration of Aerospace Hydraulic Fluids, **15.03**
F863 Withdrawn 1996; Practice for Detection of Defects in Spin-Coated Resist
F864 Withdrawn 1996; Practice for Inspection of Hardsurface Glass Photoplates
F865 Withdrawn 2001; Test Method for Gross Camber of Ceramic Substrates for Thick Film Applications
F866 Withdrawn 1996; Test Method for Measuring the Package Attenuation Coefficient of a Sealed Device for Radioisotope Hermetic Test
F867M Withdrawn 1998; Guide for Ionizing Radiation Effects (Total Dose Testing of Semiconductor Devices [Metric]); Replaced by F1893
F868-02(2009) Classification for Laminated Composite Gasket Materials, **09.02**
F869 *Withdrawn 2013; Terminology Relating to Athletic Shoes and Biomechanics*, **15.07**
F870-94(2010) Practice for Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, **09.02**
F871M Withdrawn 2001; Specification for Electrodeposited Coatings on Threaded Components [Metric]; Replaced by F1941M
F872 Withdrawn 2002; Specification for Filter Units, Air Conditioning: Viscous-Impingement Type, Cleanable
F873 Withdrawn 2010; Guide for Incinerating Oil Spill Wastes at Temporary Field Locations
F874-98(2014) Test Method for Temperature Measurement and Profiling for Microwave Susceptors, **15.10**
F875-09 Test Method for Evaluation of Large Area Density and Background on Office Copiers, **15.09**
F876-13a Specification for Crosslinked Polyethylene (PEX) Tubing, **08.04**
F877-11a Specification for Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, **08.04**
F878 Withdrawn 2000; Specification for Polybutylene (PB) Thermoplastic Thin-Wall Drip Irrigation Tubing
F879-12 Specification for Stainless Steel Socket Button and Flat Countersunk Head Cap Screws, **01.08**
F879M-02a(2008) Specification for Stainless Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), **01.08**
F880-12 Specification for Stainless Steel Socket, Square Head, and Slotted Headless-Set Screws, **01.08**
F880M-02(2008) Specification for Stainless Steel Socket Set Screws (Metric), **01.08**
F881-94(2006) Specification for Silicone Elastomer Facial Implants, **13.01**
F882 Withdrawn 2011; Performance and Safety Specification for Cryosurgical Medical Instruments
F883-13 Performance Specification for Padlocks, **15.08**
F884-01(2011) Test Method for Motor Life Evaluation of a Built-In (Central Vacuum) Vacuum Cleaner, **15.08**
F885-84(2011) Specification for Envelope Dimensions for Bronze Globe Valves NPS, **01.07**
F886 Withdrawn 1995; Test Method for Apparent Nitrogen Digestibility for Meat and Meat Products
F887-13 Specifications for Personal Climbing Equipment, **10.03**
F888-06(2011) Test Method for Measuring Maximum Function Volume of the Primary Dirt, **15.08**
F889 Withdrawn 1996; Test Method for Characterizing a Combination of Planar Surfaces to a Technical Level by a Vacuum Hold-Down Technique
F890 Withdrawn 1996; Practice for Determining Pinhole Density in Potoresist Films Used in Microelectronic Device Processing
F891-10 Specification for Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, **08.04**
F892 Withdrawn 2001; Specification for Polyethylene (PE) Corrugated Pipe with a Smooth Interior and Fitting
F893 *Withdrawn 2013; Guide for Auditing Amusement Rides and Devices; Replaced by F2974*, **15.07**
F894-13 Specification for Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe, **08.04**
F895-11 Test Method for Agar Diffusion Cell Culture Screening for Cytotoxicity, **13.01**
F896 Withdrawn 2001; Specification for Flexible Fiberoptic Bronchoscopes; Replaced by ISO 8600-1:1997
F897-02(2013) Test Method for Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, **13.01**
F898 Withdrawn 1992; Practice for Permanent Marking of Orthopedic Implant Components
F899-12b Specification for Wrought Stainless Steels for Surgical Instruments, **13.01**
F900-11 Specification for Industrial and Commercial Steel Swing Gates, **01.06**
F901-01(2012) Specification for Aluminum Transmission Tower Bolts and Nuts, **01.08**
F902 Withdrawn 2000; Practice for Calculating the Average Circular-Capillary-Equivalent Pore Diameter in Filter Media from Measurements of Porosity and Permeability
F903-10 Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Liquids, **11.03**
F904-98(2008) Test Method for Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, **15.10**
F905-04(2011) Practice for Qualification of Polyethylene Saddle-Fused Joints, **08.04**
F906-85(2007) Specification for Letters and Numerals for Ships, **01.07**
F907 Withdrawn 1997; Test Method for Measurement of Rotational Acceleration of a Wafer for Photoresist Spin Coating
F908 Withdrawn 1996; Practice for Evaluating Safelights for Photoresists Modules to Hail by Impact with Propelled Ice Balls
F909-94a(2011) Terminology Relating to Printers, **15.09**
F910-04(2010) Specification for Face Guards for Youth Baseball, **15.07**
F911 Withdrawn 2002; Test Method for Flexibility of Running Shoes
F912-11 Specification for Alloy Steel Socket Set Screws, **01.08**
F912M-11 Specification for Alloy Steel Socket Set Screws (Metric), **01.08**
F913-02(2008) Specification for Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, **08.04**
F914/F914M-10 Test Method for Acoustic Emission for Aerial Personnel Devices Without Supplemental Load Handling Attachments, **10.03**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F915 Withdrawn 1995; Specification for Bitts, Ship Mooring, Cast Steel (Double Barrel)
F916 Withdrawn 2002; Specification for Elevators, Shipboard, Electromechanical Passenger, and Stores
F917-14 Specification for Commercial Food Waste Disposers, **15.12**
F918-09 Specification for Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), **15.12**
F919-10 Specification for Slicing Machines, Food, Electric, **15.12**
F920 Withdrawn 2007; Specification for Minimum Performance and Safety Requirements for Resuscitators Intended for Use With Humans
F921-10(2011) Terminology Relating to Hemostatic Forceps, **13.01**
F922-01(2011) Test Method for Motor Life Evaluation of an Electric Motorized Nozzle, **15.08**
F923 Withdrawn 2006; Guide to Properties of High Visibility Materials Used to Improve Individual Safety
F924-90(2009) Test Method for Resistance to Puncture of Cushioned Resilient Floor Coverings, **15.04**
F925-13 Test Method for Resistance to Chemicals of Resilient Flooring, **15.04**
F926 Withdrawn 2014; Specification for Cautionary Labeling of Portable Kerosine and Diesel Containers for Consumer Use; Replaced by F839
F927 Withdrawn 1999; Specification for Pediatric Tracheostomy Tubes; Replaced by F1627
F928 Withdrawn 2003; Test Methods for Edge Contour of Circular Semiconductor Wafers and Rigid Disk Substrates
F929 Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Marine Mammals
F930 Withdrawn 2001; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Rocky Shores
F931 Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Seagrasses
F932 Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Coral Reefs
F933 Withdrawn 2001; Guide for Evaluation of Oil Water Separation Systems for Spilled Oil Recovery Applications
F934-96(2013) Specification for Standard Colors for Polymer-Coated Chain Link Fence Materials, **01.06**
F935-00(2009) Test Method for Comparing Cover-Up Correction Media, **15.09**
F936 Withdrawn 1997; Specification for Chocks, Panama, Mooring Cast Steel
F937 Withdrawn 1997; Specification for Chocks, Ship Mooring, Cast Steel
F938 Withdrawn 1995; Specification for Bitts, Ship Mooring, Welded Steel (Double Barrel)
F939-12 Practice for Selection of Release Torque Values for Alpine Ski Bindings, **15.07**
F940-99(2013) Practice for Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, **01.07**
F941-99(2013) Practice for Inspection of Marine Surface Preparation and Coating Application, **01.07**
F942-02(2013) Guide for Selection of Test Methods for Interlayer Materials for Aerospace Transparent Enclosures, **15.03**
F943 Withdrawn 1997; Test Method for Measuring Halation of Transparent Parts
F944 Withdrawn 2004; Specification for Properties of Adult Alpine Ski Boots
F945-12 Test Method for Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, **15.03**
F946-85(2010) Guide for Establishing Security Seal Control and Accountability Procedures, **15.08**
F947 Withdrawn 2005; Test Method for Determining Low-Level X-Radiation Sensitivity of Photographic Films
F948-94(2011) Test Method for Time-to-Failure of Plastic Piping Systems and Components Under Constant Internal Pressure With Flow, **08.04**
F949-10 Specification for Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe With a Smooth Interior and Fittings, **08.04**
F950 Withdrawn 2003; Test Method for Measuring the Depth of Crystal Damage of a Mechanically Worked Silicon Slice Surface by Angle Polishing and Defect Etching
F951 Withdrawn 2003; Test Method for Determination of Radial Interstitial Oxygen Variation in Silicon Wafers
F952-12 Specification for Mixing Machines, Food, Electric, **15.12**
F953-14 Specification for Commercial Dishwashing Machines (Stationary Rack, Dump Type) Chemical Sanitizing, **15.12**
F954 Withdrawn 1996; Specification for Respiratory Home Care
F955-07 Test Method for Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, **11.03**
F956-91(2012) Specification for Bell, Cast, Sound Signalling, **01.07**
F957-91(2012) Specification for Gong, Sound Signaling, **01.07**
F958 Withdrawn 1993; Practice for Developing Guides for Using Consumer Products
F959-13 Specification for Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, **01.08**
F959M-13 Specification for Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), **01.08**
F960 Withdrawn 2003; Specification for Medical and Surgical Suction and Drainage Systems; Replaced by F2221, F2222, F2265
F961-08 Specification for 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), **13.01**
F962-04(2010) Specification for Oil Spill Response Boom Connection: Z-Connector, **11.05**
F963-11 Consumer Safety Specification for Toy Safety, **15.11**
F964-13 Specification for Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, **01.06**
F965 Withdrawn 2008; Specification for Rigid Laryngoscopes for Tracheal Intubation—Hook-On Fittings for Laryngoscope Handles and Blades with Lamps
F966 Withdrawn 2009; Consumer Safety Specification for Full-Size and Non-Full-Size Baby Crib Corner Post Extensions
F967-03(2011) Practice for Security Engineering Symbols, **15.08**
F968 Withdrawn 2008; Specification for Electrically Insulating Plastic Guard Equpment for Protection of Workers; Replaced by F 712
F969-11 Practice for Construction of Chain-Link Tennis Court Fence, **01.06**
F970-07(2011) Test Method for Static Load Limit, **15.04**
F971 Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Mangroves
F972 Withdrawn 2001; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Nearshore Subtidal
F973 Withdrawn 2001; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tidal Flats
F974-06(2011)$^{\epsilon 1}$ Practice for Determination of Color Response of Electrostatic Copying System, Black and White Output, **15.09**
F975 Withdrawn 2000; Specification for Auxiliary Single Stage Steam Turbines for Shipboard Use
F976-08 Specification for Portable Kerosene and Diesel Containers for Consumer Use, **15.11**
F977-12 Consumer Safety Specification for Infant Walkers, **15.11**
F978 Withdrawn 2003; Test Method for Characterizing Semiconductor Deep Levels by Transient Capacitance Techniques
F979 Withdrawn 2009; Test Method for Hermeticity of Hybrid Microcircuit Packages Prior to Lidding
F980-10 Guide for Measurement of Rapid Annealing of Neutron-Induced Displacement Damage in Silicon Semiconductor Devices, **10.04**
F981-04(2010) Practice for Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, **13.01**
F982-86(2008) Specification for Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, **13.01**
F983-86(2013) Practice for Permanent Marking of Orthopaedic Implant Components, **13.01**
F984 Withdrawn 1999; Specification for Cutaneous Gas Monitoring Devices for Oxygen and Carbon Dioxide
F985-00(2012) Specification for Panama Canal Pilot Platform, **01.07**
F986-86(2008) Specification for Suction Strainer Boxes, **01.07**
F987-04(2010) Specification for Portable Intermediate Flush Deck Stanchion, **01.07**
F988 Withdrawn 1992; Guide for Specifying Carbon-Fiber Randomly Reinforced Ultra-High-Molecular-Weight Polyethylene for Medical Devices
F989 Withdrawn 1995; Test Methods for Spill Control Barrier Tension Members
F990 Withdrawn 2001; Guide for Ecological Considerations for Use of Chemical Dispersants in Oil Spill Response—Sandy Beaches
F991M Withdrawn 2013; Specification for Docking/Drain Plug and Boss Assemblies [Metric]
F992-86(2011) Specification for Valve Label Plates, **01.07**
F993-86(2011) Specification for Valve Locking Devices, **01.07**
F994-86(2011) Specification for Design and Installation of Overboard Discharge Hull Penetration Connections, **01.07**
F995-09 Practice for Estimating Toner Usage in Copiers Utilizing Dry Two-Component Developer, **15.09**
F996-11 Test Method for Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, **10.04**
F997-10 Specification for Polycarbonate Resin for Medical Applications, **13.01**
F998-12 Specification for Centrifugal Pump, Shipboard Use, **01.07**
F999 Withdrawn 2001; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Gravel or Cobble Beaches
F1000-13 Practice for Piping System Drawing Symbols, **01.07**
F1001-12 Guide for Selection of Chemicals to Evaluate Protective Clothing Materials, **11.03**
F1002-13 Performance Specification for Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, **11.03**
F1003-02(2012)$^{\epsilon 1}$ Specification for Searchlights on Motor Lifeboats, **01.07**
F1004-13 Consumer Safety Specification for Expansion Gates and Expandable Enclosures, **15.11**
F1005-91(2013) Practice for HVAC Duct Shapes; Identification and Description of Design Configuration, **01.07**
F1006-86(2008) Specification for Entrainment Separators for Use in Marine Piping Applications, **01.07**
F1007-86(2007) Specification for Pipeline Expansion Joints of the Packed Slip Type for Marine Application, **01.07**
F1008 Withdrawn 2001; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Salt Marshes
F1009 Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Offshore
F1010 Withdrawn 2001; Guide for Ecological Considerations for the Use of Dispersants in Oil Spill Response—Bird Habitats
F1011-07(2013) Guide for Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, **11.05**
F1012 Withdrawn 2002; Guide for Ecological Considerations for the Use of

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Chemical Dispersants in Oil Spill Response—the Arctic
F1013 Withdrawn 2002; Practice for Determining the Performance of a Liquid/Liquid Separator System Employing a Single-Pass, Constant-Rate, Non-Solids Test
F1014-02(2012)ε1 Specification for Flashlights on Vessels, **01.07**
F1015-03(2009) Test Method for Relative Abrasiveness of Synthetic Turf Playing Surfaces, **15.07**
F1016-07(2013)ε1 Practice for Linear Tire Treadwear Data Analysis, **09.02**
F1017 Withdrawn 2002; Test Method for Testing Lateral Toe Release of Adult Alpine Ski Bindings Under Impact Loading
F1018-87a(2010) Specification for Steel Emergency Gear Stowage Locker, **01.07**
F1019M-00(2012) Specification for Steel Deck Gear Stowage Box Metric, **01.07**
F1020-86(2011) Specification for Line-Blind Valves for Marine Applications, **01.07**
F1021-95(2013) Specification for Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, **15.12**
F1022 Withdrawn 2012; Specification for Chemical Sanitizing Commercial Dishwashing Machines, Recirculated Wash, Fresh Water Rinse Type
F1023-12 Specification for Dispensers, Powdered Iced Tea, **15.12**
F1024 Withdrawn 2004; Specification for Dispensers, Rehydrated Mashed Potato
F1025-94(2011) Guide for Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyethylene Gas Pressure Pipe, **08.04**
F1026-86(2008)ε1 Specification for General Workmanship and Performance Measurements of Hemostatic Forceps, **13.01**
F1027-86(2012) Practice for Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, **13.01**
F1028 Withdrawn 1996; Specification for Tri-Fin Nails
F1029 Withdrawn 2004; Guide for Selection of Physical Security Measures for a Facility
F1030-86(2008) Practice for Selection of Valve Operators, **01.07**
F1031-13 Practice for Training the Emergency Medical Technician (Basic), **13.02**
F1032 Withdrawn 1994; Guide for Measuring Time-Dependant Total-Dose Effects in Semiconductor Devices Exposed to Pulsed Ionizing Radiation
F1033-00(2010) Test Method for Comparing Lift-Off Correction Media, **15.09**
F1034 Withdrawn 2000; Guide for Classifying Industrial Robots
F1035-03(2008) Practice for Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, **09.02**
F1036 Not Assigned
F1037-10 Test Method for Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic, **15.04**
F1038-02(2011) Test Method for Motor Life Evaluation of a Canister, Hand-held, Stick, and Utility Type Vacuum Cleaner Without a Driven Agitator, **15.08**
F1039 Withdrawn 2002; Test Method for Measurement of Low Level X-Radiation Used in X-Ray Security Screening Systems
F1040 Withdrawn 2012; Specification for Filter Units, Air Conditioning: Viscous-Impingement and Dry Types, Replaceable
F1041-02(2008) Guide for Squeeze-Off of Polyolefin Gas Pressure Pipe and Tubing, **08.04**
F1042-87(2009) Practice for Estimating Toner and Dispersant Usage in Copiers Utilizing Liquid Developers, **15.09**
F1043-13 Specification for Strength and Protective Coatings on Steel Industrial Fence Framework, **01.06**
F1044-05(2011)ε1 Test Method for Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, **13.01**
F1045-07(2013) Performance Specification for Ice Hockey Helmets, **15.07**
F1046-01(2008) Guide for Preparing Artificially Worn Passenger and Light Truck Tires for Testing, **09.02**
F1047-10 Specification for Frying and Braising Pans, Tilting Type, **15.12**
F1048 Withdrawn 2003; Test Method for Measuring the Effective Surface Roughness of Optical Components by Total Integrated Scattering
F1049 Withdrawn 2003; Practice for Shallow Etch Pit Detection on Silicon Wafers
F1050/F1050M-87(2010)ε1 Test Method for Determining Winding Torque and Tension of Typewriter Ribbons, **15.09**
F1051-00(2009) Test Method for Comparing Multistrike Film Ribbons, **15.09**
F1052-14 Test Method for Pressure Testing Vapor Protective Suits, **11.03**
F1053/F1053M Withdrawn 2003; Guide for Steel Hull Construction Tolerances [Metric]
F1054 Withdrawn 2005; Specification for Conical Fittings
F1055-13 Specification for Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, **08.04**
F1056-04(2011) Specification for Socket Fusion Tools for Use in Socket Fusion Joining Polyethylene Pipe or Tubing and Fittings, **08.04**
F1057-10 Practice for Estimating the Quality of Extruded Poly (Vinyl Chloride) (PVC) Pipe by the Heat Reversion Technique, **08.04**
F1058-08 Specification for Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), **13.01**
F1059 Withdrawn 1996; Practice for Calculating the Contrast and Threshold Sensitivity of a Positive Photoresist
F1060-08 Test Method for Thermal Protective Performance of Materials for Protective Clothing for Hot Surface Contact, **11.03**
F1061-08(2013) Specification for Ski Binding Test Devices, **15.07**
F1062-97(2013) Test Method for Verification of Ski Binding Test Devices, **15.07**
F1063-09(2014) Practice for Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, **15.07**
F1064-11 Practice for Sampling and Inspection of Complete and Incomplete Alpine Ski/Binding/Boot Systems in Rental Applications, **15.07**
F1065 Withdrawn 1994; Practice for the Inspection of Incomplete Alpine Ski/Boot/Binding Systems in Rental Applications; Replaced by F1064
F1066-04(2010)ε1 Specification for Vinyl Composition Floor Tile, **15.04**
F1067 Withdrawn 2000; Test Method for Determining the Performance of a Petroleum Product Filter Cartridge Using a Single-Pass Constant Rate Procedure
F1068-90(2012) Specification for Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, **01.07**
F1069-87(2012) Specification for Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, **01.07**
F1070-87(2012) Specification for Doors, Non-Tight, for Marine Use, **01.07**
F1071-94(2012) Specification for Expanded-Metal Bulkhead Panels, **01.07**
F1072-94(2012) Specification for Expanded-Metal Doors, **01.07**
F1073-87(2012) Specification for Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, **01.07**
F1074-87(2012) Specification for Cleats, Welded Horn Type, **01.07**
F1075-97(2008) Specification for Dehumidifier, Shipboard, Mechanically Refrigerated, Self-Contained, **01.07**
F1076-87(2010) Practice for Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, **01.07**
F1077-05 Guide for Selection of Committee F16 Fastener Specifications, **01.08**
F1078-10(2011) Terminology for Surgical Scissors--Inserted and Non-Inserted Blades, **13.01**
F1079-87(2008)ε1 Specification for Inserted and Noninserted Surgical Scissors, **13.01**
F1080-93(2013) Test Method for Determining the Consistency of Viscous Liquids Using a Consistometer, **15.03**
F1081-09 Specification for Competition Wrestling Mats, **15.07**
F1082 Withdrawn 2006; Practice for Tires—Determining Precision for Test Method Standards
F1083-13 Specification for Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures, **01.06**
F1084-08(2013) Guide for Sampling Oil/Water Mixtures for Oil Spill Recovery Equipment, **11.05**
F1085-10 Specification for Mattress and Box Springs for Use in Berths in Marine Vessels, **01.07**
F1086-94(2008) Guide for Structures and Responsibilities of Emergency Medical Services Systems Organizations, **13.02**
F1087-02(2009) Test Method for Linear Dimensional Stability of a Gasket Material to Moisture, **09.02**
F1088-04a(2010) Specification for Beta-Tricalcium Phosphate for Surgical Implantation, **13.01**
F1089-10 Test Method for Corrosion of Surgical Instruments, **13.01**
F1090-06 Classification for Bank and Mercantile Vault Construction, **15.08**
F1091-12 Specification for Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy Surgical Fixation Wire (UNS R30605), **13.01**
F1092-04(2010) Specification for Fiberglass (GRP) Pultruded Open-Weather Storm and Guard, Square Railing Systems, **01.07**
F1093-99(2012) Test Methods for Tensile Strength Characteristics of Oil Spill Response Boom, **11.05**
F1094-87(2012) Test Methods for Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, **10.04**
F1095 Withdrawn 2001; Test Method for Rapid Enumeration of Bacteria in Electronics-Grade Purified Water Systems by Direct-Count Epifluorescence Microscopy
F1096 Withdrawn 1992; Test Method for Measuring MOSFET Saturated Threshold Voltage
F1097-91(2012) Specification for Mortar, Refractory (High-Temperature, Air-Setting), **01.07**
F1098-87(2010) Specification for Envelope Dimensions for Butterfly Valves—NPS 2 to 24, **01.07**
F1099M-98(2011) Specification for Rat Guards, Ship's [Metric], **01.07**
F1100 Withdrawn 2004; Specification for Ventilators Intended for Use in Critical Care; Replaced by F2198
F1101 Withdrawn 2012; Specification for Ventilators Intended for Use During Anesthesia
F1102 Withdrawn 2000; Guide for Preparation of Use and Care Booklets for Residential Resilient Nontextile Floor Coverings
F1103 Withdrawn 1998; Test Method for Materials Response to Flame—45° (for Aerospace Vehicles)
F1104-02(2013) Test Method for Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, **15.03**
F1105-09 Practice for Preparing Aircraft Cleaning Compounds, Liquid-Type, Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing, **15.03**
F1106-87(2012) Specification for Warping Heads, Rope Handling (Gypsy Head, Capstan Head), **01.07**
F1107-04(2010) Terminology Relating to Snowboarding, **15.07**
F1108-04(2009) Specification for Titanium-6Aluminum-4Vanadium Alloy Castings for Surgical Implants (UNS R56406), **13.01**
F1109 Withdrawn 1993; Specification for Porous Composites of Polytetrafluo-

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

roethylene and Carbon for Surgical Implant Applications
F1110-09 Test Method for Sandwich Corrosion Test, **15.03**
F1111-08b(2013) Test Method for Corrosion of Low-Embrittling Cadmium Plate by Aircraft Maintenance Chemicals, **15.03**
F1112-06a(2010) Test Method for Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, **09.02**
F1113-87(2011) Test Method for Electrochemical Measurement of Diffusible Hydrogen in Steels (Barnacle Electrode), **15.03**
F1114-11 Specification for Heat Sanitizing Commercial Pot, Pan, and Utensil Stationary Rack Type Water-Driven Rotary Spray, **15.12**
F1115-95(2008)ε1 Test Method for Determining the Carbon Dioxide Loss of Beverage Containers, **15.10**
F1116-03(2008) Test Method for Determining Dielectric Strength of Dielectric Footwear, **10.03**
F1117-03(2013) Specification for Dielectric Footwear, **10.03**
F1118 Withdrawn 2007; Specification for National Air Medical Transport Units Resources Catalog
F1119 Withdrawn 2000; Specification for Rotary Wing Basic Life Support Transport Units
F1120-87(2010) Specification for Circular Metallic Bellows Type Expansion Joints for Piping Applications, **01.07**
F1121-87(2010) Specification for International Shore Connections for Marine Fire Applications, **01.07**
F1122-04(2010) Specification for Quick Disconnect Couplings (6 in. NPS and Smaller), **01.07**
F1123-87(2010) Specification for Non-Metallic Expansion Joints, **01.07**
F1124 Withdrawn 2000; Specification for Rotary Wing Advanced Life Support Transport Units
F1125-87(2011) Terminology of Image Quality in Impact Printing Systems, **15.09**
F1126-12 Specification for Food Cutters (Electric), **15.12**
F1127-07(2013) Guide for Containment of Hazardous Material Spills by Emergency Response Personnel, **11.05**
F1128 Withdrawn 1996; Test Method for Abrasion Resistance of Transparent Plastics and Coatings Using Salt Impingement Method
F1129/F1129M-12 Guide for Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, **11.05**
F1130-99(2009) Practice for Inspecting the Coating System of a Ship, **01.07**
F1131 Withdrawn 1993; Practice for Inspecting the Coating System of a Ship's Tanks and Voids; Replaced by F1130
F1132 Withdrawn 1993; Practice for Inspecting the Coating System of a Ship's Deck And Deck Machinery; Replaced by F1130
F1133 Withdrawn 1993; Practice for Inspecting the Coating System of a Ship's Underwater Hull and Boottop During Drydocking; Replaced by F1130
F1134-12 Specification for Insulation Resistance Monitor for Shipboard Electrical Motors and Generators, **01.07**
F1135 Withdrawn 2009; Specification for Cadmium or Zinc Chromate Organic Corrosion Protective Coating for Fasteners
F1136M Withdrawn 2011; Specification for Zinc/Aluminum Corrosion Protective Coatings for Fasteners (Metric); Replaced by F1136
F1136/F1136M-11 Specification for Zinc/Aluminum Corrosion Protective Coatings for Fasteners, **01.08**
F1137-11ε1 Specification for Phosphate/Oil Corrosion Protective Coatings for Fasteners, **01.08**
F1138-98(2007) Specification for Spray Shields for Mechanical Joints, **01.07**
F1139-88(2010) Specification for Steam Traps and Drains, **01.07**
F1140/F1140M-13 Test Methods for Internal Pressurization Failure Resistance of Unrestrained Packages, **15.10**
F1141-10 Specification for Wall Covering, **15.11**
F1142-98(2012) Specification for Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, **01.07**
F1143-98(2012) Specification for Manhole Cover Assembly, Bolted, Raised, Oiltight and Watertight, **01.07**
F1144-98(2012) Specification for Manhole Cover Assembly, Bolted, Semi-Flush, Oiltight and Watertight, Hinged, **01.07**
F1145-05(2011) Specification for Turnbuckles, Swaged, Welded, Forged, **01.07**
F1146 Withdrawn 2000; Specification for Rotary Wing Specialized Medical Transport Units
F1147-05(2011) Test Method for Tension Testing of Calcium Phosphate and Metallic Coatings, **13.01**
F1148-12 Consumer Safety Performance Specification for Home Playground Equipment, **15.11**
F1149-93(2013) Practice for Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, **13.02**
F1150-11 Specification for Commercial Food Waste Pulper and Waterpress Assembly, **15.12**
F1151-88(2008) Test Method for Determining Variations in Hardness of Film Ribbon Pancakes, **15.09**
F1152 Withdrawn 2003; Test Method for Dimensions of Notches on Silicon Wafers
F1153 Withdrawn 2003; Test Method for Characterization of Metal-Oxide-Silicon (MOS) Structures by Capacitance-Voltage Measurements
F1154-11 Practices for Qualitatively Evaluating the Comfort, Fit, Function, and Durability of Protective Ensembles and Ensemble Components, **11.03**
F1155-10 Practice for Selection and Application of Piping System Materials, **01.07**
F1156 Withdrawn 2001; Terminology Relating to Product Counterfeit Protection Systems
F1157-04(2010) Practice for Classifying the Relative Performance of the Physical Properties of Security Seals, **15.08**
F1158-94(2008) Guide for Inspection and Evaluation of Tampering of Security Seals, **15.08**
F1159-11 Practice for Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures, **15.07**
F1160-14 Test Method for Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/Metallic Coatings, **13.01**
F1161 Withdrawn 2000; Specification for Minimum Performance and Safety Requirements for Components and Systems of Anesthesia Gas Machines; Replaced by F1850
F1162 Withdrawn 2011; Specification for Pole Vault Landing Systems
F1162/F1162M-12 Specification for Pole Vault Landing Systems, **15.07**
F1163-13 Specification for Protective Headgear Used in Horse Sports and Horseback Riding, **15.07**
F1164-97(2009)ε1 Test Method for Evaluation of Transparent Plastics Exposed to Accelerated Weathering Combined with Biaxial Stress, **15.03**
F1165-10 Test Method for Measuring Angular Displacement of Multiple Images in Transparent Parts, **15.03**
F1166-07(2013) Practice for Human Engineering Design for Marine Systems, Equipment, and Facilities, **01.07**
F1167 Withdrawn 1993; Terminology Relating to Aseptic Packaging
F1168 Withdrawn 2000; Guide for Use in the Establishment of Thermal Processes for Foods Packaged in Flexible Containers
F1169-13 Consumer Safety Specification for Full-Size Baby Cribs, **15.11**
F1170 Withdrawn 2002; Practice for Determining the Performance of a Filter Medium Using Water and Siliceous Particles
F1171 Not Assigned
F1172-88(2010) Specification for Fuel Oil Meters of the Volumetric Positive Displacement Type, **01.07**
F1173-01(2012) Specification for Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, **01.07**
F1174-12 Practice for Using a Personal Computer Printer as a Test Instrument, **15.09**
F1175-88(2011) Practice for Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, **15.09**
F1176 Withdrawn 2010; Practice for Design and Installation of Underground Thermoplastic Irrigation Systems With Maximum Working Pressure of 125 psi
F1177-02(2009) Terminology Relating to Emergency Medical Services, **13.02**
F1178-11 Specification for Performance of Enameling System, Baking, Metal Joiner Work and Furniture, **01.07**
F1179-88(2007) Practice for Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, **01.07**
F1180 Not Assigned
F1181-09 Test Method for Measuring Binocular Disparity in Transparent Parts, **15.03**
F1182-07(2013) Specification for Anodes, Sacrificial Zinc Alloy, **01.07**
F1183-96(2011) Specification for Aluminum Alloy Chain Link Fence Fabric, **01.06**
F1184-05(2010) Specification for Industrial and Commercial Horizontal Slide Gates, **01.06**
F1185-03(2014) Specification for Composition of Hydroxylapatite for Surgical Implants, **13.01**
F1186-03(2013) Classification System for Chemicals According to Functional Groups, **11.03**
F1187 Withdrawn 2000; Specification for Fixed Wing Basic Life Support Transport Units
F1188 Withdrawn 2003; Test Method for Interstitial Atomic Oxygen Content of Silicon by Infrared Absorption with Short Baseline
F1189 Withdrawn 1993; Test Method for Using Computer-Assisted Infrared Spectrophotometry to Measure the Interstitial Oxygen Content of Silicon Slices Polished on Both Sides
F1190-11 Guide for Neutron Irradiation of Unbiased Electronic Components, **10.04**
F1191 Withdrawn 1993; Guide for Radiation Testing of Semiconductor Memories
F1192-11 Guide for the Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices, **10.04**
F1193-14 Practice for Quality, Manufacture, and Construction of Amusement Rides and Devices, **15.07**
F1194-99(2010) Guide for Documenting the Results of Chemical Permeation Testing of Materials Used in Protective Clothing, **11.03**
F1195 Withdrawn 2008; Specification for Rigid Laryngoscopes for Tracheal Intubation—Hook on Fittings for Fiberilluminated Blades and Handles
F1196-00(2013) Specification for Sliding Watertight Door Assemblies, **01.07**
F1197-00(2012) Specification for Sliding Watertight Door Control Systems, **01.07**
F1198-92(2012)ε1 Guide for Shipboard Fire Detection Systems, **01.07**
F1199-88(2010) Specification for Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), **01.07**
F1200-88(2010) Specification for Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), **01.07**
F1201-88(2010) Specification for Fluid Conditioner Fittings in Piping Applications Above 0°F, **01.07**
F1202-11 Specification for Washing Machines, Heat Sanitizing, Commercial, Pot, Pan, and Utensil Vertically Oscillating Arm Type, **15.12**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F1203-11 Specification for Washing MachinesPot, Pan, and Utensil, Heat Sanitizing, Commercial Rotary Conveyor Type, **15.12**
F1204 Withdrawn 2002; Specification for Anesthesia Reservoir Bags; Replaced by ISO 5362
F1205 Withdrawn 2008; Specification for Anesthesia Breathing Tubes
F1206-94(2011)ε1 Test Method for Evaluating Color Image Output from Color Printers and Copiers, **15.09**
F1207M-12 Specification for Electrical Insulation Monitors for Monitoring Ground Resistance in Active Electrical Systems Metric, **01.07**
F1208 Withdrawn 2014; Specification for Minimum Performance and Safety Requirements for Anesthesia Breathing Systems
F1209-14 Guide for Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Ponds and Sloughs, **11.05**
F1210-14 Guide for Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies, **11.05**
F1211 Withdrawn 2007; Specification for Semiconductor Device Passivation Opening Layouts
F1212 Withdrawn 2008; Test Method for Thermal Stability Testing of Gallium Arsenide Wafers
F1213 Withdrawn 1999; Test Method for Determining the Particle Contamination and Media Migration Characteristics of Liquid Filters by Optical Microscopy
F1214 Withdrawn 1999; Test Method for Water Solubility in Liquid Petroleum Products by Karl Fischer Reagent
F1215 Withdrawn 1999; Test Method for Determining the Initial Efficiency of a Flatsheet Filter Medium in an Airflow Using Latex Spheres
F1216-09 Practice for Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube, **08.04**
F1217-11 Specification for Cooker, Steam, **15.12**
F1218-89(2014) Specification for Bronchoscopes (Rigid), **13.02**
F1219 Withdrawn 2006; Guide for Training the Emergency Medical Technician (Basic) to Perform Patient Initial and Detailed Assessment
F1220-95(2014) Guide for Emergency Medical Services System (EMSS) Telecommunications, **13.02**
F1221-89(2014) Guide for Interagency Information Exchange, **13.02**
F1222 Withdrawn 2000; Classification for Hardware for Wood Fencing
F1223-14 Test Method for Determination of Total Knee Replacement Constraint, **13.01**
F1224 Withdrawn 2012; Guide for Providing System Evaluation for Emergency Medical Services
F1225-99(2008) Test Method for Measuring the Ribbon Exit Force for Film and Fabric Cartridges, **15.09**
F1226 Withdrawn 2002; Test Method for Calibration of Liquid-Borne Particle Counters for Submicrometer Particle Sizing
F1227 Withdrawn 2000; Test Method for Total Mass Loss of Materials and Condensation of Outgassed Volatiles on Microelectronics-Related Substrates
F1228 Withdrawn 2001; Test Method for Oxidizable (Organic) Carbon on Wafer Surfaces (By Persulfate
F1229-01(2012) Guide for Qualification and Training of EMS Air Medical Patient Care Providers, **13.02**
F1230 Withdrawn 1997; Specification for Minimum Performance Requirements for Emergency Medical Service (EMS) Ground Vehicles
F1231-14 Guide for Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks, **11.05**
F1232-98(2008) Practice for Generating a Test Pattern for Single-Pass Film Ribbons, **15.09**
F1233-08(2013) Test Method for Security Glazing Materials And Systems, **15.08**
F1234 Withdrawn 1995; Specification for Protective Coatings on Steel Framework for Fences; Replaced by F1043
F1235-14 Consumer Safety Specification for Portable Hook-On Chairs, **15.11**
F1236-96(2012) Guide for Visual Inspection of Electrical Protective Rubber Products, **10.03**
F1237-09 Specification for Commercial Dishwashing Machines, Multiple-Tank, Continuous Oval-Conveyor Type, Heat Sanitizing, **15.12**
F1238-95(2011) Specification for Refractory Silicide Sputtering Targets for Microelectronic Applications, **10.04**
F1239 Withdrawn 2003; Test Method for Oxygen Precipitation Characteristics of Silicon Wafers by Measurement of Interstitial Oxygen Reduction
F1240-01(2009) Guide for Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, **15.07**
F1241 Withdrawn 2003; Terminology of Silicon Technology
F1242 Withdrawn 2002; Specification for Cuffed and Uncuffed Tracheal Tubes; Replaced by ANS/ISO 5361
F1243 Withdrawn 2002; Specification for Tracheal Tube Connectors; Replaced by ANS/ISO 5361
F1244-08(2013) Specification for Berths, Marine, **01.07**
F1245-89(2012) Specification for Faucets, Single and Double, Compression and Self-Closing Type, Shipboard, **01.07**
F1246 Withdrawn 2014; Specification for Electrically Powered Home Care Ventilators, Part 1—Positive-Pressure Ventilators and Ventilator Circuits
F1247-89(2011) Specification for Intrusion Resistant Generic Vault Structures, **15.08**
F1248 Withdrawn 2007; Test Method for Determination of Environmental Stress Crack Resistance (ESCR) of Polyethylene Pipe
F1249-13 Test Method for Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, **15.10**
F1250-13 Specification for Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, **15.07**
F1251 Withdrawn 2012; Terminology Relating to Polymeric Biomaterials in Medical and Surgical Devices
F1252-10 Test Method for Measuring Optical Reflectivity of Transparent Materials, **15.03**
F1253 Withdrawn 1999; Guide for Training the Emergency Medical Technician (Basic) to Perform Patient Secondary Assessment
F1254 Withdrawn 2007; Practice for Performance of Prehospital Manual Defibrillation
F1255-90(2008) Practice for Performance of Prehospital Automated Defibrillation, **13.02**
F1256-13 Guide for Selection and Practice of Emergency Medical Services Instructor for Emergency Medical Technician (EMT) Training Programs, **13.02**
F1257-13 Guide for Selection and Practice of Emergency Medical Services Instructor for Advanced Emergency Medical Technician, **13.02**
F1258-95(2014) Practice for Emergency Medical Dispatch, **13.02**
F1259M Withdrawn 2009; Guide for Design of Flat, Straight-Line Test Structures for Detecting Metallization Open-Circuit or Resistance-Increase Failure Due to Electromigration [Metric]
F1260M Withdrawn 2009; Test Method for Estimating Electromigration Median Time-To-Failure and Sigma of Integrated Circuit Metallizations [Metric]
F1261M Withdrawn 2009; Test Method for Determining the Average Electrical Width of a Straight, Thin-Film Metal Line (Metric)
F1262M-95(2008) Guide for Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), **10.04**
F1263-11 Guide for Analysis of Overtest Data in Radiation Testing of Electronic Parts, **10.04**
F1264-03(2012) Specification and Test Methods for Intramedullary Fixation Devices, **13.01**
F1265-03a(2013) Test Method for Resistance to Impact for Resilient Floor Tile, **15.04**
F1266-89(2008) Performance Specification for Cerebral Stereotactic Instruments, **13.01**
F1267-12 Specification for Metal, Expanded, Steel, **01.03**
F1268-90(2012) Guide for Establishing and Operating a Public Information, Education, and Relations Program for Emergency Medical Service Systems, **13.02**
F1269-13 Test Methods for Destructive Shear Testing of Ball Bonds, **10.04**
F1270-97(2013) Practice for Preparing and Locating Emergency Muster Lists, **01.07**
F1271-90(2012) Specification for Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, **01.07**
F1272 Not Assigned
F1273-91(2013) Specification for Tank Vent Flame Arresters, **01.07**
F1274 Withdrawn 2000; Specification for Fixed Wing Advanced Life Support Transport Units
F1275-14 Test Method for Performance of Griddles, **15.12**
F1276-99(2009) Test Method for Creep Relaxation of Laminated Composite Gasket Materials, **09.02**
F1277-02(2009) Test Method for Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, **09.02**
F1278-96(2008) Guide for Use and Handling of Flexible Retort Food Pouches in the Processing Environment, **15.10**
F1279-08(2014) Guide for Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces, **11.05**
F1280-14 Guide for Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces, **11.05**
F1281-11 Specification for Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, **08.04**
F1282-10 Specification for Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe, **08.04**
F1283 Withdrawn 2000; Specification for Fixed Wing Specialized Medical Transport Units
F1284-09 Test Method for Evaluating Carpet Embedded Dirt Removal Effectiveness of Residential Central Vacuum Cleaning Systems, **15.08**
F1285-13 Guide for Training the Emergency Medical Technician to Perform Patient Examination Techniques, **13.02**
F1286-90(2009) Guide for Development and Operation of Level 1 Pediatric Trauma Facilities, **13.02**
F1287-90(2012) Guide for Scope of Performance of First Responders Who Provide Emergency Medical Care, **13.02**
F1288-90(2009) Guide for Planning for and Response to a Multiple Casualty Incident, **13.02**
F1289 Withdrawn 2000; Practice for Development of Literature Pertaining to the Selection of Residential Resilient Floor Coverings
F1290-98a(2011) Practice for Electrofusion Joining Polyolefin Pipe and Fittings, **08.04**
F1291-10 Test Method for Measuring the Thermal Insulation of Clothing Using a Heated Manikin, **11.03**
F1292-13 Specification for Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment, **15.07**
F1293 Withdrawn 2000; Test Method for Evaluation of Coated Transparent Plastics Subjected to Cyclic Flexural/Thermal Fatigue
F1294-97a(2009) Terminology Relating to Automatic Identification Hard Copy Printing Systems, **15.09**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F1295-11 Specification for Wrought Titanium-6Aluminum-7Niobium Alloy for Surgical Implant Applications (UNS R56700), **13.01**
F1296-08 Guide for Evaluating Chemical Protective Clothing, **11.03**
F1297-90(2012) Guide for Location and Instruction Symbols for Evacuation and Lifesaving Equipment, **01.07**
F1298-90(2012) Specification for Flexible, Expansion-Type Ball Joints for Marine Applications, **01.07**
F1299 Withdrawn 1997; Specification for Food Service Equipment Hoods for Cooking Appliances
F1300 Not Assigned
F1301-90(2011)ε1 Practice for Labeling Chemical Protective Clothing, **11.03**
F1302 Withdrawn 1991; Practice for Abbreviated Marking of Plastic Consumer Products
F1303-04(2014) Specification for Sheet Vinyl Floor Covering with Backing, **15.04**
F1304-08(2013) Test Method for Deflection of Resilient Floor Tile, **15.04**
F1305 Withdrawn 2011; Guide for Classification of Amusement Ride and Device Related Injuries and Illnesses
F1306-90(2008)ε1 Test Method for Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates, **15.10**
F1307-02(2007) Test Method for Oxygen Transmission Rate Through Dry Packages Using a Coulometric Sensor, **15.10**
F1308-98(2014) Test Method for Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, **15.10**
F1309-98(2012) Practice for Installation Procedures for Fitting Chocks to Marine Machinery Foundations, **01.07**
F1310 Withdrawn 1996; Specification for 65-Gallon Dispensing Tank
F1311-90(2012) Specification for Large–Diameter Fabricated Carbon Steel Flanges, **01.07**
F1312-90(2013) Specification for Brick, Insulating, High Temperature, Fire Clay, **01.07**
F1313-90(2011) Specification for Volatile N-Nitrosamine Levels in Rubber Nipples on Pacifiers, **15.11**
F1314-13aε1 Specification for Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Manganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), **13.01**
F1315-00(2014) Test Method for Density of a Sheet Gasket Material, **09.02**
F1316-90(2013) Test Method for Measuring the Transmissivity of Transparent Parts, **15.03**
F1317-98(2012) Test Method for Calibration of Microwave Ovens, **15.10**
F1318-90(2009) Test Method for Determination of Productivity Using Electrostatic Copy Machines with Various Configurations, **15.09**
F1319-94(2011) Test Method for Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), **15.09**
F1320-01(2011) Test Method for Evaluating Thermal Paper Employing a Facsimile Thermal Printer as a Test Instrument, **15.09**
F1321-13ε1 Guide for Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, **01.07**
F1322-90(2009) Guide for Selection of Shipboard Incinerators, **01.07**
F1323-08 Specification for Shipboard Incinerators, **01.07**
F1324 Not Assigned
F1325-91(2008)ε1 Specification for Stainless Steel Suture Needle Holders-General Workmanship Requirements and Corresponding Test Methods, **13.01**
F1326-02(2011) Test Method for Measuring Maximum Dry Volume of Utility Vacuum Cleaners, **15.08**
F1327 Withdrawn 2007; Terminology Relating to Barrier Materials for Medical Packaging; Replaced by F17
F1328 Withdrawn 2006; Guide for Training Emergency Medical Technician (Basic) to Prepare Patients for Medical Transportation
F1329 Withdrawn 2006; Guide for Training the Emergency Medical Technician (Basic) in Basic Anatomy and Physiology
F1330-91(2012) Guide for Metallic Abrasive Blasting to Descale the Interior of Pipe, **01.07**
F1331-91(2012) Practice for Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, **01.07**
F1332-99(2011) Practice for Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), **01.07**
F1333-91(2013) Specification for Construction of Fire and Foam Station Cabinets, **01.07**
F1334-14 Test Method for Determining A-Weighted Sound Power Level of Vacuum Cleaners, **15.08**
F1335 Withdrawn 2011; Specification for Pressure-Rated Composite Pipe and Fittings for Elevated Temperature Service
F1336-07 Specification for Poly(Vinyl Chloride) (PVC) Gasketed Sewer Fittings, **08.04**
F1337-10 Practice for Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, **01.07**
F1338-91(2013) Guide for Main Propulsion Medium Speed Marine Diesel Engines Covering Performance and Minimum Scope of Assembly, **01.07**
F1339-92(2008) Guide for Organization and Operation of Emergency Medical Services Systems, **13.02**
F1340 Withdrawn 1997; Test Method for Determining the Mean Interface Trap Density of MOSFETs by Charge-Pumping
F1341 Withdrawn 2006; Specification for Unalloyed Titanium Wire UNS R50250, UNS R50400, UNS R50550, UNS R50700, for Surgical Implant Applications
F1342/F1342M-05(2013)ε1 Test Method for Protective Clothing Material Resistance to Puncture, **11.03**
F1343 Withdrawn 2011; Specification for Anesthetic Gas Scavenging Systems—Transfer and Receiving Systems
F1344-12ε1 Specification for Rubber Floor Tile, **15.04**
F1345-10a Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric, **01.06**
F1346-91(2010) Performance Specification for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, **15.11**
F1347-91(2012) Specification for Manually Operated Fueling Hose Reels, **01.07**
F1348/F1348M-91(2013) Specification for Pneumatic Rotary Descaling Machines, **01.07**
F1349-08(2014) Test Method for Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, **15.10**
F1350-08 Specification for Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Surgical Fixation Wire (UNS S31673), **13.01**
F1351-96(2013) Practice for Determination of the Effect of Hard Creasing Paper on Images Produced by Business Imaging Systems, **15.09**
F1352-08(2013) Guide for Fixed Blade Broadhead Performance and Safety Standards, **15.07**
F1353 Withdrawn 1995; Specification for Frozen Finely Ground Chicken
F1354 Withdrawn 1995; Specification for Frozen Precooked Imitation Crab Products
F1355-06(2014) Guide for Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, **12.02**
F1356-08 Practice for Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, **12.02**
F1357-09 Specification for Articulating Total Wrist Implants, **13.01**
F1358-08 Test Method for Effects of Flame Impingement on Materials Used in Protective Clothing Not Designated Primarily for Flame Resistance, **11.03**
F1359/F1359M-13 Test Method for Liquid Penetration Resistance of Protective Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, **11.03**
F1360-06(2012) Specification for Ovens, Microwave, Electric, **15.12**
F1361-07(2013) Test Method for Performance of Open Deep Fat Fryers, **15.12**
F1362-13 Test Method for Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, **15.03**
F1363-07(2011) Guide for Reduction of Risk of Injury for Archery Overdraws, **15.07**
F1364-03(2010) Practice for Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, **09.02**
F1365-91(2013) Test Method for Water Infiltration Resistance of Plastic Underground Conduit Joints Which Use Flexible Elastomeric Seals, **08.04**
F1366 Withdrawn 2003; Test Method for Measuring Oxygen Concentration in Heavily Doped Silicon Substrates by Secondary Ion Mass Spectrometry
F1367-98(2011) Specification for Chromium Sputtering Targets for Thin Film Applications, **10.04**
F1368 Withdrawn 2000; Test Method for Determining the Sieving Performance of a Fluid Filter Medium Employing An Aqueous Suspension of Microspheres and a Spectrophotometer
F1369 Withdrawn 2002; Specification for Heaters, Convection, Steam and Hot Water
F1370-92(2011) Specification for Pressure-Reducing Valves for Water Systems, Shipboard, **01.07**
F1371-13 Specification for Vegetable Peeling Machines, Electric, **15.12**
F1372-93(2012) Test Method for Scanning Electron Microscope (SEM) Analysis of Metallic Surface Condition for Gas Distribution System Components, **10.04**
F1373-93(2012) Test Method for Determination of Cycle Life of Automatic Valves for Gas Distribution System Components, **10.04**
F1374-92(2012) Test Method for Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, **10.04**
F1375-92(2012) Test Method for Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, **10.04**
F1376-92(2012) Guide for Metallurgical Analysis for Gas Distribution System Components, **10.04**
F1377-13 Specification for Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), **13.01**
F1378-12 Specification for Shoulder Prostheses, **13.01**
F1379-95(2013) Terminology Relating to Barbed Tape, **01.06**
F1380 Withdrawn 2008; Specification for Metal Insert Fittings for Polybutylene (PB) Tubing
F1381 Withdrawn 2008; Guide for Planning and Developing 9-1-1 Enhanced Telephone Systems
F1382 Withdrawn 2002; Specification for Search and Rescue Computer Software Information Exchange
F1383-12 Test Method for Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Intermittent Contact, **11.03**
F1384 Withdrawn 2002; Test Method for Fire Tests of Marine Joiner Doors
F1385-07(2012) Practice for Platforms in Cargo Tanks, **01.07**
F1386-92(2010) Guide for Construction of Sounding Tube and Striker Plate for Tank Sounding, **01.07**
F1387-99(2012) Specification for Performance of Piping and Tubing Mechanically Attached Fittings, **01.07**
F1388 Withdrawn 2003; Test Method for Generation Lifetime and Generation

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Velocity of Silicon Material by Capacitance-Time Measurements of Metal-Oxide-Silicon (MOS) Capacitors
F1389 Withdrawn 2003; Test Methods for Photoluminescence Analysis of Single Crystal Silicon for III-V Impurities
F1390 Withdrawn 2003; Test Method for Measuring Warp on Silicon Wafers by Automated Noncontact Scanning
F1391 Withdrawn 2003; Test Method for Substitutional Atomic Carbon Content of Silicon by Infrared Absorption
F1392 Withdrawn 2003; Test Method for Determining Net Carrier Density Profiles in Silicon Wafers by Capacitance-Voltage Measurements With a Mercury Probe
F1393 Withdrawn 2003; Test Method for Determining Net Carrier Density in Silicon Wafers by Miller Feedback Profiler Measurements With a Mercury Probe
F1394-92(2012) Test Method for Determination of Particle Contribution from Gas Distribution System Valves, **10.04**
F1395 Not Assigned
F1396-93(2012) Test Method for Determination of Oxygen Contribution by Gas Distribution System Components, **10.04**
F1397-93(2012) Test Method for Determination of Moisture Contribution by Gas Distribution System Components, **10.04**
F1398-93(2012) Test Method for Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, **10.04**
F1399 Not Assigned
F1400 Not Assigned
F1401 Not Assigned
F1403 Not Assigned
F1404-92(2007) Test Method for Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, **10.04**
F1405-08(2013) Test Method for Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, **15.09**
F1406 Withdrawn 1995; Specification for Breaded, Cooked, Frozen Chicken Patties and Nuggets
F1407-12 Test Method for Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, **11.03**
F1408-97(2013) Practice for Subcutaneous Screening Test for Implant Materials, **13.01**
F1409-00(2010) Test Method for Straight Line Movement of Vacuum Cleaners While Cleaning Carpets, **15.08**
F1410-98(2011) Test Method for Measuring Maximum Functional Wet Volume of Utility Vacuum Cleaners, **15.08**
F1411-11 Practice for Presenting Selected Information on Vacuum Cleaners for Consumer Use, **15.08**
F1412-09 Specification for Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, **08.04**
F1413-07(2013) Guide for Oil Spill Dispersant Application Equipment: Boom and Nozzle Systems, **11.05**
F1414-13 Test Method for Measurement of Cut Resistance to Chain Saw in Lower Body (Legs) Protective Clothing, **11.03**
F1415 Withdrawn 2005; Specification for Pulse Oximeters
F1416-96(2014) Guide for Selection of Time-Temperature Indicators, **15.10**
F1417-11a Practice for Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, **08.04**
F1418 Withdrawn 2007; Guide for Training the Emergency Medical Technician (Basic) in Roles and Responsibilities
F1419 Withdrawn 2006; Guide for Training the Emergency Medical Technician (Basic) To Manage Shock
F1420 Withdrawn 2007; Training the Emergency Medical Technician (Basic) to Perform Patient Management Techniques
F1421 Withdrawn 2007; Guide for Training the Emergency Medical Technician (Basic) To Manage Obstetrical Emergencies
F1422-08(2014) Guide for Using the Incident Command System Framework in Managing Search and Rescue Operations, **13.02**
F1423-09 Practice for Determination of the Quality of Monochrome Images Produced from Non-Impact Personal Computer Printers, **15.09**
F1424-92(2011) Test Method for Estimating Toner Usage in Full-Color Copiers Utilizing Dry Mono- or Dual-Component Toners, **15.09**
F1425-06(2011) Test Method for Determining the Tribocharge of Two-Component Developer Materials, **15.09**
F1426-11 Practice for Identifying Tire Tread Surface Irregular Wear Patterns Resulting from Tire Use, **09.02**
F1427-13 Consumer Safety Specification for Bunk Beds, **15.11**
F1428-92(2011) Specification for Aluminum Particle-Filled Basecoat/Organic or Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, **01.08**
F1429-99(2009) Test Method for Assembly Force of Plastic Underground Conduit Joints That Use Flexible Elastomeric Seals Located in the Bell, **08.04**
F1430/F1430M-10 Test Method for Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments, **10.03**
F1431-92(2010) Specification for Water Trap for Diesel Exhaust, **01.07**
F1432 Not Assigned
F1433-97(2010) Specification for Mechanically Refrigerated Shipboard Air Conditioner, **01.07**
F1434-97(2013) Practice for Estimating the Performance of a Fuser Oil in an Electrostatic Copier or Printer, **15.09**
F1435-08(2013) Specification for Designation of the Balance Point Location for Archery Arrows, **15.07**
F1436-11 Guide for Center Serving Diameter Dimensions for Archery Bow Strings, **15.07**
F1437 Withdrawn 2010; Practice for Inclined Cargo Tank Ladders
F1438-93(2012) Test Method for Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, **10.04**
F1439-03(2013) Guide for Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, **13.01**
F1440 Withdrawn 2012; Practice for Cyclic Fatigue Testing of Metallic Stemmed Hip Arthroplasty Femoral Components Without Torsion
F1441-03(2009) Specification for Soft-Tissue Expander Devices, **13.01**
F1442-92(2009) Practice for Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, **15.09**
F1443-93(2009) Practice for Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, **15.09**
F1444-00(2009) Test Method for Determining Dynamic Thermal Response of Direct Thermal Paper-Label Printer Method, **15.09**
F1445-00(2009) Test Method for Determining Static Thermal Sensitivity of Direct Thermal Media, **15.09**
F1446-13 Test Methods for Equipment and Procedures Used in Evaluating the Performance Characteristics of Protective Headgear, **15.07**
F1447-12 Specification for Helmets Used in Recreational Bicycling or Roller Skating, **15.07**
F1448-12 Guide for Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, **15.08**
F1449-08 Guide for Industrial Laundering of Flame, Thermal, and Arc Resistant Clothing, **11.03**
F1450-12a Test Methods for Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, **15.08**
F1451 Withdrawn 2003; Test Method for Measuring Sori on Silicon Wafers by Automated Noncontact Scanning
F1452 Withdrawn 2006; Specification for Minimum Performance and Safety Requirements for Anesthetic Gas Monitors
F1453-92(2012) Guide for Training and Evaluation of First Responders Who Provide Emergency Medical Care, **13.02**
F1454-99(2008) Practice for Comparing Correctable Film Ribbons, **15.09**
F1455-92(2011) Guide for Selection of Structural Details for Ship Construction, **01.07**
F1456 Withdrawn 2006; Specification for Minimum Performance and Safety Requirements for Capnometers
F1457-94b(2011) Terminology Relating to Laser Printers, **15.09**
F1458-04(2008) Test Method for Measurement of Cut Resistance to Chain Saw of Foot Protective Devices, **11.03**
F1459-06(2012) Test Method for Determination of the Susceptibility of Metallic Materials to Hydrogen Gas Embrittlement (HGE), **15.03**
F1460-07(2013) Practice for Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, **11.05**
F1461-12 Practice for Chemical Protective Clothing Program, **11.03**
F1462 Withdrawn 2002; Specification for Oxygen Analyzers; Replaced by ANS/ISO 7767-1997
F1463 Withdrawn 2006; Specification for Alarm Signals in Medical Equipment Used in Anesthesia and Respiratory Care
F1464 Withdrawn 2014; Specification for Oxygen Concentrators for Domiciliary Use
F1465 Withdrawn 2011; Guide for Selection of Security Control Systems
F1466-99(2010) Specification for Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, **10.04**
F1467-11 Guide for Use of an X-Ray Tester (≈10 keV Photons) in Ionizing Radiation Effects Testing of Semiconductor Devices and Microcircuits, **10.04**
F1468-04a(2010) Practice for Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, **15.08**
F1469-11 Guide for Conducting a Repeatability and Reproducibility Study on Test Equipment for Nondestructive Testing, **01.08**
F1470-12 Practice for Fastener Sampling for Specified Mechanical Properties and Performance Inspection, **01.08**
F1471-09 Test Method for Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, **11.07**
F1472-08ε1 Specification for Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), **13.01**
F1473-13 Test Method for Notch Tensile Test to Measure the Resistance to Slow Crack Growth of Polyethylene Pipes and Resins, **08.04**
F1474 Withdrawn 2003; Test Method for Slow Crack Growth Resistance of Notched Polyethylene Plastic Pipe
F1475 Withdrawn 1998; Specification for Dispensing Tanks, 250 Liter Maximum
F1476-07(2013) Specification for Performance of Gasketed Mechanical Couplings for Use in Piping Applications, **01.07**
F1477 Not Assigned
F1478-06(2011) Test Method for Determination of Abrasion Resistance of Images Produced from Copiers and Printers (Taber Method), **15.09**
F1479 Withdrawn 2007; Terminology Relating to Microwave Food Packaging; Replaced by F17
F1480 Withdrawn 2000; Guide for Preparing a Chart for Presenting Residential Resilient Floor Covering Information to the Consumer
F1481 Withdrawn 2010; Guide for Ecological Considerations for the Use of Bioremediation in Oil Spill Response—Sand and Gravel Beaches
F1482-04(2009)ε1 Practice for Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, **15.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F1483-12 Specification for Oriented Poly(Vinyl Chloride), PVCO, Pressure Pipe, **08.04**
F1484-12 Test Methods for Performance of Steam Cookers, **15.12**
F1485 Not Assigned
F1486-96(2013) Practice for Determination of Abrasion and Smudge Resistance of Images Produced from Office Products (GA-CAT Method), **15.09**
F1487-11 Consumer Safety Performance Specification for Playground Equipment for Public Use, **15.11**
F1488-09ε1 Specification for Coextruded Composite Pipe, **08.04**
F1489 Withdrawn 2003; Guide for Performance of Patient Assessment by the Emergency Medical Technician (Paramedic)
F1490 Withdrawn 2010; Terminology Relating to Search and Rescue
F1491 Withdrawn 2007; Specification for an Avalanche Beacon Frequency
F1492-08 Specification for Helmets Used in Skateboarding and Trick Roller Skating, **15.07**
F1493-93(2008) Guide for Financing and Financial Accountability of Medical Transportation Systems, **13.02**
F1494-13 Terminology Relating to Protective Clothing, **11.03**
F1495-14a Specification for Combination Oven Electric or Gas Fired, **15.12**
F1496-13 Test Method for Performance of Convection Ovens, **15.12**
F1497 Withdrawn 2008; Test Method for Determining Laser Resistance of the Shaft of Tracheal Tubes
F1498-08(2012)ε1 Specification for Taper Pipe Threads 60° for Thermoplastic Pipe and Fittings, **08.04**
F1499-12 Specification for Coextruded Composite Drain, Waste, and Vent Pipe (DWV), **08.04**
F1500-98(2014) Test Method for Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, **15.10**
F1501 Withdrawn 2000; Test Method for Tension Testing of Calcium Phosphate Coatings; Replaced by F1147
F1502-05(2010) Test Method for Static Measurements on Tires for Passenger Cars, Light Trucks, and Medium Duty Vehicles, **09.02**
F1503-02(2012) Practice for Machine/Process Capability Study Procedure, **01.08**
F1504-10 Specification for Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, **08.04**
F1505-10 Specification for Insulated and Insulating Hand Tools, **10.03**
F1506-10a Performance Specification for Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards, **10.03**
F1507-99(2011) Specification for Surge Suppressors for Shipboard Use, **01.07**
F1508-96(2010) Specification for Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, **01.07**
F1509-94(2009) Test Methods for Determining Acceptability of Ribbon Welds in Fabric Cartridges, **15.09**
F1510-07(2013) Specification for Rotary Positive Displacement Pumps, Ships Use, **01.07**
F1511-13 Specification for Mechanical Seals for Shipboard Pump Applications, **01.07**
F1512-94(2011) Practice for Ultrasonic C-Scan Bond Evaluation of Sputtering, **10.04**
F1513-99(2011) Specification for Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, **10.04**
F1514-03(2013) Test Method for Measuring Heat Stability of Resilient Flooring by Color Change, **15.04**
F1515-03(2008) Test Method for Measuring Light Stability of Resilient Flooring by Color Change, **15.04**
F1516-13 Practice for Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), **15.04**
F1517-14 Guide for Scope of Performance of Emergency Medical Services Ambulance Operators, **13.02**
F1518 Withdrawn 2009; Practice for Cleaning and Disinfection of Flexible Fiberoptic and Video Endoscopes Used in the Examination of the Hollow Viscera
F1519-98(2014) Test Method for Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, **15.10**
F1520-94(2008) Test Method for Determining the Drive Torque for Film and Fabric Ribbon Cartridges, **15.09**
F1521-12 Test Methods for Performance of Range Tops, **15.12**
F1522 Withdrawn 2007; Guide for Use of the Steam Stripping Process in Mitigating Chemical Spills
F1523-94(2013) Guide for Selection of Booms in Accordance With Water Body Classifications, **11.05**
F1524-95(2013) Guide for Use of Advanced Oxidation Process for the Mitigation of Chemical Spills, **11.05**
F1525/F1525M-09 Guide for Use of Membrane Technology in Mitigating Hazardous Chemical Spills, **11.05**
F1526 Withdrawn 2003; Test Method for Measuring Surface Metal Contamination on Silicon Wafers by Total Reflection X-Ray Fluorescence Spectroscopy
F1527 Withdrawn 2003; Guide for Application of Certified Reference Materials and Reference Wafers for Calibration and Control of Instruments for Measuring Resistivity of Silicon
F1528 Withdrawn 2003; Test Method for Measuring Boron Contamination in Heavily Doped N-Type Silicon Substrates by Secondary Ion Mass Spectrometry
F1529 Withdrawn 2003; Test Method for Sheet Resistance Uniformity Evaluation by In-Line Four-Point Probe with the Dual-Configuration Procedure
F1530 Withdrawn 2003; Test Method for Measuring Flatness, Thickness, and Thickness Variation on Silicon Wafers by Automated Noncontact Scanning
F1531 Withdrawn 2003; Test Method for Comparing Printer or Copier Cartridges
F1532 Withdrawn 2001; Guide for Qualification, Selection, Training, Utilization, and Supervision of Security Screening Personnel
F1533-01(2009) Specification for Deformed Polyethylene (PE) Liner, **08.04**
F1534-10 Test Method for Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, **15.08**
F1535 Withdrawn 2003; Test Method for Carrier Recombination Lifetime in Silicon Wafers by Noncontact Measurement of Photoconductivity Decay by Microwave Reflectance
F1536-95(2010) Test Method for Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, **13.01**
F1537-11 Specification for Wrought Cobalt-28Chromium-6Molybdenum Alloys for Surgical Implants (UNS R31537, UNS R31538, and UNS R31539), **13.01**
F1538-03(2009) Specification for Glass and Glass Ceramic Biomaterials for Implantation, **13.01**
F1539 Withdrawn 2000; Test Method for Constant Amplitude Bending Fatigue Tests of Metallic Bone Staples; Replaced by F564
F1540 Withdrawn 2000; Test Method for Pull-Out Fixation Strength of Metallic Bone Staples; Replaced by F564
F1541-02(2011)ε1 Specification and Test Methods for External Skeletal Fixation Devices, **13.01**
F1542 Withdrawn 2009; Specification for Requirements and Disclosure of Self-Closing Aneurysm Clips
F1543-96(2007) Specification for Shock Attenuation Properties of Fencing Surfaces, **15.07**
F1544-11 Specification for Determining the Rating Velocities of a Compound Archery Bow, **15.07**
F1545-97(2009) Specification for Plastic-Lined Ferrous Metal Pipe, Fittings, and Flanges, **08.04**
F1546-96(2012)ε1 Specification for Fire Hose Nozzles, **01.07**
F1547-09 Guide Listing Relevant Standards and Publications for Commercial Shipbuilding, **01.07**
F1548-01(2012) Specification for Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications, **01.07**
F1549-94(2011) Terminology Relating to Underwater Search, Rescue, and Recovery Activities, **13.02**
F1550-10 Test Method for Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, **15.08**
F1551-09 Test Methods for Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, **15.07**
F1552-94(2009) Practice for Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, **13.02**
F1553-11 Guide for Specifying Chain Link Fence, **01.06**
F1554-07aε1 Specification for Anchor Bolts, Steel, 36, 55, and 105-ksi Yield Strength, **01.08**
F1555-94(2007) Guide for Characteristics for Extremity Splints, **13.02**
F1556-94(2007) Guide for Spinal Immobilization and Extrication (SPINE) Device Characteristics, **13.02**
F1557-94(2007) Guide for Full Body Spinal Immobilization Devices (FBSID) Characteristics, **13.02**
F1558-94(2007) Guide for Characteristics for Adjunct Cervical Spine Immobilization Devices (ACSID), **13.02**
F1559-94(2007) Guide for Characteristics for Cervical Spine Immobilization Collar(s) (CSIC), **13.02**
F1560-00(2014) Practice for Emergency Medical Dispatch Management, **13.02**
F1561-03(2008) Performance Requirements for Plastic Chairs for Outdoor Use, **15.11**
F1562-14 Guide for Use-Oriented Foreign Language Instruction, **15.11**
F1563-01(2011) Specification for Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, **08.04**
F1564-13 Specification for Structure-Mounted Insulating Work Platforms for Electrical Workers, **10.03**
F1565-00(2013) Specification for Pressure-Reducing Valves for Steam Service, **01.07**
F1566-09 Test Methods for Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, **15.11**
F1567-94(2013) Specification for Fabricated or Cast Automatic Self-Cleaning, Fuel Oil and Lubricating Oil Strainers, **01.07**
F1568-12 Specification for Food Processors, Electric, **15.12**
F1569 Withdrawn 2003; Guide for Generation of Consensus Reference Materials for Semiconductor Technology
F1570 Withdrawn 2007; Test Method for Determining the Tactile Ratio of a Membrane Switch
F1571-95(2008) Test Method for Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), **15.09**
F1572-08 Test Methods for Tire Performance Testing on Snow and Ice Surfaces, **09.02**
F1573 Withdrawn 2009; Specification for Anesthetic Equipment—Oropharyngeal and Nasopharyngeal Airways

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F1574-03a(2009) Test Method for Compressive Strength of Gaskets at Elevated Temperatures, **09.02**
F1575-03(2008) Test Method for Determining Bending Yield Moment of Nails, **01.08**
F1576 Withdrawn 1998; Guide for Selection of Security Control Systems, Part II—Defining the Central Control System; Replaced by F1465
F1577-05(2012) Test Methods for Detention Locks for Swinging Doors, **15.08**
F1578-07 Test Method for Contact Closure Cycling of a Membrane Switch, **10.04**
F1579 Withdrawn 2011; Specification for Polyaryletherketone (PAEK) Polymers for Surgical Implant Applications
F1580-12 Specification for Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants, **13.01**
F1581-08(2012) Specification for Composition of Anorganic Bone for Surgical Implants, **13.01**
F1582-98(2011) Terminology Relating to Spinal Implants, **13.01**
F1583-95(2012) Practice for Communications Procedures—Phonetics, **13.02**
F1584 Withdrawn 2012; Practice for Marking Buildings During Disaster Search Operations
F1585 Withdrawn 2006; Guide for Integrity Testing of Porous Barrier Medical Packages
F1586-13ε1 Specification for Wrought Nitrogen Strengthened 21Chromium—10Nickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), **13.01**
F1587-12a Specification for Head and Face Protective Equipment for Ice Hockey Goaltenders, **15.07**
F1588-96(2011) Test Method for Constant Tensile Load Joint Test (CTLJT), **08.04**
F1589 Withdrawn 2003; Test Method for Determination of the Critical Pressure for Rapid Crack Propagation in Plastic Pipe
F1590 Withdrawn 2003; Specification for Tracheostomy Tube Connectors; Replaced by F2288, F2289
F1591-95(2012) Practice for Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, **13.02**
F1592-12 Test Methods for Detention Hollow Metal Vision Systems, **15.08**
F1593-08 Test Method for Trace Metallic Impurities in Electronic Grade Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer, **10.04**
F1594-95(2011) Specification for Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, **10.04**
F1595-00(2012) Practice for Viewing Conditions for Visual Inspection of Membrane Switches, **10.04**
F1596-07 Test Method for Exposure of Membrane Switches to Temperature and Relative Humidity, **10.04**
F1597 Withdrawn 2008; Test Method for Determining the Actuation Force and Contact Force of a Membrane Switch; Replaced by F2592
F1598-95(2007) Test Method for Determining the Effects of Chemical/Solvent Exposure to a Membrane Switch/Graphic Overlay (Spot Test Method), **10.04**
F1599-95(2009) Guide for Collecting Performance Data on Temporary Storage Devices, **11.05**
F1600 Withdrawn 2014; Terminology Relating to Bioremediation
F1601-01(2011) Test Method for Motor Life Evaluation of an Electric Motorized Nozzle for Central Vacuum Cleaning Systems, **15.08**
F1602-12 Specification for Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, **15.12**
F1603-12 Specification for Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7 L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, **15.12**
F1604-09 Specification for Freezers, Ice Cream, Soft Serve, Shake, **15.12**
F1605-14 Test Method for Performance of Double-Sided Griddles, **15.12**
F1606-05 Practice for Rehabilitation of Existing Sewers and Conduits with Deformed Polyethylene (PE) Liner, **08.04**
F1607-95(2013) Guide for Reporting of Test Performance Data for Oil Spill Response Pumps, **11.05**
F1608-00(2009) Test Method for Microbial Ranking of Porous Packaging Materials (Exposure Chamber Method), **15.10**
F1609-08(2014) Specification for Calcium Phosphate Coatings for Implantable Materials, **13.01**
F1610 Withdrawn 2000; Test method for Soft Tissue Fixation Strength of Metallic Bone Staples; Replaced by F564
F1611-00(2013) Specification for Intramedullary Reamers, **13.01**
F1612 Withdrawn 2011; Practice for Cyclic Fatigue Testing of Metallic Stemmed Hip Arthroplasty Femoral Components with Torsion
F1613-95(2008)ε1 Specification for Surgical Tissue/Dressing/Pick-Up Forceps (Thumb Type), **13.01**
F1614 *Withdrawn 2014; Test Method for Shock Attenuating Properties of Materials Systems for Athletic Footwear; Replaced by F1976*, **15.07**
F1615-95(2009) Specification for Cautionary Labeling for Five-Gallon Open-Head Plastic Containers, **15.11**
F1616-95(2009) Guide for Scope of Performance of First Responders Who Practice in the Wilderness or Delayed or Prolonged Transport Settings, **13.02**
F1617 Withdrawn 2003; Test Method for Measuring Surface Sodium, Aluminum, Potassium, and Iron on Silicon and EPI Substrates by Secondary Ion Mass Spectrometry
F1618 Withdrawn 2003; Practice for Determination of Uniformity of Thin Films on Silicon Wafers
F1619 Withdrawn 2003; Test Method for Measurement of Interstitial Oxygen Content of Silicon Wafers by Infrared Absorption Spectroscopy with p-Polarized Radiation Incident at the Brewster Angle
F1620 Withdrawn 2003; Practice for Calibrating a Scanning Surface Inspection System Using Monodisperse Polystyrene Latex Spheres Deposited on Polished or Epitaxial Wafer Surfaces
F1621 Withdrawn 2003; Practice for Determining the Positional Accuracy Capabilities of a Scanning Surface Inspection System
F1622 Withdrawn 2001; Test Method for Measuring the Torsional Properties in Metallic Bone Screws; Replaced by F543
F1623-96(2013) Terminology Relating to Thermal Imaging Products, **15.09**
F1624-12 Test Method for Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, **15.03**
F1625-00(2012) Specification and Test Method for Rear-Mounted Bicycle Child Carriers, **15.07**
F1626 Withdrawn 2007; Practice for Preparing Shipboard Fire Control Plans
F1627 Withdrawn 2003; Specification for Tracheostomy Tubes–Pediatric Tracheostomy Tubes; Replaced by F2289
F1628 Withdrawn 2008; Specification for Labeling and Marking of Cuffed and Uncuffed Tracheal Tubes and Related Treatments Intended for Use During Laser Surgery
F1629-95(2007) Guide for Establishing Operating Emergency Medical Services and Management Information Systems, or Both, **13.02**
F1630 Withdrawn 2003; Test Method for Low Temperature FT-IR Analysis of Single Crystal Silicon for III-V Impurities
F1631 Withdrawn 2003; Test Method for Impact Attenuation Properties of Body Padding and Protective Wear for the Sport of Fencing
F1632-03(2010) Test Method for Particle Size Analysis and Sand Shape Grading of Golf Course Putting Green and Sports Field Rootzone Mixes, **15.07**
F1633-97(2008) Guide for Techniques in Land Search, **13.02**
F1634-95(2008) Practice for ***In-Vitro*** Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, **13.01**
F1635-11 Test Method for *in vitro* Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, **13.01**
F1636 Withdrawn 2001; Specification for Bores and Cones for Modular Femoral Heads
F1637-13 Practice for Safe Walking Surfaces, **15.07**
F1638-95(2008)ε1 Terminology for Surgical Tissue/Dressing/Pick-Up Forceps (Thumb-Type), **13.01**
F1639 Withdrawn 2012; Test Method for Performance of Combination Ovens; Replaced by F2861
F1640-09 Guide for Selection and Use of Packaging Materials for Foods to Be Irradiated, **12.02**
F1641 Withdrawn 2004; Test Method for Measuring Penetration Resistance of Security Glazing Using a Pendulum Impactor
F1642-12 Test Method for Glazing and Glazing Systems Subject to Airblast Loadings, **15.08**
F1643-05(2012) Test Methods for Detention Sliding Door Locking Device Assembly, **15.08**
F1644 Withdrawn 2010; Guide for Health and Safety Training of Oil Spill Responders
F1645/F1645M-12 Test Method for Water Migration in Honeycomb Core Materials, **15.03**
F1646-13 Terminology Relating to Safety and Traction for Footwear, **15.07**
F1647-11 Test Methods for Organic Matter Content of Athletic Field Rootzone Mixes, **15.07**
F1648-95(2013) Test Methods for Archery Bowstring Component—Serving String Material, **15.07**
F1649-13 Test Methods for Evaluating Wet Braking Traction Performance of Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, **09.02**
F1650-98(2014)ε1 Practice for Evaluating Tire Traction Performance Data Under Varying Test Conditions, **09.02**
F1651-95(2009) Guide for Training the Emergency Medical Technician (Paramedic), **13.02**
F1652-95(2007) Guide for Providing Essential Data Needed in Advance for Prehospital Emergency Medical Services, **13.02**
F1653-95(2012) Guide for Scope of Performance of Triage in a Prehospital Environment, **13.02**
F1654-95(2012) Guide for Training and Evaluation of Individuals Who are Responsible for or Perform Triage in a Prehospital Environment, **13.02**
F1655-95(2013) Guide for Training First Responders Who Practice in Wilderness, Delayed, or Prolonged Transport Settings, **13.02**
F1656 Withdrawn 2010; Guide for Health and Safety Training of Oil Spill Responders in the United States
F1657/F1657M-96(2012)ε1 Practice for Emergency Joining of Booms with Incompatible Connectors, **11.05**
F1658 Withdrawn 2000; Test Method for Shear Testing of Calcium Phosphate Coatings; Replaced by F1044
F1659 Withdrawn 2005; Test Method for Bending and Shear Fatigue Testing of Calcium Phosphate Coatings on Solid Metallic Substrates
F1660 Withdrawn 2000; Test Method for Elastic Static Bending of Metallic Bone Staples; Replaced by F564
F1661-09 Test Method for Determining the Contact Bounce Time of a Membrane Switch, **10.04**
F1662-10 Test Method for Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, **10.04**
F1663-09 Test Method for Determining the Capacitance of a Membrane Switch, **10.04**
F1664-08(2013) Specification for Poly(Vinyl Chloride) (PVC) and Other

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence, **01.06**

F1665-08(2013) Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence, **01.06**

F1666 Withdrawn 2003; Specification for Adult Tracheostomy Tubes

F1667-11aε1 Specification for Driven Fasteners: Nails, Spikes, and Staples, **01.08**

F1668-08 Guide for Construction Procedures for Buried Plastic Pipe, **08.04**

F1669M-12 Specification for Insulation Monitors for Shipboard Electrical Systems Metric, **01.07**

F1670/F1670M-08(2014)ε1 Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood, **11.03**

F1671/F1671M-13 Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, **11.03**

F1672-14 Specification for Resurfacing Patellar Prosthesis, **13.01**

F1673-10 Specification for Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, **08.04**

F1674-11 Test Method for Joint Restraint Products for Use with PVC Pipe, **08.04**

F1675-13 Practice for Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, **08.04**

F1676 Withdrawn 2010; Specification for Basic Tumbling Mats

F1677 Withdrawn 2006; Test Method for Using a Portable Inclineable Articulated Strut Slip Tester (PIAST)

F1678 Withdrawn 2005; Test Method for Using a Portable Articulated Strut Slip Tester (PAST)

F1679 Withdrawn 2006; Test Method for Using a Variable Incidence Tribometer (VIT)

F1680-07a Test Method for Determining Circuit Resistance of a Membrane Switch, **10.04**

F1681-14 Test Method for Determining Current Carrying Capacity of a Membrane Switch Circuit, **10.04**

F1682 Withdrawn 2008; Test Method for Determining Travel of a Membrane Switch; Replaced by F2592

F1683-09 Practice for Creasing or Bending a Membrane Switch, Membrane Switch Flex Tail Assembly or Membrane Switch Component, **10.04**

F1684-06(2011) Specification for Iron-Nickel and Iron-Nickel-Cobalt Alloys for Low Thermal Expansion Applications, **10.04**

F1685-00(2013) Specification for Pressure-Reducing Manifolds for Air or Nitrogen Systems, **01.07**

F1686-09ε1 Guide for Surveys to Document and Assess Oiling Conditions on Shorelines, **11.05**

F1687-09 Guide for Terminology and Indices to Describe Oiling Conditions on Shorelines, **11.05**

F1688 Withdrawn 1999; Guide for Estimating Oil Spill Recovery System Effectiveness; Superseded by F 1780

F1689-05(2012) Test Method for Determining the Insulation Resistance of a Membrane Switch, **10.04**

F1690 Withdrawn 2013; Specification for Humidifiers for Medical Use—Part 1: General Requirements for Active Humidification Systems

F1691 Withdrawn 2001; Test Method for Determining the Axial Pull-Out Strength of Medical Bone Screws; Replaced by F543

F1692-01(2011) Test Method for Life Evaluation of a Turbine-Powered Nozzle for Household Central Vacuum Cleaning Systems, **15.08**

F1693-13 Guide for Consideration of Bioremediation as an Oil Spill Response Method on Land, **11.05**

F1694-14 Guide for Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, **15.07**

F1695-03(2008) Test Method for Performance of Underfired Broilers, **15.12**

F1696-07 Test Method for Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, **15.12**

F1697-09 Specification for Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, **08.04**

F1698-02(2008) Practice for Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, **08.04**

F1699-96(2008) Classification for Passive Fiber Optic Seals, **15.08**

F1700-13a Specification for Solid Vinyl Floor Tile, **15.04**

F1701-12 Specification for Unused Rope with Special Electrical Properties, **10.03**

F1702-10 Test Method for Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus, **15.07**

F1703-13 Guide for Skating and Ice Hockey Playing Facilities, **15.07**

F1704-12 Test Method for Capture and Containment Performance of Commercial Kitchen Exhaust Ventilation Systems, **15.12**

F1705-96(2012) Guide for Training Emergency Medical Services Ambulance Operations, **13.02**

F1706 Withdrawn 2008; Practice for Determining Energy Consumption of Nonimpact Personal Computer Printers; Replaced by F2494

F1707 Withdrawn 2008; Practice for Determining Energy Consumption of Facsimile Machines; Replaced by F2495

F1708 Withdrawn 2003; Practice for Evaluation of Granular Polysilicon by Melter-Zoner Spectroscopies

F1709-97(2008) Specification for High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, **10.04**

F1710-08 Test Method for Trace Metallic Impurities in Electronic Grade Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, **10.04**

F1711-96(2008) Practice for Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, **10.04**

F1712-11 Specification for Steel Chain-Link Fencing Materials Used for High Security Applications, **01.06**

F1713-08(2013) Specification for Wrought Titanium-13Niobium-13Zirconium Alloy for Surgical Implant Applications (UNS R58130), **13.01**

F1714-96(2013) Guide for Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, **13.01**

F1715 Withdrawn 2006; Guide for Wear Assessment of Prosthetic Knee Designs in Simulator Devices

F1716-96(2008) Guide for Transition and Performance of Marine Software Systems Maintenance, **01.07**

F1717-14 Test Methods for Spinal Implant Constructs in a Vertebrectomy Model, **13.01**

F1718-01(2013) Specification for Rotary Positive Displacement Distillate Fuel Pumps, **01.07**

F1719-96(2008) Specification for Image-Interactive Stereotactic and Localization Systems, **13.01**

F1720-06(2011) Test Method for Measuring Thermal Insulation of Sleeping Bags Using a Heated Manikin, **15.07**

F1721-04(2009) Practices for Determining Stability of Direct Thermal Imaging Products, **15.09**

F1722-09 Test Method for Determining Mass and Moment of Inertia of Alpine Skis, **15.07**

F1723 Withdrawn 2003; Practice for Evaluation of Polycrystalline Silicon Rods by Float-Zone Crystal Growth and Spectroscopy

F1724 Withdrawn 2003; Test Method for Measuring Surface Metal Contamination of Polycrystalline Silicon by Acid Extraction-Atomic Absorption Spectroscopy

F1725 Withdrawn 2003; Guide for Analysis of Crystallographic Perfection of Silicon Ingots

F1726 Withdrawn 2003; Guide for Analysis of Crystallographic Perfection of Silicon Wafers

F1727 Withdrawn 2003; Practice for Detection of Oxidation Induced Defects in Polished Silicon Wafers

F1728-96(2014) Practice for Multiple Persons Cold Water Survival/Rescue Technique: Huddle Position, **13.02**

F1729-96(2014) Practice for Single Person Cold Water Survival/Rescue Technique: HELP Position, **13.02**

F1730-96(2014) Guide for Throwing a Water Rescue Throwbag, **13.02**

F1731-96(2013) Practice for Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing, **11.03**

F1732-12 Specification for Poly(Vinyl Chloride) (PVC) Sewer and Drain Pipe Containing Recycled PVC Material, **08.04**

F1733-13 Specification for Butt Heat Fusion Polyamide(PA) Plastic Fitting for Polyamide(PA) Plastic Pipe and Tubing, **08.04**

F1734-03(2009) Practice for Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, **08.04**

F1735-09 Specification for Poly (Vinyl Chloride)(PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits, **08.04**

F1736-09 Guide for Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, **12.02**

F1737/F1737M-10 Guide for Use of Oil Spill Dispersant Application Equipment During Spill Response: Boom and Nozzle Systems, **11.05**

F1738-10 Test Method for Determination of Deposition of Aerially Applied Oil Spill Dispersants, **11.05**

F1739-96(2012) Guide for Performance of a Water Rescuer-Level I, **13.02**

F1740-96(2012) Guide for Inspection of Nylon, Polyester, or Nylon/Polyester Blend, or Both Kernmantle Rope, **13.02**

F1741-08 Practice for Installation of Machine Spiral Wound Poly (Vinyl Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, **08.04**

F1742-03(2011) Specification for PVC Insulating Sheeting, **10.03**

F1743-08 Practice for Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP), **08.04**

F1744-96(2008)ε1 Guide for Care and Handling of Stainless Steel Surgical Instruments, **13.01**

F1745 Withdrawn 1999; Test Method for External Fixator Connectors; Replaced by F1541

F1746 Withdrawn 1999; Test Method for Determining In-Plane Compressive Properties of Circular Ring or Ring Segment Bridge Elements; Replaced by F1541

F1747 Withdrawn 1999; Test Method for External Fixator Joints; Replaced by F1541

F1748 Withdrawn 1999; Test Method for External Fixator Subassemblies; Replaced by F1541

F1749-09 Specification for Fitness Equipment and Fitness Facility Safety Signage and Labels, **15.07**

F1750-11 Specification for Paintball Marker Threaded-Propellant Source Interface, **15.07**

F1751 Withdrawn 2003; Specification for Helmets Used in Recreational Roller Skating

F1752-96(2010) Test Method for Archery Bow ComponentCord Material, **15.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F1753-96(2010) Specification for Classification and Marking of Single-Lens Scopes for Use with Archery Bows, **15.07**
F1754 Withdrawn 2012; Guide for Marine Vessel Structural Inspection Considerations
F1755M-96(2012)ε1 Specification for Solid State Bargraph Meters for Shipboard Use Metric, **01.07**
F1756-97a(2008) Guide for Implementation of a Fleet Management System Network, **01.07**
F1757-96(2008) Guide for Digital Communication Protocols for Computerized Systems, **01.07**
F1758-05(2012) Test Methods for Detention Hinges Used on Detention-Grade Swinging Doors, **15.08**
F1759-97(2010) Practice for Design of High-Density Polyethylene (HDPE) Manholes for Subsurface Applications, **08.04**
F1760-01(2011) Specification for Coextruded Poly(Vinyl Chloride) (PVC) Non-Pressure Plastic Pipe Having Reprocessed-Recycled Content, **08.04**
F1761-00(2011) Test Method for Pass Through Flux of Circular Magnetic Sputtering Targets, **10.04**
F1762-14 Test Method for Determining the Effects of Atmospheric Pressure Variation on a Membrane Switch, **10.04**
F1763 Withdrawn 2003; Test Methods for Measuring Contrast of a Linear Polarizer
F1764-97(2012) Guide for Selection of Hardline Communication Systems for Confined-Space Rescue, **13.02**
F1765-97a(2014) Guide for Ice Staff Self-Rescue Technique, **13.02**
F1766-97a(2014) Guide for Ice Awls Self-Rescue Technique, **13.02**
F1767-14 Guide for Forms Used for Search and Rescue, **13.02**
F1768-97(2014) Guide for Using Whistle Signals During Rope Rescue Operations, **13.02**
F1769 Withdrawn 2004; Test Method for Measurement of Diffusivity, Solubility, and Permeability of Organic Vapor Barriers Using a Flame Ionization Detector
F1770 Withdrawn 2004; Test Method for Evaluation of Solubility, Diffusivity, and Permeability of Flexible Barrier Materials to Water Vapor
F1771 Withdrawn 2003; Test Method for Evaluating Gate Oxide Integrity by Voltage Ramp Technique
F1772-12 Specification for Harnesses for Rescue, Safety, and Sport Activities, **13.02**
F1773-09 Terminology Relating to Climbing, Mountaineering, Search and Rescue Equipment and Practices, **13.02**
F1774-13 Specification for Climbing and Mountaineering Carabiners, **13.02**
F1775 Withdrawn 2009; Specification for Labeling of Climbing and Mountaineering Equipment
F1776-14 Specification for Eye Protective Devices for Paintball Sports, **15.07**
F1777-12 Practice for Paintball Field Operation, **15.07**
F1778-97(2008) Guide for Selection of Skimmers for Oil-Spill Response, **11.05**
F1779-08(2014) Practice for Reporting Visual Observations of Oil on Water, **11.05**
F1780-97(2010) Guide for Estimating Oil Spill Recovery System Effectiveness, **11.05**
F1781-03(2009) Specification for Elastomeric Flexible Hinge Finger Total Joint Implants, **13.01**
F1782-97(2008) Practice for Amount of Ink Deposit on Fabric Type Ribbons, **15.09**
F1783-97(2013) Guide for Performance of an Ice Rescuer—Level II, **13.02**
F1784-97(2008) Test Method for Performance of a Pasta Cooker, **15.12**
F1785-97(2008) Test Method for Performance of Steam Kettles, **15.12**
F1786-97(2010) Test Method for Performance of Braising Pans, **15.12**
F1787-98(2008) Test Method for Performance of Rotisserie Ovens, **15.12**
F1788-14 Guide for In-Situ Burning of Oil Spills on Water: Environmental and Operational Considerations, **11.05**
F1789-12a Terminology for F16 Mechanical Fasteners, **01.08**
F1791-00(2013) Specification for Filters Used in Air or Nitrogen Systems, **01.07**
F1792-97(2010) Specification for Special Requirements for Valves Used in Gaseous Oxygen Service, **01.07**
F1793-97(2010) Specification for Automatic Shut-Off Valves (Also Known as Excess Flow Valves, EFV) for Air or Nitrogen Service, **01.07**
F1794-97(2010) Specification for Hand-Operated, Globe-Style Valves for Gas (Except Oxygen Gas) and Hydraulic Systems, **01.07**
F1795-00(2013) Specification for Pressure-Reducing Valves for Air or Nitrogen Systems, **01.07**
F1796-09 Specification for High Voltage Detectors—Part 1 Capacitive Type to be Used for Voltages Exceeding 600 Volts AC, **10.03**
F1797-09ε1 Test Method for Acoustic Emission Testing of Insulated and Non-Insulated Digger Derricks, **10.03**
F1798-13 Test Method for Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, **13.01**
F1799-97(2009) Guide for Shipboard Generated Waste Management Audits, **01.07**
F1800-12 Practice for Cyclic Fatigue Testing of Metal Tibial Tray Components of Total Knee Joint Replacements, **13.01**
F1801-97(2009)ε1 Practice for Corrosion Fatigue Testing of Metallic Implant Materials, **13.01**
F1802-04(2010) Test Method for Performance Testing of Excess Flow Valves, **08.04**
F1803-06 Specification for Poly (Vinyl Chloride)(PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter, **08.04**
F1804-08(2012) Practice for Determining Allowable Tensile Load for Polyethylene (PE) Gas Pipe During Pull-In Installation, **08.04**
F1805-12 Test Method for Single Wheel Driving Traction in a Straight Line on Snow- and Ice-Covered Surfaces, **09.02**
F1806-97(2008) Practice for Tire Testing Operations–Basic Concepts and Terminology for Reference Tire Use, **09.02**
F1807-13a Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, **08.04**
F1808-03(2013) Guide for Weight Control Technical Requirements for Surface Ships, **01.07**
F1809 Withdrawn 2003; Guide for Selection and Use of Etching Solutions to Delineate Structural Defects in Silicon
F1810 Withdrawn 2003; Test Method for Counting Preferentially Etched or Decorated Surface Defects in Silicon Wafers
F1811 Withdrawn 2003; Practice for Estimating the Power Spectral Density Function and Related Finish Parameters from Surface Profile Data
F1812-09 Test Method for Determining the Effectiveness of Membrane Switch ESD Shielding, **10.04**
F1813-13 Specification for Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), **13.01**
F1814-97a(2009) Guide for Evaluating Modular Hip and Knee Joint Components, **13.01**
F1815-11 Test Methods for Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, **15.07**
F1816-97(2009) Safety Specification for Drawstrings on Childrens Upper Outerwear, **15.11**
F1817-09 Test Method for Performance of Conveyor Ovens, **15.12**
F1818-13 Specification for Foot Protection for Chain Saw Users, **11.03**
F1819-07(2013) Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique, **11.03**
F1820-13 Test Method for Determining the Forces for Disassembly of Modular Acetabular Devices, **13.01**
F1821-13 Consumer Safety Specification for Toddler Beds, **15.11**
F1822 Withdrawn 2006; Consumer Safety Specification for Non-Full-Size Baby Cribs; Replaced by F406
F1823-97(2012) Guide for Water Rescue Personal Flotation Device (PFD), **13.02**
F1824-97(2013) Guide for Performance of a Water Rescuer–Level II, **13.02**
F1825-03(2013) Specification for Clampstick Type Live Line Tools, **10.03**
F1826-00(2011) Specification for Live Line and Measuring Telescoping Tools, **10.03**
F1827-13 Terminology Relating to Food Service Equipment, **15.12**
F1828-97(2006) Specification for Ureteral Stents, **13.01**
F1829-98(2009) Test Method for Static Evaluation of Glenoid Locking Mechanism in Shear, **13.01**
F1830-97(2013) Practice for Selection of Blood for in vitro Evaluation of Blood Pumps, **13.01**
F1831-97(2006) Specification for Cranial Traction Tongs and Halo External Spinal Immobilization Devices, **13.01**
F1832-07(2011) Test Method for Determining the Force-Draw and Let-Down Curves for Archery Bows, **15.07**
F1833-97(2011) Test Method for Comparison of Rearfoot Motion Control Properties of Running Shoes, **15.07**
F1834 Withdrawn 2010; Guide for Consideration of Anaerobic Bioremediation as a Chemical Pollutant Mitigation Method on Land
F1835-97(2012)ε1 Guide for Cable Splicing Installations, **01.07**
F1836M-09(2013) Specification for Stuffing Tubes, Nylon, and Packing Assemblies (Metric), **01.07**
F1837M-97(2012)ε1 Specification for Heat-Shrink Cable Entry Seals (Metric), **01.07**
F1838-98(2008) Performance Requirements for Child's Plastic Chairs for Outdoor Use, **15.11**
F1839-08(2012) Specification for Rigid Polyurethane Foam for Use as a Standard Material for Testing Orthopaedic Devices and Instruments, **13.01**
F1840-10ε1 Terminology for Surgical Suture Needles, **13.01**
F1841-97(2013) Practice for Assessment of Hemolysis in Continuous Flow Blood Pumps, **13.01**
F1842-09 Test Method for Determining Ink or Coating Adhesion on Plastic Substrates for Membrane Switch Applications, **10.04**
F1843-09 Practice for Sample Preparation of Transparent Plastic Films used on Membrane Switch Overlays for Specular Gloss Measurements, **10.04**
F1844-97(2008) Practice for Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact Eddy Current Gage, **10.04**
F1845-08 Test Method for Trace Metallic Impurities in Electronic Grade Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, **10.04**
F1846-98(2014) Practice for Symbols and Markings for Use With Land Search Maps, **13.02**
F1847-14 Guide for Minimum Training of Search Dog Crews or Teams, **13.02**
F1848-14 Classification System for Canine Search Resources, **13.02**
F1849-07(2012) Specification for Helmets Used in Short Track Speed Ice Skating (Not to Include Hockey), **15.07**
F1850 Withdrawn 2014; Specification for Particular Requirements for Anesthesia Workstations and Their Components
F1851-98(2009) Practice for Bar Code Verification, **15.09**
F1852-11 Specification for "Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, **01.08**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F1853-11 Test Method for Measuring Sleeping Bag Packing Volume, **15.07**
F1854-09 Test Method for Stereological Evaluation of Porous Coatings on Medical Implants, **13.01**
F1855-00(2011) Specification for Polyoxymethylene (Acetal) for Medical Applications, **13.01**
F1856-04(2009) Practice for Determining Toner Usage for Printer Cartridges, **15.09**
F1857-01(2011) Terminology Relating to Ink Jet Printers and Images Made Therefrom, **15.09**
F1858-98(2008) Performance Requirements for Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, **15.11**
F1859-12 Specification for Rubber Sheet Floor Covering Without Backing, **15.04**
F1860-12 Specification for Rubber Sheet Floor Covering With Backing, **15.04**
F1861-08(2012)$^{\epsilon 1}$ Specification for Resilient Wall Base, **15.04**
F1862/F1862M-13 Test Method for Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity), **11.03**
F1863-10 Test Method for Measuring the Night Vision Goggle-Weighted Transmissivity of Transparent Parts, **15.03**
F1864-05(2010) Test Method for Dust Erosion Resistance of Optical and Infrared Transparent Materials and Coatings, **15.03**
F1865-09 Specification for Mechanical Cold Expansion Insert Fitting With Compression Sleeve for Cross-linked Polyethylene (PEX) Tubing, **08.04**
F1866-13 Specification for Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Drainage and DWV Fabricated Fittings, **08.04**
F1867-06(2012) Practice for Installation of Folded/Formed Poly (Vinyl Chloride) (PVC) Pipe Type A for Existing Sewer and Conduit Rehabilitation, **08.04**
F1868-14 Test Method for Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, **11.03**
F1869-11 Test Method for Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, **15.04**
F1870-11 Guide for Selection of Fire Test Methods for the Assessment of Upholstered Furnishings in Detention and Correctional Facilities, **15.08**
F1871-11 Specification for Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation, **08.04**
F1872-12 Guide for Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, **11.05**
F1873 Withdrawn 2007; Specification for High-Purity Dense Yttria Tetragonal Zirconium Oxide Polycrystal (Y-TZP) for Surgical Implant Applications
F1874-98(2011) Test Method for Bend Testing of Needles Used in Surgical Sutures, **13.01**
F1875-98(2009) Practice for Fretting Corrosion Testing of Modular Implant Interfaces: Hip Femoral Head-Bore and Cone Taper Interface, **13.01**
F1876 Withdrawn 2012; Specification for Polyetherketoneetherketoneketone (PEKEKK) Resins for Surgical Implant Applications
F1877-05(2010) Practice for Characterization of Particles, **13.01**
F1878-98(2009) Guide for Escort Vessel Evaluation and Selection, **01.07**
F1879 Withdrawn 2014; Guide for Demonstrating Obedience and Agility in Search and Rescue Dogs
F1880-09(2013) Test Method for the Determination of Percent of Let-Off for Archery Bows, **15.07**
F1881 *Withdrawn 2014; Test Method for Measuring Baseball Bat Performance Factor; Replaced by F1890*, **15.07**
F1882-06 Specification for Residential Basketball Systems, **15.07**
F1883-03(2013) Practice for Selection of Wire and Cable Size in AWG or Metric Units, **01.07**
F1884-04(2011) Test Methods for Determining Residual Solvents in Packaging Materials, **15.10**
F1885-04(2010) Guide for Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, **12.02**
F1886/F1886M-09(2013) Test Method for Determining Integrity of Seals for Flexible Packaging by Visual Inspection, **15.10**
F1887-14 Test Method for Measuring the Coefficient of Restitution (COR) of Baseballs and Softballs, **15.07**
F1888-09(2014) Test Method for Compression-Displacement of Baseballs and Softballs, **15.07**
F1889-05(2010) Guide for Straightness Measurement of Arrow Shafts, **15.07**
F1890-11 Test Method for Measuring Softball Bat Performance Factor, **15.07**
F1891-12 Specification for Arc and Flame Resistant Rainwear, **10.03**
F1892-12 Guide for Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, **10.04**
F1893-11 Guide for Measurement of Ionizing Dose-Rate Survivability and Burnout of Semiconductor Devices, **10.04**
F1894-98(2011) Test Method for Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, **10.04**
F1895-14 Test Method for Submersion of a Membrane Switch, **10.04**
F1896-10 Test Method for Determining the Electrical Resistivity of a Printed Conductive Material, **10.04**
F1897-14 Specification for Leg Protection for Chain Saw Users, **11.03**
F1898-08 Specification for Helmets for Non-Motorized Wheeled Vehicle Used by Infants and Toddlers, **15.07**
F1899-14 Specification for Food Waste Pulper Without Waterpress Assembly, **15.12**
F1900-98(2012) Test Method for Water Resistance of Footwear Using a Walking Step Simulator, **15.07**
F1901-10 Specification for Polyethylene (PE) Pipe and Fittings for Roof Drain Systems, **08.04**
F1902 Not Assigned
F1903-10 Practice for Testing For Biological Responses to Particles, **13.01**
F1904-14 Practice for Testing the Biological Responses to Particles, **13.01**
F1905 Withdrawn 2011; Practice for Selecting Tests for Determining the Propensity of Materials to Cause Immunotoxicity
F1906 Withdrawn 2011; Practice for Evaluation of Immune Responses In Biocompatibility Testing Using ELISA Tests, Lymphocyte Proliferation, and Cell Migration
F1907 Not Assigned
F1908-08(2013) Guide for Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas, **01.06**
F1909-98(2012) Specification for Preformed Open–Cell Sponge Rubber Pail and Drum Gaskets, **09.02**
F1910-98(2013) Specification for Long Barbed Tape Obstacles, **01.06**
F1911-05(2010) Practice for Installation of Barbed Tape, **01.06**
F1912-98(2009) Specification for Safety of Bean Bag Chairs, **15.11**
F1913-04(2010) Specification for Vinyl Sheet Floor Covering Without Backing, **15.04**
F1914-07(2011) Test Methods for Short-Term Indentation and Residual Indentation of Resilient Floor Covering, **15.04**
F1915-05(2012) Test Methods for Glazing for Detention Facilities, **15.08**
F1916 Withdrawn 2008; Specifications for Selecting Chain Link Barrier Systems With Coated Chain Link Fence Fabric and Round Posts for Detention Applications
F1917-12 Consumer Safety Performance Specification for Infant Bedding and Related Accessories, **15.11**
F1918-12 Safety Performance Specification for Soft Contained Play Equipment, **15.11**
F1919-14 Specification for Griddles, Single-Sided and Double-Sided, Gas and Electric, **15.12**
F1920-11 Test Method for Performance of Rack Conveyor, Commercial Dishwashing Machines, **15.12**
F1921/F1921M-12$^{\epsilon 1}$ Test Methods for Hot Seal Strength (Hot Tack) of Thermoplastic Polymers and Blends Comprising the Sealing Surfaces of Flexible Webs, **15.10**
F1922-98(2014) Test Method for Tires, Pneumatic, Vehicular, Highway, **09.02**
F1923-98(2014) Test Method for Tires, Pneumatic, Low Speed, Off Highway, **09.02**
F1924-12 Specification for Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, **08.04**
F1925-09 Specification for Semi-Crystalline Poly(lactide) Polymer and Copolymer Resins for Surgical Implants, **13.01**
F1926/F1926M-14 Test Method for Dissolution Testing of Calcium Phosphate Granules, Fabricated Forms, and Coatings, **13.01**
F1927-07 Test Method for Determination of Oxygen Gas Transmission Rate, Permeability and Permeance at Controlled Relative Humidity Through Barrier Materials Using a Coulometric Detector, **15.10**
F1928-98(2010) Safety Guide for Consumer Recreational Use of Fun-Karts, **15.11**
F1929-12 Test Method for Detecting Seal Leaks in Porous Medical Packaging by Dye Penetration, **15.10**
F1930-13 Test Method for Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, **11.03**
F1931 Withdrawn 2011; Test Method for Characterization of Gymnastic Landing Mats and Floor Exercise Surfaces
F1932/F1932M-98(2011)$^{\epsilon 1}$ Test Method for Measuring Sleeping Bag Loft, **15.07**
F1933-98(2011) Specification for Illustrating the Footprint of a Backpacking or Mountaineering Tent, **15.07**
F1934-98(2011) Test Method for Weighing a Backpacking or Mountaineering Tent, **15.07**
F1935-01(2011) Test Method for Measuring the Headroom of a Backpacking or Mountaineering Tent, **15.07**
F1936-10 Specification for Impact Attenuation of Turf Playing Systems as Measured in the Field, **15.07**
F1937-04(2010) Specification for Body Protectors Used in Horse Sports and Horseback Riding, **15.07**
F1938-98(2009) Guide for Safer Use of Movable Soccer Goals, **15.11**
F1939-08 Test Method for Radiant Heat Resistance of Flame Resistant Clothing Materials with Continuous Heating, **11.03**
F1940-07a Test Method for Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, **01.08**
F1941-10 Specification for Electrodeposited Coatings on Threaded Fasteners (Unified Inch Screw Threads (UN/UNR)), **01.08**
F1941M-07 Specification for Electrodeposited Coatings on Threaded Fasteners (Metric), **01.08**
F1942-98(2010) Practice for Creating Test Targets for Determining the Ink Yield of the Imaging Supplies Used in Ink Jet Printers, **15.09**
F1943-98(2008) Test Method for Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, **15.09**
F1944-98(2008) Practice for Determining the Quality of the Text, Line- and Solid-Fill Output Produced by Ink Jet Printers, **15.09**
F1945-05(2011) Practice for Determining the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting, **15.09**
F1946/F1946M-10 Practice for Accelerated Testing of the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting and WindowFiltered Daylight, **15.09**
F1947-10 Practice for Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits, **08.04**
F1948-12 Specification for Metallic Mechanical Fittings for Use on Outside

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Diameter Controlled Thermoplastic Gas Distribution Pipe and Tubing, **08.04**

F1949-99(2013) Specification for Medical Oxygen Delivery Systems for EMS Ground Vehicles, **13.02**

F1950 Withdrawn 2008; Specification for Physical Information to be Transferred With Used Amusement Rides and Devices

F1951-14 Specification for Determination of Accessibility of Surface Systems Under and Around Playground Equipment, **15.07**

F1952-10 Specification for Helmets Used for Downhill Mountain Bicycle Racing, **15.07**

F1953-10 Guide for Construction and Maintenance of Grass Tennis Courts, **15.07**

F1954 Not Assigned

F1955 *Withdrawn 2014; Test Method for Flammability of Sleeping Bags*, **15.07**

F1956-13 Specification for Rescue Carabiners, **13.02**

F1957-99(2011) Test Method for Composite Foam Hardness-Durometer Hardness, **15.07**

F1958/F1958M-12 Test Method for Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using Mannequins, **10.03**

F1959/F1959M-13 Test Method for Determining the Arc Rating of Materials for Clothing, **10.03**

F1960-12 Specification for Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, **08.04**

F1961-09 Specification for Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, **08.04**

F1962-11 Guide for Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, **08.04**

F1963-05(2011) Specification for Deep-Fat Fryers, Gas or Electric, Open, **15.12**

F1964-11 Test Method for Performance of Pressure Fryers, **15.12**

F1965-99(2010) Test Method for Performance of Deck Ovens, **15.12**

F1966-12 Specification for Dough Divider and Rounding Machines, **15.12**

F1967-13 Consumer Safety Specification for Infant Bath Seats, **15.11**

F1968 Not Assigned

F1969 Not Assigned

F1970-12ε1 Specification for Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, **08.04**

F1971-12 Test Method for Electrical Resistance of Tires Under Load On the Test Bench, **09.02**

F1972-13 Guide for Terminology Relating to Candles and Associated Accessory Items, **15.11**

F1973-13ε1 Specification for Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems, **08.04**

F1974-09 Specification for Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, **08.04**

F1975-09 Specification for Nonpowered Bicycle Trailers Designed for Human Passengers, **15.07**

F1976-13 Test Method for Impact Attenuation of Athletic Shoe Cushioning Systems and Materials, **15.07**

F1977-04(2010) Test Method for Determining Initial, Fractional, Filtration Efficiency of a Vacuum Cleaner System, **15.08**

F1978-12 Test Method for Measuring Abrasion Resistance of Metallic Thermal Spray Coatings by Using the Taber Abraser, **13.01**

F1979-10(2014) Specification for Paintballs Used in the Sport of Paintball, **15.07**

F1980-07(2011) Guide for Accelerated Aging of Sterile Barrier Systems for Medical Devices, **15.10**

F1981 Withdrawn 2007; Specification for Suction Catheters for Use in the Respiratory Tract

F1982 Withdrawn 2003; Test Methods for Analyzing Organic Contaminants on Silicon Wafer Surfaces by Thermal Desorption Gas Chromatography

F1983-99(2008) Practice for Assessment of Compatibility of Absorbable/Resorbable Biomaterials for Implant Applications, **13.01**

F1984-99(2013) Practice for Testing for Whole Complement Activation in Serum by Solid Materials, **13.01**

F1985-99(2011) Specification for Pneumatic-Operated, Globe-Style, Control Valves, **01.07**

F1986-01(2011) Specification for Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, **08.04**

F1987-01(2011) Specification for Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hydronic Heating Systems, **08.04**

F1988-99(2008) Performance Requirements for Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use, **15.11**

F1989-05(2013) Specification for Cooking Fire Suppression Blankets, **15.11**

F1990-07(2013) Guide for In-Situ Burning of Spilled Oil: Ignition Devices, **11.05**

F1991-99(2010) Test Method for Performance of Chinese (Wok) Ranges, **15.12**

F1992-99(2007) Practice for Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, **13.01**

F1993 Withdrawn 2014; Classification System of Human Search and Rescue Resources

F1994-99(2011) Test Method for Shipboard Fixed Foam Firefighting Systems, **01.07**

F1995-13 Test Method for Determining the Shear Strength of the Bond between a Surface Mount Device (SMD) and Substrate in a Membrane Switch, **10.04**

F1996-06 Test Method for Silver Migration for Membrane Switch Circuitry, **10.04**

F1997 Withdrawn 2008; Test Method for Determining the Sensitivity (Teasing) of a Tactile Membrane Switch; Replaced by F2592

F1998 Not Assigned

F1999-00(2006) Practice for Installation of Rigid Poly(Vinyl Chloride) (PVC) Fence Systems, **01.06**

F2000-10 Guide for Fences for Baseball and Softball Fields, **01.06**

F2001-01(2006) Guide for Vessel-Related Technical Information for Use in Developing an Electronic Database and Ship Safety Record, **01.07**

F2002 Withdrawn 2003; Terminology Relating to Anesthesia and Respiratory Equipment; Replaced by ISO 4135

F2003-02(2008) Practice for Accelerated Aging of Ultra-High Molecular Weight Polyethylene after Gamma Irradiation in Air, **13.01**

F2004-05(2010) Test Method for Transformation Temperature of Nickel-Titanium Alloys by Thermal Analysis, **13.01**

F2005-05(2010) Terminology for Nickel-Titanium Shape Memory Alloys, **13.01**

F2006-10 Safety Specification for Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, **15.11**

F2007-12 Practice for Design, Manufacture, and Operation of Concession Go-Karts and Facilities, **15.07**

F2008-00(2012)ε1 Guide for Qualitative Observations of Skimmer Performance, **11.05**

F2009-00(2011) Test Method for Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, **13.01**

F2010/F2010M-10 Test Method for Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test, **11.03**

F2011-02(2010) Specification for Safety and Performance of Fun-Karts, **15.11**

F2012-13 Consumer Safety Performance Specification for Stationary Activity Centers, **15.11**

F2013-10 Test Method for Determination of Residual Acetaldehyde in Polyethylene Terephthalate Bottle Polymer Using an Automated Static Head-Space Sampling Device and a Capillary GC with a Flame Ionization Detector, **15.10**

F2014-00(2013) Specification for Non-Reinforced Extruded Tee Connections for Piping Applications, **01.07**

F2015-00(2013) Specification for Lap Joint Flange Pipe End Applications, **01.07**

F2016-00(2012) Practice for Establishing Shipbuilding Quality Requirements for Hull Structure, Outfitting, and Coatings, **01.07**

F2017-00(2006) Guide for Database Structure of Electronic Data Interchange Between Ship Owner and Shipyard for Contract Administration, **01.07**

F2018-00(2010) Test Method for Time-to-Failure of Plastics Using Plane Strain Tensile Specimens, **08.04**

F2019-11 Practice for Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP), **08.04**

F2020-02a(2009) Practice for Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, **13.02**

F2021-11 Guide for Design and Installation of Plastic Siphonic Roof Drainage Systems, **08.04**

F2022-01(2013) Test Method for Performance of Booster Heaters, **15.12**

F2023-13 Test Method for Evaluating the Oxidative Resistance of Crosslinked Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, **08.04**

F2024-10 Practice for X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings, **13.01**

F2025-06(2012) Practice for Gravimetric Measurement of Polymeric Components for Wear Assessment, **13.01**

F2026-14 Specification for Polyetheretherketone (PEEK) Polymers for Surgical Implant Applications, **13.01**

F2027-08 Guide for Characterization and Testing of Raw or Starting Biomaterials for Tissue-Engineered Medical Products, **13.01**

F2028-14 Test Methods for Dynamic Evaluation of Glenoid Loosening or Disassociation, **13.01**

F2029-08 Practices for Making Heatseals for Determination of Heatsealability of Flexible Webs as Measured by Seal Strength, **15.10**

F2030-11 Specification for Paintball Cylinder Burst Disk Assemblies, **15.07**

F2031-05(2010) Test Method for Measurement of Arrow Shaft Static Spine (Stiffness), **15.07**

F2032-06(2011) Specification for Helmets Used for BMX Cycling, **15.07**

F2033-12 Specification for Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, **13.01**

F2034-08(2013) Specification for Sheet Linoleum Floor Covering, **15.04**

F2035-00(2011) Practice for Measuring the Dark Stability of Ink Jet Prints, **15.09**

F2036-05(2011) Test Method for Evaluation of Larger Area Density and Background on Electrophotographic Printers, **15.09**

F2037-00(2011) Practice for Predicting the Lifetime of Ink Jet Prints Stored in Dark Keeping Conditions in Typical Office Environments, **15.09**

F2038-00(2011) Guide for Silicone Elastomers, Gels, and Foams Used in Medical Applications Part I—Formulations and Uncured Materials, **13.01**

F2039-00(2012) Guide for Basic Elements of Shipboard Occupational Health and Safety Program, **01.07**

F2040-11 Specification for Helmets Used for Recreational Snow Sports, **15.07**

F2041 Withdrawn 2008; Specification for Paintball Marker Warnings; Replaced by F2272

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F2042-00(2011) Guide for Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, **13.01**
F2043-13 Classification for Bicycle Usage, **15.07**
F2044-09(2013) Specification for Liquid Level Indicating Equipment, Electrical, **01.07**
F2045-00(2011) Specification for Indicators, Sight, Liquid Level, Direct and Indirect Reading, Tubular Glass/Plastic, **01.07**
F2046-00(2011) Specification for Tachometers, Various, **01.07**
F2047-00(2012) Practice for Workers Compensation Coverage of Emergency Services Volunteers, **13.02**
F2048-00(2009) Practice for Reporting Slip Resistance Test Results, **15.07**
F2049-11 Safety Performance Specification for Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, **01.06**
F2050-13a Consumer Safety Specification for Hand-Held Infant Carriers, **15.11**
F2051-00(2006) Specification for Implantable Saline Filled Breast Prosthesis, **13.01**
F2052-14 Test Method for Measurement of Magnetically Induced Displacement Force on Medical Devices in the Magnetic Resonance Environment, **13.01**
F2053-00(2011) Guide for Documenting the Results of Airborne Particle Penetration Testing of Protective Clothing Materials, **11.03**
F2054/F2054M-13 Test Method for Burst Testing of Flexible Package Seals Using Internal Air Pressurization Within Restraining Plates, **15.10**
F2055-10 Test Method for Size and Squareness of Resilient Floor Tile by Dial Gage Method, **15.04**
F2056-09 Safety and Performance Specification for Soccer Goals, **15.11**
F2057-09b Safety Specification for Chests, Door Chests, and Dressers, **15.11**
F2058-07 Specification for Candle Fire Safety Labeling, **15.11**
F2059-06(2012)$^{\varepsilon 1}$ Test Method for Laboratory Oil Spill Dispersant Effectiveness Using the Swirling Flask, **11.05**
F2060-00(2011) Guide for Maintaining Cool Season Turfgrasses on Athletic Fields, **15.07**
F2061-12 Practice for Chemical Protective Clothing: Wearing, Care, and Maintenance Instructions, **11.03**
F2062-00(2011) Specification for Square Drive Interconnections on Surgical Instruments, **13.01**
F2063-12 Specification for Wrought Nickel-Titanium Shape Memory Alloys for Medical Devices and Surgical Implants, **13.01**
F2064-00(2006)$^{\varepsilon 1}$ Guide for Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Products Application, **13.01**
F2065-00(2010) Practice for Testing for Alternative Pathway Complement Activation in Serum by Solid Materials, **13.01**
F2066-13$^{\varepsilon 1}$ Specification for Wrought Titanium-15 Molybdenum Alloy for Surgical Implant Applications (UNS R58150), **13.01**
F2067-13 Practice for Development and Use of Oil-Spill Trajectory Models, **11.05**
F2068-09 Specification for Femoral ProsthesesMetallic Implants, **13.01**
F2069 Withdrawn 2009; Practice for Evaluation of Explosives Vapor Detectors
F2070-00(2011) Specification for Transducers, Pressure and Differential, Pressure, Electrical and Fiber-Optic, **01.07**
F2071-00(2011) Specification for Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, **01.07**
F2072-14 Test Method for Hosedown of a Membrane Switch, **10.04**
F2073-01(2006) Test Method for Non-Destructive Short Circuit Testing of a Membrane Switch, **10.04**
F2074 Withdrawn 2003; Guide for Measuring Diameter of Silicon and Other Semiconductor Wafers
F2075-10a Specification for Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment, **15.07**
F2076-01(2014) Practice for Communicating an EMS Patient Report to Receiving Medical Facilities, **13.02**
F2077-11 Test Methods For Intervertebral Body Fusion Devices, **13.01**
F2078-08a Terminology Relating to Hydrogen Embrittlement Testing, **15.03**
F2079-09(2013) Test Method for Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, **13.01**
F2080-12 Specification for Cold-Expansion Fittings With Metal Compression-Sleeves for Cross-Linked Polyethylene (PEX) Pipe, **08.04**
F2081-06(2013) Guide for Characterization and Presentation of the Dimensional Attributes of Vascular Stents, **13.01**
F2082-06 Test Method for Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, **13.01**
F2083-12 Specification for Knee Replacement Prosthesis, **13.01**
F2084/F2084M-01(2012)$^{\varepsilon 1}$ Guide for Collecting Containment Boom Performance Data in Controlled Environments, **11.05**
F2085-12 Consumer Safety Specification for Portable Bed Rails, **15.11**
F2086 Withdrawn 2007; Test Method for Pass Through Flux of Circular Magnetic Sputtering Targets, Method 2
F2087-13 Specification for Packing, Fiberglass, Braided, Rope, and Wick, **01.07**
F2088-13 Consumer Safety Specification for Infant Swings, **15.11**
F2089-01(2007) Guide for Language Interpretation Services, **15.11**
F2090-10 Specification for Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, **15.11**
F2091-01(2012) Specification for Acetabular Prostheses, **13.01**
F2092-14 Specification for Convection Oven Gas or Electric, **15.12**
F2093-11 Test Method for Performance of Rack Ovens, **15.12**
F2094/F2094M-13 Specification for Silicon Nitride Bearing Balls, **01.08**
F2095-07(2013) Test Methods for Pressure Decay Leak Test for Flexible Packages With and Without Restraining Plates, **15.10**
F2096-11 Test Method for Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), **15.10**
F2097-10 Guide for Design and Evaluation of Primary Flexible Packaging for Medical Products, **15.10**
F2098-08 Specification for Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings, **08.04**
F2099-01(2014) Guide for Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, **13.02**
F2100-11 Specification for Performance of Materials Used in Medical Face Masks, **11.03**
F2101-14 Test Method for Evaluating the Bacterial Filtration Efficiency (BFE) of Medical Face Mask Materials, Using a Biological Aerosol of, **11.03**
F2102-13 Guide for Evaluating the Extent of Oxidation in Polyethylene Fabricated Forms Intended for Surgical Implants, **13.01**
F2103-11 Guide for Characterization and Testing of Chitosan Salts as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Product Applications, **13.01**
F2105-11 Test Method for Measuring Air Performance Characteristics of Vacuum Cleaner Motor/Fan Systems, **15.08**
F2106-12 Test Methods for Evaluating Design and Performance Characteristics of Motorized Treadmills, **15.07**
F2107-08 Guide for Construction and Maintenance of Skinned Areas on Baseball and Softball Fields, **15.07**
F2108-06(2011) Practice for Inspection of Transparent Parts by Prism, **15.03**
F2109-01(2011) Test Method to Determine Color Change and Staining Caused by Aircraft Maintenance Chemicals upon Aircraft Cabin Interior Hard Surfaces, **15.03**
F2111-01a(2011) Practice for Measuring Intergranular Attack or End Grain Pitting on Metals Caused by Aircraft Chemical Processes, **15.03**
F2112-02(2011) Terminology for Membrane Switches, **10.04**
F2113-01(2011) Guide for Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, **10.04**
F2114 Withdrawn 2009; Guide for ASTM Standard Test Methods, Standard Practices, and Typical Values of a Membrane Switch
F2115-12 Specification for Motorized Treadmills, **15.07**
F2116-01(2007) Specification for Low Stretch and Static Kernmantle Life Safety Rope, **13.02**
F2117-10 Test Method for Vertical Rebound Characteristics of Sports Surface/Ball Systems; Acoustical Measurement, **15.07**
F2118-10 Test Method for Constant Amplitude of Force Controlled Fatigue Testing of Acrylic Bone Cement Materials, **13.01**
F2119-07(2013) Test Method for Evaluation of MR Image Artifacts from Passive Implants, **13.01**
F2120-06(2010) Practice for Testing Treestand Load Capacity, **15.07**
F2121-13 Practice for Treestand Labels, **15.07**
F2122-13 Practice for Treestand Safety Devices, **15.07**
F2123-13 Practice for Treestand Instructions, **15.07**
F2124-13 Practice for Testing Treestand Ladder, Tripod Stand and Climbing Stick Load Capacity, **15.07**
F2125-09(2013) Test Method for Treestand Static Stability and Adherence, **15.07**
F2126-06(2010) Test Method for Treestand Static Load Capacity, **15.07**
F2127 Withdrawn 2006; Test Method for Treestand Adherence; Replaced by F2125
F2128-13 Test Method for Treestand Repetitive Loading Capability, **15.07**
F2129-08 Test Method for Conducting Cyclic Potentiodynamic Polarization Measurements to Determine the Corrosion Susceptibility of Small Implant Devices, **13.01**
F2130-11 Test Method for Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, **11.03**
F2131-02(2012) Test Method for ***In Vitro*** Biological Activity of Recombinant Human Bone Morphogenetic Protein-2 (rhBMP-2) Using the W-20 Mouse Stromal Cell Line, **13.01**
F2132-01(2008)$^{\varepsilon 1}$ Specification for Puncture Resistance of Materials Used in Containers for Discarded Medical Needles and Other Sharps, **13.01**
F2133 Withdrawn 2013; Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Insulated Marine Bulkheads and Decks, Constructed of Steel
F2135-01(2012) Specification for Molded Drain, Waste, and Vent (DWV) Short-Pattern Plastic Fittings, **08.04**
F2136-08 Test Method for Notched, Constant Ligament-Stress (NCLS) Test to Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe, **08.04**
F2137-13 Practice for Measuring the Dynamic Characteristics of Amusement Rides and Devices, **15.07**
F2138-12 Specification for Excess Flow Valves for Natural Gas Service, **08.04**
F2139-05 Withdrawn 2003; Test Method for Measuring Nitrogen Concentration in Silicon Substrates by Secondary Ion Mass Spectrometry
F2140-11 Test Method for Performance of Hot Food Holding Cabinets, **15.12**
F2141-07(2013) Test Method for Performance of Self-Serve Hot Deli Cases, **15.12**
F2142-01(2013) Test Method for Performance of Drawer Warmers, **15.12**
F2143-04(2010) Test Method for Performance of Refrigerated Buffet and Preparation Tables, **15.12**
F2144-09 Test Method for Performance of Large Open Vat Fryers, **15.12**
F2145-13 Specification for Polyamide 11 (PA 11) and Polyamide 12 (PA12) Mechanical Fittings for Use on Outside Diameter Controlled Polyamide 11

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

and Polyamide 12 Pipe and Tubing, **08.04**
F2146-13 Specification for Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), **13.01**
F2147-01(2010) Practice for Guinea Pig: Split Adjuvant and Closed Patch Testing for Contact Allergens, **13.01**
F2148-13 Practice for Evaluation of Delayed Contact Hypersensitivity Using the Murine Local Lymph Node Assay (LLNA), **13.01**
F2149-01(2007) Test Method for Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, **13.01**
F2150-13 Guide for Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, **13.01**
F2151 Withdrawn 2007; Practice for Assessment of White Blood Cell Morphology After Contact with Materials
F2152-07(2013) Guide for In-Situ Burning of Spilled Oil: Fire-Resistant Boom, **11.05**
F2153-07(2012) Test Method for Measurement of Backpack Capacity, **15.07**
F2154-13 Specification for Sound-Absorbing Board, Fibrous Glass, Perforated Fibrous Glass Cloth Faced, **01.07**
F2155-01(2009) Specification for Performance of Hasps and Other Attachment Devices for Padlocks or Seals, **15.08**
F2156-11 Test Method for Measuring Optical Distortion in Transparent Parts Using Grid Line Slope, **15.03**
F2157-09 Specification for Synthetic Surfaced Running Tracks, **15.07**
F2158-08(2013) Specification for Residential Central-Vacuum Tube and Fittings, **15.08**
F2159-11 Specification for Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, **08.04**
F2160-10 Specification for Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD), **08.04**
F2161-10 Guide for Instrument and Precision Bearing Lubricants—Part 1 Oils, **01.08**
F2162-01(2008) Specification for Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, **01.08**
F2163-01(2008) Specification for Ring, Bearing, Inner: for Needle Roller Bearing With Drawn Outer Ring, **01.08**
F2164-13 Practice for Field Leak Testing of Polyethylene (PE) and Crosslinked Polyethylene (PEX) Pressure Piping Systems Using Hydrostatic Pressure, **08.04**
F2165-13 Specification for Flexible Pre-Insulated Piping, **08.04**
F2166 Withdrawn 2003; Practices for Monitoring Non-Contact Dielectric Characterization Systems Through Use of Special Reference Wafers
F2167-14 Consumer Safety Specification for Infant Bouncer Seats, **15.11**
F2168-13 Specification for Packing Material, Graphitic, Corrugated Ribbon or Textured Tape, and Die-Formed Ring, **01.07**
F2169-12 Specification for Resilient Stair Treads, **15.04**
F2170-11 Test Method for Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, **15.04**
F2171-02(2009) Guide for Defining the Performance of First Aid Providers in Occupational Settings, **13.02**
F2174-02(2008) Practice for Verifying Acoustic Emission Sensor Response, **10.03**
F2175-07 Specification for Portable and Permanent Emergency Escape Ladders for Residential Use, **15.11**
F2176-02(2009) Specification for Mechanical Couplings Used on Polyethylene Conduit, Duct and Innerduct, **08.04**
F2178-12 Test Method for Determining the Arc Rating and Standard Specification for Eye or Face Protective Products, **10.03**
F2179-14 Specification for Annealed Soda-Lime-Silicate Glass Containers That Are Produced for Use as Candle Containers, **15.11**
F2180-02(2011)ε1 Specification for Metallic Implantable Strands and Cables, **13.01**
F2181-09 Specification for Wrought Seamless Stainless Steel Tubing for Surgical Implants, **13.01**
F2182-11a Test Method for Measurement of Radio Frequency Induced Heating On or Near Passive Implants During Magnetic Resonance Imaging, **13.01**
F2183-02(2008) Test Method for Small Punch Testing of Ultra-High Molecular Weight Polyethylene Used in Surgical Implants, **13.01**
F2184-10(2014) Guide for Installation of Paintball Barrier Netting, **15.07**
F2187-02(2011) Test Method for Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, **10.04**
F2188-02(2011) Test Method for Determining the Effect of Variable Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, **10.04**
F2191-02(2008) Specification for Packing Material, Graphitic or Carbon Braided Yarn, **01.07**
F2192-05(2011) Test Method for Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, **01.07**
F2193-02(2007) Specifications and Test Methods for Components Used in the Surgical Fixation of the Spinal Skeletal System, **13.01**
F2194-13a Consumer Safety Specification for Bassinets and Cradles, **15.11**
F2195-13 Specification for Linoleum Floor Tile, **15.04**
F2199-09(2014) Test Method for Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, **15.04**
F2200-13 Specification for Automated Vehicular Gate Construction, **01.06**
F2201-10 Consumer Safety Specification for Utility Lighters, **15.11**
F2202-02(2007) Specification for Slow Cook/Hold Ovens and Hot Food Holding Cabinets, **15.12**
F2203-13 Test Method for Linear Measurement Using Precision Steel Rule, **15.10**
F2204-09 Guide for Describing Shoreline Response Techniques, **11.05**
F2205-07(2013) Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments, **11.05**
F2206-11 Specification for Fabricated Fittings of Butt-Fused Polyethylene (PE) Plastic Pipe, Fittings, Sheet Stock, Plate Stock, or Block Stock, **08.04**
F2207-06(2013) Specification for Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, **08.04**
F2208-08(2014) Safety Specification for Residential Pool Alarms, **15.11**
F2209-10 Guide for Training of Level I Land Search Team Member, **13.02**
F2210-02(2010) Guide for Processing Cells, Tissues, and Organs for Use in Tissue Engineered Medical Products, **13.01**
F2211-13 Classification for Tissue Engineered Medical Products (TEMPs), **13.01**
F2212-11 Guide for Characterization of Type I Collagen as Starting Material for Surgical Implants and Substrates for Tissue Engineered Medical Products (TEMPs), **13.01**
F2213-06(2011) Test Method for Measurement of Magnetically Induced Torque on Medical Devices in the Magnetic Resonance Environment, **13.01**
F2214-02(2008) Test Method for ***In Situ*** Determination of Network Parameters of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), **13.01**
F2215-08 Specification for Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, **01.08**
F2216-12 Specification for Selectorized Strength Equipment, **15.07**
F2217/F2217M-13 Practice for Coating/Adhesive Weight Determination, **15.10**
F2218-02(2008) Guide for Hardware Implementation for Computerized Systems, **01.07**
F2219-14 Test Methods for Measuring High-Speed Bat Performance, **15.07**
F2220-12 Specification for Headforms, **15.07**
F2223-10 Guide for ASTM Standards on Playground Surfacing, **15.07**
F2224-09(2014) Specification for High Purity Calcium Sulfate Hemihydrate or Dihydrate for Surgical Implants, **13.01**
F2225-13 Safety Specification for Consumer Trampoline Enclosures, **15.07**
F2226-03(2009)ε1 Practice for Determining the Adhesion of Prints and Laminating Films, **15.09**
F2227-13 Test Method for Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, **15.10**
F2228-13 Test Method for Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, **15.10**
F2229-12 Specification for Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108), **13.01**
F2230-08 Guide for In-situ Burning of Oil Spills on Water: Ice Conditions, **11.05**
F2231-02(2013) Test Method for Charpy Impact Test on Thin Specimens of Polyethylene Used in Pressurized Pipes, **08.04**
F2232-14 Test Method for Determining the Longitudinal Load Required to Detach High Heels from Footwear, **15.07**
F2233-03(2009) Guide for Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, **04.12**
F2234-08 Specification for Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use, **15.11**
F2236-14 Consumer Safety Specification for Soft Infant and Toddler Carriers, **15.11**
F2237-03(2008) Test Method for Performance of Upright Overfired Broilers, **15.12**
F2238-09 Test Method for Performance of Rapid Cook Ovens, **15.12**
F2239-10 Test Method for Performance of Conveyor Broilers, **15.12**
F2240-08(2013) Specification for Manufacturer Quality Assurance Program for Powered Parachute Aircraft, **15.11**
F2241-13 Specification for Continued Airworthiness System for Powered Parachute Aircraft, **15.11**
F2242-05(2013) Specification for Production Acceptance Testing System for Powered Parachute Aircraft, **15.11**
F2243-11(2013) Specification for Required Product Information to be Provided with Powered Parachute Aircraft, **15.11**
F2244-13 Specification for Design and Performance Requirements for Powered Parachute Aircraft, **15.11**
F2245-13b Specification for Design and Performance of a Light Sport Airplane, **15.11**
F2246-06(2013) Specification for Bearing, Roller, Needle: Thick Outer Ring With Rollers and Cage, **01.08**
F2247-11 Test Method for Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), **15.08**
F2248-12 Practice for Specifying an Equivalent 3-Second Duration Design Loading for Blast Resistant Glazing Fabricated with Laminated Glass, **15.08**
F2249-03(2009) Specification for In-Service Test Methods for Temporary Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, **10.03**
F2250-13 Practice for Evaluation of Chemical Resistance of Printed Inks and Coatings on Flexible Packaging Materials, **15.10**
F2251-13 Test Method for Thickness Measurement of Flexible Packaging Material, **15.10**
F2252/F2252M-13ε1 Practice for Evaluating Ink or Coating Adhesion to Flexible Packaging Materials Using Tape, **15.10**
F2255-05(2010) Test Method for Strength Properties of Tissue Adhesives in

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Lap-Shear by Tension Loading, **13.01**
F2256-05(2010) Test Method for Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, **13.01**
F2257-09 Specification for Wrought Seamless or Welded and Drawn 18 Chromium-14Nickel-2.5Molybdenum Stainless Steel Small Diameter Tubing for Surgical Implants (UNS S31673), **13.01**
F2258-05(2010) Test Method for Strength Properties of Tissue Adhesives in Tension, **13.01**
F2259-10(2012)ε1 Test Method for Determining the Chemical Composition and Sequence in Alginate by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, **13.01**
F2260-03(2012)ε1 Test Method for Determining Degree of Deacetylation in Chitosan Salts by Proton Nuclear Magnetic Resonance (^{1}H NMR) Spectroscopy, **13.01**
F2261-06(2011) Test Method for Pressure Rating Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40 and 80 Socket-Type, **08.04**
F2262-09 Specification for Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Tubing OD Controlled SDR9, **08.04**
F2263-07(2011) Test Method for Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, **08.04**
F2264-14 Consumer Safety Specification for Non-Powered Scooters, **15.11**
F2266-03(2008)ε1 Specification for Masses Used in Testing Rescue Systems and Components, **13.02**
F2267-04(2011) Test Method for Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, **13.01**
F2268-03(2010) Specification for Bicycle Serial Numbers, **15.07**
F2269-11 Guide for Maintaining Warm Season Turfgrasses on Athletic Fields, **15.07**
F2270-12 Guide for Construction and Maintenance of Warning Track Areas on Athletic Fields, **15.07**
F2271-11 Specification for Paintball Marker Barrel Blocking Devices, **15.07**
F2272-13 Specification for Paintball Markers, **15.07**
F2273-11 Test Methods for Bicycle Forks, **15.07**
F2274-11 Specification for Condition 3 Bicycle Forks, **15.07**
F2275-10 Practice for Treestand Manufacturer Quality Assurance Program, **15.07**
F2276-10 Specification for Fitness Equipment, **15.07**
F2277-12 Test Methods for Evaluating Design and Performance Characteristics of Selectorized Strength Equipment, **15.07**
F2278-10a(2014) Test Method for Evaluating Paintball Barrier Netting, **15.07**
F2279-10 Practice for Quality Assurance in the Manufacture of Fixed Wing Light Sport Aircraft, **15.11**
F2280-12 Specification for "Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 150 ksi Minimum Tensile Strength, **01.08**
F2281-04(2012) Specification for Stainless Steel and Nickel Alloy Bolts, Hex Cap Screws, and Studs, for Heat Resistance and High Temperature Applications, **01.08**
F2282-03(2009)ε1 Specification for Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, **01.08**
F2283-12 Specification for Shipboard Oil Pollution Abatement System, **01.07**
F2285-04(2010) Consumer Safety Performance Specification for Diaper Changing Tables for Commercial Use, **15.11**
F2286-05(2013) Design and Performance Specification for Removable Mesh Fencing for Swimming Pools, Hot Tubs, and Spas, **15.11**
F2291-14 Practice for Design of Amusement Rides and Devices, **15.07**
F2292-03(2008) Practice for Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, **15.09**
F2293-03(2008) Practice for Determining the Stain Resistance of Images Produced by Ink Jet Printers, **15.09**
F2294-03(2009) Practice for Determining the Writeability of Print Media, **15.09**
F2295-10 Practice for Continued Operational Safety Monitoring of a Light Sport Aircraft, **15.11**
F2296-04(2012) Practice for Determining the Adhesion of Lamination Films to Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/Tape, Cross Hatch, X-Cut, and Crease-Folding, **15.09**
F2298-03(2009)ε1 Test Methods for Water Vapor Diffusion Resistance and Air Flow Resistance of Clothing Materials Using the Dynamic Moisture Permeation Cell, **11.03**
F2299/F2299M-03(2010) Test Method for Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates Using Latex Spheres, **11.03**
F2300-10 Test Method for Measuring the Performance of Personal Cooling Systems Using Physiological Testing, **11.03**
F2302-08 Performance Specification for Labeling Protective Clothing as Heat and Flame Resistant, **11.03**
F2303-03(2009) Practice for Selection of Gravity Sewers Suitable for Installation of Optical Fiber Cable and Conduits, **04.12**
F2304-10 Practice for Sealing of Sewers Using Chemical Grouting, **04.12**
F2306/F2306M-13 Specification for 12 to 60 in. [300 to 1500 mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Gravity-Flow Storm Sewer and Subsurface Drainage Applications, **08.04**
F2307 Withdrawn 2011; Specification for Series 10 Poly(Vinyl Chloride) (PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter
F2311-08 Guide for Classification of Therapeutic Skin Substitutes, **13.01**
F2312-11 Terminology Relating to Tissue Engineered Medical Products, **13.01**
F2313-10 Specification for Poly(glycolide) and Poly(glycolide-co-lactide) Resins for Surgical Implants with Mole Fractions Greater Than or Equal to 70 % Glycolide, **13.01**
F2315-11 Guide for Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels, **13.01**
F2316-12 Specification for Airframe Emergency Parachutes, **15.11**
F2317/F2317M-10 Specification for Design of Weight-Shift-Control Aircraft, **15.11**
F2318 Withdrawn 2013; Specification for Rotary Wing Basic Life Support, Advanced Life Support, and Specialized Medical Support Air Ambulances
F2319 Withdrawn 2013; Specification for Fixed Wing Basic Life Support, Advanced Life Support, and Specialized Medical Support Air Ambulances
F2320-11 Specification for Rubber Insulating Sheeting, **10.03**
F2321-05(2013) Specification for Flexible Insulated Temporary By-Pass Jumpers, **10.03**
F2322-12 Test Methods for Physical Assault on Vertical Fixed Barriers for Detention and Correctional Facilities, **15.08**
F2324-13 Test Method for Prerinse Spray Valves, **15.12**
F2325-03(2009) Classification for Multi-Layer Steel (MLS) and Other Metal Layer Gaskets for Transportation Applications, **09.02**
F2326-04(2009) Test Method for Collection and Analysis of Visible Emissions from Candles as They Burn, **15.11**
F2327-08 Guide for Selection of Airborne Remote Sensing Systems for Detection and Monitoring of Oil on Water, **11.05**
F2328-05(2011) Test Method for Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs, **01.08**
F2328M-07(2013) Test Method for Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs (Metric), **01.08**
F2329-13 Specification for Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners, **01.08**
F2330 Withdrawn 2010; Test Method for Evaluating the Oxidative Resistance of Multilayer Polyolefin Tubing to Hot Chlorinated Water
F2331-11 Test Method for Determining Chemical Compatibility of Substances in Contact with Thermoplastic Pipe and Fittings Materials, **08.04**
F2332-06(2013) Specification for Annular Ball Bearings for Instruments and Precision Rotating Components, **01.08**
F2333-04(2011) Test Method for Traction Characteristics of the Athletic Shoe–Sports Surface Interface, **15.07**
F2334-09 Guide for Above Ground Public Use Skatepark Facilities, **15.07**
F2336 *Withdrawn 2014; Guide for Roller Hockey Playing Facilities*, **15.07**
F2337-11 Test Method for Treestand Fall Arrest System, **15.07**
F2338-09(2013) Test Method for Nondestructive Detection of Leaks in Packages by Vacuum Decay Method, **15.10**
F2339-06(2009) Practice for Design and Manufacture of Reciprocating Spark Ignition Engines for Light Sport Aircraft, **15.11**
F2340-05(2010) Specification for Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, **15.12**
F2341-05(2010) Practice for User Requirements for Livestock, Meat, and Poultry Evaluation Devices or Systems, **15.12**
F2342/F2342M-09 Specification for Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, **15.12**
F2343-09 Test Method for Livestock, Meat, and Poultry Evaluation Devices, **15.12**
F2345-03(2013) Test Methods for Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, **13.01**
F2346-05(2011) Test Methods for Static and Dynamic Characterization of Spinal Artificial Discs, **13.01**
F2347-11 Guide for Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, **13.01**
F2348-04(2010) Performance Specification for Privacy Padlocks, **15.08**
F2349-04(2010) Practice for Operation and Maintenance of Integrated Natural Gas Pipelines and Optical Fiber Systems, **04.12**
F2350-04(2010) Practice for Selection of Natural Gas Pipelines Suitable for Installation of Optical Fiber Systems, **04.12**
F2352-11 Specification for Design and Performance of Light Sport Gyroplane Aircraft, **15.11**
F2353-05(2013) Specification for Manufacturer Quality Assurance Program for Lighter-Than-Air Light Sport Aircraft, **15.11**
F2354-05b(2013) Specification for Continued Airworthiness System for Lighter-Than-Air Light Sport Aircraft, **15.11**
F2355-13 Specification for Design and Performance Requirements for Lighter-Than-Air Light Sport Aircraft, **15.11**
F2356-05a(2013) Specification for Production Acceptance Testing System for Lighter-Than-Air Light Sport Aircraft, **15.11**
F2357-10 Test Method for Determining the Abrasion Resistance of Inks and Coatings on Membrane Switches Using the Norman Tool RCA Abrader, **10.04**
F2358 Withdrawn 2011; Guide for Measuring Characteristics of Sapphire Substrates
F2359-04(2011) Test Method for Determining Color of a Membrane Switch Backlit with Diffuse Light Source, **10.04**
F2360-08 Test Method for Determining Luminance of a Membrane Switch Backlit with Diffuse Light Source, **10.04**
F2361-03(2013) Guide for Ordering Low Voltage (1000 VAC or Less) Alternating Current Electric Motors for Shipboard Service—Up to and Including Motors of 500 Horsepower, **01.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F2362-03(2013) Specification for Temperature Monitoring Equipment, **01.07**
F2363/F2363M-12 Specification for Sewage and Graywater Flow Through Treatment Systems, **01.07**
F2366-12 Practice for Determining the Relative Lightfastness of Ink Jet Prints Exposed to Window Filtered Daylight Using a Xenon Arc Light Apparatus, **15.09**
F2367-04a(2010) Specification for Labeling for Upright Brooms for Consumer and Institutional Use, **15.11**
F2368-04(2010) Specification for Labeling for Wet Mops for Consumer and Institutional Use, **15.11**
F2369-04(2010) Safety Specification for Non-Integral Firearm Locking Devices, **15.11**
F2370-10 Test Method for Measuring the Evaporative Resistance of Clothing Using a Sweating Manikin, **11.03**
F2371-10 Test Method for Measuring the Heat Removal Rate of Personal Cooling Systems Using a Sweating Heated Manikin, **11.03**
F2372-11a Consumer Safety Performance Specification for Shopping Carts, **15.11**
F2373-11 Consumer Safety Performance Specification for Public Use Play Equipment for Children 6 Months through 23 Months, **15.11**
F2374-10 Practice for Design, Manufacture, Operation, and Maintenance of Inflatable Amusement Devices, **15.07**
F2375-09 Practice for Design, Manufacture, Installation and Testing of Climbing Nets and Netting/Mesh used in Amusement Rides, Devices, Play Areas and Attractions, **15.07**
F2376-13 Practice for Classification, Design, Manufacture, Construction, and Operation of Water Slide Systems, **15.07**
F2378-05(2011) Test Method for Sealability of Sheet, Composite, and Solid Form-in-Place Gasket Materials, **09.02**
F2379-04(2010) Test Method for Energy Performance of Powered Open Warewashing Sinks, **15.12**
F2380-04(2010) Test Method for Performance of Conveyor Toasters, **15.12**
F2381-10 Test Method for Evaluating Trans-Vinylene Yield in Irradiated Ultra-High Molecular Weight Polyethylene Fabricated Forms Intended for Surgical Implants by Infrared Spectroscopy, **13.01**
F2382-04(2010) Test Method for Assessment of Intravascular Medical Device Materials on Partial Thromboplastin Time (PTT), **13.01**
F2383-11 Guide for Assessment of Adventitious Agents in Tissue Engineered Medical Products (TEMPs), **13.01**
F2384-10 Specification for Wrought Zirconium-2.5Niobium Alloy for Surgical Implant Applications (UNS R60901), **13.01**
F2385-04(2010) Test Method for Determining Femoral Head Penetration into Acetabular Components of Total Hip Replacement Using Clinical Radiographs, **13.01**
F2386 Withdrawn 2013; Guide for reservation of Tissue Engineered Medical Products (TEMPs)
F2387-04(2012) Specification for Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot Tubs, **15.11**
F2388-09 Consumer Safety Specification for Baby Changing Tables for Domestic Use, **15.11**
F2389-10 Specification for Pressure-rated Polypropylene (PP) Piping Systems, **08.04**
F2390-12 Specification for Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent (DWV) Pipe and Fittings Having Post-Industrial Recycle Content, **08.04**
F2391-05(2011) Test Method for Measuring Package and Seal Integrity Using Helium as the Tracer Gas, **15.10**
F2392-04(2010) Test Method for Burst Strength of Surgical Sealants, **13.01**
F2393-12 Specification for High-Purity Dense Magnesia Partially Stabilized Zirconia (Mg-PSZ) for Surgical Implant Applications, **13.01**
F2394-07(2013) Guide for Measuring Securement of Balloon Expandable Vascular Stent Mounted on Delivery System, **13.01**
F2395 Withdrawn 2014; Terminology for Unmanned Aircraft Systems
F2396-11 Guide for Construction of High Performance Sand-Based Rootzones for Athletic Fields, **15.07**
F2397-09 Specification for Protective Headgear Used in Martial Arts, **15.07**
F2398-11 Test Method for Measuring Moment of Inertia and Center of Percussion of a Baseball or Softball Bat, **15.07**
F2400-06(2011) Specification for Helmets Used in Pole Vaulting, **15.07**
F2401-04(2010) Practice for Security Checkpoint Metal Detector Screening of Persons with Medical Devices, **15.08**
F2403-09 Specification for Inch Series Machine Screws, Carbon Steel, 60 000 psi Tensile Strength, **01.08**
F2405-04(2011) Test Method for Trace Metallic Impurities in High Purity Copper by High-Mass-Resolution Glow Discharge Mass Spectrometer, **10.04**
F2406-04(2012) Practice for Determining Yield of Solid Ink Sticks, **15.09**
F2407-06(2013)$^{\epsilon 1}$ Specification for Surgical Gowns Intended for Use in Healthcare Facilities, **11.03**
F2408-11 Specification for Ornamental Fences Employing Galvanized Steel Tubular Pickets, **01.06**
F2409-10 Guide for Fences for Non-Residential Outdoor Swimming Pools, Hot Tubs, and Spas, **01.06**
F2411 Withdrawn 2014; Specification for Design and Performance of an Airborne Sense-and-Avoid System
F2412-11 Test Methods for Foot Protection, **15.07**
F2413-11 Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear, **15.07**
F2414-04(2009) Practice for Sealing Sewer Manholes Using Chemical Grouting, **04.12**
F2415-09 Practice for Continued Airworthiness System for Light Sport Gyroplane Aircraft, **15.11**
F2416-06(2011) Specification for Protective Headgear Used in Electric Personal Assistive Mobility Devices, **15.07**
F2417-11 Specification for Fire Safety for Candles, **15.11**
F2418-13 Specification for Polypropylene (PP) Corrugated Wall Stormwater Collection Chambers, **08.04**
F2419-11 Practice for Installation of Thick Poured Gypsum Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, **15.04**
F2420-05(2011) Test Method for Determining Relative Humidity on the Surface of Concrete Floor Slabs Using Relative Humidity Probe Measurement and Insulated Hood, **15.04**
F2421-05(2011) Test Method for Measurement of Resilient Floor Plank by Dial Gage, **15.04**
F2423-11 Guide for Functional, Kinematic, and Wear Assessment of Total Disc Prostheses, **13.01**
F2425-05a(2009) Specification for Continued Airworthiness System for Weight-Shift-Control Aircraft, **15.11**
F2426-13 Guide on Wing Interface Documentation for Powered Parachute Aircraft, **15.11**
F2427-05a(2013) Specification for Required Product Information to be Provided with Lighter-Than-Air Light Sport Aircraft, **15.11**
F2428-04(2011) Guide for Selection and Use for Pelvic Ring Circumferential Compression Stabilization Devices (PRCCSD), **13.02**
F2429-05(2010) Terminology Relating to Aerospace Transparent Materials and Enclosures, **15.03**
F2430-04(2012) Specification for Bearing, Roller, Needle: Assembly (Thick Outer Race), **01.08**
F2431-04(2012) Specification for Ring Bearing, Inner: For Needle Roller Bearing with Thick Outer Ring, **01.08**
F2432-12 Specification for Ice Making Machines, Icemaker-Dispensers, and Ice Dispensing Equipment, **15.12**
F2433-05(2013) Test Method for Determining Thermoplastic Pipe Wall Stiffness, **08.04**
F2434-09 Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Tubing, **08.04**
F2435-12 Specification for Steel Reinforced Polyethylene (PE) Corrugated Pipe, **08.04**
F2436-05(2011) Test Method for Measuring the Performance of Synthetic Rope Rescue Belay Systems Using a Drop Test, **13.02**
F2437-12 Specification for Carbon and Alloy Steel Compressible-Washer-Type Direct Tension Indicators for Use with Cap Screws, Bolts, Anchors, and Studs, **01.08**
F2438-04(2010) Specification for Oil Spill Response Boom Connection: Slide Connector, **11.05**
F2439-06(2011) Specification for Headgear Used in Soccer, **15.07**
F2440-11 Specification for Indoor Wall/Feature Padding, **15.07**
F2441-12 Practice for Labeling of Backpacking and Mountaineering Tents and Bivouac Sacks, **15.07**
F2442-07 Guide for Layout of Ice Arena, **15.07**
F2443-04(2012) Specification for Roller, Bearing, Needle, Ferrous, Solid, Spherical End, **01.08**
F2444-04(2012) Practice for Damage Prevention of Bearings, and Bearing Components Through Proper Handling Techniques, **01.08**
F2446-04(2010) Classification for Hierarchy of Equipment Identifiers and Boundaries for Reliability, Availability, and Maintainability (RAM) Performance Data Exchange, **01.07**
F2447-05(2009) Practice for Production Acceptance Test Procedures for Weight-Shift-Control Aircraft, **15.11**
F2448-04(2009) Practice for Manufacturer Quality Assurance System for Weight-Shift-Control Aircraft, **15.11**
F2449-09 Specification for Manufacturer Quality Assurance Program for Light Sport Gyroplane Aircraft, **15.11**
F2450-10 Guide for Assessing Microstructure of Polymeric Scaffolds for Use in Tissue-Engineered Medical Products, **13.01**
F2451-05(2010) Guide for ***in vivo*** Assessment of Implantable Devices Intended to Repair or Regenerate Articular Cartilage, **13.01**
F2452-04(2012) Practice for Determining the Adhesion of Print Media Utilizing Mechanical Stress: Two Different Test Methods—Score/Tape and Cross Hatch, **15.09**
F2453/F2453M-05(2011)$^{\epsilon 1}$ Specification for Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) for Meshes of 6 in., **01.06**
F2454-05(2010) Practice for Sealing Lateral Connections and lines from the mainline Sewer Systems by the Lateral Packer Method, Using Chemical Grouting, **04.12**
F2456-04(2009) Specification for Youth-Resistant Firearms Containers (YRFCs), **15.11**
F2457-05(2009) Specification for Required Product Information to be Provided with, **15.11**
F2458-05(2010) Test Method for Wound Closure Strength of Tissue Adhesives and Sealants, **13.01**
F2459-12 Test Method for Extracting Residue from Metallic Medical Components and Quantifying via Gravimetric Analysis, **13.01**
F2460-11 Practice for Special Requirements for Bumper Boats, **15.07**
F2461-09 Practice for Manufacture, Construction, Operation, and Maintenance of Aquatic Play Equipment, **15.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS
Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F2462-05(2010) Practice for Operation and Maintenance of Sewers with Optical Fiber Systems, **04.12**
F2463-12bε1 Terminology for Livestock, Meat, and Poultry Evaluation Systems, **15.12**
F2464-12 Guide for Cleaning of Various Oiled Shorelines and Habitats, **11.05**
F2465/F2465M-05(2011)ε1 Guide for Oil Spill Dispersant Application Equipment: Single-point Spray Systems, **11.05**
F2466-10 Practice for Determining Silicone Volatiles in Silicone Rubber for Transportation Applications, **09.02**
F2467-06(2013) Practice for Measuring Static Sealing Pressure Using Pressure-Indicating Film (PIF) in Transportation Applications, **09.02**
F2468-05(2011) Classification for Specifying Silicone Adhesives and Sealants for Transportation Applications, **09.02**
F2469-10 Test Method for Measuring Optical Angular Deviation of Transparent Parts Using the Double-Exposure Method, **15.03**
F2471-13 Practice for Installation of Thick Poured Lightweight Cellular Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, **15.04**
F2472-05(2010) Test Method for Performance of Staff-Serve Hot Deli Cases, **15.12**
F2473-12 Test Method for Performance of Water-Bath Rethermalizers, **15.12**
F2474-09 Test Method for Heat Gain to Space Performance of Commercial Kitchen Ventilation/Appliance Systems, **15.12**
F2475-11 Guide for Biocompatibility Evaluation of Medical Device Packaging Materials, **15.10**
F2476-13 Test Method for Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, **15.10**
F2477-07(2013) Test Methods for ***in vitro*** Pulsatile Durability Testing of Vascular Stents, **13.01**
F2479-12 Guide for Specification, Purchase, Installation and Maintenance of Poured-In-Place Playground Surfacing, **15.07**
F2480-06(2012) Guide for In-ground Concrete Skatepark, **15.07**
F2482-08 Specification for Load-Indicating Externally Threaded Fasteners, **01.08**
F2483-12 Practice for Maintenance and the Development of Maintenance Manuals for Light Sport Aircraft, **15.11**
F2487-13 Practice for Infiltration and Exfiltration Acceptance Testing of Installed Corrugated High Density Polyethylene and Polypropylene Pipelines, **08.04**
F2488-05(2013) Terminology for Rolling Element Bearings, **01.08**
F2489-06 Guide for Instrument and Precision Bearing Lubricants—Part 2 Greases, **01.08**
F2490-05(2013) Guide for Aircraft Electrical Load and Power Source Capacity Analysis, **15.11**
F2491-05(2010)ε1 Guide for Determining Load Ratios for Technical Rescue Systems and Equipment, **13.02**
F2493-08 Specification for P225/60R16 97S Radial Standard Reference Test Tire, **09.02**
F2494-05(2011) Test Method for Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, **15.09**
F2495-05(2011) Test Method for Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, **15.09**
F2496-05(2011)ε1 Practice for Determining the Scratch Hardness and Scrape Adhesion of Prints and Coatings, **15.09**
F2497-05(2011)ε1 Practice for Abrasion and Scuff Resistance of Inkjet Media by the Sutherland Rub Tester, **15.09**
F2498-05(2011) Practice for Determining the Drying Time of Inkjet Media and Inks Using a Smudge Method, **15.09**
F2500-07 Practice for Unmanned Aircraft System (UAS) Visual Range Flight Operations, **15.11**
F2501-06 Practices for Unmanned Aircraft System Airworthiness, **15.11**
F2502-11 Specification and Test Methods for Absorbable Plates and Screws for Internal Fixation Implants, **13.02**
F2503-13 Practice for Marking Medical Devices and Other Items for Safety in the Magnetic Resonance Environment, **13.02**
F2504-05(2014) Practice for Describing System Output of Implantable Middle Ear Hearing Devices, **13.02**
F2505 Withdrawn 2014; Practice for Application of Federal Aviation Administration (FAA) Federal Aviation Regulations Part 21 Requirements to Unmanned Aircraft Systems (UAS)
F2506-13 Specification for Design and Testing of Light Sport Aircraft Propellers, **15.11**
F2507-05(2010) Specification for Recreational Airpark Design, **15.11**
F2508-13 Practice for Validation, Calibration, and Certification of Walkway Tribometers Using Reference Surfaces, **15.07**
F2509-12 Specification for Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, **08.04**
F2510/F2510M-07(2013) Specification for Resilient Connectors Between Reinforced Concrete Manhole Structures and Corrugated High Density Polyethylene Drainage Pipes, **08.04**
F2511-05(2013) Specification for Rollers, Bearing, Needle, Ferrous, Solid, **01.08**
F2512-07 Practice for Quality Assurance in the Manufacture of Light Unmanned Aircraft System, **15.11**
F2514-08(2014) Guide for Finite Element Analysis (FEA) of Metallic Vascular Stents Subjected to Uniform Radial Loading, **13.02**
F2516-07ε2 Test Method for Tension Testing of Nickel-Titanium Superelastic Materials, **13.02**
F2517-09 Specification for Determination of Child Resistance of Portable Fuel Containers for Consumer Use, **15.11**
F2518-06 Guide for Use of a Residential Swimming Pool, Spa, and Hot Tub Safety Audit to Prevent Unintentional Drowning, **15.11**
F2519-05(2011)ε1 Test Method for Grease Particle Capture Efficiency of Commercial Kitchen Filters and Extractors, **15.12**
F2520-05(2012) Specification for Reach-in Refrigerators, Freezers, Combination Refrigerator/Freezers, and Thaw Cabinets, **15.12**
F2521-09(2014) Specification for Heavy-Duty Ranges, Gas and Electric, **15.12**
F2522-12 Test Method for Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, **10.03**
F2523-13 Practice for Blowout Resistance of Room-Temperature Vulcanized Elastomers, **09.02**
F2524-06(2013) Practice for Determination of Volatile Content for Formed-in-Place Gaskets (FIPG) Silicone Adhesives and Sealants for Transportation Applications, **09.02**
F2527-10 Specification for Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), **13.02**
F2528-06(2014) Test Methods for Enteral Feeding Devices with a Retention Balloon, **13.02**
F2529-13 Guide for in vivo Evaluation of Osteoinductive Potential for Materials Containing Demineralized Bone (DBM), **13.02**
F2530-13 Specification for Protective Headgear with Faceguard Used in Bull Riding, **15.07**
F2531-13 Test Method for Load Capacity of Treestand Seats, **15.07**
F2532-13 Guide for Determining Net Environmental Benefit of Dispersant Use, **11.05**
F2533-07(2013) Guide for In-Situ Burning of Oil in Ships or Other Vessels, **11.05**
F2534-12 Guide for Visually Estimating Oil Spill Thickness on Water, **11.05**
F2536-06b(2011) Guide for Installing Plastic DWV Piping Suspended from On-Grade Slabs, **08.04**
F2537-06(2011) Practice for Calibration of Linear Displacement Sensor Systems Used to Measure Micromotion, **13.02**
F2538-07a(2010) Practice for Design and Manufacture of Reciprocating Compression Ignition Engines for Light Sport Aircraft, **15.11**
F2541-06 Guide for Unmanned Undersea Vehicle (UUV) Autonomy and Control Architecture, **15.11**
F2542-05(2012) Test Methods for Physical Assault on Ventilation Grilles for Detention and Correctional Facilities, **15.08**
F2544-11 Test Method for Determining A-Weighted Sound Power Level of Central Vacuum Power Units, **15.08**
F2545-07 Guide for Unmanned Undersea Vehicle (UUV) Physical Payload Interface, **15.11**
F2546-07(2012) Test Method for Snowboard Step-in Bindings, **15.07**
F2547-06(2013) Test Method for Determining the Attenuation Properties in a Primary X-ray Beam of Materials Used to Protect Against Radiation Generated During the Use of X-ray Equipment, **11.03**
F2548-12 Specification for Expanded Metal Fence Systems for Security Purposes, **01.06**
F2549-14a Consumer Safety Specification for Frame Child Carriers, **15.11**
F2550-13 Practice for Locating Leaks in Sewer Pipes By Measuring the Variation of Electric Current Flow Through the Pipe Wall, **04.12**
F2551-09 Practice for Installing a Protective Cementitious Liner System in Sanitary Sewer Manholes, **04.12**
F2553-11 Specification for Warnings on Refillable CO, **15.07**
F2554-10 Practice for Measurement of Positional Accuracy of Computer Assisted Surgical Systems, **13.02**
F2555-06(2011) Practice for Determining Page Yield of Ink Jet Printer Cartridges--Continuous Printing Method, **15.09**
F2559/F2559M-06(2010)ε1 Guide for Writing a Specification for Sterilizable Peel Pouches, **15.10**
F2561-11 Practice for Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, **08.04**
F2562/F2562M-08 Specification for Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, **08.04**
F2563-06(2010) Practice for Kit Assembly Instructions of Aircraft Intended Primarily for Recreation, **15.11**
F2564-13 Specification for Design and Performance of a Light Sport Glider, **15.11**
F2565-13 Guide for Extensively Irradiation-Crosslinked Ultra-High Molecular Weight Polyethylene Fabricated Forms for Surgical Implant Applications, **13.02**
F2567-06(2010) Practice for Testing for Classical Pathway Complement Activation in Serum by Solid Materials, **13.02**
F2568-06(2012) Test Method for Measurement of Sleeping Bags, **15.07**
F2569-11 Test Method for Evaluating the Force Reduction Properties of Surfaces for Athletic Use, **15.07**
F2571-09 Test Methods for Evaluating Design and Performance Characteristics of Fitness Equipment, **15.07**
F2573-06(2014) Specification for Low Velocity Resilient Material Projectile, **15.07**
F2574-06(2014) Specification for Low Velocity Projectile Marker, **15.07**
F2575-14 Guide for Quality Assurance in Translation, **15.11**
F2576-13 Terminology Relating to Declarable Substances in Materials, **10.04**
F2577-06 Guide for Assessment of Materials and Products for Declarable Substances, **10.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F2579-10 Specification for Amorphous Poly(lactide) and Poly(lactide-co-glycolide) Resins for Surgical Implants, **13.02**
F2580-13 Practice for Evaluation of Modular Connection of Proximally Fixed Femoral Hip Prosthesis, **13.02**
F2581-12 Specification for Wrought Nitrogen Strengthened 11Manganese-17Chromium-3Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29225), **13.02**
F2582-14 Test Method for Impingement of Acetabular Prostheses, **13.02**
F2584-06 Practice for Maintenance and Development of Maintenance Manuals for Light Unmanned Aircraft System (UAS), **15.11**
F2585-08 Specification for Design and Performance of Pneumatic-Hydraulic Unmanned Aircraft System (UAS) Launch System, **15.11**
F2588-12 Test Method for Man-In-Simulant Test (MIST) for Protective Ensembles, **11.03**
F2589-11 Specification for Ornamental Fences Employing Steel Tubular Pickets, **01.06**
F2590-06(2013) Specification for Bearing, Roller, Thrust, Two Channeled Race Surface, Rigid or Flat Seat Type, **01.08**
F2591-06(2013) Specification for Bearing, Roller, Tapered, Single Row of Rollers (Metric Series), **01.08**
F2592-10 Test Method for Measuring the Force-Displacement of a Membrane Switch, **10.04**
F2594-07 Guide for Unmanned Undersea Vehicle (UUV) Communications, **15.11**
F2595-07 Guide for Unmanned Undersea Vehicle (UUV) Sensor Data Formats, **15.11**
F2598-09 Consumer Safety Specification for Clothing Storage Chests, **15.11**
F2599-11 Practice for The Sectional Repair of Damaged Pipe By Means of An Inverted Cured-In-Place Liner, **08.04**
F2600-09 Specification for Electrofusion Type Polyamide-11 Fittings for Outside Diameter Controlled Polyamide-11 Pipe and Tubing, **08.04**
F2601-13 Specification for Fire Safety for Candle Accessories, **15.11**
F2602-13 Test Method for Determining the Molar Mass of Chitosan and Chitosan Salts by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), **13.02**
F2603-06(2012) Guide for Interpreting Images of Polymeric Tissue Scaffolds, **13.02**
F2605-08ε1 Test Method for Determining the Molar Mass of Sodium Alginate by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), **13.02**
F2606-08(2014) Guide for Three-Point Bending of Balloon Expandable Vascular Stents and Stent Systems, **13.02**
F2607-08 Test Method for Measuring the Hard Surface Floor-Cleaning Ability of Household/Commercial Vacuum Cleaners, **15.08**
F2608-07 Test Method for Determining the Change in Room Air Particulate Counts as a Result of the Vacuum Cleaning Process, **15.08**
F2609-11 Test Method for Litter-Cleaning Effectiveness of Vacuum Cleaners, **15.08**
F2611-11 Guide for Design and Construction of Chain Link Security Fencing, **01.06**
F2612 Withdrawn 2014; Practice for Design and Manufacture of Turbine Engines for Unmanned Aircraft System
F2613-13 Consumer Safety Specification for Children's Chairs and Stools, **15.11**
F2614-09(2014) Specification for Condition 3 Bicycle Frames, **15.07**
F2617-08ε1 Test Method for Identification and Quantification of Chromium, Bromine, Cadmium, Mercury, and Lead in Polymeric Material Using Energy Dispersive X-ray Spectrometry, **10.04**
F2618-09 Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, **08.04**
F2619/F2619M-11 Specification for High-Density Polyethylene (PE) Line Pipe, **08.04**
F2620-12 Practice for Heat Fusion Joining of Polyethylene Pipe and Fittings, **08.04**
F2621-12 Practice for Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure, **10.03**
F2622-08(2013) Test Method for Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using Various Sensors, **15.10**
F2623-08 Specification for Polyethylene of Raised Temperature (PE-RT) SDR 9 Tubing, **08.04**
F2624-12 Test Method for Static, Dynamic, and Wear Assessment of Extra-Discal Single Level Spinal Constructs, **13.02**
F2625-10 Test Method for Measurement of Enthalpy of Fusion, Percent Crystallinity, and Melting Point of Ultra-High-Molecular Weight Polyethylene by Means of Differential Scanning Calorimetry, **13.02**
F2626-12 Terminology for Light Sport Aircraft, **15.11**
F2630-07 Guide for Self-Closing/Self-Latching General-Purpose Gates, **01.06**
F2631-07 Practice for Installation of Chain-Link Fence for Outdoor Sports Fields, Sports Courts and Other Recreation Facilities, **01.06**
F2632-07(2013)ε1 Practice for Determining the Toner Usage for Color Printer Cartridges, **15.09**
F2633-13 Specification for Wrought Seamless Nickel-Titanium Shape Memory Alloy Tube for Medical Devices and Surgical Implants, **13.02**
F2634-10 Test Method for Laboratory Testing of Polyethylene (PE) Butt Fusion Joints using Tensile-Impact Method, **08.04**
F2635 Withdrawn 2014; Classification for Unmanned Aircraft Pilot Certification
F2636 Withdrawn 2014; Practice for Commercial Unmanned Aircraft System (UAS) Pilot Practical Test Standards for Unmanned Aircraft Single-Engine Land (SEL) Remote Control and Autonomous/Semiautonomous
F2638-12 Test Method for Using Aerosol Filtration for Measuring the Performance of Porous Packaging Materials as a Surrogate Microbial Barrier, **15.10**
F2639-07ε1 Practice for Design, Alteration, and Certification of Airplane Electrical Wiring Systems, **15.11**
F2640-14 Consumer Safety Specification for Booster Seats, **15.11**
F2641-08 Consumer Safety Specification for Recreational Powered Scooters and Pocket Bikes, **15.11**
F2642-08 Consumer Safety Specification for Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, **15.11**
F2643-09 Specification for Powered Pot, Pan and Utensil Washing Sinks, **15.12**
F2644-07(2013) Test Method for Performance of Commercial Patio Heaters, **15.12**
F2645-07(2011) Specification for Bun Slicing Machines, **15.12**
F2646-07(2011) Specification for Bread Slicing Machines, **15.12**
F2647-07(2013) Guide for Approved Methods of Installing a CVS (Central Vacuum System), **15.08**
F2648/F2648M-13 Specification for 2 to 60 inch [50 to 1500 mm] Annular Corrugated Profile Wall Polyethylene (PE) Pipe and Fittings for Land Drainage Applications, **08.04**
F2649-08a Specification for Corrugated High Density Polyethylene (HDPE) Grease Interceptor Tanks, **08.04**
F2650-13 Terminology Relating to Impact Testing of Sports Surfaces and Equipment, **15.07**
F2651-10 Terminology Relating to Soil and Turfgrass Characteristics of Natural Playing Surfaces, **15.07**
F2653-11 Specification for Paintball Valve Male Threaded Connection for Use with Approved Cylinders, **15.07**
F2654-14 Specification for Low Energy Air Gun (LEAG) Warnings, **15.07**
F2656-07 Test Method for Vehicle Crash Testing of Perimeter Barriers, **15.08**
F2657-07(2012) Test Method for Outdoor Weathering Exposure of Crosslinked Polyethylene (PEX) Tubing, **08.04**
F2658-07(2013) Specification for Type PSM Poly(Vinyl Chloride) (PVC) SDR 51 and SDR 64 Sewer Pipe and Fittings, **08.04**
F2659-10 Guide for Preliminary Evaluation of Comparative Moisture Condition of Concrete, Gypsum Cement and Other Floor Slabs and Screeds Using a Non-Destructive Electronic Moisture Meter, **15.04**
F2660-12 Test Method for Qualifying Coatings for Use on A490 Structural Bolts Relative to Hydrogen Embrittlement, **01.08**
F2661-07 Test Method for Determining the Tribological Behavior and the Relative Lifetime of a Fluid Lubricant using the Spiral Orbit Tribometer, **01.08**
F2662-08(2014) Guide for Minimum Training of Dispatchers and Telecommunicators of SAR Incidents, **13.02**
F2663-07a Test Method for Bead Unseating of Tubeless Tires for Motor Vehicles with GVWR of 4536 kg (10 000 lb) or Less, **09.02**
F2664-11 Guide for Assessing the Attachment of Cells to Biomaterial Surfaces by Physical Methods, **13.02**
F2665-09 Specification for Total Ankle Replacement Prosthesis, **13.02**
F2666-07 Specification for Aboveground Portable Pools for Residential Use, **15.11**
F2667 Withdrawn 2014; Practice for Design and Manufacture of Reciprocating Compression Ignition Engines for Unmanned Aircraft Systems
F2668-07(2011) Practice for Determining the Physiological Responses of the Wearer to Protective Clothing Ensembles, **11.03**
F2669-12 Performance Specification for Protective Clothing Worn by Operators Applying Pesticides, **11.03**
F2670-13 Consumer Safety Specification for Infant Bath Tubs, **15.11**
F2673-08 Safety Specification for Special Tip-Resistant Movable Soccer Goals, **15.11**
F2674 Withdrawn 2011; Specification for Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners [Metric]; Replaced by F2329
F2675/F2675M-13 Test Method for Determining Arc Ratings of Hand Protective Products Developed and Used for Electrical Arc Flash Protection, **10.03**
F2676-09 Test Method for Determining the Protective Performance of an Arc Protective Blanket for Electric Arc Hazards, **10.03**
F2677-08a(2013) Specification for Electrically Insulating Aprons, **10.03**
F2678-10 Practice for Preparing Panel Underlayments, Thick Poured Gypsum Concrete Underlayments, Thick Poured Lightweight Cellular Concrete Underlayments, and Concrete Subfloors with Underlayment Patching Compounds to Receive Resilient Flooring, **15.04**
F2679-13 Specification for 6 mm Projectiles Used with Low Energy Air Guns, **15.07**
F2680-09(2014) Specification for Manually Operated Front Wheel Retention Systems for Bicycles, **15.07**
F2681-08(2014) Specification for Body Protectors Used in Equine Racing, **15.07**
F2682-07(2012)ε1 Guide for Determining the Buoyancy to Weight Ratio of Oil Spill Containment Boom, **11.05**
F2683-11 Guide for Selection of Booms for Oil-Spill Response, **11.05**
F2684/F2684M-07(2012)ε1 Test Method for Portable High Anchor Devices, **13.02**
F2685-14 Guide for Training of a Land Search Team Leader (STL), **13.02**
F2686-10 Specification for Glass Fiber Reinforced Thermoplastic Pipe, **08.04**
F2687-13 Practice for Life Cycle Cost Analysis of Commercial Food Service Equipment, **15.12**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F2688-08 Guide for System-Based, Customer-Centered Quality Plan for Manufacturers, **01.08**
F2689 Withdrawn 2014; Practice for Design and Manufacture of Reciprocating Spark Ignition Engines for Unmanned Aircraft Systems
F2690 Withdrawn 2014; Guide for Suggested Procedures for Applying for a Flight Authority for an Unmanned Aircraft System: Part I and Part II
F2694-07(2013) Practice for Functional and Wear Evaluation of Motion-Preserving Lumbar Total Facet Prostheses, **13.02**
F2695-12 Specification for Ultra-High Molecular Weight Polyethylene Powder Blended With Alpha-Tocopherol (Vitamin E) and Fabricated Forms for Surgical Implant Applications, **13.02**
F2696-14 Practice for Inspection of Aircraft Electrical Wiring Systems, **15.11**
F2698-08(2013) Guide for Fences for Above-Ground and In-ground Skate Park Facilities, **01.06**
F2699-08(2013) Guide for Fences for Commercial and Public Outdoor Water Spray/Play Areas, **01.06**
F2700-08(2013) Test Method for Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Continuous Heating, **11.03**
F2701-08 Test Method for Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with a Hot Liquid Splash, **11.03**
F2702-08 Test Method for Radiant Heat Performance of Flame Resistant Clothing Materials with Burn Injury Prediction, **11.03**
F2703-08(2013) Test Method for Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Burn Injury Prediction, **11.03**
F2704-10 Specification for Air-Fed Protective Ensembles, **11.03**
F2706-08 Test Methods for Occipital-Cervical and Occipital-Cervical-Thoracic Spinal Implant Constructs in a Vertebrectomy Model, **13.02**
F2707-10 Safety Performance Specification for Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, **15.11**
F2709-08 Test Method for Determining Nameplate Recovery Rate of Stationary Oil Skimmer Systems, **11.05**
F2710-13 Consumer Safety Performance Specification for Commercial Cribs, **15.11**
F2711-08(2012) Test Methods for Bicycle Frames, **15.07**
F2713-13 Specification for Eye Protectors for Field Hockey, **15.07**
F2714-08(2013) Test Method for Oxygen Headspace Analysis of Packages Using Fluorescent Decay, **15.10**
F2715-09 Specification for Temporary Protective Equipotential Bond Mat To Be Used on De-Energized Equipment, **10.03**
F2716-08 Practice for Comparison of Nonmetallic Flat Gaskets in High Pressure Saturated Steam, **09.02**
F2717-14 Guide for Development of an Independent Third-Party Verification of Reference Materials, **15.12**
F2718-09 Specification for Polyethylene (PE) and Cement Materials for an Encapsulated Cement Mortar Formed in Place Liner System (FIPLS) for the Rehabilitation of Water Pipelines, **08.04**
F2719-09 Practice for Installation of Polyethylene (PE) and Encapsulated Cement Mortar Formed in Place Lining System (FIPLS) for the Rehabilitation of Water Pipelines, **08.04**
F2720/F2720M-09 Specification for Glass Fiber Reinforced Polyethylene (PE-GF) Spiral Wound Large Diameter Pipe, **08.04**
F2721-09 Guide for Pre-clinical *in vivo* Evaluation in Critical Size Segmental Bone Defects, **13.02**
F2722-08 Test Method for Evaluating Mobile Bearing Knee Tibial Baseplate Rotational Stops, **13.02**
F2723-13a Test Method for Evaluating Mobile Bearing Knee Tibial Baseplate/Bearing Resistance to Dynamic Disassociation, **13.02**
F2724-08(2014) Test Method for Evaluating Mobile Bearing Knee Dislocation, **13.02**
F2725-11 Guide for European Union' Registration, Evaluation, and Authorization of Chemicals (REACH) Supply Chain for Information Exchange, **10.04**
F2727-09 Guide for Manufacturers for Labeling Headgear Products, **15.07**
F2729-12 Consumer Safety Specification for Constant Air Inflatable Play Devices for Home Use, **15.11**
F2730/F2730M-13 Specification for Silicon Nitride Cylindrical Bearing Rollers, **01.08**
F2731-11 Test Method for Measuring the Transmitted and Stored Energy of Firefighter Protective Clothing Systems, **11.03**
F2732-11 Practice for Determining the Temperature Ratings for Cold Weather Protective Clothing, **11.03**
F2733-09 Specification for Flame Resistant Rainwear for Protection Against Flame Hazards, **11.03**
F2734-08 Practice for Testing the Shelf Life of Ink Jet Printer Cartridges, **15.09**
F2735-09 Specification for Plastic Insert Fittings For SDR9 Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing, **08.04**
F2736-13 Specification for 6 to 30 in. (152 To 762 mm) Polypropylene (PP) Corrugated Single Wall Pipe And Double Wall Pipe, **08.04**
F2737-11 Specification for Corrugated High Density Polyethylene (HDPE) Water Quality Units, **08.04**
F2739-08 Guide for Quantitating Cell Viability Within Biomaterial Scaffolds, **13.02**
F2743-11 Guide for Coating Inspection and Acute Particulate Characterization of Coated Drug-Eluting Vascular Stent Systems, **13.02**
F2745-11 Specification for Required Product Information to be Provided with an Airplane, **15.11**
F2746-12 Specification for Pilot's Operating Handbook (POH) for Light Sport Airplane, **15.11**
F2747-10 Guide for Construction of Sand-based Rootzones for Golf Putting Greens and Tees, **15.07**
F2748-14 Specification for Low Energy Air Guns, **15.07**
F2749-09 Test Method for Determining the Effects of Creasing a Membrane Switch or Assembly, **10.04**
F2750-09 Test Method for Determining the Effects of Bending a Membrane Switch or Assembly, **10.04**
F2751-09 Guide for Training of Support Level Land Rescue Team Member (LRT-Support) Member, **13.02**
F2752-09(2014) Guide for Training for Level I Rope Rescue (R1) Rescuer Endorsement, **13.02**
F2753-10 Practice to Evaluate the Effect of Dynamic Rolling Load over Resilient Floor Covering System, **15.04**
F2754/F2754M-09(2013) Test Method for Measurement of Camber, Cast, Helix and Direction of Helix of Coiled Wire, **13.02**
F2755-14 Safety Specification for Cautionary Labeling of Inflatable Air Mattresses, **15.11**
F2756-11 Test Method for Determining Energy Consumption of Vacuum Cleaners, **15.08**
F2757-09 Guide for Home Laundering Care and Maintenance of Flame, Thermal and Arc Resistant Clothing, **11.03**
F2759-11 Guide for Assessment of the Ultra High Molecular Weight Polyethylene (UHMWPE) Used in Orthopedic and Spinal Devices, **13.02**
F2760-09 Practice for Testing Ink Jet Cartridge Latency (Start-Up), **15.09**
F2762-11ε[1] Specification for 12 to 30 in. (300 to 750 mm) Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, **08.04**
F2763-11 Specification for 30 to 60 in. 750 to 1500 mm Triple Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, **08.04**
F2764/F2764M-11aε[1] Specification for 30 to 60 in. 750 to 1500 mm Polypropylene (PP) Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications, **08.04**
F2765-09 Specification for Total Lead Content in Synthetic Turf Fibers, **15.07**
F2766-11 Test Method for Boat Barriers, **15.08**
F2767-12 Specification for Electrofusion Type Polyamide-12 Fittings for Outside Diameter Controlled Polyamide-12 Pipe and Tubing for Gas Distribution, **08.04**
F2768-09 Specification for Modified Stub ACME Thread Joint with Elastomeric Seal in Plastic Piping Components, **08.04**
F2769-10 Specification for Polyethylene of Raised Temperature (PE-RT) Plastic Hot and Cold-Water Tubing and Distribution Systems, **08.04**
F2771-10 Test Method for Determining the Luminance Curve of an Electroluminescent Lamp at Ambient Conditions, **10.04**
F2772-11 Specification for Athletic Performance Properties of Indoor Sports Floor Systems, **15.07**
F2773-13 Practice for Transfilling Compressed Air or Nitrogen and Safe Handling of Small Paintball Cylinders, **15.07**
F2774-09(2014) Practice for Manufacturing Quality Control of Consumer Trampoline Bed Material, **15.07**
F2777-10 Test Method for Evaluating Knee Bearing (Tibial Insert) Endurance and Deformation Under High Flexion, **13.02**
F2778-09 Test Method for Measurement of Percent Crystallinity of Polyetheretherketone (PEEK) Polymers by Means of Specular Reflectance Fourier Transform Infrared Spectroscopy (R-FTIR), **13.02**
F2779-10 Practice for Commercial Radial Truck-Bus Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Roadwheel and a Flat Surface, **09.02**
F2780-09 Guide for Design and Construction of Expanded Metal Security Fences and Barriers, **01.06**
F2781-10 Practice for Testing Forced Entry, Ballistic and Low Impact Resistance of Security Fence Systems, **01.06**
F2783-14 Practice for Design, Manufacture, Operation, Maintenance, and Inspection of Amusement Rides and Devices, in Canada, **15.07**
F2785-12 Specification for Polyamide 12 Gas Pressure Pipe, Tubing, and Fittings, **08.04**
F2786-10 Practice for Field Leak Testing of Polyethylene (PE) Pressure Piping Systems Using Gaseous Media Under Pressure (Pneumatic Leak Testing), **08.04**
F2787-13 Practice for Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, **08.04**
F2788-11 Specification for Metric-sized Crosslinked Polyethylene (PEX) Pipe, **08.04**
F2789-10 Guide for Mechanical and Functional Characterization of Nucleus Devices, **13.02**
F2790-10 Practice for Static and Dynamic Characterization of Motion Preserving Lumbar Total Facet Prostheses, **13.02**
F2791-09 Guide for Assessment of Surface Texture of Non-Porous Biomaterials in Two Dimensions, **13.02**
F2792-12a Terminology for Additive Manufacturing Technologies, **10.04**
F2793-14 Specification for Bicycle Grips, **15.07**
F2794-09(2014) Guide for Level 1 (Basic) Mounted Search and Rescue (MSAR) Responder, **13.02**
F2795-11 Test Method for Performance of Self-Contained Soft Serve and Shake Machines, **15.12**
F2796-09(2014) Specification for Hot Food Holding Tables, **15.12**
F2797-10 Test Method for Evaluating Edge Cleaning Effectiveness of Vacuum Cleaners, **15.08**
F2798-09 Specification for Sealless Lube Oil Pump with Oil Through Motor for Marine Applications, **01.07**
F2799-14 Practice for Maintenance of Aircraft Electrical Wiring Systems, **15.11**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F2800-11 Specification for Recirculating Hood System for Cooking Appliances, **15.12**
F2801-11 Practice for Paintball Player Safety Briefing, **15.07**
F2802-09 Specification for Condition 1 Bicycle Frames, **15.07**
F2803-09 Test Method for Evaluating Rim Slip Performance of Tires and Wheels, **09.02**
F2805-11 Specification for Multilayer Thermoplastic And Flexible Steel Pipe And Connections, **08.04**
F2806-10ε1 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (Metric SDR-PR), **08.04**
F2807-13 Specification for Multilayer Polyethylene-Polyamide (PE-PA) Pipe for Pressure Piping Applications, **08.04**
F2808-10 Test Method for Performing Behind-the-Knee (BTK) Test for Evaluating Skin Irritation Response to Products and Materials That Come Into Repeated or Extended Contact with Skin, **13.02**
F2809-10 Terminology Relating to Medical and Surgical Materials and Devices, **13.02**
F2810-10 Specification for Elliptical Trainers, **15.07**
F2811-10 Test Methods for Evaluating Design and Performance Characteristics of Elliptical Trainers, **15.07**
F2812-12 Specification for Goggle- and Spectacle-Type Eye Protectors for Selected Motor Sports, **15.07**
F2813-12 Specification for Glass Used as a Horizontal Surface in Desks and Tables, **15.11**
F2814-09 Guide for Design and Construction of Ornamental Steel Picket Fence Systems for Security Purposes, **01.06**
F2815-10(2014) Practice for Chemical Permeation through Protective Clothing Materials: Testing Data Analysis by Use of a Computer Program, **11.03**
F2817-13 Specification for Poly (Vinyl Chloride) (PVC) Gas Pressure Pipe and Fittings For Maintenance or Repair, **08.04**
F2818-10 Specification for Specification for Crosslinked Polyethylene (PEX) Material Gas Pressure Pipe and Tubing, **08.04**
F2819-10 Test Methods for Measurement of Straightness of Bar, Rod, Tubing and Wire to be used for Medical Devices, **13.02**
F2820-12 Specification for Polyetherketoneketone (PEKK) Polymers for Surgical Implant Applications, **13.02**
F2821-10 Test Methods for Basket Type Rescue Litters, **13.02**
F2822-10 Specification for Fixed Anchorages Installed on Structures used for Rope Rescue Training, **13.02**
F2823-10 Guide for In-Situ Burning of Oil Spills in Marshes, **11.05**
F2824-10ε1 Test Method for Mechanical Seal Strength Testing for Round Cups and Bowl Containers with Flexible Peelable Lids, **15.10**
F2825-10ε1 Practice for Climatic Stressing of Packaging Systems for Single Parcel Delivery, **15.10**
F2826-14 Test Method for Evaluating the Sustained Air Performance and Exhaust Emission Efficiencies of Central Vacuum Cleaning Units, **15.08**
F2828-12 Test Method for Assessing Carpet Cleaning Effectiveness in Terms of Visual Appearance Change When Cleaned with a Wet Extraction Cleaning System, **15.08**
F2829-10 Specification for Metric-Sized Crosslinked Polyethylene (PEX) Pipe Systems, **08.04**
F2830-11 Specification for Manufacture and Joining of Polyethylene (PE) Gas Pressure Pipe With a Peelable Polypropylene (PP) Outer Layer, **08.04**
F2831-12 Practice for Internal Non Structural Epoxy Barrier Coating Material Used In Rehabilitation of Metallic Pressurized Piping Systems, **08.04**
F2832-11 Guide for Accelerated Corrosion Testing for Mechanical Fasteners, **01.08**
F2833-11 Specification for Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, **01.08**
F2834-10a Specification for Induction Cooktops, Counter Top, Drop-in Mounted, or Floor Standing, **15.12**
F2835-10 Specification for Underfired Broilers, **15.12**
F2837-11 Test Method for Hot Compression Properties of Gasket Materials, **09.02**
F2838-10 Practice for Accelerated Laboratory Aging of Radial Passenger Car and Light Truck Tires through Load Range E for the Laboratory Generation of Belt Separation, **09.02**
F2839-11 Practice for Compliance Audits to ASTM Standards on Light Sport Aircraft, **15.11**
F2840-11 Practice for Design and Manufacture of Electric Propulsion Units for Light Sport Aircraft, **15.11**
F2842-11 Specification for Reins Used in Thoroughbred and Quarter Horse Racing, **15.07**
F2843-10a Specification for Condition 0 Bicycle Frames, **15.07**
F2844-11 Test Method for Displacement Compression of Softball and Baseball Bat Barrels, **15.07**
F2845-14 Test Method for Measuring the Dynamic Stiffness (DS) and Cylindrical Coefficient of Restitution (CCOR) of Baseballs and Softballs, **15.07**
F2847-10 Practice for Reporting and Assessment of Residues on Single Use Implants, **13.02**
F2848-10 Specification for Medical-Grade Ultra-High Molecular Weight Polyethylene Yarns, **13.02**
F2849-10 Practice for Handling of Unmanned Aircraft Systems at Divert Airfields, **15.11**
F2851-10 Practice for UAS Registration and Marking (Excluding Small Unmanned Aircraft Systems), **15.11**
F2852-10 Practice for Training a Land Search Tracker, **13.02**
F2853-10ε1 Test Method for Determination of Lead in Paint Layers and Similar Coatings or in Substrates and Homogenous Materials by Energy Dispersive X-Ray Fluorescence Spectrometry Using Multiple Monochromatic Excitation Beams, **10.04**
F2854-10 Specification for Push-Fit Crosslinked Polyethylene (PEX) Mechanical Fittings for Crosslinked Polyethylene (PEX) Tubing, **08.04**
F2855-12 Specification for Chlorinated Poly(Vinyl Chloride)/Aluminum/Chlorinated Poly(Vinyl Chloride) (CPVC-AL-CPVC) Composite Pressure Tubing, **08.04**
F2856-12 Practice for Transfilling and Safe Handling of Small CO, **15.07**
F2861-14 Test Method for Enhanced Performance of Combination Oven in Various Modes, **15.12**
F2863-11 Specification for Central Vacuum Hose Inlet Valve Socket Dimensions, **15.08**
F2865-13 Guide for Classifying the Degrees of Ingress of Dust and Water into a Membrane Switch, **10.04**
F2866-11 Test Method for Flammability of a Membrane Switch in Defined Assembly, **10.04**
F2867-13 Terminology Relating to Thoroughbred Horse Racing Surfaces, **15.07**
F2868-10 Specification for Condition 2 Bicycle Frames, **15.07**
F2869-10 Practice for Radial Light Truck Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Rotating Roadwheel and a Flat Surface, **09.02**
F2870-11 Specification for 315/70R22.5 154/150L Radial Truck Standard Reference Test Tire, **09.02**
F2871-11 Specification for 245/70R19.5 136/134M Radial Truck Standard Reference Test Tire, **09.02**
F2872-11 Specification for 225/75R16C 116/114S M+S Radial Light Truck Standard Reference Test Tire, **09.02**
F2873-13 Practice for the Installation of Self-Leveling Underlayment and the Preparation of Surface to Receive Resilient Flooring, **15.04**
F2874-12 Specification for One Time Use Portable Emergency Fuel Containers (PEFC) for Use by Consumers, **15.11**
F2875-10 Guide for Laboratory Requirements Necessary to Test Commercial Cooking and Warming Appliances to ASTM Test Methods, **15.12**
F2876-10 Practice for Thermal Rating and Installation of Internal Combustion Engine Packages for use in Hazardous Locations in Marine Applications, **01.07**
F2877/F2877M-13ε1 Test Method for Shock Testing of Structural Insulation of A-Class Divisions Constructed of Steel or Aluminum, **01.07**
F2878-10 Test Method for Protective Clothing Material Resistance to Hypodermic Needle Puncture, **11.03**
F2880-11a Specification for Lap-Joint Type Flange Adapters for Polyethylene Pressure Pipe in Nominal Pipe Sizes, **08.04**
F2881-11 Specification for 12 to 60 in. (300 to 1500 mm) Polypropylene (PP) Dual Wall Pipe and Fittings for Non-Pressure Storm Sewer Applications, **08.04**
F2882-12 Specification for Screws, Alloy Steel, Heat Treated, 170 ksi Minimum Tensile Strength, **01.08**
F2882M-12 Specification for Screws, Alloy Steel, Heat Treated, 1170 MPa Minimum Tensile Strength Metric, **01.08**
F2883-11 Guide for Characterization of Ceramic and Mineral Based Scaffolds used for Tissue-Engineered Medical Products (TEMPs) and as Device for Surgical Implant Applications, **13.02**
F2884-12 Guide for Pre-clinical *in vivo* Evaluation of Spinal Fusion, **13.02**
F2885-11 Specification for Metal Injection Molded Titanium-6Aluminum-4Vanadium Components for Surgical Implant Applications, **13.02**
F2886-10 Specification for Metal Injection Molded Cobalt-28Chromium-6Molybdenum Components for Surgical Implant Applications, **13.02**
F2887-12 Specification for Total Elbow Prostheses, **13.02**
F2888-13 Test Method for Platelet Leukocyte Count—An, **13.02**
F2889-11 Practice for Assessing Language Proficiency, **15.11**
F2890-12 Guide for Hazard Awareness for Search and Rescue Personnel, **13.02**
F2891-10 Specification for Commercial Bulk Milk Dispensers, Mechanically Refrigerated, **15.12**
F2892-11 Specification for Performance Requirements for Soft Toe Protective Footwear (Non-Safety / Non-Protective Toe), **15.07**
F2894-14 Test Method for Evaluation of Materials, Protective Clothing and Equipment for Heat Resistance Using a Hot Air Circulating Oven, **11.03**
F2895-10 Practice for Digital Radiography of Cast Metallic Implants, **13.02**
F2896-11 Specification for Reinforced Polyethylene Composite Pipe For The Transport Of Oil And Gas And Hazardous Liquids, **08.04**
F2897-11aε1 Specification for Tracking and Traceability Encoding System of Natural Gas Distribution Components (Pipe, Tubing, Fittings, Valves, and Appurtenances), **08.04**
F2898-11 Test Method for Permeability of Synthetic Turf Sports Field Base Stone and Surface System by Non-confined Area Flood Test Method, **15.07**
F2899-11 Specification for Condition 1 Bicycle Forks, **15.07**
F2900-11 Guide for Characterization of Hydrogels used in Regenerative Medicine, **13.02**
F2901-13 Guide for Selecting Tests to Evaluate Potential Neurotoxicity of Medical Devices, **13.02**
F2902-12 Guide for Assessment of Absorbable Polymeric Implants, **13.02**
F2903-11 Guide for Tissue Engineered Medical Products (TEMPs) for Reinforcement of Tendon and Ligament Surgical Repair, **13.02**
F2904-11 Specification for Warnings on Paintball Marker Accessories Used In the Sport of Paintball, **15.07**
F2905/F2905M-13 Specification for Black Crosslinked Polyethylene (PEX) Line Pipe, Fittings and Joints For Oil and Gas Producing Applications, **08.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F2906-13 Consumer Safety Specification for Bedside Sleepers, **15.11**
F2907-14b Consumer Safety Specification for Sling Carriers, **15.11**
F2908-14 Specification for Aircraft Flight Manual (AFM) for a Small Unmanned Aircraft System (sUAS), **15.11**
F2909-14 Practice for Maintenance and Continued Airworthiness of Small Unmanned Aircraft Systems (sUAS), **15.11**
F2910-14 Specification for Design and Construction of a Small Unmanned Aircraft System (sUAS), **15.11**
F2911-14ε1 Practice for Production Acceptance of Small Unmanned Aircraft System (sUAS), **15.11**
F2912-11 Specification for Glazing and Glazing Systems Subject to Airblast Loadings, **15.08**
F2913-11 Test Method for Measuring the Coefficient of Friction for Evaluation of Slip Performance of Footwear and Test Surfaces/Flooring Using a Whole Shoe Tester, **15.07**
F2914-12 Guide for Identification of Shelf-life Test Attributes for Endovascular Devices, **13.02**
F2915-13 Specification for Additive Manufacturing File Format (AMF) Version 1.2, **10.04**
F2916-11 Practice for Environmental Impact Analysis of Commercial Food Service Equipment, **15.12**
F2917-12 Specification for Bicycle Trailer Cycles Designed for Human Passengers, **15.07**
F2918-11 Test Method for Weighing a Bicycle, **15.07**
F2919/F2919M-12 Specification for Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) with Variable Mesh Patterns or Meshes Greater than 6 in., **01.06**
F2921-13 Terminology for Additive Manufacturing—Coordinate Systems and Test Methodologies, **10.04**
F2922-13ε1 Specification for Polyethylene (PE) Corrugated Wall Stormwater Collection Chambers, **08.04**
F2923-11 Specification for Consumer Product Safety for Children's Jewelry, **15.11**
F2924-12a Specification for Additive Manufacturing Titanium-6 Aluminum-4 Vanadium with Powder Bed Fusion, **10.04**
F2925-11 Specification for Tenderness Marketing Claims Associated with Meat Cuts Derived from Beef, **15.12**
F2926-12 Guide for Selection and Operation of Vessel-mounted Camera Systems, **11.05**
F2927-12 Test Method for Door Systems Subject to Airblast Loadings, **15.08**
F2928-13 Practice for Specimens and Testing Conditions for Testing Polyethylene (PE) Pipe Butt Fusions Using Tensile and Hydrostatic Test Methods, **08.04**
F2929-13 Specification for Crosslinked Polyethylene (PEX) Tubing of 0.070 in. Wall and Fittings for Radiant Heating Systems up to 75 psig, **08.04**
F2930-14a Guide for Compliance with Light Sport Aircraft Standards, **15.11**
F2931-14 Guide for Analytical Testing of Substances of Very High Concern in Materials and Products, **10.04**
F2933-13 Consumer Safety Specification for Crib Mattresses, **15.11**
F2934-12 Specification for Circular Metallic Bellows Type Expansion Joint for HVAC Piping Applications, **01.07**
F2935-12 Specification for Chocks, Panama, Mooring Cast Steel, **01.07**
F2936-12 Specification for Chocks, Ship Mooring, Cast Steel, **01.07**
F2939-13 Specification for High Voltage Phasing Testers, **10.03**
F2940-13 Practice for Air Soft Field Operation, **15.07**
F2941-13 Practice for Air Soft Player Safety Briefing, **15.07**
F2942-13 Guide for in vitro Axial, Bending, and Torsional Durability Testing of Vascular Stents, **13.02**
F2943-14 Guide for Presentation of End User Labeling Information for Musculoskeletal Implants, **13.02**
F2944-12 Test Method for Automated Colony Forming Unit (CFU) Assays—Image Acquisition and Analysis Method for Enumerating and Characterizing Cells and Colonies in Culture, **13.02**
F2945-12a Specification for Polyamide 11 Gas Pressure Pipe, Tubing, and Fittings, **08.04**
F2946-12 Specification for PVC Hub and Elastomeric Seal (Gasket) Tee Connection for Joining Plastic Pipe to Insitu Pipelines and Manholes, **08.04**
F2947-12ε1 Specification for 150 to 1500 mm 6 to 60 in. Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, **08.04**
F2948-13 Guide for Walkway Auditor Qualifications, **15.07**
F2949-12ε2 Specification for Pole Vault Box Collars, **15.07**
F2950-14 Safety and Performance Specification for Soccer Goals, **15.11**
F2951-13 Consumer Safety Specification for Baby Monitors, **15.11**
F2952-14 Guide for Determining the Mean Darcy Permeability Coefficient for a Porous Tissue Scaffold, **13.02**
F2953-12 Specification for Phenolic Raw Materials for the Use in Bearing Cages, **01.08**
F2954-12 Guide for Training for Level II Rope Rescue (R2) Rescuer Endorsement, **13.02**
F2955-12 Guide for Training for Level III Rope Rescue (R3) Rescuer Endorsement, **13.02**
F2957-13 Specification for Ornamental Aluminum Fence Systems, **01.06**
F2958-14 Guide for Helicopter Inland Search and Rescue (SAR) Technician, **13.02**
F2959-14 Practice for Special Requirements for Aerial Adventure Courses, **15.07**
F2960-14 Practice for Permanent Amusement Railway Ride Tracks and Related Devices, **15.07**
F2961-14 Test Method for Characterizing Gripping Performance of Gloves Using a Torque Meter, **11.03**
F2962-13 Practice for Conformity Assessment of Protective Clothing Worn by Operators Applying Pesticides, **11.03**
F2964-12 Test Method for Determining the Uniformity of the Luminance of an Electroluminescent Lamp or Other Diffuse Lighting Device, **10.04**
F2965-13 Guide for Selection of Walkway Surfaces and Treatments When Considering Aggressive Contaminant Conditions in Commercial and Industrial (Not Including Construction) Environments, **15.07**
F2966-13 Guide for Snow and Ice Control for Walkway Surfaces, **15.07**
F2969-12 Specification for Acrylonitrile-Butadiene-Styrene (ABS) IPS Dimensioned Pressure Pipe, **08.04**
F2970-13 Practice for Design, Manufacture, Installation, Operation, Maintenance, Inspection and Major Modification of Trampoline Courts, **15.07**
F2971-13 Practice for Reporting Data for Test Specimens Prepared by Additive Manufacturing, **10.04**
F2972-12 Specification for Light Sport Aircraft Manufacturer's Quality Assurance System, **15.11**
F2974-13 Guide for Auditing Amusement Rides and Devices, **15.07**
F2975-12 Test Method for Measuring the Field Performance of Commercial Kitchen Ventilation Systems, **15.12**
F2976-13 Practice for Determining the Field Performance of Commercial Kitchen Demand Control Ventilation Systems, **15.12**
F2977-13 Test Method for Small Punch Testing of Polymeric Biomaterials Used in Surgical Implants, **13.02**
F2978-13 Guide to Optimize Scan Sequences for Clinical Diagnostic Evaluation of Metal-on-Metal Hip Arthroplasty Devices using Magnetic Resonance Imaging, **13.02**
F2979-14 Guide for Characterization of Wear from the Articulating Surfaces in Retrieved Metal-on-Metal and other Hard-on-Hard Hip Prostheses, **13.02**
F2980-13 Test Method for Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), **10.04**
F2982-13 Specification for Polyester Composition Floor Tile, **15.04**
F2983-13 Guide for Manufacturers for Labeling and Care Instructions for Wrestling Mats, **15.07**
F2984-13 Specification for Segmental Panel System for the Grout-in-Place-Liner (GIPL) Rehabilitation Method of Existing Man-Entry Size Sewers, Culverts, and Conduits, **08.04**
F2986-12 Specification for Corrugated Polyethylene Pipe and Fittings for Mine Leachate Applications, **08.04**
F2987-12 Specification for Corrugated Polyethylene Pipe and Fittings for Mine Heap Leach Aeration Applications, **08.04**
F2988-12 Specification for Commercial Coffee Brewers, **15.12**
F2989-13 Specification for Metal Injection Molded Unalloyed Titanium Components for Surgical Implant Applications, **13.02**
F2990-12 Test Method for Commercial Coffee Brewers, **15.12**
F2991-13 Guide for Doubler Plate Repairs for Non-Classed Ship Structures, **01.07**
F2993-13 Guide for Monitoring Weather Conditions for Safe Parasail Operation, **15.07**
F2994-13 Practice for Utilization of Mobile, Automated Cured-In-Place Pipe (CIPP) Impregnation Systems, **08.04**
F2995-13 Guide for Shipping Possible Infectious Materials, Tissues, and Fluids, **13.02**
F2996-13 Practice for Finite Element Analysis (FEA) of Non-Modular Metallic Orthopaedic Hip Femoral Stems, **13.02**
F2997-13 Practice for Quantification of Calcium Deposits in Osteogenic Culture of Progenitor Cells Using Fluorescent Image Analysis, **13.02**
F2998-14 Guide for Using Fluorescence Microscopy to Quantify the Spread Area of Fixed Cells, **13.02**
F2999-13 Consumer Safety Specification for Adult Jewelry, **15.11**
F3000/F3000M-13 Specification for Polymer Privacy Insert Slats for Chain Link Fabric and Privacy Chain Link Fabric Manufactured Containing Pre-Installed Privacy Slats, **01.06**
F3001-13 Specification for Additive Manufacturing Titanium-6 Aluminum-4 Vanadium ELI (Extra Low Interstitial) with Powder Bed Fusion, **10.04**
F3002-14a Specification for Design of the Command and Control System for Small Unmanned Aircraft Systems (sUAS), **15.11**
F3003-14 Specification for Quality Assurance of a Small Unmanned Aircraft System (sUAS), **15.11**
F3004-13ε1 Test Method for Evaluation of Seal Quality and Integrity Using Airborne Ultrasound, **15.10**
F3005-14a Specification for Batteries for Use in Small Unmanned Aircraft Systems (sUAS), **15.11**
F3006-13 Specification for Ball Drop Impact Resistance of Laminated Architectural Flat Glazing, **15.08**
F3007-13 Test Method for Ball Drop Impact Resistance of Laminated Architectural Flat Glass, **15.08**
F3008-13 Specification for Cork Floor Tile, **15.04**
F3009-14 Specification for Polyolefin Composition Floor Tile, **15.04**
F3010-13 Practice for Two-Component Resin Based Membrane-Forming Moisture Mitigation Systems for Use Under Resilient Floor Coverings, **15.04**
F3011-13 Specification for Performance of Angle of Attack System, **15.11**
F3012-14 Specification for Loose-Fill Rubber for Use as a Playground Safety Surface under and around Playground Equipment, **15.07**
F3013-13 Test Method for Density of Topsoil and Blended Soils In-place by the Core Displacement Method, **15.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

F3014-14 Test Method for Penetration Testing of Needles Used in Surgical Sutures, **13.02**
F3015-13 Test Method for Accelerated Laboratory Roadwheel Generation of Belt Separation in Radial Passenger Car and Light Truck Tires through Load Range E, **09.02**
F3021-13 Specification for Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, **15.07**
F3022-13 Test Method for Evaluating the Universal Design of Fitness Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, **15.07**
F3023-13 Test Methods for Evaluating Design and Performance Characteristics of Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, **15.07**
F3024-13 Guide for Training for Land Search and Rescue Strike Team/Task Force Leader, **13.02**
F3026-14 Guide for Helicopter Inland Search and Rescue (SAR) Crew Chief, **13.02**
F3027-13 Guide for Training of Personnel Operating in Mountainous Terrain (Mountain Endorsement), **13.02**
F3028-13 Guide for Training of Search and Rescue Personnel Operating in the Alpine Environment (Alpine Endorsement), **13.02**
F3029 Withdrawn 2013; Guide for Level I GPS Wilderness Navigator (GPS-IW) Endorsement
F3030-13 Test Method for Snowboards with a Channel-Mounting System and Removable Inserts, **15.07**
F3034-13 Specification for Billets made by Winding Molten Extruded Stress-Rated High Density Polyethylene (HDPE), **08.04**
F3035-13 Practice for Production Acceptance in the Manufacture of a Fixed Wing Light Sport Aircraft, **15.11**
F3036-13 Guide for Testing Absorbable Stents, **13.02**
F3038-14 Test Method for Timed Evaluation of Forced-Entry-Resistant Systems, **15.08**
F3039-13 Test Method for Detecting Leaks in Nonporous Packaging or Flexible Barrier Materials by Dye Penetration, **15.10**
F3040/F3040M-13 Test Method for Mechanical Static Load Testing of Non-Structural Marine Joiner Bulkheads, **01.07**
F3041-14 Specification for Bonded Rubber Crumb Floor Coverings, **15.04**
F3042-13 Specification for Nonferrous Hex Socket, Slotted Headless, and Square Head Set Screws, **01.08**
F3044-14 Test Method for Standard Test Method for Evaluating the Potential for Galvanic Corrosion for Medical Implants, **13.02**
F3046-13 Specification for Wrought Titanium-3Aluminum-2.5Vanadium Alloy for Surgical Implant Applications (UNS R56320), **13.02**
F3048-13ε1 Guide for Swiftwater/Flood Search and Rescue Operations, **13.02**
F3051-14 Test Method for Performance of Cook-and-Hold Ovens, **15.12**
F3055-14 Specification for Additive Manufacturing Nickel Alloy (UNS N07718) with Powder Bed Fusion, **10.04**
F3056-14 Specification for Additive Manufacturing Nickel Alloy (UNS N06625) with Powder Bed Fusion, **10.04**
F3057-14 Test Method for Electromagnetic Shielding Effectiveness of Glazings, **15.08**
F3068-14 Guide for Contents and Use of a Position Task Book (PTB), **13.02**
F3069-14 Guide for Requirements for Bodies that Operate Certification Programs in the Field of Search and Rescue, **13.02**
F3071-14 Guide for Basic Wilderness GPS/GNSS Use (GPS/GNSS-IW) Endorsement, **13.02**
F3072-14 Guide for Intermediate Wilderness GPS/GNSS Use (GPS/GNSS-IIW) Endorsement, **13.02**
F3077-14 Specification for Eye Protectors for Women's Lacrosse, **15.07**
F3080-14 Practice for Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector and CCTV Camera System, **04.12**
F3084-14 Consumer Safety Specification for Infant and Infant/Toddler Rockers, **15.11**
F3085-14 Specification for Air Soft Gun Barrel Blocking Devices, **15.07**
F3088-14 Test Method for Use of a Centrifugation Method to Quantify/Study Cell-Material Adhesive Interactions, **13.02**
F3089-14 Guide for Characterization and Standardization of Polymerizable Collagen-Based Products and Associated Collagen-Cell Interactions, **13.02**
F3092-14 Terminology Relating to Optical Fiber Sensing Systems, **04.12**
F3094-14 Test Method for Determining Protection Provided by X-ray Shielding Garments Used in Medical X-ray Fluoroscopy from Sources of Scattered X-Rays, **11.03**
F3095-14 Practice for Laser Technologies for Direct Measurement of Cross Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, **04.12**
F3099-14 Practices for Parasailing, **15.07**
F3103-14 Specification for Testing Off-Road Motorcycle and ATV Helmets, **15.07**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

G. CORROSION, DETERIORATION, AND DEGRADATION OF MATERIALS

G1-03(2011) Practice for Preparing, Cleaning, and Evaluating Corrosion Test Specimens, **03.02**

G2M Withdrawn 2004; Test Method for Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 633°K or in Steam at 673°K [Metric]

G2/G2M-06(2011)ε1 Test Method for Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), **02.04**

G3-13 Practice for Conventions Applicable to Electrochemical Measurements in Corrosion Testing, **03.02**

G4-01(2008) Guide for Conducting Corrosion Tests in Field Applications, **03.02**

G5-13ε2 Reference Test Method for Making Potentiodynamic Anodic Polarization Measurements, **03.02**

G6-07(2013) Test Method for Abrasion Resistance of Pipeline Coatings, **06.02**

G7/G7M-13 Practice for Atmospheric Environmental Exposure Testing of Nonmetallic Materials, **14.04**

G8-96(2010) Test Methods for Cathodic Disbonding of Pipeline Coatings, **06.02**

G9-07(2013)ε1 Test Method for Water Penetration into Pipeline Coatings, **06.02**

G10-10 Test Method for Specific Bendability of Pipeline Coatings, **06.02**

G11-04(2012) Test Method for Effects of Outdoor Weathering on Pipeline Coatings, **06.02**

G12-07(2013) Test Method for Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, **06.02**

G13 Withdrawn 2003; Test Method for Impact Resistance of Pipeline Coatings(Limestone Drop Test)

G13/G13M-13 Test Method for Impact Resistance of Pipeline Coatings, **06.02**

G14-04(2010)ε1 Test Method for Impact Resistance of Pipeline Coatings (Falling Weight Test), **06.02**

G15 Withdrawn 2010; Terminology Relating to Corrosion and Corrosion Testing

G16-13 Guide for Applying Statistics to Analysis of Corrosion Data, **03.02**

G17-07(2013) Test Method for Penetration Resistance of Pipeline Coatings (Blunt Rod), **06.02**

G18-07(2013) Test Method for Joints, Fittings, and Patches in Coated Pipelines, **06.02**

G19 Withdrawn 2010; Test Method for Disbonding Characteristics of Pipeline Coatings by Direct Soil Burial

G20-10 Test Method for Chemical Resistance of Pipeline Coatings, **06.02**

G21-13 Practice for Determining Resistance of Synthetic Polymeric Materials to Fungi, **14.04**

G22 Withdrawn 2002; Practice for Determining Resistance of Plastics to Bacteria

G23 Withdrawn 2000; Practice for Operating Light-Exposure Apparatus (Carbon-Arc Type) With and Without Water for Exposure of Nonmetallic Materials; Replaced by G152, G153

G24-13 Practice for Conducting Exposures to Daylight Filtered Through Glass, **14.04**

G25 Withdrawn 1980; Recommended Practice for Operating Enclosed Carbon Arc Type Apparatus for Light Exposure of Nonmetallic Materials; Replaced by G23

G26 Withdrawn 2000; Practice for Operating Light-Exposure Apparatus (Xenon-Arc Type) With and Without Water for Exposure of Nonmetallic Materials; Replaced by G155

G27 Withdrawn 1980; Recommended Practice for Operating Xenon Arc Type Apparatus for Light Exposure of Nonmetallic Materials; Replaced by G26

G28-02(2008) Test Methods for Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, **03.02**

G29-96(2010) Practice for Determining Algal Resistance of Plastic Films, **14.04**

G30-97(2009) Practice for Making and Using U-Bend Stress-Corrosion Test Specimens, **03.02**

G31-12a Guide for Laboratory Immersion Corrosion Testing of Metals, **03.02**

G32-10 Test Method for Cavitation Erosion Using Vibratory Apparatus, **03.02**

G33-99(2010) Practice for Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, **03.02**

G34-01(2013) Test Method for Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), **03.02**

G35-98(2010) Practice for Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, **03.02**

G36-94(2013) Practice for Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, **03.02**

G37-98(2011) Practice for Use of Mattson's Solution of pH 7.2 to Evaluate the Stress-Corrosion Cracking Susceptibility of Copper-Zinc Alloys, **03.02**

G38-01(2013) Practice for Making and Using C-Ring Stress-Corrosion Test Specimens, **03.02**

G39-99(2011) Practice for Preparation and Use of Bent-Beam Stress-Corrosion Test Specimens, **03.02**

G40-13 Terminology Relating to Wear and Erosion, **03.02**

G41-90(2013) Practice for Determining Cracking Susceptibility of Metals Exposed Under Stress to a Hot Salt Environment, **03.02**

G42-11 Test Method for Cathodic Disbonding of Pipeline Coatings Subjected to Elevated Temperatures, **06.02**

G43 Withdrawn 1987; Method of Acidified Synthetic Sea Water (Fog) Testing; Replaced by G85

G44-99(2013) Practice for Exposure of Metals and Alloys by Alternate Immersion in Neutral 3.5 % Sodium Chloride Solution, **03.02**

G45 Withdrawn 1981; Recommended Practice for Specifying Limits for Fading and Discoloration of Nonmetallic Materials

G46-94(2013) Guide for Examination and Evaluation of Pitting Corrosion, **03.02**

G47-98(2011) Test Method for Determining Susceptibility to Stress-Corrosion Cracking of 2XXX and 7XXX Aluminum Alloy Products, **03.02**

G48-11 Test Methods for Pitting and Crevice Corrosion Resistance of Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, **03.02**

G49-85(2011) Practice for Preparation and Use of Direct Tension Stress-Corrosion Test Specimens, **03.02**

G50-10 Practice for Conducting Atmospheric Corrosion Tests on Metals, **03.02**

G51-95(2012) Test Method for Measuring pH of Soil for Use in Corrosion Testing, **03.02**

G52-00(2011) Practice for Exposing and Evaluating Metals and Alloys in Surface Seawater, **03.02**

G53 Withdrawn 2000; Practice for Operating Light- and Water-Exposure Apparatus (Fluorescent UV-Condensation Type) for Exposure of Nonmetallic Materials; Replaced by G154

G54 Withdrawn 2002; Practice for Simple Static Oxidation Testing

G55-07(2013) Test Method for Evaluating Pipeline Coating Patch Materials, **06.02**

G56-10 Test Method for Abrasiveness of Ink-Impregnated Fabric Printer Ribbons and Other Web Materials, **03.02**

G57-06(2012) Test Method for Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, **03.02**

G58-85(2011) Practice for Preparation of Stress-Corrosion Test Specimens for Weldments, **03.02**

G59-97(2014) Test Method for Conducting Potentiodynamic Polarization Resistance Measurements, **03.02**

G60-01(2013) Practice for Conducting Cyclic Humidity Exposures, **03.02**

G61-86(2014) Test Method for Conducting Cyclic Potentiodynamic Polarization Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, **03.02**

G62-07(2013) Test Methods for Holiday Detection in Pipeline Coatings, **06.02**

G63-99(2007) Guide for Evaluating Nonmetallic Materials for Oxygen Service, **14.04**

G64-99(2013) Classification of Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, **03.02**

G65-04(2010) Test Method for Measuring Abrasion Using the Dry Sand/Rubber Wheel Apparatus, **03.02**

G66-99(2013) Test Method for Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), **03.02**

G67-13 Test Method for Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test), **03.02**

G68 Withdrawn 1992; Practice for Liquid Sodium Corrosion Testing of Metals and Alloys

G69-12 Test Method for Measurement of Corrosion Potentials of Aluminum Alloys, **03.02**

G70 Withdrawn 2013; Test Method for Ring Bendability of Pipeline Coatings (Squeeze Test)

G71-81(2014) Guide for Conducting and Evaluating Galvanic Corrosion Tests in Electrolytes, **03.02**

G72/G72M-09 Test Method for Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment, **14.04**

G73-10 Test Method for Liquid Impingement Erosion Using Rotating Apparatus, **03.02**

G74-13 Test Method for Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, **14.04**

G75-07(2013) Test Method for Determination of Slurry Abrasivity (Miller Number) and Slurry Abrasion Response of Materials (SAR Number), **03.02**

G76-13 Test Method for Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, **03.02**

G77-05(2010) Test Method for Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, **03.02**

G78-01(2012) Guide for Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, **03.02**

G79 Withdrawn 2005; Practice for Evaluation of Metals Exposed to Carburization Environments

G80 Withdrawn 2013; Test Method for Specific Cathodic Disbonding of Pipeline Coatings; Replaced by Test Methods G8

G81-97a(2013) Test Method for Jaw Crusher Gouging Abrasion Test, **03.02**

G82-98(2014) Guide for Development and Use of a Galvanic Series for Predicting Galvanic Corrosion Performance, **03.02**

G83 Withdrawn 2005; Test Method for Wear Testing with a Crossed-Cylinder Apparatus

G84-89(2012) Practice for Measurement of Time-of-Wetness on Surfaces Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, **03.02**

G85-11 Practice for Modified Salt Spray (Fog) Testing, **03.02**

G86-98a(2011) Test Method for Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, **14.04**

G87-02(2013) Practice for Conducting Moist SO, **03.02**

G88-13 Guide for Designing Systems for Oxygen Service, **14.04**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

G89 Withdrawn 1992; Methods for Cathodic Disbonding of Pipeline Coatings Subjected to Cyclic Temperatures
G90-10 Practice for Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, **14.04**
G91-11 Practice for Monitoring Atmospheric SO2 Deposition Rate for Atmospheric Corrosivity Evaluation, **03.02**
G92-86(2010) Practice for Characterization of Atmospheric Test Sites, **03.02**
G93-03(2011) Practice for Cleaning Methods and Cleanliness Levels for Material and Equipment Used in Oxygen-Enriched Environments, **14.04**
G94-05(2014) Guide for Evaluating Metals for Oxygen Service, **14.04**
G95-07(2013) Test Method for Cathodic Disbondment Test of Pipeline Coatings (Attached Cell Method), **06.02**
G96-90(2013) Guide for Online Monitoring of Corrosion in Plant Equipment (Electrical and Electrochemical Methods), **03.02**
G97-97(2013) Test Method for Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, **03.02**
G98-02(2009) Test Method for Galling Resistance of Materials, **03.02**
G99-05(2010) Test Method for Wear Testing with a Pin-on-Disk Apparatus, **03.02**
G100-89(2010)ϵ^1 Test Method for Conducting Cyclic Galvanostaircase Polarization, **03.02**
G101-04(2010) Guide for Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, **03.02**
G102-89(2010) Practice for Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, **03.02**
G103-97(2011) Practice for Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, **03.02**
G104 Withdrawn 1998; Test Method for Assessing Galvanic Corrosion Caused by the Atmosphere; Replaced by G116 and G149
G105-02(2007) Test Method for Conducting Wet Sand/Rubber Wheel Abrasion Tests, **03.02**
G106-89(2010) Practice for Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, **03.02**
G107-95(2008) Guide for Formats for Collection and Compilation of Corrosion Data for Metals for Computerized Database Input, **03.02**
G108-94(2010) Test Method for Electrochemical Reactivation (EPR) for Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, **03.02**
G109-07(2013) Test Method for Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, **03.02**
G110-92(2009) Practice for Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, **03.02**
G111-97(2013) Guide for Corrosion Tests in High Temperature or High Pressure Environment, or Both, **03.02**
G112-92(2009) Guide for Conducting Exfoliation Corrosion Tests in Aluminum Alloys, **03.02**
G113-14 Terminology Relating to Natural and Artificial Weathering Tests of Nonmetallic Materials, **14.04**
G114-07 Practices for Evaluating the Age Resistance of Polymeric Materials Used in Oxygen Service, **14.04**
G115-10(2013) Guide for Measuring and Reporting Friction Coefficients, **03.02**
G116-99(2010) Practice for Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, **03.02**
G117-13 Guide for Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, **03.02**
G118-02(2007) Guide for Recommended Format of Wear Test Data Suitable for Databases, **03.02**
G119-09 Guide for Determining Synergism Between Wear and Corrosion, **03.02**
G120-01(2008) Practice for Determination of Soluble Residual Contamination by Soxhlet Extraction, **14.04**
G121-98(2010)ϵ^1 Practice for Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, **14.04**
G122-96(2008) Test Method for Evaluating the Effectiveness of Cleaning Agents, **14.04**
G123-00(2011) Test Method for Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, **03.02**
G124-10 Test Method for Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, **14.04**
G125-00(2008) Test Method for Measuring Liquid and Solid Material Fire Limits in Gaseous Oxidants, **14.04**
G126-00(2008) Terminology Relating to the Compatibility and Sensitivity of Materials in Oxygen Enriched Atmospheres, **14.04**
G127-95(2008) Guide for Selection of Cleaning Agents for Oxygen Systems, **14.04**
G128-02(2008) Guide for Control of Hazards and Risks in Oxygen Enriched Systems, **14.04**
G129-00(2013) Practice for Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking, **03.02**
G130-12 Test Method for Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, **14.04**
G131-96(2008) Practice for Cleaning of Materials and Components by Ultrasonic Techniques, **14.04**
G132-96(2013) Test Method for Pin Abrasion Testing, **03.02**
G133-05(2010) Test Method for Linearly Reciprocating Ball-on-Flat Sliding Wear, **03.02**
G134-95(2010)ϵ^1 Test Method for Erosion of Solid Materials by Cavitating Liquid Jet, **03.02**
G135-95(2013) Guide for Computerized Exchange of Corrosion Data for Metals, **03.02**
G136-03(2009) Practice for Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, **14.04**
G137-97(2009) Test Method for Ranking Resistance of Plastic Materials to Sliding Wear Using a Block-On-Ring Configuration, **03.02**
G138-12 Test Method for Calibration of a Spectroradiometer Using a Standard Source of Irradiance, **14.04**
G139-05(2011) Test Method for Determining Stress-Corrosion Cracking Resistance of Heat-Treatable Aluminum Alloy Products Using Breaking Load Method, **03.02**
G140-02(2008) Test Method for Determining Atmospheric Chloride Deposition Rate by Wet Candle Method, **03.02**
G141-09(2013) Guide for Addressing Variability in Exposure Testing of Nonmetallic Materials, **14.04**
G142-98(2011) Test Method for Determination of Susceptibility of Metals to Embrittlement in Hydrogen Containing Environments at High Pressure, High Temperature, or Both, **03.02**
G143-03(2013) Test Method for Measurement of Web/Roller Friction Characteristics, **03.02**
G144-01(2014) Test Method for Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, **14.04**
G145-08 Guide for Studying Fire Incidents in Oxygen Systems, **14.04**
G146-01(2013) Practice for Evaluation of Disbonding of Bimetallic Stainless Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, **03.02**
G147-09 Practice for Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, **14.04**
G148-97(2011) Practice for Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, **03.02**
G149 Withdrawn 2004; Practice for Conducting the Washer Test for Atmospheric Galvanic Corrosion
G150-13 Test Method for Electrochemical Critical Pitting Temperature Testing of Stainless Steels, **03.02**
G151-10 Practice for Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, **14.04**
G152-13 Practice for Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, **14.04**
G153-13 Practice for Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, **14.04**
G154-12a Practice for Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, **14.04**
G155-13 Practice for Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials, **14.04**
G156-09 Practice for Selecting and Characterizing Weathering Reference Materials, **14.04**
G157-98(2013) Guide for Evaluating Corrosion Properties of Wrought Iron- and Nickel-Based Corrosion Resistant Alloys for Chemical Process Industries, **03.02**
G158-98(2010) Guide for Three Methods of Assessing Buried Steel Tanks, **03.02**
G159 Withdrawn 2005; Test Method for Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test; Replaced by G175
G160-12 Practice for Evaluating Microbial Susceptibility of Nonmetallic Materials By Laboratory Soil Burial, **14.04**
G161-00(2013) Guide for Corrosion-Related Failure Analysis, **03.02**
G162-99(2010) Practice for Conducting and Evaluating Laboratory Corrosion Tests in Soils, **03.02**
G163-10 Guide for Digital Data Acquisition in Wear and Friction Measurements, **03.02**
G164-99(2013) Test Method for Determination of Surface Lubrication on Flexible Webs, **03.02**
G165-99(2012) Practice for Determining Rail-to-Earth Resistance, **03.02**
G166-00(2011) Guide for Statistical Analysis of Service Life Data, **14.04**
G167-05(2010) Test Method for Calibration of a Pyranometer Using a Pyrheliometer, **14.04**
G168-00(2013) Practice for Making and Using Precracked Double Beam Stress Corrosion Specimens, **03.02**
G169-01(2013) Guide for Application of Basic Statistical Methods to Weathering Tests, **14.04**
G170-06(2012) Guide for Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, **03.02**
G171-03(2009)ϵ^2 Test Method for Scratch Hardness of Materials Using a Diamond Stylus, **03.02**
G172-02(2010)ϵ^1 Guide for Statistical Analysis of Accelerated Service Life Data, **14.04**
G173-03(2012) Tables for Reference Solar Spectral Irradiances: Direct Normal and Hemispherical on 37° Tilted Surface, **14.04**
G174-04(2009)ϵ^1 Test Method for Measuring Abrasion Resistance of Materials by Abrasive Loop Contact, **03.02**
G175-13 Test Method for Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and Emergency Applications, **14.04**
G176-03(2009) Test Method for Ranking Resistance of Plastics to Sliding Wear Using Block-on-Ring Wear Test—Cumulative Wear Method, **03.02**
G177-03(2012) Tables for Reference Solar Ultraviolet Spectral Distributions:

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

Hemispherical on 37° Tilted Surface, **14.04**
G178-09 Practice for Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, **14.04**
G179-04(2011) Specification for Metal Black Panel and White Panel Temperature Devices for Natural Weathering Tests, **14.04**
G180-13 Test Method for Corrosion Inhibiting Admixtures for Steel in Concrete by Polarization Resistance in Cementitious Slurries, **03.02**
G181-11 Test Method for Conducting Friction Tests of Piston Ring and Cylinder Liner Materials Under Lubricated Conditions, **03.02**
G182-13 Test Method for Determination of the Breakaway Friction Characteristics of Rolling Element Bearings, **03.02**
G183-05(2010) Practice for Field Use of Pyranometers, Pyrheliometers and UV Radiometers, **14.04**
G184-06(2012) Practice for Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using Rotating Cage, **03.02**
G185-06(2012) Practice for Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using the Rotating Cylinder Electrode, **03.02**
G186-05(2011) Test Method for Determining Whether Gas-Leak-Detector Fluid Solutions Can Cause Stress Corrosion Cracking of Brass Alloys, **03.02**
G187-12a Test Method for Measurement of Soil Resistivity Using the Two-Electrode Soil Box Method, **03.02**
G188-05(2011) Specification for Leak Detector Solutions Intended for Use on Brasses and Other Copper Alloys, **03.02**
G189-07(2013) Guide for Laboratory Simulation of Corrosion Under Insulation, **03.02**
G190-06 Guide for Developing and Selecting Wear Tests, **03.02**
G192-08 Test Method for Determining the Crevice Repassivation Potential of Corrosion-Resistant Alloys Using a Potentiodynamic-Galvanostatic-Potentiostatic Technique, **03.02**
G193-12d Terminology and Acronyms Relating to Corrosion, **03.02**
G194-08(2013) Test Method for Measuring Rolling Friction Characteristics of a Spherical Shape on a Flat Horizontal Plane, **03.02**
G195-13a Guide for Conducting Wear Tests Using a Rotary Platform Abraser, **03.02**
G196-08 Test Method for Galling Resistance of Material Couples, **03.02**
G197-08(2012) Table for Reference Solar Spectral Distributions: Direct and Diffuse on 20° Tilted and Vertical Surfaces, **14.04**
G198-11 Test Method for Determining the Relative Corrosion Performance of Driven Fasteners in Contact with Treated Wood, **03.02**
G199-09(2014) Guide for Electrochemical Noise Measurement, **03.02**
G200-09(2014) Test Method for Measurement of Oxidation-Reduction Potential (ORP) of Soil, **03.02**
G201-09 Practice for Conducting Exposures in Outdoor Glass-Covered Exposure Apparatus with Air Circulation, **14.04**
G202-12 Test Method for Using Atmospheric Pressure Rotating Cage, **03.02**
G203-10 Guide for Determining Friction Energy Dissipation in Reciprocating Tribosystems, **03.02**
G204-10 Test Method for Damage to Contacting Solid Surfaces under Fretting Conditions, **03.02**
G205-10 Guide for Determining Corrosivity of Crude Oils, **03.02**
G206-11 Guide for Measuring the Wear Volumes of Piston Ring Segments Run against Flat Coupons in Reciprocating Wear Tests, **03.02**
G207-11 Test Method for Indoor Transfer of Calibration from Reference to Field Pyranometers, **14.04**
G208-12 Practice for Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors Using Jet Impingement Apparatus, **03.02**
G209-13 Practice for Detecting mu-phase in Wrought Nickel-Rich, Chromium, Molybdenum-Bearing Alloys, **03.02**
G210-13 Practice for Operating the Severe Wastewater Analysis Testing Apparatus, **03.02**

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

P. PROPOSALS

P101 Withdrawn 1988; Proposed Method of Measuring Energy-Conserving Quality of Engine Oils in Vehicles (D-2 Proposal)
P102 Withdrawn 1988; Proposed Classification of Energy-Conserving Engine Oils (D-2 Proposal)
P103 Withdrawn 1985; Proposed Precautionary Statements (D-2 Proposal)
P104 Withdrawn 1988; Proposed Specification for Gasohol (D-2 Proposal)
P105 Withdrawn 1987; Proposed Method for Laboratory Measurement of Sound Reflection from Vertical Surfaces for Use in Open-Plan Spaces (E-33 Proposal)
P106 Withdrawn 1988; Proposed Test Method for Apparent Viscosity of Engine Oils Between -30° C and -5° C Using the Cold Cranking Simulator (D-2 Proposal)
P107 Withdrawn 1986; Proposed Test Method for Grindability of Subbituminous and Lignitic Coals Using the Hardgrove Machine (D-5 Proposal)
P108 Withdrawn 1987; Proposed Test Method for Determining the Fire Performance of Public Ground Transportation Seat Assemblies (E-5 Proposal)
P110 Withdrawn 1988; Proposed Guide to Assist in the Defining, Procuring, Installing, and Implementing of a Computerized Hospital Pharmacy System (E-31 Proposal)
P111 Withdrawn 1988; Proposed Test Method for Determination of Pseudomonas Aeruginosa in Water by Membrane Filtration (D-19 Proposal
P112 Withdrawn 1987; Proposed Test Method for Interstitial Oxygen Content of Silicon Slices by Computer-Assisted Infrared Spectrophotometry (F-1 Proposal)
P113 Withdrawn 1985; Proposed Test Method for Thallium in Water by Voltammetry (D-19 Proposal)
P114 Withdrawn 1985; Proposed Test Method for Copper in Water by Voltammetry (D-19 Proposal)
P115 Not Assigned
P116 Withdrawn 1986; Proposed Test Method for Cyclohexylamine (D-19 Proposal)
P117 Withdrawn 1985; Proposed Test Method for Nickel and Vanadium in Waterborne Oils (D-19 Proposal)
P118 Not Assigned
P119 Withdrawn 1984; Proposed Test Method for Tarnish Resistance of Electrical Contacts to "Flowers of Sulfur" Atmospheres (B-4 Proposal)
P120 Withdrawn 1985; Proposed Method for Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology) (D-22 Proposal); Redesignated D4413
P121 Withdrawn 1984; Proposed Method for Optical Emission Spectrometric Analysis of Refined Copper (E-2 Proposal)
P122 Withdrawn 1985; Proposed Test Method for Moisture and Noncombustibles of RDF-3 Macrosamples (E-38 Proposal)
P123 Withdrawn 1985; Proposed Test Method for Total Moisture in RDF-3 Samples (E-38 Proposal)
P124 Withdrawn 1984; Proposed Specification for Pine Oil Disinfectant (D-12 Proposal)
P125 Withdrawn 1987; Proposed Test Method for Static and Dynamic Coefficient of Friction of Polish-Coated Floor Surfaces, as Measured by the Horizontal Slip Tester (D-21 Proposal)
P126 Withdrawn 1987; Proposed Test Method for Static Coefficient of Friction of Polish-Coated Floor Surfaces, as Measured by NBS-Brungraber Articulated Arm Tester (D-21 Proposal)
P127 Withdrawn 1987; Proposed Test Method for Dynamic Coefficient of Friction of Polish-Coated Floor Surfaces, as Measured by NBS-Sigler Pendulum Impact Tester (D-21 Proposal)
P128 Withdrawn 1987; Proposed Test Method for Static and Dynamic Coefficient of Friction of Polish-Coated Floor Surfaces, as Measured by the Topaka Slip Tester (D-21 Proposal)
P129 Withdrawn 1984; Proposed Specification for Concrete Cleaner, Flush-Off Type (D-12 Proposal)
P130 Withdrawn 1986; Proposed Practice for Selection of Release Torque Value for Ski Bindings; Replaced by F939 (F-8 Proposal)
P131 Withdrawn 1987; Proposed Method for Selection of Release Torque Values of Ski Bindings (F-8 Proposal)
P138 Redesignated E1065; Proposed Practice for Evaluating the Characterisitics of Ultrasonic Search Units (E-7 Proposal)
P139 Withdrawn 1985; Proposed Method for Chemical Analysis of Magnesium–Analysis for Manganese and Zinc (E-3 Proposal)
P140 Withdrawn 1985; Proposed Method of Testing Flat Disposable (Consumable) Hot Top Boards and Risers for Metallic Ingots and Castings (C-8 Proposal)
P141 Withdrawn 1983; Proposed Test Method for Organic Halides in Water by Carbon Adsorption-Microcoulometric Detection (D-19 Proposal)
P142 Withdrawn 1986; Proposed Practice for Calculating Heat Losses Through Furnace Walls (C-8 Proposal)
P143 Withdrawn 1985; Proposed Methods of Testing Exothermic Refractory Covering Powders for Metallic Ingots and Castings (C-8 Proposal)
P144 Withdrawn 1986; Proposed Method for Eye Irritation in Albino Rabbits (E-5 Proposal)
P145 Withdrawn 1986; Proposed Practice for Detection and Evaluation of Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves (E-7 Proposal)
P146 Withdrawn 1986; Proposed Practice for Evaluating the Electronic Characteristics of Sections of Pulse-Echo Ultrasonic Inspection Instruments (E-7 Proposal)
P147 Withdrawn 1986; Proposed Room Fire Test of Wall and Ceiling Materials and Assemblies (E-5 Proposal)
P148 Withdrawn 1987; Proposed Test Method for Fluorides in Workplace Atmospheres (D-22 Proposal)
P149 Withdrawn 1986; Proposed Test Method for Phosphate Esters in Water (D-19 Proposal)
P150 Redesignated E997; Proposed Method for Structural Performance of Glass in Exterior Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads, by Destructive Method (E-6 Proposal)
P152 Withdrawn 1987; Proposed Operational Guide for Direct Current Plasma Emission Spectrometry Analysis (E-3 Proposal); Replaced by E1097
P153 Redesignated C1026; Proposed Method for Measuring Frost Resistance of Ceramic Tile (C-21 Proposal)
P154 Redesignated C1027; Proposed Test Method to Determine Visible Abrasion Resistance of Glazed Ceramic Tile (C-21 Proposal)
P155 Redesignated C1028; Proposed Method for Evaluating the Static Coefficient of Friction of Ceramic Tile, Terrazo, and Other Like Surfaces, by the Dynamometer Pull Meter Method (C-21 Proposal)
P156 Withdrawn 1989; Proposed Guide for Shredder Explosion Protection (E-38 Proposal)
P159 Withdrawn 1986; Proposed Method for Rheological Measurements of Bitumens by Vacuum Capillary Viscometer (D-4 Proposal)
P160 Withdrawn 1986; Proposed Test Method for Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer ((D-4 Proposal)
P161 Withdrawn 1986; Proposed Test Method for Benzidene and 3,3' Bidichlorobenzidene in Water by High Performance Liquid Chromatography (D-19 Proposal)
P162 Withdrawn 1986; Proposed Method of Quantification for Petroleum Oil in Water (D-19 Proposal)
P163 Withdrawn 1986; Proposed Test Method for Hydrocarbons in Tissue Samples (D-19 Proposal)
P164 Withdrawn 1985; Proposed Test Method for Simultaneous Detection and Enumeration of Total and Respiring Bacteria in Aquatic Systems Using Acridine Orange in Formazan Reduction Technique (D-19 Proposal)
P165 Withdrawn 1985; Proposed Test Method for Enumeration of Aquatic Bacteria by the Use of Acridine Orange Epifluorescence Direct Microscopic Counting (D-19 Proposal)
P166 Withdrawn 1987; Proposed Practice for Sampling and Inspection of Complete Alpine Boot Binding Systems in Rental Applications (F-27 Proposal)
P167 Withdrawn 1987; Proposed Test Method for Boiling Range Distribution of Crude Petroleum by Gas Chromatography (D-2 Proposal)
P168 Withdrawn 1988; Proposed Guide for Estimating the Incompatibility of Selected Hazardous Wastes Based on Binary Chemical Reactions (D-34 Proposal)
P169 Withdrawn 1989; Proposed Test Method for Determining a Correction Factor for Bitumen Retained by Aggregate Following a Bitumen Extraction Test (D-4 Proposal)
P170 Withdrawn 1988; Proposed Specification for Denatured Fuel Ethanol to be Blended With Gasolines for Use as an Automotive Spark-Ignition Engine Fuel (D-2 Proposal)
P171 Withdrawn 1988; Proposed Guide for Preparation of Biological Samples for Inorganic Chemical Analysis (D-19 Proposal)
P172 Withdrawn 1989; Proposed Specification for Electronic Grade Water (D-19 Proposal)
P173 Withdrawn 1988; Proposed Method for Comparison of Waterborne Petroleum Oils by Silhouette Profile Fluorescence Spectroscopy (D-19 Proposal)
P174 Withdrawn 1988; Proposed Test Method for Nitrite-Nitrate in Water (D-19 Proposal)
P175 Not Assigned
P176 Withdrawn 1988; Proposed Specification for Automotive Spark-Ignition Engine Fuel (D-2 Proposal)
P177 Withdrawn 1990; Proposed Test Method for On-Line Monoitoring of Electrical Conductivity to Determine Anions and Carbon Dioxide in High-Purity Water (D-19 Proposal); Replaced by D4519
P178 Withdrawn 1988; Proposed Test Method for Measurement of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature (D-2 Proposal)
P179 Withdrawn 1988; Proposed Method for Comparison of Waterborne Petroleum Oils by Low-Temperature Luminescence (D-19 Proposal)
P180 Withdrawn 1988; Proposed Test Method for Heating Performance and Emissions of Residential Wood-Fired Closed Combustion-Chamber Heating Appliances (D-22 Proposal)
P181 Withdrawn 1988; Proposed Test Method for Chlorine in Workplace Atmospheres (D-22 Proposal)
P182 Withdrawn 1988; Proposed Method for Determination of Benzene Soluble Particulate Matter in Workplace Atmospheres (D-22 Proposal)
P183 Withdrawn 1988; Proposed Test Method for Determination of 2,4-Toluene Diisocyanate (2,4-TD) in Workplace Atmospheres (D-22 Proposal)
P184 Withdrawn 1988; Proposed Method for Chemical Analysis of Ferrosilicon and Silicon Metal (E-3 Proposal)
P185 Withdrawn 1988; Proposed Test Method for Determination of the Ignition Resistance of Stacking Chairs (E-5 Proposal)
P186 Withdrawn 1989; Proposed Method for Random Vibration Testing of Shipping Containers (D-10 Proposal)

--`,,`,,`,`,,,,`````````,,C-`,,`,`,,`---
Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

P187 Withdrawn 1988; Proposed Method for Determination of Oxygen in Steel and in Iron, Nickel, and Cobalt Alloys (E-3 Proposal)
P188 Withdrawn 1988; Proposed Method of Test for Short Rod Fracture Toughness of Cemented Carbides (B-9 Proposal)
P189 Withdrawn 1988; Proposed Specification for Encapsulants for Friable Asbestos-Containing Building Materials (E-6 Proposal)
P190 Withdrawn 1988; Proposed Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter (E-5 Proposal)
P191 Withdrawn 1988; Proposed Test Method for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies (E-5 Proposal)
P192 Withdrawn 1988; Proposed Test Method for Degradation of Fine Aggregate Due to Attrition (C-9 Proposal)
P193 Withdrawn 1988; Proposed Specification for Ski Binding Test Devices (F-27 Proposal)
P194 Withdrawn 1988; Proposed Method of Verification of Ski Binding Test Devices (F-27 Proposal)
P195 Withdrawn 1989; Proposed Method for Chemical Analysis of Copper-Bismuth/Antimony/Arsenic/Tellurium/Lead/Iron/Selenium by Lanthanum Collection and Direct Current Argon Plasma Optical Emission Spectroscopy (E-1 Proposal)
P196 Withdrawn 1989; Proposed Method for Distillation of Heavy Oils and Crudes (Vacuum Potstill Method) (D-2 Proposal)
P197 Withdrawn 1988; Proposed Test Method for Interstitial Oxygen Content of Silicon Slices Polished on Both Sides by Computer-Assisted Infrared Spectrophotometry (E-1 Proposal)
P198 Withdrawn 1989; Proposed Test Method for Evaluating the Effectiveness of Materials for Curing Concrete (C-9 Proposal)
P199 Withdrawn 1990; Proposed Terminology for Nondestructive Examinations (E-7 Proposal); Redesignated E1316
P200 Withdrawn 1990; Proposed Test Method for Compression Testing of Cemented Carbides (B-9 Proposal)
P201 Withdrawn 1990; Proposed Test Method for Light Scattering Determination of Particle Size of Sediments in Aqueous Suspension (D-19 Proposal)
P202 Withdrawn 1990; Proposed Test Method for Iodide in Water (D-19 Proposal)
P203 Withdrawn 1990; Proposed Methods for Determination of Selenium in Refined Copper by Direct Current Argon Plasma Spectroscopy (E-3 Proposal)
P204 Withdrawn 1990; Proposed Methods for Determination of Iron, Lead, Nickel, Silver, and Tin in Refined Copper by Direct Current Argon Plasma Optical Emission Spectroscopy (E-1 Proposal)
P205 Withdrawn 1990; Proposed Classification for Energy Conserving Engine Oils (D-2 Proposal)
P206 Withdrawn 1989; Proposed Test Method for Determination of Tungsten in Ferrotungsten by the Cinchonine Gravimetric Method (E-1 Proposal)
P207 Withdrawn 1989; Proposed Guide for Precision and Bias Statements in Test Method Standards (C-26 Proposal)
P208 Withdrawn 1989; Proposed Test Method for Workplace Sampling and Analysis of Welding Fumes for Chromium (D-22 Proposal)
P209 Withdrawn 1989; Proposed Test Method for Sampling and Analysis of Nitrogen Dioxide Content of the Atmosphere (Diffusion Tube Methodology) (D-22 Proposal)
P210 Withdrawn 1991; Proposed Test Method for Evaluating Energy Conserving Gear Oils in Passenger Car and Light Truck Service (D-2 Proposal)
P211 Withdrawn 1990; Proposed Terminology Relating to Biomass Fuels (E-48 Proposal)
P212 Withdrawn 1992; Proposed Test Method for Sequence VE Test Procedure (D-2 Proposal)
P213 Withdrawn 1991; Proposed Test Method for Photoluminescence Analysis of Single Crystal Silicon for III-V Impurities; Replaced by F1392 (F-1 Proposal)
P214 Withdrawn 1992; Proposed Test Method for Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali-Silicon Reaction (C-9 Proposal)
P215 Withdrawn 1993; Proposed Test Method for Polychlorinated Biphenyls (PCBs) in Water by Gas Chromatography/Mass Spectrometry (D-19 Proposal)
P216 Withdrawn 1993; Proposed Test Method for Formaldehyde in Water (D-19 Proposal)
P217 Withdrawn 1993; Proposed Test Method for Total Tetra Through Octachloro Dibenzo-p-Dioxins and Dibenzofurans in Water (D-19 Proposal)
P218 Withdrawn 1993; Proposed Test Method for the Determination of Semi-Volatile Organic Compounds in Water by Gas Chromatography/Mass Spectrometry (D-19 Proposal)
*P219 Withdrawn 1993; Proposed Test Method for 2,3,7,8-Tetrachlorodibenzo-p-*Dioxin (TCDD) and 2,3,7,8-Tetrachlorodibenzofurans (TCDF) in Water (D-19 Proposal)
P220 Withdrawn 1992; Proposed Test Method for Determination of Ethylene Oxide in Workplace Atmospheres (HBr) Derivatization Method (D-22 Proposal)
P221 Withdrawn 1993; Proposed Specification for Colored Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors (D-20 Proposal)
P222 Withdrawn 1993; Proposed Test Method for Sulfur Dioxide in Workplace Atmospheres (D-22 Proposal)
P223 Withdrawn 1993; Proposed Specification for Colored Rigid Poly(Vinyl Chloride)(PVC) Siding (D-20 Proposal)
P224 Withdrawn 1992; Proposed Test Method for Determining the Net Carrier Density on Bulk and Epitaxial Silicon Wafers by Using a Mercury Probe F-1 Proposal)
P225 Withdrawn 1992; Proposed Test Method for Substitutional Atomic Carbon Content of Silicon by Infrared Absorption; Replaced by F1391 (F-1 Proposal)
P226 Withdrawn 1993; Proposed Test Methods for Bituminous Materials in Tension (D-4 Proposal)
P227 Withdrawn 1993; Proposed Practice for Evaluation Criteria of Hydraulic Cement Testing Laboratories (C-1 Proposal); Replaced by C1222
P228 Withdrawn 1994; Proposed Test Methods for pH Measurement of Water of Low Conductivity; Replaced by D5464 (D-19 Proposal)
P229 Withdrawn 1994; Proposed Test Method for Giardia Cysts and *Cryptosporidium* Oocysts in Low-Turbidity Water by a Fluorescent Antibody Procedure (D-19 Proposal)
P230 Withdrawn 1994; Proposed Test Method for Measurement of Occupational Exposure to Formaldehyde (Passive Sampler Methodology) (D-22 Proposal)
P231 Withdrawn 1993; Proposed Test Method for N-Methylcarbamoyloximes/N-Methylcarbamates in Water by Direct Aqueous Injection Liquid Chromatography (HPLC) with Post Column Derivatization; Replaced by D5315 (D-19 Proposal)
P232 Withdrawn 1995; Proposed Specification for Fuel Methanol (M85) for Automotive Spark-Ignition Engines (D-2 Proposal)
P233 Withdrawn 1995; Proposed Test Method for Compaction and Strength Properties of Graded Aggregate Using the Gyratory Testing Machine (GTM) (D-4 Proposal)
P235 Withdrawn 1995; Proposed Test Method for Fluorometric Determination of Toxicity-Induced Enzymatic Inhibition in Daphnia Magna
P236 Withdrawn 1995; Proposed Test Method for Asbestos–Containing Materials by Polarized Light Microscopy
P241 Withdrawn 1995; Proposed Test Method for Determination of Semi-Volatile Organic Compounds in Water by Gas Chromatography/Mass Spectrometry (GC/MS) (D-19 Proposal)
P242 Withdrawn 1995; Proposed Test Method for Adherent Fines Test; Replaced by D5711 (D-4 Proposal
P243 Withdrawn 1995; Proposed Test Method for Toughness and Tenacity of Bituminous Materials; Replaced by D5801 (D-4 Proposal)
P244 Withdrawn 1995; Proposed Practice for Rheological Measurements of Bitumens Using Dynamic Shear Rheometers (D-4 Proposal)
P245 Withdrawn 1996; Proposed Test Method for Determining the Flexural Creep Stiffness of AsphaltBinder Using the Bending Beam Rheometer (D-4 Proposal)
P246 Withdrawn 1996; Proposed Test Method for Determining the Rheological Properties of Asphalt Binder for Specification Purposes Using a Dynamic Shear Rheometer (DSR) (D-4 Proposal)
P248 Withdrawn 1997; Proposed Specification for Performance Graded Asphalt Binder (D-4 Proposal)
P249 Withdrawn 1997; Proposed Practice for Grading or Verifying the Performance Grade of an Asphalt Binder (D-4 Proposal)
P252 Withdrawn 1997; Proposed Test Method for Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT) (D-4 Proposal)

--`,,`,,`,`,,`,,,,``````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

PS. PROVISIONAL STANDARDS

PS1 Withdrawn 1997; Provisional Specification for Poly(Vinyl Chloride)(PVC) Sewer and Drain Pipe Containing Recycled PVC Material; Replaced by F1732

PS2 Withdrawn 1996; Provisional Standard Specification for Molding Plastics, Electrical, Thermoplastic

PS3 Withdrawn 1998; Provisional Guide for Accelerated Site Characterization for Confirmed or Suspected Petroleum Releases; Replaced by E1912

PS5 Withdrawn 1996; Provisional Standard Test Method for Static and Dynamic Spinal Implants Assembly in a Corpectomy Model

PS6 Withdrawn 1997; Provisional Standard Practice for Establishing Secured Creditor Exemption Under CERCLA

PS7 Withdrawn1996; Provisional Standard Specification for Iodotrifluoromethane, CF_3

PS8 Withdrawn 1998; Provisional Standard Specification for Poly(Vinyl Chloride)(PVC) Non-Pressure Plastic Pipe Having Reprocessed-Recycled Content; Replaced by F1760

PS9 Withdrawn 1996; Provisional Standard Test Method for Determination of Free Formaldehyde in Emulsion Polymers by Liquid Chromatography; Replaced by D5910

PS10 Withdrawn 2004; Provisional Specification for Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot Tubs; Replaced by F2387

PS11 Withdrawn 1998; Provisional Practice for Environmental Regulatory Compliance Audits

PS12 Withdrawn 1998; Provisional Guide for Study and Evaluation of an Organization's Environmental Management Systems

PS13 Withdrawn 1997; Provisional Test Method for Performance Testing of Excess Flow Devices; Replaced by F1802

PS14 Withdrawn 1998; Provisional Practice for Life Cycle Costing for Pollution Prevention

PS15 Withdrawn 1996; Provisional Standard Specification for Molding Compounds, Thermosetting; Replaced by D5948

PS16 Withdrawn 1996; Provisional Standard Specification for Liquid Coating Encapsulation Products for Leaded Paint in Buildings; Replaced by F1795

PS18 Withdrawn 1995; Practice for Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films; Replaced by E1753

PS20 Withdrawn 1998; Provisional Specification for Corrugated Polyethylene (PE) Pipe and Fittings Made with Recycled (PE) Materials

PS23 Withdrawn 1997; Provisional Guide for Use of Coal Combustion Fly Ash in Structural Fills; Replaced by E1861

PS26 Withdrawn 1998; Provisional Guide for Development and Implementation of a Source Reduction Program

PS27 Withdrawn 1997; Provisional Standard Specification for Engineering and Design Criteria for Rigid Wall Relocatable Structures; Replaced by E1925

PS28 Withdrawn 1997; Provisional Test Method for Flow Consistency of Controlled Low Strength Material; Replaced by D6103

PS29 Withdrawn 1996; Provisional Test Method for Unit Weight, Yield, and Air Content (Gravimetric) of Controlled Low Strength Material; Replaced by D6023

PS30 Withdrawn 1996; Provisional Standard Practice for Sampling Freshly Mixed Controlled Low Strength Material; Replaced by D5971

PS31 Withdrawn 1997; Provisional Test Method for Ball Drop on Controlled Low Strength Material to Determine Suitability for Load Application; Replaced by D 6024

PS33 Withdrawn 1996; Provisional Guide for Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings; Replaced by E1796

PS34 Withdrawn 1996;Provisional Specification for Molded Polyethylene Shipping and Storage Drums; Replaced by D5998

PS35 Withdrawn 1997; Provisional Practice for Sampling Plans and Tables for Inspection by Attributes

PS36 Withdrawn 1998; Provisional Standard Practice for Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV); Replaced by D6521

PS37 Withdrawn 1996; Provisional Practice for Conducting Environmental Baseline Surveys; Replaced by D6008

PS38 Withdrawn 1997; Provisional Consumer Safety Specification for Toddler Beds; Replaced by F1821

PS39 Withdrawn 1996; Test Method for Determination of Volatile Organic Compound (VOC) Content of Electric Insulating Varnishes; Replaced by D6053

PS40 Withdrawn 1996; Provisional Guide for Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality ad Ventilation; Replaced by D6245

PS41 Withdrawn 1996;Provisional Specification for Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings; Replaced by E1797

PS42 Withdrawn 1999; Provisional Test Method for Metal Removal Fluid Aerosol in Workplace Atmospheres; Replaced by D6649

PS43 Withdrawn 1998; Provisional Guide for Safer Use of Movable Soccer Goals; Replaced by F1938

PS45 Withdrawn 1997; Evaluating Quality Systems of Organizations Engaged in Conducting Hazard Assessments to Determine the Presence/Extent of Lead in Paint/Dust/Airborne Particulate, and Soil in Buildings/Related Structures; Replaced by E1864

PS46 Withdrawn 1998; Provisional Practice for Collection of Surface Dust by Air Sampling Pump Vacuum Technique for Subsequent Lead Determination; Replaced by E1973

PS47 Withdrawn 1997; Provisional Test Method for Screening, Quantification, and Characterization of Total Polychlorinated Biphenyls by Room Temperature Phosphorescence

PS48 Withdrawn 1997; Provisional Test method for Oil and Grease (Solvent Extractable Substances) by Gravimetric Determination

PS49 Withdrawn 1999; Provisional Practice for Application of Class PB Exterior Insulation and Finish Systems; Replaced by C1397

PS50 Withdrawn 1998; Provisional Specification for Molded and Cast Nylon (PA) Rod, Tubes, Sheets, and Parts

PS52 Withdrawn 1998; Provisional Test Methods for Determination of Trace Elements in Coal, Coke and Combustion Residues From Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry; Replaced by D6357

PS53 Withdrawn 1999; Provisional Guide for Identification and Management of Lead Hazards in Facilities; Replaced by E2052

PS54 Withdrawn 1998; Provisional Performance Requirements for Child's Plastic Chairs for Outdoor Use; Replaced by F1838

PS55 Withdrawn 1998; Provisional Performance Requirements for Multipositional Plastic Chairs, with Adjustable Backs or Reclining Mechanisms, for Outdoor Use; Replaced by F1858

PS56 Withdrawn 2000; Provisional Test Method for Sealability of Gasket Materials

PS57 Withdrawn 1999; Provisional Test Method for Determining Ignitability of Clothing by the Electric Arc Exposure Method Using a Mannequin; Replaced by F1958

PS58 Withdrawn 1999; Provisional Test Method for Determining Arc Thermal Performance (Value) of Textile Materials for Clothing by Electric Arc Exposure Method Using Instrumented Sensor Panels; Replaced by F1959

PS59 Withdrawn 2005; Provisional Specification for Fire Safety for Candles

PS60 Withdrawn 1998; Provisional Specification for Drawstrings on Children's Upper Outerwear; Replaced by F1816

PS61 Withdrawn 1998; Provisional Guide for Prevention and Control of Lead-Based Paint Hazards in Rental Housing

PS62 Withdrawn 1999; Provisional Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers

PS63 Withdrawn 1998; Provisional Test Method for Tires, Pneumatic, Vehicular, Highway; Replaced by F1922

PS64 Withdrawn 1998; Provisional Guide for Developing Appropriate Statistical Approaches for Ground-Water Detection Monitoring Programs; Replaced by D6312

PS65 Withdrawn 1998; Provisional Specification for Shelter, Electrical Equipiment S-250/G; Replaced by E1974

PS66 Withdrawn 1998; Provisional Specification for Shelter, Electrical, Equipment S-280/G; Replaced by E1975

PS67 Withdrawn 1998; Provisional Specification for Shelter, Tactical, Nonexpandable; Replaced by E1976

PS68 Withdrawn 1998; Provisional Specification for Shelter, Tactical, Expandable, One-Side; Replaced by E1977

PS69 Withdrawn 1998; Provisional Specification for Shelter, Tactical, Expandable, Two-Side; Replaced by E1978

PS70 Withdrawn 2000; Provisional Test Method for Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperatures; Replaced by C1421

PS72 Withdrawn 2001; Provisional Test Method for Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS); Replaced by E2134

PS74 Withdrawn 2000; Provisional Test Method for Oil and Grease (Solvent Extractable Substances) in Water by Gravimetric Determination

PS75 Withdrawn 2000; Provisional Standard Safety and Performance Specification for Soccer Goals; Replaced by F2056

PS77 Withdrawn 1998; Provisional Test Method for Human Repeat Insult Patch Testing of Medical Gloves; Replaced by D6355

PS78 Withdrawn 2000; Provisional Guide for Selecting Surface Geophysical Methods; Replaced by D6429

PS79 Withdrawn 1998; Provisional Test Method for Holding Strength of Prong-Ring Attached Snap Fasteners

PS80 Withdrawn 2000; Provisional Performance Specification for Fun Karts; Replaced by F2011

PS81 Withdrawn 2001; Provisional Test Method for Length Change of Mortar Bars Caused by Reaction Between Hydraulic Cement and Alkali-Reactive Aggregate

PS83 Withdrawn 1999; Provisional Specification for Determination of Accessability of Surface Systems Under and Around Playground Equipment; Replaced by F1951

PS84 Withdrawn 1998; Provisional Specification for Bean Bag Chairs; Replaced by F1912

PS85 Withdrawn 1998; Provisional Guide fir Expedited Site Characterization of Hazardous Waste Contaminated Sites; Replaced by D6235

PS86 Withdrawn 1998; Provisional Test Method for Tires, Pneumatic, Low Speed, Off Highway; Replaced by F1923

PS87 Withdrawn 1998; Provisional Practice for Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead; Replaced by E1979

PS88 Withdrawn 1999; Provisional Practice for Determination of Lead in Paint, Settled Dust, Soil and Air Particulate by Field-Portable Electroanalysis; Replaced by E2051

PS90 Withdrawn 1998; Provisional Test Methods for Asphalt Content of Hot Mix Asphalt by the Ignition Method; Replaced by D6307

--`,,`,,`,`,,,,`````````,,-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

PS91 Withdrawn 2003; Provisional Specification for Portable Gasoline and Kerosine Spill-Resistant Fueling Systems for Consumer Use; Replaced by F2234
PS93 Withdrawn 2001; Provisioinal Specification for Fabricated Shapes and Finished Parts Fabricated From Polyimide Resins
PS94 Withdrawn 2001; Provisional Practice for Personal Sampling and Analysis of Endotoxin in Metal Removal Fluid Aerosols in Workplace Atmospheres; Replaced by E2144
PS95 Withdrawn 2000; Provisional Practice for Quality Systems for Conducting In Situ Measurements of Lead Content in Paint or Other Coatings Using Field-Portable X-Ray Fluorescence (XRF) Devices; Replaced by E2119
PS96 Withdrawn 1999; Provisional Performance Requirements for Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use; Replaced by F1988
PS97 Withdrawn 1998; Provisional Guide for Consumer Recreational Use of Fun Karts; Replaced by F1928
PS100 Withdrawn 2000; Provisional Specification for Authentication of Healthcare Information Using Digital Signatures; Replaced by E2084
PS101 Withdrawn 2000; Provisional Guide on Security Framework for Healthcare Information; Replaced by E2085
PS102 Withdrawn 2000; Provisional Guide for Internet and Intranet Healthcare Security; Replaced by E2086
PS103 Withdrawn 1998; Provisional Guide for User Authentication and Authorization; Replaced by E1985
PS104 Withdrawn 2000; Provisional Guide for Risk Based Corrective Action; Replaced by E2081
PS105 Withdrawn 2003; Provisional Specification for Dedicated Short-Range Communication (DSRC) Data Link Layer
PS106 Withdrawn 2005; Provisional Standard Specifiation for Rods and Tubes of Polyethylene (PE)
PS107 Withdrawn 1998; Provisional Guide for Information Access Privileges to Health Information; Replaced by E1986
PS108 Withdrawn 1998; Provisional Guide for Individual Rights Regarding Health Information; Replaced by E1987
PS109 Withdrawn 1998; Provisional Guide for Training of Persons Who Have Access to Health Information; Replaced by E1988
PS110 Withdrawn 2000; Provisional Safety Specification for Chests, Door Chests, and Dressers; Replaced by F2057
PS111 Withdrawn 2000; Provisional Specification for Dedicated Short Range Communication (DSRC) Physical Layer Using Microwave in the 902 to 928 MHz Band; Replaced by E 2158
PS112 Withdrawn 2000; Provisional Safety Specification for Window Fall Prevention Devices for Non-Emergency Escape Egress and Rescue Ingress Windows; Replaced by F2006
PS114 Withdrawn 1999; Provisional Specification for Fire Suppression Towels; Replaced by F1989
PS115 Withdrawn 2001; Provisional Specification for Audit and Disclosure Logs for Use in Health Information Systems; Replaced by E2147
PS116 Withdrawn 2001; Provisional Practice for Performance Evaluation of the Portable X-Ray Fluorescence Spectrometer for the Measurement of Lead in Paint Films; Replaced by E2120
PS117 Withdrawn 2001; Provisional Specification for Portable Escape Ladder for Residential Use; Replaced by F2175
PS118 Withdrawn 2002; Provisional Test Method for Water-Extractable Chloride in Aggregate (Soxhlet Method); Replaced by C1524
PS119 Withdrawn 2003; Provisional Specification for Child-Resistant Portable Gasoline Containers for ConsumerUse
PS120 Withdrawn 2001; Provisional Specification for Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms; Replaced by F2090
PS121 Withdrawn 2002; Provisional Specification forBiodiesel Fuel (B100) Blend Stock for Distillate Fuels; Replaced by D6751
PS124 Withdrawn 2002; Provisional Test Method for Measuring Maximum Spontaneous Heating Temperature of Art Materials; Replaced by D6801
PS125 Withdrawn 2003; Provisional Consumer Safety Performance Specification for Diaper Changing Tables for Commercial Use
PS127 Withdrawn 2003; Provisional Test Method for Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Regulators Used for Medical and Emergency Applications; Replaced by G175
PS128 Withdrawn 2003; Provisional Specifications for Pool Alarms; Replaced by F2208
PS129 Withdrawn; Provisional Test Method for Measurement of Permeability of Bituminous Paving Mixtures Using a Flexible Wall Permeameter
PS130 Withdrawn 2003; Provisional Consumer Safety Specification for Non-Powered Scooters; Replaced by F2264
PS131 Withdrawn 2003; Provisional Teset Method for Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method; Replaced by D6752
PS132 Withdrawn 2003; Provisional Test Method for Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method; Replaced by D6857
PS135 Withdrawn 2004; Provisional Specification for Labeling for Upright Brooms for Consumer and Institutional Use; Replaced by F2367
PS136-02 Withdrawn 2003; Provisional Test Method for Quantitative Extraction and Recovery of Asphalt Binder from Asphalt Mixtures; Replaced by D6857
PS137 Withdrawn 2004; Provisional Specification for Labeling for Wet Mops for Consumer and Institutional Use; Replaced by F2368
PS138 Withdrawn 2004; Provisional Specification for Shelter, Electrical Equipment, Lightweight; Replaced by E2377

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST

--`,,```,,,,````-`-`,,`,,`,`,,`---

Copyright ASTM International
Provided by IHS under license with ASTM
No reproduction or networking permitted without license from IHS

Licensee=University of Alberta/5966844001, User=ahmadi, rozita
Not for Resale, 12/26/2014 15:00:56 MST